LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
United States, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1991

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1990
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1990
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1990
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1990
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics x

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Ten Year Length of Stay Comparison xii

Length of Stay Tables 1
Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-419 4
Length of Stay Operation Groups 215
Summary of All Patients in Operation Groups 216
Operation Groups 501-783 217

Appendix A 289
1990 Hospital Characteristics

Appendix B 290
Description of Hospital Characteristics

Appendix C 291
State Inclusions By Region

Appendix D 293
Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups

Index
Part I: Diagnosis Index 298
Part II: Operation Index 321

ACKNOWLEDGEMENTS

1990 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda Vanek, Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Michele Archer, Staff Nosologist, CPHA.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Sally Smith, and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1990 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, The National Association of Children's Hospitals and Related Institutions (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The system was designed to group together patients with the same or closely related diagnoses (or procedures) to permit the development of detailed guidelines of care.

The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, and 418-419, which pertain exclusively to newborns, age is replaced by birth weight in grams. Two new groups were added in 1990 to the List A Diagnosis Groups to separate newborns delivered by cesarean section from unassisted deliveries:

418 - Single liveborn, with cesarean section delivery, born in hospital
419 - Twin or multiple liveborn, with cesarean section delivery, born in hospital

The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. A significant procedure is defined as one that is surgical (invasive) in nature, or carries a procedural risk, or carries an anesthetic risk, or requires specialized training. Surgery generally includes incision, excision, amputation, introduction (of devices), endoscopy, repair, suture, and manipulation. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis

- Not Operated or Operated (for Diagnosis groups only)

- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

TEN YEAR LENGTH OF STAY COMPARISON

The Length of Stay publications present statistical data which describe hospital stay in the United States. Companion volumes display data for census regions and the pediatric and geriatric populations. The 1990 LOS series, published by Healthcare Knowledge Resources, is derived from the database developed and maintained by the Commission on Professional and Hospital Activities (CPHA) and is drawn from over four million hospital discharge records.

Hospital stay data provide a valuable perspective for healthcare professionals who make decisions based on hospital utilization. Length of Stay has been published since 1963 and can be used to track trends, examine patterns of care, and conduct comparisons between years.

The following graphs illustrate changes in hospital stay over a 10 year period.



AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS - 1980, 1985, 1990

[1] Short term, general nonfederal hospitals

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS EXCEPT NEWBORNS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

There is a steady decline in length of stay over the time period studied, with a 12% drop observed from 1980 to 1985 for all patients in the U.S. From 1985 to 1990 the decline continued, but slowed to a 5% decrease.

Traditionally, hospital stays are highest in the Northeast and North Central, and lowest in the South and West. This regional pattern remains consistent until 1990, when the North Central and Southern regions display an almost equivalent length of stay.

A variety of factors can be looked at to explain the decline in hospital stay. Studies show that the prospective payment system implemented by the federal government had an impact on reducing hospital stays by reimbursing at a fixed rate for inpatient care. The introduction of utilization review to monitor costs and resource consumption helped shorten hospital stays by assuring medical necessity of admissions.

Other factors that affect hospital stay include introducing new medical technology and techniques that require shorter hospitalization and recovery time, discharging patients as soon as medically feasible to less acute care settings, providing more home-based services as an alternative to inpatient care, and managing catastrophic cases.

The growth of HMOs and PPOs provides yet another explanation for the decrease in hospital stays. Because services are prepaid, all medical care is closely monitored to control costs and utilization.

Length of Stay Tables
Diagnosis Groups

832 Hospitals, United States, January-December 1990, by Diagnosis

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	351297	2.6	9	1	1	2	3	4	5	13
20-34	166833	2.9	17	1	1	2	3	5	8	22
35-49	59167	4.2	34	1	1	2	4	9	14	29
50-64	29600	4.4	31	1	1	3	5	9	14	29
65 +	24519	5.0	35	1	2	3	6	10	15	31
B. Operated										
0-19 YRS	106303	2.7	9	1	1	2	3	5	7	15
20-34	197758	2.6	4	1	1	2	3	4	5	10
35-49	88193	3.2	7	1	1	3	4	6	8	13
50-64	55230	3.7	11	1	1	3	5	8	10	15
65 +	43968	4.6	17	1	2	3	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	443953	4.4	42	1	2	3	4	8	14	36
20-34	205294	5.2	46	1	2	3	6	12	19	33
35-49	195131	5.8	45	1	2	4	7	13	19	33
50-64	241826	5.9	38	1	2	4	7	12	16	31
65 +	606210	7.2	47	2	3	5	9	14	19	36
B. Operated										
0-19 YRS	156388	6.7	113	1	2	3	7	16	28	91
20-34	342237	4.3	29	1	2	3	4	7	11	29
35-49	232366	5.9	50	1	3	4	6	12	17	40
50-64	245165	7.6	71	1	3	5	9	16	22	47
65 +	444359	9.7	92	2	4	7	12	20	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	631416	3.0	16	1	1	2	3	5	8	21
B. Operated	491452	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	1692414	5.9	45	1	2	4	7	12	18	35
B. Operated	1420515	7.1	73	1	2	4	8	15	22	49
1. SINGLE DX	1122868	3.0	12	1	1	2	3	5	8	18
2. MULTIPLE DX	3112929	6.4	58	1	2	4	8	14	20	42
A. Not Operated	2323830	5.1	39	1	2	3	6	11	16	32
B. Operated	1911967	6.0	59	1	2	4	7	13	19	43
TOTAL										
0-19 YRS	1057941	4.0	40	1	2	2	4	7	12	37
20-34	912122	3.9	26	1	2	2	4	7	11	28
35-49	574857	5.3	41	1	2	4	6	11	16	33
50-64	571821	6.3	51	1	2	4	8	13	18	37
65 +	1119056	8.0	66	2	3	6	10	16	22	44
GRAND TOTAL	**4235797**	**5.5**	**48**	**1**	**2**	**3**	**6**	**12**	**17**	**37**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141196	3.1	20	1	1	2	3	5	8	24
20-34	166833	2.9	17	1	1	2	3	5	8	22
35-49	59167	4.2	34	1	1	2	4	9	14	29
50-64	29600	4.4	31	1	1	3	5	9	14	29
65 +	24519	5.0	35	1	2	3	6	10	15	31
B. Operated										
0-19 YRS	106219	2.7	9	1	1	2	3	5	7	14
20-34	197758	2.6	4	1	1	2	3	4	5	10
35-49	88193	3.2	7	1	1	3	4	6	8	13
50-64	55230	3.7	11	1	1	3	5	8	10	15
65 +	43968	4.6	17	1	2	3	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	290710	4.9	51	1	2	3	5	9	16	41
20-34	205294	5.2	46	1	2	3	6	12	19	33
35-49	195131	5.8	45	1	2	4	7	13	19	33
50-64	241826	5.9	38	1	2	4	7	12	16	31
65 +	606210	7.2	47	2	3	5	9	14	19	36
B. Operated										
0-19 YRS	150247	6.1	85	1	1	3	7	14	24	73
20-34	342237	4.3	29	1	2	3	4	7	11	29
35-49	232366	5.9	50	1	3	4	6	12	17	40
50-64	245165	7.6	71	1	3	5	9	16	22	47
65 +	444359	9.7	92	2	4	7	12	20	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	421315	3.4	23	1	1	2	3	6	10	26
B. Operated	491368	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	1539171	6.1	47	1	2	4	7	13	18	35
B. Operated	1414374	7.0	70	1	2	4	8	15	22	47
1. SINGLE DX	912683	3.2	15	1	1	2	4	6	9	20
2. MULTIPLE DX	2953545	6.5	58	1	2	4	8	14	20	41
A. Not Operated	1960486	5.5	43	1	2	4	7	12	17	34
B. Operated	1905742	6.0	57	1	2	4	7	13	19	42
TOTAL										
0-19 YRS	688372	4.4	47	1	1	3	4	9	15	40
20-34	912122	3.9	26	1	2	2	4	7	11	28
35-49	574857	5.3	41	1	2	4	6	11	16	33
50-64	571821	6.3	51	1	2	4	8	13	18	37
65 +	1119056	8.0	66	2	3	6	10	16	22	44
GRAND TOTAL	**3866228**	**5.8**	**50**	**1**	**2**	**4**	**7**	**12**	**18**	**37**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1687	2.2	2	1	1	2	3	4	4	7
20-34	413	2.0	1	1	1	2	2	3	4	6
35-49	182	2.1	1	1	1	2	3	3	4	5
50-64	85	2.6	3	1	1	2	3	4	7	9
65 +	57	2.8	3	1	1	3	4	5	7	8
B. Operated										
0-19 YRS	31	3.1	1	2	2	3	3	5	6	7
20-34	15	3.7	3	2	2	3	5	6	7	7
35-49	7	4.4	3	2	3	5	6	7	7	7
50-64	4	5.3	2	4	4	5	6	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6137	2.9	4	1	2	2	3	5	6	10
20-34	1083	2.6	4	1	1	2	3	4	6	8
35-49	802	3.0	4	1	2	2	4	5	7	11
50-64	664	3.3	8	1	2	3	4	6	7	11
65 +	1408	4.1	9	2	2	3	5	7	10	17
B. Operated										
0-19 YRS	136	9.5	138	2	3	5	9	28	38	71
20-34	67	5.3	20	1	3	4	7	10	15	26
35-49	69	6.3	35	2	3	5	7	10	21	34
50-64	52	5.6	15	2	3	5	7	11	14	18
65 +	104	8.5	49	3	4	6	10	15	19	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2424	2.2	2	1	1	2	3	4	4	7
B. Operated	57	3.5	2	2	3	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	10094	3.0	5	1	2	3	4	5	7	12
B. Operated	428	7.6	69	2	3	5	8	15	26	49
1. SINGLE DX	2481	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	10522	3.2	8	1	2	3	4	6	7	14
A. Not Operated	12518	2.9	5	1	2	2	3	5	6	11
B. Operated	485	7.1	63	2	3	5	8	14	23	47
TOTAL										
0-19 YRS	7991	2.8	7	1	2	2	3	5	6	12
20-34	1578	2.5	5	1	1	2	3	5	6	10
35-49	1060	3.0	6	1	2	2	4	5	7	12
50-64	805	3.4	8	1	2	3	4	6	8	12
65 +	1569	4.4	12	2	2	3	5	8	11	18
GRAND TOTAL	**13003**	**3.0**	**7**	**1**	**2**	**2**	**4**	**5**	**7**	**13**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	654	3.6	12	1	2	3	4	6	8	16
20-34	325	3.2	5	1	2	3	4	6	7	11
35-49	174	3.5	3	2	2	3	4	6	7	11
50-64	88	4.0	6	1	2	4	5	7	8	13
65 +	43	4.2	7	2	2	3	6	7	9	13
B. Operated										
0-19 YRS	50	5.1	14	2	2	4	6	9	14	18
20-34	60	4.7	10	2	3	4	5	7	13	17
35-49	40	4.4	5	1	3	4	6	8	9	10
50-64	21	5.5	20	1	3	4	6	11	17	20
65 +	16	4.9	7	2	3	4	7	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1646	4.3	15	2	2	3	5	8	10	21
20-34	724	4.1	12	1	2	3	5	8	10	17
35-49	695	4.5	16	1	2	4	5	8	11	18
50-64	613	5.5	16	2	3	4	7	10	12	20
65 +	1381	7.4	39	3	4	6	9	13	17	32
B. Operated										
0-19 YRS	139	12.4	188	3	5	8	15	27	41	90
20-34	230	7.6	64	2	3	5	8	16	24	43
35-49	256	8.1	61	3	4	6	9	17	24	42
50-64	248	9.8	153	3	4	6	10	20	27	78
65 +	584	12.3	109	4	6	9	14	24	34	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1284	3.5	9	1	2	3	4	6	8	13
B. Operated	187	4.9	11	2	3	4	6	8	12	18
2. MULTIPLE DX										
A. Not Operated	5059	5.3	23	2	3	4	6	10	13	25
B. Operated	1457	10.4	112	3	4	7	12	22	31	56
1. SINGLE DX	1471	3.7	9	1	2	3	4	7	8	14
2. MULTIPLE DX	6516	6.4	48	2	3	5	7	12	18	37
A. Not Operated	6343	4.9	21	2	2	4	6	9	12	23
B. Operated	1644	9.8	104	3	4	7	11	20	28	56
TOTAL										
0-19 YRS	2489	4.6	28	1	2	3	5	8	11	26
20-34	1339	4.5	21	1	2	3	5	8	12	25
35-49	1165	5.1	26	2	3	4	6	9	12	28
50-64	970	6.4	54	2	3	5	7	11	16	35
65 +	2024	8.7	64	3	4	7	10	16	23	44
GRAND TOTAL	**7987**	**5.9**	**42**	**2**	**3**	**4**	**7**	**11**	**16**	**34**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	7.3	110	1	2	4	9	16	25	54
20-34	60	7.1	25	1	3	6	10	14	15	24
35-49	54	6.7	15	2	4	6	8	12	15	19
50-64	14	5.3	13	1	2	5	8	10	11	11
65 +	10	10.6	25	4	8	10	14	18	19	19
B. Operated										
0-19 YRS	7	4.7	11	1	2	4	6	10	11	11
20-34	17	7.5	13	1	6	8	10	12	13	14
35-49	25	8.8	48	2	6	6	10	19	24	33
50-64	9	6.7	4	4	5	7	8	9	10	10
65 +	9	9.7	17	4	8	9	12	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	7.9	38	2	3	6	10	16	21	28
20-34	157	10.2	81	2	5	7	13	20	30	46
35-49	185	11.6	116	3	4	8	15	24	32	44
50-64	132	9.5	45	2	4	8	13	19	22	33
65 +	122	11.7	79	4	6	10	15	22	24	45
B. Operated										
0-19 YRS	24	9.7	71	3	4	6	12	22	27	38
20-34	89	14.6	195	4	7	10	17	30	48	91
35-49	106	16.0	124	6	9	12	21	31	41	78
50-64	104	14.4	133	3	7	11	19	29	42	54
65 +	145	17.8	215	4	9	13	22	38	49	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	7.0	35	1	3	6	9	13	17	24
B. Operated	67	7.9	26	2	6	7	9	13	16	31
2. MULTIPLE DX										
A. Not Operated	638	10.6	81	3	5	8	14	21	27	40
B. Operated	468	15.6	168	4	8	11	20	34	44	78
1. SINGLE DX	233	7.3	33	1	4	6	9	13	17	26
2. MULTIPLE DX	1106	12.7	124	3	6	10	16	25	35	60
A. Not Operated	804	9.9	74	2	4	8	13	20	25	40
B. Operated	535	14.7	156	4	7	11	19	30	44	76
TOTAL										
0-19 YRS	101	8.0	64	2	3	6	9	17	22	46
20-34	323	10.7	105	2	5	8	13	21	31	63
35-49	370	12.0	108	3	5	9	15	25	34	51
50-64	259	11.1	85	3	5	8	15	22	28	49
65 +	286	14.7	154	4	7	11	18	29	41	76
GRAND TOTAL	**1339**	**11.8**	**112**	**3**	**5**	**9**	**15**	**23**	**33**	**54**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	10.3	90	3	4	6	13	27	30	30
20-34	4	8.3	12	5	6	7	10	13	13	13
35-49	4	8.0	40	2	3	7	13	16	16	16
50-64	4	5.0	9	2	2	5	7	8	8	8
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	25	7.2	60	1	2	3	14	19	22	29
20-34	8	5.0	22	1	2	3	6	13	15	15
35-49	3	11.3	66	2	5	15	16	17	17	17
50-64	3	5.0	13	2	2	4	8	9	9	9
65 +	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	7.7	67	1	2	5	9	20	27	30
20-34	34	13.4	191	2	4	10	15	35	48	58
35-49	33	10.1	120	1	4	7	11	29	44	99 +
50-64	16	13.4	70	4	7	11	21	30	76	99 +
65 +	11	14.8	83	3	8	14	20	27	32	33
B. Operated										
0-19 YRS	24	19.7	409	3	7	14	32	58	92	99 +
20-34	50	18.1	271	5	8	16	23	40	92	99 +
35-49	49	23.8	486	7	10	14	35	71	97	99 +
50-64	40	21.3	377	3	7	13	32	50	66	72
65 +	40	25.8	330	7	13	20	39	55	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	7.5	42	2	3	6	10	15	22	30
B. Operated	40	7.1	49	1	2	4	14	17	19	29
2. MULTIPLE DX										
A. Not Operated	109	11.8	125	2	4	9	16	29	42	99 +
B. Operated	203	21.8	372	6	8	16	32	58	80	99 +
1. SINGLE DX	62	7.2	46	1	2	4	10	17	19	30
2. MULTIPLE DX	312	18.3	308	3	7	13	24	48	67	99 +
A. Not Operated	131	11.0	114	2	4	8	15	28	37	99 +
B. Operated	243	19.4	348	3	7	14	26	52	72	99 +
TOTAL										
0-19 YRS	71	11.9	209	1	3	7	15	31	36	98
20-34	96	14.9	225	3	6	11	19	32	59	99 +
35-49	89	17.6	360	2	7	12	22	49	80	99 +
50-64	63	17.4	286	3	7	11	23	47	65	96
65 +	55	22.1	297	4	9	17	34	52	61	98
GRAND TOTAL	**374**	**16.5**	**282**	**2**	**6**	**11**	**22**	**42**	**64**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	241	2.3	1	1	1	2	3	4	4	6
20-34	105	2.7	2	1	2	3	3	4	5	7
35-49	30	3.1	2	2	2	3	4	5	7	7
50-64	14	3.7	3	2	3	4	5	6	7	7
65 +	0									
B. Operated										
0-19 YRS	74	1.2	1	< 1	1	1	1	1	3	5
20-34	11	1.5	2	1	1	1	1	4	5	5
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1001	2.6	4	1	2	2	3	4	6	8
20-34	344	3.0	2	1	2	3	4	5	6	9
35-49	135	3.5	7	2	2	3	4	6	7	13
50-64	65	3.4	4	1	2	3	4	6	7	10
65 +	39	4.5	5	2	3	4	5	8	9	10
B. Operated										
0-19 YRS	116	2.8	79	< 1	1	1	2	6	8	43
20-34	13	3.5	7	1	1	3	5	8	9	9
35-49	8	6.3	10	3	4	6	8	11	12	12
50-64	2	8.5	113	1	1	8	16	16	16	16
65 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	2.5	2	1	2	2	3	4	5	7
B. Operated	88	1.3	1	< 1	1	1	1	1	5	5
2. MULTIPLE DX										
A. Not Operated	1584	2.9	4	1	2	2	4	5	6	9
B. Operated	140	3.2	69	< 1	1	1	3	7	9	25
1. SINGLE DX	478	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1724	2.9	9	1	2	2	4	5	6	10
A. Not Operated	1974	2.8	3	1	2	2	3	5	6	8
B. Operated	228	2.5	43	< 1	1	1	2	5	8	16
TOTAL										
0-19 YRS	1432	2.5	9	1	1	2	3	4	5	8
20-34	473	2.9	2	1	2	3	4	5	5	9
35-49	175	3.6	7	2	2	3	4	6	7	12
50-64	81	3.6	5	1	2	3	4	6	7	14
65 +	41	4.7	6	2	3	4	5	8	10	12
GRAND TOTAL	**2202**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1063	4.2	9	2	2	3	5	9	10	14
20-34	29	4.8	8	1	3	4	6	8	10	13
35-49	23	5.8	13	2	3	5	8	11	12	12
50-64	26	4.9	7	2	3	4	6	8	11	13
65 +	59	6.5	18	3	4	5	8	10	14	28
B. Operated										
0-19 YRS	20	6.8	16	2	3	7	10	12	13	14
20-34	0									
35-49	4	8.8	27	5	5	7	12	16	16	16
50-64	4	6.3	7	4	4	6	8	9	9	9
65 +	6	11.7	36	6	7	10	14	21	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3469	5.4	18	2	3	4	7	11	14	20
20-34	693	8.0	44	3	4	7	10	15	19	32
35-49	1098	8.6	40	3	5	7	10	16	20	35
50-64	1971	9.2	47	4	5	8	11	16	20	40
65 +	8592	10.1	53	4	6	8	12	17	22	42
B. Operated										
0-19 YRS	359	15.1	182	3	7	12	19	31	42	97
20-34	298	15.1	160	4	8	12	19	32	46	99 +
35-49	533	16.8	177	5	8	13	22	39	50	99 +
50-64	896	17.2	215	5	8	13	21	37	52	99 +
65 +	2965	18.9	198	7	10	15	24	38	49	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1200	4.4	10	2	2	3	5	9	10	15
B. Operated	34	7.8	22	2	4	8	10	14	16	22
2. MULTIPLE DX										
A. Not Operated	15823	8.7	47	3	5	7	11	16	20	36
B. Operated	5051	17.9	197	6	9	14	22	37	49	93
1. SINGLE DX	1234	4.5	10	2	2	3	5	10	11	15
2. MULTIPLE DX	20874	11.0	99	3	5	8	13	21	30	59
A. Not Operated	17023	8.4	46	3	4	7	10	15	19	35
B. Operated	5085	17.8	196	6	9	14	22	37	48	93
TOTAL										
0-19 YRS	4911	5.8	35	2	3	4	7	11	15	29
20-34	1020	10.0	88	3	5	7	12	20	28	61
35-49	1658	11.2	98	3	5	8	14	23	34	59
50-64	2897	11.7	113	4	6	9	14	22	32	68
65 +	11622	12.3	105	4	6	9	15	23	32	62
GRAND TOTAL	**22108**	**10.6**	**96**	**3**	**5**	**8**	**13**	**20**	**29**	**58**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	638	5.4	13	2	3	5	7	10	12	18
20-34	60	5.0	11	2	2	4	6	10	12	17
35-49	46	4.5	14	2	3	3	5	7	12	22
50-64	33	3.7	2	2	3	4	5	5	6	7
65+	13	4.3	6	2	3	4	6	8	9	9
B. Operated										
0-19 YRS	29	4.0	13	1	2	3	5	8	10	18
20-34	14	6.0	13	2	3	6	9	10	13	14
35-49	8	7.9	9	4	5	9	10	11	11	11
50-64	5	5.8	17	1	3	5	8	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	897	7.0	34	2	3	6	9	13	16	31
20-34	238	6.3	29	2	3	5	8	12	17	29
35-49	230	7.4	46	2	4	5	9	15	21	36
50-64	170	7.2	33	2	4	5	9	15	19	36
65+	360	7.8	41	3	4	6	9	14	18	37
B. Operated										
0-19 YRS	116	19.4	350	4	7	12	24	56	72	99+
20-34	131	14.3	227	2	5	10	18	31	44	95
35-49	144	16.8	279	3	6	12	21	43	60	99+
50-64	95	18.3	231	5	8	13	28	41	50	67
65+	164	16.5	178	6	8	12	21	31	40	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	790	5.2	13	2	3	4	7	10	12	18
B. Operated	57	5.2	14	1	2	4	8	10	12	18
2. MULTIPLE DX										
A. Not Operated	1895	7.1	36	2	4	6	9	14	17	34
B. Operated	650	16.9	250	4	7	12	21	40	55	99+
1. SINGLE DX	847	5.2	13	2	3	4	7	10	12	18
2. MULTIPLE DX	2545	9.6	109	2	4	7	11	20	30	63
A. Not Operated	2685	6.6	30	2	3	5	8	13	16	31
B. Operated	707	16.0	241	3	6	11	20	37	53	99
TOTAL										
0-19 YRS	1680	7.2	59	2	3	5	8	13	18	53
20-34	443	8.5	99	2	3	5	10	17	28	58
35-49	428	10.3	143	2	4	6	12	22	35	89
50-64	303	10.3	122	3	4	6	12	26	36	62
65+	538	10.4	99	3	5	7	12	21	28	52
GRAND TOTAL	**3392**	**8.5**	**89**	**2**	**3**	**6**	**10**	**17**	**25**	**56**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2136	3.1	3	1	2	3	4	5	6	10
20-34	780	3.1	4	1	2	3	4	5	6	10
35-49	207	3.4	5	2	2	3	4	6	9	13
50-64	30	3.8	7	1	2	3	4	7	11	12
65+	9	3.9	7	2	2	3	5	8	10	10
B. Operated										
0-19 YRS	26	4.5	7	2	2	4	7	9	9	9
20-34	9	3.6	3	1	2	3	5	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65+	2	12.0	18	9	9	12	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1792	3.9	8	2	2	3	4	7	10	14
20-34	638	4.2	9	2	2	3	5	7	10	15
35-49	254	4.8	11	2	3	4	6	8	12	19
50-64	83	6.3	22	2	3	5	8	11	14	28
65+	65	7.8	28	3	5	6	9	15	16	31
B. Operated										
0-19 YRS	62	10.0	195	2	4	6	10	17	35	76
20-34	30	7.7	56	3	4	6	9	10	29	38
35-49	15	10.1	118	3	4	6	12	40	83	99+
50-64	10	12.3	149	4	6	8	15	30	45	45
65+	17	17.2	91	5	12	16	22	32	35	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3162	3.1	4	1	2	3	4	5	7	10
B. Operated	38	4.7	9	2	2	4	7	9	9	15
2. MULTIPLE DX										
A. Not Operated	2832	4.2	10	2	2	3	5	8	10	15
B. Operated	134	10.6	143	3	4	7	12	27	37	80
1. SINGLE DX	3200	3.2	4	1	2	3	4	5	7	11
2. MULTIPLE DX	2966	4.5	18	2	2	3	5	8	11	19
A. Not Operated	5994	3.6	7	2	2	3	4	6	8	14
B. Operated	172	9.3	119	2	4	6	10	19	32	75
TOTAL										
0-19 YRS	4016	3.6	9	2	2	3	4	6	8	14
20-34	1457	3.6	8	1	2	3	4	6	8	13
35-49	477	4.4	13	2	2	3	5	8	11	20
50-64	123	6.2	32	2	3	5	8	11	15	35
65+	93	9.2	52	2	5	7	12	17	26	35
GRAND TOTAL	**6166**	**3.8**	**11**	**2**	**2**	**3**	**4**	**7**	**9**	**15**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	473	3.4	7	1	2	3	4	6	9	14
20-34	188	3.7	4	2	2	3	5	7	8	11
35-49	61	4.4	8	1	2	4	6	7	9	15
50-64	42	4.8	22	1	2	3	6	11	16	24
65 +	67	3.9	6	1	2	3	5	7	8	11
B. Operated										
0-19 YRS	15	4.7	11	2	2	4	6	11	12	12
20-34	0									
35-49	7	2.3	12	< 1	< 1	< 1	1	8	10	10
50-64	3	1.3		1	1	1	2	2	2	2
65 +	21	2.8	3	1	2	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2498	4.4	10	2	2	4	5	8	10	16
20-34	549	5.0	15	2	3	4	6	9	11	23
35-49	295	6.8	73	2	3	5	8	11	16	45
50-64	327	6.9	29	3	4	6	8	13	16	24
65 +	1108	7.4	35	2	4	6	9	13	17	32
B. Operated										
0-19 YRS	139	14.2	226	4	6	9	17	32	57	82
20-34	75	12.6	145	3	5	9	16	27	36	62
35-49	65	13.7	142	5	7	10	16	25	39	68
50-64	35	13.2	152	1	4	10	19	29	32	57
65 +	172	12.5	117	2	6	10	15	27	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	831	3.7	7	1	2	3	5	7	8	14
B. Operated	46	3.2	7	< 1	1	2	4	7	10	12
2. MULTIPLE DX										
A. Not Operated	4777	5.5	23	2	3	4	7	10	13	23
B. Operated	486	13.2	157	3	6	9	16	28	38	68
1. SINGLE DX	877	3.7	7	1	2	3	5	7	9	14
2. MULTIPLE DX	5263	6.2	41	2	3	5	7	11	16	32
A. Not Operated	5608	5.2	21	2	3	4	7	10	12	21
B. Operated	532	12.3	152	2	5	9	15	27	35	65
TOTAL										
0-19 YRS	3125	4.7	23	2	2	4	6	8	11	23
20-34	812	5.4	30	2	3	4	6	10	13	29
35-49	428	7.5	81	2	3	5	8	13	20	49
50-64	407	7.2	42	2	4	6	9	15	18	30
65 +	1368	7.8	47	2	4	6	9	14	19	37
GRAND TOTAL	**6140**	**5.8**	**37**	**2**	**3**	**4**	**7**	**11**	**15**	**30**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	3.7	6	1	2	3	5	7	9	11
20-34	180	4.4	7	2	3	4	6	8	10	13
35-49	77	5.0	8	2	3	5	6	9	11	15
50-64	18	4.8	12	2	3	4	6	10	12	14
65 +	8	4.1	12	1	2	3	4	10	12	12
B. Operated										
0-19 YRS	9	4.1	17	1	1	2	6	11	13	13
20-34	13	3.6	13	1	1	2	6	10	12	12
35-49	8	2.1	4	1	1	1	3	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	4.2	16	1	2	3	5	7	9	21
20-34	315	5.0	11	2	3	4	6	9	11	15
35-49	252	5.9	24	2	3	5	7	11	13	26
50-64	103	6.2	14	2	3	5	9	11	13	17
65 +	131	7.5	21	3	4	7	9	14	17	22
B. Operated										
0-19 YRS	26	15.2	294	1	6	11	17	32	66	68
20-34	45	10.4	165	1	3	6	10	22	38	68
35-49	53	10.0	52	1	5	8	13	20	23	30
50-64	40	11.9	105	2	5	8	17	29	35	41
65 +	31	12.7	104	3	4	9	17	27	36	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	365	4.4	7	2	3	4	5	8	10	14
B. Operated	33	3.2	11	1	1	1	5	8	12	13
2. MULTIPLE DX										
A. Not Operated	956	5.6	18	2	3	4	7	10	13	21
B. Operated	195	11.6	129	1	5	8	15	25	33	67
1. SINGLE DX	398	4.3	8	1	2	4	5	8	10	14
2. MULTIPLE DX	1151	6.6	41	2	3	5	8	12	18	34
A. Not Operated	1321	5.2	15	2	3	4	7	10	12	18
B. Operated	228	10.4	121	1	3	7	13	23	31	66
TOTAL										
0-19 YRS	272	5.1	49	1	2	3	5	10	13	38
20-34	553	5.2	24	2	3	4	6	9	11	22
35-49	390	6.2	27	2	3	5	7	12	15	27
50-64	162	7.4	42	2	3	6	9	14	19	36
65 +	172	8.2	40	2	4	7	10	16	21	34
GRAND TOTAL	**1549**	**6.0**	**34**	**2**	**3**	**4**	**7**	**11**	**15**	**30**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	290	2.8	2	1	2	3	3	5	5	7
20-34	71	4.2	5	2	3	4	6	7	8	11
35-49	8	5.3	9	2	3	5	7	10	11	11
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	5	3.0	3	2	2	2	4	6	6	6
20-34	0									
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1140	3.3	4	1	2	3	4	6	7	10
20-34	280	3.9	8	2	2	3	5	7	9	13
35-49	42	4.6	9	2	2	4	7	9	10	12
50-64	14	5.0	20	1	2	3	6	12	14	15
65 +	8	12.6	50	4	9	10	19	22	22	22
B. Operated										
0-19 YRS	34	7.1	20	3	4	6	10	14	20	99 +
20-34	8	8.3	9	5	6	8	11	12	12	12
35-49	5	12.6	159	3	4	9	18	34	34	34
50-64	1	22.0		22	22	22	22	22	22	22
65 +	6	9.3	9	7	7	8	10	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	3.1	3	1	2	3	4	5	7	9
B. Operated	7	3.4	3	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1484	3.5	6	1	2	3	4	6	7	11
B. Operated	54	8.3	33	3	4	7	10	15	22	97
1. SINGLE DX	381	3.1	3	1	2	3	4	5	7	9
2. MULTIPLE DX	1538	3.7	8	2	2	3	4	6	8	15
A. Not Operated	1858	3.4	5	1	2	3	4	6	7	11
B. Operated	61	7.8	32	3	4	7	10	14	21	92
TOTAL										
0-19 YRS	1469	3.3	4	1	2	3	4	6	7	10
20-34	359	4.1	8	2	2	3	5	7	9	12
35-49	57	5.4	24	2	3	4	7	10	12	33
50-64	19	5.3	33	1	2	3	6	14	19	22
65 +	15	10.8	33	5	7	9	14	22	22	22
GRAND TOTAL	**1919**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	1.2		< 1	< 1	< 1	1	2	2	4
20-34	86	1.3	1	< 1	< 1	1	1	3	3	5
35-49	32	1.2		< 1	< 1	1	1	2	2	4
50-64	11	1.1		< 1	< 1	< 1	1	2	2	2
65 +	5	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	21	2.2	3	< 1	1	2	2	4	7	8
20-34	56	2.0	2	< 1	1	1	3	4	5	7
35-49	40	2.9	18	< 1	1	2	3	4	9	26
50-64	15	6.6	104	1	1	4	7	10	34	42
65 +	13	3.1	4	1	2	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	184	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	5	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	145	2.8	18	< 1	1	2	3	6	7	27
1. SINGLE DX	186	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	150	2.8	18	< 1	1	2	3	6	7	26
A. Not Operated	7	1.7	2	< 1	< 1	1	3	4	4	4
B. Operated	329	1.9	9	< 1	< 1	1	2	4	6	10
TOTAL										
0-19 YRS	73	1.5	1	< 1	< 1	1	2	2	3	8
20-34	143	1.6	1	< 1	< 1	1	2	3	4	7
35-49	75	2.1	10	< 1	< 1	1	2	3	4	22
50-64	27	4.3	63	< 1	< 1	1	5	7	15	42
65 +	18	2.7	3	< 1	1	2	3	6	6	6
GRAND TOTAL	**336**	**1.9**	**9**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**10**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4091	2.7	1	1	2	3	3	4	5	7
20-34	363	3.0	6	1	1	2	4	6	8	12
35-49	191	3.0	5	1	2	2	4	5	6	14
50-64	72	3.1	6	1	1	2	4	5	9	12
65 +	48	3.3	6	1	2	3	4	5	8	13
B. Operated										
0-19 YRS	79	3.3	4	1	2	3	4	5	7	11
20-34	17	6.4	25	1	3	5	8	16	18	18
35-49	8	6.4	70	< 1	1	3	7	21	26	26
50-64	7	9.3	43	2	4	8	16	18	18	18
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6966	3.1	6	1	2	3	4	5	6	11
20-34	1468	4.9	29	1	2	3	5	10	15	28
35-49	1191	5.4	36	1	2	4	6	11	16	29
50-64	695	5.0	34	1	2	3	6	9	14	33
65 +	1182	5.3	27	2	3	4	6	9	12	28
B. Operated										
0-19 YRS	289	10.0	202	2	3	5	11	24	44	94
20-34	432	14.4	169	3	6	12	18	29	39	71
35-49	418	15.1	167	3	6	13	20	32	47	99 +
50-64	146	16.5	235	2	5	12	22	40	48	67
65 +	92	14.6	150	3	7	10	20	32	42	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4765	2.7	2	1	2	3	3	4	5	8
B. Operated	112	4.4	16	1	2	3	5	9	12	21
2. MULTIPLE DX										
A. Not Operated	11502	3.9	17	1	2	3	4	7	10	22
B. Operated	1377	13.9	185	3	5	10	18	30	45	83
1. SINGLE DX	4877	2.8	2	1	2	3	3	4	5	9
2. MULTIPLE DX	12879	5.0	44	1	2	3	5	10	16	38
A. Not Operated	16267	3.6	13	1	2	3	4	6	8	19
B. Operated	1489	13.2	179	2	4	9	17	29	44	83
TOTAL										
0-19 YRS	11425	3.1	11	1	2	3	3	5	6	13
20-34	2280	6.4	67	1	2	3	7	15	22	43
35-49	1808	7.4	81	1	2	4	9	17	24	54
50-64	920	6.7	82	1	2	4	7	15	24	48
65 +	1323	5.8	41	2	3	4	7	10	17	34
GRAND TOTAL	**17756**	**4.4**	**34**	**1**	**2**	**3**	**4**	**8**	**13**	**31**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	3.9	15	1	2	3	5	7	9	24
20-34	64	3.8	7	1	2	3	4	7	10	14
35-49	52	3.4	6	1	2	3	4	6	8	13
50-64	21	3.5	4	2	2	3	4	6	8	10
65 +	2	9.0	32	5	5	9	13	13	13	13
B. Operated										
0-19 YRS	5	4.6	8	< 1	3	4	6	9	9	9
20-34	7	4.0	18	1	1	3	5	11	13	13
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	5.5	19	2	3	4	7	11	15	24
20-34	81	4.8	32	2	2	3	5	9	11	37
35-49	78	4.9	16	2	2	4	6	9	11	23
50-64	45	4.4	8	1	3	4	6	9	10	12
65 +	49	11.6	207	4	4	6	13	22	41	89
B. Operated										
0-19 YRS	12	9.1	151	1	2	7	7	27	42	45
20-34	10	10.6	63	3	5	8	15	22	28	28
35-49	10	10.7	95	2	4	6	18	27	28	28
50-64	9	11.2	35	4	6	9	16	19	21	21
65 +	14	17.9	156	6	7	14	23	35	45	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	3.7	10	1	2	3	4	7	10	17
B. Operated	16	3.9	10	1	2	3	5	9	12	13
2. MULTIPLE DX										
A. Not Operated	352	5.9	51	2	3	4	7	11	16	41
B. Operated	55	12.3	112	3	5	7	17	28	33	48
1. SINGLE DX	239	3.8	10	1	2	3	4	7	10	16
2. MULTIPLE DX	407	6.8	63	2	3	4	8	14	21	45
A. Not Operated	575	5.1	36	1	2	4	6	10	13	24
B. Operated	71	10.4	101	2	4	7	15	24	30	47
TOTAL										
0-19 YRS	200	5.0	26	1	2	4	6	10	13	24
20-34	162	4.7	25	1	2	3	5	10	13	27
35-49	144	4.7	20	1	2	4	6	9	12	26
50-64	75	5.0	15	2	3	4	6	9	13	20
65 +	65	12.8	195	4	5	7	15	23	42	83
GRAND TOTAL	**646**	**5.7**	**46**	**1**	**2**	**4**	**6**	**11**	**17**	**34**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	220	5.4	10	2	3	5	7	10	11	15
20-34	165	4.5	6	2	3	4	5	7	10	14
35-49	30	5.7	16	2	3	5	6	9	14	22
50-64	6	6.3	29	< 1	3	4	12	14	14	14
65 +	8	10.6	27	5	9	10	11	19	22	22
B. Operated										
0-19 YRS	8	3.9	12	< 1	< 1	3	6	9	10	10
20-34	26	4.2	15	< 1	< 1	3	6	11	13	13
35-49	19	3.2	9	< 1	1	2	6	8	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	318	6.4	15	3	4	6	9	11	12	17
20-34	290	5.3	12	2	3	4	7	10	12	18
35-49	89	7.1	36	2	3	5	10	14	18	32
50-64	43	10.1	53	2	5	10	12	16	25	39
65 +	48	12.3	60	3	7	10	16	23	29	34
B. Operated										
0-19 YRS	32	8.2	78	1	3	6	10	19	21	47
20-34	69	7.5	78	1	3	6	9	14	20	59
35-49	35	9.3	164	1	2	5	11	19	40	62
50-64	20	10.4	99	3	4	7	14	22	35	43
65 +	19	13.5	130	1	4	13	19	36	73	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	5.2	10	2	3	4	6	10	11	15
B. Operated	54	3.9	12	< 1	1	2	6	9	11	13
2. MULTIPLE DX										
A. Not Operated	788	6.6	24	2	3	5	9	12	15	28
B. Operated	175	9.0	104	1	3	6	11	19	27	66
1. SINGLE DX	483	5.0	11	2	3	4	6	10	11	15
2. MULTIPLE DX	963	7.1	40	2	3	5	9	13	17	35
A. Not Operated	1217	6.1	20	2	3	5	8	11	14	24
B. Operated	229	7.8	87	1	2	5	10	17	23	63
TOTAL										
0-19 YRS	578	6.1	17	2	3	5	8	11	12	19
20-34	550	5.3	19	2	3	4	6	10	13	20
35-49	173	6.9	57	1	3	5	9	13	19	40
50-64	70	9.8	62	2	5	9	12	15	27	42
65 +	75	12.4	73	3	7	10	18	25	29	86
GRAND TOTAL	**1446**	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**15**	**28**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	3.1	3	1	2	3	4	5	6	11
20-34	10	3.6	4	1	2	3	5	7	8	8
35-49	16	8.4	233	2	3	5	7	9	48	65
50-64	6	5.2	49	< 1	< 1	2	5	18	19	19
65 +	4	7.5	34	< 1	3	7	11	15	15	15
B. Operated										
0-19 YRS	10	6.9	63	< 1	1	4	9	18	27	27
20-34	10	7.8	23	3	5	7	10	15	19	19
35-49	15	7.7	68	2	3	5	9	17	29	33
50-64	14	5.6	6	3	4	6	7	8	10	11
65 +	7	19.7	1123	2	3	8	13	79	95	95
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	472	4.5	33	2	2	3	5	7	12	32
20-34	208	10.4	106	3	4	7	12	26	32	56
35-49	208	10.0	135	2	3	6	13	24	35	58
50-64	112	10.0	103	3	4	7	12	18	32	54
65 +	301	10.7	69	4	5	9	13	20	28	41
B. Operated										
0-19 YRS	88	19.3	333	3	8	15	25	48	69	99 +
20-34	150	18.5	254	4	7	13	26	40	57	99
35-49	176	15.9	187	4	7	10	21	35	51	69
50-64	144	16.0	227	4	6	12	21	44	53	99 +
65 +	218	18.1	200	5	8	14	24	37	53	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	4.2	42	1	2	3	4	7	9	37
B. Operated	56	8.6	174	1	3	6	9	13	25	91
2. MULTIPLE DX										
A. Not Operated	1301	8.2	83	2	3	5	10	18	27	45
B. Operated	776	17.4	228	4	7	13	24	39	54	96
1. SINGLE DX	166	5.7	90	1	2	4	6	10	14	60
2. MULTIPLE DX	2077	11.6	157	2	4	7	15	28	39	68
A. Not Operated	1411	7.9	81	2	3	5	9	17	25	45
B. Operated	832	16.8	229	4	7	12	22	38	54	95
TOTAL										
0-19 YRS	644	6.4	97	2	2	3	6	14	22	63
20-34	378	13.4	178	3	5	8	17	32	43	78
35-49	415	12.3	167	2	4	8	16	30	40	67
50-64	276	12.8	173	3	5	8	15	31	46	81
65 +	530	13.8	148	4	6	10	16	30	37	61
GRAND TOTAL	**2243**	**11.2**	**154**	**2**	**4**	**7**	**14**	**27**	**38**	**67**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.9	3	1	2	3	4	6	6	6
20-34	15	5.6	24	1	2	4	7	15	16	17
35-49	6	9.0	40	1	3	9	15	16	16	16
50-64	2	7.0	2	6	6	7	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	10	2.7	2	1	2	2	3	5	5	5
20-34	9	6.3	58	< 1	1	4	8	19	25	25
35-49	3	5.0	13	1	2	6	7	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	3.5	6	1	2	3	5	7	8	11
20-34	52	6.4	34	1	2	4	8	17	19	21
35-49	20	6.4	25	2	3	5	9	10	17	24
50-64	11	5.5	15	2	4	4	6	12	15	15
65 +	7	6.3	8	3	5	5	8	11	11	11
B. Operated										
0-19 YRS	9	6.4	11	2	4	6	9	11	11	11
20-34	14	14.3	170	2	5	11	22	35	43	45
35-49	8	9.4	91	2	3	6	11	26	31	31
50-64	4	15.3	77	8	10	12	20	28	28	28
65 +	5	13.8	153	2	5	7	25	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	5.6	22	1	2	4	7	15	16	17
B. Operated	22	4.5	27	1	1	3	5	8	15	25
2. MULTIPLE DX										
A. Not Operated	126	5.5	23	1	2	4	6	11	17	22
B. Operated	40	11.6	109	2	4	8	15	29	32	45
1. SINGLE DX.	54	5.1	24	1	2	3	7	12	16	25
2. MULTIPLE DX	166	7.0	50	1	3	5	8	16	22	34
A. Not Operated	158	5.5	22	1	2	4	7	13	17	21
B. Operated	62	9.1	90	1	3	6	11	24	30	44
TOTAL										
0-19 YRS	64	3.7	6	1	2	3	5	7	9	11
20-34	90	7.5	62	1	3	5	8	19	22	41
35-49	37	7.3	40	2	3	6	9	15	21	31
50-64	17	8.0	42	2	4	6	10	15	23	28
65 +	12	9.4	75	3	5	6	10	26	29	30
GRAND TOTAL	**220**	**6.5**	**44**	**1**	**2**	**4**	**8**	**15**	**20**	**32**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	2	12.0	8	10	10	12	14	14	14	14
35-49	5	7.8	52	1	2	8	11	19	19	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	9.2	15	4	7	8	13	14	14	14
35-49	5	12.0	22	6	9	11	16	18	18	18
50-64	3	9.7	30	4	5	10	14	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	9.3	30	3	6	8	12	17	22	24
20-34	290	11.6	75	4	5	10	14	23	29	44
35-49	280	13.3	66	4	7	13	18	23	27	40
50-64	48	13.8	94	4	7	12	19	24	32	48
65 +	40	9.8	43	4	5	8	13	17	24	32
B. Operated										
0-19 YRS	51	22.5	346	6	10	17	32	54	75	99 +
20-34	506	17.3	139	6	9	15	22	33	40	69
35-49	489	17.8	149	7	10	15	22	29	39	76
50-64	99	22.7	253	8	13	20	25	39	68	92
65 +	32	20.2	177	9	11	16	23	39	43	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	8.1	34	1	3	8	11	17	19	19
B. Operated	18	10.1	17	5	7	10	14	15	17	18
2. MULTIPLE DX										
A. Not Operated	700	12.2	69	4	6	11	16	23	27	43
B. Operated	1177	18.3	165	6	10	15	23	34	42	77
1. SINGLE DX	27	9.4	23	3	6	10	13	15	18	19
2. MULTIPLE DX	1877	16.0	138	5	8	13	21	29	38	71
A. Not Operated	709	12.1	69	4	6	10	16	23	27	43
B. Operated	1195	18.2	164	6	10	15	22	33	42	77
TOTAL										
0-19 YRS	96	16.2	241	4	7	11	19	37	57	89
20-34	807	15.1	122	5	8	13	20	29	38	64
35-49	779	16.1	123	6	9	14	21	27	35	70
50-64	150	19.6	216	6	10	17	23	36	52	85
65 +	72	14.4	128	5	6	12	19	28	39	60
GRAND TOTAL	**1904**	**15.9**	**137**	**5**	**8**	**13**	**21**	**29**	**38**	**71**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.3	5	1	2	3	4	8	8	8
20-34	29	4.4	8	2	3	4	5	9	10	13
35-49	18	5.5	10	1	3	5	8	10	11	11
50-64	4	6.3	22	2	2	5	10	12	12	12
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	6	4.3	1	3	4	4	5	5	5	5
20-34	69	3.1	11	1	1	1	4	8	9	16
35-49	77	2.4	14	< 1	1	1	2	5	8	23
50-64	17	3.3	6	1	1	3	5	7	7	7
65 +	4	8.5	188	1	1	2	16	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	5.6	26	2	3	4	7	11	15	28
20-34	180	9.3	99	2	3	6	11	20	32	66
35-49	221	8.7	82	2	4	6	10	17	22	49
50-64	75	8.6	64	3	4	6	10	15	21	45
65 +	58	6.2	16	2	3	6	8	11	14	19
B. Operated										
0-19 YRS	12	7.3	16	2	4	7	10	12	15	16
20-34	151	9.4	137	1	3	6	12	20	29	93
35-49	176	10.5	146	1	3	8	13	25	32	66
50-64	79	12.7	255	1	3	7	18	27	40	85
65 +	40	11.3	290	1	3	6	12	20	53	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	4.6	9	2	2	4	6	9	10	13
B. Operated	173	3.0	15	1	1	1	4	6	9	23
2. MULTIPLE DX										
A. Not Operated	606	8.3	73	2	3	6	10	16	23	48
B. Operated	458	10.5	171	1	3	7	13	23	32	81
1. SINGLE DX	238	3.4	14	1	1	2	5	8	9	19
2. MULTIPLE DX	1064	9.2	116	2	3	6	11	19	29	73
A. Not Operated	671	7.9	68	2	3	5	9	15	21	47
B. Operated	631	8.4	140	1	2	5	10	19	29	78
TOTAL										
0-19 YRS	103	5.4	22	2	3	4	7	10	15	26
20-34	429	8.0	98	1	3	5	10	17	26	73
35-49	492	8.2	99	1	2	5	10	18	28	45
50-64	175	9.9	151	1	3	6	11	22	33	76
65 +	103	8.2	132	2	3	6	9	16	20	79
GRAND TOTAL	**1302**	**8.2**	**103**	**1**	**3**	**5**	**10**	**17**	**26**	**58**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	1	17.0		17	17	17	17	17	17	17
50-64	5	5.2	12	1	2	7	8	9	9	9
65 +	4	4.5	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	2	12.0	200	2	2	12	22	22	22	22
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	4	12.3	25	7	9	11	15	19	19	19
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	6.0	4	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	12	6.3	20	2	3	6	8	12	16	17
B. Operated	10	11.4	43	2	7	11	15	20	22	22
1. SINGLE DX	3	6.0	4	4	4	6	7	8	8	8
2. MULTIPLE DX	22	8.6	36	2	3	7	12	18	20	22
A. Not Operated	12	6.3	20	2	3	6	8	12	16	17
B. Operated	13	10.2	38	3	5	8	15	20	22	22
TOTAL										
0-19 YRS	4	9.5	76	2	4	7	15	22	22	22
20-34	3	9.7	30	4	5	10	14	15	15	15
35-49	3	13.3	22	8	10	15	16	17	17	17
50-64	10	7.9	28	1	4	7	11	15	19	19
65 +	5	4.2	5	2	3	3	6	7	7	7
GRAND TOTAL	**25**	**8.3**	**32**	**2**	**4**	**7**	**11**	**17**	**20**	**22**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	6	5.3	10	1	2	6	8	8	8	8
35-49	8	5.3	11	3	3	4	5	11	13	13
50-64	11	6.5	14	2	4	5	10	12	13	13
65 +	16	4.6	17	< 1	2	4	6	13	14	14
B. Operated										
0-19 YRS	18	5.6	52	1	1	2	7	20	24	24
20-34	36	2.9	5	1	1	2	4	6	8	11
35-49	123	4.7	46	1	1	2	6	11	14	38
50-64	194	4.4	27	1	1	3	5	11	15	25
65 +	176	3.6	18	1	1	2	4	10	11	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	6.7	40	1	3	4	10	13	20	29
20-34	8	10.9	171	1	4	8	10	33	42	42
35-49	45	5.4	27	2	3	4	6	10	17	26
50-64	98	6.6	23	2	3	5	9	14	16	24
65 +	110	6.7	38	2	3	5	8	13	17	36
B. Operated										
0-19 YRS	33	12.5	314	1	3	7	12	28	56	81
20-34	36	8.2	61	1	2	6	10	20	27	32
35-49	262	11.4	103	1	4	9	16	23	34	56
50-64	782	11.6	146	2	4	9	14	24	35	61
65 +	981	10.0	119	1	3	7	13	22	31	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	5.2	13	1	2	4	7	11	13	14
B. Operated	547	4.1	28	1	1	2	5	10	13	24
2. MULTIPLE DX										
A. Not Operated	293	6.6	35	2	3	5	8	13	17	29
B. Operated	2094	10.8	130	1	3	8	14	23	32	57
1. SINGLE DX	591	4.2	27	1	1	2	5	10	13	24
2. MULTIPLE DX	2387	10.3	120	2	3	7	13	22	31	55
A. Not Operated	337	6.4	32	2	3	5	8	13	15	28
B. Operated	2641	9.4	116	1	2	6	12	21	30	53
TOTAL										
0-19 YRS	86	8.6	154	1	2	5	10	20	25	72
20-34	86	6.0	50	1	2	4	8	12	20	38
35-49	438	8.8	88	1	2	5	12	20	27	53
50-64	1085	9.8	121	1	3	7	13	21	30	54
65 +	1283	8.8	102	1	2	6	12	20	28	46
GRAND TOTAL	**2978**	**9.1**	**107**	**1**	**2**	**6**	**12**	**20**	**28**	**52**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	1	13.0		13	13	13	13	13	13	13
50-64	9	4.3	7	2	2	4	6	8	9	9
65 +	6	6.7	38	1	3	4	9	17	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	7	11.1	51	3	6	10	14	22	24	24
50-64	30	9.8	77	2	3	8	13	22	28	38
65 +	19	5.4	32	< 1	< 1	4	8	12	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	5.3	1	4	4	6	6	6	6	6
35-49	9	7.1	40	1	3	6	9	17	21	21
50-64	93	6.8	29	2	4	5	8	14	17	30
65 +	134	8.8	154	1	3	5	9	19	34	70
B. Operated										
0-19 YRS	0									
20-34	3	19.3	122	9	11	18	28	31	31	31
35-49	63	15.8	196	4	8	12	18	29	41	83
50-64	348	14.8	137	3	7	12	19	29	39	64
65 +	514	15.3	172	4	7	11	19	34	43	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.9	19	2	2	5	9	12	16	18
B. Operated	56	8.5	62	< 1	2	7	11	17	27	37
2. MULTIPLE DX										
A. Not Operated	239	7.9	100	1	3	5	9	16	23	60
B. Operated	928	15.1	160	4	7	12	19	31	42	70
1. SINGLE DX	74	7.9	52	1	2	6	11	16	24	36
2. MULTIPLE DX	1167	13.7	156	3	5	11	17	30	39	69
A. Not Operated	257	7.8	94	1	3	5	9	16	23	59
B. Operated	984	14.8	157	3	7	12	18	31	41	70
TOTAL										
0-19 YRS	0									
20-34	8	11.0	85	4	5	7	14	27	31	31
35-49	80	14.4	170	3	7	12	17	27	34	79
50-64	480	12.8	122	3	5	10	16	24	34	58
65 +	673	13.6	172	2	5	10	17	31	42	70
GRAND TOTAL	**1241**	**13.3**	**152**	**3**	**5**	**10**	**17**	**29**	**39**	**68**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	7	5.4	2	3	5	5	7	7	7	7
50-64	15	3.9	10	1	2	2	6	7	11	13
65 +	6	19.2	334	2	7	11	34	47	49	49
B. Operated										
0-19 YRS	0									
20-34	2	12.5	85	6	6	12	19	19	19	19
35-49	14	15.9	52	8	10	14	22	26	28	29
50-64	36	9.6	37	2	5	9	13	17	20	30
65 +	35	9.6	24	4	7	10	11	16	17	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	4.8	5	2	3	5	6	7	7	7
35-49	44	6.0	41	1	2	4	6	14	19	35
50-64	112	6.6	30	1	2	5	9	14	17	28
65 +	196	7.7	46	2	3	5	11	15	21	34
B. Operated										
0-19 YRS	0									
20-34	33	16.4	118	8	9	14	19	29	32	62
35-49	168	14.5	127	5	8	12	17	27	40	79
50-64	569	14.2	102	6	8	12	17	26	36	65
65 +	1345	16.0	132	6	9	13	20	31	39	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	7.2	100	1	2	5	7	12	34	49
B. Operated	87	10.7	39	3	7	10	13	19	25	30
2. MULTIPLE DX										
A. Not Operated	360	7.1	40	2	3	5	10	15	19	33
B. Operated	2115	15.4	124	6	9	12	18	29	38	69
1. SINGLE DX	117	9.8	56	2	5	8	12	18	25	39
2. MULTIPLE DX	2475	14.2	120	4	8	11	18	28	36	65
A. Not Operated	390	7.1	44	2	3	5	9	15	19	34
B. Operated	2202	15.2	122	6	9	12	18	29	38	69
TOTAL										
0-19 YRS	0									
20-34	45	13.6	114	4	7	10	17	26	32	62
35-49	233	12.7	115	3	6	10	16	25	34	61
50-64	732	12.6	96	3	7	10	15	24	33	56
65 +	1582	14.8	128	4	8	12	18	29	37	68
GRAND TOTAL	**2592**	**14.0**	**118**	**4**	**7**	**11**	**17**	**27**	**35**	**64**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	0									
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	10	12.5	178	4	7	8	11	32	49	49
65 +	4	8.8	2	7	8	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	4.2	15	2	2	3	5	11	11	11
50-64	5	3.8	6	1	2	4	5	7	7	7
65 +	13	13.5	100	4	5	11	21	26	34	36
B. Operated										
0-19 YRS	3	12.3	86	6	6	8	19	23	23	23
20-34	7	12.6	101	5	6	8	21	28	29	29
35-49	49	13.2	87	4	7	11	17	23	29	49
50-64	113	14.7	163	6	8	10	15	30	40	71
65 +	196	16.7	118	7	10	14	22	27	38	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	17	11.5	106	6	7	9	10	18	38	49
2. MULTIPLE DX										
A. Not Operated	25	9.0	77	2	3	5	12	22	26	36
B. Operated	368	15.5	128	6	8	12	20	27	37	54
1. SINGLE DX	17	11.5	106	6	7	9	10	18	38	49
2. MULTIPLE DX	393	15.1	127	6	8	12	20	27	37	52
A. Not Operated	25	9.0	77	2	3	5	12	22	26	36
B. Operated	385	15.3	127	6	8	12	20	27	37	53
TOTAL										
0-19 YRS	5	11.4	77	2	5	8	19	23	23	23
20-34	8	12.0	89	5	6	8	17	28	29	29
35-49	56	12.3	84	3	6	10	17	23	27	48
50-64	128	14.1	161	6	7	10	15	30	41	65
65 +	213	16.3	116	7	9	14	22	27	37	65
GRAND TOTAL	**410**	**14.9**	**126**	**6**	**8**	**12**	**19**	**27**	**37**	**52**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	14.7	316	2	3	7	28	35	35	35
50-64	12	2.4	5	< 1	< 1	1	3	7	7	7
65 +	6	12.0	88	2	6	10	15	28	29	29
B. Operated										
0-19 YRS	4	4.3	16	1	2	3	7	10	10	10
20-34	13	7.2	6	4	6	7	8	9	12	13
35-49	78	8.1	11	5	6	7	9	12	14	23
50-64	256	7.9	6	6	7	8	9	11	12	16
65 +	317	8.4	11	6	6	8	10	12	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.3	56	2	3	6	13	19	19	19
20-34	8	7.5	31	1	3	6	11	16	17	17
35-49	41	5.8	37	1	2	3	7	16	18	28
50-64	121	6.8	27	2	3	5	9	13	17	52
65 +	400	8.5	56	2	4	6	11	17	23	41
B. Operated										
0-19 YRS	13	13.6	69	6	8	9	22	26	26	26
20-34	93	10.1	35	5	7	9	12	16	19	37
35-49	551	10.7	53	6	7	9	12	17	25	43
50-64	2364	11.0	43	6	8	9	12	17	22	39
65 +	7752	13.3	73	7	8	11	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	6.9	86	< 1	1	2	8	21	32	35
B. Operated	668	8.1	9	6	7	8	9	11	13	20
2. MULTIPLE DX										
A. Not Operated	574	7.9	49	2	3	6	10	16	22	40
B. Operated	10773	12.6	66	7	8	10	15	22	28	47
1. SINGLE DX	689	8.1	12	5	6	8	9	11	14	22
2. MULTIPLE DX	11347	12.4	67	6	8	10	14	22	28	46
A. Not Operated	595	7.9	50	2	3	6	10	16	22	39
B. Operated	11441	12.4	64	6	8	10	14	21	28	45
TOTAL										
0-19 YRS	21	10.8	67	2	5	9	16	26	26	26
20-34	114	9.6	32	5	7	8	12	16	17	31
35-49	673	10.1	50	5	7	8	12	17	23	43
50-64	2753	10.5	40	6	7	9	12	17	21	37
65 +	8475	12.9	72	6	8	10	15	22	29	49
GRAND TOTAL	**12036**	**12.1**	**64**	**6**	**8**	**10**	**14**	**21**	**27**	**45**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	10	6.1	10	4	5	5	6	11	15	15
50-64	12	3.5	9	1	2	3	4	7	11	12
65 +	10	6.3	23	1	4	5	10	14	16	16
B. Operated										
0-19 YRS	0									
20-34	13	7.0	10	3	5	8	9	10	12	12
35-49	75	7.4	18	1	4	7	10	11	14	22
50-64	190	8.2	14	3	6	8	10	13	15	19
65 +	199	7.5	22	2	4	8	10	12	15	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	7	2	3	6	7	7	7	7
20-34	4	7.0	11	2	5	8	9	9	9	9
35-49	55	6.0	28	1	2	4	8	13	19	21
50-64	100	6.8	36	1	3	5	9	14	17	31
65 +	211	7.0	34	2	3	5	8	15	19	31
B. Operated										
0-19 YRS	9	12.9	72	6	8	9	17	27	32	32
20-34	26	13.1	56	6	8	10	18	27	29	30
35-49	298	11.6	86	5	8	9	12	19	28	62
50-64	1195	11.7	53	6	8	10	14	20	24	41
65 +	3042	13.0	82	5	8	11	15	23	30	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	5.2	15	2	3	5	5	12	15	16
B. Operated	477	7.8	18	2	5	8	10	12	15	23
2. MULTIPLE DX										
A. Not Operated	373	6.8	33	2	3	5	9	14	18	31
B. Operated	4570	12.6	75	6	8	10	15	22	28	52
1. SINGLE DX	509	7.6	18	2	5	8	10	12	15	23
2. MULTIPLE DX	4943	12.2	74	4	8	10	14	21	28	51
A. Not Operated	405	6.7	32	2	3	5	8	14	18	30
B. Operated	5047	12.1	72	5	8	10	14	21	27	50
TOTAL										
0-19 YRS	12	10.9	67	5	6	8	13	24	31	32
20-34	43	10.7	46	5	7	9	12	21	28	30
35-49	438	10.0	71	3	6	9	11	17	23	56
50-64	1497	10.9	49	4	8	9	13	18	23	37
65 +	3462	12.3	79	4	8	10	15	22	29	50
GRAND TOTAL	**5452**	**11.7**	**71**	**4**	**8**	**10**	**14**	**21**	**27**	**49**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.6	3	1	1	2	3	4	7	8
20-34	3	3.7	21	1	1	1	7	9	9	9
35-49	4	16.5	542	2	2	6	30	51	51	51
50-64	8	4.4	20	1	2	3	6	12	14	14
65 +	5	6.2	10	2	3	7	8	10	10	10
B. Operated										
0-19 YRS	43	6.9	24	1	4	6	9	13	17	21
20-34	8	10.0	77	3	4	7	12	25	29	29
35-49	21	7.2	41	1	2	5	10	18	21	23
50-64	38	9.3	68	2	4	7	10	24	27	37
65 +	50	7.5	35	1	3	7	12	16	19	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	7.1	61	1	2	4	8	20	26	38
20-34	9	7.0	80	1	2	4	7	21	30	30
35-49	27	5.7	16	2	3	5	8	10	12	20
50-64	94	7.3	41	2	3	5	10	15	20	34
65 +	185	7.9	44	2	3	6	10	15	21	33
B. Operated										
0-19 YRS	116	15.6	214	4	6	11	19	41	55	99 +
20-34	39	12.1	173	4	6	8	12	25	33	78
35-49	118	13.0	159	4	6	9	16	28	34	80
50-64	380	12.3	87	3	6	10	15	24	31	49
65 +	806	13.5	119	4	7	10	17	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	5.2	74	1	2	3	6	10	13	51
B. Operated	160	7.9	43	1	3	6	10	17	21	29
2. MULTIPLE DX										
A. Not Operated	363	7.4	44	2	3	6	10	15	20	34
B. Operated	1459	13.3	123	4	7	10	17	26	34	63
1. SINGLE DX	195	7.4	49	1	2	5	10	16	21	33
2. MULTIPLE DX	1822	12.1	113	3	6	9	15	24	33	61
A. Not Operated	398	7.2	47	2	3	5	9	15	20	36
B. Operated	1619	12.8	118	3	6	10	16	25	33	62
TOTAL										
0-19 YRS	222	11.2	151	2	4	8	14	25	43	84
20-34	59	10.6	140	2	5	7	11	25	31	74
35-49	170	11.2	137	2	4	8	14	23	34	71
50-64	520	11.0	80	2	5	8	14	23	29	46
65 +	1046	12.2	107	3	6	10	16	24	32	60
GRAND TOTAL	**2017**	**11.7**	**109**	**2**	**5**	**9**	**15**	**23**	**32**	**59**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	3.4	6	1	1	3	6	6	6	6
50-64	6	4.7	17	< 1	2	3	7	11	12	12
65 +	16	4.5	16	1	2	3	6	12	14	14
B. Operated										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	1	5.0		5	5	5	5	5	5	5
35-49	14	9.4	67	1	4	7	12	23	28	30
50-64	38	7.8	18	2	5	8	10	14	15	17
65 +	45	8.8	62	1	3	7	12	21	28	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	2	1	1	1	3	5	5	5
20-34	3	5.3	44	1	1	2	10	13	13	13
35-49	37	5.4	16	1	2	5	8	11	12	18
50-64	122	6.7	47	2	3	5	8	12	18	39
65 +	395	8.1	67	2	4	6	10	16	20	48
B. Operated										
0-19 YRS	7	19.3	325	5	6	8	29	48	52	52
20-34	17	14.5	109	4	8	11	19	30	36	40
35-49	158	14.4	123	4	7	11	19	28	36	52
50-64	564	15.0	145	4	8	12	18	28	39	62
65 +	1395	15.6	142	5	8	13	20	29	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.3	12	1	2	3	6	10	13	14
B. Operated	100	8.6	44	1	4	8	11	16	22	32
2. MULTIPLE DX										
A. Not Operated	564	7.5	59	2	3	5	9	14	20	46
B. Operated	2141	15.3	141	5	8	13	19	29	37	63
1. SINGLE DX	130	7.6	40	1	3	7	10	14	21	32
2. MULTIPLE DX	2705	13.7	134	3	6	11	17	27	35	61
A. Not Operated	594	7.4	57	2	3	5	9	14	19	43
B. Operated	2241	15.0	139	4	8	12	19	29	37	62
TOTAL										
0-19 YRS	18	10.1	185	1	2	5	10	29	43	52
20-34	22	12.4	103	2	5	10	16	29	34	40
35-49	214	12.3	111	3	5	10	16	25	30	52
50-64	730	13.1	132	3	6	10	17	26	35	61
65 +	1851	13.7	133	3	6	11	17	26	35	63
GRAND TOTAL	**2835**	**13.4**	**132**	**3**	**6**	**11**	**17**	**26**	**35**	**61**

832 Hospitals, United States, January-December 1990, by Diagnosis

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	0									
35-49	18	5.1	24	1	2	3	8	11	17	20
50-64	79	4.7	19	1	2	3	6	12	14	19
65 +	44	6.0	68	1	2	3	6	14	27	41
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	5.9	12	1	3	6	7	11	12	12
35-49	90	8.1	89	1	3	6	9	13	24	55
50-64	380	6.4	20	1	3	6	8	11	14	24
65 +	302	6.4	19	1	3	6	8	11	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	12	4.8	6	2	3	5	6	8	10	10
35-49	245	6.0	25	2	3	4	8	13	17	24
50-64	1136	7.2	44	2	3	5	9	15	20	33
65 +	1811	8.0	50	2	4	6	10	16	22	36
B. Operated										
0-19 YRS	9	9.9	64	3	5	8	11	23	29	29
20-34	58	10.5	60	4	6	8	13	21	29	36
35-49	736	10.6	73	3	6	8	12	20	28	49
50-64	3857	10.9	72	3	6	9	13	21	27	43
65 +	6152	12.0	88	4	7	10	15	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	5.1	35	1	2	3	6	12	16	34
B. Operated	780	6.6	28	1	3	6	8	11	15	26
2. MULTIPLE DX										
A. Not Operated	3206	7.6	46	2	3	6	10	15	20	35
B. Operated	10812	11.5	82	3	6	9	14	22	28	48
1. SINGLE DX	923	6.4	29	1	3	6	8	11	15	26
2. MULTIPLE DX	14018	10.6	76	3	5	8	13	21	27	45
A. Not Operated	3349	7.4	46	2	3	5	9	15	20	35
B. Operated	11592	11.2	80	3	6	9	14	21	28	47
TOTAL										
0-19 YRS	14	7.9	49	2	4	7	10	15	26	29
20-34	77	9.2	53	3	5	7	11	18	22	36
35-49	1089	9.3	67	2	4	7	11	18	25	48
50-64	5452	9.7	65	2	5	8	12	19	25	42
65 +	8309	10.9	81	3	5	9	14	21	27	47
GRAND TOTAL	**14941**	**10.4**	**74**	**3**	**5**	**8**	**13**	**20**	**26**	**45**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.5	3	1	1	2	4	5	5	5
20-34	0									
35-49	2	3.5	13	< 1	< 1	3	6	6	6	6
50-64	10	4.9	13	< 1	2	5	6	10	13	13
65 +	8	5.0	19	1	1	4	8	12	13	13
B. Operated										
0-19 YRS	32	7.1	15	2	4	6	9	13	16	16
20-34	16	4.4	15	1	2	3	6	11	12	12
35-49	46	6.3	29	1	2	4	9	14	18	23
50-64	134	7.1	26	1	2	7	10	14	17	22
65 +	125	6.7	36	< 1	1	6	11	15	18	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	5.1	108	1	1	3	4	7	14	64
20-34	7	4.1	10	1	2	3	6	9	10	10
35-49	21	8.0	26	3	5	7	9	16	20	23
50-64	71	7.3	70	1	3	5	8	16	26	91
65 +	80	10.2	124	1	4	7	11	23	38	52
B. Operated										
0-19 YRS	58	11.1	86	2	5	9	14	22	29	50
20-34	26	13.9	237	4	6	9	17	23	49	77
35-49	158	13.3	143	3	6	11	16	22	38	68
50-64	558	12.4	91	2	6	10	16	24	31	50
65 +	663	12.8	118	2	6	11	17	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	4.1	12	< 1	1	3	6	8	13	13
B. Operated	353	6.7	28	1	2	6	10	14	17	23
2. MULTIPLE DX										
A. Not Operated	216	7.9	93	1	3	6	8	17	28	61
B. Operated	1463	12.7	111	2	6	10	16	24	32	58
1. SINGLE DX	381	6.5	28	1	2	6	10	14	17	23
2. MULTIPLE DX	1679	12.1	111	2	5	10	15	23	32	59
A. Not Operated	244	7.5	85	1	2	5	8	16	25	59
B. Operated	1816	11.5	100	2	5	10	15	22	29	55
TOTAL										
0-19 YRS	135	8.0	78	1	3	6	10	16	22	53
20-34	49	9.4	152	1	3	7	11	17	25	77
35-49	227	11.3	117	2	5	9	14	21	26	62
50-64	773	10.9	82	2	5	9	14	22	29	50
65 +	876	11.6	111	1	5	10	15	23	30	56
GRAND TOTAL	**2060**	**11.0**	**100**	**1**	**4**	**9**	**14**	**22**	**29**	**55**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	3.1	4	1	2	3	4	5	6	11
20-34	13	4.2	6	1	2	5	6	7	8	8
35-49	7	5.9	12	2	4	5	7	12	13	13
50-64	5	3.6	1	3	3	3	4	5	5	5
65 +	5	7.2	92	1	2	3	10	24	24	24
B. Operated										
0-19 YRS	320	5.6	33	1	2	5	7	11	14	16
20-34	72	4.7	13	1	2	4	7	10	11	16
35-49	83	5.4	35	1	2	4	6	10	14	38
50-64	74	5.6	30	1	2	4	7	11	15	33
65 +	72	3.6	15	1	1	2	5	7	9	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	307	5.1	25	1	2	4	6	11	14	24
20-34	60	4.4	7	1	2	4	6	8	9	12
35-49	32	7.4	51	1	3	5	9	17	19	36
50-64	28	8.7	41	2	4	6	13	17	21	26
65 +	45	8.2	57	3	4	6	10	14	24	38
B. Operated										
0-19 YRS	321	9.6	67	2	4	7	12	20	26	41
20-34	106	9.8	97	2	4	6	13	20	28	57
35-49	128	9.8	120	2	4	7	12	19	34	99 +
50-64	147	9.0	120	1	3	6	10	20	42	99 +
65 +	348	11.4	144	2	4	8	14	23	38	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	3.4	6	1	2	3	4	6	6	14
B. Operated	621	5.2	29	1	2	4	7	11	14	19
2. MULTIPLE DX										
A. Not Operated	472	5.7	30	1	2	4	7	12	16	32
B. Operated	1050	10.1	110	2	4	7	12	21	33	67
1. SINGLE DX	818	4.8	24	1	2	4	6	10	13	17
2. MULTIPLE DX	1522	8.7	89	2	3	6	11	18	27	53
A. Not Operated	669	5.0	24	1	2	4	6	11	14	25
B. Operated	1671	8.3	65	1	3	6	10	17	25	53
TOTAL										
0-19 YRS	1115	6.2	41	1	2	5	8	13	17	33
20-34	251	6.7	53	1	2	5	8	14	19	37
35-49	250	7.9	83	2	3	5	9	16	31	67
50-64	254	7.9	85	1	3	5	9	16	26	68
65 +	470	9.8	123	1	3	7	12	21	35	70
GRAND TOTAL	**2340**	**7.4**	**70**	**1**	**3**	**5**	**9**	**15**	**21**	**47**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	9	1.7	2	< 1	< 1	1	2	4	5	5
20-34	39	3.1	14	< 1	1	2	4	6	7	23
35-49	105	3.3	9	1	1	2	4	7	10	14
50-64	94	2.9	5	1	1	2	4	6	8	10
65 +	99	2.8	6	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	9.8	32	5	5	9	14	16	16	16
35-49	9	4.9	20	< 1	1	4	6	12	15	15
50-64	20	4.9	12	1	2	3	8	10	11	12
65 +	31	6.6	53	1	2	4	8	15	16	38
B. Operated										
0-19 YRS	5	3.4	7	1	2	3	4	8	8	8
20-34	35	3.5	6	1	2	3	5	8	9	10
35-49	92	4.1	17	1	2	3	5	8	11	26
50-64	140	3.9	12	1	1	3	5	9	11	16
65 +	252	5.6	38	1	2	4	7	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.8	19	< 1	< 1	1	6	11	11	11
B. Operated	346	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	64	6.0	35	1	2	4	8	13	16	35
B. Operated	524	4.7	25	1	2	3	6	9	13	26
1. SINGLE DX	351	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX	588	4.9	27	1	2	3	6	10	13	26
A. Not Operated	69	5.9	34	1	2	4	8	13	16	34
B. Operated	870	4.0	19	1	1	3	5	8	11	22
TOTAL										
0-19 YRS	15	2.2	4	< 1	1	1	3	5	7	8
20-34	78	3.6	13	1	1	3	5	7	10	21
35-49	208	3.8	13	1	1	3	5	8	11	18
50-64	255	3.6	9	1	1	3	5	8	10	16
65 +	383	4.9	32	1	2	3	7	10	14	27
GRAND TOTAL	**939**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	5	14.8	338	< 1	1	4	29	43	43	43
B. Operated										
0-19 YRS	8	4.3	37	1	1	2	4	15	19	19
20-34	19	2.8	10	< 1	1	2	4	6	10	14
35-49	55	2.2	6	< 1	< 1	1	3	5	8	13
50-64	84	2.3	8	< 1	< 1	1	3	5	7	17
65 +	196	2.2	6	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	38	5.8	35	2	2	4	7	13	14	34
35-49	40	9.2	71	1	3	6	14	22	25	37
50-64	14	8.9	204	1	3	5	8	16	48	57
65 +	32	10.5	162	2	3	6	10	33	43	49
B. Operated										
0-19 YRS	5	9.6	98	< 1	< 1	7	17	24	24	24
20-34	53	10.0	95	2	4	7	13	21	26	57
35-49	75	5.8	27	1	2	4	10	13	17	80
50-64	154	6.2	79	1	1	3	7	16	25	45
65 +	572	4.7	32	1	1	3	6	10	15	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	8.9	218	< 1	1	2	9	35	43	43
B. Operated	362	2.3	7	< 1	< 1	1	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	126	8.5	98	1	3	5	10	20	31	51
B. Operated	859	5.4	46	1	1	3	7	12	18	42
1. SINGLE DX	371	2.5	13	< 1	< 1	1	3	5	7	18
2. MULTIPLE DX	985	5.8	54	1	1	3	7	14	20	44
A. Not Operated	135	8.5	105	1	2	5	10	20	33	50
B. Operated	1221	4.5	37	< 1	1	2	5	11	16	33
TOTAL										
0-19 YRS	15	7.0	67	< 1	1	3	13	20	23	24
20-34	111	7.3	66	1	2	5	10	14	22	43
35-49	171	5.5	37	< 1	1	3	8	14	19	34
50-64	254	5.0	65	< 1	1	2	5	12	19	45
65 +	805	4.4	36	< 1	1	2	5	9	14	35
GRAND TOTAL	**1356**	**4.9**	**45**	**< 1**	**1**	**2**	**6**	**11**	**16**	**41**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	15.0	288	3	3	15	27	27	27	27
35-49	8	3.8	10	1	1	2	6	8	9	9
50-64	22	3.1	4	1	2	3	4	6	7	7
65 +	14	3.4	5	1	2	3	3	8	9	9
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	198	2.8	2	1	2	2	4	5	6	8
35-49	1663	3.0	5	1	2	3	4	5	6	9
50-64	2189	2.9	2	1	2	3	4	5	6	8
65 +	2107	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	5.2	36	< 1	1	3	6	16	19	19
35-49	125	6.8	55	1	3	5	8	14	20	43
50-64	229	7.5	75	2	3	5	9	14	21	50
65 +	213	9.1	101	2	3	6	11	20	29	53
B. Operated										
0-19 YRS	6	7.3	85	2	3	4	5	24	26	26
20-34	272	4.0	13	1	2	3	4	7	9	17
35-49	2248	3.8	12	2	2	3	4	6	8	17
50-64	3692	4.1	14	2	2	3	5	7	9	19
65 +	6823	4.6	18	2	3	4	5	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.8	17	1	2	3	4	7	9	27
B. Operated	6159	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	579	7.9	80	1	3	5	9	17	22	46
B. Operated	13041	4.3	16	2	2	3	5	7	9	20
1. SINGLE DX	6205	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	13620	4.4	19	2	2	3	5	7	10	23
A. Not Operated	625	7.6	77	1	3	5	9	16	21	45
B. Operated	19200	3.9	12	2	2	3	4	6	8	17
TOTAL										
0-19 YRS	9	5.7	59	2	2	3	4	18	26	26
20-34	483	3.6	11	1	2	3	4	6	8	17
35-49	4044	3.5	11	1	2	3	4	6	7	15
50-64	6132	3.8	13	2	2	3	4	6	8	18
65 +	9157	4.3	17	2	2	3	5	7	10	21
GRAND TOTAL	**19825**	**4.0**	**14**	**2**	**2**	**3**	**5**	**7**	**9**	**19**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	2.2	1	1	1	2	3	3	4	4
35-49	97	2.5	1	2	2	2	3	4	4	5
50-64	65	3.3	14	1	2	2	3	5	7	25
65 +	53	2.5	1	1	2	2	3	4	4	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	104	4.5	6	2	3	4	6	8	9	10
35-49	180	4.2	8	2	2	3	6	8	9	13
50-64	91	3.1	4	1	2	3	4	6	7	12
65 +	68	3.1	4	1	2	3	4	4	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	57	5.0	21	2	2	4	6	11	13	27
35-49	119	4.4	22	1	2	3	5	10	16	24
50-64	138	4.4	19	1	2	3	5	9	13	25
65 +	159	4.7	24	1	2	3	5	10	16	26
B. Operated										
0-19 YRS	4	10.8	54	5	5	8	16	21	21	21
20-34	242	6.1	17	3	4	5	7	9	14	24
35-49	521	6.6	23	2	4	6	8	11	16	25
50-64	302	7.7	67	2	3	6	9	15	19	44
65 +	252	7.0	53	2	3	5	9	14	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	2.7	4	1	2	2	3	4	5	11
B. Operated	444	3.9	6	2	2	3	5	8	8	12
2. MULTIPLE DX										
A. Not Operated	475	4.6	22	1	2	3	5	9	15	26
B. Operated	1321	6.8	38	2	3	6	8	12	17	32
1. SINGLE DX	685	3.5	6	2	2	3	4	7	8	12
2. MULTIPLE DX	1796	6.2	35	2	3	5	8	12	16	30
A. Not Operated	716	3.9	17	1	2	3	4	8	12	24
B. Operated	1765	6.1	32	2	3	5	7	11	15	29
TOTAL										
0-19 YRS	8	6.5	44	1	2	4	8	18	21	21
20-34	428	5.4	15	2	3	5	7	9	11	23
35-49	917	5.4	20	2	3	4	7	10	13	23
50-64	596	5.8	44	2	2	4	7	11	16	34
65 +	532	5.4	36	2	2	3	6	11	16	29
GRAND TOTAL	**2481**	**5.5**	**28**	**2**	**2**	**4**	**7**	**10**	**15**	**26**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	19	3.2	24	1	2	2	3	3	14	23
50-64	58	2.4	2	1	2	2	3	3	4	10
65 +	91	2.3	1	1	2	2	3	3	4	6
B. Operated										
0-19 YRS	0									
20-34	13	4.9	1	4	4	5	5	6	8	8
35-49	71	4.4	3	2	3	4	5	6	7	11
50-64	230	4.5	3	3	4	4	5	6	7	10
65 +	260	4.5	4	2	4	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	6.0	75	1	1	1	12	16	16	16
35-49	14	5.4	76	1	2	3	4	11	30	35
50-64	59	3.1	5	1	2	2	4	6	8	12
65 +	205	4.3	32	1	2	3	4	8	16	32
B. Operated										
0-19 YRS	0									
20-34	51	4.9	3	3	4	5	6	7	8	9
35-49	370	5.3	11	3	4	4	6	8	11	19
50-64	1089	6.0	20	3	4	5	7	9	12	23
65 +	1961	7.0	30	4	4	6	8	12	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	2.4	4	1	2	2	3	3	4	10
B. Operated	574	4.5	3	3	4	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	282	4.1	29	1	2	3	4	7	14	33
B. Operated	3471	6.5	25	3	4	5	7	10	14	28
1. SINGLE DX	743	4.0	4	2	3	4	5	6	7	11
2. MULTIPLE DX	3753	6.3	26	3	4	5	7	10	14	28
A. Not Operated	451	3.5	20	1	2	2	3	6	9	25
B. Operated	4045	6.2	23	3	4	5	7	10	13	26
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	68	4.9	5	2	4	5	6	7	8	15
35-49	474	5.1	12	2	4	4	6	8	11	21
50-64	1436	5.5	17	3	4	5	6	8	11	20
65 +	2517	6.4	28	2	4	5	7	11	14	30
GRAND TOTAL	**4496**	**5.9**	**23**	**3**	**4**	**5**	**7**	**9**	**13**	**26**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.1	2	1	2	4	4	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	11	2.1	2	< 1	1	2	3	4	6	6
50-64	21	1.5	1	1	1	1	2	3	3	3
65 +	10	2.7	8	1	1	1	3	7	9	9
B. Operated										
0-19 YRS	16	5.5	4	3	4	6	7	8	8	8
20-34	36	4.4	2	3	3	4	5	7	7	9
35-49	64	5.4	21	2	3	4	6	9	11	31
50-64	60	6.0	10	3	4	5	7	10	12	18
65 +	57	7.0	12	4	5	6	8	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.3	1	2	2	3	4	5	5	5
20-34	5	2.8	4	1	2	2	4	6	6	6
35-49	40	3.8	16	1	1	3	4	8	10	23
50-64	101	4.6	15	1	2	4	7	10	12	19
65 +	203	7.6	51	2	3	5	9	16	25	34
B. Operated										
0-19 YRS	24	7.2	11	3	5	7	9	13	13	14
20-34	110	7.2	54	3	4	5	7	13	15	48
35-49	424	7.7	22	4	5	7	9	14	18	24
50-64	666	9.9	58	4	5	8	11	18	24	39
65 +	952	12.6	96	5	7	10	15	24	31	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	2.1	3	1	1	1	3	4	6	9
B. Operated	233	5.8	12	3	4	5	7	9	11	19
2. MULTIPLE DX										
A. Not Operated	355	6.1	38	1	2	4	8	13	19	29
B. Operated	2176	10.5	71	4	6	8	12	19	26	47
1. SINGLE DX	283	5.1	13	1	3	5	7	9	10	19
2. MULTIPLE DX	2531	9.9	69	4	5	8	12	19	25	44
A. Not Operated	405	5.7	35	1	2	4	7	12	17	29
B. Operated	2409	10.0	67	4	5	8	12	19	25	44
TOTAL										
0-19 YRS	53	5.7	9	2	4	5	7	9	13	14
20-34	152	6.4	41	3	4	5	7	10	14	39
35-49	539	7.0	23	3	4	6	8	13	17	24
50-64	848	8.8	53	3	5	7	10	17	22	37
65 +	1222	11.4	89	4	6	9	14	22	28	52
GRAND TOTAL	**2814**	**9.4**	**65**	**3**	**5**	**7**	**11**	**18**	**24**	**42**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.3	2	2	3	5	5	5	5	5
20-34	0									
35-49	7	2.0	2	1	1	2	2	4	5	5
50-64	4	2.5	9	1	1	1	4	7	7	7
65 +	19	3.5	5	1	2	3	5	6	8	10
B. Operated										
0-19 YRS	8	5.3	3	3	4	5	6	7	7	7
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	19	3.4	3	1	2	3	5	6	7	7
50-64	24	3.8	7	1	1	4	6	7	8	11
65 +	42	4.9	14	< 1	2	4	7	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.8	9	< 1	2	5	8	9	9	9
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	5	2.2	3	1	1	1	3	5	5	5
50-64	14	4.6	8	1	3	4	7	9	9	9
65 +	34	4.1	10	1	2	3	5	9	9	15
B. Operated										
0-19 YRS	10	7.3	16	3	6	6	9	13	17	17
20-34	13	6.4	16	2	4	5	8	12	15	16
35-49	38	8.3	40	2	4	6	12	16	23	30
50-64	92	8.6	38	3	5	7	11	18	24	69
65 +	285	10.5	77	3	4	8	13	23	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.1	5	1	2	2	5	5	7	10
B. Operated	95	4.4	9	1	2	4	6	8	11	14
2. MULTIPLE DX										
A. Not Operated	67	4.1	8	1	2	4	6	9	9	14
B. Operated	438	9.7	64	3	4	7	13	21	26	50
1. SINGLE DX	129	4.0	8	1	2	4	5	7	10	14
2. MULTIPLE DX	505	9.0	60	2	4	7	11	19	25	49
A. Not Operated	101	3.8	7	1	2	3	5	8	9	12
B. Operated	533	8.8	58	2	4	7	11	19	25	48
TOTAL										
0-19 YRS	32	5.6	10	2	4	6	7	9	9	17
20-34	19	5.6	14	1	3	5	7	10	14	16
35-49	69	5.9	31	1	2	5	7	13	17	29
50-64	134	7.2	33	1	3	6	9	16	22	39
65 +	380	9.0	68	2	3	7	11	20	25	49
GRAND TOTAL	**634**	**8.0**	**53**	**1**	**3**	**6**	**10**	**17**	**24**	**39**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	6	2.7	7	1	1	2	3	7	8	8
65 +	27	5.2	131	1	1	2	3	11	31	56
B. Operated										
0-19 YRS	5	5.0	3	2	4	6	6	6	6	6
20-34	0									
35-49	25	5.5	6	2	4	6	7	8	10	11
50-64	560	5.9	7	2	4	6	7	9	11	14
65 +	1183	4.7	7	1	3	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	6.4	27	2	3	5	8	15	17	17
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	95	6.4	51	1	2	4	8	14	17	41
65 +	548	7.3	60	2	3	5	9	14	20	46
B. Operated										
0-19 YRS	11	10.0	56	2	4	8	12	23	25	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	41	5.6	10	1	3	5	8	10	11	14
50-64	1930	6.7	24	3	4	6	8	11	15	24
65 +	9489	6.3	28	2	3	5	8	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.8	108	1	1	2	3	9	25	56
B. Operated	1773	5.1	8	2	3	5	7	8	10	13
2. MULTIPLE DX										
A. Not Operated	651	7.1	58	1	3	5	9	14	20	46
B. Operated	11472	6.4	28	2	3	5	8	12	15	27
1. SINGLE DX	1806	5.0	10	1	3	5	7	8	10	14
2. MULTIPLE DX	12123	6.4	29	2	3	5	8	12	15	27
A. Not Operated	684	7.0	61	1	3	5	9	14	20	48
B. Operated	13245	6.2	25	2	3	5	8	11	15	25
TOTAL										
0-19 YRS	23	7.8	38	2	4	6	9	18	23	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	67	5.5	9	1	4	6	7	10	10	14
50-64	2591	6.5	22	2	4	6	8	11	14	24
65 +	11247	6.2	28	2	3	5	8	11	15	27
GRAND TOTAL	**13929**	**6.2**	**27**	**2**	**3**	**5**	**8**	**11**	**15**	**27**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	13	2.8	6	< 1	1	2	4	6	9	10
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	4	3.8	4	1	2	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	31	4.8	21	1	1	3	7	10	17	18
20-34	148	2.3	5	1	1	1	3	6	7	12
35-49	89	2.7	10	1	1	1	3	7	9	18
50-64	20	4.0	16	1	1	2	5	11	13	15
65 +	18	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.5	4	1	2	3	5	6	7	7
20-34	43	6.0	39	1	2	5	7	10	13	40
35-49	4	5.8	2	5	5	5	7	8	8	8
50-64	2	5.0		5	5	5	5	5	5	5
65 +	6	4.0	8	1	2	4	6	8	8	8
B. Operated										
0-19 YRS	26	10.5	73	1	6	9	13	21	30	40
20-34	114	6.8	50	1	1	6	9	14	17	42
35-49	77	5.7	38	1	1	3	8	11	17	32
50-64	41	7.0	164	1	2	4	7	14	19	81
65 +	46	5.2	19	1	2	4	7	13	14	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.7	4	1	1	2	4	5	7	10
B. Operated	306	2.8	9	1	1	1	3	7	8	17
2. MULTIPLE DX										
A. Not Operated	67	5.3	28	1	2	5	6	8	11	36
B. Operated	304	6.6	60	1	2	5	9	14	17	38
1. SINGLE DX	329	2.8	9	1	1	2	3	7	8	17
2. MULTIPLE DX	371	6.4	55	1	2	5	8	13	17	39
A. Not Operated	90	4.6	23	1	2	4	6	8	10	31
B. Operated	610	4.7	38	1	1	2	7	11	15	29
TOTAL										
0-19 YRS	72	6.6	45	1	2	5	9	13	18	37
20-34	318	4.4	30	1	1	2	6	10	12	28
35-49	173	4.1	25	1	1	2	5	10	14	28
50-64	67	5.9	106	1	1	4	6	11	16	71
65 +	70	4.3	15	1	2	3	6	9	14	17
GRAND TOTAL	**700**	**4.7**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	4.1	17	1	2	3	5	11	13	13
65 +	5	3.0	8	1	1	2	4	8	8	8
B. Operated										
0-19 YRS	8	4.1	12	1	2	3	6	10	10	10
20-34	18	5.8	116	1	1	2	5	12	34	47
35-49	116	2.1	4	1	1	2	2	4	6	12
50-64	379	3.0	12	1	1	2	3	6	10	16
65 +	755	2.8	10	1	1	2	3	5	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.8	16	1	2	6	9	10	10	10
20-34	1	16.0		16	16	16	16	16	16	16
35-49	3	6.0	37	2	2	3	10	13	13	13
50-64	43	3.6	14	< 1	1	2	4	10	11	20
65 +	191	7.6	52	1	3	5	10	17	22	35
B. Operated										
0-19 YRS	19	25.2	380	6	10	17	37	55	65	72
20-34	26	9.4	123	1	2	5	13	22	41	41
35-49	181	6.1	54	1	1	3	9	14	22	38
50-64	1238	5.9	54	1	2	3	8	14	18	35
65 +	5011	6.1	53	1	2	4	7	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.4	11	1	2	2	3	8	12	13
B. Operated	1276	2.8	12	1	1	2	3	5	9	15
2. MULTIPLE DX										
A. Not Operated	242	6.9	47	1	2	4	9	16	21	34
B. Operated	6475	6.2	55	1	2	4	8	14	19	39
1. SINGLE DX	1290	2.9	12	1	1	2	3	5	9	15
2. MULTIPLE DX	6717	6.2	55	1	2	4	8	14	19	38
A. Not Operated	256	6.7	45	1	2	4	9	15	20	34
B. Operated	7751	5.6	50	1	2	3	7	13	18	37
TOTAL										
0-19 YRS	32	16.7	333	1	4	10	22	47	57	72
20-34	45	8.1	119	1	2	4	13	20	41	47
35-49	301	4.5	38	1	1	2	5	11	16	32
50-64	1667	5.2	45	1	1	3	6	12	16	33
65 +	5962	5.8	49	1	2	3	7	13	18	37
GRAND TOTAL	**8007**	**5.6**	**49**	**1**	**2**	**3**	**7**	**13**	**18**	**37**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	4.7	27	< 1	2	3	5	11	17	22
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	2.8	2	< 1	1	3	4	4	4	4
65 +	4	3.5	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	92	7.8	17	4	6	8	9	12	12	27
20-34	17	6.3	12	2	4	5	8	10	14	16
35-49	86	6.9	15	4	5	6	7	10	12	27
50-64	151	7.1	10	4	5	7	8	10	13	21
65 +	132	7.5	11	4	6	7	9	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	5.1	19	1	3	4	6	9	12	27
20-34	7	4.0	5	2	2	3	5	8	8	8
35-49	19	7.9	65	2	3	6	8	19	27	33
50-64	90	5.7	25	1	2	4	8	11	16	27
65 +	164	7.9	43	2	4	6	10	14	22	46
B. Operated										
0-19 YRS	155	10.8	67	5	6	8	12	17	34	43
20-34	42	10.2	52	4	6	7	14	25	26	27
35-49	261	8.7	31	4	6	7	10	13	16	36
50-64	707	9.8	57	5	6	8	11	17	23	43
65 +	1460	10.6	58	5	7	9	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.0	18	1	2	3	4	10	11	22
B. Operated	478	7.3	13	4	5	7	8	11	12	24
2. MULTIPLE DX										
A. Not Operated	354	6.7	35	2	3	5	9	13	19	33
B. Operated	2625	10.2	56	5	6	8	12	18	24	42
1. SINGLE DX	510	7.1	14	3	5	7	8	11	12	23
2. MULTIPLE DX	2979	9.8	55	4	6	8	11	17	23	42
A. Not Operated	386	6.5	34	2	3	5	8	13	19	32
B. Operated	3103	9.8	50	5	6	8	11	17	22	40
TOTAL										
0-19 YRS	341	8.4	46	3	5	7	10	14	19	40
20-34	68	8.3	41	2	5	6	9	17	25	27
35-49	368	8.2	29	4	6	7	9	12	16	32
50-64	952	9.0	48	4	6	7	10	15	21	36
65 +	1760	10.1	55	4	6	8	12	18	23	41
GRAND TOTAL	**3489**	**9.4**	**50**	**4**	**6**	**8**	**11**	**16**	**22**	**39**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.3	4	< 1	< 1	1	5	5	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	1.9	2	1	1	2	2	3	5	6
20-34	7	1.9	3	1	1	1	2	5	6	6
35-49	13	1.7	1	1	1	1	2	3	5	5
50-64	6	2.0	2	1	1	2	2	5	5	5
65 +	19	1.9	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	6.4	118	< 1	1	4	5	23	35	35
20-34	0									
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	4	5.8	9	2	3	6	8	9	9	9
65 +	3	5.7	2	4	4	6	7	7	7	7
B. Operated										
0-19 YRS	25	7.4	191	1	1	3	7	14	30	70
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	11	4.8	19	1	1	4	7	11	15	15
50-64	16	2.8	3	1	1	2	4	5	6	7
65 +	51	4.1	25	1	2	3	4	10	13	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.3	4	< 1	< 1	1	5	5	6	6
B. Operated	88	1.9	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	18	6.2	62	1	2	4	7	12	26	35
B. Operated	106	4.7	60	1	1	3	5	10	13	48
1. SINGLE DX	105	1.9	2	1	1	1	2	5	5	7
2. MULTIPLE DX	124	4.9	60	1	1	3	6	10	14	44
A. Not Operated	35	4.3	37	< 1	1	2	5	7	12	35
B. Operated	194	3.4	36	1	1	2	3	7	11	25
TOTAL										
0-19 YRS	94	3.9	67	< 1	1	2	4	6	12	55
20-34	10	2.1	4	1	1	1	2	6	6	6
35-49	26	3.4	14	1	1	2	5	9	13	15
50-64	26	3.1	5	1	1	2	5	7	8	9
65 +	73	3.6	19	1	1	2	4	8	12	27
GRAND TOTAL	**229**	**3.6**	**36**	**1**	**1**	**2**	**4**	**7**	**12**	**32**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	3.9	33	1	1	2	4	7	10	38
20-34	15	4.8	19	1	2	3	6	13	14	14
35-49	33	5.6	23	2	2	4	7	12	17	20
50-64	27	4.5	8	2	2	4	6	8	11	13
65 +	31	4.9	11	1	2	4	8	9	10	14
B. Operated										
0-19 YRS	251	6.4	29	1	2	5	8	12	17	30
20-34	114	6.8	23	2	4	6	8	13	17	25
35-49	153	5.7	16	1	3	5	8	11	14	18
50-64	149	8.3	45	3	4	7	10	16	19	37
65 +	89	8.2	31	2	4	7	11	15	20	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	272	5.0	42	1	2	3	5	11	15	37
20-34	73	4.6	13	1	2	4	6	9	11	17
35-49	168	6.8	42	1	3	5	8	16	20	33
50-64	216	9.2	95	2	3	6	11	21	30	52
65 +	293	10.3	156	2	4	6	12	21	31	71
B. Operated										
0-19 YRS	631	13.9	185	3	6	10	17	32	49	99 +
20-34	204	10.5	108	3	4	7	12	20	34	55
35-49	312	11.3	128	3	5	8	13	21	33	59
50-64	392	12.6	128	4	6	9	15	24	36	70
65 +	474	16.8	211	5	8	13	21	32	47	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	4.5	23	1	2	3	5	9	13	20
B. Operated	756	6.9	30	1	3	6	9	13	17	25
2. MULTIPLE DX										
A. Not Operated	1022	7.7	89	1	3	5	9	16	23	47
B. Operated	2013	13.6	167	3	6	10	17	28	42	84
1. SINGLE DX	947	6.4	29	1	3	5	9	13	17	25
2. MULTIPLE DX	3035	11.6	149	2	4	8	14	24	36	78
A. Not Operated	1213	7.2	80	1	2	4	8	15	21	47
B. Operated	2769	11.7	139	3	5	8	14	23	35	77
TOTAL										
0-19 YRS	1239	9.7	130	1	3	7	12	21	33	78
20-34	406	8.2	69	2	3	6	10	17	21	46
35-49	666	8.6	82	2	3	6	11	17	22	52
50-64	784	10.6	104	2	4	8	13	21	32	58
65 +	887	13.4	181	3	5	10	17	27	38	88
GRAND TOTAL	**3982**	**10.4**	**125**	**2**	**4**	**7**	**13**	**21**	**32**	**70**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.6		1	1	2	2	3	3	3
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	6.0	55	1	2	3	8	19	19	19
65 +	0									
B. Operated										
0-19 YRS	39	8.2	35	1	5	6	12	17	21	23
20-34	12	6.6	17	2	3	6	11	12	12	12
35-49	11	6.4	5	4	5	6	7	10	11	11
50-64	11	9.3	48	3	4	7	13	19	25	26
65 +	5	8.6	8	5	6	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	6.2	90	1	2	3	7	14	16	51
20-34	3	1.3		1	1	1	2	2	2	2
35-49	4	6.5	51	2	2	4	11	17	17	17
50-64	12	6.4	27	1	2	5	9	15	16	16
65 +	24	8.4	54	1	3	5	13	18	22	30
B. Operated										
0-19 YRS	74	13.1	149	3	6	8	17	34	39	53
20-34	21	17.0	307	6	7	10	17	46	65	65
35-49	25	10.0	45	4	5	8	14	20	24	25
50-64	27	12.0	168	2	7	9	14	19	28	71
65 +	34	16.4	209	6	9	11	19	43	45	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.2	17	1	1	2	3	6	14	19
B. Operated	78	7.9	28	2	4	7	11	15	18	25
2. MULTIPLE DX										
A. Not Operated	73	6.8	62	1	2	4	9	15	18	46
B. Operated	181	13.6	168	3	6	9	17	25	43	69
1. SINGLE DX	96	7.0	29	1	3	6	10	14	18	25
2. MULTIPLE DX	254	11.6	147	2	4	8	15	23	38	65
A. Not Operated	91	6.1	55	1	2	3	8	15	18	42
B. Operated	259	11.9	133	3	5	8	14	23	37	65
TOTAL										
0-19 YRS	153	9.8	111	1	3	6	12	22	36	53
20-34	38	11.7	208	2	3	8	12	25	52	65
35-49	41	8.6	35	3	5	7	11	17	22	25
50-64	55	9.7	105	1	3	8	13	18	20	69
65 +	63	12.8	148	3	5	9	15	23	43	67
GRAND TOTAL	**350**	**10.4**	**119**	**1**	**4**	**7**	**13**	**20**	**30**	**65**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.9	6	1	1	2	4	6	8	11
20-34	46	2.5	8	1	1	2	2	5	5	20
35-49	39	1.8	1	1	1	2	2	3	3	4
50-64	28	2.0	1	1	1	2	2	4	5	5
65 +	13	2.3	1	1	2	2	3	4	5	5
B. Operated										
0-19 YRS	83	4.5	24	1	2	3	6	9	14	29
20-34	178	2.3	1	1	2	2	3	4	4	7
35-49	215	2.2	1	1	2	2	3	3	5	7
50-64	97	2.8	4	1	2	2	3	5	7	12
65 +	68	3.1	8	1	2	2	3	5	7	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	5.5	63	1	2	4	7	11	14	40
20-34	51	2.6	4	1	1	2	3	6	8	9
35-49	57	2.7	7	1	2	2	3	5	8	16
50-64	56	3.1	18	1	1	2	3	5	9	26
65 +	46	5.7	48	1	2	3	7	11	15	44
B. Operated										
0-19 YRS	234	12.6	194	2	4	8	14	33	46	61
20-34	225	4.3	57	1	2	3	4	7	9	36
35-49	300	3.7	12	1	2	3	4	6	10	22
50-64	235	4.6	24	2	2	3	5	10	14	34
65 +	244	6.9	93	2	2	4	8	15	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	2.3	4	1	1	2	2	4	5	11
B. Operated	641	2.7	6	1	2	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	325	4.2	36	1	2	2	5	9	12	22
B. Operated	1238	6.3	83	2	2	3	6	13	21	55
1. SINGLE DX	793	2.6	6	1	2	2	3	5	6	12
2. MULTIPLE DX	1563	5.8	74	1	2	3	6	12	19	50
A. Not Operated	477	3.6	26	1	1	2	4	7	11	19
B. Operated	1879	5.1	60	1	2	3	5	10	16	46
TOTAL										
0-19 YRS	458	8.8	135	1	2	5	9	18	37	59
20-34	500	3.2	28	1	2	2	3	5	7	20
35-49	611	3.0	7	1	2	2	3	5	7	16
50-64	416	3.8	18	1	2	2	4	8	12	25
65 +	371	5.9	71	2	2	3	6	12	21	42
GRAND TOTAL	**2356**	**4.8**	**53**	**1**	**2**	**3**	**5**	**9**	**15**	**44**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	3.8	16	1	1	3	5	9	13	17
20-34	6	3.5	6	1	1	3	6	6	6	6
35-49	13	4.2	11	1	2	3	6	8	12	13
50-64	28	4.5	17	1	2	3	5	11	15	17
65 +	44	7.6	46	2	3	5	11	19	23	29
B. Operated										
0-19 YRS	57	6.2	70	1	2	4	7	12	21	47
20-34	12	5.3	18	< 1	1	5	8	11	14	15
35-49	43	4.8	24	1	2	3	6	9	14	28
50-64	106	5.3	22	1	2	4	7	11	15	25
65 +	103	4.2	23	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	211	6.0	60	1	2	4	6	13	18	39
20-34	255	6.5	50	1	3	4	8	13	20	47
35-49	1185	7.1	48	2	3	5	8	14	21	34
50-64	3442	8.1	57	2	3	6	10	17	22	41
65 +	6500	8.8	60	2	4	7	11	18	24	40
B. Operated										
0-19 YRS	378	12.6	186	3	5	8	15	29	48	75
20-34	469	9.5	82	2	4	7	11	20	28	42
35-49	1897	10.2	106	2	4	7	13	21	30	58
50-64	4786	10.8	100	2	5	8	14	22	29	51
65 +	7688	12.1	119	3	5	9	15	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	5.5	29	1	2	4	6	3	17	25
B. Operated	321	5.0	31	1	2	4	6	10	14	28
2. MULTIPLE DX										
A. Not Operated	11593	8.3	58	2	4	6	10	17	23	39
B. Operated	15218	11.4	113	2	5	8	14	24	32	57
1. SINGLE DX	433	5.2	31	1	2	4	6	11	15	28
2. MULTIPLE DX	26811	10.1	91	2	4	7	13	21	28	50
A. Not Operated	11705	8.3	58	2	4	6	10	17	23	39
B. Operated	15539	11.2	112	2	5	8	14	23	31	57
TOTAL										
0-19 YRS	667	9.7	142	1	3	6	11	22	37	73
20-34	742	8.3	71	2	3	6	10	17	25	42
35-49	3138	8.9	85	2	4	6	11	18	26	49
50-64	8362	9.6	83	2	4	7	12	20	26	47
65 +	14335	10.5	94	2	4	8	14	22	29	50
GRAND TOTAL	**27244**	**10.0**	**91**	**2**	**4**	**7**	**13**	**21**	**28**	**49**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	3	1	2	2	3	6	6	6
20-34	17	3.9	21	1	1	2	4	14	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	123	5.1	33	1	2	4	7	9	10	25
20-34	172	4.3	14	1	2	4	6	8	9	21
35-49	84	4.0	7	1	1	4	5	7	8	14
50-64	34	4.1	10	1	1	4	6	6	7	18
65 +	8	3.9	11	< 1	1	3	5	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	3.3	7	1	1	3	5	6	7	14
20-34	51	6.5	28	1	2	5	10	14	15	27
35-49	46	6.8	41	2	2	5	9	12	19	36
50-64	21	8.3	67	2	3	6	11	14	27	39
65 +	29	8.5	58	2	3	6	10	18	24	37
B. Operated										
0-19 YRS	113	8.9	62	2	4	7	11	19	26	40
20-34	205	9.8	128	2	4	6	10	23	36	75
35-49	132	9.8	82	3	5	7	10	19	32	45
50-64	88	13.3	132	2	5	9	20	32	35	46
65 +	70	11.7	118	2	5	8	13	26	37	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.3	13	1	1	2	4	7	14	15
B. Operated	421	4.4	18	1	2	4	6	8	9	16
2. MULTIPLE DX										
A. Not Operated	200	6.2	37	1	2	5	9	12	16	36
B. Operated	608	10.3	106	2	4	7	12	25	33	48
1. SINGLE DX	452	4.4	17	1	2	4	6	8	9	15
2. MULTIPLE DX	808	9.3	92	2	4	6	11	21	31	46
A. Not Operated	231	5.8	34	1	2	4	8	12	15	36
B. Operated	1029	7.9	79	1	3	5	9	17	27	45
TOTAL										
0-19 YRS	298	6.2	43	1	2	5	7	11	18	37
20-34	445	7.1	75	1	3	5	8	14	23	47
35-49	263	7.4	57	1	3	5	8	15	22	42
50-64	145	10.2	108	1	4	6	13	27	33	45
65 +	109	10.1	97	2	4	7	11	23	31	49
GRAND TOTAL	**1260**	**7.5**	**71**	**1**	**3**	**5**	**9**	**15**	**25**	**44**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	227	3.1	7	1	1	2	4	6	8	17
20-34	13	7.4	122	1	1	4	6	24	37	40
35-49	3	7.0	27	4	4	4	11	13	13	13
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	355	6.8	46	1	3	5	8	14	23	36
20-34	8	5.0	49	1	2	3	4	17	22	22
35-49	7	16.0	133	2	6	18	24	32	33	33
50-64	4	3.3	8	1	1	3	5	7	7	7
65 +	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	583	5.4	27	1	2	4	7	11	15	28
20-34	48	7.8	71	1	2	5	10	17	31	37
35-49	12	22.7	390	3	6	23	32	46	67	70
50-64	15	14.4	160	3	5	10	22	31	42	46
65 +	32	10.5	127	2	4	7	12	28	33	52
B. Operated										
0-19 YRS	695	16.3	223	4	7	11	22	37	49	93
20-34	77	29.5	400	3	13	30	40	56	79	99 +
35-49	48	26.7	304	6	13	25	37	60	70	99 +
50-64	33	23.0	285	4	8	25	35	42	52	66
65 +	32	21.3	216	4	9	19	31	39	45	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	3.4	14	1	1	2	4	6	8	19
B. Operated	376	6.9	48	1	2	5	8	14	23	36
2. MULTIPLE DX										
A. Not Operated	690	6.3	51	1	2	4	7	13	19	33
B. Operated	885	18.4	263	4	7	13	27	40	54	98
1. SINGLE DX	624	5.5	37	1	2	4	7	11	20	34
2. MULTIPLE DX	1575	13.1	206	2	4	8	18	33	45	80
A. Not Operated	938	5.5	42	1	2	3	7	11	17	33
B. Operated	1261	15.0	227	2	5	9	22	36	48	88
TOTAL										
0-19 YRS	1860	9.4	130	1	3	6	11	23	33	65
20-34	146	19.1	368	1	3	12	32	49	56	99 +
35-49	70	24.1	306	4	7	23	33	52	69	94
50-64	54	18.4	260	3	5	10	31	38	46	65
65 +	69	15.0	195	2	4	11	24	34	43	62
GRAND TOTAL	**2199**	**10.9**	**170**	**1**	**3**	**6**	**13**	**29**	**39**	**71**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	2	45.0	3872	1	1	45	89	89	89	89
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	4.0	3	2	3	4	5	7	7	7
65 +	4	4.3	14	< 1	< 1	4	7	8	8	8
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	3	4.0	19	1	1	2	7	9	9	9
50-64	3	5.3	14	1	2	7	8	8	8	8
65 +	3	6.0	75	1	1	1	12	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.7	15	2	2	3	6	10	12	19
20-34	0									
35-49	22	7.9	33	2	3	6	10	17	18	20
50-64	54	7.4	70	1	3	5	9	13	17	57
65 +	162	8.9	67	2	4	7	12	17	23	33
B. Operated										
0-19 YRS	9	13.2	104	2	5	11	21	29	32	32
20-34	1	5.0		5	5	5	5	5	5	5
35-49	13	10.2	81	3	5	6	14	27	29	30
50-64	73	10.7	62	4	5	8	13	19	28	41
65 +	151	13.2	172	3	6	9	16	27	43	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	7.8	392	< 1	1	3	6	8	52	89
B. Operated	10	5.5	26	1	1	4	9	13	16	16
2. MULTIPLE DX										
A. Not Operated	263	8.1	61	2	3	6	10	16	21	33
B. Operated	247	12.3	132	4	5	9	15	27	33	54
1. SINGLE DX	29	7.0	262	< 1	1	3	7	9	20	89
2. MULTIPLE DX	510	10.1	100	2	4	7	12	20	27	53
A. Not Operated	282	8.1	82	2	3	6	10	15	21	51
B. Operated	257	12.0	130	3	5	8	15	26	33	54
TOTAL										
0-19 YRS	39	6.5	47	2	2	4	9	16	22	32
20-34	3	31.7	2469	1	2	5	68	89	89	89
35-49	39	8.2	49	2	3	6	10	18	23	30
50-64	138	8.9	64	3	4	6	12	17	24	45
65 +	320	10.9	121	2	5	8	13	22	30	57
GRAND TOTAL	**539**	**10.0**	**109**	**2**	**4**	**7**	**12**	**19**	**27**	**55**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	4.9	44	1	2	4	5	8	9	43
20-34	5	3.0	2	2	2	3	4	5	5	5
35-49	4	8.0	91	1	2	4	14	22	22	22
50-64	8	3.9	4	< 1	2	5	5	6	6	6
65 +	8	3.6	9	1	1	3	5	8	10	10
B. Operated										
0-19 YRS	51	8.6	203	1	1	2	9	24	53	58
20-34	20	11.7	283	< 1	1	2	18	44	47	48
35-49	13	6.8	125	< 1	1	1	9	29	33	34
50-64	13	7.4	102	1	1	5	6	25	33	35
65 +	11	13.4	193	2	3	6	23	37	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	5.8	28	1	2	4	7	12	17	27
20-34	25	10.9	118	2	3	7	14	34	47	99 +
35-49	33	14.2	251	3	5	7	18	49	56	99 +
50-64	72	9.4	74	1	3	6	13	24	28	36
65 +	116	9.2	94	2	3	6	11	23	30	75
B. Operated										
0-19 YRS	193	28.8	493	3	9	28	44	66	77	99 +
20-34	84	32.7	294	8	24	31	42	55	63	78
35-49	110	32.3	390	6	20	30	45	59	69	87
50-64	125	32.5	331	9	25	31	39	60	74	89
65 +	254	24.7	359	4	9	23	36	49	65	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	4.7	34	1	2	4	5	8	10	40
B. Operated	108	9.3	193	1	1	2	9	34	42	57
2. MULTIPLE DX										
A. Not Operated	356	8.8	90	1	3	6	11	23	31	61
B. Operated	766	29.0	395	5	11	28	41	59	71	99 +
1. SINGLE DX	173	7.6	138	1	1	3	6	23	37	56
2. MULTIPLE DX	1122	22.6	386	3	6	18	34	52	65	99 +
A. Not Operated	421	8.2	84	1	3	5	9	22	29	58
B. Operated	874	26.5	412	3	8	26	39	57	69	99
TOTAL										
0-19 YRS	394	17.4	406	1	3	8	29	52	65	99 +
20-34	134	24.4	365	2	6	26	36	52	61	83
35-49	160	25.9	423	2	7	26	40	55	68	87
50-64	218	22.3	360	2	5	23	33	44	62	85
65 +	389	19.3	323	3	5	12	30	45	62	98
GRAND TOTAL	**1295**	**20.6**	**379**	**2**	**5**	**13**	**33**	**49**	**63**	**97**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.6	11	< 1	1	3	5	6	10	16
20-34	11	4.8	18	1	2	3	6	11	16	16
35-49	5	2.2	3	< 1	1	1	3	5	5	5
50-64	20	3.9	44	< 1	1	2	4	6	19	31
65 +	10	8.1	78	< 1	1	5	16	22	27	27
B. Operated										
0-19 YRS	22	6.5	74	< 1	1	3	7	16	25	38
20-34	9	7.8	31	1	3	6	14	15	15	15
35-49	12	9.3	77	2	3	7	11	24	30	31
50-64	9	9.9	149	2	3	4	11	32	38	38
65 +	9	4.3	5	1	3	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	4.0	11	1	1	3	6	9	9	15
20-34	20	6.7	28	1	3	5	9	16	18	19
35-49	43	9.7	120	2	3	6	12	19	33	60
50-64	58	8.2	52	2	4	7	10	16	18	38
65 +	170	8.0	82	2	3	5	9	15	30	47
B. Operated										
0-19 YRS	81	20.5	328	2	7	14	35	48	60	93
20-34	46	21.5	318	3	5	20	31	46	53	76
35-49	54	30.0	455	6	13	28	42	71	83	99 +
50-64	84	20.6	317	4	6	15	31	44	57	74
65 +	169	15.5	225	3	5	10	20	37	44	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	4.4	32	< 1	1	3	5	7	16	30
B. Operated	61	7.4	68	1	2	5	8	16	26	38
2. MULTIPLE DX										
A. Not Operated	339	7.6	70	1	3	5	9	15	23	45
B. Operated	434	19.9	318	3	6	13	30	45	59	84
1. SINGLE DX	130	5.8	51	< 1	1	4	6	15	21	38
2. MULTIPLE DX	773	14.5	246	2	4	8	19	37	50	77
A. Not Operated	408	7.1	65	1	2	5	9	15	20	41
B. Operated	495	18.3	304	3	5	11	29	43	57	82
TOTAL										
0-19 YRS	174	11.9	230	1	2	6	14	37	47	74
20-34	86	14.5	238	2	4	7	22	36	47	70
35-49	114	19.0	379	2	5	12	31	52	70	99 +
50-64	171	13.9	230	2	4	7	19	38	43	71
65 +	358	11.5	162	2	4	7	13	30	38	61
GRAND TOTAL	**903**	**13.3**	**227**	**1**	**4**	**7**	**16**	**36**	**46**	**76**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	5.5	21	1	2	5	7	10	10	27
20-34	17	4.8	23	1	2	3	5	10	17	21
35-49	47	4.2	32	1	1	2	6	9	11	35
50-64	77	3.4	21	1	1	2	4	7	9	30
65 +	45	4.9	12	1	3	4	6	9	13	18
B. Operated										
0-19 YRS	109	4.9	23	1	1	4	7	10	12	25
20-34	51	5.6	17	1	2	5	7	12	13	17
35-49	159	4.9	25	1	1	3	7	11	16	22
50-64	206	4.7	18	1	2	3	6	10	14	20
65 +	216	5.0	22	1	1	3	7	11	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	6.5	54	1	2	4	7	14	25	36
20-34	59	7.6	80	2	3	5	7	17	26	53
35-49	258	8.0	79	1	3	5	10	20	24	38
50-64	518	7.9	58	1	3	5	10	17	24	31
65 +	1062	9.3	67	2	4	7	12	20	24	38
B. Operated										
0-19 YRS	206	16.0	266	3	5	10	23	40	58	99 +
20-34	179	15.0	154	3	6	11	22	33	39	72
35-49	449	13.9	192	3	5	9	17	35	45	76
50-64	913	13.3	147	3	5	9	16	32	42	60
65 +	1981	13.4	131	3	6	10	17	28	37	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	4.3	22	1	1	3	6	9	10	29
B. Operated	741	4.9	21	1	1	3	7	10	15	22
2. MULTIPLE DX										
A. Not Operated	2021	8.6	67	2	3	6	11	19	24	36
B. Operated	3728	13.6	151	3	6	10	17	30	40	66
1. SINGLE DX	964	4.8	22	1	1	3	7	10	14	22
2. MULTIPLE DX	5749	11.9	127	2	5	8	15	26	35	59
A. Not Operated	2244	8.1	64	1	3	6	11	18	24	35
B. Operated	4469	12.2	140	2	5	9	16	27	38	62
TOTAL										
0-19 YRS	476	10.2	162	1	3	6	11	26	38	84
20-34	306	11.4	127	2	4	8	16	27	35	58
35-49	913	10.2	137	1	3	7	12	24	37	61
50-64	1714	10.2	111	2	3	7	13	24	33	56
65 +	3304	11.4	109	2	5	8	15	24	32	53
GRAND TOTAL	**6713**	**10.8**	**118**	**2**	**4**	**8**	**14**	**24**	**33**	**57**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	86	2.4	5	1	1	2	2	6	7	11
20-34	185	1.8	1	1	1	2	2	3	3	6
35-49	280	1.8	1	1	1	2	2	3	4	5
50-64	263	1.8	1	1	1	2	2	3	4	6
65 +	171	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	3	1.0		< 1	< 1	< 1	1	1	1	1
65 +	4	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	25	4.1	15	1	1	2	7	11	12	13
20-34	63	2.7	11	1	1	2	3	4	8	22
35-49	115	2.1	2	1	1	2	3	4	5	8
50-64	209	2.5	6	1	1	2	3	4	5	10
65 +	292	2.9	7	1	1	2	3	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	1	1	1	2	2	3	3	3
B. Operated	985	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	9	1.2		< 1	< 1	1	1	2	3	3
B. Operated	704	2.6	7	1	1	2	3	5	7	13
1. SINGLE DX	990	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	713	2.6	7	1	1	2	3	5	7	13
A. Not Operated	14	1.4	1	< 1	1	1	2	3	3	3
B. Operated	1689	2.2	4	1	1	2	2	4	5	10
TOTAL										
0-19 YRS	114	2.7	7	1	1	2	3	7	10	12
20-34	248	2.0	4	1	1	2	2	3	4	10
35-49	395	1.9	1	1	1	2	2	3	4	6
50-64	478	2.1	3	1	1	2	2	3	4	8
65 +	468	2.5	5	1	1	2	3	4	6	12
GRAND TOTAL	**1703**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**5**	**10**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	3	< 1	< 1	1	3	4	4	4
50-64	4	2.3	6	< 1	< 1	1	3	6	6	6
65 +	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated										
0-19 YRS	79	4.8	12	1	1	5	8	9	11	13
20-34	35	4.9	10	< 1	3	4	7	9	11	12
35-49	86	4.6	14	< 1	< 1	4	7	10	11	15
50-64	203	3.4	11	< 1	< 1	1	6	8	9	11
65 +	220	3.6	12	< 1	< 1	1	6	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.3	2	2	2	3	4	6	6	6
20-34	8	2.5	2	1	1	2	4	5	5	5
35-49	20	3.5	4	1	2	3	5	6	7	7
50-64	24	4.1	7	1	2	4	5	9	9	10
65 +	83	4.4	15	1	2	4	6	8	9	24
B. Operated										
0-19 YRS	99	7.1	90	1	2	6	9	16	18	93
20-34	101	6.4	14	2	3	6	9	12	13	15
35-49	246	6.3	27	< 1	2	6	8	13	16	27
50-64	670	6.5	29	< 1	3	6	8	12	15	30
65 +	1540	7.7	55	< 1	3	7	10	14	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.7	2	< 1	< 1	1	2	4	5	6
B. Operated	623	3.9	12	< 1	< 1	2	7	9	10	12
2. MULTIPLE DX										
A. Not Operated	141	4.0	11	1	2	3	5	7	9	13
B. Operated	2656	7.2	46	< 1	3	6	9	13	18	36
1. SINGLE DX	641	3.9	12	< 1	< 1	2	7	9	10	12
2. MULTIPLE DX	2797	7.0	44	< 1	3	6	9	13	18	36
A. Not Operated	159	3.8	11	1	1	3	5	7	9	11
B. Operated	3279	6.5	41	< 1	2	6	9	12	17	33
TOTAL										
0-19 YRS	189	5.9	54	1	2	5	8	11	16	61
20-34	145	5.8	13	1	3	6	8	11	12	15
35-49	355	5.7	23	< 1	1	5	8	11	15	22
50-64	901	5.7	26	< 1	1	5	8	11	14	26
65 +	1848	7.0	50	< 1	2	6	9	13	18	37
GRAND TOTAL	**3438**	**6.4**	**40**	**< 1**	**2**	**6**	**9**	**12**	**16**	**32**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.4	1	< 1	1	1	2	3	4	4
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	320	1.6	2	< 1	1	1	1	3	5	9
20-34	32	3.6	5	1	1	4	5	7	9	9
35-49	56	3.8	7	1	1	3	5	7	9	11
50-64	55	4.1	6	1	2	5	6	7	9	10
65 +	49	3.8	7	1	2	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.8	4	< 1	1	2	4	6	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	6	4.7	26	1	1	3	6	13	14	14
65 +	4	3.5	11	< 1	< 1	2	6	8	8	8
B. Operated										
0-19 YRS	158	4.2	30	1	1	2	5	10	14	29
20-34	36	4.8	19	1	1	4	6	12	14	17
35-49	82	7.3	42	1	2	6	9	16	19	31
50-64	123	6.5	25	2	4	6	7	11	17	28
65 +	141	7.8	81	1	3	5	9	16	21	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.4	1	< 1	< 1	1	2	2	4	4
B. Operated	512	2.4	5	< 1	1	1	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	24	3.6	12	1	1	2	5	8	11	14
B. Operated	540	6.1	45	1	2	5	8	13	18	29
1. SINGLE DX	527	2.4	5	< 1	1	1	3	6	7	10
2. MULTIPLE DX	564	6.0	44	1	2	5	8	12	18	29
A. Not Operated	39	2.8	8	< 1	1	1	4	7	9	14
B. Operated	1052	4.3	29	1	1	2	6	9	13	27
TOTAL										
0-19 YRS	502	2.4	12	< 1	1	1	2	5	9	19
20-34	70	4.2	12	1	1	4	5	9	12	16
35-49	140	5.8	30	1	2	5	7	12	17	29
50-64	184	5.7	20	1	3	5	7	9	14	27
65 +	195	6.7	63	1	2	5	8	13	18	43
GRAND TOTAL	**1091**	**4.3**	**28**	**1**	**1**	**2**	**6**	**9**	**13**	**27**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.7		< 1	1	2	2	2	2	2
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.3	5	< 1	< 1	1	4	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	697	2.0	4	< 1	1	1	2	4	6	8
20-34	282	2.4	5	< 1	1	1	3	5	7	12
35-49	319	2.3	5	< 1	1	1	3	5	6	10
50-64	199	2.1	3	< 1	1	1	2	5	6	9
65 +	111	2.2	4	< 1	< 1	1	2	5	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	5	6.6	33	< 1	2	4	11	15	15	15
35-49	7	1.7	2	< 1	1	1	3	4	4	4
50-64	14	7.8	65	< 1	2	5	10	17	28	31
65 +	9	5.3	30	1	1	4	7	14	18	18
B. Operated										
0-19 YRS	248	4.7	49	1	1	3	5	9	16	34
20-34	126	3.5	15	1	1	2	4	8	12	18
35-49	230	3.5	17	< 1	1	2	5	8	10	19
50-64	230	5.1	38	1	1	3	7	12	15	27
65 +	261	5.5	50	1	2	4	7	11	15	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.1	2	< 1	1	2	2	4	6	6
B. Operated	1608	2.1	4	< 1	1	1	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	39	5.4	39	< 1	1	3	7	14	17	31
B. Operated	1095	4.6	37	1	1	3	6	10	14	29
1. SINGLE DX	1625	2.1	4	< 1	1	1	3	5	6	10
2. MULTIPLE DX	1134	4.6	37	1	1	3	6	10	14	29
A. Not Operated	56	4.4	30	< 1	1	2	5	10	15	30
B. Operated	2703	3.1	19	< 1	1	2	4	7	10	19
TOTAL										
0-19 YRS	958	2.7	17	1	1	1	3	5	7	19
20-34	415	2.8	9	< 1	1	2	3	6	10	14
35-49	558	2.8	10	< 1	1	2	3	6	8	17
50-64	446	3.8	26	< 1	1	2	5	9	12	26
65 +	382	4.5	38	< 1	1	2	6	10	14	26
GRAND TOTAL	**2759**	**3.2**	**19**	**< 1**	**1**	**2**	**4**	**7**	**10**	**20**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.8	6	< 1	1	2	4	6	7	12
20-34	5	3.6	1	2	3	4	4	5	5	5
35-49	9	3.6	5	1	2	3	5	7	7	7
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	914	2.1	8	< 1	1	1	2	4	6	12
20-34	118	2.6	5	1	1	2	3	6	7	10
35-49	94	3.0	11	< 1	1	1	4	7	10	18
50-64	49	2.6	6	< 1	1	1	4	7	8	10
65 +	28	2.0	4	< 1	< 1	1	2	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	4.3	16	1	2	3	6	9	11	21
20-34	13	4.2	5	1	2	5	6	7	7	7
35-49	10	3.6	8	< 1	1	3	5	8	10	10
50-64	13	4.2	20	1	1	3	5	9	16	18
65 +	26	7.8	56	2	3	5	9	16	23	36
B. Operated										
0-19 YRS	391	5.9	103	< 1	1	2	7	14	20	60
20-34	79	4.7	22	1	1	3	7	11	15	24
35-49	110	5.3	27	1	2	4	7	12	15	27
50-64	100	5.9	25	1	2	5	9	12	14	25
65 +	136	8.2	77	1	2	6	10	17	26	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.9	6	< 1	1	2	4	6	7	12
B. Operated	1203	2.3	8	< 1	1	1	2	5	7	12
2. MULTIPLE DX										
A. Not Operated	180	4.7	22	1	2	4	6	9	12	29
B. Operated	816	6.1	72	1	1	3	8	13	19	45
1. SINGLE DX	1275	2.3	8	< 1	1	1	3	5	7	12
2. MULTIPLE DX	996	5.9	63	1	1	4	7	12	18	42
A. Not Operated	252	4.2	18	1	1	3	5	8	11	20
B. Operated	2019	3.8	37	< 1	1	2	4	9	13	32
TOTAL										
0-19 YRS	1476	3.3	37	< 1	1	1	3	7	11	33
20-34	215	3.5	12	1	1	2	5	7	10	17
35-49	223	4.2	20	1	1	3	6	9	12	22
50-64	166	4.7	21	< 1	1	3	7	10	13	22
65 +	191	7.2	67	1	2	5	9	16	25	41
GRAND TOTAL	**2271**	**3.9**	**35**	**< 1**	**1**	**2**	**5**	**9**	**12**	**31**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.1		< 1	< 1	< 1	1	2	2	2
20-34	36	1.0		< 1	< 1	< 1	< 1	< 1	1	1
35-49	65	1.1		< 1	< 1	< 1	< 1	1	2	4
50-64	26	1.6	3	< 1	< 1	1	2	2	5	9
65 +	16	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	8	1.4		< 1	1	1	2	2	2	2
20-34	26	1.7	1	< 1	< 1	1	2	4	4	4
35-49	73	1.8	1	< 1	< 1	1	2	3	4	5
50-64	55	2.2	4	< 1	1	1	3	4	6	12
65 +	53	2.7	8	< 1	< 1	2	3	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	160	1.2	1	< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	215	2.1	4	< 1	< 1	1	3	4	5	12
1. SINGLE DX	161	1.2	1	< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	217	2.1	4	< 1	< 1	1	3	4	5	12
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	375	1.7	3	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	25	1.2		< 1	< 1	1	1	2	2	2
20-34	63	1.3	1	< 1	< 1	< 1	1	2	3	4
35-49	139	1.4	1	< 1	< 1	< 1	2	3	4	4
50-64	81	2.0	3	< 1	1	1	2	4	5	11
65 +	70	2.4	7	< 1	< 1	1	3	5	8	14
GRAND TOTAL	**378**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**9**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	16	2.9	4	1	1	2	4	6	7	7
35-49	33	2.7	3	1	1	2	4	6	6	7
50-64	5	3.0	4	< 1	1	2	4	6	6	6
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	503	3.5	1	2	3	4	4	5	5	6
35-49	1592	3.9	2	3	3	4	4	5	6	8
50-64	204	4.0	1	3	3	4	4	5	6	9
65 +	15	3.9	2	3	3	4	4	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	57	2.8	4	< 1	1	2	4	6	7	9
35-49	194	2.7	3	< 1	1	2	4	5	6	8
50-64	27	3.1	7	< 1	1	2	4	7	9	11
65 +	9	6.2	19	2	4	5	7	14	15	15
B. Operated										
0-19 YRS	12	4.3	9	1	2	4	5	8	11	12
20-34	2587	4.2	3	3	3	4	5	6	7	10
35-49	16916	4.3	3	3	3	4	5	6	7	11
50-64	2845	4.5	4	3	4	4	5	6	7	12
65 +	401	5.8	15	3	4	5	6	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.8	3	1	1	2	4	6	6	7
B. Operated	2315	3.8	2	3	3	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	290	2.9	5	< 1	1	2	4	5	7	12
B. Operated	22761	4.3	3	3	3	4	5	6	7	11
1. SINGLE DX	2369	3.8	2	3	3	4	4	5	6	7
2. MULTIPLE DX	23051	4.3	3	3	3	4	5	6	7	11
A. Not Operated	344	2.9	5	< 1	1	2	4	5	7	11
B. Operated	25076	4.3	3	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	16	4.6	10	1	3	4	5	11	12	12
20-34	3163	4.0	3	3	3	4	5	6	7	10
35-49	18735	4.2	3	3	3	4	5	6	7	10
50-64	3081	4.4	4	3	4	4	5	6	7	11
65 +	425	5.7	15	3	4	5	6	9	13	23
GRAND TOTAL	**25420**	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	3.1	2	< 1	2	3	4	5	5	5
35-49	22	3.4	2	1	3	3	4	5	6	7
50-64	11	4.0	2	2	3	4	5	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	43	4.1	2	3	3	4	5	5	6	10
35-49	262	4.1	3	3	3	4	4	5	6	10
50-64	54	4.2	1	3	4	4	5	5	6	9
65 +	16	10.4	225	4	5	7	8	13	50	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	44	3.5	2	1	3	3	4	6	6	7
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	375	4.4	13	3	3	4	5	6	7	12
1. SINGLE DX	45	3.5	2	1	3	3	4	6	6	7
2. MULTIPLE DX	376	4.4	13	3	3	4	5	6	7	12
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	419	4.3	12	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	0									
20-34	53	3.9	2	2	3	4	5	5	6	10
35-49	285	4.1	3	3	3	4	4	5	6	10
50-64	66	4.1	2	3	4	4	5	5	6	9
65 +	17	10.1	212	4	5	7	8	12	47	66
GRAND TOTAL	**421**	**4.3**	**12**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	190	3.5	1	2	3	3	4	5	6	8
20-34	645	3.2	1	2	3	3	4	4	5	6
35-49	356	3.6	2	2	3	3	4	5	6	7
50-64	142	4.2	3	3	3	4	5	7	7	10
65 +	77	4.5	2	3	4	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	4	1	2	4	5	6	6	6
35-49	6	3.5	3	< 1	2	4	4	6	6	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	71.0		71	71	71	71	71	71	71
B. Operated										
0-19 YRS	191	4.1	5	2	3	4	5	6	7	12
20-34	1049	4.0	4	2	3	4	4	6	7	11
35-49	1357	4.4	4	3	3	4	5	6	7	12
50-64	788	5.2	7	3	4	4	6	8	10	16
65 +	731	6.6	26	4	4	5	7	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.4	2	2	2	3	4	6	6	6
B. Operated	1410	3.5	2	2	3	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	14	8.1	330	< 1	2	4	5	13	58	71
B. Operated	4116	4.8	9	3	3	4	5	7	9	16
1. SINGLE DX	1418	3.5	2	2	3	3	4	5	6	7
2. MULTIPLE DX	4130	4.8	11	3	3	4	5	7	9	16
A. Not Operated	22	6.4	211	1	2	3	5	6	32	71
B. Operated	5526	4.5	8	3	3	4	5	7	9	15
TOTAL										
0-19 YRS	384	3.8	3	2	3	4	4	6	7	10
20-34	1702	3.7	3	2	3	3	4	5	6	10
35-49	1720	4.2	4	3	3	4	5	6	7	11
50-64	333	5.1	7	3	4	4	6	8	10	15
65 +	809	6.5	29	4	4	5	7	10	14	24
GRAND TOTAL	**5548**	**4.5**	**9**	**3**	**3**	**4**	**5**	**7**	**9**	**15**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.3	2	< 1	< 1	2	3	4	4	4
20-34	15	3.9	19	< 1	2	3	4	5	15	19
35-49	11	3.0	3	< 1	1	3	4	5	6	6
50-64	9	2.4	4	< 1	< 1	1	4	5	6	6
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	24	3.7	2	2	3	3	4	5	7	8
35-49	40	4.1	2	2	4	4	4	6	7	8
50-64	17	4.2	6	1	3	4	5	7	10	11
65 +	10	5.2	8	1	3	5	7	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	41	3.0	9	< 1	1	3	4	5	6	19
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	94	4.1	4	2	3	4	5	7	8	11
1. SINGLE DX	41	3.0	9	< 1	1	3	4	5	6	19
2. MULTIPLE DX	96	4.0	4	1	3	4	5	7	8	11
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	135	3.7	5	1	2	4	4	6	7	12
TOTAL										
0-19 YRS	7	2.0	2	< 1	< 1	1	3	4	4	4
20-34	39	3.8	9	1	2	3	4	5	8	19
35-49	53	3.8	3	1	3	4	4	6	7	8
50-64	26	3.6	6	< 1	1	3	5	6	8	11
65 +	12	4.5	10	1	2	4	6	8	11	11
GRAND TOTAL	**137**	**3.7**	**5**	**1**	**2**	**4**	**4**	**6**	**7**	**12**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.5		< 1	< 1	1	2	2	2	2
20-34	11	2.0	1	1	1	2	2	4	5	5
35-49	6	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	8	2.1	2	1	1	2	2	4	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	2.1	2	1	1	2	3	4	5	5
65 +	10	5.1	24	1	1	4	8	13	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	28	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	30	3.0	11	1	1	2	3	7	8	17
1. SINGLE DX	28	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	31	2.9	11	1	1	2	3	6	8	17
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	58	2.4	6	1	1	2	2	5	7	16
TOTAL										
0-19 YRS	10	1.3		< 1	< 1	1	2	2	2	2
20-34	19	2.1	1	1	1	2	2	4	5	5
35-49	7	1.1		1	1	1	1	2	2	2
50-64	10	2.1	1	1	1	2	2	4	5	5
65 +	13	4.4	21	1	1	3	6	10	16	17
GRAND TOTAL	**59**	**2.3**	**6**	**1**	**1**	**2**	**2**	**5**	**7**	**16**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	5	4.4	7	1	2	4	7	7	7	7
35-49	17	5.2	10	1	2	5	7	10	11	12
50-64	20	2.9	6	1	1	2	5	7	8	8
65 +	18	3.8	9	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	8	10.1	32	3	8	9	13	18	19	19
20-34	12	6.4	6	4	4	6	8	10	11	11
35-49	30	7.4	14	2	6	7	9	13	14	15
50-64	71	6.7	84	1	2	5	9	14	18	61
65 +	118	5.4	22	1	2	4	8	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	63	4.0	8	1	1	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	3	4.0	9	1	2	4	6	7	7	7
B. Operated	239	6.2	40	1	2	5	9	13	15	24
1. SINGLE DX	63	4.0	8	1	1	4	6	8	9	12
2. MULTIPLE DX	242	6.2	39	1	2	5	9	13	15	24
A. Not Operated	3	4.0	9	1	2	4	6	7	7	7
B. Operated	302	5.8	34	1	2	5	8	11	14	23
TOTAL										
0-19 YRS	12	8.0	31	1	4	8	10	18	19	19
20-34	17	5.8	7	3	4	6	7	9	10	11
35-49	48	6.5	13	2	4	6	8	12	13	15
50-64	91	5.9	69	1	1	4	8	12	15	52
65 +	137	5.2	20	1	2	4	7	10	14	22
GRAND TOTAL	**305**	**5.7**	**34**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	1.4	1	< 1	< 1	1	1	3	4	5
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65 +	4	4.3	14	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.6	2	< 1	< 1	1	2	4	4	4
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65 +	6	3.3	1	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	34	1.6	3	< 1	< 1	1	1	3	7	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	20	2.1	2	< 1	1	2	3	4	5	5
1. SINGLE DX	34	1.6	3	< 1	< 1	1	1	3	7	8
2. MULTIPLE DX	20	2.1	2	< 1	1	2	3	4	5	5
A. Not Operated	0									
B. Operated	54	1.8	2	< 1	< 1	1	2	4	5	8
TOTAL										
0-19 YRS	27	1.4	1	< 1	< 1	1	1	3	4	5
20-34	6	1.2		1	1	1	1	2	2	2
35-49	5	1.6	1	< 1	< 1	1	2	3	3	3
50-64	6	1.2		1	1	1	1	2	2	2
65 +	10	3.7	6	1	2	3	5	7	8	8
GRAND TOTAL	**54**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**8**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	10	2.2	2	1	1	2	3	4	5	5
50-64	13	3.5	4	1	2	3	5	6	7	7
65 +	9	3.2	17	1	1	2	3	10	14	14
B. Operated										
0-19 YRS	41	6.1	20	2	4	5	8	10	11	28
20-34	63	6.7	12	3	5	6	8	12	14	19
35-49	153	6.9	14	3	5	6	8	12	14	17
50-64	140	6.4	10	3	5	6	8	10	12	18
65 +	94	7.0	18	2	4	6	8	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.0	41	1	1	3	3	6	22	26
20-34	9	4.3	8	1	3	4	5	9	11	11
35-49	20	4.1	12	< 1	1	3	5	10	12	13
50-64	31	6.6	65	1	2	4	8	11	30	38
65 +	137	8.6	127	2	4	6	10	14	30	64
B. Operated										
0-19 YRS	103	11.9	168	3	5	8	12	26	35	76
20-34	104	10.5	103	4	6	8	11	22	30	92
35-49	259	10.5	84	4	6	8	12	19	25	56
50-64	386	12.0	118	5	7	9	14	22	32	82
65 +	522	14.1	150	5	7	11	17	28	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.0	7	1	1	2	4	6	8	14
B. Operated	491	6.7	14	3	4	6	8	11	14	19
2. MULTIPLE DX										
A. Not Operated	211	7.4	98	2	3	5	8	13	24	49
B. Operated	1374	12.4	128	4	6	9	14	24	35	83
1. SINGLE DX	528	6.4	14	2	4	6	8	11	14	18
2. MULTIPLE DX	1585	11.7	127	3	6	9	13	24	34	80
A. Not Operated	248	6.7	87	1	3	4	7	13	16	42
B. Operated	1865	10.9	104	4	6	8	13	21	29	74
TOTAL										
0-19 YRS	161	9.6	126	2	4	7	10	23	29	57
20-34	178	8.8	69	3	5	7	10	15	23	71
35-49	442	8.8	59	3	5	7	10	15	23	47
50-64	570	10.2	94	3	5	8	12	19	26	73
65 +	762	12.1	137	4	6	9	14	24	39	86
GRAND TOTAL	**2113**	**10.4**	**104**	**3**	**5**	**8**	**12**	**20**	**29**	**71**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	11	2.4	1	1	2	2	3	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	43	1.7	1	1	1	2	2	3	3	4
20-34	292	1.8		1	1	2	2	3	3	4
35-49	494	1.8	1	1	1	2	2	3	3	5
50-64	238	1.8	1	1	1	2	2	3	3	4
65 +	96	2.0	1	1	2	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	5	3.2	8	1	2	2	4	8	8	8
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	6	5.7	4	3	4	5	8	8	8	8
B. Operated										
0-19 YRS	21	1.9		1	1	2	2	3	3	3
20-34	122	2.0	1	1	1	2	2	3	3	8
35-49	286	2.1	1	1	2	2	2	3	4	5
50-64	264	2.6	16	1	2	2	3	3	5	11
65 +	231	3.2	11	1	2	2	3	5	9	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.2	1	1	2	2	3	3	4	5
B. Operated	1163	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	16	3.6	7	1	1	3	5	8	8	8
B. Operated	924	2.5	8	1	2	2	3	4	5	12
1. SINGLE DX	1180	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	940	2.5	8	1	2	2	3	4	5	12
A. Not Operated	33	2.9	4	1	2	2	3	6	8	8
B. Operated	2087	2.1	4	1	1	2	2	3	4	8
TOTAL										
0-19 YRS	66	1.7	1	1	1	2	2	3	3	4
20-34	419	1.9	1	1	1	2	2	3	3	4
35-49	796	1.9	1	1	1	2	2	3	3	5
50-64	505	2.2	9	1	1	2	2	3	4	7
65 +	334	2.9	8	1	2	2	3	5	7	18
GRAND TOTAL	**2120**	**2.1**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	6	3.2	6	1	2	2	3	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	15	5.7	3	3	5	5	7	8	8	8
20-34	46	5.0	3	2	4	5	6	7	9	10
35-49	80	4.8	12	2	3	4	6	8	10	21
50-64	75	4.5	6	2	2	5	6	8	8	12
65 +	47	5.1	17	2	2	4	7	10	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	7.8	23	3	5	7	8	16	17	17
20-34	9	2.9	3	< 1	1	3	4	6	6	6
35-49	17	5.2	14	1	3	4	6	10	14	16
50-64	25	8.3	129	2	3	4	11	14	25	59
65 +	22	8.2	37	2	3	7	12	17	21	22
B. Operated										
0-19 YRS	29	9.9	114	3	5	7	9	19	28	57
20-34	149	6.6	35	2	4	6	7	11	14	42
35-49	254	6.1	28	2	3	5	8	11	14	24
50-64	371	6.0	45	2	2	4	8	12	16	30
65 +	376	7.2	68	2	3	5	8	15	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.1	7	1	1	2	4	8	8	8
B. Operated	263	4.8	9	2	3	5	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	79	7.0	58	1	3	5	8	14	17	48
B. Operated	1179	6.6	50	2	3	5	8	13	18	35
1. SINGLE DX	275	4.8	9	2	2	4	6	8	10	18
2. MULTIPLE DX	1258	6.6	50	2	3	5	8	13	18	35
A. Not Operated	91	6.5	53	1	3	4	8	14	16	44
B. Operated	1442	6.3	43	2	3	5	7	12	16	33
TOTAL										
0-19 YRS	52	8.1	71	3	5	6	8	16	20	56
20-34	207	6.0	27	2	4	5	7	9	12	32
35-49	357	5.7	24	2	3	5	7	10	14	23
50-64	472	5.9	44	2	2	4	7	12	16	30
65 +	445	7.0	62	2	3	5	8	15	20	44
GRAND TOTAL	**1533**	**6.3**	**43**	**2**	**3**	**5**	**7**	**12**	**16**	**33**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	2	< 1	< 1	1	3	4	4	4
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	< 1	1	2	2	2
20-34	369	2.9	3	< 1	2	3	4	4	5	6
35-49	234	3.1	2	1	2	3	4	4	5	7
50-64	72	3.4	3	1	2	3	4	5	7	9
65 +	22	3.9	3	1	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.3	1	2	2	3	4	4	4	4
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	6	2.2	1	< 1	1	2	3	4	4	4
20-34	581	3.5	2	2	3	3	4	5	6	9
35-49	727	4.1	4	3	3	4	5	6	7	14
50-64	200	4.7	9	2	3	4	5	7	9	20
65 +	139	4.9	11	2	3	4	5	7	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	2	< 1	< 1	2	3	4	4	4
B. Operated	701	3.1	3	< 1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	7	3.0	2	1	2	3	4	5	5	5
B. Operated	1653	4.0	5	2	3	4	5	6	7	14
1. SINGLE DX	706	3.0	3	< 1	2	3	4	4	5	7
2. MULTIPLE DX	1660	4.0	5	2	3	4	5	6	7	14
A. Not Operated	12	2.6	2	< 1	1	2	4	5	5	5
B. Operated	2354	3.7	4	2	3	4	4	5	7	11
TOTAL										
0-19 YRS	10	1.8	1	< 1	< 1	1	2	3	4	4
20-34	958	3.3	3	1	3	3	4	5	6	8
35-49	963	3.8	4	2	3	4	4	5	6	12
50-64	272	4.3	8	2	3	4	5	7	8	20
65 +	163	4.7	10	2	3	4	5	7	10	17
GRAND TOTAL	**2366**	**3.7**	**4**	**2**	**3**	**4**	**4**	**5**	**7**	**11**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	31	2.9	3	< 1	1	3	4	5	7	7
35-49	166	2.5	2	1	1	2	3	4	5	7
50-64	194	2.9	3	1	2	2	4	5	7	10
65 +	160	3.2	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	2.5	3	1	1	2	4	5	5	5
65 +	8	8.3	96	< 1	1	5	11	25	30	30
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	31	3.8	6	1	2	3	5	8	9	9
35-49	214	3.9	7	2	2	3	4	8	10	14
50-64	413	4.8	21	2	2	4	6	9	12	28
65 +	735	6.6	53	1	3	4	8	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	1	< 1	1	2	2	3	3	3
B. Operated	553	2.9	4	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	20	4.8	45	< 1	1	2	5	11	22	30
B. Operated	1398	5.6	37	2	2	4	7	11	16	28
1. SINGLE DX	558	2.9	3	1	2	2	4	5	7	10
2. MULTIPLE DX	1418	5.5	37	1	2	4	7	11	16	28
A. Not Operated	25	4.2	37	< 1	1	2	4	7	18	30
B. Operated	1951	4.8	29	1	2	3	6	10	14	24
TOTAL										
0-19 YRS	8	1.6	1	< 1	1	1	2	3	4	4
20-34	66	3.3	5	1	2	3	4	7	8	9
35-49	383	3.3	5	1	2	3	4	5	8	12
50-64	615	4.2	16	1	2	3	5	8	10	25
65 +	904	6.0	46	1	2	4	7	13	17	29
GRAND TOTAL	**1976**	**4.8**	**29**	**1**	**2**	**3**	**5**	**10**	**14**	**25**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.5	26	1	1	2	3	9	11	30
20-34	23	2.6	2	1	1	3	4	4	5	5
35-49	35	2.7	8	1	1	2	3	5	6	17
50-64	24	2.3	2	< 1	1	2	3	4	5	6
65 +	30	2.5	5	< 1	1	2	3	5	7	11
B. Operated										
0-19 YRS	313	3.8	17	1	1	2	5	8	10	21
20-34	191	4.1	11	1	2	4	5	7	11	18
35-49	226	3.7	13	1	2	3	5	7	9	19
50-64	194	3.7	10	1	1	3	6	7	9	13
65 +	173	4.0	10	< 1	1	3	7	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	3.4	11	1	1	3	4	7	8	18
20-34	76	4.4	14	1	2	3	6	10	13	18
35-49	113	5.0	21	1	2	4	6	11	16	22
50-64	165	5.5	33	1	2	3	7	13	16	28
65 +	456	6.1	44	1	2	4	8	13	18	39
B. Operated										
0-19 YRS	333	11.5	225	1	3	7	13	28	42	85
20-34	257	6.8	49	2	3	5	8	13	17	49
35-49	464	6.5	47	2	4	5	7	12	16	45
50-64	524	8.2	93	2	3	6	9	15	24	62
65 +	1143	8.9	76	2	4	7	11	16	23	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	2.9	13	< 1	1	2	3	5	8	23
B. Operated	1097	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	931	5.4	33	1	2	4	7	11	15	28
B. Operated	2721	8.5	92	2	4	6	10	16	24	63
1. SINGLE DX	1276	3.7	13	1	1	3	5	8	10	17
2. MULTIPLE DX	3652	7.7	79	1	3	5	9	15	22	53
A. Not Operated	1110	5.0	31	1	2	3	6	11	14	28
B. Operated	3818	7.2	74	1	3	5	8	14	21	49
TOTAL										
0-19 YRS	834	6.8	114	1	1	3	7	15	27	70
20-34	547	5.3	31	1	2	4	6	11	14	25
35-49	838	5.4	34	1	2	4	6	11	15	33
50-64	907	6.6	66	1	2	4	8	13	20	42
65 +	1802	7.6	64	1	3	6	10	15	21	47
GRAND TOTAL	**4928**	**6.7**	**65**	**1**	**2**	**5**	**8**	**13**	**19**	**46**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	3.7	14	1	1	2	6	8	8	8
65 +	0									
B. Operated										
0-19 YRS	56	1.8	2	1	1	2	2	3	3	10
20-34	257	1.8	1	1	1	2	2	3	3	4
35-49	489	2.0	1	1	1	2	2	3	3	5
50-64	316	2.0	1	1	1	2	2	3	4	5
65 +	139	2.3	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	10	1.8	2	< 1	< 1	1	2	4	5	5
50-64	15	4.9	12	< 1	2	4	8	11	11	11
65 +	19	5.6	34	1	2	3	8	16	20	20
B. Operated										
0-19 YRS	13	2.1		1	2	2	2	3	3	3
20-34	126	2.7	4	1	2	2	3	5	6	12
35-49	294	2.6	4	1	2	2	3	4	5	13
50-64	328	3.1	9	1	2	2	3	5	8	15
65 +	376	3.7	13	1	2	3	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	7	< 1	1	1	3	7	8	8
B. Operated	1257	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	47	4.4	20	< 1	1	3	6	10	13	20
B. Operated	1137	3.1	9	1	2	2	3	5	8	16
1. SINGLE DX	1264	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX	1184	3.2	9	1	2	2	3	5	8	17
A. Not Operated	54	4.2	18	< 1	1	3	5	9	11	20
B. Operated	2394	2.5	5	1	2	2	3	4	5	12
TOTAL										
0-19 YRS	72	1.9	1	1	1	2	2	3	3	9
20-34	385	2.1	2	1	1	2	2	3	4	8
35-49	795	2.2	2	1	1	2	2	3	4	8
50-64	662	2.6	5	1	2	2	3	4	6	12
65 +	534	3.4	11	1	2	2	4	6	9	20
GRAND TOTAL	**2448**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**6**	**12**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	3.2	4	1	2	3	4	6	7	9
20-34	34	3.1	5	1	1	2	4	7	7	9
35-49	31	3.3	4	1	1	3	5	6	7	9
50-64	21	3.5	5	1	2	3	4	7	8	10
65 +	6	5.2	10	2	3	4	8	10	10	10
B. Operated										
0-19 YRS	50	2.7	2	1	2	2	3	5	6	9
20-34	167	2.4	2	1	2	2	3	4	4	8
35-49	221	2.2	3	1	1	2	3	3	4	6
50-64	110	2.2	1	1	1	2	3	4	4	5
65 +	52	2.3	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.7	14	1	3	4	5	9	10	22
20-34	141	4.6	20	1	2	4	5	9	12	20
35-49	180	5.4	17	2	2	4	7	10	15	22
50-64	186	6.5	56	2	3	4	8	12	16	45
65 +	425	8.7	81	3	4	6	10	17	24	49
B. Operated										
0-19 YRS	31	5.4	122	1	2	3	4	10	12	63
20-34	100	3.2	6	1	2	2	4	6	7	14
35-49	193	4.0	20	1	2	2	4	9	14	26
50-64	166	5.8	99	1	2	3	4	13	22	50
65 +	187	7.5	84	2	3	4	9	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.3	5	1	2	3	4	7	8	10
B. Operated	600	2.3	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	969	6.9	55	2	3	5	8	14	19	39
B. Operated	677	5.3	62	1	2	3	5	12	18	41
1. SINGLE DX	720	2.5	3	1	2	2	3	4	5	8
2. MULTIPLE DX	1646	6.3	59	2	2	4	7	13	18	40
A. Not Operated	1089	6.5	51	2	3	5	8	13	18	38
B. Operated	1277	3.9	36	1	2	2	4	7	12	30
TOTAL										
0-19 YRS	146	3.8	31	1	2	3	4	6	9	24
20-34	442	3.3	9	1	2	2	4	6	8	16
35-49	625	3.7	14	1	2	2	4	8	11	21
50-64	483	5.1	59	1	2	3	5	10	15	42
65 +	670	7.9	78	2	3	5	9	16	23	44
GRAND TOTAL	**2366**	**5.1**	**45**	**1**	**2**	**3**	**6**	**10**	**16**	**34**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	485	4.8	4	2	3	5	6	7	8	10
20-34	67	3.5	5	1	2	3	5	6	8	12
35-49	65	3.4	9	1	2	3	4	5	8	17
50-64	31	4.7	10	2	3	4	6	7	9	18
65 +	11	3.4	3	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	14	1.8	4	1	1	1	1	6	7	7
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	3	4.0	9	1	2	4	6	7	7	7
65 +	5	3.8	7	1	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	463	4.9	5	2	3	5	6	8	9	12
20-34	142	3.7	4	2	2	4	5	6	7	10
35-49	213	4.0	6	1	2	4	5	7	9	13
50-64	247	5.0	17	2	3	4	6	9	15	21
65 +	258	5.5	14	2	3	5	7	10	13	21
B. Operated										
0-19 YRS	13	11.7	430	1	2	7	11	27	69	79
20-34	15	7.0	33	1	3	6	10	16	20	21
35-49	23	6.9	20	2	4	7	9	12	16	21
50-64	59	8.1	40	2	3	8	10	17	22	30
65 +	77	10.1	115	2	5	7	10	18	38	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	659	4.5	5	2	3	4	6	7	8	12
B. Operated	26	2.9	6	1	1	1	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	1323	4.8	10	2	3	4	6	8	10	17
B. Operated	187	9.0	94	2	4	7	10	17	22	56
1. SINGLE DX	685	4.4	5	2	3	4	6	7	8	12
2. MULTIPLE DX	1510	5.3	22	2	3	4	6	9	11	21
A. Not Operated	1982	4.7	8	2	3	4	6	8	9	16
B. Operated	213	8.2	87	1	3	7	9	16	21	55
TOTAL										
0-19 YRS	975	4.9	11	2	3	5	6	7	9	12
20-34	226	3.9	7	1	2	3	5	6	9	14
35-49	303	4.1	8	1	2	3	5	7	10	15
50-64	340	5.5	22	2	3	4	7	10	16	23
65 +	351	6.4	39	2	3	5	8	11	16	45
GRAND TOTAL	**2195**	**5.0**	**17**	**2**	**3**	**4**	**6**	**8**	**11**	**21**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1345	3.3	5	1	2	3	4	6	7	10
20-34	450	3.5	7	1	2	3	4	6	8	12
35-49	219	3.7	4	1	2	3	5	7	8	9
50-64	67	3.9	3	2	3	3	5	6	7	9
65 +	41	6.8	30	2	3	5	9	13	20	26
B. Operated										
0-19 YRS	8	6.6	15	3	3	5	10	12	12	12
20-34	10	3.1	2	2	2	3	4	5	6	6
35-49	7	3.4	4	2	2	2	5	6	6	6
50-64	4	3.8	10	1	1	3	6	8	8	8
65 +	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2442	4.0	12	1	2	3	5	7	9	15
20-34	2270	4.2	8	2	2	4	5	8	9	14
35-49	1662	5.3	13	2	3	5	7	9	11	17
50-64	995	6.9	31	3	4	6	8	12	14	27
65 +	1281	8.7	47	3	5	7	11	16	20	39
B. Operated										
0-19 YRS	88	9.1	93	3	3	6	10	20	28	56
20-34	291	8.8	99	2	4	6	9	17	26	59
35-49	355	10.9	117	3	5	8	13	21	30	68
50-64	223	13.4	115	4	6	10	16	29	41	68
65 +	262	18.4	218	6	9	14	23	43	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2122	3.5	6	1	2	3	4	6	8	11
B. Operated	31	4.7	15	2	2	3	6	10	12	19
2. MULTIPLE DX										
A. Not Operated	8650	5.3	21	2	3	4	7	10	12	22
B. Operated	1219	12.3	145	3	5	8	15	26	40	86
1. SINGLE DX	2153	3.5	6	1	2	3	4	6	8	11
2. MULTIPLE DX	9869	6.2	42	2	3	5	7	11	16	36
A. Not Operated	10772	5.0	19	2	2	4	6	9	12	21
B. Operated	1250	12.1	143	3	5	8	15	26	40	84
TOTAL										
0-19 YRS	3883	3.9	12	1	2	3	5	7	9	16
20-34	3021	4.5	19	2	2	4	5	8	10	21
35-49	2243	6.0	33	2	3	5	7	10	14	29
50-64	1289	7.9	51	3	4	6	9	14	20	43
65 +	1586	10.2	88	3	5	8	12	19	27	59
GRAND TOTAL	**12022**	**5.7**	**36**	**2**	**3**	**4**	**7**	**11**	**15**	**33**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	3	4.3	2	3	3	4	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	6	6.2	11	1	4	7	7	11	11	11
65 +	11	15.0	159	3	7	11	21	36	40	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	16	5.5	16	1	2	5	8	11	14	15
35-49	62	7.7	39	2	4	6	9	14	21	36
50-64	159	7.4	32	2	4	6	10	14	19	28
65 +	295	10.7	100	3	5	8	13	21	29	53
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	70	15.0	222	2	6	11	16	37	52	68
35-49	408	15.4	170	4	7	12	20	31	45	79
50-64	1102	15.4	161	4	7	12	20	32	41	76
65 +	1963	16.4	188	4	8	13	21	33	45	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.8	4	1	3	4	6	6	6	6
B. Operated	17	11.9	122	2	6	7	14	31	38	40
2. MULTIPLE DX										
A. Not Operated	532	9.3	73	2	4	7	11	18	25	45
B. Operated	3544	16.0	179	4	7	12	20	32	44	80
1. SINGLE DX	23	9.8	103	1	4	7	11	24	36	40
2. MULTIPLE DX	4076	15.1	170	4	7	12	19	31	42	77
A. Not Operated	538	9.2	73	2	4	7	11	18	24	45
B. Operated	3561	15.9	178	4	7	12	20	32	44	80
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	86	13.3	197	2	4	9	15	35	52	66
35-49	470	14.4	159	3	6	11	19	29	39	74
50-64	1270	14.3	151	3	6	11	19	30	40	71
65 +	2272	15.7	180	4	7	12	20	32	44	81
GRAND TOTAL	**4099**	**15.1**	**170**	**4**	**7**	**12**	**19**	**31**	**42**	**77**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	634	4.3	6	2	3	4	5	7	8	13
20-34	337	3.5	4	1	2	3	4	6	7	10
35-49	377	4.0	7	2	2	4	5	7	8	13
50-64	363	4.3	6	2	3	4	5	8	9	13
65 +	273	5.1	20	2	3	4	6	9	11	14
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	14	2.6	2	< 1	1	2	4	5	5	5
35-49	15	7.3	229	1	1	2	4	20	49	59
50-64	48	3.4	38	< 1	< 1	1	3	5	16	37
65 +	19	4.4	14	1	1	3	7	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	894	4.5	14	2	3	4	6	8	9	15
20-34	1741	4.6	13	1	2	4	6	8	10	19
35-49	3229	5.3	15	2	3	4	6	9	11	21
50-64	4677	5.7	19	2	3	5	7	10	13	22
65 +	7039	6.8	28	3	4	6	8	12	15	28
B. Operated										
0-19 YRS	43	7.1	139	1	2	4	7	10	28	64
20-34	611	7.6	76	1	2	5	9	16	23	43
35-49	1297	9.1	91	1	3	7	12	19	27	56
50-64	2152	10.2	97	2	4	8	13	22	29	52
65 +	2206	12.0	132	2	5	9	15	26	35	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1984	4.2	8	2	3	4	5	7	9	13
B. Operated	99	4.0	56	< 1	1	2	3	8	15	48
2. MULTIPLE DX										
A. Not Operated	17580	5.9	22	2	3	5	7	10	13	24
B. Operated	6309	10.3	108	2	4	8	13	22	31	60
1. SINGLE DX	2083	4.2	10	2	2	4	5	7	9	14
2. MULTIPLE DX	23889	7.1	48	2	3	5	8	13	19	38
A. Not Operated	19564	5.7	20	2	3	5	7	10	13	23
B. Operated	6408	10.2	108	2	3	7	13	22	31	59
TOTAL										
0-19 YRS	1574	4.4	14	2	3	4	5	7	9	15
20-34	2703	5.1	28	1	2	4	6	10	13	28
35-49	4918	6.2	38	2	3	5	7	12	17	32
50-64	7240	7.0	46	2	3	5	8	14	19	37
65 +	9537	7.9	57	3	4	6	9	15	21	45
GRAND TOTAL	**25972**	**6.8**	**46**	**2**	**3**	**5**	**8**	**13**	**18**	**37**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	14	1.6	1	< 1	1	1	2	3	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	3.0	4	1	2	3	3	6	8	8
20-34	28	2.7	1	< 1	2	3	4	4	4	4
35-49	3	3.3		3	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	21	7.9	44	2	3	6	10	18	22	26
35-49	6	7.8	9	3	7	8	9	12	12	12
50-64	0									
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	14	3.6	3	2	2	3	4	5	8	9
20-34	122	3.8	5	2	3	3	4	6	8	13
35-49	52	4.2	3	2	4	4	5	6	7	10
50-64	1	26.0		26	26	26	26	26	26	26
65 +	3	5.7	1	5	5	5	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	41	2.8	2	1	2	3	4	4	4	8
2. MULTIPLE DX										
A. Not Operated	31	7.3	34	2	3	6	9	17	18	26
B. Operated	192	4.0	7	2	3	4	4	6	8	14
1. SINGLE DX	58	2.4	2	< 1	1	2	3	4	4	8
2. MULTIPLE DX	223	4.5	11	2	3	4	5	7	10	20
A. Not Operated	48	5.2	30	< 1	1	3	7	12	18	26
B. Operated	233	3.8	6	2	3	4	4	6	8	13
TOTAL										
0-19 YRS	28	3.2	3	1	2	3	4	5	8	9
20-34	185	3.9	11	1	2	3	4	7	9	18
35-49	62	4.5	4	2	3	4	5	7	9	12
50-64	1	26.0		26	26	26	26	26	26	26
65 +	5	4.6	3	3	3	5	6	7	7	7
GRAND TOTAL	**281**	**4.0**	**10**	**1**	**2**	**3**	**4**	**7**	**9**	**18**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	351	1.8	2	1	1	1	2	3	4	6
20-34	62	2.7	7	1	1	2	3	5	6	18
35-49	59	2.5	3	1	1	2	3	4	6	10
50-64	32	3.2	4	1	2	3	4	6	8	9
65 +	42	2.4	3	1	1	2	4	5	6	8
B. Operated										
0-19 YRS	45	3.6	6	1	2	3	5	6	8	12
20-34	18	3.5	5	1	2	3	5	6	7	8
35-49	30	3.2	3	1	2	3	4	6	6	7
50-64	37	4.2	20	2	2	3	4	8	15	24
65 +	15	2.4	1	2	2	2	3	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	907	3.4	20	1	1	2	4	7	11	24
20-34	405	3.8	13	1	2	3	5	7	10	18
35-49	669	4.4	21	1	2	3	5	9	12	23
50-64	1102	5.1	28	1	2	4	6	10	13	23
65 +	3224	6.1	35	2	3	5	8	12	16	30
B. Operated										
0-19 YRS	77	10.8	156	2	3	6	13	32	41	90
20-34	121	11.4	221	2	4	7	12	21	40	88
35-49	204	8.0	109	1	2	5	9	20	31	89
50-64	288	9.2	138	2	3	6	10	20	33	81
65 +	521	11.0	100	2	5	8	14	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	546	2.1	3	1	1	2	2	4	5	8
B. Operated	145	3.5	8	1	2	3	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	6307	5.2	30	1	2	4	6	11	14	27
B. Operated	1211	10.1	127	2	3	7	12	23	33	73
1. SINGLE DX	691	2.4	5	1	1	2	3	5	6	11
2. MULTIPLE DX	7518	6.0	49	1	2	4	7	12	17	38
A. Not Operated	6853	5.0	29	1	2	3	6	10	14	26
B. Operated	1356	9.4	119	2	3	6	11	21	31	68
TOTAL										
0-19 YRS	1380	3.4	26	1	1	2	4	7	11	31
20-34	606	5.2	63	1	2	3	6	10	15	42
35-49	962	5.0	41	1	2	3	6	10	15	40
50-64	1459	5.9	52	1	2	4	7	11	16	38
65 +	3802	6.7	47	2	3	5	8	13	18	37
GRAND TOTAL	**8209**	**5.7**	**46**	**1**	**2**	**4**	**7**	**12**	**16**	**37**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.8	7	1	2	3	5	8	10	10
20-34	0									
35-49	6	6.5	15	1	4	6	10	11	11	11
50-64	2	5.0	32	< 1	< 1	4	9	9	9	9
65 +	3	6.0	13	3	3	5	9	10	10	10
B. Operated										
0-19 YRS	3	6.7	9	4	4	6	9	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	6.3	85	1	1	1	13	17	17	17
65 +	4	10.5	99	4	4	7	17	25	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	252	13.2	253	3	4	7	14	37	51	95
20-34	54	11.6	181	2	4	7	13	27	55	98
35-49	61	9.7	69	2	4	7	13	21	23	47
50-64	105	8.0	30	2	4	7	10	16	19	24
65 +	487	10.7	138	3	4	8	13	22	33	99 +
B. Operated										
0-19 YRS	124	11.6	130	3	5	7	18	29	52	99 +
20-34	32	10.1	97	2	3	7	13	26	31	42
35-49	66	12.3	113	3	5	8	16	31	35	47
50-64	138	17.5	259	3	7	13	21	38	56	91
65 +	613	12.0	136	2	5	8	16	26	35	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.8	11	1	2	4	8	10	10	11
B. Operated	12	8.0	50	1	4	5	10	19	24	25
2. MULTIPLE DX										
A. Not Operated	959	11.1	156	3	4	7	13	23	39	98
B. Operated	973	12.7	153	2	5	9	17	28	37	96
1. SINGLE DX	37	5.8	25	1	3	4	9	11	15	25
2. MULTIPLE DX	1932	11.9	155	3	5	8	15	27	37	98
A. Not Operated	984	10.9	153	3	4	7	12	23	38	97
B. Operated	985	12.6	152	2	5	9	17	28	36	95
TOTAL										
0-19 YRS	393	12.3	207	2	4	7	14	34	51	99 +
20-34	87	11.0	147	2	4	7	13	27	44	87
35-49	134	10.9	90	3	4	8	14	23	32	48
50-64	248	13.3	180	2	5	9	17	28	42	82
65 +	1107	11.4	137	3	5	8	14	25	34	98
GRAND TOTAL	**1969**	**11.8**	**154**	**2**	**4**	**8**	**14**	**27**	**37**	**97**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	500	10.4	33	3	6	11	14	16	20	26
20-34	140	11.4	20	5	9	11	14	16	19	24
35-49	10	10.6	16	5	10	11	13	15	15	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	42	11.6	61	3	6	11	16	19	25	40
20-34	29	11.1	28	3	7	11	15	17	18	21
35-49	3	12.3	4	10	11	13	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1361	11.2	38	4	7	11	14	18	22	33
20-34	499	12.8	37	5	9	13	16	20	23	33
35-49	75	12.4	32	7	8	11	15	19	23	31
50-64	2	12.5	1	12	12	12	13	13	13	13
65 +	0									
B. Operated										
0-19 YRS	256	17.4	184	4	10	15	21	34	51	98
20-34	148	16.4	71	8	12	15	20	26	33	60
35-49	16	18.1	94	10	12	15	20	27	42	49
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	650	10.6	30	3	7	11	14	16	20	25
B. Operated	74	11.4	45	3	7	12	16	18	21	37
2. MULTIPLE DX										
A. Not Operated	1937	11.7	38	4	8	11	14	19	22	33
B. Operated	421	17.0	140	6	11	15	21	31	42	84
1. SINGLE DX	724	10.7	32	3	7	11	14	16	20	26
2. MULTIPLE DX	2358	12.6	61	4	8	12	15	21	25	42
A. Not Operated	2587	11.4	36	4	8	11	14	18	22	31
B. Operated	495	16.2	130	5	10	14	19	28	40	78
TOTAL										
0-19 YRS	2159	11.8	59	3	7	11	14	20	23	42
20-34	816	13.1	43	6	9	13	16	21	25	35
35-49	104	13.1	43	7	10	12	16	20	25	40
50-64	3	12.7		12	12	13	13	13	13	13
65 +	0									
GRAND TOTAL	**3082**	**12.2**	**54**	**4**	**8**	**12**	**15**	**20**	**24**	**40**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.2	4	1	1	2	2	6	6	6
20-34	7	4.1		3	4	4	5	5	5	5
35-49	4	3.8	6	< 1	1	3	5	7	7	7
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	7	4.9	2	3	4	5	6	7	7	7
20-34	89	4.6	3	3	3	4	6	7	8	10
35-49	78	4.3	3	3	3	4	5	7	7	9
50-64	6	4.5	1	3	4	4	5	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	12.3	181	1	2	6	21	31	43	45
20-34	8	6.6	72	1	2	3	8	21	26	26
35-49	30	6.0	51	1	2	4	6	17	22	32
50-64	14	6.5	124	1	1	3	6	13	37	44
65 +	5	2.0	1	< 1	1	2	3	90	99 +	99 +
B. Operated										
0-19 YRS	9	14.6	114	5	7	12	20	32	37	37
20-34	158	6.1	13	3	4	5	6	9	12	26
35-49	239	6.7	18	4	5	6	7	10	14	31
50-64	68	6.9	15	3	5	6	8	11	14	22
65 +	8	8.3	7	6	6	7	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.4	3	1	2	4	5	6	7	7
B. Operated	180	4.5	3	3	3	4	5	7	7	10
2. MULTIPLE DX										
A. Not Operated	84	8.0	111	1	2	4	9	26	35	81
B. Operated	482	6.7	19	3	5	6	7	10	14	29
1. SINGLE DX	198	4.4	3	3	3	4	5	7	7	10
2. MULTIPLE DX	566	6.9	32	3	4	6	7	11	20	36
A. Not Operated	102	7.2	94	1	2	4	7	24	32	71
B. Operated	662	6.1	15	3	4	5	7	9	11	26
TOTAL										
0-19 YRS	49	10.4	136	1	2	6	14	30	37	45
20-34	262	5.5	12	3	4	5	6	8	10	25
35-49	351	6.1	18	3	4	5	7	9	11	31
50-64	88	6.6	31	2	4	6	8	11	14	36
65 +	14	5.8	13	1	3	6	9	13	78	99 +
GRAND TOTAL	**764**	**6.2**	**26**	**3**	**4**	**5**	**7**	**9**	**14**	**32**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	2.9	5	1	1	2	4	6	7	13
20-34	86	2.5	18	< 1	1	1	2	4	6	29
35-49	29	3.0	3	1	2	3	4	6	6	7
50-64	19	3.8	8	1	2	3	5	8	10	11
65 +	20	3.5	7	< 1	1	2	5	7	9	10
B. Operated										
0-19 YRS	134	3.8	22	1	1	2	5	8	14	23
20-34	59	2.4	7	< 1	1	1	3	5	6	16
35-49	90	2.4	7	1	1	1	3	5	6	15
50-64	52	2.4	4	1	1	2	3	5	7	9
65 +	19	2.1	5	< 1	1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	691	4.9	41	1	2	3	5	10	15	33
20-34	205	4.6	19	1	2	3	6	11	14	18
35-49	277	6.5	34	2	3	5	8	13	17	29
50-64	424	7.9	43	2	3	6	10	16	21	32
65 +	724	7.4	36	2	3	6	9	14	19	33
B. Operated										
0-19 YRS	253	13.7	292	1	3	7	17	47	54	99
20-34	102	6.3	88	1	2	4	7	12	17	61
35-49	239	6.0	68	1	2	4	7	13	18	36
50-64	249	7.8	62	1	3	5	10	19	27	40
65 +	299	10.8	94	2	5	8	14	21	28	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	2.9	8	1	1	2	4	6	7	13
B. Operated	354	2.9	12	1	1	1	3	6	9	18
2. MULTIPLE DX										
A. Not Operated	2321	6.4	39	1	2	4	8	13	18	32
B. Operated	1142	9.4	133	1	3	6	11	21	33	66
1. SINGLE DX	787	2.9	10	1	1	2	4	6	8	17
2. MULTIPLE DX	3463	7.4	72	1	3	5	9	16	22	48
A. Not Operated	2754	5.8	35	1	2	4	7	12	17	31
B. Operated	1496	7.9	112	1	2	4	9	18	28	61
TOTAL										
0-19 YRS	1357	6.0	93	1	2	3	6	13	23	56
20-34	452	4.3	34	< 1	1	3	5	9	14	24
35-49	635	5.6	43	1	2	4	7	12	16	29
50-64	744	7.4	48	1	3	5	9	16	22	33
65 +	1062	8.2	55	2	4	6	10	17	21	36
GRAND TOTAL	**4250**	**6.5**	**63**	**1**	**2**	**4**	**8**	**14**	**20**	**45**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	2.3	1	1	2	2	3	4	5	5
35-49	31	2.5	2	1	1	2	3	4	5	6
50-64	20	3.3	3	1	2	3	4	6	7	8
65+	25	3.8	6	1	2	3	6	8	9	10
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	4.4	3	2	3	4	6	7	7	7
50-64	7	1.9	1	< 1	1	1	3	4	4	4
65+	9	4.8	14	1	2	4	6	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	8	1	3	6	7	7	7	7
20-34	21	3.9	7	1	2	3	5	7	10	12
35-49	104	4.2	7	2	2	4	5	8	10	13
50-64	156	4.2	7	2	3	3	5	7	10	14
65+	429	6.0	48	2	3	4	7	11	15	30
B. Operated										
0-19 YRS	0									
20-34	7	10.1	216	2	3	4	8	36	43	43
35-49	26	4.8	14	2	3	4	6	11	13	17
50-64	43	6.7	98	2	3	4	7	11	24	54
65+	100	8.2	44	2	4	7	11	15	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	3.0	3	1	2	2	4	6	6	9
B. Operated	25	3.7	8	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	714	5.3	32	2	3	4	6	10	12	25
B. Operated	176	7.4	59	2	3	5	9	14	20	43
1. SINGLE DX	114	3.2	4	1	2	3	4	6	8	11
2. MULTIPLE DX	890	5.7	38	2	3	4	7	11	14	32
A. Not Operated	803	5.1	30	2	2	4	6	9	12	24
B. Operated	201	7.0	54	2	3	5	9	13	17	43
TOTAL										
0-19 YRS	5	4.4	10	1	1	6	7	7	7	7
20-34	41	4.5	43	2	2	3	4	8	10	43
35-49	169	4.0	8	1	2	3	5	7	10	14
50-64	226	4.6	25	2	2	3	5	8	11	23
65+	563	6.3	46	2	3	5	8	11	16	33
GRAND TOTAL	**1004**	**5.4**	**35**	**2**	**3**	**4**	**6**	**10**	**13**	**28**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	334	2.7	15	1	1	2	3	4	6	24
20-34	53	2.7	7	1	1	2	3	5	6	18
35-49	38	2.7	4	1	1	2	4	5	6	11
50-64	34	3.1	4	1	2	3	4	6	7	7
65+	122	5.7	62	1	2	4	6	10	17	46
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	3	2.0	3	< 1	< 1	1	3	4	4	4
65+	3	11.3	89	4	5	8	18	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12608	2.9	9	1	2	2	3	5	7	13
20-34	2383	3.3	8	1	2	2	4	6	8	15
35-49	2957	4.3	16	1	2	3	5	8	11	20
50-64	4664	5.2	24	2	2	4	6	10	13	25
65+	19457	6.9	44	2	3	5	8	13	18	36
B. Operated										
0-19 YRS	485	9.7	160	1	2	5	13	27	35	96
20-34	309	7.8	96	1	3	5	9	16	25	61
35-49	536	9.0	126	1	3	5	10	19	28	65
50-64	898	9.8	84	2	4	7	13	21	29	47
65+	3120	14.0	158	4	6	10	17	29	41	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	581	3.3	24	1	1	2	3	6	9	26
B. Operated	12	4.9	34	< 1	1	3	6	12	21	22
2. MULTIPLE DX										
A. Not Operated	42069	5.1	30	1	2	4	6	10	14	27
B. Operated	5348	12.0	144	2	5	8	15	27	37	82
1. SINGLE DX	593	3.4	24	1	1	2	3	6	9	26
2. MULTIPLE DX	47417	5.9	48	1	2	4	7	12	17	37
A. Not Operated	42650	5.1	30	1	2	4	6	10	14	27
B. Operated	5360	12.0	144	2	5	8	15	27	37	82
TOTAL										
0-19 YRS	13428	3.1	16	1	2	2	3	5	7	20
20-34	2747	3.8	20	1	2	3	4	7	10	22
35-49	3534	5.0	35	1	2	3	6	9	14	30
50-64	5599	5.9	37	2	3	4	7	12	16	32
65+	22702	7.9	65	2	3	6	9	15	22	48
GRAND TOTAL	**48010**	**5.9**	**48**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	2.5	2	1	2	2	3	4	5	8
20-34	20	3.6	4	1	2	3	5	7	7	8
35-49	25	2.3	2	1	1	2	3	5	5	6
50-64	16	2.6	4	1	1	2	3	7	8	8
65 +	34	3.3	7	1	1	3	4	7	8	11
B. Operated										
0-19 YRS	6	2.2	1	< 1	1	2	3	4	4	4
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49	11	3.3	4	1	2	3	4	7	8	8
50-64	9	3.3	2	2	3	3	4	5	6	6
65 +	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	3.3	6	1	2	3	4	6	8	11
20-34	134	3.8	11	1	2	3	5	8	9	18
35-49	328	3.9	8	1	2	3	5	7	9	16
50-64	379	4.5	16	1	2	4	6	8	10	19
65 +	1642	5.5	25	2	3	4	7	11	14	23
B. Operated										
0-19 YRS	27	4.8	9	1	2	4	7	10	11	12
20-34	62	5.3	22	1	2	4	7	11	13	27
35-49	145	5.8	23	2	3	5	7	10	16	23
50-64	215	6.9	24	3	4	6	8	13	16	26
65 +	765	8.5	58	3	4	7	10	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	2.8	3	1	1	2	3	6	7	8
B. Operated	33	3.1	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	2677	4.9	20	1	2	4	6	9	12	21
B. Operated	1214	7.6	46	2	4	6	9	14	20	36
1. SINGLE DX	193	2.8	3	1	2	2	3	6	7	8
2. MULTIPLE DX	3891	5.8	30	2	3	4	7	11	15	27
A. Not Operated	2837	4.8	19	1	2	4	6	9	12	20
B. Operated	1247	7.5	46	2	4	6	9	14	20	36
TOTAL										
0-19 YRS	292	3.2	6	1	2	3	4	6	8	11
20-34	220	4.2	14	1	2	3	6	8	11	19
35-49	509	4.4	13	1	2	3	5	8	10	19
50-64	619	5.3	20	2	3	4	6	10	13	22
65 +	2444	6.4	37	2	3	5	8	12	17	30
GRAND TOTAL	**4084**	**5.6**	**29**	**2**	**3**	**4**	**7**	**11**	**15**	**27**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2028	3.8	7	1	2	3	5	7	9	14
20-34	1183	5.7	16	2	3	5	7	10	13	20
35-49	322	5.4	15	2	3	5	7	9	11	15
50-64	29	6.3	13	2	4	6	8	9	11	20
65 +	0									
B. Operated										
0-19 YRS	27	5.4	13	2	3	5	6	11	14	17
20-34	49	10.1	33	4	6	10	12	20	22	26
35-49	12	8.0	21	3	5	7	9	14	19	20
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2532	4.8	13	1	3	4	6	9	11	18
20-34	1957	7.4	29	2	4	6	9	14	18	28
35-49	631	7.3	35	3	4	6	9	13	17	31
50-64	74	6.9	34	1	3	5	9	14	19	32
65 +	10	3.8	10	1	1	3	6	9	9	9
B. Operated										
0-19 YRS	109	8.8	67	2	4	6	11	16	19	49
20-34	199	16.3	209	5	7	12	20	36	53	99 +
35-49	53	13.4	138	5	7	10	14	29	44	59
50-64	16	16.0	343	7	8	10	18	24	65	82
65 +	2	13.0	32	9	9	13	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3562	4.6	12	1	2	4	6	9	11	17
B. Operated	88	8.3	29	3	4	7	11	16	21	25
2. MULTIPLE DX										
A. Not Operated	5204	6.1	23	2	3	5	8	11	15	25
B. Operated	379	13.7	172	3	6	10	16	30	46	88
1. SINGLE DX	3650	4.7	13	1	2	4	6	9	11	18
2. MULTIPLE DX	5583	6.6	37	2	3	5	8	12	17	30
A. Not Operated	8766	5.5	19	2	3	4	7	10	13	23
B. Operated	467	12.7	150	3	6	9	15	27	39	81
TOTAL										
0-19 YRS	4696	4.5	12	1	2	4	6	8	10	17
20-34	3388	7.4	41	2	4	6	9	14	19	31
35-49	1018	7.0	37	2	4	6	8	12	16	37
50-64	119	8.0	78	2	4	6	9	15	20	50
65 +	12	5.3	24	1	2	3	9	12	16	17
GRAND TOTAL	**9233**	**5.9**	**28**	**2**	**3**	**5**	**7**	**11**	**14**	**27**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	554	2.2	5	< 1	1	1	3	5	7	10
20-34	65	3.2	6	< 1	< 1	3	5	7	8	11
35-49	65	3.1	8	1	1	2	4	7	8	16
50-64	63	2.7	9	< 1	1	2	3	6	8	19
65 +	154	2.2	5	1	1	1	2	5	7	11
B. Operated										
0-19 YRS	196	5.0	53	1	2	3	5	9	14	48
20-34	27	6.4	98	1	2	4	5	9	39	41
35-49	29	5.2	30	1	3	4	6	8	12	31
50-64	27	7.6	38	2	3	5	9	18	21	23
65 +	42	5.7	37	< 1	2	3	8	12	15	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1208	3.3	16	< 1	1	2	4	7	11	22
20-34	450	3.8	18	< 1	1	2	5	8	13	20
35-49	707	4.2	17	1	1	3	5	9	12	20
50-64	1118	4.5	18	1	2	3	6	10	13	21
65 +	3365	5.0	24	1	2	4	6	10	14	24
B. Operated										
0-19 YRS	369	9.6	127	2	3	5	11	26	36	50
20-34	176	8.6	93	2	3	5	10	18	26	45
35-49	323	7.8	56	2	4	6	9	15	22	40
50-64	431	9.0	85	3	5	7	11	16	22	72
65 +	1284	9.4	69	3	5	7	11	19	24	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	901	2.4	6	< 1	1	1	3	5	7	11
B. Operated	321	5.4	51	1	2	3	6	11	16	40
2. MULTIPLE DX										
A. Not Operated	6848	4.4	21	1	1	3	6	9	13	22
B. Operated	2583	9.1	80	2	4	7	11	19	25	48
1. SINGLE DX	1222	3.2	19	< 1	1	2	4	6	9	21
2. MULTIPLE DX	9431	5.7	42	1	2	4	7	12	17	33
A. Not Operated	7749	4.2	20	1	1	3	5	9	12	22
B. Operated	2904	8.7	78	2	4	6	10	18	25	46
TOTAL										
0-19 YRS	2327	4.2	40	< 1	1	2	5	9	15	36
20-34	718	5.0	42	< 1	1	3	6	11	16	36
35-49	1124	5.2	31	1	2	4	7	11	14	30
50-64	1639	5.6	40	1	2	4	7	12	16	27
65 +	4845	6.1	40	1	2	4	8	13	18	31
GRAND TOTAL	**10653**	**5.4**	**40**	**1**	**2**	**4**	**7**	**12**	**16**	**32**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	2.3	4	1	1	1	3	5	6	9
20-34	11	1.6	1	1	1	1	2	3	4	4
35-49	9	2.8	4	1	1	2	4	6	6	6
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
B. Operated										
0-19 YRS	13	4.2	6	1	2	5	6	7	9	9
20-34	5	3.8	6	1	2	4	5	7	7	7
35-49	2	11.5	41	7	7	11	16	16	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	204	3.8	12	1	2	3	5	8	10	17
20-34	54	5.9	33	1	2	4	7	15	18	26
35-49	21	5.6	56	1	2	2	6	14	23	33
50-64	7	6.9	37	1	2	5	9	17	19	19
65 +	4	20.0	727	1	5	9	35	60	60	60
B. Operated										
0-19 YRS	26	9.6	52	2	2	8	14	21	22	24
20-34	8	8.0	37	3	3	5	14	17	17	17
35-49	2	12.0	50	7	7	12	17	17	17	17
50-64	1	10.0		10	10	10	10	10	10	10
65 +	4	13.5	137	1	4	13	23	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	2.4	5	1	1	1	3	5	6	12
B. Operated	20	4.9	12	1	2	5	6	8	12	16
2. MULTIPLE DX										
A. Not Operated	290	4.6	31	1	2	3	5	10	15	24
B. Operated	41	9.8	53	2	3	8	15	21	23	27
1. SINGLE DX	200	2.6	6	1	1	2	3	6	7	13
2. MULTIPLE DX	331	5.3	36	1	2	3	7	12	17	26
A. Not Operated	470	3.8	22	1	1	2	4	8	11	20
B. Operated	61	8.2	44	2	3	6	11	19	22	27
TOTAL										
0-19 YRS	402	3.6	14	1	1	2	5	8	10	20
20-34	78	5.4	30	1	2	3	6	15	17	25
35-49	34	5.6	45	1	2	3	7	15	17	33
50-64	9	7.9	33	1	3	8	11	17	19	19
65 +	8	16.8	383	1	4	9	23	50	60	60
GRAND TOTAL	**531**	**4.3**	**26**	**1**	**1**	**2**	**5**	**9**	**15**	**23**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	886	2.5	5	1	1	2	3	5	6	11
20-34	62	3.0	2	1	2	3	4	5	6	8
35-49	46	3.5	26	< 1	1	2	4	4	12	33
50-64	44	3.6	11	1	1	2	4	9	11	16
65 +	49	2.6	4	1	1	2	4	6	7	9
B. Operated										
0-19 YRS	303	3.8	10	1	2	3	5	6	9	17
20-34	107	5.3	9	3	4	5	6	8	12	17
35-49	77	5.3	12	2	3	5	6	8	13	19
50-64	47	4.3	8	1	2	4	6	8	9	14
65 +	38	6.7	43	< 1	2	5	8	14	22	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2944	4.6	15	1	2	4	6	9	12	18
20-34	506	5.3	17	2	2	4	7	11	13	20
35-49	676	5.8	21	2	3	5	7	11	14	25
50-64	1121	5.9	18	2	3	5	8	11	13	22
65 +	1964	6.8	34	2	3	5	8	12	16	31
B. Operated										
0-19 YRS	642	8.4	101	2	3	5	10	19	27	78
20-34	326	8.5	75	3	4	6	10	16	24	46
35-49	361	9.5	90	3	5	7	11	18	27	59
50-64	477	10.3	66	3	5	8	13	21	27	43
65 +	962	10.9	88	3	5	8	14	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1087	2.6	6	1	1	2	3	5	6	12
B. Operated	572	4.5	12	1	2	4	6	8	11	19
2. MULTIPLE DX										
A. Not Operated	7211	5.6	22	2	3	4	7	11	14	23
B. Operated	2768	9.8	87	3	4	7	12	19	27	50
1. SINGLE DX	1659	3.3	9	1	2	2	4	6	8	16
2. MULTIPLE DX	9979	6.7	44	2	3	5	8	13	17	34
A. Not Operated	8298	5.2	21	1	2	4	7	10	13	22
B. Operated	3340	8.9	78	2	4	6	11	18	25	47
TOTAL										
0-19 YRS	4775	4.7	27	1	2	3	6	9	13	27
20-34	1001	6.2	37	2	3	5	7	12	16	28
35-49	1160	6.9	45	2	3	5	8	13	18	33
50-64	1689	7.1	35	2	3	6	9	14	18	34
65 +	3013	8.0	55	2	4	6	10	15	21	36
GRAND TOTAL	**11638**	**6.3**	**40**	**1**	**3**	**5**	**8**	**13**	**17**	**32**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	422	1.7	1	1	1	1	2	3	3	5
20-34	135	1.6		1	1	1	2	2	3	4
35-49	29	1.7	1	1	1	2	2	3	3	4
50-64	6	2.2	1	1	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	401	2.7	1	2	2	3	3	4	5	6
20-34	176	3.1	2	2	2	3	4	5	5	7
35-49	25	4.0	3	2	3	4	5	7	8	8
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	314	2.1	2	1	1	2	2	4	4	7
20-34	84	2.3	3	1	1	2	3	4	4	11
35-49	24	2.8	2	1	2	3	3	4	6	7
50-64	10	3.7	3	1	3	3	5	6	7	7
65 +	7	2.7	1	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	249	3.7	4	2	2	3	4	6	7	11
20-34	131	3.9	6	2	3	3	4	6	7	15
35-49	25	4.2	2	3	3	4	5	6	7	8
50-64	0									
65 +	5	5.2	3	3	4	5	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	592	1.7	1	1	1	1	2	3	3	4
B. Operated	603	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	439	2.2	2	1	1	2	3	4	5	7
B. Operated	410	3.8	5	2	3	3	4	6	7	12
1. SINGLE DX	1195	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX	849	3.0	4	1	2	3	4	5	6	11
A. Not Operated	1031	1.9	1	1	1	2	2	3	4	6
B. Operated	1013	3.2	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	1386	2.4	2	1	1	2	3	4	5	8
20-34	526	2.8	3	1	2	2	3	5	6	12
35-49	103	3.1	3	1	2	3	4	5	7	8
50-64	16	3.1	3	1	2	3	4	6	7	7
65 +	13	3.8	3	2	3	4	5	7	7	7
GRAND TOTAL	**2044**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**8**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	273	4.1	5	2	2	4	5	7	9	11
20-34	17	4.2	9	1	2	3	6	8	11	12
35-49	9	3.8	3	2	3	3	4	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	80	3.9	13	< 1	1	2	5	10	12	15
20-34	31	2.5	6	< 1	1	1	3	7	8	10
35-49	24	2.4	7	< 1	1	1	3	7	8	11
50-64	7	1.4	1	< 1	< 1	1	2	3	3	3
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	302	4.2	6	2	3	4	5	7	8	13
20-34	28	3.3	4	< 1	2	3	5	6	7	7
35-49	18	4.2	8	1	2	4	7	8	9	10
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	11	6.2	22	3	4	4	7	13	18	19
B. Operated										
0-19 YRS	92	6.7	18	1	4	6	9	12	15	21
20-34	27	3.0	4	1	1	3	4	5	7	10
35-49	30	3.8	14	1	1	3	5	9	10	18
50-64	21	6.3	28	< 1	2	6	10	13	17	20
65 +	16	4.4	21	1	1	3	6	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	303	4.1	5	2	2	4	6	7	8	11
B. Operated	144	3.2	10	< 1	1	2	4	8	10	15
2. MULTIPLE DX										
A. Not Operated	361	4.2	6	2	3	4	5	7	8	15
B. Operated	186	5.5	19	1	2	4	8	11	15	20
1. SINGLE DX	447	3.8	7	1	2	3	5	7	9	12
2. MULTIPLE DX	547	4.6	11	1	2	4	6	9	10	18
A. Not Operated	664	4.2	6	2	2	4	5	7	8	11
B. Operated	330	4.5	16	< 1	1	3	7	10	12	18
TOTAL										
0-19 YRS	747	4.4	8	1	2	4	6	8	10	15
20-34	103	3.1	6	1	1	2	4	7	8	11
35-49	81	3.5	10	1	1	3	4	8	10	16
50-64	32	4.8	23	< 1	1	3	8	12	14	20
65 +	31	4.8	19	1	1	4	6	11	15	19
GRAND TOTAL	**994**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	8.9	106	1	2	4	14	23	31	35
20-34	39	5.4	22	< 1	1	6	7	10	13	25
35-49	26	6.4	66	1	2	4	7	15	30	32
50-64	33	6.2	39	1	1	3	8	17	21	21
65 +	87	10.6	90	1	3	9	16	23	29	82
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	16.6	309	1	3	10	25	40	52	81
20-34	273	12.3	136	2	4	8	17	29	35	51
35-49	343	12.3	167	2	4	9	16	29	40	99 +
50-64	381	10.0	95	2	3	6	14	24	30	52
65 +	1563	9.8	87	2	4	7	13	22	28	48
B. Operated										
0-19 YRS	3	6.0	13	3	3	5	9	10	10	10
20-34	9	30.2	845	4	10	21	39	80	88	88
35-49	19	18.9	282	2	5	15	31	39	54	65
50-64	43	11.0	98	2	4	9	13	22	33	49
65 +	139	15.1	185	4	5	12	18	38	49	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	8.2	70	1	2	5	12	21	26	44
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	2639	10.6	112	2	4	7	14	24	32	57
B. Operated	213	15.1	212	3	5	11	19	37	49	79
1. SINGLE DX	203	8.2	70	1	2	5	12	21	26	44
2. MULTIPLE DX	2852	10.9	121	2	4	7	14	25	33	58
A. Not Operated	2841	10.4	110	2	4	7	14	24	31	57
B. Operated	214	15.1	211	3	5	11	19	37	49	79
TOTAL										
0-19 YRS	99	14.9	275	1	3	9	23	36	49	78
20-34	321	12.0	154	1	4	8	16	29	35	58
35-49	388	12.2	169	2	4	8	16	30	40	93
50-64	457	9.8	92	2	3	6	13	23	28	50
65 +	1790	10.2	97	2	4	7	13	22	29	52
GRAND TOTAL	**3055**	**10.7**	**118**	**2**	**4**	**7**	**14**	**24**	**32**	**58**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	15.0	72	9	9	15	21	21	21	21
50-64	16	12.9	145	2	3	10	18	23	41	49
65 +	61	12.2	179	2	5	9	21	99 +	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	18.2	332	3	3	11	40	41	41	41
35-49	14	11.9	21	7	9	11	14	16	22	24
50-64	83	13.5	162	3	5	10	20	41	72	99 +
65 +	1221	12.0	152	3	5	8	15	26	37	90
B. Operated										
0-19 YRS	0									
20-34	2	65.0	1250	40	40	65	90	90	90	90
35-49	0									
50-64	5	4.4	8	1	2	6	7	91	99 +	99 +
65 +	102	18.9	274	4	9	15	22	52	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	12.4	167	2	5	9	20	99 +	99 +	99 +
B. Operated	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1324	12.2	152	3	5	8	15	27	39	99 +
B. Operated	109	19.1	317	4	8	15	26	59	97	99 +
1. SINGLE DX	81	12.3	164	2	4	9	20	99 +	99 +	99 +
2. MULTIPLE DX	1433	12.7	167	3	5	9	16	28	42	99 +
A. Not Operated	1403	12.2	152	3	5	9	15	27	41	99 +
B. Operated	111	18.9	314	4	8	14	24	58	96	99 +
TOTAL										
0-19 YRS	0									
20-34	8	29.9	886	3	4	29	41	75	90	90
35-49	16	12.3	24	7	9	12	15	23	73	99 +
50-64	104	13.0	154	3	5	9	18	40	69	99 +
65 +	1386	12.5	165	3	5	9	16	28	43	99 +
GRAND TOTAL	**1514**	**12.7**	**167**	**3**	**5**	**9**	**16**	**29**	**46**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	22	12.1	101	1	6	11	15	27	33	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	15.7	161	3	7	13	19	37	39	39
50-64	75	13.6	143	3	5	11	18	30	40	54
65 +	941	12.8	142	3	6	9	16	27	38	75
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	9	20.8	666	3	7	12	40	91	99 +	99 +
65 +	93	18.9	259	5	8	13	27	55	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	10.8	95	1	3	9	14	26	31	41
B. Operated	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1022	12.9	142	3	6	9	16	27	39	75
B. Operated	103	19.0	287	5	8	13	27	56	67	99 +
1. SINGLE DX	28	10.6	90	1	3	9	13	25	29	41
2. MULTIPLE DX	1125	13.4	158	3	6	10	17	30	42	84
A. Not Operated	1048	12.8	141	3	6	9	16	27	39	75
B. Operated	105	18.8	284	5	8	13	27	55	65	99 +
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	9	13.0	123	2	6	12	15	31	39	39
50-64	85	14.2	196	3	5	11	18	38	46	94
65 +	1058	13.3	154	3	6	10	16	29	41	82
GRAND TOTAL	**1153**	**13.4**	**156**	**3**	**6**	**10**	**17**	**29**	**41**	**83**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	2.4	23	1	1	1	2	4	6	30
20-34	59	7.1	174	1	1	3	6	16	28	70
35-49	40	5.7	37	1	2	3	8	17	24	99+
50-64	37	8.7	99	1	2	6	11	23	42	99+
65+	258	11.3	98	2	4	9	15	22	27	49
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	52	99+	99+	99+	99+
35-49	0									
50-64	0									
65+	3	5.3	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	265	10.8	251	1	1	3	15	36	47	79
20-34	345	9.8	147	1	2	5	13	21	37	83
35-49	289	10.0	130	2	3	6	13	24	31	72
50-64	366	12.2	135	2	4	8	16	28	36	63
65+	3042	12.5	121	3	5	10	16	26	36	84
B. Operated										
0-19 YRS	19	18.5	831	1	2	3	28	72	88	92
20-34	28	6.7	89	1	1	5	11	66	99+	99+
35-49	24	14.1	348	1	3	5	25	44	77	99+
50-64	30	16.2	193	4	8	12	21	32	38	70
65+	295	17.8	244	4	7	13	23	41	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	497	8.3	98	1	1	5	12	20	26	61
B. Operated	4	5.0	5	3	4	5	31	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	4307	12.0	134	2	4	9	16	26	36	80
B. Operated	396	16.7	268	3	6	12	22	42	62	99+
1. SINGLE DX	501	8.3	98	1	2	5	12	20	26	69
2. MULTIPLE DX	4703	12.4	147	2	4	9	16	28	40	92
A. Not Operated	4804	11.6	131	2	4	8	15	26	36	79
B. Operated	400	16.6	267	3	6	11	22	42	63	99+
TOTAL										
0-19 YRS	387	9.0	234	1	1	2	9	31	44	82
20-34	433	9.2	148	1	2	5	12	21	41	99+
35-49	353	9.8	137	1	3	6	13	25	37	98
50-64	433	12.1	137	2	4	8	17	28	37	73
65+	3598	12.8	132	3	5	10	16	27	37	92
GRAND TOTAL	**5204**	**12.0**	**143**	**2**	**4**	**8**	**16**	**27**	**38**	**89**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	61	2.8	4	1	2	2	4	5	6	11
35-49	88	3.7	18	1	1	2	4	6	13	23
50-64	36	3.3	16	1	2	2	3	5	9	24
65+	13	12.2	69	4	6	9	20	26	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	7.2	65	1	2	4	8	25	35	99+
20-34	1743	5.5	31	2	3	5	5	10	16	28
35-49	3387	5.1	20	2	3	5	5	8	13	27
50-64	1597	6.6	53	2	3	5	7	14	21	33
65+	649	8.9	79	2	3	6	11	18	29	44
B. Operated										
0-19 YRS	0									
20-34	39	8.8	73	2	4	7	11	15	21	51
35-49	98	9.5	106	2	3	7	11	22	29	83
50-64	79	12.6	249	3	5	9	14	32	96	99+
65+	53	18.8	247	6	8	14	29	36	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	3.9	21	1	2	2	4	7	13	25
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7403	5.9	36	2	3	5	6	11	17	30
B. Operated	269	12.1	182	3	5	8	14	30	42	99+
1. SINGLE DX	199	3.9	21	1	2	2	4	7	13	25
2. MULTIPLE DX	7672	6.1	43	2	3	5	6	12	18	32
A. Not Operated	7602	5.8	36	2	3	5	6	11	17	30
B. Operated	269	12.1	182	3	5	8	14	30	42	99+
TOTAL										
0-19 YRS	28	7.1	63	1	3	5	8	25	32	99+
20-34	1843	5.5	31	2	3	5	5	10	16	28
35-49	3573	5.2	23	2	3	5	5	9	14	27
50-64	1712	6.8	63	2	3	5	7	14	21	39
65+	715	9.7	98	2	4	7	12	21	32	50
GRAND TOTAL	**7871**	**6.1**	**42**	**2**	**3**	**5**	**6**	**12**	**18**	**32**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.3	29	1	1	1	3	7	14	27
20-34	42	5.8	42	1	1	4	7	16	21	29
35-49	23	3.4	6	1	1	3	5	7	9	10
50-64	14	3.0	4	1	1	2	5	5	6	6
65 +	18	4.2	26	1	1	2	5	14	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	7.2	85	1	2	3	9	25	30	69
20-34	701	7.4	59	1	3	6	8	15	22	40
35-49	597	6.6	36	2	3	5	7	11	16	32
50-64	252	6.8	45	2	3	5	8	14	21	39
65 +	704	6.5	32	2	3	5	8	13	16	33
B. Operated										
0-19 YRS	4	3.3	11	< 1	< 1	2	5	8	8	8
20-34	12	18.4	175	3	10	14	28	39	44	45
35-49	22	13.0	81	3	7	10	17	31	31	31
50-64	22	11.9	96	3	5	10	16	26	35	41
65 +	67	11.5	109	2	4	8	16	26	40	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	4.3	26	1	1	2	5	9	17	28
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	2362	6.8	45	2	3	5	8	14	20	37
B. Operated	127	12.2	109	3	5	9	16	30	36	63
1. SINGLE DX	123	4.4	27	1	1	2	5	10	17	28
2. MULTIPLE DX	2489	7.1	49	2	3	5	8	14	21	40
A. Not Operated	2484	6.7	44	2	3	5	8	14	20	36
B. Operated	128	12.3	108	3	5	9	16	30	36	62
TOTAL										
0-19 YRS	137	6.4	75	1	1	3	8	20	29	54
20-34	755	7.4	61	1	3	5	8	16	23	40
35-49	642	6.7	38	2	3	6	7	12	18	32
50-64	288	7.0	49	2	3	5	8	14	22	40
65 +	790	6.8	40	2	3	5	8	14	18	40
GRAND TOTAL	**2612**	**7.0**	**49**	**2**	**3**	**5**	**8**	**14**	**21**	**40**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	15.8	204	2	4	13	20	38	46	60
20-34	1460	14.2	150	3	6	11	19	30	41	66
35-49	1150	14.0	154	3	6	11	19	29	38	70
50-64	309	16.4	160	4	7	13	22	35	45	87
65 +	112	16.3	142	3	7	14	21	33	41	51
B. Operated										
0-19 YRS	0									
20-34	3	32.7	940	13	14	17	55	68	68	68
35-49	1	19.0		19	19	19	19	19	19	19
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	82	21.5	423	4	7	16	35	65	85	99 +
20-34	1510	13.9	156	3	5	10	19	30	39	76
35-49	1512	14.5	163	3	6	11	19	30	40	70
50-64	601	15.2	136	4	7	12	20	31	38	63
65 +	337	17.7	159	5	9	16	23	33	42	85
B. Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	44	23.6	414	5	7	20	39	66	89	99 +
35-49	57	27.1	437	7	14	21	36	61	85	99 +
50-64	23	24.9	364	9	13	21	27	56	71	87
65 +	18	27.8	223	15	20	23	33	52	64	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3106	14.4	154	3	6	11	19	31	41	69
B. Operated	5	24.2	633	4	11	17	31	68	68	68
2. MULTIPLE DX										
A. Not Operated	4042	14.8	163	3	6	11	20	31	41	75
B. Operated	144	25.5	386	6	11	21	33	61	77	99 +
1. SINGLE DX	3111	14.4	154	3	6	11	19	31	41	69
2. MULTIPLE DX	4186	15.1	175	3	6	12	20	32	42	78
A. Not Operated	7148	14.6	159	3	6	11	20	31	41	71
B. Operated	149	25.4	390	6	11	21	33	62	75	99 +
TOTAL										
0-19 YRS	159	18.6	323	2	6	15	28	47	66	99 +
20-34	3017	14.2	159	3	6	10	19	31	41	73
35-49	2720	14.5	168	3	6	11	19	30	40	73
50-64	933	15.9	151	4	7	13	21	33	42	74
65 +	468	17.7	161	5	8	16	23	33	42	77
GRAND TOTAL	**7297**	**14.8**	**166**	**3**	**6**	**11**	**20**	**31**	**42**	**75**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	19.0	428	2	6	14	21	37	69	91
20-34	64	16.1	259	2	6	11	20	42	51	77
35-49	26	18.2	380	2	6	11	26	28	61	93
50-64	11	9.7	26	2	6	9	14	16	18	18
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	23.3	321	5	10	21	44	92	99 +	99 +
20-34	64	15.3	180	3	5	12	22	31	37	75
35-49	43	15.8	251	2	5	10	19	41	51	68
50-64	21	16.8	145	3	7	14	26	35	38	40
65 +	11	10.7	52	3	7	8	14	21	27	28
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	32.0		32	32	32	32	32	32	32
50-64	0									
65 +	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	16.3	286	2	6	11	21	37	51	92
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	163	16.5	212	3	6	12	24	37	54	99 +
B. Operated	4	15.8	274	1	1	15	30	32	32	32
1. SINGLE DX	120	16.3	286	2	6	11	21	37	51	92
2. MULTIPLE DX	167	16.5	211	3	6	12	24	37	54	99 +
A. Not Operated	283	16.4	242	2	6	12	22	37	52	97
B. Operated	4	15.8	274	1	1	15	30	32	32	32
TOTAL										
0-19 YRS	42	21.5	362	3	9	17	36	60	99 +	99 +
20-34	130	15.5	218	2	5	11	21	36	47	80
35-49	70	16.9	295	2	6	10	24	38	53	88
50-64	32	14.4	113	3	7	11	20	33	36	40
65 +	13	11.9	67	3	7	9	15	28	28	28
GRAND TOTAL	**287**	**16.4**	**242**	**2**	**6**	**12**	**22**	**37**	**52**	**97**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	208	20.3	291	4	7	17	28	46	66	99 +
20-34	1867	15.0	188	3	6	11	19	32	43	74
35-49	1444	14.0	155	3	6	11	18	28	37	72
50-64	441	14.9	122	4	7	13	21	28	36	72
65 +	108	15.1	177	5	7	11	19	29	38	74
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	30.0	18	27	27	30	33	33	33	33
50-64	1	31.0		31	31	31	31	31	31	31
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	290	21.7	339	4	9	17	33	55	83	99 +
20-34	2651	15.1	173	3	6	12	20	32	42	71
35-49	2438	15.1	145	4	7	12	20	31	39	65
50-64	1149	16.2	142	5	8	13	21	32	38	56
65 +	567	17.5	181	5	9	15	23	33	48	83
B. Operated										
0-19 YRS	6	36.2	173	19	20	42	47	47	47	47
20-34	77	21.6	263	7	10	18	27	46	56	97
35-49	74	25.1	450	6	10	19	35	59	68	95
50-64	41	24.0	218	8	14	20	31	51	53	65
65 +	36	25.0	223	9	14	23	32	46	68	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4068	14.9	176	3	6	11	20	31	42	76
B. Operated	5	24.6	71	13	17	27	31	33	33	33
2. MULTIPLE DX										
A. Not Operated	7095	15.7	168	4	7	12	21	32	42	72
B. Operated	234	24.0	308	7	11	20	34	50	62	98
1. SINGLE DX	4073	14.9	176	3	6	11	20	31	42	76
2. MULTIPLE DX	7329	16.0	174	4	7	13	21	33	43	74
A. Not Operated	11163	15.4	171	4	7	12	20	32	42	74
B. Operated	239	24.1	303	7	11	20	33	50	62	98
TOTAL										
0-19 YRS	505	21.3	319	4	8	17	31	51	77	99 +
20-34	4596	15.2	181	3	6	12	20	32	43	73
35-49	3958	14.9	156	4	6	12	19	30	39	70
50-64	1632	16.0	140	4	8	13	21	31	39	60
65 +	711	17.5	186	5	8	14	23	34	48	85
GRAND TOTAL	**11402**	**15.6**	**175**	**4**	**7**	**12**	**21**	**32**	**43**	**75**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	17.9	272	2	4	13	32	50	99 +	99 +
20-34	3	15.7	258	4	5	9	28	34	34	34
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	22.8	375	3	9	20	31	46	87	99 +
20-34	9	13.4	78	3	6	14	19	27	27	27
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	1	25.0		25	25	25	25	25	25	25
B. Operated										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	0									
35-49	1	71.0		71	71	71	71	71	71	71
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	17.7	259	2	4	13	32	48	99 +	99 +
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	129	22.1	354	3	8	19	30	43	82	99 +
B. Operated	5	18.4	870	3	4	5	24	71	71	71
1. SINGLE DX	46	17.6	254	2	4	13	31	48	99 +	99 +
2. MULTIPLE DX	134	21.9	368	3	8	19	30	44	80	99 +
A. Not Operated	174	20.9	332	3	7	17	30	45	87	99 +
B. Operated	6	17.7	699	3	4	7	14	65	71	71
TOTAL										
0-19 YRS	164	21.1	347	3	6	17	30	47	91	99 +
20-34	12	14.0	105	4	6	11	21	29	33	34
35-49	3	31.7	1164	10	11	14	57	71	71	71
50-64	0									
65 +	1	25.0		25	25	25	25	25	25	25
GRAND TOTAL	**180**	**20.8**	**341**	**3**	**7**	**16**	**30**	**46**	**85**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	999	17.8	212	3	7	14	25	36	48	96
20-34	1799	11.1	95	2	5	9	15	22	29	50
35-49	1908	11.5	81	3	5	10	16	22	27	42
50-64	884	14.0	107	3	7	12	19	28	33	49
65 +	739	17.1	145	4	9	15	23	32	40	56
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	14.0		14	14	14	14	14	14	14
35-49	4	30.3	1003	8	9	18	51	76	76	76
50-64	3	21.7	176	14	14	14	31	37	37	37
65 +	5	32.6	283	16	20	26	47	56	56	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3382	20.0	244	4	9	16	28	42	54	99 +
20-34	6394	12.6	117	3	5	10	17	26	33	54
35-49	7101	13.3	114	3	6	11	18	27	33	54
50-64	3402	15.3	130	4	7	13	20	29	38	60
65 +	4593	18.9	172	5	10	16	25	36	44	69
B. Operated										
0-19 YRS	62	23.9	330	3	11	21	36	57	70	99 +
20-34	215	19.5	244	4	8	16	27	40	45	81
35-49	257	19.6	167	5	10	17	25	35	46	61
50-64	201	20.0	200	6	10	16	26	34	50	76
65 +	335	25.9	275	9	14	22	35	50	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6329	13.4	124	3	6	11	18	27	35	56
B. Operated	14	26.4	411	8	14	18	37	58	72	76
2. MULTIPLE DX										
A. Not Operated	24872	15.3	154	3	7	12	21	31	40	66
B. Operated	1070	21.9	239	6	11	19	29	43	55	82
1. SINGLE DX	6343	13.4	125	3	6	11	18	27	35	57
2. MULTIPLE DX	25942	15.6	159	3	7	13	21	31	41	67
A. Not Operated	31201	14.9	148	3	6	12	20	30	39	64
B. Operated	1084	21.9	241	6	11	19	29	43	55	82
TOTAL										
0-19 YRS	4444	19.5	239	4	8	16	28	41	53	99 +
20-34	8409	12.5	117	3	5	10	17	26	33	54
35-49	9270	13.1	111	3	6	11	17	26	32	53
50-64	4490	15.3	130	4	7	13	20	29	37	59
65 +	5672	19.1	178	5	10	16	25	36	45	70
GRAND TOTAL	**32285**	**15.2**	**153**	**3**	**7**	**12**	**21**	**30**	**40**	**66**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	329	16.9	197	4	7	14	23	35	49	99 +
20-34	1379	12.5	102	3	6	10	16	26	31	52
35-49	1418	12.7	121	3	6	10	17	25	32	60
50-64	619	14.8	123	4	7	12	19	28	35	57
65 +	242	15.8	137	5	8	13	21	29	39	67
B. Operated										
0-19 YRS	0									
20-34	3	13.7	49	7	8	13	19	21	21	21
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	764	20.9	255	5	9	17	29	43	59	99 +
20-34	2404	13.6	132	3	6	11	18	28	37	62
35-49	2884	14.1	126	4	7	11	18	28	36	56
50-64	1782	15.7	145	4	7	13	20	30	40	63
65 +	1349	18.6	179	5	9	16	24	35	45	72
B. Operated										
0-19 YRS	14	22.0	101	8	16	21	33	35	36	36
20-34	65	19.4	289	5	9	14	24	38	58	89
35-49	88	23.9	276	9	14	20	31	51	65	95
50-64	80	23.7	250	6	13	21	34	50	70	99 +
65 +	58	26.2	302	9	14	22	36	49	58	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3987	13.5	124	3	6	11	18	27	34	60
B. Operated	4	14.5	36	7	10	15	19	21	21	21
2. MULTIPLE DX										
A. Not Operated	9183	15.5	155	4	7	13	21	31	40	68
B. Operated	305	23.2	271	7	12	19	31	47	61	99 +
1. SINGLE DX	3991	13.5	124	3	6	11	18	27	34	60
2. MULTIPLE DX	9488	15.8	161	4	7	13	21	32	41	70
A. Not Operated	13170	14.9	147	3	7	12	20	30	39	67
B. Operated	309	23.1	268	7	12	19	31	47	61	99 +
TOTAL										
0-19 YRS	1107	19.7	239	4	8	16	28	41	56	99 +
20-34	3851	13.3	125	3	6	11	18	27	35	59
35-49	4390	13.9	130	3	6	11	18	28	35	60
50-64	2482	15.7	145	4	7	13	20	30	40	65
65 +	1649	18.5	180	5	9	15	24	36	45	72
GRAND TOTAL	**13479**	**15.1**	**151**	**3**	**7**	**12**	**20**	**30**	**39**	**67**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95T	[illegible]TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	14.3	181	1	4	11	23	37	44	70
20-34	470	9.2	70	1	3	7	12	19	25	39
35-49	394	8.9	58	2	4	7	12	19	24	41
50-64	154	11.5	149	2	3	7	17	26	35	64
65 +	182	11.3	102	2	3	10	15	24	32	53
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	8.7	17	4	5	10	11	12	12	12
50-64	0									
65 +	2	8.5	113	1	1	8	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	263	17.6	288	2	5	14	30	54	99 +	99 +
20-34	888	10.8	97	2	4	8	14	24	32	70
35-49	888	9.9	76	2	4	7	13	20	27	42
50-64	556	10.7	106	2	4	7	14	23	32	52
65 +	1662	11.0	108	2	4	8	14	23	31	58
B. Operated										
0-19 YRS	3	7.0	19	4	4	5	10	12	12	12
20-34	27	19.6	294	4	8	16	23	42	54	82
35-49	22	12.3	126	3	4	9	18	25	37	49
50-64	40	15.5	194	3	6	10	20	38	48	55
65 +	127	16.4	178	3	7	13	23	34	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1322	10.2	93	2	3	7	14	22	29	50
B. Operated	5	8.6	37	1	3	10	13	16	16	16
2. MULTIPLE DX										
A. Not Operated	4257	11.1	113	2	4	8	15	24	34	68
B. Operated	219	16.1	189	4	6	12	22	34	49	87
1. SINGLE DX	1327	10.2	93	2	3	7	14	22	29	50
2. MULTIPLE DX	4476	11.3	118	2	4	8	15	25	34	68
A. Not Operated	5579	10.9	108	2	4	8	14	24	33	63
B. Operated	224	15.9	187	4	6	12	22	34	49	86
TOTAL										
0-19 YRS	388	16.5	255	2	5	13	26	47	69	99 +
20-34	1385	10.5	94	2	4	8	14	22	30	58
35-49	1307	9.6	71	2	4	7	13	20	26	42
50-64	750	11.2	120	2	4	7	15	24	33	56
65 +	1973	11.4	114	2	4	8	15	24	33	60
GRAND TOTAL	**5803**	**11.1**	**112**	**2**	**4**	**8**	**15**	**24**	**33**	**64**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	9.2	161	1	1	2	14	24	35	58
20-34	128	6.0	38	1	2	4	7	15	19	29
35-49	104	4.3	22	1	1	3	5	10	15	23
50-64	51	4.7	24	1	1	3	6	12	16	20
65 +	27	6.5	57	1	2	3	11	28	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	10.5	125	1	2	6	15	26	33	50
20-34	407	7.7	67	1	2	5	10	19	24	40
35-49	503	5.7	42	1	2	3	7	14	20	31
50-64	372	6.4	55	1	2	4	9	14	21	33
65 +	485	6.4	48	1	2	4	8	15	22	35
B. Operated										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	15	3.6	18	1	1	3	4	5	15	18
35-49	18	5.9	52	1	2	3	6	13	24	31
50-64	15	7.7	43	3	3	6	8	19	23	25
65 +	28	12.9	379	1	2	5	12	38	61	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	343	5.6	46	1	1	3	7	15	20	37
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1872	6.7	57	1	2	4	9	16	23	35
B. Operated	77	8.6	174	1	2	4	7	23	30	76
1. SINGLE DX	345	5.6	46	1	1	3	7	15	20	37
2. MULTIPLE DX	1949	6.8	62	1	2	4	8	16	24	36
A. Not Operated	2215	6.6	56	1	2	4	8	16	23	35
B. Operated	79	8.4	170	1	2	4	7	22	30	76
TOTAL										
0-19 YRS	139	10.3	133	1	2	5	16	26	33	59
20-34	551	7.2	60	1	2	4	10	18	23	34
35-49	626	5.5	39	1	2	3	7	13	18	31
50-64	438	6.2	51	1	2	4	8	14	20	32
65 +	540	6.7	67	1	2	4	8	16	25	41
GRAND TOTAL	**2294**	**6.6**	**60**	**1**	**2**	**4**	**8**	**16**	**23**	**36**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	370	17.3	230	2	6	14	23	36	45	76
20-34	267	5.7	26	1	2	4	8	13	15	21
35-49	187	7.1	36	1	3	6	10	15	19	27
50-64	46	6.6	22	1	2	6	10	14	16	18
65 +	36	9.6	79	1	3	8	12	24	26	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1606	19.9	254	4	8	16	29	42	52	92
20-34	1215	8.9	74	1	3	6	12	20	24	40
35-49	1034	9.3	72	2	4	7	12	21	26	38
50-64	343	8.7	50	2	3	7	12	20	22	27
65 +	383	10.3	81	3	4	7	14	22	27	49
B. Operated										
0-19 YRS	25	17.0	101	4	9	17	24	28	34	42
20-34	32	10.8	74	1	4	10	16	22	25	36
35-49	23	12.1	73	3	6	10	16	25	32	35
50-64	14	17.8	33	10	15	18	24	25	26	26
65 +	30	14.7	168	3	5	12	18	41	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	906	10.9	142	1	3	7	14	24	34	59
B. Operated	2	13.0	98	6	6	13	20	20	20	20
2. MULTIPLE DX										
A. Not Operated	4581	13.0	162	2	4	9	18	29	38	68
B. Operated	124	14.0	101	3	6	12	19	26	36	62
1. SINGLE DX	908	10.9	141	1	3	7	14	24	34	59
2. MULTIPLE DX	4705	13.0	160	2	4	9	18	29	38	68
A. Not Operated	5487	12.6	159	2	4	8	17	29	38	65
B. Operated	126	14.0	101	3	6	12	19	26	36	61
TOTAL										
0-19 YRS	2001	19.4	248	3	8	16	28	41	50	89
20-34	1514	8.4	67	1	3	6	11	19	22	39
35-49	1245	9.0	67	2	4	7	12	20	24	37
50-64	403	8.8	50	2	3	7	13	19	22	27
65 +	450	10.6	88	2	4	8	14	23	29	51
GRAND TOTAL	**5613**	**12.7**	**158**	**2**	**4**	**8**	**17**	**29**	**38**	**65**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	272	7.5	103	1	2	3	8	23	32	51
20-34	380	6.7	65	1	2	4	7	18	23	39
35-49	251	7.0	96	1	2	3	8	16	24	59
50-64	61	7.3	53	1	2	5	10	18	26	30
65 +	38	14.9	246	2	4	10	21	37	43	76
B. Operated										
0-19 YRS	3	8.0	37	1	3	11	12	12	12	12
20-34	54	7.6	13	2	4	9	9	9	13	19
35-49	82	8.1	30	2	7	9	9	9	9	38
50-64	22	6.6	11	1	3	9	9	10	10	10
65 +	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	750	11.8	209	1	3	6	16	32	48	99 +
20-34	1695	8.7	114	1	2	5	11	21	30	60
35-49	1058	8.7	97	1	3	6	12	20	29	61
50-64	397	8.4	67	1	3	6	11	20	27	44
65 +	427	10.0	129	2	3	6	12	22	33	60
B. Operated										
0-19 YRS	24	14.9	336	2	4	10	15	37	55	84
20-34	126	11.6	197	2	4	9	13	21	43	88
35-49	97	12.0	153	2	5	9	15	26	43	60
50-64	40	6.1	54	1	2	4	9	14	16	42
65 +	54	13.4	131	2	4	11	17	30	38	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1002	7.3	91	1	2	4	8	20	27	53
B. Operated	164	7.6	22	2	4	9	9	9	11	19
2. MULTIPLE DX										
A. Not Operated	4327	9.3	125	1	3	6	12	23	32	70
B. Operated	341	11.6	170	2	4	9	15	27	40	80
1. SINGLE DX	1166	7.4	81	1	2	4	9	18	26	50
2. MULTIPLE DX	4668	9.5	128	1	3	6	12	23	33	71
A. Not Operated	5329	9.0	119	1	2	5	11	22	32	66
B. Operated	505	10.3	125	2	4	9	11	19	32	65
TOTAL										
0-19 YRS	1049	10.7	187	1	2	5	14	30	42	98
20-34	2255	8.5	109	1	2	5	10	20	29	59
35-49	1488	8.6	98	1	3	6	11	19	28	59
50-64	520	8.0	62	1	3	5	10	19	26	42
65 +	522	10.7	139	2	3	7	13	25	34	61
GRAND TOTAL	**5834**	**9.1**	**120**	**1**	**2**	**5**	**11**	**22**	**32**	**66**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	245	18.9	223	1	3	20	29	36	44	63
20-34	1524	11.1	97	1	3	7	20	27	28	33
35-49	1577	10.2	96	1	3	6	17	28	28	35
50-64	514	10.8	93	2	3	7	19	28	28	34
65 +	130	12.2	98	1	3	10	21	28	28	31
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	11.0	200	1	1	11	21	21	21	21
50-64	2	7.5	25	4	4	7	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1745	24.0	212	3	13	26	34	42	49	70
20-34	7887	13.3	107	2	4	10	22	28	29	35
35-49	7819	11.4	92	2	4	7	20	28	28	32
50-64	3401	11.2	91	2	4	7	19	28	28	32
65 +	1542	11.9	87	2	4	9	18	28	29	32
B. Operated										
0-19 YRS	23	24.8	227	4	17	26	32	43	57	58
20-34	146	14.4	111	1	3	14	23	28	29	36
35-49	173	15.0	106	3	6	14	24	28	32	41
50-64	129	16.7	129	3	8	14	26	32	37	46
65 +	86	15.3	112	3	6	13	22	29	35	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3990	11.2	108	1	3	7	20	28	29	36
B. Operated	6	9.2	57	1	4	8	14	20	21	21
2. MULTIPLE DX										
A. Not Operated	22394	13.0	117	2	4	9	21	28	30	42
B. Operated	557	15.7	122	2	6	14	25	29	34	45
1. SINGLE DX	3996	11.2	108	1	3	7	20	28	29	36
2. MULTIPLE DX	22951	13.1	118	2	4	9	21	28	30	42
A. Not Operated	26384	12.8	116	2	4	8	21	28	30	42
B. Operated	563	15.6	122	2	6	14	24	29	34	45
TOTAL										
0-19 YRS	2014	23.4	216	3	12	25	33	41	48	67
20-34	9558	12.9	106	2	4	10	21	28	29	35
35-49	9571	11.2	94	2	3	7	19	28	28	33
50-64	4046	11.3	94	2	3	7	20	28	28	33
65 +	1758	12.1	89	2	4	9	19	28	29	34
GRAND TOTAL	**26947**	**12.8**	**117**	**2**	**4**	**9**	**21**	**28**	**30**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	11.9	152	1	3	7	17	33	35	35
20-34	103	10.9	85	2	4	6	19	28	28	30
35-49	105	9.8	77	3	4	6	13	28	28	35
50-64	6	16.7	139	3	5	16	25	33	34	34
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	21.8	308	3	7	18	30	54	64	99 +
20-34	757	11.9	95	3	4	7	20	28	29	34
35-49	699	11.8	82	3	5	8	19	28	29	33
50-64	97	12.4	84	3	4	10	18	28	29	34
65 +	51	13.3	67	4	6	11	18	28	28	31
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	14.3	98	4	6	12	23	27	32	34
35-49	20	11.7	145	3	4	7	13	28	41	50
50-64	7	14.7	50	4	10	17	19	23	24	24
65 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	10.5	85	3	4	6	15	28	28	34
B. Operated	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	1644	12.2	95	3	4	8	20	28	29	37
B. Operated	44	12.9	107	3	5	10	19	26	33	50
1. SINGLE DX	224	10.6	85	3	4	6	15	28	28	34
2. MULTIPLE DX	1688	12.2	95	3	4	8	20	28	29	37
A. Not Operated	1867	12.0	94	3	4	8	19	28	29	36
B. Operated	45	13.0	105	3	6	10	19	26	33	50
TOTAL										
0-19 YRS	50	19.6	290	3	6	16	29	50	59	99 +
20-34	875	11.8	94	3	4	7	20	28	28	34
35-49	825	11.6	83	3	5	7	18	28	29	33
50-64	110	12.8	85	3	5	10	19	27	29	34
65 +	52	13.3	65	4	6	12	18	28	28	31
GRAND TOTAL	**1912**	**12.0**	**94**	**3**	**4**	**8**	**19**	**28**	**29**	**36**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	27.8	372	3	13	28	38	56	67	87
20-34	636	11.3	87	2	4	7	18	28	28	31
35-49	184	11.6	110	2	3	7	19	28	29	35
50-64	20	13.3	80	3	5	13	20	27	28	29
65 +	6	10.3	29	5	5	10	14	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1108	30.5	328	7	18	29	41	56	66	94
20-34	3319	13.3	102	3	5	10	21	28	29	38
35-49	1396	12.6	91	3	5	9	20	28	29	37
50-64	158	13.9	90	4	5	12	21	28	30	42
65 +	94	15.7	129	5	9	13	20	28	32	65
B. Operated										
0-19 YRS	9	29.7	176	12	23	28	39	48	54	54
20-34	55	17.1	86	6	9	16	25	31	34	96
35-49	25	17.6	80	5	12	19	21	31	33	36
50-64	9	23.6	60	11	19	28	28	31	33	33
65 +	4	20.5	94	9	12	22	28	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1043	14.5	185	2	4	9	23	30	37	67
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6075	16.3	186	3	5	14	25	32	42	66
B. Operated	102	19.0	101	7	12	20	28	32	36	76
1. SINGLE DX	1043	14.5	185	2	4	9	23	30	37	67
2. MULTIPLE DX	6177	16.4	184	3	5	14	25	32	42	66
A. Not Operated	7118	16.1	186	3	5	13	25	31	41	66
B. Operated	102	19.0	101	7	12	20	28	32	36	76
TOTAL										
0-19 YRS	1314	30.1	334	6	17	29	40	56	66	92
20-34	4010	13.0	100	3	5	9	21	28	29	37
35-49	1605	12.5	93	3	5	9	20	28	29	36
50-64	187	14.3	91	4	5	14	21	28	29	41
65 +	104	15.6	123	5	9	13	20	28	31	62
GRAND TOTAL	**7220**	**16.1**	**185**	**3**	**5**	**13**	**25**	**31**	**41**	**66**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	289	3.5	68	< 1	< 1	1	1	7	18	43
20-34	221	2.4	21	< 1	< 1	1	1	3	9	27
35-49	105	3.6	38	< 1	1	1	2	12	19	28
50-64	32	3.5	32	< 1	1	2	3	10	16	28
65 +	5	6.8	8	2	6	7	9	9	9	9
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	497	8.8	141	< 1	1	2	14	28	33	50
20-34	665	4.3	38	< 1	1	2	4	12	19	28
35-49	458	4.2	32	1	1	2	4	9	16	28
50-64	169	5.3	56	1	1	3	6	13	19	38
65 +	115	4.9	36	1	2	3	5	12	16	32
B. Operated										
0-19 YRS	20	4.8	92	< 1	< 1	1	2	16	30	40
20-34	34	3.4	39	< 1	< 1	1	2	9	17	32
35-49	19	6.5	139	< 1	1	3	4	19	39	49
50-64	7	9.6	179	1	2	6	9	33	39	39
65 +	10	6.2	98	1	2	3	6	20	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	652	3.1	45	< 1	< 1	1	2	7	16	36
B. Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	1904	5.6	69	< 1	1	2	5	16	26	40
B. Operated	90	5.2	88	< 1	1	2	4	12	32	45
1. SINGLE DX	655	3.1	45	< 1	< 1	1	2	7	16	36
2. MULTIPLE DX	1994	5.5	69	< 1	1	2	5	16	26	40
A. Not Operated	2556	4.9	64	< 1	1	2	4	14	25	39
B. Operated	93	5.1	85	< 1	1	1	4	11	31	45
TOTAL										
0-19 YRS	807	6.8	120	< 1	1	1	6	25	31	49
20-34	922	3.8	35	< 1	1	1	3	10	18	28
35-49	582	4.1	36	< 1	1	2	4	10	17	28
50-64	208	5.2	57	1	1	3	5	13	19	39
65 +	130	5.1	39	1	2	3	6	11	16	34
GRAND TOTAL	**2649**	**4.9**	**64**	**< 1**	**1**	**2**	**4**	**14**	**25**	**40**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	13.0	241	1	1	4	25	39	47	56
20-34	141	7.0	62	1	2	4	8	21	28	30
35-49	52	7.8	71	1	2	4	10	20	27	37
50-64	8	14.0	158	1	3	9	28	29	29	29
65 +	2	8.5	1	8	8	8	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	494	19.5	212	2	6	20	28	35	44	64
20-34	592	9.0	86	1	2	5	14	26	28	34
35-49	289	9.0	80	1	2	5	14	25	28	34
50-64	44	10.5	74	2	3	8	16	24	28	30
65 +	30	10.0	74	1	3	7	16	23	28	30
B. Operated										
0-19 YRS	8	24.5	400	1	3	27	41	50	50	50
20-34	20	15.6	161	3	4	13	22	33	40	47
35-49	16	13.2	119	1	4	12	20	27	36	39
50-64	4	4.0	6	1	2	4	6	7	7	7
65 +	5	13.4	103	3	4	13	22	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	282	9.0	122	1	2	4	12	28	30	50
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	1449	12.6	151	1	3	7	21	29	33	52
B. Operated	53	15.1	180	2	4	13	22	33	46	50
1. SINGLE DX	283	9.0	122	1	2	4	12	28	30	50
2. MULTIPLE DX	1502	12.7	152	1	3	7	21	29	33	51
A. Not Operated	1731	12.1	148	1	3	7	21	29	33	51
B. Operated	54	14.9	178	2	4	13	22	33	45	50
TOTAL										
0-19 YRS	581	18.7	223	1	4	18	28	35	46	60
20-34	753	8.8	85	1	2	5	13	25	28	34
35-49	358	9.0	81	1	2	5	14	24	28	36
50-64	56	10.5	83	1	3	8	16	28	29	30
65 +	37	10.4	72	1	4	7	16	23	27	30
GRAND TOTAL	**1785**	**12.1**	**149**	**1**	**3**	**7**	**21**	**29**	**33**	**51**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.6	11	1	1	1	2	7	11	15
20-34	21	2.9	5	< 1	1	2	4	6	8	9
35-49	22	3.9	39	< 1	1	2	4	6	17	31
50-64	4	4.0	1	3	3	4	5	5	5	5
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	9.6	181	1	2	3	14	29	34	89
20-34	92	4.8	36	1	2	3	5	9	15	37
35-49	137	4.0	25	1	1	3	5	8	11	21
50-64	94	5.0	38	1	2	3	6	12	18	32
65 +	151	4.5	13	1	2	3	6	9	10	15
B. Operated										
0-19 YRS	11	11.4	92	3	4	7	19	27	27	27
20-34	13	8.1	45	1	2	7	12	20	22	22
35-49	14	6.1	75	1	2	3	7	11	30	35
50-64	9	4.0	8	1	1	4	6	8	9	9
65 +	22	8.0	56	2	3	5	10	18	26	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	3.1	16	1	1	2	3	6	8	26
B. Operated	5	4.0	2	3	3	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	567	5.3	55	1	2	3	6	11	19	38
B. Operated	69	7.6	59	1	2	5	9	20	27	34
1. SINGLE DX	84	3.2	15	1	1	2	4	6	8	26
2. MULTIPLE DX	636	5.6	56	1	2	3	6	12	20	36
A. Not Operated	646	5.1	51	1	2	3	6	10	17	34
B. Operated	74	7.4	56	1	3	5	9	19	26	34
TOTAL										
0-19 YRS	136	8.1	142	1	1	3	9	25	31	77
20-34	128	4.8	33	1	2	3	6	10	15	32
35-49	175	4.1	30	1	1	3	5	8	11	34
50-64	107	4.9	34	1	2	3	6	10	16	32
65 +	174	4.9	20	1	2	3	6	9	13	27
GRAND TOTAL	**720**	**5.3**	**52**	**1**	**2**	**3**	**6**	**11**	**19**	**34**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	643	9.3	112	1	2	6	12	24	31	51
20-34	782	4.9	24	1	1	3	7	11	14	23
35-49	458	5.9	37	1	2	4	8	13	16	32
50-64	131	6.1	30	1	2	5	8	15	17	25
65 +	68	10.5	105	1	3	8	12	22	29	52
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	10.5	61	5	5	10	16	16	16	16
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1811	12.4	177	1	3	8	17	30	41	70
20-34	2824	6.7	48	1	2	5	9	15	20	34
35-49	1825	7.1	52	1	2	5	10	16	20	35
50-64	569	8.0	53	2	3	6	11	17	22	38
65 +	611	10.6	102	3	4	7	14	22	30	55
B. Operated										
0-19 YRS	42	10.8	126	2	3	7	14	26	36	48
20-34	81	7.5	69	1	3	4	10	17	28	42
35-49	39	12.2	81	3	5	13	18	25	30	36
50-64	25	10.7	61	3	5	9	16	22	24	29
65 +	43	14.1	150	4	7	11	16	28	45	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2082	6.7	61	1	2	4	9	15	21	40
B. Operated	7	5.6	34	< 1	1	4	9	15	16	16
2. MULTIPLE DX										
A. Not Operated	7640	8.6	90	1	3	6	11	20	28	48
B. Operated	230	10.5	100	2	4	7	14	24	29	48
1. SINGLE DX	2089	6.7	61	1	2	4	9	15	21	40
2. MULTIPLE DX	7870	8.6	90	1	3	6	11	20	28	48
A. Not Operated	9722	8.2	84	1	2	5	10	19	27	46
B. Operated	237	10.3	99	2	4	7	14	24	29	48
TOTAL										
0-19 YRS	2497	11.6	131	1	3	7	15	29	38	66
20-34	3690	6.3	44	1	2	4	8	14	18	32
35-49	2324	7.0	50	1	2	5	9	15	20	34
50-64	725	7.8	50	1	3	6	10	17	22	34
65 +	723	10.8	106	2	4	8	14	22	30	55
GRAND TOTAL	**9959**	**8.2**	**65**	**1**	**2**	**5**	**11**	**19**	**27**	**46**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	735	11.2	174	1	3	7	15	28	36	81
20-34	475	5.1	39	1	2	3	6	11	16	31
35-49	289	5.4	43	1	1	3	7	12	19	33
50-64	52	5.9	35	1	1	3	9	14	16	32
65 +	26	11.0	351	1	3	6	9	26	42	96
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1816	13.2	191	2	4	8	19	32	42	95
20-34	1868	7.3	73	1	2	5	9	15	22	42
35-49	1181	7.9	66	1	2	5	10	18	24	40
50-64	307	7.1	48	1	2	4	10	16	22	31
65 +	250	8.3	53	2	3	6	11	18	23	30
B. Operated										
0-19 YRS	37	15.7	329	2	3	7	27	55	81	99 +
20-34	67	12.3	254	< 1	2	7	16	31	61	96
35-49	27	7.0	44	1	2	4	10	14	18	32
50-64	8	10.0	115	2	3	6	13	28	34	34
65 +	17	10.5	50	5	6	8	11	21	28	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1577	8.1	116	1	2	5	10	20	28	67
B. Operated	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	5422	9.4	116	1	3	6	12	22	32	59
B. Operated	156	11.9	211	1	3	7	15	33	55	99 +
1. SINGLE DX	1579	8.1	116	1	2	5	10	20	28	67
2. MULTIPLE DX	5578	9.5	119	1	3	6	12	23	32	60
A. Not Operated	6999	9.1	116	1	2	6	11	22	30	60
B. Operated	158	11.8	209	1	3	7	14	33	55	99 +
TOTAL										
0-19 YRS	2589	12.7	189	1	3	8	18	30	42	95
20-34	2410	7.0	72	1	2	4	9	15	21	42
35-49	1497	7.4	62	1	2	5	9	17	23	39
50-64	367	7.0	48	1	2	4	9	15	21	33
65 +	294	8.7	79	2	3	6	11	18	23	33
GRAND TOTAL	**7157**	**9.2**	**118**	**1**	**2**	**6**	**12**	**22**	**31**	**61**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	863	14.8	222	1	3	11	22	36	51	99 +
20-34	90	10.0	208	1	2	4	11	31	41	93
35-49	41	4.0	52	1	2	2	4	7	9	47
50-64	14	6.3	131	1	1	2	3	30	35	37
65 +	7	8.0	27	2	5	6	13	15	15	15
B. Operated										
0-19 YRS	4	15.0	110	2	6	17	23	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.0	6	2	3	5	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3436	22.9	341	3	8	20	32	51	65	99 +
20-34	682	14.4	253	2	4	8	20	35	50	94
35-49	319	9.5	164	1	3	5	11	23	33	97
50-64	130	5.9	40	2	2	4	7	13	17	34
65 +	132	5.8	27	1	2	4	8	12	15	28
B. Operated										
0-19 YRS	78	24.8	553	3	5	17	45	65	96	99 +
20-34	31	19.3	273	3	6	14	32	41	48	66
35-49	17	12.8	130	2	4	7	21	32	37	38
50-64	9	10.2	163	1	3	8	10	30	43	43
65 +	26	9.3	52	2	5	7	10	23	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1015	13.8	218	1	3	9	21	35	47	99 +
B. Operated	10	9.0	67	2	2	7	11	23	24	24
2. MULTIPLE DX										
A. Not Operated	4699	19.8	328	2	6	15	29	46	61	99 +
B. Operated	161	19.1	386	2	5	10	32	56	67	99 +
1. SINGLE DX	1025	13.8	217	1	3	9	21	35	47	99 +
2. MULTIPLE DX	4860	19.8	330	2	6	15	29	46	62	99 +
A. Not Operated	5714	18.7	313	2	5	14	28	43	60	99 +
B. Operated	171	18.5	373	2	5	10	30	51	65	99 +
TOTAL										
0-19 YRS	4381	21.3	331	3	7	17	31	49	63	99 +
20-34	804	14.0	251	2	3	8	20	35	48	93
35-49	381	9.0	152	1	2	5	10	22	33	90
50-64	154	6.2	54	1	2	4	8	13	19	43
65 +	165	6.5	32	1	2	5	8	14	18	28
GRAND TOTAL	**5885**	**18.7**	**315**	**2**	**5**	**14**	**28**	**43**	**60**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	10.7	133	4	4	4	19	24	24	24
20-34	13	5.5	30	1	1	4	8	15	17	17
35-49	3	9.3	60	3	4	7	15	18	18	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	13.0	176	2	4	10	14	28	47	60
20-34	47	10.9	92	1	4	7	17	23	30	40
35-49	32	8.8	44	3	4	7	12	16	25	30
50-64	9	15.9	819	< 1	5	6	18	95	99 +	99 +
65 +	11	16.1	114	7	9	12	18	35	40	41
B. Operated										
0-19 YRS	6	17.0	849	2	2	5	11	69	76	76
20-34	3	29.7	229	19	20	23	41	47	47	47
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	3.7	1	3	3	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	6.9	46	1	2	4	11	18	21	24
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	134	11.7	150	2	4	9	15	25	36	92
B. Operated	14	14.6	471	2	2	4	19	50	70	76
1. SINGLE DX	20	6.9	44	1	2	4	10	17	21	24
2. MULTIPLE DX	148	12.0	178	2	4	8	15	26	40	91
A. Not Operated	153	11.1	139	2	4	7	14	23	34	90
B. Operated	15	14.0	444	2	2	5	17	47	69	76
TOTAL										
0-19 YRS	45	13.2	243	2	4	8	14	28	53	76
20-34	63	10.7	104	1	3	7	16	23	32	46
35-49	36	8.6	44	2	4	6	12	16	24	30
50-64	10	14.5	747	1	3	6	16	95	99 +	99 +
65 +	14	13.4	116	3	7	11	17	32	39	41
GRAND TOTAL	**168**	**11.4**	**165**	**2**	**4**	**7**	**14**	**24**	**37**	**88**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	620	8.3	16	3	5	9	10	13	15	20
20-34	73	5.8	18	1	2	4	9	11	14	20
35-49	40	4.9	11	2	2	4	7	10	11	13
50-64	19	7.2	24	1	3	8	10	11	16	21
65 +	5	6.8	9	2	6	7	8	10	10	10
B. Operated										
0-19 YRS	34	9.5	38	2	6	9	11	18	20	29
20-34	17	12.7	512	1	2	6	12	77	97	99 +
35-49	23	6.4	45	1	2	4	8	14	21	31
50-64	17	5.5	49	< 1	1	2	5	17	23	26
65 +	5	5.4	37	1	2	4	7	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1375	9.8	25	3	7	10	11	15	19	26
20-34	159	9.3	60	3	4	7	11	17	26	39
35-49	165	9.5	51	2	4	8	12	17	24	42
50-64	133	13.0	137	3	5	11	15	28	36	87
65 +	147	14.1	85	5	8	13	16	25	36	47
B. Operated										
0-19 YRS	257	20.6	195	8	11	16	25	43	52	78
20-34	99	16.6	133	5	8	15	20	34	44	77
35-49	122	17.2	176	4	8	14	22	36	45	64
50-64	158	20.3	280	4	9	16	27	49	63	99 +
65 +	141	20.6	296	6	10	16	27	46	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	757	7.8	17	2	4	9	10	13	14	21
B. Operated	96	8.4	126	1	2	6	11	17	28	97
2. MULTIPLE DX										
A. Not Operated	1979	10.3	44	3	6	10	12	16	21	37
B. Operated	777	19.5	221	5	10	16	25	43	55	99 +
1. SINGLE DX	853	7.9	29	2	4	8	10	13	15	21
2. MULTIPLE DX	2756	12.9	111	3	7	10	15	24	35	64
A. Not Operated	2736	9.6	38	3	6	10	11	15	20	34
B. Operated	873	18.3	223	4	9	15	23	42	54	99 +
TOTAL										
0-19 YRS	2286	10.6	55	3	7	10	12	17	22	46
20-34	348	10.8	108	2	4	8	14	22	33	54
35-49	350	11.4	109	2	4	9	15	24	35	54
50-64	327	15.8	217	3	6	12	20	40	52	99 +
65 +	298	16.9	196	5	9	14	20	35	48	97
GRAND TOTAL	**3609**	**11.7**	**96**	**3**	**6**	**10**	**14**	**21**	**30**	**60**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	15	3.3	6	1	1	3	5	7	8	8
50-64	26	6.5	56	2	3	4	6	12	27	35
65 +	75	4.9	52	1	1	3	5	10	15	47
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	2	4.0		4	4	4	4	4	4	4
65 +	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	21.0	428	3	5	14	32	54	57	57
35-49	13	10.1	105	1	3	9	13	26	35	37
50-64	118	9.2	103	2	4	6	10	19	32	52
65 +	851	10.2	110	3	5	7	12	19	27	73
B. Operated										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	19	10.2	84	2	4	8	13	24	32	37
65 +	122	16.4	190	5	7	13	21	37	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	5.1	47	1	2	3	6	10	15	42
B. Operated	5	7.4	27	3	4	4	12	14	14	14
2. MULTIPLE DX										
A. Not Operated	989	10.2	111	3	5	7	12	19	28	72
B. Operated	144	15.4	178	4	6	11	19	34	53	99 +
1. SINGLE DX	121	5.2	46	1	2	3	6	10	15	41
2. MULTIPLE DX	1133	10.8	122	3	5	8	13	22	31	73
A. Not Operated	1105	9.6	107	3	4	7	11	18	27	71
B. Operated	149	15.2	175	4	6	11	19	32	52	99 +
TOTAL										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	7	19.6	371	3	6	11	29	52	57	57
35-49	30	6.4	57	1	2	4	8	13	23	37
50-64	165	8.8	93	2	4	6	10	19	30	48
65 +	1050	10.6	121	3	5	7	13	21	29	76
GRAND TOTAL	**1254**	**10.3**	**118**	**3**	**4**	**7**	**12**	**21**	**30**	**72**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	5.3	12	1	2	5	7	11	12	12
20-34	224	5.3	11	2	3	5	6	10	12	17
35-49	375	5.7	14	2	3	5	7	10	12	20
50-64	79	5.5	7	3	4	5	7	9	10	13
65 +	13	5.8	21	1	3	5	7	12	17	18
B. Operated										
0-19 YRS	0									
20-34	4	3.3	20	1	1	1	6	10	10	10
35-49	19	4.9	14	1	2	4	7	9	13	16
50-64	3	4.7	10	1	2	6	7	7	7	7
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	5.4	18	2	2	4	8	10	14	18
20-34	319	7.5	34	3	4	6	9	14	19	38
35-49	791	7.4	35	3	4	6	9	13	15	33
50-64	268	8.8	57	3	4	7	10	15	23	64
65 +	79	7.6	25	3	4	6	10	15	18	27
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	45	13.6	125	3	6	10	18	31	35	54
35-49	118	11.7	86	4	6	9	15	29	48	99 +
50-64	66	11.8	178	3	5	9	14	21	36	99 +
65 +	14	16.0	229	3	5	10	26	56	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	701	5.5	12	2	3	5	7	10	12	18
B. Operated	27	4.6	13	1	1	3	7	9	11	16
2. MULTIPLE DX										
A. Not Operated	1478	7.6	38	3	4	6	9	14	18	37
B. Operated	244	12.3	125	3	6	9	15	29	46	99 +
1. SINGLE DX	728	5.5	12	2	3	5	7	10	12	18
2. MULTIPLE DX	1722	8.3	53	3	4	7	10	15	21	52
A. Not Operated	2179	7.0	31	2	4	6	9	12	16	32
B. Operated	271	11.6	119	3	5	9	15	27	43	99 +
TOTAL										
0-19 YRS	32	5.8	20	2	2	4	8	11	17	18
20-34	592	7.1	36	2	4	5	9	14	19	36
35-49	1303	7.2	35	2	4	6	9	13	17	37
50-64	416	8.6	70	3	4	7	10	15	21	75
65 +	107	8.5	58	3	4	6	10	18	25	74
GRAND TOTAL	**2450**	**7.5**	**43**	**2**	**4**	**6**	**9**	**14**	**19**	**40**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1646	3.0	10	1	1	2	3	6	8	14
20-34	550	3.5	16	1	1	2	4	7	10	26
35-49	302	3.2	10	1	1	2	4	6	8	20
50-64	162	3.3	10	1	1	2	4	7	9	20
65 +	111	3.5	7	1	2	3	4	7	8	15
B. Operated										
0-19 YRS	80	9.2	61	2	4	8	13	18	23	44
20-34	55	8.3	53	1	2	7	10	18	24	32
35-49	30	6.7	51	1	3	5	9	11	21	37
50-64	5	5.4	15	1	2	6	8	10	10	10
65 +	2	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3734	4.2	25	1	2	3	5	8	12	25
20-34	1380	4.5	24	1	2	3	5	9	13	27
35-49	1466	4.9	26	1	2	3	6	10	13	27
50-64	1356	5.7	40	2	2	4	7	11	15	38
65 +	2587	6.5	42	2	3	5	8	12	17	38
B. Operated										
0-19 YRS	381	13.9	186	3	5	10	18	33	42	89
20-34	195	11.4	128	2	4	7	15	25	34	53
35-49	181	11.0	140	2	4	8	13	26	35	85
50-64	154	13.1	214	3	5	9	14	32	42	86
65 +	270	17.1	241	4	7	13	23	38	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2771	3.1	11	1	1	2	4	6	8	17
B. Operated	172	8.4	55	1	3	7	10	18	22	36
2. MULTIPLE DX										
A. Not Operated	10523	5.1	32	1	2	3	6	10	14	30
B. Operated	1181	13.7	190	3	5	9	18	32	42	96
1. SINGLE DX	2943	3.4	15	1	1	2	4	7	10	20
2. MULTIPLE DX	11704	6.0	54	1	2	4	7	12	19	41
A. Not Operated	13294	4.7	28	1	2	3	6	9	13	27
B. Operated	1353	13.0	176	2	5	9	17	30	41	90
TOTAL										
0-19 YRS	5841	4.6	38	1	2	3	5	9	15	33
20-34	2180	5.0	37	1	2	3	6	10	18	29
35-49	1979	5.2	38	1	2	3	6	10	15	34
50-64	1677	6.1	58	1	2	4	7	12	17	43
65 +	2970	7.4	68	2	3	5	8	15	22	49
GRAND TOTAL	**14647**	**5.5**	**48**	**1**	**2**	**3**	**6**	**11**	**17**	**37**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	397	3.4	16	1	1	2	4	6	10	23
20-34	230	3.3	7	1	2	2	4	7	9	14
35-49	207	3.9	17	1	2	3	5	7	9	22
50-64	98	4.3	18	1	1	3	5	12	14	19
65 +	99	5.5	72	1	2	4	6	10	16	88
B. Operated										
0-19 YRS	783	5.8	37	1	2	3	8	13	17	29
20-34	213	4.4	34	1	2	3	5	8	11	18
35-49	185	4.8	29	1	2	3	7	9	14	28
50-64	127	4.1	13	1	1	3	5	9	11	16
65 +	91	6.5	50	2	3	4	7	12	18	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1075	5.8	73	1	2	3	6	13	22	40
20-34	614	6.6	120	1	2	4	7	14	25	93
35-49	743	6.7	72	1	2	4	8	14	21	99 +
50-64	818	7.9	70	2	3	6	10	17	26	64
65 +	2607	9.6	105	2	4	7	12	20	30	67
B. Operated										
0-19 YRS	1775	8.3	95	1	3	5	10	18	27	76
20-34	543	10.1	161	1	3	6	13	27	43	99 +
35-49	624	9.9	148	1	3	6	12	23	36	99 +
50-64	656	11.5	157	2	4	7	15	27	40	99
65 +	1288	13.2	160	3	5	9	17	30	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1031	3.7	20	1	1	2	4	8	10	22
B. Operated	1399	5.3	35	1	2	3	7	11	15	28
2. MULTIPLE DX										
A. Not Operated	5857	8.0	94	1	3	5	10	17	26	67
B. Operated	4886	10.4	138	2	3	7	13	24	36	99 +
1. SINGLE DX	2430	4.7	29	1	2	3	6	10	14	26
2. MULTIPLE DX	10743	9.1	116	2	3	6	11	21	31	89
A. Not Operated	6888	7.4	85	1	2	5	9	16	24	62
B. Operated	6285	9.3	120	1	3	6	11	22	32	94
TOTAL										
0-19 YRS	4030	6.6	73	1	2	4	8	15	23	53
20-34	1600	7.0	112	1	2	4	7	16	28	99 +
35-49	1759	7.3	92	1	2	5	9	15	25	90
50-64	1699	8.8	102	1	3	6	11	20	30	72
65 +	4085	10.6	124	2	4	7	13	23	34	88
GRAND TOTAL	**13173**	**8.3**	**103**	**1**	**3**	**5**	**10**	**19**	**28**	**78**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	300	2.2	4	1	1	2	3	4	5	9
20-34	535	2.6	4	1	1	2	3	5	6	9
35-49	450	2.9	4	1	1	2	4	6	7	10
50-64	97	2.5	4	1	1	2	3	5	6	12
65 +	19	1.8	1	1	1	2	2	3	4	4
B. Operated										
0-19 YRS	11	1.7	2	1	1	1	2	4	6	6
20-34	34	3.0	5	1	1	3	4	6	8	9
35-49	30	2.5	3	1	1	2	3	5	6	8
50-64	10	3.3	11	1	1	2	4	8	12	12
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	372	2.9	7	1	1	2	3	5	7	13
20-34	959	4.1	11	1	2	3	5	8	10	18
35-49	1246	4.6	14	1	2	3	6	9	12	18
50-64	527	4.5	12	1	2	3	6	9	11	18
65 +	241	4.6	18	1	2	3	6	9	11	23
B. Operated										
0-19 YRS	18	4.9	29	1	2	3	6	12	18	22
20-34	64	6.4	31	2	3	5	8	14	[illegible]	28
35-49	97	7.5	97	1	3	6	8	16	19	61
50-64	53	4.6	9	2	3	4	5	8	11	16
65 +	22	4.7	11	1	3	4	5	10	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1401	2.6	4	1	1	2	3	5	6	9
B. Operated	86	2.7	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	3345	4.3	13	1	2	3	6	9	11	19
B. Operated	254	6.2	51	2	3	4	7	12	17	31
1. SINGLE DX	1487	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	3599	4.4	16	1	2	3	6	9	11	19
A. Not Operated	4746	3.8	11	1	2	3	5	8	10	17
B. Operated	340	5.3	41	1	2	4	6	11	16	29
TOTAL										
0-19 YRS	701	2.6	7	1	1	2	3	5	7	12
20-34	1592	3.7	10	1	2	3	5	7	9	18
35-49	1823	4.3	17	1	2	3	6	8	11	18
50-64	687	4.2	11	1	2	3	5	8	11	16
65 +	283	4.4	16	1	2	3	5	9	11	23
GRAND TOTAL	**5086**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.2		2	2	2	3	3	3	3
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	20.5	481	5	5	20	36	36	36	36
B. Operated										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	66	1.1		< 1	< 1	< 1	1	1	2	3
35-49	136	1.1		< 1	< 1	< 1	1	1	1	5
50-64	89	1.1		< 1	< 1	< 1	1	1	2	3
65 +	85	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	16	2.8	6	< 1	1	2	5	7	8	8
50-64	20	4.7	17	< 1	2	3	6	12	13	14
65 +	24	4.0	10	1	2	3	5	10	11	12
B. Operated										
0-19 YRS	13	3.6	16	1	1	2	4	11	13	14
20-34	62	1.6	1	< 1	1	1	2	3	4	5
35-49	136	2.0	4	< 1	1	1	2	4	6	13
50-64	120	1.9	3	< 1	< 1	1	2	4	5	11
65 +	127	2.1	7	< 1	< 1	1	2	4	6	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.4	95	1	2	2	4	15	33	36
B. Operated	382	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	66	3.7	10	1	1	3	5	9	12	14
B. Operated	458	2.0	5	< 1	1	1	2	4	5	13
1. SINGLE DX	394	1.2	3	< 1	< 1	< 1	1	1	2	5
2. MULTIPLE DX	524	2.2	6	< 1	1	1	2	5	7	13
A. Not Operated	78	4.0	23	1	1	3	5	9	12	30
B. Operated	840	1.6	3	< 1	< 1	1	1	3	4	10
TOTAL										
0-19 YRS	22	2.8	11	1	1	1	3	6	12	14
20-34	136	1.4	1	< 1	< 1	1	2	2	3	4
35-49	292	1.6	3	< 1	< 1	1	1	3	5	9
50-64	230	1.8	4	< 1	< 1	1	2	3	5	12
65 +	238	2.1	11	< 1	< 1	1	2	4	6	16
GRAND TOTAL	**918**	**1.8**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**12**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	144	5.0	39	1	2	3	7	10	14	38
20-34	135	4.4	17	1	2	3	5	11	13	20
35-49	175	3.8	14	< 1	1	3	5	9	12	20
50-64	100	4.3	14	1	1	3	6	10	13	16
65 +	74	3.6	13	1	1	2	5	8	11	20
B. Operated										
0-19 YRS	122	4.9	27	1	1	3	6	13	17	24
20-34	457	3.0	12	1	1	2	3	6	8	18
35-49	575	2.7	7	1	1	2	3	5	7	17
50-64	335	2.7	16	< 1	1	2	3	6	7	15
65 +	158	2.7	9	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	8.6	136	1	2	5	12	19	37	96
20-34	222	6.1	47	1	3	4	7	11	19	36
35-49	348	5.6	36	1	2	4	6	12	17	30
50-64	489	6.1	56	1	2	4	7	14	19	50
65 +	878	6.9	37	2	3	5	9	14	19	33
B. Operated										
0-19 YRS	182	7.0	138	1	2	3	7	20	45	99 +
20-34	447	5.2	65	1	2	3	5	9	16	47
35-49	713	5.3	49	1	2	3	6	12	18	44
50-64	572	6.2	80	1	1	3	7	15	23	68
65 +	704	8.6	135	1	2	4	10	20	31	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	628	4.3	21	1	1	3	5	10	13	19
B. Operated	1647	3.0	12	1	1	2	3	6	8	18
2. MULTIPLE DX										
A. Not Operated	2105	6.6	50	1	2	4	8	14	19	37
B. Operated	2618	6.5	90	1	2	3	7	15	23	69
1. SINGLE DX	2275	3.3	15	1	1	2	4	7	10	18
2. MULTIPLE DX	4723	6.5	72	1	2	4	8	15	21	52
A. Not Operated	2733	6.0	44	1	2	4	7	13	17	36
B. Operated	4265	5.1	63	1	1	3	5	12	18	48
TOTAL										
0-19 YRS	616	6.6	94	1	2	3	7	16	22	99 +
20-34	1261	4.5	39	1	2	3	5	9	14	32
35-49	1811	4.4	31	1	1	3	5	10	15	27
50-64	1496	5.3	55	1	1	3	6	12	17	50
65 +	1814	7.1	75	1	2	4	8	16	22	44
GRAND TOTAL	**6998**	**5.5**	**56**	**1**	**2**	**3**	**6**	**12**	**18**	**43**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	4	< 1	< 1	2	4	5	5	5
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	6	1.5		< 1	1	1	2	2	2	2
65 +	6	3.3	11	1	2	2	3	9	10	10
B. Operated										
0-19 YRS	114	1.7	1	1	1	2	2	3	3	5
20-34	211	1.9	1	1	1	2	2	3	4	6
35-49	293	1.8	1	1	1	2	2	3	4	6
50-64	518	1.8	1	1	1	2	2	3	4	5
65 +	567	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	16	< 1	1	2	5	10	11	11
20-34	9	1.6	1	< 1	1	1	2	4	4	4
35-49	9	2.4	8	< 1	< 1	1	3	8	8	8
50-64	9	1.2		< 1	< 1	1	1	2	3	3
65 +	21	2.4	6	< 1	< 1	1	3	5	8	11
B. Operated										
0-19 YRS	188	2.3	13	1	1	2	2	4	5	12
20-34	318	2.3	3	1	1	2	3	4	6	9
35-49	484	2.2	2	1	1	2	3	4	5	7
50-64	1036	2.4	3	1	1	2	3	4	5	10
65 +	1652	2.6	4	1	1	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.2	5	< 1	< 1	2	2	4	8	10
B. Operated	1703	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	54	2.2	6	< 1	< 1	1	2	5	8	11
B. Operated	3678	2.4	4	1	1	2	3	4	5	10
1. SINGLE DX	1722	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	3732	2.4	4	1	1	2	3	4	5	10
A. Not Operated	73	2.2	5	< 1	< 1	1	2	5	8	11
B. Operated	5381	2.3	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	312	2.1	8	1	1	2	2	4	5	9
20-34	541	2.1	2	1	1	2	2	4	5	9
35-49	786	2.1	2	1	1	2	2	4	4	7
50-64	1569	2.2	2	1	1	2	3	4	5	8
65 +	2246	2.4	3	1	1	2	3	4	5	10
GRAND TOTAL	**5454**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.7		1	1	2	2	2	2	2
50-64	7	1.7	1	1	1	1	2	4	4	4
65 +	17	1.4	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	16	1.7	2	< 1	< 1	< 1	2	5	5	5
20-34	8	2.5	3	1	1	2	3	5	6	6
35-49	31	2.8	5	< 1	1	3	4	5	7	10
50-64	68	1.9	1	< 1	1	2	3	3	4	5
65 +	129	1.8	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.7	1	< 1	< 1	1	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	1.7	3	1	1	1	1	5	5	5
50-64	9	2.3	1	1	2	2	3	4	4	4
65 +	54	2.9	6	1	1	2	4	7	9	11
B. Operated										
0-19 YRS	16	1.9	1	1	1	2	2	4	4	4
20-34	23	3.0	6	1	1	3	4	5	8	12
35-49	46	3.1	6	1	1	3	4	7	9	10
50-64	140	3.2	9	1	2	2	3	7	8	14
65 +	450	3.0	6	1	1	3	4	5	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.4		< 1	< 1	1	2	2	3	4
B. Operated	252	2.0	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	78	2.6	5	1	1	2	3	5	8	11
B. Operated	675	3.0	7	1	1	2	4	5	8	12
1. SINGLE DX	295	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX	753	3.0	6	1	1	2	4	5	8	12
A. Not Operated	121	2.2	4	< 1	1	1	3	4	6	10
B. Operated	927	2.7	6	1	1	2	3	5	7	12
TOTAL										
0-19 YRS	53	1.6	1	< 1	< 1	1	2	3	4	5
20-34	35	2.7	5	1	1	2	4	5	6	12
35-49	86	2.9	5	1	1	2	4	6	8	10
50-64	224	2.7	6	1	1	2	3	5	7	12
65 +	650	2.7	5	1	1	2	3	5	7	12
GRAND TOTAL	**1048**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	4	1.8		1	1	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	5	2.0	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	19	1.4	1	< 1	< 1	< 1	1	2	4	6
20-34	12	1.5		1	1	1	2	2	2	2
35-49	21	1.9	2	< 1	1	1	2	4	5	5
50-64	45	2.0	2	< 1	1	2	3	4	4	7
65 +	65	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.2	3	< 1	< 1	1	3	5	5	5
20-34	7	2.4	2	1	2	2	3	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	11	2.6	3	1	1	2	4	5	6	6
65 +	24	3.5	9	1	2	3	4	7	10	15
B. Operated										
0-19 YRS	24	2.7	6	1	1	2	4	6	9	11
20-34	37	3.9	15	1	2	2	4	10	14	16
35-49	43	3.4	7	1	2	3	4	7	9	13
50-64	99	3.3	9	1	1	3	4	6	9	17
65 +	245	3.1	8	1	1	2	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.4		< 1	< 1	< 1	2	2	3	3
B. Operated	162	2.1	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	49	3.0	5	1	2	2	4	5	7	15
B. Operated	448	3.2	9	1	1	2	4	6	10	15
1. SINGLE DX	190	2.0	2	< 1	1	1	3	4	5	8
2. MULTIPLE DX	497	3.2	8	1	1	2	4	6	10	15
A. Not Operated	77	2.4	4	< 1	1	2	3	5	6	13
B. Operated	610	2.9	7	1	1	2	4	6	8	14
TOTAL										
0-19 YRS	66	1.8	3	< 1	< 1	1	2	4	6	11
20-34	60	3.1	10	1	1	2	3	7	11	16
35-49	66	2.9	6	1	1	2	4	5	8	13
50-64	156	2.9	6	1	1	2	4	6	8	15
65 +	339	3.0	7	1	1	2	4	6	8	13
GRAND TOTAL	**687**	**2.9**	**7**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	4	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	60	1.1		< 1	< 1	1	1	1	2	3
20-34	12	1.1		< 1	< 1	< 1	1	2	2	2
35-49	30	1.3		< 1	< 1	< 1	1	2	3	4
50-64	121	1.0		< 1	< 1	< 1	< 1	1	1	3
65 +	694	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.2	13	< 1	1	4	7	9	9	9
20-34	4	2.3	2	< 1	< 1	2	3	4	4	4
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	34	1.8	2	< 1	< 1	1	2	4	5	7
B. Operated										
0-19 YRS	52	1.8	4	< 1	1	1	2	3	4	14
20-34	35	1.8	2	< 1	1	1	2	3	3	8
35-49	58	2.9	14	< 1	1	2	3	6	13	20
50-64	224	2.3	8	< 1	< 1	1	2	5	8	15
65 +	1522	1.8	5	< 1	< 1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	2	1	1	1	2	4	4	4
B. Operated	917	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	49	2.1	3	< 1	< 1	1	2	5	7	9
B. Operated	1891	1.9	5	< 1	< 1	1	2	3	5	11
1. SINGLE DX	922	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	1940	1.9	5	< 1	< 1	1	2	3	5	10
A. Not Operated	54	2.1	3	< 1	< 1	1	2	4	7	9
B. Operated	2808	1.6	4	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	118	1.5	3	< 1	< 1	1	1	3	4	11
20-34	51	1.6	1	< 1	< 1	1	2	3	3	8
35-49	91	2.3	10	< 1	< 1	1	2	4	7	18
50-64	348	1.8	6	< 1	< 1	1	2	3	6	11
65 +	2254	1.6	3	< 1	< 1	1	2	2	4	8
GRAND TOTAL	**2862**	**1.6**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**9**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.2	2	1	1	1	3	4	5	5
20-34	7	2.6	2	1	1	2	4	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	5	2.6	2	1	2	2	3	5	5	5
65 +	3	3.7		3	3	4	4	4	4	4
B. Operated										
0-19 YRS	602	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	30	1.3	1	< 1	< 1	1	1	2	5	5
35-49	20	1.4		< 1	< 1	1	2	3	3	3
50-64	9	3.1	18	< 1	< 1	1	3	11	11	11
65 +	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	3.6	14	1	1	3	4	6	11	20
20-34	11	3.8	4	1	2	3	5	7	8	8
35-49	15	4.1	7	2	2	3	6	9	9	9
50-64	50	4.4	9	1	3	3	5	8	9	15
65 +	58	4.6	15	2	2	3	5	9	12	23
B. Operated										
0-19 YRS	323	1.1		< 1	< 1	< 1	1	1	2	3
20-34	23	1.6	3	< 1	< 1	1	1	4	6	7
35-49	22	2.5	5	< 1	< 1	1	3	7	7	7
50-64	28	4.4	17	< 1	1	3	7	10	12	16
65 +	35	4.5	25	1	1	2	6	13	16	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.6	2	1	1	2	4	4	5	7
B. Operated	667	1.1	1	< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	168	4.2	11	1	2	3	5	8	10	19
B. Operated	431	1.7	5	< 1	< 1	< 1	1	3	7	13
1. SINGLE DX	701	1.2	1	< 1	< 1	< 1	< 1	1	2	5
2. MULTIPLE DX	599	2.4	8	< 1	< 1	1	3	6	8	15
A. Not Operated	202	3.9	10	1	2	3	5	7	10	18
B. Operated	1098	1.3	2	< 1	< 1	< 1	1	1	3	9
TOTAL										
0-19 YRS	976	1.2	1	< 1	< 1	< 1	1	1	2	5
20-34	71	1.9	3	< 1	< 1	1	2	5	6	8
35-49	59	2.6	5	< 1	< 1	2	3	7	7	9
50-64	92	4.1	12	1	1	3	6	9	11	16
65 +	102	4.3	17	1	2	3	5	9	13	22
GRAND TOTAL	**1300**	**1.7**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**6**	**12**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	223	2.5	3	< 1	< 1	2	3	5	6	8
20-34	47	4.2	9	1	2	3	6	9	10	13
35-49	18	3.9	6	1	2	3	5	8	9	9
50-64	16	3.8	8	1	2	2	6	8	9	10
65 +	21	4.6	9	2	3	4	5	9	12	13
B. Operated										
0-19 YRS	156	1.6	5	< 1	< 1	< 1	1	3	5	14
20-34	90	2.1	12	1	1	1	2	4	5	23
35-49	107	2.1	5	1	1	1	2	4	6	14
50-64	81	2.1	26	< 1	1	1	1	3	7	34
65 +	166	1.7	3	< 1	1	1	2	3	4	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	370	3.3	4	1	2	3	4	6	7	12
20-34	56	4.7	30	1	2	3	6	7	11	38
35-49	65	5.4	16	1	3	4	6	12	13	20
50-64	50	5.7	32	1	3	4	6	11	14	35
65 +	136	5.7	14	2	3	5	7	11	13	32
B. Operated										
0-19 YRS	149	2.6	11	< 1	1	1	3	5	9	17
20-34	108	3.6	21	1	1	2	4	10	11	26
35-49	139	2.6	7	1	1	2	3	7	8	12
50-64	261	2.5	13	1	1	1	3	5	8	18
65 +	904	2.6	7	1	1	2	3	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	3.0	5	< 1	1	2	4	6	8	11
B. Operated	600	1.9	8	< 1	1	1	2	3	5	13
2. MULTIPLE DX										
A. Not Operated	677	4.3	13	1	2	3	5	8	11	18
B. Operated	1561	2.6	9	1	1	2	3	5	8	15
1. SINGLE DX	925	2.3	7	< 1	1	1	3	4	7	12
2. MULTIPLE DX	2238	3.1	11	1	1	2	4	6	9	16
A. Not Operated	1002	3.9	11	1	2	3	5	7	10	15
B. Operated	2161	2.4	9	< 1	1	2	2	5	8	15
TOTAL										
0-19 YRS	898	2.7	5	< 1	1	2	3	5	7	12
20-34	301	3.5	19	1	1	2	4	8	10	26
35-49	329	3.1	9	1	1	2	4	7	10	14
50-64	408	2.9	19	1	1	1	3	6	9	25
65 +	1227	2.8	9	1	1	2	3	6	9	15
GRAND TOTAL	**3163**	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**9**	**15**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	810	2.9	2	1	2	3	3	5	6	8
20-34	81	3.7	6	1	2	3	4	7	8	14
35-49	53	3.6	10	1	2	3	4	6	10	19
50-64	24	3.8	3	1	2	4	5	6	7	7
65 +	21	3.2	3	1	2	2	5	6	7	7
B. Operated										
0-19 YRS	140	2.1	3	1	1	1	2	5	6	8
20-34	48	2.3	4	1	1	2	3	5	5	11
35-49	50	1.8	1	1	1	1	2	3	4	7
50-64	80	2.2	5	1	1	1	2	5	7	13
65 +	194	2.0	5	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1446	3.8	6	2	2	3	5	7	9	13
20-34	178	4.7	15	2	2	4	6	8	15	20
35-49	156	4.9	26	1	2	3	6	10	15	31
50-64	133	5.0	17	1	2	4	6	10	13	21
65 +	256	4.8	14	1	2	4	6	9	11	21
B. Operated										
0-19 YRS	326	5.7	47	1	1	4	8	13	16	61
20-34	287	4.2	33	1	1	2	5	10	14	23
35-49	303	5.0	75	1	1	2	4	12	18	53
50-64	503	3.1	18	1	1	2	3	6	9	23
65 +	944	3.0	11	1	1	2	3	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	989	3.0	3	1	2	3	4	5	6	9
B. Operated	512	2.1	4	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	2169	4.1	10	2	2	3	5	8	10	17
B. Operated	2363	3.8	29	1	1	2	4	9	13	27
1. SINGLE DX	1501	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	4532	4.0	20	1	2	3	5	8	11	21
A. Not Operated	3158	3.8	8	1	2	3	4	7	9	15
B. Operated	2875	3.5	25	1	1	2	4	8	11	25
TOTAL										
0-19 YRS	2722	3.7	11	1	2	3	4	7	9	15
20-34	594	4.1	22	1	2	3	5	9	13	20
35-49	562	4.5	49	1	1	2	4	10	15	34
50-64	740	3.4	17	1	1	2	4	7	10	22
65 +	1415	3.2	11	1	1	2	4	7	9	17
GRAND TOTAL	**6033**	**3.7**	**16**	**1**	**2**	**3**	**4**	**7**	**10**	**20**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.8	1	1	1	2	2	3	4	4
20-34	10	1.9	1	< 1	1	2	2	3	3	3
35-49	6	2.5	1	1	2	2	3	4	4	4
50-64	8	3.4	6	1	2	3	5	7	8	8
65 +	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	11	1.2		< 1	< 1	1	1	2	3	3
20-34	6	2.7	5	1	1	2	5	6	6	6
35-49	7	1.9	1	1	1	1	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65 +	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.7	14	1	1	2	3	4	6	22
20-34	35	4.2	39	1	1	2	4	9	17	34
35-49	43	3.1	4	1	2	3	4	6	7	9
50-64	57	3.8	11	1	1	3	5	9	12	14
65 +	72	5.0	22	2	2	3	6	10	12	29
B. Operated										
0-19 YRS	21	1.9	3	< 1	< 1	1	2	4	6	8
20-34	28	2.4	3	1	1	2	3	5	6	8
35-49	23	3.6	17	1	1	2	5	7	12	20
50-64	28	4.8	42	1	1	3	5	11	23	28
65 +	44	3.5	13	1	1	2	5	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.2	2	1	1	2	3	4	5	8
B. Operated	32	1.8	2	< 1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	240	3.9	18	1	2	3	5	8	11	23
B. Operated	144	3.3	16	1	1	2	4	7	10	23
1. SINGLE DX	73	2.0	2	1	1	2	2	3	5	8
2. MULTIPLE DX	384	3.7	18	1	1	2	4	7	11	23
A. Not Operated	281	3.7	16	1	2	2	4	7	11	21
B. Operated	176	3.0	14	1	1	2	3	7	9	22
TOTAL										
0-19 YRS	79	2.1	7	< 1	1	1	2	4	5	18
20-34	79	3.1	20	1	1	2	4	6	9	30
35-49	79	3.1	7	1	1	2	4	6	7	17
50-64	96	4.0	19	1	1	2	5	8	13	26
65 +	124	4.3	18	1	2	3	6	10	11	23
GRAND TOTAL	**457**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	716	2.7	2	1	2	2	3	4	5	9
20-34	9	1.9	1	1	1	2	2	4	4	4
35-49	4	2.5	1	1	2	3	3	3	3	3
50-64	3	5.0	4	3	3	5	6	7	7	7
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2163	1.1	1	< 1	< 1	< 1	< 1	1	1	6
20-34	93	1.2	1	< 1	1	1	1	2	2	7
35-49	76	1.1	1	1	1	1	1	1	1	7
50-64	82	1.0		1	1	1	1	1	2	2
65 +	42	1.0		< 1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2731	2.9	4	1	2	2	3	5	6	10
20-34	45	3.7	6	1	2	3	4	7	9	12
35-49	39	4.2	11	< 1	2	3	5	9	10	17
50-64	37	4.7	5	2	3	4	6	9	9	10
65 +	35	4.6	16	1	2	4	6	9	10	22
B. Operated										
0-19 YRS	1992	1.9	7	< 1	1	1	1	4	6	14
20-34	171	1.6	5	< 1	1	1	1	3	5	16
35-49	166	1.5	3	1	1	1	1	2	5	10
50-64	137	1.7	5	1	1	1	1	3	6	12
65 +	126	2.3	24	1	1	1	2	3	7	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	733	2.7	2	1	2	2	3	4	5	9
B. Operated	2456	1.1	1	< 1	< 1	< 1	< 1	1	1	6
2. MULTIPLE DX										
A. Not Operated	2887	2.9	4	1	2	3	3	5	7	11
B. Operated	2592	1.8	8	< 1	1	1	1	4	6	14
1. SINGLE DX	3189	1.5	1	< 1	< 1	< 1	1	3	4	7
2. MULTIPLE DX	5479	2.4	6	< 1	1	2	3	5	6	12
A. Not Operated	3620	2.9	4	1	2	3	3	5	6	10
B. Operated	5048	1.5	4	< 1	< 1	1	1	2	4	10
TOTAL										
0-19 YRS	7602	2.1	4	< 1	< 1	1	3	4	5	10
20-34	318	1.8	5	< 1	1	1	2	4	5	11
35-49	285	1.8	4	1	1	1	1	4	7	10
50-64	259	2.0	5	1	1	1	2	5	7	10
65 +	204	2.5	19	1	1	1	2	6	7	24
GRAND TOTAL	**8668**	**2.1**	**5**	**< 1**	**< 1**	**1**	**3**	**4**	**6**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	269	3.0	3	1	2	3	4	5	7	10
20-34	76	4.0	9	2	2	3	5	6	8	19
35-49	34	3.7	3	2	3	3	4	7	8	8
50-64	26	4.2	10	2	2	4	5	6	11	16
65 +	8	4.8	2	3	4	5	6	7	7	7
B. Operated										
0-19 YRS	383	1.9	6	< 1	< 1	< 1	1	4	6	14
20-34	40	3.3	10	1	1	2	4	8	10	13
35-49	33	1.9	4	1	1	1	2	4	8	9
50-64	24	2.8	11	< 1	1	1	3	8	11	13
65 +	15	3.8	14	1	1	2	5	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	761	3.9	12	1	2	3	4	8	10	17
20-34	125	5.1	25	2	3	4	5	10	13	29
35-49	111	4.1	6	2	3	4	5	6	7	16
50-64	91	5.8	29	2	3	4	6	9	20	31
65 +	112	7.0	31	3	4	5	8	13	16	35
B. Operated										
0-19 YRS	483	4.0	23	1	1	2	5	10	13	23
20-34	109	3.9	20	1	1	2	5	10	13	23
35-49	110	3.7	35	1	1	2	4	8	15	32
50-64	94	5.4	65	1	1	2	6	14	18	46
65 +	96	7.4	97	1	1	4	10	17	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	413	3.4	5	1	2	3	4	6	7	11
B. Operated	495	2.1	7	< 1	< 1	1	2	5	8	14
2. MULTIPLE DX										
A. Not Operated	1200	4.5	17	2	2	3	5	8	11	21
B. Operated	892	4.5	38	1	1	2	5	11	15	30
1. SINGLE DX	908	2.7	6	< 1	1	2	3	6	7	13
2. MULTIPLE DX	2092	4.5	26	1	2	3	5	9	13	26
A. Not Operated	1613	4.2	14	2	2	3	5	8	10	20
B. Operated	1387	3.6	28	< 1	1	1	4	9	13	26
TOTAL										
0-19 YRS	1896	3.4	13	< 1	1	2	4	7	10	19
20-34	350	4.3	18	1	2	3	5	9	12	26
35-49	288	3.6	17	1	1	3	4	7	9	20
50-64	235	5.2	40	1	2	3	6	10	17	33
65 +	231	6.9	57	1	3	5	8	15	19	48
GRAND TOTAL	**3000**	**3.9**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.6	8	1	1	2	2	8	10	10
20-34	76	2.4	2	1	1	2	3	5	6	7
35-49	165	2.3	2	1	1	2	3	4	5	8
50-64	215	2.2	2	1	1	2	3	4	5	8
65 +	194	2.4	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	24	1.2		< 1	1	1	1	2	2	3
20-34	53	1.8	2	1	1	1	2	5	5	7
35-49	90	2.3	4	1	1	1	3	5	6	10
50-64	60	2.2	4	1	1	1	3	5	7	12
65 +	33	2.2	3	1	1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.6	2	1	1	2	3	5	6	7
20-34	160	2.8	4	1	1	2	4	5	7	10
35-49	401	3.2	6	1	2	2	4	6	8	11
50-64	934	3.1	5	1	2	3	4	6	7	12
65 +	2318	3.8	10	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	31	1.4	1	< 1	< 1	1	1	2	3	5
20-34	49	2.6	4	1	1	2	3	6	7	10
35-49	102	3.3	7	1	1	2	5	7	8	13
50-64	98	3.4	8	1	1	2	5	8	10	13
65 +	174	6.1	32	1	2	5	8	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	667	2.3	2	1	1	2	3	4	5	8
B. Operated	260	2.1	3	1	1	1	2	5	6	8
2. MULTIPLE DX										
A. Not Operated	3855	3.5	8	1	2	3	4	6	8	13
B. Operated	454	4.2	19	1	1	3	6	9	13	23
1. SINGLE DX	927	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	4309	3.6	9	1	2	3	4	7	9	15
A. Not Operated	4522	3.3	7	1	2	3	4	6	8	12
B. Operated	714	3.4	14	1	1	2	5	7	10	19
TOTAL										
0-19 YRS	114	2.0	3	< 1	1	1	2	4	5	10
20-34	338	2.5	3	1	1	2	3	5	6	9
35-49	758	2.9	5	1	1	2	4	6	7	11
50-64	1307	3.0	5	1	1	2	4	6	7	12
65 +	2719	3.8	11	1	2	3	5	7	9	16
GRAND TOTAL	**5236**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	13	1.0		1	1	1	1	1	1	1
20-34	103	1.1		1	1	1	1	2	2	3
35-49	186	1.1		1	1	1	1	1	2	3
50-64	118	1.1		1	1	1	1	2	2	3
65 +	52	1.3	1	1	1	1	2	2	2	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	2	5.0	32	< 1	< 1	4	9	9	9	9
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	10	1.2		< 1	1	1	1	2	2	2
20-34	36	1.2		1	1	1	1	2	2	2
35-49	115	1.1		1	1	1	1	2	2	3
50-64	79	1.3		1	1	1	1	2	2	4
65 +	60	1.3	1	1	1	1	1	2	2	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.3		1	1	1	2	2	2	2
B. Operated	472	1.1		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	10	1.8	6	< 1	< 1	1	1	5	9	9
B. Operated	300	1.2		1	1	1	1	2	2	3
1. SINGLE DX	479	1.1		1	1	1	1	2	2	3
2. MULTIPLE DX	310	1.2		1	1	1	1	2	2	4
A. Not Operated	17	1.6	4	< 1	1	1	1	2	7	9
B. Operated	772	1.2		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	25	1.1		< 1	1	1	1	1	2	2
20-34	143	1.1		1	1	1	1	2	2	3
35-49	305	1.1		1	1	1	1	2	2	3
50-64	201	1.2	1	1	1	1	1	2	2	4
65 +	115	1.3	1	1	1	1	1	2	2	5
GRAND TOTAL	**789**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.5	5	< 1	< 1	1	4	6	7	8
20-34	19	2.7	3	< 1	1	2	4	5	6	6
35-49	21	3.7	3	2	3	3	4	7	8	8
50-64	15	3.4	3	1	2	4	4	5	6	7
65 +	14	3.1	3	1	1	3	4	5	6	7
B. Operated										
0-19 YRS	713	1.2	1	< 1	1	1	1	1	2	5
20-34	173	1.2		< 1	1	1	1	2	2	4
35-49	157	1.3	1	1	1	1	1	2	3	7
50-64	86	1.2	1	1	1	1	1	2	3	5
65 +	50	1.5	2	< 1	1	1	2	3	3	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	3.8	8	1	1	3	6	7	8	14
20-34	29	3.1	6	1	1	3	4	7	8	11
35-49	27	4.3	9	1	2	3	6	9	10	10
50-64	32	3.8	8	1	2	3	4	7	11	13
65 +	54	6.2	51	1	2	4	7	12	14	42
B. Operated										
0-19 YRS	824	1.4	2	< 1	1	1	1	2	3	11
20-34	289	1.9	15	1	1	1	1	2	6	19
35-49	238	1.6	5	1	1	1	1	2	4	17
50-64	232	1.8	4	1	1	1	2	3	5	12
65 +	145	1.9	4	1	1	1	2	3	6	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	3.0	4	< 1	1	3	4	6	7	8
B. Operated	1179	1.2	1	< 1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	219	4.3	19	1	2	3	6	8	11	21
B. Operated	1728	1.6	5	1	1	1	1	2	5	12
1. SINGLE DX	1288	1.4	1	< 1	1	1	1	2	4	7
2. MULTIPLE DX	1947	1.9	8	1	1	1	2	4	7	13
A. Not Operated	328	3.9	15	1	1	3	5	7	10	14
B. Operated	2907	1.5	4	< 1	1	1	1	2	3	10
TOTAL										
0-19 YRS	1654	1.4	2	< 1	1	1	1	2	4	9
20-34	510	1.8	9	1	1	1	1	3	5	13
35-49	443	1.8	5	1	1	1	1	3	6	10
50-64	365	1.9	4	1	1	1	2	4	5	12
65 +	263	2.7	16	1	1	1	3	6	9	14
GRAND TOTAL	**3235**	**1.7**	**5**	**< 1**	**1**	**1**	**1**	**3**	**5**	**11**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	4.1	7	1	2	3	5	8	10	13
20-34	14	5.7	4	3	5	6	7	8	8	8
35-49	4	6.0	7	4	4	5	8	10	10	10
50-64	0									
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	16.5	365	3	3	16	30	30	30	30
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	7.1	69	2	3	5	8	14	18	53
20-34	27	6.0	21	2	3	5	7	10	15	24
35-49	17	6.5	23	1	3	4	12	14	14	14
50-64	20	5.2	7	2	3	5	7	9	10	11
65+	21	7.0	21	2	4	6	10	13	17	17
B. Operated										
0-19 YRS	7	14.6	156	2	5	10	23	34	36	36
20-34	6	17.3	108	6	11	16	19	34	36	36
35-49	13	16.3	177	3	7	11	25	33	44	47
50-64	15	15.1	330	3	5	9	13	55	58	59
65+	15	13.1	552	5	7	9	20	44	82	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	4.5	7	1	2	4	6	8	10	13
B. Operated	2	16.5	365	3	3	16	30	30	30	30
2. MULTIPLE DX										
A. Not Operated	174	6.7	44	2	3	5	8	13	17	44
B. Operated	56	16.6	293	3	6	10	22	36	53	93
1. SINGLE DX	90	4.7	14	1	3	4	6	8	10	23
2. MULTIPLE DX	230	9.1	122	2	3	6	10	18	28	56
A. Not Operated	262	5.9	33	2	3	5	7	11	14	24
B. Operated	58	16.6	289	3	6	10	23	36	52	92
TOTAL										
0-19 YRS	165	6.2	51	2	2	4	7	12	18	49
20-34	47	7.4	39	2	4	6	8	13	20	36
35-49	36	10.5	107	2	4	7	13	28	30	47
50-64	35	9.5	165	3	3	6	9	14	48	59
65+	37	11.8	263	3	4	8	12	21	37	95
GRAND TOTAL	**320**	**7.9**	**95**	**2**	**3**	**5**	**9**	**15**	**24**	**55**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	7	3.4	5	< 1	1	4	5	7	7	7
65+	8	5.6	29	1	2	3	9	14	16	16
B. Operated										
0-19 YRS	12	2.5	7	< 1	1	1	4	7	8	8
20-34	21	4.1	39	< 1	1	1	6	11	20	26
35-49	43	4.7	23	1	1	2	8	12	13	21
50-64	44	4.2	30	1	1	1	7	10	11	31
65+	21	4.8	57	1	1	1	2	20	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	7	1	2	2	5	8	9	9
20-34	32	3.8	14	1	1	2	5	8	11	18
35-49	80	6.7	47	1	2	5	8	16	24	32
50-64	137	6.8	32	1	3	5	9	14	18	28
65+	379	7.2	44	2	3	5	9	14	18	37
B. Operated										
0-19 YRS	59	7.9	85	< 1	2	6	11	18	21	96
20-34	77	9.5	62	1	3	8	14	19	24	40
35-49	314	8.9	61	1	3	8	12	18	24	45
50-64	623	10.5	82	1	5	9	13	21	26	45
65+	859	12.3	108	1	5	10	16	24	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.2	14	1	1	3	6	9	13	16
B. Operated	141	4.3	31	1	1	1	7	11	16	26
2. MULTIPLE DX										
A. Not Operated	639	6.8	40	2	3	5	9	14	18	32
B. Operated	1932	10.9	91	1	4	9	14	22	29	49
1. SINGLE DX	164	4.3	28	1	1	1	7	11	16	25
2. MULTIPLE DX	2571	9.9	82	1	3	8	13	20	27	47
A. Not Operated	662	6.7	39	2	3	5	8	14	18	32
B. Operated	2073	10.5	90	1	3	9	14	22	28	48
TOTAL										
0-19 YRS	86	6.3	65	< 1	1	4	9	15	20	86
20-34	131	7.2	53	1	1	6	10	17	20	37
35-49	440	8.1	56	1	2	7	11	17	23	41
50-64	811	9.5	73	1	3	8	12	19	25	42
65+	1267	10.6	94	1	4	9	14	22	28	50
GRAND TOTAL	**2735**	**9.6**	**80**	**1**	**3**	**8**	**13**	**20**	**26**	**46**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	3.5	8	1	1	3	4	7	11	12
20-34	56	2.8	2	1	2	3	4	5	5	6
35-49	178	2.8	3	1	2	2	4	5	6	8
50-64	194	2.8	3	1	2	2	3	5	6	9
65 +	139	3.0	6	1	2	2	4	6	7	15
B. Operated										
0-19 YRS	25	1.5	1	1	1	1	2	3	4	4
20-34	10	2.2	4	1	1	2	3	5	7	7
35-49	32	3.8	13	1	1	3	5	9	13	15
50-64	35	3.1	7	1	1	2	4	6	8	13
65 +	18	1.9	3	< 1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	148	4.2	12	1	2	3	5	8	11	19
20-34	312	3.6	6	1	2	3	4	7	8	12
35-49	1269	3.9	15	1	2	3	5	7	9	17
50-64	1745	4.0	10	1	2	3	5	8	10	16
65 +	2255	4.4	13	2	2	4	5	8	11	18
B. Operated										
0-19 YRS	44	4.6	31	1	1	2	6	12	15	30
20-34	66	6.6	50	2	3	5	8	12	15	47
35-49	226	5.8	42	1	2	4	7	12	16	39
50-64	368	6.4	47	1	2	5	8	13	18	34
65 +	426	6.5	50	1	2	5	8	13	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	604	2.9	4	1	2	2	4	5	6	10
B. Operated	121	2.7	7	1	1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	5729	4.1	12	1	2	3	5	8	10	17
B. Operated	1130	6.2	47	1	2	4	7	13	17	34
1. SINGLE DX	725	2.9	4	1	1	2	4	5	7	12
2. MULTIPLE DX	6859	4.5	19	1	2	3	5	8	11	21
A. Not Operated	6333	4.0	12	1	2	3	5	7	10	16
B. Operated	1251	5.9	44	1	2	4	7	12	17	32
TOTAL										
0-19 YRS	254	3.9	14	1	1	3	5	8	12	19
20-34	444	3.9	13	1	2	3	5	7	9	14
35-49	1705	4.1	18	1	2	3	5	7	10	19
50-64	2343	4.3	16	1	2	3	5	8	11	20
65 +	2838	4.7	19	1	2	4	6	9	12	22
GRAND TOTAL	**7584**	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	44	3.8	5	2	2	3	5	6	7	12
50-64	57	4.0	7	1	2	4	5	6	9	16
65 +	103	4.8	20	2	2	4	5	8	13	29
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	15	3.0	3	1	1	3	4	6	7	7
50-64	23	2.5	3	1	1	2	3	5	6	7
65 +	16	3.3	19	1	1	2	3	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	6.0	15	2	3	5	8	11	15	16
20-34	46	4.6	9	2	3	3	6	9	11	15
35-49	391	5.0	16	2	3	4	6	9	11	16
50-64	1186	5.9	20	2	3	5	7	11	14	21
65 +	4436	7.2	34	3	4	6	9	13	17	29
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	5.7	29	1	2	4	8	14	17	18
35-49	113	6.4	66	1	2	4	8	13	16	45
50-64	344	8.7	75	1	4	6	11	19	24	56
65 +	754	11.2	85	2	5	9	15	22	28	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	4.4	13	2	2	4	5	7	10	19
B. Operated	56	2.8	8	1	1	2	3	6	7	16
2. MULTIPLE DX										
A. Not Operated	6074	6.8	31	2	4	5	8	12	16	27
B. Operated	1226	10.0	83	2	4	8	13	21	26	47
1. SINGLE DX	264	4.0	12	1	2	3	5	7	9	16
2. MULTIPLE DX	7300	7.3	41	2	4	6	9	14	18	33
A. Not Operated	6282	6.7	30	2	4	5	8	12	16	27
B. Operated	1282	9.7	81	1	4	7	13	20	25	46
TOTAL										
0-19 YRS	16	5.9	14	2	3	5	8	11	14	16
20-34	66	4.7	13	2	2	3	6	9	13	18
35-49	563	5.1	25	2	2	4	6	9	12	24
50-64	1610	6.4	33	2	3	5	8	12	16	28
65 +	5309	7.7	43	3	4	6	9	14	19	34
GRAND TOTAL	**7564**	**7.2**	**40**	**2**	**4**	**6**	**9**	**14**	**18**	**32**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.5	2	1	2	2	3	5	5	5
20-34	10	3.6	7	1	2	2	7	8	8	8
35-49	14	5.8	29	2	3	4	6	15	20	21
50-64	8	3.5	6	< 1	1	3	5	7	8	8
65 +	11	5.5	44	< 1	1	4	6	15	23	24
B. Operated										
0-19 YRS	13	5.5	22	1	1	5	10	12	13	13
20-34	34	4.6	15	1	1	3	8	9	11	18
35-49	81	4.9	22	1	1	3	7	12	13	21
50-64	52	3.5	8	1	1	3	5	8	10	12
65 +	42	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	4.7	25	1	2	3	5	11	18	25
20-34	108	4.1	11	1	2	3	5	7	10	18
35-49	151	6.1	29	1	2	5	8	12	18	28
50-64	232	6.3	32	2	3	5	8	13	15	31
65 +	428	7.8	36	2	4	6	10	15	19	32
B. Operated										
0-19 YRS	184	13.8	240	2	4	9	17	28	51	94
20-34	336	8.7	66	2	3	7	11	18	26	61
35-49	571	9.2	51	2	4	8	12	18	24	33
50-64	670	9.5	98	1	3	7	12	20	27	55
65 +	755	10.6	92	2	4	8	15	24	30	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	4.1	18	1	2	3	5	8	11	24
B. Operated	222	4.1	15	1	1	2	6	9	12	18
2. MULTIPLE DX										
A. Not Operated	1039	6.5	32	2	3	5	8	13	18	28
B. Operated	2516	10.0	93	2	3	8	13	22	28	61
1. SINGLE DX	282	4.1	15	1	1	3	6	9	12	20
2. MULTIPLE DX	3555	9.0	78	2	3	7	12	19	26	50
A. Not Operated	1099	6.3	31	2	3	5	8	13	18	28
B. Operated	2738	9.5	89	2	3	7	13	21	27	58
TOTAL										
0-19 YRS	334	9.7	163	1	2	5	13	22	29	74
20-34	488	7.3	53	1	2	6	9	15	22	39
35-49	817	8.1	46	2	3	7	11	17	23	32
50-64	962	8.4	80	1	3	6	11	18	25	46
65 +	1236	9.3	73	2	4	7	12	20	26	52
GRAND TOTAL	**3837**	**8.6**	**75**	**2**	**3**	**6**	**11**	**18**	**25**	**48**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	4	3.8	9	1	2	3	6	8	8	8
35-49	6	8.0	20	1	4	9	12	12	12	12
50-64	5	4.6	7	< 1	2	5	7	7	7	7
65 +	19	6.7	29	2	3	5	8	17	20	20
B. Operated										
0-19 YRS	10	3.6	10	1	2	2	5	9	11	11
20-34	3	6.7	66	1	1	3	13	16	16	16
35-49	20	3.4	11	1	1	2	4	7	11	14
50-64	12	2.8	5	1	1	2	4	6	8	8
65 +	11	2.3	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	5.0	23	1	2	4	7	9	12	27
20-34	31	5.1	10	1	3	4	8	10	12	12
35-49	79	5.9	19	2	3	4	7	11	16	22
50-64	259	7.4	45	2	4	6	10	14	18	33
65 +	850	8.9	52	3	4	7	11	18	22	41
B. Operated										
0-19 YRS	35	10.3	256	2	2	5	11	24	43	85
20-34	57	7.6	38	2	4	6	9	16	25	94
35-49	130	9.2	66	2	4	8	12	17	25	60
50-64	285	11.5	153	1	4	9	14	26	35	65
65 +	527	13.6	153	2	5	10	18	31	39	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	5.8	22	1	3	4	8	12	17	20
B. Operated	56	3.2	10	1	1	2	4	7	10	16
2. MULTIPLE DX										
A. Not Operated	1255	8.2	48	2	4	6	11	16	21	36
B. Operated	1034	12.0	142	2	4	9	16	28	37	64
1. SINGLE DX	94	4.3	16	1	2	3	5	10	13	20
2. MULTIPLE DX	2289	9.9	94	2	4	7	12	21	29	56
A. Not Operated	1293	8.1	47	2	4	6	10	16	21	35
B. Operated	1090	11.6	139	2	4	8	15	26	37	64
TOTAL										
0-19 YRS	85	6.9	123	1	2	4	7	12	24	72
20-34	95	6.6	30	2	3	5	9	12	21	68
35-49	235	7.6	48	2	3	6	10	16	20	45
50-64	561	9.4	103	2	3	6	11	20	29	61
65 +	1407	10.6	95	3	4	8	13	22	30	55
GRAND TOTAL	**2383**	**9.7**	**92**	**2**	**4**	**7**	**12**	**20**	**28**	**55**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	19	5.8	16	1	2	5	8	12	14	15
35-49	287	5.7	8	1	4	6	8	9	10	13
50-64	566	6.1	7	2	4	6	8	9	10	13
65 +	522	6.6	9	3	5	7	8	10	11	15
B. Operated										
0-19 YRS	3	3.7	5	1	2	5	5	5	5	5
20-34	32	5.0	10	1	2	4	7	10	12	12
35-49	316	5.8	7	2	4	6	8	9	10	11
50-64	421	6.6	10	3	5	6	8	11	12	17
65 +	285	6.9	16	2	4	7	9	12	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.3	4	4	5	7	8	8	8	8
20-34	108	6.3	12	2	4	6	8	11	12	19
35-49	1641	6.6	11	3	5	7	8	10	12	16
50-64	5282	7.4	14	4	5	7	9	11	13	20
65 +	17069	8.9	27	4	6	8	10	14	17	30
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	257	7.9	22	4	5	7	10	12	15	27
35-49	3705	8.0	30	4	5	7	9	13	16	27
50-64	8498	9.3	42	4	6	8	11	16	20	35
65 +	9555	11.6	69	5	7	9	14	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1394	6.2	8	2	4	6	8	9	10	13
B. Operated	1057	6.4	11	2	4	6	8	10	12	17
2. MULTIPLE DX										
A. Not Operated	24103	8.4	23	4	6	8	10	13	16	27
B. Operated	22016	10.1	54	4	6	8	12	17	22	40
1. SINGLE DX	2451	6.3	9	2	4	6	8	10	11	15
2. MULTIPLE DX	46119	9.2	39	4	6	8	11	15	20	34
A. Not Operated	25497	8.3	23	4	6	7	10	13	16	27
B. Operated	23073	9.9	52	4	6	8	12	17	22	40
TOTAL										
0-19 YRS	7	5.1	5	2	4	5	7	8	8	8
20-34	416	7.1	19	3	5	7	9	12	14	26
35-49	5949	7.4	23	3	5	7	9	12	14	23
50-64	14767	8.4	31	4	6	7	10	14	17	29
65 +	27431	9.8	43	4	6	8	11	16	21	37
GRAND TOTAL	**48570**	**9.0**	**37**	**4**	**6**	**8**	**11**	**15**	**19**	**34**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	50	2.0	2	1	1	2	3	4	4	6
35-49	358	2.2	2	1	1	2	3	4	4	7
50-64	508	2.4	2	1	1	2	3	4	5	8
65 +	480	2.6	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	0									
20-34	5	3.6	7	1	2	2	6	7	7	7
35-49	89	2.2	4	1	1	1	3	4	5	13
50-64	199	2.3	4	1	1	2	3	4	6	11
65 +	153	2.6	6	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.0	18	1	2	3	9	10	10	10
20-34	172	2.9	4	1	2	2	4	6	7	9
35-49	1868	2.9	4	1	2	2	4	5	6	11
50-64	4993	3.2	9	1	2	3	4	6	7	11
65 +	10543	3.8	8	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	0									
20-34	58	3.6	9	1	1	2	5	8	10	13
35-49	1276	3.5	9	1	1	3	5	8	9	14
50-64	3487	4.0	17	1	1	3	5	9	11	18
65 +	3558	5.2	31	1	2	3	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1396	2.4	2	1	1	2	3	4	5	8
B. Operated	446	2.4	5	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	17581	3.5	8	1	2	3	4	6	8	13
B. Operated	8379	4.4	22	1	1	3	6	10	12	21
1. SINGLE DX	1842	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	25960	3.8	13	1	2	3	5	7	10	17
A. Not Operated	18977	3.4	8	1	2	3	4	6	8	13
B. Operated	8825	4.3	21	1	1	3	6	9	12	21
TOTAL										
0-19 YRS	5	5.0	18	1	2	3	9	10	10	10
20-34	285	2.9	5	1	1	2	4	6	7	12
35-49	3591	3.0	6	1	1	2	4	6	8	12
50-64	9187	3.4	11	1	2	3	4	7	9	14
65 +	14734	4.1	14	1	2	3	5	8	10	19
GRAND TOTAL	**27802**	**3.7**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	47	2.6	2	1	1	2	3	5	6	6
35-49	437	2.6	3	1	1	2	3	5	6	8
50-64	751	2.8	3	1	2	2	3	5	6	8
65 +	976	3.2	4	1	2	3	4	5	7	11
B. Operated										
0-19 YRS	0									
20-34	5	4.8	6	2	3	5	6	8	8	8
35-49	173	3.3	7	1	2	2	4	7	9	13
50-64	458	3.8	10	1	2	3	5	8	10	12
65 +	530	4.4	12	1	2	3	6	9	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	17	1	1	2	6	10	10	10
20-34	174	3.0	6	1	2	3	3	5	7	14
35-49	2825	3.4	5	1	2	3	4	6	7	12
50-64	8584	3.9	7	1	2	3	5	7	8	13
65 +	22863	4.7	13	2	3	4	6	8	10	18
B. Operated										
0-19 YRS	0									
20-34	106	5.2	17	2	2	4	7	9	11	24
35-49	3288	5.5	21	1	2	4	7	11	13	23
50-64	10529	6.4	32	1	3	5	9	12	16	25
65 +	14278	8.0	52	2	3	6	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2211	2.9	3	1	2	2	4	5	6	9
B. Operated	1166	4.0	10	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	34450	4.4	11	2	2	4	5	8	10	16
B. Operated	28201	7.1	42	2	3	6	9	14	18	32
1. SINGLE DX	3377	3.3	6	1	2	3	4	6	8	12
2. MULTIPLE DX	62651	5.6	27	2	3	4	7	11	14	25
A. Not Operated	36661	4.3	11	2	2	4	5	8	10	16
B. Operated	29367	7.0	41	2	3	5	9	14	18	31
TOTAL										
0-19 YRS	4	4.0	17	1	1	2	6	10	10	10
20-34	332	3.7	10	1	2	3	4	7	9	19
35-49	6723	4.4	14	1	2	3	6	9	11	19
50-64	20322	5.1	21	1	2	4	7	10	13	21
65 +	38647	5.9	30	2	3	4	7	11	15	28
GRAND TOTAL	**66028**	**5.5**	**26**	**2**	**2**	**4**	**7**	**11**	**14**	**25**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.4	3	1	1	2	4	5	5	5
35-49	30	2.6	4	1	1	2	4	5	7	8
50-64	54	2.6	6	1	1	2	3	5	9	12
65 +	34	4.7	43	1	1	2	5	15	22	26
B. Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	23	2.0	2	< 1	1	1	3	4	6	7
35-49	714	2.8	8	1	1	2	3	7	8	12
50-64	1665	2.9	14	1	1	2	3	8	9	14
65 +	1162	3.7	18	1	1	2	5	9	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.0	8	< 1	1	2	5	8	8	8
20-34	18	2.7	4	1	2	2	3	4	7	9
35-49	315	3.4	14	1	1	2	4	6	8	20
50-64	1069	3.6	10	1	2	3	4	7	9	16
65 +	1602	4.6	20	1	2	4	6	9	12	23
B. Operated										
0-19 YRS	30	5.0	38	1	1	2	8	16	26	99 +
20-34	154	5.0	22	1	2	3	7	10	15	23
35-49	4856	5.2	25	1	2	4	8	10	13	25
50-64	15652	6.0	34	1	2	5	9	12	15	26
65 +	16871	7.7	63	1	2	7	10	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	3.2	16	1	1	2	4	6	10	24
B. Operated	3567	3.1	14	1	1	2	3	8	10	15
2. MULTIPLE DX										
A. Not Operated	3010	4.1	16	1	2	3	5	8	10	19
B. Operated	37563	6.7	46	1	2	5	9	14	18	33
1. SINGLE DX	3693	3.1	14	1	1	2	3	8	10	16
2. MULTIPLE DX	40573	6.5	45	1	2	5	9	13	17	32
A. Not Operated	3136	4.1	16	1	2	3	5	8	10	19
B. Operated	41130	6.4	45	1	2	5	9	13	17	32
TOTAL										
0-19 YRS	40	4.5	31	1	1	2	6	14	21	99 +
20-34	202	4.4	19	1	1	3	6	9	13	22
35-49	5915	4.8	23	1	1	3	7	10	13	23
50-64	18440	5.6	32	1	1	4	8	12	15	25
65 +	19669	7.2	58	1	2	5	10	15	19	38
GRAND TOTAL	**44266**	**6.2**	**43**	**1**	**2**	**4**	**9**	**13**	**17**	**31**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.5	7	2	3	5	8	9	9	9
20-34	68	6.1	5	3	4	6	8	9	9	13
35-49	90	7.4	7	4	6	7	9	11	12	15
50-64	89	7.3	9	5	6	7	8	10	11	22
65 +	83	7.0	8	4	6	7	9	11	11	13
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	22	8.0	14	4	6	8	10	12	15	19
35-49	27	8.2	9	5	6	8	11	12	13	13
50-64	27	8.0	11	5	6	7	9	11	15	19
65 +	10	7.4	7	3	7	8	9	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	7.7	17	3	5	7	8	15	16	19
20-34	235	8.0	15	4	6	7	9	13	16	21
35-49	479	8.4	13	5	6	8	10	12	14	20
50-64	876	9.4	31	5	7	8	11	14	18	27
65 +	2471	10.0	30	6	7	9	12	15	19	31
B. Operated										
0-19 YRS	30	8.9	52	2	4	7	11	18	27	31
20-34	109	10.7	90	5	7	9	11	16	24	58
35-49	210	10.6	25	6	7	10	13	18	20	25
50-64	383	12.2	67	6	8	10	14	21	30	44
65 +	799	13.7	82	6	8	11	17	23	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	338	7.0	8	4	5	7	8	10	11	15
B. Operated	87	7.9	10	5	6	8	10	12	13	19
2. MULTIPLE DX										
A. Not Operated	4087	9.6	28	5	7	8	11	15	18	29
B. Operated	1531	12.6	72	6	8	10	15	21	29	50
1. SINGLE DX	425	7.2	8	4	6	7	9	11	12	16
2. MULTIPLE DX	5618	10.4	42	5	7	9	12	17	21	36
A. Not Operated	4425	9.4	27	5	7	8	11	14	18	28
B. Operated	1618	12.3	70	6	7	10	15	21	28	48
TOTAL										
0-19 YRS	65	7.9	32	2	5	7	9	15	19	30
20-34	434	8.4	34	4	6	7	9	13	16	26
35-49	806	8.8	16	5	6	8	11	14	16	23
50-64	1375	10.0	41	5	7	9	11	16	20	38
65 +	3363	10.8	45	6	7	9	12	18	22	39
GRAND TOTAL	**6043**	**10.2**	**40**	**5**	**7**	**9**	**12**	**16**	**21**	**36**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	18.7	1	18	18	18	20	20	20	20
35-49	0									
50-64	3	7.7	41	3	3	5	12	15	15	15
65 +	3	23.0	637	2	5	16	42	51	51	51
B. Operated										
0-19 YRS	2	19.0	162	10	10	19	28	28	28	28
20-34	2	12.5	145	4	4	12	21	21	21	21
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	26.0	32	22	22	26	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	18.6	217	2	7	15	29	43	45	55
20-34	110	17.6	179	4	7	14	28	34	42	62
35-49	139	19.4	198	5	8	14	29	42	46	58
50-64	94	17.0	192	5	7	13	23	41	45	60
65 +	224	20.6	157	7	10	18	30	40	43	51
B. Operated										
0-19 YRS	40	25.7	342	5	14	24	34	52	76	99 +
20-34	96	24.0	210	6	11	23	34	45	46	60
35-49	163	27.6	259	8	14	26	42	50	57	97
50-64	107	[illegible]	249	7	11	20	36	45	55	87
65 +	204	27.4	266	9	15	25	38	46	56	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	15.3	206	2	5	15	18	35	51	51
B. Operated	8	15.4	125	3	5	15	25	29	30	30
2. MULTIPLE DX										
A. Not Operated	612	19.1	181	5	8	15	28	40	44	56
B. Operated	610	26.2	258	8	14	24	38	46	56	89
1. SINGLE DX	18	15.3	160	2	5	15	21	29	43	51
2. MULTIPLE DX	1222	22.7	232	6	10	19	33	44	50	76
A. Not Operated	622	19.0	181	5	8	15	28	40	44	56
B. Operated	618	26.1	258	8	14	24	38	46	56	89
TOTAL										
0-19 YRS	88	21.7	280	3	9	17	31	44	52	95
20-34	211	20.5	200	4	8	18	31	43	45	59
35-49	303	23.8	248	6	10	21	34	46	54	74
50-64	205	20.5	233	6	8	16	31	43	49	74
65 +	433	23.9	221	8	12	20	34	43	48	79
GRAND TOTAL	**1240**	**22.6**	**232**	**6**	**10**	**19**	**32**	**44**	**50**	**76**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.3	3	1	1	2	2	4	7	9
20-34	33	1.9	2	1	1	2	2	4	5	7
35-49	65	2.0	3	1	1	2	2	3	4	12
50-64	76	1.7	1	1	1	1	2	3	4	6
65+	66	2.5	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	21	2.0	2	1	1	1	3	4	5	5
20-34	11	2.5	2	1	1	2	4	5	5	5
35-49	17	2.2	1	1	1	2	3	4	4	4
50-64	15	1.9	2	1	1	1	3	5	5	5
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	3.1	6	1	2	2	4	7	8	14
20-34	95	2.4	4	1	1	2	3	5	6	11
35-49	229	3.0	7	1	1	2	4	6	8	13
50-64	557	3.1	6	1	1	3	4	6	8	13
65+	1421	4.4	22	1	2	3	5	8	11	18
B. Operated										
0-19 YRS	22	7.8	110	1	2	5	8	17	31	50
20-34	25	3.5	9	2	2	2	4	7	10	14
35-49	51	4.2	12	1	2	3	5	8	10	21
50-64	78	6.1	32	1	3	4	7	12	16	31
65+	152	9.8	144	2	3	6	11	21	30	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	2.1	2	1	1	2	2	4	5	8
B. Operated	66	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	2377	3.8	16	1	2	3	5	7	10	17
B. Operated	328	7.5	89	2	3	5	8	15	22	48
1. SINGLE DX	357	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX	2705	4.3	27	1	2	3	5	8	11	21
A. Not Operated	2668	3.6	15	1	2	3	4	7	9	16
B. Operated	394	6.6	79	1	2	4	8	13	21	46
TOTAL										
0-19 YRS	169	3.3	21	1	1	2	4	7	9	18
20-34	164	2.5	4	1	1	2	3	5	6	13
35-49	362	3.0	7	1	1	2	4	6	8	13
50-64	726	3.3	9	1	1	3	4	6	9	16
65+	1641	4.8	35	1	2	3	6	9	12	28
GRAND TOTAL	**3062**	**4.0**	**24**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.7	5	1	1	2	3	5	9	9
20-34	201	2.0	2	1	1	2	2	4	5	8
35-49	332	2.0	2	<1	1	1	2	4	5	7
50-64	530	2.2	9	<1	1	2	3	4	5	9
65+	646	2.6	5	1	1	2	3	5	6	11
B. Operated										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	13	3.2	8	1	1	3	4	6	10	11
50-64	19	2.8	4	1	1	2	4	6	7	7
65+	23	3.5	8	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	4.1	16	1	2	3	5	9	11	22
20-34	407	2.6	4	1	1	2	3	5	7	11
35-49	1160	3.2	7	1	1	2	4	7	8	14
50-64	4000	3.9	12	1	2	3	5	8	10	17
65+	13745	4.9	19	1	2	4	6	9	12	21
B. Operated										
0-19 YRS	38	5.6	22	1	2	5	8	13	14	23
20-34	31	5.0	11	1	2	4	7	10	12	13
35-49	115	6.3	23	2	3	5	8	12	15	26
50-64	477	7.0	53	2	3	5	8	14	19	35
65+	1721	9.9	86	2	4	7	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1734	2.3	5	1	1	2	3	4	6	10
B. Operated	62	3.1	6	1	1	2	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	19429	4.5	17	1	2	3	6	9	11	20
B. Operated	2382	9.0	76	2	4	7	11	18	25	53
1. SINGLE DX	1796	2.3	5	1	1	2	3	4	6	10
2. MULTIPLE DX	21811	5.0	25	1	2	4	6	10	13	25
A. Not Operated	21163	4.3	16	1	2	3	5	8	11	19
B. Operated	2444	8.8	75	2	4	6	11	18	25	52
TOTAL										
0-19 YRS	184	4.2	16	1	2	3	5	9	12	21
20-34	642	2.5	4	1	1	2	3	5	7	11
35-49	1620	3.1	8	1	1	2	4	7	8	15
50-64	5026	4.0	17	1	2	3	5	8	11	20
65+	16135	5.3	28	1	2	4	7	10	14	26
GRAND TOTAL	**23607**	**4.8**	**24**	**1**	**2**	**3**	**6**	**10**	**13**	**24**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	254	2.6	5	1	1	2	3	5	7	12
20-34	154	2.2	6	1	1	2	3	4	6	10
35-49	286	2.3	3	1	1	2	3	4	6	9
50-64	332	2.3	2	1	1	2	3	4	6	7
65 +	361	3.0	7	1	1	2	4	6	7	13
B. Operated										
0-19 YRS	186	3.3	9	1	1	2	4	8	9	15
20-34	113	3.3	8	1	1	2	4	7	10	14
35-49	117	3.9	16	1	2	3	5	9	10	24
50-64	177	3.8	15	1	2	2	4	8	10	23
65 +	439	3.4	8	1	2	3	4	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	586	4.2	34	1	1	3	5	9	13	36
20-34	613	3.0	11	1	1	2	4	6	7	17
35-49	1532	3.0	6	1	1	2	4	6	7	12
50-64	3495	4.0	13	1	2	3	5	7	10	18
65 +	11097	5.1	19	2	3	4	6	10	12	22
B. Operated										
0-19 YRS	391	6.5	58	1	2	4	8	14	22	39
20-34	288	5.9	46	1	2	4	7	12	23	33
35-49	606	7.2	63	1	3	5	9	14	22	44
50-64	1967	8.3	80	2	3	6	10	18	25	47
65 +	8510	7.9	56	2	3	6	10	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1387	2.5	5	1	1	2	3	5	6	10
B. Operated	1032	3.5	10	1	2	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	17323	4.6	18	1	2	4	6	9	11	21
B. Operated	11762	7.8	60	2	3	6	10	16	22	42
1. SINGLE DX	2419	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX	29085	5.9	37	1	2	4	7	12	16	31
A. Not Operated	18710	4.4	17	1	2	3	5	9	11	20
B. Operated	12794	7.5	58	2	3	5	9	15	21	39
TOTAL										
0-19 YRS	1417	4.4	34	1	1	3	5	9	14	35
20-34	1168	3.7	20	1	1	2	4	7	10	26
35-49	2541	4.0	23	1	2	3	5	8	11	25
50-64	5971	5.4	39	1	2	4	6	11	16	32
65 +	20407	6.2	36	2	3	5	8	12	16	30
GRAND TOTAL	**31504**	**5.7**	**36**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.0	1	< 1	1	2	3	4	4	4
20-34	5	1.8	3	< 1	< 1	1	2	5	5	5
35-49	32	4.7	40	1	2	4	5	8	10	37
50-64	125	4.1	8	2	2	3	5	8	10	14
65 +	615	4.8	13	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	5	10.2	161	1	2	6	15	32	32	32
50-64	10	10.7	212	2	4	6	8	32	51	51
65 +	25	6.8	42	1	2	4	10	14	18	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	500	5.3	19	1	2	4	7	10	13	23
20-34	341	6.4	25	2	3	5	8	12	17	24
35-49	2130	5.8	18	2	3	5	7	10	14	22
50-64	10338	6.5	25	2	3	5	8	12	15	24
65 +	53366	7.3	34	3	4	6	9	13	17	30
B. Operated										
0-19 YRS	134	16.3	217	3	6	11	25	44	57	99 +
20-34	155	9.3	89	2	4	7	11	20	26	63
35-49	573	9.4	70	2	4	8	12	18	25	38
50-64	2184	11.2	98	3	5	9	14	22	31	71
65 +	7266	13.0	111	4	6	10	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	789	4.6	13	1	2	4	6	9	11	19
B. Operated	45	7.4	89	1	2	4	10	14	30	51
2. MULTIPLE DX										
A. Not Operated	66675	7.1	32	3	4	6	9	13	17	29
B. Operated	10312	12.4	108	3	6	10	16	25	33	62
1. SINGLE DX	834	4.8	17	1	2	4	6	9	12	22
2. MULTIPLE DX	76987	7.8	46	3	4	6	9	15	20	35
A. Not Operated	67464	7.1	32	2	4	6	9	13	17	28
B. Operated	10357	12.4	108	3	6	10	16	25	33	62
TOTAL										
0-19 YRS	649	7.5	80	1	2	5	8	17	26	57
20-34	503	7.3	46	2	3	5	9	14	19	40
35-49	2740	6.5	32	2	3	5	8	13	17	28
50-64	12657	7.3	41	2	4	6	9	14	18	33
65 +	61272	8.0	47	3	4	6	10	15	20	36
GRAND TOTAL	**77821**	**7.8**	**46**	**3**	**4**	**6**	**9**	**15**	**19**	**35**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.8	3	< 1	1	2	4	6	6	6
20-34	16	2.9	3	1	2	2	4	6	6	6
35-49	22	3.5	4	1	2	3	5	7	8	8
50-64	17	3.1	4	< 1	1	3	5	6	7	7
65 +	15	5.5	7	2	4	5	7	9	11	12
B. Operated										
0-19 YRS	36	5.9	48	< 1	1	3	7	18	22	26
20-34	18	2.9	15	1	1	2	3	6	13	17
35-49	43	2.5	7	1	1	2	3	5	8	14
50-64	41	2.7	15	1	1	1	2	6	13	19
65 +	26	2.0	4	1	1	1	2	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	6.3	53	1	2	4	8	13	16	40
20-34	139	5.9	23	2	2	5	8	12	17	23
35-49	338	5.7	19	2	3	4	7	11	14	23
50-64	672	6.4	32	2	3	5	8	13	17	31
65 +	1154	7.6	32	2	4	6	10	15	19	30
B. Operated										
0-19 YRS	143	10.5	183	1	2	7	14	21	38	63
20-34	82	8.6	65	1	2	6	13	17	27	36
35-49	345	7.6	69	1	2	5	10	17	23	43
50-64	593	7.5	91	1	2	5	9	16	24	58
65 +	495	8.4	99	1	2	6	10	19	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	3.6	5	1	2	3	5	6	8	11
B. Operated	164	3.3	20	1	1	2	3	8	15	23
2. MULTIPLE DX										
A. Not Operated	2409	6.9	31	2	3	5	9	14	17	30
B. Operated	1658	8.1	96	1	2	5	10	18	26	54
1. SINGLE DX	247	3.4	15	1	1	2	4	7	10	19
2. MULTIPLE DX	4067	7.4	58	1	3	5	9	15	21	38
A. Not Operated	2492	6.8	31	2	3	5	8	13	17	30
B. Operated	1822	7.7	91	1	2	5	10	17	26	52
TOTAL										
0-19 YRS	298	8.1	118	1	2	5	10	18	24	61
20-34	255	6.4	38	1	2	5	8	15	18	31
35-49	748	6.3	43	1	2	4	8	13	17	29
50-64	1323	6.7	59	1	2	5	8	14	19	41
65 +	1690	7.8	52	2	3	6	10	15	22	36
GRAND TOTAL	**4314**	**7.1**	**56**	**1**	**3**	**5**	**9**	**15**	**20**	**37**

158: Other heart diseases (415.0: 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	3.2	4	1	2	3	4	5	7	10
20-34	158	2.8	8	1	2	2	3	5	5	11
35-49	230	2.5	3	1	1	2	3	4	5	7
50-64	148	2.5	4	1	1	2	3	5	5	8
65 +	65	2.8	6	1	1	2	3	5	6	15
B. Operated										
0-19 YRS	172	2.9	8	< 1	1	1	4	7	8	12
20-34	58	3.9	10	1	1	3	7	8	9	15
35-49	146	3.0	8	1	1	1	5	7	9	12
50-64	192	4.1	23	1	1	2	7	9	11	24
65 +	176	4.9	24	1	1	2	9	12	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	245	5.4	37	1	2	4	6	12	17	34
20-34	391	3.9	12	1	2	3	5	8	10	21
35-49	806	4.0	20	1	2	3	5	7	9	23
50-64	1160	5.2	26	1	2	4	6	10	14	27
65 +	2032	6.2	37	2	3	5	8	12	16	26
B. Operated										
0-19 YRS	447	7.4	74	1	2	5	10	17	24	40
20-34	255	8.3	64	1	3	6	10	17	25	41
35-49	696	8.7	79	1	3	7	11	16	24	49
50-64	1669	9.0	69	1	3	8	11	18	23	41
65 +	3254	11.4	107	1	4	9	15	23	30	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	664	2.7	5	1	1	2	3	5	6	10
B. Operated	744	3.8	17	1	1	2	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	4634	5.3	30	1	2	4	6	10	14	26
B. Operated	6321	10.0	92	1	3	8	13	21	27	49
1. SINGLE DX	1408	3.3	11	1	1	2	4	8	10	15
2. MULTIPLE DX	10955	8.0	71	1	3	6	10	17	23	43
A. Not Operated	5298	5.0	27	1	2	4	6	10	13	24
B. Operated	7065	9.4	87	1	2	8	12	19	26	47
TOTAL										
0-19 YRS	927	5.7	50	1	1	3	7	13	19	35
20-34	862	5.0	31	1	2	3	6	10	15	32
35-49	1878	5.5	45	1	2	3	7	11	16	40
50-64	3169	7.0	52	1	2	5	9	14	20	35
65 +	5527	9.2	84	1	3	7	12	19	25	49
GRAND TOTAL	**12363**	**7.5**	**66**	**1**	**2**	**5**	**10**	**16**	**22**	**41**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.2	5	3	4	5	6	9	9	9
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	11	4.3	15	1	1	3	6	10	14	14
50-64	10	4.3	22	< 1	< 1	2	6	11	16	16
65 +	3	5.7	12	2	3	6	8	9	9	9
B. Operated										
0-19 YRS	7	13.3	37	8	10	12	14	24	26	26
20-34	45	9.7	33	3	6	9	12	17	20	28
35-49	71	9.3	38	1	4	9	14	17	19	27
50-64	56	12.7	47	4	7	12	16	22	25	31
65 +	7	12.0	45	4	7	12	14	22	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	13	6.8	27	< 1	1	6	12	13	14	14
35-49	17	11.6	107	3	6	9	14	18	37	47
50-64	30	12.1	154	< 1	1	9	21	30	38	46
65 +	83	13.6	108	4	7	12	17	28	32	91
B. Operated										
0-19 YRS	20	15.4	206	2	6	11	16	44	47	49
20-34	85	16.0	99	6	10	14	20	30	35	55
35-49	240	21.7	289	7	10	17	27	48	70	99 +
50-64	288	23.4	348	6	12	18	34	55	86	99 +
65 +	213	26.5	349	8	14	22	36	57	90	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.5	13	< 1	2	4	6	9	14	16
B. Operated	186	10.7	41	3	6	10	14	19	23	28
2. MULTIPLE DX										
A. Not Operated	145	12.4	111	1	5	11	16	26	33	76
B. Operated	846	22.7	312	7	11	18	30	51	76	99 +
1. SINGLE DX	218	9.8	42	2	4	9	14	18	22	28
2. MULTIPLE DX	991	21.2	296	5	10	16	28	48	69	99 +
A. Not Operated	177	10.9	102	1	4	9	16	23	30	67
B. Operated	1032	20.6	284	5	10	16	27	47	66	99 +
TOTAL										
0-19 YRS	34	12.9	141	4	6	10	14	28	45	49
20-34	146	13.0	84	3	7	12	16	25	31	40
35-49	339	18.0	252	3	8	14	23	40	60	99 +
50-64	384	20.4	307	4	10	16	27	48	76	99 +
65 +	306	22.5	310	6	10	18	30	51	81	99 +
GRAND TOTAL	**1209**	**19.2**	**269**	**4**	**9**	**15**	**25**	**45**	**62**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	1	20.0		20	20	20	20	20	20	20
50-64	6	23.5	490	4	4	18	42	53	54	54
65 +	12	19.9	90	10	13	17	27	36	36	36
B. Operated										
0-19 YRS	7	26.1	266	12	13	26	46	87	99 +	99 +
20-34	4	30.0	228	13	19	29	41	49	49	49
35-49	28	27.8	317	11	16	23	32	53	73	80
50-64	30	32.6	517	8	15	27	55	79	98	99 +
65 +	21	37.5	615	9	22	36	69	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	21	19.7	196	4	11	17	29	39	47	54
B. Operated	90	31.6	444	11	16	26	49	80	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	111	29.4	417	9	14	26	43	72	98	99 +
A. Not Operated	21	19.7	196	4	11	17	29	39	47	54
B. Operated	90	31.6	444	11	16	26	49	80	99 +	99 +
TOTAL										
0-19 YRS	7	26.1	266	12	13	26	46	87	99 +	99 +
20-34	6	22.3	292	2	13	19	33	47	49	49
35-49	29	27.5	308	11	16	23	32	53	72	80
50-64	36	31.1	510	4	14	27	54	75	93	99 +
65 +	33	31.1	490	9	16	25	46	93	99 +	99 +
GRAND TOTAL	**111**	**29.4**	**417**	**9**	**14**	**26**	**43**	**72**	**98**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.7	18	1	2	4	5	11	15	15
20-34	10	5.1	19	1	2	4	6	13	13	13
35-49	13	3.8	7	2	2	3	4	8	10	11
50-64	15	5.3	17	< 1	2	4	9	10	12	13
65 +	77	5.7	20	1	2	5	9	12	13	20
B. Operated										
0-19 YRS	38	6.6	31	2	2	5	8	14	21	24
20-34	9	5.3	19	2	3	3	7	13	15	15
35-49	27	7.1	20	3	4	6	9	12	19	19
50-64	53	7.9	78	2	3	5	10	13	15	56
65 +	104	8.7	36	4	5	7	11	17	20	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	6.0	22	1	2	5	8	14	16	18
20-34	52	5.8	25	1	2	4	8	12	15	23
35-49	133	10.0	75	3	5	7	11	24	31	41
50-64	286	10.6	95	3	5	8	14	21	30	80
65 +	1353	11.4	113	3	5	9	14	22	32	70
B. Operated										
0-19 YRS	119	14.3	253	2	4	9	18	32	45	81
20-34	61	16.4	304	4	7	11	[illegible]	41	61	88
35-49	149	18.6	365	4	7	12	24	60	98	99 +
50-64	336	20.7	387	5	8	14	26	50	79	99 +
65 +	858	17.9	213	6	8	14	23	39	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	5.3	18	1	2	4	8	12	13	17
B. Operated	231	7.9	43	3	4	6	10	14	19	36
2. MULTIPLE DX										
A. Not Operated	1871	10.9	105	3	5	8	14	21	31	68
B. Operated	1523	18.3	275	5	8	13	23	42	65	99 +
1. SINGLE DX	355	7.0	35	2	3	5	9	13	18	30
2. MULTIPLE DX	3394	14.2	194	3	6	10	18	31	47	99 +
A. Not Operated	1995	10.6	101	3	5	8	13	21	31	65
B. Operated	1754	16.9	257	4	7	12	22	39	60	99 +
TOTAL										
0-19 YRS	213	10.7	168	2	3	7	12	21	33	77
20-34	132	10.6	181	2	3	7	13	20	39	72
35-49	322	13.5	225	3	5	8	16	35	59	99 +
50-64	690	15.2	263	3	5	10	19	35	57	99 +
65 +	2392	13.5	155	4	6	10	17	29	42	99 +
GRAND TOTAL	**3749**	**13.5**	**184**	**3**	**6**	**9**	**17**	**30**	**44**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	6.9	35	1	3	3	11	16	[illegible]	17
20-34	6	14.0	98	3	10	12	15	30	32	32
35-49	43	14.8	163	3	7	12	19	29	44	61
50-64	150	14.4	146	4	7	11	19	29	35	60
65 +	588	14.0	145	4	7	11	17	28	38	69
B. Operated										
0-19 YRS	15	18.3	257	5	9	15	31	92	99 +	99 +
20-34	13	21.5	191	5	7	19	33	40	41	41
35-49	50	25.0	396	8	11	19	35	74	99	99 +
50-64	103	24.7	315	9	13	20	35	55	95	99 +
65 +	223	20.3	201	8	11	16	25	41	51	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	794	14.1	145	4	7	11	17	28	38	67
B. Operated	404	22.0	259	8	11	17	29	49	71	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1198	16.7	197	5	8	13	21	35	50	99 +
A. Not Operated	794	14.1	145	4	7	11	17	28	38	67
B. Operated	404	22.0	259	8	11	17	29	49	71	99 +
TOTAL										
0-19 YRS	22	14.6	211	3	5	11	20	66	99 +	99 +
20-34	19	19.2	167	5	8	14	32	37	41	41
35-49	93	20.3	311	6	9	15	27	50	81	99 +
50-64	253	18.6	240	5	8	15	25	40	55	99 +
65 +	811	15.7	168	5	8	12	20	31	44	78
GRAND TOTAL	**1198**	**16.7**	**197**	**5**	**8**	**13**	**21**	**35**	**50**	**99 +**

832 Hospitals, United States, January-December 1990, by Diagnosis

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.0		10	10	10	10	10	10	10
35-49	9	2.1	3	<1	<1	1	3	5	6	6
50-64	13	3.8	3	1	3	4	5	6	6	6
65 +	35	3.4	8	1	1	3	4	6	7	16
B. Operated										
0-19 YRS	0									
20-34	4	5.3	15	<1	1	5	8	9	9	9
35-49	56	3.6	6	1	2	3	5	8	9	11
50-64	431	3.5	5	1	2	3	4	6	8	13
65 +	858	3.7	6	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	5.0	7	2	3	6	7	7	7	7
35-49	22	6.3	13	2	4	6	10	12	13	14
50-64	188	4.8	12	1	2	4	7	9	11	19
65 +	888	5.7	21	2	3	5	7	10	13	22
B. Operated										
0-19 YRS	2	12.0	8	10	10	12	14	14	14	14
20-34	7	4.9	11	1	3	4	6	10	11	11
35-49	234	5.5	12	2	3	4	7	10	13	32
50-64	2252	5.3	18	2	3	4	6	10	12	22
65 +	6471	5.9	26	2	3	4	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.5	8	1	1	3	5	6	9	15
B. Operated	1349	3.6	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	1101	5.6	19	2	3	5	7	10	13	22
B. Operated	8966	5.7	24	2	3	4	7	11	14	24
1. SINGLE DX	1408	3.6	6	1	2	3	4	6	8	13
2. MULTIPLE DX	10067	5.7	24	2	3	4	7	11	14	24
A. Not Operated	1160	5.5	19	1	3	5	7	10	13	22
B. Operated	10315	5.4	23	2	3	4	6	10	14	23
TOTAL										
0-19 YRS	2	12.0	8	10	10	12	14	14	14	14
20-34	16	5.6	11	1	3	5	8	10	11	11
35-49	321	5.1	26	1	2	4	6	9	12	24
50-64	2884	4.9	16	2	3	4	6	9	12	21
65 +	8252	5.6	24	2	3	4	7	11	14	24
GRAND TOTAL	**11475**	**5.4**	**22**	**2**	**3**	**4**	**6**	**10**	**14**	**23**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	9.8	55	3	4	9	11	21	28	28
50-64	42	11.7	129	3	5	9	13	23	40	55
65 +	126	9.0	57	3	5	7	11	17	23	58
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	25	8.4	50	3	3	6	12	18	22	31
50-64	144	7.8	73	2	3	5	9	17	22	80
65 +	332	10.9	137	3	4	8	13	20	31	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	179	9.6	74	3	5	7	12	17	27	53
B. Operated	502	9.9	116	3	4	7	12	19	29	76
1. SINGLE DX	0									
2. MULTIPLE DX	681	9.8	105	3	4	7	12	19	28	75
A. Not Operated	179	9.6	74	3	5	7	12	17	27	53
B. Operated	502	9.9	116	3	4	7	12	19	29	76
TOTAL										
0-19 YRS	0									
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	35	8.8	50	3	3	6	12	18	26	31
50-64	186	8.7	88	2	4	6	10	18	25	70
65 +	458	10.4	116	3	4	7	13	19	30	76
GRAND TOTAL	**681**	**9.8**	**105**	**3**	**4**	**7**	**12**	**19**	**28**	**75**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	20	4.3	10	2	2	3	6	8	11	14
35-49	49	4.9	14	1	2	4	6	10	12	19
50-64	156	5.4	17	2	3	4	7	10	13	21
65 +	380	6.4	40	2	3	5	8	11	16	36
B. Operated										
0-19 YRS	0									
20-34	5	6.6	31	2	3	5	9	16	16	16
35-49	19	3.8	6	1	2	3	5	8	9	9
50-64	19	7.4	41	1	3	5	11	16	22	25
65 +	33	13.3	280	2	3	7	16	30	46	83
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.3	20	2	4	7	10	14	15	15
20-34	85	6.8	44	2	3	5	7	11	22	38
35-49	549	6.8	27	2	3	6	8	13	16	27
50-64	2573	7.8	47	2	4	6	9	14	20	37
65 +	13052	9.1	68	3	4	7	11	17	23	49
B. Operated										
0-19 YRS	5	11.6	34	4	8	12	15	20	20	20
20-34	50	8.8	30	2	5	8	12	18	21	99
35-49	182	13.0	173	4	6	9	14	33	39	98
50-64	562	14.8	208	4	6	10	17	35	49	96
65 +	2011	18.0	233	5	8	14	23	41	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	607	5.9	31	2	3	5	7	11	15	26
B. Operated	76	9.0	148	2	3	5	9	23	29	74
2. MULTIPLE DX										
A. Not Operated	16266	8.8	63	3	4	7	10	16	22	46
B. Operated	2810	16.8	224	5	7	12	22	39	55	99 +
1. SINGLE DX	683	6.3	45	2	3	5	8	12	16	34
2. MULTIPLE DX	19076	10.0	95	3	5	7	12	20	28	63
A. Not Operated	16873	8.7	62	3	4	7	10	16	22	45
B. Operated	2886	16.6	223	4	7	12	21	38	55	99 +
TOTAL										
0-19 YRS	14	8.4	27	3	4	7	12	15	19	20
20-34	160	7.1	36	2	3	5	9	14	20	42
35-49	799	8.0	66	2	4	6	9	15	22	42
50-64	3310	8.8	81	3	4	6	10	17	25	54
65 +	15476	10.2	98	3	5	7	12	20	28	65
GRAND TOTAL	**19759**	**9.8**	**94**	**3**	**4**	**7**	**12**	**19**	**28**	**63**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.3	14	1	2	7	8	8	8	8
20-34	36	8.8	24	3	5	9	11	16	17	22
35-49	261	10.2	93	4	5	8	12	17	23	49
50-64	1336	11.3	121	3	5	8	13	22	32	71
65 +	6439	11.0	80	4	6	9	13	21	28	57
B. Operated										
0-19 YRS	4	8.5	8	5	6	8	10	12	12	12
20-34	24	14.4	98	8	9	12	17	33	63	99 +
35-49	79	17.3	271	4	7	12	22	39	65	95
50-64	280	20.0	352	6	8	14	23	51	78	99 +
65 +	1037	20.4	257	7	10	16	26	47	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8075	11.0	87	4	6	8	13	21	28	61
B. Operated	1424	20.0	274	6	9	15	25	47	71	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	9499	12.3	125	4	6	9	15	24	35	82
A. Not Operated	8075	11.0	87	4	6	8	13	21	28	61
B. Operated	1424	20.0	274	6	9	15	25	47	71	99 +
TOTAL										
0-19 YRS	7	7.1	12	2	5	8	9	11	12	12
20-34	60	11.1	60	4	7	9	14	20	27	95
35-49	340	11.8	143	4	6	8	13	22	36	82
50-64	1616	12.8	172	4	6	9	15	26	42	83
65 +	7476	12.3	115	4	6	9	15	24	35	81
GRAND TOTAL	**9499**	**12.3**	**125**	**4**	**6**	**9**	**15**	**24**	**35**	**82**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	28	2.3	2	1	1	2	3	5	5	5
35-49	110	2.6	3	1	1	2	3	5	6	8
50-64	274	2.7	3	1	1	2	4	5	6	10
65 +	584	3.0	5	1	2	3	4	6	7	10
B. Operated										
0-19 YRS	0									
20-34	7	6.4	47	1	1	3	12	17	18	18
35-49	26	3.5	7	1	1	3	6	8	8	8
50-64	56	3.7	6	1	2	3	4	7	9	12
65 +	74	4.2	12	1	2	3	5	8	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.0	5	1	2	4	5	7	8	8
20-34	111	3.3	5	1	2	3	4	6	7	13
35-49	582	3.9	10	1	2	3	5	7	9	13
50-64	2510	4.0	8	1	2	3	5	7	9	14
65 +	11950	5.1	25	2	3	4	6	9	12	24
B. Operated										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	14	5.1	8	2	3	5	8	9	10	10
35-49	142	5.4	16	2	3	4	7	10	14	27
50-64	549	6.2	37	2	3	5	8	11	15	24
65 +	1563	8.3	60	3	4	6	10	15	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	999	2.9	4	1	2	2	4	5	7	10
B. Operated	163	4.0	11	1	2	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	15163	4.8	22	2	2	4	6	9	11	22
B. Operated	2271	7.6	53	2	4	6	9	14	19	39
1. SINGLE DX	1162	3.0	5	1	2	2	4	6	7	12
2. MULTIPLE DX	17434	5.2	27	2	3	4	6	9	12	25
A. Not Operated	16162	4.7	21	2	2	4	6	8	11	21
B. Operated	2434	7.3	51	2	3	6	9	14	18	39
TOTAL										
0-19 YRS	16	3.9	4	1	2	4	5	7	8	8
20-34	160	3.4	7	1	2	3	4	6	8	16
35-49	860	3.9	10	1	2	3	5	7	10	16
50-64	3389	4.3	14	1	2	3	5	8	10	16
65 +	14171	5.4	29	2	3	4	6	10	13	26
GRAND TOTAL	**18596**	**5.1**	**26**	**2**	**2**	**4**	**6**	**9**	**12**	**25**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	4.8	11	2	3	3	6	10	12	12
35-49	28	3.8	6	< 1	2	3	6	7	8	9
50-64	96	4.3	14	1	2	3	5	8	13	18
65 +	261	6.1	33	2	3	5	7	13	15	45
B. Operated										
0-19 YRS	0									
20-34	5	5.2	8	1	3	6	7	8	8	8
35-49	6	5.7	25	< 1	2	4	9	13	14	14
50-64	14	9.0	186	1	2	4	5	40	41	41
65 +	13	8.5	43	2	4	7	10	18	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	8.1	48	2	3	4	14	18	19	19
20-34	30	5.5	17	2	3	4	7	13	13	19
35-49	175	6.5	29	2	3	5	8	12	17	40
50-64	1002	6.6	40	2	3	5	8	12	17	34
65 +	5547	8.1	56	3	4	6	9	15	21	41
B. Operated										
0-19 YRS	4	7.0	17	2	4	7	10	12	12	12
20-34	10	6.7	16	2	4	6	9	12	15	15
35-49	44	7.6	17	4	5	7	9	15	18	99 +
50-64	179	11.0	109	4	5	8	13	23	42	99 +
65 +	642	16.0	187	5	7	12	20	35	45	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	394	5.5	26	2	2	4	7	11	14	40
B. Operated	38	7.8	86	1	2	5	8	15	34	41
2. MULTIPLE DX										
A. Not Operated	6761	7.8	53	2	4	6	9	14	20	40
B. Operated	879	14.4	167	4	6	10	18	32	44	99 +
1. SINGLE DX	432	5.7	32	2	2	4	7	11	14	41
2. MULTIPLE DX	7640	8.6	70	3	4	6	10	16	23	51
A. Not Operated	7155	7.7	52	2	4	6	9	14	20	40
B. Operated	917	14.1	165	4	6	10	18	31	43	99 +
TOTAL										
0-19 YRS	11	7.7	34	2	3	7	11	17	19	19
20-34	54	5.6	15	2	3	4	8	12	13	19
35-49	253	6.4	25	2	3	5	8	12	17	45
50-64	1291	7.1	52	2	3	5	8	13	20	49
65 +	6463	8.8	74	3	4	6	10	17	24	51
GRAND TOTAL	**8072**	**8.4**	**69**	**2**	**4**	**6**	**10**	**16**	**23**	**50**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	7.6	41	3	4	4	10	19	20	20
35-49	59	7.3	27	2	5	6	8	13	17	32
50-64	389	8.7	92	3	4	6	10	15	21	54
65+	2103	8.8	46	3	5	7	11	16	21	39
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	6.6	12	3	4	6	8	12	14	14
35-49	15	15.5	350	4	7	11	16	24	66	80
50-64	48	16.1	312	4	6	10	17	52	72	99+
65+	257	16.9	170	6	9	13	22	35	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2562	8.8	53	3	5	7	11	16	21	41
B. Operated	329	16.5	195	5	8	13	21	35	49	99+
1. SINGLE DX	0									
2. MULTIPLE DX	2891	9.7	75	3	5	7	11	18	25	52
A. Not Operated	2562	8.8	53	3	5	7	11	16	21	41
B. Operated	329	16.5	195	5	8	13	21	35	49	99+
TOTAL										
0-19 YRS	2	13.0	2	12	12	13	14	14	14	14
20-34	18	7.2	27	3	4	5	9	17	19	20
35-49	74	9.0	100	3	5	6	10	15	20	69
50-64	437	9.5	121	3	4	7	11	17	24	72
65+	2360	9.7	66	3	5	7	12	18	25	49
GRAND TOTAL	**2891**	**9.7**	**75**	**3**	**5**	**7**	**11**	**18**	**25**	**52**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.5	1	3	4	5	5	5	5	5
20-34	16	2.6	3	1	1	2	3	6	7	7
35-49	51	3.1	3	1	2	3	4	5	6	8
50-64	43	3.6	15	1	2	2	4	6	11	23
65+	66	3.4	5	1	2	3	5	7	9	85
B. Operated										
0-19 YRS	20	5.4	22	<1	1	4	9	11	14	18
20-34	21	4.0	10	1	1	3	7	9	9	10
35-49	42	5.8	43	1	1	4	7	12	17	37
50-64	58	4.8	27	1	1	2	8	11	14	25
65+	15	5.2	29	1	1	2	8	10	18	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	5.6	12	2	3	5	7	11	13	14
20-34	77	4.4	13	1	2	3	6	9	12	18
35-49	340	4.4	12	1	2	3	6	8	11	18
50-64	522	4.9	14	2	3	4	6	9	11	24
65+	1613	6.8	60	2	3	5	8	12	17	46
B. Operated										
0-19 YRS	52	8.8	69	1	3	7	11	19	33	98
20-34	73	7.7	38	2	4	6	10	15	21	32
35-49	186	8.9	80	1	3	7	11	19	27	54
50-64	283	11.1	145	2	4	7	14	22	33	57
65+	334	11.1	104	2	4	8	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	3.3	7	1	2	3	4	6	8	20
B. Operated	156	5.1	28	1	1	3	8	10	15	25
2. MULTIPLE DX										
A. Not Operated	2593	6.0	44	2	3	4	7	11	15	35
B. Operated	928	10.2	106	2	4	7	13	22	32	56
1. SINGLE DX	336	4.1	17	1	1	3	5	9	11	23
2. MULTIPLE DX	3521	7.1	63	2	3	5	8	14	20	46
A. Not Operated	2773	5.8	42	2	3	4	7	11	15	35
B. Operated	1084	9.5	98	1	3	7	12	21	29	55
TOTAL										
0-19 YRS	117	7.0	41	1	3	6	9	14	18	61
20-34	187	5.5	25	1	2	4	7	12	15	25
35-49	619	5.7	38	1	2	4	7	11	16	37
50-64	906	6.7	64	1	3	4	8	14	20	42
65+	2028	7.4	69	2	3	5	9	15	21	51
GRAND TOTAL	**3857**	**6.8**	**60**	**2**	**3**	**5**	**8**	**14**	**20**	**44**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	4	6.0	9	2	4	6	8	9	9	9
35-49	16	5.5	12	1	2	5	8	11	11	11
50-64	26	4.7	13	1	2	4	6	9	12	15
65 +	19	3.5	8	< 1	1	3	4	7	11	12
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	5.6	9	1	4	6	7	9	12	13
35-49	98	4.4	8	1	2	4	6	8	10	11
50-64	362	4.4	12	1	1	4	6	8	11	17
65 +	382	4.4	19	1	1	3	6	9	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.8	11	2	4	8	9	9	9	9
20-34	7	8.3	106	2	3	4	8	26	31	31
35-49	36	6.3	13	1	3	7	9	11	12	15
50-64	160	6.4	50	1	2	5	8	12	16	48
65 +	538	6.9	40	1	3	6	8	14	19	32
B. Operated										
0-19 YRS	12	9.5	55	2	4	7	13	22	25	25
20-34	65	11.0	108	2	5	8	12	27	34	52
35-49	572	8.9	81	1	4	7	10	17	26	53
50-64	3000	9.2	90	1	4	7	11	19	26	51
65 +	8683	10.9	107	2	5	8	13	22	30	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	4.6	11	1	2	4	7	9	11	14
B. Operated	862	4.4	14	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	745	6.8	41	1	3	6	8	13	18	32
B. Operated	12332	10.4	103	2	5	8	13	21	29	56
1. SINGLE DX	929	4.5	14	1	1	4	6	9	11	17
2. MULTIPLE DX	13077	10.2	100	2	4	8	12	21	29	55
A. Not Operated	812	6.6	39	1	3	5	8	13	17	32
B. Operated	13194	10.0	99	2	4	7	12	21	28	55
TOTAL										
0-19 YRS	19	8.4	39	2	4	7	10	18	23	25
20-34	95	9.5	88	2	4	7	11	19	31	48
35-49	722	8.1	69	1	3	6	9	16	24	49
50-64	3548	8.6	82	1	3	6	10	17	24	49
65 +	9622	10.4	102	2	5	8	13	21	29	56
GRAND TOTAL	**14006**	**9.8**	**96**	**2**	**4**	**7**	**12**	**20**	**28**	**54**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	18	1.9	2	1	1	2	2	4	5	6
50-64	27	2.1	4	1	1	1	2	6	7	7
65 +	22	2.2	11	< 1	1	1	1	7	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	3.5	4	1	2	3	4	7	7	7
50-64	25	4.2	12	1	1	3	6	10	11	13
65 +	49	5.1	21	1	2	4	6	11	13	25
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	6.0	23	1	2	6	9	12	15	16
35-49	99	5.9	25	1	2	6	8	11	13	27
50-64	405	7.5	57	1	2	7	9	15	20	41
65 +	508	7.5	80	1	2	5	10	16	21	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	70	2.1	5	1	1	1	2	5	7	13
2. MULTIPLE DX										
A. Not Operated	80	4.7	17	1	2	4	6	10	12	23
B. Operated	1029	7.3	65	1	2	6	9	15	20	44
1. SINGLE DX	72	2.0	5	1	1	1	2	5	7	13
2. MULTIPLE DX	1109	7.1	62	1	2	5	9	15	19	42
A. Not Operated	82	4.6	17	1	2	3	6	10	12	23
B. Operated	1099	7.0	63	1	2	5	9	15	19	42
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	5.2	22	1	1	3	8	12	14	16
35-49	124	5.2	22	1	1	4	8	11	12	25
50-64	458	7.0	54	1	2	6	9	14	19	38
65 +	579	7.1	73	1	2	4	9	15	21	45
GRAND TOTAL	**1181**	**6.8**	**60**	**1**	**2**	**5**	**9**	**14**	**19**	**41**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	2.8	13	< 1	1	1	3	8	12	12
65 +	14	1.9	4	< 1	1	1	2	3	7	8
B. Operated										
0-19 YRS	0									
20-34	5	2.6	9	1	1	1	3	8	8	8
35-49	3	11.3	104	4	5	7	19	23	23	23
50-64	91	7.5	19	1	5	7	10	12	14	23
65 +	132	7.8	14	1	6	8	10	12	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.5	10	1	1	2	5	8	8	8
35-49	12	8.7	75	< 1	1	5	15	23	24	24
50-64	61	4.8	25	< 1	1	3	7	13	15	23
65 +	411	6.2	58	1	2	4	7	14	18	31
B. Operated										
0-19 YRS	6	17.7	63	8	12	16	25	29	29	29
20-34	23	8.0	20	1	6	8	11	14	16	19
35-49	93	11.2	75	3	7	9	12	20	35	44
50-64	1182	11.8	93	6	8	9	13	20	29	66
65 +	4087	13.3	109	6	8	10	15	24	34	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.3	7	< 1	1	1	2	6	8	12
B. Operated	231	7.6	17	1	6	8	10	12	14	22
2. MULTIPLE DX										
A. Not Operated	488	6.1	54	1	2	4	7	14	19	31
B. Operated	5391	12.9	105	6	8	10	14	23	33	70
1. SINGLE DX	259	7.0	19	1	4	7	9	12	14	22
2. MULTIPLE DX	5879	12.3	105	4	8	10	14	22	32	66
A. Not Operated	516	5.9	52	1	2	4	7	14	18	31
B. Operated	5622	12.7	103	6	8	10	14	23	33	67
TOTAL										
0-19 YRS	6	17.7	63	8	12	16	25	29	29	29
20-34	35	6.4	21	1	2	7	9	11	15	19
35-49	110	10.7	75	1	6	9	12	21	30	43
50-64	1343	11.1	88	4	7	9	12	20	27	63
65 +	4644	12.5	107	4	8	10	14	23	32	66
GRAND TOTAL	**6138**	**12.1**	**102**	**4**	**7**	**10**	**14**	**22**	**31**	**65**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	1	52.0		52	52	52	52	52	52	52
B. Operated										
0-19 YRS	4	2.5	4	< 1	< 1	2	4	5	5	5
20-34	20	3.6	10	1	1	3	5	7	10	13
35-49	32	5.3	16	1	2	5	7	8	11	22
50-64	58	4.6	12	1	2	4	6	10	10	20
65 +	52	5.7	12	2	3	5	7	11	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	11	5.6	31	< 1	1	6	9	13	19	19
65 +	26	4.6	10	1	2	4	7	9	11	13
B. Operated										
0-19 YRS	4	5.5	10	1	3	6	7	8	8	8
20-34	29	8.3	74	2	3	5	12	17	20	44
35-49	85	8.3	53	1	4	7	11	20	27	99 +
50-64	319	8.5	46	2	4	7	11	17	21	35
65 +	743	9.6	76	3	5	7	11	18	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	7.0	285	1	1	1	2	32	52	52
B. Operated	166	4.9	13	1	2	4	6	9	11	20
2. MULTIPLE DX										
A. Not Operated	40	4.8	16	1	1	4	7	9	11	19
B. Operated	1180	9.2	66	3	4	7	11	18	26	43
1. SINGLE DX	175	5.0	25	1	2	4	6	9	11	22
2. MULTIPLE DX	1220	9.0	65	2	4	7	11	18	25	43
A. Not Operated	49	5.2	61	1	1	3	7	9	13	52
B. Operated	1346	8.6	61	2	4	7	10	17	24	41
TOTAL										
0-19 YRS	8	4.0	8	< 1	1	4	6	8	8	8
20-34	52	6.1	51	1	2	4	7	14	17	43
35-49	122	7.3	44	1	3	6	9	16	25	99 +
50-64	391	7.8	42	2	4	6	10	16	21	35
65 +	822	9.2	73	3	4	7	11	17	26	49
GRAND TOTAL	**1395**	**8.5**	**62**	**2**	**4**	**7**	**10**	**17**	**24**	**42**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	3.3	11	< 1	1	2	7	8	8	8
35-49	5	4.8	17	1	1	4	8	10	10	10
50-64	5	4.0	17	1	1	1	8	9	9	9
65 +	3	8.3	4	6	7	9	10	10	10	10
B. Operated										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	15	4.2	14	1	2	3	5	13	13	13
35-49	48	4.8	12	1	2	4	7	9	11	15
50-64	105	4.6	9	1	2	4	7	9	10	12
65 +	76	5.7	55	1	2	4	8	9	11	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.0	5	2	4	6	6	8	8	8
20-34	7	4.9	8	1	2	5	8	8	8	8
35-49	18	7.0	15	2	4	7	10	13	14	14
50-64	53	6.6	18	1	4	6	9	11	14	20
65 +	127	7.4	28	3	5	7	9	13	16	60
B. Operated										
0-19 YRS	7	14.9	124	2	8	12	21	32	35	35
20-34	43	9.0	84	2	4	6	11	20	25	53
35-49	243	8.3	48	2	5	7	9	14	20	41
50-64	795	9.1	61	2	5	8	11	16	20	44
65 +	1185	9.7	87	2	5	8	11	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.9	14	1	1	5	8	10	10	10
B. Operated	249	4.9	24	1	2	4	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	212	7.0	23	2	4	7	9	12	15	31
B. Operated	2273	9.3	74	2	5	8	11	17	24	48
1. SINGLE DX	269	4.9	23	1	2	4	7	9	10	14
2. MULTIPLE DX	2485	9.1	70	2	5	8	11	16	22	48
A. Not Operated	232	6.9	23	2	4	7	9	12	15	25
B. Operated	2522	8.9	71	2	4	7	11	16	22	46
TOTAL										
0-19 YRS	20	7.9	72	1	2	6	9	19	28	35
20-34	71	7.1	61	1	2	5	8	14	21	47
35-49	314	7.6	42	2	4	7	9	12	17	40
50-64	958	8.4	55	2	4	7	10	15	20	41
65 +	1391	9.2	81	2	4	7	11	16	25	53
GRAND TOTAL	**2754**	**8.7**	**67**	**2**	**4**	**7**	**10**	**15**	**21**	**45**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	451	3.4	5	1	2	3	4	6	7	11
20-34	11	3.3	5	1	2	2	4	7	9	9
35-49	15	3.9	12	< 1	1	3	6	8	11	12
50-64	21	3.4	7	1	2	3	4	8	9	10
65 +	34	3.9	15	1	1	2	6	10	11	18
B. Operated										
0-19 YRS	34	4.9	54	1	1	3	5	9	25	35
20-34	36	5.5	27	1	2	4	7	12	16	25
35-49	107	3.3	10	1	1	2	5	9	10	52
50-64	238	3.3	12	1	1	2	4	8	9	19
65 +	242	3.4	15	1	1	2	4	8	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	491	4.6	8	2	3	4	6	8	10	15
20-34	90	5.1	18	2	2	4	7	10	12	24
35-49	132	5.6	22	1	2	4	8	11	13	25
50-64	227	5.0	32	1	2	4	7	9	12	25
65 +	514	7.5	60	2	3	5	9	14	20	39
B. Operated										
0-19 YRS	100	8.6	128	1	3	6	10	19	26	92
20-34	116	8.3	68	1	3	6	10	20	23	42
35-49	392	7.8	81	1	2	5	10	18	26	67
50-64	1233	7.7	87	1	2	5	9	17	24	55
65 +	2496	9.5	107	1	3	7	12	21	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	532	3.5	5	1	2	3	4	6	8	11
B. Operated	657	3.5	16	1	1	2	5	8	11	20
2. MULTIPLE DX										
A. Not Operated	1454	5.8	34	1	3	4	7	11	15	26
B. Operated	4337	8.8	99	1	3	6	11	19	27	57
1. SINGLE DX	1189	3.5	11	1	1	3	4	7	9	17
2. MULTIPLE DX	5791	8.0	84	1	3	6	10	17	24	53
A. Not Operated	1986	5.2	27	1	2	4	6	10	13	24
B. Operated	4994	8.1	91	1	2	5	10	18	26	55
TOTAL										
0-19 YRS	1076	4.5	21	1	2	4	5	8	10	23
20-34	253	6.5	44	1	2	4	8	14	21	32
35-49	646	6.5	58	1	2	4	9	14	22	51
50-64	1719	6.7	71	1	2	4	8	15	21	45
65 +	3286	8.7	95	1	3	6	11	19	26	56
GRAND TOTAL	**6980**	**7.3**	**75**	**1**	**2**	**5**	**9**	**16**	**23**	**48**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	7.1	17	1	4	7	11	12	13	15
20-34	149	5.1	8	2	3	5	7	9	10	12
35-49	272	5.8	8	2	4	6	7	9	11	13
50-64	265	6.0	10	2	4	6	7	10	11	15
65 +	239	6.5	9	3	5	6	8	10	11	16
B. Operated										
0-19 YRS	7	6.0	3	3	4	7	7	8	8	8
20-34	69	5.6	13	1	2	5	8	11	11	16
35-49	108	5.5	10	1	3	5	7	9	12	15
50-64	90	6.2	14	1	3	6	9	10	12	18
65 +	77	5.7	9	2	4	6	8	10	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	8.4	43	1	4	7	12	14	20	31
20-34	273	6.9	13	3	5	7	8	11	14	20
35-49	654	6.6	17	2	4	6	8	11	14	22
50-64	1048	7.2	14	3	5	7	9	11	13	20
65 +	2261	7.8	17	4	5	7	9	12	15	24
B. Operated										
0-19 YRS	18	9.1	95	1	3	7	11	17	33	43
20-34	108	7.6	21	2	4	7	10	14	16	23
35-49	280	9.1	60	3	5	7	11	16	21	48
50-64	467	8.2	45	2	4	7	10	14	19	37
65 +	896	9.7	43	4	6	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	950	5.9	9	2	4	6	8	10	11	15
B. Operated	351	5.8	11	1	3	6	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	4260	7.4	17	3	5	7	9	12	14	22
B. Operated	1769	9.1	46	3	5	8	11	16	21	36
1. SINGLE DX	1301	5.9	10	2	4	6	8	10	11	15
2. MULTIPLE DX	6029	7.9	26	3	5	7	9	13	16	28
A. Not Operated	5210	7.1	16	3	5	7	9	11	14	21
B. Operated	2120	8.5	42	2	5	7	10	15	20	35
TOTAL										
0-19 YRS	74	7.9	43	1	4	7	11	14	15	40
20-34	599	6.4	14	2	4	6	8	11	13	18
35-49	1314	6.9	25	2	4	6	8	12	15	24
50-64	1870	7.2	22	3	5	7	9	12	14	24
65 +	3473	8.1	24	4	5	7	10	13	16	29
GRAND TOTAL	**7330**	**7.5**	**23**	**3**	**5**	**7**	**9**	**12**	**15**	**26**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	12	4.6	14	1	2	4	7	11	12	12
50-64	17	4.7	24	1	2	3	5	10	17	21
65 +	29	7.0	14	2	4	7	9	12	14	17
B. Operated										
0-19 YRS	10	1.8	1	< 1	1	1	3	4	4	4
20-34	406	1.6	2	1	1	1	2	2	3	7
35-49	691	1.8	4	1	1	1	2	3	4	9
50-64	409	2.2	11	1	1	1	2	3	5	20
65 +	184	5.0	54	1	1	2	5	11	17	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	15.0	338	2	2	15	28	28	28	28
20-34	31	6.5	24	1	2	5	10	14	16	18
35-49	86	8.6	77	2	3	6	11	17	24	49
50-64	173	8.6	49	3	4	7	11	17	20	37
65 +	600	9.6	64	3	5	7	11	18	25	44
B. Operated										
0-19 YRS	3	6.0	75	1	1	1	12	16	16	16
20-34	128	3.9	32	1	1	2	3	13	19	45
35-49	349	4.1	41	1	1	2	4	9	18	36
50-64	422	6.2	64	1	1	3	8	16	23	41
65 +	644	12.7	144	2	4	10	19	28	35	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	5.6	17	1	2	5	8	11	13	21
B. Operated	1700	2.2	12	1	1	1	2	3	5	17
2. MULTIPLE DX										
A. Not Operated	892	9.2	61	3	4	7	11	18	24	43
B. Operated	1546	8.2	104	1	2	4	12	22	29	52
1. SINGLE DX	1762	2.3	12	1	1	1	2	4	7	17
2. MULTIPLE DX	2438	8.6	89	1	2	6	11	21	28	49
A. Not Operated	954	9.0	59	3	4	7	11	17	23	43
B. Operated	3246	5.1	65	1	1	2	4	15	22	42
TOTAL										
0-19 YRS	15	4.4	57	1	1	1	3	16	25	28
20-34	569	2.4	12	1	1	1	2	4	8	21
35-49	1138	3.1	25	1	1	2	3	6	11	28
50-64	1021	5.0	46	1	1	2	6	13	19	35
65 +	1457	10.3	104	2	4	7	14	23	30	54
GRAND TOTAL	**4200**	**6.0**	**66**	**1**	**1**	**2**	**7**	**16**	**23**	**42**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	32	1.7	1	< 1	< 1	1	2	3	5	5
35-49	37	1.8	1	< 1	< 1	1	2	4	4	5
50-64	33	1.8	2	< 1	< 1	1	2	3	5	6
65 +	17	1.7	1	< 1	< 1	2	2	3	3	3
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	183	2.3	2	1	1	2	3	4	5	8
35-49	314	2.1	2	1	1	2	3	4	5	6
50-64	183	2.2	2	1	1	2	3	4	5	6
65 +	66	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	71	2.6	3	1	1	2	3	6	6	8
35-49	158	3.4	8	1	2	3	4	7	10	15
50-64	159	3.4	7	1	2	3	4	7	9	14
65 +	316	4.6	35	1	2	3	5	9	13	21
B. Operated										
0-19 YRS	18	2.7	7	1	1	2	3	5	9	12
20-34	965	2.5	3	1	1	2	3	4	5	9
35-49	1993	2.5	3	1	1	2	3	5	6	8
50-64	1509	2.8	11	1	1	2	3	5	6	11
65 +	1040	3.7	16	1	2	3	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	1.8	1	< 1	< 1	1	2	3	4	6
B. Operated	750	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	713	3.8	20	1	2	3	5	7	10	18
B. Operated	5525	2.8	8	1	1	2	3	5	6	13
1. SINGLE DX	873	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	6238	2.9	9	1	1	2	3	5	7	14
A. Not Operated	836	3.5	18	1	1	3	4	7	9	18
B. Operated	6275	2.7	7	1	1	2	3	5	6	12
TOTAL										
0-19 YRS	35	2.2	4	1	1	2	2	4	5	12
20-34	1251	2.4	3	1	1	2	3	4	5	8
35-49	2502	2.5	3	1	1	2	3	5	6	10
50-64	1884	2.8	10	1	1	2	3	5	6	11
65 +	1439	3.8	20	1	2	3	4	7	10	21
GRAND TOTAL	**7111**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	4.4	14	1	1	4	6	9	12	17
20-34	275	6.1	8	2	4	6	8	9	11	15
35-49	378	6.0	10	2	4	6	8	10	11	14
50-64	322	6.0	7	2	5	6	7	9	10	15
65 +	374	6.4	8	3	5	6	8	10	11	15
B. Operated										
0-19 YRS	97	3.6	19	< 1	1	1	6	8	12	23
20-34	187	5.5	18	1	1	5	8	10	12	21
35-49	201	5.1	11	1	2	5	7	9	11	14
50-64	174	5.6	10	1	3	6	7	10	11	14
65 +	128	6.6	15	2	4	6	8	11	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	212	5.0	29	1	2	3	7	10	13	24
20-34	662	6.7	25	2	3	6	9	12	15	24
35-49	1399	6.5	18	2	4	6	8	11	14	23
50-64	2438	6.5	17	2	4	6	8	11	13	21
65 +	6944	6.8	21	2	4	6	8	12	14	23
B. Operated										
0-19 YRS	186	7.1	82	1	1	4	9	18	28	47
20-34	440	7.6	74	1	3	6	10	14	19	42
35-49	863	8.5	47	2	4	7	11	15	20	37
50-64	1282	8.7	52	2	5	7	10	16	22	41
65 +	2657	10.1	69	3	6	8	12	18	25	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1427	6.0	9	2	4	6	8	10	11	15
B. Operated	787	5.4	15	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	11655	6.6	20	2	4	6	8	11	14	23
B. Operated	5428	9.2	63	2	5	8	11	17	23	44
1. SINGLE DX	2214	5.8	11	1	4	6	8	10	11	15
2. MULTIPLE DX	17083	7.5	35	2	4	7	9	13	17	32
A. Not Operated	13082	6.6	19	2	4	6	8	11	14	22
B. Operated	6215	8.7	58	2	4	7	10	16	22	42
TOTAL										
0-19 YRS	573	5.3	44	1	1	3	7	12	17	34
20-34	1564	6.7	35	1	3	6	9	11	15	27
35-49	2841	6.9	27	2	4	6	9	12	15	28
50-64	4216	7.1	28	2	4	6	9	12	15	29
65 +	10103	7.6	35	2	4	7	9	13	17	32
GRAND TOTAL	**19297**	**7.3**	**33**	**2**	**4**	**6**	**9**	**13**	**16**	**30**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3738	2.0	2	1	1	2	3	4	4	6
20-34	377	2.5	2	1	2	2	3	4	5	7
35-49	155	2.7	2	1	2	2	4	5	6	7
50-64	50	2.7	2	1	2	3	3	5	5	6
65 +	30	3.1	3	1	2	3	4	6	7	8
B. Operated										
0-19 YRS	229	1.9	13	< 1	1	1	1	4	5	19
20-34	76	2.4	6	1	1	1	3	5	6	13
35-49	35	3.2	7	1	1	2	5	7	9	10
50-64	12	5.3	5	1	4	6	7	8	8	8
65 +	4	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7997	2.8	5	1	2	2	3	5	6	11
20-34	1173	3.2	4	1	2	3	4	5	7	11
35-49	757	3.6	5	1	2	3	5	6	8	12
50-64	640	4.3	10	2	2	4	6	8	10	15
65 +	943	5.4	19	2	3	4	7	10	12	22
B. Operated										
0-19 YRS	580	5.0	44	1	1	2	7	12	16	30
20-34	222	4.9	38	1	1	3	6	11	15	31
35-49	137	5.5	33	1	2	4	7	12	15	26
50-64	125	6.7	22	1	3	6	9	14	16	20
65 +	125	10.2	82	2	4	8	13	23	24	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4350	2.1	2	1	1	2	3	4	4	7
B. Operated	356	2.3	11	< 1	1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated	11510	3.2	7	1	2	3	4	6	8	12
B. Operated	1189	5.8	46	1	1	4	8	14	18	30
1. SINGLE DX	4706	2.1	3	1	1	2	3	4	5	7
2. MULTIPLE DX	12699	3.4	11	1	2	3	4	6	9	16
A. Not Operated	15860	2.9	6	1	1	2	4	5	7	11
B. Operated	1545	5.0	40	1	1	2	7	12	16	28
TOTAL										
0-19 YRS	12544	2.7	6	1	1	2	3	5	6	11
20-34	1848	3.2	8	1	2	3	4	5	7	14
35-49	1084	3.7	9	1	2	3	5	7	8	14
50-64	827	4.6	12	1	2	4	6	8	11	17
65 +	1102	5.9	28	2	3	5	7	11	14	27
GRAND TOTAL	**17405**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4237	2.8	3	1	2	2	3	5	6	8
20-34	121	3.2	2	1	2	3	4	5	6	7
35-49	163	3.5	4	1	2	3	4	6	7	10
50-64	132	4.1	6	2	2	4	5	7	9	13
65 +	146	4.6	7	2	3	4	6	8	9	15
B. Operated										
0-19 YRS	19	3.2	10	1	1	2	4	7	11	13
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	4.7	4	1	4	5	6	7	7	7
50-64	6	5.5	12	< 1	3	5	7	11	11	11
65 +	9	10.6	139	< 1	< 1	9	12	29	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16271	3.8	8	1	2	3	5	7	9	15
20-34	1033	4.9	15	2	3	4	6	10	14	19
35-49	1883	4.9	11	2	3	4	6	9	10	17
50-64	5229	6.1	17	2	4	5	7	11	13	21
65 +	15059	6.8	24	3	4	6	8	12	15	26
B. Operated										
0-19 YRS	267	12.9	188	3	5	9	17	25	48	99 +
20-34	85	9.3	51	2	4	7	13	17	24	36
35-49	193	8.2	35	2	4	6	11	17	21	31
50-64	480	11.2	103	4	5	9	13	20	30	53
65 +	1141	12.5	110	4	6	9	15	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4799	2.9	4	1	2	2	4	5	6	9
B. Operated	43	5.2	41	< 1	1	4	7	11	14	39
2. MULTIPLE DX										
A. Not Operated	39475	5.3	18	2	3	4	7	10	13	21
B. Operated	2166	11.8	111	4	6	9	14	23	32	65
1. SINGLE DX	4842	2.9	4	1	2	3	4	5	6	9
2. MULTIPLE DX	41641	5.7	24	2	3	4	7	10	14	25
A. Not Operated	44274	5.1	17	2	3	4	6	9	12	20
B. Operated	2209	11.6	110	3	5	9	14	23	32	64
TOTAL										
0-19 YRS	20794	3.7	10	1	2	3	4	6	8	15
20-34	1241	5.0	18	2	3	4	6	10	14	20
35-49	2246	5.1	14	2	3	4	6	9	12	19
50-64	5847	6.4	26	2	4	5	8	11	14	24
65 +	16355	7.2	32	3	4	6	9	13	16	30
GRAND TOTAL	**46483**	**5.4**	**23**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	88	1.1		1	1	1	1	1	2	3
20-34	244	1.1		< 1	1	1	1	1	2	2
35-49	191	1.1		< 1	1	1	1	2	2	2
50-64	44	1.1		1	1	1	1	2	2	3
65 +	13	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	6	1.5		< 1	< 1	1	2	2	2	2
50-64	4	1.0		< 1	< 1	< 1	1	1	1	1
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	332	1.1		1	1	1	1	2	2	3
20-34	990	1.2	1	1	1	1	1	2	2	4
35-49	945	1.3		1	1	1	1	2	3	4
50-64	438	1.4	1	1	1	1	2	2	3	5
65 +	161	1.4	1	1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	2	1	1	1	2	4	4	4
B. Operated	580	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	16	1.4		< 1	< 1	1	2	2	3	3
B. Operated	2866	1.3	1	1	1	1	1	2	3	4
1. SINGLE DX	585	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX	2882	1.3	1	1	1	1	1	2	3	4
A. Not Operated	21	1.5	1	< 1	< 1	1	2	3	3	4
B. Operated	3446	1.2		1	1	1	1	2	2	4
TOTAL										
0-19 YRS	422	1.1		1	1	1	1	2	2	3
20-34	1239	1.2		1	1	1	1	2	2	4
35-49	1143	1.3		1	1	1	1	2	2	4
50-64	486	1.4	1	1	1	1	1	2	3	5
65 +	177	1.4	1	1	1	1	2	2	3	5
GRAND TOTAL	**3467**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**4**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	1.3		1	1	1	2	2	3	3
20-34	13	1.0		< 1	< 1	1	1	1	1	1
35-49	18	1.6	1	1	1	1	2	3	4	4
50-64	8	1.4	1	< 1	< 1	1	1	3	4	4
65 +	15	1.3		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	2.3	2	< 1	1	2	3	4	4	4
65 +	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-19 YRS	111	2.8	9	1	1	1	4	6	8	16
20-34	93	1.4	1	1	1	1	2	3	3	5
35-49	170	1.4	1	< 1	1	1	2	2	3	5
50-64	173	1.5	2	1	1	1	2	2	3	10
65 +	122	1.6	1	1	1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	69	1.3	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	13	2.2	2	< 1	1	2	3	5	5	5
B. Operated	669	1.7	3	1	1	1	2	3	5	8
1. SINGLE DX	71	1.3	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX	682	1.7	3	1	1	1	2	3	5	8
A. Not Operated	15	2.1	2	< 1	1	1	3	5	5	5
B. Operated	738	1.7	2	1	1	1	2	3	4	8
TOTAL										
0-19 YRS	131	2.6	8	1	1	1	3	6	8	15
20-34	108	1.4	1	1	1	1	2	3	3	6
35-49	189	1.4	1	1	1	1	2	2	3	5
50-64	185	1.5	2	1	1	1	2	3	3	9
65 +	140	1.5	1	1	1	1	2	3	4	6
GRAND TOTAL	**753**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	1.2		< 1	1	1	1	2	2	3
20-34	28	1.5	1	1	1	1	1	3	4	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7096	1.0		< 1	1	1	1	1	1	2
20-34	1381	1.1		1	1	1	1	1	2	3
35-49	172	1.2		1	1	1	1	2	2	4
50-64	25	1.2		1	1	1	1	2	3	3
65 +	7	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	2.1	3	< 1	1	1	3	4	5	8
20-34	21	2.6	6	< 1	1	2	3	6	9	11
35-49	5	3.8	2	2	3	4	5	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	8774	1.3	2	1	1	1	1	2	2	6
20-34	555	1.3	1	1	1	1	1	2	3	6
35-49	143	1.6	3	1	1	1	2	3	3	11
50-64	44	2.5	6	1	1	1	3	6	8	12
65 +	21	2.1	5	1	1	1	2	4	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	1.3	1	1	1	1	1	2	3	5
B. Operated	8681	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	222	2.2	3	< 1	1	2	3	4	6	9
B. Operated	9537	1.3	2	1	1	1	1	2	2	6
1. SINGLE DX	8780	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX	9759	1.3	2	1	1	1	1	2	3	7
A. Not Operated	321	1.9	2	< 1	1	1	2	4	5	8
B. Operated	18218	1.2	1	1	1	1	1	1	2	4
TOTAL										
0-19 YRS	16135	1.2	1	1	1	1	1	1	2	5
20-34	1985	1.2	1	1	1	1	1	2	2	4
35-49	320	1.4	2	1	1	1	1	2	3	6
50-64	71	2.1	4	1	1	1	2	4	7	12
65 +	28	1.8	4	< 1	1	1	2	4	5	11
GRAND TOTAL	**18539**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**5**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	712	2.5	4	1	1	2	3	4	6	10
20-34	301	2.7	2	1	2	2	3	5	6	8
35-49	136	2.7	2	1	2	2	3	5	5	7
50-64	60	3.0	3	1	2	3	4	6	7	9
65 +	21	3.0	7	1	1	2	4	7	10	11
B. Operated										
0-19 YRS	1012	2.5	19	< 1	1	1	3	5	7	16
20-34	571	2.1	3	1	1	2	3	4	5	9
35-49	408	1.9	4	< 1	1	1	2	4	5	11
50-64	223	2.0	10	< 1	1	1	2	4	5	15
65 +	124	1.8	3	< 1	1	1	2	3	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1315	3.3	9	1	2	3	4	6	8	14
20-34	452	3.6	12	1	2	3	4	6	9	22
35-49	340	3.5	7	1	2	3	5	6	7	15
50-64	241	3.9	7	1	2	3	5	7	9	15
65 +	270	4.6	12	1	2	4	6	9	11	19
B. Operated										
0-19 YRS	1895	4.4	50	1	1	2	5	10	16	40
20-34	1168	2.7	12	1	1	1	3	5	8	18
35-49	1325	2.6	13	1	1	1	3	5	9	18
50-64	1000	2.9	16	1	1	1	3	7	11	22
65 +	721	3.9	28	1	1	2	4	9	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1230	2.6	3	1	1	2	3	5	6	9
B. Operated	2338	2.2	11	< 1	1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	2618	3.6	10	1	2	3	4	6	8	16
B. Operated	6109	3.4	27	1	1	2	3	7	12	28
1. SINGLE DX	3568	2.4	8	1	1	2	3	4	6	11
2. MULTIPLE DX	8727	3.4	22	1	1	2	4	7	11	25
A. Not Operated	3848	3.3	8	1	2	3	4	6	8	14
B. Operated	8447	3.0	23	1	1	2	3	6	10	25
TOTAL										
0-19 YRS	4934	3.5	27	1	1	2	4	7	10	27
20-34	2492	2.7	9	1	1	2	3	5	7	15
35-49	2209	2.6	10	1	1	2	3	5	7	17
50-64	1524	3.0	14	1	1	2	3	6	10	19
65 +	1136	3.8	21	1	1	2	4	9	13	27
GRAND TOTAL	**12295**	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**9**	**22**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	600	3.6	5	2	2	3	4	7	8	11
20-34	309	4.2	5	2	3	4	5	7	8	11
35-49	277	4.8	7	2	3	4	6	8	9	15
50-64	209	5.3	7	2	3	5	7	9	11	12
65 +	275	6.1	15	3	4	5	8	10	12	21
B. Operated										
0-19 YRS	9	6.0	13	2	4	6	8	11	13	13
20-34	10	8.1	22	4	5	6	11	15	19	19
35-49	15	7.1	13	3	4	7	9	12	14	15
50-64	13	9.3	25	3	5	10	12	17	19	19
65 +	8	9.1	21	4	6	8	12	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2338	6.3	28	2	3	5	8	13	15	21
20-34	1410	7.3	35	3	4	6	9	14	17	30
35-49	1741	7.1	26	3	4	6	9	13	15	26
50-64	3330	8.0	32	3	5	7	10	14	18	30
65 +	13804	9.3	44	4	5	8	11	16	21	35
B. Operated										
0-19 YRS	301	16.0	176	5	9	13	19	30	46	99 +
20-34	282	15.5	162	5	7	12	20	33	50	99 +
35-49	458	17.1	211	5	8	13	22	36	53	99 +
50-64	800	17.4	204	6	9	13	21	36	52	99 +
65 +	2563	18.5	181	7	10	15	23	37	48	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1670	4.5	8	2	3	4	6	8	9	14
B. Operated	55	7.9	19	3	4	7	11	14	17	19
2. MULTIPLE DX										
A. Not Operated	22623	8.5	40	3	5	7	11	15	19	33
B. Operated	4404	17.8	187	6	9	14	22	36	49	99 +
1. SINGLE DX	1725	4.6	9	2	3	4	6	8	10	14
2. MULTIPLE DX	27027	10.0	76	3	5	8	12	19	25	52
A. Not Operated	24293	8.2	39	3	4	7	10	15	19	32
B. Operated	4459	17.7	187	6	9	14	22	36	49	99 +
TOTAL										
0-19 YRS	3248	6.7	47	2	3	5	9	14	17	32
20-34	2011	8.0	58	3	4	6	10	15	21	47
35-49	2491	8.6	74	3	4	6	10	16	24	57
50-64	4352	9.6	76	3	5	7	11	18	25	52
65 +	16650	10.6	76	4	6	8	13	19	26	51
GRAND TOTAL	**28752**	**9.7**	**73**	**3**	**5**	**7**	**12**	**18**	**25**	**50**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7951	3.3	3	2	2	3	4	6	7	9
20-34	1434	4.2	4	2	3	4	5	7	8	11
35-49	1136	4.5	5	2	3	4	6	7	9	12
50-64	650	4.8	6	2	3	4	6	8	9	13
65 +	867	5.6	9	2	4	5	7	9	11	19
B. Operated										
0-19 YRS	52	5.4	14	1	2	4	8	11	12	14
20-34	39	9.3	25	3	6	8	12	17	19	23
35-49	43	7.4	15	3	4	7	10	12	14	20
50-64	48	7.6	19	2	4	7	10	12	14	22
65 +	21	12.8	88	5	6	10	16	31	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23641	4.1	10	2	2	3	5	7	9	16
20-34	3738	5.3	13	2	3	5	6	9	11	18
35-49	5122	5.9	14	3	4	5	7	10	12	19
50-64	8353	6.8	19	3	4	6	8	11	14	23
65 +	33743	8.3	35	3	5	7	10	14	18	31
B. Operated										
0-19 YRS	885	13.2	171	3	5	9	17	30	51	99 +
20-34	464	12.2	117	4	6	9	15	23	34	64
35-49	853	12.4	110	4	6	10	15	22	29	69
50-64	1504	13.0	98	5	7	10	16	24	32	55
65 +	4295	15.3	129	6	8	12	19	28	36	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12038	3.8	5	2	2	3	5	6	8	11
B. Operated	203	7.9	29	2	4	7	10	13	19	31
2. MULTIPLE DX										
A. Not Operated	74597	6.5	26	2	3	5	8	12	15	25
B. Operated	8001	14.1	127	5	7	11	17	27	36	74
1. SINGLE DX	12241	3.8	5	2	2	3	5	7	8	12
2. MULTIPLE DX	82598	7.2	41	2	4	6	9	13	18	34
A. Not Operated	86635	6.1	24	2	3	5	8	11	14	24
B. Operated	8204	14.0	125	5	7	11	17	26	36	73
TOTAL										
0-19 YRS	32529	4.2	15	2	2	3	5	7	10	19
20-34	5675	5.6	23	2	3	4	7	10	13	25
35-49	7154	6.5	29	3	4	5	8	11	15	27
50-64	10555	7.5	35	3	4	6	9	13	18	31
65 +	38926	9.0	50	4	5	7	11	16	21	37
GRAND TOTAL	**94839**	**6.8**	**37**	**2**	**3**	**5**	**8**	**13**	**17**	**31**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165	2.8	3	1	2	2	4	4	5	10
20-34	57	2.7	2	1	2	3	4	4	5	7
35-49	51	3.5	5	1	2	3	4	6	8	11
50-64	52	3.5	4	1	2	3	5	6	8	10
65 +	50	5.0	9	2	3	4	6	9	11	14
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	582	3.7	16	1	2	3	4	6	8	18
20-34	259	3.3	7	1	2	3	4	6	8	15
35-49	296	4.0	7	1	2	3	5	7	9	13
50-64	501	5.1	15	2	3	4	6	9	13	20
65 +	1640	6.7	26	2	4	5	8	12	15	28
B. Operated										
0-19 YRS	23	9.8	59	2	4	6	16	22	23	24
20-34	14	6.3	50	1	2	4	5	21	23	23
35-49	14	7.6	33	3	5	5	9	18	21	22
50-64	29	10.6	64	3	5	9	14	22	31	32
65 +	88	13.1	106	4	7	9	17	26	36	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	3.3	5	1	2	3	4	6	7	11
B. Operated	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	3278	5.4	21	2	3	4	7	10	13	23
B. Operated	168	11.2	86	3	5	8	14	23	30	50
1. SINGLE DX	377	3.3	5	1	2	3	4	6	8	11
2. MULTIPLE DX	3446	5.7	26	2	3	4	7	11	14	26
A. Not Operated	3653	5.2	20	2	3	4	6	10	13	22
B. Operated	170	11.2	85	3	5	8	14	23	30	50
TOTAL										
0-19 YRS	771	3.7	15	1	2	3	4	6	9	20
20-34	330	3.4	8	1	2	3	4	6	8	16
35-49	361	4.0	8	1	2	3	5	7	10	15
50-64	583	5.2	18	2	3	4	6	10	13	22
65 +	1778	6.9	31	2	4	5	8	13	17	30
GRAND TOTAL	**3823**	**5.4**	**24**	**2**	**3**	**4**	**7**	**10**	**14**	**25**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	249	2.4	2	1	1	2	3	4	5	7
20-34	36	3.4	4	1	2	3	4	7	8	10
35-49	70	3.7	6	1	2	3	5	7	8	12
50-64	118	4.7	6	2	3	4	6	8	10	12
65 +	160	4.7	8	2	3	4	6	8	9	14
B. Operated										
0-19 YRS	12	2.8	11	< 1	< 1	2	3	8	11	12
20-34	5	4.4	6	2	3	3	6	8	8	8
35-49	4	5.3	19	< 1	1	4	8	11	11	11
50-64	12	4.0	26	< 1	1	2	4	11	18	19
65 +	10	2.6	4	< 1	< 1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	741	3.6	8	1	2	3	4	6	8	14
20-34	219	4.1	10	1	2	3	5	8	10	18
35-49	407	4.6	12	2	2	4	6	8	11	19
50-64	1067	5.8	18	2	3	5	7	11	14	23
65 +	2621	6.9	27	3	4	6	8	12	16	27
B. Operated										
0-19 YRS	45	6.6	83	1	1	3	10	17	27	99 +
20-34	38	6.5	25	1	3	5	9	15	17	18
35-49	75	9.9	147	2	3	6	11	25	33	70
50-64	178	9.9	107	2	4	7	12	23	29	95
65 +	304	11.7	136	3	5	8	13	23	39	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	633	3.6	6	1	2	3	5	7	8	12
B. Operated	43	3.5	13	< 1	1	2	4	7	11	19
2. MULTIPLE DX										
A. Not Operated	5055	5.9	22	2	3	5	7	11	14	24
B. Operated	640	10.3	121	2	4	7	12	22	31	70
1. SINGLE DX	676	3.6	6	1	2	3	5	7	9	12
2. MULTIPLE DX	5695	6.4	35	2	3	5	8	12	16	30
A. Not Operated	5688	5.6	20	2	3	5	7	10	14	23
B. Operated	683	9.9	117	2	4	7	12	21	30	69
TOTAL										
0-19 YRS	1047	3.4	11	1	2	3	4	6	8	15
20-34	298	4.3	12	1	2	3	5	9	12	18
35-49	556	5.2	32	1	2	4	6	9	12	29
50-64	1375	6.2	30	2	3	5	7	11	15	28
65 +	3095	7.2	39	3	4	6	9	13	17	34
GRAND TOTAL	**6371**	**6.1**	**32**	**2**	**3**	**5**	**7**	**11**	**15**	**29**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	16	5.6	14	1	2	5	8	11	12	12
50-64	68	4.6	7	2	3	4	6	8	10	13
65 +	123	6.3	30	3	3	5	7	10	15	32
B. Operated										
0-19 YRS	5	5.4	10	2	2	7	8	8	8	8
20-34	7	5.7	20	1	2	5	8	13	14	14
35-49	11	7.0	15	2	4	7	8	13	15	15
50-64	6	6.0	16	2	2	5	10	11	11	11
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	5	5.8	15	3	3	3	10	10	10	10
35-49	113	5.8	20	2	3	5	7	12	14	25
50-64	660	7.5	54	2	4	6	9	13	17	41
65 +	1686	7.6	34	3	4	6	9	13	18	35
B. Operated										
0-19 YRS	14	9.3	33	4	5	8	13	22	80	99 +
20-34	41	10.1	81	4	5	7	12	21	26	52
35-49	53	15.1	196	4	7	10	17	36	50	64
50-64	123	13.5	158	4	6	10	16	29	47	77
65 +	218	16.8	242	4	8	12	21	36	46	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	5.6	22	2	3	5	7	10	12	24
B. Operated	30	6.2	14	2	3	6	8	11	14	15
2. MULTIPLE DX										
A. Not Operated	2467	7.5	39	3	4	6	9	13	18	36
B. Operated	449	14.9	197	4	7	11	18	33	45	93
1. SINGLE DX	240	5.7	21	2	3	5	7	10	13	22
2. MULTIPLE DX	2916	8.6	70	3	4	7	10	15	22	48
A. Not Operated	2677	7.3	38	3	4	6	9	13	17	35
B. Operated	479	14.3	190	4	7	10	17	30	45	92
TOTAL										
0-19 YRS	23	7.5	27	3	4	7	9	20	45	99 +
20-34	55	8.9	68	3	5	6	11	15	25	51
35-49	193	8.4	84	2	3	6	10	15	22	54
50-64	857	8.1	71	2	4	6	10	15	21	52
65 +	2028	8.5	64	3	4	6	10	15	22	44
GRAND TOTAL	**3156**	**8.4**	**67**	**3**	**4**	**6**	**10**	**15**	**22**	**47**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16581	2.4	2	1	2	2	3	4	5	7
20-34	2299	3.0	3	1	2	3	4	5	6	9
35-49	2094	3.7	6	1	2	3	5	7	8	11
50-64	1365	4.2	7	2	2	4	5	7	9	12
65 +	904	4.5	6	2	3	4	6	8	9	13
B. Operated										
0-19 YRS	68	3.9	7	1	2	3	5	7	10	14
20-34	14	6.1	19	2	3	4	8	12	16	17
35-49	16	7.4	83	2	3	5	6	16	32	39
50-64	8	7.9	23	3	4	8	10	15	17	17
65 +	5	6.8	9	2	5	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20929	3.0	4	1	2	3	4	5	7	10
20-34	3522	4.0	8	1	2	3	5	7	9	14
35-49	4808	4.8	12	2	3	4	6	8	10	16
50-64	5822	5.8	16	2	3	5	7	10	13	20
65 +	8639	6.6	22	3	4	6	8	12	14	24
B. Operated										
0-19 YRS	371	8.9	75	2	4	6	11	19	24	45
20-34	137	8.7	70	3	4	7	11	16	18	47
35-49	300	9.0	50	3	4	7	11	17	23	36
50-64	396	11.0	83	4	6	8	13	22	29	55
65 +	581	13.4	133	5	7	10	16	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23243	2.8	4	1	2	2	3	5	6	9
B. Operated	111	5.1	22	2	2	4	7	10	12	26
2. MULTIPLE DX										
A. Not Operated	43720	4.4	13	1	2	3	5	8	10	17
B. Operated	1785	10.8	95	3	5	8	13	21	29	55
1. SINGLE DX	23354	2.8	4	1	2	2	3	5	6	9
2. MULTIPLE DX	45505	4.6	17	1	2	4	6	9	11	20
A. Not Operated	66963	3.8	10	1	2	3	5	7	9	15
B. Operated	1896	10.5	92	3	5	8	13	20	28	54
TOTAL										
0-19 YRS	37949	2.8	5	1	2	2	3	5	6	10
20-34	5972	3.7	8	1	2	3	5	7	8	14
35-49	7218	4.6	13	2	3	4	6	8	10	17
50-64	7591	5.8	20	2	3	5	7	10	13	23
65 +	10129	6.8	30	2	4	6	8	12	15	28
GRAND TOTAL	**68859**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.5	21	2	3	3	7	13	15	15
20-34	10	3.5	5	1	2	3	4	7	9	9
35-49	63	3.9	5	2	2	3	5	8	9	10
50-64	380	4.8	10	2	3	4	6	8	11	19
65 +	538	4.8	9	2	3	4	6	8	11	18
B. Operated										
0-19 YRS	8	5.6	18	1	2	4	9	12	12	12
20-34	3	5.7	5	3	4	7	7	7	7	7
35-49	6	8.0	14	3	5	8	9	14	14	14
50-64	9	6.9	38	1	2	5	10	17	19	19
65 +	13	4.5	7	1	2	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	9.8	196	3	4	7	11	15	24	91
20-34	72	7.5	28	2	3	7	10	14	15	28
35-49	479	6.0	48	2	3	5	7	10	13	38
50-64	2949	6.3	25	2	3	5	8	11	14	26
65 +	7528	7.0	32	3	4	6	9	13	17	32
B. Operated										
0-19 YRS	37	10.6	83	3	5	8	13	22	30	46
20-34	27	7.9	28	1	3	7	11	14	18	21
35-49	65	9.0	70	2	4	6	11	18	32	37
50-64	337	12.8	166	3	5	8	14	28	41	70
65 +	773	13.1	145	3	6	10	16	26	36	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	999	4.7	9	2	3	4	6	8	10	18
B. Operated	39	5.9	17	1	2	5	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	11071	6.8	32	2	4	5	8	12	16	30
B. Operated	1239	12.6	143	3	6	9	16	26	35	77
1. SINGLE DX	1038	4.8	10	2	3	4	6	8	11	18
2. MULTIPLE DX	12310	7.4	46	2	4	6	9	14	18	36
A. Not Operated	12070	6.6	30	2	4	5	8	12	16	29
B. Operated	1278	12.4	141	3	5	9	15	26	35	76
TOTAL										
0-19 YRS	96	9.4	124	2	4	7	12	15	25	70
20-34	112	7.2	27	2	3	6	10	13	15	27
35-49	613	6.1	47	2	3	5	7	10	14	36
50-64	3675	6.8	41	2	3	5	8	12	16	33
65 +	8852	7.4	44	3	4	6	9	14	18	36
GRAND TOTAL	**13348**	**7.2**	**44**	**2**	**4**	**6**	**9**	**13**	**18**	**35**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	2.1	3	1	1	2	2	4	5	9
20-34	120	2.5	4	1	1	2	3	5	6	11
35-49	28	2.7	4	1	1	2	4	6	7	7
50-64	14	3.4	10	1	1	2	4	8	10	11
65 +	8	4.8	12	2	2	4	7	10	11	11
B. Operated										
0-19 YRS	271	5.4	12	2	3	4	7	10	12	18
20-34	810	4.9	10	2	3	4	6	9	11	16
35-49	304	5.3	17	2	3	4	6	10	13	21
50-64	75	5.1	11	2	3	4	6	9	13	16
65 +	43	5.8	29	2	3	4	6	10	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.6	9	1	2	3	4	9	11	13
20-34	65	5.0	39	1	2	3	6	11	14	40
35-49	45	4.4	10	1	2	4	6	8	9	16
50-64	61	5.8	23	1	3	5	7	12	17	22
65 +	131	6.2	28	2	3	5	7	11	17	29
B. Operated										
0-19 YRS	157	9.5	43	3	4	8	13	18	22	30
20-34	565	8.4	44	3	4	6	11	16	22	38
35-49	417	8.6	53	3	4	6	11	17	24	32
50-64	474	10.1	83	3	4	8	13	19	25	51
65 +	739	11.2	99	3	5	8	15	23	30	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	2.5	4	1	1	2	3	5	7	11
B. Operated	1503	5.1	12	2	3	4	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	335	5.4	25	1	2	4	7	11	14	24
B. Operated	2352	9.7	72	3	4	7	12	19	26	44
1. SINGLE DX	1761	4.7	12	2	3	4	6	9	11	17
2. MULTIPLE DX	2687	9.2	68	3	4	7	11	19	25	43
A. Not Operated	593	4.2	18	1	2	3	5	9	11	23
B. Operated	3855	7.9	54	2	4	6	10	16	22	37
TOTAL										
0-19 YRS	549	5.9	25	2	3	4	8	12	16	24
20-34	1560	6.0	27	2	3	4	7	11	15	27
35-49	794	6.9	38	2	3	5	8	14	19	31
50-64	624	8.9	71	2	4	6	11	18	22	45
65 +	921	10.2	89	3	4	7	13	22	28	46
GRAND TOTAL	**4448**	**7.4**	**51**	**2**	**3**	**5**	**9**	**15**	**21**	**36**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.7	3	1	1	2	4	5	6	7
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	6	4.0	6	2	2	3	6	6	8	8
50-64	11	4.6	22	< 1	1	4	6	12	16	16
65 +	33	10.8	65	1	5	9	15	22	26	32
B. Operated										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	0									
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	563	7.8	83	1	3	5	10	17	26	85
20-34	233	6.1	45	1	3	4	7	10	17	37
35-49	547	7.9	52	2	4	6	10	16	19	36
50-64	2654	9.2	69	3	5	7	11	17	23	41
65 +	6547	9.7	54	3	5	8	12	18	22	39
B. Operated										
0-19 YRS	209	22.4	366	4	10	20	38	99 +	99 +	99 +
20-34	68	21.8	375	5	9	17	32	73	99 +	99 +
35-49	174	20.6	255	5	9	16	33	56	99 +	99 +
50-64	754	20.2	312	6	9	15	27	50	84	99 +
65 +	1555	21.1	286	6	10	16	29	52	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	6.8	47	1	2	4	9	16	22	30
B. Operated	5	9.2	38	3	4	8	15	17	17	17
2. MULTIPLE DX										
A. Not Operated	10544	9.3	59	3	5	7	11	17	22	40
B. Operated	2760	20.9	299	6	9	16	29	54	83	99 +
1. SINGLE DX	80	7.0	46	1	2	4	10	17	21	30
2. MULTIPLE DX	13304	11.7	131	3	5	8	14	24	36	93
A. Not Operated	10619	9.3	59	3	5	7	11	17	22	40
B. Operated	2765	20.9	299	6	9	16	29	54	83	99 +
TOTAL										
0-19 YRS	797	11.5	197	1	3	7	16	34	64	99 +
20-34	303	9.6	161	2	3	5	10	25	50	99 +
35-49	727	10.9	130	2	4	7	13	27	39	99 +
50-64	3420	11.6	143	3	5	8	13	24	34	91
65 +	8137	11.9	118	4	6	9	14	23	35	75
GRAND TOTAL	**13384**	**11.7**	**131**	**3**	**5**	**8**	**14**	**24**	**36**	**93**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1002	2.4	3	1	1	2	3	4	5	8
20-34	164	3.0	8	1	1	2	4	5	9	15
35-49	161	2.7	5	1	1	2	3	6	7	12
50-64	125	2.8	4	1	1	2	3	6	7	8
65 +	112	6.0	54	1	2	4	7	11	16	41
B. Operated										
0-19 YRS	275	3.7	31	1	1	1	4	8	14	31
20-34	86	6.0	32	1	3	5	7	12	18	32
35-49	143	5.5	21	1	2	5	7	11	16	24
50-64	187	5.5	24	1	2	4	7	11	15	25
65 +	121	5.0	18	1	2	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3341	5.0	28	1	2	3	6	11	15	28
20-34	771	5.6	25	1	2	4	7	12	15	23
35-49	1178	5.8	28	1	2	4	7	11	16	28
50-64	2046	6.4	31	2	3	5	8	13	17	29
65 +	7385	8.4	49	3	4	7	11	16	21	37
B. Operated										
0-19 YRS	1352	11.4	203	1	2	7	16	32	49	99 +
20-34	588	12.3	142	2	4	9	16	28	43	99 +
35-49	1013	11.1	115	2	4	8	14	23	32	66
50-64	1730	11.4	122	2	4	8	15	24	34	69
65 +	3785	13.9	142	4	6	11	18	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1564	2.8	8	1	1	2	3	5	7	14
B. Operated	812	4.9	26	1	1	4	6	10	16	25
2. MULTIPLE DX										
A. Not Operated	14721	7.0	41	2	3	5	9	14	19	33
B. Operated	8468	12.6	146	2	5	9	16	27	39	88
1. SINGLE DX	2376	3.5	15	1	1	2	4	7	10	19
2. MULTIPLE DX	23189	9.0	86	2	3	6	11	19	27	55
A. Not Operated	16285	6.6	39	2	3	5	8	14	18	32
B. Operated	9280	11.9	140	2	4	8	16	26	37	84
TOTAL										
0-19 YRS	5970	6.0	73	1	2	3	7	14	22	55
20-34	1609	7.8	79	1	2	5	10	18	25	56
35-49	2495	7.7	70	1	3	5	9	17	23	46
50-64	4088	8.4	75	2	3	6	10	18	25	48
65 +	11403	10.2	87	3	4	8	13	20	28	53
GRAND TOTAL	**25565**	**8.5**	**82**	**2**	**3**	**6**	**11**	**18**	**26**	**53**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.5	2	< 1	1	2	3	4	5	6
20-34	41	3.0	4	1	2	3	4	5	7	10
35-49	17	2.6	3	1	2	2	3	6	7	7
50-64	12	3.6	6	1	2	3	5	7	9	9
65 +	7	2.6	6	1	1	2	3	7	8	8
B. Operated										
0-19 YRS	1221	1.7	2	< 1	< 1	1	2	3	4	7
20-34	1373	2.0	2	1	1	2	2	3	4	6
35-49	779	2.0	1	1	1	2	2	3	4	6
50-64	171	1.9	2	1	1	2	2	3	4	7
65 +	36	2.1	2	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	3.3	10	1	2	3	4	6	9	14
20-34	123	3.4	12	1	1	3	4	6	8	50
35-49	91	3.9	11	1	2	3	5	7	11	18
50-64	53	3.8	6	1	2	3	5	8	8	12
65 +	78	5.4	36	2	2	4	6	9	13	37
B. Operated										
0-19 YRS	1899	2.2	8	< 1	1	2	3	4	5	10
20-34	1291	2.7	8	1	2	2	3	5	6	14
35-49	875	2.8	7	1	1	2	3	5	7	16
50-64	369	3.1	11	1	1	2	3	7	10	17
65 +	340	3.9	18	1	1	2	4	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	2.8	3	1	1	2	4	5	6	9
B. Operated	3580	1.9	2	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	515	3.8	14	1	2	3	5	7	9	25
B. Operated	4774	2.7	9	1	1	2	3	5	7	15
1. SINGLE DX	3697	1.9	2	< 1	1	2	2	3	4	6
2. MULTIPLE DX	5289	2.8	10	1	1	2	3	5	7	16
A. Not Operated	632	3.6	13	1	2	3	4	6	9	20
B. Operated	8354	2.3	6	< 1	1	2	3	4	5	12
TOTAL										
0-19 YRS	3330	2.1	6	< 1	1	2	3	4	5	9
20-34	2828	2.4	5	1	1	2	3	4	5	11
35-49	1762	2.5	5	1	1	2	3	4	6	12
50-64	605	2.9	8	1	1	2	3	6	8	16
65 +	461	4.0	20	1	1	2	5	8	13	25
GRAND TOTAL	**8986**	**2.4**	**7**	**< 1**	**1**	**2**	**3**	**4**	**6**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	166	3.5	4	1	2	3	4	7	8	10
20-34	58	3.3	2	2	2	3	4	6	6	8
35-49	57	3.7	6	1	2	3	5	6	8	15
50-64	29	3.0	2	2	2	2	4	6	6	6
65 +	20	4.5	11	1	2	4	5	10	12	13
B. Operated										
0-19 YRS	274	2.2	3	< 1	1	2	3	4	5	8
20-34	156	2.3	5	1	1	1	3	4	7	12
35-49	171	2.2	5	1	1	1	2	4	7	13
50-64	124	1.9	3	1	1	1	2	3	5	9
65 +	99	1.7	2	1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	436	3.8	7	1	2	3	5	7	9	12
20-34	109	4.3	10	1	2	4	5	8	11	17
35-49	143	4.7	10	2	2	4	6	9	11	16
50-64	144	5.3	14	1	2	5	7	10	12	18
65 +	321	7.2	26	3	4	6	9	14	17	27
B. Operated										
0-19 YRS	395	2.8	19	1	1	2	3	5	7	14
20-34	218	4.1	13	1	1	3	6	9	11	16
35-49	232	3.9	29	1	1	2	5	8	13	34
50-64	246	3.7	20	1	1	2	4	9	13	27
65 +	290	4.7	34	1	1	2	5	12	19	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	3.5	4	1	2	3	4	6	8	10
B. Operated	824	2.1	4	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	1153	5.1	16	2	2	4	6	10	12	20
B. Operated	1381	3.7	23	1	1	2	4	8	12	24
1. SINGLE DX	1154	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX	2534	4.4	20	1	2	3	5	9	12	23
A. Not Operated	1483	4.8	14	2	2	4	6	9	12	19
B. Operated	2205	3.1	17	1	1	2	3	7	10	21
TOTAL										
0-19 YRS	1271	3.1	10	1	1	2	4	6	7	11
20-34	541	3.5	9	1	1	3	5	7	10	15
35-49	603	3.6	16	1	1	2	5	8	10	17
50-64	543	3.7	15	1	1	2	5	8	10	18
65 +	730	5.4	29	1	2	4	7	12	16	28
GRAND TOTAL	**3688**	**3.8**	**16**	**1**	**1**	**2**	**5**	**8**	**11**	**20**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1126	2.3	3	1	1	2	3	4	6	8
20-34	128	2.0	2	1	1	2	3	4	5	6
35-49	238	2.1	2	1	1	2	3	4	5	6
50-64	175	2.2	2	1	1	2	3	4	5	5
65 +	89	2.1	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	488	3.5	13	< 1	1	2	5	7	9	17
20-34	62	4.7	19	1	2	4	5	7	12	27
35-49	141	3.8	6	1	2	4	5	7	8	10
50-64	124	4.7	76	1	1	3	5	7	11	43
65 +	122	3.6	11	< 1	1	3	5	6	8	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2502	3.8	13	1	2	3	5	7	10	17
20-34	750	3.4	8	1	2	3	4	6	9	14
35-49	1700	3.3	7	1	2	3	4	6	8	13
50-64	1949	3.7	13	1	2	3	4	7	9	17
65 +	3112	4.6	18	2	2	4	6	8	11	22
B. Operated										
0-19 YRS	1990	9.2	122	1	3	6	10	22	33	71
20-34	443	7.1	81	2	3	5	8	13	21	43
35-49	1083	6.1	48	1	2	4	7	12	16	37
50-64	1444	6.2	50	2	3	5	7	12	17	41
65 +	2847	7.6	75	2	3	5	9	15	22	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1756	2.2	3	1	1	2	3	4	5	8
B. Operated	937	3.8	20	1	1	3	5	7	9	19
2. MULTIPLE DX										
A. Not Operated	10013	3.9	13	1	2	3	5	7	10	18
B. Operated	7807	7.5	80	1	3	5	8	15	23	55
1. SINGLE DX	2693	2.8	9	1	1	2	4	5	7	12
2. MULTIPLE DX	17820	5.5	46	1	2	4	6	11	16	38
A. Not Operated	11769	3.7	12	1	2	3	4	7	9	17
B. Operated	8744	7.1	75	1	3	5	8	14	22	51
TOTAL										
0-19 YRS	6106	5.3	55	1	1	3	6	11	17	42
20-34	1383	4.5	35	1	2	3	5	9	12	29
35-49	3162	4.2	23	1	2	3	5	8	10	26
50-64	3692	4.7	30	1	2	3	5	9	12	28
65 +	6170	5.9	46	2	2	4	7	12	17	37
GRAND TOTAL	**20513**	**5.1**	**42**	**1**	**2**	**3**	**6**	**10**	**15**	**36**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.5	5	1	2	3	4	7	8	8
20-34	27	2.2	2	1	1	2	2	4	6	7
35-49	52	2.9	5	1	2	2	3	6	7	14
50-64	33	2.5	2	1	2	2	3	4	6	7
65 +	22	3.3	4	1	2	3	5	7	7	7
B. Operated										
0-19 YRS	6	3.8	11	< 1	1	2	8	8	8	8
20-34	22	4.5	5	1	3	5	5	8	9	9
35-49	38	5.1	8	2	3	5	7	9	11	12
50-64	36	4.9	13	< 1	2	4	7	10	12	15
65 +	19	4.3	10	< 1	2	3	6	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.7	13	1	2	4	6	10	13	15
20-34	127	4.6	24	2	2	4	5	7	8	36
35-49	273	4.0	7	2	2	3	5	7	10	12
50-64	315	4.2	11	2	2	4	5	7	9	12
65 +	548	5.3	14	2	3	4	7	9	11	18
B. Operated										
0-19 YRS	28	3.4	5	< 1	1	3	5	7	8	10
20-34	93	5.9	20	2	3	5	7	12	13	26
35-49	299	6.2	21	2	3	5	8	11	15	27
50-64	427	6.4	37	2	3	5	7	11	15	31
65 +	650	7.4	45	3	4	6	9	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	2.8	4	1	2	2	3	6	7	9
B. Operated	121	4.8	9	1	3	5	6	9	11	14
2. MULTIPLE DX										
A. Not Operated	1281	4.7	13	2	3	4	6	8	10	17
B. Operated	1497	6.7	36	2	3	5	8	12	15	30
1. SINGLE DX	263	3.7	7	1	2	3	5	7	9	13
2. MULTIPLE DX	2778	5.8	27	2	3	5	7	10	13	27
A. Not Operated	1423	4.5	12	2	2	4	5	8	10	16
B. Operated	1618	6.6	35	2	3	5	8	12	15	30
TOTAL										
0-19 YRS	60	3.9	8	< 1	2	3	5	8	9	15
20-34	269	4.8	20	2	2	4	6	8	11	26
35-49	662	5.0	15	2	3	4	6	9	11	21
50-64	811	5.3	26	2	3	4	6	9	12	27
65 +	1239	6.3	31	2	3	5	8	11	15	29
GRAND TOTAL	**3041**	**5.6**	**25**	**2**	**3**	**4**	**7**	**10**	**13**	**27**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.3	3	1	2	3	4	6	7	7
20-34	30	2.7	3	1	2	2	4	5	6	8
35-49	71	3.3	2	2	2	3	4	5	6	6
50-64	77	3.4	3	2	2	3	4	5	7	12
65 +	65	3.7	5	2	2	3	4	8	9	10
B. Operated										
0-19 YRS	7	2.4	3	1	1	2	4	5	5	5
20-34	43	5.4	6	2	3	6	7	9	9	10
35-49	58	5.9	11	2	3	5	8	10	13	16
50-64	61	5.1	11	2	2	4	7	9	12	17
65 +	56	5.8	42	2	3	4	7	12	14	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.3	35	1	2	3	4	6	10	37
20-34	156	4.0	11	2	2	3	5	7	8	23
35-49	517	4.2	9	2	3	4	5	7	8	14
50-64	895	4.6	8	2	3	4	5	8	10	16
65 +	2496	5.9	19	2	3	5	7	10	14	23
B. Operated										
0-19 YRS	34	8.8	118	1	3	5	9	22	24	58
20-34	159	7.6	72	2	4	6	9	13	16	52
35-49	531	7.7	68	2	3	5	9	14	22	46
50-64	1080	8.3	69	3	4	6	9	15	22	45
65 +	3161	9.4	72	3	4	7	11	18	26	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	3.4	3	2	2	3	4	6	7	10
B. Operated	225	5.5	18	2	3	5	7	9	12	16
2. MULTIPLE DX										
A. Not Operated	4101	5.3	16	2	3	4	6	9	12	21
B. Operated	4965	8.9	72	3	4	6	10	17	24	48
1. SINGLE DX	480	4.3	11	2	2	3	6	8	9	14
2. MULTIPLE DX	9066	7.3	50	2	3	5	8	14	19	40
A. Not Operated	4356	5.2	15	2	3	4	6	9	12	21
B. Operated	5190	8.7	70	3	4	6	10	17	24	47
TOTAL										
0-19 YRS	90	5.7	65	1	2	4	5	11	22	50
20-34	388	5.5	38	2	3	4	7	10	13	31
35-49	1177	5.8	38	2	3	4	7	10	14	38
50-64	2113	6.4	43	2	3	5	7	12	16	34
65 +	5778	7.8	51	3	4	6	9	15	20	41
GRAND TOTAL	**9546**	**7.1**	**48**	**2**	**3**	**5**	**8**	**14**	**19**	**39**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.2	1	1	1	2	3	4	5	5
20-34	153	2.6	3	1	1	2	3	5	5	8
35-49	178	2.9	6	1	2	2	3	5	6	9
50-64	99	2.8	2	1	2	2	4	5	6	7
65 +	37	3.0	4	1	1	3	4	6	7	8
B. Operated										
0-19 YRS	8	4.9	8	< 1	2	5	7	8	8	8
20-34	24	6.0	8	2	4	6	8	10	11	11
35-49	50	5.5	9	2	4	5	7	10	11	15
50-64	27	5.6	15	2	3	5	7	11	12	19
65 +	13	3.1	7	< 1	< 1	2	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	3.4	4	1	2	3	4	6	8	11
20-34	374	3.4	4	1	2	3	4	6	8	11
35-49	657	3.7	6	2	2	3	4	6	8	13
50-64	630	3.9	6	2	2	3	5	7	8	14
65 +	972	5.2	14	2	3	4	6	10	13	19
B. Operated										
0-19 YRS	22	4.7	46	1	1	3	5	9	21	32
20-34	87	6.5	31	2	3	5	8	11	17	31
35-49	213	7.7	76	2	4	6	8	13	19	46
50-64	242	6.6	28	2	3	5	8	12	17	27
65 +	330	9.0	86	3	4	7	10	15	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	504	2.7	4	1	2	2	3	5	6	8
B. Operated	122	5.3	10	1	3	5	7	9	11	16
2. MULTIPLE DX										
A. Not Operated	2716	4.2	9	2	2	3	5	8	10	16
B. Operated	894	7.7	62	2	4	6	9	14	21	41
1. SINGLE DX	626	3.2	6	1	2	2	4	6	8	11
2. MULTIPLE DX	3610	5.1	24	2	3	4	6	9	13	25
A. Not Operated	3220	4.0	8	1	2	3	5	7	10	16
B. Operated	1016	7.4	57	2	4	6	8	13	19	39
TOTAL										
0-19 YRS	150	3.4	10	1	2	3	4	6	8	13
20-34	638	3.7	9	1	2	3	5	7	9	16
35-49	1098	4.4	22	1	2	3	5	8	11	21
50-64	998	4.5	13	2	2	4	6	8	11	21
65 +	1352	6.1	34	2	3	5	7	11	14	30
GRAND TOTAL	**4236**	**4.8**	**22**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.6	1	1	2	3	3	4	5	5
20-34	118	3.3	4	1	2	3	4	6	8	11
35-49	172	3.4	5	1	2	3	4	6	7	12
50-64	137	3.4	3	2	2	3	4	6	6	8
65 +	86	4.2	16	1	2	3	6	8	10	25
B. Operated										
0-19 YRS	12	4.8	12	1	2	4	8	9	11	11
20-34	91	5.7	5	3	4	6	7	8	9	12
35-49	113	6.3	10	3	4	6	8	9	11	19
50-64	102	6.2	9	3	4	6	8	10	13	15
65 +	56	6.4	8	3	5	6	9	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	3.7	4	2	2	3	4	6	8	11
20-34	399	3.7	4	2	2	3	5	6	8	10
35-49	793	4.1	11	2	3	3	5	7	8	12
50-64	1086	4.6	12	2	3	4	5	7	9	17
65 +	2733	6.0	22	2	3	5	7	11	13	22
B. Operated										
0-19 YRS	37	10.3	88	3	4	7	16	22	26	48
20-34	265	8.0	56	3	4	6	9	15	22	39
35-49	568	8.1	72	3	4	6	9	14	20	54
50-64	897	9.3	90	3	4	7	11	17	26	56
65 +	2275	11.8	131	4	5	9	14	23	33	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	530	3.5	6	1	2	3	4	6	7	11
B. Operated	374	6.1	8	3	4	6	8	9	11	15
2. MULTIPLE DX										
A. Not Operated	5087	5.2	17	2	3	4	6	9	11	20
B. Operated	4042	10.5	110	3	5	8	12	20	30	64
1. SINGLE DX	904	4.6	9	2	3	4	6	8	10	14
2. MULTIPLE DX	9129	7.5	65	2	3	5	9	14	20	46
A. Not Operated	5617	5.0	16	2	3	4	6	9	11	19
B. Operated	4416	10.1	103	3	5	7	11	19	28	60
TOTAL										
0-19 YRS	142	5.4	35	2	3	3	5	11	17	28
20-34	873	5.1	24	2	3	4	6	9	11	26
35-49	1646	5.6	35	2	3	4	6	9	12	33
50-64	2222	6.5	48	2	3	5	7	12	17	40
65 +	5150	8.5	78	3	4	6	10	16	22	52
GRAND TOTAL	**10033**	**7.2**	**61**	**2**	**3**	**5**	**8**	**13**	**19**	**44**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	6	4.7	8	2	3	4	5	10	10	10
35-49	19	4.3	4	2	3	4	5	7	9	10
50-64	10	5.8	18	2	3	4	6	13	14	14
65 +	9	7.1	5	4	6	7	8	11	11	11
B. Operated										
0-19 YRS	2	7.0	72	< 1	< 1	6	13	13	13	13
20-34	7	12.0	57	3	5	13	17	22	23	23
35-49	20	8.6	10	5	6	8	11	13	14	14
50-64	25	9.1	20	4	6	8	13	16	17	19
65 +	9	11.2	61	5	7	9	12	24	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.0	26	1	2	5	7	14	15	15
20-34	18	4.9	9	2	3	4	6	10	11	12
35-49	57	6.0	18	2	3	5	8	11	13	23
50-64	96	5.8	16	2	3	5	7	9	12	25
65 +	217	7.5	30	3	4	6	9	15	19	31
B. Operated										
0-19 YRS	6	11.0	58	2	7	9	15	23	24	24
20-34	29	12.4	68	5	7	10	14	26	28	38
35-49	160	14.5	107	5	8	11	18	29	36	62
50-64	213	13.5	107	4	7	11	17	27	38	50
65 +	392	14.8	143	5	7	12	18	29	43	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	5.2	8	3	3	5	6	10	11	14
B. Operated	63	9.5	27	5	6	8	13	16	18	29
2. MULTIPLE DX										
A. Not Operated	394	6.7	25	2	4	5	8	12	17	28
B. Operated	800	14.3	123	5	7	11	18	28	38	62
1. SINGLE DX	109	7.7	24	3	4	6	10	14	16	26
2. MULTIPLE DX	1194	11.8	103	3	5	9	14	24	33	55
A. Not Operated	440	6.5	23	2	4	5	8	12	16	26
B. Operated	863	13.9	118	5	7	11	17	28	37	60
TOTAL										
0-19 YRS	16	7.8	40	1	3	7	11	15	21	24
20-34	60	9.4	55	3	4	7	12	20	25	37
35-49	256	11.4	89	3	5	9	13	24	31	50
50-64	344	10.8	85	3	5	8	13	22	29	45
65 +	627	12.1	113	4	6	9	15	23	34	58
GRAND TOTAL	**1303**	**11.4**	**98**	**3**	**5**	**9**	**14**	**23**	**31**	**52**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	247	1.9	2	1	1	2	2	3	4	9
20-34	414	2.3	2	1	1	2	3	4	5	8
35-49	334	2.5	3	1	1	2	3	4	6	9
50-64	175	2.5	3	1	1	2	3	5	6	9
65 +	89	2.5	3	< 1	1	2	3	5	5	9
B. Operated										
0-19 YRS	69	2.4	2	1	1	2	3	5	5	6
20-34	42	3.2	3	1	2	3	4	6	7	7
35-49	65	3.2	4	1	2	3	4	5	6	12
50-64	43	3.5	6	< 1	1	3	5	7	8	9
65 +	23	3.9	15	< 1	< 1	2	6	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	958	2.5	5	1	1	2	3	4	5	9
20-34	1598	3.1	4	1	2	3	4	6	7	11
35-49	2272	3.8	9	1	2	3	5	7	9	15
50-64	2218	3.9	11	1	2	3	5	7	9	16
65 +	3634	5.0	20	2	3	4	6	9	11	20
B. Operated										
0-19 YRS	264	5.0	53	1	1	3	6	9	13	41
20-34	388	5.6	43	2	2	4	6	10	14	31
35-49	688	5.7	31	2	3	4	7	10	14	28
50-64	879	6.1	30	2	3	5	7	11	15	27
65 +	1613	7.7	58	2	4	6	9	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1259	2.3	2	1	1	2	3	4	5	8
B. Operated	242	3.1	5	< 1	1	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	10680	4.0	13	1	2	3	5	7	9	17
B. Operated	3832	6.6	46	2	3	5	8	12	17	36
1. SINGLE DX	1501	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX	14512	4.7	23	1	2	4	6	9	11	23
A. Not Operated	11939	3.8	12	1	2	3	5	7	9	16
B. Operated	4074	6.4	44	2	3	5	8	12	17	35
TOTAL										
0-19 YRS	1538	2.8	13	1	1	2	3	5	7	15
20-34	2442	3.4	11	1	2	3	4	6	8	13
35-49	3359	4.0	14	1	2	3	5	7	10	17
50-64	3315	4.4	17	1	2	4	5	8	11	20
65 +	5359	5.8	33	2	3	4	7	11	14	30
GRAND TOTAL	**16013**	**4.5**	**21**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	3.2	14	1	1	2	4	5	7	27
20-34	49	2.5	2	1	1	2	3	5	5	7
35-49	69	2.4	3	1	1	2	4	4	5	9
50-64	63	2.8	6	1	1	2	3	5	7	16
65 +	29	2.6	5	< 1	1	2	3	7	7	9
B. Operated										
0-19 YRS	160	3.4	5	1	2	3	4	6	7	11
20-34	14	6.4	62	< 1	3	5	6	10	28	33
35-49	24	7.1	16	2	4	7	9	13	14	17
50-64	22	7.4	33	3	5	6	8	11	20	30
65 +	14	6.9	18	3	4	6	9	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	434	3.8	24	1	2	2	4	7	10	29
20-34	300	4.8	31	1	2	3	6	9	13	32
35-49	483	4.2	14	1	2	3	5	8	10	19
50-64	470	4.7	33	1	2	3	6	9	12	29
65 +	889	5.6	31	2	3	4	7	10	14	29
B. Operated										
0-19 YRS	215	7.4	60	2	3	5	9	15	21	39
20-34	105	8.9	79	2	4	7	11	18	25	49
35-49	279	10.7	123	3	5	8	12	19	29	66
50-64	371	12.0	111	3	6	9	15	22	35	61
65 +	738	12.5	121	3	5	8	16	28	37	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	2.8	7	1	1	2	3	5	6	12
B. Operated	234	4.5	15	2	2	3	6	8	11	19
2. MULTIPLE DX										
A. Not Operated	2576	4.8	28	1	2	3	6	9	12	29
B. Operated	1708	11.2	112	3	5	8	14	23	34	55
1. SINGLE DX	549	3.5	11	1	2	3	4	7	8	17
2. MULTIPLE DX	4284	7.4	71	1	3	5	9	16	23	44
A. Not Operated	2891	4.6	26	1	2	3	6	9	12	28
B. Operated	1942	10.4	105	2	4	7	13	22	32	54
TOTAL										
0-19 YRS	914	4.5	31	1	2	3	5	8	14	31
20-34	468	5.5	44	1	2	4	6	11	16	36
35-49	855	6.3	58	1	2	4	8	12	17	36
50-64	926	7.6	76	1	3	5	10	16	22	47
65 +	1670	8.6	82	2	3	6	10	19	28	51
GRAND TOTAL	**4833**	**6.9**	**66**	**1**	**2**	**4**	**8**	**15**	**22**	**42**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.2	2	1	1	2	3	4	6	7
20-34	50	2.6	3	1	1	2	3	4	6	10
35-49	15	2.9	2	1	2	3	4	4	6	7
50-64	9	2.8	2	< 1	1	3	3	5	6	6
65 +	4	3.5	8	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	7464	2.7	1	2	2	3	3	4	5	7
20-34	5729	2.9	1	2	2	3	3	4	5	7
35-49	2108	3.2	2	2	2	3	4	5	6	8
50-64	544	3.5	2	2	3	3	4	5	6	8
65 +	133	4.2	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.4	4	1	1	2	3	5	7	10
20-34	16	2.8	2	1	2	3	4	5	5	5
35-49	6	4.8	17	1	2	3	9	11	11	11
50-64	11	4.5	8	1	2	4	6	9	11	11
65 +	8	3.8	9	< 1	1	3	5	8	10	10
B. Operated										
0-19 YRS	1779	3.8	9	2	2	3	4	7	9	15
20-34	1793	3.9	7	2	3	3	5	6	8	12
35-49	916	4.4	7	2	3	4	5	7	10	15
50-64	516	5.1	10	2	3	4	6	8	10	18
65 +	304	6.3	18	3	4	5	8	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	2.5	3	1	1	2	3	4	6	8
B. Operated	15978	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	68	3.2	6	1	1	3	4	7	10	11
B. Operated	5308	4.2	9	2	3	3	5	7	9	15
1. SINGLE DX	16112	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	5376	4.2	9	2	3	3	5	7	9	15
A. Not Operated	202	2.7	4	1	1	2	4	5	7	11
B. Operated	21286	3.2	4	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	9326	2.9	3	2	2	3	3	4	5	9
20-34	7588	3.1	3	2	2	3	4	5	6	9
35-49	3045	3.5	4	2	2	3	4	6	7	11
50-64	1080	4.3	7	2	3	4	5	7	9	15
65 +	449	5.6	14	3	3	5	7	10	12	21
GRAND TOTAL	**21486**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	6.6	7	3	4	6	8	10	12	12
20-34	25	5.2	7	3	3	5	7	9	10	12
35-49	11	7.6	18	4	6	7	8	14	19	19
50-64	8	6.4	15	2	3	5	10	11	12	12
65 +	5	7.4	32	1	2	10	11	14	14	14
B. Operated										
0-19 YRS	1921	6.0	8	3	4	6	8	9	11	14
20-34	1035	5.5	6	3	4	5	7	9	10	14
35-49	667	5.9	7	3	4	6	7	9	10	15
50-64	318	6.2	8	3	4	6	7	10	11	16
65 +	114	6.8	6	3	5	7	8	10	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	7.3	17	2	5	7	9	12	14	20
20-34	12	7.3	24	1	3	7	11	14	15	15
35-49	15	7.7	15	3	5	7	11	13	15	16
50-64	19	6.8	14	2	4	7	9	11	14	16
65 +	24	8.4	17	2	5	9	12	13	14	16
B. Operated										
0-19 YRS	1856	8.6	27	4	6	8	10	14	18	28
20-34	1009	7.8	17	4	5	7	9	13	15	23
35-49	989	8.6	22	4	6	8	10	14	17	26
50-64	842	9.6	54	5	6	8	11	15	21	39
65 +	871	11.2	50	5	7	9	14	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	6.3	11	3	4	6	8	10	12	17
B. Operated	4055	5.9	7	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	102	7.5	17	2	5	7	11	13	15	18
B. Operated	5567	9.0	33	4	6	8	10	15	19	30
1. SINGLE DX	4135	5.9	7	3	4	6	7	9	10	14
2. MULTIPLE DX	5669	9.0	33	4	6	8	10	15	19	30
A. Not Operated	182	7.0	14	2	4	7	10	12	14	18
B. Operated	9622	7.7	25	3	5	7	9	13	16	26
TOTAL										
0-19 YRS	3840	7.3	19	3	5	7	9	11	15	24
20-34	2081	6.6	13	3	4	6	8	11	13	20
35-49	1682	7.5	18	3	5	7	9	12	15	23
50-64	1187	8.6	43	4	5	7	10	14	18	37
65 +	1014	10.7	46	5	7	9	13	18	23	39
GRAND TOTAL	**9804**	**7.7**	**24**	**3**	**5**	**7**	**9**	**13**	**16**	**26**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	1.8	2	1	1	1	2	3	6	9
20-34	53	2.1	2	1	1	2	3	4	5	9
35-49	15	2.5	3	1	1	2	3	6	6	6
50-64	7	2.7	1	1	2	3	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	544	2.8	2	2	2	3	3	4	5	9
20-34	401	3.0	2	2	2	3	3	4	6	9
35-49	122	3.3	3	2	2	3	4	5	6	9
50-64	28	4.0	5	2	3	3	5	8	9	11
65 +	11	3.9	3	2	3	4	5	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.6	7	1	1	2	2	6	7	14
20-34	32	1.9	1	1	1	2	2	3	4	6
35-49	16	2.9	4	1	1	2	4	6	7	8
50-64	16	4.6	21	1	2	3	5	14	16	16
65 +	4	4.5	6	3	3	4	6	8	8	8
B. Operated										
0-19 YRS	306	4.2	22	2	2	3	5	7	8	21
20-34	331	4.2	7	2	3	3	5	8	10	14
35-49	148	4.8	7	2	3	4	6	9	10	13
50-64	40	6.3	28	2	4	5	7	10	18	28
65 +	43	8.0	31	3	4	6	10	13	20	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	2.0	2	1	1	1	2	4	6	9
B. Operated	1106	3.0	2	2	2	3	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	114	2.8	8	1	1	2	3	6	7	15
B. Operated	868	4.6	15	2	3	4	5	8	10	20
1. SINGLE DX	1256	2.9	2	1	2	3	3	4	6	9
2. MULTIPLE DX	982	4.4	14	2	2	3	5	8	10	18
A. Not Operated	264	2.3	5	1	1	2	3	5	6	14
B. Operated	1974	3.7	8	2	2	3	4	6	8	13
TOTAL										
0-19 YRS	971	3.2	9	1	2	3	4	5	7	11
20-34	817	3.4	4	2	2	3	4	6	8	11
35-49	301	4.0	6	2	2	3	5	7	9	12
50-64	91	5.0	18	2	3	4	6	9	14	26
65 +	58	7.0	27	3	4	6	8	12	15	28
GRAND TOTAL	**2238**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.4	3	<1	<1	1	1	2	2	11
20-34	16	1.4		<1	<1	1	2	2	3	3
35-49	9	1.4		<1	1	1	2	2	2	2
50-64	13	2.3	9	<1	1	1	3	5	11	12
65 +	11	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	1924	1.1		<1	<1	1	1	1	2	4
20-34	732	1.4	1	<1	1	1	1	2	3	4
35-49	1043	1.4	1	1	1	1	2	2	3	4
50-64	1259	1.5	1	1	1	1	2	2	3	5
65 +	1047	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	1.8	5	<1	1	1	2	3	5	14
20-34	9	1.7	1	<1	1	1	2	4	4	4
35-49	15	2.3	4	<1	<1	1	3	6	7	7
50-64	22	2.3	4	<1	<1	1	3	5	7	8
65 +	63	4.0	56	<1	1	2	3	9	14	50
B. Operated										
0-19 YRS	2213	1.5	6	<1	1	1	1	2	4	10
20-34	459	1.9	2	1	1	1	2	3	4	8
35-49	934	2.0	4	1	1	1	2	4	5	11
50-64	1743	2.2	4	1	1	2	3	4	6	12
65 +	3644	2.8	10	1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	1.6	3	<1	1	1	2	3	3	12
B. Operated	6005	1.4	1	<1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	170	2.7	24	<1	1	1	3	6	9	16
B. Operated	8993	2.3	7	1	1	1	3	4	6	13
1. SINGLE DX	6084	1.4	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	9163	2.3	8	1	1	1	3	4	6	13
A. Not Operated	249	2.4	18	<1	1	1	2	4	8	15
B. Operated	14998	1.9	5	<1	1	1	2	4	5	10
TOTAL										
0-19 YRS	4228	1.3	4	<1	<1	1	1	2	3	7
20-34	1216	1.6	1	1	1	1	2	3	4	6
35-49	2001	1.7	2	1	1	1	2	3	4	7
50-64	3037	1.9	3	1	1	1	2	3	5	9
65 +	4765	2.6	9	1	1	2	3	5	7	15
GRAND TOTAL	**15247**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.4	1	< 1	< 1	1	2	2	4	4
20-34	4	2.0	2	< 1	< 1	1	3	4	4	4
35-49	5	1.6	1	< 1	1	1	2	3	3	3
50-64	5	1.2		< 1	< 1	1	1	2	2	2
65 +	11	1.5		< 1	1	1	2	3	3	3
B. Operated										
0-19 YRS	499	1.5	1	< 1	1	1	2	3	3	5
20-34	145	1.8	1	1	1	2	2	3	4	8
35-49	126	2.3	2	1	1	2	3	4	5	8
50-64	162	2.5	3	1	1	2	3	4	6	9
65 +	262	2.8	4	1	2	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	1.6	1	< 1	< 1	1	2	4	5	5
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	4	1.5		1	1	1	2	2	2	2
50-64	12	1.9	1	< 1	1	2	2	4	5	5
65 +	66	3.9	10	1	1	3	6	8	10	16
B. Operated										
0-19 YRS	661	2.2	6	1	1	2	2	4	6	16
20-34	77	3.1	7	1	1	2	4	6	10	12
35-49	144	3.5	11	1	2	2	4	7	11	16
50-64	306	4.5	18	1	2	3	5	9	13	21
65 +	1307	6.5	51	1	3	4	6	14	19	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	1.5	1	< 1	1	1	2	3	3	4
B. Operated	1194	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	116	2.9	8	< 1	1	2	4	6	8	15
B. Operated	2495	4.8	35	1	2	3	6	11	15	31
1. SINGLE DX	1235	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX	2611	4.8	34	1	2	3	6	10	15	31
A. Not Operated	157	2.6	6	< 1	1	2	3	6	8	14
B. Operated	3689	3.9	26	1	1	2	5	8	12	25
TOTAL										
0-19 YRS	1208	1.9	4	1	1	1	2	3	5	11
20-34	228	2.2	4	1	1	2	2	4	6	11
35-49	279	2.9	7	1	1	2	3	5	8	15
50-64	485	3.7	13	1	2	3	5	7	10	17
65 +	1646	5.8	44	1	2	4	7	12	17	40
GRAND TOTAL	**3846**	**3.9**	**25**	**1**	**1**	**2**	**4**	**8**	**12**	**24**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	152	1.4	1	< 1	< 1	< 1	1	2	4	6
20-34	60	1.7	1	< 1	1	1	2	3	4	7
35-49	89	1.5	1	< 1	1	1	2	3	3	5
50-64	84	1.6	1	< 1	1	1	2	3	3	5
65 +	24	1.6	2	< 1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.0	1	1	1	2	3	4	4	4
20-34	5	2.4	4	1	1	2	3	6	6	6
35-49	8	4.9	34	< 1	1	2	8	15	16	16
50-64	7	2.1	1	1	1	2	3	4	4	4
65 +	8	3.8	16	< 1	1	3	4	11	13	13
B. Operated										
0-19 YRS	101	3.0	18	< 1	1	1	3	7	10	65
20-34	61	2.2	3	1	1	2	3	4	5	8
35-49	174	2.8	5	1	1	2	4	5	7	13
50-64	182	3.2	7	1	1	2	4	7	9	12
65 +	194	3.4	7	1	2	3	4	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.2		< 1	< 1	1	1	2	3	3
B. Operated	409	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	37	3.1	12	1	1	2	3	6	13	16
B. Operated	712	3.0	8	1	1	2	4	6	8	13
1. SINGLE DX	422	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	749	3.0	8	1	1	2	4	6	8	13
A. Not Operated	50	2.6	10	< 1	1	1	3	5	12	16
B. Operated	1121	2.5	6	< 1	1	2	3	5	7	12
TOTAL										
0-19 YRS	266	2.0	8	< 1	< 1	1	2	4	6	18
20-34	130	1.9	2	< 1	1	1	2	4	5	7
35-49	275	2.4	5	1	1	2	3	4	6	13
50-64	274	2.7	5	1	1	2	3	6	7	12
65 +	226	3.2	7	1	1	2	4	6	8	12
GRAND TOTAL	**1171**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	7	3.1	2	1	2	3	4	6	6	6
65 +	4	2.5	2	< 1	1	2	3	4	4	4
B. Operated										
0-19 YRS	80	2.0	3	< 1	< 1	1	3	4	6	8
20-34	235	2.6	3	1	1	2	3	5	6	9
35-49	700	2.7	3	1	1	2	4	5	6	8
50-64	638	2.8	3	1	2	2	4	5	6	9
65 +	476	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	8	1.8	2	< 1	< 1	1	2	4	5	5
35-49	41	2.7	7	< 1	1	2	3	5	8	13
50-64	50	3.1	6	< 1	1	2	4	7	8	12
65 +	79	4.1	19	1	1	2	6	8	11	26
B. Operated										
0-19 YRS	76	3.5	15	1	1	3	4	6	9	26
20-34	301	3.6	6	1	2	3	4	6	7	13
35-49	981	4.1	10	1	2	3	5	7	9	16
50-64	1461	4.6	19	1	2	4	5	8	11	21
65 +	2005	5.1	16	2	3	4	7	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.4	2	< 1	1	2	3	4	5	6
B. Operated	2129	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	181	3.3	12	< 1	1	2	4	7	9	19
B. Operated	4824	4.6	15	1	2	4	6	8	11	20
1. SINGLE DX	2146	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	5005	4.5	15	1	2	4	6	8	11	20
A. Not Operated	198	3.3	11	< 1	1	2	4	7	9	18
B. Operated	6953	4.0	12	1	2	3	5	7	9	17
TOTAL										
0-19 YRS	160	2.7	9	< 1	1	2	4	5	7	10
20-34	546	3.1	5	1	2	3	4	5	7	10
35-49	1725	3.5	8	1	2	3	4	6	7	14
50-64	2156	4.0	14	1	2	3	5	7	9	17
65 +	2564	4.7	14	1	2	4	6	8	11	20
GRAND TOTAL	**7151**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	7	2.6	1	1	2	3	3	4	4	4
35-49	24	2.6	3	< 1	1	2	4	5	6	8
50-64	28	2.2	1	1	1	2	3	3	4	5
65 +	24	3.1	8	1	1	3	4	5	9	14
B. Operated										
0-19 YRS	18	5.8	8	3	4	5	7	9	12	14
20-34	6	5.7	9	< 1	4	6	7	10	10	10
35-49	25	6.0	11	2	4	5	7	11	13	13
50-64	27	5.3	3	3	4	5	7	7	8	9
65 +	17	7.1	18	1	4	7	9	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.1	13	1	1	3	5	9	13	15
20-34	65	3.3	8	1	2	2	5	6	7	18
35-49	256	3.1	3	1	2	3	4	5	6	9
50-64	459	3.2	4	1	2	3	4	6	6	10
65 +	760	4.2	21	2	2	3	5	7	9	14
B. Operated										
0-19 YRS	71	10.4	56	4	5	8	14	23	28	85
20-34	70	7.1	41	2	4	6	8	12	15	44
35-49	226	6.4	18	3	4	6	8	10	12	27
50-64	277	6.0	14	2	3	5	8	10	12	17
65 +	372	8.5	49	3	5	7	10	16	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	2.6	4	< 1	1	2	3	4	5	12
B. Operated	93	5.9	9	3	4	6	7	10	13	14
2. MULTIPLE DX										
A. Not Operated	1558	3.7	12	1	2	3	5	6	8	12
B. Operated	1016	7.4	34	3	4	6	9	12	18	34
1. SINGLE DX	180	4.3	9	1	2	4	6	8	10	14
2. MULTIPLE DX	2574	5.1	24	2	2	4	6	9	12	25
A. Not Operated	1645	3.6	12	1	2	3	4	6	8	12
B. Operated	1109	7.2	32	3	4	6	8	12	17	33
TOTAL										
0-19 YRS	111	8.4	47	3	4	6	10	20	24	59
20-34	148	5.2	27	1	2	4	7	10	12	23
35-49	531	4.6	12	1	2	4	6	8	10	14
50-64	791	4.2	9	1	2	3	5	8	9	14
65 +	1173	5.6	33	2	3	4	7	10	14	28
GRAND TOTAL	**2754**	**5.1**	**23**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	14	1.7	1	< 1	< 1	1	2	3	5	5
35-49	45	2.1	4	1	1	1	2	5	7	11
50-64	40	2.2	5	< 1	1	2	3	4	6	13
65 +	31	1.9	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	7	3.3	4	1	2	3	4	6	7	7
50-64	3	7.3	4	5	6	8	9	9	9	9
65 +	8	4.8	5	1	3	5	6	7	8	8
B. Operated										
0-19 YRS	9	5.7	22	1	2	4	8	13	15	15
20-34	30	5.0	9	1	2	5	7	9	11	11
35-49	51	4.1	11	1	2	3	5	9	12	16
50-64	60	3.7	14	1	1	2	4	8	12	20
65 +	149	5.2	41	1	2	3	6	12	17	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.5	1	1	1	1	2	3	3	3
B. Operated	134	2.0	3	< 1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	19	4.6	6	1	3	5	6	8	9	9
B. Operated	299	4.7	27	1	2	3	6	10	14	26
1. SINGLE DX	140	2.0	3	< 1	1	1	2	4	5	11
2. MULTIPLE DX	318	4.7	26	1	2	3	6	10	13	25
A. Not Operated	25	3.9	6	1	2	3	6	8	8	9
B. Operated	433	3.9	21	1	1	2	5	8	12	24
TOTAL										
0-19 YRS	15	4.3	17	< 1	1	3	6	11	14	15
20-34	46	3.8	9	1	1	3	7	8	10	11
35-49	105	3.1	8	1	1	2	4	7	9	14
50-64	104	3.2	11	1	1	2	4	8	10	18
65 +	188	4.6	35	1	1	3	6	10	15	45
GRAND TOTAL	**458**	**3.9**	**20**	**1**	**1**	**2**	**5**	**8**	**12**	**23**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.2	2	< 1	1	2	3	4	4	4
35-49	9	2.1	4	< 1	1	1	2	6	7	7
50-64	12	2.1	3	< 1	< 1	1	3	5	7	7
65 +	15	3.2	3	2	2	3	4	6	7	7
B. Operated										
0-19 YRS	53	2.5	8	< 1	1	1	3	7	9	16
20-34	140	2.5	5	1	1	2	3	5	7	10
35-49	298	2.8	4	1	1	2	4	5	7	10
50-64	295	3.3	6	1	1	3	4	7	9	11
65 +	265	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	24	2.9	4	1	1	2	5	5	6	7
50-64	41	4.6	18	1	2	4	5	8	13	24
65 +	181	5.8	33	2	3	5	7	11	14	49
B. Operated										
0-19 YRS	52	6.2	30	1	2	5	8	11	15	34
20-34	126	5.3	25	1	2	4	7	10	15	27
35-49	532	5.5	19	1	2	5	7	10	14	22
50-64	860	7.2	49	2	3	6	9	13	19	42
65 +	2000	9.5	84	2	4	7	12	19	25	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.5	3	< 1	1	2	3	6	7	7
B. Operated	1051	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	253	5.2	28	1	2	4	7	10	14	24
B. Operated	3570	8.2	66	2	3	6	10	16	22	44
1. SINGLE DX	1092	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX	3823	8.0	64	2	3	6	10	16	21	44
A. Not Operated	294	4.8	25	1	2	4	6	9	13	23
B. Operated	4621	7.0	56	1	3	5	9	14	19	40
TOTAL										
0-19 YRS	109	4.2	22	1	1	2	7	9	11	24
20-34	274	3.8	16	1	1	2	5	8	10	23
35-49	863	4.5	15	1	2	4	6	9	12	19
50-64	1208	6.1	40	1	2	4	8	12	16	30
65 +	2461	8.6	75	2	3	6	11	17	23	52
GRAND TOTAL	**4915**	**6.9**	**55**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	493	2.0	4	1	1	1	2	4	5	8
20-34	358	3.3	6	1	2	3	4	6	7	14
35-49	617	3.5	4	1	2	3	4	6	7	10
50-64	627	3.7	6	1	2	3	5	6	8	13
65 +	594	3.8	8	1	2	3	5	7	8	13
B. Operated										
0-19 YRS	417	5.4	15	2	3	5	7	9	11	18
20-34	172	7.2	11	3	5	7	9	12	14	18
35-49	268	7.9	14	4	5	7	10	12	14	23
50-64	234	8.6	14	5	6	8	10	13	16	21
65 +	199	9.1	26	5	6	8	11	13	15	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	637	3.7	16	1	2	3	5	7	9	17
20-34	670	4.3	9	1	2	3	6	8	10	16
35-49	1468	4.6	10	2	3	4	6	8	11	16
50-64	2381	5.1	16	2	3	4	6	9	11	20
65 +	7063	6.3	26	2	3	5	8	11	15	25
B. Operated										
0-19 YRS	810	9.7	92	3	5	7	11	19	27	88
20-34	579	11.0	65	4	6	9	13	19	25	52
35-49	1176	12.3	89	5	7	9	14	23	29	56
50-64	1698	13.5	96	6	8	11	16	24	32	61
65 +	4464	15.4	110	6	9	12	19	28	35	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2689	3.3	6	1	2	3	4	6	7	12
B. Operated	1290	7.3	18	3	5	7	9	12	14	20
2. MULTIPLE DX										
A. Not Operated	12219	5.6	22	2	3	4	7	10	13	22
B. Operated	8727	13.8	103	6	8	11	17	25	33	63
1. SINGLE DX	3979	4.6	13	1	2	4	6	9	11	16
2. MULTIPLE DX	20946	9.0	72	2	4	7	11	18	24	46
A. Not Operated	14908	5.2	20	2	3	4	6	10	13	21
B. Operated	10017	12.9	97	5	7	10	16	24	31	60
TOTAL										
0-19 YRS	2357	5.7	49	1	2	4	7	11	16	40
20-34	1779	6.5	38	2	3	5	8	13	17	29
35-49	3529	7.2	50	2	3	5	9	14	19	37
50-64	4940	8.0	59	2	3	6	10	16	21	39
65 +	12320	9.5	76	3	4	7	12	19	26	47
GRAND TOTAL	**24925**	**8.3**	**65**	**2**	**3**	**6**	**10**	**17**	**23**	**42**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2836	2.1	2	1	1	2	3	4	4	7
20-34	1340	2.0	2	1	1	2	2	4	4	6
35-49	723	2.3	2	1	1	2	3	4	5	7
50-64	283	2.5	2	1	1	2	3	4	5	8
65 +	168	2.6	3	1	1	2	3	5	5	8
B. Operated										
0-19 YRS	139	4.0	38	1	2	3	4	6	8	20
20-34	166	3.8	5	2	2	3	4	7	9	13
35-49	85	3.7	5	< 1	2	3	5	6	8	12
50-64	38	3.2	6	< 1	< 1	2	4	7	8	8
65 +	20	3.4	8	< 1	< 1	3	5	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9767	2.7	5	1	2	2	3	5	6	12
20-34	2686	2.7	6	1	1	2	3	5	6	10
35-49	2272	3.3	8	1	2	3	4	6	8	14
50-64	2270	3.9	9	1	2	3	5	7	9	16
65 +	4888	4.9	21	2	2	4	6	9	12	20
B. Operated										
0-19 YRS	400	9.5	177	2	3	5	10	24	39	89
20-34	384	6.0	27	2	3	5	7	11	16	29
35-49	437	7.0	47	2	3	5	8	14	20	43
50-64	467	7.4	45	2	3	5	9	15	20	49
65 +	945	10.1	101	3	5	7	12	19	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5350	2.1	2	1	1	2	3	4	5	7
B. Operated	448	3.8	15	< 1	2	3	4	7	8	13
2. MULTIPLE DX										
A. Not Operated	21883	3.4	10	1	2	3	4	6	8	16
B. Operated	2633	8.4	86	2	4	6	9	17	24	53
1. SINGLE DX	5798	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	24516	3.9	21	1	2	3	4	7	10	22
A. Not Operated	27233	3.1	9	1	2	2	4	6	8	15
B. Operated	3081	7.8	78	2	3	5	9	16	23	51
TOTAL										
0-19 YRS	13142	2.8	12	1	1	2	3	5	6	15
20-34	4576	2.8	8	1	1	2	3	5	7	13
35-49	3517	3.6	13	1	2	3	4	6	8	18
50-64	3058	4.3	16	1	2	3	5	8	11	21
65 +	6021	5.6	37	2	3	4	7	10	15	28
GRAND TOTAL	**30314**	**3.6**	**18**	**1**	**2**	**3**	**4**	**7**	**9**	**20**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	109	4.0	3	2	3	4	5	6	7	9
35-49	705	4.4	5	2	3	4	6	7	8	10
50-64	814	4.2	5	1	3	4	5	7	8	12
65 +	621	4.2	6	< 1	2	4	6	7	9	11
B. Operated										
0-19 YRS	4	5.8	3	4	4	5	7	8	8	8
20-34	59	7.1	10	3	5	7	8	11	12	19
35-49	192	7.4	9	4	6	7	9	11	13	16
50-64	231	7.9	8	5	6	8	9	12	14	17
65 +	84	8.0	13	5	6	8	9	11	13	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	99	4.6	7	2	3	4	6	8	10	16
35-49	887	5.1	8	2	3	5	6	9	11	14
50-64	2179	5.3	13	2	3	5	7	9	11	16
65 +	7214	6.1	17	2	4	5	7	11	13	21
B. Operated										
0-19 YRS	6	9.7	36	3	7	7	15	19	19	19
20-34	174	9.6	29	5	7	8	11	16	20	34
35-49	852	10.3	48	5	7	9	11	16	22	47
50-64	1670	10.9	49	5	7	9	13	19	24	38
65 +	3942	12.7	103	4	7	10	15	23	31	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2249	4.3	5	1	3	4	5	7	8	11
B. Operated	570	7.6	9	4	6	7	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	10382	5.8	16	2	3	5	7	10	12	20
B. Operated	6644	11.9	82	5	7	9	14	21	28	57
1. SINGLE DX	2819	4.9	8	2	3	5	7	8	10	14
2. MULTIPLE DX	17026	8.2	50	3	4	6	10	15	20	37
A. Not Operated	12631	5.5	14	2	3	5	7	10	12	18
B. Operated	7214	11.5	77	5	7	9	13	20	27	54
TOTAL										
0-19 YRS	13	7.3	22	3	5	6	7	16	18	19
20-34	441	6.8	21	3	4	6	8	12	15	25
35-49	2636	6.7	27	2	4	6	8	11	14	27
50-64	4894	7.2	32	2	4	6	9	13	17	28
65 +	11861	8.2	56	3	4	6	10	15	21	40
GRAND TOTAL	**19845**	**7.7**	**45**	**3**	**4**	**6**	**9**	**14**	**19**	**35**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	1.8	1	< 1	1	1	2	3	4	6
20-34	21	3.4	13	< 1	1	3	4	6	12	17
35-49	23	2.8	3	1	1	2	4	5	6	7
50-64	15	3.7	6	1	2	3	5	7	9	9
65 +	10	3.7	2	2	3	3	5	6	6	6
B. Operated										
0-19 YRS	153	2.5	5	< 1	1	2	3	5	6	14
20-34	614	2.2	3	1	1	2	3	4	5	9
35-49	686	2.2	3	1	1	2	3	4	5	8
50-64	272	2.2	3	1	1	2	3	4	6	9
65 +	98	2.5	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	4.9	26	1	2	3	6	13	15	25
20-34	72	4.3	10	1	2	3	5	9	12	16
35-49	74	3.9	8	1	2	3	5	7	10	14
50-64	65	5.6	22	1	2	5	7	11	14	25
65 +	94	6.7	53	2	3	5	8	14	17	44
B. Operated										
0-19 YRS	157	4.5	24	1	1	3	6	11	16	30
20-34	709	3.5	24	1	1	2	4	7	10	19
35-49	1105	3.5	22	1	1	2	4	7	9	27
50-64	862	4.2	32	1	1	2	5	9	13	31
65 +	560	6.1	64	1	2	3	7	14	21	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	2.8	5	1	1	2	4	5	7	13
B. Operated	1823	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	389	5.2	26	1	2	4	7	11	14	22
B. Operated	3393	4.2	33	1	1	2	4	9	14	32
1. SINGLE DX	1925	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX	3782	4.3	32	1	1	3	5	9	14	30
A. Not Operated	491	4.7	23	1	2	3	6	10	14	21
B. Operated	5216	3.5	23	1	1	2	4	7	10	25
TOTAL										
0-19 YRS	427	3.7	17	1	1	2	4	8	14	24
20-34	1416	3.0	15	1	1	2	3	6	8	16
35-49	1888	3.1	15	1	1	2	3	6	8	21
50-64	1214	3.8	26	1	1	2	4	8	12	27
65 +	762	5.7	56	1	2	3	7	13	18	48
GRAND TOTAL	**5707**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.7	2	1	2	2	3	5	6	7
20-34	128	2.8	3	1	2	2	4	5	7	9
35-49	118	3.5	4	1	2	3	5	7	7	10
50-64	49	3.2	5	1	1	2	4	7	7	11
65 +	17	3.1	3	< 1	2	3	4	5	6	7
B. Operated										
0-19 YRS	21	3.8	4	1	2	4	5	6	8	10
20-34	19	3.4	3	1	2	3	5	6	7	7
35-49	16	6.3	9	3	4	6	8	11	12	12
50-64	5	4.6	2	3	4	4	5	7	7	7
65 +	3	9.3	65	2	3	8	15	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	3.2	4	1	2	3	4	6	7	11
20-34	303	4.0	7	1	2	3	5	7	9	15
35-49	311	4.2	6	2	3	4	5	7	9	13
50-64	241	4.5	7	2	3	4	6	8	10	14
65 +	339	5.8	42	2	3	4	7	11	12	23
B. Operated										
0-19 YRS	30	4.2	36	1	1	3	5	7	7	34
20-34	89	4.8	10	2	3	4	6	8	9	19
35-49	101	6.2	21	2	3	5	7	11	16	26
50-64	81	6.7	19	3	4	6	8	12	16	24
65 +	110	9.2	52	3	5	7	12	17	20	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	379	3.1	4	1	2	3	4	6	7	9
B. Operated	64	4.6	9	2	3	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	1307	4.6	16	2	2	4	6	8	10	16
B. Operated	411	6.6	30	2	3	5	8	12	17	30
1. SINGLE DX	443	3.3	5	1	2	3	4	6	7	11
2. MULTIPLE DX	1718	5.1	21	2	3	4	6	9	12	21
A. Not Operated	1686	4.2	14	1	2	3	5	7	10	14
B. Operated	475	6.4	28	2	3	5	8	11	16	27
TOTAL										
0-19 YRS	231	3.3	8	1	2	3	4	6	7	11
20-34	539	3.9	7	1	2	3	5	7	9	13
35-49	546	4.5	9	2	3	4	6	8	10	16
50-64	376	4.8	11	2	3	4	6	9	11	17
65 +	469	6.5	46	2	3	5	8	12	16	27
GRAND TOTAL	**2161**	**4.7**	**18**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	170	5.3	18	1	3	4	7	9	13	24
20-34	319	5.0	9	2	3	4	6	9	11	15
35-49	188	4.1	5	1	2	4	5	7	8	11
50-64	55	4.8	8	2	3	4	6	9	12	13
65 +	22	5.7	18	2	2	5	8	9	14	21
B. Operated										
0-19 YRS	199	8.0	54	3	4	6	9	15	24	43
20-34	278	7.4	26	3	5	6	9	12	17	31
35-49	199	7.5	25	3	5	7	9	13	16	27
50-64	71	7.5	17	2	5	7	10	13	15	18
65 +	37	7.5	22	3	4	7	10	14	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	368	6.1	27	2	3	5	7	12	16	30
20-34	792	6.0	18	2	3	5	8	11	14	21
35-49	606	6.0	18	2	3	5	8	11	14	24
50-64	301	5.8	14	2	3	5	7	10	13	20
65 +	378	7.5	66	3	4	6	9	13	18	34
B. Operated										
0-19 YRS	512	12.8	127	3	6	9	16	27	36	56
20-34	1031	11.7	83	4	6	9	14	22	29	52
35-49	926	11.4	86	4	6	9	14	22	31	45
50-64	554	11.9	88	4	7	9	15	21	29	56
65 +	705	12.6	100	4	6	10	15	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	754	4.8	10	2	3	4	6	8	11	16
B. Operated	784	7.6	32	3	4	6	9	13	17	32
2. MULTIPLE DX										
A. Not Operated	2445	6.2	26	2	3	5	8	11	14	25
B. Operated	3728	12.0	94	4	6	9	15	23	32	54
1. SINGLE DX	1538	6.2	23	2	3	5	8	11	14	25
2. MULTIPLE DX	6173	9.7	75	3	4	7	12	19	26	47
A. Not Operated	3199	5.9	23	2	3	5	7	11	14	23
B. Operated	4512	11.2	86	4	6	8	14	22	30	51
TOTAL										
0-19 YRS	1249	9.1	82	2	4	6	10	19	27	46
20-34	2420	8.4	53	3	4	7	10	16	22	40
35-49	1919	8.6	58	3	4	7	10	17	23	39
50-64	981	9.3	64	3	4	7	12	18	22	48
65 +	1142	10.6	91	3	5	8	13	21	29	57
GRAND TOTAL	**7711**	**9.0**	**67**	**3**	**4**	**7**	**11**	**18**	**24**	**44**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	7.7	38	2	3	6	10	16	24	24
20-34	12	5.3	19	1	2	4	8	12	14	14
35-49	9	3.7	10	1	1	3	5	9	11	11
50-64	9	5.9	24	1	3	5	7	13	17	17
65 +	6	5.0	8	2	3	5	7	9	9	9
B. Operated										
0-19 YRS	19	5.9	15	2	3	5	8	11	14	17
20-34	29	6.7	19	2	4	5	8	13	18	18
35-49	19	9.3	59	2	3	5	17	22	24	24
50-64	11	8.9	30	2	5	7	13	17	18	18
65 +	13	9.2	58	3	5	7	10	20	29	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	5.8	14	2	3	5	8	10	14	19
20-34	105	6.6	24	2	3	5	9	12	17	25
35-49	200	6.8	27	2	4	6	9	12	14	29
50-64	192	8.3	52	3	4	6	10	17	23	37
65 +	210	8.9	49	3	4	7	12	17	20	34
B. Operated										
0-19 YRS	122	13.0	104	4	6	11	16	31	41	99 +
20-34	116	12.8	116	5	6	10	16	23	31	62
35-49	205	14.2	114	5	8	12	18	27	36	99 +
50-64	200	16.7	188	6	8	12	19	40	49	88
65 +	251	17.8	163	6	9	14	22	33	45	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	6.0	25	1	3	5	8	11	16	24
B. Operated	91	7.7	34	2	4	6	10	17	18	28
2. MULTIPLE DX										
A. Not Operated	876	7.4	36	2	4	6	9	14	18	33
B. Operated	894	15.4	147	5	8	12	19	32	45	77
1. SINGLE DX	148	7.0	31	2	3	5	9	16	18	24
2. MULTIPLE DX	1770	11.4	108	3	5	9	14	23	33	59
A. Not Operated	933	7.3	36	2	3	6	9	14	18	33
B. Operated	985	14.7	141	4	7	12	18	31	41	75
TOTAL										
0-19 YRS	331	8.5	60	2	4	7	11	17	25	58
20-34	262	9.3	73	3	4	6	12	18	24	40
35-49	433	10.3	83	3	5	8	13	21	29	60
50-64	412	12.3	135	3	5	9	15	29	40	67
65 +	480	13.5	128	3	6	11	17	28	34	56
GRAND TOTAL	**1918**	**11.1**	**103**	**3**	**5**	**8**	**14**	**23**	**32**	**58**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	406	2.1	5	< 1	1	2	2	4	5	8
20-34	167	2.6	10	< 1	1	2	3	4	6	15
35-49	153	2.7	4	1	1	2	3	5	7	11
50-64	91	2.8	6	1	1	2	3	5	8	14
65 +	158	3.0	6	1	1	2	4	5	8	11
B. Operated										
0-19 YRS	250	3.5	11	< 1	1	2	5	7	9	17
20-34	197	3.7	7	1	2	3	5	7	9	13
35-49	214	4.6	21	1	2	4	6	8	11	24
50-64	155	5.0	21	1	2	4	7	10	12	22
65 +	147	5.4	15	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	881	3.3	13	1	1	2	4	7	9	18
20-34	424	4.0	15	1	2	3	5	8	12	19
35-49	630	4.4	15	1	2	3	6	9	12	21
50-64	930	4.5	14	1	2	4	6	9	11	19
65 +	4073	5.8	27	2	3	4	7	11	15	26
B. Operated										
0-19 YRS	576	9.7	156	1	3	6	11	22	39	98
20-34	888	7.3	75	1	3	5	9	15	22	57
35-49	1297	8.5	95	2	3	6	10	18	27	49
50-64	1654	9.9	104	2	4	7	12	21	30	65
65 +	4146	11.7	127	3	5	9	14	25	34	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	975	2.5	6	1	1	2	3	5	6	11
B. Operated	963	4.3	15	1	2	3	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	6938	5.1	23	1	2	4	6	10	14	23
B. Operated	8561	10.3	117	2	4	7	12	22	32	66
1. SINGLE DX	1938	3.4	11	1	1	2	4	7	9	15
2. MULTIPLE DX	15499	7.9	81	2	3	5	10	17	24	51
A. Not Operated	7913	4.7	21	1	2	3	6	10	13	22
B. Operated	9524	9.7	109	2	3	7	12	21	30	64
TOTAL										
0-19 YRS	2113	4.8	59	1	1	3	5	10	17	50
20-34	1676	5.6	49	1	2	4	7	11	17	43
35-49	2294	6.6	65	1	2	4	8	13	21	42
50-64	2830	7.6	74	1	3	5	9	16	24	49
65 +	8524	8.6	84	2	3	6	10	18	25	52
GRAND TOTAL	**17437**	**7.4**	**75**	**1**	**2**	**5**	**9**	**16**	**23**	**50**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	21	5.1	9	2	3	5	7	9	11	12
50-64	12	5.0	6	2	3	5	7	8	10	10
65 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	3	3.7		3	3	4	4	4	4	4
35-49	13	2.3	2	< 1	1	1	4	4	5	5
50-64	5	4.6	13	1	2	4	7	10	10	10
65 +	8	2.8	9	1	1	1	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	406	6.2	36	2	3	5	8	11	16	36
35-49	1329	7.2	42	2	3	5	9	14	19	32
50-64	1054	8.2	52	2	4	6	10	17	22	38
65 +	550	9.5	65	3	5	8	12	17	22	39
B. Operated										
0-19 YRS	0									
20-34	108	10.0	147	2	4	7	11	20	32	71
35-49	490	11.0	102	2	4	8	14	23	31	51
50-64	471	11.0	101	3	5	8	14	22	31	57
65 +	263	11.6	146	3	5	8	14	25	37	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.8	7	2	3	4	7	8	10	12
B. Operated	29	3.0	6	1	1	2	4	6	9	10
2. MULTIPLE DX										
A. Not Operated	3340	7.8	49	2	3	6	10	15	20	36
B. Operated	1332	11.0	114	3	5	8	14	23	31	59
1. SINGLE DX	70	4.0	8	1	2	4	6	8	10	12
2. MULTIPLE DX	4672	8.7	70	2	4	6	11	18	24	44
A. Not Operated	3381	7.7	49	2	3	6	10	15	20	36
B. Operated	1361	10.9	113	2	4	8	13	23	31	59
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	523	7.0	60	2	3	5	8	13	20	44
35-49	1853	8.1	60	2	3	6	10	17	23	39
50-64	1542	9.0	68	2	4	7	11	18	24	45
65 +	823	10.1	92	3	5	8	12	19	26	57
GRAND TOTAL	**4742**	**8.6**	**69**	**2**	**4**	**6**	**11**	**17**	**24**	**44**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.3	3	1	1	2	3	5	6	6
20-34	4	4.5	12	1	2	4	7	9	9	9
35-49	12	2.8	3	< 1	1	2	4	6	7	7
50-64	7	2.1	1	1	1	2	3	3	3	3
65 +	5	6.2	19	1	2	9	9	10	10	10
B. Operated										
0-19 YRS	48	2.1	4	1	1	1	2	5	7	10
20-34	50	1.6	7	1	1	1	1	2	4	18
35-49	91	1.8	4	< 1	1	1	1	3	8	10
50-64	54	2.7	14	1	1	1	2	6	14	17
65 +	30	2.0	4	< 1	1	1	1	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	5.0	71	1	2	3	5	8	13	58
20-34	50	5.6	17	1	2	5	8	12	13	15
35-49	195	6.1	28	2	3	4	8	13	17	29
50-64	320	6.8	34	2	3	5	8	14	18	28
65 +	509	8.6	41	3	4	7	11	17	23	33
B. Operated										
0-19 YRS	149	7.2	132	1	1	2	9	21	32	70
20-34	89	5.3	83	1	1	3	6	11	16	58
35-49	281	7.7	117	1	1	5	9	17	21	64
50-64	429	8.8	120	1	2	6	11	20	33	88
65 +	438	10.6	105	1	4	8	14	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.0	6	1	1	2	4	7	9	10
B. Operated	273	2.0	7	1	1	1	2	5	7	16
2. MULTIPLE DX										
A. Not Operated	1167	7.3	40	2	3	6	9	15	19	29
B. Operated	1386	8.8	115	1	2	6	11	20	29	70
1. SINGLE DX	321	2.2	7	1	1	1	2	5	8	16
2. MULTIPLE DX	2553	8.1	81	1	3	6	10	17	24	52
A. Not Operated	1215	7.1	39	2	3	5	9	15	18	29
B. Operated	1659	7.6	104	1	1	5	10	17	26	60
TOTAL										
0-19 YRS	310	5.4	89	1	1	2	5	12	23	60
20-34	193	4.4	47	1	1	2	6	10	14	26
35-49	579	6.1	71	1	1	4	8	14	18	35
50-64	810	7.5	81	1	2	5	9	16	24	59
65 +	982	9.3	71	2	4	7	12	18	25	42
GRAND TOTAL	**2874**	**7.4**	**76**	**1**	**2**	**5**	**9**	**16**	**23**	**49**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	5.3	146	1	2	3	5	7	9	85
20-34	71	3.7	5	1	2	4	5	7	8	13
35-49	52	3.2	4	1	2	3	4	6	8	8
50-64	31	3.8	11	1	2	3	5	6	7	19
65 +	12	4.4	20	1	2	3	5	11	16	17
B. Operated										
0-19 YRS	45	2.7	13	1	1	1	3	6	10	21
20-34	25	6.4	39	1	3	4	8	14	18	29
35-49	28	5.4	23	1	1	4	10	13	13	15
50-64	37	4.4	35	1	1	2	5	8	22	25
65 +	24	4.6	33	1	1	2	6	14	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	173	5.8	56	1	2	4	7	13	17	48
20-34	276	5.4	32	2	3	4	6	10	12	30
35-49	537	6.7	31	2	3	5	9	14	20	29
50-64	857	7.1	46	2	3	5	9	14	18	32
65 +	1014	8.3	48	3	4	6	10	16	22	39
B. Operated										
0-19 YRS	172	11.6	333	1	1	3	14	50	70	99 +
20-34	111	12.9	148	2	5	10	17	32	36	99 +
35-49	274	13.4	237	2	5	8	17	31	51	98
50-64	352	14.1	177	3	5	9	19	31	40	67
65 +	400	14.8	162	4	6	11	19	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	234	4.1	47	1	2	3	5	7	8	22
B. Operated	159	4.4	28	1	1	2	6	12	15	25
2. MULTIPLE DX										
A. Not Operated	2857	7.2	44	2	3	5	9	14	19	35
B. Operated	1309	13.7	203	2	5	9	18	32	48	93
1. SINGLE DX	393	4.2	39	1	1	3	5	8	13	24
2. MULTIPLE DX	4166	9.3	103	2	4	6	11	20	28	61
A. Not Operated	3091	7.0	45	2	3	5	9	14	19	35
B. Operated	1468	12.7	192	1	4	8	17	29	44	87
TOTAL										
0-19 YRS	458	7.6	179	1	2	3	7	19	45	99
20-34	483	7.0	66	2	3	4	8	14	24	52
35-49	891	8.5	103	2	3	6	10	18	25	72
50-64	1277	8.9	91	2	3	6	11	19	26	54
65 +	1450	10.0	88	3	4	7	12	21	28	52
GRAND TOTAL	**4559**	**8.8**	**99**	**2**	**3**	**6**	**11**	**19**	**27**	**60**

226: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.2	2	< 1	1	2	3	4	6	8
20-34	444	2.1	2	1	1	2	3	4	5	8
35-49	459	2.1	2	< 1	1	2	3	4	5	8
50-64	316	2.2	2	1	1	2	3	4	5	8
65 +	169	2.9	4	1	1	2	4	6	7	10
B. Operated										
0-19 YRS	537	3.6	4	1	2	3	4	6	7	10
20-34	6128	3.4	3	1	2	3	4	5	7	10
35-49	5860	3.3	4	1	2	3	4	6	7	9
50-64	4053	3.5	4	1	2	3	4	6	7	11
65 +	1693	4.1	7	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.1	7	1	1	2	4	7	9	14
20-34	532	3.0	5	1	1	2	4	6	7	10
35-49	733	3.2	6	1	1	3	4	6	8	14
50-64	1050	3.5	8	1	2	3	4	7	9	14
65 +	2327	5.4	19	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	559	5.2	9	2	3	5	6	9	11	15
20-34	6233	4.9	11	2	3	4	6	8	10	16
35-49	8846	4.9	11	2	3	4	6	8	10	16
50-64	9871	5.7	21	2	3	5	7	10	13	22
65 +	12889	8.0	36	3	4	7	10	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1441	2.2	2	1	1	2	3	4	5	8
B. Operated	18271	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	4706	4.3	14	1	2	3	5	9	11	19
B. Operated	38398	6.1	24	2	3	5	7	11	14	24
1. SINGLE DX	19712	3.4	4	1	2	3	4	6	7	10
2. MULTIPLE DX	43104	5.9	23	2	3	5	7	11	14	24
A. Not Operated	6147	3.8	12	1	2	3	5	8	10	16
B. Operated	56669	5.3	19	2	3	4	6	10	12	21
TOTAL										
0-19 YRS	1213	4.2	7	1	3	4	5	7	9	14
20-34	13337	4.0	8	1	2	4	5	7	9	13
35-49	15898	4.1	9	1	2	4	5	7	9	14
50-64	15290	4.9	16	1	3	4	6	9	11	19
65 +	17078	7.2	33	2	4	6	9	13	17	29
GRAND TOTAL	**62816**	**5.1**	**19**	**1**	**3**	**4**	**6**	**9**	**12**	**21**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.6	4	1	1	2	3	6	7	8
20-34	179	2.6	2	1	1	2	3	5	6	7
35-49	161	2.5	3	1	1	2	4	5	6	9
50-64	87	2.7	4	1	1	2	3	5	6	12
65 +	38	3.3	5	1	2	3	4	7	8	11
B. Operated										
0-19 YRS	57	3.9	7	1	2	4	5	7	8	16
20-34	467	4.0	7	1	2	4	5	7	9	14
35-49	506	3.5	6	1	2	3	4	6	9	13
50-64	260	4.4	8	1	3	4	6	8	10	13
65 +	87	5.3	13	1	3	5	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	4.4	8	1	2	5	6	8	9	13
20-34	198	3.4	6	1	2	3	4	6	9	13
35-49	277	4.0	9	1	2	3	5	8	10	15
50-64	283	4.4	8	1	3	4	6	8	10	13
65 +	563	5.9	18	2	3	5	8	11	14	22
B. Operated										
0-19 YRS	50	6.3	87	1	2	4	6	12	22	53
20-34	659	5.4	15	2	3	4	7	10	12	23
35-49	1085	5.3	15	2	3	4	6	10	12	19
50-64	853	6.6	29	2	4	5	8	12	15	29
65 +	1086	10.0	61	4	5	8	12	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	495	2.6	3	1	1	2	3	5	6	9
B. Operated	1377	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1357	4.8	13	1	2	4	6	9	12	18
B. Operated	3733	7.0	36	2	4	5	9	13	17	34
1. SINGLE DX	1872	3.6	7	1	2	3	5	7	9	13
2. MULTIPLE DX	5090	6.4	31	2	3	5	8	12	16	30
A. Not Operated	1852	4.2	11	1	2	3	5	8	11	17
B. Operated	5110	6.2	30	2	3	5	8	12	15	30
TOTAL										
0-19 YRS	173	4.5	31	1	2	3	5	8	10	36
20-34	1503	4.4	11	1	2	4	5	8	10	19
35-49	2029	4.4	12	1	2	4	5	8	11	17
50-64	1483	5.6	21	2	3	5	7	10	13	24
65 +	1774	8.3	48	2	4	7	10	16	21	38
GRAND TOTAL	**6962**	**5.7**	**26**	**1**	**3**	**4**	**7**	**11**	**14**	**26**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	2	1	1	2	3	4	4	4
20-34	24	2.2	1	1	1	2	3	3	4	5
35-49	27	3.2	5	1	2	2	5	7	8	9
50-64	25	2.8	3	1	1	2	4	5	6	7
65 +	18	4.2	7	1	2	4	5	8	10	11
B. Operated										
0-19 YRS	26	4.8	5	2	3	5	6	7	8	10
20-34	183	5.5	9	2	3	5	7	10	11	16
35-49	131	5.0	16	1	2	4	7	9	15	19
50-64	136	5.2	10	1	3	5	7	9	11	15
65 +	145	4.7	14	1	2	4	7	10	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	24	3.7	7	1	2	3	5	7	9	12
35-49	49	3.4	5	1	2	3	5	6	7	12
50-64	90	3.9	9	1	2	3	5	7	9	16
65 +	291	5.8	15	2	3	5	7	11	13	18
B. Operated										
0-19 YRS	32	7.5	16	2	5	8	10	13	16	17
20-34	340	6.9	20	3	4	6	8	11	13	21
35-49	405	7.5	40	2	4	6	9	13	16	35
50-64	559	8.1	28	3	5	7	10	14	18	27
65 +	1802	10.4	60	4	6	9	13	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	3.0	4	1	1	2	4	6	7	10
B. Operated	621	5.1	12	1	3	5	7	9	11	18
2. MULTIPLE DX										
A. Not Operated	455	5.0	13	1	3	4	7	10	12	17
B. Operated	3138	9.2	49	3	5	8	11	16	21	37
1. SINGLE DX	721	4.8	11	1	2	4	7	9	11	17
2. MULTIPLE DX	3593	8.7	46	3	5	7	11	15	20	36
A. Not Operated	555	4.7	12	1	2	4	6	9	12	17
B. Operated	3759	8.5	45	2	5	7	11	15	20	35
TOTAL										
0-19 YRS	65	5.9	13	1	3	6	8	11	13	17
20-34	571	6.1	16	2	4	5	8	10	12	18
35-49	612	6.4	33	1	3	5	8	13	15	28
50-64	810	7.0	25	2	4	6	9	13	16	26
65 +	2256	9.4	55	2	5	8	12	17	22	38
GRAND TOTAL	**4314**	**8.0**	**42**	**2**	**4**	**7**	**10**	**15**	**19**	**34**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.2	10	1	2	4	4	10	11	12
20-34	31	3.3	5	1	2	3	4	6	8	11
35-49	25	3.4	5	1	1	3	5	6	8	8
50-64	30	3.3	5	1	2	3	5	6	6	11
65 +	27	3.8	6	1	2	3	5	7	8	12
B. Operated										
0-19 YRS	18	6.8	23	1	2	6	9	15	16	16
20-34	33	5.9	48	1	1	3	7	13	22	31
35-49	38	4.2	11	1	1	3	7	10	11	12
50-64	46	5.1	20	1	1	4	9	13	14	17
65 +	34	3.1	6	1	1	2	4	5	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	7.2	34	2	3	6	10	13	15	36
20-34	39	4.3	5	2	3	4	6	8	9	10
35-49	130	4.8	9	1	2	4	6	9	11	14
50-64	167	4.9	15	1	2	4	6	9	12	21
65 +	410	6.6	25	2	4	5	8	13	16	24
B. Operated										
0-19 YRS	65	15.1	191	2	6	11	22	28	60	94
20-34	106	8.0	34	2	4	7	12	15	19	27
35-49	235	10.6	132	1	4	8	13	24	31	61
50-64	312	9.5	55	2	4	8	13	18	25	35
65 +	772	11.2	88	2	5	9	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.6	6	1	2	3	5	7	8	12
B. Operated	169	4.8	22	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. Not Operated	860	6.0	22	2	3	5	7	12	15	23
B. Operated	1490	10.7	90	2	5	8	14	22	27	49
1. SINGLE DX	308	4.2	15	1	2	3	6	9	12	19
2. MULTIPLE DX	2350	9.0	70	2	4	7	11	19	24	43
A. Not Operated	999	5.7	20	2	3	5	7	11	14	22
B. Operated	1659	10.1	86	2	4	8	13	21	26	48
TOTAL										
0-19 YRS	223	9.1	91	2	3	7	11	20	26	63
20-34	209	6.3	30	1	2	5	8	14	16	27
35-49	428	7.8	86	1	2	5	9	16	24	48
50-64	555	7.4	43	1	3	6	10	16	20	32
65 +	1243	9.3	69	2	4	7	12	20	23	43
GRAND TOTAL	**2658**	**8.4**	**66**	**2**	**3**	**6**	**11**	**18**	**23**	**40**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	4.8	9	2	3	4	7	8	10	15
20-34	496	4.3	7	2	3	4	5	8	9	14
35-49	520	4.6	9	2	3	4	6	8	10	15
50-64	257	4.7	8	2	3	4	6	8	10	14
65 +	174	5.3	12	2	3	5	7	9	11	21
B. Operated										
0-19 YRS	14	5.8	24	1	2	4	9	15	15	15
20-34	59	10.6	93	3	5	7	12	22	37	44
35-49	90	7.6	57	1	3	6	9	15	18	46
50-64	56	7.3	36	1	3	6	9	14	20	31
65 +	52	6.9	32	1	3	6	10	14	16	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	5.1	10	2	3	5	6	9	11	15
20-34	2112	5.8	18	2	3	5	7	10	13	22
35-49	3592	6.2	21	2	3	5	7	11	14	25
50-64	2042	6.4	23	2	4	5	8	11	15	25
65 +	2400	7.0	27	3	4	6	8	13	16	30
B. Operated										
0-19 YRS	59	12.4	180	3	5	8	14	27	44	98
20-34	614	14.9	222	4	6	10	18	32	47	92
35-49	1162	15.0	177	4	7	11	19	31	44	88
50-64	1079	14.0	166	4	6	10	17	29	42	74
65 +	1434	14.2	151	5	7	11	17	28	38	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1533	4.6	9	2	3	4	6	8	10	15
B. Operated	271	7.9	55	1	3	6	9	15	20	43
2. MULTIPLE DX										
A. Not Operated	10295	6.3	22	2	3	5	8	11	15	25
B. Operated	4348	14.4	172	4	7	10	18	29	42	85
1. SINGLE DX	1804	5.1	17	2	3	4	6	9	12	21
2. MULTIPLE DX	14643	8.7	81	3	4	6	10	17	24	51
A. Not Operated	11828	6.1	21	2	3	5	7	11	14	25
B. Operated	4619	14.1	168	4	6	10	17	29	41	83
TOTAL										
0-19 YRS	308	6.5	50	2	3	5	7	11	16	44
20-34	3281	7.3	70	2	3	5	8	14	20	45
35-49	5364	8.0	68	2	4	6	9	15	23	46
50-64	3434	8.6	80	3	4	6	10	17	25	52
65 +	4060	9.5	83	3	4	7	11	18	26	54
GRAND TOTAL	**16447**	**8.3**	**75**	**2**	**4**	**6**	**10**	**16**	**23**	**49**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	2.1	3	< 1	1	2	3	4	4	8
20-34	91	2.0	1	1	1	2	2	4	4	6
35-49	93	2.6	3	1	1	2	3	5	7	8
50-64	117	2.9	5	1	1	2	4	6	8	39
65 +	152	3.5	22	1	2	3	4	6	7	15
B. Operated										
0-19 YRS	25	3.4	7	1	2	3	4	6	10	11
20-34	15	3.7	8	1	2	2	5	8	10	11
35-49	16	3.5	6	1	2	3	4	8	9	9
50-64	22	6.0	106	1	2	4	5	8	26	51
65 +	18	4.3	5	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	517	3.5	11	1	2	3	4	7	10	17
20-34	837	3.5	9	1	2	3	4	7	9	16
35-49	1490	4.0	10	1	2	3	5	7	9	17
50-64	2094	4.7	20	2	3	4	6	8	11	19
65 +	7699	5.9	25	2	3	5	7	11	14	24
B. Operated										
0-19 YRS	155	8.3	141	1	2	5	9	17	30	93
20-34	199	6.7	51	2	3	4	7	15	22	44
35-49	491	6.8	45	2	3	5	8	13	18	43
50-64	939	7.9	72	2	3	5	9	15	23	49
65 +	3147	9.1	75	3	4	7	11	18	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	585	2.7	8	1	1	2	3	5	6	11
B. Operated	96	4.2	29	1	2	3	5	7	9	33
2. MULTIPLE DX										
A. Not Operated	12637	5.2	21	2	3	4	6	10	12	21
B. Operated	4931	8.5	73	2	4	6	10	17	24	50
1. SINGLE DX	681	2.9	11	1	1	2	4	5	7	11
2. MULTIPLE DX	17568	6.1	38	2	3	5	7	11	16	33
A. Not Operated	13222	5.1	21	2	3	4	6	9	12	21
B. Operated	5027	8.4	73	2	4	6	10	17	24	50
TOTAL										
0-19 YRS	829	4.2	38	1	2	3	4	9	13	32
20-34	1142	4.0	17	1	2	3	5	7	10	24
35-49	2090	4.6	19	1	2	3	5	9	12	22
50-64	3172	5.6	37	2	3	4	6	10	14	30
65 +	11016	6.7	41	2	3	5	8	13	17	34
GRAND TOTAL	**18249**	**6.0**	**37**	**2**	**3**	**4**	**7**	**11**	**16**	**32**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	2.9	5	1	1	2	4	5	6	14
20-34	2	2.0		2	2	2	2	2	2	2
35-49	6	3.2	3	2	2	3	4	6	6	6
50-64	7	5.3	19	2	3	4	5	13	15	15
65 +	4	4.3	7	2	2	3	6	8	8	8
B. Operated										
0-19 YRS	31	5.1	12	1	2	4	8	10	13	13
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	8	6.9	38	1	2	5	10	17	19	19
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	262	6.0	47	2	3	4	7	13	17	41
20-34	14	6.2	12	2	4	5	8	11	13	14
35-49	40	5.8	12	2	3	5	8	11	12	14
50-64	37	7.5	24	3	4	6	10	14	17	22
65 +	71	9.1	87	2	4	7	11	17	26	51
B. Operated										
0-19 YRS	159	15.9	355	3	5	10	24	83	99 +	99 +
20-34	23	9.0	58	2	4	6	10	22	25	28
35-49	66	14.9	231	3	5	9	23	33	50	97
50-64	70	17.8	289	4	8	13	24	36	49	94
65 +	93	14.1	168	4	5	10	18	32	44	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	3.1	6	1	2	3	4	6	7	15
B. Operated	43	5.7	17	1	2	5	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	424	6.6	48	2	3	4	8	13	17	43
B. Operated	411	15.3	267	3	5	10	22	42	82	99 +
1. SINGLE DX	158	3.8	10	1	2	3	4	8	10	16
2. MULTIPLE DX	835	10.9	174	2	3	6	13	27	46	99 +
A. Not Operated	539	5.9	41	1	2	4	7	12	16	38
B. Operated	454	14.4	251	3	5	9	20	39	73	99 +
TOTAL										
0-19 YRS	548	8.3	151	2	3	4	9	23	47	99 +
20-34	41	7.6	39	2	4	6	9	18	22	28
35-49	120	10.7	154	2	4	6	12	25	38	88
50-64	115	13.6	211	3	5	9	15	29	36	87
65 +	169	11.8	136	3	5	8	15	25	41	56
GRAND TOTAL	**993**	**9.8**	**155**	**2**	**3**	**6**	**11**	**24**	**41**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	294	3.6	10	1	2	3	5	7	9	15
20-34	10	3.6	11	1	1	2	6	9	11	11
35-49	5	2.0	2	< 1	1	1	3	4	4	4
50-64	6	3.3	9	< 1	< 1	2	4	8	9	9
65 +	3	5.0	12	< 1	2	7	7	7	7	7
B. Operated										
0-19 YRS	224	2.1	9	1	1	1	2	3	6	15
20-34	60	1.8	2	1	1	1	2	4	5	8
35-49	48	1.8	2	1	1	1	2	3	4	9
50-64	33	1.8	3	1	1	1	2	4	5	8
65 +	11	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	473	4.6	16	1	2	4	6	10	12	18
20-34	67	4.7	8	2	3	4	6	9	9	15
35-49	61	4.6	15	1	2	4	5	10	14	18
50-64	71	6.0	15	1	3	5	8	12	14	16
65 +	133	6.9	22	2	3	6	9	13	15	23
B. Operated										
0-19 YRS	234	5.8	50	1	1	3	8	14	22	38
20-34	159	4.5	26	1	1	2	6	12	16	23
35-49	199	5.1	41	1	1	2	8	12	15	37
50-64	175	5.0	27	1	1	3	7	11	18	23
65 +	177	8.4	61	1	2	6	13	21	24	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	318	3.6	10	1	1	3	5	7	9	15
B. Operated	376	2.0	6	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	805	5.1	17	1	2	4	7	11	13	18
B. Operated	944	5.8	44	1	1	3	8	14	20	30
1. SINGLE DX	694	2.7	8	1	1	2	3	6	8	13
2. MULTIPLE DX	1749	5.5	31	1	2	4	7	12	17	28
A. Not Operated	1123	4.7	15	1	2	4	6	10	13	18
B. Operated	1320	4.7	36	1	1	2	6	12	18	28
TOTAL										
0-19 YRS	1225	4.2	21	1	1	3	5	9	12	24
20-34	296	4.0	18	1	1	2	5	9	13	21
35-49	313	4.4	30	1	1	2	6	11	14	27
50-64	285	4.8	22	1	1	3	7	11	15	22
65 +	324	7.5	44	1	2	6	10	17	21	30
GRAND TOTAL	**2443**	**4.7**	**26**	**1**	**1**	**3**	**6**	**11**	**15**	**25**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.3	4	1	2	3	4	6	7	9
20-34	6	2.7	2	< 1	1	3	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	11	2.5	4	1	1	2	3	6	7	7
20-34	14	4.1	10	1	1	3	8	8	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	203	4.5	8	2	3	4	6	8	9	16
20-34	18	4.2	10	1	2	4	5	10	12	12
35-49	16	5.4	22	2	3	5	5	10	18	21
50-64	22	5.5	9	2	3	5	7	10	12	14
65 +	77	7.4	53	3	4	6	8	12	15	51
B. Operated										
0-19 YRS	42	7.4	43	1	2	6	9	17	22	28
20-34	22	9.7	112	1	2	6	11	24	38	40
35-49	28	8.0	89	1	3	5	10	13	38	39
50-64	32	13.6	302	2	4	9	17	23	30	99
65 +	50	11.7	58	3	6	11	16	23	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.3	4	1	2	3	4	6	7	9
B. Operated	29	3.6	8	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	336	5.3	20	2	3	4	6	9	11	20
B. Operated	174	10.2	114	1	4	8	13	21	28	40
1. SINGLE DX	104	3.4	5	1	2	3	5	7	8	10
2. MULTIPLE DX	510	7.0	57	2	3	5	8	14	20	37
A. Not Operated	411	4.9	18	2	3	4	6	8	11	18
B. Operated	203	9.2	104	1	3	7	12	21	25	39
TOTAL										
0-19 YRS	323	4.6	13	1	2	4	6	8	10	21
20-34	60	6.0	54	1	2	4	8	12	18	40
35-49	46	7.0	63	1	3	5	9	12	24	39
50-64	57	10.0	188	2	4	7	12	20	25	94
65 +	128	9.0	59	3	4	7	12	18	23	38
GRAND TOTAL	**614**	**6.3**	**50**	**1**	**3**	**4**	**7**	**12**	**18**	**33**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	6.3	163	< 1	1	2	6	12	37	58
20-34	18	2.1	8	< 1	< 1	< 1	1	5	10	12
35-49	10	10.9	203	< 1	< 1	4	16	36	37	37
50-64	19	7.1	206	< 1	< 1	< 1	2	32	44	51
65 +	11	2.5	5	< 1	< 1	1	4	6	7	7
B. Operated										
0-19 YRS	53	4.7	30	1	1	2	6	14	18	22
20-34	69	4.1	26	< 1	1	2	4	12	14	26
35-49	81	4.2	26	1	1	2	4	12	15	25
50-64	81	3.9	38	1	1	2	3	10	14	37
65 +	66	2.5	9	< 1	1	2	2	5	8	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	140	5.5	43	1	1	3	8	14	19	31
20-34	50	3.9	10	< 1	2	3	6	9	11	13
35-49	87	4.0	19	< 1	< 1	3	5	8	13	23
50-64	167	5.0	24	< 1	1	4	6	12	18	22
65 +	414	8.7	79	2	4	6	11	17	26	56
B. Operated										
0-19 YRS	343	14.2	151	2	5	11	19	28	38	58
20-34	368	8.3	58	1	3	7	10	18	25	40
35-49	545	9.3	104	1	2	7	13	19	27	55
50-64	727	9.6	112	1	3	7	12	21	26	60
65 +	887	10.4	120	1	3	7	14	23	31	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	5.6	123	< 1	< 1	1	4	15	36	56
B. Operated	350	3.9	26	< 1	1	2	4	11	15	25
2. MULTIPLE DX										
A. Not Operated	858	6.7	56	1	2	5	9	15	21	40
B. Operated	2870	10.2	113	1	3	7	14	22	29	56
1. SINGLE DX	428	4.2	44	< 1	1	2	4	11	16	36
2. MULTIPLE DX	3728	9.4	102	1	3	6	12	21	28	55
A. Not Operated	936	6.6	62	< 1	2	4	8	15	21	42
B. Operated	3220	9.5	108	1	2	6	13	21	28	55
TOTAL										
0-19 YRS	556	10.8	131	1	2	7	16	25	33	55
20-34	505	7.1	51	1	2	5	10	16	21	38
35-49	723	8.1	91	1	2	5	11	18	25	53
50-64	994	8.3	97	1	2	5	11	19	25	54
65 +	1378	9.5	105	1	3	6	12	21	29	64
GRAND TOTAL	**4156**	**8.8**	**99**	**1**	**2**	**6**	**12**	**20**	**27**	**53**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	5.4	26	1	2	4	12	74	99 +	99 +
20-34	6	3.2	3	1	2	3	4	6	6	6
35-49	6	4.2	8	1	2	4	5	9	9	9
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	9	3.9	7	1	2	3	5	8	9	9
B. Operated										
0-19 YRS	10	3.9	25	< 1	1	2	4	12	17	17
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	11.3	429	< 1	< 1	1	10	49	53	53
50-64	4	2.3	4	< 1	< 1	1	3	5	5	5
65 +	4	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	6.9	24	2	4	6	9	13	17	25
20-34	104	6.2	22	2	3	5	8	11	13	28
35-49	200	7.0	44	2	3	5	9	13	18	33
50-64	320	7.3	33	3	4	6	9	13	18	32
65 +	1590	9.1	54	3	5	7	11	16	22	38
B. Operated										
0-19 YRS	85	16.0	213	3	6	12	21	42	51	89
20-34	141	11.8	154	1	4	9	15	23	34	66
35-49	222	12.4	86	3	6	10	16	27	32	99 +
50-64	420	15.0	161	4	7	12	18	29	39	69
65 +	1053	16.3	144	5	8	13	21	31	39	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.2	10	1	2	3	5	10	15	99 +
B. Operated	27	4.7	106	< 1	1	1	4	9	22	53
2. MULTIPLE DX										
A. Not Operated	2279	8.5	49	3	4	7	10	16	21	35
B. Operated	1921	15.2	147	4	7	12	19	30	39	75
1. SINGLE DX	57	4.4	54	< 1	1	3	5	10	16	96
2. MULTIPLE DX	4200	11.6	105	3	5	9	15	23	31	59
A. Not Operated	2309	8.4	49	3	4	7	10	16	21	35
B. Operated	1948	15.1	148	4	7	12	19	30	39	75
TOTAL										
0-19 YRS	167	11.3	143	2	4	8	15	25	44	94
20-34	254	9.2	103	1	3	7	12	18	26	59
35-49	434	9.8	77	2	4	7	13	22	29	58
50-64	746	11.6	120	3	5	8	15	24	31	58
65 +	2656	11.9	102	4	6	9	15	24	32	57
GRAND TOTAL	**4257**	**11.5**	**105**	**3**	**5**	**9**	**14**	**23**	**31**	**59**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	491	3.4	2	2	2	3	4	5	6	8
20-34	632	3.4	2	2	2	3	4	5	6	9
35-49	203	3.7	3	2	3	3	4	6	6	11
50-64	66	3.7	3	2	3	4	5	6	6	10
65 +	53	3.8	3	1	3	4	5	6	7	8
B. Operated										
0-19 YRS	16	4.8	5	3	3	4	6	8	9	10
20-34	13	4.7	6	2	3	4	6	8	10	11
35-49	5	4.8	10	1	2	4	7	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1659	4.1	4	2	3	4	5	7	8	11
20-34	2342	4.2	4	2	3	4	5	6	8	11
35-49	1190	4.8	8	2	3	4	6	8	9	15
50-64	965	5.6	10	3	4	5	7	9	11	17
65 +	1936	6.4	20	3	4	5	8	11	14	23
B. Operated										
0-19 YRS	144	6.3	17	3	4	5	8	11	12	25
20-34	169	7.4	24	3	4	6	8	14	19	34
35-49	158	8.2	36	3	5	7	10	14	17	40
50-64	202	9.7	65	4	5	8	11	16	23	49
65 +	342	11.5	74	5	6	9	13	21	30	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1445	3.5	3	2	2	3	4	5	6	9
B. Operated	38	4.8	5	2	3	4	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	8092	4.9	10	2	3	4	6	8	10	16
B. Operated	1015	9.2	54	4	5	7	11	16	22	43
1. SINGLE DX	1483	3.5	3	2	2	3	4	6	6	9
2. MULTIPLE DX	9107	5.4	17	2	3	4	6	9	12	21
A. Not Operated	9537	4.7	9	2	3	4	6	8	10	15
B. Operated	1053	9.0	53	3	5	7	11	16	22	42
TOTAL										
0-19 YRS	2310	4.1	5	2	3	4	5	7	8	11
20-34	3156	4.2	5	2	3	4	5	7	8	13
35-49	1556	5.0	11	2	3	4	6	8	10	16
50-64	1234	6.2	21	3	4	5	7	10	13	25
65 +	2334	7.1	31	3	4	6	8	12	16	32
GRAND TOTAL	**10590**	**5.1**	**15**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	454	3.5	3	2	2	3	4	6	7	10
20-34	427	3.3	3	2	2	3	4	5	6	8
35-49	142	3.9	3	2	3	4	5	6	7	8
50-64	52	3.2	2	1	2	3	4	5	6	7
65 +	32	4.0	4	1	2	4	5	7	7	8
B. Operated										
0-19 YRS	34	4.7	10	2	3	4	5	9	10	18
20-34	24	4.6	3	2	4	5	5	7	8	9
35-49	15	4.7	7	1	3	5	6	7	10	11
50-64	9	6.4	10	2	4	6	9	10	10	10
65 +	3	8.3	85	3	3	3	15	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1261	4.3	5	2	3	4	5	7	8	12
20-34	1205	4.1	6	2	3	4	5	7	8	13
35-49	654	4.9	10	2	3	4	6	8	10	17
50-64	497	5.5	10	2	3	5	7	9	11	17
65 +	858	6.3	22	3	4	5	7	10	13	25
B. Operated										
0-19 YRS	213	7.4	28	3	4	6	9	14	17	34
20-34	161	9.4	76	3	5	7	11	20	24	53
35-49	171	9.8	58	3	5	8	12	18	28	43
50-64	166	11.3	68	4	7	9	14	20	27	46
65 +	258	13.4	130	4	6	10	15	27	31	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1107	3.5	3	2	2	3	4	6	7	9
B. Operated	85	5.0	10	2	3	5	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	4475	4.9	10	2	3	4	6	8	10	15
B. Operated	969	10.4	80	3	5	8	13	21	28	48
1. SINGLE DX	1192	3.6	4	2	2	3	4	6	7	10
2. MULTIPLE DX	5444	5.9	27	2	3	5	7	10	14	28
A. Not Operated	5582	4.6	9	2	3	4	6	8	10	15
B. Operated	1054	10.0	76	3	5	7	12	20	27	48
TOTAL										
0-19 YRS	1962	4.4	8	2	3	4	5	7	9	15
20-34	1817	4.4	14	2	3	4	5	7	9	19
35-49	982	5.6	21	2	3	5	7	10	14	27
50-64	724	6.7	29	3	4	5	8	12	16	27
65 +	1151	7.9	55	3	4	6	9	14	21	34
GRAND TOTAL	**6636**	**5.4**	**24**	**2**	**3**	**4**	**6**	**9**	**13**	**26**

832 Hospitals, United States, January-December 1990, by Diagnosis

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	1.9	1	1	1	2	2	3	4	5
20-34	417	1.6	1	< 1	1	1	2	3	4	5
35-49	682	1.5	1	< 1	1	1	2	3	3	5
50-64	333	1.6	2	< 1	1	1	2	3	3	6
65 +	171	1.5	1	< 1	1	1	2	3	3	4
B. Operated										
0-19 YRS	29	3.2	9	< 1	1	2	4	6	8	15
20-34	229	3.0	6	1	1	2	4	6	8	11
35-49	303	2.9	5	1	1	2	4	6	8	11
50-64	219	2.9	8	1	1	2	4	6	8	15
65 +	136	2.8	7	1	1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	2.5	3	1	1	2	3	5	6	10
20-34	557	2.2	3	1	1	2	3	4	5	8
35-49	753	2.5	7	1	1	2	3	4	6	11
50-64	622	2.5	5	1	1	2	3	5	7	10
65 +	501	3.1	12	1	1	2	4	6	8	14
B. Operated										
0-19 YRS	64	6.0	39	2	3	4	7	12	15	39
20-34	328	4.9	24	1	2	4	6	9	12	24
35-49	555	4.9	15	1	2	4	7	10	12	19
50-64	593	5.4	30	1	2	4	7	11	15	32
65 +	722	6.3	46	1	2	4	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1689	1.6	1	< 1	1	1	2	3	3	5
B. Operated	916	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	2536	2.6	7	1	1	2	3	5	6	11
B. Operated	2262	5.5	31	1	2	4	7	11	15	25
1. SINGLE DX	2605	2.0	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	4798	3.9	20	1	1	3	5	8	11	21
A. Not Operated	4225	2.2	5	1	1	2	3	4	5	9
B. Operated	3178	4.8	25	1	2	3	6	10	13	24
TOTAL										
0-19 YRS	282	3.2	14	1	1	2	4	6	9	16
20-34	1531	2.7	9	1	1	2	3	5	7	13
35-49	2293	2.8	9	1	1	2	3	6	8	14
50-64	1767	3.4	15	1	1	2	4	7	10	19
65 +	1530	4.4	30	1	1	3	5	10	13	25
GRAND TOTAL	**7403**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	233	1.5	1	1	1	1	2	3	3	5
20-34	1887	1.5	1	1	1	1	2	3	3	5
35-49	2660	1.6	1	< 1	1	1	2	3	3	5
50-64	1149	1.6	1	1	1	1	2	3	3	5
65 +	314	1.7	1	1	1	1	2	3	4	6
B. Operated										
0-19 YRS	177	2.6	2	1	1	2	3	5	6	7
20-34	1441	2.7	3	1	1	2	3	5	6	9
35-49	1973	2.6	3	1	1	2	3	5	6	9
50-64	1179	2.6	4	1	1	2	3	5	7	10
65 +	374	3.0	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	2.0	2	1	1	2	2	3	4	8
20-34	1301	1.8	1	1	1	2	2	3	4	6
35-49	2097	1.9	2	1	1	2	2	3	4	6
50-64	1547	2.2	2	1	1	2	3	4	5	8
65 +	1053	2.6	4	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	139	4.4	21	1	2	3	5	7	12	31
20-34	1252	3.6	8	1	2	3	5	7	8	14
35-49	2040	3.6	8	1	2	3	5	7	9	14
50-64	1942	4.1	12	1	2	3	5	8	10	16
65 +	1930	5.2	21	1	2	4	7	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6243	1.6	1	1	1	1	2	3	3	5
B. Operated	5144	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	6195	2.1	2	1	1	2	3	4	5	8
B. Operated	7303	4.2	13	1	2	3	5	8	10	18
1. SINGLE DX	11387	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	13498	3.2	9	1	1	2	4	6	8	15
A. Not Operated	12438	1.8	2	1	1	1	2	3	4	7
B. Operated	12447	3.5	10	1	2	3	4	7	9	15
TOTAL										
0-19 YRS	746	2.4	6	1	1	2	3	5	6	11
20-34	5881	2.3	4	1	1	2	3	4	6	9
35-49	8770	2.3	4	1	1	2	3	5	6	10
50-64	5817	2.8	6	1	1	2	3	6	7	12
65 +	3671	4.0	15	1	2	3	5	8	11	20
GRAND TOTAL	**24885**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.5	4	1	1	2	3	5	6	11
20-34	47	1.8	2	< 1	1	1	2	3	5	7
35-49	54	1.8	2	< 1	1	1	2	3	5	7
50-64	20	2.0	2	1	1	2	2	4	6	7
65 +	9	3.0	4	< 1	1	3	4	6	6	6
B. Operated										
0-19 YRS	1239	4.2	4	2	3	4	5	7	8	10
20-34	179	4.4	6	1	3	5	6	7	8	12
35-49	141	4.1	6	1	2	4	5	7	8	12
50-64	126	4.0	12	1	1	3	6	8	11	16
65 +	78	3.8	7	1	1	3	6	8	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	211	4.5	30	1	2	3	5	9	13	24
20-34	165	2.8	4	1	2	2	3	5	7	9
35-49	156	4.1	23	1	1	3	5	8	12	30
50-64	198	4.5	20	1	2	3	6	9	12	22
65 +	414	6.5	39	2	3	5	8	13	17	31
B. Operated										
0-19 YRS	1509	5.8	22	2	3	5	7	10	12	26
20-34	476	6.3	26	2	3	5	8	11	14	26
35-49	628	6.2	30	1	3	5	8	12	15	29
50-64	729	6.9	40	1	3	6	8	13	18	34
65 +	1189	8.3	65	1	3	6	10	17	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	203	2.1	3	1	1	2	3	4	6	9
B. Operated	1763	4.2	5	1	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	1144	4.9	28	1	2	3	6	10	15	25
B. Operated	4531	6.7	38	2	3	5	8	12	17	33
1. SINGLE DX	1966	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	5675	6.4	37	1	3	5	8	12	17	32
A. Not Operated	1347	4.5	26	1	2	3	6	9	13	23
B. Operated	6294	6.0	30	1	3	5	7	11	15	30
TOTAL										
0-19 YRS	3032	5.0	15	2	3	4	6	8	11	20
20-34	867	5.0	19	1	2	4	7	9	11	21
35-49	979	5.3	26	1	2	4	7	10	14	27
50-64	1073	6.1	34	1	2	5	8	12	16	32
65 +	1690	7.6	57	1	3	6	9	16	22	38
GRAND TOTAL	**7641**	**5.8**	**30**	**1**	**3**	**5**	**7**	**11**	**15**	**29**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.8	11	< 1	1	2	3	6	12	13
20-34	57	1.7	1	< 1	1	1	2	3	4	6
35-49	69	1.5	1	< 1	1	1	2	2	3	7
50-64	34	1.4	1	< 1	1	1	2	2	4	5
65 +	9	3.2	23	1	1	2	2	11	16	16
B. Operated										
0-19 YRS	16	3.1	4	1	1	3	4	7	7	7
20-34	25	3.2	4	1	1	3	5	6	7	8
35-49	43	1.8	1	1	1	1	2	4	4	5
50-64	22	1.6	1	< 1	1	1	2	3	3	4
65 +	38	2.9	7	1	1	2	4	6	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.3	10	< 1	1	2	6	8	9	9
20-34	52	2.3	2	1	1	2	3	4	6	6
35-49	75	1.9	1	1	1	2	2	4	4	5
50-64	66	2.1	4	1	1	1	3	5	5	11
65 +	50	4.1	98	1	1	2	3	6	9	69
B. Operated										
0-19 YRS	38	2.9	3	1	2	3	4	6	6	7
20-34	64	4.2	13	1	2	3	5	8	11	19
35-49	90	4.6	27	1	2	3	6	9	11	32
50-64	180	4.5	48	1	1	3	6	10	12	20
65 +	532	5.5	54	1	2	4	7	10	14	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	1.7	3	< 1	1	1	2	3	4	11
B. Operated	144	2.5	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	255	2.5	22	1	1	2	3	4	6	11
B. Operated	904	5.0	46	1	2	3	6	10	12	29
1. SINGLE DX	325	2.1	3	1	1	1	2	4	5	10
2. MULTIPLE DX	1159	4.5	41	1	2	3	5	9	12	22
A. Not Operated	436	2.2	14	1	1	1	2	4	5	11
B. Operated	1048	4.7	41	1	2	3	6	9	12	22
TOTAL										
0-19 YRS	78	3.0	5	1	1	2	4	6	8	12
20-34	198	2.8	7	1	1	2	4	6	8	15
35-49	277	2.7	11	1	1	2	3	6	7	12
50-64	302	3.4	31	1	1	2	4	8	10	15
65 +	629	5.2	55	1	2	3	6	10	14	42
GRAND TOTAL	**1484**	**3.9**	**34**	**1**	**1**	**2**	**5**	**8**	**10**	**21**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.1	2	1	1	2	2	4	5	8
20-34	20	2.1	1	1	1	2	2	3	5	6
35-49	8	2.3		2	2	2	3	3	3	3
50-64	6	2.3	1	< 1	2	2	3	4	4	4
65 +	10	3.5	6	1	1	3	5	7	8	8
B. Operated										
0-19 YRS	9	1.7	1	< 1	< 1	1	2	3	4	4
20-34	28	3.0	3	< 1	1	3	4	5	6	8
35-49	58	2.7	5	1	1	2	3	5	7	12
50-64	32	2.2	6	1	1	1	2	4	10	11
65 +	49	2.3	5	1	1	1	3	4	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	3.1	5	1	2	2	4	5	7	14
20-34	102	3.6	17	1	2	3	5	6	8	27
35-49	99	4.7	10	2	3	4	5	9	12	18
50-64	98	4.8	10	2	3	4	6	9	12	16
65 +	400	5.9	19	2	3	5	7	11	14	20
B. Operated										
0-19 YRS	58	4.9	18	1	2	4	6	11	14	21
20-34	92	5.0	57	1	2	3	6	9	12	49
35-49	169	5.5	31	1	2	4	7	12	17	34
50-64	270	5.6	49	1	2	4	7	12	16	28
65 +	934	6.6	55	1	2	5	8	13	18	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.3	2	1	1	2	3	4	6	8
B. Operated	176	2.5	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	816	5.0	16	2	3	4	6	10	13	19
B. Operated	1523	6.1	50	1	2	4	8	13	17	36
1. SINGLE DX	261	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2339	5.7	39	1	2	4	7	12	15	30
A. Not Operated	901	4.7	15	1	2	4	6	9	12	18
B. Operated	1699	5.8	47	1	2	4	7	12	16	35
TOTAL										
0-19 YRS	225	3.3	9	1	1	2	4	7	9	16
20-34	242	3.9	30	1	2	3	5	7	10	25
35-49	334	4.7	21	1	2	3	5	10	13	25
50-64	406	5.1	36	1	2	4	6	11	14	26
65 +	1393	6.3	43	1	3	5	8	12	16	34
GRAND TOTAL	**2600**	**5.4**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	125	1.9	3	< 1	< 1	1	2	4	6	8
20-34	112	2.0	2	< 1	1	2	2	4	4	7
35-49	91	2.2	3	< 1	1	1	3	5	6	8
50-64	61	2.0	3	1	1	1	3	4	5	10
65 +	62	2.2	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.5	1	< 1	1	1	2	3	3	3
20-34	9	2.8	3	< 1	1	2	4	6	6	6
35-49	8	2.8	5	< 1	1	2	4	6	7	7
50-64	9	2.9	11	< 1	1	1	3	8	11	11
65 +	32	3.0	5	1	1	3	4	6	7	9
B. Operated										
0-19 YRS	152	3.5	14	< 1	1	2	5	8	10	21
20-34	160	3.6	9	1	1	2	5	8	9	15
35-49	159	2.9	7	1	1	2	4	6	8	15
50-64	243	2.9	8	1	1	2	4	6	8	14
65 +	723	3.9	19	1	1	3	5	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.9		< 1	1	2	2	3	3	3
B. Operated	451	2.0	3	< 1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	64	2.8	5	< 1	1	2	4	5	7	11
B. Operated	1437	3.5	14	1	1	2	5	8	10	17
1. SINGLE DX	458	2.0	3	< 1	1	1	2	4	6	8
2. MULTIPLE DX	1501	3.5	14	1	1	2	4	7	9	16
A. Not Operated	71	2.7	4	< 1	1	2	4	5	7	11
B. Operated	1888	3.2	12	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	283	2.8	9	< 1	< 1	1	4	7	8	15
20-34	284	2.9	7	1	1	2	4	7	8	13
35-49	260	2.6	6	1	1	2	3	6	7	12
50-64	313	2.7	7	1	1	2	3	5	8	13
65 +	819	3.7	17	1	1	3	5	8	10	21
GRAND TOTAL	**1959**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**15**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	555	3.3	18	1	2	3	4	6	7	10
20-34	150	2.5	2	1	1	2	3	4	5	7
35-49	81	2.9	3	1	2	3	4	5	6	8
50-64	75	3.7	7	1	2	3	4	6	7	17
65 +	116	4.4	9	1	2	4	5	8	11	15
B. Operated										
0-19 YRS	43	3.3	4	< 1	1	3	4	7	7	7
20-34	7	3.7	10	< 1	1	3	5	9	10	10
35-49	6	3.5	3	2	3	3	3	7	7	7
50-64	2	7.0		7	7	7	7	7	7	7
65 +	4	7.8	21	3	4	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3299	4.3	8	2	2	4	5	8	10	15
20-34	1287	4.5	19	2	2	4	6	8	10	18
35-49	1334	5.4	17	2	3	4	7	10	12	23
50-64	2132	6.1	26	2	3	5	7	11	13	24
65 +	12455	7.8	44	3	4	6	9	14	18	35
B. Operated										
0-19 YRS	491	7.1	33	3	4	5	9	13	17	33
20-34	186	9.1	110	3	4	6	10	16	36	72
35-49	253	12.1	166	3	5	8	14	32	41	86
50-64	423	13.2	188	4	6	9	15	26	44	88
65 +	2265	14.3	137	5	7	11	17	28	40	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	977	3.3	13	1	2	3	4	6	7	11
B. Operated	62	3.8	7	< 1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	20507	6.7	35	2	3	5	8	12	16	30
B. Operated	3618	12.8	136	4	6	9	15	26	37	84
1. SINGLE DX	1039	3.4	12	1	2	3	4	6	7	11
2. MULTIPLE DX	24125	7.6	55	2	4	6	9	14	20	41
A. Not Operated	21484	6.5	35	2	3	5	8	12	15	29
B. Operated	3680	12.6	135	3	6	9	15	26	36	84
TOTAL										
0-19 YRS	4388	4.5	13	2	2	4	5	8	10	17
20-34	1630	4.9	31	2	2	4	6	9	12	28
35-49	1674	6.3	45	2	3	5	7	11	17	37
50-64	2632	7.2	58	2	4	5	8	13	17	45
65 +	14840	8.7	64	3	4	7	10	16	22	46
GRAND TOTAL	**25164**	**7.4**	**54**	**2**	**4**	**6**	**9**	**14**	**19**	**41**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.1	2	1	1	2	3	4	5	6
20-34	29	2.0	2	< 1	1	1	3	3	5	7
35-49	32	1.6	1	< 1	1	1	2	3	4	5
50-64	25	2.4	3	1	1	2	4	5	5	6
65 +	43	2.7	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	174	2.1	4	< 1	1	1	2	4	6	11
20-34	87	2.4	5	< 1	1	2	3	6	7	12
35-49	116	2.7	8	1	1	2	3	5	6	19
50-64	169	2.4	3	1	1	2	3	4	6	8
65 +	240	2.2	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	3.2	21	1	1	2	4	6	8	28
20-34	148	3.4	9	1	2	3	4	7	9	15
35-49	153	3.7	16	1	2	3	4	6	9	22
50-64	238	3.9	9	1	2	3	5	7	9	15
65 +	841	4.8	22	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	298	4.8	27	1	1	3	7	11	16	23
20-34	223	5.3	39	1	2	4	7	11	15	23
35-49	427	5.1	30	1	2	3	7	11	15	31
50-64	915	4.8	25	1	2	3	6	10	14	24
65 +	2929	5.8	39	1	2	4	7	12	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	2.1	2	1	1	2	3	4	5	7
B. Operated	786	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	1594	4.2	18	1	2	3	5	8	11	20
B. Operated	4792	5.4	35	1	2	4	7	11	16	30
1. SINGLE DX	995	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX	6386	5.1	31	1	2	3	6	11	15	28
A. Not Operated	1803	4.0	17	1	2	3	5	8	10	19
B. Operated	5578	5.0	31	1	2	3	6	11	15	28
TOTAL										
0-19 YRS	766	3.5	19	1	1	2	4	8	11	22
20-34	487	4.0	23	1	1	3	5	8	12	19
35-49	728	4.3	23	1	2	3	5	9	12	28
50-64	1347	4.3	20	1	2	3	5	9	12	21
65 +	4053	5.3	33	1	2	4	6	11	15	31
GRAND TOTAL	**7381**	**4.7**	**28**	**1**	**2**	**3**	**6**	**10**	**14**	**26**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	1.3	1	< 1	< 1	1	1	3	3	3
65 +	15	3.3	7	< 1	1	2	4	8	9	9
B. Operated										
0-19 YRS	0									
20-34	10	2.7	8	< 1	1	1	2	8	8	8
35-49	45	2.5	2	1	2	2	3	5	5	7
50-64	1345	3.2	2	2	2	3	4	5	5	8
65 +	2535	3.5	3	2	3	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49.	6	3.2	4	1	2	3	3	7	7	7
50-64	113	3.1	5	< 1	1	2	4	6	7	11
65 +	427	4.0	15	< 1	1	3	5	8	13	18
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	3.8	3	1	4	4	4	6	6	6
35-49	184	3.3	5	1	2	3	4	5	6	15
50-64	5736	4.0	7	2	3	3	5	6	8	13
65 +	20152	4.8	16	2	3	4	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.5	5	< 1	1	2	3	7	8	9
B. Operated	3935	3.4	3	2	3	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	547	3.8	13	< 1	1	3	5	7	11	18
B. Operated	26079	4.6	14	2	3	4	5	8	10	18
1. SINGLE DX	3960	3.4	3	2	3	3	4	5	6	9
2. MULTIPLE DX	26626	4.6	14	2	3	4	5	8	10	18
A. Not Operated	572	3.7	13	< 1	1	3	5	7	11	18
B. Operated	30014	4.4	12	2	3	4	5	7	10	17
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	18	2.9	6	< 1	1	2	4	7	8	8
35-49	236	3.1	4	1	2	3	4	5	6	14
50-64	7202	3.8	6	2	3	3	4	6	8	13
65 +	23129	4.6	14	2	3	4	5	8	11	18
GRAND TOTAL	**30586**	**4.4**	**12**	**2**	**3**	**4**	**5**	**7**	**10**	**17**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	3	1	1	2	4	5	5	5
20-34	42	3.2	2	2	2	3	4	5	6	9
35-49	58	3.3	2	2	2	3	4	5	5	8
50-64	45	3.8	3	2	3	3	5	6	7	8
65 +	21	4.0	5	2	2	4	5	6	9	11
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	11	2.6	2	1	2	2	3	5	5	5
50-64	10	4.6	8	1	2	4	6	8	10	10
65 +	10	5.3	6	2	4	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	82	3.7	6	1	2	3	4	6	9	15
35-49	181	3.9	5	2	2	4	5	7	8	12
50-64	311	4.3	5	2	3	4	5	7	8	13
65 +	334	5.0	9	2	3	4	6	8	10	19
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	22	6.0	18	2	3	5	8	13	14	15
35-49	57	5.6	19	1	3	4	7	11	14	23
50-64	147	5.3	17	2	3	4	7	11	14	21
65 +	326	5.7	24	2	3	4	7	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	3.5	3	2	2	3	4	5	6	9
B. Operated	37	3.8	6	1	2	3	5	7	9	10
2. MULTIPLE DX										
A. Not Operated	910	4.4	7	2	3	4	5	7	9	15
B. Operated	555	5.6	21	2	3	4	7	12	15	23
1. SINGLE DX	209	3.5	3	2	2	3	4	6	7	10
2. MULTIPLE DX	1465	4.9	13	2	3	4	6	9	12	20
A. Not Operated	1082	4.3	6	2	3	4	5	7	9	14
B. Operated	592	5.5	21	2	3	4	7	12	15	23
TOTAL										
0-19 YRS	12	3.2	2	1	2	3	4	5	5	5
20-34	151	3.8	7	1	2	3	4	7	10	15
35-49	307	4.1	7	2	2	4	5	7	9	14
50-64	513	4.6	9	2	3	4	6	7	10	16
65 +	691	5.3	16	2	3	4	6	10	14	22
GRAND TOTAL	**1674**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**11**	**18**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.3		<1	1	1	2	2	2	2
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	3	1.0		1	1	1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	113	1.1		<1	<1	1	1	2	2	3
20-34	36	1.4		<1	1	1	2	2	2	3
35-49	40	1.1		<1	1	1	1	2	2	3
50-64	79	1.5	1	<1	1	1	2	3	4	6
65 +	44	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.5	6	<1	1	1	3	7	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	7.5	137	1	1	2	14	25	25	25
50-64	3	1.0		<1	<1	1	1	1	1	1
65 +	3	3.0	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	150	1.7	3	<1	1	1	1	3	5	9
20-34	19	1.8	3	1	1	1	2	4	6	8
35-49	57	2.6	9	1	1	1	3	7	9	15
50-64	91	3.2	82	1	1	2	3	5	7	55
65 +	140	2.9	8	1	1	2	3	6	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.5	1	<1	1	1	2	2	4	5
B. Operated	312	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	24	3.3	26	<1	1	1	4	6	14	25
B. Operated	457	2.5	21	1	1	1	3	5	7	13
1. SINGLE DX	328	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX	481	2.5	21	1	1	1	3	5	8	14
A. Not Operated	40	2.6	16	<1	1	1	3	5	7	25
B. Operated	769	2.0	13	<1	1	1	2	4	6	11
TOTAL										
0-19 YRS	282	1.5	2	<1	1	1	1	2	4	9
20-34	59	1.6	2	<1	1	1	2	3	4	8
35-49	104	2.2	10	1	1	1	2	5	8	20
50-64	176	2.4	43	1	1	1	2	4	6	10
65 +	188	2.6	7	1	1	2	3	5	8	13
GRAND TOTAL	**809**	**2.0**	**13**	**<1**	**1**	**1**	**2**	**4**	**6**	**11**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	3.3	4	1	2	3	5	6	7	10
20-34	186	3.2	4	1	2	3	4	5	7	11
35-49	126	3.8	3	2	2	4	5	6	7	9
50-64	64	4.1	4	2	3	4	6	7	7	9
65 +	33	3.8	3	2	2	4	5	6	7	8
B. Operated										
0-19 YRS	43	2.2	3	<1	1	1	3	5	5	8
20-34	48	2.6	5	1	1	2	4	6	7	9
35-49	37	4.0	35	1	1	2	4	9	14	34
50-64	17	1.5	1	1	1	1	2	3	4	4
65 +	15	2.9	7	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	4.4	12	1	2	4	6	8	10	22
20-34	132	4.5	24	2	2	4	5	7	8	37
35-49	175	4.1	5	2	2	4	5	7	8	12
50-64	160	5.3	7	3	4	5	6	8	10	15
65 +	275	5.7	9	3	4	5	7	9	11	15
B. Operated										
0-19 YRS	48	2.8	7	1	1	2	3	5	7	18
20-34	50	4.2	13	1	1	3	6	9	10	19
35-49	60	6.0	21	2	3	5	8	12	17	92
50-64	74	6.9	35	1	2	5	11	15	17	30
65 +	133	7.8	37	1	4	7	10	16	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	525	3.5	4	1	2	3	5	6	7	9
B. Operated	160	2.7	11	1	1	2	4	5	8	14
2. MULTIPLE DX										
A. Not Operated	810	5.0	11	2	3	4	6	8	10	15
B. Operated	365	6.2	30	1	2	5	9	12	17	28
1. SINGLE DX	685	3.3	6	1	2	3	5	6	7	10
2. MULTIPLE DX	1175	5.3	17	2	3	4	7	10	12	22
A. Not Operated	1335	4.4	8	2	3	4	5	8	9	13
B. Operated	525	5.1	27	1	1	3	7	12	15	27
TOTAL										
0-19 YRS	275	3.3	7	1	1	3	4	6	8	12
20-34	416	3.7	12	1	2	3	5	7	8	12
35-49	398	4.3	10	1	2	4	5	7	10	17
50-64	315	5.2	14	1	3	4	6	10	12	18
65 +	456	6.1	16	2	3	5	8	11	13	25
GRAND TOTAL	**1860**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	196	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	12	1.1		< 1	< 1	< 1	1	2	2	2
35-49	15	1.3	1	< 1	< 1	< 1	1	3	3	3
50-64	8	1.1		< 1	< 1	< 1	1	2	2	2
65 +	6	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.8	16	1	1	2	6	11	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	7	5.0	14	1	2	4	8	11	11	11
B. Operated										
0-19 YRS	97	1.6	3	< 1	< 1	1	1	3	6	10
20-34	7	2.7	21	< 1	< 1	1	1	11	13	13
35-49	18	1.9	5	< 1	< 1	1	3	3	7	10
50-64	32	2.7	14	< 1	1	1	2	6	12	19
65 +	50	3.0	11	< 1	1	2	4	5	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.5	1	< 1	1	1	2	3	3	3
B. Operated	237	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	24	3.8	13	1	1	2	5	10	12	13
B. Operated	204	2.2	8	< 1	< 1	1	2	4	7	16
1. SINGLE DX	243	1.0		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	228	2.3	8	< 1	< 1	1	2	5	9	15
A. Not Operated	30	3.4	11	1	1	2	4	9	11	13
B. Operated	441	1.6	4	< 1	< 1	< 1	1	2	4	11
TOTAL										
0-19 YRS	311	1.3	2	< 1	< 1	< 1	1	2	2	9
20-34	20	1.7	7	< 1	< 1	1	1	2	8	13
35-49	35	1.6	3	< 1	< 1	1	1	3	3	10
50-64	42	2.4	11	< 1	< 1	1	2	4	9	19
65 +	63	3.0	11	< 1	1	2	4	6	11	19
GRAND TOTAL	**471**	**1.7**	**5**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**	**12**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.4	3	1	1	2	3	4	6	8
20-34	26	2.1	2	< 1	1	1	3	[illegible]	5	6
35-49	23	2.8	4	1	1	2	4	5	7	9
50-64	10	2.8	7	1	1	2	4	7	9	9
65 +	5	2.0	3	1	1	1	3	5	5	5
B. Operated										
0-19 YRS	833	1.3	1	< 1	1	1	1	2	3	5
20-34	247	1.8	3	1	1	1	2	3	4	9
35-49	189	2.1	3	1	1	1	3	4	5	11
50-64	267	2.0	1	1	1	2	3	3	4	6
65 +	144	2.1	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	2.9	3	1	2	2	4	5	7	9
20-34	41	5.0	23	1	2	4	6	9	15	27
35-49	55	5.1	14	1	2	4	7	9	14	17
50-64	72	3.9	21	1	1	3	5	7	9	30
65 +	83	6.0	23	1	3	5	8	12	14	26
B. Operated										
0-19 YRS	379	2.0	9	< 1	1	1	2	4	6	14
20-34	197	4.0	27	1	1	2	5	8	13	31
35-49	384	4.3	31	1	2	3	5	8	11	31
50-64	732	3.4	26	1	1	2	3	6	9	34
65 +	540	4.6	53	1	1	3	4	9	15	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	2.4	3	1	1	2	3	5	6	9
B. Operated	1680	1.6	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	373	4.3	16	1	2	3	5	9	12	19
B. Operated	2232	3.7	31	1	1	2	4	7	11	35
1. SINGLE DX	1808	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	2605	3.8	29	1	1	2	4	7	11	32
A. Not Operated	501	3.8	13	1	1	3	5	8	10	17
B. Operated	3912	2.8	20	1	1	2	3	5	8	26
TOTAL										
0-19 YRS	1398	1.7	4	< 1	1	1	2	3	4	8
20-34	511	2.9	15	1	1	2	3	6	8	23
35-49	651	3.7	22	1	1	2	4	7	10	30
50-64	1081	3.1	19	1	1	2	3	5	8	31
65 +	772	4.3	41	1	1	2	4	9	13	38
GRAND TOTAL	**4413**	**2.9**	**19**	**1**	**1**	**2**	**3**	**6**	**8**	**25**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	10	1.2		< 1	1	1	1	2	2	2
20-34	68	1.7	1	< 1	< 1	1	2	3	3	6
35-49	263	1.7	1	< 1	< 1	< 1	2	3	4	6
50-64	161	1.3	1	< 1	< 1	< 1	1	2	3	6
65 +	87	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.2		< 1	< 1	< 1	1	2	2	2
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	7	2.3	1	1	2	2	3	4	4	4
20-34	93	2.9	5	1	2	2	4	5	6	14
35-49	362	2.5	3	< 1	1	2	3	4	6	10
50-64	270	2.5	3	< 1	1	2	3	4	5	8
65 +	195	2.2	3	< 1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	589	1.5	1	< 1	< 1	< 1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	9	2.2	9	< 1	< 1	1	2	7	10	10
B. Operated	927	2.5	3	< 1	1	2	3	4	6	9
1. SINGLE DX	597	1.5	1	< 1	< 1	< 1	2	3	4	6
2. MULTIPLE DX	936	2.5	3	< 1	1	2	3	4	6	10
A. Not Operated	17	1.9	5	< 1	< 1	1	2	4	8	10
B. Operated	1516	2.1	2	< 1	< 1	2	3	4	5	7
TOTAL										
0-19 YRS	17	1.6	1	< 1	1	1	2	3	4	4
20-34	164	2.4	3	< 1	1	2	3	4	5	12
35-49	632	2.1	2	< 1	< 1	2	3	4	5	7
50-64	436	2.1	2	< 1	< 1	1	3	4	5	8
65 +	284	1.9	2	< 1	< 1	1	2	3	5	7
GRAND TOTAL	**1533**	**2.1**	**2**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**7**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.9	1	2	2	3	3	4	5	6
20-34	62	3.0	4	1	2	2	4	5	7	11
35-49	28	3.1	4	< 1	2	3	3	6	7	10
50-64	13	3.1	4	< 1	1	3	4	6	7	7
65 +	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-19 YRS	464	1.8	1	1	1	2	2	3	4	6
20-34	902	1.9	1	1	1	2	2	3	4	6
35-49	551	2.1	2	1	1	2	2	3	4	8
50-64	267	1.9	1	1	1	2	2	3	4	6
65 +	106	1.9	2	< 1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	3.8	5	1	2	3	5	8	8	10
20-34	45	3.6	8	< 1	2	3	4	7	10	13
35-49	57	4.3	10	< 1	2	4	6	8	9	18
50-64	55	4.8	12	< 1	2	5	6	8	10	20
65 +	50	4.7	12	< 1	2	4	7	10	12	14
B. Operated										
0-19 YRS	169	2.1	4	1	1	2	2	3	4	11
20-34	601	2.4	3	1	1	2	3	4	5	10
35-49	719	2.8	10	1	1	2	3	5	6	18
50-64	437	2.9	7	1	1	2	3	6	7	14
65 +	229	3.2	16	1	1	2	3	6	10	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.0	3	1	2	3	3	5	6	10
B. Operated	2290	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	243	4.3	10	< 1	2	4	6	8	10	14
B. Operated	2155	2.7	8	1	1	2	3	5	7	14
1. SINGLE DX	2425	2.0	2	1	1	2	2	3	4	7
2. MULTIPLE DX	2398	2.9	8	1	1	2	3	5	7	14
A. Not Operated	378	3.8	8	< 1	2	3	5	8	9	13
B. Operated	4445	2.3	5	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	698	2.1	2	1	1	2	2	3	4	8
20-34	1610	2.2	2	1	1	2	3	4	5	8
35-49	1355	2.6	7	1	1	2	3	4	6	13
50-64	772	2.7	6	1	1	2	3	5	7	13
65 +	388	3.0	12	1	1	2	3	6	9	14
GRAND TOTAL	**4823**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	458	1.8	1	1	1	1	2	3	4	6
20-34	669	1.8	1	1	1	2	2	3	4	6
35-49	219	2.0	2	1	1	2	3	3	4	7
50-64	6	3.3	6	1	2	3	4	8	8	8
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	529	2.8	2	1	2	3	4	4	5	8
20-34	1259	2.9	2	1	2	3	4	5	5	8
35-49	489	3.4	2	1	2	3	4	5	6	8
50-64	93	3.7	2	2	3	4	4	6	6	9
65 +	40	4.3	2	2	4	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	253	2.1	2	1	1	2	3	4	5	7
20-34	572	2.2	2	1	1	2	3	4	5	7
35-49	261	2.7	4	1	1	2	3	5	6	13
50-64	18	4.2	11	1	2	4	5	8	13	15
65 +	10	3.3	9	< 1	1	2	4	8	11	11
B. Operated										
0-19 YRS	550	3.6	8	1	2	3	4	6	6	11
20-34	3457	3.8	6	2	3	4	4	6	7	11
35-49	2820	4.2	8	2	3	4	5	6	7	13
50-64	488	4.5	4	3	3	4	5	7	8	13
65 +	351	6.3	15	3	4	5	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1353	1.8	1	1	1	2	2	3	4	6
B. Operated	2410	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	1114	2.4	3	1	1	2	3	4	5	9
B. Operated	7666	4.1	7	2	3	4	5	6	8	13
1. SINGLE DX	3763	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX	8780	3.9	7	2	3	4	5	6	7	13
A. Not Operated	2467	2.1	2	1	1	2	3	4	5	7
B. Operated	10076	3.8	6	2	3	4	4	6	7	12
TOTAL										
0-19 YRS	1790	2.7	4	1	1	2	3	5	6	9
20-34	5957	3.2	5	1	2	3	4	5	6	10
35-49	3789	3.9	7	2	3	4	4	6	7	12
50-64	605	4.4	4	3	3	4	5	6	8	13
65 +	402	6.1	14	3	4	5	7	10	13	22
GRAND TOTAL	**12543**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	932	3.4	3	2	2	3	4	5	7	10
20-34	2058	3.5	3	2	2	3	4	6	7	9
35-49	387	3.9	4	2	3	4	5	6	7	11
50-64	16	4.1	6	2	3	3	5	7	10	11
65 +	6	5.2	28	1	2	3	7	14	15	15
B. Operated										
0-19 YRS	135	4.3	9	2	3	4	5	6	9	20
20-34	637	3.7	5	1	3	3	5	6	8	11
35-49	333	4.0	6	2	3	4	5	6	8	11
50-64	50	4.6	11	1	3	4	5	7	12	18
65 +	10	3.9	1	2	4	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1111	4.3	5	2	3	4	5	7	9	12
20-34	2203	4.1	5	2	3	4	5	7	8	13
35-49	532	4.9	10	2	3	4	6	8	11	17
50-64	42	5.4	10	2	3	4	7	10	12	14
65 +	16	7.1	14	3	4	7	9	10	16	18
B. Operated										
0-19 YRS	341	5.3	18	2	3	4	6	10	12	25
20-34	3831	4.3	7	2	3	4	5	7	9	14
35-49	2586	5.0	11	2	3	4	5	9	11	17
50-64	313	5.9	23	3	4	4	7	10	15	23
65 +	104	8.3	68	3	4	5	9	15	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3399	3.5	3	2	2	3	4	6	7	10
B. Operated	1165	3.9	6	1	3	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	3904	4.3	6	2	3	4	5	7	9	14
B. Operated	7175	4.7	11	2	3	4	5	8	11	17
1. SINGLE DX	4564	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX	11079	4.6	9	2	3	4	5	8	10	16
A. Not Operated	7303	3.9	5	2	3	3	5	7	8	12
B. Operated	8340	4.6	10	2	3	4	5	8	10	17
TOTAL										
0-19 YRS	2519	4.1	7	2	3	4	5	7	9	13
20-34	8729	4.0	6	2	3	4	5	7	8	13
35-49	3838	4.7	10	2	3	4	5	8	11	17
50-64	421	5.6	20	3	3	4	6	10	13	22
65 +	136	7.7	56	3	4	5	9	15	19	42
GRAND TOTAL	**15643**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.1	1	< 1	1	2	3	4	5	5
20-34	34	2.3	2	1	1	2	3	4	4	7
35-49	18	3.2	4	< 1	1	3	5	6	7	8
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	18	2.7	2	1	1	2	4	5	6	6
20-34	539	3.1	2	1	2	3	4	5	5	6
35-49	475	3.5	2	2	3	4	4	5	5	7
50-64	26	3.8	2	2	3	4	5	6	7	7
65 +	4	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.2	9	1	2	3	5	10	10	10
20-34	66	3.4	8	1	1	3	4	7	10	14
35-49	51	3.3	3	< 1	2	3	4	6	7	9
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	92	3.1	4	< 1	2	3	4	5	7	11
20-34	4727	3.7	2	2	3	4	4	5	6	9
35-49	7717	4.1	3	3	3	4	4	5	6	10
50-64	758	4.3	2	3	4	4	5	6	7	11
65 +	105	5.2	9	3	4	5	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	2.6	3	< 1	1	2	4	5	6	8
B. Operated	1062	3.3	2	1	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	134	3.4	6	1	2	3	4	6	9	12
B. Operated	13399	4.0	3	3	3	4	4	5	6	10
1. SINGLE DX	1128	3.3	2	1	2	3	4	5	5	7
2. MULTIPLE DX	13533	4.0	3	3	3	4	4	5	6	10
A. Not Operated	200	3.2	5	1	1	3	4	6	8	11
B. Operated	14461	3.9	3	3	3	4	4	5	6	9
TOTAL										
0-19 YRS	136	3.1	4	1	1	3	4	5	7	11
20-34	5366	3.6	2	2	3	4	4	5	6	9
35-49	8261	4.0	3	3	3	4	4	5	6	9
50-64	787	4.3	2	3	3	4	5	6	7	11
65 +	111	5.2	8	3	4	5	6	8	10	21
GRAND TOTAL	**14661**	**3.9**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**10**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	6	2.3	1	< 1	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	9	3.0	3	< 1	2	3	4	6	6	6
35-49	12	2.7	3	< 1	1	3	4	5	5	5
50-64	2	3.0	8	< 1	< 1	2	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.3	6	1	1	3	4	7	9	9
20-34	17	3.2	2	1	2	3	4	5	6	7
35-49	6	2.8	1	< 1	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	232	3.7	2	2	3	4	4	5	6	9
35-49	365	3.9	2	2	3	4	4	5	6	9
50-64	59	4.0	3	2	3	4	4	5	8	11
65 +	20	4.2	5	1	3	4	5	6	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.1	1	< 1	1	2	3	3	3	3
B. Operated	23	2.8	3	< 1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	39	3.3	3	1	2	3	4	5	7	9
B. Operated	678	3.9	2	2	3	4	4	5	6	9
1. SINGLE DX	34	2.6	2	< 1	1	2	3	5	5	6
2. MULTIPLE DX	717	3.8	2	2	3	4	4	5	6	9
A. Not Operated	50	3.0	3	1	2	3	4	5	7	9
B. Operated	701	3.8	2	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	20	3.1	5	1	1	3	4	6	8	9
20-34	264	3.6	2	2	3	4	4	5	6	9
35-49	384	3.8	2	2	3	4	4	5	6	9
50-64	62	4.0	3	1	3	4	4	5	8	11
65 +	21	4.2	4	1	3	4	5	6	8	11
GRAND TOTAL	**751**	**3.8**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	3.3	5	< 1	2	3	4	6	7	12
20-34	115	2.9	2	1	2	3	4	5	5	7
35-49	16	3.6	2	2	2	4	5	5	5	5
50-64	7	5.3	4	3	4	4	7	8	8	8
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	36	1.8	2	< 1	1	1	2	4	5	6
20-34	122	1.9	3	< 1	1	1	2	4	5	10
35-49	81	1.8	2	< 1	1	1	3	3	5	7
50-64	19	2.4	4	< 1	< 1	2	3	5	7	9
65 +	10	2.4	4	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	3.5	7	1	2	3	4	6	9	15
20-34	183	3.7	4	2	2	3	5	6	7	11
35-49	70	4.6	10	2	3	4	6	8	11	19
50-64	23	5.4	9	2	3	6	6	9	11	14
65 +	42	6.7	15	3	4	5	8	13	14	19
B. Operated										
0-19 YRS	27	5.3	18	1	2	4	6	12	15	17
20-34	209	3.8	9	1	2	4	5	6	8	19
35-49	166	4.5	12	1	3	4	5	8	12	18
50-64	70	5.7	21	1	3	4	7	11	14	23
65 +	60	7.6	72	1	2	5	10	18	23	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	3.2	3	1	2	3	4	5	6	8
B. Operated	268	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	392	4.2	8	2	2	4	5	7	10	14
B. Operated	532	4.8	20	1	2	4	5	9	13	23
1. SINGLE DX	455	2.4	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX	924	4.5	15	1	2	4	5	8	12	21
A. Not Operated	579	3.9	6	2	2	3	5	7	9	14
B. Operated	800	3.8	16	1	1	3	5	7	11	21
TOTAL										
0-19 YRS	184	3.4	8	1	1	3	4	6	10	15
20-34	629	3.2	6	1	2	3	4	5	7	12
35-49	333	3.8	10	1	1	3	5	7	9	18
50-64	119	5.1	16	1	2	4	7	10	12	22
65 +	114	6.8	45	1	3	5	9	14	18	37
GRAND TOTAL	**1379**	**3.8**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	3	2.0	3	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	223	3.2	1	2	2	3	4	4	5	7
35-49	635	3.4	2	2	3	3	4	5	5	7
50-64	1170	3.7	2	2	3	4	4	5	6	8
65 +	1159	4.0	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	2.1	2	< 1	< 1	1	3	4	4	4
35-49	19	2.3	4	< 1	< 1	< 1	4	5	7	8
50-64	25	2.4	4	< 1	< 1	1	3	5	7	8
65 +	65	2.9	7	< 1	< 1	2	4	7	8	14
B. Operated										
0-19 YRS	13	3.8	3	1	3	4	5	6	6	6
20-34	1427	3.7	2	2	3	4	4	5	6	8
35-49	4278	4.0	2	3	3	4	5	6	6	9
50-64	4493	4.3	4	3	3	4	5	6	7	11
65 +	5953	4.9	6	3	4	4	6	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.4	3	1	1	2	4	5	5	5
B. Operated	3189	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	120	2.6	5	< 1	< 1	1	4	6	8	11
B. Operated	16164	4.4	4	3	3	4	5	6	8	11
1. SINGLE DX	3197	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX	16284	4.4	4	3	3	4	5	6	8	11
A. Not Operated	128	2.6	5	< 1	< 1	1	4	5	8	11
B. Operated	19353	4.3	4	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	16	3.4	3	1	2	4	5	6	6	6
20-34	1662	3.6	2	2	3	3	4	5	6	8
35-49	4932	3.9	2	2	3	4	4	5	6	9
50-64	5691	4.2	4	2	3	4	5	6	7	10
65 +	7180	4.7	5	3	3	4	5	7	8	14
GRAND TOTAL	**19481**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.5	1	1	1	1	2	3	3	3
20-34	18	1.9	1	1	1	2	3	3	4	4
35-49	15	2.3	3	1	1	2	3	4	6	7
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	15	1.7	1	< 1	< 1	1	2	3	3	3
20-34	141	2.0	2	< 1	< 1	1	3	4	4	5
35-49	296	2.1	2	< 1	< 1	1	3	4	5	5
50-64	35	2.1	2	< 1	< 1	1	3	4	5	6
65 +	5	2.0	3	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	2.8	3	1	2	2	4	5	5	10
20-34	95	2.2	3	1	1	2	3	4	4	10
35-49	50	2.5	5	< 1	1	2	3	4	5	15
50-64	15	2.3	1	< 1	1	2	3	3	5	5
65 +	6	5.0	8	1	2	6	7	8	8	8
B. Operated										
0-19 YRS	35	2.3	2	1	1	2	3	4	6	6
20-34	859	3.5	3	1	3	3	4	5	6	9
35-49	1894	3.7	4	1	3	4	4	5	6	10
50-64	222	3.9	3	1	3	4	4	6	7	10
65 +	21	5.4	48	< 1	1	4	6	10	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	1.8	1	1	1	1	2	3	4	7
B. Operated	492	2.0	2	< 1	< 1	1	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	214	2.5	3	1	1	2	3	4	5	11
B. Operated	3031	3.6	4	1	3	4	4	5	6	10
1. SINGLE DX	554	2.0	2	< 1	< 1	1	3	4	4	5
2. MULTIPLE DX	3245	3.5	4	1	3	4	4	5	6	10
A. Not Operated	276	2.3	3	1	1	2	3	4	5	9
B. Operated	3523	3.4	4	< 1	2	3	4	5	6	9
TOTAL										
0-19 YRS	124	2.3	2	1	1	2	3	4	5	7
20-34	1113	3.2	3	1	2	3	4	5	6	9
35-49	2255	3.4	4	< 1	2	4	4	5	6	9
50-64	275	3.5	3	< 1	2	4	4	5	6	9
65 +	32	4.8	34	< 1	1	4	6	9	10	33
GRAND TOTAL	**3799**	**3.3**	**4**	**< 1**	**2**	**3**	**4**	**5**	**6**	**9**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.6	1	< 1	1	1	2	3	3	3
20-34	25	1.5	1	1	1	1	2	2	3	4
35-49	28	1.5	1	< 1	1	1	2	3	3	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	6	1.0		< 1	< 1	1	1	1	1	1
20-34	190	2.5	2	< 1	1	3	3	4	5	6
35-49	374	2.5	2	< 1	< 1	3	4	4	5	6
50-64	36	1.9	2	< 1	< 1	1	3	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.6	47	1	2	2	3	6	8	49
20-34	91	2.3	3	< 1	1	2	3	5	6	9
35-49	113	1.9	2	< 1	1	1	2	3	5	8
50-64	19	1.6	1	< 1	1	1	2	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	37	2.4	2	1	1	2	3	4	5	6
20-34	1549	3.6	3	2	3	4	4	5	6	9
35-49	4453	3.8	3	2	3	4	4	5	6	10
50-64	433	3.9	3	1	3	4	5	6	6	8
65 +	13	3.4	7	1	2	3	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	1.6	1	< 1	1	1	2	3	3	4
B. Operated	607	2.5	2	< 1	< 1	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	278	2.4	11	< 1	1	2	3	4	6	10
B. Operated	6485	3.7	3	2	3	4	4	5	6	9
1. SINGLE DX	674	2.4	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX	6763	3.7	3	2	3	4	4	5	6	10
A. Not Operated	345	2.2	9	< 1	1	2	3	4	5	10
B. Operated	7092	3.6	3	1	3	4	4	5	6	9
TOTAL										
0-19 YRS	110	2.8	24	1	1	2	3	5	6	26
20-34	1855	3.4	3	1	3	3	4	5	6	9
35-49	4968	3.6	3	1	3	4	4	5	6	9
50-64	489	3.6	3	1	3	4	5	6	6	8
65 +	15	3.5	7	1	2	3	4	6	10	11
GRAND TOTAL	**7437**	**3.6**	**3**	**1**	**3**	**4**	**4**	**5**	**6**	**9**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	5	1.4	1	1	1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	2.4	2	< 1	< 1	3	3	4	4	4
35-49	34	2.2	2	< 1	< 1	2	3	4	5	6
50-64	87	1.5	2	< 1	< 1	< 1	1	3	4	7
65 +	44	1.6	1	< 1	< 1	< 1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	11	1.8	1	< 1	1	1	3	4	4	4
50-64	18	1.6	1	< 1	1	1	2	3	4	5
65 +	41	4.4	19	1	2	4	5	8	14	24
B. Operated										
0-19 YRS	0									
20-34	77	3.3	3	2	3	3	4	5	5	13
35-49	233	3.6	3	1	3	3	4	6	7	9
50-64	468	3.3	4	< 1	1	3	4	5	6	9
65 +	358	4.3	15	1	2	4	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.4	1	1	1	1	2	3	3	3
B. Operated	170	1.7	2	< 1	< 1	< 1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	74	3.2	13	1	1	2	4	6	8	22
B. Operated	1136	3.7	7	1	2	3	5	6	8	14
1. SINGLE DX	177	1.7	2	< 1	< 1	1	2	4	4	7
2. MULTIPLE DX	1210	3.7	8	1	2	3	5	6	8	15
A. Not Operated	81	3.1	12	1	1	2	4	6	8	21
B. Operated	1306	3.4	7	< 1	1	3	4	6	7	14
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	86	3.2	3	1	2	3	4	5	5	12
35-49	278	3.4	3	1	2	3	4	5	7	9
50-64	578	3.0	4	< 1	1	3	4	5	6	9
65 +	443	4.1	15	< 1	2	3	5	8	11	21
GRAND TOTAL	**1387**	**3.4**	**7**	**< 1**	**1**	**3**	**4**	**6**	**7**	**14**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	1.9	2	< 1	1	2	2	4	5	8
20-34	58	2.2	7	< 1	1	1	2	4	8	14
35-49	28	2.3	2	1	1	2	3	4	5	6
50-64	3	3.3		3	3	3	4	4	4	4
65 +	4	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	126	3.0	2	1	2	3	4	5	6	8
20-34	658	2.5	3	< 1	1	2	3	4	5	7
35-49	445	2.9	3	< 1	1	3	4	5	6	9
50-64	192	3.0	5	< 1	1	3	4	6	7	10
65 +	79	2.7	3	< 1	< 1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.4	2	1	1	2	3	4	5	5
20-34	85	2.6	5	< 1	1	2	4	6	7	11
35-49	68	3.4	6	1	2	3	4	7	9	12
50-64	42	4.7	57	< 1	1	2	5	10	16	45
65 +	69	5.7	24	1	2	5	7	13	16	23
B. Operated										
0-19 YRS	206	3.8	8	1	2	3	4	6	10	17
20-34	1732	3.5	4	1	3	3	4	5	6	10
35-49	2825	3.9	7	2	3	4	4	6	7	13
50-64	1335	4.6	10	2	3	4	5	8	10	16
65 +	864	6.8	46	2	3	5	8	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	2.2	4	< 1	1	2	3	4	6	13
B. Operated	1500	2.7	3	< 1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	306	3.8	17	< 1	1	3	4	8	11	22
B. Operated	6962	4.3	13	2	3	4	5	7	9	19
1. SINGLE DX	1622	2.7	3	< 1	1	3	4	5	6	9
2. MULTIPLE DX	7268	4.3	13	1	3	4	5	7	9	19
A. Not Operated	428	3.3	14	< 1	1	2	4	7	10	20
B. Operated	8462	4.0	11	1	3	4	4	6	9	17
TOTAL										
0-19 YRS	403	3.3	6	1	2	3	4	5	7	13
20-34	2533	3.2	4	< 1	2	3	4	5	6	10
35-49	3366	3.8	7	1	3	4	4	5	7	12
50-64	1572	4.4	11	1	3	4	5	7	10	16
65 +	1016	6.3	42	1	3	5	7	12	19	35
GRAND TOTAL	**8890**	**4.0**	**11**	**1**	**3**	**4**	**4**	**6**	**9**	**17**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	144	1.6	1	< 1	1	1	2	3	3	5
20-34	206	2.2	2	1	1	2	3	4	5	7
35-49	60	2.1	2	1	1	2	3	4	5	9
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	42	2.1	2	< 1	< 1	2	3	4	5	7
20-34	518	2.7	2	< 1	1	3	4	4	5	7
35-49	940	3.4	2	2	2	3	4	5	6	8
50-64	761	3.7	2	2	3	4	4	6	7	8
65 +	426	3.8	4	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	112	1.8	1	1	1	2	2	4	4	6
20-34	301	2.4	4	< 1	1	2	3	4	6	11
35-49	121	2.6	3	1	1	2	3	5	6	9
50-64	21	2.6	2	< 1	1	3	4	5	5	5
65 +	34	5.0	37	1	1	3	6	10	17	32
B. Operated										
0-19 YRS	91	3.0	7	1	1	3	4	5	7	17
20-34	2870	3.6	2	2	3	4	4	5	6	9
35-49	3678	3.9	3	2	3	4	4	6	7	9
50-64	1554	4.3	4	3	3	4	5	7	8	11
65 +	1251	4.8	7	2	3	4	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	416	1.9	2	1	1	2	2	4	5	6
B. Operated	2687	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	589	2.5	5	1	1	2	3	4	6	11
B. Operated	9444	4.0	3	2	3	4	5	6	7	11
1. SINGLE DX	3103	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX	10033	3.9	4	2	3	4	5	6	7	11
A. Not Operated	1005	2.3	4	1	1	2	3	4	5	9
B. Operated	12131	3.9	3	2	3	4	4	6	7	10
TOTAL										
0-19 YRS	389	2.0	3	< 1	1	2	2	4	5	7
20-34	3895	3.3	3	1	2	3	4	5	6	8
35-49	4799	3.8	3	2	3	4	4	5	6	9
50-64	2340	4.1	3	2	3	4	5	6	7	10
65 +	1713	4.6	7	2	3	4	5	7	9	14
GRAND TOTAL	**13136**	**3.7**	**4**	**2**	**3**	**4**	**4**	**6**	**7**	**10**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.4	1	< 1	< 1	1	2	3	3	3
20-34	80	1.9	2	< 1	1	1	2	4	5	8
35-49	8	1.3	1	< 1	< 1	1	1	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	239	2.9	1	1	2	3	4	4	5	6
20-34	3008	3.0	2	1	2	3	4	4	5	6
35-49	530	3.0	2	1	2	3	4	5	5	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.6		< 1	1	< 1	2	3	3	3
20-34	50	1.9	3	< 1	1	1	2	4	5	9
35-49	7	2.3	2	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	288	3.5	2	2	3	3	4	5	6	8
20-34	4095	3.5	3	2	3	3	4	5	6	9
35-49	929	3.6	3	2	3	4	4	5	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	1.8	2	< 1	1	1	2	3	4	8
B. Operated	3778	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	67	1.9	2	< 1	1	1	2	4	4	9
B. Operated	5312	3.5	3	2	3	3	4	5	6	9
1. SINGLE DX	3878	2.9	2	1	2	3	4	4	5	6
2. MULTIPLE DX	5379	3.5	3	2	3	3	4	5	6	9
A. Not Operated	167	1.8	2	< 1	1	1	2	3	4	8
B. Operated	9090	3.3	2	1	2	3	4	5	6	8
TOTAL										
0-19 YRS	549	3.2	2	1	2	3	4	5	5	7
20-34	7233	3.3	2	1	2	3	4	5	5	8
35-49	1474	3.4	3	1	2	3	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**9257**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.2		< 1	1	1	1	2	3	4
20-34	62	1.5	1	< 1	1	1	2	3	4	6
35-49	13	2.2	4	< 1	1	1	3	5	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	129	1.3		< 1	1	1	1	2	2	4
20-34	287	1.4	1	< 1	1	1	2	2	3	5
35-49	38	1.2	1	< 1	< 1	1	1	2	2	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	1.8	3	1	1	1	2	3	5	9
20-34	176	1.9	2	1	1	1	2	3	5	9
35-49	44	1.3		< 1	1	1	1	2	2	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	93	2.6	7	1	1	2	3	6	8	15
20-34	420	2.4	5	1	1	2	3	5	6	13
35-49	122	2.0	3	< 1	1	1	3	4	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	1.5	1	< 1	1	1	2	3	4	6
B. Operated	454	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	258	1.8	2	1	1	1	2	3	5	9
B. Operated	635	2.4	5	1	1	2	3	5	6	13
1. SINGLE DX	560	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX	893	2.2	4	1	1	1	3	4	6	11
A. Not Operated	364	1.7	2	< 1	1	1	2	3	4	8
B. Operated	1089	2.0	3	< 1	1	1	2	4	5	10
TOTAL										
0-19 YRS	291	1.8	3	1	1	1	2	3	5	10
20-34	945	2.0	3	1	1	1	2	4	5	10
35-49	217	1.7	2	< 1	1	1	2	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**1453**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	2.0	1	< 1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	4	2.0	1	< 1	1	2	3	3	3	3
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. Not Operated	0									
B. Operated	5	2.2	1	< 1	1	2	3	3	3	3
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.3	1	< 1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**5**	**2.2**	**1**	**< 1**	**1**	**2**	**3**	**3**	**3**	**3**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	192	1.4	1	< 1	1	1	2	2	3	4
20-34	544	1.4	1	< 1	1	1	1	2	3	5
35-49	87	1.3		< 1	< 1	1	1	2	3	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	974	1.2		< 1	< 1	1	1	2	2	4
20-34	4590	1.2	1	< 1	< 1	1	1	2	2	4
35-49	997	1.2		< 1	< 1	1	1	1	2	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	1.8	2	< 1	1	1	2	4	4	7
20-34	303	2.2	3	< 1	1	2	3	5	6	9
35-49	50	2.4	3	< 1	1	2	4	5	6	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	291	2.0	3	< 1	1	1	2	4	5	9
20-34	1492	2.0	4	< 1	1	1	2	4	5	10
35-49	361	2.0	4	< 1	1	1	2	4	6	11
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	824	1.4	1	< 1	1	1	1	2	3	5
B. Operated	6563	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	448	2.1	3	< 1	1	1	3	4	6	8
B. Operated	2145	2.0	4	< 1	1	1	2	4	5	10
1. SINGLE DX	7387	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	2593	2.1	4	< 1	1	1	2	4	5	9
A. Not Operated	1272	1.7	2	< 1	1	1	2	3	4	7
B. Operated	8708	1.4	2	< 1	< 1	1	1	2	3	6
TOTAL										
0-19 YRS	1552	1.4	1	< 1	< 1	1	1	2	3	5
20-34	6929	1.4	2	< 1	< 1	1	1	2	3	6
35-49	1495	1.4	2	< 1	< 1	1	1	2	4	8
50-64	4	1.5	1	< 1	< 1	1	2	3	3	3
65 +	0									
GRAND TOTAL	**9980**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**6**

272. Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	2.3	2	1	1	2	3	4	5	7
20-34	401	1.8	1	< 1	1	1	2	3	4	6
35-49	65	1.9	2	< 1	1	1	2	4	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	195	1.5	1	< 1	1	1	2	2	3	6
20-34	1321	1.3	1	< 1	< 1	1	1	2	3	4
35-49	291	1.3	1	< 1	< 1	1	1	2	2	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	2.5	3	1	1	2	3	5	5	9
20-34	284	2.8	5	1	1	2	3	5	7	13
35-49	48	2.5	11	1	1	2	2	4	6	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	143	2.6	5	1	1	2	3	5	7	10
20-34	730	2.3	4	< 1	1	1	3	4	6	11
35-49	196	2.4	6	< 1	1	1	3	5	7	14
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	567	1.9	2	< 1	1	1	2	4	4	7
B. Operated	1807	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	423	2.7	6	1	1	2	3	5	7	13
B. Operated	1070	2.3	5	< 1	1	2	3	5	6	11
1. SINGLE DX	2374	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	1493	2.4	5	1	1	2	3	5	6	11
A. Not Operated	990	2.2	3	1	1	2	3	4	5	10
B. Operated	2877	1.7	2	< 1	1	1	2	3	4	9
TOTAL										
0-19 YRS	530	2.1	3	< 1	1	2	3	4	5	9
20-34	2736	1.8	2	< 1	1	1	2	3	4	9
35-49	600	1.8	4	< 1	1	1	2	4	5	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**3867**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	1.5	1	< 1	1	1	2	3	3	6
20-34	654	1.6	1	< 1	1	1	2	3	3	5
35-49	66	1.6	1	< 1	1	1	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	2.0	4	1	1	1	2	6	6	6
20-34	36	2.4	8	< 1	< 1	1	2	8	10	11
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	2.2	4	< 1	1	2	3	4	5	14
20-34	321	2.2	2	1	1	2	3	4	5	9
35-49	45	2.9	10	1	1	2	4	5	8	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	2.8	5	1	1	2	4	7	7	7
20-34	51	3.1	19	< 1	1	2	3	6	13	27
35-49	9	3.9	38	< 1	1	2	3	14	20	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	851	1.6	1	< 1	1	1	2	3	3	5
B. Operated	45	2.3	7	< 1	1	1	2	6	10	11
2. MULTIPLE DX										
A. Not Operated	453	2.2	3	1	1	2	3	4	5	11
B. Operated	69	3.1	19	< 1	1	2	3	7	13	26
1. SINGLE DX	896	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	522	2.4	6	1	1	2	3	4	6	13
A. Not Operated	1304	1.8	2	< 1	1	1	2	3	4	7
B. Operated	114	2.8	14	< 1	1	1	3	6	10	23
TOTAL										
0-19 YRS	233	1.8	3	< 1	1	1	2	3	4	9
20-34	1062	1.9	3	< 1	1	1	2	3	4	9
35-49	123	2.2	7	< 1	1	1	2	4	5	19
50-64	0									
65 +	0									
GRAND TOTAL	**1418**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**	**9**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.6	1	1	1	1	2	3	4	4
20-34	128	1.7	1	< 1	1	1	2	3	4	6
35-49	10	2.0	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	1.8	7	< 1	< 1	1	1	4	9	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.4	1	< 1	1	1	2	2	3	4
20-34	54	2.1	2	1	1	2	3	4	5	7
35-49	6	2.8	7	1	1	2	3	7	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	9	1.1		1	1	1	1	2	2	2
35-49	3	3.7	9	< 1	1	3	6	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	1.7	1	< 1	1	1	2	3	4	5
B. Operated	14	1.7	6	< 1	1	1	1	3	8	10
2. MULTIPLE DX										
A. Not Operated	76	2.0	2	1	1	2	2	4	5	8
B. Operated	14	1.6	3	< 1	1	1	1	3	6	7
1. SINGLE DX	173	1.7	2	< 1	1	1	2	3	4	6
2. MULTIPLE DX	90	2.0	2	< 1	1	2	2	4	5	8
A. Not Operated	235	1.8	1	< 1	1	1	2	3	4	6
B. Operated	28	1.7	4	< 1	1	1	1	3	7	10
TOTAL										
0-19 YRS	40	1.5	1	< 1	1	1	2	3	3	4
20-34	203	1.8	2	< 1	1	1	2	3	4	7
35-49	20	2.5	4	1	1	2	3	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	**263**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**	**7**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	309	2.4	3	1	1	2	3	4	5	9
20-34	1709	2.4	3	1	1	2	3	4	5	9
35-49	217	2.7	4	1	2	2	3	5	6	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	2.5	7	< 1	1	2	3	4	7	15
20-34	236	2.4	4	< 1	1	2	3	5	6	11
35-49	35	3.1	7	< 1	1	2	4	7	8	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	2.9	7	1	1	2	3	6	8	15
20-34	815	3.1	7	1	2	2	3	6	8	14
35-49	164	3.2	7	1	2	2	4	6	9	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	2.9	23	< 1	1	2	3	5	6	32
20-34	260	2.9	10	< 1	1	2	4	6	9	14
35-49	56	3.8	27	< 1	1	2	4	11	13	29
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2235	2.4	3	1	1	2	3	4	5	9
B. Operated	307	2.5	5	< 1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	1131	3.1	7	1	2	2	3	6	8	14
B. Operated	360	3.1	14	< 1	1	2	4	6	10	20
1. SINGLE DX	2542	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX	1491	3.1	9	1	1	2	3	6	9	15
A. Not Operated	3366	2.6	4	1	1	2	3	5	6	11
B. Operated	667	2.8	10	< 1	1	2	3	5	8	14
TOTAL										
0-19 YRS	541	2.6	6	1	1	2	3	5	6	12
20-34	3020	2.6	5	1	1	2	3	5	6	11
35-49	472	3.0	8	1	2	2	3	6	8	15
50-64	0									
65 +	0									
GRAND TOTAL	**4033**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	525	2.6	3	1	2	2	3	5	6	9
20-34	2982	3.1	5	1	2	3	4	5	7	11
35-49	141	3.5	9	1	2	3	4	5	8	21
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.5	1	< 1	1	1	2	3	3	3
20-34	37	5.4	39	< 1	1	3	8	15	21	25
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	515	3.1	6	1	2	2	4	5	8	12
20-34	2298	3.4	8	1	2	3	4	6	8	13
35-49	144	4.1	14	1	2	3	5	7	9	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	5.7	25	< 1	1	3	10	13	14	15
20-34	128	7.6	56	1	2	5	10	18	21	39
35-49	9	10.2	149	2	3	7	12	29	41	41
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3648	3.1	5	1	2	3	4	5	7	11
B. Operated	47	4.6	33	< 1	1	2	7	11	17	25
2. MULTIPLE DX										
A. Not Operated	2957	3.4	8	1	2	3	4	6	8	13
B. Operated	157	7.5	57	1	2	5	10	18	21	41
1. SINGLE DX	3695	3.1	5	1	2	3	4	5	7	12
2. MULTIPLE DX	3114	3.6	11	1	2	3	4	6	9	17
A. Not Operated	6605	3.2	6	1	2	3	4	6	7	12
B. Operated	204	6.8	53	1	2	4	9	16	21	38
TOTAL										
0-19 YRS	1068	2.9	5	1	2	2	3	5	6	11
20-34	5445	3.3	8	1	2	3	4	6	8	15
35-49	296	4.0	17	1	2	3	4	7	9	23
50-64	0									
65 +	0									
GRAND TOTAL	**6809**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	994	1.1		< 1	< 1	< 1	1	1	2	3
20-34	3597	1.1	1	< 1	< 1	< 1	1	1	2	4
35-49	260	1.2	1	< 1	< 1	< 1	1	1	2	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	236	1.0		< 1	< 1	< 1	1	1	1	2
20-34	953	1.2	1	< 1	< 1	< 1	1	1	2	5
35-49	68	1.0		< 1	< 1	< 1	< 1	1	1	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	1.4	1	< 1	< 1	1	1	2	3	5
20-34	667	1.6	5	< 1	< 1	1	1	3	4	12
35-49	59	2.9	67	< 1	< 1	1	2	4	10	58
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	1.6	2	< 1	< 1	1	2	3	4	9
20-34	205	1.9	7	< 1	< 1	1	2	3	5	18
35-49	25	2.0	10	< 1	< 1	1	1	2	11	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4851	1.1	1	< 1	< 1	< 1	1	1	2	4
B. Operated	1257	1.1	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	896	1.7	9	< 1	< 1	1	1	3	4	11
B. Operated	274	1.8	6	< 1	< 1	1	2	3	5	18
1. SINGLE DX	6108	1.1	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	1170	1.7	8	< 1	< 1	1	1	3	4	14
A. Not Operated	5747	1.2	2	< 1	< 1	< 1	1	1	2	4
B. Operated	1531	1.3	2	< 1	< 1	< 1	1	1	2	7
TOTAL										
0-19 YRS	1444	1.1		< 1	< 1	< 1	1	1	2	4
20-34	5422	1.2	2	< 1	< 1	< 1	1	1	2	5
35-49	412	1.4	11	< 1	< 1	< 1	1	1	3	12
50-64	0									
65 +	0									
GRAND TOTAL	**7278**	**1.2**	**2**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	**5**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	3.2	14	1	1	2	3	6	14	17
20-34	565	2.7	9	1	1	2	3	5	7	19
35-49	92	3.2	23	1	1	2	3	6	8	32
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	82	2.9	5	1	1	2	4	6	7	10
35-49	16	2.4	2	< 1	1	2	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	2.8	4	1	1	2	3	6	7	9
20-34	380	4.5	35	1	2	3	5	10	13	33
35-49	76	7.0	125	1	2	4	8	13	25	65
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.8	2	< 1	< 1	1	3	4	4	4
20-34	82	5.4	86	1	2	3	6	10	16	61
35-49	18	6.4	82	1	1	3	6	14	29	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	700	2.8	11	1	1	2	3	5	7	18
B. Operated	102	2.8	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	486	4.8	48	1	2	3	5	11	14	40
B. Operated	104	5.4	82	1	2	3	6	13	16	56
1. SINGLE DX	802	2.8	11	1	1	2	3	5	7	17
2. MULTIPLE DX	590	4.9	54	1	2	3	5	11	14	42
A. Not Operated	1186	3.6	27	1	1	2	4	7	12	25
B. Operated	206	4.1	45	1	1	3	4	8	13	31
TOTAL										
0-19 YRS	81	2.9	9	1	1	2	3	5	11	16
20-34	1109	3.6	24	1	1	2	4	7	11	22
35-49	202	4.9	68	1	1	3	5	10	14	53
50-64	0									
65 +	0									
GRAND TOTAL	**1392**	**3.7**	**30**	**1**	**1**	**2**	**4**	**7**	**12**	**25**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	1.6	1	< 1	1	1	2	3	4	7
20-34	780	1.9	3	< 1	1	1	2	4	5	9
35-49	77	1.9	4	< 1	1	1	2	4	5	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	1.8	2	< 1	< 1	1	3	4	5	7
20-34	116	1.7	4	< 1	1	1	2	3	4	11
35-49	11	3.2	19	< 1	1	2	3	9	15	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	2.5	15	< 1	1	2	2	5	6	22
20-34	560	3.0	15	< 1	1	2	3	5	9	21
35-49	65	3.2	10	1	1	2	4	6	8	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	3.3	11	< 1	1	1	5	8	10	13
20-34	138	3.6	14	1	1	2	4	8	12	20
35-49	12	3.6	17	< 1	1	2	4	9	14	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1003	1.9	3	< 1	1	1	2	3	5	9
B. Operated	153	1.8	5	< 1	1	1	2	3	4	16
2. MULTIPLE DX										
A. Not Operated	739	3.0	14	< 1	1	2	3	5	8	21
B. Operated	175	3.5	14	1	1	2	4	8	12	19
1. SINGLE DX	1156	1.9	3	< 1	1	1	2	3	4	9
2. MULTIPLE DX	914	3.1	14	< 1	1	2	3	6	9	21
A. Not Operated	1742	2.3	8	< 1	1	1	3	4	6	14
B. Operated	328	2.8	10	< 1	1	2	3	6	9	17
TOTAL										
0-19 YRS	311	2.1	7	< 1	1	1	2	4	6	11
20-34	1594	2.4	9	< 1	1	2	3	5	7	17
35-49	165	2.6	9	< 1	1	2	3	5	7	16
50-64	0									
65 +	0									
GRAND TOTAL	**2070**	**2.4**	**8**	**< 1**	**1**	**1**	**3**	**5**	**7**	**16**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	366	2.9	3	1	2	3	4	5	6	8
20-34	803	2.7	2	1	2	3	4	5	5	7
35-49	28	2.8	2	1	2	3	3	5	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	3.0	4	1	1	3	4	6	7	8
20-34	78	2.4	4	< 1	1	2	3	4	7	10
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1304	3.0	4	1	2	3	4	5	6	8
20-34	2859	3.1	4	1	2	3	4	5	6	10
35-49	129	3.3	5	1	2	3	4	6	7	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	110	3.1	4	< 1	1	3	4	6	8	9
20-34	284	3.8	11	1	2	3	5	7	9	14
35-49	24	3.1	4	1	2	2	4	6	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1197	2.8	2	1	2	3	4	5	5	7
B. Operated	105	2.5	4	< 1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	4292	3.1	4	1	2	3	4	5	6	9
B. Operated	418	3.5	9	1	2	3	5	7	8	12
1. SINGLE DX	1302	2.8	3	1	2	3	4	5	6	8
2. MULTIPLE DX	4710	3.1	4	1	2	3	4	5	6	10
A. Not Operated	5489	3.0	3	1	2	3	4	5	6	9
B. Operated	523	3.3	8	1	1	3	4	7	8	12
TOTAL										
0-19 YRS	1803	3.0	4	1	2	3	4	5	6	8
20-34	4024	3.1	4	1	2	3	4	5	6	10
35-49	185	3.1	4	1	2	3	4	6	7	12
50-64	0									
65 +	0									
GRAND TOTAL	**6012**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	3.0	5	1	1	2	4	6	7	10
20-34	1145	2.9	5	1	2	2	4	5	7	12
35-49	250	3.2	4	1	2	3	4	5	7	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.3	2	< 1	< 1	2	3	4	5	5
20-34	96	2.0	2	< 1	1	1	3	4	5	9
35-49	11	2.4	2	< 1	1	2	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1077	2.9	11	< 1	1	2	3	6	8	18
20-34	5588	3.2	14	1	1	2	4	6	8	18
35-49	646	3.5	11	1	1	3	4	7	9	20
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	170	4.7	39	< 1	1	3	5	8	12	37
20-34	929	4.2	23	1	1	3	5	8	11	26
35-49	98	4.0	14	1	1	3	5	7	13	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1523	3.0	5	1	2	2	4	5	7	12
B. Operated	115	2.1	2	< 1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	7313	3.2	13	1	1	2	4	6	8	18
B. Operated	1197	4.2	25	1	1	3	5	8	11	28
1. SINGLE DX	1638	2.9	4	1	2	2	4	5	7	12
2. MULTIPLE DX	8510	3.3	15	1	1	2	4	7	9	19
A. Not Operated	8836	3.2	12	1	1	2	4	6	8	16
B. Operated	1312	4.0	23	< 1	1	3	5	8	11	27
TOTAL										
0-19 YRS	1383	3.1	14	< 1	1	2	4	6	8	21
20-34	7758	3.3	13	1	1	2	4	6	8	17
35-49	1005	3.4	9	1	2	3	4	7	9	17
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**10148**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2241	2.0	5	< 1	< 1	1	2	4	5	13
20-34	8599	2.1	6	< 1	1	1	2	4	5	13
35-49	716	2.6	18	< 1	1	1	3	5	7	21
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	562	2.4	8	< 1	1	1	3	5	7	16
20-34	3322	2.1	8	< 1	< 1	1	2	4	6	15
35-49	387	2.3	13	< 1	< 1	1	2	4	7	25
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1505	2.9	10	< 1	1	2	3	6	8	17
20-34	6416	3.1	20	< 1	1	2	3	6	9	21
35-49	684	3.7	36	< 1	1	2	4	7	11	29
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	571	3.4	24	< 1	1	2	4	8	11	23
20-34	3170	3.5	27	< 1	1	2	4	7	11	27
35-49	451	4.2	49	< 1	1	2	4	9	13	42
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11557	2.1	7	< 1	1	1	2	4	5	13
B. Operated	4271	2.2	8	< 1	< 1	1	2	4	6	16
2. MULTIPLE DX										
A. Not Operated	8605	3.1	19	< 1	1	2	3	6	9	21
B. Operated	4192	3.5	29	< 1	1	2	4	7	11	27
1. SINGLE DX	15828	2.1	7	< 1	< 1	1	2	4	3	14
2. MULTIPLE DX	12797	3.3	23	< 1	1	2	4	6	10	23
A. Not Operated	20162	2.5	12	< 1	1	1	3	5	7	17
B. Operated	8463	2.8	19	< 1	1	1	3	6	9	23
TOTAL										
0-19 YRS	4879	2.5	10	< 1	1	1	3	5	7	16
20-34	21507	2.6	14	< 1	1	1	3	5	8	18
35-49	2238	3.2	29	< 1	1	2	3	6	10	26
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**28625**	**2.6**	**14**	**< 1**	**1**	**1**	**3**	**5**	**8**	**19**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	358	2.2	1	1	2	2	2	3	3	7
20-34	1637	2.0	1	1	2	2	2	3	3	4
35-49	203	2.0		1	2	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	166	2.4	2	1	2	2	3	4	4	9
20-34	1172	2.4	1	1	2	2	3	4	4	5
35-49	162	2.5	1	1	2	2	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	862	2.1	1	1	2	2	2	3	4	6
20-34	3872	2.2	2	1	2	2	2	3	4	6
35-49	437	2.3	3	1	2	2	3	3	4	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1034	3.1	11	1	2	2	3	5	7	15
20-34	8161	3.1	8	2	2	3	4	5	6	14
35-49	1358	3.6	18	2	2	3	4	5	7	21
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2199	2.0	1	1	2	2	2	3	3	4
B. Operated	1500	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	5171	2.2	2	1	2	2	2	3	4	6
B. Operated	10553	3.2	10	2	2	3	4	5	6	15
1. SINGLE DX	3699	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX	15724	2.9	8	1	2	2	3	4	5	12
A. Not Operated	7370	2.1	2	1	2	2	2	3	3	5
B. Operated	12053	3.1	9	1	2	3	4	5	6	14
TOTAL										
0-19 YRS	2420	2.6	6	1	2	2	3	4	5	10
20-34	14842	2.7	6	1	2	2	3	4	5	11
35-49	2160	3.1	13	1	2	2	3	5	6	15
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**19423**	**2.7**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9929	1.9	1	1	1	2	2	3	3	4
20-34	53368	1.9	1	1	1	2	2	3	3	4
35-49	4394	1.9	1	1	1	2	2	3	3	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	3724	1.9	1	1	1	2	2	3	3	4
20-34	23049	1.9		1	1	2	2	3	3	4
35-49	1924	2.0	1	1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	719	1.9		1	1	2	2	3	3	4
20-34	3063	1.9	1	1	1	2	2	3	3	4
35-49	271	2.0	1	1	1	2	2	3	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	394	2.0	1	1	2	2	2	3	3	5
20-34	8383	2.2	1	1	2	2	3	3	3	4
35-49	1048	2.3	1	2	2	2	3	3	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67694	1.9	1	1	1	2	2	3	3	4
B. Operated	28697	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	4054	1.9	1	1	1	2	2	3	3	4
B. Operated	9826	2.2	1	1	2	2	3	3	3	4
1. SINGLE DX	96391	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	13880	2.1	1	1	2	2	2	3	3	4
A. Not Operated	71748	1.9	1	1	1	2	2	3	3	4
B. Operated	38523	2.0	1	1	2	2	2	3	3	4
TOTAL										
0-19 YRS	14766	1.9	1	1	1	2	2	3	3	4
20-34	87863	1.9	1	1	1	2	2	3	3	4
35-49	7637	2.0	1	1	2	2	2	3	3	4
50-64	5	2.2	1	1	1	2	3	4	4	4
65 +	0									
GRAND TOTAL	**110271**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	30	1.8	1	1	1	2	2	3	3	3
35-49	4	2.8		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	3.4	2	2	2	3	5	5	5	5
20-34	217	5.4	44	2	3	4	5	9	17	46
35-49	48	4.5	10	3	3	4	5	6	11	19
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	60	3.8	26	2	2	2	3	6	11	30
35-49	10	3.7	11	1	2	2	4	9	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	8.5	105	2	3	4	7	26	34	46
20-34	1138	8.7	138	3	3	4	7	21	34	63
35-49	284	9.9	147	3	4	5	9	28	38	61
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	1.9	1	1	1	2	2	3	3	3
B. Operated	273	5.2	37	2	3	4	5	7	16	42
2. MULTIPLE DX										
A. Not Operated	77	3.6	22	1	2	2	3	6	11	29
B. Operated	1472	8.9	138	3	3	4	7	23	36	63
1. SINGLE DX	312	4.8	34	2	3	4	4	6	14	35
2. MULTIPLE DX	1549	8.7	134	3	3	4	7	21	34	61
A. Not Operated	116	3.1	15	1	2	2	3	5	8	28
B. Operated	1745	8.4	124	3	3	4	6	20	33	61
TOTAL										
0-19 YRS	69	6.8	83	1	3	4	6	20	28	44
20-34	1445	7.9	119	2	3	4	6	18	30	61
35-49	346	8.9	127	3	3	4	7	22	35	55
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**1861**	**8.0**	**119**	**2**	**3**	**4**	**6**	**19**	**32**	**60**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	1.9	1	1	1	2	2	3	3	5
20-34	191	1.9	1	1	1	2	2	3	3	3
35-49	10	1.8		< 1	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	2.9	2	1	2	3	4	4	4	9
20-34	293	3.0	3	1	2	3	4	4	5	8
35-49	30	2.6	1	1	2	2	3	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	2.7	16	1	1	2	2	4	6	27
20-34	349	2.5	14	1	1	2	3	3	5	12
35-49	31	2.1	1	< 1	1	2	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	255	3.9	6	2	2	4	5	7	8	17
20-34	1744	4.3	24	2	2	3	4	6	10	27
35-49	269	5.3	58	2	3	4	5	7	11	52
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	230	1.9	1	1	1	2	2	3	3	4
B. Operated	373	2.9	2	1	2	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	471	2.5	14	1	1	2	3	4	5	12
B. Operated	2268	4.4	26	2	2	4	5	6	10	30
1. SINGLE DX	603	2.5	2	1	2	2	3	4	5	7
2. MULTIPLE DX	2739	4.1	24	1	2	3	4	6	9	27
A. Not Operated	701	2.3	9	1	1	2	2	3	4	11
B. Operated	2641	4.2	23	2	2	3	4	6	9	27
TOTAL										
0-19 YRS	425	3.4	8	1	2	3	4	6	8	16
20-34	2577	3.7	19	1	2	3	4	6	8	23
35-49	340	4.7	48	2	2	3	5	6	10	41
50-64	0									
65 +	0									
GRAND TOTAL	**3342**	**3.8**	**21**	**1**	**2**	**3**	**4**	**6**	**8**	**25**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.6		1	1	2	2	3	3	3
20-34	77	1.9	1	1	1	2	2	3	3	4
35-49	8	1.6		< 1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	84	1.9		1	1	2	2	3	3	3
20-34	717	1.9	1	1	1	2	2	3	3	4
35-49	81	2.1	1	1	2	2	2	3	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.8	1	2	2	3	3	5	5	5
20-34	73	2.3	1	1	2	2	3	3	4	7
35-49	13	2.1	2	1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	123	2.2	1	1	2	2	3	3	4	8
20-34	965	2.4	2	1	2	2	3	4	5	8
35-49	138	2.8	5	1	2	2	3	4	6	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	1.8	1	1	1	2	2	3	3	4
B. Operated	882	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	92	2.3	1	1	2	2	3	4	5	7
B. Operated	1226	2.5	3	1	2	2	3	4	5	8
1. SINGLE DX	980	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	1318	2.4	2	1	2	2	3	4	5	8
A. Not Operated	190	2.1	1	1	1	2	2	3	4	5
B. Operated	2108	2.2	2	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	226	2.1	1	1	1	2	2	3	3	6
20-34	1832	2.2	2	1	2	2	3	3	4	6
35-49	240	2.5	4	1	2	2	3	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**2298**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	1.9	1	1	1	2	2	3	3	4
20-34	376	1.9	1	1	1	2	2	3	3	4
35-49	28	1.9		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	45	2.0		1	2	2	2	3	3	3
20-34	266	2.1	4	1	2	2	2	3	3	4
35-49	29	2.1	1	1	2	2	2	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	2.3	1	1	2	2	3	3	4	7
20-34	350	2.2	1	1	2	2	3	3	4	5
35-49	38	2.0	1	1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	113	2.4	2	1	2	2	3	4	4	8
20-34	636	2.5	2	1	2	2	3	4	4	8
35-49	54	3.5	12	2	2	2	4	7	10	22
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	473	1.9	1	1	1	2	2	3	3	4
B. Operated	340	2.1	3	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	476	2.2	1	1	2	2	3	3	4	6
B. Operated	803	2.5	3	1	2	2	3	4	4	9
1. SINGLE DX	813	2.0	2	1	1	2	2	3	3	4
2. MULTIPLE DX	1279	2.4	2	1	2	2	3	3	4	8
A. Not Operated	949	2.1	1	1	2	2	2	3	3	5
B. Operated	1143	2.4	3	1	2	2	3	3	4	9
TOTAL										
0-19 YRS	315	2.2	1	1	2	2	3	3	4	6
20-34	1628	2.2	2	1	2	2	3	3	4	6
35-49	149	2.6	5	1	2	2	3	4	5	14
50-64	0									
65 +	0									
GRAND TOTAL	**2092**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.1	1	1	2	2	2	3	4	4
20-34	153	2.3	1	1	2	2	3	3	4	5
35-49	20	2.1	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	3.1	5	2	2	2	4	5	8	10
20-34	169	2.9	1	2	2	3	4	4	5	6
35-49	11	3.4	1	2	3	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.5	5	1	1	2	3	4	7	12
20-34	251	3.2	29	1	2	2	3	4	7	20
35-49	28	4.0	30	2	2	2	3	8	20	25
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	169	5.3	24	2	3	4	6	10	14	33
20-34	2084	4.7	29	2	3	4	5	6	10	31
35-49	340	5.1	38	2	3	4	5	7	10	41
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	2.3	1	1	2	2	3	3	4	5
B. Operated	196	2.9	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	310	3.2	27	1	2	2	3	4	8	22
B. Operated	2593	4.8	29	2	3	4	5	7	10	33
1. SINGLE DX	381	2.6	1	2	2	2	3	4	4	6
2. MULTIPLE DX	2903	4.6	29	2	3	4	5	6	10	31
A. Not Operated	495	2.9	18	1	2	2	3	4	5	17
B. Operated	2789	4.7	28	2	3	4	5	6	10	32
TOTAL										
0-19 YRS	228	4.6	20	2	2	3	5	9	12	26
20-34	2657	4.3	26	2	2	3	4	6	9	28
35-49	399	4.8	35	2	3	4	5	6	10	39
50-64	0									
65 +	0									
GRAND TOTAL	**3284**	**4.4**	**27**	**2**	**2**	**4**	**5**	**6**	**9**	**29**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.9	1	1	1	2	2	3	4	4
20-34	158	2.0	1	1	1	2	3	3	4	4
35-49	24	2.1		1	2	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	453	3.5	1	3	3	3	4	4	5	7
20-34	3636	3.5	1	3	3	4	4	4	5	5
35-49	326	3.5	1	2	3	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.1	3	1	1	2	2	4	6	7
20-34	163	2.3	3	1	1	2	2	4	5	11
35-49	19	3.3	8	1	2	2	4	7	11	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	716	4.4	8	3	3	4	5	7	8	19
20-34	5876	4.0	5	3	3	4	4	5	6	11
35-49	996	4.3	10	3	3	4	4	5	7	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	2.0	1	1	1	2	2	3	4	4
B. Operated	4425	3.5	1	3	3	4	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	206	2.4	3	1	1	2	3	4	5	12
B. Operated	7588	4.0	6	3	3	4	4	5	6	13
1. SINGLE DX	4621	3.5	1	2	3	4	4	4	5	6
2. MULTIPLE DX	7794	4.0	6	3	3	4	4	5	6	13
A. Not Operated	402	2.2	2	1	1	2	2	4	4	10
B. Operated	12013	3.9	4	3	3	4	4	5	6	10
TOTAL										
0-19 YRS	1217	4.0	6	3	3	4	4	5	7	15
20-34	9833	3.7	3	3	3	4	4	5	5	9
35-49	1365	4.1	8	3	3	4	4	5	6	14
50-64	0									
65 +	0									
GRAND TOTAL	**12415**	**3.8**	**4**	**3**	**3**	**4**	**4**	**5**	**6**	**10**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	2.2	3	1	2	2	2	3	3	8
20-34	982	1.9		1	2	2	2	3	3	4
35-49	93	1.9		1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	211	2.6	1	1	2	2	3	4	5	6
20-34	1644	2.7	2	1	2	2	3	4	5	6
35-49	201	2.7	1	1	2	3	4	4	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	2.2	2	1	2	2	2	3	4	8
20-34	941	2.1	1	1	2	2	2	3	3	5
35-49	102	2.1	1	1	1	2	2	3	4	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1117	3.6	5	2	2	3	4	5	7	13
20-34	9139	3.4	3	2	2	3	4	5	6	9
35-49	1243	3.6	5	2	2	3	4	5	6	9
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1201	2.0	1	1	2	2	2	3	3	4
B. Operated	2057	2.7	2	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	1167	2.1	1	1	2	2	2	3	3	5
B. Operated	11502	3.4	3	2	2	3	4	5	6	9
1. SINGLE DX	3258	2.4	2	1	2	2	3	4	4	5
2. MULTIPLE DX	12669	3.3	3	2	2	3	4	5	6	9
A. Not Operated	2368	2.0	1	1	2	2	2	3	3	5
B. Operated	13559	3.3	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	1577	3.2	4	1	2	3	4	5	6	12
20-34	12706	3.1	3	2	2	3	4	5	5	8
35-49	1639	3.3	4	2	2	3	4	5	6	8
50-64	5	3.6	1	2	3	4	4	5	5	5
65 +	0									
GRAND TOTAL	**15927**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	2	1	2	2	3	4	5	5
20-34	62	2.2	1	1	2	2	3	3	4	5
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	342	3.9	1	3	3	4	4	5	5	6
20-34	1840	3.9	1	3	3	4	4	5	5	6
35-49	149	4.1	1	3	4	4	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.7	1	1	2	3	3	4	4	4
20-34	88	3.1	3	1	2	3	4	5	6	10
35-49	9	2.3	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1685	4.5	4	3	3	4	5	6	8	13
20-34	11441	4.2	2	3	3	4	5	5	6	9
35-49	1312	4.3	2	3	4	4	5	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	2.2	1	1	2	2	3	3	4	5
B. Operated	2331	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	106	3.0	3	1	2	3	4	5	6	9
B. Operated	14438	4.2	2	3	3	4	5	5	6	9
1. SINGLE DX	2407	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX	14544	4.2	2	3	3	4	5	5	6	9
A. Not Operated	182	2.7	2	1	2	2	3	4	5	8
B. Operated	16769	4.2	2	3	3	4	5	5	6	9
TOTAL										
0-19 YRS	2046	4.4	4	3	3	4	5	6	7	12
20-34	13431	4.1	2	3	3	4	5	5	6	8
35-49	1474	4.2	2	3	4	4	5	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**16951**	**4.2**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	**9**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	261	2.2	1	1	2	2	3	3	3	5
20-34	1454	2.1	1	1	2	2	3	3	3	4
35-49	121	2.0	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	524	3.0	2	2	2	3	4	5	5	7
20-34	3310	3.0	2	2	2	3	4	5	5	6
35-49	285	3.2	2	2	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	274	2.3	1	1	2	2	3	3	4	5
20-34	1535	2.2	1	1	2	2	3	3	4	5
35-49	155	2.2	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1817	3.7	5	2	2	3	5	6	7	11
20-34	12820	3.5	4	2	2	3	4	5	6	8
35-49	1671	3.6	3	2	2	4	5	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1836	2.1	1	1	2	2	3	3	3	4
B. Operated	4119	3.0	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	1964	2.2	1	1	2	2	3	3	4	5
B. Operated	16308	3.5	4	2	2	3	4	5	6	9
1. SINGLE DX	5955	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX	18272	3.4	4	2	2	3	4	5	6	9
A. Not Operated	3800	2.2	1	1	2	2	3	3	3	4
B. Operated	20427	3.4	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	2876	3.3	4	2	2	3	4	5	7	10
20-34	19119	3.2	3	2	2	3	4	5	6	8
35-49	2232	3.4	3	2	2	3	4	5	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**24227**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.0		1	2	2	2	3	3	3
20-34	222	2.1	1	1	2	2	3	3	4	5
35-49	31	2.4	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	105	3.2	2	2	2	4	4	5	5	7
20-34	642	3.0	2	1	2	3	4	5	5	7
35-49	82	3.1	2	2	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.7	7	1	2	2	3	4	6	16
20-34	277	2.7	12	1	2	2	3	4	5	10
35-49	34	2.8	6	1	2	2	3	4	6	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	277	3.6	3	2	3	3	4	6	6	9
20-34	2517	3.7	10	2	3	3	4	5	6	12
35-49	429	4.5	40	2	3	4	5	6	7	24
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	287	2.1	1	1	2	2	3	3	3	5
B. Operated	829	3.0	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	345	2.7	11	1	2	2	3	4	5	15
B. Operated	3223	3.8	14	2	3	3	4	5	6	13
1. SINGLE DX	1116	2.8	2	1	2	3	4	4	5	6
2. MULTIPLE DX	3568	3.7	14	2	2	3	4	5	6	13
A. Not Operated	632	2.4	6	1	2	2	3	3	4	8
B. Operated	4052	3.6	11	2	2	3	4	5	6	12
TOTAL										
0-19 YRS	450	3.3	3	2	2	3	4	5	6	8
20-34	3658	3.4	9	2	2	3	4	5	6	11
35-49	576	4.1	31	2	2	3	4	6	6	20
50-64	0									
65 +	0									
GRAND TOTAL	**4684**	**3.5**	**11**	**2**	**2**	**3**	**4**	**5**	**6**	**12**

295: Previous cesarean section (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	2.0	1	1	1	2	2	3	3	6
20-34	1349	2.0	1	1	2	2	2	3	3	4
35-49	158	2.0	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	474	3.4	1	2	3	3	4	4	5	6
20-34	9562	3.4	1	2	3	3	4	4	5	6
35-49	1177	3.5	1	2	3	4	4	5	5	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.1	1	1	1	2	3	3	4	6
20-34	967	2.2	1	1	2	2	3	3	4	5
35-49	126	2.2	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	676	3.6	2	2	3	3	4	5	6	8
20-34	22458	3.6	2	2	3	4	4	5	5	8
35-49	3874	3.8	2	3	3	4	4	5	6	8
50-64	3	4.7	4	3	3	4	6	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1590	2.0	1	1	1	2	2	3	3	4
B. Operated	11214	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	1158	2.2	1	1	2	2	3	3	4	5
B. Operated	27011	3.6	2	2	3	4	4	5	5	8
1. SINGLE DX	12804	3.2	1	2	3	3	4	4	5	5
2. MULTIPLE DX	28169	3.6	2	2	3	4	4	5	5	8
A. Not Operated	2748	2.1	1	1	2	2	2	3	3	5
B. Operated	38225	3.6	2	2	3	4	4	5	5	7
TOTAL										
0-19 YRS	1298	3.3	2	2	3	3	4	5	5	7
20-34	34336	3.4	2	2	3	3	4	5	5	7
35-49	5335	3.7	2	2	3	4	4	5	5	7
50-64	4	4.8	3	3	3	4	6	7	7	7
65 +	0									
GRAND TOTAL	**40973**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**7**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	335	2.3	1	1	2	2	3	3	3	6
20-34	2075	2.2	1	1	2	2	3	3	3	5
35-49	198	2.8	32	1	2	2	3	3	3	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	302	2.4	3	1	2	2	3	3	4	6
20-34	2004	2.3	1	1	2	2	3	3	4	6
35-49	230	2.4	2	1	2	2	3	3	4	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	514	3.3	14	1	2	2	3	5	8	18
20-34	2585	2.9	8	1	2	2	3	4	6	14
35-49	314	3.1	12	1	2	2	3	5	8	16
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1327	3.6	16	2	2	3	4	6	8	21
20-34	9710	3.5	11	2	2	3	4	5	7	17
35-49	1423	3.9	20	2	2	3	4	6	8	24
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2608	2.3	3	1	2	2	3	3	3	5
B. Operated	2536	2.4	2	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	3414	3.0	9	1	2	2	3	5	7	16
B. Operated	12460	3.6	13	2	2	3	4	5	7	18
1. SINGLE DX	5144	2.3	2	1	2	2	3	3	4	6
2. MULTIPLE DX	15874	3.4	12	2	2	3	4	5	7	18
A. Not Operated	6022	2.7	7	1	2	2	3	4	5	12
B. Operated	14996	3.4	11	2	2	3	4	5	7	17
TOTAL										
0-19 YRS	2478	3.2	12	1	2	2	3	5	7	17
20-34	16374	3.1	8	2	2	3	3	5	6	14
35-49	2165	3.5	19	2	2	3	4	5	7	21
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**21018**	**3.2**	**10**	**2**	**2**	**3**	**3**	**5**	**6**	**15**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1608	1.9		1	1	2	2	3	3	4
20-34	10447	1.9	1	1	1	2	2	3	3	4
35-49	974	2.0	2	1	1	2	2	3	3	4
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	993	1.9		1	1	2	2	3	3	4
20-34	7479	1.9	1	1	1	2	2	3	3	4
35-49	758	2.0	1	1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	728	2.0	1	1	2	2	2	3	3	5
20-34	4313	2.0	1	1	1	2	2	3	3	4
35-49	457	2.0	1	1	1	2	2	3	3	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1249	2.3	4	1	2	2	3	3	4	7
20-34	10821	2.2	1	1	2	2	3	3	4	6
35-49	1350	2.4	1	1	2	2	3	4	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13031	1.9	1	1	1	2	2	3	3	4
B. Operated	9230	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	5500	2.0	1	1	1	2	2	3	3	4
B. Operated	13421	2.3	2	1	2	2	3	3	4	6
1. SINGLE DX	22261	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	18921	2.2	2	1	2	2	3	3	4	5
A. Not Operated	18531	1.9	1	1	1	2	2	3	3	4
B. Operated	22651	2.1	1	1	2	2	2	3	4	5
TOTAL										
0-19 YRS	4578	2.0	2	1	1	2	2	3	3	5
20-34	33060	2.0	1	1	2	2	2	3	3	5
35-49	3539	2.1	1	1	2	2	2	3	4	5
50-64	5	2.2		2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**41182**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	535	1.8	1	1	1	2	2	3	3	4
20-34	2728	1.8		1	1	2	2	3	3	3
35-49	260	1.8		1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3553	1.8	1	1	1	2	2	3	3	4
20-34	22789	1.8	1	1	1	2	2	3	3	3
35-49	2428	1.9		1	1	2	2	3	3	4
50-64	3	1.7		1	1	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	370	2.0	1	1	1	2	2	3	3	6
20-34	1677	1.9	1	1	1	2	2	3	3	5
35-49	185	2.0	1	1	1	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2966	2.0	1	1	1	2	2	3	3	6
20-34	21301	2.0	1	1	2	2	2	3	3	5
35-49	2729	2.1	1	1	2	2	3	3	4	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3523	1.8		1	1	2	2	3	3	3
B. Operated	28773	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	2232	1.9	1	1	1	2	2	3	3	5
B. Operated	26999	2.1	1	1	2	2	2	3	3	5
1. SINGLE DX	32296	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	29231	2.0	1	1	2	2	2	3	3	5
A. Not Operated	5755	1.8	1	1	1	2	2	3	3	4
B. Operated	55772	1.9	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	7424	1.9	1	1	1	2	2	3	3	5
20-34	48495	1.9	1	1	1	2	2	3	3	4
35-49	5602	2.0	1	1	1	2	2	3	3	4
50-64	6	1.8	1	1	1	2	2	3	3	3
65 +	0									
GRAND TOTAL	**61527**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	160	2.0		1	2	2	2	3	3	4
20-34	638	2.0	1	1	2	2	2	3	3	4
35-49	44	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1483	2.0		1	2	2	2	3	3	4
20-34	6443	2.1	1	1	2	2	2	3	3	4
35-49	400	2.0	1	1	2	2	2	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	2.4	1	1	2	2	3	3	4	6
20-34	374	2.1	1	1	2	2	2	3	3	4
35-49	35	2.5	1	2	2	2	3	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1529	2.3	2	1	2	2	3	3	4	5
20-34	7711	2.3	1	1	2	2	3	3	4	5
35-49	637	2.4	1	1	2	2	3	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	842	2.0	1	1	2	2	2	3	3	4
B. Operated	8327	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	513	2.2	1	1	2	2	3	3	4	5
B. Operated	9878	2.3	1	1	2	2	3	3	4	5
1. SINGLE DX	9169	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX	10391	2.3	1	1	2	2	3	3	4	5
A. Not Operated	1355	2.1	1	1	2	2	2	3	3	4
B. Operated	18205	2.2	1	1	2	2	3	3	3	5
TOTAL										
0-19 YRS	3276	2.2	1	1	2	2	3	3	3	5
20-34	15166	2.2	1	1	2	2	3	3	3	5
35-49	1116	2.2	1	1	2	2	3	3	4	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**19560**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	217	1.9		1	2	2	2	3	3	4
20-34	781	1.9	1	1	1	2	2	3	3	4
35-49	52	1.8	1	1	1	2	2	2	3	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	781	1.9		1	1	2	2	3	3	4
20-34	3185	1.9	1	1	1	2	2	3	3	4
35-49	173	2.0		1	2	2	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	2.3	1	1	2	2	3	3	4	7
20-34	522	2.1	1	1	2	2	2	3	3	6
35-49	19	1.6	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	945	2.2	2	1	2	2	2	3	4	6
20-34	4371	2.2	2	1	2	2	3	3	4	7
35-49	359	2.4	2	1	2	2	3	4	4	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1050	1.9	1	1	1	2	2	3	3	4
B. Operated	4140	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	693	2.1	1	1	2	2	2	3	3	7
B. Operated	5675	2.2	2	1	2	2	3	3	4	7
1. SINGLE DX	5190	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	6368	2.2	2	1	2	2	3	3	4	7
A. Not Operated	1743	2.0	1	1	1	2	2	3	3	5
B. Operated	9815	2.1	1	1	2	2	2	3	3	6
TOTAL										
0-19 YRS	2095	2.0	1	1	2	2	2	3	3	5
20-34	8859	2.1	1	1	2	2	2	3	3	5
35-49	603	2.2	1	1	2	2	3	3	4	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**11558**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2370	2.2	2	1	2	2	2	3	4	7
20-34	10501	2.0	1	1	1	2	2	3	3	5
35-49	1026	2.0	1	1	1	2	2	3	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3795	2.4	2	1	2	2	3	4	4	7
20-34	20598	2.3	1	1	2	2	3	4	4	6
35-49	1928	2.5	2	1	2	2	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2929	2.5	5	1	2	2	3	4	5	10
20-34	11882	2.4	5	1	2	2	3	3	5	9
35-49	1317	2.5	5	1	2	2	3	4	5	14
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	9832	3.4	10	1	2	3	4	6	8	15
20-34	59819	3.3	9	1	2	3	4	5	7	15
35-49	7866	3.7	14	2	2	3	4	6	8	19
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13898	2.1	1	1	1	2	2	3	3	5
B. Operated	26322	2.4	2	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	16130	2.4	5	1	2	2	3	4	5	10
B. Operated	77518	3.4	10	1	2	3	4	5	7	15
1. SINGLE DX	40220	2.3	2	1	2	2	3	3	4	6
2. MULTIPLE DX	93648	3.2	9	1	2	3	4	5	7	14
A. Not Operated	30028	2.2	3	1	2	2	3	3	4	8
B. Operated	103840	3.1	8	1	2	2	4	5	6	13
TOTAL										
0-19 YRS	18926	2.9	7	1	2	2	3	5	6	12
20-34	102800	2.9	7	1	2	2	3	5	6	12
35-49	12137	3.2	10	1	2	3	4	5	6	16
50-64	5	2.6	1	2	2	2	3	4	4	4
65 +	0									
GRAND TOTAL	**133868**	**2.9**	**7**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	3.0	2	1	2	3	4	5	5	7
20-34	357	3.0	3	2	2	3	4	5	5	10
35-49	19	3.1	3	2	2	3	3	6	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	10	4.2	3	1	3	4	5	6	7	7
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	3.3	3	2	2	3	4	5	6	10
20-34	541	3.5	3	2	2	3	4	6	7	10
35-49	49	4.1	4	2	3	3	5	8	9	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	4.8	10	2	3	4	7	10	11	11
20-34	107	5.8	21	2	3	5	8	12	14	25
35-49	11	10.7	46	2	4	11	16	20	22	22
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	482	3.0	2	2	2	3	4	5	5	9
B. Operated	16	4.0	5	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	740	3.5	3	2	2	3	4	6	7	10
B. Operated	131	6.1	24	2	3	5	8	12	16	24
1. SINGLE DX	498	3.1	2	2	2	3	4	5	6	9
2. MULTIPLE DX	871	3.9	7	2	2	3	4	7	9	16
A. Not Operated	1222	3.3	3	2	2	3	4	5	6	10
B. Operated	147	5.9	22	2	3	5	8	12	15	22
TOTAL										
0-19 YRS	271	3.3	3	2	2	3	4	5	6	10
20-34	1015	3.6	6	2	2	3	4	6	7	13
35-49	83	4.7	15	2	2	3	6	9	12	21
50-64	0									
65 +	0									
GRAND TOTAL	**1369**	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.3	1	1	1	1	1	3	3	3
20-34	68	1.3		< 1	1	1	1	2	2	4
35-49	6	1.3		< 1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	1.3	1	1	1	1	1	3	3	3
20-34	158	1.3		< 1	1	1	2	2	3	3
35-49	17	1.3		< 1	1	1	1	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.9		1	1	2	2	3	3	3
20-34	83	1.7	1	1	1	2	2	3	3	5
35-49	8	2.1	2	1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	1.8	1	1	1	2	2	3	3	4
20-34	224	2.5	4	1	1	2	3	5	6	13
35-49	30	2.4	3	1	1	2	3	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	1.3		< 1	1	1	1	2	3	4
B. Operated	190	1.3		< 1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	103	1.8	1	1	1	2	2	3	3	5
B. Operated	293	2.4	4	1	1	2	3	5	6	12
1. SINGLE DX	279	1.3		< 1	1	1	2	2	3	3
2. MULTIPLE DX	396	2.2	3	1	1	2	3	4	5	10
A. Not Operated	192	1.5	1	< 1	1	1	2	3	3	5
B. Operated	483	2.0	3	< 1	1	1	2	3	5	8
TOTAL										
0-19 YRS	81	1.7	1	1	1	1	2	3	3	4
20-34	533	1.9	2	< 1	1	1	2	3	5	8
35-49	61	2.0	2	< 1	1	1	2	4	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**675**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**	**8**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	3.5	8	1	2	3	4	8	11	12
20-34	240	3.3	6	1	2	3	4	7	9	12
35-49	23	3.1	4	1	2	2	5	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	34	2.2	2	1	1	2	2	4	6	8
20-34	264	2.6	6	1	1	2	3	5	8	13
35-49	21	2.2	2	1	1	2	3	4	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	3.9	10	1	2	3	5	7	11	17
20-34	313	4.3	11	1	2	3	6	9	10	18
35-49	49	5.4	19	1	2	4	8	10	16	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	80	4.4	18	1	2	3	6	9	12	22
20-34	356	4.2	23	1	2	2	5	9	12	24
35-49	42	5.1	32	1	2	2	8	14	17	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	305	3.3	6	1	2	3	4	7	9	12
B. Operated	319	2.5	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	418	4.4	12	1	2	3	6	9	11	18
B. Operated	478	4.3	23	1	2	2	5	9	13	23
1. SINGLE DX	624	2.9	6	1	1	2	3	6	8	13
2. MULTIPLE DX	896	4.3	18	1	2	3	5	9	12	21
A. Not Operated	723	4.0	10	1	2	3	5	8	10	16
B. Operated	797	3.6	17	1	1	2	4	8	11	21
TOTAL										
0-19 YRS	212	3.7	12	1	2	3	4	8	11	19
20-34	1173	3.7	13	1	2	2	4	8	10	18
35-49	135	4.4	19	1	2	2	6	10	15	20
50-64	0									
65 +	0									
GRAND TOTAL	**1520**	**3.8**	**13**	**1**	**2**	**2**	**5**	**8**	**10**	**18**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1395	3.3	4	2	2	3	4	5	7	11
20-34	934	3.8	5	2	2	3	5	6	7	10
35-49	742	3.9	6	2	2	3	5	7	8	12
50-64	435	4.6	8	2	3	4	6	8	10	15
65+	311	5.0	10	2	3	4	6	8	10	16
B. Operated										
0-19 YRS	577	4.0	10	1	2	3	5	8	10	17
20-34	489	4.9	11	2	3	4	6	9	11	18
35-49	360	5.1	15	1	3	4	6	9	12	18
50-64	147	5.4	14	2	3	5	6	10	12	20
65+	73	5.7	24	2	3	4	7	10	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2374	4.1	8	2	2	3	5	7	10	14
20-34	2028	4.8	11	2	3	4	6	9	10	17
35-49	2967	5.7	17	2	3	5	7	10	13	20
50-64	3461	6.6	22	3	4	5	8	12	15	25
65+	6545	7.7	36	3	4	6	9	14	18	31
B. Operated										
0-19 YRS	971	6.1	31	2	3	5	7	11	15	32
20-34	1321	7.6	59	2	3	6	9	15	20	42
35-49	1908	9.0	66	3	4	7	11	18	24	43
50-64	1594	11.0	109	3	5	8	13	22	32	66
65+	2348	12.7	117	4	6	10	16	25	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3817	3.8	6	2	2	3	5	7	8	13
B. Operated	1646	4.7	13	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	17375	6.3	25	2	3	5	8	11	15	25
B. Operated	8142	9.9	89	3	4	7	12	20	27	53
1. SINGLE DX	5463	4.1	8	2	2	3	5	7	9	15
2. MULTIPLE DX	25517	7.4	48	2	4	6	9	14	19	37
A. Not Operated	21192	5.9	22	2	3	5	7	11	14	24
B. Operated	9788	9.0	80	2	4	6	11	19	25	50
TOTAL										
0-19 YRS	5317	4.2	12	2	2	3	5	8	10	17
20-34	4772	5.4	25	2	3	4	6	10	13	26
35-49	5977	6.5	35	2	3	5	8	12	16	31
50-64	5637	7.6	50	3	4	6	9	14	20	40
65+	9277	8.9	61	3	4	7	10	17	23	45
GRAND TOTAL	**30980**	**6.9**	**43**	**2**	**3**	**5**	**8**	**13**	**18**	**35**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	440	3.4	4	1	2	3	4	6	7	11
20-34	122	3.7	14	1	2	3	4	6	10	25
35-49	83	3.4	4	1	2	3	4	7	8	11
50-64	37	3.1	1	2	2	3	4	5	5	7
65+	19	4.1	6	1	3	4	5	8	9	10
B. Operated										
0-19 YRS	229	3.4	8	<1	1	2	5	7	10	13
20-34	109	4.4	15	1	2	3	6	9	12	20
35-49	77	3.6	8	1	1	3	5	8	10	13
50-64	34	3.5	8	1	1	2	5	8	9	10
65+	21	5.4	31	<1	1	4	6	14	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	840	4.0	6	2	2	3	5	7	9	14
20-34	256	4.3	11	2	2	4	5	7	9	19
35-49	268	5.4	19	2	3	4	6	10	14	23
50-64	314	6.1	28	2	3	5	7	11	14	24
65+	425	7.2	31	3	4	6	9	11	15	34
B. Operated										
0-19 YRS	411	5.4	38	1	2	4	7	10	13	24
20-34	263	6.2	38	2	3	5	7	13	15	30
35-49	269	8.2	54	2	4	6	10	16	22	42
50-64	316	8.9	60	2	4	6	12	18	27	36
65+	386	10.0	98	3	5	7	12	20	26	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	701	3.4	6	1	2	3	4	6	7	12
B. Operated	470	3.8	11	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. Not Operated	2103	5.2	18	2	3	4	6	9	12	22
B. Operated	1645	7.7	62	2	3	6	9	15	21	40
1. SINGLE DX	1171	3.6	8	1	2	3	4	7	9	14
2. MULTIPLE DX	3748	6.3	39	2	3	5	8	12	16	31
A. Not Operated	2804	4.7	16	2	3	4	6	9	11	20
B. Operated	2115	6.9	53	1	3	5	8	14	19	36
TOTAL										
0-19 YRS	1920	4.1	13	1	2	3	5	7	10	15
20-34	750	4.9	23	2	2	4	6	9	14	23
35-49	697	6.0	33	2	3	4	7	12	16	31
50-64	701	7.1	44	2	3	5	8	14	19	32
65+	851	8.4	63	3	4	7	10	15	22	43
GRAND TOTAL	**4919**	**5.6**	**33**	**2**	**3**	**4**	**7**	**11**	**15**	**28**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	2.8	2	1	2	3	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	337	1.8	2	1	1	1	2	3	4	7
20-34	524	1.7	2	1	1	1	2	3	4	7
35-49	93	1.7	2	1	1	1	2	4	4	7
50-64	25	1.7	1	1	1	1	2	3	3	4
65 +	6	1.8	3	< 1	1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.3	4	1	1	4	4	6	8	8
20-34	6	3.2	8	< 1	< 1	2	5	8	8	8
35-49	4	1.3		< 1	< 1	< 1	1	2	2	2
50-64	4	3.8	2	2	2	4	5	5	5	5
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	75	3.1	11	1	1	2	4	8	12	16
20-34	124	2.7	8	1	1	2	3	5	7	15
35-49	53	2.4	3	1	1	2	3	5	6	9
50-64	20	4.2	22	1	1	2	6	11	15	18
65 +	14	5.1	27	1	1	3	9	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.4	2	< 1	1	2	3	5	5	5
B. Operated	985	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	26	2.9	4	< 1	< 1	2	4	5	8	8
B. Operated	286	3.0	10	1	1	2	3	6	10	16
1. SINGLE DX	993	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX	312	3.0	9	1	1	2	4	6	9	16
A. Not Operated	34	2.8	4	< 1	1	2	4	5	7	8
B. Operated	1271	2.0	4	1	1	1	2	4	5	11
TOTAL										
0-19 YRS	424	2.1	4	1	1	1	2	4	5	12
20-34	660	1.9	3	1	1	1	2	4	5	8
35-49	151	1.9	2	1	1	1	2	4	5	7
50-64	49	2.9	11	1	1	2	3	7	10	18
65 +	21	4.0	21	< 1	1	2	4	12	15	16
GRAND TOTAL	**1305**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**	**11**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	0									
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	69	1.3	1	< 1	< 1	< 1	1	2	3	7
20-34	32	3.0	35	< 1	< 1	1	2	5	20	28
35-49	39	1.5	1	< 1	< 1	< 1	2	3	4	7
50-64	22	1.0		< 1	< 1	< 1	1	1	2	2
65 +	7	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	2.8	2	1	2	3	4	4	4	4
35-49	5	7.6	31	2	5	6	9	17	17	17
50-64	1	3.0		3	3	3	3	3	3	3
65 +	5	3.8	5	1	2	4	5	7	7	7
B. Operated										
0-19 YRS	20	1.3	1	< 1	< 1	1	1	2	3	4
20-34	18	3.5	24	< 1	< 1	2	5	7	16	21
35-49	28	3.0	9	< 1	1	2	4	8	11	12
50-64	30	3.0	4	< 1	1	2	4	6	7	8
65 +	30	3.5	10	< 1	2	3	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.3	3	1	2	4	5	5	5	5
B. Operated	169	1.6	8	< 1	< 1	< 1	1	2	3	19
2. MULTIPLE DX										
A. Not Operated	17	4.6	14	1	3	4	6	7	14	17
B. Operated	126	2.9	9	< 1	1	2	4	7	8	16
1. SINGLE DX	176	1.7	8	< 1	< 1	< 1	1	3	4	18
2. MULTIPLE DX	143	3.1	10	< 1	1	2	4	7	8	17
A. Not Operated	24	4.3	11	1	2	4	5	7	10	17
B. Operated	295	2.2	9	< 1	< 1	1	2	4	7	18
TOTAL										
0-19 YRS	93	1.4	1	< 1	< 1	< 1	1	2	4	7
20-34	55	3.1	28	< 1	< 1	1	3	6	18	28
35-49	74	2.5	8	< 1	< 1	1	3	6	8	16
50-64	54	2.2	3	< 1	< 1	1	3	5	7	8
65 +	43	3.1	8	< 1	1	2	4	7	9	15
GRAND TOTAL	**319**	**2.3**	**9**	**< 1**	**< 1**	**1**	**3**	**5**	**7**	**18**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.0	19	1	2	5	9	13	14	14
20-34	12	7.4	72	1	2	5	9	19	29	31
35-49	8	6.3	9	3	4	6	8	10	11	11
50-64	5	12.6	88	1	7	10	19	26	26	26
65 +	32	9.4	32	4	6	8	11	16	24	27
B. Operated										
0-19 YRS	27	10.4	138	1	1	5	15	32	37	37
20-34	38	8.0	99	1	3	5	8	19	27	54
35-49	59	5.6	38	1	2	4	6	10	17	40
50-64	59	8.5	119	1	2	5	11	16	24	64
65 +	79	7.8	68	1	2	6	10	17	20	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	10.1	151	3	4	6	10	32	45	93
20-34	179	9.9	106	2	4	7	12	20	32	55
35-49	250	10.4	89	3	5	8	13	22	33	59
50-64	367	10.1	90	3	4	7	12	21	29	51
65 +	1449	12.0	135	4	6	9	14	23	37	99 +
B. Operated										
0-19 YRS	168	16.7	260	3	6	12	22	38	52	96
20-34	458	22.2	362	4	8	17	34	55	84	99 +
35-49	653	19.5	306	3	7	15	28	46	66	99 +
50-64	772	18.3	289	4	7	13	24	44	61	99 +
65 +	2491	17.7	244	4	7	13	23	41	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	8.5	40	3	5	7	10	14	25	30
B. Operated	262	7.8	85	1	2	5	10	17	25	48
2. MULTIPLE DX										
A. Not Operated	2313	11.3	122	3	5	8	14	23	35	86
B. Operated	4542	18.5	275	4	7	14	25	44	63	99 +
1. SINGLE DX	327	7.9	76	1	3	5	10	17	25	46
2. MULTIPLE DX	6855	16.0	235	4	6	11	21	38	56	99 +
A. Not Operated	2378	11.2	120	3	5	8	14	22	34	84
B. Operated	4804	17.9	270	3	7	13	24	43	62	99 +
TOTAL										
0-19 YRS	271	14.1	224	2	5	9	17	35	47	96
20-34	687	17.9	312	3	6	12	26	50	66	99 +
35-49	970	16.2	255	3	6	11	22	41	56	99 +
50-64	1203	15.3	235	3	6	10	19	36	52	99
65 +	4051	15.4	209	4	6	11	20	35	52	99 +
GRAND TOTAL	**7182**	**15.7**	**230**	**3**	**6**	**11**	**20**	**38**	**54**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	392	3.0	8	1	1	2	3	6	8	17
20-34	171	4.2	19	1	1	3	5	10	14	22
35-49	128	5.7	46	1	2	3	7	15	20	33
50-64	80	4.1	23	1	2	3	4	8	14	27
65 +	37	6.2	31	1	2	5	8	17	20	21
B. Operated										
0-19 YRS	327	2.6	10	< 1	< 1	1	3	7	9	14
20-34	204	3.0	11	1	1	2	4	7	9	19
35-49	209	3.2	26	< 1	1	2	3	7	9	31
50-64	147	2.6	14	1	1	1	2	6	8	16
65 +	71	2.2	8	< 1	1	1	2	5	7	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	893	4.0	15	1	2	3	5	8	10	23
20-34	452	6.0	33	1	2	4	8	14	18	26
35-49	595	7.5	46	2	3	5	11	17	21	29
50-64	569	9.0	50	2	3	7	14	19	22	33
65 +	919	9.0	68	2	4	6	12	19	24	44
B. Operated										
0-19 YRS	420	4.7	61	1	1	2	5	10	15	37
20-34	378	5.5	48	1	1	3	6	13	19	35
35-49	426	5.6	45	1	1	3	7	15	21	38
50-64	444	6.2	72	1	1	3	7	16	21	36
65 +	400	9.4	102	1	2	7	14	21	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	808	3.9	20	1	1	2	4	9	14	21
B. Operated	958	2.8	14	< 1	1	1	3	7	9	17
2. MULTIPLE DX										
A. Not Operated	3428	7.0	47	2	3	5	9	16	21	32
B. Operated	2068	6.3	68	1	1	3	8	16	22	37
1. SINGLE DX	1766	3.3	17	< 1	1	2	4	7	11	21
2. MULTIPLE DX	5496	6.7	55	1	2	4	9	16	21	34
A. Not Operated	4236	6.4	43	1	2	4	8	15	20	30
B. Operated	3026	5.2	54	1	1	2	6	13	19	35
TOTAL										
0-19 YRS	2032	3.7	23	1	1	2	4	8	11	23
20-34	1205	5.1	33	1	1	3	6	12	17	28
35-49	1358	6.1	45	1	2	3	8	15	20	32
50-64	1240	6.9	56	1	2	4	10	17	21	33
65 +	1427	8.7	76	1	3	6	12	20	24	44
GRAND TOTAL	**7262**	**5.9**	**48**	**1**	**2**	**3**	**7**	**15**	**20**	**32**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	211	1.8	3	1	1	1	2	4	5	10
20-34	58	2.8	4	1	1	2	4	6	7	8
35-49	54	3.7	19	1	1	3	5	7	9	28
50-64	23	3.1	6	1	1	3	5	7	8	8
65 +	9	8.1	70	1	3	5	10	23	24	24
B. Operated										
0-19 YRS	51	3.0	4	1	2	2	4	6	7	10
20-34	44	3.6	25	1	1	1	4	11	15	24
35-49	23	2.8	15	1	1	1	2	6	11	18
50-64	8	3.3	8	1	2	2	3	8	10	10
65 +	7	7.1	87	< 1	1	4	8	23	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	324	4.2	40	1	1	2	5	9	11	39
20-34	393	6.2	49	1	2	4	7	11	20	40
35-49	397	5.2	25	1	2	4	6	11	14	24
50-64	217	7.0	44	2	3	5	8	13	19	33
65 +	193	9.0	87	3	4	7	10	16	26	55
B. Operated										
0-19 YRS	123	10.1	251	1	3	7	11	20	79	99 +
20-34	190	10.3	121	2	3	7	13	22	37	70
35-49	220	11.5	171	2	3	8	15	26	43	99 +
50-64	130	13.0	132	2	5	10	16	29	36	55
65 +	137	16.5	190	4	7	12	21	36	42	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	2.5	9	1	1	1	3	6	7	17
B. Operated	133	3.4	18	1	1	2	4	8	11	25
2. MULTIPLE DX										
A. Not Operated	1524	6.0	47	1	2	4	7	12	17	36
B. Operated	800	12.1	172	2	4	8	15	27	40	97
1. SINGLE DX	488	2.7	11	1	1	2	3	6	8	20
2. MULTIPLE DX	2324	8.1	98	1	2	5	10	17	26	63
A. Not Operated	1879	5.3	42	1	2	4	7	11	15	34
B. Operated	933	10.8	159	1	3	7	14	25	37	94
TOTAL										
0-19 YRS	709	4.4	71	1	1	2	5	9	13	65
20-34	685	6.9	69	1	2	4	8	15	23	47
35-49	694	7.0	80	1	2	4	8	16	23	65
50-64	378	8.8	81	2	3	6	11	18	27	44
65 +	346	11.9	140	3	5	8	14	27	37	66
GRAND TOTAL	**2812**	**7.2**	**87**	**1**	**2**	**4**	**8**	**16**	**24**	**55**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	4.0	15	1	1	3	5	9	11	22
20-34	21	5.4	26	1	2	3	6	15	17	17
35-49	46	5.1	24	2	3	4	6	8	14	31
50-64	42	3.9	4	1	3	3	5	7	8	10
65 +	31	3.8	4	1	2	3	5	7	7	8
B. Operated										
0-19 YRS	35	4.3	23	1	1	3	6	9	16	22
20-34	70	5.1	20	1	2	4	7	11	13	23
35-49	208	4.6	16	1	2	3	7	9	12	19
50-64	291	4.7	14	1	2	3	7	10	12	17
65 +	279	5.8	16	1	2	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	218	6.8	69	2	2	4	8	14	21	62
20-34	48	5.6	19	2	3	5	7	10	13	27
35-49	130	5.6	24	2	3	4	7	10	13	28
50-64	230	6.3	42	2	3	5	8	12	15	43
65 +	536	7.3	35	3	4	6	9	14	18	45
B. Operated										
0-19 YRS	83	12.0	234	2	3	6	14	25	44	87
20-34	116	7.1	33	2	3	6	9	13	16	32
35-49	379	5.8	24	1	2	4	8	11	15	23
50-64	829	6.9	32	1	3	6	9	14	17	27
65 +	1119	8.1	36	2	4	8	11	15	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	4.2	15	1	2	3	5	8	11	20
B. Operated	883	5.1	16	1	2	4	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	1162	6.7	41	2	3	5	8	13	18	39
B. Operated	2526	7.5	40	2	3	6	10	14	18	31
1. SINGLE DX	1158	4.9	16	1	2	3	7	10	12	19
2. MULTIPLE DX	3688	7.2	41	2	3	6	9	14	18	34
A. Not Operated	1437	6.3	37	2	3	5	8	12	16	36
B. Operated	3409	6.8	35	1	3	6	9	13	17	28
TOTAL										
0-19 YRS	471	6.7	86	1	2	4	7	14	21	59
20-34	255	6.1	27	2	2	5	8	13	15	27
35-49	763	5.4	22	1	2	4	7	10	14	25
50-64	1392	6.3	30	1	3	5	9	12	16	26
65 +	1965	7.5	33	2	3	7	10	14	18	30
GRAND TOTAL	**4846**	**6.7**	**36**	**2**	**3**	**5**	**9**	**13**	**17**	**30**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	6	3.2	4	1	2	3	5	6	6	6
50-64	9	6.4	16	2	3	6	10	12	12	12
65 +	65	6.2	27	1	3	5	8	15	18	25
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	76	4.5	8	2	2	4	6	9	10	14
35-49	526	5.7	8	2	3	6	7	10	11	14
50-64	2148	7.5	8	4	6	7	9	11	12	16
65 +	4045	8.6	11	5	7	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.4	33	< 1	2	6	9	16	16	16
20-34	6	7.0	119	1	1	3	5	27	29	29
35-49	24	3.4	15	< 1	1	2	5	8	12	18
50-64	134	5.3	28	< 1	1	4	8	11	13	27
65 +	793	6.3	38	1	2	5	8	13	17	30
B. Operated										
0-19 YRS	14	7.7	21	2	4	8	9	13	18	19
20-34	147	6.6	26	2	4	6	8	10	12	37
35-49	797	6.9	19	2	4	7	8	11	14	21
50-64	5194	8.7	19	5	7	8	10	13	15	22
65 +	16506	9.9	24	6	7	9	11	15	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	5.8	24	1	2	4	8	12	16	24
B. Operated	6796	7.9	11	4	6	8	9	12	13	16
2. MULTIPLE DX										
A. Not Operated	962	6.1	37	1	2	5	8	13	16	30
B. Operated	22658	9.5	23	6	7	9	11	14	17	28
1. SINGLE DX	6880	7.9	11	4	6	8	9	12	13	16
2. MULTIPLE DX	23620	9.4	24	5	7	9	11	14	17	28
A. Not Operated	1046	6.0	36	1	2	5	8	13	16	29
B. Operated	29454	9.2	21	5	7	8	11	14	16	25
TOTAL										
0-19 YRS	21	6.9	23	1	3	6	9	14	17	19
20-34	232	5.9	23	2	3	5	7	10	11	30
35-49	1353	6.3	15	2	4	6	8	11	13	18
50-64	7485	8.3	16	4	6	8	10	12	14	21
65 +	21409	9.5	23	6	7	9	11	14	16	28
GRAND TOTAL	**30500**	**9.0**	**22**	**5**	**7**	**8**	**11**	**14**	**16**	**26**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	5.0	15	1	2	4	8	10	10	10
35-49	8	3.8	4	1	2	3	5	7	7	7
50-64	6	3.0	3	1	2	3	3	6	6	6
65 +	7	4.6	6	1	3	4	6	8	8	8
B. Operated										
0-19 YRS	10	1.4		1	1	1	2	3	3	3
20-34	96	2.0	2	1	1	1	3	4	5	7
35-49	243	2.2	3	1	1	2	3	4	5	8
50-64	354	3.0	7	1	1	2	4	6	8	15
65 +	223	4.6	15	1	2	3	6	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	2.4	3	< 1	< 1	2	3	5	5	5
35-49	13	5.7	36	1	2	4	8	13	21	23
50-64	51	4.2	17	1	2	3	5	8	9	29
65 +	259	6.7	53	2	3	5	8	13	18	46
B. Operated										
0-19 YRS	8	8.0	87	1	2	4	13	24	26	26
20-34	129	2.9	5	1	1	2	4	6	7	11
35-49	324	2.8	4	1	1	2	4	5	7	11
50-64	544	3.9	11	1	2	3	5	9	11	15
65 +	824	6.3	30	1	3	5	8	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.9	6	1	2	3	6	7	8	10
B. Operated	926	3.0	8	1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	333	6.2	46	2	3	5	8	12	17	33
B. Operated	1829	4.7	21	1	2	3	6	10	13	20
1. SINGLE DX	952	3.1	8	1	1	2	4	7	8	15
2. MULTIPLE DX	2162	5.0	25	1	2	3	6	10	14	23
A. Not Operated	359	6.0	44	2	3	4	7	12	16	30
B. Operated	2755	4.2	17	1	2	3	5	9	12	19
TOTAL										
0-19 YRS	20	4.1	43	1	1	2	3	13	22	26
20-34	238	2.6	4	1	1	2	3	5	6	10
35-49	588	2.6	5	1	1	2	3	5	7	12
50-64	955	3.6	10	1	1	3	4	8	10	15
65 +	1313	6.1	32	1	3	5	8	12	15	25
GRAND TOTAL	**3114**	**4.4**	**20**	**1**	**2**	**3**	**6**	**9**	**12**	**20**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	6.0	22	1	3	5	8	12	16	22
20-34	67	4.3	9	2	2	4	6	9	11	14
35-49	62	5.2	18	1	2	4	6	12	14	21
50-64	35	5.1	8	2	2	5	7	9	11	12
65 +	27	4.4	8	1	2	4	6	9	11	11
B. Operated										
0-19 YRS	231	8.2	24	3	5	8	10	14	19	25
20-34	241	3.6	14	1	1	3	5	7	10	13
35-49	306	4.0	10	1	2	3	5	9	10	15
50-64	239	4.3	14	1	2	3	6	9	11	15
65 +	140	6.9	22	2	4	6	9	12	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	294	7.9	40	2	3	6	10	16	21	30
20-34	163	6.0	22	2	3	5	8	10	14	25
35-49	188	7.2	48	2	3	6	9	13	17	39
50-64	190	6.0	22	2	3	5	8	12	16	24
65 +	394	8.3	76	2	4	6	10	16	25	60
B. Operated										
0-19 YRS	446	11.6	63	4	6	10	15	22	25	42
20-34	384	7.4	64	1	3	5	9	16	23	40
35-49	612	7.4	69	1	2	5	9	16	23	42
50-64	636	7.9	58	1	3	6	10	17	24	41
65 +	726	12.9	148	3	6	9	15	26	41	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	5.4	17	2	3	4	7	11	14	21
B. Operated	1157	5.2	19	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	1229	7.4	48	2	3	6	9	15	20	37
B. Operated	2804	9.6	91	2	4	7	12	21	28	49
1. SINGLE DX	1545	5.2	19	1	2	4	7	10	13	21
2. MULTIPLE DX	4033	8.9	79	2	3	7	11	19	25	46
A. Not Operated	1617	6.9	42	2	3	5	9	14	18	32
B. Operated	3961	8.3	74	1	3	6	10	17	24	45
TOTAL										
0-19 YRS	1168	9.1	47	3	4	8	12	18	22	32
20-34	855	5.8	40	1	2	4	7	12	16	36
35-49	1168	6.3	50	1	2	4	8	13	18	36
50-64	1100	6.7	43	1	2	5	9	14	19	36
65 +	1287	10.7	116	2	5	8	12	22	32	63
GRAND TOTAL	**5578**	**7.9**	**65**	**2**	**3**	**6**	**10**	**16**	**22**	**43**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	8	6.1	22	2	3	4	9	14	15	15
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	384	2.4	1	1	2	2	3	4	4	6
20-34	948	2.5	1	1	2	2	3	4	4	6
35-49	352	2.4	2	< 1	1	2	3	4	5	6
50-64	69	2.2	3	< 1	1	1	3	5	6	7
65 +	22	2.3	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.6	1	< 1	< 1	1	2	3	3	3
20-34	12	6.3	136	< 1	< 1	1	6	20	39	42
35-49	7	2.1	2	< 1	< 1	1	4	4	4	4
50-64	7	1.9	1	< 1	1	1	3	4	4	4
65 +	10	4.8	12	1	2	4	7	10	11	11
B. Operated										
0-19 YRS	575	2.6	1	1	2	2	3	4	4	7
20-34	1625	2.6	2	1	2	2	3	4	5	7
35-49	805	2.5	2	1	1	2	3	4	5	8
50-64	307	2.4	5	< 1	1	2	3	5	7	12
65 +	177	2.8	6	< 1	1	2	3	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.6	16	1	1	4	5	11	14	15
B. Operated	1775	2.4	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	43	3.8	43	< 1	< 1	2	4	8	11	42
B. Operated	3489	2.6	3	1	2	2	3	4	5	8
1. SINGLE DX	1789	2.5	2	1	2	2	3	4	5	6
2. MULTIPLE DX	3532	2.6	3	1	2	2	3	4	5	8
A. Not Operated	57	4.0	36	< 1	1	2	4	9	11	40
B. Operated	5264	2.5	2	1	2	2	3	4	5	8
TOTAL										
0-19 YRS	968	2.5	1	1	2	2	3	4	4	7
20-34	2593	2.6	3	1	2	2	3	4	5	7
35-49	1166	2.5	2	< 1	1	2	3	4	5	8
50-64	384	2.3	4	< 1	1	2	3	5	7	12
65 +	210	2.9	6	< 1	1	2	4	6	8	13
GRAND TOTAL	**5321**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**8**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	157	2.6	5	1	1	2	3	5	6	13
20-34	48	4.6	42	1	2	3	5	9	22	35
35-49	46	3.1	4	1	1	3	4	5	6	12
50-64	32	2.9	5	1	1	2	4	5	6	13
65 +	38	3.6	11	1	2	2	5	10	14	99 +
B. Operated										
0-19 YRS	1467	2.0	2	1	1	2	3	3	4	6
20-34	2071	2.1	2	1	1	2	3	3	4	7
35-49	749	2.2	2	1	1	2	3	4	5	8
50-64	214	2.9	7	1	1	2	3	6	8	16
65 +	87	3.5	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	272	3.8	32	1	2	2	4	7	11	35
20-34	119	5.6	56	1	2	3	7	13	19	40
35-49	151	3.9	23	1	1	3	4	8	14	25
50-64	183	5.1	68	1	2	3	5	8	13	55
65 +	567	5.7	31	2	2	4	7	11	16	33
B. Operated										
0-19 YRS	1556	3.3	15	1	2	2	4	6	8	19
20-34	1431	2.7	11	1	1	2	3	5	6	13
35-49	911	3.3	19	1	1	2	3	6	8	20
50-64	437	4.5	25	1	2	3	5	11	14	25
65 +	506	6.2	34	1	2	4	8	13	16	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	3.1	11	1	1	2	4	6	8	23
B. Operated	4588	2.2	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated	1292	5.0	38	1	2	3	6	10	15	34
B. Operated	4841	3.5	19	1	2	2	4	7	10	19
1. SINGLE DX	4909	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	6133	3.8	23	1	2	3	4	8	11	23
A. Not Operated	1613	4.6	34	1	2	3	5	9	14	33
B. Operated	9429	2.9	11	1	1	2	3	5	8	15
TOTAL										
0-19 YRS	3452	2.8	11	1	1	2	3	5	6	15
20-34	3669	2.5	8	1	1	2	3	4	5	12
35-49	1857	2.9	12	1	1	2	3	5	7	15
50-64	866	4.2	30	1	2	3	5	8	12	25
65 +	1198	5.7	31	1	2	4	7	11	16	33
GRAND TOTAL	**11042**	**3.1**	**15**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	4.3	6	3	3	3	6	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	4	6.5	12	3	4	6	9	11	11	11
35-49	10	5.5	8	2	4	5	8	9	10	10
50-64	8	5.8	6	4	4	5	7	10	11	11
65 +	19	7.9	44	2	3	5	11	19	23	24
B. Operated										
0-19 YRS	0									
20-34	6	8.0	16	4	6	7	10	14	15	15
35-49	23	7.1	26	2	3	6	10	15	17	21
50-64	12	12.6	61	6	7	10	15	25	32	33
65 +	17	18.2	402	3	8	10	23	70	90	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.7	2	1	1	3	4	4	4	4
B. Operated	7	4.4	5	3	3	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	44	6.6	24	2	4	5	9	12	17	24
B. Operated	58	11.6	159	3	5	8	13	22	47	98
1. SINGLE DX	14	3.6	4	1	3	3	4	7	8	8
2. MULTIPLE DX	102	9.4	106	2	4	7	11	21	26	87
A. Not Operated	51	6.0	23	2	3	4	8	11	15	24
B. Operated	65	10.8	147	3	5	8	12	21	38	96
TOTAL										
0-19 YRS	4	4.0	13	1	1	3	6	9	9	9
20-34	14	6.4	13	3	4	6	7	11	14	15
35-49	38	6.1	20	1	3	5	8	12	15	21
50-64	24	8.9	46	3	4	7	10	17	25	33
65 +	36	12.8	233	2	4	8	16	28	69	99 +
GRAND TOTAL	**116**	**8.7**	**97**	**2**	**4**	**6**	**10**	**20**	**24**	**83**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	34	2.8	6	1	1	2	4	7	8	9
35-49	104	3.0	8	1	1	2	4	6	8	16
50-64	109	3.1	8	1	1	2	4	8	10	12
65 +	99	3.7	14	< 1	1	2	5	8	10	22
B. Operated										
0-19 YRS	5	3.6	5	1	2	4	5	7	7	7
20-34	100	3.6	6	1	2	3	5	6	8	14
35-49	744	3.3	6	1	2	3	4	6	7	10
50-64	670	3.7	11	1	2	3	5	7	8	17
65 +	358	4.2	10	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.7	14	2	2	4	10	10	10	10
20-34	42	3.8	20	1	1	2	4	9	15	22
35-49	196	4.8	15	1	2	4	7	10	13	23
50-64	410	4.8	19	1	2	4	6	9	13	27
65 +	1336	6.3	24	2	3	5	8	12	15	27
B. Operated										
0-19 YRS	3	34.3	1974	2	5	16	68	85	85	85
20-34	158	4.5	11	1	2	4	6	8	10	17
35-49	968	4.7	29	1	2	4	6	8	11	23
50-64	1398	5.5	27	1	3	4	7	10	14	27
65 +	1793	8.0	52	2	4	6	10	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	3.2	10	1	1	2	4	7	9	12
B. Operated	1877	3.7	9	1	2	3	5	7	8	15
2. MULTIPLE DX										
A. Not Operated	1991	5.8	22	2	3	5	7	11	15	26
B. Operated	4320	6.3	40	1	3	5	8	12	17	33
1. SINGLE DX	2227	3.6	9	1	2	3	5	7	8	14
2. MULTIPLE DX	6311	6.1	35	1	3	5	8	12	16	31
A. Not Operated	2341	5.4	21	1	2	4	7	11	14	25
B. Operated	6197	5.5	32	1	2	4	7	11	15	28
TOTAL										
0-19 YRS	19	8.7	358	1	2	3	8	14	54	85
20-34	334	3.9	10	1	2	3	5	8	9	17
35-49	2012	4.1	18	1	2	3	5	8	10	20
50-64	2587	4.8	21	1	2	4	6	9	12	25
65 +	3586	6.9	38	2	3	5	9	14	18	34
GRAND TOTAL	**8538**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.2	4	1	2	3	4	6	7	8
20-34	714	4.2	11	1	2	4	6	8	9	14
35-49	1165	4.3	13	1	2	4	6	8	10	15
50-64	499	4.1	13	1	1	3	5	8	10	15
65 +	160	4.2	10	< 1	1	4	6	9	11	14
B. Operated										
0-19 YRS	262	3.1	3	1	2	3	4	5	6	11
20-34	6812	3.6	6	1	2	3	4	6	8	13
35-49	10226	3.7	6	1	2	3	4	6	8	13
50-64	3987	3.9	10	1	2	3	5	7	8	13
65 +	964	4.7	11	1	3	4	6	8	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	7.8	18	3	5	7	10	15	17	17
20-34	544	5.8	39	1	3	4	7	10	14	25
35-49	1144	5.7	19	1	3	5	7	10	13	22
50-64	1063	6.0	20	1	3	5	8	11	14	23
65 +	1254	7.0	24	2	4	6	9	13	16	23
B. Operated										
0-19 YRS	90	4.2	8	2	3	4	5	7	8	18
20-34	2793	5.0	14	2	3	4	6	9	12	19
35-49	6235	5.3	17	2	3	4	7	10	12	21
50-64	4458	5.7	21	2	3	5	7	10	14	23
65 +	3505	7.7	45	2	4	6	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2556	4.2	12	1	2	4	6	8	10	15
B. Operated	22251	3.8	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	4021	6.2	24	2	3	5	8	11	15	23
B. Operated	17081	5.9	24	2	3	5	7	11	14	25
1. SINGLE DX	24807	3.8	7	1	2	3	5	7	8	14
2. MULTIPLE DX	21102	5.9	24	2	3	5	7	11	14	25
A. Not Operated	6577	5.4	20	1	3	4	7	10	13	20
B. Operated	39332	4.7	16	1	2	4	6	8	11	20
TOTAL										
0-19 YRS	386	3.6	6	1	2	3	4	6	8	13
20-34	10863	4.1	10	1	2	3	5	7	10	16
35-49	18770	4.4	12	1	2	4	5	8	10	17
50-64	10007	5.0	17	1	3	4	6	9	12	20
65 +	5883	7.0	36	2	4	5	8	13	18	30
GRAND TOTAL	**45909**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	78	4.2	7	1	2	4	6	8	9	13
35-49	172	3.5	9	1	1	3	4	7	10	15
50-64	56	3.8	11	1	1	3	5	8	11	15
65 +	11	4.6	8	2	2	4	8	9	9	9
B. Operated										
0-19 YRS	12	3.3	6	1	2	3	4	6	9	10
20-34	926	3.2	4	1	2	3	4	5	6	11
35-49	2854	3.2	4	1	2	3	4	5	7	11
50-64	974	3.3	5	1	2	3	4	6	7	10
65 +	116	3.6	6	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	59	4.4	11	1	2	3	6	9	10	18
35-49	260	4.6	13	1	2	4	6	9	11	17
50-64	202	5.4	35	1	2	4	7	11	13	21
65 +	166	5.5	23	1	2	4	7	11	16	26
B. Operated										
0-19 YRS	7	4.6	20	< 1	1	2	8	11	12	12
20-34	505	4.1	13	1	2	3	5	8	9	18
35-49	2251	4.1	12	1	2	3	5	7	9	19
50-64	1352	4.7	20	1	2	4	5	8	12	21
65 +	456	6.8	51	2	3	5	8	14	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	3.7	9	1	2	3	5	8	10	15
B. Operated	4882	3.2	4	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	689	5.0	21	1	2	4	6	9	12	20
B. Operated	4571	4.5	19	1	2	3	5	8	11	22
1. SINGLE DX	5203	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX	5260	4.6	19	1	2	4	5	8	12	22
A. Not Operated	1010	4.6	18	1	2	4	6	9	12	18
B. Operated	9453	3.9	12	1	2	3	4	7	9	17
TOTAL										
0-19 YRS	25	3.6	8	1	2	3	4	8	10	12
20-34	1568	3.6	7	1	2	3	4	6	8	13
35-49	5537	3.6	8	1	2	3	4	6	8	14
50-64	2584	4.2	16	1	2	3	5	7	10	19
65 +	749	6.0	38	1	3	4	7	12	17	31
GRAND TOTAL	**10463**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.6	27	1	2	5	11	14	15	15
20-34	23	4.3	8	1	2	4	6	9	10	10
35-49	26	4.7	9	2	2	5	6	8	10	16
50-64	11	4.2	15	1	2	3	4	11	14	14
65 +	7	4.0	7	1	2	4	5	8	9	9
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	41	3.9	8	1	1	3	6	8	9	11
35-49	32	4.8	13	1	1	5	8	10	11	11
50-64	7	4.9	12	1	1	5	8	9	9	9
65 +	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.5	12	3	5	7	10	12	12	12
20-34	36	4.8	9	2	3	4	6	9	10	15
35-49	47	4.2	7	2	2	4	5	7	7	17
50-64	50	6.5	22	2	3	5	9	13	16	20
65 +	57	6.0	18	2	2	5	8	12	14	19
B. Operated										
0-19 YRS	3	8.0	31	2	4	9	12	13	13	13
20-34	35	5.5	20	1	3	5	7	9	10	27
35-49	105	7.0	18	1	5	6	9	13	14	20
50-64	63	7.4	42	1	4	6	9	12	18	43
65 +	42	9.1	38	2	6	8	13	16	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	4.7	11	1	2	4	6	9	11	16
B. Operated	83	4.4	10	1	1	4	7	9	10	11
2. MULTIPLE DX										
A. Not Operated	198	5.5	15	2	3	5	7	11	13	18
B. Operated	248	7.3	28	1	4	6	9	13	16	27
1. SINGLE DX	158	4.5	11	1	2	4	7	9	11	15
2. MULTIPLE DX	446	6.5	23	2	3	6	9	13	15	22
A. Not Operated	273	5.3	14	2	3	4	7	10	13	17
B. Operated	331	6.5	25	1	3	6	9	12	15	25
TOTAL										
0-19 YRS	20	7.2	18	2	3	7	11	12	14	15
20-34	135	4.6	12	1	2	4	6	9	10	17
35-49	210	5.7	15	1	3	5	8	11	13	17
50-64	131	6.7	31	1	3	6	9	13	16	27
65 +	108	7.0	27	2	3	6	10	14	16	25
GRAND TOTAL	**604**	**6.0**	**21**	**1**	**3**	**5**	**8**	**11**	**14**	**20**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	38	4.8	11	1	2	4	6	9	12	15
35-49	77	4.3	13	1	2	3	6	9	10	20
50-64	47	4.3	8	1	2	4	6	7	8	16
65 +	30	4.3	6	2	3	4	5	7	8	13
B. Operated										
0-19 YRS	0									
20-34	26	2.0	2	1	1	1	2	4	6	7
35-49	52	3.3	23	1	1	1	4	7	12	30
50-64	26	2.6	6	1	1	2	3	6	8	10
65 +	12	3.4	24	1	1	1	4	9	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.0	43	2	3	7	13	15	15	15
20-34	59	4.4	8	1	2	4	6	9	9	12
35-49	106	5.3	9	2	3	5	7	10	11	14
50-64	133	6.1	20	2	3	5	8	11	17	22
65 +	211	6.2	16	2	4	6	8	10	13	20
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	5.0	28	1	1	3	7	10	19	21
35-49	53	6.2	31	1	2	4	10	15	16	24
50-64	38	6.8	37	1	2	5	9	17	20	22
65 +	52	8.1	59	1	3	6	11	17	27	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	4.4	10	1	2	4	6	8	10	16
B. Operated	116	2.8	14	1	1	1	3	6	9	22
2. MULTIPLE DX										
A. Not Operated	512	5.8	15	2	3	5	8	10	13	20
B. Operated	169	6.7	41	1	2	5	10	15	18	29
1. SINGLE DX	309	3.8	12	1	1	3	5	7	10	17
2. MULTIPLE DX	681	6.0	22	2	3	5	8	11	15	22
A. Not Operated	705	5.4	14	2	3	5	7	10	12	19
B. Operated	285	5.1	34	1	1	3	7	13	17	29
TOTAL										
0-19 YRS	5	6.0	30	2	2	4	9	15	15	15
20-34	148	4.2	12	1	1	3	6	9	10	19
35-49	288	4.8	17	1	2	4	7	10	14	20
50-64	244	5.5	20	1	2	4	7	11	16	22
65 +	305	6.2	24	2	3	5	8	11	14	28
GRAND TOTAL	**990**	**5.3**	**20**	**1**	**2**	**4**	**7**	**10**	**14**	**21**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	2.7	5	1	1	2	4	6	8	10
20-34	604	3.7	13	1	1	3	5	7	9	17
35-49	940	3.7	11	1	1	3	5	7	9	16
50-64	460	3.6	10	1	1	3	5	8	9	16
65 +	223	4.4	28	< 1	1	3	6	9	12	29
B. Operated										
0-19 YRS	37	2.2	8	1	1	1	2	5	9	15
20-34	686	2.5	6	1	1	1	3	6	7	10
35-49	1338	2.8	7	1	1	2	4	6	7	12
50-64	1107	3.3	6	1	1	3	4	6	8	12
65 +	869	4.7	14	1	2	4	6	8	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	3.5	13	1	1	2	4	7	9	21
20-34	898	4.3	21	1	2	3	5	8	11	25
35-49	1702	5.1	26	1	2	4	6	10	14	25
50-64	1450	5.0	21	1	2	4	7	10	12	24
65 +	2210	6.2	31	2	3	5	8	12	16	29
B. Operated										
0-19 YRS	56	5.6	39	1	1	4	7	11	19	36
20-34	711	4.1	17	1	1	3	5	9	11	22
35-49	1743	4.5	28	1	1	3	6	9	13	22
50-64	2405	5.8	27	1	3	5	7	10	15	27
65 +	4203	7.9	42	2	4	7	10	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2313	3.7	13	1	1	3	5	7	9	17
B. Operated	4037	3.3	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	6398	5.3	26	1	2	4	7	10	14	25
B. Operated	9118	6.4	35	1	3	5	8	12	16	27
1. SINGLE DX	6350	3.5	10	1	1	3	5	7	9	15
2. MULTIPLE DX	15516	5.9	32	1	2	5	8	12	16	27
A. Not Operated	8711	4.9	23	1	2	4	6	10	13	25
B. Operated	13155	5.4	29	1	2	4	7	11	15	25
TOTAL										
0-19 YRS	317	3.5	16	1	1	2	4	8	10	21
20-34	2899	3.7	15	1	1	3	5	8	10	21
35-49	5723	4.2	21	1	1	3	5	8	11	22
50-64	5422	4.9	21	1	2	4	6	9	12	24
65 +	7505	6.9	36	2	3	6	8	13	17	29
GRAND TOTAL	**21866**	**5.2**	**27**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	270	2.7	5	1	1	2	3	5	7	10
20-34	87	3.4	13	1	2	3	4	5	7	23
35-49	116	2.9	4	1	2	2	4	5	7	11
50-64	66	4.2	38	1	2	3	4	6	18	36
65 +	32	3.8	8	1	2	3	5	6	9	16
B. Operated										
0-19 YRS	168	2.2	3	< 1	1	1	3	5	6	9
20-34	624	2.1	3	1	1	2	2	4	5	8
35-49	1166	1.9	2	1	1	2	2	3	4	8
50-64	734	2.0	2	1	1	2	2	3	4	7
65 +	227	2.6	4	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	189	3.3	5	1	2	3	4	6	8	12
20-34	133	3.8	4	1	2	4	5	7	8	10
35-49	230	4.3	13	1	2	4	5	7	9	13
50-64	220	4.5	10	1	2	4	6	9	10	17
65 +	343	5.7	26	2	3	4	7	11	14	25
B. Operated										
0-19 YRS	133	4.7	31	1	1	3	6	9	15	29
20-34	668	3.2	11	1	1	2	4	7	10	16
35-49	1513	2.6	7	1	1	2	3	5	8	15
50-64	1432	2.6	8	1	1	2	3	5	7	13
65 +	844	4.1	25	1	2	3	4	8	12	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	3.1	10	1	1	2	4	5	7	17
B. Operated	2919	2.0	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	1115	4.6	15	1	2	4	6	9	11	17
B. Operated	4590	3.0	12	1	1	2	3	6	9	18
1. SINGLE DX	3490	2.2	4	1	1	2	3	4	5	9
2. MULTIPLE DX	5705	3.3	13	1	1	2	4	7	9	18
A. Not Operated	1686	4.1	14	1	2	3	5	8	10	17
B. Operated	7509	2.7	9	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	760	3.1	10	1	1	2	4	6	8	15
20-34	1512	2.8	8	1	1	2	3	6	8	13
35-49	3025	2.5	6	1	1	2	3	5	7	12
50-64	2452	2.7	7	1	1	2	3	5	7	13
65 +	1446	4.2	22	1	2	3	5	9	12	23
GRAND TOTAL	**9195**	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	120	1.9	1	< 1	1	2	2	4	4	6
20-34	222	1.6	1	< 1	1	1	2	3	4	5
35-49	283	1.6	1	< 1	1	1	2	3	3	5
50-64	305	1.7	1	< 1	1	1	2	3	3	4
65 +	108	2.1	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	9	1.6	2	< 1	< 1	< 1	1	4	5	5
35-49	8	1.4	1	< 1	< 1	1	1	3	4	4
50-64	6	1.8	2	< 1	< 1	< 1	3	4	4	4
65 +	15	3.7	21	< 1	< 1	2	5	6	16	19
B. Operated										
0-19 YRS	211	1.7	1	< 1	1	1	2	3	4	5
20-34	462	1.6	1	< 1	< 1	1	2	3	4	5
35-49	832	1.7	1	< 1	< 1	1	2	3	4	6
50-64	1098	2.0	2	< 1	1	2	2	3	4	7
65 +	950	2.4	4	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.7	1	< 1	1	1	2	3	4	4
B. Operated	1038	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	41	2.3	9	< 1	< 1	< 1	3	5	6	19
B. Operated	3553	2.0	2	< 1	1	2	2	3	4	7
1. SINGLE DX	1049	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	3594	2.0	2	< 1	1	2	2	3	4	7
A. Not Operated	52	2.2	8	< 1	< 1	1	3	4	5	19
B. Operated	4591	1.9	2	< 1	1	2	2	3	4	7
TOTAL										
0-19 YRS	336	1.8	1	< 1	1	1	2	3	4	5
20-34	695	1.6	1	< 1	< 1	1	2	3	4	5
35-49	1126	1.7	1	< 1	< 1	1	2	3	4	6
50-64	1412	1.9	2	< 1	1	2	2	3	4	7
65 +	1074	2.4	4	1	1	2	3	4	5	11
GRAND TOTAL	**4643**	**1.9**	**2**	**< 1**	**1**	**2**	**2**	**3**	**4**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	5	3.6	7	1	2	2	6	7	7	7
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	74	1.1		< 1	< 1	< 1	1	1	2	2
20-34	83	1.3		< 1	< 1	< 1	1	2	3	4
35-49	104	1.5	2	< 1	< 1	1	1	3	4	8
50-64	58	1.5	1	< 1	< 1	1	2	2	4	6
65 +	39	2.4	9	< 1	< 1	1	3	4	5	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	10	3.6	8	1	2	3	4	8	11	11
50-64	14	3.4	5	1	2	3	4	7	9	9
65 +	34	4.3	13	1	2	3	5	10	13	15
B. Operated										
0-19 YRS	14	2.1	8	< 1	< 1	1	1	6	10	11
20-34	43	2.0	2	< 1	1	1	3	4	6	6
35-49	71	3.0	12	< 1	1	2	4	6	9	21
50-64	106	3.3	30	1	1	2	4	6	8	34
65 +	130	3.9	12	1	2	3	5	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.4	6	1	2	2	5	7	9	9
B. Operated	358	1.5	2	< 1	< 1	1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated	62	3.9	10	1	2	3	5	8	11	15
B. Operated	364	3.2	16	< 1	1	2	4	6	9	19
1. SINGLE DX	372	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	426	3.3	15	< 1	1	2	4	7	10	17
A. Not Operated	76	3.8	9	1	2	3	5	8	10	15
B. Operated	722	2.4	10	< 1	< 1	1	3	5	7	13
TOTAL										
0-19 YRS	90	1.3	2	< 1	< 1	< 1	1	2	2	10
20-34	132	1.6	1	< 1	< 1	1	2	3	4	6
35-49	188	2.2	6	< 1	< 1	1	3	4	6	12
50-64	183	2.7	19	< 1	1	2	3	5	7	16
65 +	205	3.7	12	< 1	1	3	4	8	11	17
GRAND TOTAL	**798**	**2.5**	**10**	**< 1**	**< 1**	**1**	**3**	**5**	**7**	**14**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	212	7.9	32	2	4	7	10	15	20	28
20-34	29	7.7	33	1	4	6	10	16	17	25
35-49	24	8.1	75	2	3	5	9	17	30	38
50-64	18	9.7	66	2	4	8	11	24	27	29
65 +	19	10.0	68	3	5	8	11	19	30	38
B. Operated										
0-19 YRS	229	9.5	76	2	4	7	11	20	27	42
20-34	98	8.3	63	2	3	7	11	18	24	43
35-49	115	7.4	55	1	3	5	9	15	20	41
50-64	85	7.3	56	1	2	5	9	17	22	35
65 +	62	7.4	43	2	3	7	9	14	26	91
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	297	10.2	41	3	6	9	13	20	22	31
20-34	115	10.6	100	2	4	7	14	27	32	44
35-49	170	10.8	99	2	4	7	15	25	32	45
50-64	229	11.0	78	3	5	9	13	22	30	43
65 +	387	13.6	119	4	6	10	17	28	39	53
B. Operated										
0-19 YRS	490	14.6	152	4	7	11	19	31	42	77
20-34	444	14.3	213	3	5	9	17	38	48	75
35-49	757	15.1	222	3	6	10	19	35	48	81
50-64	900	14.7	181	4	6	11	18	32	44	76
65 +	1200	16.8	202	4	8	13	21	38	48	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	302	8.1	39	2	4	7	10	16	21	29
B. Operated	589	8.3	64	1	3	7	10	18	24	40
2. MULTIPLE DX										
A. Not Operated	1198	11.6	89	3	5	9	15	23	31	47
B. Operated	3791	15.4	197	4	7	11	19	34	46	75
1. SINGLE DX	891	8.3	55	2	3	7	10	17	22	37
2. MULTIPLE DX	4989	14.5	174	4	6	10	18	31	44	71
A. Not Operated	1500	10.9	81	3	5	8	14	22	29	46
B. Operated	4380	14.4	185	3	6	10	18	32	45	73
TOTAL										
0-19 YRS	1228	11.4	97	3	5	9	14	22	30	51
20-34	686	12.5	171	2	4	8	15	29	44	66
35-49	1066	13.4	189	3	5	9	16	29	43	73
50-64	1232	13.4	157	3	5	10	17	29	42	71
65 +	1668	15.6	180	4	7	11	20	35	46	69
GRAND TOTAL	**5880**	**13.5**	**161**	**3**	**6**	**10**	**17**	**29**	**42**	**68**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	4.3	18	1	1	3	6	8	13	22
20-34	78	2.4	10	1	1	2	2	4	6	22
35-49	144	2.6	6	1	1	2	3	5	6	11
50-64	81	3.2	13	1	1	2	4	6	10	20
65 +	150	6.0	38	2	3	5	7	11	14	25
B. Operated										
0-19 YRS	1806	3.0	9	1	1	2	4	6	8	16
20-34	935	2.9	6	1	1	2	4	6	8	13
35-49	768	3.9	9	1	2	3	5	8	9	13
50-64	363	4.1	11	1	2	3	6	8	10	18
65 +	231	6.0	20	1	2	5	8	12	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	221	5.5	45	1	2	3	6	13	18	37
20-34	214	3.6	20	1	1	2	4	7	13	18
35-49	627	3.4	12	1	1	2	4	7	9	19
50-64	959	5.3	27	1	2	4	7	11	14	25
65 +	5065	8.0	48	2	4	6	10	15	20	37
B. Operated										
0-19 YRS	968	4.8	42	1	2	3	5	9	14	29
20-34	1260	4.8	29	1	2	3	6	9	14	28
35-49	1460	6.0	50	1	2	4	7	10	15	37
50-64	1517	8.4	72	2	3	6	10	16	23	46
65 +	2890	11.7	100	3	6	9	14	22	30	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	644	3.9	20	1	1	3	5	8	11	23
B. Operated	4103	3.4	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	7086	7.0	44	2	3	5	9	14	18	34
B. Operated	8095	8.1	76	1	3	6	10	17	23	47
1. SINGLE DX	4747	3.5	11	1	1	2	4	7	9	17
2. MULTIPLE DX	15181	7.6	61	2	3	6	10	15	21	42
A. Not Operated	7730	6.8	43	2	3	5	9	14	18	33
B. Operated	12198	6.6	59	1	2	4	8	14	19	40
TOTAL										
0-19 YRS	3186	3.8	23	1	1	3	4	8	11	25
20-34	2487	3.9	20	1	1	3	5	8	10	23
35-49	2999	4.7	31	1	2	3	6	9	12	27
50-64	2920	6.7	51	1	2	5	8	14	19	38
65 +	8336	9.2	69	2	4	7	11	17	23	45
GRAND TOTAL	**19928**	**6.6**	**52**	**1**	**2**	**5**	**8**	**14**	**19**	**37**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	1	1	3	3	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated										
0-19 YRS	449	2.4	4	1	1	2	3	5	6	11
20-34	59	3.0	5	< 1	1	2	4	7	8	8
35-49	41	2.5	3	< 1	1	2	3	5	6	7
50-64	29	3.2	6	< 1	1	3	5	6	7	11
65 +	20	3.7	8	< 1	1	3	6	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.2	3	< 1	< 1	1	3	5	6	8
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	7	8.0	72	< 1	< 1	6	12	22	24	24
50-64	8	29.4	907	1	2	22	51	75	84	84
65 +	24	14.4	431	1	3	6	19	37	62	90
B. Operated										
0-19 YRS	1176	3.1	10	1	1	2	4	6	8	12
20-34	213	3.8	12	1	2	3	5	8	10	21
35-49	186	3.9	23	1	2	3	5	7	10	31
50-64	161	4.8	47	1	2	3	5	9	11	40
65 +	159	6.7	31	2	3	5	10	13	15	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	2	< 1	1	1	3	4	5	5
B. Operated	598	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	65	10.7	341	< 1	1	3	9	31	51	89
B. Operated	1895	3.7	17	1	2	3	4	8	10	19
1. SINGLE DX	607	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	1960	3.9	30	1	2	3	4	8	10	29
A. Not Operated	74	9.6	307	< 1	1	3	8	29	50	89
B. Operated	2493	3.4	14	1	1	2	4	7	9	16
TOTAL										
0-19 YRS	1654	2.9	8	1	1	2	4	6	7	11
20-34	274	3.6	11	1	2	3	5	7	9	16
35-49	235	3.7	22	1	1	3	4	7	10	26
50-64	199	5.5	95	1	2	3	5	10	17	59
65 +	205	7.3	81	1	3	4	9	14	20	43
GRAND TOTAL	**2567**	**3.6**	**24**	**1**	**1**	**2**	**4**	**7**	**9**	**22**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	2.0	3	< 1	1	1	2	4	6	9
20-34	162	2.8	7	1	1	2	3	5	8	15
35-49	195	2.9	10	1	1	2	3	6	9	17
50-64	103	2.8	5	1	1	2	4	6	8	11
65 +	75	3.5	13	1	1	3	4	7	10	20
B. Operated										
0-19 YRS	1026	5.5	14	1	2	6	8	9	10	19
20-34	423	3.2	10	1	1	2	4	7	9	15
35-49	473	3.5	16	1	1	2	4	8	11	22
50-64	404	2.9	10	1	1	2	3	6	10	16
65 +	246	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	299	3.7	16	1	1	2	4	8	12	21
20-34	395	3.9	12	1	2	3	5	8	10	17
35-49	669	4.0	15	1	2	3	5	8	11	20
50-64	656	4.3	29	1	2	3	5	8	11	25
65 +	1088	5.6	27	1	2	4	7	12	14	25
B. Operated										
0-19 YRS	2008	6.4	54	1	2	5	8	12	18	37
20-34	909	5.5	46	1	1	3	7	12	19	39
35-49	1143	6.0	61	1	2	4	7	13	18	45
50-64	1046	6.4	73	1	2	4	8	14	20	44
65 +	1120	7.5	72	1	2	5	9	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	712	2.7	7	< 1	1	2	3	5	8	15
B. Operated	2572	4.1	14	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	3107	4.6	22	1	2	3	6	9	13	23
B. Operated	6226	6.4	61	1	2	4	8	14	19	43
1. SINGLE DX	3284	3.8	13	1	1	2	6	8	10	16
2. MULTIPLE DX	9333	5.8	49	1	2	4	7	12	17	37
A. Not Operated	3819	4.2	20	1	2	3	5	9	12	21
B. Operated	8798	5.7	48	1	2	4	7	12	17	37
TOTAL										
0-19 YRS	3510	5.7	38	1	2	4	8	10	15	30
20-34	1889	4.4	29	1	1	3	6	9	14	26
35-49	2480	4.8	37	1	1	3	6	10	15	29
50-64	2209	5.0	47	1	2	3	6	10	15	34
65 +	2529	6.1	47	1	2	4	8	13	18	39
GRAND TOTAL	**12617**	**5.3**	**40**	**1**	**2**	**3**	**7**	**11**	**15**	**32**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.7	6	2	4	4	5	9	10	10
35-49	21	4.3	10	2	2	3	5	8	12	15
50-64	8	4.3	5	2	3	4	5	8	9	9
65 +	9	5.7	7	2	4	5	8	9	10	10
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	5.0	28	1	1	3	9	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.5	4	1	2	3	5	6	6	6
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	45	4.6	8	2	2	4	5	9	10	15
B. Operated	6	4.8	17	1	2	3	9	11	11	11
1. SINGLE DX	10	3.3	3	1	2	3	5	6	6	6
2. MULTIPLE DX	51	4.6	9	2	2	4	5	9	10	15
A. Not Operated	53	4.5	7	2	2	4	5	8	10	15
B. Operated	8	4.3	13	1	2	3	6	10	11	11
TOTAL										
0-19 YRS	0									
20-34	13	4.1	7	2	2	4	5	9	10	10
35-49	27	4.4	11	2	2	3	5	9	12	15
50-64	11	4.1	4	2	2	4	5	7	9	9
65 +	10	5.4	7	2	3	5	8	9	10	10
GRAND TOTAL	**61**	**4.4**	**8**	**2**	**2**	**4**	**5**	**9**	**10**	**15**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	4.2	56	1	1	2	4	7	17	47
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	349	5.0	17	2	3	4	6	10	12	21
20-34	21	7.4	38	2	4	6	8	16	24	27
35-49	21	6.9	9	3	5	6	9	11	12	12
50-64	6	6.3	8	1	6	7	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	228	4.7	27	1	2	3	6	12	16	99 +
20-34	17	4.4	11	1	2	4	6	9	12	13
35-49	8	5.3	16	1	2	4	7	12	13	13
50-64	15	6.5	34	2	2	4	8	15	20	22
65 +	16	5.3	8	1	3	5	8	9	9	9
B. Operated										
0-19 YRS	967	8.4	92	2	4	6	9	18	27	99 +
20-34	66	11.2	97	4	5	8	12	23	30	59
35-49	58	8.4	33	3	5	7	10	15	19	34
50-64	28	12.3	114	4	5	8	15	27	36	46
65 +	17	9.5	60	2	4	6	15	20	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	4.0	51	< 1	1	2	4	6	15	45
B. Operated	397	5.3	18	2	3	4	7	10	12	23
2. MULTIPLE DX										
A. Not Operated	284	4.9	25	1	2	3	6	11	15	76
B. Operated	1136	8.7	90	2	4	6	10	18	27	91
1. SINGLE DX	459	5.1	22	1	2	4	6	10	12	26
2. MULTIPLE DX	1420	7.9	79	2	3	5	9	17	26	93
A. Not Operated	346	4.7	30	1	1	3	6	11	15	48
B. Operated	1533	7.8	73	2	3	5	9	16	24	70
TOTAL										
0-19 YRS	1599	7.0	68	1	3	5	8	15	22	80
20-34	108	9.0	77	2	4	7	11	21	25	48
35-49	89	7.6	27	2	4	7	9	13	16	30
50-64	50	9.6	83	2	4	7	11	23	28	46
65 +	33	7.5	38	2	4	5	9	16	20	28
GRAND TOTAL	**1879**	**7.2**	**67**	**1**	**3**	**5**	**8**	**15**	**22**	**68**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	1.8	5	< 1	< 1	< 1	1	4	7	13
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	721	1.7	2	< 1	1	1	2	3	5	8
20-34	86	2.2	4	1	1	1	2	4	7	12
35-49	47	1.7	1	< 1	1	1	2	3	4	4
50-64	25	1.4		< 1	1	1	2	2	3	3
65 +	6	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.0	2	< 1	1	1	2	5	5	7
20-34	0									
35-49	3	5.3	4	3	4	6	7	7	7	7
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	480	2.3	9	1	1	1	3	5	7	15
20-34	43	2.2	4	1	1	1	3	4	7	9
35-49	37	2.6	9	1	1	2	3	5	7	18
50-64	19	2.1	6	1	1	1	3	4	8	11
65 +	11	2.9	22	1	1	1	2	9	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	1.8	5	< 1	< 1	< 1	1	4	7	12
B. Operated	885	1.7	3	< 1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	69	2.2	3	< 1	1	1	3	5	6	7
B. Operated	590	2.3	9	1	1	1	3	5	7	17
1. SINGLE DX	955	1.7	3	< 1	1	1	2	3	5	9
2. MULTIPLE DX	659	2.3	8	1	1	1	3	5	7	16
A. Not Operated	139	2.0	4	< 1	< 1	1	2	4	6	10
B. Operated	1475	2.0	5	< 1	1	1	2	4	5	11
TOTAL										
0-19 YRS	1332	1.9	5	< 1	1	1	2	4	6	11
20-34	131	2.2	4	1	1	1	3	4	7	10
35-49	89	2.2	5	1	1	2	2	4	6	14
50-64	44	1.7	3	1	1	1	2	3	4	11
65 +	18	2.3	14	1	1	1	2	4	12	17
GRAND TOTAL	**1614**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**	**11**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	4.5	42	1	1	2	5	10	24	94
20-34	11	2.0	2	1	1	2	2	4	6	6
35-49	7	3.6	35	1	1	1	2	14	17	17
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2542	3.9	9	1	1	4	6	8	9	14
20-34	126	3.7	8	1	1	2	6	8	9	13
35-49	88	3.5	7	1	1	2	6	7	8	10
50-64	28	4.3	10	1	2	3	7	9	10	11
65 +	6	3.5	13	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1032	4.2	48	< 1	1	2	4	9	13	34
20-34	72	3.5	9	1	1	3	5	8	10	14
35-49	36	5.6	26	1	2	4	8	10	15	27
50-64	19	4.0	10	2	2	3	5	7	12	15
65 +	40	4.4	15	1	2	4	5	8	12	21
B. Operated										
0-19 YRS	8916	8.5	107	1	2	6	10	19	28	73
20-34	379	7.6	103	1	2	6	9	14	23	61
35-49	243	7.4	51	1	3	6	9	13	20	40
50-64	165	8.0	51	1	3	7	10	14	21	38
65 +	151	8.4	67	1	2	7	11	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	4.3	39	1	1	2	4	10	20	82
B. Operated	2790	3.9	9	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	1199	4.2	44	< 1	1	2	5	9	13	33
B. Operated	9854	8.4	104	1	2	6	10	18	28	70
1. SINGLE DX	2971	3.9	11	1	1	3	6	8	9	15
2. MULTIPLE DX	11053	8.0	100	1	2	6	10	17	27	65
A. Not Operated	1380	4.2	43	< 1	1	2	5	9	14	34
B. Operated	12644	7.4	87	1	2	5	9	16	24	60
TOTAL										
0-19 YRS	12648	7.2	86	1	2	5	9	15	24	60
20-34	588	6.2	73	1	2	5	7	11	16	44
35-49	374	6.2	41	1	2	6	8	12	17	38
50-64	216	7.1	44	1	2	6	9	14	16	33
65 +	198	7.4	58	1	2	6	10	15	21	36
GRAND TOTAL	**14024**	**7.1**	**84**	**1**	**2**	**5**	**8**	**15**	**23**	**58**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.8	23	1	1	1	2	4	16	20
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1570	1.8	1	1	1	2	2	3	4	5
20-34	17	2.0	1	1	1	2	3	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.3	11	< 1	1	2	4	8	9	17
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2044	2.3	7	1	1	2	3	4	5	9
20-34	29	2.1	1	1	1	2	3	3	4	6
35-49	9	1.3		1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.7	22	1	1	1	2	4	15	20
B. Operated	1593	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	52	3.3	11	< 1	1	2	4	8	9	17
B. Operated	2084	2.3	7	1	1	2	3	4	5	9
1. SINGLE DX	1609	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	2136	2.4	7	1	1	2	3	4	5	10
A. Not Operated	68	3.2	13	< 1	1	2	4	8	9	19
B. Operated	3677	2.1	5	1	1	2	2	4	5	7
TOTAL										
0-19 YRS	3681	2.1	5	1	1	2	2	4	5	8
20-34	47	2.0	1	1	1	2	3	3	4	6
35-49	12	1.3		1	1	1	2	2	2	2
50-64	4	1.5		1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**3745**	**2.1**	**5**	**1**	**1**	**2**	**2**	**4**	**5**	**7**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.0	1	1	1	2	2	3	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1562	2.8	1	2	2	3	3	4	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.5	14	< 1	1	2	5	8	14	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	739	4.1	7	2	3	3	5	7	9	13
20-34	0									
35-49	0									
50-64	0									
65 +	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.0	1	1	1	2	2	3	4	4
B. Operated	1563	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	33	3.5	14	< 1	1	2	5	8	14	15
B. Operated	741	4.1	7	2	3	3	5	7	8	13
1. SINGLE DX	1602	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX	774	4.0	7	2	3	3	5	7	9	14
A. Not Operated	72	2.7	7	1	1	2	3	5	7	15
B. Operated	2304	3.2	3	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	2373	3.2	4	2	2	3	4	5	6	10
20-34	0									
35-49	0									
50-64	0									
65 +	3	3.3	5	2	2	2	5	6	6	6
GRAND TOTAL	**2376**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	211	2.3	5	< 1	1	2	3	5	6	12
20-34	7	2.3	5	< 1	< 1	2	2	6	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	8.0	32	4	4	8	12	12	12	12
B. Operated										
0-19 YRS	1113	5.1	30	1	2	4	7	10	13	24
20-34	33	3.7	6	1	1	3	5	7	9	9
35-49	32	5.3	10	1	3	5	6	10	13	14
50-64	13	5.5	9	2	4	5	7	10	12	12
65 +	8	2.9	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	436	4.7	48	1	2	3	5	11	14	36
20-34	8	3.1	4	1	1	3	5	6	6	6
35-49	11	3.3	2	1	2	4	4	5	5	5
50-64	8	4.4	16	2	2	3	4	11	14	14
65 +	31	4.7	6	2	3	4	6	8	9	11
B. Operated										
0-19 YRS	2258	10.2	198	1	3	6	11	28	57	99 +
20-34	105	6.5	92	1	3	5	7	10	15	56
35-49	70	9.0	100	2	4	6	10	18	29	50
50-64	65	7.3	20	2	5	7	9	14	16	23
65 +	77	11.2	141	3	6	9	13	17	23	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.4	5	< 1	1	2	3	5	6	13
B. Operated	1199	5.1	28	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. Not Operated	494	4.7	43	1	2	3	5	10	13	32
B. Operated	2575	10.0	185	1	3	6	11	25	53	99 +
1. SINGLE DX	1422	4.6	26	1	1	3	6	10	12	22
2. MULTIPLE DX	3069	9.1	166	1	3	5	10	22	44	99 +
A. Not Operated	717	3.9	33	1	1	2	5	8	12	27
B. Operated	3774	8.4	141	1	2	5	9	19	34	99 +
TOTAL										
0-19 YRS	4018	7.8	133	1	2	5	9	17	32	99 +
20-34	153	5.5	67	1	2	4	6	9	12	25
35-49	115	7.3	68	2	4	5	8	14	20	49
50-64	87	6.7	18	2	4	6	8	12	15	23
65 +	118	8.8	104	2	4	7	11	16	18	60
GRAND TOTAL	**4491**	**7.7**	**126**	**1**	**2**	**5**	**9**	**17**	**29**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	406	1.3	1	< 1	< 1	1	1	2	3	5
20-34	18	1.4	1	< 1	1	1	2	3	4	4
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.4	47	< 1	1	1	2	5	19	32
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	444	1.5	1	< 1	1	1	2	3	3	6
20-34	18	1.5		1	1	1	2	2	3	3
35-49	8	1.6	1	1	1	1	2	3	3	3
50-64	6	2.5	2	1	1	3	3	4	4	4
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	431	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	20	3.4	47	< 1	1	1	2	5	19	32
B. Operated	477	1.5	1	< 1	1	1	2	3	3	6
1. SINGLE DX	434	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	497	1.6	3	< 1	1	1	2	3	4	6
A. Not Operated	23	3.2	41	< 1	1	1	2	5	15	32
B. Operated	908	1.4	1	< 1	< 1	1	1	2	3	5
TOTAL										
0-19 YRS	872	1.4	2	< 1	< 1	1	1	2	3	5
20-34	37	1.5	1	1	1	1	2	2	3	4
35-49	13	1.8	1	1	1	1	2	3	4	4
50-64	8	2.1	2	1	1	2	3	4	4	4
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**931**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.6	8	1	1	2	3	5	8	18
20-34	5	1.6		1	1	2	2	2	2	2
35-49	7	2.1	1	< 1	< 1	2	3	4	4	4
50-64	3	2.3	5	< 1	< 1	< 1	4	5	5	5
65 +	4	4.5	17	1	1	4	8	9	9	9
B. Operated										
0-19 YRS	1742	2.6	6	< 1	1	2	3	6	8	11
20-34	113	3.7	8	1	2	3	5	7	8	14
35-49	53	3.3	5	1	1	3	4	6	8	9
50-64	14	3.5	4	1	2	4	5	6	7	7
65 +	7	3.9	6	< 1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	4.5	34	< 1	1	2	5	9	16	38
20-34	33	3.5	6	1	2	2	5	7	8	9
35-49	58	3.3	10	1	1	2	4	7	10	17
50-64	34	4.7	24	< 1	1	2	7	10	17	21
65 +	30	4.4	22	1	1	3	6	10	14	22
B. Operated										
0-19 YRS	1650	5.2	35	1	2	4	7	11	14	30
20-34	210	4.9	15	1	3	4	6	8	12	24
35-49	164	5.0	25	1	3	4	6	9	11	51
50-64	116	5.4	12	2	3	4	7	10	12	16
65 +	69	6.9	32	2	4	6	8	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.6	7	< 1	1	2	3	5	8	16
B. Operated	1929	2.7	6	< 1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	304	4.2	24	1	1	2	5	9	14	25
B. Operated	2209	5.2	31	1	2	4	7	10	14	29
1. SINGLE DX	1999	2.7	6	< 1	1	2	4	6	8	11
2. MULTIPLE DX	2513	5.1	30	1	2	4	6	10	14	29
A. Not Operated	374	3.9	21	1	1	2	5	8	12	22
B. Operated	4138	4.0	21	1	1	3	5	8	11	23
TOTAL										
0-19 YRS	3592	3.9	22	1	1	2	5	8	11	24
20-34	361	4.3	12	1	2	4	5	8	10	17
35-49	282	4.3	18	1	2	4	5	8	10	17
50-64	167	5.1	14	1	2	4	7	9	12	20
65 +	110	6.0	28	1	2	5	7	13	15	28
GRAND TOTAL	**4512**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.9	3	< 1	< 1	1	2	2	7	8
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1234	1.9	1	1	1	2	2	3	4	7
20-34	14	2.8	2	2	2	2	4	4	6	6
35-49	9	2.3	3	1	1	2	3	5	6	6
50-64	5	2.2	2	1	1	2	3	4	4	4
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	1.5	1	< 1	< 1	1	2	3	4	4
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	813	2.6	9	1	1	2	3	4	6	11
20-34	63	2.4	2	1	1	2	3	4	5	7
35-49	43	2.2	2	1	1	2	3	4	5	5
50-64	53	2.1	1	1	1	2	3	3	3	4
65 +	23	2.4	3	< 1	1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.9	3	< 1	< 1	1	2	3	6	8
B. Operated	1264	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	33	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	995	2.5	7	1	1	2	3	4	5	10
1. SINGLE DX	1280	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	1028	2.5	7	1	1	2	3	4	5	10
A. Not Operated	49	1.6	2	< 1	< 1	1	2	3	4	8
B. Operated	2259	2.2	4	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	2094	2.2	4	1	1	2	3	4	5	8
20-34	77	2.5	2	1	2	2	3	4	5	7
35-49	53	2.3	2	1	1	2	3	4	5	6
50-64	59	2.1	1	1	1	2	3	3	4	4
65 +	25	2.4	3	< 1	1	2	3	5	6	7
GRAND TOTAL	**2308**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	268	2.7	28	< 1	1	1	2	5	8	42
20-34	22	4.5	47	< 1	1	2	4	12	25	25
35-49	20	2.7	17	< 1	< 1	1	2	6	13	19
50-64	17	5.1	16	1	2	5	7	8	14	17
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	3292	3.3	11	1	1	2	4	6	9	18
20-34	251	3.1	8	1	1	2	4	7	9	14
35-49	179	3.0	7	1	1	2	5	7	8	11
50-64	91	3.8	13	1	1	3	6	8	9	21
65 +	24	2.5	5	1	1	2	3	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	664	4.9	39	1	1	3	6	12	17	29
20-34	66	5.6	26	< 1	2	4	7	12	19	21
35-49	32	4.9	10	1	3	4	7	8	12	14
50-64	33	5.7	22	1	2	5	8	12	20	99 +
65 +	62	6.6	26	2	3	5	8	14	17	23
B. Operated										
0-19 YRS	2681	5.9	67	1	2	4	7	13	24	99 +
20-34	357	5.3	23	1	2	4	7	11	12	22
35-49	324	6.4	62	1	2	5	8	11	14	49
50-64	206	6.6	54	1	2	6	8	11	14	40
65 +	138	7.9	50	1	3	6	11	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	2.9	28	< 1	1	1	3	6	9	40
B. Operated	3837	3.3	10	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated	857	5.1	35	1	1	3	6	12	17	29
B. Operated	3706	6.0	61	1	2	4	7	12	20	86
1. SINGLE DX	4167	3.2	12	1	1	2	4	6	9	19
2. MULTIPLE DX	4563	5.8	57	1	2	4	7	12	19	63
A. Not Operated	1187	4.5	34	1	1	2	5	11	17	29
B. Operated	7543	4.6	37	1	1	3	6	9	14	40
TOTAL										
0-19 YRS	6905	4.4	38	1	1	3	5	9	15	43
20-34	696	4.5	20	1	1	3	6	9	12	22
35-49	555	5.1	42	1	1	4	7	9	12	31
50-64	347	5.7	40	1	2	5	7	10	14	34
65 +	227	6.9	41	1	2	5	9	14	19	32
GRAND TOTAL	**8730**	**4.6**	**37**	**1**	**1**	**3**	**6**	**9**	**14**	**38**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	260	10.6	73	2	4	10	15	20	24	42
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	5.4	11	1	3	4	8	10	10	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1647	17.4	234	3	7	13	24	41	58	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	422	37.3	736	10	21	59	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	10.6	73	2	4	10	15	20	24	42
B. Operated	7	5.4	11	1	3	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	1647	17.4	234	3	7	13	24	41	58	99 +
B. Operated	422	37.3	736	10	21	59	99 +	99 +	99 +	99 +
1. SINGLE DX	267	10.5	72	2	4	10	15	20	24	42
2. MULTIPLE DX	2069	21.4	400	4	8	17	38	99 +	99 +	99 +
A. Not Operated	1907	16.5	217	3	6	13	22	38	55	99 +
B. Operated	429	36.8	741	9	20	59	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	2336	20.2	375	4	8	15	34	95	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2336**	**20.2**	**375**	**4**	**8**	**15**	**34**	**95**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4388	2.0	1	1	1	2	2	3	4	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	61	3.3	5	1	2	3	4	5	6	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1549	2.9	7	1	2	2	3	5	6	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	8.3	124	2	3	5	9	22	48	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4388	2.0	1	1	1	2	2	3	4	5
B. Operated	61	3.3	5	1	2	3	4	5	6	15
2. MULTIPLE DX										
A. Not Operated	1549	2.9	7	1	2	2	3	5	6	13
B. Operated	81	8.3	124	2	3	5	9	22	48	99 +
1. SINGLE DX	4449	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX	1630	3.2	15	1	2	2	3	5	7	20
A. Not Operated	5937	2.3	3	1	2	2	3	3	4	7
B. Operated	142	6.2	79	1	2	4	6	14	32	99 +
TOTAL										
0-19 YRS	6079	2.4	5	1	2	2	3	4	4	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**6079**	**2.4**	**5**	**1**	**2**	**2**	**3**	**4**	**4**	**8**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2057	3.1	8	1	2	3	4	5	7	14
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	121	5.0	57	1	1	3	6	11	32	99 +
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5713	6.1	69	2	2	3	7	13	20	63
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	975	18.5	415	3	7	16	77	99 +	99 +	99 +
20-34	3	1.7		1	1	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2060	3.1	8	1	2	3	4	5	7	14
B. Operated	123	4.9	56	1	1	3	6	11	31	99 +
2. MULTIPLE DX										
A. Not Operated	5713	6.1	69	2	2	3	7	13	20	63
B. Operated	978	18.4	415	3	7	15	76	99 +	99 +	99 +
1. SINGLE DX	2183	3.2	11	1	2	3	4	6	8	17
2. MULTIPLE DX	6691	7.9	138	2	2	4	9	26	82	99 +
A. Not Operated	7773	5.3	54	1	2	3	5	11	17	50
B. Operated	1101	16.9	393	2	6	13	65	99 +	99 +	99 +
TOTAL										
0-19 YRS	8866	6.7	111	1	2	3	7	19	50	99 +
20-34	7	1.4		< 1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	**8874**	**6.7**	**111**	**1**	**2**	**3**	**7**	**19**	**49**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2570	2.2	3	1	1	2	3	4	5	8
20-34	553	2.3	3	1	1	2	3	4	6	9
35-49	369	2.5	5	1	1	2	3	5	7	11
50-64	173	3.0	10	1	1	2	4	5	7	22
65 +	133	3.2	6	1	2	3	4	6	7	11
B. Operated										
0-19 YRS	22	4.2	14	1	2	3	5	7	12	18
20-34	8	6.9	65	1	2	3	11	20	22	22
35-49	5	3.4	3	1	2	3	5	5	5	5
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6129	3.0	12	1	1	2	3	5	7	15
20-34	1309	3.6	16	1	2	3	4	7	9	18
35-49	1615	4.0	16	1	2	3	5	7	10	21
50-64	1625	4.5	16	1	2	3	6	8	12	23
65 +	3154	6.1	38	2	3	5	7	11	16	33
B. Operated										
0-19 YRS	177	8.2	158	1	3	5	8	15	30	86
20-34	106	6.6	43	1	2	4	10	16	25	61
35-49	147	7.5	74	1	3	5	9	14	24	57
50-64	169	9.9	118	2	4	7	13	24	31	99
65 +	285	12.9	152	3	5	9	15	27	37	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3798	2.3	3	1	1	2	3	4	5	9
B. Operated	39	4.4	22	1	1	3	5	8	18	22
2. MULTIPLE DX										
A. Not Operated	13832	4.0	21	1	2	3	5	8	11	22
B. Operated	884	9.7	126	2	3	6	12	23	30	80
1. SINGLE DX	3837	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	14716	4.4	29	1	2	3	5	8	12	28
A. Not Operated	17630	3.7	18	1	2	3	4	7	10	20
B. Operated	923	9.5	123	2	3	6	11	22	30	80
TOTAL										
0-19 YRS	8898	2.8	13	1	1	2	3	5	7	15
20-34	1976	3.4	15	1	1	2	4	6	9	19
35-49	2136	4.0	20	1	2	3	5	7	11	23
50-64	1971	4.9	27	1	2	3	6	9	13	29
65 +	3572	6.5	50	2	3	5	7	12	18	38
GRAND TOTAL	**18553**	**3.9**	**25**	**1**	**2**	**3**	**4**	**8**	**11**	**25**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1484	2.7	2	1	2	3	3	4	5	8
20-34	90	3.6	6	1	2	3	5	7	9	12
35-49	73	3.7	4	2	2	3	4	6	7	10
50-64	41	3.8	6	1	2	3	5	7	9	11
65 +	32	3.0	3	1	2	2	4	6	7	7
B. Operated										
0-19 YRS	24	3.7	6	1	2	3	5	8	8	9
20-34	4	13.0	50	6	7	12	18	22	22	22
35-49	4	9.5	86	2	2	7	16	22	22	22
50-64	4	12.3	46	5	6	13	18	18	18	18
65 +	5	9.8	6	7	8	10	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4061	3.4	7	2	2	3	4	6	7	14
20-34	596	4.7	13	2	2	4	6	8	11	20
35-49	699	4.9	14	2	3	4	6	9	12	21
50-64	863	5.8	17	2	3	5	7	10	13	22
65 +	2058	6.6	41	2	3	5	8	12	15	32
B. Operated										
0-19 YRS	235	9.2	98	2	3	6	11	20	27	51
20-34	137	9.1	46	2	4	7	12	18	24	44
35-49	174	9.7	61	3	4	8	12	20	24	40
50-64	206	11.0	83	3	5	8	14	22	29	40
65 +	376	12.6	86	4	6	11	16	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1720	2.8	3	1	2	3	3	4	6	10
B. Operated	41	6.8	32	1	3	5	9	16	20	22
2. MULTIPLE DX										
A. Not Operated	8277	4.7	20	2	2	3	6	9	11	21
B. Operated	1128	10.7	81	3	5	8	14	22	29	48
1. SINGLE DX	1761	2.9	4	1	2	3	3	5	6	10
2. MULTIPLE DX	9405	5.4	31	2	2	4	6	11	15	29
A. Not Operated	9997	4.3	17	2	2	3	5	8	11	19
B. Operated	1169	10.6	80	3	5	8	14	21	29	47
TOTAL										
0-19 YRS	5804	3.4	11	1	2	3	4	6	8	17
20-34	827	5.3	21	2	2	4	7	11	14	25
35-49	950	5.7	26	2	3	4	7	11	15	24
50-64	1114	6.7	33	2	3	5	8	13	17	30
65 +	2471	7.5	52	2	4	6	9	14	19	39
GRAND TOTAL	**11166**	**5.0**	**27**	**2**	**2**	**3**	**6**	**10**	**14**	**27**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	2.0	2	1	1	2	2	3	5	8
20-34	226	2.6	5	1	1	2	3	5	6	13
35-49	173	2.6	5	1	1	2	3	5	7	11
50-64	38	2.5	4	1	1	2	3	4	8	9
65 +	22	2.9	13	1	1	2	3	4	11	18
B. Operated										
0-19 YRS	6	1.7	1	1	1	1	2	4	4	4
20-34	43	2.3	3	1	1	2	3	5	7	8
35-49	43	2.7	8	1	1	2	3	5	9	16
50-64	19	2.5	2	1	1	2	4	5	6	6
65 +	10	2.3	5	< 1	1	1	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	366	2.5	5	1	1	2	3	5	6	10
20-34	560	3.5	8	1	2	3	4	7	9	15
35-49	535	3.6	9	1	2	3	5	7	8	12
50-64	337	3.5	7	1	2	3	4	7	9	12
65 +	303	4.2	9	1	2	3	5	8	10	15
B. Operated										
0-19 YRS	21	4.0	7	1	2	4	5	6	9	13
20-34	83	6.5	72	1	2	5	8	12	15	57
35-49	59	5.0	23	1	2	4	7	9	16	27
50-64	65	5.8	22	2	2	5	7	12	14	27
65 +	70	6.3	29	1	3	4	9	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	576	2.5	4	1	1	2	3	5	6	11
B. Operated	121	2.4	5	1	1	2	3	4	7	12
2. MULTIPLE DX										
A. Not Operated	2101	3.5	8	1	2	3	4	7	9	13
B. Operated	298	5.9	37	1	2	4	7	11	16	28
1. SINGLE DX	697	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2399	3.8	12	1	2	3	5	7	9	16
A. Not Operated	2677	3.3	7	1	2	2	4	6	8	13
B. Operated	419	4.9	30	1	2	3	6	10	14	27
TOTAL										
0-19 YRS	510	2.4	5	1	1	2	3	5	6	10
20-34	912	3.5	14	1	2	3	4	7	9	17
35-49	810	3.5	9	1	2	3	4	7	8	15
50-64	459	3.7	9	1	2	3	5	7	9	15
65 +	405	4.4	13	1	2	3	6	9	11	20
GRAND TOTAL	**3096**	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.9	2	< 1	1	2	2	4	5	5
20-34	24	2.4	3	1	1	2	4	5	5	5
35-49	42	2.8	2	1	1	3	4	5	6	6
50-64	53	2.8	3	1	1	2	4	5	6	8
65 +	71	2.8	3	1	1	2	4	5	6	9
B. Operated										
0-19 YRS	26	2.9	8	< 1	< 1	2	3	7	9	13
20-34	48	3.5	3	1	2	3	4	6	7	8
35-49	104	3.3	3	1	2	3	4	5	6	10
50-64	111	3.5	3	1	2	4	5	6	7	9
65 +	128	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.2	3	1	1	1	3	5	6	7
20-34	36	2.8	3	1	1	2	4	5	6	8
35-49	107	3.2	4	1	2	3	4	6	6	11
50-64	256	3.5	4	1	2	3	5	6	7	10
65 +	462	3.8	20	1	2	3	5	7	8	13
B. Operated										
0-19 YRS	44	4.9	18	1	2	4	6	12	13	18
20-34	50	5.4	45	1	2	4	7	9	11	47
35-49	160	4.5	9	2	3	4	6	8	9	14
50-64	365	4.6	10	2	3	4	6	8	11	17
65 +	672	5.3	30	2	2	4	6	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	2.7	3	1	1	2	4	5	6	7
B. Operated	417	3.3	3	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	918	3.5	12	1	2	3	4	6	8	12
B. Operated	1291	5.0	22	2	2	4	6	9	11	20
1. SINGLE DX	624	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX	2209	4.4	18	1	2	4	5	8	10	18
A. Not Operated	1125	3.3	10	1	2	3	4	6	7	11
B. Operated	1708	4.6	18	1	2	4	6	8	10	19
TOTAL										
0-19 YRS	144	3.1	10	< 1	1	2	4	7	10	16
20-34	158	3.8	17	1	2	3	5	7	9	11
35-49	413	3.7	6	1	2	3	5	6	8	12
50-64	785	4.0	7	1	2	4	5	7	9	14
65 +	1333	4.4	23	1	2	3	5	8	10	20
GRAND TOTAL	**2833**	**4.1**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.8	12	1	2	3	5	6	9	21
20-34	22	2.2	5	1	1	2	2	3	7	11
35-49	26	1.9	2	< 1	1	1	3	4	5	7
50-64	26	1.8	2	< 1	1	1	2	3	5	8
65 +	21	3.2	11	1	1	2	4	8	12	13
B. Operated										
0-19 YRS	97	2.0	4	< 1	< 1	1	2	5	7	10
20-34	58	2.5	7	< 1	1	1	2	6	8	15
35-49	46	1.6	1	< 1	1	1	2	3	4	5
50-64	37	1.8	3	< 1	1	1	2	5	6	7
65 +	19	1.7	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	5.3	43	1	2	3	6	12	16	41
20-34	87	4.1	20	1	1	3	4	8	11	23
35-49	175	3.2	12	1	1	2	4	7	9	18
50-64	240	4.2	25	1	2	3	5	9	12	26
65 +	476	5.6	29	1	2	4	8	12	15	26
B. Operated										
0-19 YRS	95	8.2	142	1	1	4	9	23	43	80
20-34	75	5.6	35	1	2	4	7	14	21	81
35-49	107	6.6	82	1	1	4	8	16	19	53
50-64	146	8.2	144	1	2	4	9	19	41	84
65 +	172	12.8	172	1	5	9	16	29	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	2.7	7	< 1	1	2	3	6	8	14
B. Operated	257	2.0	4	< 1	1	1	2	5	6	10
2. MULTIPLE DX										
A. Not Operated	1128	4.8	27	1	2	3	6	10	14	25
B. Operated	595	8.9	133	1	2	5	11	21	33	68
1. SINGLE DX	396	2.3	5	< 1	1	1	3	5	7	12
2. MULTIPLE DX	1723	6.2	68	1	2	3	8	14	21	46
A. Not Operated	1267	4.6	25	1	2	3	6	10	13	25
B. Operated	852	6.8	104	1	1	3	8	17	29	60
TOTAL										
0-19 YRS	386	5.0	59	< 1	1	3	6	10	19	48
20-34	242	4.0	21	1	1	2	5	9	14	26
35-49	354	3.9	35	1	1	2	4	8	14	27
50-64	449	5.2	65	1	1	3	6	11	18	45
65 +	688	7.2	74	1	2	4	9	16	24	44
GRAND TOTAL	**2119**	**5.5**	**58**	**1**	**1**	**3**	**6**	**12**	**18**	**43**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	5	12.4	93	3	6	8	19	27	27	27
B. Operated										
0-19 YRS	9	4.3	67	< 1	1	1	3	17	26	26
20-34	6	3.8	3	2	2	4	4	7	7	7
35-49	19	5.8	39	1	2	3	6	17	20	22
50-64	17	7.0	64	2	2	4	9	13	27	34
65 +	41	10.4	151	1	2	6	14	31	34	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	9.3	39	3	4	7	14	19	20	20
20-34	7	5.6	9	2	3	6	8	9	9	9
35-49	~~16~~	9.3	126	1	3	5	9	28	38	42
50-64	22	6.8	18	2	3	6	10	14	45	99 +
65 +	122	9.8	85	3	4	7	12	21	35	66
B. Operated										
0-19 YRS	19	6.9	78	< 1	1	3	9	15	28	38
20-34	46	15.4	233	3	5	8	21	37	52	65
35-49	~~131~~	14.7	144	3	5	11	22	32	40	53
50-64	313	15.0	143	4	7	12	20	31	41	55
65 +	966	15.0	159	4	7	11	19	30	42	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	8.7	65	1	2	7	13	21	26	27
B. Operated	92	7.8	98	1	2	4	9	21	33	49
2. MULTIPLE DX										
A. Not Operated	174	9.2	76	2	4	7	11	20	34	88
B. Operated	1475	14.9	156	4	7	11	19	31	41	65
1. SINGLE DX	103	7.9	94	1	2	4	9	20	30	46
2. MULTIPLE DX	1649	14.3	150	3	6	11	18	30	40	65
A. Not Operated	185	9.2	75	2	4	7	11	19	32	83
B. Operated	1567	14.5	155	3	6	11	19	30	40	64
TOTAL										
0-19 YRS	36	6.6	66	1	1	3	9	15	24	38
20-34	61	12.9	197	2	4	7	16	34	44	64
35-49	168	13.1	138	2	4	9	18	31	39	51
50-64	353	14.0	138	3	6	11	19	29	39	56
65 +	1134	14.3	153	4	7	11	18	30	40	68
GRAND TOTAL	**1752**	**13.9**	**149**	**3**	**6**	**10**	**18**	**30**	**40**	**64**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	1.8	2	1	1	1	2	4	5	6
20-34	1045	1.8	1	1	1	2	2	3	4	6
35-49	4006	1.8	1	1	1	2	2	3	4	5
50-64	2905	2.0	3	1	1	2	2	3	4	6
65 +	1105	2.1	3	1	1	2	3	4	4	7
B. Operated										
0-19 YRS	8	1.6	1	< 1	< 1	1	2	3	4	4
20-34	115	2.5	5	1	1	2	3	5	6	14
35-49	758	2.1	2	1	1	2	3	4	5	7
50-64	876	1.9	2	1	1	1	2	4	5	7
65 +	304	2.1	3	1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	2.3	6	1	1	2	3	4	5	10
20-34	2321	2.3	3	1	1	2	3	4	5	8
35-49	11146	2.4	3	1	1	2	3	4	5	8
50-64	13712	2.7	4	1	2	2	3	5	6	9
65 +	13947	3.2	7	1	2	3	4	6	7	12
B. Operated										
0-19 YRS	17	3.8	10	1	1	2	6	7	10	12
20-34	314	3.4	9	1	1	3	4	7	9	16
35-49	2842	3.1	7	1	1	2	4	6	7	12
50-64	4535	3.2	9	1	1	2	4	6	8	14
65 +	3265	4.1	17	1	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9154	1.9	2	1	1	2	2	3	4	6
B. Operated	2061	2.1	2	1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	41350	2.8	5	1	1	2	3	5	6	10
B. Operated	10973	3.4	11	1	1	3	4	7	9	16
1. SINGLE DX	11215	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX	52323	2.9	6	1	1	2	4	5	7	12
A. Not Operated	50504	2.6	4	1	1	2	3	5	6	9
B. Operated	13034	3.2	10	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	342	2.2	5	1	1	2	3	4	6	10
20-34	3795	2.3	3	1	1	2	3	4	5	9
35-49	18752	2.4	3	1	1	2	3	4	5	9
50-64	22028	2.7	5	1	1	2	3	5	6	10
65 +	18621	3.3	8	1	2	3	4	6	8	13
GRAND TOTAL	**63538**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**5**	**11**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1111	2.3	3	1	1	2	3	4	6	10
20-34	22	2.6	18	< 1	1	1	2	4	11	21
35-49	34	2.6	6	< 1	1	2	3	5	6	14
50-64	29	1.7	2	< 1	1	1	2	3	4	7
65 +	30	3.5	6	1	1	3	6	7	8	9
B. Operated										
0-19 YRS	94	2.2	5	1	1	1	2	5	6	13
20-34	28	3.5	9	1	1	3	4	8	11	12
35-49	63	3.2	8	1	1	2	4	8	10	10
50-64	54	2.8	8	< 1	1	2	3	7	10	13
65 +	39	2.9	6	< 1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2648	4.1	19	1	2	3	5	8	11	22
20-34	164	3.6	13	1	1	2	5	7	11	20
35-49	281	3.3	9	1	1	2	4	7	8	16
50-64	427	3.7	12	1	2	3	4	8	10	20
65 +	863	4.5	29	1	2	3	5	8	11	20
B. Operated										
0-19 YRS	389	8.0	116	1	1	4	10	24	38	99 +
20-34	75	6.0	30	1	2	4	9	16	20	79
35-49	159	4.7	17	1	2	3	7	10	15	18
50-64	338	5.4	38	1	2	3	6	12	16	31
65 +	462	6.0	29	1	2	4	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1226	2.3	4	1	1	2	3	4	6	10
B. Operated	278	2.8	7	1	1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	4383	4.1	20	1	2	3	5	8	11	21
B. Operated	1423	6.2	55	1	2	4	8	15	21	51
1. SINGLE DX	1504	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX	5806	4.6	29	1	2	3	5	9	13	28
A. Not Operated	5609	3.7	17	1	1	3	4	7	10	20
B. Operated	1701	5.7	49	1	2	4	7	13	19	45
TOTAL										
0-19 YRS	4242	3.9	26	1	1	2	4	8	11	29
20-34	289	4.2	18	1	1	3	5	10	14	21
35-49	537	3.7	11	1	1	3	5	8	10	17
50-64	848	4.2	23	1	1	3	5	8	13	24
65 +	1394	4.9	28	1	2	4	6	9	13	24
GRAND TOTAL	**7310**	**4.1**	**25**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.2	3	< 1	1	2	3	4	6	8
20-34	234	1.8	1	1	1	1	2	3	4	7
35-49	257	1.7	1	< 1	1	1	2	3	4	7
50-64	145	1.7	1	1	1	1	2	3	4	5
65 +	58	2.3	7	< 1	1	2	3	4	5	19
B. Operated										
0-19 YRS	33	2.5	4	< 1	< 1	2	3	5	7	9
20-34	34	3.4	4	1	2	3	4	5	6	11
35-49	53	3.2	3	1	2	3	4	5	7	9
50-64	38	3.6	4	1	2	4	4	6	8	10
65 +	24	2.7	2	1	2	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	2.3	3	1	1	2	3	5	6	8
20-34	270	2.6	5	1	1	2	3	5	6	9
35-49	323	2.7	6	1	1	2	3	5	7	11
50-64	335	2.9	6	1	1	2	4	6	8	12
65 +	583	4.3	13	1	2	3	5	9	12	18
B. Operated										
0-19 YRS	111	7.5	46	1	3	6	10	18	23	30
20-34	102	3.8	13	1	2	3	5	8	9	22
35-49	179	4.6	21	1	2	3	6	9	14	24
50-64	223	4.5	14	1	2	3	6	9	13	18
65 +	592	6.3	43	2	3	4	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	753	1.8	2	1	1	1	2	3	4	7
B. Operated	182	3.1	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	1625	3.3	9	1	1	2	4	6	9	15
B. Operated	1207	5.6	33	1	2	4	7	12	16	27
1. SINGLE DX	935	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2832	4.3	20	1	2	3	5	9	13	23
A. Not Operated	2378	2.8	7	1	1	2	3	6	7	14
B. Operated	1389	5.3	30	1	2	4	6	11	15	26
TOTAL										
0-19 YRS	317	4.1	24	< 1	1	3	5	9	14	26
20-34	640	2.5	5	1	1	2	3	5	6	11
35-49	812	2.8	8	1	1	2	3	6	8	14
50-64	741	3.2	8	1	1	2	4	6	9	14
65 +	1257	5.1	28	1	2	4	6	11	15	25
GRAND TOTAL	**3767**	**3.7**	**17**	**1**	**1**	**2**	**4**	**8**	**11**	**22**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2511	1.7	1	< 1	1	1	2	3	4	6
20-34	2333	2.1	2	1	1	2	3	4	5	8
35-49	1385	2.4	3	1	1	2	3	5	6	9
50-64	633	2.4	3	1	1	2	3	4	6	8
65 +	332	2.8	7	1	1	2	3	5	7	11
B. Operated										
0-19 YRS	408	2.7	2	1	2	2	3	4	5	8
20-34	425	3.3	4	1	2	3	4	6	7	11
35-49	205	3.4	5	1	2	3	4	5	7	11
50-64	83	3.3	5	1	1	3	4	6	8	10
65 +	31	4.1	10	< 1	1	4	5	9	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2119	2.2	3	1	1	2	3	4	5	9
20-34	2739	2.8	6	1	1	2	4	5	7	10
35-49	2612	3.3	7	1	2	3	4	6	8	12
50-64	2071	3.6	8	1	2	3	5	7	9	14
65 +	3340	4.3	13	1	2	3	5	8	10	17
B. Operated										
0-19 YRS	386	4.3	22	2	2	3	5	8	10	37
20-34	803	5.0	27	1	2	4	6	9	13	30
35-49	680	5.9	25	2	3	4	8	12	15	26
50-64	473	5.9	16	2	3	5	8	11	14	19
65 +	741	7.7	37	2	4	6	9	14	20	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7194	2.1	2	1	1	2	3	4	5	8
B. Operated	1152	3.1	4	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	12881	3.3	8	1	2	3	4	6	8	14
B. Operated	3083	5.9	28	2	3	4	8	12	15	27
1. SINGLE DX	8346	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	15964	3.8	13	1	2	3	5	8	10	17
A. Not Operated	20075	2.9	7	1	1	2	4	6	7	12
B. Operated	4235	5.1	23	1	2	4	6	10	13	25
TOTAL										
0-19 YRS	5424	2.2	4	1	1	2	3	4	5	9
20-34	6300	2.9	8	1	1	2	3	5	7	12
35-49	4882	3.4	9	1	2	3	4	7	9	15
50-64	3260	3.7	9	1	2	3	5	7	9	14
65 +	4444	4.8	18	1	2	4	6	9	12	21
GRAND TOTAL	**24310**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	280	2.1	5	1	1	2	2	4	5	9
20-34	57	2.5	4	< 1	1	2	3	5	7	11
35-49	78	2.8	7	1	1	2	3	6	8	15
50-64	37	2.3	6	1	1	2	2	5	9	11
65 +	35	2.8	11	< 1	1	2	3	5	9	19
B. Operated										
0-19 YRS	52	2.7	5	< 1	1	2	4	6	7	10
20-34	38	4.1	8	1	2	3	6	7	10	13
35-49	27	4.0	8	1	2	3	5	9	10	11
50-64	20	3.4	7	< 1	1	3	4	6	9	12
65 +	21	4.9	15	1	2	4	6	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1133	3.0	15	1	1	2	3	5	8	17
20-34	455	3.3	7	1	2	3	4	6	8	13
35-49	619	3.9	11	1	2	3	5	8	10	17
50-64	826	4.4	17	1	2	3	5	9	12	23
65 +	1920	5.3	25	2	3	4	6	10	13	20
B. Operated										
0-19 YRS	332	3.9	31	1	1	2	5	9	16	29
20-34	213	4.3	34	1	1	3	5	9	13	42
35-49	305	5.1	43	1	1	4	6	9	15	35
50-64	320	7.1	54	1	2	5	9	16	21	43
65 +	687	8.3	92	1	3	6	10	19	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	487	2.3	6	1	1	2	3	4	6	12
B. Operated	158	3.6	8	1	1	3	5	7	10	13
2. MULTIPLE DX										
A. Not Operated	4953	4.2	19	1	2	3	5	8	11	20
B. Operated	1857	6.3	63	1	2	4	8	15	21	41
1. SINGLE DX	645	2.6	7	1	1	2	3	5	7	13
2. MULTIPLE DX	6810	4.8	32	1	2	3	6	10	14	27
A. Not Operated	5440	4.1	18	1	2	3	5	8	11	19
B. Operated	2015	6.1	59	1	2	4	7	14	20	39
TOTAL										
0-19 YRS	1797	3.0	16	1	1	2	3	6	8	19
20-34	763	3.6	15	1	1	3	4	7	10	17
35-49	1029	4.2	20	1	2	3	5	8	11	21
50-64	1203	5.1	28	1	2	3	6	11	15	27
65 +	2663	6.0	44	2	3	4	7	12	17	31
GRAND TOTAL	**7455**	**4.6**	**30**	**1**	**2**	**3**	**6**	**10**	**13**	**26**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0- 780.2; 780.4-780.5; 780.7 780.9; 781-783; 784.1-784.6; 784.8-784.9; 790- 799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1912	2.8	7	1	1	2	3	6	8	15
20-34	494	2.8	15	1	1	2	3	5	8	21
35-49	566	2.4	7	1	1	2	3	4	5	16
50-64	618	2.6	9	1	1	2	3	5	6	16
65 +	789	3.0	11	1	1	2	3	6	8	18
B. Operated										
0-19 YRS	240	2.8	20	< 1	1	1	3	5	9	30
20-34	115	2.1	6	< 1	1	1	2	4	6	15
35-49	197	1.8	3	1	1	1	2	3	5	10
50-64	181	1.8	3	< 1	1	1	2	4	6	8
65 +	90	2.5	5	1	1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4637	4.8	30	1	2	3	6	10	14	29
20-34	1566	3.2	11	1	1	2	4	6	8	15
35-49	2725	3.3	12	1	1	2	4	6	8	17
50-64	4642	3.6	12	1	2	3	4	7	9	16
65 +	15401	4.7	23	1	2	4	6	9	12	23
B. Operated										
0-19 YRS	987	8.5	137	1	2	5	10	22	31	86
20-34	304	4.5	24	1	1	3	6	11	15	27
35-49	584	4.4	32	1	1	3	5	10	14	35
50-64	869	5.5	46	1	1	4	7	11	16	36
65 +	2282	7.8	71	2	3	6	9	16	22	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4379	2.8	9	1	1	2	3	5	7	17
B. Operated	823	2.2	9	< 1	1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated	28971	4.3	21	1	2	3	5	8	11	22
B. Operated	5026	7.0	75	1	2	5	8	15	22	58
1. SINGLE DX	5202	2.7	9	1	1	2	3	5	7	16
2. MULTIPLE DX	33997	4.7	30	1	2	3	6	9	13	28
A. Not Operated	33350	4.1	20	1	2	3	5	8	11	21
B. Operated	5849	6.3	68	1	2	4	8	14	21	52
TOTAL										
0-19 YRS	7776	4.7	40	1	2	3	5	10	15	33
20-34	2479	3.2	13	1	1	2	4	6	9	20
35-49	4072	3.3	14	1	1	2	4	6	9	19
50-64	6310	3.7	17	1	2	3	4	7	10	18
65 +	18562	5.0	30	1	2	4	6	9	13	28
GRAND TOTAL	**39199**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**12**	**26**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	2	16.5	25	13	13	16	20	20	20	20
35-49	1	29.0		29	29	29	29	29	29	29
50-64	2	24.5	1105	1	1	24	48	48	48	48
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	19.1	255	3	7	15	28	47	65	99 +
20-34	12	29.7	471	9	17	23	30	71	76	77
35-49	7	26.9	1118	1	3	15	45	83	91	91
50-64	4	11.3	12	7	8	12	14	14	14	14
65 +	6	24.2	179	12	14	19	36	44	45	45
B. Operated										
0-19 YRS	100	29.8	360	11	16	27	43	62	93	99 +
20-34	95	33.2	470	12	17	30	47	83	99 +	99 +
35-49	37	32.2	332	12	22	29	45	69	90	99 +
50-64	21	32.8	426	14	17	30	52	86	99 +	99 +
65 +	18	34.8	269	17	22	32	46	62	67	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	6	23.0	254	2	13	23	29	46	48	48
2. MULTIPLE DX										
A. Not Operated	57	22.3	380	4	10	16	29	51	74	99
B. Operated	271	31.9	391	12	18	29	45	76	99 +	99 +
1. SINGLE DX	7	21.0	240	3	10	20	28	44	48	48
2. MULTIPLE DX	328	30.2	401	10	16	27	44	74	92	99 +
A. Not Operated	58	22.1	377	4	9	15	29	51	73	99
B. Operated	277	31.7	389	12	18	29	45	75	99	99 +
TOTAL										
0-19 YRS	130	27.3	351	7	14	24	42	62	89	99 +
20-34	109	32.5	463	12	17	28	46	78	98	99 +
35-49	45	31.3	428	5	19	29	45	69	92	99 +
50-64	27	29.0	433	10	14	25	46	81	99 +	99 +
65 +	24	32.2	260	14	18	30	42	57	65	69
GRAND TOTAL	**335**	**30.0**	**399**	**10**	**16**	**27**	**44**	**72**	**92**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	908	1.8	7	1	1	1	2	3	4	8
20-34	42	4.3	14	1	2	3	5	10	14	17
35-49	16	4.1	12	1	2	3	5	10	12	13
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	5.0	9	2	3	5	7	8	8	8
B. Operated										
0-19 YRS	215	3.6	4	1	2	3	5	6	8	9
20-34	55	5.8	34	1	3	4	7	10	14	35
35-49	18	4.7	10	1	2	3	7	9	11	12
50-64	3	12.7	126	3	5	10	21	25	25	25
65 +	3	8.7	97	2	2	4	16	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	858	3.3	14	1	1	2	4	7	10	21
20-34	156	5.0	33	1	2	3	6	9	14	26
35-49	62	5.4	29	1	3	4	7	9	18	28
50-64	40	7.1	31	2	3	6	10	14	16	28
65 +	50	6.4	20	2	3	5	9	14	15	18
B. Operated										
0-19 YRS	441	8.5	85	2	3	6	11	19	27	69
20-34	323	11.1	135	2	4	7	14	26	35	56
35-49	153	11.6	144	2	4	7	13	26	41	58
50-64	59	15.7	279	3	5	10	24	64	99 +	99 +
65 +	41	15.6	188	2	5	14	20	31	47	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	970	1.9	7	1	1	1	2	4	5	11
B. Operated	294	4.2	13	1	2	3	5	8	9	23
2. MULTIPLE DX										
A. Not Operated	1166	3.9	19	1	1	2	5	9	12	22
B. Operated	1017	10.5	129	2	4	7	13	25	36	69
1. SINGLE DX	1264	2.5	10	1	1	2	3	5	7	13
2. MULTIPLE DX	2183	7.0	81	1	2	4	8	17	25	55
A. Not Operated	2136	3.0	15	1	1	2	3	6	9	18
B. Operated	1311	9.1	110	2	3	6	11	22	32	63
TOTAL										
0-19 YRS	2422	3.7	29	1	1	2	4	8	13	28
20-34	576	8.4	98	1	3	5	10	19	29	52
35-49	249	9.1	107	2	3	6	10	20	32	54
50-64	103	12.1	192	3	4	8	15	37	69	99 +
65 +	97	10.3	112	2	3	7	14	22	30	58
GRAND TOTAL	**3447**	**5.3**	**60**	**1**	**1**	**3**	**6**	**12**	**19**	**46**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	385	2.1	3	1	1	2	2	4	5	9
20-34	77	3.3	14	1	1	2	4	6	11	22
35-49	40	4.7	15	1	2	4	6	8	10	24
50-64	15	3.6	12	1	2	3	4	6	13	15
65 +	10	6.5	113	1	2	3	4	22	36	36
B. Operated										
0-19 YRS	57	4.5	5	2	3	5	6	8	9	9
20-34	37	4.6	16	1	2	3	7	9	13	19
35-49	15	4.9	13	1	1	5	8	10	11	11
50-64	6	8.5	33	< 1	4	9	12	16	16	16
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	693	3.9	23	1	1	3	5	8	10	22
20-34	324	5.0	27	1	2	4	6	10	13	30
35-49	187	6.4	42	1	2	4	8	15	19	29
50-64	79	6.8	45	1	2	4	10	16	22	30
65 +	108	10.4	135	2	3	7	14	20	25	70
B. Operated										
0-19 YRS	319	10.5	142	2	3	6	13	24	39	63
20-34	416	10.0	125	2	4	7	12	20	28	64
35-49	222	11.1	106	2	4	8	15	24	33	54
50-64	85	17.8	268	3	5	12	26	47	56	86
65 +	80	17.4	170	4	8	13	23	36	42	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	527	2.6	8	1	1	2	3	5	7	13
B. Operated	116	4.8	11	1	2	4	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	1391	5.2	39	1	2	3	6	11	15	28
B. Operated	1122	11.5	146	2	4	7	15	26	38	61
1. SINGLE DX	643	3.0	10	1	1	2	4	6	9	15
2. MULTIPLE DX	2513	8.0	97	1	2	[illegible]	10	18	26	54
A. Not Operated	1918	4.5	32	1	1	3	5	10	14	25
B. Operated	1238	10.9	137	2	4	7	14	24	36	61
TOTAL										
0-19 YRS	1454	4.9	52	1	1	3	5	10	16	40
20-34	854	7.3	80	1	2	4	9	16	21	52
35-49	464	8.5	76	2	3	6	11	19	25	50
50-64	185	11.7	177	1	3	7	15	31	43	60
65 +	199	13.0	160	2	4	9	18	29	37	67
GRAND TOTAL	**3156**	**7.0**	**83**	**1**	**2**	**4**	**8**	**16**	**23**	**50**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	1.4	1	< 1	1	1	2	2	3	5
20-34	70	1.8	1	< 1	1	1	2	3	4	6
35-49	29	2.0	1	< 1	1	2	3	4	4	4
50-64	4	4.5	12	1	2	4	7	9	9	9
65 +	4	2.5	3	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	557	2.0	2	< 1	1	1	2	4	5	8
20-34	1024	2.5	4	1	1	2	3	5	6	10
35-49	352	2.6	4	1	1	2	3	5	7	11
50-64	61	2.6	8	1	1	1	3	6	9	13
65 +	18	3.4	7	1	2	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	2.2	2	1	1	2	3	4	5	8
20-34	263	2.3	3	1	1	2	5	5	6	8
35-49	133	3.6	69	1	1	2	4	5	7	30
50-64	65	3.2	7	1	2	2	4	6	10	13
65 +	111	4.3	35	1	2	3	5	8	9	33
B. Operated										
0-19 YRS	1107	3.8	18	1	1	3	5	8	10	21
20-34	2370	4.2	20	1	2	3	5	8	12	21
35-49	1066	5.0	36	1	2	3	6	10	13	30
50-64	296	5.3	48	1	2	3	7	11	14	53
65 +	278	6.9	74	1	2	4	8	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	1.8	1	< 1	1	1	2	3	4	6
B. Operated	2012	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	772	2.8	20	1	1	2	3	5	7	12
B. Operated	5117	4.5	28	1	2	3	5	9	13	24
1. SINGLE DX	2170	2.3	4	1	1	2	3	5	6	9
2. MULTIPLE DX	5889	4.3	27	1	2	3	5	9	12	24
A. Not Operated	930	2.7	17	1	1	2	3	5	6	11
B. Operated	7129	3.9	22	1	1	3	5	8	11	21
TOTAL										
0-19 YRS	1915	3.0	12	1	1	2	4	6	8	17
20-34	3727	3.5	14	1	1	2	4	7	9	19
35-49	1580	4.3	32	1	2	3	5	9	11	24
50-64	426	4.6	37	1	1	3	5	10	14	29
65 +	411	6.0	61	1	2	4	7	13	17	36
GRAND TOTAL	**8059**	**3.7**	**21**	**1**	**1**	**2**	**5**	**8**	**10**	**21**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	271	3.5	12	1	1	3	5	7	8	19
20-34	550	3.7	14	1	2	3	4	7	9	13
35-49	339	4.2	20	1	2	3	5	8	10	17
50-64	252	4.0	7	1	2	4	5	7	9	12
65 +	231	4.8	10	2	3	4	6	8	10	18
B. Operated										
0-19 YRS	66	7.6	27	3	4	7	9	14	20	29
20-34	146	7.0	25	3	4	6	9	11	15	34
35-49	52	8.6	52	2	4	7	11	15	23	43
50-64	26	8.0	26	3	5	7	10	16	18	19
65 +	26	6.0	19	2	3	4	8	11	17	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	352	4.4	21	1	2	3	5	8	11	27
20-34	798	5.1	33	1	2	4	6	9	12	32
35-49	640	5.2	17	2	3	4	7	10	13	21
50-64	623	6.3	26	2	3	5	8	11	15	27
65 +	3200	8.0	47	3	4	6	10	14	19	35
B. Operated										
0-19 YRS	224	10.5	93	2	4	9	13	20	32	56
20-34	594	10.3	94	3	4	8	13	20	30	65
35-49	376	11.5	116	3	5	9	15	22	34	98
50-64	233	12.6	124	4	6	10	15	23	35	65
65 +	470	13.9	144	4	7	11	18	27	41	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1643	4.0	13	1	2	3	5	7	9	17
B. Operated	316	7.4	30	2	4	6	9	13	17	32
2. MULTIPLE DX										
A. Not Operated	5613	6.9	39	2	3	5	8	13	17	32
B. Operated	1897	11.7	116	3	5	9	15	23	34	76
1. SINGLE DX	1959	4.5	17	1	2	4	6	8	11	19
2. MULTIPLE DX	7510	8.1	63	2	4	6	10	16	21	48
A. Not Operated	7256	6.2	35	2	3	5	8	11	15	30
B. Operated	2213	11.1	106	3	5	9	14	22	31	72
TOTAL										
0-19 YRS	913	5.9	44	1	2	4	7	12	17	37
20-34	2088	6.3	51	1	2	4	8	13	17	42
35-49	1407	6.7	54	2	3	5	8	14	19	44
50-64	1134	7.2	50	2	3	5	9	14	18	39
65 +	3927	8.5	61	3	4	7	10	16	21	42
GRAND TOTAL	**9469**	**7.4**	**56**	**2**	**3**	**5**	**9**	**14**	**19**	**42**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.0	7	1	1	2	7	99 +	99 +	99 +
20-34	16	5.6	74	1	2	2	5	13	28	35
35-49	8	9.0	161	2	3	5	7	30	40	40
50-64	5	3.8	6	2	2	3	5	8	8	8
65 +	3	5.7	9	3	3	5	8	9	9	9
B. Operated										
0-19 YRS	18	13.1	103	4	5	10	17	32	35	35
20-34	28	10.6	39	4	5	10	13	20	24	24
35-49	14	9.9	25	4	6	9	14	16	18	19
50-64	7	14.6	58	4	11	14	21	24	24	24
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	11.9	185	< 1	2	6	20	31	41	45
20-34	33	7.8	47	2	3	8	16	99 +	99 +	99 +
35-49	21	9.9	137	1	4	6	10	40	65	99 +
50-64	13	9.3	51	3	4	6	14	22	24	24
65 +	44	12.7	101	3	5	9	17	30	36	37
B. Operated										
0-19 YRS	101	21.0	268	8	11	17	24	46	67	99 +
20-34	241	24.5	314	8	12	21	37	60	99 +	99 +
35-49	112	24.2	383	7	12	19	36	86	99 +	99 +
50-64	42	24.7	271	8	13	22	36	57	77	99 +
65 +	33	20.2	157	9	13	20	29	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	5.4	61	1	2	3	7	15	58	99 +
B. Operated	68	11.5	55	4	5	11	15	22	24	35
2. MULTIPLE DX										
A. Not Operated	126	10.5	98	2	3	7	16	31	45	99 +
B. Operated	529	23.5	307	8	12	19	33	63	99 +	99 +
1. SINGLE DX	110	9.2	66	2	3	7	13	21	34	99 +
2. MULTIPLE DX	655	21.0	293	5	10	17	31	59	99 +	99 +
A. Not Operated	168	9.2	94	1	3	6	13	31	44	99 +
B. Operated	597	22.2	293	7	11	18	31	59	99 +	99 +
TOTAL										
0-19 YRS	144	17.8	247	3	8	15	23	42	66	99 +
20-34	318	20.6	298	4	10	16	31	56	99 +	99 +
35-49	155	20.2	346	4	7	16	30	69	99 +	99 +
50-64	67	19.1	242	3	8	16	29	49	63	99 +
65 +	81	15.4	136	3	7	13	24	37	99 +	99 +
GRAND TOTAL	**765**	**19.3**	**277**	**4**	**8**	**16**	**29**	**53**	**99 +**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	1.5	1	< 1	1	1	2	3	4	4
20-34	107	2.0	2	1	1	2	3	4	4	7
35-49	126	2.3	3	1	1	2	3	4	5	9
50-64	95	2.4	2	1	1	2	3	4	5	8
65 +	76	2.7	3	1	1	2	3	5	7	10
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	8	4.0	18	1	2	3	4	11	14	14
35-49	7	2.4	3	< 1	1	2	3	5	6	6
50-64	4	4.0	9	1	2	3	6	8	8	8
65 +	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	3.3	8	1	1	2	4	7	9	15
20-34	552	3.1	7	1	1	2	4	6	7	12
35-49	735	3.7	10	1	2	3	5	7	9	16
50-64	788	4.5	11	1	2	4	6	9	11	18
65 +	1886	6.4	36	2	3	5	8	13	17	33
B. Operated										
0-19 YRS	86	8.0	100	2	2	5	8	24	30	54
20-34	291	6.5	37	1	3	5	8	14	21	37
35-49	351	8.2	69	2	3	6	10	19	24	66
50-64	261	10.2	120	2	4	7	12	23	30	71
65 +	407	14.7	211	3	5	10	19	32	42	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	2.2	2	1	1	2	3	4	5	8
B. Operated	23	3.6	11	1	1	3	4	9	12	14
2. MULTIPLE DX										
A. Not Operated	4097	5.0	24	1	2	4	6	10	14	23
B. Operated	1396	10.1	125	2	4	7	12	24	32	76
1. SINGLE DX	468	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	5493	6.3	54	1	2	4	7	13	19	40
A. Not Operated	4542	4.7	22	1	2	3	6	10	13	22
B. Operated	1419	10.0	124	2	3	6	12	24	32	76
TOTAL										
0-19 YRS	265	4.5	43	1	1	2	5	9	13	34
20-34	958	4.0	18	1	2	3	5	8	12	26
35-49	1219	4.9	31	1	2	3	6	10	15	33
50-64	1148	5.6	42	1	2	4	7	11	16	31
65 +	2371	7.7	76	2	3	5	9	16	23	52
GRAND TOTAL	**5961**	**6.0**	**51**	**1**	**2**	**4**	**7**	**12**	**18**	**38**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	4.2	34	1	2	3	5	7	12	42
20-34	142	5.9	61	1	2	4	6	10	19	42
35-49	95	5.3	23	1	3	4	6	11	16	26
50-64	79	6.2	42	2	3	5	7	10	12	45
65 +	275	6.2	35	2	3	5	7	11	15	20
B. Operated										
0-19 YRS	17	9.2	149	2	2	4	9	26	40	47
20-34	25	11.0	122	2	3	8	15	17	40	49
35-49	16	12.8	34	7	9	12	14	19	27	30
50-64	7	17.7	96	7	9	17	26	31	32	32
65 +	3	37.3	101	28	30	36	45	48	48	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	346	5.1	28	1	2	4	6	10	14	33
20-34	444	7.5	60	2	3	5	9	14	20	40
35-49	277	9.0	89	2	4	6	11	17	28	48
50-64	317	9.1	73	3	4	7	10	17	28	44
65 +	2914	9.4	73	3	5	7	11	17	24	51
B. Operated										
0-19 YRS	207	13.7	222	3	5	9	17	28	41	84
20-34	440	15.8	211	4	6	12	20	33	46	72
35-49	239	18.4	254	5	8	13	23	42	50	88
50-64	164	19.8	251	6	9	15	25	46	56	98
65 +	397	17.1	181	6	8	13	22	36	45	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	709	5.7	40	1	3	4	7	10	15	41
B. Operated	68	12.8	133	2	5	10	16	29	38	49
2. MULTIPLE DX										
A. Not Operated	4298	8.8	70	3	4	7	10	16	23	48
B. Operated	1447	16.7	219	4	7	12	21	36	49	87
1. SINGLE DX	777	6.3	52	2	3	4	7	12	17	42
2. MULTIPLE DX	5745	10.8	120	3	5	8	13	22	32	59
A. Not Operated	5007	8.3	67	2	4	6	10	16	22	46
B. Operated	1515	16.6	215	4	7	12	21	35	48	86
TOTAL										
0-19 YRS	688	7.6	106	1	2	4	9	17	26	55
20-34	1051	10.8	143	2	4	7	13	24	35	59
35-49	627	12.1	166	3	4	8	15	27	40	77
50-64	567	11.9	148	3	5	8	14	26	41	62
65 +	3589	10.0	90	3	5	7	12	20	27	56
GRAND TOTAL	**6522**	**10.3**	**114**	**3**	**4**	**7**	**12**	**21**	**31**	**58**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	241	1.7	4	< 1	1	1	2	3	4	16
20-34	53	2.1	2	< 1	1	2	3	4	5	7
35-49	30	2.2	3	1	1	2	2	5	7	7
50-64	35	2.3	2	1	1	2	3	4	5	5
65 +	93	3.0	13	1	1	2	4	5	7	23
B. Operated										
0-19 YRS	2717	1.9	4	1	1	1	2	3	4	13
20-34	283	2.8	4	1	1	2	4	5	7	10
35-49	204	3.2	15	1	1	2	4	6	8	16
50-64	191	3.1	7	1	2	3	3	5	7	16
65 +	261	4.2	12	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	3.4	36	1	1	2	4	6	8	21
20-34	86	3.7	24	1	1	2	4	7	11	31
35-49	81	4.5	34	1	2	3	5	8	13	32
50-64	164	4.8	18	1	2	3	7	10	13	21
65 +	961	6.5	54	2	3	4	8	13	17	33
B. Operated										
0-19 YRS	750	3.9	27	1	1	2	4	9	14	25
20-34	418	7.7	95	1	2	4	9	17	25	48
35-49	367	5.7	36	1	2	4	7	12	17	30
50-64	445	6.7	55	2	3	5	8	12	18	39
65 +	1410	8.2	65	2	4	6	10	17	23	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	452	2.1	6	< 1	1	1	2	4	5	11
B. Operated	3656	2.3	6	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. Not Operated	1439	5.7	46	1	2	4	7	11	16	32
B. Operated	3390	6.7	58	1	2	4	8	14	20	42
1. SINGLE DX	4108	2.3	6	1	1	2	3	4	6	13
2. MULTIPLE DX	4829	6.4	55	1	2	4	8	13	19	40
A. Not Operated	1891	4.8	39	1	2	3	6	10	14	31
B. Operated	7046	4.4	36	1	1	2	5	10	15	31
TOTAL										
0-19 YRS	3855	2.3	10	1	1	1	2	4	7	17
20-34	840	5.3	57	1	2	3	6	11	18	40
35-49	682	4.7	29	1	2	3	5	9	14	30
50-64	835	5.3	37	1	2	4	6	10	15	27
65 +	2725	7.0	56	2	3	5	8	14	20	40
GRAND TOTAL	**8937**	**4.5**	**37**	**1**	**1**	**3**	**5**	**10**	**15**	**31**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	1.6	1	1	1	1	2	3	3	5
20-34	65	1.9	2	1	1	2	2	3	4	10
35-49	24	2.0	3	< 1	1	2	3	4	5	8
50-64	14	1.9	1	1	1	1	3	4	4	4
65 +	14	3.7	23	1	1	3	3	6	17	20
B. Operated										
0-19 YRS	2522	1.6	2	1	1	1	2	3	4	7
20-34	966	2.5	4	1	1	2	3	5	6	11
35-49	709	2.2	2	1	1	2	3	4	5	8
50-64	558	2.0	2	1	1	2	2	4	5	7
65 +	454	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	2.3	6	1	1	2	3	4	6	15
20-34	102	2.8	5	1	1	2	3	5	8	11
35-49	75	3.4	9	1	1	2	5	8	10	13
50-64	60	4.1	8	1	2	4	5	9	11	12
65 +	183	6.0	47	1	3	4	7	11	15	56
B. Operated										
0-19 YRS	827	3.4	19	1	1	2	4	8	10	21
20-34	998	5.0	26	1	2	4	6	10	13	28
35-49	833	4.8	28	1	2	3	6	9	15	30
50-64	673	4.1	21	1	2	3	5	8	11	25
65 +	1232	5.3	43	1	2	3	6	11	15	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	257	1.8	3	1	1	1	2	3	4	8
B. Operated	5209	1.9	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	530	4.1	23	1	1	3	5	9	11	23
B. Operated	4563	4.6	30	1	2	3	5	9	13	28
1. SINGLE DX	5466	1.9	3	1	1	1	2	3	5	8
2. MULTIPLE DX	5093	4.6	29	1	2	3	5	9	13	28
A. Not Operated	787	3.3	17	1	1	2	4	7	10	18
B. Operated	9772	3.2	17	1	1	2	4	6	10	19
TOTAL										
0-19 YRS	3599	2.1	7	1	1	1	2	4	6	12
20-34	2131	3.6	16	1	1	3	4	7	10	20
35-49	1641	3.5	17	1	1	2	4	7	10	21
50-64	1305	3.2	13	1	1	2	4	6	9	16
65 +	1883	4.6	36	1	2	3	5	9	13	33
GRAND TOTAL	**10559**	**3.2**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.1	2	1	1	2	3	4	5	8
20-34	61	2.1	2	1	1	2	3	4	5	6
35-49	20	2.7	3	< 1	1	2	4	5	5	6
50-64	5	2.2	3	1	1	1	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	379	1.7	2	< 1	1	1	2	3	4	9
20-34	523	1.9	3	< 1	1	1	2	4	5	8
35-49	243	1.9	2	< 1	1	1	2	4	5	7
50-64	100	1.7	1	< 1	1	1	2	3	4	5
65 +	45	2.2	3	< 1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.2	30	1	1	2	3	5	9	37
20-34	75	2.6	4	1	1	2	3	6	7	9
35-49	44	2.9	5	1	1	2	4	6	9	10
50-64	24	3.1	5	1	1	2	4	6	8	9
65 +	40	7.5	165	1	3	5	8	11	19	82
B. Operated										
0-19 YRS	330	3.1	17	1	1	2	4	6	8	20
20-34	756	3.2	11	1	1	2	4	6	9	18
35-49	433	3.0	10	1	1	2	3	6	8	17
50-64	233	3.3	15	1	1	2	4	7	9	26
65 +	181	4.8	72	1	2	2	5	10	14	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	2.2	2	1	1	2	3	4	5	6
B. Operated	1290	1.8	2	< 1	1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	230	3.7	40	1	1	2	4	7	9	27
B. Operated	1933	3.3	18	1	1	2	4	6	9	19
1. SINGLE DX	1435	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	2163	3.4	20	1	1	2	4	6	9	19
A. Not Operated	375	3.1	26	1	1	2	4	6	8	14
B. Operated	3223	2.7	12	1	1	2	3	5	7	17
TOTAL										
0-19 YRS	815	2.4	10	1	1	1	3	5	6	11
20-34	1415	2.6	7	1	1	2	3	5	7	17
35-49	740	2.6	7	1	1	2	3	5	6	15
50-64	362	2.9	11	1	1	2	3	6	8	17
65 +	266	4.8	76	1	1	3	5	9	13	42
GRAND TOTAL	**3598**	**2.8**	**14**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	8.7	90	1	2	3	17	24	26	33
20-34	18	2.8	6	1	1	2	3	6	8	10
35-49	7	3.4	6	1	1	3	5	7	8	8
50-64	17	4.6	18	1	2	4	6	7	15	19
65 +	175	8.5	60	2	4	6	12	17	21	33
B. Operated										
0-19 YRS	217	5.9	43	2	2	4	6	10	20	38
20-34	119	6.5	11	3	4	6	8	12	13	16
35-49	214	6.0	8	3	4	6	7	9	10	16
50-64	443	7.7	13	4	5	7	9	12	15	23
65 +	1916	9.6	21	5	7	9	11	15	17	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	14.2	134	2	4	12	22	29	35	48
20-34	28	8.1	172	1	2	5	7	15	44	62
35-49	41	7.7	36	2	3	7	10	15	21	27
50-64	123	11.1	164	2	4	7	13	25	30	78
65 +	1583	10.8	112	3	5	8	13	22	31	72
B. Operated										
0-19 YRS	280	10.6	78	3	5	8	13	22	31	44
20-34	316	11.8	104	4	6	9	14	21	31	72
35-49	544	11.4	80	4	6	9	13	19	27	48
50-64	1754	11.7	77	5	7	10	13	20	27	55
65 +	23171	12.5	69	6	8	10	14	20	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	279	7.8	62	1	3	5	11	19	23	32
B. Operated	2909	8.6	22	4	6	8	11	14	16	27
2. MULTIPLE DX										
A. Not Operated	1837	10.8	116	2	5	8	14	22	31	71
B. Operated	26065	12.4	70	6	8	10	14	20	27	53
1. SINGLE DX	3188	8.6	26	4	5	8	11	14	17	27
2. MULTIPLE DX	27902	12.3	73	6	8	10	14	21	28	54
A. Not Operated	2116	10.4	110	2	4	8	13	22	29	66
B. Operated	28974	12.0	67	6	8	10	14	20	27	50
TOTAL										
0-19 YRS	621	9.1	80	2	3	6	11	22	28	43
20-34	481	9.9	88	3	5	8	11	17	25	61
35-49	806	9.7	64	4	5	8	11	17	23	42
50-64	2337	10.9	72	5	7	9	12	18	25	53
65 +	26845	12.2	69	6	8	10	14	20	27	52
GRAND TOTAL	**31090**	**11.9**	**70**	**5**	**7**	**10**	**14**	**20**	**27**	**51**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	805	11.1	101	1	2	7	20	25	28	38
20-34	20	11.5	470	1	2	4	7	37	70	90
35-49	14	5.6	71	1	2	4	5	11	29	34
50-64	14	9.5	115	1	5	7	9	18	38	44
65 +	59	9.0	70	2	3	6	11	21	27	37
B. Operated										
0-19 YRS	1076	7.4	67	1	2	4	9	21	25	35
20-34	247	7.4	27	3	4	7	9	12	14	26
35-49	109	7.3	17	3	5	6	9	13	16	23
50-64	48	9.9	160	4	6	7	10	15	17	91
65 +	82	9.9	36	4	6	9	12	15	20	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	517	12.4	119	1	3	9	21	25	32	51
20-34	50	12.2	345	1	2	4	11	42	55	87
35-49	50	11.4	282	2	3	6	10	28	52	85
50-64	84	14.0	295	3	4	7	16	31	56	87
65 +	569	12.0	188	2	4	8	14	28	47	85
B. Operated										
0-19 YRS	1241	12.9	127	2	5	9	19	27	34	58
20-34	966	12.8	99	4	7	10	15	23	31	55
35-49	458	14.8	168	5	7	11	16	31	45	69
50-64	341	16.4	192	6	9	12	20	34	50	99 +
65 +	1380	15.0	149	6	8	12	17	28	41	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	912	10.8	107	1	2	6	19	24	28	39
B. Operated	1562	7.6	59	1	3	5	10	18	23	34
2. MULTIPLE DX										
A. Not Operated	1270	12.3	177	2	3	8	18	27	40	76
B. Operated	4386	14.0	139	4	7	11	17	27	37	70
1. SINGLE DX	2474	8.8	79	1	2	5	13	22	26	38
2. MULTIPLE DX	5656	13.6	148	3	6	10	17	27	37	72
A. Not Operated	2182	11.7	148	1	3	7	19	26	34	64
B. Operated	5948	12.3	126	3	5	9	16	25	33	65
TOTAL										
0-19 YRS	3639	10.8	108	1	3	7	18	25	29	46
20-34	1283	11.7	104	4	6	9	14	21	30	56
35-49	631	13.0	157	4	6	9	15	27	41	68
50-64	487	15.2	208	5	7	10	18	32	49	99
65 +	2090	13.8	156	4	7	10	16	27	41	85
GRAND TOTAL	**8130**	**12.2**	**132**	**2**	**4**	**9**	**16**	**25**	**33**	**65**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	360	1.8	2	1	1	1	2	3	4	7
20-34	159	3.1	8	1	1	2	4	6	8	18
35-49	121	2.8	5	1	1	2	3	6	8	11
50-64	62	4.6	43	1	2	3	4	7	15	37
65 +	70	5.6	96	1	2	4	6	10	11	69
B. Operated										
0-19 YRS	1151	2.9	6	1	1	2	4	6	8	12
20-34	1110	4.6	15	1	2	4	5	9	11	19
35-49	818	4.9	24	2	2	4	6	9	12	20
50-64	387	5.0	13	2	3	4	6	8	11	15
65 +	152	7.0	23	2	4	6	9	13	16	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	2.8	6	1	1	2	4	5	7	14
20-34	165	4.4	15	1	2	3	6	9	14	18
35-49	202	5.4	46	1	2	3	6	11	17	46
50-64	180	6.5	45	2	3	5	8	12	17	41
65 +	543	8.2	70	2	4	6	10	16	22	42
B. Operated										
0-19 YRS	824	6.4	44	1	2	4	8	14	19	34
20-34	1401	9.2	85	2	4	6	11	19	27	52
35-49	1150	9.4	100	3	4	6	11	19	29	60
50-64	809	10.9	127	3	4	8	13	24	37	80
65 +	902	11.6	119	3	5	9	14	22	32	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	772	2.8	17	1	1	2	3	5	8	16
B. Operated	3618	4.3	15	1	2	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	1309	6.1	49	1	2	4	7	12	18	39
B. Operated	5086	9.5	97	2	4	7	11	20	28	58
1. SINGLE DX	4390	4.0	16	1	2	3	5	8	10	18
2. MULTIPLE DX	6395	8.8	89	2	3	6	11	18	27	53
A. Not Operated	2081	4.9	40	1	2	3	6	10	15	34
B. Operated	8704	7.3	70	2	3	5	9	15	21	44
TOTAL										
0-19 YRS	2554	3.9	21	1	1	3	4	8	12	25
20-34	2835	6.8	55	2	3	5	8	14	20	41
35-49	2291	7.1	68	2	3	5	8	14	21	44
50-64	1438	8.5	90	2	3	6	10	16	28	53
65 +	1667	9.8	97	3	4	7	12	19	27	64
GRAND TOTAL	**10785**	**6.8**	**65**	**1**	**2**	**4**	**8**	**14**	**20**	**43**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	226	1.9	2	1	1	2	2	3	4	8
20-34	237	2.5	4	1	1	2	3	5	6	12
35-49	166	2.9	5	1	1	3	4	6	7	9
50-64	94	2.7	3	1	1	2	4	5	6	8
65 +	82	3.5	16	1	2	3	4	5	8	28
B. Operated										
0-19 YRS	1680	2.4	5	1	1	2	3	4	5	9
20-34	3071	3.2	6	1	2	3	4	6	7	12
35-49	2636	3.3	5	1	2	3	4	6	7	11
50-64	1667	3.7	5	2	2	3	5	6	8	11
65 +	798	4.4	9	2	3	4	5	7	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	2.7	6	1	1	2	3	5	7	15
20-34	286	3.6	11	1	2	3	4	6	8	22
35-49	223	4.2	14	1	2	3	5	7	10	17
50-64	202	5.0	31	1	2	4	6	10	11	22
65 +	536	6.6	45	2	3	5	7	13	19	33
B. Operated										
0-19 YRS	983	4.8	31	1	2	3	5	10	14	26
20-34	2331	5.3	32	2	2	4	6	10	15	29
35-49	2113	5.8	36	2	3	4	7	11	16	32
50-64	1972	5.8	36	2	3	4	7	10	14	26
65 +	2311	7.2	38	3	4	6	9	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	805	2.6	5	1	1	2	3	5	6	9
B. Operated	9852	3.3	6	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	1443	4.9	28	1	2	4	6	9	13	25
B. Operated	9710	5.9	35	2	3	4	7	11	16	30
1. SINGLE DX	10657	3.2	6	1	2	3	4	6	7	12
2. MULTIPLE DX	11153	5.8	35	2	3	4	7	11	16	30
A. Not Operated	2248	4.0	21	1	2	3	5	8	11	22
B. Operated	19562	4.6	22	1	2	3	5	9	12	24
TOTAL										
0-19 YRS	3085	3.1	15	1	1	2	4	6	8	18
20-34	5925	4.0	17	1	2	3	5	7	11	22
35-49	5138	4.4	20	1	2	3	5	8	11	25
50-64	3935	4.8	23	2	3	4	6	8	11	21
65 +	3727	6.4	34	2	3	5	8	12	16	29
GRAND TOTAL	**21810**	**4.5**	**22**	**1**	**2**	**3**	**5**	**8**	**12**	**24**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.8	3	< 1	1	1	2	3	6	9
20-34	22	2.0	2	< 1	1	2	2	5	5	5
35-49	9	2.0	1	< 1	1	2	3	4	4	4
50-64	6	1.2		< 1	1	1	1	2	2	2
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	48	1.8	2	1	1	1	2	4	5	6
20-34	70	2.0	2	1	1	1	3	4	4	9
35-49	49	2.5	3	1	1	2	3	5	7	7
50-64	15	2.0	1	1	1	2	3	3	4	4
65 +	6	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	2.4	5	1	1	2	3	4	7	12
20-34	217	2.8	5	1	1	2	3	5	7	11
35-49	133	3.1	6	1	1	2	4	6	8	13
50-64	96	4.3	13	1	2	3	6	9	10	19
65 +	157	7.8	132	2	3	5	8	14	18	75
B. Operated										
0-19 YRS	63	3.6	12	1	1	2	4	8	13	15
20-34	137	4.4	17	1	2	3	5	11	13	18
35-49	95	5.1	40	1	2	3	6	11	16	78
50-64	40	4.1	11	1	2	3	7	9	10	15
65 +	47	6.7	31	1	3	4	10	15	20	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	1.8	2	< 1	1	1	2	3	5	8
B. Operated	188	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	749	4.0	36	1	1	2	4	8	11	20
B. Operated	382	4.7	24	1	2	3	6	11	14	22
1. SINGLE DX	260	2.0	2	1	1	2	2	4	5	7
2. MULTIPLE DX	1131	4.2	32	1	2	3	5	9	12	22
A. Not Operated	821	3.8	34	1	1	2	4	8	10	19
B. Operated	570	3.8	18	1	1	2	5	9	12	21
TOTAL										
0-19 YRS	289	2.5	6	1	1	2	3	5	8	13
20-34	446	3.1	9	1	1	2	4	6	10	15
35-49	286	3.6	18	1	2	2	4	7	10	21
50-64	157	3.9	11	1	2	3	6	8	9	18
65 +	213	7.3	105	2	3	5	8	14	18	62
GRAND TOTAL	**1391**	**3.8**	**27**	**1**	**1**	**2**	**4**	**8**	**11**	**20**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.9	1	1	1	2	2	4	4	5
20-34	4	8.3	86	2	3	4	13	22	22	22
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	4.6	20	1	1	4	7	12	12	12
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	4.0	27	1	1	2	5	8	9	30
20-34	15	6.5	90	1	2	3	7	11	32	39
35-49	8	4.1	17	1	2	3	4	11	14	14
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	8	10.1	89	2	4	7	14	26	30	30
B. Operated										
0-19 YRS	40	18.8	246	4	6	14	28	49	55	99 +
20-34	37	24.4	539	5	8	14	45	68	99	99 +
35-49	21	15.3	168	3	4	11	26	34	40	47
50-64	9	18.0	259	3	3	16	26	43	51	51
65 +	8	19.6	401	2	8	18	60	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.8	15	1	1	2	3	5	6	22
B. Operated	10	5.7	19	1	3	4	10	12	13	13
2. MULTIPLE DX										
A. Not Operated	67	5.3	48	1	2	3	6	10	19	38
B. Operated	115	19.9	338	3	7	14	31	54	84	99 +
1. SINGLE DX	39	3.5	17	1	1	2	4	8	13	22
2. MULTIPLE DX	182	14.6	280	2	3	8	20	47	60	99 +
A. Not Operated	96	4.6	39	1	1	2	5	9	16	35
B. Operated	125	18.8	327	3	6	13	29	52	71	99 +
TOTAL										
0-19 YRS	104	9.2	161	1	2	4	10	30	45	78
20-34	58	17.9	442	2	4	11	23	58	84	99 +
35-49	31	12.0	142	2	3	8	16	31	34	47
50-64	11	15.6	236	2	3	10	23	40	50	51
65 +	17	14.6	239	3	4	10	27	84	99 +	99 +
GRAND TOTAL	**221**	**12.6**	**251**	**1**	**2**	**6**	**17**	**41**	**57**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	7	2.9	8	1	1	2	4	8	9	9
35-49	4	1.8		1	1	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	104	1.7	1	1	1	1	2	3	4	6
20-34	343	1.7	1	1	1	2	2	3	3	4
35-49	148	1.7	1	1	1	2	2	3	3	5
50-64	37	1.7	1	< 1	1	2	2	2	4	4
65 +	27	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.4	4	< 1	1	2	3	5	7	7
20-34	30	3.3	45	< 1	1	1	3	5	7	38
35-49	22	3.8	14	1	2	3	4	8	13	17
50-64	10	3.2	12	1	2	2	3	8	13	13
65 +	31	6.9	55	1	2	4	9	17	27	30
B. Operated										
0-19 YRS	30	2.8	11	1	1	2	3	6	12	16
20-34	148	2.5	6	1	1	2	3	5	7	13
35-49	99	3.1	11	1	1	2	4	6	9	21
50-64	68	2.7	5	1	1	2	3	5	7	11
65 +	124	5.1	35	1	2	3	7	11	13	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.2	4	1	1	2	2	4	8	9
B. Operated	659	1.7	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	102	4.4	37	1	1	2	4	10	16	34
B. Operated	469	3.3	16	1	1	2	4	7	10	20
1. SINGLE DX	674	1.7	1	1	1	2	2	3	4	5
2. MULTIPLE DX	571	3.5	20	1	1	2	4	7	11	23
A. Not Operated	117	4.1	33	1	1	2	4	10	15	33
B. Operated	1128	2.4	8	1	1	2	3	4	7	13
TOTAL										
0-19 YRS	146	2.0	3	1	1	1	2	3	5	12
20-34	528	2.0	5	1	1	2	2	3	4	10
35-49	273	2.4	6	1	1	2	3	4	6	16
50-64	116	2.4	4	1	1	2	3	4	6	12
65 +	182	5.0	35	1	2	3	6	11	14	29
GRAND TOTAL	**1245**	**2.6**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4		< 1	1	1	2	2	2	2
20-34	10	1.5	1	< 1	1	1	2	3	3	3
35-49	5	1.6	1	< 1	< 1	1	2	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	319	2.1	1	< 1	1	2	3	3	4	6
20-34	427	2.1	2	< 1	1	2	3	4	5	8
35-49	196	2.0	2	< 1	< 1	1	3	4	5	8
50-64	67	1.8	2	< 1	< 1	1	2	3	4	8
65 +	29	2.8	5	< 1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	1	< 1	2	3	3	3	3	3
20-34	22	3.5	4	1	2	3	5	7	7	7
35-49	16	3.7	15	< 1	1	2	5	10	12	13
50-64	10	5.5	10	1	3	6	7	9	11	11
65 +	17	7.6	49	3	5	5	8	12	26	33
B. Operated										
0-19 YRS	402	2.5	6	1	1	2	3	4	5	8
20-34	712	2.8	5	1	1	2	3	5	7	12
35-49	412	3.0	9	< 1	1	2	4	5	8	17
50-64	210	2.5	7	< 1	1	2	3	5	7	14
65 +	160	3.9	18	1	1	2	5	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	1.6	1	< 1	1	1	2	3	3	3
B. Operated	1038	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	70	4.8	20	1	2	4	7	9	11	29
B. Operated	1896	2.9	8	< 1	1	2	3	5	7	14
1. SINGLE DX	1065	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	1966	2.9	8	< 1	1	2	3	5	7	15
A. Not Operated	97	3.9	17	< 1	1	3	5	7	10	24
B. Operated	2934	2.6	6	< 1	1	2	3	4	6	12
TOTAL										
0-19 YRS	733	2.3	4	< 1	1	2	3	4	5	7
20-34	1171	2.6	4	< 1	1	2	3	4	6	10
35-49	629	2.7	7	< 1	1	2	3	5	7	13
50-64	290	2.4	7	< 1	1	1	3	5	7	12
65 +	208	4.0	20	1	1	2	5	9	12	24
GRAND TOTAL	**3031**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.2	3	< 1	1	2	3	4	6	7
20-34	43	2.8	5	< 1	1	2	4	6	8	11
35-49	27	3.1	4	1	1	3	5	6	7	7
50-64	11	3.3	6	1	2	2	5	7	8	8
65 +	4	2.5	6	< 1	< 1	1	4	6	6	6
B. Operated										
0-19 YRS	234	3.0	12	1	1	2	4	7	9	18
20-34	289	3.0	11	1	1	2	4	6	8	20
35-49	165	2.9	4	1	1	2	4	6	7	10
50-64	76	3.3	12	1	1	2	4	7	11	19
65 +	24	2.8	4	< 1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	4.3	26	1	1	2	5	12	20	95
20-34	70	4.6	30	1	2	2	6	12	19	85
35-49	59	4.1	11	1	2	3	6	8	9	19
50-64	33	4.3	10	1	2	4	5	11	13	99 +
65 +	54	6.7	50	1	3	5	8	18	30	97
B. Operated										
0-19 YRS	309	5.2	53	1	2	4	6	11	15	46
20-34	332	6.3	57	1	2	4	8	13	19	56
35-49	254	6.1	51	1	2	4	7	12	15	36
50-64	154	7.0	86	1	2	4	8	18	25	60
65 +	167	6.9	52	1	2	5	9	16	17	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	2.7	4	< 1	1	2	4	6	7	9
B. Operated	788	3.0	10	1	1	2	4	6	9	18
2. MULTIPLE DX										
A. Not Operated	271	4.8	27	1	2	3	6	11	18	99 +
B. Operated	1216	6.2	58	1	2	4	7	13	18	48
1. SINGLE DX	915	3.0	9	1	1	2	4	6	8	17
2. MULTIPLE DX	1487	5.9	53	1	2	4	7	13	18	50
A. Not Operated	338	4.1	21	1	1	3	5	9	14	65
B. Operated	2004	4.9	41	1	1	3	6	11	15	29
TOTAL										
0-19 YRS	640	4.1	34	1	1	3	5	8	13	26
20-34	734	4.6	36	1	1	3	5	10	15	29
35-49	505	4.7	31	1	2	3	6	9	12	23
50-64	274	5.5	56	1	2	3	6	12	21	53
65 +	249	6.4	47	1	2	4	8	15	18	46
GRAND TOTAL	**2402**	**4.8**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.9	1	1	1	2	2	3	4	4
20-34	19	1.9	2	< 1	1	2	2	4	5	5
35-49	19	1.9	4	< 1	1	1	2	3	7	10
50-64	11	2.2	2	1	1	2	3	4	6	6
65 +	5	2.6	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	633	2.6	1	1	2	2	3	4	4	6
20-34	1070	2.7	2	1	2	3	3	4	5	7
35-49	385	2.8	2	1	2	3	3	4	5	8
50-64	56	2.9	3	1	2	2	4	6	7	8
65 +	21	4.4	7	1	2	4	6	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.2	2	< 1	1	2	2	4	6	7
20-34	35	2.3	3	< 1	1	2	3	5	6	8
35-49	48	4.2	29	1	2	3	5	8	9	37
50-64	40	6.0	83	1	2	4	6	10	12	59
65 +	146	5.2	23	2	3	4	6	10	14	38
B. Operated										
0-19 YRS	849	2.7	2	1	2	3	3	4	5	7
20-34	1763	3.1	4	2	2	3	4	5	5	9
35-49	729	3.3	6	2	2	3	4	5	6	12
50-64	131	4.5	17	1	3	4	5	9	11	23
65 +	91	7.3	66	2	3	6	8	13	15	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.0	2	1	1	2	2	3	5	9
B. Operated	2165	2.7	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	287	4.6	30	1	2	3	5	8	11	37
B. Operated	3563	3.2	7	1	2	3	4	5	6	12
1. SINGLE DX	2234	2.7	2	1	2	3	3	4	5	7
2. MULTIPLE DX	3850	3.3	8	1	2	3	4	5	7	13
A. Not Operated	356	4.1	25	1	2	3	5	8	11	35
B. Operated	5728	3.0	5	1	2	3	4	5	6	10
TOTAL										
0-19 YRS	1515	2.7	2	1	2	2	3	4	5	7
20-34	2887	2.9	3	1	2	3	4	4	5	8
35-49	1181	3.2	6	1	2	3	4	5	6	11
50-64	238	4.3	25	1	2	3	5	8	10	22
65 +	263	5.8	37	2	3	4	7	11	14	39
GRAND TOTAL	**6084**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.9	5	1	1	2	4	6	8	10
20-34	261	4.0	6	1	2	4	5	7	9	12
35-49	348	4.0	7	1	2	3	5	7	9	13
50-64	97	3.8	6	1	2	4	5	7	8	14
65 +	52	3.4	6	1	2	3	4	7	9	11
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	46	3.6	10	1	1	2	5	8	10	13
35-49	42	2.8	7	1	1	2	4	6	8	14
50-64	6	4.2	11	1	1	4	5	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.3	7	1	2	2	5	7	8	13
20-34	373	4.4	9	1	2	4	6	8	10	16
35-49	630	4.7	8	2	3	4	6	8	10	13
50-64	385	5.0	10	2	3	4	6	9	11	17
65 +	485	6.0	21	2	3	5	8	11	14	23
B. Operated										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	48	6.0	30	1	2	4	9	15	17	23
35-49	75	6.5	30	1	2	5	8	14	18	26
50-64	43	5.6	18	1	1	5	8	11	14	17
65 +	37	9.8	35	3	5	8	16	18	20	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	777	3.9	6	1	2	3	5	7	9	13
B. Operated	95	3.3	9	1	1	2	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	1911	5.0	12	2	3	4	6	9	11	17
B. Operated	205	6.8	30	1	3	5	9	16	18	23
1. SINGLE DX	872	3.8	7	1	2	3	5	7	9	13
2. MULTIPLE DX	2116	5.2	14	2	3	4	7	10	12	18
A. Not Operated	2688	4.7	11	2	2	4	6	9	11	16
B. Operated	300	5.7	26	1	1	4	8	13	17	22
TOTAL										
0-19 YRS	60	3.4	8	1	2	2	4	7	9	15
20-34	728	4.3	9	1	2	4	6	8	10	16
35-49	1095	4.5	10	1	2	4	6	8	10	15
50-64	531	4.8	10	2	3	4	6	9	11	17
65 +	574	6.1	22	2	3	5	8	11	16	23
GRAND TOTAL	**2988**	**4.8**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	1.7	2	<1	1	1	2	3	5	6
20-34	356	3.3	6	1	2	3	4	7	8	10
35-49	339	3.6	7	1	2	3	5	7	9	12
50-64	89	3.9	6	1	2	3	5	7	9	12
65 +	41	3.0	3	1	2	3	4	5	6	8
B. Operated										
0-19 YRS	6	2.3	5	1	1	2	2	7	7	7
20-34	66	2.2	8	1	1	1	2	4	9	16
35-49	69	2.4	6	1	1	1	3	7	8	11
50-64	13	1.7	2	1	1	1	2	4	6	6
65 +	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	181	2.3	3	1	1	2	3	4	5	10
20-34	692	4.0	13	1	2	3	5	8	10	16
35-49	798	4.3	10	1	2	4	6	8	10	16
50-64	461	4.6	16	1	2	4	6	9	12	17
65 +	573	5.1	15	2	3	4	7	10	12	20
B. Operated										
0-19 YRS	17	4.9	53	1	1	2	4	14	23	28
20-34	119	4.4	18	1	1	3	6	10	15	19
35-49	119	3.4	10	1	1	2	5	8	10	16
50-64	61	4.9	25	1	1	3	7	11	15	24
65 +	42	8.3	44	2	4	7	10	19	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	962	3.2	6	1	1	3	4	7	8	10
B. Operated	157	2.3	7	1	1	1	2	6	8	13
2. MULTIPLE DX										
A. Not Operated	2705	4.3	13	1	2	3	6	8	10	16
B. Operated	358	4.6	23	1	1	3	7	10	15	25
1. SINGLE DX	1119	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX	3063	4.4	14	1	2	3	6	8	11	18
A. Not Operated	3667	4.0	11	1	2	3	5	8	10	16
B. Operated	515	3.9	19	1	1	2	5	9	13	23
TOTAL										
0-19 YRS	341	2.2	5	1	1	2	3	4	5	11
20-34	1233	3.8	12	1	2	3	5	8	9	16
35-49	1325	4.0	10	1	2	3	5	8	10	16
50-64	624	4.5	16	1	2	4	6	8	12	17
65 +	659	5.2	17	2	3	4	7	10	13	24
GRAND TOTAL	**4182**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.0	3	1	1	1	2	4	5	9
20-34	57	2.2	2	1	1	2	3	4	6	7
35-49	43	2.2	2	1	1	2	3	4	5	6
50-64	32	2.7	3	< 1	1	2	4	5	6	7
65 +	33	4.0	14	1	2	3	5	11	13	15
B. Operated										
0-19 YRS	84	1.5	1	1	1	1	2	3	3	6
20-34	593	1.9	1	1	1	2	2	3	4	6
35-49	1227	2.0	1	1	1	2	2	3	4	6
50-64	1284	2.3	1	1	2	2	3	4	4	6
65 +	552	2.7	2	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.6	6	< 1	1	2	3	6	7	12
20-34	98	2.7	9	< 1	1	2	3	5	7	18
35-49	121	3.3	27	< 1	1	2	4	6	8	23
50-64	108	3.4	12	< 1	1	2	4	6	8	20
65 +	326	5.1	29	1	2	4	6	10	12	21
B. Operated										
0-19 YRS	56	2.2	3	1	1	2	3	4	4	9
20-34	272	2.5	6	1	1	2	3	4	6	12
35-49	727	2.4	5	1	1	2	3	4	5	8
50-64	1708	2.7	4	1	2	2	3	4	5	9
65 +	1387	3.4	5	1	2	3	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	2.5	4	1	1	2	3	5	6	12
B. Operated	3740	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	710	4.0	23	1	2	3	5	8	11	17
B. Operated	4150	2.8	5	1	2	2	3	5	6	10
1. SINGLE DX	3956	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX	4860	3.0	7	1	2	2	4	5	7	12
A. Not Operated	926	3.7	19	1	1	3	5	7	10	16
B. Operated	7890	2.5	3	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	248	2.0	3	1	1	1	2	4	5	9
20-34	1020	2.2	3	1	1	2	3	4	5	8
35-49	2118	2.2	4	1	1	2	3	4	5	8
50-64	3132	2.5	3	1	2	2	3	4	5	8
65 +	2298	3.4	8	1	2	3	4	6	8	14
GRAND TOTAL	**8816**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1536	1.2		< 1	1	1	1	2	2	4
20-34	314	1.6	2	< 1	1	1	2	3	4	7
35-49	125	1.5	1	1	1	1	2	2	3	5
50-64	54	1.6	1	1	1	1	2	3	3	6
65 +	31	2.2	4	1	1	1	3	4	8	10
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	1.8		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2294	1.8	4	1	1	1	2	3	4	10
20-34	1337	2.2	4	1	1	2	3	4	5	10
35-49	707	2.7	6	1	1	2	3	5	7	12
50-64	374	3.0	20	1	1	2	3	5	7	18
65 +	669	4.5	17	1	2	3	6	9	13	20
B. Operated										
0-19 YRS	588	3.1	27	1	1	2	3	5	9	29
20-34	704	3.6	38	1	1	2	3	7	12	29
35-49	336	3.7	22	1	1	2	4	8	11	20
50-64	162	4.0	22	1	1	2	5	10	15	20
65 +	281	6.1	64	1	2	3	8	15	19	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2060	1.3	1	< 1	1	1	1	2	3	4
B. Operated	9	2.3	4	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated	5381	2.4	8	1	1	2	3	5	7	14
B. Operated	2071	3.9	35	1	1	2	4	8	13	35
1. SINGLE DX	2069	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	7452	2.8	16	1	1	2	3	5	8	19
A. Not Operated	7441	2.1	6	1	1	1	2	4	6	12
B. Operated	2080	3.8	35	1	1	2	4	8	13	34
TOTAL										
0-19 YRS	4421	1.8	6	1	1	1	2	3	4	11
20-34	2359	2.5	15	1	1	2	3	5	7	16
35-49	1169	2.8	10	1	1	2	3	6	8	16
50-64	590	3.2	19	1	1	2	4	6	9	18
65 +	982	4.9	30	1	2	3	6	10	15	26
GRAND TOTAL	**9521**	**2.5**	**13**	**1**	**1**	**1**	**3**	**5**	**7**	**17**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	9.3	40	3	5	8	13	18	18	18
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	0									
50-64	1	13.0		13	13	13	13	13	13	13
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	2	18.5	41	14	14	18	23	23	23	23
20-34	1	15.0		15	15	57	99 +	99 +	99 +	99 +
35-49	0									
50-64	0									
65 +	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	22.6	342	7	12	17	26	43	65	98
20-34	23	25.6	435	6	7	20	35	61	72	77
35-49	21	18.1	173	5	8	14	32	44	67	99 +
50-64	7	17.6	56	7	13	21	24	77	99 +	99 +
65 +	12	16.8	126	6	8	13	24	35	39	40
B. Operated										
0-19 YRS	146	30.2	374	11	16	27	47	86	99 +	99 +
20-34	175	35.3	447	11	21	33	54	87	99 +	99 +
35-49	61	32.6	294	13	22	32	48	80	99 +	99 +
50-64	30	37.8	619	10	21	31	62	89	99	99 +
65 +	33	30.7	362	11	19	27	57	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	8.6	23	4	5	7	11	16	18	18
B. Operated	4	18.3	20	14	15	21	42	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	107	21.4	288	6	10	17	28	45	66	99 +
B. Operated	445	33.1	410	11	19	31	50	87	99 +	99 +
1. SINGLE DX	12	11.8	43	5	7	13	19	38	88	99 +
2. MULTIPLE DX	552	30.8	407	10	16	28	47	76	99 +	99 +
A. Not Operated	115	20.5	280	5	9	15	27	44	65	99 +
B. Operated	449	33.0	409	11	19	30	50	88	99 +	99 +
TOTAL										
0-19 YRS	196	27.9	373	9	15	23	42	72	99 +	99 +
20-34	201	33.8	456	9	18	31	51	82	99 +	99 +
35-49	82	28.9	301	8	15	30	44	70	99 +	99 +
50-64	38	33.4	569	10	18	25	53	90	99 +	99 +
65 +	47	26.4	327	9	13	23	40	82	99 +	99 +
GRAND TOTAL	**564**	**30.4**	**407**	**9**	**16**	**27**	**47**	**76**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1306	1.6	3	< 1	1	1	2	3	4	10
20-34	294	3.1	29	1	1	2	3	7	10	23
35-49	101	2.8	10	1	1	2	3	6	7	19
50-64	40	4.1	22	1	1	2	5	11	13	23
65 +	45	3.8	20	1	1	3	4	10	13	26
B. Operated										
0-19 YRS	104	5.6	39	2	3	4	6	9	12	43
20-34	59	7.2	65	1	2	5	8	15	27	41
35-49	28	9.3	27	3	5	8	14	17	18	21
50-64	35	7.4	20	4	5	6	10	13	18	20
65 +	69	8.1	41	3	5	7	9	12	19	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2704	3.0	30	1	1	1	3	6	10	25
20-34	1358	3.9	38	1	1	2	4	8	12	32
35-49	755	4.6	37	1	1	2	5	10	17	39
50-64	417	5.3	37	1	2	3	7	11	16	30
65 +	928	7.8	86	1	3	5	10	16	25	58
B. Operated										
0-19 YRS	957	9.6	194	1	1	4	12	27	42	99
20-34	1124	9.0	152	1	2	4	11	24	38	97
35-49	561	10.8	189	1	2	6	15	29	44	99 +
50-64	374	12.2	189	1	4	8	15	29	47	77
65 +	893	13.6	169	2	5	10	18	30	41	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1786	2.0	9	< 1	1	1	2	4	6	13
B. Operated	295	7.1	42	2	3	5	8	13	17	39
2. MULTIPLE DX										
A. Not Operated	6162	4.3	44	1	1	2	5	10	15	38
B. Operated	3909	10.8	178	1	2	6	14	27	41	99
1. SINGLE DX	2081	2.8	17	1	1	1	3	6	9	20
2. MULTIPLE DX	10071	6.8	106	1	1	3	8	17	27	65
A. Not Operated	7948	3.8	37	1	1	2	4	8	13	33
B. Operated	4204	10.5	169	1	2	6	13	26	40	96
TOTAL										
0-19 YRS	5071	3.9	62	1	1	1	3	9	16	50
20-34	2835	5.9	90	1	1	3	6	14	24	64
35-49	1445	7.0	104	1	2	3	8	18	27	87
50-64	866	8.3	113	1	2	5	10	19	28	59
65 +	1935	10.4	130	2	3	7	13	24	34	66
GRAND TOTAL	**12152**	**6.1**	**93**	**1**	**1**	**3**	**7**	**15**	**25**	**60**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.2	2	1	1	2	3	4	5	5
20-34	101	2.5	3	1	1	2	3	5	6	8
35-49	50	2.2	3	1	1	2	2	4	6	9
50-64	26	2.2	1	1	1	2	3	4	4	5
65 +	14	2.6	4	1	1	2	4	5	7	7
B. Operated										
0-19 YRS	112	4.3	5	2	3	4	5	8	9	12
20-34	275	4.5	6	2	3	4	6	8	10	14
35-49	75	5.0	25	2	3	4	5	8	10	30
50-64	16	5.3	11	3	3	4	7	8	13	15
65 +	12	6.3	68	2	3	4	5	14	29	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	235	3.4	8	1	1	2	4	7	9	13
20-34	396	3.5	7	1	2	3	4	7	9	14
35-49	267	4.0	9	1	2	3	5	8	10	16
50-64	237	5.0	20	1	2	4	6	10	12	21
65 +	398	7.0	34	2	3	5	9	13	17	30
B. Operated										
0-19 YRS	505	8.1	58	3	4	6	10	16	23	54
20-34	1277	8.4	73	3	4	6	10	16	24	51
35-49	674	9.5	102	3	4	6	11	19	32	54
50-64	356	9.9	141	2	4	6	11	22	34	78
65 +	415	12.8	180	3	5	9	15	27	45	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	2.4	2	1	1	2	3	5	5	7
B. Operated	490	4.6	11	2	3	4	5	8	9	17
2. MULTIPLE DX										
A. Not Operated	1533	4.7	19	1	2	3	6	10	12	19
B. Operated	3227	9.3	100	3	4	6	11	19	29	63
1. SINGLE DX	748	3.8	9	1	2	3	5	7	8	14
2. MULTIPLE DX	4760	7.8	78	2	3	5	9	15	23	54
A. Not Operated	1791	4.4	17	1	2	3	6	9	12	19
B. Operated	3717	8.7	91	2	4	6	10	17	26	61
TOTAL										
0-19 YRS	919	6.0	40	1	2	4	7	12	17	42
20-34	2049	6.6	53	2	3	5	8	13	19	41
35-49	1066	7.5	76	2	3	5	8	15	22	50
50-64	635	7.6	94	2	3	5	9	14	24	63
65 +	839	9.6	115	2	4	7	12	19	29	66
GRAND TOTAL	**5508**	**7.3**	**71**	**2**	**3**	**5**	**8**	**14**	**21**	**52**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	391	4.0	7	1	2	3	6	8	9	12
20-34	145	3.6	34	1	1	2	4	7	9	20
35-49	47	2.9	6	1	1	2	4	6	6	14
50-64	9	2.1	5	1	1	1	2	6	8	8
65 +	6	2.8	3	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	181	5.8	11	3	4	5	7	9	11	17
20-34	255	5.7	8	3	4	5	7	9	9	16
35-49	83	6.1	8	3	4	6	8	9	11	15
50-64	18	7.8	83	2	5	6	7	11	31	43
65 +	7	4.3	11	< 1	1	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	739	4.9	14	1	2	4	7	10	12	18
20-34	471	4.1	13	1	2	3	5	8	11	19
35-49	216	4.7	14	1	2	4	6	10	13	19
50-64	90	5.3	12	2	3	4	7	10	13	17
65 +	157	5.8	20	2	3	5	8	12	15	24
B. Operated										
0-19 YRS	1065	10.3	84	4	6	8	11	20	27	49
20-34	1975	10.7	91	4	6	8	12	21	30	55
35-49	761	11.5	103	4	6	8	13	24	34	66
50-64	292	13.2	134	5	7	10	15	30	44	99 +
65 +	280	15.0	189	4	7	11	19	31	47	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	598	3.8	14	1	2	3	5	7	9	14
B. Operated	544	5.9	11	3	4	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	1673	4.8	14	1	2	4	7	9	12	19
B. Operated	4373	11.2	102	4	6	8	13	23	32	65
1. SINGLE DX	1142	4.8	14	1	2	4	6	8	9	16
2. MULTIPLE DX	6046	9.4	86	2	5	7	11	19	27	56
A. Not Operated	2271	4.5	14	1	2	4	6	9	11	18
B. Operated	4917	10.6	95	4	6	8	12	21	30	61
TOTAL										
0-19 YRS	2376	7.3	52	2	3	6	8	13	20	38
20-34	2846	8.8	76	2	4	7	10	17	26	47
35-49	1107	9.4	85	2	5	7	11	19	27	57
50-64	409	11.0	115	3	5	8	13	23	38	99 +
65 +	450	11.5	146	2	4	8	14	25	34	88
GRAND TOTAL	**7188**	**8.7**	**77**	**2**	**4**	**7**	**10**	**17**	**25**	**52**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.2	2	< 1	1	2	3	4	5	7
20-34	12	2.1	2	< 1	< 1	1	3	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	350	2.3	2	1	1	2	3	5	5	7
20-34	189	2.7	3	1	1	2	4	5	6	7
35-49	71	2.5	2	1	1	2	4	4	5	8
50-64	20	3.1	5	1	1	2	4	6	8	9
65 +	19	3.6	10	1	1	2	6	7	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.4	3	1	1	2	4	4	6	7
20-34	33	3.0	5	1	1	3	4	6	8	9
35-49	16	2.4	2	< 1	1	2	3	4	6	7
50-64	4	4.3	10	1	1	4	7	7	7	7
65 +	4	13.0	67	2	7	14	19	21	21	21
B. Operated										
0-19 YRS	468	3.4	9	1	1	3	5	6	8	12
20-34	441	3.6	12	1	2	3	5	6	8	15
35-49	231	4.2	15	1	2	3	5	7	11	23
50-64	89	3.9	9	1	2	3	5	7	8	18
65 +	120	4.5	18	1	2	3	6	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.2	2	< 1	1	2	3	4	5	7
B. Operated	649	2.5	3	1	1	2	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	104	3.1	9	1	1	2	4	7	8	19
B. Operated	1349	3.7	12	1	2	3	5	7	9	19
1. SINGLE DX	693	2.5	3	1	1	2	4	5	5	8
2. MULTIPLE DX	1453	3.7	12	1	2	3	5	7	9	19
A. Not Operated	148	2.8	7	< 1	1	2	3	5	7	17
B. Operated	1998	3.3	9	1	1	3	4	6	8	14
TOTAL										
0-19 YRS	892	2.9	6	1	1	2	4	6	7	11
20-34	675	3.3	9	1	1	3	4	6	7	13
35-49	319	3.7	12	1	2	3	4	7	9	22
50-64	117	3.7	8	1	2	3	5	7	8	18
65 +	143	4.7	20	1	2	3	6	9	13	24
GRAND TOTAL	**2146**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	245	1.9	5	< 1	1	1	2	4	4	10
20-34	104	1.8	3	1	1	1	2	3	4	10
35-49	32	2.7	9	1	1	2	3	5	12	13
50-64	9	1.6	1	< 1	< 1	1	2	4	4	4
65 +	13	3.2	16	1	1	2	3	7	14	16
B. Operated										
0-19 YRS	404	1.8	3	< 1	1	1	2	4	5	9
20-34	270	2.1	9	< 1	1	1	2	4	7	10
35-49	89	2.1	3	1	1	2	2	4	6	10
50-64	29	2.5	7	1	1	2	3	4	5	15
65 +	15	2.5	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	365	2.4	4	1	1	2	3	5	6	11
20-34	362	2.2	12	1	1	1	3	4	5	9
35-49	174	2.4	5	1	1	2	3	5	6	11
50-64	74	3.7	11	1	1	3	5	8	11	18
65 +	125	4.1	23	1	1	3	6	8	9	22
B. Operated										
0-19 YRS	1003	2.6	9	1	1	2	3	5	8	16
20-34	1285	3.2	21	1	1	2	3	6	9	21
35-49	583	3.3	18	1	1	2	4	7	10	20
50-64	218	4.2	39	1	1	2	5	9	13	32
65 +	362	5.2	53	1	2	4	6	10	16	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	2.0	5	< 1	1	1	2	4	5	12
B. Operated	807	2.0	5	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	1100	2.6	10	1	1	2	3	5	7	12
B. Operated	3451	3.3	22	1	1	2	4	7	10	21
1. SINGLE DX	1210	2.0	5	< 1	1	1	2	4	5	10
2. MULTIPLE DX	4551	3.2	19	1	1	2	4	6	9	20
A. Not Operated	1503	2.5	9	1	1	2	3	5	7	12
B. Operated	4258	3.1	19	1	1	2	3	6	9	20
TOTAL										
0-19 YRS	2017	2.3	6	1	1	1	3	5	7	13
20-34	2021	2.8	17	1	1	2	3	5	8	19
35-49	878	3.0	14	1	1	2	3	6	8	18
50-64	330	3.9	29	1	1	2	4	8	12	25
65 +	515	4.8	44	1	2	3	6	9	14	44
GRAND TOTAL	**5761**	**2.9**	**17**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	267	1.5	1	< 1	1	1	2	2	3	5
20-34	533	1.6	3	< 1	1	1	2	3	3	6
35-49	157	1.4	1	< 1	1	1	2	2	3	4
50-64	18	1.3	1	< 1	1	1	1	2	3	4
65 +	6	1.2		1	1	1	1	2	2	2
B. Operated										
0-19 YRS	325	2.2	5	< 1	1	1	3	4	6	11
20-34	302	2.8	5	< 1	1	2	4	6	7	8
35-49	93	3.2	6	1	1	2	4	6	7	13
50-64	20	2.1	2	1	1	2	3	4	5	6
65 +	11	2.1	4	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	203	2.2	5	< 1	1	2	3	4	6	10
20-34	490	2.3	8	< 1	1	1	3	4	6	24
35-49	177	2.3	4	1	1	2	3	5	7	11
50-64	37	3.4	17	1	1	2	4	7	14	21
65 +	30	5.7	56	1	2	3	6	14	27	33
B. Operated										
0-19 YRS	379	4.9	32	1	1	4	6	10	15	37
20-34	838	4.9	40	1	2	4	6	9	14	31
35-49	298	5.5	46	1	2	4	6	12	16	46
50-64	67	6.5	86	1	2	4	7	14	27	55
65 +	50	7.5	66	2	3	4	9	17	33	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	981	1.5	2	< 1	1	1	2	2	3	5
B. Operated	751	2.6	5	< 1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	937	2.4	9	< 1	1	2	3	5	6	21
B. Operated	1632	5.2	42	1	2	4	6	10	15	35
1. SINGLE DX	1732	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	2569	4.2	32	1	1	3	5	8	13	32
A. Not Operated	1918	2.0	6	< 1	1	1	2	4	5	11
B. Operated	2383	4.4	32	1	1	3	5	8	13	32
TOTAL										
0-19 YRS	1174	2.9	15	< 1	1	2	3	6	8	20
20-34	2163	3.2	21	1	1	2	4	7	9	22
35-49	725	3.5	24	1	1	2	4	7	10	23
50-64	142	4.4	50	1	1	2	4	9	16	36
65 +	97	5.9	55	1	2	4	6	15	24	35
GRAND TOTAL	**4301**	**3.3**	**22**	**1**	**1**	**2**	**4**	**7**	**9**	**24**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	329	2.4	2	1	1	2	3	4	6	8
20-34	421	2.6	3	1	1	2	3	5	6	8
35-49	161	2.7	3	1	2	2	4	5	6	8
50-64	83	2.8	3	1	2	3	4	5	6	9
65 +	26	2.9	3	1	2	2	3	5	6	8
B. Operated										
0-19 YRS	740	2.3	5	< 1	1	1	2	5	7	11
20-34	1191	2.5	5	< 1	1	2	3	5	7	11
35-49	549	2.5	4	1	1	2	3	5	6	10
50-64	193	2.7	9	1	1	2	4	5	6	18
65 +	63	2.3	3	1	1	2	3	5	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	350	3.0	9	1	1	2	3	5	8	14
20-34	527	3.1	7	1	1	2	4	6	7	15
35-49	246	3.8	11	1	2	3	5	7	10	16
50-64	107	4.7	34	2	2	3	5	7	10	39
65 +	146	5.5	24	2	3	4	6	10	13	22
B. Operated										
0-19 YRS	1026	3.2	14	1	1	2	4	7	10	20
20-34	1979	3.7	18	1	1	2	4	8	10	21
35-49	929	4.0	22	1	1	3	5	8	12	23
50-64	396	4.6	39	1	1	2	5	10	16	32
65 +	275	5.0	31	1	1	3	7	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1020	2.6	3	1	1	2	3	5	6	8
B. Operated	2736	2.5	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	1376	3.6	13	1	2	3	4	7	9	18
B. Operated	4605	3.8	21	1	1	2	5	8	11	23
1. SINGLE DX	3756	2.5	5	1	1	2	3	5	6	10
2. MULTIPLE DX	5981	3.7	19	1	1	2	4	8	11	22
A. Not Operated	2396	3.2	9	1	2	2	4	6	7	14
B. Operated	7341	3.3	15	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	2445	2.8	9	1	1	2	3	6	8	16
20-34	4118	3.2	12	1	1	2	4	6	9	17
35-49	1885	3.4	14	1	1	2	4	7	10	19
50-64	779	3.9	28	1	1	2	4	8	12	28
65 +	510	4.7	25	1	2	3	6	10	14	27
GRAND TOTAL	**9737**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	519	2.5	3	1	1	2	3	5	6	8
20-34	349	2.5	3	1	1	2	3	5	6	8
35-49	98	3.5	63	1	1	2	3	6	7	45
50-64	29	2.6	2	1	1	2	4	5	5	6
65 +	18	5.2	32	1	2	3	5	11	19	24
B. Operated										
0-19 YRS	795	3.2	12	1	1	2	4	7	9	19
20-34	696	3.4	13	1	1	2	4	6	9	18
35-49	267	3.1	8	1	1	2	4	6	7	19
50-64	109	3.8	12	1	2	3	5	8	12	16
65 +	46	4.2	8	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	318	3.4	7	1	2	3	4	7	8	15
20-34	277	3.2	7	1	1	3	4	6	8	14
35-49	161	4.8	18	1	2	4	6	9	11	26
50-64	123	5.8	29	2	3	5	7	11	14	34
65 +	155	7.8	77	3	4	6	9	14	17	32
B. Operated										
0-19 YRS	683	5.9	44	1	2	4	7	13	18	35
20-34	762	5.8	41	1	2	4	7	12	18	34
35-49	391	7.3	73	1	2	4	9	17	25	42
50-64	195	8.7	66	2	3	6	12	17	24	42
65 +	269	10.8	85	2	4	8	14	24	30	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1013	2.7	10	1	1	2	3	5	6	9
B. Operated	1913	3.3	12	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	1034	4.5	24	1	2	3	6	9	11	20
B. Operated	2300	6.9	57	1	2	4	8	15	23	41
1. SINGLE DX	2926	3.1	11	1	1	2	4	6	8	16
2. MULTIPLE DX	3334	6.2	48	1	2	4	7	13	19	37
A. Not Operated	2047	3.6	18	1	1	3	4	7	9	16
B. Operated	4213	5.3	40	1	2	3	6	12	17	33
TOTAL										
0-19 YRS	2315	3.8	20	1	1	2	4	8	12	24
20-34	2084	4.1	22	1	1	3	5	8	12	26
35-49	917	5.2	47	1	2	3	6	11	17	37
50-64	456	6.4	44	1	2	4	8	14	17	40
65 +	488	9.0	78	2	4	7	11	20	25	40
GRAND TOTAL	**6260**	**4.7**	**33**	**1**	**2**	**3**	**5**	**10**	**15**	**30**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	25	< 1	< 1	1	6	11	11	11
20-34	8	3.0	4	1	1	2	4	6	7	7
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	41	3.0	7	< 1	1	1	5	7	10	10
20-34	50	3.3	13	1	1	2	6	7	8	22
35-49	23	4.6	18	1	1	3	6	11	15	15
50-64	8	2.9		2	2	3	3	4	4	4
65 +	4	7.5	15	3	4	7	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	9.3	20	5	6	9	13	14	14	14
20-34	9	4.3	14	1	1	3	8	10	10	10
35-49	4	7.5	3	5	6	8	9	9	9	9
50-64	5	6.2	12	3	4	5	7	12	12	12
65 +	12	8.8	28	2	4	9	13	16	17	17
B. Operated										
0-19 YRS	201	7.6	79	1	2	5	9	17	25	53
20-34	392	6.7	56	1	2	5	8	15	23	37
35-49	164	9.6	205	1	2	5	10	22	38	84
50-64	44	9.0	93	1	2	6	12	27	29	44
65 +	46	11.0	146	1	3	6	15	33	39	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.2	7	1	1	2	5	7	9	11
B. Operated	126	3.5	12	1	1	2	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	33	7.1	20	1	4	6	9	13	16	17
B. Operated	847	7.8	98	1	2	5	9	17	27	55
1. SINGLE DX	144	3.5	11	1	1	2	5	7	10	16
2. MULTIPLE DX	880	7.8	96	1	2	5	9	17	27	54
A. Not Operated	51	5.7	19	1	2	5	9	12	14	17
B. Operated	973	7.3	89	1	2	5	9	15	26	52
TOTAL										
0-19 YRS	249	6.8	69	1	2	5	9	15	22	50
20-34	459	6.2	51	1	2	4	8	13	21	37
35-49	195	8.8	178	1	2	5	9	17	33	80
50-64	58	7.9	76	1	3	5	10	22	28	43
65 +	63	10.2	114	1	3	7	13	32	35	94
GRAND TOTAL	**1024**	**7.2**	**86**	**1**	**2**	**5**	**9**	**15**	**25**	**51**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.0	1	1	1	2	3	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65 +	2	16.0	72	10	10	16	22	22	22	22
B. Operated										
0-19 YRS	24	2.9	8	1	1	2	3	4	10	14
20-34	29	3.9	23	< 1	1	2	5	8	18	21
35-49	18	2.1	2	1	1	1	3	4	5	5
50-64	13	1.8	1	1	1	2	2	3	3	3
65 +	4	3.3	20	1	1	1	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	11.1	273	1	3	6	60	99 +	99 +	99 +
20-34	17	14.2	758	1	3	4	10	87	95	99 +
35-49	12	3.4	3	1	2	3	4	6	7	7
50-64	5	4.2	10	1	2	4	6	9	9	9
65 +	33	16.3	93	3	7	16	23	30	32	35
B. Operated										
0-19 YRS	36	6.3	87	1	1	4	7	10	33	42
20-34	51	4.4	26	1	1	3	7	99 +	99 +	99 +
35-49	34	7.5	76	1	2	3	12	25	32	99 +
50-64	19	5.3	74	1	2	2	5	10	27	39
65 +	16	15.1	287	1	4	10	25	57	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.6	36	1	1	2	4	14	21	22
B. Operated	88	2.9	11	1	1	2	3	5	9	20
2. MULTIPLE DX										
A. Not Operated	81	12.3	258	2	3	6	21	35	99 +	99 +
B. Operated	156	6.7	90	1	2	4	9	27	99 +	99 +
1. SINGLE DX	100	3.1	14	1	1	2	3	6	10	21
2. MULTIPLE DX	237	8.6	154	1	2	4	12	33	99 +	99 +
A. Not Operated	93	11.3	236	2	3	5	18	31	95	99 +
B. Operated	244	5.3	65	1	1	3	6	17	39	99 +
TOTAL										
0-19 YRS	75	6.0	100	1	2	3	7	28	82	99 +
20-34	104	5.7	151	1	1	3	6	22	99 +	99 +
35-49	66	5.2	46	1	1	3	5	15	25	89
50-64	37	3.9	41	1	2	2	4	7	11	39
65 +	55	15.0	149	1	5	14	22	32	37	98
GRAND TOTAL	**337**	**7.0**	**118**	**1**	**2**	**3**	**8**	**25**	**59**	**99 +**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	236	3.9	4	2	2	4	5	6	7	10
20-34	55	2.9	2	1	1	3	4	5	5	6
35-49	21	4.1	8	1	3	3	5	7	10	14
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	11	4.7	14	1	2	3	7	11	12	12
20-34	8	4.8	12	1	2	4	7	10	10	10
35-49	4	3.0	6	1	1	3	5	6	6	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	221	3.7	4	1	2	4	5	6	7	9
20-34	90	3.0	4	1	1	3	4	5	7	9
35-49	50	3.1	3	1	2	3	5	6	6	8
50-64	22	4.5	12	1	2	4	6	7	12	17
65 +	19	4.0	11	1	2	3	6	9	11	13
B. Operated										
0-19 YRS	33	4.5	7	1	3	4	6	7	8	14
20-34	37	3.4	5	1	2	3	4	6	7	12
35-49	25	4.2	20	1	2	3	5	7	12	23
50-64	8	5.8	39	1	2	3	7	16	20	20
65 +	9	6.9	90	1	2	2	8	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	3.7	4	1	2	4	5	6	7	10
B. Operated	26	4.2	11	1	1	3	6	10	11	12
2. MULTIPLE DX										
A. Not Operated	402	3.5	5	1	2	3	5	6	7	10
B. Operated	112	4.3	18	1	2	3	5	7	12	24
1. SINGLE DX	341	3.8	4	1	2	4	5	6	7	10
2. MULTIPLE DX	514	3.7	8	1	2	3	5	6	8	15
A. Not Operated	717	3.6	4	1	2	3	5	6	7	10
B. Operated	138	4.3	16	1	2	3	5	8	11	23
TOTAL										
0-19 YRS	501	3.9	4	1	2	4	5	6	7	10
20-34	190	3.1	4	1	1	3	4	6	7	10
35-49	100	3.6	8	1	2	3	5	6	7	18
50-64	35	4.5	17	1	2	3	6	8	15	20
65 +	29	4.8	35	1	2	2	6	11	22	25
GRAND TOTAL	**855**	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**12**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	652	1.5	1	< 1	1	1	2	3	3	6
20-34	481	2.0	3	< 1	1	1	2	4	5	9
35-49	264	2.1	2	1	1	1	3	4	6	7
50-64	135	2.5	5	1	1	2	3	5	8	12
65 +	157	3.6	16	1	1	2	4	7	10	22
B. Operated										
0-19 YRS	98	2.2	6	< 1	1	1	2	5	6	14
20-34	70	2.5	4	< 1	1	2	3	5	6	11
35-49	52	3.0	14	< 1	1	2	4	7	8	25
50-64	33	3.4	10	1	1	3	4	7	9	16
65 +	14	2.4	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1351	2.0	4	1	1	1	2	4	5	8
20-34	1415	2.2	4	1	1	2	3	4	6	9
35-49	904	2.9	7	1	1	2	3	6	8	13
50-64	752	3.6	22	1	1	2	4	7	10	16
65 +	2311	5.4	35	1	2	4	6	10	14	28
B. Operated										
0-19 YRS	178	3.7	31	1	1	2	4	7	11	36
20-34	299	3.2	11	1	1	2	4	7	10	17
35-49	197	4.7	49	1	2	3	5	8	11	45
50-64	126	7.0	101	1	2	4	8	14	20	59
65 +	287	9.5	106	2	4	6	12	20	29	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1689	2.0	4	1	1	1	2	4	5	10
B. Operated	267	2.6	7	< 1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	6733	3.5	19	1	1	2	4	7	10	18
B. Operated	1087	5.6	63	1	2	3	6	12	17	43
1. SINGLE DX	1956	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX	7820	3.8	26	1	1	2	4	8	11	22
A. Not Operated	8422	3.2	16	1	1	2	4	7	9	17
B. Operated	1354	5.0	53	1	1	3	6	10	16	40
TOTAL										
0-19 YRS	2279	2.0	5	1	1	1	2	4	5	10
20-34	2265	2.3	5	1	1	2	3	5	6	10
35-49	1417	3.0	13	1	1	2	3	6	8	14
50-64	1046	3.8	30	1	1	2	4	8	11	19
65 +	2769	5.7	43	1	2	4	7	11	15	31
GRAND TOTAL	**9776**	**3.4**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	1.4		< 1	1	1	2	2	3	3
20-34	43	3.3	95	1	1	1	2	4	6	65
35-49	23	2.3	2	1	1	2	3	4	5	5
50-64	6	1.5	1	< 1	1	1	2	3	3	3
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	29	3.7	11	< 1	1	2	6	9	10	14
20-34	53	3.6	11	1	1	3	4	9	11	17
35-49	23	3.0	4	< 1	1	3	4	6	7	8
50-64	9	6.3	126	1	2	2	5	24	36	36
65 +	4	5.8	67	1	1	2	10	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	2.7	11	1	1	2	3	6	9	18
20-34	64	3.0	10	1	1	2	4	6	8	19
35-49	46	2.8	8	1	1	2	3	6	9	15
50-64	28	4.0	9	1	2	3	5	10	11	12
65 +	16	6.4	47	1	3	4	7	15	24	28
B. Operated										
0-19 YRS	82	6.1	65	1	2	3	7	14	25	42
20-34	167	6.0	69	1	2	3	7	14	18	46
35-49	105	6.7	65	1	2	4	9	14	20	45
50-64	47	7.0	88	1	2	3	7	23	33	37
65 +	23	11.7	135	1	4	9	16	22	40	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	2.3	39	1	1	1	2	3	4	32
B. Operated	118	3.8	19	1	1	2	5	8	11	24
2. MULTIPLE DX										
A. Not Operated	199	3.3	13	1	1	2	4	7	11	19
B. Operated	424	6.6	74	1	2	3	8	15	23	44
1. SINGLE DX	225	3.1	29	1	1	2	3	5	9	22
2. MULTIPLE DX	623	5.5	57	1	1	3	6	12	18	40
A. Not Operated	306	3.0	22	1	1	2	3	6	8	19
B. Operated	542	6.0	63	1	2	3	7	14	19	42
TOTAL										
0-19 YRS	189	4.1	36	1	1	2	5	9	14	35
20-34	327	4.6	53	1	1	2	5	11	15	41
35-49	197	4.8	41	1	1	3	6	10	15	40
50-64	90	5.6	62	1	2	3	5	12	25	37
65 +	45	8.8	98	1	2	5	12	18	29	52
GRAND TOTAL	**848**	**4.9**	**51**	**1**	**1**	**2**	**5**	**11**	**16**	**39**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1164	1.2		< 1	< 1	1	1	2	2	3
20-34	116	1.5	1	< 1	1	1	2	3	4	5
35-49	70	1.5	1	< 1	1	1	2	3	4	6
50-64	58	1.3	1	< 1	1	1	1	2	3	5
65 +	35	1.5	2	1	1	1	2	3	4	7
B. Operated										
0-19 YRS	548	1.5	2	< 1	1	1	1	2	4	8
20-34	23	3.3	6	1	1	2	5	7	9	9
35-49	20	2.8	5	< 1	< 1	2	4	6	7	7
50-64	14	3.6	26	1	1	1	4	11	17	19
65 +	7	2.0	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	507	2.1	5	< 1	1	1	2	4	6	15
20-34	91	2.4	4	1	1	2	3	5	6	11
35-49	110	2.4	6	< 1	1	2	3	5	7	15
50-64	155	3.1	24	1	1	2	3	6	8	27
65 +	364	4.1	38	1	1	3	5	8	11	18
B. Operated										
0-19 YRS	343	3.9	39	1	1	2	4	9	13	43
20-34	64	6.3	29	1	2	5	9	15	18	20
35-49	79	5.4	22	1	2	4	8	12	14	77
50-64	112	5.0	22	1	1	3	8	11	13	20
65 +	239	6.3	67	1	2	4	8	15	22	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1443	1.2		< 1	< 1	1	1	2	2	4
B. Operated	612	1.7	3	< 1	1	1	1	3	5	9
2 MULTIPLE DX										
A. Not Operated	1227	2.9	18	1	1	2	3	6	8	16
B. Operated	837	5.0	43	1	1	3	7	12	16	35
1. SINGLE DX	2055	1.4	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	2064	3.7	29	1	1	2	4	8	12	24
A. Not Operated	2670	2.0	9	< 1	1	1	2	4	6	12
B. Operated	1449	3.6	29	< 1	1	1	4	9	13	25
TOTAL										
0-19 YRS	2562	1.8	8	< 1	1	1	2	3	5	13
20-34	294	2.9	12	1	1	1	3	7	10	19
35-49	279	3.1	12	< 1	1	2	4	7	11	21
50-64	339	3.4	21	1	1	2	4	9	11	20
65 +	645	4.7	48	1	1	3	6	10	15	33
GRAND TOTAL	**4119**	**2.6**	**17**	**< 1**	**1**	**1**	**2**	**6**	**9**	**18**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	5.2	16	1	2	4	8	10	11	21
20-34	17	4.8	18	1	2	4	7	11	14	16
35-49	10	4.9	6	2	4	5	6	8	10	10
50-64	4	4.5	16	1	1	3	7	10	10	10
65 +	4	9.5	32	1	6	12	13	13	13	13
B. Operated										
0-19 YRS	97	5.3	41	1	1	3	6	12	16	35
20-34	57	6.2	33	1	3	4	8	12	21	27
35-49	45	6.8	34	1	3	5	9	13	18	29
50-64	25	9.8	69	3	5	7	13	24	29	35
65 +	4	17.3	25	12	13	17	21	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	182	5.8	35	1	2	4	8	13	17	30
20-34	137	5.6	31	1	2	3	8	13	16	25
35-49	74	6.4	66	1	2	4	9	14	15	50
50-64	61	6.9	44	1	2	5	9	14	20	37
65 +	63	10.7	91	3	4	7	13	27	30	47
B. Operated										
0-19 YRS	506	17.8	253	2	7	14	23	37	53	95
20-34	360	16.7	252	3	6	11	24	41	55	99 +
35-49	275	16.1	193	3	6	13	21	39	47	91
50-64	160	17.9	273	2	8	14	24	44	75	99 +
65 +	185	23.2	299	5	10	20	34	56	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	5.3	16	1	2	4	8	11	12	20
B. Operated	228	6.5	44	1	2	5	8	14	22	34
2. MULTIPLE DX										
A. Not Operated	517	6.5	48	1	2	4	9	14	18	36
B. Operated	1486	17.9	253	3	7	13	25	41	57	99 +
1. SINGLE DX	297	6.2	38	1	2	5	8	13	20	32
2. MULTIPLE DX	2003	15.0	225	2	4	11	21	37	50	99 +
A. Not Operated	586	6.4	45	1	2	4	9	13	18	34
B. Operated	1714	16.4	240	2	5	12	23	39	54	99 +
TOTAL										
0-19 YRS	819	13.1	205	1	3	9	19	31	41	75
20-34	571	12.7	198	2	3	8	15	33	46	95
35-49	404	13.0	168	2	4	9	17	33	43	68
50-64	250	14.2	217	2	5	10	19	36	52	99 +
65 +	256	19.8	270	4	7	15	29	49	60	99 +
GRAND TOTAL	**2300**	**13.8**	**209**	**2**	**4**	**9**	**19**	**34**	**48**	**99**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	333	3.2	8	1	1	2	4	7	9	13
20-34	117	3.6	14	1	1	2	5	9	13	17
35-49	63	2.9	6	1	1	2	4	6	9	11
50-64	15	2.7	7	1	1	1	4	6	9	10
65 +	6	3.0	4	1	1	2	5	6	6	6
B. Operated										
0-19 YRS	47	5.0	33	< 1	1	2	7	12	18	27
20-34	29	7.2	159	1	2	3	6	17	23	67
35-49	17	8.9	88	1	2	7	10	21	33	38
50-64	5	12.8	394	1	2	4	18	48	48	48
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1637	4.9	22	1	2	3	7	11	15	21
20-34	570	4.2	20	1	1	3	6	9	13	21
35-49	402	4.8	28	1	1	3	7	10	14	26
50-64	208	6.0	29	1	2	4	8	14	16	27
65 +	164	7.9	35	3	4	7	10	15	20	26
B. Operated										
0-19 YRS	291	12.7	150	2	4	10	18	29	37	72
20-34	175	11.7	137	2	4	8	16	25	33	95
35-49	147	11.3	120	2	4	7	16	23	28	64
50-64	83	11.5	88	2	4	9	15	25	34	81
65 +	54	16.5	214	3	7	14	22	52	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	534	3.3	9	1	1	2	4	7	10	15
B. Operated	99	6.7	96	1	1	3	8	16	22	58
2. MULTIPLE DX										
A. Not Operated	2981	5.0	24	1	2	3	7	11	15	22
B. Operated	750	12.3	139	2	4	9	17	27	37	98
1. SINGLE DX	633	3.8	24	1	1	2	5	8	11	21
2. MULTIPLE DX	3731	6.5	56	1	2	4	8	15	20	38
A. Not Operated	3515	4.7	22	1	1	3	6	11	14	22
B. Operated	849	11.7	138	1	4	8	16	27	37	83
TOTAL										
0-19 YRS	2308	5.7	44	1	2	3	7	13	18	33
20-34	891	5.7	55	1	1	3	7	14	20	37
35-49	629	6.2	57	1	2	4	8	15	20	37
50-64	311	7.4	55	1	2	5	10	16	23	42
65 +	225	9.8	91	2	4	7	12	22	32	99 +
GRAND TOTAL	**4364**	**6.1**	**52**	**1**	**2**	**4**	**8**	**14**	**20**	**37**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.2	3	1	1	2	3	5	6	10
20-34	48	4.0	13	1	2	3	6	9	12	17
35-49	28	3.7	9	1	2	3	5	8	11	12
50-64	13	4.3	37	1	2	2	4	10	21	24
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	52	2.3	6	1	1	1	2	7	8	10
20-34	83	2.9	16	1	1	2	3	6	9	26
35-49	39	2.3	6	1	1	1	2	6	9	11
50-64	16	2.1	1	1	1	2	3	3	5	5
65 +	5	13.0	414	1	2	3	19	49	49	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	5.1	132	1	1	3	4	10	11	80
20-34	126	4.8	20	1	2	3	7	11	21	99 +
35-49	71	6.2	48	1	2	4	7	14	20	89
50-64	55	9.1	263	2	3	5	7	22	85	99 +
65 +	67	8.9	76	2	4	6	12	18	24	92
B. Operated										
0-19 YRS	201	5.2	89	1	1	2	4	11	24	62
20-34	363	4.8	53	1	1	2	5	11	18	50
35-49	143	7.0	124	1	1	3	8	24	31	99 +
50-64	59	5.4	48	1	2	3	7	10	18	40
65 +	81	14.0	318	1	2	8	17	38	57	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	3.3	11	1	1	2	4	7	10	17
B. Operated	195	2.8	21	1	1	1	3	6	9	23
2. MULTIPLE DX										
A. Not Operated	388	6.4	91	1	2	4	7	14	22	99 +
B. Operated	847	6.2	105	1	1	3	6	16	27	66
1. SINGLE DX	348	3.0	16	1	1	2	3	6	9	17
2. MULTIPLE DX	1235	6.2	101	1	1	3	7	15	24	91
A. Not Operated	541	5.5	70	1	2	3	6	12	19	99 +
B. Operated	1042	5.5	91	1	1	2	5	14	24	58
TOTAL										
0-19 YRS	384	4.3	73	1	1	2	4	9	14	50
20-34	620	4.5	39	1	1	2	5	10	16	52
35-49	281	5.8	80	1	1	3	7	14	25	97
50-64	143	6.4	129	1	2	3	6	13	26	99 +
65 +	155	11.6	216	1	3	6	15	24	48	90
GRAND TOTAL	**1583**	**5.5**	**84**	**1**	**1**	**3**	**6**	**13**	**22**	**79**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	366	1.8	2	< 1	1	1	2	3	5	7
20-34	302	2.1	4	< 1	1	1	2	4	6	9
35-49	156	3.2	56	1	1	2	3	5	8	27
50-64	47	2.6	4	1	1	2	4	5	6	9
65 +	33	6.1	130	1	2	3	5	11	19	65
B. Operated										
0-19 YRS	91	4.3	17	1	1	3	6	9	12	23
20-34	125	3.4	9	1	1	3	5	7	8	15
35-49	66	5.3	27	1	2	4	7	11	15	28
50-64	25	5.1	20	1	1	4	8	12	15	16
65 +	5	3.4	23	1	1	1	4	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	481	2.5	6	1	1	2	3	5	7	11
20-34	640	2.7	8	1	1	2	3	5	8	15
35-49	342	3.4	9	1	1	2	4	7	10	15
50-64	232	4.1	18	1	2	3	5	7	10	24
65 +	410	5.8	54	1	2	4	7	11	14	47
B. Operated										
0-19 YRS	207	7.2	63	1	2	5	9	15	20	37
20-34	365	7.6	85	1	2	5	9	18	27	48
35-49	202	8.7	121	1	3	5	11	18	26	61
50-64	129	9.3	117	2	4	7	11	20	28	67
65 +	167	11.7	110	3	5	9	15	27	32	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	904	2.4	17	< 1	1	1	3	4	6	11
B. Operated	312	4.2	17	1	1	3	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	2105	3.5	19	1	1	2	4	7	10	20
B. Operated	1070	8.6	97	1	3	5	11	19	28	53
1. SINGLE DX	1216	2.8	18	1	1	2	3	6	8	16
2. MULTIPLE DX	3175	5.2	51	1	1	3	6	11	17	34
A. Not Operated	3009	3.2	19	1	1	2	4	6	9	19
B. Operated	1382	7.6	82	1	2	5	9	17	24	50
TOTAL										
0-19 YRS	1145	3.3	20	1	1	2	4	7	10	21
20-34	1432	3.9	32	1	1	2	4	8	13	30
35-49	766	4.9	55	1	1	3	5	10	15	32
50-64	433	5.5	52	1	2	4	6	11	17	36
65 +	615	7.4	80	2	3	5	9	15	21	54
GRAND TOTAL	**4391**	**4.6**	**43**	**1**	**1**	**3**	**5**	**10**	**14**	**31**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2334	1.6	4	< 1	1	1	2	3	3	7
20-34	767	1.6	1	< 1	1	1	2	3	4	5
35-49	308	1.6	2	< 1	1	1	2	3	4	9
50-64	61	2.0	3	1	1	1	2	3	4	11
65 +	23	2.0	4	< 1	1	1	2	4	7	10
B. Operated										
0-19 YRS	13	2.5	2	1	2	2	3	5	6	6
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	4	2.5		2	2	2	3	3	3	3
50-64	2	18.0	242	7	7	18	29	29	29	29
65 +	3	8.7	20	4	5	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4910	2.7	17	1	1	2	3	5	8	23
20-34	5746	2.8	15	1	1	2	3	5	8	20
35-49	3726	3.4	23	1	1	2	3	7	11	24
50-64	1370	4.5	28	1	2	3	5	9	14	30
65 +	1787	5.5	32	1	2	4	7	11	16	30
B. Operated										
0-19 YRS	106	6.5	70	1	2	4	6	17	25	44
20-34	186	7.6	129	1	2	4	8	18	28	74
35-49	189	8.4	79	2	3	5	11	25	31	77
50-64	93	14.3	281	2	4	8	20	40	51	96
65 +	174	13.0	162	3	6	10	17	29	33	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3493	1.6	3	< 1	1	1	2	3	3	7
B. Operated	25	4.5	34	1	2	3	4	9	17	29
2. MULTIPLE DX										
A. Not Operated	17539	3.3	21	1	1	2	4	7	11	23
B. Operated	748	9.8	142	1	3	6	12	24	33	83
1. SINGLE DX	3518	1.6	4	< 1	1	1	2	3	4	7
2. MULTIPLE DX	18287	3.6	27	1	1	2	4	7	12	27
A. Not Operated	21032	3.0	18	1	1	2	3	6	10	22
B. Operated	773	9.6	139	1	3	6	12	23	32	83
TOTAL										
0-19 YRS	7363	2.4	14	1	1	1	2	4	7	21
20-34	6702	2.8	17	1	1	2	3	5	8	20
35-49	4227	3.5	25	1	1	2	4	7	12	26
50-64	1526	5.0	49	1	2	3	6	11	16	40
65 +	1987	6.2	48	1	2	4	7	13	19	34
GRAND TOTAL	**21805**	**3.3**	**24**	**1**	**1**	**2**	**3**	**7**	**11**	**26**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1241	2.3	4	< 1	1	1	3	5	6	8
20-34	253	1.7	1	< 1	1	1	2	3	4	5
35-49	190	1.6	2	< 1	1	1	2	3	4	8
50-64	74	1.5	1	< 1	1	1	2	3	3	4
65 +	34	2.9	19	1	1	1	2	5	14	22
B. Operated										
0-19 YRS	32	3.0	5	1	1	2	5	7	7	9
20-34	7	3.3	2	1	3	3	4	5	5	5
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	9	2.3	3	1	1	2	3	5	6	6
65 +	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1032	3.1	18	1	1	2	4	6	8	16
20-34	633	2.7	14	1	1	2	3	5	8	18
35-49	535	2.6	9	1	1	2	3	5	8	15
50-64	320	3.4	22	1	1	2	4	7	11	24
65 +	282	4.5	52	1	1	3	5	9	14	29
B. Operated										
0-19 YRS	75	9.4	189	1	2	4	10	22	48	64
20-34	60	8.7	167	2	3	5	9	19	26	87
35-49	46	8.9	149	1	3	6	11	17	54	99 +
50-64	42	10.7	116	1	4	8	13	28	38	42
65 +	33	12.2	84	4	5	10	14	27	35	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1792	2.1	4	< 1	1	1	3	5	6	8
B. Operated	55	2.9	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	2802	3.1	19	1	1	2	4	6	9	20
B. Operated	256	9.7	150	1	3	5	11	22	35	69
1. SINGLE DX	1847	2.1	4	< 1	1	1	3	5	6	8
2. MULTIPLE DX	3058	3.6	34	1	1	2	4	7	12	28
A. Not Operated	4594	2.7	14	1	1	1	3	6	7	16
B. Operated	311	8.5	131	1	2	5	10	20	30	67
TOTAL										
0-19 YRS	2380	2.9	17	1	1	1	4	6	7	17
20-34	953	2.8	23	< 1	1	1	3	5	9	22
35-49	775	2.7	18	1	1	2	3	5	8	17
50-64	445	3.7	33	1	1	2	4	8	13	34
65 +	352	5.1	57	1	1	3	6	11	16	35
GRAND TOTAL	**4905**	**3.1**	**23**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	573	1.6	2	1	1	1	2	3	4	7
20-34	226	1.6	1	1	1	1	2	3	4	5
35-49	196	1.9	3	1	1	1	2	4	5	9
50-64	118	1.8	2	< 1	1	1	2	3	4	9
65 +	69	2.1	3	1	1	2	2	5	6	9
B. Operated										
0-19 YRS	4	4.0	22	1	1	2	7	11	11	11
20-34	7	3.7	9	1	1	3	6	8	8	8
35-49	4	4.0	18	1	1	3	7	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	6	8.8	45	1	3	8	15	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	935	2.8	13	1	1	2	3	6	9	17
20-34	612	3.0	14	1	1	2	3	6	9	21
35-49	722	3.2	11	1	1	2	4	7	9	16
50-64	766	3.9	22	1	1	3	5	8	11	21
65 +	1563	5.5	31	1	2	4	7	11	15	26
B. Operated										
0-19 YRS	112	13.1	322	1	2	5	18	50	83	99 +
20-34	68	5.9	122	1	1	2	6	13	38	93
35-49	81	8.4	166	1	1	3	10	27	54	99 +
50-64	101	10.1	146	1	3	6	12	23	48	77
65 +	187	10.7	99	1	4	8	14	25	34	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1182	1.7	2	1	1	1	2	3	4	7
B. Operated	22	5.2	24	1	1	3	8	13	16	17
2. MULTIPLE DX										
A. Not Operated	4598	4.0	22	1	1	3	5	8	12	22
B. Operated	549	10.1	169	1	2	6	13	28	50	99 +
1. SINGLE DX	1204	1.8	2	1	1	1	2	3	4	9
2. MULTIPLE DX	5147	4.7	41	1	1	3	5	10	15	39
A. Not Operated	5780	3.5	18	1	1	2	4	7	10	20
B. Operated	571	10.0	164	1	2	5	13	27	49	99 +
TOTAL										
0-19 YRS	1624	3.1	38	1	1	2	3	6	10	42
20-34	913	2.9	20	1	1	2	3	5	8	25
35-49	1003	3.4	24	1	1	2	4	7	10	28
50-64	986	4.3	36	1	1	3	5	8	14	35
65 +	1825	5.9	40	1	2	4	7	13	17	32
GRAND TOTAL	**6351**	**4.1**	**35**	**1**	**1**	**2**	**5**	**9**	**13**	**34**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	3.4	18	1	1	2	3	7	11	20
20-34	69	3.5	8	1	2	3	4	7	8	16
35-49	95	3.7	11	1	2	3	5	8	11	16
50-64	72	4.8	25	1	2	3	6	9	12	33
65 +	122	4.8	29	1	2	3	6	11	14	28
B. Operated										
0-19 YRS	1362	3.3	15	1	2	2	4	6	10	19
20-34	684	3.8	15	1	1	3	5	8	11	18
35-49	772	4.2	16	1	1	3	6	9	11	20
50-64	928	5.0	19	1	2	4	7	10	12	20
65 +	1468	5.6	30	1	2	4	8	11	14	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1401	6.1	34	1	2	4	8	13	17	27
20-34	502	5.8	33	1	2	4	7	12	16	26
35-49	728	6.2	33	1	3	5	8	12	15	24
50-64	800	6.1	34	1	3	4	8	12	16	36
65 +	1739	6.8	46	1	3	5	8	14	19	38
B. Operated										
0-19 YRS	5001	7.5	91	1	2	4	9	18	26	54
20-34	2568	7.2	67	1	2	5	9	16	23	44
35-49	4095	7.3	72	1	2	5	9	16	22	46
50-64	6707	7.8	79	1	2	5	10	16	23	48
65 +	12656	8.7	87	1	3	6	11	18	25	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	572	3.9	19	1	1	3	5	8	11	21
B. Operated	5214	4.5	21	1	2	3	6	10	12	20
2. MULTIPLE DX										
A. Not Operated	5170	6.3	38	1	3	5	8	13	17	32
B. Operated	31027	8.0	83	1	2	5	10	17	24	50
1. SINGLE DX	5786	4.4	21	1	2	3	6	10	12	20
2. MULTIPLE DX	36197	7.7	77	1	2	5	10	16	23	48
A. Not Operated	5742	6.1	36	1	2	4	8	13	16	32
B. Operated	36241	7.5	75	1	2	5	9	16	23	48
TOTAL										
0-19 YRS	7978	6.4	69	1	2	4	7	15	22	47
20-34	3823	6.3	54	1	2	4	8	14	20	41
35-49	5690	6.7	60	1	2	4	8	14	20	41
50-64	8507	7.3	69	1	2	5	9	15	21	44
65 +	15985	8.1	78	1	3	6	10	17	23	49
GRAND TOTAL	**41983**	**7.3**	**70**	**1**	**2**	**5**	**9**	**15**	**22**	**46**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	350	1.3	1	< 1	1	1	1	2	3	5
20-34	151	2.1	2	< 1	1	2	2	4	5	8
35-49	127	2.4	4	1	1	2	3	5	7	12
50-64	114	2.4	3	1	1	2	3	5	5	8
65 +	165	2.6	2	1	2	2	3	4	5	8
B. Operated										
0-19 YRS	394	1.4	1	< 1	1	1	2	2	3	6
20-34	272	2.0	2	1	1	1	3	4	5	7
35-49	171	2.5	5	1	1	2	3	5	7	12
50-64	106	3.1	5	1	1	3	4	6	8	50
65 +	81	2.6	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	2.2	3	1	1	2	2	4	6	9
20-34	222	2.7	5	1	1	2	3	5	7	10
35-49	220	3.7	11	1	2	3	4	7	10	18
50-64	317	3.6	11	1	2	3	4	7	10	18
65 +	845	3.8	8	1	2	3	5	7	9	16
B. Operated										
0-19 YRS	338	2.4	12	1	1	1	2	5	8	22
20-34	419	3.2	10	1	1	2	4	7	9	14
35-49	459	4.0	31	1	1	3	5	8	11	23
50-64	538	4.3	31	1	1	3	5	8	13	24
65 +	1118	5.0	37	1	2	3	6	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	907	2.0	2	1	1	1	2	4	5	8
B. Operated	1024	2.0	3	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	1796	3.4	8	1	2	3	4	7	8	16
B. Operated	2872	4.1	29	1	1	2	5	9	12	25
1. SINGLE DX	1931	2.0	3	1	1	1	2	4	5	8
2. MULTIPLE DX	4668	3.9	21	1	1	3	5	8	11	23
A. Not Operated	2703	3.0	7	1	1	2	4	6	7	13
B. Operated	3896	3.6	23	1	1	2	4	8	11	24
TOTAL										
0-19 YRS	1274	1.8	4	< 1	1	1	2	3	5	10
20-34	1064	2.6	6	1	1	2	3	5	7	12
35-49	977	3.4	19	1	1	2	4	7	9	20
50-64	1075	3.8	20	1	1	3	4	8	10	23
65 +	2209	4.3	23	1	2	3	5	8	12	24
GRAND TOTAL	**6599**	**3.3**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**20**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	181	4.0	8	1	2	3	5	7	9	15
20-34	225	4.0	9	1	2	3	5	7	9	16
35-49	213	4.6	10	2	3	4	6	8	10	17
50-64	123	5.4	28	2	3	4	7	9	12	35
65 +	89	6.0	23	2	3	5	7	11	17	25
B. Operated										
0-19 YRS	133	4.9	12	1	2	4	7	10	12	16
20-34	177	6.1	28	2	3	5	8	11	15	28
35-49	174	5.8	20	2	3	5	7	11	17	23
50-64	111	5.7	32	1	2	4	7	11	20	29
65 +	68	7.6	48	2	3	6	9	14	26	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	352	4.8	21	1	2	4	6	9	11	18
20-34	444	4.9	11	2	3	4	6	9	11	18
35-49	649	6.0	20	2	3	5	7	11	15	22
50-64	629	6.9	30	2	4	5	8	13	16	28
65 +	980	7.9	37	3	4	6	10	14	19	31
B. Operated										
0-19 YRS	364	10.1	116	2	4	7	12	21	31	69
20-34	527	9.0	53	2	4	7	11	19	26	39
35-49	753	11.0	105	3	4	8	14	22	31	52
50-64	948	13.7	166	3	5	10	18	31	41	97
65 +	1206	14.1	143	4	6	10	18	30	39	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	831	4.6	14	2	2	4	6	8	10	19
B. Operated	663	5.9	26	1	3	4	8	11	15	28
2. MULTIPLE DX										
A. Not Operated	3054	6.5	28	2	3	5	8	12	16	27
B. Operated	3798	12.3	130	3	5	9	16	26	36	70
1. SINGLE DX	1494	5.1	19	2	2	4	6	10	13	25
2. MULTIPLE DX	6852	9.7	93	3	4	7	12	21	28	55
A. Not Operated	3885	6.1	25	2	3	5	7	11	15	25
B. Operated	4461	11.3	120	3	4	8	14	25	34	66
TOTAL										
0-19 YRS	1030	6.5	58	2	3	4	8	13	18	45
20-34	1373	6.5	33	2	3	5	8	13	18	30
35-49	1789	7.9	62	2	3	5	10	17	21	40
50-64	1811	10.3	114	2	4	7	13	23	33	67
65 +	2343	11.0	102	3	5	8	14	23	31	59
GRAND TOTAL	**8346**	**8.9**	**83**	**2**	**4**	**6**	**11**	**19**	**27**	**51**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	3.0	13	1	1	2	3	5	7	23
20-34	154	3.0	4	1	2	2	4	6	7	11
35-49	184	3.7	6	1	2	3	5	7	8	13
50-64	128	4.3	12	1	2	3	6	9	10	16
65 +	79	3.8	9	< 1	2	3	5	9	11	14
B. Operated										
0-19 YRS	170	2.9	7	< 1	1	2	4	6	8	12
20-34	169	4.5	17	1	2	3	6	9	11	23
35-49	208	4.7	19	1	2	3	6	10	16	24
50-64	180	5.7	37	1	2	4	7	12	20	31
65 +	131	4.6	16	1	2	3	6	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	693	3.2	11	1	1	2	4	7	10	18
20-34	817	3.6	9	1	2	3	5	7	9	14
35-49	1023	4.5	20	1	2	3	6	8	10	20
50-64	1088	5.1	21	1	2	4	7	10	13	23
65 +	1905	6.0	28	2	3	5	8	11	14	25
B. Operated										
0-19 YRS	1477	4.0	44	1	1	1	4	10	16	32
20-34	1625	4.1	44	1	1	2	4	9	14	37
35-49	2246	5.6	69	1	1	2	7	14	20	44
50-64	2525	6.9	80	1	1	4	9	16	24	46
65 +	4232	7.5	87	1	2	4	9	18	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	621	3.6	8	1	2	3	4	7	9	14
B. Operated	858	4.5	20	1	1	3	6	10	13	23
2. MULTIPLE DX										
A. Not Operated	5526	4.8	21	1	2	4	6	9	12	22
B. Operated	12105	6.2	73	1	1	3	8	15	22	44
1. SINGLE DX	1479	4.1	15	1	2	3	5	9	11	21
2. MULTIPLE DX	17631	5.7	57	1	1	3	7	13	19	40
A. Not Operated	6147	4.7	20	1	2	3	6	9	12	21
B. Operated	12963	6.0	70	1	1	3	7	15	22	44
TOTAL										
0-19 YRS	2416	3.7	31	1	1	2	4	8	13	27
20-34	2765	3.9	30	1	1	2	5	8	11	30
35-49	3661	5.2	50	1	1	3	6	11	17	39
50-64	3921	6.3	60	1	2	4	8	14	21	40
65 +	6347	6.9	67	1	2	4	8	15	22	44
GRAND TOTAL	**19110**	**5.6**	**54**	**1**	**1**	**3**	**7**	**12**	**19**	**39**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	1.8	1	1	1	2	2	3	4	6
20-34	30	2.9	5	1	1	2	4	6	9	9
35-49	16	3.9	4	2	2	4	5	6	7	8
50-64	27	4.6	45	1	2	3	4	9	14	36
65 +	62	5.1	15	1	2	4	7	9	13	20
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	2.7	9	< 1	1	2	3	5	8	16
20-34	90	4.2	20	< 1	1	3	5	9	13	22
35-49	81	4.6	12	1	2	4	6	10	12	15
50-64	87	5.4	14	1	2	5	8	10	12	18
65 +	172	5.1	25	1	2	4	7	10	13	21
B. Operated										
0-19 YRS	22	10.7	229	2	4	6	10	25	47	71
20-34	23	7.4	40	1	3	5	10	15	20	28
35-49	33	10.8	109	2	4	6	17	21	37	45
50-64	36	8.9	62	2	5	7	10	23	34	99 +
65 +	60	8.6	50	2	3	7	12	19	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	3.4	13	1	1	2	4	7	9	17
B. Operated	8	4.4	7	1	2	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	649	4.1	17	1	1	3	5	9	12	19
B. Operated	174	9.2	84	2	4	7	12	21	28	64
1. SINGLE DX	219	3.5	13	1	1	2	4	7	9	17
2. MULTIPLE DX	823	5.2	35	1	2	3	7	11	16	29
A. Not Operated	860	4.0	16	1	1	3	5	9	11	19
B. Operated	182	9.0	82	2	3	6	11	21	27	62
TOTAL										
0-19 YRS	318	3.0	26	< 1	1	2	3	6	9	22
20-34	145	4.4	21	1	1	3	6	10	14	23
35-49	132	6.0	42	1	2	4	7	13	19	41
50-64	151	6.0	33	1	3	5	8	11	19	36
65 +	296	5.8	30	1	2	4	8	12	17	26
GRAND TOTAL	**1042**	**4.8**	**31**	**1**	**2**	**3**	**6**	**10**	**15**	**28**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	595	1.2		< 1	< 1	< 1	1	1	2	3
35-49	309	1.2		< 1	< 1	< 1	1	2	2	4
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	1.3	1	< 1	< 1	< 1	1	3	3	3
35-49	4	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	7	2.3	1	1	2	2	3	3	3	3
20-34	333	2.2	27	< 1	1	1	3	4	5	8
35-49	214	1.6	1	< 1	< 1	1	2	3	4	5
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	912	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	12	1.8	4	< 1	< 1	1	1	4	7	8
B. Operated	557	2.0	17	< 1	< 1	1	2	3	4	6
1. SINGLE DX	912	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	569	2.0	17	< 1	< 1	1	2	3	4	6
A. Not Operated	12	1.8	4	< 1	< 1	1	1	4	7	8
B. Operated	1469	1.5	7	< 1	< 1	< 1	1	3	3	5
TOTAL										
0-19 YRS	12	1.8	1	< 1	< 1	1	2	3	3	3
20-34	935	1.5	10	< 1	< 1	< 1	1	3	3	6
35-49	527	1.3	1	< 1	< 1	< 1	1	2	3	4
50-64	7	2.4	7	< 1	1	1	3	7	8	8
65 +	0									
GRAND TOTAL	**1481**	**1.5**	**7**	**< 1**	**< 1**	**< 1**	**1**	**3**	**3**	**5**

411: Single liveborn, without cesarean section delivery, born in hospital (V30.00; V39.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	2	29.5	13	27	27	29	32	32	32	32
1500-1749	2	8.5	1	8	8	8	9	9	9	9
1750-2499	2460	2.0	1	1	1	2	2	3	4	6
2500 +	169625	1.9	1	1	1	2	2	3	3	4
B. Operated										
1-999 G	0									
1000-1499	1	85.0		85	85	92	99 +	99 +	99 +	99 +
1500-1749	1	92.0		92	92	92	92	92	92	92
1750-2499	2	3.0	8	< 1	< 1	2	5	5	5	5
2500 +	53	3.2	21	1	2	2	3	5	7	33
2. MULTIPLE DX										
A. Not Operated										
1-999 G	51	69.9	371	42	64	79	93	99 +	99 +	99 +
1000-1499	354	37.4	198	20	27	36	47	55	63	99 +
1500-1749	515	23.3	101	13	17	21	28	36	44	62
1750-2499	8329	5.6	33	2	2	3	7	13	17	28
2500 +	101390	2.5	4	1	2	2	3	4	5	10
B. Operated										
1-999 G	158	75.9	209	62	73	92	99 +	99 +	99 +	99 +
1000-1499	329	50.2	323	30	38	51	68	90	99 +	99 +
1500-1749	195	30.8	203	17	22	28	37	44	65	98
1750-2499	685	16.6	164	5	9	14	22	33	45	99 +
2500 +	1881	7.7	81	2	2	5	9	15	25	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172089	1.9	1	1	1	2	2	3	3	4
B. Operated	57	6.2	271	1	2	2	4	8	89	99 +
2. MULTIPLE DX										
A. Not Operated	110639	2.9	16	1	2	2	3	5	7	19
B. Operated	3248	18.6	475	2	4	10	28	68	95	99 +
1. SINGLE DX	172146	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	113887	3.4	35	1	2	2	3	5	9	34
A. Not Operated	282728	2.3	7	1	2	2	2	3	4	11
B. Operated	3305	18.4	474	2	4	10	28	68	95	99 +
TOTAL										
1-999 G	209	74.4	253	60	71	87	99 +	99 +	99 +	99 +
1000-1499	686	43.6	301	24	32	42	55	75	97	99 +
1500-1749	713	25.4	146	14	18	23	30	40	47	85
1750-2499	11476	5.5	44	1	2	3	7	14	18	32
2500 +	272949	2.1	2	1	2	2	2	3	4	8
GRAND TOTAL	**286033**	**2.5**	**15**	**1**	**2**	**2**	**2**	**3**	**5**	**16**

412: Twin or multiple liveborn, without cesarean section delivery, born in hospital (V31.00; V32.00; V33.00; V34.00; V35.00; V36.00; V37.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	242	2.8	3	1	2	2	3	4	6	12
2500 +	1024	2.5	1	1	2	2	3	4	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	7	65.0	544	34	51	80	90	99 +	99 +	99 +
1000-1499	75	35.4	226	18	24	36	45	54	68	95
1500-1749	95	22.3	87	13	16	21	26	33	43	56
1750-2499	1072	7.1	39	2	3	5	10	16	19	28
2500 +	883	3.6	8	2	2	3	4	6	9	15
B. Operated										
1-999 G	13	69.5	293	57	69	99 +	99 +	99 +	99 +	99 +
1000-1499	70	50.4	270	30	40	47	68	81	84	99 +
1500-1749	43	32.3	212	20	24	30	41	56	92	99 +
1750-2499	90	19.4	128	7	12	18	24	33	38	65
2500 +	41	10.1	290	2	3	6	9	18	45	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1266	2.5	2	1	2	2	3	4	4	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2132	7.5	90	2	2	4	9	18	25	50
B. Operated	257	31.1	506	5	15	28	52	84	99 +	99 +
1. SINGLE DX	1266	2.5	2	1	2	2	3	4	4	6
2. MULTIPLE DX	2389	10.1	188	2	2	4	12	26	43	95
A. Not Operated	3398	5.7	63	2	2	3	5	13	20	43
B. Operated	257	31.1	506	5	15	28	52	84	99 +	99 +
TOTAL										
1-999 G	20	68.0	362	53	68	90	99 +	99 +	99 +	99 +
1000-1499	145	42.6	302	22	29	42	53	71	82	99 +
1500-1749	138	25.4	146	13	18	23	30	43	54	99 +
1750-2499	1404	7.2	51	2	2	4	10	17	21	35
2500 +	1948	3.1	11	2	2	2	3	5	7	13
GRAND TOTAL	**3655**	**7.5**	**136**	**2**	**2**	**3**	**7**	**20**	**33**	**81**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	30	2.1	1	1	2	2	2	3	4	4
2500 +	541	1.9	1	1	1	2	2	3	4	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	55.3	872	25	33	57	77	84	84	84
1000-1499	9	37.7	335	16	29	33	46	65	73	73
1500-1749	14	20.5	60	11	14	20	28	31	33	34
1750-2499	109	7.1	53	2	2	5	10	15	17	38
2500 +	393	3.4	14	1	2	2	4	6	9	16
B. Operated										
1-999 G	3	78.7	210	65	79	96	99 +	99 +	99 +	99 +
1000-1499	9	40.2	275	24	30	36	46	68	74	74
1500-1749	4	23.3	41	15	18	24	28	30	30	30
1750-2499	2	7.5	41	3	3	7	12	12	12	12
2500 +	14	10.2	155	3	4	7	10	17	44	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	1.9	1	1	1	2	2	3	4	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	528	5.5	73	1	2	3	5	13	18	48
B. Operated	32	26.5	617	4	8	22	49	93	99 +	99 +
1. SINGLE DX	571	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	560	6.7	127	1	2	3	6	15	29	78
A. Not Operated	1099	3.6	39	1	1	2	3	7	13	32
B. Operated	32	26.5	617	4	8	22	49	93	99 +	99 +
TOTAL										
1-999 G	6	67.0	596	38	62	84	99 +	99 +	99 +	99 +
1000-1499	18	38.9	289	23	29	34	43	69	74	74
1500-1749	18	21.1	55	12	15	21	28	31	33	34
1750-2499	141	6.0	45	2	2	3	8	13	17	29
2500 +	948	2.7	10	1	1	2	3	4	7	14
GRAND TOTAL	**1131**	**4.3**	**69**	**1**	**2**	**2**	**3**	**8**	**15**	**56**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.0		< 1	< 1	< 1	1	1	1	1
20-34	5	1.0		< 1	< 1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	6.7	96	< 1	< 1	1	14	18	18	18
65 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	569	1.4	1	< 1	1	1	2	2	3	4
20-34	545	1.7	4	< 1	1	1	2	3	4	5
35-49	317	1.7	2	< 1	1	1	2	3	4	7
50-64	153	1.8	2	< 1	1	1	2	4	4	7
65 +	112	2.4	7	< 1	1	1	3	4	6	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.8	17	< 1	< 1	1	3	6	13	18
20-34	11	1.5	1	< 1	< 1	1	2	3	3	3
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	3	3.0	7	< 1	< 1	2	5	6	6	6
65 +	5	3.0	12	< 1	1	1	4	9	9	9
B. Operated										
0-19 YRS	724	1.9	7	< 1	1	1	2	3	5	10
20-34	311	2.6	9	1	1	2	3	5	7	14
35-49	214	2.8	18	1	1	2	3	5	7	14
50-64	149	3.3	14	1	1	2	4	6	10	14
65 +	158	3.9	16	1	1	2	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	1.8	13	< 1	< 1	< 1	1	1	8	18
B. Operated	1696	1.7	3	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	40	2.4	9	< 1	< 1	1	3	5	8	18
B. Operated	1556	2.5	11	1	1	2	3	5	7	14
1. SINGLE DX	1718	1.7	3	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1596	2.5	11	1	1	2	3	5	7	15
A. Not Operated	62	2.2	11	< 1	< 1	1	2	4	7	18
B. Operated	3252	2.1	7	< 1	1	1	2	4	5	11
TOTAL										
0-19 YRS	1322	1.7	4	< 1	1	1	2	3	4	8
20-34	872	2.0	6	< 1	1	1	2	4	5	10
35-49	535	2.1	9	1	1	1	2	4	5	8
50-64	308	2.6	9	1	1	2	3	5	7	13
65 +	277	3.2	13	1	1	2	4	7	11	20
GRAND TOTAL	**3314**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

415: Admission for dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	1.5	3	1	1	1	1	2	4	12
20-34	7	2.1	1	1	1	2	3	4	4	4
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	5	2.2	1	1	2	2	3	3	3	3
65 +	12	4.5	10	2	3	3	5	9	12	13
B. Operated										
0-19 YRS	20	3.2	11	< 1	< 1	1	5	10	10	10
20-34	76	3.4	11	< 1	< 1	2	4	7	12	15
35-49	142	3.0	7	< 1	< 1	2	4	6	8	14
50-64	171	3.8	22	< 1	1	2	5	8	10	29
65 +	250	4.4	26	< 1	1	3	6	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	2.0	1	< 1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	125	1.9	4	1	1	1	2	3	6	13
B. Operated	659	3.8	19	< 1	1	2	5	8	11	20
1. SINGLE DX	4	2.0	1	< 1	1	2	3	3	3	3
2. MULTIPLE DX	784	3.5	17	< 1	1	2	4	8	11	17
A. Not Operated	125	1.9	4	1	1	1	2	3	6	13
B. Operated	663	3.8	19	< 1	1	2	5	8	11	20
TOTAL										
0-19 YRS	119	1.8	5	1	1	1	1	3	7	12
20-34	83	3.3	10	< 1	< 1	2	4	7	11	15
35-49	145	3.0	7	< 1	< 1	2	4	6	8	14
50-64	177	3.7	22	< 1	1	2	5	8	10	28
65 +	264	4.4	25	< 1	1	3	6	10	14	27
GRAND TOTAL	**788**	**3.5**	**17**	**< 1**	**1**	**2**	**4**	**8**	**11**	**17**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	3.2	3	1	2	3	5	5	6	9
20-34	36	2.4	3	1	1	2	4	5	5	6
35-49	66	2.8	3	1	1	3	4	5	6	9
50-64	133	2.5	3	1	1	2	4	5	5	7
65 +	130	2.5	2	1	1	2	4	5	5	6
B. Operated										
0-19 YRS	5	4.2		4	4	4	5	5	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	5	3.8	1	3	3	4	4	5	5	5
50-64	7	3.1	3	1	1	4	5	5	5	5
65 +	8	5.8	7	4	4	5	6	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11020	3.1	6	1	2	3	4	5	6	10
20-34	2720	3.4	6	1	2	3	5	5	6	11
35-49	6437	3.1	7	1	1	3	4	5	6	11
50-64	14782	3.0	7	1	1	2	4	5	6	11
65 +	14841	3.1	6	1	2	2	4	5	6	11
B. Operated										
0-19 YRS	821	6.1	64	2	3	4	6	10	19	42
20-34	378	6.3	57	2	2	5	6	12	23	40
35-49	751	6.4	61	2	2	4	6	13	21	49
50-64	1366	6.1	41	2	3	5	6	12	20	35
65 +	1428	6.2	53	2	3	4	6	11	18	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	476	2.7	3	1	1	2	4	5	5	7
B. Operated	28	4.0	4	1	3	4	5	6	7	12
2. MULTIPLE DX										
A. Not Operated	49800	3.1	7	1	2	3	4	5	6	11
B. Operated	4744	6.2	53	2	3	4	6	11	20	39
1. SINGLE DX	504	2.8	3	1	1	3	4	5	6	7
2. MULTIPLE DX	54544	3.4	11	1	2	3	4	6	7	16
A. Not Operated	50276	3.1	6	1	2	3	4	5	6	11
B. Operated	4772	6.2	53	2	3	4	6	11	20	39
TOTAL										
0-19 YRS	11957	3.4	10	1	2	3	5	5	6	14
20-34	3137	3.7	13	1	2	3	5	6	7	22
35-49	7259	3.4	14	1	1	3	4	6	7	19
50-64	16288	3.3	11	1	2	3	4	6	7	17
65 +	16407	3.4	11	1	2	3	4	6	7	16
GRAND TOTAL	**55048**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**16**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1749	2.2	14	< 1	1	1	2	4	5	22
20-34	1739	2.1	17	< 1	1	1	2	3	5	18
35-49	791	2.7	31	< 1	1	1	2	4	7	37
50-64	367	2.6	60	< 1	< 1	1	2	3	7	58
65 +	354	4.6	94	< 1	< 1	1	3	11	20	88
B. Operated										
0-19 YRS	740	3.2	8	< 1	1	2	5	7	8	11
20-34	882	3.6	12	1	1	3	6	8	9	11
35-49	717	3.7	9	1	1	3	6	8	9	12
50-64	344	4.0	11	1	1	3	7	8	9	13
65 +	243	4.7	11	1	1	4	7	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4076	4.8	106	< 1	1	1	3	12	27	73
20-34	2395	10.4	223	< 1	1	3	17	30	44	99 +
35-49	2676	12.3	211	1	2	6	20	31	43	89
50-64	3813	14.0	203	1	3	9	22	34	44	67
65 +	12685	17.0	169	3	7	15	23	34	43	73
B. Operated										
0-19 YRS	2328	5.0	78	1	1	2	6	10	21	99 +
20-34	1777	5.8	117	1	1	2	6	11	32	99 +
35-49	2513	5.8	89	1	1	3	7	12	23	77
50-64	2726	7.4	120	1	1	4	9	18	31	74
65 +	3913	12.3	198	1	2	8	16	32	42	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5000	2.4	27	< 1	1	1	2	4	6	30
B. Operated	2926	3.7	10	< 1	1	2	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	25645	13.5	192	1	2	9	21	32	42	78
B. Operated	13257	7.9	138	1	1	4	9	22	35	91
1. SINGLE DX	7926	2.9	21	< 1	1	1	3	7	9	20
2. MULTIPLE DX	38902	11.6	181	1	2	7	17	30	40	82
A. Not Operated	30645	11.7	182	1	2	6	18	30	39	73
B. Operated	16183	7.1	118	1	1	3	8	18	31	78
TOTAL										
0-19 YRS	8893	4.2	74	< 1	1	1	4	9	18	70
20-34	6793	6.2	126	< 1	1	2	6	19	30	98
35-49	6697	7.8	137	1	1	3	8	24	32	76
50-64	7250	10.5	171	1	2	5	14	29	39	68
65 +	17195	15.5	180	2	6	12	22	33	42	73
GRAND TOTAL	**46828**	**10.1**	**165**	**1**	**1**	**5**	**15**	**28**	**37**	**74**

418: Single liveborn, with cesarean section delivery, born in hospital (V30.01; V39.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	1	8.0		8	8	8	8	8	8	8
1750-2499	492	3.7	1	3	3	4	4	5	6	7
2500 +	34397	3.7	1	3	3	4	4	5	5	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	26	4.3	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
1-999 G	62	67.6	312	45	56	72	88	99 +	99 +	99 +
1000-1499	296	37.8	256	18	27	37	47	59	67	90
1500-1749	327	22.8	112	12	16	21	28	35	42	62
1750-2499	2941	7.8	41	3	4	5	10	16	20	31
2500 +	33643	4.2	4	3	3	4	4	5	7	11
B. Operated										
1-999 G	151	74.4	257	57	69	87	99 +	99 +	99 +	99 +
1000-1499	332	50.3	290	29	39	51	64	82	99 +	99 +
1500-1749	152	33.0	240	18	23	30	40	59	88	99 +
1750-2499	446	17.4	161	5	8	15	24	33	48	99 +
2500 +	1139	9.5	109	3	4	6	10	20	32	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34890	3.7	1	3	3	4	4	5	5	7
B. Operated	26	4.3	2	3	3	4	5	8	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	37269	5.0	29	3	3	4	5	7	10	30
B. Operated	2220	23.2	564	4	6	14	40	75	99	99 +
1. SINGLE DX	34916	3.7	1	3	3	4	4	5	5	7
2. MULTIPLE DX	39489	6.0	77	3	3	4	5	8	17	63
A. Not Operated	72159	4.4	16	3	3	4	4	5	7	20
B. Operated	2246	23.0	561	4	6	13	40	75	99	99 +
TOTAL										
1-999 G	213	72.4	281	54	67	82	99 +	99 +	99 +	99 +
1000-1499	628	44.4	313	23	32	44	58	72	87	99 +
1500-1749	480	26.0	175	13	18	23	32	42	54	99 +
1750-2499	3879	8.4	62	3	4	5	11	18	24	41
2500 +	69205	4.0	5	3	3	4	4	5	6	11
GRAND TOTAL	**74405**	**4.9**	**43**	**3**	**3**	**4**	**4**	**6**	**9**	**43**

419: Twin or multiple liveborn, with cesarean section delivery, born in hospital (V31.01; V32.01; V33.01; V34.01; V35.01; V36.01; V37.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	237	4.3	2	3	4	4	5	6	6	12
2500 +	1048	4.2	1	3	4	4	5	5	6	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	19	62.3	128	51	56	64	75	99 +	99 +	99 +
1000-1499	101	35.8	224	18	24	33	47	58	63	72
1500-1749	140	24.0	107	13	17	22	29	36	41	59
1750-2499	1260	8.1	33	4	4	6	11	16	19	27
2500 +	1155	4.9	18	3	4	4	5	6	9	15
B. Operated										
1-999 G	53	73.7	240	54	67	81	99 +	99 +	99 +	99 +
1000-1499	119	48.5	314	26	36	49	61	76	85	99 +
1500-1749	65	33.2	198	14	26	31	44	53	58	96
1750-2499	114	21.9	217	8	11	19	28	47	56	99 +
2500 +	33	11.2	92	4	5	9	13	26	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1285	4.2	1	3	4	4	5	5	6	8
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2675	9.0	105	3	4	5	10	19	30	59
B. Operated	384	38.3	588	9	19	37	60	86	99 +	99 +
1. SINGLE DX	1286	4.2	1	3	4	4	5	5	6	8
2. MULTIPLE DX	3059	12.7	260	3	4	5	14	36	54	97
A. Not Operated	3960	7.4	77	3	4	4	6	15	24	51
B. Operated	385	38.2	589	9	19	37	60	86	99 +	99 +
TOTAL										
1-999 G	72	70.7	234	53	60	78	97	99 +	99 +	99 +
1000-1499	220	42.7	311	23	30	41	55	68	76	99 +
1500-1749	205	26.9	154	13	18	26	34	44	51	75
1750-2499	1611	8.5	57	3	4	5	11	17	22	41
2500 +	2237	4.6	12	3	4	4	5	6	8	15
GRAND TOTAL	**4345**	**10.1**	**198**	**3**	**4**	**5**	**9**	**26**	**46**	**87**

Length of Stay Tables
Operation Groups

832 Hospitals, United States, January-December 1990, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	145591	2.7	11	1	1	2	3	5	7	16
20-34	290431	2.5	4	1	1	2	3	4	5	10
35-49	107044	3.2	9	1	1	2	4	6	8	14
50-64	63189	3.8	13	1	1	3	5	8	10	17
65 +	50704	4.7	19	1	2	4	6	10	12	20
2. MULTIPLE DX										
0-19 YRS	224156	6.4	98	1	2	3	7	15	25	76
20-34	411774	4.2	29	1	2	3	4	7	12	29
35-49	289135	5.8	48	1	2	4	7	11	17	38
50-64	323534	7.3	64	1	3	5	9	15	21	44
65 +	660878	9.1	81	2	4	7	11	18	25	51
TOTAL SINGLE DX	656959	2.9	9	1	1	2	3	6	8	14
TOTAL MULTIPLE DX	1909477	6.9	67	1	2	4	8	15	21	46
TOTAL										
0-19 YRS	369747	4.9	67	1	1	2	5	10	18	56
20-34	702205	3.5	20	1	2	2	4	6	9	23
35-49	396179	5.1	39	1	2	4	6	10	15	33
50-64	386723	6.8	57	1	2	5	8	14	19	41
65 +	711582	8.8	78	2	4	7	11	18	25	49
GRAND TOTAL	**2566436**	**5.9**	**55**	**1**	**2**	**4**	**7**	**13**	**18**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	490	6.1	24	1	3	5	8	12	16	25
20-34	258	8.0	31	3	4	7	10	15	19	35
35-49	281	7.0	19	2	4	7	9	12	15	22
50-64	324	7.8	36	3	4	7	10	14	17	35
65 +	293	8.2	31	2	5	7	10	15	19	26
2. MULTIPLE DX										
0-19 YRS	1539	12.4	178	2	4	8	16	30	45	99 +
20-34	678	14.2	173	3	6	10	18	33	41	80
35-49	982	14.3	174	4	6	10	17	33	45	99
50-64	1348	14.8	205	4	7	10	18	30	45	89
65 +	2185	16.2	172	5	8	13	20	31	46	94
TOTAL SINGLE DX	1646	7.3	29	2	4	6	9	14	17	26
TOTAL MULTIPLE DX	6732	14.6	183	4	6	11	18	31	45	94
TOTAL										
0-19 YRS	2029	10.9	149	2	4	7	13	24	40	87
20-34	936	12.5	143	3	5	9	16	29	38	67
35-49	1263	12.7	150	4	6	9	15	28	43	38
50-64	1672	13.5	180	4	6	9	16	27	40	86
65 +	2478	15.3	162	5	8	12	19	30	42	89
GRAND TOTAL	**8378**	**13.2**	**161**	**3**	**6**	**9**	**16**	**28**	**41**	**87**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	301	5.1	12	2	3	4	6	8	10	19
20-34	71	9.0	146	3	4	6	9	17	25	82
35-49	73	7.4	25	3	4	6	9	14	18	27
50-64	58	9.4	85	3	4	6	10	20	28	48
65 +	49	7.5	14	4	5	6	9	12	14	21
2. MULTIPLE DX										
0-19 YRS	531	13.4	204	3	5	8	17	35	54	99 +
20-34	278	17.8	276	4	7	11	24	43	61	99 +
35-49	249	15.8	233	4	7	10	21	40	58	99 +
50-64	237	20.5	325	5	8	14	26	47	61	99 +
65 +	289	17.2	213	6	8	13	22	39	57	99 +
TOTAL SINGLE DX	552	6.6	42	3	3	5	7	11	17	31
TOTAL MULTIPLE DX	1584	16.3	247	4	6	11	21	41	58	99 +
TOTAL										
0-19 YRS	832	10.4	151	3	4	6	12	25	42	99 +
20-34	349	16.0	262	4	6	10	21	39	58	99 +
35-49	322	13.9	198	4	6	9	17	34	53	99 +
50-64	295	18.3	297	5	7	12	24	46	56	98
65 +	338	15.8	196	5	7	11	20	37	49	99 +
GRAND TOTAL	**2136**	**13.8**	**212**	**3**	**5**	**8**	**17**	**34**	**51**	**99 +**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	814	3.8	4	2	2	3	5	6	7	10
20-34	92	4.0	5	2	2	3	5	8	9	11
35-49	43	4.3	9	1	2	3	6	8	11	15
50-64	19	6.0	28	2	3	4	8	10	18	25
65 +	8	3.5	5	2	2	3	4	7	9	9
2. MULTIPLE DX										
0-19 YRS	700	6.5	54	2	3	5	7	12	18	42
20-34	296	9.0	90	2	4	6	10	20	30	56
35-49	156	10.4	139	2	3	6	11	27	38	58
50-64	69	10.6	208	2	4	6	10	24	54	69
65 +	48	9.1	110	2	3	6	12	19	23	64
TOTAL SINGLE DX	976	3.8	5	2	2	3	5	6	8	12
TOTAL MULTIPLE DX	1269	7.9	86	2	3	5	8	17	27	60
TOTAL										
0-19 YRS	1514	5.0	29	2	3	4	6	8	12	31
20-34	388	7.8	75	2	3	5	9	17	24	49
35-49	199	9.0	118	2	3	5	10	20	35	57
50-64	88	9.6	172	2	4	5	9	19	39	69
65 +	56	8.3	99	2	3	5	11	18	22	62
GRAND TOTAL	**2245**	**6.1**	**56**	**2**	**3**	**4**	**6**	**11**	**18**	**43**

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	562	4.0	13	1	2	3	4	7	10	21
20-34	42	5.2	9	2	3	4	7	9	12	15
35-49	44	7.9	72	1	3	6	10	17	25	48
50-64	32	4.5	8	1	2	4	6	8	9	15
65 +	63	7.4	29	3	4	5	9	13	19	29
2. MULTIPLE DX										
0-19 YRS	1294	12.8	268	2	3	7	18	47	92	99 +
20-34	186	15.6	296	3	5	9	21	49	92	99 +
35-49	169	18.2	418	3	5	10	28	64	98	99 +
50-64	262	18.2	289	3	7	13	27	49	73	99 +
65 +	521	18.1	232	5	7	14	25	38	55	99 +
TOTAL SINGLE DX	743	4.6	19	1	2	3	5	9	12	24
TOTAL MULTIPLE DX	2432	15.1	281	2	4	9	22	45	81	99 +
TOTAL										
0-19 YRS	1856	10.1	207	2	3	5	12	32	65	99 +
20-34	228	13.7	260	3	4	8	16	45	71	99 +
35-49	213	16.1	364	3	5	8	23	51	88	99 +
50-64	294	16.7	277	3	6	11	25	44	72	99 +
65 +	584	16.9	222	4	7	12	23	36	49	99 +
GRAND TOTAL	**3175**	**12.6**	**240**	**2**	**3**	**7**	**17**	**38**	**64**	**99 +**

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	956	3.6	20	1	2	2	4	6	11	21
20-34	121	5.9	41	2	3	4	6	10	18	37
35-49	51	6.9	35	2	3	6	9	13	15	37
50-64	35	5.2	10	2	2	5	8	9	12	13
65 +	22	5.5	9	2	4	4	7	11	12	12
2. MULTIPLE DX										
0-19 YRS	2884	7.0	83	1	2	4	7	17	25	50
20-34	451	11.5	194	2	4	7	14	28	43	99 +
35-49	220	12.2	182	2	4	8	16	34	56	99 +
50-64	151	13.7	222	2	5	9	17	29	52	85
65 +	190	11.6	126	3	5	8	16	28	69	99 +
TOTAL SINGLE DX	1185	4.0	24	1	2	3	4	8	11	22
TOTAL MULTIPLE DX	3896	8.3	114	2	3	4	9	20	30	86
TOTAL										
0-19 YRS	3840	6.1	70	1	2	3	6	14	22	48
20-34	572	10.3	167	2	3	6	12	26	38	99 +
35-49	271	11.2	159	2	4	7	14	31	51	99 +
50-64	186	12.1	193	2	4	8	14	27	44	82
65 +	212	11.0	117	3	4	8	15	26	60	99 +
GRAND TOTAL	5081	7.3	96	1	2	4	8	18	26	68

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	7.0	23	2	4	6	8	15	16	24
20-34	339	4.5	9	2	3	4	6	8	10	17
35-49	863	4.3	6	2	3	4	5	7	9	14
50-64	839	4.5	8	2	3	4	5	7	9	15
65 +	737	5.6	10	3	4	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	248	10.6	142	3	5	7	12	19	28	86
20-34	485	8.5	74	3	4	6	9	18	24	43
35-49	1322	7.1	53	2	3	5	8	13	17	40
50-64	2105	7.7	48	3	4	6	8	14	20	38
65 +	3979	9.0	56	4	5	7	10	16	22	45
TOTAL SINGLE DX	2865	4.8	9	2	3	4	6	8	10	16
TOTAL MULTIPLE DX	8139	8.4	58	3	4	6	9	15	21	43
TOTAL										
0-19 YRS	335	9.6	114	3	4	7	11	17	24	77
20-34	824	6.9	52	2	3	5	8	14	19	37
35-49	2185	6.0	37	2	3	4	7	10	14	35
50-64	2944	6.8	39	3	4	5	8	12	17	37
65 +	4716	8.4	50	3	5	7	10	15	21	40
GRAND TOTAL	11004	7.4	48	3	4	6	8	14	19	38

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	362	9.7	45	3	5	8	11	21	25	30
20-34	209	5.1	24	1	2	4	6	10	14	25
35-49	254	4.5	18	1	2	3	6	10	13	28
50-64	157	4.4	13	1	2	3	6	9	12	18
65 +	72	5.3	25	1	2	4	6	11	17	27
2. MULTIPLE DX										
0-19 YRS	982	11.1	109	3	5	7	13	24	33	61
20-34	483	10.2	111	2	4	7	13	22	31	71
35-49	583	9.3	96	2	3	6	12	21	29	53
50-64	468	10.1	126	1	3	7	12	22	36	98
65 +	487	12.7	140	2	5	9	16	28	36	60
TOTAL SINGLE DX	1054	6.4	34	1	2	5	8	14	19	29
TOTAL MULTIPLE DX	3003	10.7	116	2	4	7	13	23	33	62
TOTAL										
0-19 YRS	1344	10.7	93	3	5	8	13	23	30	55
20-34	692	8.6	90	1	3	6	11	19	27	59
35-49	837	7.8	78	1	3	5	10	17	25	47
50-64	625	8.6	104	1	3	6	11	18	32	77
65 +	559	11.7	132	2	4	8	15	26	35	58
GRAND TOTAL	4057	9.6	98	2	4	7	12	21	29	57

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	3.1	17	1	1	2	4	6	7	28
20-34	79	2.6	5	< 1	1	2	3	6	8	10
35-49	152	3.3	8	< 1	1	2	5	7	8	17
50-64	113	3.5	19	< 1	1	2	5	7	10	24
65 +	63	3.0	14	1	1	2	3	7	8	25
2. MULTIPLE DX										
0-19 YRS	72	6.1	56	1	2	3	8	16	24	36
20-34	115	6.0	43	1	2	4	7	12	18	35
35-49	198	5.8	54	1	2	4	7	11	14	45
50-64	177	6.9	80	1	2	4	8	16	23	55
65 +	251	8.9	135	1	2	6	10	21	29	67
TOTAL SINGLE DX	462	3.2	13	< 1	1	2	5	7	8	17
TOTAL MULTIPLE DX	813	7.0	85	1	2	4	8	15	24	47
TOTAL										
0-19 YRS	127	4.8	42	1	1	3	5	11	23	32
20-34	194	4.6	31	1	1	3	6	10	15	34
35-49	350	4.7	36	< 1	1	3	6	9	11	35
50-64	290	5.6	59	1	1	3	7	12	18	43
65 +	314	7.7	117	1	2	4	10	17	28	61
GRAND TOTAL	1275	5.6	62	1	1	3	7	12	18	40

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	143	1.8	2	<1	<1	1	2	4	6	7
20-34	279	1.7	2	<1	1	1	2	3	4	9
35-49	383	1.6	2	<1	<1	1	2	3	5	7
50-64	269	1.8	2	<1	<1	1	2	4	5	9
65 +	157	1.6	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	263	3.3	31	1	1	2	3	6	11	48
20-34	562	3.2	25	1	1	2	4	6	9	19
35-49	505	3.0	22	1	1	2	3	6	9	16
50-64	397	3.2	28	1	1	2	3	7	9	23
65 +	426	3.9	28	<1	1	2	4	9	14	28
TOTAL SINGLE DX	1231	1.7	2	<1	<1	1	2	3	5	8
TOTAL MULTIPLE DX	2153	3.3	27	1	1	2	3	7	10	25
TOTAL										
0-19 YRS	406	2.8	22	<1	1	1	3	5	8	26
20-34	841	2.7	19	<1	1	2	3	5	8	17
35-49	888	2.4	14	<1	1	1	2	5	7	15
50-64	666	2.7	19	<1	1	1	3	6	8	20
65 +	583	3.3	23	<1	1	2	3	8	12	26
GRAND TOTAL	**3384**	**2.7**	**19**	**<1**	**1**	**1**	**3**	**6**	**8**	**20**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	6.0	21	2	3	5	7	14	14	14
20-34	50	3.4	2	1	2	4	4	6	6	7
35-49	46	3.6	2	2	3	3	4	6	7	9
50-64	19	4.3	4	2	3	4	5	8	9	9
65 +	12	5.6	9	2	3	5	8	10	11	11
2. MULTIPLE DX										
0-19 YRS	7	6.6	13	2	4	7	9	12	12	12
20-34	61	4.7	7	3	3	4	5	8	11	17
35-49	76	5.5	20	2	3	4	6	10	15	27
50-64	61	8.5	86	2	4	6	11	15	22	62
65 +	89	9.7	62	3	5	7	12	17	22	49
TOTAL SINGLE DX	132	3.9	4	2	3	4	5	6	9	12
TOTAL MULTIPLE DX	294	7.2	48	2	4	5	9	14	18	34
TOTAL										
0-19 YRS	12	6.3	15	2	4	5	9	13	14	14
20-34	111	4.1	6	2	3	4	5	7	8	15
35-49	122	4.8	15	2	3	4	5	8	12	22
50-64	80	7.5	70	2	3	5	9	14	21	54
65 +	101	9.2	57	3	5	7	11	16	22	46
GRAND TOTAL	**426**	**6.2**	**37**	**2**	**3**	**4**	**7**	**13**	**15**	**28**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	6.0	50	1	2	3	6	19	20	20
20-34	32	5.8	55	<1	1	3	8	16	21	35
35-49	39	4.1	17	<1	<1	3	5	10	14	18
50-64	27	1.7	2	<1	<1	1	2	4	6	6
65 +	8	3.4	11	1	1	2	4	9	11	11
2. MULTIPLE DX										
0-19 YRS	19	6.7	34	<1	3	5	9	16	20	22
20-34	49	10.7	270	1	3	5	10	23	41	88
35-49	94	9.0	146	1	2	5	11	21	26	71
50-64	73	10.4	99	1	3	8	14	23	31	46
65 +	81	10.8	112	2	4	9	14	21	30	60
TOTAL SINGLE DX	112	4.1	28	<1	1	2	5	10	15	26
TOTAL MULTIPLE DX	316	9.9	139	1	3	6	13	21	29	68
TOTAL										
0-19 YRS	25	6.6	36	1	2	5	8	18	20	22
20-34	81	8.8	190	1	2	4	9	18	32	83
35-49	133	7.5	113	1	2	4	9	18	24	47
50-64	100	8.1	88	<1	1	5	11	20	29	45
65 +	89	10.1	108	1	3	8	13	21	28	59
GRAND TOTAL	**428**	**8.4**	**116**	**1**	**2**	**5**	**11**	**20**	**26**	**51**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	2.1	1	1	1	2	2	3	4	6
20-34	885	2.0		1	1	2	2	3	4	6
35-49	1400	2.0	1	1	1	2	2	3	3	5
50-64	748	2.0	1	1	1	2	2	3	4	5
65 +	340	2.3	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	93	2.6	2	1	2	2	3	4	5	11
20-34	548	2.9	6	1	2	2	3	5	6	11
35-49	1000	2.6	3	1	2	2	3	4	5	13
50-64	896	3.2	12	1	2	2	3	5	8	17
65 +	944	4.7	50	1	2	3	4	9	16	38
TOTAL SINGLE DX	3555	2.0	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	3481	3.4	20	1	2	2	3	5	9	22
TOTAL										
0-19 YRS	275	2.3	2	1	1	2	3	3	5	8
20-34	1433	2.3	3	1	2	2	3	4	5	8
35-49	2400	2.2	2	1	1	2	3	3	4	8
50-64	1644	2.7	7	1	2	2	3	4	6	14
65 +	1284	4.1	39	1	2	2	4	7	12	33
GRAND TOTAL	**7036**	**2.7**	**11**	**1**	**2**	**2**	**3**	**4**	**6**	**16**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	380	1.5	1	1	1	1	2	2	3	7
20-34	94	1.9	2	1	1	1	2	4	5	8
35-49	136	2.0	1	1	1	2	3	4	4	7
50-64	119	2.4	3	1	1	2	3	4	5	13
65 +	58	2.6	3	1	2	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	101	4.1	34	1	1	2	5	10	14	33
20-34	151	5.5	36	1	2	4	7	11	15	27
35-49	320	4.6	36	1	2	3	5	9	15	30
50-64	459	4.9	54	1	2	3	5	9	17	31
65 +	484	6.6	66	2	2	3	7	15	22	43
TOTAL SINGLE DX	787	1.8	2	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	1515	5.4	52	1	2	3	6	11	18	40
TOTAL										
0-19 YRS	481	2.0	9	1	1	1	2	4	6	14
20-34	245	4.1	26	1	1	2	5	9	12	25
35-49	456	3.9	28	1	2	2	4	7	12	25
50-64	578	4.3	45	1	2	3	4	8	15	29
65 +	542	6.1	61	2	2	3	7	14	21	41
GRAND TOTAL	**2302**	**4.2**	**38**	**1**	**1**	**2**	**4**	**8**	**14**	**30**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	6.4	52	3	4	5	7	8	9	54
20-34	70	5.2	2	4	4	5	6	7	8	10
35-49	78	6.0	10	3	4	5	7	9	10	22
50-64	51	6.3	4	4	5	6	8	9	10	13
65 +	31	7.8	26	3	4	6	10	15	22	22
2. MULTIPLE DX										
0-19 YRS	153	11.2	102	4	6	8	12	21	29	73
20-34	191	8.3	54	4	5	6	9	14	19	46
35-49	238	9.1	63	4	6	7	10	15	21	42
50-64	286	9.6	64	4	5	8	11	18	22	68
65 +	255	11.0	97	4	6	8	12	20	28	61
TOTAL SINGLE DX	291	6.2	18	3	4	5	7	9	10	22
TOTAL MULTIPLE DX	1123	9.8	76	4	5	7	11	18	24	55
TOTAL										
0-19 YRS	214	9.8	92	4	5	7	11	20	27	65
20-34	261	7.5	42	4	5	6	8	12	16	41
35-49	316	8.3	52	4	5	7	9	14	18	35
50-64	337	9.1	57	4	5	7	10	17	21	57
65 +	286	10.7	91	4	6	8	12	20	25	56
GRAND TOTAL	**1414**	**9.1**	**66**	**4**	**5**	**7**	**10**	**16**	**22**	**53**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	1.1		<1	<1	<1	<1	1	2	4
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	12	2.2	3	<1	<1	1	3	5	7	7
50-64	10	1.1		<1	<1	1	1	2	2	2
65+	15	1.6	1	<1	<1	1	2	2	4	5
2. MULTIPLE DX										
0-19 YRS	35	2.0	3	<1	<1	1	2	5	6	10
20-34	16	5.4	75	1	1	2	6	10	28	36
35-49	9	17.7	862	<1	1	6	22	67	91	91
50-64	17	6.5	97	<1	1	3	7	16	32	40
65+	76	5.4	30	1	1	3	7	15	18	22
TOTAL SINGLE DX	124	1.3	1	<1	<1	<1	1	2	3	6
TOTAL MULTIPLE DX	153	5.5	91	<1	1	2	6	14	19	40
TOTAL										
0-19 YRS	119	1.4	1	<1	<1	<1	1	2	4	7
20-34	19	4.8	65	<1	1	2	5	9	24	36
35-49	21	8.8	409	<1	1	1	6	24	58	91
50-64	27	4.5	67	<1	<1	1	3	13	20	40
65+	91	4.8	27	<1	1	2	6	13	16	22
GRAND TOTAL	277	3.6	55	<1	<1	1	3	8	15	35

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	219	1.3		<1	<1	1	1	2	2	7
20-34	32	2.2	4	1	1	1	3	5	7	9
35-49	25	1.4	1	<1	1	1	1	2	4	5
50-64	36	1.6	2	<1	1	1	2	4	4	9
65+	29	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	416	3.1	37	1	1	2	3	5	9	26
20-34	508	3.7	39	1	1	2	4	7	11	30
35-49	343	4.2	37	1	1	2	5	8	13	35
50-64	260	4.5	62	1	1	2	5	10	15	54
65+	416	7.0	87	1	2	4	9	16	25	49
TOTAL SINGLE DX	341	1.4	1	<1	<1	1	1	2	3	8
TOTAL MULTIPLE DX	1943	4.5	54	1	1	2	5	10	15	46
TOTAL										
0-19 YRS	635	2.5	25	<1	1	1	2	4	7	20
20-34	540	3.6	37	1	1	2	4	7	10	30
35-49	368	4.0	35	1	1	2	5	8	13	32
50-64	296	4.2	56	1	1	2	4	9	14	54
65+	445	6.6	83	1	1	3	8	16	24	47
GRAND TOTAL	2284	4.0	47	<1	1	2	4	9	13	40

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	1.4	2	<1	1	1	1	2	3	10
20-34	24	2.5	40	1	1	1	1	3	13	32
35-49	16	1.3		1	1	1	1	2	3	3
50-64	21	1.1		1	1	1	1	2	2	2
65+	26	1.2		<1	1	1	1	1	3	4
2. MULTIPLE DX										
0-19 YRS	69	2.4	8	<1	1	1	3	6	8	17
20-34	33	2.2	5	1	1	2	2	5	9	10
35-49	28	1.7	2	1	1	1	2	3	5	9
50-64	41	2.2	10	1	1	1	2	3	8	19
65+	107	2.1	3	1	1	1	2	4	6	10
TOTAL SINGLE DX	148	1.5	7	1	1	1	1	2	3	10
TOTAL MULTIPLE DX	278	2.2	6	1	1	1	2	4	8	12
TOTAL										
0-19 YRS	130	2.0	6	<1	1	1	2	4	7	12
20-34	57	2.4	20	1	1	1	2	4	9	30
35-49	44	1.5	2	1	1	1	2	2	4	9
50-64	62	1.8	7	1	1	1	2	3	4	18
65+	133	1.9	3	1	1	1	2	4	6	10
GRAND TOTAL	426	1.9	7	1	1	1	2	4	6	11

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.4	19	<1	<1	1	1	8	15	15
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	2.3	1	<1	1	2	3	4	4	4
50-64	3	3.0		3	3	3	3	3	3	3
65+	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	19	5.1	49	<1	1	2	7	21	63	99+
20-34	6	17.5	1230	1	2	4	6	81	89	89
35-49	11	3.4	3	1	2	4	4	6	7	7
50-64	4	7.0	18	1	4	8	10	11	11	11
65+	22	5.0	25	1	1	3	6	13	17	18
TOTAL SINGLE DX	21	3.0	14	<1	<1	1	3	8	13	15
TOTAL MULTIPLE DX	62	6.1	140	1	1	3	7	16	21	99
TOTAL										
0-19 YRS	29	4.2	40	<1	<1	1	5	16	26	99+
20-34	8	13.4	937	1	1	2	5	64	89	89
35-49	15	3.1	3	<1	2	3	4	5	6	7
50-64	7	5.3	14	1	3	3	8	10	11	11
65+	24	5.4	25	1	2	3	7	13	17	18
GRAND TOTAL	83	5.3	110	<1	1	2	6	13	17	96

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	2.1	8	1	1	1	2	3	6	17
20-34	64	1.7	1	1	1	1	2	3	4	5
35-49	74	2.2	5	1	1	2	2	4	6	16
50-64	34	3.0	57	1	1	1	2	3	9	45
65 +	126	1.9	3	1	1	1	2	3	4	15
2. MULTIPLE DX										
0-19 YRS	67	1.8	4	1	1	1	2	3	4	15
20-34	70	2.6	7	1	1	2	2	5	10	14
35-49	74	3.0	47	1	1	2	3	4	7	47
50-64	174	2.6	19	1	1	2	3	4	7	33
65 +	946	2.4	4	1	2	2	3	4	5	12
TOTAL SINGLE DX	333	2.1	10	1	1	1	2	3	4	16
TOTAL MULTIPLE DX	1331	2.5	9	1	1	2	3	4	5	14
TOTAL										
0-19 YRS	102	1.9	6	1	1	1	2	3	5	17
20-34	134	2.2	5	1	1	2	2	4	5	13
35-49	148	2.6	26	1	1	2	2	4	6	18
50-64	208	2.7	26	1	1	2	3	4	7	34
65 +	1072	2.4	4	1	1	2	2	4	5	13
GRAND TOTAL	1664	2.4	9	1	1	2	2	4	5	14

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	144	3.0	3	1	2	3	4	5	6	8
20-34	77	2.8	2	< 1	1	3	4	5	5	7
35-49	40	3.0	4	< 1	1	3	4	6	8	10
50-64	14	2.9	5	< 1	< 1	2	4	7	8	8
65 +	8	2.1	6	< 1	< 1	1	2	6	8	8
2. MULTIPLE DX										
0-19 YRS	185	4.1	6	1	2	4	5	8	9	15
20-34	127	4.2	11	1	2	3	5	8	11	18
35-49	83	4.2	7	1	2	4	5	8	10	12
50-64	44	4.8	20	1	3	4	6	8	12	28
65 +	99	5.2	29	1	2	4	6	11	15	29
TOTAL SINGLE DX	283	2.9	3	< 1	1	3	4	5	6	8
TOTAL MULTIPLE DX	538	4.4	13	1	2	4	5	8	11	23
TOTAL										
0-19 YRS	329	3.6	5	1	2	3	5	6	8	12
20-34	204	3.6	9	1	2	3	5	6	9	15
35-49	123	3.8	7	1	2	3	5	7	9	12
50-64	58	4.3	18	< 1	2	3	6	7	11	27
65 +	107	5.0	28	1	2	3	6	10	14	28
GRAND TOTAL	821	3.9	10	1	2	3	5	7	10	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	1.5	1	< 1	< 1	1	1	3	5	6
20-34	20	2.0	2	1	1	2	3	4	5	6
35-49	47	2.6	3	< 1	1	2	4	5	6	10
50-64	96	2.0	1	< 1	1	2	3	4	4	6
65 +	156	2.2	4	< 1	1	1	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	89	3.0	63	1	1	1	2	5	8	54
20-34	57	3.2	7	1	2	3	4	5	10	14
35-49	85	3.4	6	1	2	3	4	7	9	11
50-64	224	3.8	27	1	1	2	4	8	11	37
65 +	696	3.4	21	1	1	3	4	6	9	16
TOTAL SINGLE DX	441	2.0	3	< 1	1	1	3	4	5	8
TOTAL MULTIPLE DX	1151	3.4	24	1	1	2	4	6	10	22
TOTAL										
0-19 YRS	211	2.1	28	< 1	1	1	2	4	6	16
20-34	77	2.9	6	1	1	2	3	5	9	14
35-49	132	3.1	6	1	1	2	4	7	9	10
50-64	320	3.2	20	1	1	2	3	6	9	34
65 +	852	3.2	19	1	1	2	4	6	8	15
GRAND TOTAL	1592	3.0	19	1	1	2	3	5	8	18

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	3.1	6	1	1	3	4	6	10	12
20-34	38	3.0	4	1	1	2	4	6	8	10
35-49	29	2.6	2	< 1	1	3	4	5	6	6
50-64	18	3.7	16	1	1	2	4	11	13	13
65 +	49	2.0	3	< 1	1	1	2	4	4	11
2. MULTIPLE DX										
0-19 YRS	66	4.0	10	1	1	4	6	10	12	85
20-34	68	4.2	7	1	2	4	6	8	9	12
35-49	76	5.6	130	2	2	3	5	8	14	79
50-64	72	5.2	26	1	2	4	7	10	14	28
65 +	224	4.4	17	1	2	3	6	9	12	20
TOTAL SINGLE DX	183	2.8	6	1	1	2	4	5	9	12
TOTAL MULTIPLE DX	506	4.6	34	1	2	3	6	9	12	26
TOTAL										
0-19 YRS	115	3.6	9	1	1	3	5	8	12	43
20-34	106	3.8	7	1	2	3	5	7	9	12
35-49	105	4.7	97	1	2	3	4	7	13	59
50-64	90	4.9	24	1	1	3	7	10	13	28
65 +	273	4.0	16	1	1	3	5	9	11	19
GRAND TOTAL	689	4.1	27	1	1	3	5	8	11	20

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	1.1		<1	1	1	1	1	2	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.8	1	<1	1	1	2	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	4	4.0	12	1	1	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	39	2.2	8	<1	1	1	2	6	7	16
20-34	11	2.1	1	<1	1	2	3	4	5	5
35-49	7	1.3		<1	1	1	2	2	2	2
50-64	23	2.7	10	1	1	1	2	8	11	13
65 +	61	3.7	17	1	1	2	4	10	13	18
TOTAL SINGLE DX	77	1.3	1	<1	1	1	1	2	3	7
TOTAL MULTIPLE DX	141	2.9	12	1	1	1	2	8	11	17
TOTAL										
0-19 YRS	103	1.5	3	<1	1	1	1	2	5	12
20-34	12	2.0	2	<1	1	2	3	4	5	5
35-49	12	1.5	1	<1	1	1	2	3	4	4
50-64	26	2.5	9	1	1	1	2	8	11	13
65 +	65	3.7	17	1	1	2	5	9	13	18
GRAND TOTAL	218	2.3	9	<1	1	1	2	6	8	16

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	1.3		<1	<1	1	1	2	2	5
20-34	13	1.6	2	<1	<1	<1	2	3	5	6
35-49	21	1.3		<1	<1	<1	1	2	3	3
50-64	124	1.1		<1	<1	<1	<1	1	1	3
65 +	669	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
0-19 YRS	91	2.3	17	1	1	1	2	4	7	27
20-34	33	2.4	7	<1	1	2	3	4	7	16
35-49	72	3.5	23	<1	1	2	3	7	16	22
50-64	277	3.1	25	<1	1	1	3	7	13	26
65 +	1829	2.8	30	<1	1	1	2	5	9	33
TOTAL SINGLE DX	899	1.1		<1	<1	<1	<1	1	2	3
TOTAL MULTIPLE DX	2302	2.8	29	<1	1	1	2	6	10	32
TOTAL										
0-19 YRS	163	1.8	10	<1	1	1	1	3	5	14
20-34	46	2.2	6	<1	1	1	2	3	6	16
35-49	93	3.0	19	<1	1	1	2	6	16	22
50-64	401	2.5	19	<1	<1	1	2	5	8	24
65 +	2498	2.3	23	<1	<1	1	2	4	7	25
GRAND TOTAL	3201	2.3	21	<1	<1	1	2	4	7	24

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.0		<1	<1	1	1	1	1	1
65 +	22	1.3	1	<1	<1	<1	1	1	4	7
2. MULTIPLE DX										
0-19 YRS	6	1.7		<1	1	1	2	3	3	3
20-34	5	2.4	2	1	1	2	4	4	4	4
35-49	9	1.8	1	<1	1	1	2	4	4	4
50-64	16	1.3		<1	1	1	2	2	2	2
65 +	74	3.9	67	<1	1	2	2	9	30	88
TOTAL SINGLE DX	33	1.2	1	<1	<1	<1	1	1	2	7
TOTAL MULTIPLE DX	110	3.2	47	<1	1	2	2	5	11	71
TOTAL										
0-19 YRS	9	1.6	1	<1	1	1	2	3	3	3
20-34	6	2.2	2	1	1	2	4	4	4	4
35-49	11	1.6	1	<1	1	1	2	3	4	4
50-64	21	1.2		<1	1	1	1	2	2	2
65 +	96	3.3	54	<1	<1	1	2	7	13	77
GRAND TOTAL	143	2.7	37	<1	1	1	2	4	10	55

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	117	1.8		1	1	2	2	3	3	5
20-34	197	1.9	1	1	1	2	2	3	4	7
35-49	277	1.7		1	1	1	2	3	3	5
50-64	489	1.8	1	1	1	2	2	3	4	5
65 +	556	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	190	3.8	127	1	1	2	3	5	14	99 +
20-34	327	2.6	7	1	1	2	3	4	6	11
35-49	466	2.4	11	1	1	2	3	4	5	8
50-64	991	2.5	4	1	1	2	3	4	6	12
65 +	1605	2.6	4	1	1	2	3	4	6	12
TOTAL SINGLE DX	1636	1.9	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	3579	2.6	12	1	1	2	3	4	6	13
TOTAL										
0-19 YRS	307	3.0	80	1	1	2	2	4	6	99 +
20-34	524	2.3	5	1	1	2	3	4	5	9
35-49	743	2.2	8	1	1	2	2	4	5	8
50-64	1480	2.3	4	1	1	2	3	4	5	10
65 +	2161	2.4	4	1	1	2	3	4	5	10
GRAND TOTAL	5215	2.4	9	1	1	2	3	4	5	10

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	1.6	1	1	1	1	2	3	3	7
20-34	65	2.1	3	1	1	1	2	4	6	10
35-49	55	2.0	2	1	1	2	2	3	4	12
50-64	114	1.7	1	<1	1	1	2	3	4	9
65 +	208	1.8	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	201	5.5	191	1	1	2	4	81	99 +	99 +
20-34	410	2.8	18	1	1	2	3	5	7	17
35-49	419	3.0	33	1	1	2	3	5	8	24
50-64	688	2.4	7	1	1	2	3	4	6	14
65 +	1129	2.8	11	1	1	2	3	6	8	16
TOTAL SINGLE DX	545	1.8	2	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	2847	3.0	28	1	1	2	3	5	8	54
TOTAL										
0-19 YRS	304	4.2	130	1	1	2	3	15	99 +	99 +
20-34	475	2.7	17	1	1	2	3	5	7	15
35-49	474	2.9	30	1	1	2	3	4	8	23
50-64	802	2.3	6	1	1	2	3	4	6	12
65 +	1337	2.7	10	1	1	2	3	5	8	15
GRAND TOTAL	3392	2.8	24	1	1	2	3	5	8	42

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	612	1.0		<1	<1	<1	<1	1	1	2
20-34	25	1.0		<1	<1	<1	1	1	1	1
35-49	15	1.3		<1	<1	<1	1	2	3	3
50-64	6	1.3		<1	<1	<1	1	3	3	3
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	370	1.2	3	<1	<1	<1	1	1	2	7
20-34	25	1.0		<1	<1	1	1	1	1	1
35-49	18	1.6	2	<1	<1	1	1	3	5	7
50-64	16	1.3		<1	1	1	1	2	3	3
65 +	16	1.3		<1	1	1	2	2	2	2
TOTAL SINGLE DX	660	1.1		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	445	1.2	3	<1	<1	<1	1	1	2	7
TOTAL										
0-19 YRS	982	1.1	1	<1	<1	<1	<1	1	1	4
20-34	50	1.0		<1	<1	<1	1	1	1	1
35-49	33	1.4	1	<1	<1	1	1	2	3	7
50-64	22	1.3		<1	<1	1	1	2	3	3
65 +	18	1.2		<1	1	1	1	2	2	2
GRAND TOTAL	1105	1.1	1	<1	<1	<1	1	1	1	4

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	186	2.8	5	1	1	2	4	5	7	14
20-34	107	2.8	3	1	1	2	4	5	6	9
35-49	62	2.1	3	1	1	2	2	4	6	9
50-64	42	2.2	2	1	1	2	3	5	5	7
65 +	55	3.1	13	1	1	2	4	7	8	22
2. MULTIPLE DX										
0-19 YRS	275	5.5	46	1	2	4	7	11	15	36
20-34	223	4.7	47	1	1	3	6	10	13	25
35-49	155	4.1	25	1	1	2	5	9	17	29
50-64	143	4.3	27	1	2	2	5	9	16	29
65 +	294	4.7	30	1	2	3	5	10	15	31
TOTAL SINGLE DX	452	2.7	5	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	1090	4.8	37	1	2	3	6	10	15	29
TOTAL										
0-19 YRS	461	4.4	32	1	1	3	5	10	13	24
20-34	330	4.1	34	1	1	3	5	8	11	22
35-49	217	3.5	20	1	1	2	4	7	10	28
50-64	185	3.9	23	1	1	2	4	8	14	27
65 +	349	4.4	28	1	2	3	5	9	14	30
GRAND TOTAL	1542	4.2	29	1	1	3	5	9	12	26

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	364	2.0	3	<1	1	1	2	4	6	10
20-34	61	2.3	4	<1	1	2	3	5	8	10
35-49	33	2.2	6	<1	1	1	2	7	8	9
50-64	15	4.7	45	<1	<1	1	8	15	20	22
65+	35	2.2	8	<1	<1	1	1	5	10	13
2. MULTIPLE DX										
0-19 YRS	480	3.0	10	1	1	2	4	6	9	15
20-34	202	3.4	22	1	1	2	4	6	10	16
35-49	120	5.3	112	1	1	2	5	11	18	64
50-64	90	4.7	25	1	2	3	6	9	15	29
65+	217	7.5	89	1	2	5	9	15	23	87
TOTAL SINGLE DX	508	2.2	6	<1	1	1	2	4	6	13
TOTAL MULTIPLE DX	1109	4.3	43	1	1	2	5	10	13	37
TOTAL										
0-19 YRS	844	2.6	8	<1	1	2	3	5	7	14
20-34	263	3.1	18	1	1	2	4	6	10	15
35-49	153	4.7	91	1	1	2	4	9	16	59
50-64	105	4.7	28	1	1	3	6	12	15	29
65+	252	6.8	81	<1	2	4	9	15	21	81
GRAND TOTAL	1617	3.7	32	<1	1	2	4	8	12	27

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	1.2		1	1	1	1	1	2	5
20-34	117	1.2		1	1	1	1	2	2	3
35-49	199	1.2		1	1	1	1	2	2	4
50-64	126	1.1		1	1	1	1	2	2	3
65+	54	1.3		1	1	1	1	2	2	5
2. MULTIPLE DX										
0-19 YRS	45	1.2		1	1	1	1	2	2	3
20-34	70	1.2		1	1	1	1	2	2	3
35-49	161	1.3		1	1	1	1	2	2	6
50-64	97	1.2		1	1	1	1	2	2	3
65+	80	1.3		1	1	1	1	2	3	6
TOTAL SINGLE DX	541	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	453	1.2	1	1	1	1	1	2	2	3
TOTAL										
0-19 YRS	90	1.2		1	1	1	1	2	2	4
20-34	187	1.2		1	1	1	1	2	2	3
35-49	360	1.2	1	1	1	1	1	2	2	5
50-64	223	1.2		1	1	1	1	2	2	3
65+	134	1.3	1	1	1	1	1	2	3	5
GRAND TOTAL	994	1.2		1	1	1	1	2	2	3

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	406	1.0		<1	1	1	1	1	1	2
20-34	99	1.1		<1	1	1	1	1	2	2
35-49	94	1.1		<1	1	1	1	1	2	4
50-64	73	1.0		1	1	1	1	1	1	2
65+	42	1.0		<1	1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	502	1.2		<1	1	1	1	1	2	6
20-34	166	1.5	7	1	1	1	1	2	3	14
35-49	130	1.2		<1	1	1	1	2	2	25
50-64	154	1.4	1	1	1	1	1	2	3	8
65+	96	1.4	1	1	1	1	1	2	4	6
TOTAL SINGLE DX	714	1.0		<1	1	1	1	1	1	2
TOTAL MULTIPLE DX	1048	1.3	2	1	1	1	1	2	2	7
TOTAL										
0-19 YRS	908	1.1		<1	1	1	1	1	2	3
20-34	265	1.3	5	<1	1	1	1	2	2	6
35-49	224	1.1		<1	1	1	1	1	2	6
50-64	227	1.3	1	1	1	1	1	2	3	7
65+	138	1.3	1	1	1	1	1	2	3	5
GRAND TOTAL	1762	1.2	1	<1	1	1	1	1	2	5

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2121	1.1		<1	<1	<1	<1	<1	1	6
20-34	21	1.1		<1	<1	1	1	2	2	3
35-49	19	1.5	3	<1	1	1	1	2	6	9
50-64	10	2.4	8	<1	1	1	1	8	8	8
65+	10	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2296	2.7	23	<1	1	1	3	6	9	23
20-34	56	4.0	17	<1	1	2	5	12	14	17
35-49	62	4.6	43	1	1	1	6	11	21	34
50-64	59	7.1	85	1	1	3	10	16	20	54
65+	101	7.8	71	1	1	6	10	19	27	39
TOTAL SINGLE DX	2181	1.2	1	<1	<1	<1	<1	1	1	6
TOTAL MULTIPLE DX	2574	3.1	29	<1	1	1	3	7	11	27
TOTAL										
0-19 YRS	4417	2.0	13	<1	<1	<1	1	4	7	17
20-34	77	3.2	15	<1	1	1	4	9	13	16
35-49	81	3.9	36	1	1	1	5	9	18	32
50-64	69	6.4	77	1	1	2	9	15	18	51
65+	111	7.2	69	1	1	5	10	18	27	37
GRAND TOTAL	4755	2.2	17	<1	<1	<1	1	5	8	20

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	331	1.8	6	1	1	1	1	3	5	15
20-34	113	1.7	3	1	1	1	2	3	5	10
35-49	102	1.4	1	1	1	1	1	2	3	8
50-64	81	1.5	2	1	1	1	1	3	4	10
65 +	34	1.5		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	525	2.5	16	1	1	1	2	5	10	20
20-34	260	2.3	19	1	1	1	1	4	8	25
35-49	238	1.9	6	1	1	1	2	3	5	15
50-64	202	2.7	21	1	1	1	2	5	11	29
65 +	156	3.8	56	1	1	1	3	9	17	47
TOTAL SINGLE DX	661	1.7	5	1	1	1	1	3	4	14
TOTAL MULTIPLE DX	1381	2.5	21	1	1	1	2	5	10	23
TOTAL										
0-19 YRS	856	2.2	13	1	1	1	2	4	9	19
20-34	373	2.1	14	1	1	1	2	4	7	21
35-49	340	1.7	5	1	1	1	2	3	4	13
50-64	283	2.3	16	1	1	1	2	4	8	25
65 +	190	3.4	47	1	1	1	3	8	13	40
GRAND TOTAL	**2042**	**2.2**	**16**	**1**	**1**	**1**	**2**	**4**	**8**	**20**

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	363	1.5	3	<1	<1	1	1	2	4	11
20-34	96	1.3		1	1	1	1	2	3	4
35-49	116	1.7	4	1	1	1	2	3	4	12
50-64	87	1.5		1	1	1	2	3	4	4
65 +	46	1.8	1	1	1	1	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	442	2.9	28	<1	<1	1	2	7	11	25
20-34	128	2.4	8	1	1	1	2	5	9	16
35-49	162	2.2	5	1	1	1	3	5	7	10
50-64	129	2.8	18	1	1	1	2	7	10	22
65 +	119	2.8	24	1	1	1	2	6	10	28
TOTAL SINGLE DX	708	1.5	3	<1	1	1	1	3	4	9
TOTAL MULTIPLE DX	980	2.7	20	<1	1	1	2	7	10	22
TOTAL										
0-19 YRS	805	2.3	18	<1	<1	1	1	5	9	21
20-34	224	1.9	5	1	1	1	2	3	6	14
35-49	278	2.0	5	1	1	1	2	4	6	10
50-64	216	2.3	12	1	1	1	2	4	8	17
65 +	165	2.6	18	1	1	1	2	5	7	21
GRAND TOTAL	**1688**	**2.2**	**13**	**<1**	**1**	**1**	**2**	**4**	**7**	**17**

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	1.1		1	1	1	1	1	2	4
20-34	113	1.1		1	1	1	1	2	2	3
35-49	73	1.2		1	1	1	1	2	2	5
50-64	18	1.3		1	1	1	1	2	4	5
65 +	6	1.3		<1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	156	1.4	2	1	1	1	1	2	3	6
20-34	482	1.3		1	1	1	1	2	3	5
35-49	411	1.5	1	1	1	1	1	2	3	10
50-64	234	1.6	1	1	1	1	2	3	4	6
65 +	87	2.3	5	1	1	1	2	4	9	13
TOTAL SINGLE DX	244	1.2		1	1	1	1	2	2	4
TOTAL MULTIPLE DX	1370	1.5	2	1	1	1	1	2	3	8
TOTAL										
0-19 YRS	190	1.4	2	1	1	1	1	2	3	6
20-34	595	1.3	1	1	1	1	1	2	3	5
35-49	484	1.4	2	1	1	1	1	2	3	9
50-64	252	1.6	1	1	1	1	2	3	4	6
65 +	93	2.2	6	1	1	1	2	4	9	13
GRAND TOTAL	**1614**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**	**7**

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	248	1.4		1	1	1	1	2	3	5
20-34	244	1.3	1	<1	1	1	1	2	2	8
35-49	190	1.2		<1	1	1	1	2	2	4
50-64	53	1.3		1	1	1	1	2	3	7
65+	29	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	656	2.0	23	1	1	1	2	3	5	18
20-34	994	1.7	8	1	1	1	1	3	4	9
35-49	853	1.9	24	1	1	1	2	3	4	12
50-64	440	2.1	14	1	1	1	2	4	6	14
65+	285	3.5	32	1	1	2	4	8	10	32
TOTAL SINGLE DX	764	1.3	1	<1	1	1	1	2	3	7
TOTAL MULTIPLE DX	3228	2.0	19	1	1	1	2	3	5	13
TOTAL										
0-19 YRS	904	1.9	17	1	1	1	2	3	4	13
20-34	1238	1.6	7	1	1	1	1	2	4	9
35-49	1043	1.8	20	1	1	1	1	2	4	11
50-64	493	2.0	14	1	1	1	2	3	6	14
65+	314	3.3	30	1	1	2	3	7	9	30
GRAND TOTAL	3992	1.9	15	1	1	1	2	3	5	12

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	1.9	3	<1	1	1	2	5	6	10
20-34	43	1.7	1	<1	1	1	2	3	5	6
35-49	43	1.5	1	<1	1	1	2	2	4	6
50-64	41	1.4		<1	1	1	1	3	4	4
65+	58	1.7	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	208	3.4	20	1	1	2	4	8	11	25
20-34	174	2.4	19	1	1	1	2	3	8	28
35-49	227	2.2	9	1	1	1	2	4	6	19
50-64	195	2.6	18	1	1	1	2	5	8	21
65+	228	5.9	68	1	1	2	8	15	23	58
TOTAL SINGLE DX	265	1.7	2	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	1032	3.4	30	1	1	1	3	8	14	28
TOTAL										
0-19 YRS	288	3.0	17	<1	1	1	3	7	10	23
20-34	217	2.3	16	1	1	1	2	3	7	28
35-49	270	2.1	8	1	1	1	2	4	6	17
50-64	236	2.4	15	1	1	1	2	4	8	20
65+	286	5.1	58	<1	1	2	6	14	19	49
GRAND TOTAL	1297	3.0	25	1	1	1	3	7	11	27

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	133	1.3		<1	<1	1	1	2	3	4
20-34	135	2.2	2	<1	1	1	3	5	6	7
35-49	137	2.9	3	1	1	3	4	5	6	9
50-64	112	3.4	3	1	2	3	5	6	7	9
65+	126	3.0	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	232	4.2	32	1	1	2	5	9	12	42
20-34	375	3.7	17	1	1	2	5	8	11	24
35-49	325	4.7	33	1	2	4	6	8	11	25
50-64	433	5.0	23	2	3	4	6	9	11	29
65+	838	5.6	26	2	3	4	7	11	15	25
TOTAL SINGLE DX	643	2.5	3	<1	1	2	4	5	6	8
TOTAL MULTIPLE DX	2203	4.9	26	1	2	4	6	9	12	26
TOTAL										
0-19 YRS	365	3.1	22	<1	1	1	4	7	10	28
20-34	510	3.3	14	1	1	2	4	7	10	23
35-49	462	4.2	25	1	2	3	5	7	10	15
50-64	545	4.6	20	1	2	4	6	8	11	18
65+	964	5.3	24	2	2	4	6	10	14	24
GRAND TOTAL	2846	4.3	22	1	2	3	5	8	11	24

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.8	3	1	1	1	2	5	7	8
20-34	55	1.9	4	1	1	1	2	4	6	13
35-49	71	2.1	9	1	1	1	2	3	8	19
50-64	41	2.1	7	1	1	1	2	4	6	16
65+	28	1.9	4	1	1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	68	5.6	86	1	1	2	5	17	20	52
20-34	170	2.7	16	1	1	1	2	5	9	26
35-49	209	2.7	29	1	1	2	2	5	7	19
50-64	174	2.7	14	1	1	1	2	7	10	18
65+	140	4.0	38	1	1	2	4	9	17	38
TOTAL SINGLE DX	217	2.0	6	1	1	1	2	4	7	14
TOTAL MULTIPLE DX	761	3.2	31	1	1	2	3	6	12	28
TOTAL										
0-19 YRS	90	4.7	69	1	1	2	4	14	19	50
20-34	225	2.5	14	1	1	1	2	5	7	20
35-49	280	2.6	25	1	1	1	2	5	8	20
50-64	215	2.6	13	1	1	1	2	6	10	17
65+	168	3.6	33	1	1	2	3	8	13	36
GRAND TOTAL	978	2.9	25	1	1	1	2	6	11	26

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	337	1.8	6	<1	1	1	1	3	6	14
20-34	153	2.4	6	1	1	1	3	6	7	14
35-49	171	2.1	4	1	1	1	2	4	7	11
50-64	106	3.0	17	<1	1	1	4	7	12	23
65 +	61	2.3	7	1	1	1	3	4	6	17
2. MULTIPLE DX										
0-19 YRS	782	4.4	46	1	1	1	6	11	15	43
20-34	658	3.7	32	1	1	1	4	9	16	28
35-49	883	2.8	18	1	1	1	3	6	10	21
50-64	658	3.5	34	1	1	1	3	8	14	31
65 +	537	5.0	61	1	1	2	6	12	18	36
TOTAL SINGLE DX	828	2.2	7	<1	1	1	2	5	7	15
TOTAL MULTIPLE DX	3518	3.8	37	1	1	1	4	9	14	30
TOTAL										
0-19 YRS	1119	3.7	35	<1	1	1	4	9	14	32
20-34	811	3.4	28	1	1	1	3	8	14	27
35-49	1054	2.7	16	1	1	1	3	6	10	20
50-64	764	3.5	33	1	1	1	3	8	13	30
65 +	598	4.7	56	1	1	2	5	12	18	35
GRAND TOTAL	4346	3.5	32	1	1	1	3	9	13	28

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	134	1.6	3	<1	<1	<1	1	3	5	10
20-34	60	2.0	3	<1	<1	1	2	5	6	10
35-49	9	3.2	17	<1	1	2	3	10	14	14
50-64	14	2.5	6	<1	<1	1	4	6	8	9
65 +	6	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	538	3.1	25	<1	1	2	3	6	10	25
20-34	392	7.0	105	1	1	3	8	19	36	89
35-49	259	8.3	155	1	2	4	10	23	36	99 +
50-64	205	7.2	164	1	1	3	8	16	27	96
65 +	342	7.3	67	1	2	4	10	17	24	54
TOTAL SINGLE DX	223	1.8	4	<1	<1	<1	2	4	5	11
TOTAL MULTIPLE DX	1736	6.1	92	1	1	3	7	16	25	74
TOTAL										
0-19 YRS	672	2.8	21	<1	1	1	3	5	8	23
20-34	452	6.4	95	<1	1	3	7	16	30	76
35-49	268	8.1	152	1	2	4	9	22	36	99 +
50-64	219	6.9	156	1	1	3	7	16	28	95
65 +	348	7.2	67	1	2	4	10	17	24	54
GRAND TOTAL	1959	5.6	83	<1	1	2	6	14	23	70

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	295	1.0		<1	<1	<1	<1	<1	<1	2
20-34	8	3.0	9	<1	1	2	5	8	8	8
35-49	3	1.7		1	1	2	2	2	2	2
50-64	8	1.6	1	<1	<1	1	2	3	4	4
65 +	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	339	2.4	42	<1	<1	<1	1	2	6	46
20-34	42	5.1	164	<1	<1	2	4	9	48	99 +
35-49	14	3.5	21	1	1	2	3	6	16	19
50-64	6	8.2	187	1	1	3	4	33	36	36
65 +	7	11.3	154	1	1	2	24	27	28	28
TOTAL SINGLE DX	316	1.1		<1	<1	<1	<1	<1	1	4
TOTAL MULTIPLE DX	408	3.0	60	<1	<1	1	2	4	11	64
TOTAL										
0-19 YRS	634	1.8	23	<1	<1	<1	1	2	3	26
20-34	50	4.7	140	<1	<1	2	4	8	30	99 +
35-49	17	3.2	18	1	1	2	3	5	14	19
50-64	14	4.4	84	<1	1	2	4	7	30	36
65 +	9	9.1	135	<1	1	2	21	27	28	28
GRAND TOTAL	724	2.1	35	<1	<1	<1	1	2	5	35

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	118	1.5		<1	<1	1	2	2	4	6
20-34	27	1.9	2	1	1	1	2	4	5	6
35-49	22	2.5	7	1	1	2	2	8	10	11
50-64	26	1.5	1	<1	1	1	2	2	4	7
65 +	18	2.7	7	1	1	2	3	4	9	13
2. MULTIPLE DX										
0-19 YRS	331	2.5	24	<1	1	1	2	3	6	43
20-34	91	5.0	51	1	1	3	5	11	14	39
35-49	76	4.2	34	1	1	2	4	11	17	30
50-64	94	4.0	56	1	1	2	3	8	15	46
65 +	117	7.6	146	1	1	3	7	17	39	58
TOTAL SINGLE DX	211	1.8	3	<1	1	1	2	3	4	10
TOTAL MULTIPLE DX	709	4.0	57	<1	1	2	3	8	15	48
TOTAL										
0-19 YRS	449	2.2	19	<1	<1	1	2	3	5	40
20-34	118	4.3	41	1	1	2	5	9	13	36
35-49	98	3.8	29	1	1	2	4	10	14	29
50-64	120	3.5	46	1	1	2	2	7	12	39
65 +	135	6.9	130	1	1	2	6	16	34	57
GRAND TOTAL	920	3.5	45	<1	1	2	3	6	12	44

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	193	2.1	4	1	1	2	2	4	5	13
20-34	341	1.8	2	1	1	2	2	3	3	4
35-49	486	1.8	1	1	1	2	2	3	4	8
50-64	445	1.8	1	1	1	2	2	3	4	7
65 +	307	1.8		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	128	3.3	20	1	1	2	3	7	11	25
20-34	180	2.8	16	1	1	2	3	5	9	17
35-49	286	2.6	9	1	1	2	3	5	7	16
50-64	460	3.1	19	1	1	2	3	6	9	22
65 +	682	3.9	25	1	2	2	4	8	13	31
TOTAL SINGLE DX	1772	1.9	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	1736	3.3	20	1	1	2	3	6	10	23
TOTAL										
0-19 YRS	321	2.6	11	1	1	2	3	5	8	22
20-34	521	2.1	8	1	1	2	2	3	4	13
35-49	772	2.1	5	1	1	2	2	3	5	11
50-64	905	2.5	11	1	1	2	3	4	6	15
65 +	989	3.3	19	1	1	2	3	6	10	23
GRAND TOTAL	3508	2.6	12	1	1	2	3	4	7	17

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	888	2.0	1	1	1	2	2	3	4	5
20-34	15	1.9	1	1	1	1	3	4	4	4
35-49	8	1.5		1	1	1	2	3	3	3
50-64	10	1.5		<1	1	1	2	2	2	2
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1567	2.6	10	1	1	2	3	4	5	12
20-34	65	2.5	13	1	1	2	3	4	6	27
35-49	109	2.3	3	1	1	2	3	4	5	12
50-64	66	2.3	4	1	1	2	3	4	6	13
65 +	16	4.8	23	1	2	3	6	11	16	18
TOTAL SINGLE DX	924	2.0	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1823	2.6	10	1	1	2	3	4	5	13
TOTAL										
0-19 YRS	2455	2.4	7	1	1	2	3	4	5	8
20-34	80	2.4	12	1	1	2	3	4	5	23
35-49	117	2.2	3	1	1	2	3	4	5	12
50-64	76	2.2	4	1	1	2	3	4	5	13
65 +	19	4.2	21	1	2	2	4	11	15	18
GRAND TOTAL	2747	2.4	7	1	1	2	3	4	5	10

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1026	1.9	2	1	1	1	2	4	5	8
20-34	159	3.8	8	1	2	3	5	8	10	12
35-49	153	4.3	35	1	1	3	5	9	12	31
50-64	147	3.5	21	<1	1	2	4	8	10	31
65 +	127	2.7	12	<1	1	2	3	5	8	18
2. MULTIPLE DX										
0-19 YRS	1362	3.1	20	1	1	2	3	6	9	20
20-34	661	4.4	21	1	2	3	5	9	12	24
35-49	478	5.7	45	1	2	3	7	13	18	41
50-64	486	7.3	77	1	2	4	10	16	24	44
65 +	724	7.6	89	1	2	5	10	17	23	46
TOTAL SINGLE DX	1612	2.5	9	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	3711	5.1	48	1	1	3	6	11	17	37
TOTAL										
0-19 YRS	2388	2.5	13	1	1	2	3	5	7	16
20-34	820	4.3	19	1	2	3	5	8	11	23
35-49	631	5.4	43	1	2	3	7	12	16	34
50-64	633	6.4	67	1	2	4	8	14	20	40
65 +	851	6.9	81	1	2	4	9	16	22	46
GRAND TOTAL	5323	4.3	38	1	1	2	5	10	14	31

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2296	1.1		<1	1	1	1	1	2	3
20-34	1336	1.2		1	1	1	1	1	2	3
35-49	206	1.3		1	1	1	1	2	3	6
50-64	27	2.0	2	1	1	1	2	5	5	6
65 +	11	2.0	3	1	1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	1417	1.5	4	<1	1	1	1	2	4	9
20-34	656	1.6	2	1	1	1	2	3	4	9
35-49	193	2.2	10	1	1	1	2	4	5	14
50-64	73	3.5	17	1	1	2	4	10	13	21
65 +	27	3.0	7	1	1	2	4	8	9	10
TOTAL SINGLE DX	3876	1.1		1	1	1	1	1	2	4
TOTAL MULTIPLE DX	2366	1.7	5	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	3713	1.3	2	<1	1	1	1	2	2	6
20-34	1992	1.3	1	1	1	1	1	2	3	5
35-49	399	1.7	6	1	1	1	2	3	5	11
50-64	100	3.1	14	1	1	2	3	7	12	20
65 +	38	2.7	6	1	1	2	4	7	9	10
GRAND TOTAL	6242	1.3	2	1	1	1	1	2	3	7

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5168	1.1		1	1	1	1	1	1	2
20-34	171	1.1		1	1	1	1	1	2	5
35-49	8	1.1		1	1	1	1	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8321	1.4	4	1	1	1	1	2	3	10
20-34	122	1.7	4	1	1	1	2	3	4	12
35-49	14	1.3		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	2.3	6	1	1	1	4	6	6	6
TOTAL SINGLE DX	5349	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	8462	1.4	4	1	1	1	1	2	3	10
TOTAL										
0-19 YRS	13489	1.3	3	1	1	1	1	1	2	7
20-34	293	1.4	2	1	1	1	1	2	3	6
35-49	22	1.2		1	1	1	1	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65 +	4	2.3	6	1	1	1	4	6	6	6
GRAND TOTAL	13811	1.3	3	1	1	1	1	1	2	7

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	143	1.0		< 1	< 1	1	1	1	1	2
20-34	6	1.2		< 1	< 1	< 1	1	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	700	1.9	7	< 1	1	1	1	4	8	15
20-34	8	1.3		< 1	< 1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
TOTAL SINGLE DX	150	1.0		< 1	< 1	1	1	1	1	2
TOTAL MULTIPLE DX	711	1.9	7	< 1	1	1	1	4	8	14
TOTAL										
0-19 YRS	843	1.7	6	< 1	< 1	1	1	3	7	14
20-34	14	1.2		< 1	< 1	1	1	2	2	2
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
GRAND TOTAL	861	1.7	6	<1	<1	1	1	3	7	14

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	924	2.0	3	1	1	1	2	4	5	9
20-34	425	2.1	2	1	1	2	3	4	5	8
35-49	197	2.3	2	1	1	2	3	4	5	9
50-64	93	2.6	14	1	1	2	3	5	6	24
65 +	55	2.9	5	1	1	2	4	6	9	10
2. MULTIPLE DX										
0-19 YRS	712	3.7	42	1	1	2	4	7	10	27
20-34	342	3.4	15	1	2	2	4	6	9	25
35-49	326	3.8	42	1	1	2	3	6	14	38
50-64	257	4.8	39	1	1	3	6	12	16	26
65 +	218	7.7	74	1	2	4	10	18	26	39
TOTAL SINGLE DX	1694	2.1	4	1	1	1	3	4	5	9
TOTAL MULTIPLE DX	1855	4.3	43	1	1	2	4	9	15	34
TOTAL										
0-19 YRS	1636	2.7	21	1	1	2	3	5	7	18
20-34	767	2.7	9	1	1	2	3	5	7	15
35-49	523	3.2	28	1	1	2	3	5	9	27
50-64	350	4.2	34	1	1	2	5	10	15	26
65 +	273	6.8	64	1	2	4	8	16	25	38
GRAND TOTAL	3549	3.2	25	1	1	2	3	6	10	25

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	2.3	6	< 1	1	1	2	7	8	11
20-34	30	2.6	6	1	1	2	4	5	7	13
35-49	32	2.1	3	1	1	1	3	5	6	8
50-64	40	2.7	3	< 1	1	2	4	5	6	8
65 +	37	3.0	3	1	2	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	217	4.6	35	1	2	3	5	10	13	36
20-34	81	4.8	48	1	1	2	5	10	25	36
35-49	121	4.7	42	1	1	3	6	9	10	36
50-64	181	4.9	37	1	2	3	6	9	12	36
65 +	363	5.6	45	1	2	4	6	11	16	35
TOTAL SINGLE DX	209	2.5	5	< 1	1	1	4	5	7	11
TOTAL MULTIPLE DX	963	5.0	42	1	2	3	6	10	13	35
TOTAL										
0-19 YRS	287	4.0	29	1	1	2	5	8	11	35
20-34	111	4.2	38	1	1	2	4	8	13	33
35-49	153	4.2	38	1	1	3	5	8	10	26
50-64	221	4.5	32	1	2	3	6	9	11	28
65 +	400	5.3	42	1	2	4	6	11	15	34
GRAND TOTAL	1172	4.6	36	1	1	3	5	9	12	34

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	333	1.7	3	<1	<1	1	1	3	5	9
20-34	21	1.8	1	<1	1	1	2	5	44	99+
35-49	54	2.1	6	<1	<1	1	2	5	9	13
50-64	67	2.6	15	<1	<1	1	2	6	13	21
65+	74	1.7	3	<1	<1	1	1	3	6	10
2. MULTIPLE DX										
0-19 YRS	283	4.6	40	1	1	2	6	11	16	35
20-34	36	4.3	51	1	1	1	4	15	32	99+
35-49	97	5.8	70	1	1	2	7	16	22	44
50-64	205	4.9	37	1	1	2	7	14	18	29
65+	291	5.8	52	1	1	3	8	15	20	44
TOTAL SINGLE DX	549	1.8	5	<1	<1	1	2	4	6	13
TOTAL MULTIPLE DX	912	5.2	48	1	1	2	7	14	19	40
TOTAL										
0-19 YRS	616	3.0	23	<1	1	1	3	7	11	32
20-34	57	3.4	34	<1	1	1	4	9	31	99+
35-49	151	4.5	51	<1	1	1	5	13	18	40
50-64	272	4.3	33	<1	1	2	5	12	17	27
65+	365	5.0	45	<1	1	2	7	14	19	43
GRAND TOTAL	1461	3.9	34	<1	1	1	4	11	16	34

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	3.6	23	<1	1	1	4	11	17	18
20-34	3	5.0	27	2	2	2	9	11	11	11
35-49	8	4.8	13	1	2	3	8	10	10	10
50-64	21	8.2	22	1	5	9	11	14	17	17
65+	16	10.6	34	4	7	8	15	19	22	23
2. MULTIPLE DX										
0-19 YRS	175	6.6	88	1	2	3	8	19	33	99+
20-34	13	6.6	30	1	1	6	13	23	83	99+
35-49	40	12.7	203	1	4	11	15	20	42	75
50-64	106	10.3	102	1	3	9	12	18	33	55
65+	87	12.2	104	1	5	10	17	23	29	57
TOTAL SINGLE DX	87	6.2	31	1	1	4	10	16	17	22
TOTAL MULTIPLE DX	421	9.3	110	1	2	6	13	20	33	99+
TOTAL										
0-19 YRS	214	6.1	78	1	1	3	7	17	25	99+
20-34	16	6.3	28	1	2	6	12	15	70	99+
35-49	48	11.4	180	1	3	9	14	20	30	75
50-64	127	9.9	90	1	3	9	12	17	31	49
65+	103	12.0	94	2	6	10	17	23	27	53
GRAND TOTAL	508	8.7	98	1	2	6	12	19	27	84

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	11	11.6	14	7	8	11	15	17	19	19
50-64	51	11.0	15	7	8	10	13	18	18	22
65+	39	10.7	10	7	8	11	12	16	18	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	6	23.7	255	11	17	18	24	52	55	55
35-49	59	19.3	220	8	11	15	21	38	57	77
50-64	286	17.8	156	8	10	14	20	31	42	64
65+	282	16.7	106	8	10	13	19	29	38	61
TOTAL SINGLE DX	102	11.0	13	7	8	10	13	17	18	21
TOTAL MULTIPLE DX	633	17.5	141	8	10	14	20	30	43	65
TOTAL										
0-19 YRS	0									
20-34	7	22.0	232	10	13	18	23	49	55	55
35-49	70	18.1	195	8	10	14	20	33	55	76
50-64	337	16.8	141	8	10	13	19	30	41	63
65+	321	16.0	98	8	10	13	18	28	36	60
GRAND TOTAL	735	16.6	128	8	10	13	19	29	40	63

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	17.1	488	1	4	11	26	85	99+	99+
20-34	15	12.1	334	2	5	6	11	69	92	99+
35-49	19	10.4	135	2	4	8	11	20	39	53
50-64	16	7.0	28	1	2	7	8	16	17	17
65+	18	10.7	173	1	3	6	10	34	44	48
2. MULTIPLE DX										
0-19 YRS	356	30.2	529	8	14	36	96	99+	99+	99+
20-34	310	31.8	548	6	14	30	56	93	99+	99+
35-49	351	28.7	476	6	11	27	50	83	99+	99+
50-64	645	32.2	604	5	12	30	57	95	99+	99+
65+	969	37.7	580	9	19	39	62	98	99+	99+
TOTAL SINGLE DX	97	12.2	265	1	4	8	13	38	76	99+
TOTAL MULTIPLE DX	2631	33.4	572	7	14	34	61	99+	99+	99+
TOTAL										
0-19 YRS	385	29.2	537	7	14	32	83	99+	99+	99+
20-34	325	30.9	555	6	12	29	56	93	99+	99+
35-49	370	27.8	475	5	10	25	49	81	99+	99+
50-64	661	31.6	605	5	12	29	56	93	99+	99+
65+	987	37.2	586	8	18	38	62	98	99+	99+
GRAND TOTAL	2728	32.7	577	6	13	33	60	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	140	6.4	86	1	1	3	7	16	25	49
20-34	14	2.4	2	1	1	2	3	5	5	5
35-49	12	1.8	2	<1	1	1	2	4	5	5
50-64	19	1.4		1	1	1	2	3	4	4
65 +	15	1.7		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	485	12.2	261	1	2	7	19	59	99 +	99 +
20-34	54	11.9	402	1	2	5	13	88	99 +	99 +
35-49	55	12.3	231	1	1	6	18	26	53	70
50-64	101	7.5	141	1	1	3	9	20	36	99 +
65 +	157	9.4	133	1	2	6	12	25	37	99 +
TOTAL SINGLE DX	200	5.0	65	1	1	2	5	12	20	47
TOTAL MULTIPLE DX	852	11.1	232	1	2	6	17	41	99 +	99 +
TOTAL										
0-19 YRS	625	10.9	228	1	2	6	16	44	99 +	99 +
20-34	68	9.9	334	1	2	4	8	75	99 +	99 +
35-49	67	10.5	206	1	1	5	16	23	43	69
50-64	120	6.5	124	1	1	2	6	18	34	99 +
65 +	172	8.7	127	1	2	4	12	23	35	99 +
GRAND TOTAL	1052	10.0	206	1	2	5	14	34	81	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	3.2	6	<1	1	3	4	6	8	12
20-34	43	7.1	19	2	4	7	8	13	18	19
35-49	66	6.2	42	<1	2	4	9	12	18	37
50-64	124	5.4	31	<1	1	3	8	14	16	25
65 +	104	4.3	25	<1	<1	1	6	11	13	25
2. MULTIPLE DX										
0-19 YRS	197	9.0	94	1	3	6	12	21	27	63
20-34	517	12.5	92	4	6	10	16	24	33	47
35-49	826	12.3	93	3	6	10	16	24	30	52
50-64	1780	10.9	72	3	5	9	14	21	27	44
65 +	3777	12.1	83	4	6	10	15	23	30	49
TOTAL SINGLE DX	388	5.1	28	<1	1	3	8	12	15	24
TOTAL MULTIPLE DX	7097	11.8	83	3	6	10	15	23	29	48
TOTAL										
0-19 YRS	248	7.8	82	1	2	5	10	19	24	47
20-34	560	12.1	89	3	6	9	16	24	32	46
35-49	892	11.8	92	3	6	9	15	23	29	51
50-64	1904	10.6	72	2	5	9	14	21	27	42
65 +	3881	11.9	84	3	6	10	15	23	30	49
GRAND TOTAL	7485	11.4	83	3	6	9	15	22	29	47

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.7	1	<1	1	1	2	4	4	4
20-34	3	6.0	1	5	5	6	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	18.8	458	2	4	8	28	60	60	60
20-34	3	18.0	117	6	10	21	25	27	27	27
35-49	2	11.0	162	2	2	11	20	20	20	20
50-64	12	11.3	64	3	4	8	18	22	25	25
65 +	6	3.8	14	1	1	2	5	10	11	11
TOTAL SINGLE DX	13	2.8	5	<1	1	1	4	6	7	7
TOTAL MULTIPLE DX	35	13.2	213	2	3	7	20	27	52	60
TOTAL										
0-19 YRS	21	11.5	328	<1	1	4	10	42	60	60
20-34	6	12.0	90	5	6	7	21	26	27	27
35-49	3	8.7	97	2	2	4	16	20	20	20
50-64	12	11.3	65	3	4	8	18	22	25	25
65 +	6	3.8	15	1	1	2	5	10	11	11
GRAND TOTAL	48	10.4	177	1	2	5	17	26	33	60

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	6.7	13	3	4	6	8	11	16	19
20-34	139	7.5	22	3	4	6	9	14	16	21
35-49	183	7.2	45	2	4	5	8	12	18	40
50-64	312	6.0	13	2	4	6	8	10	13	19
65 +	188	6.2	23	1	3	5	8	11	14	27
2. MULTIPLE DX										
0-19 YRS	348	13.2	164	4	5	9	16	32	59	99 +
20-34	745	12.7	105	4	6	10	16	25	35	59
35-49	1300	12.4	125	4	6	9	15	24	32	60
50-64	2931	11.2	90	3	5	8	14	22	29	51
65 +	4964	11.9	84	4	6	10	15	23	30	49
TOTAL SINGLE DX	894	6.6	24	2	4	6	8	11	15	25
TOTAL MULTIPLE DX	10288	11.9	96	4	6	9	15	23	31	55
TOTAL										
0-19 YRS	420	12.1	144	4	5	9	15	28	47	99 +
20-34	884	11.8	96	4	5	9	15	24	32	58
35-49	1483	11.7	118	3	5	8	15	23	31	57
50-64	3243	10.7	86	3	5	8	13	21	28	49
65 +	5152	11.7	84	3	6	9	15	23	29	48
GRAND TOTAL	11182	11.5	92	3	6	9	14	23	30	53

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	6.2	9	3	4	5	8	11	13	14
20-34	10	10.1	26	5	6	8	13	18	19	19
35-49	57	8.5	44	5	6	7	9	12	16	51
50-64	141	8.5	61	5	6	7	9	11	16	33
65 +	123	8.5	11	6	6	7	10	13	16	20
2. MULTIPLE DX										
0-19 YRS	84	13.8	110	5	7	11	19	38	59	99 +
20-34	54	13.0	149	5	6	8	15	27	35	76
35-49	288	11.1	53	6	7	9	12	20	25	51
50-64	1227	11.7	59	6	7	9	13	21	27	44
65 +	1764	13.4	83	7	8	11	15	24	30	54
TOTAL SINGLE DX	352	8.4	37	5	6	7	9	12	16	21
TOTAL MULTIPLE DX	3417	12.6	75	6	8	10	15	22	29	53
TOTAL										
0-19 YRS	105	12.3	99	4	6	9	15	29	49	99 +
20-34	64	12.5	130	5	6	8	15	22	34	72
35-49	345	10.7	52	6	7	9	12	18	25	52
50-64	1368	11.4	61	6	7	9	13	20	26	43
65 +	1887	13.1	80	6	8	10	15	23	30	53
GRAND TOTAL	3769	12.2	73	6	7	10	14	21	28	53

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	682	2.3	7	< 1	1	1	2	5	8	15
20-34	47	6.3	32	1	1	5	8	17	18	23
35-49	66	6.7	30	1	2	6	9	14	16	31
50-64	80	5.2	27	1	1	4	8	12	12	31
65 +	44	7.0	197	1	2	4	8	10	15	95
2. MULTIPLE DX										
0-19 YRS	1699	8.3	129	1	2	4	10	21	35	99 +
20-34	573	11.8	88	3	6	10	15	23	30	51
35-49	700	11.4	82	3	5	9	15	23	28	48
50-64	1101	11.0	101	3	5	9	14	22	29	54
65 +	2002	12.4	93	3	6	10	16	23	30	51
TOTAL SINGLE DX	919	3.3	24	< 1	1	1	4	8	11	18
TOTAL MULTIPLE DX	6075	10.8	106	2	4	8	14	23	30	60
TOTAL										
0-19 YRS	2381	6.5	102	1	1	3	8	17	27	98
20-34	620	11.4	86	3	5	9	15	22	29	48
35-49	766	11.0	80	3	5	9	14	22	27	47
50-64	1181	10.6	99	2	4	8	13	21	28	53
65 +	2046	12.3	96	3	6	10	16	23	30	52
GRAND TOTAL	6994	9.8	102	1	3	7	13	21	28	57

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	5.6	13	2	3	4	9	11	12	13
20-34	50	4.4	5	2	3	4	5	8	9	14
35-49	39	4.7	10	2	2	4	6	9	12	16
50-64	13	8.8	63	2	3	5	12	19	28	30
65 +	10	5.0	9	1	2	5	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	69	11.1	90	3	5	9	13	24	28	53
20-34	95	11.2	141	3	5	7	12	25	35	63
35-49	88	11.5	112	3	5	8	15	25	33	86
50-64	123	10.5	83	2	4	7	14	24	33	60
65 +	134	15.7	207	3	5	12	21	32	43	73
TOTAL SINGLE DX	135	5.2	15	2	3	4	6	10	12	18
TOTAL MULTIPLE DX	509	12.2	136	3	5	8	16	27	35	66
TOTAL										
0-19 YRS	92	9.8	76	2	4	8	11	21	27	50
20-34	145	8.9	104	3	3	5	10	18	32	49
35-49	127	9.4	91	2	4	6	12	21	30	72
50-64	136	10.3	81	2	4	7	13	24	32	53
65 +	144	14.9	201	3	5	11	19	31	40	70
GRAND TOTAL	644	10.8	119	3	4	7	13	24	33	61

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	355	4.6	9	2	3	4	6	9	11	15
20-34	959	4.6	9	2	3	4	6	8	10	15
35-49	352	4.9	13	2	3	4	6	9	12	19
50-64	121	5.4	13	2	3	4	7	10	13	20
65 +	84	4.8	5	2	3	4	6	8	9	11
2. MULTIPLE DX										
0-19 YRS	828	11.1	160	3	4	7	13	22	39	81
20-34	1535	7.8	55	3	4	6	9	15	21	42
35-49	1300	9.1	74	3	4	7	11	18	25	49
50-64	1621	10.0	70	3	5	8	12	19	25	43
65 +	2737	11.4	89	4	5	8	15	23	29	49
TOTAL SINGLE DX	1871	4.7	10	2	3	4	6	8	10	17
TOTAL MULTIPLE DX	8021	10.0	86	3	4	7	12	20	27	52
TOTAL										
0-19 YRS	1183	9.2	124	2	4	6	10	18	30	76
20-34	2494	6.6	40	2	3	5	8	12	17	35
35-49	1652	8.2	64	2	4	6	10	16	23	44
50-64	1742	9.7	68	3	5	7	12	19	24	42
65 +	2821	11.2	88	3	5	8	15	23	29	49
GRAND TOTAL	9892	9.0	76	3	4	6	11	18	25	47

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	441	4.7	6	2	3	4	6	7	9	14
20-34	160	4.6	16	1	1	4	7	10	12	20
35-49	204	3.7	15	1	1	2	5	9	12	19
50-64	136	3.8	14	1	1	2	6	8	12	18
65 +	92	5.0	34	1	1	3	6	11	15	31
2. MULTIPLE DX										
0-19 YRS	447	9.1	60	3	4	6	12	18	23	43
20-34	451	10.4	90	2	4	8	13	22	30	56
35-49	571	11.8	139	2	4	9	16	26	35	64
50-64	950	10.0	118	1	3	7	13	23	29	56
65 +	1361	11.7	127	2	4	9	15	26	35	58
TOTAL SINGLE DX	1033	4.4	13	1	2	4	6	8	12	18
TOTAL MULTIPLE DX	3780	10.8	116	2	4	8	14	23	32	56
TOTAL										
0-19 YRS	888	6.9	39	3	4	5	8	14	18	35
20-34	611	8.9	77	1	3	6	11	20	26	49
35-49	775	9.7	120	1	2	6	13	22	31	55
50-64	1086	9.3	110	1	2	7	12	21	28	55
65 +	1453	11.2	124	1	4	8	15	25	34	56
GRAND TOTAL	**4813**	**9.4**	**101**	**1**	**3**	**6**	**12**	**21**	**29**	**54**

570: Open heart operations (33.6; 35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	912	5.8	9	2	4	6	7	9	10	16
20-34	63	6.6	9	3	5	7	8	9	12	17
35-49	74	7.6	26	1	6	7	8	12	13	32
50-64	80	10.0	53	6	7	9	10	14	22	48
65 +	76	10.7	19	6	8	11	13	16	21	80
2. MULTIPLE DX										
0-19 YRS	4227	12.3	125	5	6	9	14	25	38	96
20-34	326	11.8	84	6	7	8	13	24	35	46
35-49	771	13.8	113	6	8	10	16	25	39	60
50-64	1767	14.3	104	7	8	11	17	25	34	65
65 +	3064	16.2	135	8	9	13	19	29	38	76
TOTAL SINGLE DX	1205	6.5	16	2	5	6	8	10	12	21
TOTAL MULTIPLE DX	10155	13.9	126	6	8	10	16	26	37	78
TOTAL										
0-19 YRS	5139	11.1	111	5	6	8	12	22	34	83
20-34	389	11.0	76	5	7	8	12	20	33	44
35-49	845	13.2	109	6	8	10	15	24	37	60
50-64	1847	14.1	103	7	8	11	16	25	34	65
65 +	3140	16.1	133	8	9	13	19	29	38	76
GRAND TOTAL	**11360**	**13.1**	**119**	**5**	**7**	**10**	**15**	**25**	**35**	**75**

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.1	6	1	1	1	2	7	8	8
20-34	18	3.1	3	1	2	3	3	6	8	8
35-49	497	3.1	5	1	2	2	4	7	8	11
50-64	1014	3.1	12	1	2	2	3	6	8	11
65 +	793	3.1	5	1	2	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	10	4.7	31	1	1	2	7	13	19	19
20-34	176	5.6	20	2	3	5	7	10	12	27
35-49	4496	4.0	12	1	2	4	6	9	11	16
50-64	11310	4.8	16	1	2	4	6	9	12	19
65 +	10963	5.8	27	2	2	4	8	12	15	25
TOTAL SINGLE DX	2329	3.1	9	1	2	2	4	6	8	11
TOTAL MULTIPLE DX	26955	5.2	21	1	2	4	7	10	13	21
TOTAL										
0-19 YRS	17	3.6	22	1	1	1	5	8	15	19
20-34	194	5.4	19	2	3	4	7	9	12	26
35-49	4993	4.5	12	1	2	3	6	9	11	16
50-64	12324	4.6	17	1	2	3	6	9	11	18
65 +	11756	5.6	27	2	2	4	7	11	15	24
GRAND TOTAL	**29284**	**5.0**	**20**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	7.0		7	7	7	7	7	7	7
35-49	107	8.3	7	6	7	8	9	11	12	23
50-64	326	8.8	10	6	7	8	10	12	15	20
65 +	369	9.8	17	7	7	9	11	14	16	28
2. MULTIPLE DX										
0-19 YRS	3	12.3	56	8	8	8	18	21	21	21
20-34	67	10.0	17	6	7	9	11	16	19	23
35-49	2625	10.4	31	6	7	9	12	16	21	33
50-64	10169	11.4	41	7	8	10	13	17	21	39
65 +	12569	13.8	73	8	9	11	16	22	29	54
TOTAL SINGLE DX	804	9.2	14	6	7	8	10	13	16	24
TOTAL MULTIPLE DX	25433	12.5	58	7	8	10	14	20	25	47
TOTAL										
0-19 YRS	4	11.0	45	7	7	8	15	21	21	21
20-34	68	10.0	18	6	7	9	11	16	18	23
35-49	2732	10.3	31	6	7	9	11	16	21	33
50-64	10495	11.3	41	7	8	10	13	17	21	39
65 +	12938	13.7	73	7	9	11	16	22	29	53
GRAND TOTAL	**26237**	**12.4**	**57**	**7**	**8**	**10**	**14**	**20**	**25**	**46**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1016	1.6	2	<1	1	1	2	2	4	9
20-34	251	2.5	6	1	1	2	3	5	7	12
35-49	1728	2.5	4	1	1	2	3	6	7	10
50-64	2602	2.4	5	1	1	1	3	5	7	11
65 +	1448	2.6	7	1	1	1	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	3384	2.9	34	<1	1	1	2	6	11	29
20-34	1016	4.6	19	1	1	3	6	10	13	21
35-49	10094	4.3	16	1	1	3	6	9	11	19
50-64	24158	4.5	18	1	1	3	6	9	12	20
65 +	25922	5.5	29	1	2	4	8	11	15	25
TOTAL SINGLE DX	7045	2.3	5	1	1	1	3	5	7	11
TOTAL MULTIPLE DX	64574	4.8	24	1	1	3	7	10	13	23
TOTAL										
0-19 YRS	4400	2.6	27	<1	1	1	2	5	9	26
20-34	1267	4.2	17	1	1	3	5	9	12	20
35-49	11822	4.0	15	1	1	3	6	8	10	18
50-64	26760	4.3	18	1	1	3	6	9	11	19
65 +	27370	5.4	28	1	2	4	7	11	15	25
GRAND TOTAL	**71619**	**4.5**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	3.6	8	1	2	3	5	6	10	15
20-34	41	3.7	11	1	2	2	4	9	12	14
35-49	60	3.4	17	1	1	2	4	7	10	27
50-64	171	3.6	12	1	1	2	4	8	10	17
65 +	740	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	337	6.3	66	1	2	4	7	13	22	55
20-34	141	6.9	55	1	2	4	9	15	23	39
35-49	356	7.0	46	1	3	5	9	14	20	29
50-64	1714	8.3	78	2	3	6	10	18	25	46
65 +	11060	8.2	61	2	3	6	11	17	23	39
TOTAL SINGLE DX	1098	3.1	8	1	1	2	4	6	8	15
TOTAL MULTIPLE DX	13608	8.2	63	2	3	6	10	17	23	41
TOTAL										
0-19 YRS	423	5.7	56	1	2	4	6	12	18	51
20-34	182	6.2	47	1	2	3	8	13	22	38
35-49	416	6.5	44	1	2	4	8	14	19	29
50-64	1885	7.9	75	1	3	5	10	17	24	44
65 +	11800	7.9	59	2	3	6	10	16	22	38
GRAND TOTAL	**14706**	**7.8**	**61**	**2**	**3**	**6**	**10**	**16**	**22**	**39**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	167	4.5	18	<1	1	3	6	9	11	24
20-34	73	3.6	7	1	2	2	5	7	9	15
35-49	63	4.8	24	1	2	3	7	10	13	28
50-64	37	4.4	10	1	2	3	6	9	11	13
65 +	19	7.3	30	1	5	5	9	17	19	20
2. MULTIPLE DX										
0-19 YRS	499	7.8	91	1	2	6	9	15	22	59
20-34	264	9.3	82	2	4	8	11	18	26	48
35-49	410	9.9	85	2	4	7	12	21	29	46
50-64	641	11.2	97	2	5	9	15	22	30	51
65 +	648	13.4	112	3	7	11	17	26	35	53
TOTAL SINGLE DX	359	4.5	18	1	2	3	6	9	12	22
TOTAL MULTIPLE DX	2462	10.7	100	2	4	8	14	22	30	51
TOTAL										
0-19 YRS	666	7.0	75	1	2	5	8	14	19	49
20-34	337	8.1	71	1	2	6	10	17	22	44
35-49	473	9.2	80	2	3	7	11	20	28	45
50-64	678	10.9	95	2	5	8	14	22	30	50
65 +	667	13.3	111	3	7	11	17	26	35	52
GRAND TOTAL	**2821**	**9.9**	**94**	**2**	**3**	**7**	**13**	**21**	**28**	**49**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1421	2.4	10	1	1	2	2	4	5	10
20-34	196	3.3	9	1	1	2	4	7	9	17
35-49	166	3.3	9	1	1	2	4	7	10	14
50-64	176	3.2	8	1	1	2	4	8	9	15
65 +	128	4.7	25	1	1	3	6	12	15	26
2. MULTIPLE DX										
0-19 YRS	2446	6.1	80	1	2	3	7	13	20	65
20-34	778	7.7	62	1	3	6	10	16	24	46
35-49	1281	8.9	63	2	3	7	12	18	25	40
50-64	2729	9.0	59	2	4	7	12	19	23	39
65 +	7143	10.9	80	3	5	9	14	21	27	47
TOTAL SINGLE DX	2087	2.8	11	1	1	2	3	5	8	15
TOTAL MULTIPLE DX	14377	9.3	77	2	4	7	12	19	26	46
TOTAL										
0-19 YRS	3867	4.7	58	1	2	2	5	10	15	50
20-34	974	6.8	55	1	2	5	9	15	21	41
35-49	1447	8.2	60	1	3	6	11	18	23	40
50-64	2905	8.6	59	2	3	7	11	18	23	38
65 +	7271	10.8	80	3	5	9	14	21	27	47
GRAND TOTAL	**16464**	**8.5**	**74**	**1**	**3**	**6**	**11**	**18**	**24**	**45**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.8	1	<1	1	1	3	4	4	4
20-34	411	1.5		1	1	1	2	2	3	5
35-49	680	1.6	1	1	1	1	2	3	3	6
50-64	392	1.7	1	1	1	1	2	3	4	7
65+	131	2.2	4	1	1	2	3	4	5	12
2. MULTIPLE DX										
0-19 YRS	4	6.0	36	1	1	5	11	13	13	13
20-34	136	2.6	18	1	1	1	2	4	6	28
35-49	334	2.5	12	1	1	2	2	4	7	18
50-64	331	3.1	13	1	1	2	3	7	11	18
65+	234	5.0	46	1	1	2	5	14	19	38
TOTAL SINGLE DX	1624	1.7	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	1039	3.3	22	1	1	2	3	7	11	29
TOTAL										
0-19 YRS	14	3.0	13	1	1	1	3	9	12	13
20-34	547	1.8	6	1	1	1	2	3	4	10
35-49	1014	1.9	5	1	1	1	2	3	4	11
50-64	723	2.4	8	1	1	2	2	4	7	15
65+	365	4.0	33	1	1	2	4	9	14	35
GRAND TOTAL	**2663**	**2.3**	**10**	**1**	**1**	**1**	**2**	**4**	**6**	**16**

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	7.7	26	5	5	6	8	11	18	34
20-34	15	4.9	7	2	3	4	6	7	12	13
35-49	78	6.0	7	3	4	6	8	10	11	14
50-64	300	6.1	8	3	4	6	7	9	11	17
65+	248	7.1	29	3	4	6	8	11	15	27
2. MULTIPLE DX										
0-19 YRS	597	14.0	161	6	7	9	15	30	48	99+
20-34	111	13.5	207	4	6	9	16	26	47	93
35-49	694	11.2	90	4	6	8	12	23	32	53
50-64	3428	11.1	93	4	6	8	13	21	29	56
65+	6969	12.8	114	5	7	10	15	25	34	67
TOTAL SINGLE DX	699	6.6	18	3	4	6	8	10	13	21
TOTAL MULTIPLE DX	11799	12.3	111	5	6	9	14	24	33	66
TOTAL										
0-19 YRS	655	13.4	152	5	7	9	15	28	43	98
20-34	126	12.5	191	4	6	8	13	24	37	91
35-49	772	10.7	85	4	6	8	12	21	31	53
50-64	3728	10.7	89	4	6	8	12	20	28	55
65+	7217	12.6	112	5	7	9	15	25	33	66
GRAND TOTAL	**12498**	**12.0**	**107**	**4**	**6**	**9**	**14**	**23**	**32**	**65**

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.7	4	<1	1	2	4	6	7	7
20-34	22	2.1	4	<1	<1	1	2	5	8	9
35-49	27	5.7	204	<1	1	2	4	9	21	76
50-64	27	5.3	92	<1	1	3	5	8	20	51
65+	16	3.0	3	<1	2	3	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	236	6.1	47	1	2	4	7	15	23	54
20-34	981	5.6	34	1	2	4	7	11	16	29
35-49	1631	5.8	42	1	2	4	7	12	16	31
50-64	2535	6.5	42	1	3	5	8	13	18	34
65+	3648	7.3	54	2	3	5	9	15	20	40
TOTAL SINGLE DX	101	4.1	82	<1	1	2	4	8	9	63
TOTAL MULTIPLE DX	9031	6.6	47	2	3	5	8	13	19	37
TOTAL										
0-19 YRS	245	6.0	46	1	2	4	7	15	22	50
20-34	1003	5.5	34	1	2	4	7	11	15	28
35-49	1658	5.8	45	1	2	4	7	12	16	32
50-64	2562	6.4	43	1	3	5	8	13	18	34
65+	3664	7.3	54	2	3	5	9	15	20	40
GRAND TOTAL	**9132**	**6.6**	**47**	**2**	**3**	**5**	**8**	**13**	**19**	**37**

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	3.5	48	1	1	1	3	5	21	33
20-34	44	3.2	9	1	1	2	4	8	9	14
35-49	78	3.3	13	1	1	2	4	8	12	20
50-64	94	3.4	26	1	1	2	4	8	10	33
65+	83	2.7	11	1	1	2	3	5	9	19
2. MULTIPLE DX										
0-19 YRS	151	10.0	187	1	2	6	12	27	45	99+
20-34	650	8.9	104	1	2	6	11	21	27	61
35-49	1099	8.3	81	1	2	5	12	20	27	50
50-64	1780	10.0	129	1	3	6	13	22	30	66
65+	2616	11.4	134	1	3	8	16	27	35	67
TOTAL SINGLE DX	323	3.2	19	1	1	2	3	8	10	21
TOTAL MULTIPLE DX	6296	10.2	124	1	3	7	14	24	32	66
TOTAL										
0-19 YRS	175	9.1	173	1	2	5	11	25	37	99+
20-34	694	8.5	101	1	2	5	11	20	27	58
35-49	1177	8.0	79	1	2	5	11	19	27	49
50-64	1874	9.7	126	1	2	6	13	22	30	66
65+	2699	11.1	133	1	3	8	16	26	34	66
GRAND TOTAL	**6619**	**9.8**	**121**	**1**	**2**	**6**	**13**	**23**	**32**	**63**

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	31	3.9	4	2	3	3	4	8	8	11
50-64	327	3.8	4	2	3	3	4	6	7	13
65 +	705	4.0	4	2	3	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	181	6.1	25	2	3	4	7	12	16	28
50-64	2075	6.2	31	3	3	4	7	11	15	30
65 +	6169	6.7	36	3	3	5	8	13	17	29
TOTAL SINGLE DX	1064	4.0	5	2	3	3	4	6	8	13
TOTAL MULTIPLE DX	8429	6.6	35	3	3	5	8	13	17	30
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	212	5.8	23	2	3	4	7	11	15	25
50-64	2402	5.8	29	2	3	4	7	11	14	28
65 +	6874	6.5	34	3	3	5	7	13	17	28
GRAND TOTAL	**9493**	**6.3**	**32**	**3**	**3**	**5**	**7**	**12**	**16**	**28**

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	989	4.8	29	1	2	4	6	8	12	27
20-34	270	4.4	18	1	1	2	6	10	13	22
35-49	376	4.7	22	1	1	3	6	10	15	22
50-64	686	5.0	23	1	2	3	7	11	14	22
65 +	657	4.9	26	1	1	4	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	5660	15.5	331	2	5	9	21	53	84	99 +
20-34	1666	8.5	113	1	2	5	10	19	29	61
35-49	2568	9.4	116	1	3	6	12	21	32	64
50-64	6302	9.6	113	1	3	7	12	20	30	59
65 +	13590	10.9	106	2	5	8	13	22	30	59
TOTAL SINGLE DX	2978	4.8	26	1	2	4	6	10	13	22
TOTAL MULTIPLE DX	29786	11.2	157	2	4	8	14	25	39	99
TOTAL										
0-19 YRS	6649	13.9	301	2	4	7	17	46	78	99 +
20-34	1936	7.9	102	1	2	5	9	17	26	59
35-49	2944	8.8	107	1	2	6	11	20	30	58
50-64	6988	9.2	106	1	3	7	11	19	28	58
65 +	14247	10.6	105	2	4	8	13	22	30	58
GRAND TOTAL	**32764**	**10.6**	**148**	**1**	**4**	**7**	**13**	**24**	**37**	**93**

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	465	2.7	6	<1	1	2	3	6	8	13
20-34	178	2.9	7	1	1	2	4	6	9	13
35-49	173	2.7	14	1	1	1	3	5	9	22
50-64	195	3.3	7	1	1	2	4	7	8	14
65 +	165	3.0	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	442	7.8	84	1	2	6	9	16	23	55
20-34	364	9.2	95	1	3	7	12	20	27	48
35-49	524	8.2	76	1	2	6	10	17	26	44
50-64	838	8.1	82	1	2	6	10	18	23	47
65 +	1315	9.4	94	1	3	7	12	20	27	48
TOTAL SINGLE DX	1176	2.9	8	<1	1	2	4	6	8	14
TOTAL MULTIPLE DX	3483	8.7	88	1	3	6	11	18	26	48
TOTAL										
0-19 YRS	907	5.2	51	1	1	3	7	11	15	45
20-34	542	7.1	75	1	2	4	9	17	23	44
35-49	697	6.8	67	1	2	4	9	15	22	42
50-64	1033	7.2	72	1	2	5	9	16	21	42
65 +	1480	8.7	89	1	3	6	11	19	26	46
GRAND TOTAL	**4659**	**7.2**	**74**	**1**	**2**	**5**	**9**	**16**	**23**	**45**

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	3.8	11	1	2	2	4	8	13	14
20-34	46	4.0	7	1	2	3	6	7	9	13
35-49	119	3.6	11	1	1	2	5	9	11	18
50-64	183	3.5	8	1	2	3	4	7	10	16
65 +	171	4.0	12	1	2	3	5	8	10	22
2. MULTIPLE DX										
0-19 YRS	47	9.5	99	2	3	8	10	22	40	42
20-34	125	5.9	13	2	3	6	8	11	13	16
35-49	349	6.3	47	2	2	4	8	12	18	43
50-64	694	6.6	49	2	3	4	8	13	18	39
65 +	957	6.9	41	2	3	5	8	13	19	38
TOTAL SINGLE DX	558	3.7	11	1	2	3	5	7	10	17
TOTAL MULTIPLE DX	2172	6.7	45	2	3	5	8	13	18	39
TOTAL										
0-19 YRS	86	6.9	67	1	2	4	9	13	25	42
20-34	171	5.4	12	1	2	5	7	10	12	15
35-49	468	5.6	40	1	2	4	7	11	15	35
50-64	877	6.0	42	1	2	4	7	12	17	37
65 +	1128	6.5	39	2	3	5	8	12	18	35
GRAND TOTAL	**2730**	**6.1**	**39**	**2**	**2**	**4**	**7**	**12**	**17**	**36**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	38.4	369	1	32	38	54	60	63	64
20-34	3	41.0	57	33	35	42	46	48	48	48
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	191	47.5	284	31	36	45	58	78	95	99 +
20-34	39	38.7	93	28	32	37	45	49	59	70
35-49	55	40.4	208	25	32	39	47	61	74	99
50-64	23	36.4	199	20	30	36	45	52	60	63
65 +	2	26.5	1	26	26	26	27	27	27	27
TOTAL SINGLE DX	20	33.4	439	1	17	37	48	59	62	64
TOTAL MULTIPLE DX	310	44.2	256	28	34	42	52	71	83	99 +
TOTAL										
0-19 YRS	205	46.9	294	31	36	44	58	77	94	99 +
20-34	42	38.9	90	28	32	37	45	49	58	70
35-49	57	39.0	252	25	30	39	47	61	74	98
50-64	23	36.4	199	20	30	36	45	52	60	63
65 +	3	18.7	184	3	9	26	27	27	27	27
GRAND TOTAL	**330**	**43.5**	**273**	**28**	**34**	**41**	**52**	**70**	**82**	**99 +**

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	900	4.3	17	1	2	3	5	8	11	22
20-34	325	5.0	22	1	3	4	6	8	9	32
35-49	267	4.5	18	1	1	4	6	8	11	27
50-64	164	5.9	37	1	2	4	7	12	19	36
65 +	117	6.4	32	1	2	5	8	14	17	29
2. MULTIPLE DX										
0-19 YRS	1847	9.3	96	2	4	6	11	22	30	51
20-34	1355	11.5	121	3	5	8	13	26	35	61
35-49	1447	10.9	116	3	5	7	12	23	32	60
50-64	1910	11.8	114	3	6	8	14	25	33	58
65 +	5081	11.8	108	4	6	9	14	23	33	60
TOTAL SINGLE DX	1773	4.7	22	1	2	4	6	9	12	25
TOTAL MULTIPLE DX	11640	11.3	111	3	5	8	14	24	33	58
TOTAL										
0-19 YRS	2747	7.6	76	1	3	5	8	17	26	48
20-34	1680	10.2	109	3	4	7	12	23	33	56
35-49	1714	9.9	107	2	4	7	11	22	31	59
50-64	2074	11.4	111	3	5	8	14	23	33	56
65 +	5198	11.7	108	3	6	9	14	23	32	59
GRAND TOTAL	**13413**	**10.4**	**104**	**2**	**4**	**7**	**12**	**22**	**31**	**56**

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	584	6.3	50	1	2	5	8	14	18	35
20-34	190	7.6	42	1	2	6	11	17	22	26
35-49	139	6.5	36	1	2	5	9	13	18	30
50-64	105	5.8	44	1	2	4	7	11	18	35
65 +	86	5.4	50	< 1	1	3	6	13	23	36
2. MULTIPLE DX										
0-19 YRS	2426	14.5	249	2	5	9	19	36	56	99 +
20-34	1664	12.2	128	2	5	9	15	26	37	61
35-49	2612	11.7	125	2	4	8	15	26	34	61
50-64	3229	11.7	116	2	5	8	15	25	32	53
65 +	4930	14.2	147	3	6	11	19	29	39	65
TOTAL SINGLE DX	1104	6.4	47	1	2	5	8	14	20	32
TOTAL MULTIPLE DX	14861	13.0	153	2	5	9	17	28	39	73
TOTAL										
0-19 YRS	3010	12.9	221	1	4	8	17	32	52	99 +
20-34	1854	11.7	122	2	5	8	15	25	36	59
35-49	2751	11.4	122	2	4	8	15	25	34	59
50-64	3334	11.5	116	2	4	8	15	25	32	52
65 +	5016	14.0	147	3	6	11	19	29	38	64
GRAND TOTAL	**15965**	**12.6**	**148**	**2**	**5**	**9**	**16**	**28**	**38**	**71**

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	5.1	30	1	2	3	6	13	16	26
20-34	17	10.6	66	2	4	7	14	23	28	30
35-49	12	5.6	21	1	2	4	9	13	14	14
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	6	3.3	16	< 1	< 1	< 1	5	10	11	11
2. MULTIPLE DX										
0-19 YRS	200	7.8	92	2	3	4	9	18	32	99 +
20-34	64	14.4	74	3	10	14	19	25	32	42
35-49	33	6.8	28	2	3	5	9	16	19	19
50-64	99	7.3	58	2	3	6	9	12	15	46
65 +	168	8.2	67	2	4	7	9	14	22	63
TOTAL SINGLE DX	89	6.1	39	1	2	3	8	14	17	28
TOTAL MULTIPLE DX	564	8.5	78	2	3	6	11	18	24	69
TOTAL										
0-19 YRS	252	7.2	81	1	2	4	9	17	25	98
20-34	81	13.6	74	2	7	3	18	25	31	40
35-49	45	6.5	26	1	3	5	9	14	18	19
50-64	101	7.3	57	2	3	6	9	12	15	45
65 +	174	8.0	67	2	4	6	9	14	22	62
GRAND TOTAL	**653**	**8.2**	**73**	**2**	**3**	**6**	**11**	**17**	**24**	**65**

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	232	3.2	43	<1	1	1	4	7	10	16
20-34	33	4.8	32	1	1	3	5	11	17	28
35-49	58	3.6	10	<1	1	2	6	9	9	15
50-64	94	4.5	22	1	1	3	6	10	14	24
65+	87	3.8	15	<1	1	2	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	616	7.3	141	1	1	3	9	20	34	99+
20-34	218	8.0	74	1	3	6	10	16	26	87
35-49	715	8.2	67	2	3	5	10	17	25	44
50-64	1095	9.8	103	2	4	7	12	21	30	59
65+	1902	10.3	120	2	4	7	12	21	31	62
TOTAL SINGLE DX	504	3.7	30	<1	1	2	5	8	11	19
TOTAL MULTIPLE DX	4546	9.3	110	1	3	6	12	20	30	66
TOTAL										
0-19 YRS	848	6.1	118	<1	1	2	7	16	26	92
20-34	251	7.6	70	1	3	5	9	15	25	81
35-49	773	7.8	65	1	3	5	10	16	24	42
50-64	1189	9.4	99	2	3	7	12	20	29	58
65+	1989	10.0	117	2	4	7	12	21	30	60
GRAND TOTAL	**5050**	**8.8**	**105**	**1**	**3**	**6**	**11**	**19**	**28**	**64**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1672	2.8	1	2	2	3	3	4	5	7
20-34	6	6.3	4	4	5	6	9	9	9	9
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	3	5.3	9	2	3	6	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	835	4.4	17	2	3	4	5	7	9	25
20-34	13	8.6	24	2	5	8	12	16	17	17
35-49	16	11.3	126	4	6	7	11	28	41	46
50-64	17	13.6	200	6	6	8	12	26	50	63
65+	34	17.7	153	4	9	16	24	33	43	60
TOTAL SINGLE DX	1685	2.8	2	2	2	3	3	4	5	8
TOTAL MULTIPLE DX	915	5.3	36	2	3	4	5	9	14	31
TOTAL										
0-19 YRS	2507	3.4	7	2	2	3	4	5	7	12
20-34	19	7.9	19	3	5	7	10	15	17	17
35-49	18	10.4	118	3	5	7	11	25	39	46
50-64	19	12.8	183	6	6	8	12	26	46	63
65+	37	16.7	153	4	8	15	22	31	42	60
GRAND TOTAL	**2600**	**3.7**	**15**	**2**	**2**	**3**	**4**	**6**	**8**	**19**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	4.3	10	1	2	4	5	8	12	16
20-34	4	9.8	23	6	6	9	13	16	16	16
35-49	6	5.8	14	2	2	5	9	11	11	11
50-64	11	8.6	163	1	2	2	11	31	39	40
65+	38	9.4	118	1	3	5	14	23	27	57
2. MULTIPLE DX										
0-19 YRS	679	13.1	235	2	4	7	18	38	58	99+
20-34	115	15.0	241	2	6	11	20	57	99+	99+
35-49	236	17.0	274	4	6	12	25	51	82	99+
50-64	667	17.3	236	3	7	13	25	41	72	99+
65+	4942	18.5	234	4	8	15	24	41	56	99+
TOTAL SINGLE DX	100	7.1	73	1	2	4	8	16	24	48
TOTAL MULTIPLE DX	6639	17.7	239	4	7	14	24	41	58	99+
TOTAL										
0-19 YRS	720	12.6	227	2	4	7	17	35	56	99+
20-34	119	14.8	235	2	6	11	19	55	99+	99+
35-49	242	16.7	271	4	6	12	24	50	82	99+
50-64	678	17.2	237	3	7	13	25	41	71	99+
65+	4980	18.4	234	4	8	14	24	41	56	99+
GRAND TOTAL	**6739**	**17.5**	**238**	**4**	**7**	**14**	**24**	**41**	**58**	**99+**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	4.4	4	2	3	4	6	8	8	8
20-34	16	4.1	6	1	2	3	6	9	9	9
35-49	26	5.6	9	2	3	5	7	9	11	13
50-64	23	5.3	13	2	3	6	7	8	12	18
65 +	21	6.6	19	2	3	6	9	13	16	17
2. MULTIPLE DX										
0-19 YRS	48	8.4	132	1	3	5	8	17	43	59
20-34	88	5.9	18	2	3	5	8	11	14	22
35-49	202	7.0	43	2	3	5	9	15	22	35
50-64	375	7.4	43	3	4	6	9	13	18	42
65 +	1175	9.4	68	3	5	7	11	18	26	53
TOTAL SINGLE DX	101	5.3	11	2	3	5	7	9	11	17
TOTAL MULTIPLE DX	1888	8.5	62	3	4	6	10	17	23	44
TOTAL										
0-19 YRS	63	7.4	104	1	3	5	7	15	26	57
20-34	104	5.6	17	2	3	4	7	11	14	21
35-49	228	6.9	40	2	3	5	9	13	22	34
50-64	398	7.3	42	2	4	6	8	13	18	42
65 +	1196	9.3	68	3	5	7	11	18	26	53
GRAND TOTAL	1989	8.4	60	3	4	6	10	16	22	43

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	20	8.2	18	4	6	7	9	15	18	19
35-49	56	9.0	22	5	6	8	10	13	20	29
50-64	57	10.1	26	6	7	8	10	16	19	30
65 +	50	9.9	34	6	7	9	11	13	16	46
2. MULTIPLE DX										
0-19 YRS	17	14.3	105	4	7	10	21	31	36	37
20-34	99	14.4	138	6	8	11	16	28	35	70
35-49	382	14.6	122	7	8	11	16	27	38	64
50-64	648	15.3	122	7	9	12	17	28	38	61
65 +	1227	18.8	182	8	10	14	23	37	48	84
TOTAL SINGLE DX	184	9.5	27	5	7	8	10	14	18	30
TOTAL MULTIPLE DX	2373	17.0	158	7	9	13	20	33	44	77
TOTAL										
0-19 YRS	18	13.8	103	4	7	10	21	30	35	37
20-34	119	13.4	123	6	8	9	15	26	34	68
35-49	438	13.9	113	6	8	10	15	26	35	64
50-64	705	14.9	117	7	9	12	17	27	38	60
65 +	1277	18.5	180	8	10	14	22	36	47	83
GRAND TOTAL	2557	16.4	152	7	9	12	19	32	42	76

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	13.5	35	8	10	11	17	23	24	24
50-64	12	13.2	35	7	10	11	17	22	25	26
65 +	7	13.9	19	9	10	13	16	21	22	22
2. MULTIPLE DX										
0-19 YRS	0									
20-34	10	11.5	13	7	9	11	13	17	20	20
35-49	45	18.9	144	10	12	14	23	42	57	99 +
50-64	204	18.8	173	9	11	14	22	37	48	90
65 +	271	20.7	171	10	12	17	25	35	52	99
TOTAL SINGLE DX	26	13.2	29	8	10	11	17	22	24	26
TOTAL MULTIPLE DX	530	19.6	169	9	12	15	23	36	50	99 +
TOTAL										
0-19 YRS	0									
20-34	11	11.0	15	7	8	10	13	16	20	20
35-49	51	18.2	134	10	11	14	22	37	56	99
50-64	216	18.4	167	9	11	14	22	37	47	88
65 +	278	20.5	169	10	12	16	24	35	51	99
GRAND TOTAL	556	19.3	164	9	11	15	23	35	49	99

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	5.0	10	2	3	4	7	11	12	13
20-34	42	7.2	11	4	6	7	8	9	12	23
35-49	58	7.4	10	4	5	7	9	12	14	20
50-64	47	8.1	14	4	5	7	11	14	15	16
65 +	15	7.9	2	6	7	8	9	9	11	12
2. MULTIPLE DX										
0-19 YRS	52	13.2	207	3	6	8	16	39	72	99 +
20-34	107	10.2	60	4	6	8	11	16	27	45
35-49	266	10.2	55	5	6	8	12	18	22	37
50-64	289	13.4	112	6	7	10	15	26	33	72
65 +	514	16.0	161	6	9	13	18	31	44	72
TOTAL SINGLE DX	185	7.3	12	4	5	7	9	12	14	19
TOTAL MULTIPLE DX	1228	13.5	126	5	7	10	15	25	36	71
TOTAL										
0-19 YRS	75	10.7	161	2	4	8	12	30	53	99 +
20-34	149	9.3	49	4	6	8	10	15	24	40
35-49	324	9.7	48	5	6	8	11	17	21	34
50-64	336	12.7	102	6	7	9	15	25	31	66
65 +	529	15.8	159	6	8	12	18	31	44	71
GRAND TOTAL	1413	12.7	115	5	7	9	15	24	33	67

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	235	5.7	30	1	3	5	6	10	15	99 +
20-34	188	5.5	9	3	4	5	6	8	9	19
35-49	232	5.6	7	3	4	5	7	9	10	16
50-64	120	6.3	24	3	4	5	7	9	12	30
65 +	50	7.5	23	3	5	7	9	13	15	30
2. MULTIPLE DX										
0-19 YRS	1682	14.9	223	4	6	9	20	41	72	99 +
20-34	593	8.5	60	4	5	6	9	15	25	52
35-49	1146	9.0	88	4	5	7	9	16	24	59
50-64	1177	10.1	76	3	5	7	12	20	28	46
65 +	2609	13.4	134	4	6	10	17	29	39	67
TOTAL SINGLE DX	825	5.8	18	3	4	5	7	9	11	32
TOTAL MULTIPLE DX	7207	12.1	138	4	5	8	14	27	40	99 +
TOTAL										
0-19 YRS	1917	13.8	209	4	6	8	18	37	67	99 +
20-34	781	7.7	50	3	5	6	8	13	21	49
35-49	1378	8.4	77	3	5	6	9	14	21	55
50-64	1297	9.8	73	3	5	7	11	19	26	46
65 +	2659	13.3	133	4	6	10	16	28	39	66
GRAND TOTAL	8032	11.5	129	4	5	8	13	25	38	99 +

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	668	3.3	9	1	1	2	4	6	9	14
20-34	468	4.5	9	1	2	4	6	8	10	16
35-49	459	4.2	11	< 1	2	3	5	8	11	16
50-64	434	3.5	10	< 1	< 1	3	5	7	9	14
65 +	375	3.6	15	< 1	< 1	2	5	9	13	19
2. MULTIPLE DX										
0-19 YRS	2296	6.7	71	1	2	4	8	15	22	57
20-34	2638	6.8	44	2	3	5	8	13	19	36
35-49	4533	6.8	41	2	3	5	8	13	18	33
50-64	6727	7.0	44	2	3	5	8	13	18	35
65 +	18383	8.8	62	3	4	7	11	17	23	44
TOTAL SINGLE DX	2404	3.8	11	< 1	1	3	5	8	10	16
TOTAL MULTIPLE DX	34577	7.9	56	2	4	6	9	15	21	41
TOTAL										
0-19 YRS	2964	5.9	60	1	2	4	7	13	19	46
20-34	3106	6.5	40	2	3	5	8	12	17	34
35-49	4992	6.5	40	2	3	5	8	12	17	33
50-64	7161	6.8	43	2	3	5	8	13	18	34
65 +	18758	8.7	62	3	4	7	11	17	23	44
GRAND TOTAL	36981	7.6	54	2	3	6	9	15	21	39

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	73	8.1	53	4	5	7	9	11	14	53
20-34	66	8.0	12	5	6	7	9	12	16	22
35-49	69	9.8	43	5	6	8	12	16	18	46
50-64	50	9.1	28	5	7	8	10	13	18	38
65 +	33	9.3	16	6	7	8	10	13	20	24
2. MULTIPLE DX										
0-19 YRS	414	20.5	508	6	8	13	48	99 +	99 +	99 +
20-34	460	12.1	98	6	7	9	14	21	29	69
35-49	610	15.3	162	7	8	11	17	31	46	97
50-64	809	16.9	179	7	9	12	20	35	49	87
65 +	1891	17.4	165	8	10	13	21	33	45	84
TOTAL SINGLE DX	291	8.8	33	5	6	8	9	13	17	33
TOTAL MULTIPLE DX	4184	16.7	198	7	9	12	20	36	56	99 +
TOTAL										
0-19 YRS	487	18.6	460	5	7	11	32	99 +	99 +	99 +
20-34	526	11.6	89	6	7	9	13	21	28	67
35-49	679	14.8	153	6	8	11	17	29	44	95
50-64	859	16.4	174	7	9	12	19	33	46	85
65 +	1924	17.3	164	8	10	13	21	32	45	84
GRAND TOTAL	4475	16.2	191	6	8	12	20	34	55	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	158	8.4	26	5	6	8	9	12	15	38
20-34	175	8.4	20	5	6	7	9	12	14	33
35-49	369	8.2	9	5	6	8	9	12	14	20
50-64	605	8.3	7	6	7	8	9	11	14	19
65 +	524	8.5	9	6	7	8	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	443	16.2	208	6	7	1[illegible]	23	44	86	99 +
20-34	897	12.9	80	6	8	10	15	23	30	55
35-49	2004	11.6	69	6	7	9	13	20	27	46
50-64	4830	12.1	68	7	8	10	13	21	27	50
65 +	12708	14.3	92	7	9	11	17	25	33	61
TOTAL SINGLE DX	1831	8.4	11	5	7	8	9	12	14	22
TOTAL MULTIPLE DX	20882	13.5	87	7	8	11	16	24	32	60
TOTAL										
0-19 YRS	601	14.2	173	5	7	9	17	36	64	99 +
20-34	1072	12.2	73	6	7	9	14	22	29	52
35-49	2373	11.1	54	6	7	9	12	19	25	45
50-64	5435	11.7	63	6	8	9	13	20	26	48
65 +	13232	14.1	90	7	8	11	16	25	33	60
GRAND TOTAL	22713	13.1	83	7	8	10	15	23	31	59

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	6.9	14	3	4	6	9	13	15	16
20-34	6	7.8	10	5	5	8	10	12	12	12
35-49	17	6.2	6	3	4	6	8	10	11	12
50-64	22	9.4	17	6	6	8	12	14	19	23
65 +	15	8.9	6	6	7	9	10	12	14	15
2. MULTIPLE DX										
0-19 YRS	111	17.2	308	5	7	10	28	67	99 +	99 +
20-34	62	15.9	118	6	9	13	21	46	99 +	99 +
35-49	122	14.4	152	5	7	11	17	29	38	74
50-64	195	14.8	109	6	8	12	18	28	36	54
65 +	490	17.1	153	7	9	14	20	31	41	75
TOTAL SINGLE DX	111	7.6	14	3	5	7	10	12	15	19
TOTAL MULTIPLE DX	980	16.2	161	6	8	13	20	33	48	99 +
TOTAL										
0-19 YRS	162	13.9	238	4	6	9	18	54	99 +	99 +
20-34	68	15.1	114	6	9	12	20	44	95	99 +
35-49	139	13.4	142	5	7	10	15	27	38	73
50-64	217	14.2	103	6	8	11	17	27	35	53
65 +	505	16.9	151	7	9	13	20	31	40	73
GRAND TOTAL	1091	15.4	152	6	8	12	19	31	44	99 +

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	542	5.5	8	2	4	5	7	8	10	17
20-34	281	6.7	4	4	5	6	8	9	10	14
35-49	238	7.0	12	3	5	7	8	11	12	23
50-64	167	6.8	7	3	5	7	8	10	11	15
65 +	165	7.4	13	3	5	7	9	11	13	25
2. MULTIPLE DX										
0-19 YRS	1234	10.5	160	4	5	7	10	22	40	99 +
20-34	783	9.5	53	4	6	8	11	15	21	44
35-49	841	10.6	64	5	6	8	11	20	26	43
50-64	1183	12.0	95	5	7	9	13	22	30	56
65 +	2373	12.8	114	5	7	10	14	23	34	65
TOTAL SINGLE DX	1393	6.4	9	3	5	6	8	9	11	16
TOTAL MULTIPLE DX	6414	11.5	107	4	6	9	13	22	31	78
TOTAL										
0-19 YRS	1776	9.0	119	3	5	6	9	16	29	99 +
20-34	1064	8.7	42	4	6	7	10	13	18	38
35-49	1079	9.8	55	4	6	8	10	18	23	40
50-64	1350	11.3	88	5	7	9	12	20	29	53
65 +	2538	12.4	110	5	7	9	14	23	33	64
GRAND TOTAL	7807	10.6	94	4	6	8	12	20	28	66

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	6.5	18	3	4	5	8	11	14	26
20-34	9	8.4	48	3	5	8	8	19	26	26
35-49	18	10.9	36	4	6	10	13	20	23	24
50-64	15	9.3	23	4	6	8	12	16	19	20
65 +	33	10.0	31	5	7	9	11	19	22	27
2. MULTIPLE DX										
0-19 YRS	218	15.2	223	4	6	11	22	53	99 +	99 +
20-34	106	18.8	340	5	8	12	25	58	79	99 +
35-49	183	15.8	188	5	8	11	19	33	57	95
50-64	405	16.0	106	7	9	13	20	29	36	61
65 +	1154	18.2	159	8	10	15	22	35	44	76
TOTAL SINGLE DX	147	8.2	28	3	5	7	10	16	20	27
TOTAL MULTIPLE DX	2066	17.3	169	6	9	14	22	35	49	99 +
TOTAL										
0-19 YRS	290	13.0	187	4	5	8	17	41	86	99 +
20-34	115	18.0	325	5	7	12	24	51	78	99 +
35-49	201	15.4	177	5	8	11	18	31	53	92
50-64	420	15.7	105	7	9	13	20	28	35	61
65 +	1187	18.0	158	8	10	14	22	35	44	76
GRAND TOTAL	2213	16.7	165	6	9	13	21	34	47	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10698	3.3	4	2	2	3	4	6	7	10
20-34	7679	3.3	2	2	2	3	4	5	7	9
35-49	3008	3.7	3	2	2	3	4	6	8	10
50-64	907	4.4	4	2	3	4	5	7	8	12
65 +	258	5.2	6	3	3	5	7	9	10	12
2. MULTIPLE DX										
0-19 YRS	4518	5.7	20	2	3	4	7	10	14	23
20-34	3811	5.0	13	2	3	4	6	9	11	18
35-49	2243	6.2	17	2	3	5	8	11	14	22
50-64	1391	7.4	29	3	4	6	9	12	16	28
65 +	1157	9.2	41	3	5	8	11	17	21	34
TOTAL SINGLE DX	22550	3.4	4	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	13120	6.1	22	2	3	5	8	11	14	24
TOTAL										
0-19 YRS	15216	4.0	10	2	2	3	5	8	10	16
20-34	11490	3.8	7	2	2	3	4	7	8	13
35-49	5251	4.8	11	2	3	4	6	9	11	17
50-64	2298	6.2	22	3	3	5	8	11	14	25
65 +	1415	8.5	38	3	5	7	10	15	20	32
GRAND TOTAL	35670	4.4	12	2	2	3	5	8	10	18

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	6.7	12	2	3	6	9	12	13	15
20-34	11	8.5	18	4	5	7	11	15	17	17
35-49	11	8.0	14	2	6	8	11	13	13	13
50-64	8	6.9	13	2	4	7	9	12	13	13
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	31	9.0	20	4	6	9	11	16	18	22
20-34	11	8.9	37	4	5	7	10	19	24	24
35-49	19	8.3	12	4	6	8	11	14	15	16
50-64	21	9.6	29	4	6	7	13	18	21	21
65 +	18	15.1	50	8	9	13	18	24	30	34
TOTAL SINGLE DX	62	7.3	14	3	5	7	10	13	14	17
TOTAL MULTIPLE DX	100	10.1	32	4	6	9	13	17	22	29
TOTAL										
0-19 YRS	62	7.9	17	3	5	7	10	13	16	22
20-34	22	8.7	27	4	5	7	10	16	20	24
35-49	30	8.2	13	4	6	8	11	13	14	16
50-64	29	8.9	26	3	6	7	13	16	21	21
65 +	19	14.8	49	8	9	13	18	24	30	34
GRAND TOTAL	162	9.0	27	3	6	8	11	16	19	25

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	140	3.0	18	< 1	1	2	3	6	9	24
20-34	24	2.7	4	1	1	2	4	6	7	7
35-49	40	2.6	4	< 1	1	2	4	6	7	9
50-64	65	2.4	5	< 1	1	1	3	4	7	14
65 +	135	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	273	8.4	132	1	3	5	9	18	35	71
20-34	76	5.3	21	1	2	4	7	11	15	23
35-49	120	5.8	46	1	2	4	7	13	16	38
50-64	276	5.2	31	1	2	3	6	10	18	34
65 +	971	6.9	57	1	2	5	8	15	21	48
TOTAL SINGLE DX	404	2.8	9	< 1	1	2	3	6	7	13
TOTAL MULTIPLE DX	1716	6.7	64	1	2	4	8	14	22	48
TOTAL										
0-19 YRS	413	6.6	100	1	2	3	7	14	25	65
20-34	100	4.7	19	1	2	3	6	10	14	22
35-49	160	5.0	38	1	1	3	6	10	15	35
50-64	341	4.7	28	1	1	3	6	10	16	31
65 +	1106	6.4	53	1	2	4	8	13	20	46
GRAND TOTAL	2120	6.0	56	1	2	4	7	12	19	43

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	3.3	8	1	2	3	4	6	10	15
20-34	242	2.5	2	1	1	2	3	5	6	8
35-49	261	2.5	2	1	1	2	3	5	6	8
50-64	97	2.7	3	1	1	2	3	6	7	9
65 +	34	3.9	8	1	2	3	6	7	10	14
2. MULTIPLE DX										
0-19 YRS	71	6.5	45	1	2	4	10	16	21	32
20-34	242	5.2	55	1	2	3	6	10	16	40
35-49	323	5.0	40	1	2	3	6	10	14	37
50-64	259	5.8	42	1	2	4	8	13	16	28
65 +	210	7.5	50	2	3	6	10	16	20	37
TOTAL SINGLE DX	696	2.7	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	1105	5.8	47	1	2	4	7	12	16	37
TOTAL										
0-19 YRS	133	5.0	31	1	2	3	5	12	16	29
20-34	484	3.9	31	1	2	3	4	7	10	30
35-49	584	3.9	25	1	2	3	4	8	10	23
50-64	356	4.9	34	1	2	3	6	12	15	24
65 +	244	7.0	46	2	2	5	9	15	19	37
GRAND TOTAL	1801	4.6	33	1	2	3	5	10	14	28

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	158	7.5	5	5	6	8	9	11	12	13
20-34	23	8.4	11	5	6	8	9	11	15	21
35-49	43	9.0	29	5	6	8	10	12	15	39
50-64	135	8.7	7	5	7	8	10	12	14	16
65 +	125	9.6	26	6	7	9	11	14	17	32
2. MULTIPLE DX										
0-19 YRS	287	8.8	42	4	6	7	10	14	20	44
20-34	72	11.1	54	6	7	8	13	23	28	38
35-49	255	11.3	53	7	8	10	12	19	22	42
50-64	797	12.2	57	7	8	10	14	19	25	48
65 +	1898	13.9	86	7	9	11	16	23	30	58
TOTAL SINGLE DX	484	8.6	15	5	7	8	10	12	14	23
TOTAL MULTIPLE DX	3309	12.8	75	7	8	10	14	21	28	55
TOTAL										
0-19 YRS	445	8.3	30	5	6	7	9	12	17	32
20-34	95	10.4	46	6	7	8	11	21	27	36
35-49	298	11.0	51	6	8	9	12	18	22	42
50-64	932	11.7	52	7	8	10	13	18	24	43
65 +	2023	13.6	84	7	9	11	15	23	29	58
GRAND TOTAL	3793	12.3	69	6	8	10	14	21	26	52

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	377	2.7	7	<1	1	2	3	6	8	12
20-34	713	3.4	6	1	2	3	4	7	8	14
35-49	885	3.5	7	<1	2	3	4	6	8	15
50-64	733	3.3	9	<1	1	3	4	6	8	13
65+	583	3.6	13	<1	<1	2	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	1073	5.4	61	1	2	3	6	11	16	53
20-34	4090	5.4	35	2	2	4	6	10	15	31
35-49	7446	5.6	28	2	3	4	7	10	14	28
50-64	9850	6.5	44	2	3	5	8	13	17	34
65+	25227	8.0	55	3	4	6	10	15	21	40
TOTAL SINGLE DX	3291	3.4	9	<1	1	3	4	7	8	15
TOTAL MULTIPLE DX	47686	7.1	48	2	3	5	8	14	19	37
TOTAL										
0-19 YRS	1450	4.7	49	1	1	3	5	9	14	44
20-34	4803	5.1	32	1	2	4	6	9	13	29
35-49	8331	5.4	27	2	3	4	6	10	14	27
50-64	10583	6.3	42	2	3	5	7	12	17	32
65+	25810	7.9	55	2	4	6	9	15	21	40
GRAND TOTAL	50977	6.8	47	2	3	5	8	13	18	36

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.4		<1	<1	1	1	2	4	5
20-34	158	1.8	2	1	1	1	2	3	4	8
35-49	186	1.7	3	1	1	1	2	3	4	9
50-64	94	1.6	1	<1	1	1	2	2	4	7
65+	36	1.4		<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	24	2.4	4	<1	1	1	3	6	7	9
20-34	179	2.7	7	1	1	2	3	6	10	15
35-49	328	2.9	19	1	1	2	3	5	9	33
50-64	246	2.7	10	1	1	2	3	6	8	22
65+	150	5.0	67	1	1	2	5	12	24	47
TOTAL SINGLE DX	507	1.7	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	927	3.1	23	1	1	2	3	6	11	26
TOTAL										
0-19 YRS	57	1.8	3	<1	<1	1	2	4	6	9
20-34	337	2.3	6	1	1	2	2	4	7	14
35-49	514	2.5	14	1	1	2	2	4	7	20
50-64	340	2.4	9	1	1	1	2	5	7	17
65+	186	4.3	57	1	1	2	3	9	22	43
GRAND TOTAL	1434	2.6	16	1	1	2	2	5	8	24

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.2		<1	<1	1	1	2	3	4
20-34	83	1.5		<1	1	1	2	3	4	5
35-49	83	1.6		<1	1	1	2	3	4	5
50-64	35	1.7	1	<1	1	1	2	3	4	5
65+	19	2.7	5	1	1	2	3	6	8	10
2. MULTIPLE DX										
0-19 YRS	21	3.2	15	<1	1	1	3	10	12	14
20-34	216	2.3	5	1	1	2	3	4	5	17
35-49	270	2.5	8	1	1	2	3	4	8	18
50-64	181	2.7	6	1	1	2	3	5	7	16
65+	158	4.7	35	1	2	3	5	10	18	33
TOTAL SINGLE DX	238	1.6	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	846	2.9	13	1	1	2	3	5	9	19
TOTAL										
0-19 YRS	39	2.3	9	<1	1	1	2	6	11	14
20-34	299	2.1	5	1	1	1	2	4	5	15
35-49	353	2.3	7	1	1	2	2	4	6	17
50-64	216	2.5	6	1	1	2	3	5	7	16
65+	177	4.5	32	1	2	3	5	9	17	32
GRAND TOTAL	1084	2.6	11	1	1	2	3	5	8	18

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	172	2.3	2	1	1	2	3	4	5	8
35-49	309	2.1	1	1	1	2	3	4	5	7
50-64	181	2.1	1	1	1	2	3	4	4	6
65+	61	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	23	2.3	5	1	1	2	2	3	7	12
20-34	1061	2.5	3	1	1	2	3	4	5	9
35-49	2117	2.6	7	1	1	2	3	4	6	11
50-64	1591	2.9	17	1	1	2	3	5	7	17
65+	1085	3.7	18	1	2	3	4	7	11	23
TOTAL SINGLE DX	726	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	5877	2.9	11	1	1	2	3	5	7	15
TOTAL										
0-19 YRS	26	2.3	5	1	1	2	2	3	6	12
20-34	1233	2.4	3	1	1	2	3	4	5	9
35-49	2426	2.5	6	1	1	2	3	4	6	10
50-64	1772	2.9	16	1	1	2	3	5	7	17
65+	1146	3.6	17	1	2	2	4	7	10	23
GRAND TOTAL	6603	2.8	10	1	1	2	3	5	6	14

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	177	3.0	6	1	1	2	4	6	7	14
20-34	207	2.4	3	1	1	2	3	5	6	10
35-49	201	2.6	3	1	1	2	3	5	6	9
50-64	80	2.5	2	1	1	2	3	5	6	9
65 +	48	3.5	10	1	2	2	4	8	9	19
2. MULTIPLE DX										
0-19 YRS	314	5.7	27	1	3	4	7	10	17	28
20-34	288	3.9	28	1	1	3	4	8	11	22
35-49	380	4.1	25	1	1	3	5	8	12	29
50-64	310	4.7	29	1	2	3	6	10	14	32
65 +	340	6.0	50	1	2	4	8	14	18	46
TOTAL SINGLE DX	713	2.7	5	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	1632	4.9	33	1	2	3	6	10	15	30
TOTAL										
0-19 YRS	491	4.7	22	1	2	4	6	9	14	26
20-34	495	3.2	19	1	1	2	4	6	9	16
35-49	581	3.5	18	1	1	2	4	7	9	27
50-64	390	4.3	25	1	2	3	5	9	14	28
65 +	388	5.7	46	1	2	3	7	13	17	40
GRAND TOTAL	2345	4.2	25	1	1	3	5	9	13	27

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	9.4	12	5	6	8	13	14	14	14
20-34	15	10.5	46	4	6	8	15	17	26	29
35-49	15	7.1	19	2	3	7	11	13	14	15
50-64	8	8.0	50	3	4	6	8	20	25	25
65 +	4	14.3	129	1	5	15	23	26	26	26
2. MULTIPLE DX										
0-19 YRS	17	15.0	187	2	5	11	21	41	45	46
20-34	57	10.6	47	4	6	9	14	21	24	35
35-49	67	12.7	136	3	6	8	18	26	45	52
50-64	75	16.1	203	5	7	11	19	32	51	67
65 +	117	15.5	124	5	8	12	20	33	40	70
TOTAL SINGLE DX	49	9.2	41	2	5	8	12	16	25	29
TOTAL MULTIPLE DX	333	14.2	137	4	7	11	18	29	40	64
TOTAL										
0-19 YRS	24	13.4	140	3	5	10	16	30	45	46
20-34	72	10.6	46	4	6	9	14	19	24	34
35-49	82	11.7	119	2	5	8	14	24	37	51
50-64	83	15.4	194	4	7	11	19	32	47	67
65 +	121	15.5	124	5	8	12	21	31	39	68
GRAND TOTAL	382	13.6	128	4	6	10	18	28	38	61

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	274	4.4	34	1	1	2	5	10	18	29
20-34	161	3.3	12	1	1	1	5	7	11	17
35-49	208	2.3	7	1	1	1	2	6	8	14
50-64	127	2.9	14	1	1	1	4	7	9	22
65 +	81	3.0	14	1	1	1	4	7	12	18
2. MULTIPLE DX										
0-19 YRS	915	13.1	300	1	2	7	17	38	61	99 +
20-34	566	11.1	145	1	4	7	14	26	39	75
35-49	864	10.2	156	1	2	7	14	23	34	74
50-64	1164	10.7	138	1	3	8	14	23	35	81
65 +	1538	11.0	87	2	5	9	14	21	28	54
TOTAL SINGLE DX	851	3.3	20	1	1	1	4	8	12	23
TOTAL MULTIPLE DX	5047	11.2	157	1	3	8	14	25	36	79
TOTAL										
0-19 YRS	1189	11.1	253	1	2	5	13	31	55	99 +
20-34	727	9.3	126	1	2	6	12	23	34	67
35-49	1072	8.7	138	1	1	5	11	20	30	68
50-64	1291	9.9	131	1	2	7	13	22	33	73
65 +	1619	10.6	87	1	5	9	14	21	27	53
GRAND TOTAL	5898	10.0	145	1	2	7	13	23	34	75

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	611	3.7	4	1	2	3	5	6	7	10
20-34	6681	3.5	4	1	2	3	4	6	7	10
35-49	6363	3.4	4	1	2	3	4	6	7	10
50-64	4348	3.7	5	1	2	3	5	6	8	11
65 +	1791	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	665	5.9	26	2	3	5	7	11	13	31
20-34	7348	5.2	15	2	3	4	6	9	11	19
35-49	10319	5.2	17	2	3	4	6	9	11	20
50-64	11284	6.1	25	2	3	5	7	11	14	26
65 +	15169	8.8	49	3	5	7	11	16	21	38
TOTAL SINGLE DX	19794	3.5	5	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	44785	6.7	32	2	4	5	8	12	16	30
TOTAL										
0-19 YRS	1276	4.9	17	2	3	4	6	8	11	21
20-34	14029	4.4	10	1	3	4	5	8	9	15
35-49	16682	4.5	13	1	3	4	5	8	10	17
50-64	15632	5.5	21	2	3	4	7	10	13	23
65 +	16960	8.3	47	3	4	7	10	15	20	36
GRAND TOTAL	64579	5.7	26	2	3	4	7	11	14	26

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	7	2.9	7	1	1	2	4	7	8	8
50-64	12	5.9	26	1	2	4	11	14	14	14
65 +	27	3.2	6	1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	8	9.6	58	1	3	9	15	20	22	22
20-34	18	7.4	36	2	2	5	12	16	19	21
35-49	36	8.0	49	1	2	6	13	20	23	24
50-64	65	8.8	77	1	2	6	13	20	23	44
65 +	205	9.7	72	2	4	8	12	20	23	45
TOTAL SINGLE DX	50	3.7	12	1	1	2	5	10	11	14
TOTAL MULTIPLE DX	332	9.2	69	2	3	7	13	20	23	41
TOTAL										
0-19 YRS	9	8.7	60	1	2	5	14	20	22	22
20-34	21	6.6	35	1	2	5	11	16	19	21
35-49	43	7.1	46	1	1	5	12	16	23	24
50-64	77	8.3	70	1	2	6	12	18	23	44
65 +	232	9.0	69	1	3	7	12	19	23	38
GRAND TOTAL	**382**	**8.5**	**65**	**1**	**3**	**7**	**12**	**19**	**22**	**38**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.8	4	< 1	1	2	3	6	8	9
20-34	109	4.1	16	1	2	3	5	7	9	26
35-49	142	3.7	10	1	1	3	5	8	10	16
50-64	151	4.3	14	1	1	3	6	9	11	18
65 +	194	4.2	15	1	1	3	6	10	13	18
2. MULTIPLE DX										
0-19 YRS	42	9.1	180	1	2	6	12	18	25	83
20-34	318	8.1	70	2	3	6	10	16	22	47
35-49	715	8.0	66	1	3	6	10	17	24	44
50-64	911	7.9	55	1	3	6	10	17	23	40
65 +	2387	8.8	61	2	4	7	11	17	22	39
TOTAL SINGLE DX	613	4.1	14	1	1	3	5	9	12	18
TOTAL MULTIPLE DX	4373	8.4	63	2	3	6	11	17	23	41
TOTAL										
0-19 YRS	59	7.3	137	1	2	4	8	16	21	78
20-34	427	7.1	60	1	2	5	8	14	20	42
35-49	857	7.3	60	1	2	5	9	16	22	37
50-64	1062	7.4	52	1	3	6	9	15	21	39
65 +	2581	8.5	59	2	4	7	11	17	22	38
GRAND TOTAL	**4986**	**7.9**	**59**	**1**	**3**	**6**	**10**	**16**	**21**	**39**

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	8.8	21	5	6	8	11	14	16	26
20-34	48	8.3	96	1	2	6	9	21	32	44
35-49	49	7.3	36	1	3	5	9	16	19	28
50-64	41	7.9	25	2	5	7	9	13	18	27
65 +	50	8.7	43	2	5	7	11	15	21	33
2. MULTIPLE DX										
0-19 YRS	115	14.9	135	5	8	11	18	28	36	85
20-34	139	10.0	75	4	6	8	12	19	27	99 +
35-49	269	12.3	84	4	7	10	15	22	31	40
50-64	477	13.4	97	5	7	11	16	25	30	52
65 +	1467	15.7	117	6	9	13	19	28	36	63
TOTAL SINGLE DX	246	8.2	44	1	5	7	10	15	21	33
TOTAL MULTIPLE DX	2467	14.5	111	5	8	12	18	26	34	62
TOTAL										
0-19 YRS	173	12.9	105	5	7	10	16	25	32	73
20-34	187	9.6	81	2	5	7	12	19	27	91
35-49	318	11.5	80	3	6	9	15	21	30	39
50-64	518	13.0	94	5	7	10	16	25	29	52
65 +	1517	15.4	116	6	9	13	19	28	35	62
GRAND TOTAL	**2713**	**13.9**	**108**	**5**	**8**	**11**	**17**	**26**	**33**	**58**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	8.4	17	3	6	8	11	14	16	16
20-34	14	9.6	88	3	5	7	11	19	35	39
35-49	24	10.4	119	1	4	8	12	19	37	52
50-64	35	7.3	30	< 1	2	7	10	14	16	24
65 +	24	8.1	53	< 1	2	6	12	21	23	27
2. MULTIPLE DX										
0-19 YRS	31	23.0	359	7	11	17	29	57	85	99 +
20-34	172	23.0	456	7	10	14	27	57	80	97
35-49	328	21.6	297	7	9	17	29	47	62	99 +
50-64	440	21.0	305	7	10	16	27	47	64	99 +
65 +	566	20.3	263	6	10	16	26	41	57	93
TOTAL SINGLE DX	107	8.6	61	1	3	7	11	16	22	45
TOTAL MULTIPLE DX	1537	21.2	306	7	10	16	27	46	63	99
TOTAL										
0-19 YRS	41	19.4	313	6	9	13	25	46	76	99 +
20-34	186	22.0	441	7	9	14	27	54	79	96
35-49	352	20.9	293	6	9	15	28	47	60	99 +
50-64	475	20.0	298	5	9	15	25	46	62	99 +
65 +	590	19.8	260	5	9	15	26	40	56	91
GRAND TOTAL	**1644**	**20.3**	**299**	**6**	**9**	**15**	**26**	**45**	**61**	**99**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	328	2.5	5	1	1	1	3	5	7	14
20-34	246	3.4	7	1	2	3	4	6	9	16
35-49	241	3.9	8	1	2	3	5	8	10	12
50-64	179	4.3	9	1	2	4	6	8	9	15
65 +	172	3.9	6	< 1	2	3	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	748	5.0	43	1	1	3	6	10	15	35
20-34	880	6.1	49	2	3	4	7	11	17	41
35-49	1222	6.0	29	2	3	5	7	12	16	30
50-64	1636	6.9	44	2	3	5	8	13	18	34
65 +	5985	8.5	59	3	4	6	10	17	22	42
TOTAL SINGLE DX	1166	3.5	8	1	1	3	5	7	9	14
TOTAL MULTIPLE DX	10471	7.5	53	2	3	6	9	15	20	38
TOTAL										
0-19 YRS	1076	4.3	33	1	1	3	5	8	12	29
20-34	1126	5.5	42	1	2	4	6	10	15	38
35-49	1463	5.7	27	2	3	4	7	11	15	28
50-64	1815	6.6	41	2	3	5	8	12	17	33
65 +	6157	8.4	58	3	4	6	10	16	22	41
GRAND TOTAL	**11637**	**7.1**	**50**	**2**	**3**	**5**	**9**	**14**	**20**	**36**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1159	1.3		< 1	< 1	1	1	2	3	4
20-34	745	1.4	1	< 1	1	1	2	2	3	5
35-49	891	1.5		< 1	1	1	2	3	3	5
50-64	1112	1.5	1	1	1	1	2	3	4	6
65 +	1101	1.8	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	1358	2.5	52	< 1	1	1	2	4	7	99
20-34	558	2.1	5	1	1	1	2	4	6	11
35-49	996	2.3	9	1	1	1	2	4	6	15
50-64	1779	2.6	9	1	1	2	3	5	8	15
65 +	4675	3.8	27	1	1	2	4	8	12	23
TOTAL SINGLE DX	5008	1.5	1	< 1	1	1	2	3	3	6
TOTAL MULTIPLE DX	9366	3.1	25	1	1	2	3	7	10	22
TOTAL										
0-19 YRS	2517	1.9	29	< 1	< 1	1	1	3	4	29
20-34	1303	1.7	3	1	1	1	2	3	4	10
35-49	1887	1.9	6	1	1	1	2	3	5	12
50-64	2891	2.2	7	1	1	1	2	4	6	13
65 +	5776	3.4	23	1	1	2	4	7	11	22
GRAND TOTAL	**14374**	**2.6**	**17**	**1**	**1**	**1**	**3**	**5**	**8**	**18**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1265	1.2		< 1	1	1	1	2	2	4
20-34	132	1.5		1	1	1	2	3	3	4
35-49	278	1.6		1	1	1	2	3	3	4
50-64	311	1.7		1	1	1	2	3	4	5
65 +	210	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	1814	3.9	142	< 1	1	1	2	7	64	99 +
20-34	117	2.1	2	1	1	2	2	4	5	9
35-49	330	1.9	1	1	1	2	2	4	4	7
50-64	524	2.4	5	1	1	2	3	4	6	11
65 +	926	3.3	14	1	1	2	4	7	9	22
TOTAL SINGLE DX	2196	1.4	1	< 1	1	1	2	2	3	5
TOTAL MULTIPLE DX	3711	3.3	75	1	1	1	3	6	12	99 +
TOTAL										
0-19 YRS	3079	2.8	86	< 1	1	1	1	3	11	99 +
20-34	249	1.8	2	1	1	1	2	3	4	8
35-49	608	1.8	1	1	1	1	2	3	4	6
50-64	835	2.1	4	1	1	2	3	4	5	9
65 +	1136	3.1	12	1	1	2	3	6	9	17
GRAND TOTAL	**5907**	**2.6**	**48**	**1**	**1**	**1**	**2**	**4**	**7**	**99 +**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.8	1	< 1	1	1	2	3	4	4
20-34	31	1.6		< 1	1	1	2	3	3	3
35-49	80	2.1	3	1	1	1	2	4	6	10
50-64	78	2.3	4	1	1	2	3	5	5	12
65 +	119	2.8	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	23	2.3	2	1	1	2	3	5	6	7
35-49	73	3.3	9	1	1	2	4	7	10	15
50-64	121	3.8	10	1	2	3	5	8	11	16
65 +	569	7.1	49	1	3	5	9	15	19	38
TOTAL SINGLE DX	316	2.4	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	789	6.1	41	1	2	4	8	13	17	31
TOTAL										
0-19 YRS	11	1.8	1	< 1	1	2	2	3	4	4
20-34	54	1.9	2	1	1	2	3	3	4	7
35-49	153	2.7	6	1	1	2	3	6	9	13
50-64	199	3.2	9	1	1	2	4	7	10	14
65 +	688	6.4	44	1	2	4	8	14	17	35
GRAND TOTAL	**1105**	**5.0**	**33**	**1**	**2**	**3**	**6**	**11**	**15**	**29**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	184	1.5	1	< 1	< 1	< 1	1	3	4	6
20-34	111	1.8	1	< 1	1	1	2	3	4	7
35-49	194	1.9	1	< 1	1	1	2	3	5	8
50-64	171	1.9	1	1	1	1	2	4	5	7
65 +	75	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	165	6.1	170	< 1	1	2	5	15	39	98
20-34	110	2.6	10	1	1	2	3	5	6	18
35-49	354	3.4	11	1	1	2	4	7	9	19
50-64	437	4.0	13	1	2	3	5	8	11	18
65 +	538	5.6	52	1	2	4	7	12	16	33
TOTAL SINGLE DX	735	1.8	2	< 1	1	1	2	4	5	7
TOTAL MULTIPLE DX	1604	4.5	43	1	1	3	5	9	13	34
TOTAL										
0-19 YRS	349	3.6	86	< 1	< 1	1	2	6	14	88
20-34	221	2.2	6	1	1	1	3	4	5	9
35-49	548	2.8	9	1	1	2	4	6	8	16
50-64	608	3.4	11	1	1	2	4	7	10	15
65 +	613	5.2	47	1	2	3	6	10	14	32
GRAND TOTAL	2339	3.7	32	1	1	2	4	7	11	28

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	2.1	2	< 1	< 1	1	3	4	6	8
20-34	293	2.5	2	1	1	2	3	5	6	9
35-49	834	2.8	2	1	1	2	4	5	6	8
50-64	770	3.0	3	1	2	3	4	5	7	10
65 +	565	3.2	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	90	3.7	15	1	1	3	5	7	10	25
20-34	371	3.9	14	1	2	3	5	6	8	26
35-49	1274	4.4	13	1	2	4	5	8	11	19
50-64	1869	5.2	29	1	2	4	6	10	13	26
65 +	2780	6.0	38	2	3	4	7	11	15	32
TOTAL SINGLE DX	2555	2.9	3	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	6384	5.3	30	1	2	4	6	10	14	27
TOTAL										
0-19 YRS	183	2.9	10	< 1	1	2	4	6	8	14
20-34	664	3.3	10	1	1	3	4	6	7	16
35-49	2108	3.7	10	1	2	3	5	6	9	16
50-64	2639	4.5	23	1	2	3	5	9	11	21
65 +	3345	5.5	34	1	2	4	7	11	14	29
GRAND TOTAL	8939	4.6	23	1	2	3	5	9	12	23

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	5.5	7	3	4	5	6	8	11	16
20-34	11	5.5	7	2	3	5	8	9	10	10
35-49	32	6.1	9	2	4	6	8	10	13	13
50-64	29	5.9	8	2	4	6	7	10	11	13
65 +	25	7.0	9	3	5	7	9	10	13	14
2. MULTIPLE DX										
0-19 YRS	169	13.2	184	4	6	9	20	52	99 +	99 +
20-34	62	9.7	78	3	5	8	11	18	29	50
35-49	135	7.7	20	4	5	7	8	13	16	26
50-64	159	8.0	17	4	5	7	9	14	16	23
65 +	358	12.7	102	5	7	10	16	24	30	82
TOTAL SINGLE DX	142	6.0	9	3	4	6	7	10	12	14
TOTAL MULTIPLE DX	883	11.0	94	4	6	8	13	23	34	99 +
TOTAL										
0-19 YRS	214	11.6	157	4	5	8	15	46	99 +	99 +
20-34	73	9.1	70	3	5	7	10	15	23	49
35-49	167	7.4	19	3	5	7	8	12	15	25
50-64	188	7.6	17	3	5	7	9	13	15	23
65 +	383	12.4	99	5	7	9	15	24	29	81
GRAND TOTAL	1025	10.3	85	4	5	8	12	20	30	99 +

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	256	3.9	8	1	1	3	6	8	10	15
20-34	240	3.6	9	1	1	3	5	7	9	15
35-49	231	4.4	15	1	2	3	6	8	11	17
50-64	140	4.9	20	1	2	4	6	10	12	23
65 +	101	5.4	15	1	3	4	7	11	14	19
2. MULTIPLE DX										
0-19 YRS	487	9.9	152	2	3	6	11	24	34	78
20-34	740	7.1	60	1	3	5	9	14	20	43
35-49	1630	8.5	67	2	4	6	11	17	25	42
50-64	2180	9.4	70	2	4	7	12	19	25	45
65 +	2908	11.2	86	3	5	9	14	22	29	46
TOTAL SINGLE DX	968	4.2	13	1	2	3	6	8	11	17
TOTAL MULTIPLE DX	7945	9.7	81	2	4	7	12	20	27	46
TOTAL										
0-19 YRS	743	7.9	111	1	2	5	9	16	28	70
20-34	980	6.3	50	1	2	4	7	13	18	39
35-49	1861	8.0	63	2	3	6	10	16	22	41
50-64	2320	9.1	69	2	4	7	12	18	25	44
65 +	3009	11.0	85	3	5	9	14	22	28	46
GRAND TOTAL	8913	9.1	77	2	4	7	11	19	26	45

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	354	4.6	13	2	3	4	6	8	10	17
20-34	515	4.7	11	2	3	4	5	8	10	18
35-49	258	5.5	16	2	3	5	7	10	12	25
50-64	111	7.0	25	2	4	6	9	13	15	28
65 +	66	8.5	82	3	4	6	10	15	27	58
2. MULTIPLE DX										
0-19 YRS	741	9.9	126	3	4	7	11	23	39	99 +
20-34	1325	7.8	75	3	4	5	8	16	24	61
35-49	987	9.4	92	3	4	7	11	18	27	60
50-64	845	12.4	113	4	6	9	15	24	32	62
65 +	1315	15.4	145	5	7	12	19	31	40	68
TOTAL SINGLE DX	1304	5.2	19	2	3	4	6	9	12	23
TOTAL MULTIPLE DX	5213	11.1	118	3	5	8	14	23	33	69
TOTAL										
0-19 YRS	1095	8.2	96	2	3	5	9	18	29	99 +
20-34	1840	6.9	60	2	3	5	7	13	21	46
35-49	1245	8.6	79	3	4	6	10	17	24	54
50-64	956	11.8	107	4	6	8	14	24	31	61
65 +	1381	15.0	145	5	7	11	19	30	40	67
GRAND TOTAL	**6517**	**9.9**	**104**	**3**	**4**	**7**	**12**	**21**	**30**	**63**

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	304	2.7	4	1	1	2	4	5	7	10
20-34	1017	2.4	2	< 1	1	2	3	5	5	9
35-49	288	2.4	3	< 1	1	2	3	5	6	8
50-64	58	2.8	9	< 1	1	1	4	6	9	17
65 +	16	1.4		< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	429	3.3	5	1	1	3	4	6	8	11
20-34	2008	3.2	9	< 1	1	3	4	6	8	13
35-49	686	3.5	14	< 1	1	3	4	7	10	21
50-64	142	6.3	97	1	1	4	8	13	17	46
65 +	148	8.0	52	1	2	6	12	19	24	37
TOTAL SINGLE DX	1683	2.4	4	< 1	1	2	3	5	6	9
TOTAL MULTIPLE DX	3413	3.6	17	< 1	1	3	4	7	10	21
TOTAL										
0-19 YRS	733	3.0	5	1	1	2	4	6	7	11
20-34	3025	2.9	7	< 1	1	2	4	6	7	12
35-49	974	3.2	11	< 1	1	2	4	7	8	18
50-64	200	5.3	74	1	1	3	6	12	16	35
65 +	164	7.3	52	1	2	5	11	19	24	36
GRAND TOTAL	**5096**	**3.2**	**13**	**< 1**	**1**	**2**	**4**	**6**	**9**	**17**

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	252	6.3	15	2	4	6	8	10	13	22
20-34	372	4.5	8	1	3	4	6	8	9	15
35-49	401	5.8	17	2	3	5	8	10	12	19
50-64	263	6.9	18	2	4	7	9	13	16	21
65 +	200	7.4	26	2	4	7	10	12	14	20
2. MULTIPLE DX										
0-19 YRS	970	13.0	185	3	5	8	17	34	49	99 +
20-34	1759	6.4	41	2	3	4	8	13	19	31
35-49	2122	8.4	69	2	4	6	10	17	23	49
50-64	1974	10.9	101	3	5	8	13	21	29	59
65 +	3370	13.7	107	4	7	11	17	25	34	59
TOTAL SINGLE DX	1488	5.9	17	2	3	5	8	11	13	19
TOTAL MULTIPLE DX	10195	10.7	102	3	4	8	14	22	30	59
TOTAL										
0-19 YRS	1222	11.6	158	3	5	7	14	29	45	99 +
20-34	2131	6.1	36	1	3	4	7	12	17	29
35-49	2523	7.9	62	2	4	6	10	16	22	44
50-64	2237	10.5	93	3	5	8	13	20	28	53
65 +	3570	13.4	105	4	7	11	16	25	33	57
GRAND TOTAL	**11683**	**10.1**	**94**	**2**	**4**	**7**	**13**	**21**	**28**	**56**

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	5.6	15	2	3	5	8	10	12	24
20-34	96	6.5	4	5	5	6	7	9	10	16
35-49	165	6.6	8	4	5	6	7	9	10	25
50-64	178	7.1	7	5	5	7	8	10	12	20
65 +	122	8.0	9	5	6	7	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	500	8.8	110	3	4	6	10	16	25	74
20-34	256	9.6	62	5	6	7	10	19	26	36
35-49	495	9.4	55	5	6	8	10	14	23	42
50-64	872	10.6	70	5	6	8	11	18	26	49
65 +	1464	11.7	66	6	7	9	13	21	26	45
TOTAL SINGLE DX	734	6.7	10	3	5	6	8	10	12	19
TOTAL MULTIPLE DX	3587	10.6	73	5	6	8	12	19	26	48
TOTAL										
0-19 YRS	673	8.0	88	2	4	6	9	14	21	69
20-34	352	8.7	49	5	5	7	9	16	22	36
35-49	660	8.7	45	5	6	7	9	13	20	40
50-64	1050	10.0	61	5	6	8	10	17	23	46
65 +	1586	11.4	63	6	7	9	13	20	26	44
GRAND TOTAL	4321	9.9	64	5	6	8	11	17	24	46

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	3.4	10	1	1	3	4	8	10	15
20-34	59	4.0	4	1	3	4	5	7	8	11
35-49	75	4.1	7	1	2	3	5	8	9	13
50-64	71	4.2	7	1	2	4	5	7	9	14
65 +	33	4.2	10	1	2	3	5	9	12	13
2. MULTIPLE DX										
0-19 YRS	96	8.4	70	1	3	6	11	17	25	41
20-34	136	8.7	73	2	4	5	11	20	25	49
35-49	226	8.3	69	2	3	6	11	16	20	47
50-64	301	9.4	91	2	3	7	11	20	30	50
65 +	681	11.8	111	3	5	9	15	24	32	53
TOTAL SINGLE DX	267	4.0	7	1	2	3	5	8	9	14
TOTAL MULTIPLE DX	1440	10.2	96	2	4	7	13	21	29	50
TOTAL										
0-19 YRS	125	7.2	60	1	2	4	9	16	22	40
20-34	195	7.3	57	2	3	5	8	15	22	43
35-49	301	7.2	57	2	3	5	9	15	19	43
50-64	372	8.4	80	2	3	6	10	18	26	43
65 +	714	11.4	109	2	5	8	15	23	31	53
GRAND TOTAL	1707	9.3	88	2	3	6	12	19	27	47

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	14.1	22	7	12	14	17	20	22	22
20-34	19	11.2	31	6	7	9	13	19	24	27
35-49	25	12.1	24	7	8	11	14	17	24	26
50-64	10	11.1	26	8	8	9	12	19	25	25
65 +	0									
2. MULTIPLE DX										
0-19 YRS	210	19.5	147	9	12	17	24	35	41	97
20-34	235	13.3	69	7	8	10	16	25	30	64
35-49	326	15.0	104	7	9	12	18	26	32	60
50-64	180	15.9	137	7	9	13	19	30	41	93
65 +	34	11.4	19	7	8	11	13	18	22	23
TOTAL SINGLE DX	64	12.0	26	7	8	11	14	18	24	27
TOTAL MULTIPLE DX	985	15.6	113	7	9	12	19	28	36	77
TOTAL										
0-19 YRS	220	19.3	143	9	12	17	24	35	40	96
20-34	254	13.1	67	7	8	10	16	25	30	59
35-49	351	14.8	99	7	9	12	17	25	32	56
50-64	190	15.7	132	7	9	12	19	27	39	91
65 +	34	11.4	20	7	8	11	13	18	22	23
GRAND TOTAL	1049	15.4	109	7	9	12	19	27	35	73

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	883	3.2	5	1	1	3	4	6	7	12
20-34	246	3.7	7	1	1	3	6	7	8	11
35-49	186	3.5	7	1	1	3	5	7	9	11
50-64	110	3.4	8	1	1	2	5	7	9	13
65 +	66	3.9	6	1	1	3	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	1253	6.2	44	1	2	4	8	13	18	36
20-34	731	7.1	55	1	2	5	9	16	20	38
35-49	825	6.9	47	1	2	5	9	15	19	39
50-64	759	7.8	66	1	2	6	10	17	23	38
65 +	960	10.2	88	2	4	8	13	21	27	48
TOTAL SINGLE DX	1491	3.4	6	1	1	3	5	7	8	12
TOTAL MULTIPLE DX	4528	7.6	62	1	2	6	10	16	22	40
TOTAL										
0-19 YRS	2136	5.0	31	1	2	4	6	10	15	29
20-34	977	6.2	45	1	2	5	8	13	18	35
35-49	1011	6.2	42	1	2	5	8	13	17	32
50-64	869	7.3	62	1	2	5	9	16	21	35
65 +	1026	9.8	85	1	4	8	13	20	27	48
GRAND TOTAL	6019	6.5	51	1	2	5	8	14	19	36

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.6	3	< 1	1	2	4	6	7	7
20-34	52	4.5	8	1	2	4	6	8	11	13
35-49	68	4.5	9	1	2	4	6	9	10	15
50-64	67	4.7	12	1	2	5	6	9	12	17
65 +	15	4.6	14	1	1	4	6	12	13	13
2. MULTIPLE DX										
0-19 YRS	26	4.1	9	< 1	1	4	6	7	10	12
20-34	59	5.7	15	1	3	5	8	10	15	18
35-49	104	6.6	20	2	3	6	9	12	14	22
50-64	122	7.2	30	2	4	6	9	14	16	34
65 +	177	10.4	76	4	6	8	12	17	25	55
TOTAL SINGLE DX	221	4.4	10	1	2	4	6	9	11	15
TOTAL MULTIPLE DX	488	7.9	46	2	4	7	10	14	18	34
TOTAL										
0-19 YRS	45	3.4	7	< 1	1	3	5	7	8	12
20-34	111	5.1	13	1	3	4	7	9	12	18
35-49	172	5.8	17	1	3	5	8	12	13	20
50-64	189	6.3	26	1	3	5	8	12	15	30
65 +	192	9.9	74	3	6	8	12	17	23	52
GRAND TOTAL	**709**	**6.8**	**37**	**1**	**3**	**6**	**9**	**13**	**16**	**30**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	824	4.8	4	3	4	4	6	7	8	12
20-34	28	6.5	8	4	5	5	8	11	13	15
35-49	14	8.1	24	2	5	7	10	14	19	21
50-64	7	8.0	15	3	5	7	10	14	15	15
65 +	11	9.0	30	2	5	8	12	18	20	20
2. MULTIPLE DX										
0-19 YRS	1036	7.1	31	3	4	5	8	12	16	34
20-34	99	9.7	38	4	6	8	11	17	21	36
35-49	97	13.6	59	5	7	12	19	25	32	68
50-64	102	12.3	64	6	8	10	14	28	34	99 +
65 +	229	14.4	101	5	9	12	18	26	38	63
TOTAL SINGLE DX	884	5.0	6	3	4	4	6	8	9	14
TOTAL MULTIPLE DX	1563	9.1	55	3	5	7	11	18	24	44
TOTAL										
0-19 YRS	1860	6.1	21	3	4	5	7	10	13	25
20-34	127	9.0	34	4	5	8	11	15	20	30
35-49	111	12.9	58	5	7	11	17	25	32	59
50-64	109	12.0	63	5	7	10	14	26	34	99 +
65 +	240	14.2	99	5	8	12	17	25	38	63
GRAND TOTAL	**2447**	**7.6**	**41**	**3**	**4**	**6**	**9**	**14**	**20**	**39**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	2.5	1	1	1	2	3	4	6	6
20-34	794	2.6	2	1	1	2	3	5	6	8
35-49	1070	2.5	2	1	1	2	3	5	6	8
50-64	586	2.5	3	1	1	2	3	5	6	9
65 +	221	2.9	4	1	1	2	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	69	3.2	4	1	2	3	4	6	6	12
20-34	688	3.5	6	1	2	3	4	6	8	12
35-49	1059	3.4	6	1	2	3	4	6	8	13
50-64	982	4.1	18	1	2	3	5	7	10	18
65 +	979	5.1	23	1	2	4	6	10	15	26
TOTAL SINGLE DX	2758	2.5	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	3777	4.0	14	1	2	3	5	7	10	19
TOTAL										
0-19 YRS	156	2.8	3	1	1	2	4	5	6	10
20-34	1482	3.0	4	1	2	2	4	5	7	10
35-49	2129	2.9	5	1	1	2	4	5	7	11
50-64	1568	3.5	13	1	1	3	4	6	8	15
65 +	1200	4.7	20	1	2	3	6	9	13	25
GRAND TOTAL	**6535**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	3.3	8	< 1	< 1	2	5	8	10	13
20-34	38	3.9	6	1	1	4	6	6	9	11
35-49	46	3.5	5	1	2	3	4	6	9	12
50-64	35	3.2	4	1	2	3	4	6	7	11
65 +	17	3.8	8	1	1	3	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	196	7.0	24	2	4	6	9	11	15	32
20-34	55	5.7	11	2	3	5	7	10	13	14
35-49	102	5.9	25	1	2	5	7	13	15	26
50-64	94	6.2	33	1	2	4	9	14	18	28
65 +	230	8.7	60	1	3	7	11	17	23	41
TOTAL SINGLE DX	233	3.5	7	< 1	1	3	5	7	9	12
TOTAL MULTIPLE DX	677	7.2	38	2	3	6	9	13	19	35
TOTAL										
0-19 YRS	293	5.8	22	< 1	2	5	8	11	13	27
20-34	93	4.9	10	1	2	5	6	9	11	14
35-49	148	5.2	21	1	2	4	7	10	14	23
50-64	129	5.4	27	1	2	3	7	12	16	26
65 +	247	8.3	59	1	3	7	11	16	22	41
GRAND TOTAL	**910**	**6.2**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

641: Cystoscopy and urethroscopy (55.21-55.22: 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	253	2.5	3	<1	<1	2	3	5	6	9
20-34	577	2.7	3	1	1	2	3	5	6	10
35-49	737	2.6	3	1	1	2	3	5	6	10
50-64	497	2.8	6	1	1	2	4	6	7	15
65+	234	3.0	7	1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	522	5.3	44	<1	1	4	7	10	17	37
20-34	1099	5.6	40	1	2	4	7	10	16	34
35-49	1625	5.9	50	1	2	4	7	12	17	34
50-64	2225	6.9	56	1	2	5	8	14	20	42
65+	5598	9.9	88	2	4	7	13	21	28	50
TOTAL SINGLE DX	2298	2.7	5	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	11069	8.1	73	1	3	6	10	18	24	44
TOTAL										
0-19 YRS	775	4.4	33	<1	1	3	6	8	12	33
20-34	1676	4.6	30	1	2	3	5	9	12	28
35-49	2362	4.8	38	1	2	3	6	10	14	32
50-64	2722	6.1	50	1	2	4	8	13	18	39
65+	5832	9.6	87	2	4	7	12	21	28	48
GRAND TOTAL	13367	7.1	65	1	2	5	9	16	23	42

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.4	5	1	1	3	5	6	8	9
20-34	32	2.3	2	1	1	2	3	5	5	7
35-49	155	2.1	3	1	1	2	2	4	6	12
50-64	448	2.2	2	1	1	2	3	4	5	9
65+	895	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	50	6.5	73	1	1	3	9	21	34	99
20-34	109	5.8	94	1	1	3	6	10	18	59
35-49	345	3.9	23	1	1	2	5	9	14	32
50-64	1563	4.0	26	1	1	2	4	8	13	30
65+	6458	5.3	44	1	2	3	6	11	17	34
TOTAL SINGLE DX	1544	2.2	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	8525	5.0	41	1	2	3	6	11	16	34
TOTAL										
0-19 YRS	64	5.8	60	1	1	3	6	17	30	90
20-34	141	5.0	75	1	1	3	5	9	14	58
35-49	500	3.4	18	1	1	2	4	7	11	23
50-64	2011	3.6	22	1	1	2	4	7	11	27
65+	7353	4.9	40	1	2	3	5	11	16	32
GRAND TOTAL	10069	4.6	36	1	1	3	5	10	15	32

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.6	3	1	1	2	3	6	7	7
20-34	13	3.7	7	1	2	3	4	9	10	10
35-49	25	2.4	1	<1	1	3	3	4	5	6
50-64	23	1.7		1	1	1	2	3	4	4
65+	25	2.5	6	1	1	1	3	6	9	10
2. MULTIPLE DX										
0-19 YRS	22	5.3	52	1	2	3	6	10	21	35
20-34	28	4.6	38	1	1	2	5	17	32	99+
35-49	57	5.7	84	1	1	2	6	15	38	95
50-64	172	4.9	60	1	1	3	5	10	15	34
65+	464	6.8	86	1	2	4	8	15	21	45
TOTAL SINGLE DX	95	2.5	4	1	1	2	3	4	7	10
TOTAL MULTIPLE DX	743	6.2	78	1	2	3	7	14	20	46
TOTAL										
0-19 YRS	31	4.5	39	1	2	3	5	9	12	35
20-34	41	4.3	29	1	2	3	4	11	23	99+
35-49	82	4.7	61	1	1	2	4	12	27	81
50-64	195	4.5	55	1	1	3	4	10	14	32
65+	489	6.6	84	1	2	4	7	14	20	45
GRAND TOTAL	838	5.8	71	1	2	3	6	13	18	45

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	153	4.0	9	1	2	3	5	8	10	15
20-34	67	5.2	33	2	3	4	6	8	9	41
35-49	117	3.7	4	1	2	3	5	7	8	11
50-64	153	4.6	19	1	2	3	6	9	12	17
65+	166	4.9	29	1	2	3	7	11	14	30
2. MULTIPLE DX										
0-19 YRS	726	8.7	61	2	3	7	11	19	25	49
20-34	251	10.1	168	2	3	6	12	23	28	73
35-49	411	8.5	82	2	3	6	11	17	23	49
50-64	806	9.4	87	2	3	7	13	19	26	57
65+	2370	10.3	104	2	3	8	13	21	30	53
TOTAL SINGLE DX	656	4.4	19	1	2	3	5	9	12	20
TOTAL MULTIPLE DX	4564	9.7	97	2	3	7	12	20	28	55
TOTAL										
0-19 YRS	879	7.9	56	1	3	6	10	17	24	47
20-34	318	9.1	144	2	3	6	10	17	26	72
35-49	528	7.4	69	2	3	5	9	15	21	41
50-64	959	8.6	80	2	3	6	12	17	25	50
65+	2536	9.9	102	2	3	7	13	21	29	52
GRAND TOTAL	5220	9.0	90	2	3	6	12	19	26	52

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	1.0		<1	<1	<1	<1	1	1	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	30	2.7	7	<1	1	2	4	5	5	15
20-34	4	2.8	1	1	2	3	4	4	4	4
35-49	10	3.7	12	<1	1	2	5	10	11	11
50-64	8	4.1	7	1	2	4	6	8	9	9
65+	25	6.9	78	1	2	4	7	19	27	40
TOTAL SINGLE DX	31	1.2		<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	77	4.3	33	<1	1	3	5	9	14	35
TOTAL										
0-19 YRS	58	1.9	5	<1	<1	<1	2	4	5	14
20-34	4	2.8	2	1	2	3	4	4	4	4
35-49	11	3.5	12	<1	1	2	4	10	11	11
50-64	8	4.1	7	1	2	4	6	8	9	9
65+	27	6.6	74	1	1	4	7	17	26	40
GRAND TOTAL	108	3.4	26	<1	<1	2	4	7	11	30

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1219	2.1	4	<1	1	1	2	5	7	10
20-34	81	2.7	2	1	1	2	3	5	7	7
35-49	88	2.7	2	1	2	3	4	5	6	8
50-64	71	2.8	3	1	1	2	4	5	7	8
65+	47	2.4	3	1	1	2	4	5	5	10
2. MULTIPLE DX										
0-19 YRS	747	3.3	13	1	1	2	4	8	10	19
20-34	82	5.3	31	1	2	4	6	14	17	29
35-49	153	3.9	8	1	2	3	5	7	9	18
50-64	164	4.4	24	1	2	4	5	7	11	32
65+	265	4.9	27	1	2	4	6	9	14	28
TOTAL SINGLE DX	1506	2.2	4	<1	1	1	3	5	7	10
TOTAL MULTIPLE DX	1411	3.9	19	1	1	3	5	8	11	22
TOTAL										
0-19 YRS	1966	2.6	8	<1	1	1	3	6	8	14
20-34	163	4.0	19	1	2	3	5	7	14	24
35-49	241	3.5	7	1	2	3	4	6	8	13
50-64	235	3.9	19	1	2	3	5	7	9	17
65+	312	4.5	25	1	2	3	5	9	13	27
GRAND TOTAL	2917	3.0	12	1	1	2	4	7	9	18

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.6	2	<1	<1	1	1	4	5	7
20-34	18	2.7	6	1	1	2	3	5	9	11
35-49	20	2.4	3	<1	1	2	3	6	7	7
50-64	12	1.7		<1	1	1	2	3	3	3
65+	21	5.8	53	1	1	2	9	15	22	30
2. MULTIPLE DX										
0-19 YRS	59	3.8	67	<1	<1	1	4	7	8	55
20-34	87	7.9	120	1	3	5	8	13	31	63
35-49	115	6.3	35	1	2	4	7	13	21	29
50-64	197	7.3	46	1	3	6	10	15	20	40
65+	746	10.0	106	2	4	8	12	20	27	56
TOTAL SINGLE DX	98	2.9	16	<1	1	1	3	6	10	23
TOTAL MULTIPLE DX	1204	8.8	92	1	3	6	11	18	24	47
TOTAL										
0-19 YRS	86	3.1	47	<1	<1	1	3	6	8	47
20-34	105	7.0	105	1	2	4	7	13	23	59
35-49	135	5.7	33	1	2	4	7	12	20	29
50-64	209	6.9	46	1	2	5	9	15	19	39
65+	767	9.9	106	2	4	7	12	20	26	54
GRAND TOTAL	1302	8.3	89	1	3	6	10	18	24	46

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	2.2	7	<1	<1	1	2	5	7	16
20-34	73	1.7	1	1	1	1	2	3	4	6
35-49	63	2.3	3	1	1	1	3	5	7	8
50-64	48	2.0	2	1	1	1	3	4	5	10
65+	69	2.7	3	1	1	2	4	4	5	11
2. MULTIPLE DX										
0-19 YRS	109	5.4	19	1	2	5	7	10	15	22
20-34	126	4.1	21	1	1	2	5	11	14	44
35-49	147	4.1	41	1	1	2	5	9	13	58
50-64	307	4.0	23	1	1	3	5	9	14	29
65+	1082	5.1	35	1	2	3	6	11	16	30
TOTAL SINGLE DX	294	2.2	3	1	1	1	3	4	6	9
TOTAL MULTIPLE DX	1771	4.8	32	1	2	3	6	10	15	30
TOTAL										
0-19 YRS	150	4.5	19	<1	1	3	6	10	14	21
20-34	199	3.2	15	1	1	2	3	8	11	25
35-49	210	3.6	31	1	1	2	4	8	11	47
50-64	355	3.7	21	1	1	2	4	7	12	27
65+	1151	5.0	34	1	2	3	6	11	15	29
GRAND TOTAL	2065	4.4	29	1	1	3	5	9	14	27

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	44	3.9	1	2	3	4	5	6	6	7
35-49	288	4.0	1	2	3	4	5	6	6	9
50-64	268	4.4	2	3	3	4	5	7	7	9
65 +	118	4.6	3	2	4	4	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	83	4.5	3	3	3	4	5	7	8	12
35-49	521	4.5	8	3	3	4	5	6	7	11
50-64	594	4.9	3	3	4	5	6	7	8	12
65 +	532	5.8	10	3	4	5	7	9	11	18
TOTAL SINGLE DX	718	4.2	2	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	1734	5.0	7	3	4	4	6	7	9	14
TOTAL										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	127	4.3	3	3	3	4	5	6	7	11
35-49	809	4.3	6	3	3	4	5	6	7	9
50-64	862	4.8	3	3	4	4	5	7	8	11
65 +	650	5.6	9	3	4	5	6	8	10	17
GRAND TOTAL	2452	4.8	6	3	4	4	5	7	8	13

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.0	3	<1	<1	<1	3	5	5	5
20-34	66	3.2	1	1	2	3	4	5	6	7
35-49	411	3.1	1	2	2	3	4	4	5	7
50-64	425	3.4	1	2	3	3	4	5	6	8
65 +	275	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	8	6.0	18	<1	2	5	9	12	13	13
20-34	103	3.9	4	2	3	3	4	6	7	13
35-49	713	3.7	2	2	3	3	4	5	7	10
50-64	819	3.9	4	2	3	3	5	6	7	10
65 +	883	4.5	12	2	3	4	5	7	9	16
TOTAL SINGLE DX -	1182	3.3	2	2	2	3	4	5	6	8
TOTAL MULTIPLE DX	2526	4.1	7	2	3	4	5	6	8	12
TOTAL										
0-19 YRS	13	4.5	16	<1	<1	4	6	11	13	13
20-34	169	3.6	3	2	3	3	4	6	6	8
35-49	1124	3.5	2	2	3	3	4	5	6	10
50-64	1244	3.8	4	2	3	3	4	6	7	9
65 +	1158	4.3	10	2	3	4	5	7	8	15
GRAND TOTAL	3708	3.8	5	2	3	3	4	6	7	11

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	2.1	1	<1	1	2	3	4	4	5
20-34	206	2.6	4	1	1	2	3	5	7	11
35-49	272	2.5	2	1	1	2	3	5	6	8
50-64	165	2.2	2	1	1	2	3	4	5	8
65 +	63	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	96	5.0	17	1	2	4	6	11	13	22
20-34	383	4.4	17	1	2	3	5	8	11	23
35-49	584	4.5	18	1	2	3	6	9	13	27
50-64	553	5.2	30	1	2	4	6	10	13	33
65 +	827	7.7	53	1	3	5	10	16	22	34
TOTAL SINGLE DX	747	2.5	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	2443	5.7	35	1	2	4	7	12	16	31
TOTAL										
0-19 YRS	137	4.2	14	1	2	3	5	7	12	20
20-34	589	3.8	13	1	2	3	5	8	10	17
35-49	856	3.9	14	1	2	3	5	8	11	19
50-64	718	4.5	25	1	2	3	6	9	12	29
65 +	890	7.3	51	1	3	5	9	16	22	34
GRAND TOTAL	3190	5.0	29	1	2	3	6	11	15	30

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.4		<1	1	1	1	3	4	4
20-34	164	1.8	2	<1	1	1	2	4	6	8
35-49	286	1.7	1	<1	1	1	2	3	4	6
50-64	229	1.4	1	<1	<1	1	1	3	4	6
65 +	194	1.6	2	<1	1	1	1	3	4	9
2. MULTIPLE DX										
0-19 YRS	20	3.2	7	1	1	3	4	7	10	12
20-34	138	3.5	19	1	1	2	4	8	10	24
35-49	259	3.2	20	1	1	2	3	6	11	23
50-64	275	3.1	21	1	1	2	3	7	9	33
65 +	414	3.8	33	1	1	2	5	8	13	29
TOTAL SINGLE DX	889	1.6	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	1106	3.4	25	1	1	2	4	7	11	27
TOTAL										
0-19 YRS	36	2.4	5	1	1	1	3	4	7	12
20-34	302	2.6	11	<1	1	1	3	5	8	17
35-49	545	2.4	11	<1	1	1	3	5	6	15
50-64	504	2.4	13	<1	1	1	2	5	7	20
65 +	608	3.1	24	1	1	1	3	7	10	21
GRAND TOTAL	1995	2.6	16	<1	1	1	3	5	8	18

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	5.9	32	1	3	4	6	16	18	18
20-34	11	4.1	6	1	2	3	7	8	8	8
35-49	8	6.1	2	4	5	6	7	8	9	9
50-64	6	6.8	7	3	5	7	9	10	10	10
65 +	3	4.7	10	1	2	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	11	5.9	11	1	3	6	9	10	10	10
20-34	30	9.2	92	3	5	7	10	16	22	54
35-49	41	9.0	38	3	5	7	11	17	23	32
50-64	41	9.2	31	3	5	7	14	16	19	26
65 +	93	11.9	112	4	6	8	14	28	35	85
TOTAL SINGLE DX	35	5.4	11	1	3	6	7	9	10	18
TOTAL MULTIPLE DX	216	10.2	77	3	5	8	12	21	29	58
TOTAL										
0-19 YRS	18	5.9	18	1	3	5	8	10	15	18
20-34	41	7.9	74	2	4	6	9	13	20	54
35-49	49	8.5	33	4	5	7	11	14	23	32
50-64	47	8.9	29	3	5	7	13	16	18	26
65 +	96	11.7	111	4	6	8	14	27	35	84
GRAND TOTAL	251	9.5	70	3	5	7	11	19	26	54

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	3.0	9	< 1	1	2	5	8	8	8
35-49	41	3.0	3	1	2	3	3	5	6	12
50-64	1389	3.2	1	2	2	3	4	5	5	7
65 +	2916	3.6	4	2	3	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	8	6.4	28	2	3	5	8	15	18	18
20-34	7	3.6	2	2	2	4	4	6	6	6
35-49	190	3.6	8	2	2	3	4	5	7	16
50-64	6401	4.4	15	2	3	3	5	7	10	19
65 +	27006	5.6	30	2	3	4	6	10	15	29
TOTAL SINGLE DX	4355	3.4	4	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	33612	5.3	28	2	3	4	6	10	14	28
TOTAL										
0-19 YRS	9	6.2	25	2	3	5	7	14	18	18
20-34	15	3.3	6	1	1	2	4	8	8	8
35-49	231	3.5	7	2	2	3	4	5	7	16
50-64	7790	4.2	13	2	3	3	4	6	9	18
65 +	29922	5.4	29	2	3	4	6	10	14	28
GRAND TOTAL	37967	5.1	26	2	3	4	5	9	13	26

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.4	13	2	2	2	7	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	20	6.3	3	4	5	6	7	9	10	11
50-64	396	7.0	5	4	6	7	8	10	11	15
65 +	460	7.1	4	5	6	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	3	7.3	14	3	4	9	10	10	10	10
20-34	1	12.0		12	12	12	12	12	12	12
35-49	21	7.1	5	4	5	7	9	10	11	11
50-64	1112	8.1	13	5	6	7	9	12	15	23
65 +	2992	8.9	22	5	6	8	10	14	17	25
TOTAL SINGLE DX	882	7.0	5	5	6	7	8	10	11	15
TOTAL MULTIPLE DX	4129	8.7	20	5	6	8	10	14	17	25
TOTAL										
0-19 YRS	8	5.5	14	2	2	4	9	10	10	10
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	41	6.7	4	4	5	6	8	10	11	11
50-64	1508	7.8	12	5	6	7	9	12	14	21
65 +	3452	8.7	20	5	6	8	10	14	17	25
GRAND TOTAL	5011	8.4	18	5	6	7	9	13	16	24

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.0	4	<1	1	2	4	6	6	6
20-34	7	2.7	6	<1	1	2	3	7	8	8
35-49	15	3.3	14	1	1	3	4	5	13	16
50-64	49	2.0	3	1	1	1	2	4	5	11
65+	49	2.8	22	1	1	1	3	5	7	29
2. MULTIPLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	8	4.4	19	1	1	3	6	12	14	14
35-49	49	3.9	19	1	1	2	4	10	13	24
50-64	266	5.4	33	1	1	3	7	13	18	28
65+	950	8.3	66	1	3	6	11	18	25	39
TOTAL SINGLE DX	125	2.6	12	1	1	1	3	5	7	21
TOTAL MULTIPLE DX	1276	7.5	59	1	2	5	10	17	22	38
TOTAL										
0-19 YRS	8	2.9	2	<1	2	3	4	5	6	6
20-34	15	3.6	13	1	1	2	4	8	12	14
35-49	64	3.7	18	1	1	2	4	10	13	23
50-64	315	4.9	30	1	1	3	7	12	17	27
65+	999	8.0	66	1	2	6	11	18	24	39
GRAND TOTAL	1401	7.0	57	1	2	4	9	16	22	36

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	1.7	2	<1	1	1	2	3	5	8
20-34	66	2.4	4	1	1	2	3	4	7	12
35-49	50	2.5	5	1	1	2	3	5	6	14
50-64	34	1.8	1	<1	1	1	2	4	5	6
65+	23	2.2	3	1	1	1	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	107	3.2	28	<1	1	1	4	6	11	33
20-34	80	3.9	18	1	1	2	4	9	12	24
35-49	135	6.5	46	1	3	4	8	15	25	47
50-64	112	5.7	33	1	2	4	8	15	20	60
65+	146	7.4	77	1	2	4	9	20	26	57
TOTAL SINGLE DX	309	2.0	3	<1	1	1	2	4	6	9
TOTAL MULTIPLE DX	580	5.6	47	1	2	3	7	14	21	42
TOTAL										
0-19 YRS	243	2.4	14	<1	1	1	2	5	7	16
20-34	146	3.2	13	1	1	2	4	8	10	15
35-49	185	5.4	39	1	2	4	6	13	18	37
50-64	146	4.8	29	1	1	3	6	12	18	38
65+	169	6.7	71	1	2	4	8	18	25	54
GRAND TOTAL	889	4.4	35	1	1	2	5	10	16	35

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	213	1.9	4	<1	1	1	2	3	5	13
20-34	198	1.9	2	1	1	1	2	4	5	10
35-49	107	2.3	12	1	1	1	2	4	5	22
50-64	57	2.1	3	1	1	1	2	4	6	11
65+	186	1.7	2	1	1	1	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	207	3.0	51	<1	1	1	3	4	8	44
20-34	167	4.2	23	1	1	2	6	10	12	22
35-49	121	5.0	50	1	1	3	6	12	17	44
50-64	238	6.0	55	1	1	4	8	14	16	29
65+	1350	6.7	73	1	1	3	9	16	22	40
TOTAL SINGLE DX	761	1.9	5	1	1	1	2	4	5	11
TOTAL MULTIPLE DX	2083	5.9	65	1	1	3	8	15	19	39
TOTAL										
0-19 YRS	420	2.4	28	<1	1	1	2	4	7	21
20-34	365	2.9	13	1	1	2	3	7	10	17
35-49	228	3.7	34	1	1	2	4	9	13	36
50-64	295	5.2	48	1	1	3	7	12	16	25
65+	1536	6.1	68	1	1	3	8	15	21	37
GRAND TOTAL	2844	4.9	52	1	1	2	6	12	17	35

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	759	1.2		<1	<1	1	1	2	2	4
20-34	111	1.3		1	1	1	1	2	3	6
35-49	18	1.5	1	<1	1	1	1	3	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	554	1.6	6	<1	1	1	2	3	4	7
20-34	45	1.9	2	1	1	1	2	4	5	8
35-49	12	1.9	1	1	1	2	2	4	5	5
50-64	2	3.0		3	3	3	3	3	3	3
65+	0									
TOTAL SINGLE DX	890	1.2		<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	613	1.6	6	<1	1	1	2	3	4	7
TOTAL										
0-19 YRS	1313	1.4	3	<1	1	1	1	2	3	6
20-34	156	1.5	1	1	1	1	2	3	4	8
35-49	30	1.7	1	<1	1	1	2	3	5	5
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1503	1.4	3	<1	1	1	1	2	3	6

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	205	1.3		<1	1	1	1	2	3	5
20-34	47	2.0	1	1	1	2	3	4	5	5
35-49	18	1.5		1	1	1	2	3	4	4
50-64	3	3.0	12	1	1	1	6	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	115	2.5	21	<1	1	1	2	5	6	34
20-34	33	3.0	7	1	1	2	4	6	14	99+
35-49	22	3.9	18	<1	1	1	5	11	13	15
50-64	16	5.5	169	1	1	2	4	5	39	54
65+	13	7.5	117	1	3	5	6	14	38	43
TOTAL SINGLE DX	274	1.4	1	<1	1	1	1	3	3	5
TOTAL MULTIPLE DX	199	3.3	37	<1	1	1	3	6	11	48
TOTAL										
0-19 YRS	320	1.7	8	<1	1	1	1	3	5	9
20-34	80	2.4	4	1	1	2	3	5	6	74
35-49	40	2.8	12	1	1	1	3	8	11	15
50-64	19	5.1	143	1	1	2	4	6	33	54
65+	14	7.1	112	1	2	5	6	11	36	43
GRAND TOTAL	473	2.2	17	<1	1	1	2	4	6	28

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	48	1.1		<1	<1	<1	<1	<1	1	4
35-49	34	1.1		<1	<1	<1	<1	1	1	3
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	5.0	81	<1	1	1	4	20	28	28
35-49	7	1.4	1	<1	1	1	1	3	4	4
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	4	5.5	5	4	4	5	7	9	9	9
TOTAL SINGLE DX	82	1.1		<1	<1	<1	<1	<1	1	4
TOTAL MULTIPLE DX	24	3.7	33	1	1	1	4	9	15	28
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	57	1.7	14	<1	<1	<1	<1	1	3	27
35-49	41	1.1		<1	<1	<1	1	1	2	4
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	4	5.5	6	4	4	5	7	9	9	9
GRAND TOTAL	106	1.7	9	<1	<1	<1	1	2	4	17

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	1.4	1	<1	1	1	1	2	4	8
20-34	48	1.4		<1	1	1	1	3	3	5
35-49	72	1.5	1	<1	1	1	2	2	3	9
50-64	39	1.2		<1	1	1	1	2	2	3
65+	13	1.5		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	23	2.1	4	<1	1	1	2	5	8	9
20-34	36	1.8	1	1	1	1	2	4	5	5
35-49	55	1.9	4	1	1	1	2	4	5	15
50-64	76	2.7	9	1	1	1	3	9	10	15
65+	60	3.6	30	1	1	2	3	9	15	32
TOTAL SINGLE DX	254	1.4	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	250	2.6	12	1	1	1	2	5	9	17
TOTAL										
0-19 YRS	105	1.6	2	<1	1	1	1	3	5	9
20-34	84	1.6	1	<1	1	1	2	3	4	5
35-49	127	1.6	3	<1	1	1	2	3	4	11
50-64	115	2.2	7	1	1	1	2	4	9	13
65+	73	3.2	26	1	1	2	3	6	15	31
GRAND TOTAL	504	2.0	7	<1	1	1	2	3	6	15

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	253	1.1		<1	<1	<1	<1	1	1	6
20-34	14	1.1		<1	<1	<1	1	1	2	2
35-49	23	1.4	1	<1	<1	<1	1	3	5	7
50-64	10	1.3		<1	<1	<1	1	2	3	3
65+	7	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	176	4.5	46	<1	<1	1	5	12	21	30
20-34	21	5.6	36	<1	1	3	8	15	19	22
35-49	40	5.6	32	<1	1	4	8	12	17	28
50-64	68	5.5	70	1	1	2	6	12	23	42
65+	100	7.6	64	1	2	5	11	16	21	43
TOTAL SINGLE DX	307	1.2	1	<1	<1	<1	<1	1	2	6
TOTAL MULTIPLE DX	405	5.6	54	<1	1	2	7	14	21	37
TOTAL										
0-19 YRS	429	2.5	22	<1	<1	<1	1	6	10	27
20-34	35	3.8	27	<1	<1	1	5	12	16	22
35-49	63	4.0	25	<1	<1	1	6	9	13	27
50-64	78	5.0	64	<1	1	2	5	12	20	41
65+	107	7.2	63	<1	1	5	10	16	21	42
GRAND TOTAL	712	3.7	36	<1	<1	1	3	10	15	30

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	9	2.1	1	1	1	2	3	4	5	5
35-49	83	2.3	2	1	1	2	3	4	5	10
50-64	222	2.1	1	1	1	2	3	4	4	6
65 +	130	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	48	3.3	9	1	1	2	4	6	9	15
35-49	291	2.9	3	1	2	2	3	5	6	10
50-64	691	2.4	2	1	1	2	3	4	5	8
65 +	493	2.7	7	1	1	2	3	5	6	10
TOTAL SINGLE DX	444	2.1	1	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	1524	2.6	5	1	1	2	3	5	6	10
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	57	3.1	8	1	1	2	4	5	8	15
35-49	374	2.7	3	1	2	2	3	5	6	10
50-64	913	2.4	2	1	1	2	3	4	5	7
65 +	623	2.6	6	1	1	2	3	4	6	10
GRAND TOTAL	1968	2.5	4	1	1	2	3	4	5	9

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	113	1.9	3	< 1	< 1	1	2	4	6	9
20-34	80	3.4	13	1	1	2	4	8	13	18
35-49	55	3.1	9	1	1	2	4	7	8	18
50-64	65	2.8	8	1	1	2	3	8	10	14
65 +	36	3.2	9	1	1	2	4	8	9	16
2. MULTIPLE DX										
0-19 YRS	145	3.8	17	1	1	2	5	9	12	31
20-34	90	8.4	64	1	3	6	11	21	27	36
35-49	127	7.1	102	1	2	5	9	16	20	96
50-64	156	7.1	82	1	2	4	8	18	32	95
65 +	150	6.8	76	1	2	4	7	16	25	57
TOTAL SINGLE DX	349	2.7	8	< 1	1	2	3	6	9	15
TOTAL MULTIPLE DX	668	6.5	70	1	2	4	8	16	23	56
TOTAL										
0-19 YRS	258	2.9	12	< 1	1	1	3	7	10	20
20-34	170	6.0	46	1	1	3	7	14	21	33
35-49	182	5.9	78	1	2	3	7	12	19	77
50-64	221	5.8	64	1	1	3	7	15	26	61
65 +	186	6.1	65	1	2	3	7	14	19	55
GRAND TOTAL	1017	5.2	52	1	1	3	6	12	18	46

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	376	3.2	2	2	2	3	4	5	6	9
20-34	1009	3.1	1	2	3	3	4	4	5	7
35-49	229	3.4	1	2	3	3	4	5	6	7
50-64	14	4.8	8	2	2	4	7	9	10	10
65 +	10	4.6	6	3	3	4	5	8	11	11
2. MULTIPLE DX										
0-19 YRS	418	4.1	10	2	3	3	4	6	9	22
20-34	2473	3.8	7	2	3	3	4	6	6	13
35-49	799	4.2	18	2	3	4	5	6	8	17
50-64	91	7.8	56	3	4	5	9	15	18	47
65 +	96	9.8	45	4	5	8	12	19	22	38
TOTAL SINGLE DX	1638	3.2	2	2	3	3	4	5	5	7
TOTAL MULTIPLE DX	3877	4.2	14	2	3	4	4	6	8	17
TOTAL										
0-19 YRS	794	3.7	7	2	3	3	4	6	7	12
20-34	3482	3.6	6	2	3	3	4	5	6	11
35-49	1028	4.0	15	2	3	4	5	6	7	15
50-64	105	7.4	51	3	4	5	9	15	18	46
65 +	106	9.3	44	3	5	7	11	17	22	38
GRAND TOTAL	5515	3.9	10	2	3	3	4	6	7	15

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	177	3.8	4	2	3	4	4	5	6	10
20-34	779	3.6	2	2	3	3	4	5	6	10
35-49	529	3.6	1	2	3	3	4	5	6	9
50-64	90	3.6	2	2	3	3	4	6	6	9
65 +	33	4.4	7	2	3	4	5	7	7	17
2. MULTIPLE DX										
0-19 YRS	344	4.8	10	2	3	4	5	7	11	18
20-34	2646	4.2	5	3	3	4	5	6	8	14
35-49	2177	4.3	5	3	3	4	5	6	8	14
50-64	265	5.5	13	3	3	4	6	9	11	24
65 +	323	9.7	76	4	5	7	11	18	29	53
TOTAL SINGLE DX	1608	3.6	3	2	3	3	4	5	6	9
TOTAL MULTIPLE DX	5755	4.6	12	3	3	4	5	7	10	18
TOTAL										
0-19 YRS	521	4.4	8	2	3	4	5	7	9	18
20-34	3425	4.1	5	2	3	4	4	6	8	13
35-49	2706	4.1	4	2	3	4	5	6	8	13
50-64	355	5.0	11	3	3	4	6	9	11	23
65 +	356	9.2	72	4	4	7	11	17	25	51
GRAND TOTAL	7363	4.4	10	2	3	4	5	7	9	17

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.2	1	1	2	2	2	4	5	5
20-34	86	3.6	3	2	3	3	4	5	6	15
35-49	191	4.0	7	2	3	4	4	6	7	11
50-64	126	4.3	2	3	3	4	5	6	7	10
65 +	60	5.6	8	3	4	5	6	9	10	19
2. MULTIPLE DX										
0-19 YRS	11	5.5	12	2	3	5	8	11	13	13
20-34	758	4.3	5	3	3	4	5	6	8	14
35-49	2011	4.5	7	3	3	4	5	7	9	16
50-64	882	5.6	14	3	4	4	6	10	13	22
65 +	723	9.0	58	4	5	6	10	17	24	42
TOTAL SINGLE DX	473	4.2	6	2	3	4	5	6	7	12
TOTAL MULTIPLE DX	4385	5.4	20	3	3	4	6	9	13	25
TOTAL										
0-19 YRS	21	4.0	10	1	2	3	5	8	11	13
20-34	844	4.2	5	3	3	4	5	6	8	14
35-49	2202	4.5	7	3	3	4	5	7	9	16
50-64	1008	5.4	13	3	4	4	6	9	12	21
65 +	783	8.7	56	4	4	6	10	17	23	41
GRAND TOTAL	4858	5.3	18	3	3	4	6	9	12	24

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	89	2.6	2	1	1	3	3	4	6	8
20-34	238	2.5	2	1	1	2	3	4	5	8
35-49	45	2.1	1	<1	1	2	3	4	5	6
50-64	6	4.5	10	<1	1	5	6	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	130	3.8	13	1	2	3	4	6	10	19
20-34	898	3.3	4	1	2	3	4	5	6	10
35-49	332	4.1	14	1	2	3	4	7	10	23
50-64	15	5.2	7	3	3	4	8	10	10	10
65 +	19	7.6	40	<1	3	7	11	20	61	99 +
TOTAL SINGLE DX	378	2.5	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1394	3.6	9	1	2	3	4	6	8	18
TOTAL										
0-19 YRS	219	3.3	9	1	2	3	4	6	8	13
20-34	1136	3.1	4	1	2	3	4	5	6	9
35-49	377	3.9	14	1	2	3	4	6	9	23
50-64	21	5.0	8	1	3	4	7	9	10	10
65 +	19	7.6	41	<1	3	7	11	20	61	99 +
GRAND TOTAL	1772	3.4	7	1	2	3	4	5	7	16

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
20-34	322	1.1		<1	<1	<1	<1	1	2	3
35-49	147	1.1	2	<1	<1	<1	<1	<1	1	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	347	2.0	1	<1	1	2	2	3	4	8
35-49	155	1.7	1	<1	<1	1	2	3	5	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
TOTAL SINGLE DX	475	1.1	1	<1	<1	<1	<1	<1	1	3
TOTAL MULTIPLE DX	507	1.9	2	<1	1	2	2	3	4	8
TOTAL										
0-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
20-34	669	1.5	1	<1	<1	<1	2	3	3	5
35-49	302	1.4	2	<1	<1	<1	1	3	3	8
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	0									
GRAND TOTAL	982	1.5	1	<1	<1	<1	2	3	3	6

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.4	3	1	1	2	3	5	6	6
20-34	597	2.0		<1	1	2	3	3	4	5
35-49	209	1.9	1	<1	1	2	2	3	4	6
50-64	6	4.7	12	1	3	4	5	10	11	11
65 +	0									
2. MULTIPLE DX										
0-19 YRS	54	3.8	45	2	2	2	3	4	9	37
20-34	7577	2.5	2	2	2	2	3	3	4	6
35-49	1405	2.7	2	1	2	2	3	4	5	8
50-64	17	4.5	5	2	3	4	5	9	10	11
65 +	0									
TOTAL SINGLE DX	819	2.0	1	<1	1	2	3	3	4	6
TOTAL MULTIPLE DX	9053	2.5	3	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	61	3.6	40	1	2	2	3	4	8	37
20-34	8174	2.4	3	1	2	2	3	3	4	6
35-49	1614	2.6	3	1	2	2	3	4	5	8
50-64	23	4.6	7	2	3	4	5	9	11	11
65 +	0									
GRAND TOTAL	9872	2.5	3	1	2	2	3	3	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	196	3.0	1	2	2	3	4	4	5	5
20-34	2499	3.0	1	1	2	3	4	4	5	6
35-49	565	3.0	1	1	2	3	4	5	5	6
50-64	5	4.8	40	<1	1	2	7	16	16	16
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	283	3.7	3	2	3	3	4	5	6	12
20-34	4005	3.5	2	2	3	3	4	5	6	9
35-49	1110	3.6	3	2	3	3	4	5	7	10
50-64	26	4.7	5	3	3	4	5	7	9	13
65 +	12	6.0	35	2	2	4	8	13	22	23
TOTAL SINGLE DX	3266	3.0	2	1	2	3	4	4	5	6
TOTAL MULTIPLE DX	5436	3.5	3	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	479	3.4	2	2	3	3	4	5	5	10
20-34	6504	3.3	2	2	3	3	4	5	5	8
35-49	1675	3.4	3	1	2	3	4	5	6	9
50-64	31	4.7	10	2	3	4	5	8	13	16
65 +	13	5.7	34	2	2	4	8	12	21	23
GRAND TOTAL	8702	3.3	2	2	3	3	4	5	6	8

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	149	1.1		<1	<1	<1	1	1	1	3
35-49	72	1.3		<1	<1	<1	1	2	3	4
50-64	26	1.4	1	<1	<1	1	1	2	5	6
65 +	5	1.6	2	<1	<1	<1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	8	1.0		<1	<1	<1	1	1	1	1
20-34	116	2.3	30	<1	<1	1	1	4	6	31
35-49	87	2.7	12	<1	1	1	3	6	8	20
50-64	51	2.4	8	<1	1	1	2	6	8	14
65 +	38	3.4	18	<1	1	2	4	9	14	20
TOTAL SINGLE DX	259	1.2		<1	<1	<1	1	1	2	4
TOTAL MULTIPLE DX	300	2.5	19	<1	<1	1	2	5	8	19
TOTAL										
0-19 YRS	15	1.1		<1	<1	<1	1	1	2	2
20-34	265	1.6	14	<1	<1	<1	1	2	3	15
35-49	159	2.1	7	<1	<1	1	2	5	6	14
50-64	77	2.1	6	<1	<1	1	2	5	7	13
65 +	43	3.2	17	<1	1	2	4	8	14	20
GRAND TOTAL	559	1.9	11	<1	<1	1	1	4	6	14

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.4		<1	<1	<1	1	3	4	4
20-34	112	1.2		<1	<1	<1	<1	2	3	3
35-49	50	1.5	1	<1	<1	<1	1	3	5	5
50-64	25	1.5		<1	<1	1	2	3	3	4
65 +	20	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	12	5.0	26	<1	2	2	7	15	16	16
20-34	161	2.1	3	<1	<1	1	3	4	5	10
35-49	146	4.2	43	<1	1	2	4	8	13	36
50-64	102	5.8	95	<1	1	3	6	11	20	59
65 +	196	7.0	56	2	2	5	9	16	22	42
TOTAL SINGLE DX	219	1.4	1	<1	<1	<1	1	3	4	5
TOTAL MULTIPLE DX	617	4.8	49	<1	1	2	5	11	17	36
TOTAL										
0-19 YRS	24	3.2	17	<1	<1	2	3	9	15	16
20-34	273	1.7	2	<1	<1	<1	2	3	4	9
35-49	196	3.5	34	<1	<1	1	4	7	12	32
50-64	127	5.0	80	<1	1	2	5	9	17	53
65 +	216	6.6	53	1	2	4	8	16	20	40
GRAND TOTAL	836	3.9	39	<1	<1	2	4	9	14	35

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	2.2	2	1	1	2	3	4	6	9
20-34	672	1.8	2	1	1	1	2	3	4	10
35-49	145	1.7	1	1	1	1	2	3	4	6
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	23	3.6	7	1	2	3	5	7	10	11
20-34	405	3.6	42	1	1	2	4	7	10	28
35-49	120	3.3	15	1	1	2	4	7	8	23
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	859	1.8	2	1	1	1	2	3	4	10
TOTAL MULTIPLE DX	551	3.5	35	1	1	2	4	7	9	26
TOTAL										
0-19 YRS	62	2.7	5	1	1	2	4	5	8	11
20-34	1077	2.5	18	1	1	1	2	4	7	14
35-49	265	2.4	9	1	1	2	3	5	6	14
50-64	4	1.0		< 1	< 1	1	1	1	1	1
65 +	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1410	2.5	16	1	1	1	3	5	7	14

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.2	4	< 1	< 1	3	5	6	6	6
20-34	383	3.4	1	2	3	3	4	5	5	6
35-49	266	3.6	3	2	3	3	4	5	6	7
50-64	14	2.1	2	< 1	< 1	1	3	5	5	5
65 +	6	2.8	13	< 1	< 1	1	3	9	10	10
2. MULTIPLE DX										
0-19 YRS	30	4.2	6	1	3	4	5	7	11	12
20-34	1210	3.9	6	2	3	4	4	6	7	12
35-49	1145	4.3	17	2	3	4	5	6	8	17
50-64	103	7.6	67	1	2	5	9	19	26	40
65 +	123	10.7	105	1	3	8	13	27	33	47
TOTAL SINGLE DX	675	3.4	3	1	3	3	4	5	5	7
TOTAL MULTIPLE DX	2611	4.6	20	2	3	4	5	7	9	28
TOTAL										
0-19 YRS	36	4.0	6	< 1	3	4	5	7	10	12
20-34	1593	3.8	5	2	3	4	4	5	6	10
35-49	1411	4.2	15	2	3	4	5	6	7	15
50-64	117	6.9	63	1	2	4	8	18	25	38
65 +	129	10.3	104	1	3	8	13	26	32	47
GRAND TOTAL	3286	4.3	17	2	3	4	5	6	9	25

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.3	1	2	3	4	5	6	6	6
20-34	803	3.9	1	3	3	4	4	5	6	8
35-49	2315	4.1	1	3	3	4	4	5	6	8
50-64	679	4.4	1	3	4	4	5	6	7	9
65 +	389	4.9	3	3	4	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	55	5.1	10	3	3	4	6	9	13	17
20-34	9628	4.3	3	3	3	4	5	6	7	11
35-49	31378	4.4	3	3	4	4	5	6	7	12
50-64	7574	5.1	8	3	4	4	5	7	9	17
65 +	4117	7.2	32	4	4	5	8	12	17	32
TOTAL SINGLE DX	4194	4.2	2	3	3	4	5	5	6	9
TOTAL MULTIPLE DX	52752	4.7	7	3	4	4	5	7	8	15
TOTAL										
0-19 YRS	63	5.0	10	3	3	4	5	9	12	17
20-34	10431	4.3	4	3	3	4	5	6	7	11
35-49	33693	4.4	3	3	4	4	5	6	7	11
50-64	8253	5.0	8	3	4	4	5	7	9	16
65 +	4506	7.0	31	4	4	5	7	12	16	30
GRAND TOTAL	56946	4.7	7	3	4	4	5	6	8	15

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	630	3.1	1	2	3	3	4	4	4	6
35-49	860	3.2	1	2	3	3	4	4	5	7
50-64	487	4.1	2	3	3	4	5	6	6	9
65 +	439	4.5	2	3	4	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	12	3.2	2	1	2	3	4	5	6	6
20-34	3429	3.4	1	2	3	3	4	5	5	7
35-49	8456	3.6	1	2	3	3	4	5	6	8
50-64	2895	4.3	3	3	3	4	5	6	7	10
65 +	2924	5.1	6	3	4	5	6	7	9	14
TOTAL SINGLE DX	2418	3.6	2	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	17716	3.9	3	2	3	4	4	6	6	10
TOTAL										
0-19 YRS	14	3.1	2	2	2	3	4	5	6	6
20-34	4059	3.3	1	2	3	3	4	4	5	7
35-49	9316	3.5	2	2	3	3	4	5	6	8
50-64	3382	4.2	4	3	3	4	5	6	7	10
65 +	3363	5.0	6	3	4	5	6	7	8	14
GRAND TOTAL	20134	3.9	3	2	3	4	4	5	6	10

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	35	7.2	2	6	6	7	8	9	10	11
35-49	51	7.1	5	4	6	7	9	10	12	14
50-64	10	6.9	4	4	5	7	7	10	12	12
65 +	6	8.7	8	4	6	10	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	4	18.8	187	6	8	16	29	37	37	37
20-34	122	7.7	19	4	6	7	8	11	14	30
35-49	237	8.1	17	4	6	7	9	13	17	25
50-64	141	11.4	47	5	7	9	13	20	27	35
65 +	123	14.0	142	5	7	10	15	29	36	71
TOTAL SINGLE DX	102	7.2	5	5	6	7	8	10	11	13
TOTAL MULTIPLE DX	627	10.0	56	5	6	8	11	17	24	40
TOTAL										
0-19 YRS	4	18.8	187	6	8	16	29	37	37	37
20-34	157	7.6	16	4	6	7	8	10	14	29
35-49	288	7.9	16	4	6	7	9	12	16	24
50-64	151	11.1	46	5	7	9	13	19	27	35
65 +	129	13.8	137	5	7	10	15	29	34	71
GRAND TOTAL	**729**	**9.6**	**50**	**5**	**6**	**8**	**10**	**16**	**22**	**38**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.2		< 1	1	1	1	2	3	3
20-34	115	1.5		< 1	1	1	2	3	4	5
35-49	19	1.5		< 1	1	1	2	2	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	32	4.3	32	1	1	3	5	9	14	31
20-34	122	4.1	19	1	1	3	5	10	13	24
35-49	35	2.6	3	< 1	1	2	3	5	7	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
TOTAL SINGLE DX	153	1.4	1	< 1	1	1	2	2	3	5
TOTAL MULTIPLE DX	190	3.9	19	1	1	3	4	9	13	26
TOTAL										
0-19 YRS	51	3.2	23	1	1	1	4	6	10	31
20-34	237	2.8	12	< 1	1	2	3	6	10	18
35-49	54	2.2	3	< 1	1	2	3	4	6	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**343**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	959	1.3		< 1	< 1	1	1	2	3	5
20-34	4870	1.3		< 1	< 1	1	1	2	3	5
35-49	1328	1.2		< 1	< 1	1	1	2	3	5
50-64	173	1.4	1	< 1	< 1	< 1	1	2	4	7
65 +	67	1.9	3	< 1	< 1	< 1	2	3	7	11
2. MULTIPLE DX										
0-19 YRS	520	2.4	8	1	1	2	3	4	6	13
20-34	3292	2.6	9	1	1	2	3	5	6	13
35-49	1893	2.6	15	< 1	1	1	3	5	7	17
50-64	524	3.4	21	< 1	1	1	4	7	12	23
65 +	596	6.4	76	< 1	1	3	8	16	23	58
TOTAL SINGLE DX	7397	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	6825	3.0	19	< 1	1	2	3	6	9	22
TOTAL										
0-19 YRS	1479	1.7	4	< 1	1	1	2	3	4	8
20-34	8162	1.8	5	< 1	1	1	2	3	5	9
35-49	3221	2.0	10	< 1	< 1	1	2	4	6	13
50-64	697	2.9	17	< 1	< 1	1	3	6	10	22
65 +	663	5.9	71	< 1	1	3	7	15	22	57
GRAND TOTAL	**14222**	**2.1**	**10**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.3		< 1	< 1	1	1	2	3	4
20-34	111	1.5	3	< 1	< 1	< 1	1	2	4	12
35-49	24	1.1		< 1	< 1	< 1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	30	5.8	44	1	1	3	7	14	18	31
20-34	148	3.3	20	< 1	1	2	4	6	10	33
35-49	42	3.3	41	< 1	< 1	1	2	7	13	39
50-64	0									
65 +	0									
TOTAL SINGLE DX	153	1.4	2	< 1	< 1	< 1	1	2	4	11
TOTAL MULTIPLE DX	220	3.7	28	< 1	1	2	4	7	13	33
TOTAL										
0-19 YRS	48	4.1	32	< 1	1	2	5	10	15	31
20-34	259	2.6	14	< 1	< 1	1	3	5	7	18
35-49	66	2.5	27	< 1	< 1	1	2	4	11	35
50-64	0									
65 +	0									
GRAND TOTAL	**373**	**2.7**	**19**	**<1**	**<1**	**1**	**3**	**6**	**10**	**28**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	250	1.3		<1	<1	1	1	2	3	4
20-34	1465	1.2	1	<1	<1	1	1	2	2	4
35-49	357	1.2		<1	<1	1	1	2	2	4
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	142	2.4	4	1	1	2	3	6	7	10
20-34	784	2.5	8	<1	1	2	3	5	7	14
35-49	194	3.0	23	<1	1	2	3	6	9	30
50-64	10	6.8	41	1	2	4	9	18	18	18
65 +	17	11.9	256	1	2	6	13	45	52	52
TOTAL SINGLE DX	2075	1.2	1	<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	1147	2.7	15	<1	1	2	3	5	8	18
TOTAL										
0-19 YRS	392	1.7	2	<1	1	1	2	3	5	9
20-34	2249	1.7	4	<1	<1	1	2	3	4	9
35-49	551	1.8	9	<1	<1	1	1	3	5	11
50-64	13	5.7	36	1	2	4	7	18	18	18
65 +	17	11.9	256	1	2	6	13	45	52	52
GRAND TOTAL	3222	1.8	7	<1	<1	1	2	3	5	11

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	20	3.0	1	1	3	3	4	4	5	5
35-49	7	3.3	1	2	3	3	3	5	6	6
50-64	5	4.0	1	3	3	4	5	5	5	5
65 +	5	2.8	2	1	2	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	4.5	6	2	3	4	6	9	9	9
20-34	95	2.8	1	1	2	3	4	4	5	6
35-49	34	3.3	3	1	2	3	4	6	7	8
50-64	8	4.0	3	2	3	4	5	7	8	8
65 +	12	8.4	109	3	4	5	8	22	37	40
TOTAL SINGLE DX	39	3.2	1	1	3	3	4	5	5	6
TOTAL MULTIPI.E DX	155	3.5	12	1	2	3	4	5	6	14
TOTAL										
0-19 YRS	8	4.5	5	2	3	4	5	8	9	9
20-34	115	2.8	1	1	2	3	4	4	5	6
35-49	41	3.3	3	1	2	3	4	6	7	8
50-64	13	4.0	3	2	3	4	5	6	8	8
65 +	17	6.8	83	2	3	4	5	13	31	40
GRAND TOTAL	194	3.4	10	1	2	3	4	5	6	12

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1, 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	2.5	1	1	1	2	3	4	5	6
20-34	222	1.7	1	<1	1	1	2	4	4	6
35-49	93	1.7	1	<1	1	1	2	3	4	5
50-64	24	2.5	1	1	2	2	3	4	5	6
65 +	12	2.1		1	1	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	43	2.9	5	1	1	2	4	6	7	11
20-34	381	3.1	13	<1	1	2	4	5	7	22
35-49	178	3.2	35	<1	1	2	4	6	8	14
50-64	47	3.4	13	1	1	2	4	6	14	18
65 +	39	3.6	8	1	2	3	4	8	11	12
TOTAL SINGLE DX	382	1.8	2	<1	1	1	2	4	4	6
TOTAL MULTIPLE DX	688	3.2	18	<1	1	2	4	5	8	18
TOTAL										
0-19 YRS	74	2.7	4	1	1	2	3	5	6	10
20-34	603	2.6	10	<1	1	2	3	5	6	16
35-49	271	2.7	24	<1	1	2	3	5	7	11
50-64	71	3.1	9	1	1	2	4	6	7	17
65 +	51	3.3	7	1	2	3	4	6	10	12
GRAND TOTAL	1070	2.7	13	<1	1	2	3	5	6	15

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	53	2.9	2	1	2	3	4	5	6	9
35-49	253	2.9	1	1	2	3	4	4	5	6
50-64	618	3.3	1	2	2	3	4	5	6	8
65 +	548	3.7	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	140	3.6	2	1	2	3	5	6	7	9
35-49	818	3.6	2	2	3	4	4	5	6	9
50-64	1543	4.0	3	2	3	4	5	6	7	11
65 +	2051	4.5	5	2	3	4	5	7	9	14
TOTAL SINGLE DX	1472	3.4	2	2	2	3	4	5	6	8
TOTAL MULTIPLE DX	4554	4.2	4	2	3	4	5	6	8	12
TOTAL										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	193	3.4	3	1	2	3	4	6	6	9
35-49	1071	3.5	2	2	3	3	4	5	6	8
50-64	2161	3.8	3	2	3	4	5	6	7	10
65 +	2599	4.3	5	2	3	4	5	7	8	13
GRAND TOTAL	6026	4.0	4	2	3	4	5	6	7	11

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	79	2.6	10	<1	1	1	4	5	6	21
20-34	178	2.8	5	1	1	2	3	5	6	14
35-49	71	3.1	7	1	1	2	4	6	7	17
50-64	68	3.5	3	1	2	3	4	6	8	83
65 +	60	3.5	2	2	2	3	5	6	6	7
2. MULTIPLE DX										
0-19 YRS	125	4.4	27	1	1	3	5	10	13	57
20-34	179	3.2	6	1	1	3	4	6	8	13
35-49	152	5.7	81	1	2	4	5	11	17	70
50-64	189	4.8	9	2	3	4	6	8	10	16
65 +	288	6.2	30	3	4	5	7	11	15	32
TOTAL SINGLE DX	456	3.0	6	1	1	2	4	5	7	14
TOTAL MULTIPLE DX	933	5.0	31	1	2	4	6	9	13	26
TOTAL										
0-19 YRS	204	3.7	22	<1	1	2	5	8	11	34
20-34	357	3.0	6	1	1	2	4	6	7	13
35-49	223	4.8	59	1	2	3	5	7	15	37
50-64	257	4.5	8	2	3	4	5	8	10	17
65 +	348	5.8	27	2	3	4	6	10	14	29
GRAND TOTAL	1389	4.4	23	1	2	3	5	8	11	24

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	2.5	7	<1	1	2	3	5	7	17
20-34	130	3.0	5	<1	1	2	4	7	8	13
35-49	90	3.8	12	<1	1	3	5	9	11	18
50-64	59	3.1	6	<1	1	2	4	6	9	13
65 +	103	2.9	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	138	4.6	34	1	1	2	5	11	18	28
20-34	458	3.6	11	1	1	2	5	7	9	17
35-49	278	4.8	44	<1	2	4	6	10	13	19
50-64	238	4.9	20	2	2	4	5	10	14	31
65 +	508	5.4	31	2	3	4	6	9	15	32
TOTAL SINGLE DX	449	3.1	7	<1	1	2	4	6	8	13
TOTAL MULTIPLE DX	1620	4.6	27	1	2	3	5	9	13	25
TOTAL										
0-19 YRS	205	3.9	27	1	1	2	4	9	15	25
20-34	588	3.5	11	<1	1	2	4	7	9	17
35-49	368	4.6	37	<1	1	3	6	10	12	19
50-64	297	4.6	19	1	2	3	5	9	12	25
65 +	611	5.0	27	2	2	4	5	9	14	30
GRAND TOTAL	2069	4.3	23	1	2	3	5	8	12	23

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	109	1.9	1	<1	1	1	2	4	5	6
20-34	183	1.9	1	<1	<1	1	2	4	5	7
35-49	103	1.5		<1	<1	1	2	3	4	5
50-64	35	2.1	3	<1	<1	1	3	5	6	9
65 +	37	2.1	3	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
0-19 YRS	113	4.3	70	1	1	3	4	8	10	51
20-34	359	3.5	17	1	2	2	4	6	10	25
35-49	164	5.0	27	1	1	3	7	12	15	25
50-64	101	6.8	66	1	3	5	8	13	24	77
65 +	136	6.8	63	1	2	4	8	14	28	99 +
TOTAL SINGLE DX	467	1.8	2	<1	<1	1	2	4	5	7
TOTAL MULTIPLE DX	873	4.8	41	1	2	3	6	10	15	39
TOTAL										
0-19 YRS	222	3.1	38	<1	1	2	3	5	8	33
20-34	542	3.0	13	<1	1	2	3	6	8	20
35-49	267	3.7	20	<1	1	2	4	9	13	21
50-64	136	5.6	54	<1	1	4	7	10	20	62
65 +	173	5.8	54	1	2	4	7	12	22	88
GRAND TOTAL	1340	3.8	29	<1	1	2	4	8	12	34

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	3.3	6	<1	1	2	5	7	7	7
35-49	22	3.2	4	<1	1	3	5	6	7	8
50-64	20	4.6	9	1	2	4	7	9	11	11
65 +	32	5.5	14	2	2	4	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	4.9	14	2	3	4	6	9	14	16
35-49	41	5.2	17	1	2	4	8	12	13	17
50-64	65	7.8	31	2	4	6	10	16	21	24
65 +	194	9.8	60	2	4	8	13	20	24	50
TOTAL SINGLE DX	83	4.4	10	1	2	3	7	9	11	14
TOTAL MULTIPLE DX	315	8.5	50	2	4	7	12	18	23	34
TOTAL										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	22	4.3	12	1	2	3	6	8	11	16
35-49	63	4.5	14	1	2	3	6	10	12	16
50-64	85	7.0	28	2	3	6	9	15	19	24
65 +	226	9.2	56	2	4	7	13	19	24	42
GRAND TOTAL	398	7.7	44	2	3	6	10	16	21	31

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	1.6	1	<1	1	1	2	3	5	6
20-34	54	2.1	1	1	1	2	2	4	5	8
35-49	17	2.8	5	1	1	2	3	7	8	8
50-64	7	2.3	1	1	2	2	3	4	4	4
65 +	3	2.3	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	60	3.0	8	<1	1	2	3	6	10	15
20-34	78	2.5	4	1	1	2	3	4	6	13
35-49	35	4.0	19	1	1	3	4	10	15	20
50-64	17	3.1	4	1	2	3	4	7	7	7
65 +	17	3.9	3	1	3	4	5	7	7	7
TOTAL SINGLE DX	136	2.0	2	1	1	2	2	4	5	8
TOTAL MULTIPLE DX	207	3.1	8	1	1	2	4	6	10	16
TOTAL										
0-19 YRS	115	2.3	6	<1	1	1	3	5	6	13
20-34	132	2.3	4	1	1	2	3	4	5	12
35-49	52	3.6	15	1	1	2	4	8	13	20
50-64	24	2.8	3	1	2	2	3	6	7	7
65 +	20	3.7	4	1	2	4	5	6	7	7
GRAND TOTAL	343	2.6	6	1	1	2	3	5	7	14

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.2		<1	<1	<1	1	2	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	18	4.7	33	<1	<1	2	6	12	18	22
20-34	13	5.5	46	1	1	3	6	18	22	23
35-49	10	5.6	37	<1	1	2	10	15	17	17
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	10	11.7	173	2	3	6	17	33	44	44
TOTAL SINGLE DX	18	1.4	1	<1	<1	1	2	3	3	3
TOTAL MULTIPLE DX	53	6.2	66	<1	1	3	8	17	22	43
TOTAL										
0-19 YRS	32	3.2	22	<1	<1	1	3	10	13	22
20-34	15	5.1	41	1	1	3	5	17	21	23
35-49	11	5.2	35	<1	1	1	9	15	17	17
50-64	3	1.7	1	<1	<1	<1	2	3	3	3
65 +	10	11.7	173	2	3	6	17	33	44	44
GRAND TOTAL	71	5.0	54	<1	1	2	6	15	22	40

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1306	2.2		1	2	2	3	3	3	4
20-34	6276	2.2		1	2	2	3	3	3	4
35-49	502	2.4	1	2	2	2	3	3	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2150	2.5	2	1	2	2	3	4	4	9
20-34	12677	2.5	2	2	2	2	3	3	4	7
35-49	1255	2.6	2	2	2	2	3	4	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	8084	2.2	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	16082	2.5	2	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	3456	2.4	2	1	2	2	3	3	4	7
20-34	18953	2.4	2	2	2	2	3	3	4	6
35-49	1757	2.6	2	2	2	2	3	4	4	8
50-64	0									
65 +	0									
GRAND TOTAL	24166	2.4	2	2	2	2	3	3	4	6

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.7		1	1	2	2	3	3	3
20-34	143	1.9		1	1	2	2	3	3	4
35-49	18	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	79	2.3	4	1	1	2	2	4	8	11
20-34	481	2.9	15	1	1	2	3	4	7	22
35-49	78	3.4	10	1	2	3	3	7	11	18
50-64	0									
65 +	0									
TOTAL SINGLE DX	176	1.9	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	638	2.9	14	1	1	2	3	5	8	20
TOTAL										
0-19 YRS	94	2.2	4	1	1	2	2	3	7	11
20-34	624	2.7	12	1	1	2	3	4	6	20
35-49	96	3.1	9	1	1	2	3	6	10	17
50-64	0									
65 +	0									
GRAND TOTAL	814	2.7	11	1	1	2	3	4	6	18

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1261	2.0		1	2	2	2	3	3	4
20-34	7976	2.0		1	2	2	2	3	3	4
35-49	762	2.1		1	2	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2268	2.5	6	1	2	2	3	3	4	8
20-34	15617	2.4	2	1	2	2	3	3	4	6
35-49	1859	2.4	2	1	2	2	3	3	4	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
TOTAL SINGLE DX	10000	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	19745	2.4	3	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	3529	2.3	4	1	2	2	3	3	4	7
20-34	23593	2.3	2	1	2	2	3	3	4	6
35-49	2621	2.3	2	1	2	2	3	3	4	6
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	0									
GRAND TOTAL	29745	2.3	2	1	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22293	2.0		1	1	2	2	3	3	4
20-34	123229	1.9		1	1	2	2	3	3	4
35-49	10807	2.0	1	1	1	2	2	3	3	4
50-64	8	2.3		1	2	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	13918	2.4	4	1	2	2	3	4	5	10
20-34	80445	2.4	4	1	2	2	3	3	4	8
35-49	9124	2.5	5	1	2	2	3	4	4	10
50-64	7	2.3	1	1	2	2	3	4	4	4
65 +	0									
TOTAL SINGLE DX	156337	1.9	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	103494	2.4	4	1	2	2	3	3	4	9
TOTAL										
0-19 YRS	36211	2.1	2	1	2	2	2	3	4	7
20-34	203674	2.1	2	1	2	2	2	3	3	5
35-49	19931	2.2	3	1	2	2	3	3	4	7
50-64	15	2.3	1	1	2	2	3	4	4	4
65 +	0									
GRAND TOTAL	259831	2.1	2	1	2	2	2	3	3	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2053	3.8	1	3	3	4	4	5	5	8
20-34	19152	3.8	1	3	3	4	4	5	5	6
35-49	2105	3.9	1	3	3	4	4	5	5	7
50-64	4	3.8	1	3	3	4	4	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8213	4.9	9	3	4	4	5	7	9	16
20-34	74988	4.4	8	3	3	4	5	6	7	15
35-49	11932	4.7	15	3	4	4	5	6	8	20
50-64	5	4.4	3	3	3	4	5	7	7	7
65 +	0									
TOTAL SINGLE DX	23314	3.8	1	3	3	4	4	5	5	7
TOTAL MULTIPLE DX	95138	4.5	10	3	3	4	5	6	7	16
TOTAL										
0-19 YRS	10266	4.7	8	3	3	4	5	7	8	15
20-34	94140	4.3	7	3	3	4	5	5	7	13
35-49	14037	4.6	13	3	3	4	5	6	7	18
50-64	9	4.1	2	3	3	4	5	6	7	7
65 +	0									
GRAND TOTAL	118452	4.4	8	3	3	4	5	6	7	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	3.7	1	3	3	4	4	5	5	9
20-34	306	3.7	1	3	3	4	4	5	5	7
35-49	41	3.9		3	3	4	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	250	6.1	21	3	4	5	6	11	16	26
20-34	1748	6.1	47	3	4	4	6	10	15	40
35-49	387	7.3	77	3	4	5	6	11	27	49
50-64	0									
65 +	0									
TOTAL SINGLE DX	409	3.7	2	3	3	4	4	5	5	8
TOTAL MULTIPLE DX	2385	6.3	50	3	4	4	6	10	16	41
TOTAL										
0-19 YRS	312	5.6	19	3	3	4	6	10	14	25
20-34	2054	5.8	42	3	3	4	5	9	14	35
35-49	428	6.9	71	3	4	4	6	11	22	48
50-64	0									
65 +	0									
GRAND TOTAL	2794	5.9	44	3	4	4	6	9	14	39

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	2.8	1	1	2	3	3	4	4	7
20-34	374	2.5	1	1	1	2	3	4	4	6
35-49	63	2.6	1	1	2	3	3	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	34	3.1	1	2	2	3	4	5	6	6
20-34	526	3.2	3	1	2	3	4	5	6	12
35-49	79	3.1	3	1	2	3	4	6	6	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	470	2.5	1	1	1	3	3	4	4	6
TOTAL MULTIPLE DX	639	3.2	4	1	2	3	4	5	6	12
TOTAL										
0-19 YRS	67	3.0	2	1	2	3	4	4	5	7
20-34	900	2.9	3	1	2	3	4	4	6	9
35-49	142	2.9	3	1	2	3	4	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	1109	2.9	3	1	2	3	4	5	[illegible]	9

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	1.4	2	1	1	1	2	2	2	10
20-34	159	1.3		1	1	1	2	2	2	3
35-49	14	1.2		<1	1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	35	2.1	12	1	1	1	2	3	6	21
20-34	119	1.7	1	1	1	1	2	3	4	7
35-49	22	2.1	1	1	1	2	3	4	5	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	264	1.3	1	1	1	1	2	2	2	3
TOTAL MULTIPLE DX	176	1.8	4	1	1	1	2	3	4	9
TOTAL										
0-19 YRS	126	1.6	5	1	1	1	2	2	3	16
20-34	278	1.5	1	1	1	1	2	2	3	5
35-49	36	1.8	1	1	1	1	2	3	5	6
50-64	0									
65 +	0									
GRAND TOTAL	440	1.5	2	1	1	1	2	2	3	6

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	4.2	13	1	2	3	5	7	12	20
20-34	481	4.3	24	1	1	3	5	9	14	23
35-49	37	8.2	77	1	2	4	10	25	28	29
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	182	5.8	49	1	2	4	7	11	16	38
20-34	823	5.8	45	1	2	4	7	13	18	34
35-49	98	8.1	122	1	2	4	11	16	39	55
50-64	0									
65 +	0									
TOTAL SINGLE DX	640	4.5	26	1	2	3	5	9	15	25
TOTAL MULTIPLE DX	1103	6.0	54	1	2	4	7	13	18	39
TOTAL										
0-19 YRS	304	5.1	36	1	2	3	6	10	15	35
20-34	1304	5.3	38	1	2	3	6	12	16	32
35-49	135	8.2	110	1	2	4	11	20	30	51
50-64	0									
65 +	0									
GRAND TOTAL	1743	5.5	44	1	2	3	6	12	17	36

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1805	1.8	2	<1	1	1	2	3	3	7
20-34	10699	1.8	1	<1	1	2	2	3	3	6
35-49	998	1.9	1	<1	1	2	2	3	3	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1122	2.2	4	<1	1	2	3	4	6	11
20-34	6358	2.4	6	<1	1	2	3	4	5	13
35-49	724	2.5	5	<1	1	2	3	4	7	13
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	13502	1.8	2	<1	1	2	2	3	3	6
TOTAL MULTIPLE DX	8205	2.4	6	<1	1	2	3	4	5	13
TOTAL										
0-19 YRS	2927	1.9	3	<1	1	1	2	3	4	9
20-34	17057	2.0	3	<1	1	2	2	3	4	9
35-49	1722	2.2	4	<1	1	2	2	3	4	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	21707	2.0	3	<1	1	2	2	3	4	9

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3623	1.8		1	1	2	2	3	3	4
20-34	22029	1.8		1	1	2	2	3	3	4
35-49	2208	1.9		1	1	2	2	3	3	4
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5253	2.2	2	1	2	2	3	3	4	7
20-34	32691	2.1	2	1	2	2	2	3	4	6
35-49	4084	2.3	4	1	2	2	3	3	4	7
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
TOTAL SINGLE DX	27862	1.8	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	42030	2.2	3	1	2	2	2	3	4	6
TOTAL										
0-19 YRS	8876	2.0	2	1	1	2	2	3	3	6
20-34	54720	2.0	2	1	1	2	2	3	3	5
35-49	6292	2.1	3	1	1	2	2	3	4	6
50-64	4	2.5	3	1	1	2	4	5	5	5
65 +	0									
GRAND TOTAL	69892	2.0	2	1	1	2	2	3	3	5

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	2.8	5	<1	1	2	4	7	7	11
20-34	43	3.8	19	1	2	2	4	8	17	20
35-49	52	3.4	9	1	2	2	4	7	9	16
50-64	26	3.4	12	1	2	2	3	8	12	17
65 +	24	4.3	20	1	2	4	5	7	12	23
2. MULTIPLE DX										
0-19 YRS	73	4.2	20	1	2	3	5	8	15	24
20-34	69	5.5	64	1	1	3	6	12	18	51
35-49	75	4.9	33	1	1	2	7	10	16	28
50-64	112	8.2	81	1	2	5	10	18	29	46
65 +	152	9.1	66	1	3	7	13	21	25	38
TOTAL SINGLE DX	210	3.4	12	1	1	2	4	7	9	19
TOTAL MULTIPLE DX	481	7.0	61	1	2	4	9	17	23	38
TOTAL										
0-19 YRS	138	3.6	13	1	1	2	4	7	10	21
20-34	112	4.9	48	1	1	3	5	11	18	39
35-49	127	4.3	24	1	2	2	5	9	15	28
50-64	138	7.3	72	1	2	4	9	17	25	45
65 +	176	8.5	62	1	3	6	11	20	25	38
GRAND TOTAL	691	5.9	49	1	2	3	7	15	20	37

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	682	2.2	1	1	1	2	3	4	4	8
20-34	1256	2.0	1	1	1	2	2	3	4	5
35-49	723	2.0	1	1	1	2	2	3	4	6
50-64	125	2.2	4	1	1	2	2	4	5	14
65 +	13	2.3	3	1	1	2	2	4	7	8
2. MULTIPLE DX										
0-19 YRS	908	2.9	5	1	2	2	3	5	6	12
20-34	978	2.6	3	1	2	2	3	4	5	11
35-49	651	2.7	10	1	2	2	3	4	6	16
50-64	146	3.4	16	1	1	2	3	8	13	20
65 +	83	4.1	23	1	2	3	4	7	13	29
TOTAL SINGLE DX	2799	2.0	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	2766	2.8	7	1	2	2	3	5	6	14
TOTAL										
0-19 YRS	1590	2.6	4	1	2	2	3	4	6	10
20-34	2234	2.2	2	1	1	2	3	3	4	8
35-49	1374	2.3	6	1	1	2	3	4	5	9
50-64	271	2.9	11	1	1	2	3	5	10	19
65 +	96	3.9	21	1	2	3	4	7	12	28
GRAND TOTAL	5565	2.4	4	1	1	2	3	4	5	10

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	166	1.9	1	1	1	2	2	3	4	7
20-34	291	2.1	1	1	1	2	3	4	5	7
35-49	88	2.6	3	1	1	2	3	5	6	11
50-64	7	2.4	3	1	1	2	4	6	6	6
65 +	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	312	3.1	15	1	1	2	3	6	8	19
20-34	458	3.8	24	1	2	3	4	7	10	23
35-49	156	5.0	20	1	2	3	6	11	14	21
50-64	36	4.9	104	1	1	3	5	7	9	63
65 +	30	4.3	11	1	2	3	6	9	11	15
TOTAL SINGLE DX	554	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	992	3.8	24	1	2	3	4	7	11	22
TOTAL										
0-19 YRS	478	2.7	11	1	1	2	3	5	7	17
20-34	749	3.1	16	1	1	2	4	6	7	21
35-49	244	4.2	16	1	2	3	5	9	12	19
50-64	43	4.5	88	1	1	3	4	7	9	63
65 +	32	4.2	11	1	2	3	6	9	11	15
GRAND TOTAL	1546	3.2	17	1	1	2	4	6	9	19

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	253	2.4	3	1	1	2	3	4	6	9
20-34	620	2.8	7	1	1	2	3	6	7	11
35-49	249	2.9	6	1	1	2	4	6	8	11
50-64	42	2.5	5	1	1	2	3	5	7	13
65 +	10	2.7	4	1	2	2	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	620	5.5	42	1	2	4	7	11	16	32
20-34	1508	5.0	31	1	2	3	6	10	13	29
35-49	737	6.3	62	1	2	4	8	12	17	50
50-64	178	6.4	42	1	2	4	9	14	17	37
65 +	163	9.6	149	2	3	6	12	18	37	88
TOTAL SINGLE DX	1144	2.7	6	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	3206	5.7	49	1	2	4	7	12	16	40
TOTAL										
0-19 YRS	873	4.6	33	1	2	3	5	9	13	26
20-34	2128	4.4	26	1	2	3	5	9	12	25
35-49	956	5.5	52	1	2	3	7	10	15	49
50-64	220	5.7	38	1	2	3	7	14	16	32
65 +	173	9.2	143	2	3	6	12	17	36	86
GRAND TOTAL	4350	4.9	39	1	2	3	6	10	14	32

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	2.3	1	1	1	2	3	4	4	7
20-34	52	2.6	3	1	1	2	4	5	7	9
35-49	39	2.0	1	< 1	1	2	3	4	5	6
50-64	30	1.8	1	< 1	1	1	2	3	4	6
65 +	7	2.0		< 1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	109	3.2	18	1	1	2	4	5	6	27
20-34	85	5.3	43	1	2	3	5	11	17	39
35-49	86	3.4	6	1	1	3	5	8	8	11
50-64	52	4.4	32	1	1	2	4	14	20	23
65 +	41	5.4	58	1	2	3	6	10	13	48
TOTAL SINGLE DX	199	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	373	4.1	28	1	2	3	5	8	11	35
TOTAL										
0-19 YRS	180	2.8	12	1	1	2	3	5	6	15
20-34	137	4.3	30	1	2	3	4	9	13	38
35-49	125	3.0	5	1	1	2	4	6	8	11
50-64	82	3.5	23	1	1	2	4	6	18	23
65 +	48	4.9	51	1	2	3	6	10	12	48
GRAND TOTAL	572	3.5	20	1	1	2	4	7	9	23

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	324	4.1	9	2	2	3	5	7	9	18
20-34	36	3.9	11	1	2	3	5	8	12	16
35-49	20	5.7	10	2	3	5	7	10	12	14
50-64	12	3.8	5	1	2	3	4	8	8	8
65 +	5	3.2	3	1	2	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	713	4.8	12	2	3	4	6	9	10	21
20-34	75	8.1	71	3	4	6	10	12	21	49
35-49	41	10.0	220	2	3	5	9	19	49	76
50-64	29	8.2	73	3	4	5	9	15	18	47
65 +	34	11.9	90	3	5	9	16	21	30	50
TOTAL SINGLE DX	397	4.1	9	2	2	3	5	8	9	17
TOTAL MULTIPLE DX	892	5.7	35	2	3	4	6	10	14	30
TOTAL										
0-19 YRS	1037	4.6	11	2	3	4	5	8	10	21
20-34	111	6.8	56	2	3	5	8	12	16	47
35-49	61	8.6	154	2	3	5	8	16	31	73
50-64	41	6.9	57	2	3	4	9	14	16	47
65 +	39	10.8	87	2	4	8	14	20	27	50
GRAND TOTAL	1289	5.3	27	2	3	4	6	9	12	25

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	596	3.3	18	1	1	2	4	6	8	21
20-34	184	3.5	10	1	1	3	4	7	11	17
35-49	240	3.4	5	1	2	3	4	5	6	12
50-64	205	3.6	8	2	2	3	4	5	6	10
65 +	43	3.7	8	1	2	3	5	7	12	13
2. MULTIPLE DX										
0-19 YRS	788	4.7	50	1	2	3	5	10	15	29
20-34	263	4.8	29	1	2	3	5	10	14	33
35-49	397	5.6	59	1	2	4	6	10	19	42
50-64	383	5.4	29	2	3	4	6	11	16	31
65 +	172	7.0	45	2	3	5	8	15	24	33
TOTAL SINGLE DX	1268	3.4	13	1	2	3	4	6	7	18
TOTAL MULTIPLE DX	2003	5.2	46	1	2	3	6	10	16	36
TOTAL										
0-19 YRS	1384	4.1	37	1	2	3	4	8	12	26
20-34	447	4.3	22	1	2	3	5	9	13	26
35-49	637	4.8	41	1	2	3	5	8	13	37
50-64	588	4.8	23	2	2	4	5	8	12	28
65 +	215	6.4	40	1	2	4	8	13	19	32
GRAND TOTAL	3271	4.5	34	1	2	3	5	8	13	30

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	1.8	1	<1	1	2	2	4	4	5
20-34	230	1.7	1	<1	1	1	2	3	4	6
35-49	268	1.6		<1	1	1	2	3	3	5
50-64	285	1.7		<1	1	1	2	3	3	4
65+	104	2.2	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	226	1.9	4	<1	1	1	2	3	4	11
20-34	530	1.7		<1	1	1	2	3	4	4
35-49	880	1.8	2	<1	<1	1	2	3	4	7
50-64	1138	2.1	3	<1	1	2	2	3	4	8
65+	987	2.6	8	1	1	2	3	4	6	12
TOTAL SINGLE DX	1007	1.7	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	3761	2.1	4	<1	1	2	2	4	4	9
TOTAL										
0-19 YRS	346	1.9	3	<1	1	1	2	3	4	6
20-34	760	1.7	1	<1	1	1	2	3	4	5
35-49	1148	1.8	2	<1	1	1	2	3	4	6
50-64	1423	2.0	3	<1	1	2	2	3	4	8
65+	1091	2.6	8	1	1	2	3	4	6	12
GRAND TOTAL	4768	2.0	4	<1	1	2	2	3	4	9

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	336	2.9	8	1	1	2	4	7	9	14
20-34	101	4.1	44	1	1	2	4	11	13	40
35-49	76	3.8	15	1	2	3	5	7	10	25
50-64	42	4.2	20	1	1	2	5	10	16	20
65+	20	3.7	10	1	1	2	5	8	11	13
2. MULTIPLE DX										
0-19 YRS	207	9.7	126	2	3	7	11	22	30	73
20-34	172	12.2	243	2	3	7	16	29	52	97
35-49	140	11.7	247	1	2	6	15	40	53	99+
50-64	115	11.9	197	1	2	6	16	34	43	60
65+	179	15.4	200	3	6	11	21	43	59	99+
TOTAL SINGLE DX	575	3.4	17	1	1	2	4	7	11	18
TOTAL MULTIPLE DX	813	12.2	201	2	3	7	16	30	47	99+
TOTAL										
0-19 YRS	543	5.5	64	1	1	3	7	12	19	34
20-34	273	9.2	185	1	2	4	12	21	42	89
35-49	216	8.9	180	1	2	4	10	24	44	99+
50-64	157	9.8	161	1	2	4	12	25	39	59
65+	199	14.2	194	2	5	10	20	36	58	99+
GRAND TOTAL	1388	8.5	144	1	2	4	10	22	36	83

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1417	2.7	12	1	1	2	3	6	8	16
20-34	1161	2.9	11	1	1	2	3	5	7	15
35-49	1052	2.8	12	1	1	2	3	5	7	15
50-64	539	3.0	17	1	1	2	3	5	8	22
65+	252	3.7	14	1	1	3	5	8	10	25
2. MULTIPLE DX										
0-19 YRS	1073	6.5	70	1	2	4	8	15	24	50
20-34	1481	6.1	73	1	2	3	7	14	21	50
35-49	1713	6.1	77	1	2	3	7	14	21	50
50-64	1537	7.7	112	1	2	4	9	19	28	67
65+	1725	10.6	148	1	3	7	14	25	36	58
TOTAL SINGLE DX	4421	2.9	13	1	1	2	3	6	8	16
TOTAL MULTIPLE DX	7529	7.5	102	1	2	4	9	18	27	56
TOTAL										
0-19 YRS	2490	4.4	41	1	1	2	5	10	15	37
20-34	2642	4.7	48	1	1	3	5	10	16	39
35-49	2765	4.8	55	1	1	3	5	11	17	45
50-64	2076	6.5	92	1	2	3	7	16	25	59
65+	1977	9.8	137	1	2	6	13	23	33	57
GRAND TOTAL	11950	5.8	74	1	1	3	6	14	21	48

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	865	4.0	24	1	1	3	4	8	14	25
20-34	91	6.1	22	2	3	5	8	11	15	28
35-49	55	4.5	4	2	3	5	6	7	9	10
50-64	68	6.5	15	3	4	6	7	10	14	23
65+	132	8.3	25	4	5	8	11	14	16	25
2. MULTIPLE DX										
0-19 YRS	520	7.6	74	1	2	4	9	20	26	39
20-34	224	10.6	106	4	5	8	12	20	27	92
35-49	159	10.5	110	3	5	8	13	19	35	63
50-64	268	11.1	101	4	6	8	13	22	28	57
65+	1377	11.8	76	5	7	10	14	21	28	56
TOTAL SINGLE DX	1211	4.8	25	1	2	3	6	10	14	24
TOTAL MULTIPLE DX	2548	10.7	86	3	5	8	13	21	27	56
TOTAL										
0-19 YRS	1385	5.4	46	1	2	3	6	12	21	33
20-34	315	9.3	86	3	4	7	11	17	24	71
35-49	214	9.0	90	3	4	6	10	17	27	53
50-64	336	10.2	88	3	5	8	11	21	26	51
65+	1509	11.5	73	5	7	9	14	20	27	53
GRAND TOTAL	3759	8.8	74	2	3	7	11	18	24	46

717: Repair and plastic operation on bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	451	2.8	12	1	1	2	3	5	8	25
20-34	426	3.0	6	1	1	2	4	6	7	15
35-49	285	3.1	5	1	1	3	4	6	7	10
50-64	124	3.0	8	1	1	2	4	6	9	16
65 +	47	3.7	10	1	1	3	4	8	8	19
2. MULTIPLE DX										
0-19 YRS	478	5.1	81	1	1	3	5	10	16	51
20-34	499	5.7	57	1	2	3	7	13	18	46
35-49	402	6.1	85	1	2	4	6	12	22	58
50-64	273	7.5	86	1	2	4	8	18	27	48
65 +	284	9.3	113	2	3	6	11	22	30	50
TOTAL SINGLE DX	1333	3.0	9	1	1	2	4	6	8	16
TOTAL MULTIPLE DX	1936	6.4	83	1	2	4	7	14	22	49
TOTAL										
0-19 YRS	929	4.0	50	1	1	2	4	8	12	30
20-34	925	4.5	36	1	2	3	5	9	14	30
35-49	687	4.9	54	1	2	3	5	9	14	37
50-64	397	6.1	66	1	2	3	6	14	22	47
65 +	331	8.5	102	2	3	5	10	20	28	49
GRAND TOTAL	3269	5.0	56	1	2	3	5	10	17	42

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	731	1.8	5	<1	1	1	2	3	4	12
20-34	829	2.1	3	<1	1	1	2	4	5	11
35-49	516	2.1	3	1	1	1	3	4	5	9
50-64	292	2.5	10	<1	1	2	3	5	7	16
65 +	238	3.1	9	1	1	2	4	8	10	17
2. MULTIPLE DX										
0-19 YRS	1015	3.0	31	<1	1	1	3	5	10	27
20-34	754	4.8	60	1	1	3	5	10	19	46
35-49	610	4.5	37	1	1	3	5	8	15	34
50-64	483	5.8	63	1	2	3	6	13	22	44
65 +	740	7.8	79	1	2	4	10	18	25	50
TOTAL SINGLE DX	2606	2.2	5	<1	1	1	2	4	6	12
TOTAL MULTIPLE DX	3602	5.0	56	1	1	2	5	12	19	44
TOTAL										
0-19 YRS	1746	2.5	21	<1	1	1	2	4	8	24
20-34	1583	3.4	33	1	1	2	3	7	10	32
35-49	1126	3.4	23	1	1	2	4	7	10	22
50-64	775	4.6	46	1	1	2	5	10	14	42
65 +	978	6.7	67	1	2	4	9	16	21	48
GRAND TOTAL	6208	3.8	37	1	1	2	4	8	14	33

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	8.6	75	1	3	5	10	22	27	39
20-34	88	7.2	13	3	5	6	9	12	14	22
35-49	67	6.3	9	3	4	6	8	10	13	17
50-64	83	6.7	6	3	5	6	8	10	11	14
65 +	177	7.9	15	4	6	7	9	11	14	27
2. MULTIPLE DX										
0-19 YRS	289	12.6	121	4	6	9	15	26	36	62
20-34	277	10.5	34	4	6	9	13	18	22	30
35-49	142	12.5	111	5	7	10	14	19	29	66
50-64	239	10.3	50	5	6	9	12	17	25	45
65 +	1999	11.9	76	6	7	10	14	20	27	61
TOTAL SINGLE DX	613	7.7	34	3	4	6	9	13	20	34
TOTAL MULTIPLE DX	2946	11.8	77	5	7	10	14	20	28	54
TOTAL										
0-19 YRS	487	11.0	106	2	4	8	14	24	32	46
20-34	365	9.7	31	4	6	8	12	17	21	29
35-49	209	10.5	87	4	6	8	13	17	21	65
50-64	322	9.4	41	4	6	8	11	15	20	42
65 +	2176	11.6	73	6	7	9	13	19	27	58
GRAND TOTAL	3559	11.1	72	5	6	9	13	19	26	49

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	250	6.0	21	2	3	5	8	11	13	27
20-34	201	7.0	12	3	5	6	9	12	13	16
35-49	213	6.3	11	3	4	6	7	10	13	17
50-64	285	8.0	37	4	5	7	9	12	15	25
65 +	861	9.7	24	5	6	9	12	15	18	27
2. MULTIPLE DX										
0-19 YRS	482	11.3	82	4	6	9	14	22	31	58
20-34	790	12.7	97	5	7	10	15	23	31	59
35-49	740	12.6	110	5	7	10	14	23	33	63
50-64	1315	12.7	97	5	7	10	14	24	32	59
65 +	13007	12.8	79	6	8	11	15	22	29	58
TOTAL SINGLE DX	1810	8.2	25	3	5	7	10	14	16	26
TOTAL MULTIPLE DX	16334	12.8	83	6	8	10	15	22	30	59
TOTAL										
0-19 YRS	732	9.5	68	3	5	7	12	17	26	49
20-34	991	11.6	85	4	6	9	14	21	29	56
35-49	953	11.2	95	4	6	8	13	20	29	60
50-64	1600	11.9	90	5	7	9	13	22	30	59
65 +	13868	12.7	76	6	8	10	14	21	28	56
GRAND TOTAL	18144	12.3	79	5	7	10	14	21	28	57

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	710	5.7	55	1	2	3	5	18	22	31
20-34	17	6.2	22	1	2	6	8	14	16	17
35-49	9	7.2	22	1	5	7	9	14	17	17
50-64	6	5.0	13	1	4	4	5	11	12	12
65 +	32	7.1	14	3	4	7	9	11	11	21
2. MULTIPLE DX										
0-19 YRS	514	10.0	102	2	3	6	16	24	30	45
20-34	55	16.0	225	3	7	12	17	49	55	98
35-49	39	14.6	212	2	4	10	20	39	51	55
50-64	50	13.7	158	3	6	10	15	30	48	53
65 +	246	13.7	235	4	5	8	14	34	48	92
TOTAL SINGLE DX	774	5.8	52	1	2	3	6	18	22	31
TOTAL MULTIPLE DX	904	11.8	158	2	4	7	15	26	41	65
TOTAL										
0-19 YRS	1224	7.5	80	1	2	3	10	21	25	39
20-34	72	13.7	194	2	5	10	15	40	55	91
35-49	48	13.2	184	2	4	9	16	32	50	55
50-64	56	12.8	150	3	5	9	14	29	47	53
65 +	278	12.9	214	4	5	8	13	31	45	92
GRAND TOTAL	1678	9.0	118	1	2	5	12	22	30	54

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1168	1.9	4	1	1	1	2	3	4	13
20-34	340	3.2	15	1	1	2	4	6	8	13
35-49	253	3.1	9	1	1	2	4	6	8	15
50-64	168	2.7	4	1	1	2	4	5	7	10
65 +	133	3.5	28	1	1	2	3	7	12	31
2. MULTIPLE DX										
0-19 YRS	312	4.4	36	1	1	2	5	10	17	31
20-34	317	6.6	51	1	2	4	8	14	22	43
35-49	263	6.6	58	1	2	4	8	15	23	41
50-64	219	5.3	31	1	2	4	7	11	16	32
65 +	389	7.2	68	2	2	5	9	15	25	41
TOTAL SINGLE DX	2062	2.4	9	1	1	2	3	5	7	14
TOTAL MULTIPLE DX	1500	6.1	52	1	2	4	7	13	20	41
TOTAL										
0-19 YRS	1480	2.4	12	1	1	1	2	4	8	19
20-34	657	4.9	36	1	1	3	6	10	15	35
35-49	516	4.9	37	1	2	3	5	10	16	32
50-64	387	4.2	21	1	1	3	5	9	12	24
65 +	522	6.3	61	1	2	4	8	14	20	40
GRAND TOTAL	3562	4.0	30	1	1	2	4	9	13	28

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3443	2.3	4	1	1	2	3	4	5	10
20-34	4500	3.2	6	1	2	3	4	6	8	13
35-49	3536	3.4	7	1	2	3	4	6	8	15
50-64	2128	3.7	6	1	2	3	5	6	8	12
65 +	1141	4.2	9	1	2	3	5	8	9	16
2. MULTIPLE DX										
0-19 YRS	1757	4.8	31	1	2	3	5	10	15	26
20-34	4107	6.1	47	1	2	4	7	13	19	37
35-49	3535	6.3	49	2	3	4	7	13	18	37
50-64	3062	6.6	47	2	3	5	8	13	19	40
65 +	3824	7.9	55	2	4	6	9	15	21	42
TOTAL SINGLE DX	18	3.2	7	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	16285	6.5	49	2	3	4	8	13	19	38
TOTAL										
0-19 YRS	5200	3.2	15	1	1	2	3	6	9	19
20-34	8607	4.6	28	1	2	3	5	9	13	28
35-49	7071	4.9	30	1	2	3	5	10	14	28
50-64	5190	5.4	33	2	3	4	6	10	15	33
65 +	4965	7.0	47	2	3	5	8	14	19	37
GRAND TOTAL	31033	4.9	32	1	2	3	6	10	14	29

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3538	1.7	3	1	1	1	2	3	4	9
20-34	773	2.5	6	1	1	2	3	5	6	12
35-49	629	2.8	16	1	1	2	3	5	7	13
50-64	397	2.7	9	1	1	2	3	5	7	18
65 +	318	2.9	6	1	1	2	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	1298	4.1	42	1	1	2	4	8	14	36
20-34	911	5.6	65	1	2	3	6	12	18	41
35-49	797	6.1	78	1	2	3	6	12	18	53
50-64	701	6.0	59	1	2	4	7	12	18	46
65 +	1624	7.4	69	1	3	5	9	15	22	46
TOTAL SINGLE DX	5655	2.1	6	1	1	1	2	4	5	10
TOTAL MULTIPLE DX	5331	5.9	64	1	2	3	7	13	19	44
TOTAL										
0-19 YRS	4836	2.3	15	1	1	1	2	4	7	19
20-34	1684	4.2	41	1	1	3	4	8	13	34
35-49	1426	4.6	53	1	2	3	5	9	14	41
50-64	1098	4.8	44	1	2	3	5	10	15	36
65 +	1942	6.7	62	1	2	4	8	14	20	43
GRAND TOTAL	10986	3.9	38	1	1	2	4	8	13	32

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	442	4.3	19	1	1	3	5	11	15	19
20-34	61	4.5	29	1	1	3	5	9	17	29
35-49	39	3.1	5	1	1	2	5	7	8	10
50-64	69	3.1	7	1	1	2	4	7	8	14
65 +	200	3.5	13	1	1	2	4	8	10	20
2. MULTIPLE DX										
0-19 YRS	311	5.7	28	2	3	4	6	13	17	27
20-34	104	7.9	56	2	3	6	10	19	26	38
35-49	86	7.6	53	1	3	6	10	16	24	78
50-64	136	6.5	127	1	2	3	6	14	28	82
65 +	492	6.8	52	1	2	4	9	16	20	36
TOTAL SINGLE DX	811	4.0	17	1	1	2	5	9	13	20
TOTAL MULTIPLE DX	1129	6.6	56	1	2	4	8	15	21	39
TOTAL										
0-19 YRS	753	4.9	24	1	2	3	6	12	16	24
20-34	165	6.7	49	1	2	4	8	15	23	34
35-49	125	6.2	43	1	2	4	8	14	20	55
50-64	205	5.3	89	1	1	3	5	10	18	76
65 +	692	5.9	44	1	2	3	8	14	19	31
GRAND TOTAL	**1940**	**5.5**	**41**	**1**	**2**	**3**	**7**	**12**	**18**	**30**

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	189	1.7	2	<1	1	1	2	3	4	8
20-34	298	2.0	1	1	1	2	3	4	5	6
35-49	155	1.9	1	1	1	1	3	3	5	7
50-64	74	2.1	5	1	1	1	2	4	6	15
65 +	48	2.0	2	1	1	1	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	130	3.1	14	1	1	2	3	5	9	21
20-34	247	4.3	24	1	1	3	5	10	15	30
35-49	169	5.0	70	1	1	3	6	10	18	71
50-64	137	5.0	36	1	2	3	6	10	14	32
65 +	274	6.4	59	1	2	4	8	14	19	58
TOTAL SINGLE DX	764	1.9	2	1	1	1	2	4	5	7
TOTAL MULTIPLE DX	957	5.0	44	1	1	3	6	11	16	42
TOTAL										
0-19 YRS	319	2.3	8	1	1	1	2	4	6	17
20-34	545	3.1	14	1	1	2	3	6	10	22
35-49	324	3.5	40	1	1	2	3	7	10	37
50-64	211	4.0	27	1	1	2	5	9	11	27
65 +	322	5.7	53	1	2	3	7	13	17	50
GRAND TOTAL	**1721**	**3.6**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**27**

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	703	3.6	18	1	1	2	4	8	11	23
20-34	331	2.9	11	1	1	2	3	6	8	15
35-49	263	2.7	5	1	1	2	3	6	8	13
50-64	138	3.6	18	1	1	2	4	7	9	26
65 +	99	7.1	71	1	3	4	8	16	25	46
2. MULTIPLE DX										
0-19 YRS	844	6.7	64	1	2	4	8	16	22	42
20-34	613	4.8	36	1	2	3	6	10	14	37
35-49	576	5.6	57	1	1	3	6	14	21	38
50-64	461	8.8	122	1	2	5	11	22	33	70
65 +	711	13.9	206	2	5	9	17	33	47	83
TOTAL SINGLE DX	1534	3.5	10	1	1	2	4	8	11	24
TOTAL MULTIPLE DX	3205	8.0	109	1	2	4	10	20	29	57
TOTAL										
0-19 YRS	1547	5.3	46	1	1	3	6	14	20	35
20-34	944	4.1	29	1	1	2	5	9	13	30
35-49	839	4.7	43	1	1	2	5	11	17	32
50-64	599	7.6	103	1	2	4	9	19	29	58
65 +	810	13.1	195	2	4	8	16	32	45	81
GRAND TOTAL	**4739**	**6.6**	**84**	**1**	**2**	**3**	**8**	**15**	**24**	**51**

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	2.9	12	1	1	2	3	5	14	15
35-49	41	3.1	9	1	1	2	3	7	9	17
50-64	8	2.4	7	1	1	2	2	7	9	9
65 +	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	4.3	43	1	2	2	3	13	23	23
35-49	11	5.5	23	1	2	4	7	14	15	15
50-64	3	3.7	4	2	2	3	5	6	6	6
65 +	5	4.2	30	1	1	2	6	14	14	14
TOTAL SINGLE DX	79	3.0	10	1	1	2	3	8	9	16
TOTAL MULTIPLE DX	30	4.7	27	1	2	3	5	14	15	23
TOTAL										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	37	3.3	20	1	1	2	3	5	15	23
35-49	52	3.6	13	1	1	2	4	8	14	17
50-64	11	2.7	6	1	1	2	3	7	9	9
65 +	7	4.4	26	1	1	2	7	13	14	14
GRAND TOTAL	**109**	**3.5**	**15**	**1**	**1**	**2**	**3**	**8**	**14**	**19**

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	258	3.8	10	2	2	3	4	6	10	16
20-34	6683	3.8	5	2	2	3	4	6	8	13
35-49	11492	3.8	5	2	2	3	4	6	8	12
50-64	4480	4.1	6	2	3	4	5	7	8	14
65 +	1088	5.1	13	2	3	4	6	8	12	19
2. MULTIPLE DX										
0-19 YRS	147	8.2	45	3	4	6	11	19	23	32
20-34	2754	5.3	20	2	3	4	6	9	13	23
35-49	7297	5.3	21	2	3	4	6	9	12	22
50-64	5509	5.9	22	2	3	5	7	11	14	26
65 +	4251	8.3	49	3	4	6	9	16	21	38
TOTAL SINGLE DX	24001	3.9	6	2	2	3	5	6	8	13
TOTAL MULTIPLE DX	19958	6.1	29	2	3	5	7	11	15	28
TOTAL										
0-19 YRS	405	5.4	27	2	3	4	6	11	16	26
20-34	9437	4.3	10	2	3	4	5	7	9	16
35-49	18789	4.4	12	2	3	4	5	7	10	17
50-64	9989	5.1	17	2	3	4	6	9	12	22
65 +	5339	7.7	44	3	4	6	9	15	20	35
GRAND TOTAL	43959	4.9	18	2	3	4	6	8	12	22

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	1.8		<1	1	1	2	3	4	5
20-34	287	1.7	1	<1	<1	1	2	3	3	5
35-49	166	1.8	11	<1	<1	1	2	3	4	7
50-64	76	1.6	2	<1	<1	1	2	3	3	11
65 +	24	2.2	14	<1	<1	1	2	3	8	20
2. MULTIPLE DX										
0-19 YRS	352	2.5	7	<1	1	2	3	4	4	7
20-34	869	2.4	2	<1	1	2	3	4	5	8
35-49	525	2.7	18	<1	1	2	3	4	6	15
50-64	427	2.3	7	<1	1	2	3	4	6	14
65 +	310	2.9	15	1	1	2	3	6	10	18
TOTAL SINGLE DX	685	1.7	4	<1	<1	1	2	3	3	6
TOTAL MULTIPLE DX	2483	2.5	9	<1	1	2	3	4	6	13
TOTAL										
0-19 YRS	484	2.3	6	<1	1	2	3	4	4	6
20-34	1156	2.3	2	<1	1	2	3	4	4	8
35-49	691	2.5	17	<1	1	2	3	4	5	13
50-64	503	2.2	7	<1	1	1	2	4	6	13
65 +	334	2.9	15	<1	1	2	3	6	10	20
GRAND TOTAL	3168	2.4	8	<1	1	2	3	4	5	12

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	276	2.6	8	<1	<1	1	3	6	8	17
20-34	354	2.2	2	<1	1	2	3	4	6	10
35-49	163	2.3	6	<1	1	1	3	4	6	17
50-64	89	2.3	3	<1	1	2	3	4	6	10
65 +	20	2.4	8	1	1	1	3	4	9	14
2. MULTIPLE DX										
0-19 YRS	271	3.5	17	1	1	2	4	8	13	22
20-34	426	3.0	14	1	1	2	3	5	8	15
35-49	327	3.3	35	<1	1	2	3	7	11	25
50-64	246	3.7	27	<1	1	2	4	9	14	30
65 +	178	7.2	80	<1	1	3	10	22	25	42
TOTAL SINGLE DX	902	2.4	5	<1	1	2	3	4	7	12
TOTAL MULTIPLE DX	1448	3.8	32	<1	1	2	4	9	14	29
TOTAL										
0-19 YRS	547	3.1	13	<1	1	2	4	7	10	19
20-34	780	2.7	9	<1	1	2	3	5	7	13
35-49	490	3.0	26	<1	1	2	3	5	9	21
50-64	335	3.4	22	<1	1	2	3	8	12	29
65 +	198	6.7	75	1	1	3	9	20	25	42
GRAND TOTAL	2350	3.3	22	<1	1	2	3	7	11	25

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	251	3.0	9	<1	1	2	4	7	9	16
20-34	336	2.3	4	<1	1	2	3	5	6	10
35-49	300	2.2	5	<1	1	1	2	4	6	12
50-64	183	2.9	10	<1	1	2	3	7	9	13
65 +	104	3.6	24	<1	1	2	4	8	12	29
2. MULTIPLE DX										
0-19 YRS	300	6.2	51	1	1	3	10	15	21	32
20-34	542	4.2	32	<1	1	2	5	9	14	27
35-49	648	4.3	41	1	1	2	4	10	18	31
50-64	564	6.9	113	1	1	3	8	17	26	57
65 +	637	9.1	130	1	2	5	12	21	30	68
TOTAL SINGLE DX	1174	2.6	9	<1	1	2	3	5	8	14
TOTAL MULTIPLE DX	2691	6.2	81	1	1	3	7	15	22	49
TOTAL										
0-19 YRS	551	4.7	35	<1	1	2	6	12	16	29
20-34	878	3.5	23	<1	1	2	4	8	12	23
35-49	948	3.6	31	1	1	2	3	8	13	30
50-64	747	5.9	92	1	1	3	6	14	22	51
65 +	741	8.3	119	1	2	4	10	20	29	63
GRAND TOTAL	3865	5.1	61	1	1	2	6	13	19	43

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	815	7.6	11	5	6	7	8	10	14	24
20-34	369	6.3	11	3	4	6	8	10	12	17
35-49	637	5.3	14	2	3	5	7	9	11	22
50-64	284	5.2	11	2	3	4	6	9	13	18
65 +	47	5.5	17	2	3	4	7	10	12	26
2. MULTIPLE DX										
0-19 YRS	1296	11.0	89	5	7	8	11	19	28	62
20-34	877	10.2	106	4	5	7	11	20	29	61
35-49	1621	7.7	41	2	4	6	9	13	18	39
50-64	1033	8.8	66	3	4	7	10	16	22	45
65 +	665	12.3	98	4	7	10	14	23	32	71
TOTAL SINGLE DX	2152	6.3	14	3	4	6	8	10	12	22
TOTAL MULTIPLE DX	5492	9.6	78	3	5	7	11	17	25	52
TOTAL										
0-19 YRS	2111	9.7	63	5	6	8	10	15	23	48
20-34	1246	9.1	82	3	5	7	10	16	24	53
35-49	2258	7.0	35	2	4	6	8	12	16	33
50-64	1317	8.1	57	3	4	6	9	15	20	43
65 +	712	11.8	96	4	6	9	14	22	30	65
GRAND TOTAL	7644	8.7	62	3	5	7	10	15	22	45

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	118	2.5	1	1	1	2	3	4	5	8
20-34	285	2.8	2	1	2	2	4	5	6	8
35-49	368	3.0	3	1	2	3	4	5	7	11
50-64	295	3.0	5	1	2	3	4	5	7	11
65 +	114	3.6	5	2	2	3	5	6	9	12
2. MULTIPLE DX										
0-19 YRS	287	3.3	4	1	2	3	4	6	7	12
20-34	366	3.7	9	1	2	3	4	7	9	16
35-49	538	3.7	23	1	2	3	4	6	8	19
50-64	565	3.8	9	1	2	3	5	7	9	19
65 +	395	5.1	27	1	2	4	6	9	16	29
TOTAL SINGLE DX	1180	3.0	4	1	2	3	4	5	6	10
TOTAL MULTIPLE DX	2151	3.9	16	1	2	3	4	7	9	21
TOTAL										
0-19 YRS	405	3.1	4	1	2	3	4	5	7	11
20-34	651	3.3	7	1	2	3	4	6	7	14
35-49	906	3.4	15	1	2	3	4	6	7	13
50-64	860	3.5	8	1	2	3	4	7	8	17
65 +	509	4.8	23	1	2	4	6	9	13	24
GRAND TOTAL	3331	3.6	12	1	2	3	4	6	8	17

735: Total hip replacement (81.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	10.7	38	7	7	7	15	21	22	22
20-34	94	7.6	12	4	6	7	9	11	14	24
35-49	328	7.6	9	5	6	7	9	11	12	15
50-64	981	7.9	6	5	6	8	9	11	12	16
65 +	1744	8.8	8	6	7	8	10	12	14	18
2. MULTIPLE DX										
0-19 YRS	29	9.4	14	6	6	8	13	16	19	99 +
20-34	233	8.2	13	5	6	7	9	12	13	25
35-49	765	8.8	23	5	6	8	10	13	15	35
50-64	2816	9.5	32	6	7	8	10	14	17	34
65 +	8591	10.7	36	6	7	9	12	16	21	39
TOTAL SINGLE DX	3154	8.4	8	5	7	8	10	12	13	18
TOTAL MULTIPLE DX	12434	10.3	35	6	7	9	11	15	20	37
TOTAL										
0-19 YRS	36	9.6	18	6	7	8	13	17	21	99 +
20-34	327	8.0	13	5	6	7	9	12	13	24
35-49	1093	8.4	20	5	6	8	10	12	14	33
50-64	3797	9.1	26	6	7	8	10	13	16	30
65 +	10335	10.4	32	6	7	9	12	15	19	36
GRAND TOTAL	15588	9.9	30	6	7	9	11	15	18	34

736: Other arthroplasty of hip (81.40; 81.52-81.53)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	4.5	8	2	3	3	6	9	12	13
20-34	45	7.3	11	4	5	7	8	11	14	20
35-49	100	7.6	10	4	5	7	9	11	13	21
50-64	223	8.4	12	5	6	8	10	12	15	24
65 +	1023	9.8	16	6	7	9	11	14	17	25
2. MULTIPLE DX										
0-19 YRS	54	6.3	14	3	4	5	8	11	14	22
20-34	116	9.6	36	5	6	8	11	17	23	35
35-49	286	9.9	41	5	7	8	11	16	21	31
50-64	979	11.7	65	6	7	9	13	19	25	53
65 +	9559	12.7	68	6	8	11	14	21	27	51
TOTAL SINGLE DX	1424	9.2	16	5	7	9	11	13	16	24
TOTAL MULTIPLE DX	10994	12.5	67	6	8	10	14	20	27	51
TOTAL										
0-19 YRS	87	5.6	13	2	3	4	7	11	13	19
20-34	161	9.0	31	4	6	7	10	15	21	34
35-49	386	9.3	34	5	6	8	10	15	19	30
50-64	1202	11.1	57	6	7	9	13	18	24	48
65 +	10582	12.4	64	6	8	10	14	20	27	49
GRAND TOTAL	12418	12.1	62	6	8	10	14	20	26	48

737: Total knee replacement (81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	6.3	18	1	2	7	8	12	14	14
20-34	22	7.8	16	4	6	7	9	12	17	22
35-49	208	7.7	8	5	6	7	9	10	13	16
50-64	1211	8.0	7	5	6	8	9	11	13	17
65 +	2655	8.6	14	5	7	8	10	12	14	17
2. MULTIPLE DX										
0-19 YRS	7	14.3	57	8	9	12	18	27	29	29
20-34	44	7.4	10	4	5	7	10	12	13	16
35-49	314	8.8	14	5	6	8	10	14	15	25
50-64	3116	9.2	17	6	7	8	11	14	16	23
65 +	10669	10.0	21	6	7	9	11	15	17	28
TOTAL SINGLE DX	4104	8.4	12	5	6	8	10	12	14	17
TOTAL MULTIPLE DX	14150	9.8	20	6	7	9	11	15	17	27
TOTAL										
0-19 YRS	15	10.0	51	2	7	8	13	19	26	29
20-34	66	7.5	12	4	5	7	10	12	13	21
35-49	522	8.3	12	5	6	8	10	13	15	20
50-64	4327	8.9	15	5	7	8	10	13	15	21
65 +	13324	9.7	20	6	7	9	11	14	16	27
GRAND TOTAL	18254	9.5	19	6	7	9	11	14	16	25

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1306	2.6	1	1	2	2	3	4	4	6
20-34	2076	2.7	1	1	2	3	3	4	5	6
35-49	683	3.0	2	1	2	3	4	5	6	10
50-64	195	6.0	12	2	3	6	8	10	12	18
65 +	254	7.5	17	3	5	7	9	12	14	25
2. MULTIPLE DX										
0-19 YRS	1406	2.8	2	1	2	3	3	4	5	10
20-34	3161	3.0	2	2	2	3	3	4	5	10
35-49	1381	3.5	6	2	2	3	4	6	8	14
50-64	552	7.0	25	2	3	6	9	12	16	28
65 +	1117	9.5	45	4	6	8	11	15	20	41
TOTAL SINGLE DX	4514	3.1	4	1	2	3	4	5	7	11
TOTAL MULTIPLE DX	7617	4.3	17	2	2	3	5	9	11	20
TOTAL										
0-19 YRS	2712	2.7	2	1	2	2	3	4	5	7
20-34	5237	2.9	2	2	2	3	3	4	5	8
35-49	2064	3.3	6	2	2	3	4	5	7	13
50-64	747	6.7	22	2	3	6	9	12	15	25
65 +	1371	9.1	41	4	6	8	10	14	18	40
GRAND TOTAL	12131	3.9	13	2	2	3	4	8	10	17

739: Prosthetic replacement of joint, except hip and knee (81.56-81.59; 81.71; 81.73-81.74; 81.80-81.81; 81.84)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.4		1	1	1	2	2	3	3
20-34	58	2.5	4	1	1	2	3	5	6	13
35-49	152	2.9	6	1	1	2	3	6	8	13
50-64	253	3.2	5	1	1	2	4	7	8	12
65 +	262	4.2	9	1	2	3	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	16	2.9	7	1	1	2	3	7	10	11
20-34	64	3.9	14	1	2	3	5	8	10	22
35-49	199	3.8	14	1	2	3	5	8	10	18
50-64	532	4.4	19	1	2	3	5	9	12	20
65 +	888	6.2	37	2	3	5	7	12	15	35
TOTAL SINGLE DX	741	3.4	7	1	2	3	4	7	8	14
TOTAL MULTIPLE DX	1699	5.3	29	1	2	4	7	10	13	30
TOTAL										
0-19 YRS	32	2.2	5	1	1	2	2	4	7	11
20-34	122	3.2	10	1	1	2	4	6	8	19
35-49	351	3.4	11	1	2	2	4	7	9	17
50-64	785	4.0	16	1	2	3	5	8	11	17
65 +	1150	5.8	32	2	3	4	7	11	14	32
GRAND TOTAL	2440	4.7	23	1	2	3	6	9	12	24

740: Miscellaneous repair of other joint, except hip and knee (81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	881	1.8		1	1	2	2	3	3	4
20-34	1820	1.9		1	1	2	2	3	4	5
35-49	1151	1.9	1	1	1	2	2	3	4	6
50-64	774	2.1	1	1	1	2	3	3	4	7
65 +	286	2.6	4	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	274	2.2	11	1	1	2	2	3	4	7
20-34	912	2.2	2	1	1	2	3	3	4	10
35-49	1232	2.4	5	1	1	2	3	4	5	11
50-64	1383	2.4	3	1	1	2	3	4	5	9
65 +	891	3.2	14	1	2	2	4	5	8	15
TOTAL SINGLE DX	4912	1.9	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	4692	2.5	7	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	1155	1.9	3	1	1	2	2	3	3	5
20-34	2732	2.0	1	1	1	2	2	3	4	6
35-49	2383	2.2	4	1	1	2	3	3	4	8
50-64	2157	2.3	3	1	1	2	3	4	5	8
65 +	1177	3.1	12	1	2	2	3	5	7	15
GRAND TOTAL	9604	2.2	4	1	1	2	3	4	4	8

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	527	3.3	15	1	1	2	4	8	12	18
20-34	309	3.4	8	1	1	3	4	7	8	16
35-49	236	3.3	17	1	1	2	4	6	9	28
50-64	116	3.0	7	<1	1	2	4	6	8	15
65 +	59	3.6	13	<1	1	2	5	9	11	19
2. MULTIPLE DX										
0-19 YRS	1311	4.3	36	1	2	3	5	8	12	35
20-34	493	6.4	52	1	2	5	8	14	18	66
35-49	478	7.0	78	1	2	4	8	15	22	44
50-64	403	7.6	77	1	2	5	9	17	27	46
65 +	398	8.8	93	1	3	6	11	18	25	51
TOTAL SINGLE DX	1247	3.3	13	<1	1	2	4	7	10	19
TOTAL MULTIPLE DX	3083	6.1	61	1	2	4	7	13	19	45
TOTAL										
0-19 YRS	1838	4.0	31	1	1	3	4	8	12	25
20-34	802	5.2	38	1	2	4	7	11	15	47
35-49	714	5.8	61	1	2	3	7	12	21	41
50-64	519	6.6	66	1	2	4	8	15	23	45
65 +	457	8.1	86	1	2	5	11	17	24	46
GRAND TOTAL	4330	5.3	49	1	2	3	6	12	17	41

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	366	2.4	6	<1	1	1	3	5	7	12
20-34	211	2.9	12	<1	<1	1	3	9	10	15
35-49	224	2.2	6	<1	<1	1	2	4	8	14
50-64	164	2.2	6	<1	1	1	2	5	6	15
65 +	112	2.7	11	<1	1	2	3	6	7	23
2. MULTIPLE DX										
0-19 YRS	302	8.6	178	1	2	4	10	21	37	87
20-34	179	7.0	153	1	1	3	9	16	21	86
35-49	337	8.3	126	1	2	4	11	19	33	66
50-64	412	8.5	136	1	2	5	10	19	29	71
65 +	690	10.4	134	1	3	7	14	23	36	65
TOTAL SINGLE DX	1077	2.4	8	<1	1	1	3	5	8	15
TOTAL MULTIPLE DX	1920	9.0	143	1	2	5	11	21	33	70
TOTAL										
0-19 YRS	668	5.2	94	<1	1	2	5	11	26	59
20-34	390	4.8	81	<1	1	2	5	11	16	32
35-49	561	5.8	87	<1	1	2	7	14	22	56
50-64	576	6.7	108	1	1	3	8	15	24	66
65 +	802	9.4	124	1	2	6	13	21	34	62
GRAND TOTAL	2997	6.7	105	<1	1	3	8	16	24	58

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	2.9	10	<1	1	1	4	7	11	12
20-34	22	2.3	2	1	1	2	3	4	5	8
35-49	33	2.0	4	1	1	1	3	4	4	12
50-64	72	1.2		1	1	1	1	2	2	4
65 +	72	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
0-19 YRS	30	6.4	294	<1	1	3	5	7	15	96
20-34	38	7.1	57	1	2	4	10	16	26	32
35-49	54	6.0	120	1	1	2	6	12	26	69
50-64	82	1.8	3	1	1	1	2	3	4	12
65 +	147	3.0	22	1	1	1	3	7	11	29
TOTAL SINGLE DX	221	1.6	2	<1	1	1	2	3	4	11
TOTAL MULTIPLE DX	351	3.9	63	1	1	2	4	8	14	34
TOTAL										
0-19 YRS	52	4.9	175	<1	1	2	4	7	12	94
20-34	60	5.3	43	1	1	3	6	14	17	32
35-49	87	4.5	80	1	1	2	4	8	13	57
50-64	154	1.5	2	1	1	1	2	3	3	5
65 +	219	2.4	16	1	1	1	2	4	8	22
GRAND TOTAL	572	3.0	41	1	1	1	3	6	11	31

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	257	1.5	1	<1	1	1	2	2	3	7
20-34	351	1.7	1	<1	1	1	2	3	4	7
35-49	145	1.7	1	<1	1	1	2	3	4	9
50-64	60	1.6	2	<1	1	1	2	3	4	11
65 +	20	1.5		<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	377	2.1	7	1	1	1	2	4	5	18
20-34	489	2.7	18	1	1	2	3	5	7	19
35-49	220	3.0	29	<1	1	2	3	5	9	27
50-64	124	2.3	13	1	1	1	2	3	5	23
65 +	89	4.1	33	1	1	2	4	10	15	33
TOTAL SINGLE DX	833	1.6	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	1299	2.6	18	1	1	1	3	5	7	21
TOTAL										
0-19 YRS	634	1.8	5	<1	1	1	2	3	4	12
20-34	840	2.3	12	<1	1	1	3	4	6	13
35-49	365	2.5	19	<1	1	1	2	4	7	18
50-64	184	2.1	10	<1	1	1	2	3	5	17
65 +	109	3.6	28	1	1	2	3	9	13	31
GRAND TOTAL	2132	2.2	12	<1	1	1	2	4	6	16

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	224	1.9	2	1	1	1	2	3	4	8
20-34	606	2.2	2	1	1	2	3	4	5	9
35-49	959	2.1	2	1	1	2	3	4	4	6
50-64	998	2.3	1	1	2	2	3	4	4	7
65 +	463	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	225	3.6	29	1	1	2	3	8	14	31
20-34	615	3.7	28	1	1	2	4	7	11	28
35-49	900	3.5	19	1	2	2	4	7	10	23
50-64	1499	3.2	13	1	2	2	3	5	7	22
65 +	1257	4.0	29	1	2	3	4	7	10	25
TOTAL SINGLE DX	3250	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	4496	3.6	22	1	2	2	4	6	9	26
TOTAL										
0-19 YRS	449	2.7	17	1	1	2	3	5	8	26
20-34	1221	3.0	16	1	1	2	3	5	8	20
35-49	1859	2.8	11	1	1	2	3	5	7	19
50-64	2497	2.9	9	1	2	2	3	4	6	17
65 +	1720	3.7	23	1	2	3	4	6	8	19
GRAND TOTAL	**7746**	**3.0**	**14**	**1**	**1**	**2**	**3**	**5**	**7**	**19**

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1204	1.9	1	1	1	2	2	3	4	6
20-34	393	2.3	3	1	1	2	3	4	5	8
35-49	510	2.1	2	1	1	2	3	4	5	8
50-64	196	2.4	2	1	1	2	3	4	5	8
65 +	77	3.2	12	1	2	3	4	5	7	25
2. MULTIPLE DX										
0-19 YRS	1735	2.6	12	1	1	2	3	4	6	21
20-34	405	4.4	44	1	2	2	4	9	23	99 +
35-49	310	4.4	40	1	2	3	5	8	14	43
50-64	327	4.8	57	1	2	3	4	9	18	54
65 +	361	7.0	77	1	3	4	7	15	26	49
TOTAL SINGLE DX	2380	2.1	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	3138	3.8	34	1	1	2	4	7	11	36
TOTAL										
0-19 YRS	2939	2.3	8	1	1	2	3	4	5	13
20-34	798	3.3	25	1	1	2	3	6	9	43
35-49	820	3.0	18	1	1	2	3	5	8	22
50-64	523	3.9	38	1	1	2	4	7	11	38
65 +	438	6.3	68	1	2	4	6	13	23	47
GRAND TOTAL	**5518**	**3.0**	**21**	**1**	**1**	**2**	**3**	**5**	**8**	**27**

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.8	3	<1	1	1	2	3	4	11
20-34	108	1.9	1	<1	1	1	2	4	4	7
35-49	77	2.1	4	<1	1	1	2	4	6	14
50-64	44	3.0	41	1	1	1	2	3	12	36
65 +	21	1.9	1	<1	1	2	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	69	5.3	153	1	1	2	4	9	17	82
20-34	149	3.9	21	1	1	2	5	9	12	21
35-49	139	6.7	91	1	1	3	8	17	28	47
50-64	128	6.8	88	1	1	3	7	18	29	46
65 +	104	7.8	190	1	2	3	8	16	33	83
TOTAL SINGLE DX	321	2.0	8	<1	1	1	2	4	5	13
TOTAL MULTIPLE DX	589	6.1	99	1	1	3	6	14	23	47
TOTAL										
0-19 YRS	140	3.5	80	<1	1	1	3	6	10	49
20-34	257	3.0	14	1	1	2	4	6	10	20
35-49	216	5.1	65	1	1	2	4	12	20	46
50-64	172	5.8	79	1	1	3	5	16	27	45
65 +	125	6.8	163	1	1	2	7	14	28	81
GRAND TOTAL	**910**	**4.6**	**71**	**1**	**1**	**2**	**4**	**10**	**18**	**45**

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.7	2	<1	2	2	3	5	6	6
20-34	9	2.6	10	1	1	1	2	8	11	11
35-49	6	3.2	2	2	2	3	4	6	6	6
50-64	4	3.0	5	1	1	3	5	5	5	5
65 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	11	14.6	529	1	1	4	34	80	97	99 +
20-34	26	14.7	353	2	4	8	16	50	60	78
35-49	23	10.1	213	1	2	3	13	27	44	64
50-64	18	12.1	157	2	4	9	12	33	44	48
65 +	33	14.0	157	3	6	10	21	29	45	53
TOTAL SINGLE DX	31	2.9	5	1	1	2	4	5	6	11
TOTAL MULTIPLE DX	111	13.1	244	2	3	7	17	36	53	86
TOTAL										
0-19 YRS	21	9.0	303	1	1	3	6	47	83	99 +
20-34	35	11.6	291	1	2	5	13	22	54	78
35-49	29	8.7	177	1	2	3	10	23	35	64
50-64	22	10.4	141	2	3	6	11	29	41	48
65 +	35	13.4	153	3	5	8	20	26	44	53
GRAND TOTAL	**142**	**10.9**	**210**	**1**	**2**	**5**	**13**	**27**	**50**	**80**

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	2.0	5	<1	1	1	2	4	5	14
20-34	22	3.7	19	1	1	2	4	8	14	21
35-49	35	4.9	29	1	2	2	6	13	19	20
50-64	22	5.0	11	1	2	4	8	9	12	14
65 +	29	6.1	68	1	2	4	6	10	34	35
2. MULTIPLE DX										
0-19 YRS	55	6.9	188	1	1	3	7	12	24	94
20-34	147	9.4	126	2	2	6	11	20	32	58
35-49	480	12.9	144	2	5	9	17	28	36	58
50-64	934	12.7	111	3	5	10	17	27	35	50
65 +	1476	12.8	126	3	6	10	16	26	37	60
TOTAL SINGLE DX	143	4.3	29	1	1	2	5	9	14	34
TOTAL MULTIPLE DX	3092	12.5	127	3	5	9	16	26	36	58
TOTAL										
0-19 YRS	90	5.0	122	<1	1	2	5	11	14	70
20-34	169	8.6	116	1	2	5	10	19	29	57
35-49	515	12.4	141	2	4	9	16	27	36	58
50-64	956	12.5	110	3	5	10	16	26	35	49
65 +	1505	12.7	126	3	6	10	16	26	36	60
GRAND TOTAL	**3235**	**12.2**	**125**	**2**	**5**	**9**	**16**	**25**	**36**	**57**

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	5.6	9	1	3	5	8	9	9	9
20-34	13	9.2	131	3	4	6	8	19	41	46
35-49	12	7.5	11	3	4	9	10	12	13	13
50-64	15	10.7	71	5	5	9	12	20	33	37
65 +	17	11.2	26	7	7	10	13	19	23	25
2. MULTIPLE DX										
0-19 YRS	20	15.7	209	3	5	11	23	36	47	58
20-34	88	17.3	229	5	7	13	24	39	48	99 +
35-49	267	18.5	249	5	8	14	24	40	55	96
50-64	660	18.8	219	6	9	15	24	37	49	98
65 +	1635	17.9	201	6	9	14	22	37	49	97
TOTAL SINGLE DX	64	9.4	54	3	5	8	11	14	22	45
TOTAL MULTIPLE DX	2670	18.2	212	6	9	14	23	37	50	98
TOTAL										
0-19 YRS	27	13.1	176	3	4	9	14	34	39	58
20-34	101	16.2	223	5	7	12	22	38	48	99 +
35-49	279	18.0	245	5	8	14	24	38	54	96
50-64	675	18.7	218	6	9	15	23	37	48	98
65 +	1652	17.8	200	6	9	14	22	36	49	96
GRAND TOTAL	**2734**	**17.9**	**210**	**6**	**9**	**14**	**23**	**37**	**49**	**98**

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	6.2	26	3	3	5	7	11	18	26
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	8	8.5	31	3	4	7	12	17	18	18
50-64	8	9.9	72	3	4	6	14	24	26	26
65 +	22	11.0	47	4	6	11	13	18	26	33
2. MULTIPLE DX										
0-19 YRS	30	16.1	237	4	6	9	28	45	60	99 +
20-34	21	16.4	247	4	6	11	17	50	72	99 +
35-49	94	19.9	307	5	8	13	25	45	55	83
50-64	318	19.1	217	6	9	15	25	46	57	99 +
65 +	1939	16.8	197	5	8	12	21	35	52	99 +
TOTAL SINGLE DX	64	8.6	42	3	4	6	11	17	23	32
TOTAL MULTIPLE DX	2402	17.2	206	5	8	13	22	38	54	99 +
TOTAL										
0-19 YRS	54	11.7	166	3	4	6	13	32	47	98
20-34	23	15.6	234	4	6	11	16	49	68	99 +
35-49	102	19.0	295	5	8	13	24	43	54	82
50-64	326	18.8	216	6	9	15	25	46	57	99 +
65 +	1961	16.7	196	5	8	12	21	35	52	99 +
GRAND TOTAL	**2466**	**17.0**	**204**	**5**	**8**	**12**	**21**	**37**	**54**	**99 +**

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	4.6	14	1	2	3	8	12	12	12
20-34	6	8.7	48	3	4	5	16	19	19	19
35-49	6	3.0	4	1	2	2	3	7	7	7
50-64	4	17.0	164	3	8	15	25	34	34	34
65 +	7	9.9	137	1	1	4	20	28	29	29
2. MULTIPLE DX										
0-19 YRS	26	10.5	254	2	4	6	12	22	86	99 +
20-34	41	17.6	355	3	6	9	30	44	73	99 +
35-49	161	16.1	169	4	7	13	21	32	47	69
50-64	314	18.0	178	5	9	15	22	36	46	69
65 +	480	19.2	220	5	9	16	25	38	52	94
TOTAL SINGLE DX	48	6.7	56	1	2	3	9	17	24	34
TOTAL MULTIPLE DX	1022	18.0	208	5	8	14	23	36	51	87
TOTAL										
0-19 YRS	51	7.6	143	1	2	5	9	13	22	99 +
20-34	47	16.4	324	3	5	9	21	40	63	99 +
35-49	167	15.7	169	4	7	13	20	32	47	69
50-64	318	18.0	178	5	9	15	22	36	46	69
65 +	487	19.0	221	5	9	15	25	38	52	93
GRAND TOTAL	**1070**	**17.5**	**206**	**4**	**8**	**14**	**23**	**36**	**49**	**85**

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	4.0	20	< 1	1	2	5	9	12	24
20-34	38	5.6	9	2	3	5	7	10	12	13
35-49	19	4.5	9	1	2	4	5	8	12	14
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	58	7.7	70	2	3	6	9	13	20	57
20-34	38	6.4	19	3	3	5	7	11	18	22
35-49	38	6.1	22	1	3	5	8	14	17	19
50-64	16	10.0	34	3	6	9	12	21	22	22
65 +	3	6.0	13	2	3	7	8	9	9	9
TOTAL SINGLE DX	100	4.7	14	1	2	4	6	9	12	19
TOTAL MULTIPLE DX	153	7.2	42	2	3	6	9	13	19	22
TOTAL										
0-19 YRS	98	6.1	53	1	2	5	8	12	17	43
20-34	76	6.0	15	3	3	5	7	10	13	21
35-49	57	5.6	19	1	3	5	7	13	14	19
50-64	17	9.7	34	3	6	9	12	20	22	22
65 +	5	5.6	7	2	4	5	7	9	9	9
GRAND TOTAL	253	6.2	32	1	3	5	8	12	16	22

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	2.3	3	1	1	2	3	5	7	8
20-34	37	2.6	6	< 1	1	2	3	4	9	12
35-49	34	3.2	9	< 1	1	2	4	8	13	99 +
50-64	25	4.0	37	1	1	3	4	6	13	32
65 +	18	3.3	4	1	2	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	41	3.9	34	1	1	2	4	12	16	31
20-34	56	7.9	138	1	2	5	8	26	38	98
35-49	102	13.0	220	2	4	8	16	38	59	99 +
50-64	151	10.4	125	2	4	7	13	26	44	99 +
65 +	327	10.5	90	2	4	8	14	23	27	60
TOTAL SINGLE DX	141	3.0	12	1	1	2	4	6	8	37
TOTAL MULTIPLE DX	677	10.2	112	1	3	7	13	24	35	89
TOTAL										
0-19 YRS	68	3.3	22	1	1	2	3	6	15	28
20-34	93	5.8	92	1	1	3	6	11	31	86
35-49	136	10.5	186	1	2	6	12	31	57	99 +
50-64	176	9.5	118	1	3	5	12	26	41	99 +
65 +	345	10.1	89	2	4	7	14	22	26	60
GRAND TOTAL	818	9.0	110	1	3	5	11	22	32	76

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	2	25.5	1201	1	1	25	50	50	50	50
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	5	11.8	96	3	4	8	19	27	27	27
65 +	4	14.0	166	3	4	11	24	31	31	31
TOTAL SINGLE DX	8	2.6	4	1	1	2	4	5	6	6
TOTAL MULTIPLE DX	16	11.9	186	1	3	5	16	31	44	50
TOTAL										
0-19 YRS	3	17.3	800	1	1	1	38	50	50	50
20-34	5	2.6	3	1	1	2	4	5	5	5
35-49	5	5.2	14	1	2	5	7	11	11	11
50-64	6	10.0	97	1	3	6	16	26	27	27
65 +	5	12.0	145	3	4	5	20	31	31	31
GRAND TOTAL	24	8.8	142	1	2	4	9	27	37	50

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.2		<1	<1	<1	1	2	2	4
20-34	167	1.7	1	<1	<1	1	2	3	4	6
35-49	709	1.9	6	<1	<1	1	2	3	4	7
50-64	681	1.9	1	<1	1	1	2	3	4	6
65 +	518	1.9	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
0-19 YRS	17	3.1	35	1	1	1	2	4	18	26
20-34	156	4.4	41	<1	1	2	4	12	18	36
35-49	765	3.6	26	<1	1	2	4	8	11	28
50-64	1026	4.2	32	1	1	2	4	10	15	30
65 +	1568	6.1	71	1	2	3	7	15	21	51
TOTAL SINGLE DX	2111	1.8	3	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	3532	4.9	50	1	1	3	5	11	17	39
TOTAL										
0-19 YRS	53	1.8	12	<1	<1	1	1	2	4	25
20-34	323	3.0	23	<1	<1	1	3	6	11	26
35-49	1474	2.7	18	<1	1	2	3	5	8	20
50-64	1707	3.3	21	<1	1	2	3	7	10	24
65 +	2086	5.1	58	<1	1	3	5	12	18	43
GRAND TOTAL	5643	3.8	35	<1	1	2	4	8	14	30

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.8	1	<1	1	1	3	4	4	4
20-34	20	2.8	1	1	2	2	3	5	6	6
35-49	181	3.0	3	1	2	3	4	5	6	9
50-64	204	2.9	2	1	2	3	3	4	6	10
65 +	169	2.8	2	1	2	3	3	5	5	8
2. MULTIPLE DX										
0-19 YRS	5	9.6	177	2	2	3	14	33	33	33
20-34	46	3.6	7	2	2	3	4	7	11	13
35-49	333	3.3	5	1	2	3	4	6	8	12
50-64	360	3.6	21	2	2	3	4	6	8	12
65 +	657	4.9	33	2	2	3	5	9	14	40
TOTAL SINGLE DX	585	2.9	3	1	2	3	3	5	6	9
TOTAL MULTIPLE DX	1401	4.2	24	2	2	3	4	7	10	29
TOTAL										
0-19 YRS	16	4.3	62	1	1	2	3	8	25	33
20-34	66	3.3	6	2	2	3	4	6	9	13
35-49	514	3.2	5	1	2	3	4	5	7	11
50-64	564	3.3	15	2	2	3	4	5	7	11
65 +	826	4.5	28	2	2	3	5	8	12	37
GRAND TOTAL	1986	3.8	18	1	2	3	4	6	9	22

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	113	3.1	2	2	2	3	4	5	6	8
35-49	1087	3.2	2	2	2	3	4	5	6	8
50-64	1512	3.2	2	2	2	3	4	5	6	8
65 +	1555	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	5	3.8	5	1	2	4	5	7	7	7
20-34	206	4.1	12	2	3	3	4	6	8	21
35-49	1688	3.8	5	2	2	3	4	6	7	13
50-64	2863	4.2	8	2	3	4	5	7	8	16
65 +	5548	4.7	14	2	3	4	5	7	10	20
TOTAL SINGLE DX	4270	3.3	3	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	10310	4.4	12	2	3	4	5	7	9	18
TOTAL										
0-19 YRS	8	2.9	5	1	1	2	4	6	7	7
20-34	319	3.8	9	2	2	3	4	6	8	15
35-49	2775	3.6	4	2	2	3	4	5	7	10
50-64	4375	3.8	7	2	2	3	4	6	8	14
65 +	7103	4.4	12	2	3	4	5	7	9	18
GRAND TOTAL	14580	4.0	9	2	3	3	5	6	8	16

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	473	1.8	1	1	1	2	2	3	3	7
20-34	975	1.9	1	1	1	2	2	3	4	6
35-49	734	2.2	2	1	1	2	3	4	5	8
50-64	329	2.0	1	1	1	2	2	3	4	7
65 +	94	2.1	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	214	2.4	6	1	1	2	3	4	8	14
20-34	805	2.5	3	1	1	2	3	4	5	10
35-49	1441	2.7	6	1	1	2	3	5	6	13
50-64	926	2.9	10	1	1	2	3	6	7	13
65 +	319	3.2	15	1	1	2	3	6	9	21
TOTAL SINGLE DX	2605	2.0	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	3705	2.7	8	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	687	2.0	3	1	1	2	2	3	4	10
20-34	1780	2.2	2	1	1	2	3	4	5	8
35-49	2175	2.6	5	1	1	2	3	5	6	12
50-64	1255	2.7	9	1	1	2	3	5	7	12
65 +	413	2.9	12	1	1	2	3	5	7	19
GRAND TOTAL	6310	2.4	5	1	1	2	3	4	6	11

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	316	1.8	1	1	1	1	2	3	4	6
20-34	505	1.7	1	1	1	1	2	3	4	6
35-49	89	1.7	1	1	1	1	2	4	4	7
50-64	22	1.8		1	1	2	2	3	4	4
65 +	6	2.3	4	< 1	1	1	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	73	2.2	4	1	1	1	2	5	6	14
20-34	147	2.7	10	1	1	2	3	5	8	22
35-49	62	3.1	10	1	1	2	4	6	12	14
50-64	24	6.4	84	1	1	2	8	18	26	42
65 +	14	5.7	34	1	1	3	9	16	18	19
TOTAL SINGLE DX	938	1.7	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	320	3.1	17	1	1	2	3	6	11	20
TOTAL										
0-19 YRS	389	1.9	2	1	1	1	2	4	5	7
20-34	652	1.9	4	1	1	1	2	4	4	8
35-49	151	2.3	6	1	1	1	2	5	6	13
50-64	46	4.2	49	1	1	2	3	10	18	42
65 +	20	4.7	27	1	1	3	5	13	17	19
GRAND TOTAL	**1258**	**2.1**	**6**	**1**	**1**	**1**	**2**	**4**	**5**	**13**

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	749	2.0	7	< 1	< 1	1	2	4	6	15
20-34	282	2.7	11	< 1	1	1	3	6	8	17
35-49	291	2.4	10	< 1	< 1	1	3	5	8	15
50-64	189	2.4	12	< 1	1	1	3	5	8	17
65 +	137	2.6	15	< 1	< 1	1	2	7	10	22
2. MULTIPLE DX										
0-19 YRS	670	6.4	76	1	1	3	7	16	26	48
20-34	550	8.7	124	1	2	5	11	21	34	63
35-49	730	8.6	107	1	2	5	11	21	31	68
50-64	771	8.5	82	1	3	6	11	18	23	48
65 +	1558	11.1	128	2	4	8	14	24	34	67
TOTAL SINGLE DX	1648	2.3	10	< 1	< 1	1	2	5	7	16
TOTAL MULTIPLE DX	4279	9.2	111	1	3	6	11	21	30	62
TOTAL										
0-19 YRS	1419	4.1	45	< 1	1	1	4	10	17	36
20-34	832	6.7	94	< 1	1	3	7	16	27	53
35-49	1021	6.8	88	< 1	1	4	8	17	27	59
50-64	960	7.3	75	1	2	5	10	16	22	44
65 +	1695	10.4	125	1	4	7	13	23	33	64
GRAND TOTAL	**5927**	**7.3**	**92**	**<1**	**1**	**4**	**9**	**18**	**26**	**56**

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	612	3.9	15	1	1	3	5	9	11	21
20-34	835	4.6	26	1	2	3	6	10	14	21
35-49	446	5.3	37	1	2	3	6	11	17	32
50-64	267	6.3	40	1	2	5	9	14	19	29
65 +	182	8.0	82	1	3	5	10	15	28	47
2. MULTIPLE DX										
0-19 YRS	1809	10.1	145	1	3	6	13	25	35	80
20-34	3004	10.6	156	2	3	6	13	26	40	73
35-49	2692	13.8	201	2	5	9	18	32	48	99 +
50-64	2839	15.4	217	3	6	11	20	36	51	99 +
65 +	5533	18.1	242	4	8	14	24	41	58	99 +
TOTAL SINGLE DX	2342	5.0	33	1	2	3	6	11	15	29
TOTAL MULTIPLE DX	15877	14.6	213	2	5	10	19	35	50	99 +
TOTAL										
0-19 YRS	2421	8.5	119	1	2	5	10	22	31	66
20-34	3839	9.3	134	1	3	5	11	22	34	68
35-49	3138	12.6	187	2	4	8	17	30	45	99 +
50-64	3106	14.6	208	3	5	10	19	34	49	99 +
65 +	5715	17.8	240	4	7	13	24	41	57	99 +
GRAND TOTAL	**18219**	**13.3**	**200**	**2**	**4**	**9**	**18**	**32**	**47**	**99 +**

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1418	3.2	11	< 1	1	2	4	7	9	16
20-34	1141	3.5	9	1	1	3	4	7	9	15
35-49	779	3.8	14	1	1	3	5	8	10	18
50-64	399	3.7	10	1	1	3	5	8	10	17
65 +	311	3.9	18	< 1	1	3	5	8	11	24
2. MULTIPLE DX										
0-19 YRS	3757	5.0	48	1	1	3	6	11	16	38
20-34	4767	4.9	48	1	1	3	6	10	17	38
35-49	3799	6.4	59	1	2	4	8	14	19	42
50-64	2863	8.1	88	1	3	5	10	17	24	52
65 +	4663	8.9	97	2	3	6	11	19	28	66
TOTAL SINGLE DX	4048	3.5	12	1	1	2	5	7	9	17
TOTAL MULTIPLE DX	19849	6.6	71	1	2	4	8	14	21	46
TOTAL										
0-19 YRS	5175	4.5	39	1	1	3	5	10	14	33
20-34	5908	4.7	41	1	1	3	5	9	15	35
35-49	4578	6.0	53	1	2	4	7	13	18	39
50-64	3262	7.6	81	1	2	5	9	16	22	49
65 +	4974	8.6	94	2	3	6	10	18	27	62
GRAND TOTAL	**23897**	**6.1**	**62**	**1**	**2**	**4**	**7**	**13**	**19**	**44**

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	303	4.9	33	1	1	3	6	11	17	30
20-34	186	5.9	49	1	2	3	7	14	21	37
35-49	163	5.5	27	1	2	4	7	12	16	26
50-64	100	6.8	59	1	2	4	9	15	24	40
65 +	102	7.5	53	1	3	5	10	16	24	35
2. MULTIPLE DX										
0-19 YRS	635	13.5	183	1	3	10	19	31	39	73
20-34	605	13.4	210	2	4	9	17	33	50	99 +
35-49	542	13.7	160	2	4	10	19	31	39	63
50-64	521	14.6	227	2	5	10	20	33	49	99 +
65 +	937	16.4	212	2	6	12	23	36	46	74
TOTAL SINGLE DX	854	5.8	42	1	1	4	7	13	19	34
TOTAL MULTIPLE DX	3240	14.5	202	2	5	10	20	33	45	85
TOTAL										
0-19 YRS	938	10.7	151	1	2	7	15	26	34	63
20-34	791	11.7	183	1	3	7	15	30	41	99
35-49	705	11.8	142	1	3	7	17	28	37	61
50-64	621	13.3	209	2	4	9	17	31	46	99
65 +	1039	15.5	204	2	6	11	22	35	45	70
GRAND TOTAL	4094	12.7	181	1	3	8	17	30	41	77

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	2.7	10	1	1	1	3	7	9	17
20-34	78	3.6	43	< 1	1	2	4	9	11	44
35-49	59	4.2	18	1	1	3	6	8	14	21
50-64	24	4.8	56	1	1	2	5	11	22	35
65 +	21	4.7	28	< 1	< 1	2	7	14	15	15
2. MULTIPLE DX										
0-19 YRS	150	6.6	114	1	1	2	8	18	25	69
20-34	186	12.6	238	1	2	6	19	36	51	79
35-49	192	12.5	278	1	2	6	18	37	65	99 +
50-64	141	12.1	151	1	4	8	18	32	48	99 +
65 +	227	16.9	405	1	3	9	25	49	69	99 +
TOTAL SINGLE DX	292	3.6	26	< 1	1	2	4	8	11	21
TOTAL MULTIPLE DX	896	12.6	264	1	2	6	17	37	55	99 +
TOTAL										
0-19 YRS	260	5.0	74	1	1	2	5	12	19	49
20-34	264	9.9	197	1	1	4	13	27	44	66
35-49	251	10.6	229	1	2	5	12	30	55	99 +
50-64	165	11.1	144	1	2	6	16	31	45	99 +
65 +	248	15.9	385	1	2	9	22	47	67	99 +
GRAND TOTAL	1188	10.4	221	1	1	4	13	29	48	99

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	669	2.3	6	< 1	1	1	3	5	7	12
20-34	307	3.7	21	1	1	2	4	8	10	25
35-49	273	2.9	6	1	1	2	4	6	9	13
50-64	173	2.6	9	1	1	1	3	6	9	16
65 +	84	4.4	22	1	1	2	7	12	14	21
2. MULTIPLE DX										
0-19 YRS	1098	5.1	53	1	1	3	6	11	17	39
20-34	818	6.0	51	1	2	4	7	12	20	39
35-49	968	6.8	65	1	2	4	8	15	21	44
50-64	996	8.3	75	1	2	6	11	18	23	43
65 +	1679	12.0	127	3	5	9	15	25	35	82
TOTAL SINGLE DX	1506	2.9	11	1	1	2	3	6	9	16
TOTAL MULTIPLE DX	5559	8.2	89	1	2	5	10	18	27	51
TOTAL										
0-19 YRS	1767	4.0	37	1	1	2	4	9	13	34
20-34	1125	5.4	44	1	2	3	6	11	17	38
35-49	1241	6.0	55	1	2	3	7	13	19	42
50-64	1169	7.4	70	1	2	5	10	17	22	41
65 +	1763	11.6	125	2	5	9	15	24	35	81
GRAND TOTAL	7065	7.0	77	1	2	4	9	16	24	47

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.2	1	1	1	2	3	4	4	4
20-34	10	4.5	36	1	1	2	5	13	21	21
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	6	2.8	4	1	2	2	3	7	7	7
65 +	9	7.4	331	1	1	1	2	34	56	56
2. MULTIPLE DX										
0-19 YRS	68	3.7	22	1	1	2	5	6	8	31
20-34	34	10.3	214	1	3	4	10	29	44	56
35-49	32	6.8	55	1	2	4	8	18	28	30
50-64	34	7.7	111	1	2	4	8	15	26	57
65 +	126	9.0	80	2	4	6	10	20	26	47
TOTAL SINGLE DX	40	4.0	82	1	1	2	3	5	14	56
TOTAL MULTIPLE DX	294	7.5	87	1	2	5	8	18	26	49
TOTAL										
0-19 YRS	80	3.5	20	1	1	2	4	6	7	30
20-34	44	9.0	178	1	2	4	9	25	41	66
35-49	35	6.4	53	1	2	3	8	18	26	30
50-64	40	7.0	98	1	2	4	7	14	25	57
65 +	135	8.9	95	2	3	6	10	20	27	52
GRAND TOTAL	**334**	**7.1**	**88**	**1**	**2**	**4**	**8**	**17**	**25**	**52**

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	1.8	3	1	1	1	2	3	7	10
20-34	1544	1.9	4	1	1	1	2	4	6	11
35-49	2522	1.9	5	1	1	1	2	4	7	12
50-64	1310	1.7	10	1	1	1	1	3	6	10
65 +	479	1.9	6	1	1	1	1	3	6	15
2. MULTIPLE DX										
0-19 YRS	155	4.0	38	1	1	1	4	11	18	48
20-34	1134	3.3	17	1	1	2	4	8	10	20
35-49	2401	3.2	18	1	1	1	4	8	12	21
50-64	2010	3.7	26	1	1	1	4	9	13	26
65 +	1933	5.5	54	1	1	3	8	13	17	29
TOTAL SINGLE DX	5991	1.8	6	1	1	1	1	4	6	12
TOTAL MULTIPLE DX	7633	3.9	31	1	1	2	5	10	14	24
TOTAL										
0-19 YRS	291	2.9	24	1	1	1	3	7	11	27
20-34	2678	2.5	10	1	1	1	3	6	9	16
35-49	4923	2.5	12	1	1	1	2	6	9	17
50-64	3320	2.9	21	1	1	1	3	7	10	22
65 +	2412	4.7	47	1	1	2	7	12	15	26
GRAND TOTAL	**13624**	**3.0**	**21**	**1**	**1**	**1**	**3**	**8**	**11**	**21**

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	138	2.2	5	1	1	1	2	5	7	13
20-34	222	2.8	9	1	1	2	3	6	9	16
35-49	262	2.7	8	1	1	2	3	6	9	17
50-64	304	3.2	11	1	1	2	4	8	11	15
65 +	278	3.0	16	1	1	2	3	6	9	21
2. MULTIPLE DX										
0-19 YRS	197	4.6	33	1	1	2	6	10	15	35
20-34	394	5.5	30	1	2	4	8	12	17	37
35-49	738	6.6	52	1	2	5	8	14	19	36
50-64	1602	6.3	36	1	2	5	8	13	17	28
65 +	2827	6.7	43	1	2	5	9	13	18	33
TOTAL SINGLE DX	1204	2.8	11	1	1	2	3	6	9	15
TOTAL MULTIPLE DX	5758	6.4	42	1	2	5	8	13	18	32
TOTAL										
0-19 YRS	335	3.6	23	1	1	2	4	9	13	24
20-34	616	4.5	25	1	1	3	6	11	15	30
35-49	1000	5.6	44	1	1	4	7	13	17	34
50-64	1906	5.8	34	1	2	4	8	12	16	27
65 +	3105	6.4	42	1	2	5	8	13	17	33
GRAND TOTAL	**6962**	**5.8**	**38**	**1**	**2**	**4**	**8**	**12**	**16**	**31**

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	1.4		1	1	1	2	3	3	5
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	30	3.3	6	1	1	3	4	8	9	9
50-64	51	2.4	4	<1	1	2	3	6	8	8
65 +	69	2.7	2	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	83	2.3	11	1	1	1	2	5	8	20
20-34	18	4.2	10	1	1	3	6	10	10	10
35-49	240	3.8	9	1	2	3	5	7	9	12
50-64	464	3.9	10	1	1	3	5	8	10	16
65 +	581	4.6	13	1	2	4	6	9	11	18
TOTAL SINGLE DX	181	2.6	4	1	1	2	3	6	7	9
TOTAL MULTIPLE DX	1386	4.1	12	1	2	3	6	8	11	17
TOTAL										
0-19 YRS	112	2.1	9	1	1	1	2	4	7	18
20-34	20	4.4	13	1	1	3	7	10	11	12
35-49	270	3.7	9	1	2	3	5	7	9	12
50-64	515	3.8	10	1	1	3	5	8	10	16
65 +	650	4.4	13	1	2	3	6	9	11	18
GRAND TOTAL	**1567**	**3.9**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54: 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	284	2.8	11	1	1	2	3	6	8	17
20-34	569	4.0	14	1	1	3	6	9	11	15
35-49	558	4.2	10	1	1	3	6	8	11	15
50-64	583	3.8	10	1	1	2	6	8	10	14
65 +	511	3.7	10	1	1	2	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	356	5.2	48	1	1	2	7	12	17	37
20-34	1021	5.9	36	1	2	5	8	11	16	29
35-49	1845	6.3	34	1	2	5	8	12	15	29
50-64	3472	6.4	40	1	2	5	8	12	16	31
65 +	6794	7.2	45	1	3	6	9	14	18	36
TOTAL SINGLE DX	2505	3.8	12	1	1	2	6	8	10	14
TOTAL MULTIPLE DX	13488	6.7	43	1	2	6	9	13	17	33
TOTAL										
0-19 YRS	640	4.1	33	1	1	2	5	10	13	29
20-34	1590	5.2	29	1	2	4	7	11	14	27
35-49	2403	5.8	30	1	2	5	8	11	14	26
50-64	4055	6.0	37	1	2	5	8	12	15	29
65 +	7305	7.0	44	1	2	6	9	14	18	35
GRAND TOTAL	15993	6.3	39	1	2	5	8	12	16	31

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3228	3.0	26	1	1	2	3	6	9	27
20-34	2112	4.5	36	1	2	3	5	8	13	33
35-49	1729	4.8	42	1	2	3	5	9	14	33
50-64	1200	5.1	31	1	2	3	6	10	16	29
65 +	1193	6.0	44	2	2	4	7	12	17	34
2. MULTIPLE DX										
0-19 YRS	8060	5.5	66	1	2	3	6	12	18	48
20-34	6725	6.2	67	1	2	4	7	13	20	47
35-49	8639	6.6	51	2	3	5	8	14	20	39
50-64	12312	7.3	57	2	3	5	9	14	20	42
65 +	38507	8.8	73	3	4	7	11	17	24	52
TOTAL SINGLE DX	9462	4.3	36	1	1	3	5	8	13	31
TOTAL MULTIPLE DX	74243	7.7	69	2	3	5	9	16	22	48
TOTAL										
0-19 YRS	11288	4.8	56	1	1	2	5	10	16	43
20-34	8837	5.8	60	1	2	4	6	12	19	43
35-49	10368	6.3	50	1	2	4	7	13	19	39
50-64	13512	7.1	55	2	3	5	8	14	20	41
65 +	39700	8.8	73	2	4	6	10	17	24	51
GRAND TOTAL	83705	7.3	66	2	3	5	9	15	21	46

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6461	3.3	16	1	1	2	4	6	8	19
20-34	8185	3.1	10	1	1	2	4	6	8	15
35-49	5556	3.4	12	1	1	2	4	7	8	17
50-64	2990	3.8	15	1	2	3	5	7	10	20
65 +	2105	4.9	21	1	2	4	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	17633	5.9	57	1	2	4	6	12	19	42
20-34	17764	5.1	35	1	2	3	6	10	14	33
35-49	19865	5.7	34	1	2	4	7	11	15	30
50-64	26828	6.3	33	2	3	5	8	12	16	30
65 +	65779	7.6	44	2	4	6	9	14	19	36
TOTAL SINGLE DX	25297	3.4	14	1	1	2	4	7	9	18
TOTAL MULTIPLE DX	147869	6.6	43	2	3	5	8	13	17	35
TOTAL										
0-19 YRS	24094	5.2	48	1	2	3	6	10	16	38
20-34	25949	4.4	29	1	2	3	5	8	12	28
35-49	25421	5.2	31	1	2	4	6	10	14	28
50-64	29818	6.0	32	2	3	5	7	11	15	29
65 +	67884	7.6	44	2	4	6	9	14	19	35
GRAND TOTAL	173166	6.1	40	2	3	4	7	12	16	33

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	174	4.9	49	1	2	3	6	9	14	43
20-34	37	3.7	7	1	2	3	5	7	10	13
35-49	52	4.1	7	1	2	4	6	7	10	12
50-64	16	4.8	17	2	3	4	5	8	16	19
65 +	32	6.0	25	1	3	5	7	11	21	22
2. MULTIPLE DX										
0-19 YRS	3408	19.1	432	2	5	12	30	64	92	99 +
20-34	723	9.8	118	2	3	6	13	24	32	95
35-49	966	12.2	143	2	4	9	17	28	37	95
50-64	2052	14.2	136	4	7	11	18	29	37	71
65 +	5611	15.1	142	5	8	12	19	29	39	75
TOTAL SINGLE DX	311	4.8	34	1	2	3	6	9	12	30
TOTAL MULTIPLE DX	12760	15.5	224	3	6	11	20	36	55	99 +
TOTAL										
0-19 YRS	3582	18.4	423	2	5	11	28	62	90	99 +
20-34	760	9.5	115	2	3	6	12	23	32	94
35-49	1018	11.8	140	2	4	8	16	27	37	95
50-64	2068	14.2	136	4	7	11	18	29	37	71
65 +	5643	15.1	142	5	8	12	19	29	39	74
GRAND TOTAL	13071	15.3	222	3	6	11	19	35	54	99 +

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6399	4.5	36	1	2	2	4	10	19	30
20-34	1803	6.8	74	1	2	4	8	15	23	45
35-49	1705	6.3	54	1	2	4	7	14	21	37
50-64	1019	5.9	54	1	2	4	7	13	20	41
65 +	819	7.3	84	2	3	5	8	16	24	56
2. MULTIPLE DX										
0-19 YRS	13852	5.6	54	1	2	3	6	12	20	39
20-34	4185	8.7	108	2	3	5	10	20	28	62
35-49	5394	8.7	102	2	3	5	10	20	28	58
50-64	7554	9.0	102	2	3	6	10	19	28	59
65 +	23726	10.4	104	3	4	7	12	21	31	58
TOTAL SINGLE DX	11745	5.4	51	1	2	3	6	13	20	36
TOTAL MULTIPLE DX	54711	8.7	95	2	3	6	10	19	28	55
TOTAL										
0-19 YRS	20251	5.2	49	1	2	3	5	11	20	36
20-34	5988	8.1	99	2	3	5	10	19	27	55
35-49	7099	8.1	92	2	3	5	9	18	27	55
50-64	8573	8.6	98	2	3	6	10	19	28	58
65 +	24545	10.3	104	3	4	7	12	21	30	58
GRAND TOTAL	66456	8.1	89	2	3	5	9	18	26	52

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1426	2.6	3	1	1	2	3	4	6	10
20-34	405	3.5	10	1	2	3	4	6	9	15
35-49	395	3.8	7	1	2	3	5	7	9	13
50-64	292	4.5	19	1	2	4	6	8	9	18
65 +	329	4.7	8	2	3	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	2851	5.5	51	1	2	4	6	11	16	43
20-34	1584	5.7	41	1	2	4	7	11	16	32
35-49	2405	6.1	36	2	3	5	8	12	17	29
50-64	4674	7.0	37	2	3	5	9	13	18	31
65 +	14487	8.3	52	3	4	7	10	16	21	40
TOTAL SINGLE DX	2847	3.3	8	1	2	3	4	6	8	14
TOTAL MULTIPLE DX	26001	7.4	49	2	3	6	9	14	19	37
TOTAL										
0-19 YRS	4277	4.6	38	1	2	3	5	8	13	36
20-34	1989	5.2	36	1	2	4	6	11	15	29
35-49	2800	5.8	33	1	2	4	7	11	16	28
50-64	4966	6.8	37	2	3	5	8	13	17	30
65 +	14816	8.3	52	3	4	6	10	16	20	39
GRAND TOTAL	**28848**	**7.0**	**46**	**2**	**3**	**5**	**9**	**14**	**19**	**36**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6356	3.2	26	1	1	2	3	5	8	28
20-34	2430	3.6	27	1	1	2	4	8	12	26
35-49	2432	3.5	25	1	1	2	4	7	11	23
50-64	2078	3.5	14	1	1	2	4	7	9	20
65 +	1756	4.4	31	1	2	3	5	8	11	29
2. MULTIPLE DX										
0-19 YRS	19329	7.8	154	1	2	3	7	21	36	89
20-34	7633	5.4	60	1	2	3	6	12	19	43
35-49	11824	5.2	45	1	2	3	6	11	16	37
50-64	18693	5.7	42	1	2	4	7	11	16	34
65 +	47140	7.1	52	2	3	5	9	14	19	39
TOTAL SINGLE DX	15052	3.5	25	1	1	2	4	7	10	25
TOTAL MULTIPLE DX	104619	6.6	70	1	2	4	8	14	21	49
TOTAL										
0-19 YRS	25685	6.7	127	1	2	3	6	16	30	79
20-34	10063	5.0	53	1	1	3	5	11	18	40
35-49	14256	4.9	42	1	2	3	5	10	16	34
50-64	20771	5.5	40	1	2	4	7	11	15	33
65 +	48896	7.0	52	2	3	5	8	14	19	39
GRAND TOTAL	**119671**	**6.2**	**66**	**1**	**2**	**4**	**7**	**13**	**20**	**46**

APPENDIX A

1990 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	380	44	11.6
25-49	1,125	148	13.2
50-99	1,148	160	13.9
100-199	1,130	188	16.6
200-299	694	110	15.9
300-399	389	86	22.1
400-499	204	40	19.6
500+	262	56	21.4
Unknown	5	0	
Total	**5,337**	**832**	**15.6**
Region and Census Division			
Northeast	760	176	23.2
New England	226	72	31.9
Middle Atlantic	534	104	19.5
North Central	1,554	230	14.8
East North Central	811	198	24.4
West North Central	743	32	4.3
South	2,020	154	7.6
South Atlantic	792	87	11.0
East South Central	467	32	6.9
West South Central	761	35	4.6
West	1,003	272	27.1
Mountain	353	149	42.2
Pacific	650	123	18.9
Location			
Urban	2,812	497	17.7
Rural	2,525	335	13.3
Teaching Intensity			
Low	4,362	613	14.1
Medium	691	155	22.4
High	284	60	21.1
Unknown	0	4	

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 sample is compared to the universe of hospitals in 1989.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by American Medical Association (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$\text{Ip} = 9.9(\text{JCAHO}) + 14.0(\text{CANC}) + 28.0(\text{ACGME}) + 14.7(\text{MSA}) + 13.3(\text{NURS}) + 20.1(\text{COTH})$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
New England
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 717, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
717	Repair and plastic operation on bone, except facial and femur	78.00-78.04; 78.06-78.14; 78.15-78.23; 78.27-78.34; 78.37-78.44; 78.46-78.54; 78.56-78.59; 78.70-78.74; 78.76-78.84; 78.86-78.94; 78.96-78.99; 79.90-79.94; 79.96-79.99
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.98; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1990 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
	Angiodysplasia
224	intestine
206	stomach
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	bone marrow transplant
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough

Group No.	Title
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
340	kidney disease
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional

DIAGNOSIS INDEX (continued)

Group No.	Title
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic

Group No.	Title
	Dependence **(continued)**
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
134	Dermatochalasis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy

DIAGNOSIS INDEX (continued)

Group No.	Title
	Diabetic complications **(continued)**
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's

Group No.	Title
	Disease **(continued)**
80	Cushing's
340	cystic kidney
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica

Group No.	Title
	Disease **(continued)**
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disorder **(continued)**
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial

DIAGNOSIS INDEX (continued)

Group No.	Title
	Enteritis, except bacterial, regional, and viral **(continued)**
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow

Group No.	Title
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*

Group No.	Title
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
176	Goodpasture's syndrome
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	**Title**
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	**Title**
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
176	Hypersensitivity angiitis
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury **(continued)**
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*

Group No.	Title
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
72	Neurofibromatosis
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple, except by cesarean delivery
419	by cesarean delivery
411	single, except by cesarean delivery
418	by cesarean delivery
412	twin, except by cesarean delivery
419	by cesarean delivery
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery

Group No.	Title
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)

Group No.	Title
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis

DIAGNOSIS INDEX (continued)

Group No.	Title
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy

Group No.	Title
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis

DIAGNOSIS INDEX (continued)

Group No.	Title
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No. **Title**
Ureteral
243 disease, except calculus
242   calculus
Urethral
248 disease, except calculus and stricture
244   calculus
246 stenosis, except congenital
340   congenital
246 stricture, except congenital
340   congenital
248 Urethritis
280 in pregnancy
181 URI (upper respiratory infection)
247 Urinary tract infection
280 in pregnancy
Uterine
60 fibroid
262 prolapse
134 Uveitis

261 Vaginitis, except atrophic and senile
265 atrophic or senile
330 Valgus deformity, limb
Valvular disease
158 nonrheumatic
142 rheumatic
180 Varices, esophagus
178 Varicose veins of lower extremities
330 Varus deformity, limb
Venereal
15 disease
12 wart
324 Vertebrogenic pain syndrome
357 Vertigo
Viral
13 encephalitis
20   late effect
1 gastroenteritis
10 hepatitis
8 meningitis
20   late effect
12 wart
Vitreous
134 abscess
134 prolapse
269 Voluntary abortion
217 Volvulus
356 Vomiting
276 of pregnancy
261 Vulvar infection
261 Vulvitis

12 Warts, viral
7 Whooping cough
Withdrawal
98 alcohol
99 drug
Wound
408 dehiscence
infection
407   postoperative
401   posttraumatic
open-*see Laceration*

13 Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	Title
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy **(continued)**
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No. **Title**

- Biopsy **(continued)**
  - 657 prostate
  - 606 rectum
  - 549 salivary gland or duct
  - 658 scrotum
  - 762 skin
  - 598 small intestine
  - 507 spinal meninges
  - 593 stomach
  - 661 testes
  - 514 thyroid
  - 551 tongue
  - 557 trachea, except endoscopic approach
    - 558 endoscopic approach
  - 640 ureter
  - 678 uterine ligaments
  - 678 uterus
  - 551 uvula
  - 690 vagina
  - 557 vocal cord
  - 691 vulva
- 518 Blepharorrhaphy
- 781 Blood transfusion, except intrauterine exchange
  - 704 intrauterine exchange
- 585 Bone marrow transplant
- 760 Breast augmentation
- 696 Breech extraction for delivery
- 566 Bronchoscopy
- 713 Bunionectomy
- 745 Bursectomy, except of hand
  - 743 hand
- 741 Bursotomy
- Bypass, graft or shunt
  - 572 aortocoronary
  - 578 blood vessels (systemic), except for renal dialysis
    - 580 for renal dialysis
  - 572 coronary

Group No. **Title**

- Bypass, graft or shunt **(continued)**
  - 597 gastric
  - 572 heart
  - 582 heart-lung
  - 602 intestine
  - 597 stomach
  - 638 urinary

- 781 Cancer chemotherapy
- Cardiac
  - 573 catheterization
  - 576 electrophysiologic stimulation studies
  - 783 function tests
  - 576 mapping studies
  - massage
    - 781 closed
    - 575 open
  - 574 pacemaker insertion or replacement
  - 575 revascularization, except coronary bypass
    - 572 coronary bypass
  - 783 stress tests
- 581 Carotid thromboendarterectomy
- 509 Carpal tunnel decompression or release
- 778 Cast application
- 774 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 intracapsular
- Catheterization
  - 654 bladder, except suprapubic approach
    - 644 suprapubic approach
  - 582 blood vessel
  - 573 cardiac
  - 512 spinal canal (for infusion of agents)
  - 651 ureteral
  - 654 urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement **(continued)**
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. Title

- Excision **(continued)**
  - hydrocele (continued)
    - 663 spermatic cord
    - 658 tunica vaginalis
  - 729 intervertebral disc or cartilage, except chemonucleolysis
    - 728 chemonucleolysis
  - 732 joint, except intervertebral disc and cartilage of knee
    - 729 intervertebral disc, except chemonucleolysis
      - 728 chemonucleolysis
    - 730 knee cartilage
  - 633 kidney, except partial
    - 636 partial
  - 730 knee cartilage (semilunar)
  - 583 lymph nodes, except radical
    - 584 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 670 bilateral
    - 669 unilateral
  - 549 parotid gland
  - 761 pilonidal cyst or sinus
  - 515 pituitary gland
  - 656 prostate, except transurethral approach
    - 655 transurethral approach
  - 522 pterygium
  - 762 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 730 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 767 toenail
  - 551 tongue
  - 552 tonsil, except with adenoids
    - 553 with adenoids
  - 555 tonsil tag

Group No. Title

- Excision **(continued)**
  - tubes and ovaries
    - 670 bilateral
    - 669 unilateral
  - 678 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 663 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 628 abdominal wall
  - 611 anus
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 501 brain
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix, except by conization
    - 675 conization
  - 598 colon
  - 520 conjunctiva
  - 522 cornea
  - 598 duodenum
  - 533 ear, external
  - 589 esophagus
  - 531 eye
  - 517 eyelid
  - 674 fallopian tube
  - 548 gingiva, gums
  - 598 intestine
  - 524 iris
  - 636 kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach

Group No.	Title
	Excision of lesion **(continued)**
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
764	infusion pump
755	limb prosthesis
764	vascular access device
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*

Group No.	Title
	Incision (and drainage) **(continued)**
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
	sclerosing agent
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Insertion **(continued)**
767	tissue expander, except breast
760	breast
651	ureteral stent, except by incision
637	by incision
764	vascular access device
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids

Group No.	Title
	Ligation **(continued)**
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy

OPERATION INDEX (continued)

Group No.	Title
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis

OPERATION INDEX (continued)

Group No.	Title
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar

Group No.	Title
	Puncture **(continued)**
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
•	Reconstruction
534	ear ossicles
707	mandible

OPERATION INDEX (continued)

Group No.	Title
	Reconstruction **(continued)**
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*

Group No.	Title
	Release **(continued)**
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
	Repair **(continued)**
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve

OPERATION INDEX (continued)

Group No.	Title
	Repair **(continued)**
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
713	toe(s)
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee

Group No.	Title
	Replacement **(continued)**
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
	Sclerotherapy (injection)
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP

Group No.	Title
	Sphincterotomy **(continued)**
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*

OPERATION INDEX (continued)

Group No.	Title
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
783	Thallium stress test
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*

Group No.	Title
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
570	and lung
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy

OPERATION INDEX (continued)

Group No.	Title
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
North Central Region, 1990

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
North Central Region, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1991

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1990
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1990
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1990
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1990
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi
- Source of the Data
- Data Quality
- Hospital Characteristics

Organization of the Tables viii
- Classification System
- Patient Data Assignment
- Definition of Multiple Diagnosis Patients
- Definition of Operated Patients

Explanation of the Statistics x
- Total Number of Patients
- Average Length of Stay
- Variance
- Percentiles
- Subtotal and Grand Total

Using the Tables xi

Ten Year Length of Stay Comparison xii

Length of Stay Tables 1
- Length of Stay Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-419 4
- Length of Stay Operation Groups 215
- Summary of All Patients in Operation Groups 216
- Operation Groups 501-783 217

Appendix A

1990 Hospital Characteristics 289

Appendix B

Description of Hospital Characteristics 290

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index
- Part I: Diagnosis Index 298
- Part II: Operation Index 321

ACKNOWLEDGEMENTS

1990 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda Vanek, Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Michele Archer, Staff Nosologist, CPHA.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Sally Smith, and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1990 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, The National Association of Children's Hospitals and Related Institutions (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The system was designed to group together patients with the same or closely related diagnoses (or procedures) to permit the development of detailed guidelines of care.

The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, and 418-419, which pertain exclusively to newborns, age is replaced by birth weight in grams. Two new groups were added in 1990 to the List A Diagnosis Groups to separate newborns delivered by cesarean section from unassisted deliveries:

418 - Single liveborn, with cesarean section delivery, born in hospital
419 - Twin or multiple liveborn, with cesarean section delivery, born in hospital

The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. A significant procedure is defined as one that is surgical (invasive) in nature, or carries a procedural risk, or carries an anesthetic risk, or requires specialized training. Surgery generally includes incision, excision, amputation, introduction (of devices), endoscopy, repair, suture, and manipulation. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*. Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*. Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1980.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

– Single or Multiple Diagnosis

– Not Operated or Operated (for Diagnosis groups only)

– Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

TEN YEAR LENGTH OF STAY COMPARISON

The Length of Stay publications present statistical data which describe hospital stay in the United States. Companion volumes display data for census regions and the pediatric and geriatric populations. The 1990 LOS series, published by Healthcare Knowledge Resources, is derived from the database developed and maintained by the Commission on Professional and Hospital Activities (CPHA) and is drawn from over four million hospital discharge records.

Hospital stay data provide a valuable perspective for healthcare professionals who make decisions based on hospital utilization. Length of Stay has been published since 1963 and can be used to track trends, examine patterns of care, and conduct comparisons between years.

The following graphs illustrate changes in hospital stay over a 10 year period.

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS EXCEPT NEWBORNS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

There is a steady decline in length of stay over the time period studied, with a 12% drop observed from 1980 to 1985 for all patients in the U.S. From 1985 to 1990 the decline continued, but slowed to a 5% decrease.

Traditionally, hospital stays are highest in the Northeast and North Central, and lowest in the South and West. This regional pattern remains consistent until 1990, when the North Central and Southern regions display an almost equivalent length of stay.

A variety of factors can be looked at to explain the decline in hospital stay. Studies show that the prospective payment system implemented by the federal government had an impact on reducing hospital stays by reimbursing at a fixed rate for inpatient care. The introduction of utilization review to monitor costs and resource consumption helped shorten hospital stays by assuring medical necessity of admissions.

Other factors that affect hospital stay include introducing new medical technology and techniques that require shorter hospitalization and recovery time, discharging patients as soon as medically feasible to less acute care settings, providing more home-based services as an alternative to inpatient care, and managing catastrophic cases.

The growth of HMOs and PPOs provides yet another explanation for the decrease in hospital stays. Because services are prepaid, all medical care is closely monitored to control costs and utilization.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	130323	2.7	11	1	2	2	3	4	5	15
20-34	52182	3.3	22	1	2	2	3	6	11	27
35-49	19911	4.8	39	1	2	3	5	11	18	30
50-64	9829	4.8	32	1	2	3	5	10	17	29
65 +	7755	5.3	33	1	2	4	6	11	16	29
B. Operated										
0-19 YRS	33546	2.8	10	1	1	2	3	6	8	15
20-34	62772	2.6	3	1	2	2	3	4	5	9
35-49	26927	3.2	7	1	2	3	4	6	8	13
50-64	17989	3.8	12	1	2	3	5	8	10	15
65 +	14245	4.9	17	1	2	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170875	4.5	43	1	2	3	4	8	14	37
20-34	70715	5.8	53	1	2	3	6	14	21	34
35-49	68543	6.2	46	1	2	4	7	14	21	32
50-64	86164	6.0	35	2	3	4	7	12	17	31
65 +	206502	7.2	39	2	3	6	9	14	18	32
B. Operated										
0-19 YRS	51123	6.9	120	1	2	3	7	16	29	96
20-34	104807	4.2	27	2	2	3	4	7	11	28
35-49	72971	5.9	48	1	3	4	7	12	17	38
50-64	82769	7.7	68	1	3	5	9	15	22	45
65 +	146005	9.9	85	2	4	8	12	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220000	3.2	18	1	2	2	3	5	9	24
B. Operated	155479	3.1	8	1	2	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	602799	6.0	43	2	2	4	7	12	18	33
B. Operated	457675	7.2	71	1	3	4	9	15	22	47
1. SINGLE DX	375479	3.2	14	1	2	2	3	6	8	20
2. MULTIPLE DX	1060474	6.5	56	1	2	4	8	14	20	39
A. Not Operated	822799	5.2	38	1	2	3	6	11	16	31
B. Operated	613154	6.2	58	1	2	4	7	13	19	42
TOTAL										
0-19 YRS	385867	4.0	41	1	2	2	4	7	12	37
20-34	290476	4.1	29	1	2	3	4	8	13	28
35-49	188352	5.5	41	1	2	4	6	11	17	32
50-64	196751	6.4	48	1	2	4	8	13	18	36
65 +	374507	8.1	58	2	4	6	10	16	22	39
GRAND TOTAL	**1435953**	**5.6**	**47**	**1**	**2**	**3**	**7**	**12**	**18**	**35**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50736	3.4	25	1	1	2	3	5	9	28
20-34	52182	3.3	22	1	2	2	3	6	11	27
35-49	19911	4.8	39	1	2	3	5	11	18	30
50-64	9829	4.8	32	1	2	3	5	10	17	29
65 +	7755	5.3	33	1	2	4	6	11	16	29
B. Operated										
0-19 YRS	33509	2.8	9	1	1	2	3	6	8	15
20-34	62772	2.6	3	1	2	2	3	4	5	9
35-49	26927	3.2	7	1	2	3	4	6	8	13
50-64	17989	3.8	12	1	2	3	5	8	10	15
65 +	14245	4.9	17	1	2	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109535	5.0	55	1	2	3	5	10	17	42
20-34	70715	5.8	53	1	2	3	6	14	21	34
35-49	68543	6.2	46	1	2	4	7	14	21	32
50-64	86164	6.0	35	2	3	4	7	12	17	31
65 +	206502	7.2	39	2	3	6	9	14	18	32
B. Operated										
0-19 YRS	48494	6.0	81	1	2	3	7	14	23	77
20-34	104807	4.2	27	2	2	3	4	7	11	28
35-49	72971	5.9	48	1	3	4	7	12	17	38
50-64	82769	7.7	68	1	3	5	9	15	22	45
65 +	146005	9.9	85	2	4	8	12	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140413	3.8	27	1	2	2	4	7	12	28
B. Operated	155442	3.1	8	1	2	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	541459	6.3	45	1	2	4	7	13	19	34
B. Operated	455046	7.1	67	1	3	4	9	15	22	45
1. SINGLE DX	295855	3.4	17	1	2	2	4	6	9	22
2. MULTIPLE DX	996505	6.7	55	1	2	4	8	14	20	39
A. Not Operated	681872	5.7	42	1	2	4	7	12	18	33
B. Operated	610488	6.1	55	1	2	4	7	13	19	40
TOTAL										
0-19 YRS	242274	4.6	49	1	2	3	4	9	15	41
20-34	290476	4.1	29	1	2	3	4	8	13	28
35-49	188352	5.5	41	1	2	4	6	11	17	32
50-64	196751	6.4	48	1	2	4	8	13	18	36
65 +	374507	8.1	58	2	4	6	10	16	22	39
GRAND TOTAL	**1292360**	**5.9**	**48**	**1**	**2**	**4**	**7**	**13**	**18**	**36**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	556	2.2	2	1	1	2	3	4	4	7
20-34	118	2.0	2	1	1	2	3	3	4	7
35-49	43	2.3	1	1	1	2	3	4	4	5
50-64	28	2.3	1	1	1	3	3	4	4	5
65 +	10	3.4	2	2	3	3	4	6	7	7
B. Operated										
0-19 YRS	7	3.0		2	3	3	3	4	4	4
20-34	4	3.3	1	2	2	3	4	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2186	2.9	3	1	2	3	3	5	6	9
20-34	338	2.5	3	1	1	2	3	4	5	8
35-49	246	2.9	3	1	2	2	4	5	6	9
50-64	234	3.4	12	1	2	3	4	6	8	11
65 +	410	4.2	8	2	2	3	5	8	10	16
B. Operated										
0-19 YRS	50	7.7	84	2	3	5	8	18	38	99 +
20-34	22	5.3	11	2	3	5	7	9	13	16
35-49	25	5.9	16	3	4	5	6	9	16	21
50-64	13	8.9	16	4	6	9	11	15	17	17
65 +	28	9.0	58	3	5	6	12	17	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	755	2.2	2	1	1	2	3	4	4	7
B. Operated	14	3.5	1	2	3	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	3414	3.0	5	1	2	3	4	5	7	11
B. Operated	138	7.4	49	2	4	5	8	14	22	54
1. SINGLE DX	769	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX	3552	3.2	7	1	2	3	4	5	7	14
A. Not Operated	4169	2.9	4	1	2	2	3	5	6	11
B. Operated	152	7.0	46	2	3	5	8	14	21	48
TOTAL										
0-19 YRS	2799	2.8	5	1	2	2	3	5	6	10
20-34	482	2.5	4	1	1	2	3	4	5	11
35-49	315	3.1	4	1	2	2	4	5	6	10
50-64	277	3.6	12	1	2	3	4	7	9	13
65 +	448	4.5	12	2	2	4	5	8	11	18
GRAND TOTAL	**4321**	**3.0**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	237	3.3	9	1	2	3	4	6	9	16
20-34	77	3.1	3	1	2	3	4	5	6	9
35-49	50	3.5	5	2	2	3	4	5	7	13
50-64	18	4.0	4	1	2	4	5	7	8	8
65 +	16	4.3	9	2	2	3	6	8	11	13
B. Operated										
0-19 YRS	20	4.6	12	2	3	4	5	8	13	17
20-34	17	4.2	6	2	3	4	5	7	10	11
35-49	9	5.0	4	3	4	4	5	8	10	10
50-64	11	5.7	11	3	4	5	7	11	14	14
65 +	7	5.7	3	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	553	4.0	14	1	2	3	5	7	10	16
20-34	223	3.6	5	1	2	3	4	6	9	12
35-49	172	4.2	5	2	3	4	5	7	8	11
50-64	175	5.5	14	2	3	5	7	10	13	21
65 +	381	7.4	33	3	4	6	9	13	16	32
B. Operated										
0-19 YRS	48	12.5	254	3	5	7	14	31	64	99 +
20-34	67	6.1	41	2	3	4	6	12	17	41
35-49	81	6.0	16	3	4	5	7	10	13	24
50-64	86	6.9	27	2	4	5	9	12	20	29
65 +	166	13.7	111	4	7	10	17	31	40	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	398	3.4	7	1	2	3	4	6	8	14
B. Operated	64	4.9	8	2	3	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	1504	5.0	18	2	3	4	6	9	13	21
B. Operated	448	9.7	95	3	4	7	11	20	32	45
1. SINGLE DX	462	3.6	8	1	2	3	4	6	8	15
2. MULTIPLE DX	1952	6.1	40	2	3	4	7	12	16	37
A. Not Operated	1902	4.7	17	1	2	4	6	9	12	20
B. Operated	512	9.1	86	3	4	6	10	20	27	45
TOTAL										
0-19 YRS	858	4.3	30	1	2	3	5	8	11	24
20-34	384	4.0	12	1	2	3	5	7	10	17
35-49	312	4.6	8	2	3	4	6	8	10	16
50-64	290	5.8	18	2	3	5	7	11	13	23
65 +	570	9.1	63	3	4	7	11	17	26	44
GRAND TOTAL	**2414**	**5.6**	**35**	**2**	**3**	**4**	**6**	**11**	**15**	**33**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	7.2	44	2	3	4	11	18	18	18
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	15	7.2	16	4	4	6	9	13	16	17
50-64	5	4.6	15	1	2	4	6	11	11	11
65 +	2	9.5	5	8	8	9	11	11	11	11
B. Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	2	7.0		7	7	7	7	7	7	7
35-49	4	13.3	62	6	6	13	20	21	21	21
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	11.7	14	9	9	10	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.6	4	2	4	4	6	8	8	8
20-34	16	11.8	54	6	8	10	13	20	30	34
35-49	17	10.2	39	4	5	7	14	17	23	27
50-64	23	11.4	55	3	8	10	13	23	27	32
65 +	32	11.3	54	4	6	9	14	22	28	31
B. Operated										
0-19 YRS	4	15.3	44	7	10	16	20	22	22	22
20-34	11	24.0	445	8	10	14	31	59	75	76
35-49	17	14.5	88	6	8	13	18	27	36	41
50-64	13	14.5	105	6	9	13	17	26	41	44
65 +	41	19.4	182	7	9	15	28	48	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	6.5	19	2	4	6	9	12	17	18
B. Operated	12	10.0	31	5	6	8	13	20	21	21
2. MULTIPLE DX										
A. Not Operated	95	10.7	49	4	6	9	13	22	26	33
B. Operated	86	18.1	181	7	9	13	22	43	49	91
1. SINGLE DX	43	7.5	24	2	4	7	10	16	18	21
2. MULTIPLE DX	181	14.2	125	5	8	11	17	29	42	69
A. Not Operated	126	9.7	45	3	5	8	12	18	23	32
B. Operated	98	17.1	169	6	9	13	21	39	48	88
TOTAL										
0-19 YRS	18	7.7	38	2	4	5	9	19	21	22
20-34	33	14.7	217	5	8	9	15	34	45	76
35-49	53	11.0	55	4	6	8	14	20	26	41
50-64	42	11.5	71	2	8	10	13	22	28	44
65 +	78	15.5	134	5	8	12	19	31	48	87
GRAND TOTAL	**224**	**12.9**	**112**	**4**	**6**	**10**	**16**	**26**	**35**	**59**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	4.8	19	1	2	3	7	11	11	11
35-49	6	5.7	16	1	2	5	9	11	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	7	16.0	191	3	5	7	29	35	36	36
20-34	9	11.8	84	3	7	8	16	27	32	32
35-49	11	13.1	62	5	7	11	21	25	26	26
50-64	10	18.5	374	1	3	15	26	48	64	64
65 +	13	26.4	347	6	10	19	46	52	54	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.4	11	1	3	5	8	10	10	10
B. Operated	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	13	4.8	15	1	1	4	8	11	11	11
B. Operated	50	17.8	235	3	7	13	24	42	52	64
1. SINGLE DX	9	4.1	9	1	2	4	5	9	10	10
2. MULTIPLE DX	63	15.1	217	1	5	9	22	37	49	63
A. Not Operated	18	4.9	13	1	1	4	7	11	11	11
B. Operated	54	16.7	234	3	6	11	23	40	51	64
TOTAL										
0-19 YRS	14	9.6	137	1	2	5	10	32	35	36
20-34	15	9.1	64	1	4	7	10	19	29	32
35-49	17	10.5	57	2	6	8	14	24	25	26
50-64	11	17.5	348	1	4	13	25	45	62	64
65 +	15	23.2	368	4	7	17	44	52	53	54
GRAND TOTAL	**72**	**13.7**	**204**	**1**	**4**	**8**	**19**	**33**	**48**	**62**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	2.4	1	1	2	2	3	4	4	6
20-34	45	2.8	2	1	2	3	3	5	5	8
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	4	4.3	2	3	3	4	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	22	1.4	1	1	1	1	1	2	5	5
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	406	2.6	4	1	2	2	3	4	5	8
20-34	124	3.3	2	2	2	3	4	5	6	9
35-49	40	3.7	4	2	2	4	5	6	7	11
50-64	17	3.6	3	1	3	4	4	6	7	7
65 +	9	4.4	9	1	3	4	6	9	10	10
B. Operated										
0-19 YRS	37	5.1	236	1	1	1	3	7	14	94
20-34	5	4.2	10	1	2	4	6	9	9	9
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	2.5	1	1	2	2	3	4	5	6
B. Operated	24	1.6	2	1	1	1	1	5	5	5
2. MULTIPLE DX										
A. Not Operated	596	2.9	4	1	2	3	4	5	6	9
B. Operated	44	4.9	198	1	1	1	4	7	11	94
1. SINGLE DX	178	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	640	3.1	17	1	2	3	4	5	6	9
A. Not Operated	750	2.8	3	1	2	3	4	5	6	8
B. Operated	68	3.8	131	1	1	1	3	6	8	80
TOTAL										
0-19 YRS	562	2.7	19	1	1	2	3	4	5	8
20-34	174	3.2	2	2	2	3	4	5	6	9
35-49	51	3.5	3	1	2	3	4	6	6	11
50-64	21	3.7	3	2	3	4	5	6	7	7
65 +	10	4.4	8	1	3	4	5	9	10	10
GRAND TOTAL	**818**	**2.9**	**14**	**1**	**2**	**2**	**4**	**5**	**6**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	302	4.5	10	2	2	3	5	10	11	15
20-34	12	4.2	8	1	2	4	6	8	10	10
35-49	7	6.1	8	3	4	6	8	10	11	11
50-64	10	4.4	7	1	2	4	6	8	10	10
65 +	23	6.7	10	3	4	6	9	11	13	14
B. Operated										
0-19 YRS	7	7.3	23	2	3	8	11	14	14	14
20-34	0									
35-49	2	10.5	61	5	5	10	16	16	16	16
50-64	2	6.5	13	4	4	6	9	9	9	9
65 +	4	12.8	48	7	7	11	18	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1107	5.3	18	2	3	4	7	10	14	19
20-34	229	7.8	29	3	4	7	9	14	17	31
35-49	356	9.3	44	3	5	8	12	17	21	35
50-64	666	9.3	32	4	6	8	11	16	20	30
65 +	2942	10.4	45	5	6	9	13	17	21	35
B. Operated										
0-19 YRS	113	14.6	145	3	7	11	19	28	41	86
20-34	83	16.5	161	6	8	12	21	33	48	60
35-49	170	17.2	178	4	8	14	22	37	48	72
50-64	308	18.5	196	6	9	15	23	36	48	79
65 +	1039	19.2	171	7	10	16	24	37	45	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	354	4.6	10	2	3	3	6	10	11	15
B. Operated	15	9.1	32	2	4	8	13	16	20	22
2. MULTIPLE DX										
A. Not Operated	5300	9.0	41	3	5	8	11	16	20	33
B. Operated	1713	18.4	175	7	10	15	23	37	46	74
1. SINGLE DX	369	4.8	12	2	3	4	6	10	11	16
2. MULTIPLE DX	7013	11.3	90	3	6	9	14	21	29	53
A. Not Operated	5654	8.7	40	3	5	7	11	16	19	32
B. Operated	1728	18.4	175	7	10	15	23	36	45	74
TOTAL										
0-19 YRS	1529	5.9	32	2	3	4	8	11	15	28
20-34	324	9.9	78	3	5	8	11	20	28	49
35-49	535	11.7	100	4	6	9	14	23	33	56
50-64	986	12.1	102	4	6	9	15	23	31	57
65 +	4008	12.6	93	5	7	10	15	23	30	56
GRAND TOTAL	**7382**	**11.0**	**88**	**3**	**5**	**9**	**14**	**21**	**28**	**52**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	178	5.4	12	2	3	4	7	10	12	17
20-34	24	4.9	12	2	2	4	7	10	13	13
35-49	10	3.8	8	1	3	3	4	8	11	11
50-64	5	4.2	3	3	3	3	6	6	6	6
65 +	3	5.0	7	3	3	4	7	8	8	8
B. Operated										
0-19 YRS	8	3.0	4	1	1	2	4	6	7	7
20-34	4	5.8	13	1	3	6	8	9	9	9
35-49	0									
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	268	6.7	24	2	3	5	9	13	16	22
20-34	46	5.7	16	2	3	5	7	11	14	21
35-49	51	6.5	36	2	3	5	8	15	17	34
50-64	46	8.1	53	2	4	5	10	17	22	37
65 +	70	8.5	62	3	4	6	9	15	22	50
B. Operated										
0-19 YRS	33	20.5	309	5	9	16	24	44	64	72
20-34	15	14.9	69	4	8	14	21	28	29	29
35-49	22	28.7	638	6	9	21	51	82	92	99 +
50-64	16	17.4	265	4	7	11	23	40	55	61
65 +	32	19.2	149	6	9	17	25	37	39	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	5.2	12	2	3	4	7	10	12	17
B. Operated	13	4.5	12	1	2	3	7	10	12	12
2. MULTIPLE DX										
A. Not Operated	481	7.0	33	2	3	5	8	14	17	32
B. Operated	118	20.5	299	5	9	16	28	45	64	91
1. SINGLE DX	233	5.2	12	2	3	4	7	10	12	16
2. MULTIPLE DX	599	9.7	114	2	4	6	11	20	30	63
A. Not Operated	701	6.4	27	2	3	5	8	13	16	24
B. Operated	131	18.9	293	4	7	14	25	40	60	89
TOTAL										
0-19 YRS	487	7.1	52	2	3	5	8	13	18	40
20-34	89	7.0	36	2	3	5	9	16	21	29
35-49	83	12.1	287	2	3	6	14	34	57	96
50-64	68	10.0	113	2	4	6	12	20	37	57
65 +	105	11.7	111	3	5	7	15	24	35	55
GRAND TOTAL	**832**	**8.4**	**90**	**2**	**3**	**6**	**10**	**17**	**24**	**55**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	800	3.1	3	2	2	3	3	5	6	10
20-34	263	3.2	6	1	2	3	4	5	7	11
35-49	62	3.4	3	2	2	3	4	6	7	9
50-64	11	3.3	2	1	2	4	4	5	5	5
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	9	4.3	6	2	3	4	5	9	9	9
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	0									
50-64	0									
65 +	2	12.0	18	9	9	12	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	646	3.8	7	2	2	3	4	7	10	14
20-34	243	4.0	6	2	2	3	5	7	9	12
35-49	78	4.8	11	2	3	4	6	8	11	20
50-64	26	7.1	37	2	3	6	8	14	18	31
65 +	13	8.9	23	3	5	9	13	15	16	16
B. Operated										
0-19 YRS	25	11.4	276	2	4	6	10	27	55	76
20-34	10	10.9	153	2	4	5	10	33	38	38
35-49	5	9.4	99	3	4	6	12	27	27	27
50-64	2	6.5	1	6	6	6	7	7	7	7
65 +	6	14.7	30	6	12	16	19	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1138	3.1	4	2	2	3	4	5	6	10
B. Operated	14	5.4	14	2	3	4	8	10	14	15
2. MULTIPLE DX										
A. Not Operated	1006	4.1	9	2	2	3	5	8	10	15
B. Operated	48	11.3	184	3	4	6	11	27	39	76
1. SINGLE DX	1152	3.2	4	2	2	3	4	5	7	10
2. MULTIPLE DX	1054	4.4	19	2	2	3	5	8	10	19
A. Not Operated	2144	3.6	6	2	2	3	4	6	8	13
B. Operated	62	10.0	151	2	4	6	10	22	33	73
TOTAL										
0-19 YRS	1480	3.5	10	2	2	3	4	6	8	12
20-34	519	3.7	10	2	2	3	4	6	8	13
35-49	145	4.4	11	2	3	4	5	7	9	22
50-64	39	6.0	28	2	3	5	7	11	15	31
65 +	23	10.1	33	2	5	10	15	17	19	20
GRAND TOTAL	**2206**	**3.7**	**11**	**2**	**2**	**3**	**4**	**6**	**9**	**16**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	3.3	9	1	2	3	4	6	8	21
20-34	47	3.5	3	2	2	3	4	6	7	8
35-49	10	4.8	4	2	4	5	7	7	7	7
50-64	15	5.5	24	1	2	3	7	15	16	17
65 +	22	4.2	5	2	2	4	6	7	8	8
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	3.8	1	2	3	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	856	4.2	7	2	2	4	5	7	9	13
20-34	116	5.2	13	2	3	4	7	10	12	19
35-49	77	7.4	104	2	4	5	7	11	21	69
50-64	122	6.6	16	2	4	5	8	12	14	19
65 +	372	7.3	27	3	4	6	9	13	17	31
B. Operated										
0-19 YRS	47	14.3	211	5	6	8	18	32	41	76
20-34	17	9.4	68	3	5	6	12	24	30	32
35-49	21	12.0	32	6	8	12	14	21	24	25
50-64	11	15.5	274	2	4	10	23	40	56	57
65 +	62	10.3	58	2	4	8	14	21	29	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	3.6	8	1	2	3	4	7	8	17
B. Operated	10	3.7	6	1	2	3	4	7	10	10
2. MULTIPLE DX										
A. Not Operated	1543	5.4	20	2	3	4	7	10	12	21
B. Operated	158	12.0	117	3	5	9	15	26	30	57
1. SINGLE DX	252	3.6	8	1	2	3	4	7	8	17
2. MULTIPLE DX	1701	6.0	32	2	3	5	7	11	15	29
A. Not Operated	1785	5.1	19	2	3	4	6	9	12	20
B. Operated	168	11.5	114	2	5	8	14	25	29	57
TOTAL										
0-19 YRS	1053	4.5	21	2	2	4	5	8	10	23
20-34	180	5.2	17	2	3	4	6	10	12	27
35-49	110	8.0	83	2	4	6	9	15	23	51
50-64	149	7.1	40	2	3	5	9	14	15	29
65 +	461	7.5	32	3	4	6	9	14	18	30
GRAND TOTAL	**1953**	**5.7**	**30**	**2**	**3**	**4**	**7**	**10**	**14**	**28**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	3.7	5	1	2	3	5	7	9	11
20-34	68	4.6	7	2	3	4	6	8	10	15
35-49	24	5.6	6	3	4	5	7	9	10	11
50-64	6	5.3	20	2	3	4	6	13	14	14
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	3	4.7	12	1	2	5	7	8	8	8
20-34	5	5.0	27	1	1	2	10	12	12	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	4.7	12	2	3	4	5	9	11	20
20-34	108	5.1	14	2	3	4	6	10	11	22
35-49	65	5.5	8	3	4	5	7	9	11	15
50-64	30	6.2	14	2	4	5	8	12	14	15
65 +	51	7.5	15	3	5	7	9	13	15	21
B. Operated										
0-19 YRS	8	22.9	758	2	6	10	40	67	68	68
20-34	8	12.5	135	2	6	8	16	32	37	37
35-49	16	8.6	28	1	5	8	13	15	18	19
50-64	9	15.6	130	6	8	12	20	35	36	36
65 +	5	15.2	4	13	14	15	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	4.6	7	2	3	4	5	8	10	14
B. Operated	9	4.4	18	1	1	2	8	11	12	12
2. MULTIPLE DX										
A. Not Operated	319	5.6	13	2	3	5	7	10	12	21
B. Operated	46	13.8	197	2	7	10	15	33	43	68
1. SINGLE DX	147	4.6	8	2	3	4	5	8	10	14
2. MULTIPLE DX	365	6.6	43	2	3	5	8	12	15	36
A. Not Operated	457	5.3	12	2	3	4	7	9	12	17
B. Operated	55	12.3	179	1	6	9	14	22	37	68
TOTAL										
0-19 YRS	114	5.6	78	2	3	4	5	9	11	67
20-34	189	5.2	19	2	3	4	6	10	12	23
35-49	106	6.0	12	2	4	5	8	11	13	17
50-64	45	8.0	50	2	4	6	10	14	20	36
65 +	58	8.1	19	3	5	7	10	15	17	21
GRAND TOTAL	**512**	**6.0**	**34**	**2**	**3**	**5**	**7**	**11**	**14**	**28**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	2.7	1	1	2	3	3	4	5	6
20-34	29	4.7	5	2	3	5	6	8	8	11
35-49	6	6.2	9	2	5	6	7	11	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	495	3.3	3	2	2	3	4	6	7	9
20-34	115	4.1	5	2	3	4	5	7	9	11
35-49	27	4.3	6	2	2	3	7	8	9	9
50-64	4	3.8	3	2	2	3	5	6	6	6
65 +	3	16.0	43	9	11	17	21	22	22	22
B. Operated										
0-19 YRS	11	6.8	25	3	4	6	9	44	92	99 +
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	15.3	270	3	4	9	28	34	34	34
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	3.2	3	1	2	3	4	5	7	10
B. Operated	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	644	3.6	4	2	2	3	4	6	7	10
B. Operated	15	8.5	69	3	4	6	10	33	80	99 +
1. SINGLE DX	164	3.2	3	1	2	3	4	5	7	10
2. MULTIPLE DX	659	3.7	6	2	2	3	4	6	8	11
A. Not Operated	804	3.5	4	2	2	3	4	6	7	10
B. Operated	19	7.3	60	2	3	5	9	27	67	99 +
TOTAL										
0-19 YRS	632	3.2	3	2	2	3	4	5	7	9
20-34	145	4.2	5	2	3	4	5	7	9	11
35-49	37	5.5	30	2	3	4	7	9	10	34
50-64	6	3.0	3	1	2	3	4	6	6	6
65 +	3	16.0	43	9	11	17	21	22	22	22
GRAND TOTAL	**823**	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**11**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.8	2	< 1	1	1	2	4	4	4
20-34	15	1.9	2	1	1	1	3	4	5	5
35-49	4	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.3	10	< 1	1	2	5	8	8	8
20-34	14	2.2	2	1	1	2	3	4	5	5
35-49	9	2.4	11	1	1	1	2	8	11	11
50-64	6	10.2	247	1	2	5	6	38	42	42
65 +	4	2.8	5	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	25	1.8	1	1	1	1	2	4	4	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	37	3.7	47	1	1	2	4	6	10	42
1. SINGLE DX	25	1.8	1	1	1	1	2	4	4	5
2. MULTIPLE DX	37	3.7	47	1	1	2	4	6	10	42
A. Not Operated	0									
B. Operated	62	2.9	29	1	1	2	3	5	7	38
TOTAL										
0-19 YRS	9	2.4	5	< 1	1	2	3	6	8	8
20-34	29	2.0	2	1	1	1	3	4	5	5
35-49	13	2.0	8	1	1	1	2	5	10	11
50-64	6	10.2	247	1	2	5	6	38	42	42
65 +	5	2.8	4	1	2	2	4	6	6	6
GRAND TOTAL	**62**	**2.9**	**29**	**1**	**1**	**2**	**3**	**5**	**7**	**38**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1329	2.7	1	1	2	3	3	4	4	6
20-34	95	3.1	7	1	1	2	4	6	8	15
35-49	54	2.8	2	1	2	3	4	5	6	6
50-64	18	3.1	7	1	2	2	4	6	10	12
65 +	16	3.9	9	1	2	3	4	7	11	13
B. Operated										
0-19 YRS	15	3.4	3	2	2	3	4	6	7	8
20-34	5	7.2	41	1	2	5	12	17	17	17
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2316	3.0	4	1	2	3	4	5	6	11
20-34	368	4.3	20	1	2	3	5	9	13	25
35-49	290	5.0	20	1	2	4	6	9	14	22
50-64	189	4.7	25	1	2	3	5	10	14	27
65 +	308	5.0	16	2	3	4	6	9	11	26
B. Operated										
0-19 YRS	60	7.3	105	2	3	4	7	15	23	61
20-34	78	14.0	159	3	5	10	18	34	41	55
35-49	85	15.3	148	4	6	13	20	34	41	58
50-64	32	12.6	109	2	4	11	18	25	29	49
65 +	29	14.4	208	3	5	9	17	39	48	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1512	2.7	2	1	2	3	3	4	5	8
B. Operated	23	4.7	13	2	3	3	6	9	12	17
2. MULTIPLE DX										
A. Not Operated	3471	3.6	10	1	2	3	4	6	9	17
B. Operated	284	12.9	151	3	4	9	16	28	41	57
1. SINGLE DX	1535	2.7	2	1	2	3	3	4	5	8
2. MULTIPLE DX	3755	4.3	27	1	2	3	4	8	12	28
A. Not Operated	4983	3.3	8	1	2	3	4	5	8	15
B. Operated	307	12.3	145	2	4	9	16	27	39	57
TOTAL										
0-19 YRS	3720	3.0	5	1	2	3	3	4	6	11
20-34	546	5.5	50	1	2	3	6	12	18	39
35-49	430	6.7	61	1	2	4	8	15	22	41
50-64	241	5.6	42	1	2	3	6	13	18	31
65 +	353	5.7	38	2	3	4	6	10	13	34
GRAND TOTAL	**5290**	**3.8**	**20**	**1**	**2**	**3**	**4**	**6**	**10**	**25**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.9	4	1	3	4	5	7	8	9
20-34	8	4.3	20	1	2	3	4	12	15	15
35-49	11	3.4	10	1	2	2	3	8	12	12
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	6.8	30	2	3	5	8	16	19	24
20-34	11	3.0	3	1	2	3	4	5	7	7
35-49	15	5.1	33	1	2	4	5	12	20	23
50-64	7	3.7	7	1	2	3	4	8	9	9
65 +	4	7.3	23	3	4	6	10	14	14	14
B. Operated										
0-19 YRS	8	10.4	202	1	4	7	7	34	45	45
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	4	9.8	152	1	2	5	17	28	28	28
50-64	2	11.5	41	7	7	11	16	16	16	16
65 +	6	10.7	46	5	7	8	14	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.8	9	1	2	3	4	7	11	15
B. Operated	5	2.2	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	65	5.4	24	1	2	4	6	12	17	24
B. Operated	22	9.9	106	2	5	7	8	24	35	45
1. SINGLE DX	44	3.6	8	1	2	3	4	7	10	15
2. MULTIPLE DX	87	6.6	48	1	2	5	7	14	23	39
A. Not Operated	104	4.8	19	1	2	4	5	11	14	23
B. Operated	27	8.4	95	1	2	7	7	22	31	45
TOTAL										
0-19 YRS	54	6.3	48	2	3	5	7	11	18	44
20-34	24	3.3	9	1	2	2	4	6	9	15
35-49	32	5.0	37	1	2	3	5	12	22	28
50-64	11	5.0	19	1	2	4	6	12	16	16
65 +	10	9.3	36	4	5	7	14	19	23	23
GRAND TOTAL	**131**	**5.6**	**36**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	5.7	10	2	3	5	8	10	11	15
20-34	40	3.8	3	2	3	4	5	6	6	9
35-49	9	7.1	33	3	5	6	7	16	22	22
50-64	0									
65 +	2	9.5	1	9	9	9	10	10	10	10
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	5.8	5	4	4	5	7	9	9	9
35-49	6	3.7	12	1	1	2	7	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	6.1	15	3	3	5	8	11	12	23
20-34	83	4.3	8	2	3	4	5	7	10	15
35-49	16	5.3	16	1	3	4	6	11	14	16
50-64	15	8.2	29	2	3	9	11	13	19	21
65 +	18	12.5	78	3	7	10	19	27	32	34
B. Operated										
0-19 YRS	7	7.7	16	3	5	7	10	13	14	14
20-34	19	6.1	20	2	3	6	7	12	16	20
35-49	5	8.6	38	1	3	9	14	16	16	16
50-64	4	11.0	23	4	8	13	14	14	14	14
65 +	8	15.3	70	2	13	18	21	70	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	5.2	10	2	3	5	6	10	10	18
B. Operated	11	4.7	9	1	2	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	217	6.0	23	2	3	5	8	11	13	28
B. Operated	43	8.8	40	2	4	7	14	19	22	99 +
1. SINGLE DX	121	5.2	10	2	3	5	6	9	10	17
2. MULTIPLE DX	260	6.5	27	2	3	5	9	12	18	29
A. Not Operated	327	5.8	19	2	3	5	7	10	12	23
B. Operated	54	8.0	36	2	3	7	12	18	20	96
TOTAL										
0-19 YRS	152	6.1	13	2	3	5	8	11	11	15
20-34	146	4.4	8	2	3	4	5	7	10	17
35-49	36	5.9	23	1	2	5	7	13	16	22
50-64	19	8.8	27	2	4	10	12	14	18	21
65 +	28	13.1	70	3	9	10	19	28	37	99 +
GRAND TOTAL	**381**	**6.1**	**22**	**2**	**3**	**5**	**8**	**11**	**15**	**27**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.6	2	1	1	3	3	5	5	6
20-34	4	5.3	4	4	4	5	6	8	8	8
35-49	4	5.3	9	2	3	5	7	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	11.7	180	2	3	6	22	27	27	27
20-34	4	5.8	14	1	3	6	8	10	10	10
35-49	9	4.9	14	1	2	3	7	11	12	12
50-64	3	6.0	1	5	5	6	7	7	7	7
65 +	4	4.3	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	174	4.5	19	2	2	3	5	8	13	27
20-34	35	10.2	81	3	4	7	15	21	27	43
35-49	33	5.9	11	3	3	5	7	10	14	15
50-64	37	9.7	70	3	5	8	11	15	28	45
65 +	106	11.1	74	4	6	10	14	19	25	48
B. Operated										
0-19 YRS	34	21.5	505	4	10	15	26	86	99 +	99 +
20-34	37	16.8	248	4	6	12	24	37	58	64
35-49	52	16.0	179	4	7	11	20	37	47	58
50-64	47	15.6	157	4	7	12	20	34	47	54
65 +	74	20.5	278	5	8	16	28	53	60	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.2	4	1	2	3	4	6	7	9
B. Operated	23	6.0	30	2	2	5	7	10	17	27
2. MULTIPLE DX										
A. Not Operated	385	7.5	52	2	3	5	10	15	19	34
B. Operated	244	18.2	262	4	7	14	24	42	59	99
1. SINGLE DX	59	4.3	16	1	2	3	5	8	10	26
2. MULTIPLE DX	629	11.6	161	2	4	7	15	25	38	65
A. Not Operated	421	7.1	50	2	3	5	9	15	19	34
B. Operated	267	17.1	253	4	7	12	22	40	58	97
TOTAL										
0-19 YRS	239	6.8	122	1	2	3	6	15	26	99
20-34	80	12.8	165	3	4	8	17	26	41	62
35-49	98	11.2	126	3	4	7	14	24	38	56
50-64	87	12.7	123	4	6	9	15	26	39	53
65 +	184	14.7	177	4	6	11	17	30	46	67
GRAND TOTAL	**688**	**11.0**	**152**	**2**	**4**	**7**	**14**	**25**	**36**	**64**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	4	3.8	12	< 1	< 1	3	6	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	3	3.7	6	1	2	4	5	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	10.5	13	8	8	10	13	13	13	13
65 +	2	15.0	162	6	6	15	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	4	1	1	2	3	5	5	5
B. Operated	7	3.1	7	< 1	1	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	8	5.0	6	2	3	4	7	9	9	9
B. Operated	11	6.6	45	1	2	5	8	17	23	24
1. SINGLE DX	11	2.8	5	< 1	1	2	4	6	8	8
2. MULTIPLE DX	19	5.9	28	1	3	5	7	11	19	24
A. Not Operated	12	4.1	7	1	2	4	6	8	9	9
B. Operated	18	5.3	32	1	1	4	6	12	20	24
TOTAL										
0-19 YRS	11	3.2	6	1	1	3	4	7	9	9
20-34	9	4.0	8	< 1	1	5	6	8	8	8
35-49	4	3.0	3	1	2	3	4	5	5	5
50-64	3	8.3	20	4	5	8	12	13	13	13
65 +	3	12.0	108	6	6	6	20	24	24	24
GRAND TOTAL	**30**	**4.8**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	10.1	12	6	7	9	14	15	16	16
20-34	27	10.6	26	4	8	10	13	17	21	24
35-49	31	8.0	25	3	4	7	11	15	18	22
50-64	6	13.8	23	8	11	12	18	21	21	21
65 +	12	11.3	63	4	6	8	15	21	30	32
B. Operated										
0-19 YRS	11	29.5	443	6	17	22	44	59	75	76
20-34	75	17.3	143	6	9	13	21	38	41	90
35-49	68	18.9	179	7	11	15	23	31	42	84
50-64	10	21.9	79	8	16	24	27	32	36	36
65 +	6	19.3	87	10	12	18	21	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	86	9.9	30	3	6	9	13	16	21	29
B. Operated	170	19.0	176	7	10	16	24	37	45	87
1. SINGLE DX	3	7.0	9	4	5	7	9	10	10	10
2. MULTIPLE DX	256	16.0	145	6	8	13	21	31	40	75
A. Not Operated	87	9.9	30	3	6	9	13	16	21	29
B. Operated	172	18.9	175	7	10	16	23	37	45	87
TOTAL										
0-19 YRS	22	19.6	318	6	8	14	22	46	59	76
20-34	102	15.5	120	6	8	12	20	34	40	79
35-49	100	15.4	155	5	8	13	20	28	37	73
50-64	17	18.0	80	7	10	18	24	29	34	36
65 +	18	13.9	82	5	7	12	16	29	34	36
GRAND TOTAL	**259**	**15.9**	**144**	**5**	**8**	**12**	**21**	**30**	**40**	**74**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	8	2	2	3	6	8	8	8
20-34	11	2.9	1	2	2	3	3	4	5	5
35-49	5	6.8	16	< 1	4	7	10	11	11	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	3.6	10	1	1	2	6	9	10	10
35-49	23	2.0	4	1	1	1	2	5	7	9
50-64	6	4.0	6	1	1	5	5	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.5	9	2	3	4	6	8	11	14
20-34	39	6.7	25	3	4	6	7	13	15	29
35-49	54	7.2	46	2	4	5	8	15	20	39
50-64	24	7.2	13	4	5	6	8	15	15	16
65 +	19	6.9	15	3	5	6	8	11	16	19
B. Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	36	6.4	37	1	2	5	8	15	26	99 +
35-49	52	8.5	72	1	2	6	12	20	29	36
50-64	21	9.9	51	2	5	8	14	22	24	25
65 +	14	9.6	75	2	3	7	14	24	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.1	8	2	2	3	5	9	10	11
B. Operated	50	2.9	7	1	1	1	4	7	9	10
2. MULTIPLE DX										
A. Not Operated	158	6.7	28	2	4	5	8	13	16	29
B. Operated	125	8.3	58	1	3	6	12	19	26	51
1. SINGLE DX	70	3.2	7	1	1	2	5	8	9	11
2. MULTIPLE DX	283	7.4	41	2	3	6	9	15	22	35
A. Not Operated	178	6.4	26	2	3	5	7	12	15	29
B. Operated	175	6.7	49	1	1	4	9	16	24	35
TOTAL										
0-19 YRS	29	4.6	9	2	3	4	6	9	10	14
20-34	105	5.6	26	1	2	4	7	13	15	61
35-49	134	6.8	52	1	2	4	9	15	23	36
50-64	51	7.9	31	2	5	6	10	16	21	25
65 +	34	7.9	41	2	3	6	8	18	22	29
GRAND TOTAL	**353**	**6.5**	**37**	**1**	**3**	**5**	**8**	**14**	**19**	**32**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	7.0	51	1	2	5	12	17	17	17
B. Operated	2	7.5	1	7	7	7	8	8	8	8
1. SINGLE DX	0									
2. MULTIPLE DX	6	7.2	31	1	3	7	8	16	17	17
A. Not Operated	4	7.0	51	1	2	5	12	17	17	17
B. Operated	2	7.5	1	7	7	7	8	8	8	8
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	2	12.5	41	8	8	12	17	17	17	17
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	2	5.0	8	3	3	5	7	7	7	7
GRAND TOTAL	**6**	**7.2**	**31**	**1**	**3**	**7**	**8**	**16**	**17**	**17**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	5	6.4	19	3	4	5	8	14	14	14
B. Operated										
0-19 YRS	6	5.3	75	1	1	2	3	21	23	23
20-34	8	2.9	4	1	1	2	4	6	6	6
35-49	41	4.0	22	1	1	2	5	11	13	23
50-64	61	3.9	16	1	1	3	4	11	13	18
65 +	58	3.5	13	1	1	2	5	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	0									
35-49	13	7.9	71	1	3	4	10	25	26	26
50-64	28	6.6	22	2	4	6	8	11	16	24
65 +	26	7.3	24	3	4	6	9	14	17	24
B. Operated										
0-19 YRS	11	10.2	205	2	3	6	10	29	50	52
20-34	13	9.8	85	1	2	8	16	22	28	30
35-49	105	10.6	85	1	4	8	15	22	24	54
50-64	282	12.4	171	2	4	9	15	28	39	62
65 +	346	11.0	141	1	3	7	14	26	34	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.9	11	3	4	5	6	12	14	14
B. Operated	174	3.8	17	1	1	2	4	10	13	22
2. MULTIPLE DX										
A. Not Operated	70	7.1	30	2	4	5	9	13	24	26
B. Operated	757	11.4	144	1	3	8	15	25	35	56
1. SINGLE DX	183	3.9	17	1	1	2	5	10	13	21
2. MULTIPLE DX	827	11.1	136	2	3	8	14	24	34	54
A. Not Operated	79	7.0	28	2	4	5	9	13	20	26
B. Operated	931	10.0	129	1	2	6	13	22	31	53
TOTAL										
0-19 YRS	20	8.2	135	1	2	4	9	18	37	52
20-34	21	7.1	64	1	2	3	10	19	24	30
35-49	161	8.6	75	1	2	6	13	20	23	50
50-64	373	10.5	144	1	3	7	13	23	35	56
65 +	435	9.7	123	1	3	6	13	23	31	50
GRAND TOTAL	**1010**	**9.8**	**122**	**1**	**3**	**6**	**13**	**22**	**31**	**53**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	5.5	8	2	3	5	7	9	9	9
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	9	7.8	81	1	2	3	9	24	28	28
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	22	5.6	16	1	3	4	9	10	14	16
65 +	36	11.4	202	2	4	7	13	23	49	68
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	23	16.7	119	4	9	16	20	30	41	49
50-64	122	15.3	152	6	9	12	17	30	38	70
65 +	162	16.2	216	4	7	11	20	37	45	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.5	8	2	3	5	7	9	9	9
B. Operated	13	6.5	63	1	2	3	8	19	26	28
2. MULTIPLE DX										
A. Not Operated	60	9.1	134	2	3	6	9	17	24	67
B. Operated	307	15.8	183	4	8	12	19	34	43	75
1. SINGLE DX	17	6.2	49	1	2	3	7	16	24	28
2. MULTIPLE DX	367	14.7	181	4	7	11	17	32	41	70
A. Not Operated	64	8.8	127	2	3	6	9	16	24	67
B. Operated	320	15.5	181	4	7	12	18	33	41	74
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	26	15.5	117	4	8	13	19	28	39	49
50-64	157	13.2	139	3	6	11	16	26	37	63
65 +	201	15.1	216	3	6	10	18	35	45	76
GRAND TOTAL	**384**	**14.4**	**178**	**3**	**6**	**11**	**17**	**31**	**40**	**70**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	5	8.4	8	6	7	7	10	13	13	13
65 +	6	8.7	21	2	7	9	10	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	7.3	50	1	2	4	11	19	22	22
50-64	24	7.1	29	2	3	5	11	16	18	18
65 +	48	9.1	80	2	4	6	10	26	32	38
B. Operated										
0-19 YRS	0									
20-34	11	18.5	248	8	9	15	20	42	60	62
35-49	42	16.7	211	5	9	12	20	31	45	84
50-64	154	13.1	78	5	8	12	16	22	33	68
65 +	441	15.3	93	6	9	12	20	29	35	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	8.6	12	5	7	9	10	13	15	15
2. MULTIPLE DX										
A. Not Operated	80	8.3	62	2	4	6	11	18	29	37
B. Operated	648	14.9	100	6	9	12	18	28	35	62
1. SINGLE DX	13	8.6	12	5	7	9	10	13	15	15
2. MULTIPLE DX	728	14.2	100	5	8	11	18	27	34	60
A. Not Operated	80	8.3	62	2	4	6	11	18	29	37
B. Operated	661	14.8	99	6	9	12	18	28	35	62
TOTAL										
0-19 YRS	0									
20-34	11	18.5	248	8	9	15	20	42	60	62
35-49	52	14.9	189	3	8	11	18	27	43	83
50-64	183	12.2	74	4	7	11	15	20	27	62
65 +	495	14.6	94	5	8	12	19	29	34	49
GRAND TOTAL	**741**	**14.1**	**99**	**5**	**8**	**11**	**18**	**27**	**34**	**59**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	9.0	8	7	7	9	11	11	11	11
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	3	4.7		4	4	5	5	5	5	5
B. Operated										
0-19 YRS	2	14.5	145	6	6	14	23	23	23	23
20-34	0									
35-49	11	12.6	53	6	7	10	16	25	28	28
50-64	30	14.0	131	6	8	10	14	28	44	55
65 +	60	15.4	74	7	10	13	21	25	38	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	8.3	4	7	7	8	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	4	4.0	2	2	3	4	5	5	5	5
B. Operated	103	14.7	88	7	9	12	18	25	36	76
1. SINGLE DX	4	8.3	4	7	7	8	9	11	11	11
2. MULTIPLE DX	107	14.3	88	6	9	11	18	25	35	74
A. Not Operated	4	4.0	2	2	3	4	5	5	5	5
B. Operated	107	14.4	86	7	9	11	18	25	35	74
TOTAL										
0-19 YRS	2	14.5	145	6	6	14	23	23	23	23
20-34	0									
35-49	13	11.5	54	4	7	9	14	24	27	28
50-64	32	13.7	124	6	8	10	14	27	43	55
65 +	64	14.8	75	7	9	12	20	25	36	92
GRAND TOTAL	**111**	**14.1**	**87**	**6**	**8**	**11**	**17**	**25**	**34**	**72**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	3	6.7		6	6	7	7	7	7	7
35-49	23	8.2	10	6	7	7	8	13	16	17
50-64	75	7.8	8	5	6	7	9	11	12	18
65 +	100	8.3	6	6	7	8	9	11	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	10	7.6	33	1	2	7	12	16	16	16
50-64	36	7.2	34	2	4	6	10	12	19	30
65 +	103	8.9	65	2	4	6	11	22	28	38
B. Operated										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	28	9.1	9	6	7	9	10	14	15	15
35-49	164	10.0	27	5	7	9	12	16	20	30
50-64	824	10.8	37	6	8	9	12	17	21	36
65 +	2612	13.2	60	7	8	11	16	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	201	8.0	7	6	7	8	9	11	13	17
2. MULTIPLE DX										
A. Not Operated	149	8.4	56	2	4	6	10	19	26	36
B. Operated	3630	12.5	54	7	8	10	15	22	27	41
1. SINGLE DX	202	8.0	7	6	7	8	9	11	13	17
2. MULTIPLE DX	3779	12.3	55	7	8	10	14	22	27	41
A. Not Operated	150	8.4	55	2	4	6	10	19	26	36
B. Operated	3831	12.3	53	7	8	10	14	21	26	40
TOTAL										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	31	8.8	9	6	7	8	10	14	15	15
35-49	197	9.7	26	5	7	8	12	16	18	30
50-64	935	10.5	35	6	7	9	12	17	21	35
65 +	2816	12.9	60	7	8	11	15	22	28	41
GRAND TOTAL	**3981**	**12.1**	**53**	**6**	**8**	**10**	**14**	**21**	**26**	**40**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	6.8	11	3	4	7	9	10	10	10
35-49	23	6.4	10	2	3	7	9	10	11	12
50-64	57	8.4	9	5	7	9	10	12	14	16
65 +	48	8.2	22	2	6	8	10	11	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	8	6.0	38	1	2	4	9	16	18	18
50-64	30	7.4	34	2	3	6	10	16	18	26
65 +	66	7.2	32	2	3	5	9	15	18	31
B. Operated										
0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34	9	14.4	75	7	8	9	22	28	28	28
35-49	87	12.3	117	6	8	9	12	19	29	72
50-64	402	11.7	46	7	8	10	13	18	23	43
65 +	932	13.3	74	6	9	11	15	23	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	132	7.9	14	3	6	8	9	11	13	20
2. MULTIPLE DX										
A. Not Operated	107	7.2	32	2	3	5	9	15	18	29
B. Operated	1432	12.8	69	6	8	11	15	21	27	48
1. SINGLE DX	133	7.9	14	3	6	8	9	11	13	19
2. MULTIPLE DX	1539	12.4	69	5	8	10	15	21	27	46
A. Not Operated	108	7.1	32	2	3	5	9	15	18	29
B. Operated	1564	12.4	66	6	8	10	14	21	26	46
TOTAL										
0-19 YRS	4	13.8	151	6	6	8	21	32	32	32
20-34	14	11.9	62	5	8	9	13	28	28	28
35-49	119	10.7	97	4	7	9	11	17	28	69
50-64	489	11.0	43	6	8	10	13	18	22	36
65 +	1046	12.6	72	5	8	11	15	22	27	45
GRAND TOTAL	**1672**	**12.0**	**66**	**5**	**8**	**10**	**14**	**21**	**26**	**45**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	10	1	1	2	5	8	8	8
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	6.0	32	2	2	6	10	10	10	10
B. Operated										
0-19 YRS	14	8.3	29	1	5	8	12	14	19	21
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	7	8.4	64	1	2	4	15	19	20	20
50-64	7	10.0	82	1	2	10	13	24	27	27
65 +	12	8.9	20	3	5	9	12	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.4	13	2	3	4	8	10	13	14
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	15	6.5	23	2	3	5	9	10	18	20
50-64	28	8.4	48	2	4	6	12	19	21	31
65 +	60	7.5	24	3	4	7	9	12	13	31
B. Operated										
0-19 YRS	31	13.0	217	4	6	9	15	21	43	79
20-34	9	10.9	36	6	7	9	12	21	24	24
35-49	28	10.2	56	4	6	8	12	19	29	35
50-64	123	11.5	63	4	6	10	15	21	27	44
65 +	253	13.8	119	4	8	11	17	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.8	11	1	2	2	5	9	10	10
B. Operated	42	8.8	36	1	4	8	13	16	20	27
2. MULTIPLE DX										
A. Not Operated	119	7.2	28	2	3	6	9	13	18	31
B. Operated	444	12.8	105	4	7	10	16	24	30	55
1. SINGLE DX	50	8.0	35	1	3	8	12	15	20	27
2. MULTIPLE DX	563	11.7	94	3	6	9	15	22	29	51
A. Not Operated	127	7.0	28	2	3	6	9	13	17	31
B. Operated	486	12.5	101	3	7	10	15	23	29	53
TOTAL										
0-19 YRS	63	9.7	127	2	4	8	11	19	21	74
20-34	13	9.2	34	3	6	8	10	18	23	24
35-49	51	8.7	48	2	4	7	11	18	21	35
50-64	159	10.8	62	3	5	9	14	20	27	42
65 +	327	12.4	104	3	6	10	15	23	30	55
GRAND TOTAL	**613**	**11.4**	**90**	**3**	**5**	**9**	**14**	**21**	**29**	**51**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	0									
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	7	3.3	5	1	2	3	5	7	7	7
B. Operated										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	0									
35-49	3	6.3	25	1	2	7	10	11	11	11
50-64	9	8.1	19	2	6	8	9	15	17	17
65 +	9	9.7	80	3	5	7	10	24	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	11	6.1	10	2	4	5	8	11	11	11
50-64	31	7.3	22	2	4	7	9	12	20	21
65 +	106	7.6	27	3	4	6	10	14	19	27
B. Operated										
0-19 YRS	3	14.3	140	7	7	8	23	28	28	28
20-34	8	13.1	100	2	5	12	20	28	30	30
35-49	52	13.2	59	6	8	12	18	21	26	46
50-64	177	14.6	101	5	8	13	19	26	33	49
65 +	416	16.0	132	6	9	13	19	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.2	4	1	2	3	4	6	7	7
B. Operated	23	8.9	42	3	5	8	11	16	22	32
2. MULTIPLE DX										
A. Not Operated	151	7.4	25	3	4	6	9	13	19	23
B. Operated	656	15.4	118	5	9	13	19	27	35	57
1. SINGLE DX	35	6.9	36	1	3	6	9	13	17	32
2. MULTIPLE DX	807	13.9	110	4	7	12	17	25	32	49
A. Not Operated	163	7.1	24	3	3	6	9	13	18	23
B. Operated	679	15.1	116	5	8	13	19	27	35	55
TOTAL										
0-19 YRS	8	9.8	75	2	3	7	13	24	28	28
20-34	10	12.0	90	1	4	11	16	27	30	30
35-49	68	11.4	57	3	6	10	16	20	22	43
50-64	218	13.3	94	3	7	11	17	25	31	48
65 +	538	14.1	121	4	7	12	17	26	34	58
GRAND TOTAL	**842**	**13.6**	**109**	**4**	**7**	**12**	**17**	**25**	**32**	**49**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	5.6	65	< 1	1	2	7	20	20	20
50-64	12	6.2	25	1	2	5	9	15	15	15
65 +	14	3.2	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	27	7.5	30	1	3	7	11	13	18	24
50-64	124	6.7	21	1	4	6	8	11	15	23
65 +	81	7.9	21	2	5	7	10	14	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	7.0	5	5	5	6	8	10	10	10
35-49	64	6.0	25	2	3	5	7	15	17	23
50-64	354	7.7	48	2	3	6	10	15	21	36
65 +	583	7.9	41	2	4	6	10	16	20	33
B. Operated										
0-19 YRS	3	12.0	219	2	3	5	23	29	29	29
20-34	16	11.8	81	4	6	8	16	22	32	36
35-49	202	10.9	86	4	6	8	12	21	31	58
50-64	1315	11.0	69	4	6	9	13	20	27	43
65 +	1935	12.1	85	4	7	10	15	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.7	21	1	2	3	6	11	15	20
B. Operated	232	7.2	22	2	4	7	9	12	16	24
2. MULTIPLE DX										
A. Not Operated	1005	7.7	42	2	4	6	10	15	20	33
B. Operated	3471	11.6	79	4	7	9	14	21	28	49
1. SINGLE DX	263	6.9	22	1	4	6	9	12	16	24
2. MULTIPLE DX	4476	10.8	74	3	6	9	13	20	26	45
A. Not Operated	1036	7.6	42	2	3	6	10	15	20	33
B. Operated	3703	11.4	77	4	6	9	14	21	27	47
TOTAL										
0-19 YRS	3	12.0	219	2	3	5	23	29	29	29
20-34	20	10.8	68	4	6	8	11	22	29	36
35-49	298	9.4	71	2	5	7	11	18	25	53
50-64	1805	10.0	64	3	5	8	12	19	25	43
65 +	2613	11.0	76	3	6	9	14	20	26	46
GRAND TOTAL	**4739**	**10.5**	**72**	**3**	**6**	**8**	**13**	**20**	**26**	**45**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	10	8.9	13	5	6	8	12	14	16	16
20-34	3	4.3		4	4	4	5	5	5	5
35-49	15	7.8	42	1	2	7	13	18	19	19
50-64	36	7.3	29	1	2	7	10	14	18	22
65 +	44	8.1	41	1	2	8	11	17	23	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.3	14	2	2	4	4	6	14	17
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	5	7.2	4	4	6	8	8	9	9	9
50-64	23	6.3	34	1	2	5	7	13	20	27
65 +	26	11.4	157	2	3	6	14	29	41	51
B. Operated										
0-19 YRS	19	10.1	85	2	4	8	13	21	32	40
20-34	8	11.6	56	2	6	11	17	22	24	24
35-49	54	11.4	39	3	7	11	15	20	23	27
50-64	193	12.1	75	2	6	11	16	21	29	45
65 +	251	12.6	115	2	7	11	16	23	29	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.3	3	< 1	1	2	3	5	6	6
B. Operated	108	7.8	33	1	2	7	11	16	19	24
2. MULTIPLE DX										
A. Not Operated	71	7.8	78	2	3	5	8	18	27	48
B. Operated	525	12.2	90	2	7	10	16	22	28	54
1. SINGLE DX	115	7.4	33	1	2	7	11	16	19	24
2. MULTIPLE DX	596	11.6	91	2	6	10	15	22	28	52
A. Not Operated	78	7.3	74	1	2	4	8	17	26	47
B. Operated	633	11.4	83	2	6	10	15	21	27	51
TOTAL										
0-19 YRS	47	7.5	48	2	3	6	9	16	19	40
20-34	13	9.0	45	3	4	7	13	19	23	24
35-49	75	10.4	39	2	6	9	14	19	23	26
50-64	254	10.8	70	1	5	10	14	20	27	42
65 +	322	11.8	110	2	6	10	15	23	29	57
GRAND TOTAL	**711**	**11.0**	**84**	**2**	**5**	**9**	**14**	**21**	**27**	**51**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.8	7	1	2	3	5	6	7	15
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	88	5.7	18	1	3	5	8	12	15	19
20-34	16	4.0	6	1	2	4	6	7	8	9
35-49	20	5.3	38	2	2	3	5	11	21	28
50-64	18	6.7	23	2	3	6	9	15	17	17
65 +	20	4.0	26	1	1	2	5	7	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	4.8	14	2	2	4	5	12	13	17
20-34	6	4.0	9	1	1	4	5	9	9	9
35-49	9	7.3	45	< 1	2	4	13	18	19	19
50-64	5	11.6	121	3	4	4	22	26	26	26
65 +	9	11.2	101	3	5	8	12	28	36	36
B. Operated										
0-19 YRS	106	9.3	53	3	5	7	12	19	21	41
20-34	33	10.7	70	2	5	8	16	20	27	37
35-49	43	9.5	95	2	4	7	12	20	40	99 +
50-64	43	9.5	142	1	2	5	11	20	38	58
65 +	111	10.9	160	2	3	8	14	22	37	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.9	9	1	2	3	5	6	10	15
B. Operated	162	5.4	21	1	2	4	7	11	15	24
2. MULTIPLE DX										
A. Not Operated	99	5.9	32	1	2	4	7	13	17	31
B. Operated	336	10.0	106	2	4	7	13	20	30	60
1. SINGLE DX	201	5.1	19	1	2	4	6	10	15	22
2. MULTIPLE DX	435	9.1	92	2	3	6	12	19	26	54
A. Not Operated	138	5.3	26	1	2	4	6	13	15	27
B. Operated	498	8.5	83	1	3	6	10	18	23	53
TOTAL										
0-19 YRS	297	6.5	32	1	3	5	9	14	17	25
20-34	57	7.9	53	1	3	5	9	19	21	36
35-49	73	8.1	74	2	3	6	11	18	30	89
50-64	68	8.8	105	1	3	5	10	20	27	56
65 +	141	9.9	142	1	3	7	12	21	34	76
GRAND TOTAL	**636**	**7.8**	**72**	**1**	**3**	**5**	**9**	**16**	**21**	**49**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	17	4.6	27	1	2	3	6	7	17	23
35-49	40	3.2	7	1	1	2	4	7	8	14
50-64	33	2.8	5	1	1	2	3	6	7	10
65 +	26	3.3	12	1	1	2	4	6	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	3	6.7	10	3	4	8	9	9	9	9
65 +	4	3.0	3	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	11	4.1	9	1	2	3	5	9	10	10
35-49	27	3.8	5	1	2	3	6	7	7	8
50-64	49	4.7	16	1	2	4	6	11	14	17
65 +	64	6.4	37	1	2	5	8	13	22	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	120	3.3	10	1	1	2	4	6	8	19
2. MULTIPLE DX										
A. Not Operated	8	5.9	21	1	3	4	8	13	15	15
B. Operated	154	5.2	23	1	2	4	7	11	14	27
1. SINGLE DX	120	3.3	10	1	1	2	4	6	8	19
2. MULTIPLE DX	162	5.3	23	1	2	4	7	11	14	27
A. Not Operated	8	5.9	21	1	3	4	8	13	15	15
B. Operated	274	4.4	18	1	1	3	6	9	12	25
TOTAL										
0-19 YRS	7	3.3	6	1	2	2	4	7	8	8
20-34	28	4.4	19	1	2	3	6	8	11	23
35-49	68	3.6	8	1	2	3	5	7	8	15
50-64	85	4.0	12	1	1	3	5	8	12	17
65 +	94	5.4	31	1	2	4	7	12	17	27
GRAND TOTAL	**282**	**4.4**	**18**	**1**	**2**	**3**	**6**	**9**	**13**	**25**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	3	6.0	49	1	1	3	11	14	14	14
35-49	12	4.0	13	1	2	3	4	10	13	13
50-64	13	1.8	3	< 1	1	1	2	5	7	7
65 +	31	2.4	6	1	1	1	3	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	7.0	24	2	3	5	11	14	14	14
50-64	3	4.3	12	< 1	1	4	7	8	8	8
65 +	6	6.7	33	2	4	5	6	17	18	18
B. Operated										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	7	8.0	29	1	3	9	13	14	14	14
35-49	12	4.3	18	1	2	3	5	13	14	14
50-64	24	4.0	21	1	1	2	4	12	14	19
65 +	120	5.3	37	1	2	3	7	13	18	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	63	2.8	9	1	1	1	3	7	10	14
2. MULTIPLE DX										
A. Not Operated	15	6.1	22	2	4	5	7	14	17	18
B. Operated	164	5.3	35	1	2	3	7	13	18	44
1. SINGLE DX	64	2.8	9	1	1	2	3	7	10	14
2. MULTIPLE DX	179	5.4	34	1	2	3	7	13	18	40
A. Not Operated	16	5.9	21	2	3	5	7	14	17	18
B. Operated	227	4.6	29	1	1	2	6	12	14	30
TOTAL										
0-19 YRS	5	6.8	95	1	1	3	10	24	24	24
20-34	11	7.1	29	1	2	5	13	14	14	14
35-49	29	4.7	17	1	2	3	5	13	14	14
50-64	40	3.4	15	1	1	2	4	8	12	19
65 +	158	4.8	32	1	1	3	6	11	17	45
GRAND TOTAL	**243**	**4.7**	**29**	**1**	**1**	**3**	**6**	**12**	**15**	**26**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.3		1	1	1	2	2	2	2
50-64	10	2.9	5	1	1	2	3	7	7	7
65 +	5	4.4	7	3	3	3	5	9	9	9
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	52	2.8	2	1	2	2	4	5	6	6
35-49	498	3.1	9	1	2	3	4	5	5	7
50-64	633	2.9	2	1	2	3	4	4	5	7
65 +	628	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	5.8	33	< 1	1	4	9	14	14	14
35-49	15	9.7	94	2	3	5	14	20	33	37
50-64	51	7.8	56	2	4	6	10	16	20	46
65 +	60	7.4	53	2	3	5	10	16	20	43
B. Operated										
0-19 YRS	2	14.5	265	3	3	14	26	26	26	26
20-34	96	3.9	10	2	2	3	4	7	8	21
35-49	735	3.6	8	2	2	3	4	5	7	14
50-64	1250	4.0	12	2	2	3	4	6	8	17
65 +	2260	4.5	14	2	3	4	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.1	5	1	1	2	3	7	8	9
B. Operated	1813	3.0	4	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	131	7.7	57	2	3	5	10	17	20	45
B. Operated	4343	4.2	12	2	3	3	5	7	9	17
1. SINGLE DX	1831	3.0	4	2	2	3	4	5	5	7
2. MULTIPLE DX	4474	4.3	14	2	3	3	5	7	9	20
A. Not Operated	149	7.2	53	1	3	5	9	15	20	45
B. Operated	6156	3.9	10	2	2	3	4	6	8	16
TOTAL										
0-19 YRS	5	7.2	111	2	2	3	9	26	26	26
20-34	152	3.6	8	2	2	3	4	6	8	14
35-49	1251	3.5	10	2	2	3	4	5	6	14
50-64	1944	3.7	10	2	2	3	4	6	7	16
65 +	2953	4.3	12	2	3	4	5	7	9	17
GRAND TOTAL	**6305**	**3.9**	**11**	**2**	**2**	**3**	**4**	**6**	**8**	**17**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	2.1	1	1	1	2	3	3	3	3
35-49	37	2.3		1	2	2	3	3	3	3
50-64	26	2.5	1	2	2	2	3	4	5	5
65 +	27	2.2		1	2	2	3	3	4	4
B. Operated										
0-19 YRS	0									
20-34	28	4.5	5	2	3	4	6	8	8	10
35-49	61	4.1	6	2	2	4	5	8	9	12
50-64	29	2.4	1	1	2	2	3	4	4	6
65 +	25	3.1	4	2	2	2	4	5	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	4.1	13	1	2	3	5	10	12	13
35-49	44	5.4	33	1	2	3	6	16	20	23
50-64	48	4.0	11	1	2	3	5	8	12	15
65 +	39	5.4	32	1	2	3	6	15	18	26
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	71	6.3	22	2	4	5	8	9	13	30
35-49	175	6.6	25	3	4	5	8	11	14	31
50-64	111	8.4	105	2	4	6	9	14	28	68
65 +	80	7.4	47	2	3	5	9	14	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	2.3	1	1	2	2	3	3	4	5
B. Operated	143	3.7	5	2	2	3	5	6	8	11
2. MULTIPLE DX										
A. Not Operated	152	4.8	23	1	2	3	5	12	16	23
B. Operated	438	7.2	49	2	4	5	8	13	17	35
1. SINGLE DX	245	3.1	4	1	2	3	4	6	7	10
2. MULTIPLE DX	590	6.5	43	2	3	5	8	12	17	33
A. Not Operated	254	3.8	15	1	2	3	4	8	13	21
B. Operated	581	6.3	40	2	3	5	8	11	15	33
TOTAL										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	131	5.2	16	2	3	4	7	9	10	25
35-49	317	5.5	22	2	3	4	7	10	13	25
50-64	214	5.9	64	2	2	4	7	11	15	46
65 +	171	5.5	34	2	2	3	7	11	17	26
GRAND TOTAL	**835**	**5.5**	**34**	**2**	**2**	**4**	**7**	**10**	**14**	**31**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.2	1	1	2	2	3	3	3	3
50-64	32	2.3	3	1	2	2	2	3	4	11
65 +	44	2.1	1	1	2	2	2	3	3	5
B. Operated										
0-19 YRS	0									
20-34	4	4.3	1	3	3	4	5	5	5	5
35-49	18	4.6	2	3	4	4	5	7	7	7
50-64	80	4.4	3	3	4	4	5	6	8	11
65 +	97	4.6	5	2	4	4	6	7	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	3.2	6	1	2	2	3	8	8	8
50-64	26	2.8	5	2	2	2	3	4	7	12
65 +	99	3.7	25	1	2	3	4	6	10	32
B. Operated										
0-19 YRS	0									
20-34	21	5.0	4	3	4	5	6	8	8	9
35-49	139	5.3	7	3	4	4	6	8	11	16
50-64	391	5.9	14	3	4	5	7	9	11	27
65 +	633	7.1	35	4	4	6	8	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	2.1	2	1	2	2	2	3	3	9
B. Operated	199	4.5	4	2	4	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	131	3.5	20	1	2	2	3	6	9	27
B. Operated	1184	6.5	25	4	4	5	7	10	13	27
1. SINGLE DX	281	3.8	4	2	2	4	5	6	7	12
2. MULTIPLE DX	1315	6.2	25	3	4	5	7	10	13	27
A. Not Operated	213	3.0	13	1	2	2	3	4	7	23
B. Operated	1383	6.2	22	3	4	5	7	10	13	26
TOTAL										
0-19 YRS	0									
20-34	25	4.9	3	3	4	5	6	7	8	9
35-49	169	5.0	7	3	4	4	6	8	10	15
50-64	529	5.3	13	2	4	4	6	8	10	23
65 +	873	6.2	31	2	4	5	7	10	14	27
GRAND TOTAL	**1596**	**5.8**	**22**	**2**	**4**	**5**	**7**	**9**	**12**	**26**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	6	1.3	1	< 1	1	1	1	3	3	3
65 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	9	4.7	1	4	4	4	5	7	7	7
35-49	24	4.8	9	2	3	4	6	8	11	15
50-64	19	6.1	8	3	4	6	6	11	13	13
65 +	23	7.2	13	3	5	7	9	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49	6	3.2	2	1	2	3	4	5	5	5
50-64	27	5.4	23	1	2	4	7	11	14	23
65 +	43	6.7	32	1	2	5	9	14	18	26
B. Operated										
0-19 YRS	6	7.0	10	4	5	6	8	12	13	13
20-34	38	5.5	7	3	4	5	6	8	11	15
35-49	138	7.4	17	4	5	7	9	12	17	24
50-64	205	11.1	109	4	5	7	13	21	30	59
65 +	287	12.3	79	5	6	10	15	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.2	3	< 1	1	1	3	5	6	6
B. Operated	77	5.8	10	2	4	5	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	82	5.7	26	1	2	4	8	12	16	25
B. Operated	674	10.5	76	4	5	8	13	19	26	51
1. SINGLE DX	89	5.3	10	1	3	5	6	10	12	16
2. MULTIPLE DX	756	10.0	72	4	5	7	12	19	25	50
A. Not Operated	94	5.3	24	1	2	4	7	11	15	25
B. Operated	751	10.0	71	4	5	7	12	19	25	50
TOTAL										
0-19 YRS	12	5.3	9	2	3	5	6	9	12	13
20-34	50	5.2	6	3	4	5	6	7	9	15
35-49	171	6.8	17	3	4	6	8	11	17	22
50-64	257	9.9	96	3	4	7	12	19	25	50
65 +	355	11.2	74	4	6	9	14	21	28	52
GRAND TOTAL	**845**	**9.5**	**68**	**3**	**5**	**7**	**11**	**18**	**24**	**50**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	6	5.3	4	2	4	6	7	7	7	7
20-34	0									
35-49	5	3.0	8	1	1	1	5	7	7	7
50-64	5	3.0	8	< 1	1	1	5	7	7	7
65 +	11	7.8	20	2	4	7	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	7	4	5	8	9	9	9	9
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	15	4.5	7	1	2	4	6	9	9	9
B. Operated										
0-19 YRS	4	10.3	22	6	7	9	13	17	17	17
20-34	7	7.3	23	2	4	5	10	15	16	16
35-49	18	9.9	48	4	6	7	13	18	26	30
50-64	35	9.4	38	4	5	7	11	19	24	28
65 +	89	10.2	47	2	5	9	14	20	23	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	27	5.5	16	1	2	5	7	12	14	14
2. MULTIPLE DX										
A. Not Operated	26	4.3	7	1	2	4	6	9	9	9
B. Operated	153	9.9	43	3	5	8	13	19	23	30
1. SINGLE DX	31	5.0	15	1	1	5	7	11	14	14
2. MULTIPLE DX	179	9.0	41	2	4	7	11	18	23	30
A. Not Operated	30	3.9	7	1	2	3	6	8	9	9
B. Operated	180	9.2	41	2	5	7	12	18	23	30
TOTAL										
0-19 YRS	13	7.2	13	3	5	7	9	11	16	17
20-34	11	5.8	20	1	3	5	7	13	16	16
35-49	25	7.8	47	1	3	6	11	17	22	30
50-64	44	8.1	38	1	4	6	10	16	23	28
65 +	117	9.1	43	2	4	8	12	19	23	30
GRAND TOTAL	**210**	**8.4**	**40**	**2**	**4**	**7**	**11**	**17**	**23**	**29**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	6	6.2	107	< 1	1	2	5	25	27	27
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	0									
35-49	5	5.6	4	2	5	6	7	7	7	7
50-64	162	5.9	7	2	3	6	8	9	11	11
65 +	367	4.8	7	2	3	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	26	3.8	9	1	2	3	5	8	11	13
65 +	178	6.8	43	2	3	5	9	12	18	34
B. Operated										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	0									
35-49	12	6.0	10	1	4	6	8	10	11	11
50-64	639	6.6	17	3	4	6	8	11	14	21
65 +	2978	6.4	26	2	3	5	8	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.0	81	< 1	1	2	4	20	27	27
B. Operated	536	5.1	7	2	3	5	7	8	10	13
2. MULTIPLE DX										
A. Not Operated	208	6.4	39	2	3	5	8	12	16	33
B. Operated	3632	6.4	24	2	3	5	8	11	15	26
1. SINGLE DX	544	5.1	8	2	3	5	7	8	10	13
2. MULTIPLE DX	3840	6.4	25	2	3	5	8	12	15	27
A. Not Operated	216	6.3	40	1	3	4	8	12	17	32
B. Operated	4168	6.2	22	2	3	5	8	11	14	24
TOTAL										
0-19 YRS	8	4.4	3	2	3	5	6	7	7	7
20-34	0									
35-49	18	5.7	8	1	4	6	7	9	11	11
50-64	829	6.4	15	2	4	6	8	11	12	20
65 +	3529	6.2	25	2	3	5	8	11	15	27
GRAND TOTAL	**4384**	**6.2**	**23**	**2**	**3**	**5**	**8**	**11**	**14**	**25**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	17	3.7	10	1	1	2	7	8	9	9
20-34	37	2.4	4	1	1	2	3	6	7	8
35-49	31	3.2	14	1	1	1	5	8	9	18
50-64	3	2.7	4	1	1	2	4	5	5	5
65 +	6	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	3	6.0	25	1	2	6	10	11	11	11
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	6.9	11	2	5	7	9	11	11	11
20-34	31	8.5	113	1	1	7	9	18	36	50
35-49	20	8.6	85	1	2	7	10	23	32	33
50-64	11	4.5	42	1	1	2	4	15	21	22
65 +	8	5.4	17	1	2	4	8	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	2	1	2	2	4	4	4	4
B. Operated	94	2.9	8	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	8	4.4	11	1	2	4	6	9	11	11
B. Operated	77	7.5	77	1	1	6	9	16	28	46
1. SINGLE DX	100	2.8	8	1	1	2	4	7	8	14
2. MULTIPLE DX	85	7.2	71	1	1	5	9	15	24	45
A. Not Operated	14	3.6	7	1	2	3	5	6	10	11
B. Operated	171	4.9	44	1	1	2	7	10	16	36
TOTAL										
0-19 YRS	30	4.2	10	1	1	3	7	9	10	11
20-34	73	5.2	59	1	1	2	7	11	15	47
35-49	53	5.2	46	1	1	2	7	11	18	33
50-64	15	4.1	32	1	1	2	5	11	19	22
65 +	14	3.9	13	1	1	3	5	9	12	13
GRAND TOTAL	**185**	**4.8**	**41**	**1**	**1**	**2**	**7**	**10**	**15**	**36**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	8	4.4	22	< 1	1	3	6	12	14	14
35-49	26	2.2	5	1	1	2	2	4	7	11
50-64	117	2.9	8	1	1	2	4	5	9	16
65 +	209	2.9	8	1	1	2	3	5	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	7	5.1	15	< 1	2	4	9	11	11	11
65 +	54	7.1	35	1	4	5	8	14	22	29
B. Operated										
0-19 YRS	2	11.0	72	5	5	11	17	17	17	17
20-34	11	4.0	11	1	1	4	5	8	13	13
35-49	54	7.7	76	1	2	3	11	23	27	40
50-64	397	6.5	51	1	2	4	9	15	19	31
65 +	1508	6.6	51	1	2	4	9	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	363	2.9	8	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. Not Operated	61	6.9	33	1	4	5	9	13	20	28
B. Operated	1972	6.6	52	1	2	4	9	15	19	36
1. SINGLE DX	365	2.9	8	1	1	2	3	5	8	14
2. MULTIPLE DX	2033	6.6	51	1	2	4	9	15	19	36
A. Not Operated	63	6.8	32	1	3	5	8	13	20	28
B. Operated	2335	6.0	47	1	2	4	8	14	18	35
TOTAL										
0-19 YRS	5	5.6	43	1	2	3	8	17	17	17
20-34	19	4.2	15	1	1	4	5	11	14	14
35-49	80	5.9	59	1	1	2	9	13	23	38
50-64	523	5.7	43	1	2	3	8	13	17	28
65 +	1771	6.2	47	1	2	4	8	14	18	35
GRAND TOTAL	**2398**	**6.1**	**46**	**1**	**2**	**4**	**8**	**14**	**18**	**34**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.8	15	1	2	4	7	10	10	10
20-34	0									
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	26	7.7	30	2	5	7	8	12	20	28
20-34	7	6.4	22	2	4	5	7	14	16	16
35-49	35	7.4	29	4	5	6	8	10	23	27
50-64	45	7.0	9	5	5	7	8	11	14	16
65 +	51	7.6	14	4	6	7	9	11	15	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.3	6	2	3	4	5	9	10	10
20-34	0									
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	26	5.9	26	2	3	4	7	12	20	22
65 +	58	7.7	35	3	4	6	10	16	20	94
B. Operated										
0-19 YRS	46	11.3	58	5	7	8	14	20	25	41
20-34	11	9.3	79	< 1	2	7	12	25	26	26
35-49	87	9.3	45	4	6	7	11	14	24	41
50-64	228	10.3	63	5	6	8	12	19	24	42
65 +	479	10.8	60	5	7	9	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.6	11	1	2	4	6	10	10	10
B. Operated	164	7.3	18	4	5	7	8	11	15	27
2. MULTIPLE DX										
A. Not Operated	106	6.6	28	2	3	5	9	14	18	64
B. Operated	851	10.5	59	5	7	8	12	19	24	42
1. SINGLE DX	169	7.3	18	4	5	7	8	11	15	27
2. MULTIPLE DX	957	10.1	58	4	6	8	12	18	24	42
A. Not Operated	111	6.5	28	2	3	5	8	13	17	61
B. Operated	1015	10.0	54	5	6	8	11	17	24	40
TOTAL										
0-19 YRS	96	8.6	45	3	5	7	10	16	21	40
20-34	18	8.2	56	< 1	4	6	8	22	26	26
35-49	124	8.7	40	4	6	7	10	13	24	39
50-64	299	9.4	54	4	6	8	11	16	22	37
65 +	589	10.2	55	4	6	8	12	18	23	42
GRAND TOTAL	**1126**	**9.7**	**53**	**4**	**6**	**8**	**11**	**17**	**23**	**39**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	1.9	1	1	1	2	2	4	5	5
20-34	0									
35-49	7	2.0	2	1	1	2	2	4	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	6	1.8	1	< 1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.0	12	1	1	3	6	9	12	12
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	7	2.9	1	1	2	3	3	5	5	5
65 +	21	2.9	2	1	2	3	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	33	1.9	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	43	3.1	5	1	1	3	4	6	7	12
1. SINGLE DX	36	1.9	1	1	1	2	2	4	5	5
2. MULTIPLE DX	44	3.2	5	1	2	3	4	6	7	12
A. Not Operated	4	2.3	4	1	1	2	3	5	5	5
B. Operated	76	2.6	4	1	1	2	3	5	6	11
TOTAL										
0-19 YRS	32	2.6	5	1	1	2	3	5	7	12
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	10	2.2	3	1	1	2	2	5	6	6
50-64	9	2.6	2	1	2	3	3	4	5	5
65 +	27	2.6	2	1	1	2	3	5	6	6
GRAND TOTAL	**80**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	3.4	13	< 1	1	2	4	7	11	19
20-34	2	8.5	61	3	3	8	14	14	14	14
35-49	7	4.4	17	1	2	3	5	11	13	13
50-64	8	4.9	9	2	3	4	6	10	11	11
65 +	9	3.7	6	1	2	3	4	7	9	9
B. Operated										
0-19 YRS	68	6.3	28	1	2	5	9	11	14	30
20-34	28	8.2	32	3	5	7	10	15	18	29
35-49	31	5.8	12	1	3	6	9	10	12	14
50-64	36	8.4	30	3	4	7	12	17	17	23
65 +	23	9.4	36	2	5	8	11	20	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	4.4	19	1	2	3	5	7	13	25
20-34	18	4.7	15	2	2	4	6	9	14	17
35-49	60	6.8	34	2	3	5	8	16	18	33
50-64	67	7.7	57	2	3	5	10	16	20	47
65 +	85	9.8	126	3	4	7	11	18	23	73
B. Operated										
0-19 YRS	196	13.7	184	3	7	10	16	33	52	99 +
20-34	73	11.5	148	3	5	8	13	21	31	68
35-49	94	12.0	112	4	6	9	14	22	34	60
50-64	133	12.7	92	4	7	10	16	22	28	59
65 +	165	17.5	180	6	9	14	22	32	46	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.9	13	1	2	3	5	9	12	18
B. Operated	186	7.3	29	2	3	7	9	14	17	27
2. MULTIPLE DX										
A. Not Operated	310	7.1	63	2	3	5	8	15	19	42
B. Operated	661	14.0	154	4	7	11	17	28	44	84
1. SINGLE DX	250	6.4	27	1	2	5	9	13	17	23
2. MULTIPLE DX	971	11.7	135	2	5	9	15	23	34	77
A. Not Operated	374	6.5	56	2	2	5	8	14	19	37
B. Operated	847	12.5	134	3	6	9	15	24	35	78
TOTAL										
0-19 YRS	382	9.4	124	1	3	7	12	20	34	99 +
20-34	121	9.7	105	2	4	7	11	18	28	63
35-49	192	9.1	76	2	4	7	11	17	22	56
50-64	244	10.5	77	3	5	8	14	20	24	52
65 +	282	14.0	163	4	6	10	19	25	39	81
GRAND TOTAL	**1221**	**10.7**	**117**	**2**	**4**	**8**	**14**	**22**	**31**	**72**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	12.0	98	5	5	12	19	19	19	19
65 +	0									
B. Operated										
0-19 YRS	9	6.6	19	1	4	6	9	13	14	14
20-34	4	5.3	21	2	2	3	8	12	12	12
35-49	6	5.8	4	4	4	5	7	9	9	9
50-64	4	8.3	26	4	4	8	12	14	14	14
65 +	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	12.9	258	2	4	7	13	40	51	51
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	6.3	45	1	2	4	10	16	16	16
65 +	12	8.1	48	1	2	4	14	18	19	19
B. Operated										
0-19 YRS	22	13.0	112	4	6	9	13	35	37	38
20-34	11	12.3	44	7	7	9	16	24	26	26
35-49	10	12.5	32	6	8	12	15	21	24	24
50-64	15	13.2	295	1	3	9	14	20	58	71
65 +	15	14.3	125	7	8	9	19	29	42	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.7	52	1	1	1	5	18	19	19
B. Operated	25	6.6	15	2	4	5	9	12	14	14
2. MULTIPLE DX										
A. Not Operated	25	9.2	110	1	3	5	14	18	27	51
B. Operated	73	13.1	125	4	7	9	15	24	36	65
1. SINGLE DX	31	6.2	21	1	3	5	9	13	14	19
2. MULTIPLE DX	98	12.1	123	3	6	9	15	23	35	61
A. Not Operated	31	8.3	100	1	2	5	14	18	19	51
B. Operated	98	11.4	105	3	6	9	14	22	32	59
TOTAL										
0-19 YRS	43	10.5	119	1	5	7	12	25	37	51
20-34	15	10.4	46	3	7	8	14	22	25	26
35-49	17	9.7	31	4	5	8	13	17	22	24
50-64	25	11.2	193	1	4	9	14	20	33	71
65 +	29	11.3	92	2	4	9	14	21	30	46
GRAND TOTAL	**129**	**10.7**	**105**	**1**	**5**	**8**	**14**	**21**	**29**	**55**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	14	1.5		1	1	1	2	2	2	2
35-49	11	1.6		1	1	2	2	2	2	2
50-64	9	2.4	2	1	2	2	3	5	5	5
65 +	5	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	35	3.8	13	1	2	2	5	9	13	16
20-34	54	2.4	1	1	2	2	3	4	4	5
35-49	78	2.2	1	1	2	2	2	3	4	6
50-64	30	2.1	1	1	2	2	2	3	5	5
65 +	21	3.2	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.9	23	1	1	3	6	14	16	16
20-34	12	2.4	3	1	1	2	3	4	7	7
35-49	17	2.3	1	2	2	2	3	3	4	5
50-64	13	2.5	4	1	2	2	2	4	8	9
65 +	15	7.9	112	3	3	4	8	15	37	44
B. Operated										
0-19 YRS	62	15.9	345	2	4	8	17	51	59	69
20-34	76	4.8	110	1	2	3	4	8	9	74
35-49	102	3.4	11	1	2	3	4	5	7	22
50-64	71	4.1	12	1	2	3	5	10	12	82
65 +	69	5.9	34	2	3	4	7	13	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.9	1	1	1	2	2	3	4	5
B. Operated	218	2.6	3	1	2	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	75	4.1	32	1	2	2	4	9	14	37
B. Operated	380	6.3	108	1	2	3	6	12	23	63
1. SINGLE DX	261	2.5	3	1	2	2	3	4	5	9
2. MULTIPLE DX	455	5.9	96	1	2	3	5	12	19	60
A. Not Operated	118	3.3	22	1	2	2	3	6	10	25
B. Operated	598	4.9	73	1	2	3	4	9	14	58
TOTAL										
0-19 YRS	119	10.2	221	1	2	5	10	27	53	66
20-34	156	3.5	55	1	2	2	3	5	8	27
35-49	208	2.7	6	1	2	2	3	5	6	16
50-64	123	3.3	9	1	2	2	4	7	11	38
65 +	110	5.5	39	2	2	3	6	11	19	37
GRAND TOTAL	**716**	**4.7**	**65**	**1**	**2**	**3**	**4**	**8**	**14**	**56**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	4	1	1	1	4	5	5	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	4.9	18	2	3	4	5	12	15	15
65 +	15	9.8	70	2	3	7	14	23	27	29
B. Operated										
0-19 YRS	18	8.2	112	1	3	6	8	13	34	48
20-34	6	3.2	8	< 1	1	2	5	8	8	8
35-49	12	5.1	18	1	2	4	7	10	15	16
50-64	34	4.6	17	1	2	4	6	9	12	21
65 +	24	4.0	11	1	2	3	5	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	6.4	102	1	2	4	7	12	14	71
20-34	74	6.9	66	1	2	4	9	15	22	46
35-49	396	7.1	44	2	3	5	9	15	24	34
50-64	1106	8.3	52	2	4	6	10	17	22	38
65 +	2059	8.7	47	3	4	7	11	17	22	34
B. Operated										
0-19 YRS	137	14.1	249	3	5	8	16	38	55	76
20-34	160	9.9	75	2	4	7	12	21	30	39
35-49	567	11.1	116	3	5	8	14	22	32	64
50-64	1602	11.0	93	3	5	8	14	22	31	49
65 +	2530	12.6	110	3	6	10	16	25	34	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	6.6	49	1	2	4	7	17	23	29
B. Operated	94	5.1	34	1	2	4	6	10	13	36
2. MULTIPLE DX										
A. Not Operated	3697	8.3	50	2	4	6	10	17	22	35
B. Operated	4996	11.9	109	3	5	9	15	24	32	53
1. SINGLE DX	125	5.4	38	1	2	4	7	12	15	34
2. MULTIPLE DX	8693	10.4	87	3	4	8	13	21	28	47
A. Not Operated	3728	8.3	50	2	4	6	10	17	22	34
B. Operated	5090	11.7	108	3	5	9	15	24	32	53
TOTAL										
0-19 YRS	224	11.1	203	2	4	6	12	26	48	75
20-34	240	8.8	73	1	3	6	11	19	29	39
35-49	976	9.4	90	2	4	7	11	19	27	49
50-64	2750	9.8	77	2	4	7	12	21	27	46
65 +	4628	10.8	86	3	5	8	14	22	28	46
GRAND TOTAL	**8818**	**10.3**	**86**	**3**	**4**	**8**	**13**	**21**	**28**	**47**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	5	2.8	2	1	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	45	4.8	7	1	3	4	6	9	9	11
20-34	52	4.4	5	1	3	5	5	7	9	9
35-49	23	4.7	8	1	4	5	6	6	9	15
50-64	5	2.4	3	1	1	2	3	5	5	5
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.6	4	1	2	4	5	6	7	7
20-34	16	5.3	16	1	2	4	8	10	13	15
35-49	13	7.4	17	3	4	7	10	13	16	17
50-64	7	7.6	27	2	3	6	10	16	17	17
65 +	7	7.7	55	1	3	6	9	20	23	23
B. Operated										
0-19 YRS	34	9.0	74	2	4	6	10	19	31	39
20-34	67	10.8	122	2	5	7	12	31	38	45
35-49	44	8.8	70	3	5	6	9	19	29	42
50-64	25	13.9	115	4	6	11	20	29	34	44
65 +	24	15.1	158	5	6	10	22	28	45	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.8	2	1	2	2	4	5	5	5
B. Operated	127	4.5	6	1	2	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	63	5.7	19	1	3	5	8	10	16	22
B. Operated	194	11.0	108	3	5	7	14	27	35	45
1. SINGLE DX	136	4.4	6	1	2	4	6	7	9	12
2. MULTIPLE DX	257	9.7	91	2	4	6	11	23	32	44
A. Not Operated	72	5.3	18	1	2	4	7	10	15	22
B. Operated	321	8.4	78	2	4	5	9	19	29	43
TOTAL										
0-19 YRS	101	5.9	33	1	3	5	7	10	15	35
20-34	140	7.5	72	1	3	5	8	14	30	42
35-49	80	7.4	46	2	4	5	8	15	19	39
50-64	37	11.2	100	1	4	8	16	26	30	44
65 +	35	12.3	136	3	5	8	20	26	37	54
GRAND TOTAL	**393**	**7.8**	**68**	**2**	**4**	**5**	**9**	**17**	**27**	**42**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	3.0	6	1	2	2	4	6	7	15
20-34	5	2.6	5	1	1	1	4	6	6	6
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	98	8.0	55	1	3	6	9	20	24	37
20-34	3	8.3	140	1	1	2	17	22	22	22
35-49	1	18.0		18	18	18	18	18	18	18
50-64	2	5.5	5	4	4	5	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	5.2	33	1	2	3	6	11	16	29
20-34	20	8.0	68	< 1	2	5	11	21	27	31
35-49	3	22.3	254	4	10	30	32	33	33	33
50-64	3	28.0	324	10	14	28	41	46	46	46
65 +	5	9.0	102	< 1	2	5	14	26	26	26
B. Operated										
0-19 YRS	218	15.4	243	4	6	10	21	41	56	99 +
20-34	23	29.8	567	2	10	29	39	77	97	99 +
35-49	11	23.2	371	4	6	23	30	49	68	70
50-64	7	20.3	191	3	8	21	32	36	37	37
65 +	9	19.0	144	5	10	15	30	35	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	3.1	7	1	2	2	4	6	7	16
B. Operated	104	8.0	55	1	3	6	9	20	24	37
2. MULTIPLE DX										
A. Not Operated	227	6.0	52	1	2	3	7	14	22	36
B. Operated	268	17.2	285	4	6	11	26	42	59	99 +
1. SINGLE DX	196	5.7	39	1	2	4	7	13	20	32
2. MULTIPLE DX	495	12.1	209	2	3	7	15	32	47	99 +
A. Not Operated	319	5.2	41	1	2	3	6	11	18	32
B. Operated	372	14.6	237	2	5	9	21	38	50	99 +
TOTAL										
0-19 YRS	597	9.1	134	2	2	5	10	23	36	91
20-34	51	17.3	414	1	2	7	29	43	73	99 +
35-49	16	22.1	289	4	6	22	30	35	59	70
50-64	13	18.5	223	3	6	10	31	39	45	46
65 +	14	15.4	145	3	5	11	26	32	36	37
GRAND TOTAL	**691**	**10.3**	**169**	**2**	**2**	**6**	**11**	**28**	**39**	**94**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.0		4	4	4	4	4	4	4
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	6	2	2	3	6	7	7	7
20-34	0									
35-49	4	10.5	71	2	3	10	17	20	20	20
50-64	18	5.7	13	< 1	3	5	6	11	12	13
65 +	47	8.6	37	3	4	6	12	15	23	27
B. Operated										
0-19 YRS	2	13.0	242	2	2	13	24	24	24	24
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	9.0	40	3	4	6	14	18	18	18
50-64	28	9.9	36	4	5	9	13	16	19	31
65 +	48	11.7	98	2	5	9	16	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	2	< 1	1	3	4	4	4	4
B. Operated	3	10.7	22	7	7	9	14	16	16	16
2. MULTIPLE DX										
A. Not Operated	74	7.7	32	2	4	6	11	14	22	26
B. Operated	84	10.9	73	3	5	9	15	20	27	46
1. SINGLE DX	8	5.8	24	1	2	4	8	14	16	16
2. MULTIPLE DX	158	9.4	56	3	4	7	13	18	24	42
A. Not Operated	79	7.4	32	2	3	5	11	14	21	26
B. Operated	87	10.9	71	3	5	9	15	20	27	46
TOTAL										
0-19 YRS	8	6.1	56	2	2	3	6	19	24	24
20-34	1	5.0		5	5	5	5	5	5	5
35-49	11	8.9	43	2	3	6	14	19	20	20
50-64	49	8.0	30	3	4	6	11	14	17	31
65 +	97	10.1	69	3	5	8	13	20	26	46
GRAND TOTAL	**166**	**9.2**	**55**	**2**	**4**	**7**	**13**	**18**	**23**	**41**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.2	5	1	2	4	5	8	8	8
20-34	0									
35-49	2	14.0	128	6	6	14	22	22	22	22
50-64	3	4.0	7	< 1	1	5	6	6	6	6
65 +	3	4.3		4	4	4	5	5	5	5
B. Operated										
0-19 YRS	19	9.6	330	< 1	1	1	5	47	56	57
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	6.3	21	1	3	9	9	9	9	9
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	3	10.7	154	3	3	4	20	25	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	7.1	52	1	3	5	8	18	25	31
20-34	4	25.3	162	7	21	34	51	99 +	99 +	99 +
35-49	13	20.5	371	4	6	8	38	50	55	56
50-64	20	10.5	84	3	4	7	12	26	30	33
65 +	36	9.1	56	2	4	7	13	24	30	99 +
B. Operated										
0-19 YRS	50	28.7	524	4	7	25	43	71	77	99 +
20-34	20	36.3	338	9	27	32	51	63	66	68
35-49	42	32.6	254	11	24	31	43	51	65	71
50-64	40	36.7	405	8	27	33	48	72	82	99 +
65 +	85	27.6	380	5	9	27	40	53	65	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	5.2	20	1	3	4	6	8	16	22
B. Operated	29	8.3	234	< 1	1	2	7	32	54	57
2. MULTIPLE DX										
A. Not Operated	97	11.1	127	2	4	7	14	32	40	99 +
B. Operated	237	31.0	396	5	15	29	43	62	72	99 +
1. SINGLE DX	48	7.1	149	< 1	1	3	6	18	39	57
2. MULTIPLE DX	334	25.2	399	4	7	25	39	55	70	99 +
A. Not Operated	116	10.1	114	2	4	6	12	28	36	99 +
B. Operated	266	28.5	427	3	9	28	42	60	71	99
TOTAL										
0-19 YRS	104	17.6	435	1	3	7	31	52	70	87
20-34	27	30.8	392	3	19	29	47	63	71	99 +
35-49	60	28.1	313	6	10	27	42	50	58	71
50-64	64	26.4	458	4	6	27	39	59	75	98
65 +	127	21.4	350	4	6	16	32	48	64	99 +
GRAND TOTAL	**382**	**22.9**	**403**	**3**	**5**	**19**	**37**	**53**	**66**	**99 +**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.9	3	< 1	1	3	4	5	5	5
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	11	5.5	75	< 1	< 1	3	6	16	30	31
65 +	3	2.3	5	1	1	1	4	5	5	5
B. Operated										
0-19 YRS	8	6.5	36	1	2	5	11	16	16	16
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	0									
50-64	4	17.0	274	1	4	14	30	38	38	38
65 +	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.1	8	1	1	3	6	8	9	10
20-34	3	5.7	9	3	3	5	8	9	9	9
35-49	19	10.0	169	2	4	6	12	17	41	60
50-64	19	7.3	27	2	4	7	8	17	18	19
65 +	48	8.5	111	2	3	5	9	20	37	47
B. Operated										
0-19 YRS	27	24.9	521	1	3	23	43	57	68	77
20-34	15	22.4	262	4	5	29	36	39	44	46
35-49	19	28.3	432	8	11	28	40	72	92	99 +
50-64	35	20.3	352	4	6	12	31	43	62	74
65 +	61	16.2	261	4	6	11	19	37	51	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.0	34	< 1	1	3	5	6	11	31
B. Operated	16	8.8	98	1	2	6	12	21	33	38
2. MULTIPLE DX										
A. Not Operated	106	7.8	88	1	3	5	8	17	23	53
B. Operated	157	20.7	356	3	6	12	34	47	62	84
1. SINGLE DX	42	5.8	62	1	1	3	6	15	26	38
2. MULTIPLE DX	263	15.5	287	2	4	8	21	40	52	83
A. Not Operated	132	7.0	79	1	2	5	7	14	21	49
B. Operated	173	19.6	343	2	5	11	32	46	60	84
TOTAL										
0-19 YRS	60	13.6	343	1	2	5	15	45	55	76
20-34	22	16.8	248	2	4	6	31	38	42	46
35-49	40	18.3	374	3	5	10	29	55	71	99 +
50-64	69	14.2	251	1	4	7	20	38	43	72
65 +	114	12.4	203	2	4	7	15	35	44	71
GRAND TOTAL	**305**	**14.1**	**267**	**1**	**4**	**7**	**19**	**38**	**51**	**80**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	5.3	10	1	2	6	8	9	10	10
20-34	4	5.8	10	3	3	5	8	10	10	10
35-49	5	3.6	8	< 1	1	2	6	8	8	8
50-64	22	3.8	8	1	1	3	5	7	10	13
65 +	10	4.5	6	1	3	4	7	8	9	9
B. Operated										
0-19 YRS	25	5.0	19	1	1	4	7	9	14	18
20-34	12	4.5	9	1	2	5	6	8	11	11
35-49	43	4.7	18	1	1	4	6	11	15	17
50-64	75	4.3	11	1	2	3	5	9	11	16
65 +	73	4.7	22	1	1	3	7	10	12	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	5.7	53	1	2	3	5	16	23	35
20-34	17	4.8	5	2	3	4	6	7	10	11
35-49	73	8.8	63	2	4	6	12	20	25	37
50-64	160	8.1	54	2	3	5	11	20	27	29
65 +	324	8.8	42	2	4	7	11	18	22	29
B. Operated										
0-19 YRS	55	17.0	202	3	7	12	24	42	50	98
20-34	54	13.8	101	4	6	11	20	32	34	39
35-49	152	13.5	165	3	5	9	16	34	42	60
50-64	319	13.4	143	3	6	10	16	31	39	59
65 +	616	13.6	112	3	6	11	18	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	4.4	8	1	2	4	6	8	10	13
B. Operated	228	4.6	16	1	1	3	7	10	12	18
2. MULTIPLE DX										
A. Not Operated	611	8.3	48	2	3	6	11	18	23	30
B. Operated	1196	13.7	131	3	6	10	17	30	38	58
1. SINGLE DX	282	4.6	15	1	2	3	7	10	11	18
2. MULTIPLE DX	1807	11.9	109	2	5	9	15	25	34	53
A. Not Operated	665	8.0	46	2	3	6	10	17	23	29
B. Operated	1424	12.2	124	2	5	9	16	27	36	57
TOTAL										
0-19 YRS	130	10.3	137	1	2	7	13	27	36	72
20-34	87	10.4	84	2	4	7	12	24	32	38
35-49	273	10.7	123	2	4	7	13	25	37	47
50-64	576	10.4	109	2	4	7	14	24	33	56
65 +	1023	11.3	91	2	5	9	15	23	30	47
GRAND TOTAL	**2089**	**10.9**	**103**	**2**	**4**	**8**	**14**	**24**	**33**	**51**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	2.3	3	1	1	2	3	5	6	7
20-34	70	1.6	1	1	1	1	2	3	3	5
35-49	96	1.6	1	1	1	1	2	3	3	5
50-64	96	1.5		1	1	1	2	2	2	4
65 +	59	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	8	5.1	20	1	1	3	10	11	11	11
20-34	25	2.6	6	1	1	2	3	5	8	12
35-49	46	1.8	1	1	1	2	2	3	3	7
50-64	74	2.5	3	1	1	2	3	4	6	10
65 +	117	2.9	6	1	2	2	3	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	338	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	270	2.7	5	1	1	2	3	5	7	11
1. SINGLE DX	339	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX	272	2.6	5	1	1	2	3	5	7	11
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	608	2.1	3	1	1	2	2	3	5	11
TOTAL										
0-19 YRS	27	3.0	9	1	1	2	3	9	11	11
20-34	95	1.9	2	1	1	2	2	3	4	10
35-49	142	1.7	1	1	1	1	2	3	3	6
50-64	171	1.9	2	1	1	2	2	3	4	8
65 +	176	2.5	4	1	1	2	3	5	7	11
GRAND TOTAL	**611**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**5**	**11**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	41	4.9	12	1	1	6	8	9	10	12
20-34	11	4.9	10	1	3	4	7	10	11	11
35-49	11	6.2	8	3	4	6	8	10	12	12
50-64	37	4.2	11	< 1	< 1	3	7	9	9	11
65 +	42	4.3	14	< 1	< 1	3	7	10	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	3.4	4	1	2	4	4	6	7	7
50-64	4	5.8	12	3	3	5	8	10	10	10
65 +	18	3.9	8	1	2	3	5	8	10	11
B. Operated										
0-19 YRS	38	6.0	18	1	2	6	9	11	14	17
20-34	32	6.0	15	1	3	6	8	12	15	16
35-49	80	7.0	24	2	3	7	9	12	15	28
50-64	171	7.0	18	1	4	7	9	12	15	20
65 +	394	8.5	60	2	4	7	10	15	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	142	4.7	12	< 1	1	5	7	9	11	12
2. MULTIPLE DX										
A. Not Operated	33	3.8	7	1	2	3	5	8	10	11
B. Operated	715	7.7	43	2	4	7	9	14	19	35
1. SINGLE DX	146	4.6	12	< 1	1	4	7	9	11	12
2. MULTIPLE DX	748	7.6	42	2	4	7	9	14	18	35
A. Not Operated	37	3.6	7	1	2	3	4	7	10	11
B. Operated	857	7.2	39	1	3	7	9	13	17	33
TOTAL										
0-19 YRS	83	5.3	15	1	1	5	8	10	11	17
20-34	45	5.5	14	1	3	5	7	11	13	16
35-49	98	6.6	22	2	4	7	8	12	14	27
50-64	212	6.5	18	1	3	7	9	11	14	20
65 +	456	7.9	56	1	3	7	10	14	20	40
GRAND TOTAL	**894**	**7.1**	**38**	**1**	**3**	**6**	**9**	**12**	**17**	**32**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.2		< 1	1	1	1	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	58	2.0	4	1	1	1	2	5	7	10
20-34	10	2.3	2	1	1	2	3	4	5	5
35-49	23	4.2	10	1	1	4	6	8	11	11
50-64	18	4.3	7	1	2	5	6	8	9	10
65 +	12	3.9	7	1	2	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	3	5.3	56	1	1	1	11	14	14	14
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	40	5.2	36	1	1	3	7	12	18	29
20-34	17	4.6	13	1	2	4	6	11	13	14
35-49	26	6.5	34	1	2	5	8	13	17	28
50-64	40	5.3	6	2	3	5	7	8	9	11
65 +	37	8.9	163	1	3	5	10	18	24	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.3		< 1	1	1	2	2	2	2
B. Operated	121	3.0	7	1	1	2	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	8	3.6	23	1	1	1	5	12	14	14
B. Operated	160	6.2	56	1	2	5	8	12	15	29
1. SINGLE DX	128	2.9	6	1	1	2	4	7	8	11
2. MULTIPLE DX	168	6.1	55	1	2	5	8	12	15	29
A. Not Operated	15	2.5	13	1	1	1	2	8	12	14
B. Operated	281	4.8	37	1	1	4	6	10	12	27
TOTAL										
0-19 YRS	108	3.1	18	1	1	1	3	8	10	25
20-34	27	3.8	10	1	1	3	5	6	12	14
35-49	49	5.4	23	1	2	5	7	11	13	28
50-64	61	5.0	8	1	3	5	7	8	9	14
65 +	51	7.5	124	1	2	5	9	14	21	75
GRAND TOTAL	**296**	**4.7**	**36**	**1**	**1**	**3**	**6**	**9**	**12**	**27**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8		< 1	1	2	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	207	2.0	2	1	1	1	2	4	6	7
20-34	78	2.8	7	1	1	2	3	6	10	13
35-49	84	2.7	5	1	1	2	4	5	7	11
50-64	43	2.2	3	1	1	1	3	5	6	6
65 +	19	3.6	10	1	1	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	4	7.0	45	1	1	6	12	15	15	15
65 +	4	7.5	55	1	2	5	12	18	18	18
B. Operated										
0-19 YRS	74	3.7	25	1	1	2	4	8	9	32
20-34	41	3.3	9	1	1	2	4	7	11	13
35-49	68	4.2	21	1	1	2	5	10	15	23
50-64	72	5.8	38	1	2	3	8	13	20	28
65 +	74	5.3	73	1	2	3	7	10	13	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	2	< 1	1	2	2	4	5	5
B. Operated	431	2.3	4	1	1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	13	6.5	36	1	2	4	11	16	18	18
B. Operated	329	4.6	36	1	1	3	6	9	14	27
1. SINGLE DX	438	2.3	4	1	1	1	3	5	7	11
2. MULTIPLE DX	342	4.6	36	1	1	3	6	10	14	26
A. Not Operated	20	5.0	28	1	1	3	6	15	17	18
B. Operated	760	3.3	19	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	285	2.4	9	1	1	1	3	5	7	10
20-34	121	3.0	9	1	1	2	4	7	11	14
35-49	156	3.3	12	1	1	2	4	7	10	17
50-64	121	4.5	28	1	1	2	6	10	15	27
65 +	97	5.1	60	1	1	3	7	10	13	46
GRAND TOTAL	**780**	**3.3**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.5	4	< 1	2	3	5	6	7	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	4.3	5	3	3	3	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	251	2.6	14	1	1	1	3	6	8	13
20-34	40	2.2	3	1	1	1	3	5	7	7
35-49	25	3.0	8	1	1	2	4	7	9	12
50-64	13	3.0	6	1	1	2	5	7	8	8
65 +	10	2.5	6	< 1	1	2	2	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.5	10	< 1	2	4	6	10	12	12
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	12	7.6	31	2	4	6	9	17	20	20
B. Operated										
0-19 YRS	121	6.9	197	1	1	2	6	14	25	84
20-34	19	6.6	26	2	3	5	9	16	18	18
35-49	37	5.7	41	1	2	5	6	11	20	34
50-64	28	5.4	39	1	1	4	7	9	23	28
65 +	44	5.2	19	1	2	4	7	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.5	4	1	2	3	5	7	7	7
B. Operated	339	2.6	11	1	1	1	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	50	5.0	16	1	2	4	6	10	12	20
B. Operated	249	6.2	112	1	1	3	7	13	18	59
1. SINGLE DX	354	2.6	11	1	1	2	3	6	8	12
2. MULTIPLE DX	299	6.0	96	1	1	4	7	12	18	56
A. Not Operated	65	4.7	13	1	2	4	6	9	12	19
B. Operated	588	4.1	57	1	1	2	5	8	12	41
TOTAL										
0-19 YRS	412	4.0	70	1	1	2	4	8	12	50
20-34	63	3.6	14	1	1	2	5	7	12	18
35-49	68	4.5	27	1	1	3	6	9	12	32
50-64	44	4.5	28	1	1	3	6	8	14	28
65 +	66	5.2	21	1	2	4	7	10	14	23
GRAND TOTAL	**653**	**4.2**	**53**	**1**	**1**	**2**	**5**	**8**	**12**	**34**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	8	2.6	8	< 1	1	2	3	7	9	9
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.1	2	1	1	2	3	4	4	4
35-49	16	1.9	1	1	1	2	2	3	3	3
50-64	12	2.3	3	1	1	2	3	5	7	7
65 +	8	3.1	5	< 1	1	2	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	1.9	5	< 1	1	1	2	4	8	9
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	44	2.3	2	1	1	2	3	4	6	7
1. SINGLE DX	15	1.9	5	< 1	1	1	2	4	8	9
2. MULTIPLE DX	44	2.3	2	1	1	2	3	4	6	7
A. Not Operated	0									
B. Operated	59	2.2	3	1	1	2	2	4	6	9
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	1.9	2	< 1	1	1	3	4	4	4
35-49	19	1.7	1	1	1	2	2	3	3	3
50-64	20	2.5	5	1	1	2	3	6	8	9
65 +	9	2.9	5	< 1	1	2	5	6	7	7
GRAND TOTAL	**59**	**2.2**	**3**	**1**	**1**	**2**	**2**	**4**	**6**	**9**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	10	2.6	3	< 1	1	2	4	5	6	6
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	138	3.6	1	2	3	4	4	5	5	6
35-49	480	3.9	3	3	3	4	4	5	5	7
50-64	53	4.2	2	3	4	4	4	5	8	10
65 +	8	4.5	1	3	4	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	25	2.7	4	1	1	2	4	6	7	7
35-49	51	2.9	3	1	1	3	4	5	6	7
50-64	11	3.5	8	< 1	2	3	4	7	11	11
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	3	4.3	9	1	2	5	6	7	7	7
20-34	807	4.2	3	3	3	4	5	6	7	10
35-49	5532	4.3	3	3	4	4	5	6	7	11
50-64	971	4.5	4	3	4	4	5	6	7	11
65 +	115	6.2	23	4	4	5	6	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.8	3	1	1	2	4	6	6	6
B. Operated	679	3.8	2	3	3	4	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	88	3.0	4	1	1	3	4	5	7	10
B. Operated	7428	4.3	4	3	4	4	5	6	7	11
1. SINGLE DX	695	3.8	3	3	3	4	4	5	5	8
2. MULTIPLE DX	7516	4.3	4	3	4	4	5	6	7	11
A. Not Operated	104	2.9	4	1	1	3	4	6	6	9
B. Operated	8107	4.3	4	3	4	4	5	6	7	11
TOTAL										
0-19 YRS	3	4.3	9	1	2	5	6	7	7	7
20-34	974	4.0	3	3	3	4	4	6	7	10
35-49	6073	4.2	3	3	4	4	5	6	7	11
50-64	1037	4.5	4	3	4	4	5	6	7	11
65 +	124	6.1	21	4	4	5	6	9	14	28
GRAND TOTAL	**8211**	**4.3**	**4**	**3**	**4**	**4**	**5**	**6**	**7**	**11**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	16	4.4	1	3	4	4	5	6	6	6
35-49	49	4.2	2	3	3	4	5	6	6	9
50-64	15	4.3	2	3	4	4	4	6	8	9
65 +	3	27.7	1104	7	8	10	52	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	5	3.4	3	< 1	1	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	83	5.1	48	3	3	4	5	6	8	47
1. SINGLE DX	6	3.2	3	< 1	2	3	5	5	5	5
2. MULTIPLE DX	83	5.1	48	3	3	4	5	6	8	47
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	88	5.0	45	3	3	4	5	6	7	45
TOTAL										
0-19 YRS	0									
20-34	18	4.2	2	2	4	4	5	6	6	6
35-49	52	4.1	2	3	3	4	5	6	6	9
50-64	16	4.4	2	3	4	4	5	6	8	9
65 +	3	27.7	1104	7	8	10	52	66	66	66
GRAND TOTAL	**89**	**5.0**	**45**	**3**	**3**	**4**	**5**	**6**	**7**	**44**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	63	3.5	2	2	3	3	4	5	6	10
20-34	215	3.2	1	2	3	3	4	4	5	6
35-49	130	3.4	1	2	3	3	4	4	5	7
50-64	42	4.1	2	2	3	4	5	6	7	9
65 +	29	4.6	1	4	4	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	66	3.8	2	3	3	4	4	5	7	10
20-34	318	4.0	4	3	3	4	4	6	8	12
35-49	412	4.5	6	3	3	4	5	7	9	16
50-64	260	5.1	6	3	4	4	6	8	10	14
65 +	241	6.9	31	4	4	6	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	479	3.5	1	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	3	3.3	4	< 1	1	4	5	5	5	5
B. Operated	1297	4.9	11	3	3	4	5	8	10	17
1. SINGLE DX	481	3.4	1	2	3	3	4	5	5	7
2. MULTIPLE DX	1300	4.9	11	3	3	4	5	8	10	17
A. Not Operated	5	2.8	3	< 1	1	2	4	5	5	5
B. Operated	1776	4.5	9	3	3	4	5	7	9	15
TOTAL										
0-19 YRS	129	3.7	2	2	3	3	4	5	6	10
20-34	535	3.7	3	2	3	3	4	5	6	10
35-49	544	4.3	5	3	3	4	4	6	8	15
50-64	303	5.0	6	3	4	4	6	8	9	14
65 +	270	6.6	28	4	4	5	7	10	14	21
GRAND TOTAL	**1781**	**4.5**	**9**	**3**	**3**	**4**	**5**	**7**	**9**	**15**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	4.3	5	2	3	4	6	8	8	8
35-49	16	4.1	2	3	3	4	5	5	7	8
50-64	7	5.6	8	3	3	5	7	10	11	11
65+	2	6.5	41	2	2	6	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	3.2	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	35	4.5	5	2	3	4	5	8	10	11
1. SINGLE DX	9	3.2	2	1	2	3	4	5	6	6
2. MULTIPLE DX	35	4.5	5	2	3	4	5	8	10	11
A. Not Operated	0									
B. Operated	44	4.2	5	2	3	4	5	7	9	11
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	11	4.2	4	2	3	4	5	7	8	8
35-49	19	4.1	2	3	3	4	5	6	7	8
50-64	9	5.1	7	3	3	4	6	9	11	11
65+	3	4.7	30	1	1	2	9	11	11	11
GRAND TOTAL	**44**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**9**	**11**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.4	2	1	1	2	3	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	2.3	3	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	10	2.3	2	1	1	2	2	5	5	5
1. SINGLE DX	7	2.3	3	<1	1	2	4	5	5	5
2. MULTIPLE DX	10	2.3	2	1	1	2	2	5	5	5
A. Not Operated	0									
B. Operated	17	2.3	2	1	1	2	3	5	5	5
TOTAL										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	2.5	3	1	1	2	4	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	3.3	4	1	2	4	5	5	5	5
GRAND TOTAL	**17**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	4.0	6	1	2	4	6	8	8	8
50-64	4	3.5	9	1	1	3	6	7	7	7
65 +	4	3.5	7	< 1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	12.8	23	9	9	10	17	19	19	19
20-34	3	8.7		8	8	9	9	9	9	9
35-49	12	7.4	18	2	4	7	10	13	14	14
50-64	22	5.1	23	1	1	4	7	10	16	20
65 +	29	5.3	19	1	2	4	9	11	15	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	18	3.6	6	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	71	6.3	23	1	2	5	9	13	17	20
1. SINGLE DX	18	3.6	6	1	1	3	5	7	8	8
2. MULTIPLE DX	72	6.3	23	1	2	5	9	13	17	20
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	89	5.7	21	1	2	5	8	12	15	20
TOTAL										
0-19 YRS	7	10.3	34	3	6	9	15	19	19	19
20-34	4	6.8	15	1	4	8	9	9	9	9
35-49	20	6.1	15	1	3	6	8	13	14	14
50-64	26	4.8	21	1	1	4	7	9	15	20
65 +	33	5.1	18	1	2	4	8	10	14	17
GRAND TOTAL	**90**	**5.7**	**20**	**1**	**2**	**5**	**8**	**12**	**15**	**20**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	3.2	6	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	2.0	2	1	1	1	3	4	4	4
1. SINGLE DX	6	3.2	6	1	1	2	5	7	7	7
2. MULTIPLE DX	5	2.0	2	1	1	1	3	4	4	4
A. Not Operated	0									
B. Operated	11	2.6	4	1	1	2	4	6	7	7
TOTAL										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	4	1.3		1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**11**	**2.6**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**7**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	4	2.3	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	10	4.3	5	< 1	2	5	6	7	7	7
20-34	18	6.7	9	3	5	6	7	9	13	16
35-49	44	6.8	11	4	5	6	8	11	13	17
50-64	45	6.4	7	4	5	6	7	9	11	15
65 +	34	6.4	9	3	5	6	8	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	< 1	< 1	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	4.8	20	1	2	3	7	12	12	12
50-64	9	3.8	10	1	2	3	5	9	10	10
65 +	45	7.7	39	2	4	6	11	14	21	34
B. Operated										
0-19 YRS	32	14.0	343	3	5	9	14	26	55	96
20-34	30	10.9	83	4	5	8	13	23	36	38
35-49	86	11.1	107	5	6	8	12	20	27	64
50-64	136	12.3	115	5	7	9	14	22	33	61
65 +	191	14.3	145	5	7	11	17	28	43	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.8	2	1	2	3	3	5	6	6
B. Operated	151	6.4	9	3	5	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	64	6.5	33	2	3	5	8	12	16	33
B. Operated	475	12.9	139	5	7	9	15	25	36	72
1. SINGLE DX	162	6.2	9	3	4	6	7	10	12	16
2. MULTIPLE DX	539	12.2	131	4	6	9	14	24	34	69
A. Not Operated	75	6.0	30	2	3	5	7	12	14	31
B. Operated	626	11.4	116	4	6	8	13	22	30	68
TOTAL										
0-19 YRS	47	10.7	257	1	3	7	10	23	32	96
20-34	50	9.1	58	3	5	7	9	19	25	38
35-49	137	9.4	76	3	5	7	10	15	23	58
50-64	193	10.4	92	4	6	8	12	19	26	50
65 +	274	12.1	120	4	6	8	15	24	33	72
GRAND TOTAL	**701**	**10.8**	**109**	**3**	**5**	**8**	**12**	**21**	**29**	**63**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	93	1.9		1	1	2	2	3	3	4
35-49	163	1.8	1	1	1	2	2	3	3	6
50-64	78	1.7		1	1	2	2	2	3	3
65 +	32	1.8	1	1	1	2	2	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	56	2.0	2	1	1	2	2	3	4	10
35-49	96	2.2	2	1	1	2	2	4	4	8
50-64	108	2.3	3	1	2	2	3	3	4	11
65 +	85	3.2	14	1	2	2	3	4	7	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	373	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	2	8.0		8	8	8	8	8	8	8
B. Operated	350	2.4	5	1	2	2	3	3	4	17
1. SINGLE DX	373	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	352	2.5	6	1	2	2	3	3	5	17
A. Not Operated	2	8.0		8	8	8	8	8	8	8
B. Operated	723	2.1	3	1	1	2	2	3	4	8
TOTAL										
0-19 YRS	12	1.8	1	1	1	2	2	3	3	3
20-34	149	2.0	1	1	1	2	2	3	3	7
35-49	260	2.0	1	1	1	2	2	3	4	7
50-64	186	2.0	2	1	1	2	2	3	3	6
65 +	118	2.8	11	1	2	2	3	4	7	21
GRAND TOTAL	**725**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	5.6	4	3	4	5	7	8	8	8
20-34	17	4.9	3	2	4	5	6	7	8	9
35-49	25	4.3	9	2	2	3	5	9	10	12
50-64	18	5.1	9	2	2	5	7	9	11	13
65 +	12	4.5	8	2	2	3	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	7.0	63	1	2	4	13	16	16	16
50-64	10	11.9	291	3	3	5	13	36	59	59
65 +	7	6.7	29	2	3	3	12	14	14	14
B. Operated										
0-19 YRS	9	5.8	3	3	4	5	7	8	8	8
20-34	48	6.6	54	2	3	5	7	10	17	48
35-49	75	6.5	47	2	3	5	8	11	15	46
50-64	128	6.0	30	2	2	4	8	12	16	31
65 +	115	8.5	96	2	3	5	9	19	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	77	4.7	7	2	3	5	6	8	10	13
2. MULTIPLE DX										
A. Not Operated	24	8.5	137	3	3	4	11	14	29	59
B. Operated	375	6.9	57	2	3	5	8	14	19	42
1. SINGLE DX	78	4.7	7	2	2	5	6	8	10	13
2. MULTIPLE DX	399	7.0	62	2	3	5	8	14	19	46
A. Not Operated	25	8.2	133	2	3	4	11	14	27	59
B. Operated	452	6.6	49	2	3	5	8	12	16	35
TOTAL										
0-19 YRS	17	5.6	3	3	4	5	7	8	8	8
20-34	67	6.0	40	2	3	5	6	8	14	44
35-49	103	6.0	38	2	2	5	8	11	15	38
50-64	156	6.3	45	2	2	5	8	13	16	35
65 +	134	8.1	86	2	3	5	9	16	26	49
GRAND TOTAL	**477**	**6.7**	**53**	**2**	**3**	**5**	**8**	**13**	**16**	**42**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	101	3.3	1	2	3	3	4	4	5	6
35-49	71	3.7	1	2	3	4	4	5	8	9
50-64	15	3.3	2	1	3	3	4	4	6	7
65 +	7	3.9		3	3	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	178	3.8	1	3	3	4	4	5	6	8
35-49	232	4.2	3	3	3	4	4	6	8	12
50-64	71	4.6	10	3	4	4	5	6	8	22
65 +	33	5.8	19	3	4	5	7	9	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	195	3.5	1	2	3	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	515	4.2	5	3	3	4	4	6	7	14
1. SINGLE DX	195	3.5	1	2	3	3	4	4	5	7
2. MULTIPLE DX	516	4.2	5	3	3	4	4	6	7	14
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	710	4.0	4	3	3	4	4	5	7	11
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	280	3.6	1	3	3	3	4	5	6	8
35-49	303	4.1	3	3	3	4	4	6	7	11
50-64	86	4.4	9	3	3	4	5	6	7	22
65 +	40	5.5	16	3	4	4	5	8	13	25
GRAND TOTAL	**711**	**4.0**	**4**	**3**	**3**	**4**	**4**	**5**	**7**	**11**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	7	3.4	1	2	2	4	4	5	5	5
35-49	50	3.0	2	1	2	3	4	5	5	9
50-64	61	3.4	4	2	2	3	4	6	9	11
65 +	42	3.6	6	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	3.4	4	1	2	3	4	7	7	7
35-49	69	4.3	10	2	3	4	4	9	12	18
50-64	143	4.6	16	2	2	4	5	9	11	23
65 +	199	6.5	28	2	3	5	8	14	18	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	160	3.3	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	5	2.8	3	< 1	1	2	4	5	5	5
B. Operated	421	5.4	22	2	3	4	6	12	15	23
1. SINGLE DX	163	3.3	4	1	2	3	4	5	8	11
2. MULTIPLE DX	426	5.4	21	2	3	4	6	11	15	23
A. Not Operated	8	2.6	2	< 1	2	2	3	5	5	5
B. Operated	581	4.9	18	2	2	4	6	10	14	23
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	16	3.4	3	2	2	3	4	6	7	7
35-49	120	3.8	7	2	2	3	4	6	9	17
50-64	207	4.3	13	2	2	3	5	8	10	21
65 +	244	5.9	25	2	2	4	7	13	17	23
GRAND TOTAL	**589**	**4.8**	**17**	**2**	**2**	**3**	**6**	**10**	**14**	**23**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.8	1	1	1	2	2	3	3	3
20-34	3	3.3		3	3	3	4	4	4	4
35-49	6	2.3	3	1	1	2	4	5	5	5
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	9	2.6	5	< 1	1	1	4	6	7	7
B. Operated										
0-19 YRS	122	3.8	26	1	1	2	5	8	11	30
20-34	44	3.9	6	1	2	4	5	7	9	11
35-49	64	3.5	7	1	2	3	5	7	9	12
50-64	49	3.3	5	1	1	3	5	7	7	9
65 +	44	4.7	15	1	1	3	8	10	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.8	4	< 1	1	2	4	6	8	8
20-34	23	4.1	10	1	2	3	5	8	11	14
35-49	30	5.2	28	1	1	3	8	12	16	24
50-64	50	4.9	40	1	2	3	6	9	14	41
65 +	138	5.7	31	2	2	4	7	11	14	24
B. Operated										
0-19 YRS	110	10.0	193	1	2	6	11	21	41	78
20-34	77	7.7	111	1	3	5	8	13	26	57
35-49	150	7.2	103	2	3	4	7	14	29	89
50-64	162	8.6	111	2	3	6	9	21	30	58
65 +	348	9.6	71	2	5	8	12	18	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.3	2	1	1	2	3	4	5	7
B. Operated	323	3.8	15	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. Not Operated	283	4.9	27	1	2	3	6	10	13	23
B. Operated	847	8.9	104	2	3	6	10	18	27	59
1. SINGLE DX	363	3.6	13	1	1	2	5	7	10	17
2. MULTIPLE DX	1130	7.9	88	1	3	5	9	16	23	52
A. Not Operated	323	4.6	25	1	2	3	6	9	13	22
B. Operated	1170	7.5	85	1	2	5	9	15	22	52
TOTAL										
0-19 YRS	294	5.8	94	1	1	3	7	12	21	57
20-34	147	5.9	65	1	2	4	7	10	14	52
35-49	250	5.9	69	1	2	4	6	12	17	47
50-64	263	6.9	82	1	2	4	7	13	25	49
65 +	539	8.1	59	1	3	6	11	16	20	46
GRAND TOTAL	**1493**	**6.8**	**73**	**1**	**2**	**4**	**8**	**14**	**20**	**49**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	1.6		1	1	2	2	2	3	3
20-34	84	1.8		1	1	2	2	3	3	3
35-49	136	1.9	1	1	1	2	2	3	3	4
50-64	95	2.1	1	1	2	2	2	3	4	6
65 +	49	2.2	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	7.8	22	< 1	4	9	11	11	11	11
65 +	3	2.3	5	1	1	1	4	5	5	5
B. Operated										
0-19 YRS	6	2.2	1	1	2	2	3	3	3	3
20-34	38	2.6	3	1	2	2	3	5	6	8
35-49	108	2.7	6	1	2	2	3	4	5	16
50-64	127	2.7	3	1	2	2	3	4	7	9
65 +	128	3.5	17	1	2	3	4	6	10	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	389	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	8	5.1	19	< 1	1	4	9	11	11	11
B. Operated	407	3.0	8	1	2	2	3	5	7	16
1. SINGLE DX	390	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX	415	3.0	8	1	2	2	3	5	8	16
A. Not Operated	9	5.0	17	< 1	1	4	9	11	11	11
B. Operated	796	2.5	5	1	2	2	3	4	5	10
TOTAL										
0-19 YRS	31	1.7		1	1	2	2	3	3	3
20-34	122	2.1	1	1	1	2	2	3	4	7
35-49	246	2.3	3	1	2	2	2	3	4	12
50-64	226	2.6	3	1	2	2	3	4	7	10
65 +	180	3.2	13	1	2	2	3	5	7	19
GRAND TOTAL	**805**	**2.5**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.8	1	2	2	2	4	4	5	5
20-34	8	5.3	5	2	3	5	7	8	9	9
35-49	7	4.1	5	1	2	5	6	7	7	7
50-64	9	3.0	2	1	2	3	4	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	47	2.3	1	1	2	2	3	3	4	4
35-49	67	2.1	1	1	1	2	3	3	4	5
50-64	34	2.0	1	1	1	2	2	4	4	4
65 +	19	2.4	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.5	3	2	3	5	5	7	8	8
20-34	44	4.7	7	2	3	4	6	8	11	13
35-49	37	5.8	13	2	3	4	8	10	13	16
50-64	46	5.6	14	2	3	5	7	11	15	16
65 +	135	8.4	58	3	4	7	10	15	19	47
B. Operated										
0-19 YRS	14	3.7	12	1	2	3	3	11	12	12
20-34	31	3.0	6	1	2	2	3	5	8	13
35-49	56	3.4	19	1	2	2	3	6	10	27
50-64	70	6.1	160	1	2	2	3	12	38	76
65 +	79	6.2	43	1	2	4	7	14	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.6	3	1	2	3	5	6	7	9
B. Operated	179	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	273	6.8	36	2	4	5	8	12	16	32
B. Operated	250	5.0	65	1	2	3	4	11	19	40
1. SINGLE DX	219	2.4	2	1	2	2	3	4	5	7
2. MULTIPLE DX	523	6.0	51	2	2	4	7	11	16	39
A. Not Operated	313	6.4	33	2	3	5	8	11	16	31
B. Operated	429	3.8	40	1	2	2	3	7	12	38
TOTAL										
0-19 YRS	52	3.3	5	1	2	3	4	5	8	12
20-34	130	3.4	6	1	2	3	4	7	8	13
35-49	167	3.4	12	1	2	2	4	8	10	18
50-64	159	4.9	77	1	2	3	4	9	15	42
65 +	234	7.2	51	2	3	5	9	14	20	40
GRAND TOTAL	**742**	**4.9**	**39**	**1**	**2**	**3**	**6**	**10**	**14**	**32**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	4.9	5	2	3	5	7	8	8	11
20-34	30	3.7	5	1	2	4	5	6	8	9
35-49	20	3.8	3	1	3	4	5	6	7	7
50-64	11	5.0	5	2	3	5	6	8	9	9
65 +	7	3.4	3	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	6	2.8	8	1	1	1	6	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	4.9	5	2	3	5	6	8	9	13
20-34	51	4.0	5	1	3	4	5	6	6	14
35-49	73	4.2	6	1	3	4	5	7	8	15
50-64	72	5.4	14	2	3	5	7	9	15	20
65 +	80	5.3	16	1	2	5	7	10	13	22
B. Operated										
0-19 YRS	6	15.7	975	1	1	2	10	72	79	79
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	9.0		9	9	9	9	9	9	9
50-64	9	7.8	46	2	3	4	10	19	21	21
65 +	7	9.1	45	3	4	7	14	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	4.6	5	2	3	4	6	7	8	10
B. Operated	10	2.6	5	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	439	4.8	9	2	3	4	6	8	10	16
B. Operated	25	9.7	245	1	3	4	10	21	36	79
1. SINGLE DX	275	4.6	5	2	3	4	6	7	8	10
2. MULTIPLE DX	464	5.1	22	2	3	4	6	8	11	21
A. Not Operated	704	4.7	7	2	3	4	6	8	9	15
B. Operated	35	7.7	185	1	1	3	8	17	21	79
TOTAL										
0-19 YRS	372	5.0	20	2	3	5	6	8	8	13
20-34	84	3.9	5	1	2	4	5	6	7	12
35-49	95	4.2	6	1	3	4	5	7	8	14
50-64	93	5.5	16	2	3	5	7	9	15	21
65 +	95	5.4	18	1	3	5	7	10	15	22
GRAND TOTAL	**739**	**4.9**	**16**	**2**	**3**	**4**	**6**	**8**	**9**	**16**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	522	3.3	4	1	2	3	4	6	8	10
20-34	161	3.7	12	1	2	3	4	6	8	20
35-49	71	3.5	3	1	2	3	4	5	7	8
50-64	21	4.0	3	2	3	3	5	7	8	9
65 +	10	6.6	12	3	4	5	9	11	13	13
B. Operated										
0-19 YRS	6	7.2	18	3	3	7	11	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	954	4.0	8	2	2	3	5	7	9	16
20-34	820	4.4	10	2	2	4	5	8	9	15
35-49	568	5.7	12	2	3	5	7	9	12	17
50-64	342	7.3	25	3	4	6	9	13	15	32
65 +	391	9.6	42	4	5	8	12	18	21	36
B. Operated										
0-19 YRS	33	8.4	47	3	4	6	10	19	27	28
20-34	86	9.5	152	3	4	7	9	20	35	98
35-49	132	12.2	136	4	5	9	14	24	34	62
50-64	73	12.0	65	4	6	10	15	25	27	40
65 +	101	17.5	161	7	8	13	21	34	46	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	785	3.4	6	1	2	3	4	6	8	10
B. Operated	7	7.0	15	3	3	6	11	12	12	12
2. MULTIPLE DX										
A. Not Operated	3075	5.5	19	2	3	4	7	10	13	21
B. Operated	425	12.6	134	4	6	9	15	26	34	60
1. SINGLE DX	792	3.5	6	1	2	3	4	6	8	11
2. MULTIPLE DX	3500	6.4	38	2	3	5	7	12	17	33
A. Not Operated	3860	5.1	17	2	3	4	6	9	12	21
B. Operated	432	12.5	133	3	6	9	15	26	34	60
TOTAL										
0-19 YRS	1515	3.9	8	1	2	3	5	7	9	15
20-34	1068	4.7	24	2	2	4	6	8	11	23
35-49	771	6.6	39	2	4	5	8	11	15	34
50-64	436	7.9	35	3	4	6	10	14	18	33
65 +	502	11.1	76	4	6	9	14	21	27	48
GRAND TOTAL	**4292**	**5.8**	**34**	**2**	**3**	**4**	**7**	**11**	**15**	**31**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.0	9	1	2	4	6	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.0	32	1	2	3	10	15	15	15
35-49	18	9.9	69	2	4	8	13	18	30	37
50-64	52	7.0	32	2	4	5	8	14	20	28
65 +	75	10.3	44	3	5	8	14	19	24	31
B. Operated										
0-19 YRS	0									
20-34	19	19.9	329	2	7	15	30	46	62	70
35-49	117	14.7	141	3	6	12	20	32	38	73
50-64	348	15.0	122	4	8	12	20	30	37	64
65 +	571	16.3	162	4	8	13	21	31	42	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	3	4.0	9	1	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	150	9.0	44	3	4	7	12	18	23	32
B. Operated	1055	15.7	150	4	8	13	20	31	40	66
1. SINGLE DX	4	4.0	6	1	2	4	6	7	7	7
2. MULTIPLE DX	1205	14.9	142	4	7	12	19	30	38	63
A. Not Operated	151	8.9	44	3	4	7	12	18	23	32
B. Operated	1058	15.7	150	4	8	13	20	31	40	66
TOTAL										
0-19 YRS	0									
20-34	24	17.0	296	2	4	14	21	38	57	70
35-49	135	14.0	133	3	6	11	19	31	37	66
50-64	403	13.9	117	3	6	11	18	28	36	62
65 +	647	15.5	152	4	7	13	20	30	41	63
GRAND TOTAL	**1209**	**14.8**	**142**	**4**	**7**	**12**	**19**	**30**	**38**	**63**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	234	4.3	7	2	3	4	5	7	9	15
20-34	109	3.6	5	1	2	3	5	7	8	11
35-49	135	4.5	11	2	3	4	5	8	9	20
50-64	110	4.4	6	2	3	4	5	8	9	12
65 +	86	5.2	9	2	4	5	6	9	11	18
B. Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	1.5		1	1	1	2	2	2	2
50-64	8	2.1	1	1	1	2	3	4	4	4
65 +	5	2.8	9	1	1	1	4	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	360	4.5	9	1	3	4	6	7	9	16
20-34	667	4.9	14	2	3	4	6	8	11	20
35-49	1167	5.2	13	2	3	4	6	9	11	21
50-64	1752	5.5	13	2	3	5	7	9	12	19
65 +	2582	6.7	21	3	4	6	8	12	14	24
B. Operated										
0-19 YRS	19	9.8	295	1	2	4	8	34	58	64
20-34	199	7.3	58	1	2	5	10	17	23	39
35-49	374	8.7	72	1	3	7	11	18	26	40
50-64	693	9.7	74	2	4	8	13	20	26	44
65 +	738	11.7	111	2	5	9	15	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	674	4.4	8	2	3	4	5	7	9	15
B. Operated	19	2.2	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	6528	5.8	17	2	3	5	7	10	13	21
B. Operated	2023	10.0	90	2	4	8	13	21	28	50
1. SINGLE DX	693	4.3	8	2	3	4	5	7	9	15
2. MULTIPLE DX	8551	6.8	37	2	3	5	8	13	17	32
A. Not Operated	7202	5.7	16	2	3	5	7	10	13	21
B. Operated	2042	9.9	89	2	4	8	13	21	28	50
TOTAL										
0-19 YRS	613	4.6	18	1	3	4	5	7	9	17
20-34	977	5.2	23	1	2	4	6	10	14	27
35-49	1680	5.9	28	2	3	5	7	11	15	28
50-64	2563	6.6	33	2	3	5	8	13	16	30
65 +	3411	7.8	45	3	4	6	9	14	19	35
GRAND TOTAL	**9244**	**6.6**	**35**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	9	2.2	1	< 1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	9.3	47	3	5	6	18	18	18	18
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	5	4.8	7	2	3	4	6	9	9	9
20-34	27	3.3	2	1	2	3	4	4	7	8
35-49	11	4.5	4	3	4	4	4	8	10	10
50-64	1	26.0		26	26	26	26	26	26	26
65 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	12	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	9	7.9	35	3	4	5	10	18	18	18
B. Operated	45	4.3	14	2	3	4	4	7	9	26
1. SINGLE DX	15	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX	54	4.9	19	2	3	4	5	8	16	26
A. Not Operated	12	6.3	33	2	2	5	7	18	18	18
B. Operated	57	3.9	12	1	2	3	4	6	9	25
TOTAL										
0-19 YRS	9	4.1	5	1	3	4	5	7	9	9
20-34	45	3.8	12	1	2	3	4	7	10	18
35-49	12	4.7	4	3	4	4	5	8	10	10
50-64	1	26.0		26	26	26	26	26	26	26
65 +	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**69**	**4.3**	**16**	**1**	**2**	**4**	**4**	**7**	**10**	**25**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	1.9	1	1	1	2	2	3	4	6
20-34	24	2.4	2	1	1	2	3	5	5	6
35-49	16	2.2	2	< 1	1	2	3	3	6	7
50-64	10	2.7	1	1	2	3	3	4	4	4
65 +	9	2.3	3	< 1	1	2	3	5	6	6
B. Operated										
0-19 YRS	15	3.5	3	1	2	3	4	6	7	8
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	5	3.8	4	2	2	3	6	6	6	6
50-64	9	4.9	52	2	2	2	3	16	24	24
65 +	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	345	3.3	13	1	1	2	4	7	10	19
20-34	162	4.2	19	1	2	3	5	8	11	30
35-49	264	4.4	25	1	2	3	5	9	12	24
50-64	404	5.2	20	2	2	4	6	10	13	22
65 +	1104	6.1	24	2	3	5	8	12	15	24
B. Operated										
0-19 YRS	27	9.3	131	2	3	5	9	32	36	42
20-34	40	12.8	325	3	4	6	12	24	56	94
35-49	67	9.0	176	1	2	4	8	23	38	74
50-64	89	9.1	103	2	3	4	12	21	35	45
65 +	168	11.1	63	3	5	9	16	24	28	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	2.1	1	1	1	2	3	3	5	6
B. Operated	35	3.7	15	2	2	3	4	6	8	24
2. MULTIPLE DX										
A. Not Operated	2279	5.2	23	1	2	4	7	11	14	24
B. Operated	391	10.3	123	2	3	6	13	24	32	73
1. SINGLE DX	178	2.4	4	1	1	2	3	4	6	8
2. MULTIPLE DX	2670	5.9	41	1	2	4	7	12	17	32
A. Not Operated	2422	5.0	22	1	2	4	6	10	13	23
B. Operated	426	9.8	117	2	3	6	12	23	32	67
TOTAL										
0-19 YRS	471	3.4	19	1	1	2	4	7	10	29
20-34	228	5.5	81	1	2	3	5	10	15	53
35-49	352	5.2	55	1	2	3	6	10	15	41
50-64	512	5.8	37	2	3	4	7	11	17	36
65 +	1285	6.7	32	2	3	5	9	14	18	28
GRAND TOTAL	**2848**	**5.7**	**39**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	3	6.7	9	4	4	6	9	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	3	11.0	147	4	4	4	20	25	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	12.9	232	2	4	7	14	35	48	76
20-34	18	12.3	241	2	4	7	10	39	52	58
35-49	18	9.4	38	3	5	8	13	17	23	27
50-64	36	8.0	28	2	4	7	10	16	19	24
65 +	164	12.5	206	3	5	8	14	25	42	95
B. Operated										
0-19 YRS	41	10.0	145	2	4	6	11	19	35	62
20-34	12	10.3	66	4	5	7	12	26	27	27
35-49	25	9.0	71	3	4	6	10	18	32	36
50-64	57	18.2	252	4	9	14	21	35	56	81
65 +	258	11.3	96	3	5	8	15	23	30	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.0	2	1	2	3	4	5	5	5
B. Operated	8	9.3	61	4	4	5	13	23	25	25
2. MULTIPLE DX										
A. Not Operated	336	11.9	188	2	4	8	13	27	39	76
B. Operated	393	12.0	127	3	5	8	15	25	33	72
1. SINGLE DX	16	6.1	40	1	3	4	5	16	23	25
2. MULTIPLE DX	729	12.0	155	3	5	8	14	25	35	77
A. Not Operated	344	11.7	186	2	4	8	13	27	38	76
B. Operated	401	11.9	126	3	5	8	15	25	33	70
TOTAL										
0-19 YRS	149	11.6	199	2	4	6	12	31	47	74
20-34	31	11.3	163	3	4	7	11	27	43	58
35-49	44	9.1	55	3	4	7	11	17	28	36
50-64	94	14.3	187	3	6	11	18	28	48	73
65 +	427	11.7	138	3	5	8	15	24	32	84
GRAND TOTAL	**745**	**11.9**	**153**	**3**	**5**	**8**	**14**	**25**	**35**	**76**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	10.6	31	3	7	11	14	15	16	26
20-34	33	11.2	20	2	9	13	14	15	15	20
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	14.6	76	4	10	13	19	28	28	28
20-34	4	14.0	46	6	8	14	19	21	21	21
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	356	10.7	31	3	7	10	14	16	21	24
20-34	141	12.4	35	5	8	13	16	19	22	29
35-49	22	12.2	28	4	9	12	17	19	19	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	19.1	277	5	10	14	22	47	71	99 +
20-34	15	14.4	44	7	10	13	17	25	29	30
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	10.7	29	3	8	11	14	15	16	24
B. Operated	9	14.3	55	5	10	13	19	25	28	28
2. MULTIPLE DX										
A. Not Operated	519	11.2	33	4	8	11	14	18	21	27
B. Operated	56	17.8	212	6	10	14	19	41	60	98
1. SINGLE DX	187	10.9	31	3	8	11	14	15	18	27
2. MULTIPLE DX	575	11.9	54	4	8	11	14	19	23	45
A. Not Operated	697	11.1	32	3	8	11	14	17	21	27
B. Operated	65	17.3	191	6	10	14	19	38	52	96
TOTAL										
0-19 YRS	546	11.3	54	3	8	11	14	17	22	46
20-34	193	12.4	34	5	9	13	15	19	22	29
35-49	23	12.3	27	5	9	12	17	18	19	20
50-64	0									
65 +	0									
GRAND TOTAL	**762**	**11.6**	**48**	**4**	**8**	**11**	**14**	**18**	**22**	**41**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	4.0		3	4	4	4	5	5	5
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	48	4.1	2	3	3	3	5	6	7	9
35-49	33	3.7	1	3	3	3	5	5	5	5
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.6	19	1	1	2	3	11	14	14
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	13	4.3	8	1	3	4	5	7	11	12
50-64	2	23.0	882	2	2	23	44	44	44	44
65 +	2	3.0		3	3	3	76	99 +	99 +	99 +
B. Operated										
0-19 YRS	5	12.8	52	7	8	12	15	25	25	25
20-34	68	6.5	14	3	5	6	7	10	12	27
35-49	92	6.3	9	4	5	6	7	9	10	22
50-64	28	5.8	11	3	4	5	6	9	10	20
65 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.6	2	1	3	4	4	5	5	5
B. Operated	85	3.9	2	3	3	3	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	27	5.3	69	1	2	3	5	13	50	99 +
B. Operated	194	6.5	13	4	5	6	7	9	12	25
1. SINGLE DX	94	3.9	2	3	3	3	5	5	6	8
2. MULTIPLE DX	221	6.3	20	3	4	6	7	10	12	33
A. Not Operated	36	4.9	52	1	2	4	5	11	33	99 +
B. Operated	279	5.7	11	3	4	5	6	9	10	23
TOTAL										
0-19 YRS	16	6.4	43	1	2	3	10	14	22	25
20-34	124	5.4	10	3	3	5	6	8	10	19
35-49	139	5.4	8	3	4	5	6	9	10	18
50-64	32	6.8	56	3	4	5	6	9	19	44
65 +	4	4.3	2	3	3	5	29	99 +	99 +	99 +
GRAND TOTAL	**315**	**5.6**	**15**	**3**	**3**	**5**	**6**	**9**	**11**	**27**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	2.9	5	1	1	2	4	6	7	12
20-34	35	2.0	2	1	1	1	3	4	4	5
35-49	10	3.6	2	2	2	3	4	6	6	6
50-64	6	4.5	12	1	3	4	4	10	11	11
65 +	5	1.8	1	< 1	1	2	2	3	3	3
B. Operated										
0-19 YRS	53	3.4	14	1	1	2	4	7	12	18
20-34	15	4.6	20	1	1	3	5	13	15	16
35-49	26	2.4	4	1	1	2	4	5	6	9
50-64	17	2.4	3	1	1	2	3	5	6	7
65 +	5	3.4	13	1	1	1	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	213	5.0	56	1	2	3	5	10	15	33
20-34	62	5.6	24	1	2	3	7	15	16	20
35-49	94	7.4	30	2	4	5	11	14	19	26
50-64	166	8.2	41	3	4	7	10	16	23	32
65 +	227	7.5	27	2	4	7	10	13	18	24
B. Operated										
0-19 YRS	86	13.7	325	1	2	7	16	47	62	97
20-34	35	9.0	214	1	3	5	8	17	39	79
35-49	83	6.0	27	1	3	4	7	13	19	21
50-64	83	8.1	51	2	3	6	11	18	23	33
65 +	90	11.2	81	3	5	9	15	23	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	2.8	4	1	1	2	4	5	7	11
B. Operated	116	3.2	11	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	762	6.8	40	2	3	5	9	14	18	30
B. Operated	377	9.7	137	1	3	6	12	21	30	68
1. SINGLE DX	258	3.0	7	1	1	2	4	6	8	16
2. MULTIPLE DX	1139	7.8	74	1	3	5	10	16	22	47
A. Not Operated	904	6.1	36	1	2	4	8	13	17	29
B. Operated	493	8.2	115	1	2	5	10	19	25	64
TOTAL										
0-19 YRS	438	6.1	108	1	1	3	6	13	24	66
20-34	147	5.4	68	1	1	3	6	13	16	45
35-49	213	6.0	27	1	3	4	7	13	18	23
50-64	272	7.7	43	2	3	6	10	16	23	32
65 +	327	8.4	45	2	4	7	11	17	21	31
GRAND TOTAL	**1397**	**6.9**	**65**	**1**	**2**	**4**	**9**	**15**	**20**	**41**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.8		1	1	2	2	2	2	2
35-49	9	2.8	2	1	2	3	4	5	5	5
50-64	8	3.4	5	1	2	3	4	7	8	8
65 +	6	3.5	6	2	2	3	4	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	4	1.3		1	1	1	2	2	2	2
65 +	3	4.7	12	1	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	34	4.2	7	2	2	3	5	10	10	11
50-64	63	3.9	6	2	2	3	5	7	8	16
65 +	146	5.7	19	2	3	4	7	11	15	23
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	4.3	4	2	3	4	5	8	8	8
50-64	15	5.1	12	2	2	4	8	11	11	11
65 +	33	8.5	62	2	3	7	11	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.0	3	1	2	2	4	5	8	8
B. Operated	10	3.5	7	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	248	5.0	14	2	3	4	6	10	12	21
B. Operated	55	7.0	44	2	3	5	10	12	15	42
1. SINGLE DX	37	3.1	4	1	2	2	4	7	8	8
2. MULTIPLE DX	303	5.3	20	2	3	4	7	11	13	22
A. Not Operated	275	4.8	14	2	2	4	6	9	12	21
B. Operated	65	6.4	39	1	2	5	9	12	15	40
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	2.3	1	1	2	2	3	4	4	4
35-49	52	4.0	6	2	2	4	5	8	10	11
50-64	90	3.9	7	1	2	3	5	8	9	15
65 +	188	6.1	27	2	3	5	8	12	15	23
GRAND TOTAL	**340**	**5.1**	**19**	**2**	**2**	**4**	**6**	**10**	**13**	**21**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	1.9	1	1	1	2	2	3	4	6
20-34	14	3.1	19	1	1	2	3	6	15	18
35-49	9	3.3	10	1	1	3	4	8	11	11
50-64	16	3.3	4	1	2	3	4	7	7	7
65 +	52	4.3	12	1	2	4	6	8	9	20
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5718	2.7	5	1	2	2	3	5	6	10
20-34	895	3.3	7	1	2	3	4	6	8	14
35-49	1076	4.5	16	1	2	3	5	8	11	22
50-64	1710	5.3	19	2	3	4	7	10	13	24
65 +	7085	6.8	26	2	4	5	8	13	16	26
B. Operated										
0-19 YRS	142	9.6	128	2	3	6	13	25	34	99 +
20-34	77	8.2	74	1	3	6	11	18	22	52
35-49	195	8.9	126	2	3	6	10	18	26	68
50-64	354	10.9	85	3	5	8	14	23	32	45
65 +	1245	13.9	134	4	7	11	17	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	2.7	6	1	1	2	3	5	7	14
B. Operated	3	4.3	12	1	2	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	16484	4.9	20	1	2	4	6	10	13	23
B. Operated	2013	12.4	126	3	5	9	16	25	33	66
1. SINGLE DX	208	2.8	7	1	1	2	3	5	8	14
2. MULTIPLE DX	18497	5.7	37	1	2	4	7	12	16	30
A. Not Operated	16689	4.9	19	1	2	3	6	10	13	23
B. Operated	2016	12.3	126	3	5	9	15	25	33	66
TOTAL										
0-19 YRS	5975	2.9	9	1	2	2	3	5	6	14
20-34	986	3.7	14	1	2	3	4	7	10	20
35-49	1280	5.2	35	1	2	4	6	10	14	28
50-64	2080	6.2	35	2	3	4	7	13	18	32
65 +	8384	7.8	49	2	4	6	9	15	20	35
GRAND TOTAL	**18705**	**5.7**	**36**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.4	1	1	2	2	3	4	5	6
20-34	5	2.4	1	1	2	2	3	4	4	4
35-49	11	2.5	3	< 1	1	2	3	5	6	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	9	3.8	8	< 1	1	2	6	8	8	8
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	3	2.7		2	2	3	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	3.2	5	1	2	3	4	6	8	9
20-34	46	3.9	5	1	2	3	6	8	8	9
35-49	108	3.9	9	1	2	3	5	7	9	19
50-64	140	4.5	20	1	2	4	5	8	11	22
65 +	600	5.6	19	2	3	5	7	10	14	20
B. Operated										
0-19 YRS	5	6.2	14	2	3	6	8	12	12	12
20-34	26	5.1	13	1	3	4	7	12	13	13
35-49	53	5.7	15	2	3	5	7	10	15	19
50-64	83	6.7	25	3	4	5	8	12	16	32
65 +	272	7.6	25	3	4	6	9	13	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.7	3	1	2	2	3	5	6	8
B. Operated	8	2.8	2	< 1	2	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	968	5.0	17	1	3	4	6	9	12	20
B. Operated	439	7.1	24	3	4	6	9	13	16	26
1. SINGLE DX	59	2.7	3	1	2	2	3	5	6	8
2. MULTIPLE DX	1407	5.6	20	2	3	5	7	10	14	22
A. Not Operated	1019	4.9	17	1	2	4	6	9	12	20
B. Operated	447	7.0	23	3	4	6	9	12	16	26
TOTAL										
0-19 YRS	103	3.1	5	1	2	2	4	6	8	11
20-34	77	4.2	8	1	2	3	6	8	9	13
35-49	175	4.4	11	1	2	3	6	7	10	19
50-64	229	5.2	22	2	3	4	6	9	13	26
65 +	882	6.2	22	2	3	5	8	11	15	23
GRAND TOTAL	**1466**	**5.5**	**20**	**2**	**3**	**4**	**7**	**10**	**14**	**21**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	836	4.2	8	1	2	3	5	8	9	14
20-34	536	6.5	18	2	4	6	8	11	13	21
35-49	150	5.3	6	3	3	5	7	9	10	11
50-64	12	6.7	4	4	5	7	8	9	10	10
65 +	0									
B. Operated										
0-19 YRS	8	7.4	25	3	4	6	10	16	17	17
20-34	17	12.1	45	5	5	11	17	22	23	24
35-49	5	9.2	2	8	8	9	10	11	11	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	892	5.0	13	2	3	4	6	9	11	18
20-34	856	7.8	26	3	4	7	10	14	18	26
35-49	280	6.4	20	3	4	6	8	11	13	23
50-64	30	7.1	16	3	4	7	9	13	14	17
65 +	0									
B. Operated										
0-19 YRS	37	9.5	101	2	3	6	12	18	29	53
20-34	74	17.2	212	5	7	13	21	45	55	99 +
35-49	22	10.3	61	3	6	8	14	25	29	30
50-64	4	11.8	19	8	9	10	14	18	18	18
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1534	5.1	12	2	3	4	7	9	11	17
B. Operated	30	10.3	35	4	5	9	13	21	22	24
2. MULTIPLE DX										
A. Not Operated	2058	6.4	21	2	3	5	8	12	15	24
B. Operated	137	13.8	164	3	6	10	18	32	52	99 +
1. SINGLE DX	1564	5.2	13	2	3	4	7	9	11	19
2. MULTIPLE DX	2195	6.9	33	2	3	5	8	13	17	30
A. Not Operated	3592	5.8	18	2	3	5	7	11	13	21
B. Operated	167	13.2	142	3	6	10	17	28	46	95
TOTAL										
0-19 YRS	1773	4.7	13	2	3	4	6	9	11	18
20-34	1483	7.8	38	3	4	6	10	14	19	34
35-49	457	6.3	18	3	4	5	8	10	12	24
50-64	46	7.4	14	3	5	7	9	12	15	18
65 +	0									
GRAND TOTAL	**3759**	**6.2**	**25**	**2**	**3**	**5**	**8**	**11**	**14**	**26**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	2.2	3	< 1	1	1	3	5	6	8
20-34	19	5.8	4	3	4	6	7	9	10	11
35-49	27	3.1	11	1	1	2	4	7	9	17
50-64	17	2.5	2	1	2	2	3	4	5	6
65 +	50	2.6	5	< 1	1	2	3	5	9	10
B. Operated										
0-19 YRS	76	5.5	99	2	2	3	4	10	15	63
20-34	10	7.6	127	1	2	4	6	24	39	39
35-49	6	4.7	4	2	3	5	6	7	7	7
50-64	8	6.9	28	2	3	6	9	15	18	18
65 +	8	6.1	23	2	2	4	10	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	274	3.9	16	1	1	3	5	9	12	25
20-34	112	4.7	20	1	2	3	6	9	13	24
35-49	213	3.9	13	1	1	3	5	8	9	17
50-64	389	4.8	19	1	2	3	6	11	14	20
65 +	1112	5.2	20	1	2	4	7	10	13	21
B. Operated										
0-19 YRS	123	10.5	165	2	3	6	12	26	36	61
20-34	43	8.9	100	2	3	6	10	20	33	45
35-49	97	7.1	36	2	4	5	9	14	22	30
50-64	154	9.0	54	3	5	7	10	16	20	34
65 +	447	10.1	82	3	5	8	12	20	26	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	253	2.7	5	< 1	1	2	4	6	7	10
B. Operated	108	5.8	84	2	2	3	5	11	15	61
2. MULTIPLE DX										
A. Not Operated	2100	4.8	19	1	2	4	6	10	13	21
B. Operated	864	9.6	85	3	4	7	11	20	26	47
1. SINGLE DX	361	3.6	31	< 1	1	2	4	7	9	22
2. MULTIPLE DX	2964	6.2	43	1	2	4	8	13	18	33
A. Not Operated	2353	4.6	18	1	2	3	6	9	13	21
B. Operated	972	9.1	86	2	4	6	11	19	25	48
TOTAL										
0-19 YRS	613	5.0	61	1	1	3	5	10	18	41
20-34	184	5.9	45	1	2	4	7	11	16	42
35-49	343	4.7	22	1	2	4	6	9	13	25
50-64	568	5.9	31	1	2	4	8	13	16	23
65 +	1617	6.5	42	1	3	5	8	13	18	32
GRAND TOTAL	**3325**	**5.9**	**42**	**1**	**2**	**4**	**7**	**12**	**17**	**33**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.0	2	1	2	3	4	5	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	16.0		16	16	16	16	16	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	4.1	12	1	2	3	5	8	11	19
20-34	9	4.6	28	1	2	3	5	14	17	17
35-49	3	8.0	39	3	4	6	13	15	15	15
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	2	34.5	1301	9	9	34	60	60	60	60
B. Operated										
0-19 YRS	12	11.8	85	1	2	10	21	23	24	24
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.9	2	1	2	3	4	5	6	6
B. Operated	4	6.3	44	1	2	4	10	16	16	16
2. MULTIPLE DX										
A. Not Operated	81	5.1	53	1	2	3	6	9	15	48
B. Operated	14	10.6	82	1	2	7	21	22	24	24
1. SINGLE DX	38	3.3	6	1	2	3	4	5	6	16
2. MULTIPLE DX	95	5.9	60	1	2	3	7	15	21	44
A. Not Operated	115	4.5	39	1	2	3	5	8	12	34
B. Operated	18	9.7	74	1	2	6	19	22	23	24
TOTAL										
0-19 YRS	111	4.6	23	1	2	3	5	9	19	23
20-34	12	4.0	21	1	1	2	4	11	16	17
35-49	5	9.4	33	3	5	7	15	16	16	16
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	3	23.3	1024	1	3	9	47	60	60	60
GRAND TOTAL	**133**	**5.2**	**46**	**1**	**2**	**3**	**6**	**11**	**19**	**30**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	315	2.5	4	1	1	2	3	4	6	12
20-34	19	3.1	2	1	2	3	4	5	5	5
35-49	6	3.5	1	2	3	4	4	4	4	4
50-64	8	5.8	22	1	2	3	11	12	12	12
65 +	21	2.9	3	< 1	2	2	4	5	6	7
B. Operated										
0-19 YRS	109	3.3	3	1	2	3	4	6	6	9
20-34	31	5.2	6	3	4	4	6	8	9	13
35-49	23	4.9	6	2	3	5	6	8	10	12
50-64	12	5.8	11	2	4	6	7	10	13	14
65 +	13	8.2	60	3	4	5	12	17	28	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	718	4.3	12	1	2	3	5	8	10	17
20-34	169	4.9	10	2	3	4	7	9	12	15
35-49	217	5.8	18	2	3	5	7	10	14	22
50-64	357	6.4	22	2	4	5	8	12	14	24
65 +	672	7.0	28	2	4	6	9	13	16	32
B. Operated										
0-19 YRS	189	7.2	45	2	3	5	9	17	25	99 +
20-34	103	8.0	39	3	4	6	9	15	23	31
35-49	120	9.7	94	3	5	7	11	18	32	51
50-64	153	10.0	51	3	5	8	13	18	24	36
65 +	313	10.9	81	3	5	8	14	21	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	369	2.6	5	1	1	2	3	5	6	12
B. Operated	188	4.3	10	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	2133	5.7	20	2	3	5	7	11	14	23
B. Operated	878	9.4	67	3	4	7	12	18	26	48
1. SINGLE DX	557	3.2	7	1	2	2	4	6	8	14
2. MULTIPLE DX	3011	6.8	37	2	3	5	8	13	17	33
A. Not Operated	2502	5.3	19	1	2	4	7	10	13	22
B. Operated	1066	8.5	61	2	4	6	11	17	24	41
TOTAL										
0-19 YRS	1331	4.2	16	1	2	3	5	8	11	22
20-34	322	5.8	21	2	3	4	7	11	14	25
35-49	366	7.0	45	2	4	5	8	14	18	34
50-64	530	7.4	33	2	4	6	9	14	18	33
65 +	1019	8.1	48	2	4	6	10	15	20	35
GRAND TOTAL	**3568**	**6.2**	**34**	**2**	**3**	**5**	**8**	**13**	**16**	**32**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	1.7	1	1	1	2	2	3	3	5
20-34	51	1.5		1	1	1	2	2	3	4
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	113	3.0	2	2	2	3	3	5	5	8
20-34	53	3.1	1	2	2	3	4	5	6	6
35-49	6	4.2	6	2	2	3	6	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	176	2.1	2	1	1	2	2	4	5	7
20-34	32	2.4	1	1	2	2	3	4	4	5
35-49	11	2.9	3	1	2	2	4	5	7	7
50-64	4	2.5	1	1	2	3	3	3	3	3
65 +	5	2.8	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	83	4.0	4	2	3	4	4	7	9	11
20-34	31	3.4	2	2	2	3	4	6	7	7
35-49	10	4.2	1	3	3	4	5	6	6	6
50-64	0									
65 +	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	1.7	1	1	1	2	2	3	3	4
B. Operated	172	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	228	2.2	2	1	1	2	3	4	4	7
B. Operated	126	3.9	3	2	3	3	4	6	8	10
1. SINGLE DX	426	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX	354	2.8	3	1	2	2	4	5	6	9
A. Not Operated	482	1.9	1	1	1	2	2	3	4	5
B. Operated	298	3.4	3	2	2	3	4	6	6	9
TOTAL										
0-19 YRS	563	2.4	2	1	1	2	3	4	5	9
20-34	167	2.5	2	1	2	2	3	4	5	7
35-49	35	3.3	3	2	2	3	4	6	7	8
50-64	8	2.3	1	1	1	2	3	3	3	3
65 +	7	3.7	4	1	2	4	5	7	7	7
GRAND TOTAL	**780**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	3.8	5	1	2	3	5	6	8	11
20-34	6	4.0	3	2	3	4	6	6	6	6
35-49	5	3.0	1	2	2	3	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	22	5.2	18	1	1	4	9	11	13	15
20-34	9	2.8	9	< 1	1	1	3	8	10	10
35-49	8	3.0	5	1	1	2	4	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	4.2	4	2	3	4	5	7	8	10
20-34	10	3.2	4	< 1	2	3	5	6	6	6
35-49	8	2.9	6	< 1	1	2	4	7	8	8
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	3	4.7	2	3	3	5	6	6	6	6
B. Operated										
0-19 YRS	29	6.4	17	1	3	6	9	14	15	15
20-34	11	3.3	2	1	2	3	4	5	6	6
35-49	10	5.8	24	2	3	4	7	14	18	18
50-64	4	8.8	65	1	3	7	14	20	20	20
65 +	4	5.0	38	1	1	3	9	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.7	4	2	2	3	5	6	8	11
B. Operated	40	4.1	14	1	1	3	6	10	11	15
2. MULTIPLE DX										
A. Not Operated	151	4.1	4	2	3	4	5	7	8	10
B. Operated	58	5.8	20	1	3	4	7	13	15	20
1. SINGLE DX	175	3.8	6	1	2	3	5	7	9	12
2. MULTIPLE DX	209	4.5	9	2	3	4	6	8	10	16
A. Not Operated	286	3.9	4	2	2	4	5	6	8	11
B. Operated	98	5.1	18	1	2	4	7	11	15	19
TOTAL										
0-19 YRS	300	4.3	7	2	2	4	5	8	10	15
20-34	36	3.3	4	1	2	3	4	6	6	10
35-49	31	3.9	12	1	2	3	4	8	10	18
50-64	9	5.3	36	1	2	3	6	15	20	20
65 +	8	4.5	18	1	2	3	5	12	14	14
GRAND TOTAL	**384**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	14.5	127	3	5	11	22	31	35	35
20-34	14	6.8	36	2	3	6	7	13	22	25
35-49	8	6.9	90	2	2	3	6	23	30	30
50-64	15	8.2	53	1	1	6	14	21	21	21
65 +	55	12.5	107	1	3	11	20	28	30	97
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	17.9	298	2	3	12	29	47	52	59
20-34	142	14.0	119	3	6	12	19	30	35	53
35-49	158	14.2	161	2	6	12	19	31	42	99 +
50-64	165	11.4	113	2	4	8	16	28	32	46
65 +	687	11.2	87	3	4	8	15	24	29	48
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	33.2	1037	3	16	25	44	88	88	88
35-49	11	19.2	209	3	5	16	33	39	41	41
50-64	21	9.6	69	3	4	9	13	14	26	41
65 +	60	14.5	129	3	6	13	18	29	42	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	10.8	93	1	3	8	15	25	29	76
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1187	12.2	113	3	4	9	17	27	33	54
B. Operated	98	14.8	183	3	5	12	19	32	41	69
1. SINGLE DX	100	10.8	93	1	3	8	15	25	29	76
2. MULTIPLE DX	1285	12.4	118	3	4	9	17	27	34	54
A. Not Operated	1287	12.1	111	3	4	9	17	26	33	54
B. Operated	98	14.8	183	3	5	12	19	32	41	69
TOTAL										
0-19 YRS	44	17.1	260	2	3	11	26	42	51	59
20-34	161	13.9	150	3	6	11	19	29	35	54
35-49	177	14.2	163	2	6	12	19	32	41	99 +
50-64	201	11.0	104	2	4	8	14	26	31	44
65 +	802	11.6	92	3	4	9	16	24	29	49
GRAND TOTAL	**1385**	**12.3**	**117**	**3**	**4**	**9**	**17**	**27**	**33**	**54**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	21.0		21	21	21	21	21	21	21
50-64	6	11.0	68	2	4	9	18	22	23	23
65 +	15	8.1	86	1	4	5	8	15	32	38
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	11.3	7	7	9	12	13	15	15	15
50-64	23	13.6	141	4	6	10	15	29	45	50
65 +	388	11.2	101	3	5	9	14	22	30	60
B. Operated										
0-19 YRS	0									
20-34	1	40.0		40	40	40	40	40	40	40
35-49	0									
50-64	0									
65 +	29	13.0	45	4	9	13	17	21	22	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	9.5	82	2	4	6	15	22	29	38
B. Operated	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	418	11.4	102	3	5	9	14	22	31	57
B. Operated	30	13.9	68	4	9	13	19	21	31	40
1. SINGLE DX	24	9.3	76	2	4	6	13	21	27	38
2. MULTIPLE DX	448	11.5	100	3	5	9	14	22	31	53
A. Not Operated	440	11.3	101	3	5	9	14	22	30	54
B. Operated	32	13.5	67	4	9	12	18	21	30	40
TOTAL										
0-19 YRS	0									
20-34	1	40.0		40	40	40	40	40	40	40
35-49	8	12.5	18	8	10	12	14	19	21	21
50-64	29	13.1	124	3	6	10	16	25	42	50
65 +	434	11.2	97	3	5	9	14	21	30	55
GRAND TOTAL	**472**	**11.4**	**99**	**3**	**5**	**9**	**14**	**22**	**31**	**52**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	7.2	27	2	3	6	12	14	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	26.0	338	13	13	26	39	39	39	39
50-64	16	10.8	92	3	5	7	14	23	33	38
65 +	343	11.9	86	4	6	9	15	22	32	50
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	9.5	13	7	7	9	12	12	12	12
65 +	38	17.6	229	3	9	14	19	42	56	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.9	23	2	2	3	10	13	14	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	361	11.9	88	4	6	9	15	22	33	48
B. Operated	40	17.2	221	3	8	13	19	40	55	63
1. SINGLE DX	7	5.9	23	2	2	3	10	13	14	14
2. MULTIPLE DX	401	12.4	103	4	6	10	16	24	34	59
A. Not Operated	368	11.8	87	3	6	9	15	22	33	48
B. Operated	40	17.2	221	3	8	13	19	40	55	63
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
- 20-34	0									
35-49	2	26.0	338	13	13	26	39	39	39	39
50-64	19	10.2	81	3	5	7	13	23	31	38
65 +	386	12.4	102	3	6	10	16	24	33	60
GRAND TOTAL	**408**	**12.3**	**102**	**3**	**6**	**10**	**16**	**23**	**34**	**59**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.0	7	< 1	1	1	2	4	8	13
20-34	16	4.8	63	1	1	2	4	9	26	33
35-49	12	6.4	36	1	2	4	9	17	19	19
50-64	15	10.9	181	1	2	6	12	40	43	44
65 +	93	11.4	73	3	5	10	16	22	26	45
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	52	99 +	99 +	99 +	99 +
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	9.6	217	1	1	3	13	29	43	73
20-34	120	11.3	132	2	4	8	16	24	33	54
35-49	92	10.5	95	2	3	7	16	24	28	45
50-64	131	12.7	121	2	5	9	18	28	33	52
65 +	1134	12.9	92	3	6	11	17	24	31	48
B. Operated										
0-19 YRS	7	9.4	370	1	2	2	4	43	53	53
20-34	8	8.4	216	< 1	1	1	9	34	43	43
35-49	7	3.4	4	1	2	3	5	7	7	7
50-64	7	20.3	203	3	8	21	34	38	38	38
65 +	110	16.9	154	4	8	13	24	37	43	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	8.9	81	1	2	6	14	19	26	44
B. Operated	2	4.5	1	4	4	5	76	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	1554	12.4	105	3	5	10	17	25	32	48
B. Operated	139	15.5	172	2	5	12	23	37	43	64
1. SINGLE DX	164	8.8	80	1	2	6	14	19	26	52
2. MULTIPLE DX	1693	12.7	111	3	5	10	17	26	34	51
A. Not Operated	1716	12.1	103	2	5	10	16	24	32	48
B. Operated	141	15.3	172	2	5	12	23	37	44	99 +
TOTAL										
0-19 YRS	110	7.8	184	1	1	2	4	25	35	64
20-34	145	10.4	131	1	3	7	14	24	35	84
35-49	111	9.6	86	2	3	6	15	23	26	44
50-64	153	12.8	131	2	5	9	18	28	38	52
65 +	1338	13.1	97	3	6	11	17	25	33	48
GRAND TOTAL	**1857**	**12.4**	**109**	**2**	**5**	**10**	**17**	**25**	**33**	**52**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	3.4	3	2	3	3	4	6	7	7
35-49	27	6.0	46	1	2	3	7	18	22	24
50-64	8	1.9	1	< 1	1	2	3	3	3	3
65 +	4	12.8	110	4	6	9	19	28	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.0	93	1	2	3	9	24	28	28
20-34	359	5.6	48	2	2	3	5	13	24	30
35-49	745	4.9	24	2	3	3	5	9	16	28
50-64	373	6.4	42	2	3	4	8	14	21	30
65 +	172	9.3	81	2	4	6	11	18	29	43
B. Operated										
0-19 YRS	0									
20-34	9	9.1	28	3	6	7	12	17	19	19
35-49	25	10.1	200	2	3	5	10	22	45	65
50-64	26	12.5	69	3	8	11	15	21	30	42
65 +	16	23.7	487	6	8	15	32	46	78	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	5.4	41	1	2	3	5	14	22	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1657	5.9	41	2	3	3	6	13	20	30
B. Operated	76	13.7	216	3	5	9	16	30	41	84
1. SINGLE DX	48	5.4	41	1	2	3	5	14	22	28
2. MULTIPLE DX	1733	6.2	51	2	3	4	7	14	21	33
A. Not Operated	1705	5.9	41	2	3	3	6	13	20	30
B. Operated	76	13.7	216	3	5	9	16	30	41	84
TOTAL										
0-19 YRS	8	7.0	93	1	2	3	9	24	28	28
20-34	377	5.6	47	2	2	3	5	13	24	30
35-49	797	5.1	31	2	2	3	6	10	17	28
50-64	407	6.7	45	2	3	4	8	15	21	31
65 +	192	10.6	129	3	4	7	12	24	33	57
GRAND TOTAL	**1781**	**6.2**	**51**	**2**	**3**	**4**	**7**	**14**	**21**	**33**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	7	1	1	1	3	7	7	7
20-34	7	5.4	29	1	2	4	6	15	17	17
35-49	6	3.0	6	< 1	1	2	6	6	6	6
50-64	4	2.8	4	1	1	3	4	5	5	5
65 +	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.1	13	1	1	3	7	10	11	12
20-34	157	6.5	67	2	3	3	7	15	21	47
35-49	133	5.6	35	2	3	3	6	13	19	30
50-64	71	7.6	56	2	3	5	10	15	26	38
65 +	213	6.4	27	2	3	5	8	13	15	30
B. Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	4	27.5	252	10	14	27	40	45	45	45
35-49	6	14.2	118	3	7	11	23	30	31	31
50-64	7	12.4	59	2	7	12	17	23	24	24
65 +	17	10.5	120	2	3	5	15	23	36	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.6	12	1	1	3	5	6	9	17
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	598	6.3	42	2	3	4	8	14	19	33
B. Operated	36	13.1	134	2	4	10	19	30	41	45
1. SINGLE DX	25	3.6	12	1	1	3	5	6	9	17
2. MULTIPLE DX	634	6.7	50	2	3	4	8	15	21	39
A. Not Operated	623	6.2	41	2	3	4	7	14	19	32
B. Operated	36	13.1	134	2	4	10	19	30	41	45
TOTAL										
0-19 YRS	31	3.9	12	1	1	2	7	9	10	12
20-34	166	7.1	79	2	3	3	8	18	29	47
35-49	145	5.9	40	2	3	3	7	14	21	31
50-64	82	7.8	56	2	3	5	10	16	25	37
65 +	233	6.6	34	2	3	5	8	14	17	33
GRAND TOTAL	**659**	**6.6**	**49**	**2**	**3**	**4**	**8**	**14**	**20**	**39**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	18.9	191	5	11	16	23	41	47	62
20-34	539	15.4	144	4	7	12	21	31	41	63
35-49	444	14.3	117	4	6	12	20	29	34	54
50-64	117	16.4	113	5	8	13	22	31	37	51
65 +	39	17.7	155	3	8	15	25	35	41	53
B. Operated										
0-19 YRS	0									
20-34	1	68.0		68	68	68	68	68	68	68
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	26.9	471	7	11	18	42	83	99 +	99 +
20-34	572	16.6	174	4	7	13	22	33	42	75
35-49	591	16.0	157	4	7	12	21	31	42	60
50-64	263	16.4	131	5	8	14	21	33	39	56
65 +	140	18.2	153	5	10	16	23	35	41	64
B. Operated										
0-19 YRS	0									
20-34	18	23.6	276	5	11	21	36	46	56	62
35-49	28	27.7	377	8	17	24	33	47	77	92
50-64	9	32.0	582	12	21	23	37	74	87	87
65 +	8	23.3	71	10	20	24	29	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1172	15.3	133	4	7	12	21	31	39	57
B. Operated	2	36.0	2048	4	4	36	68	68	68	68
2. MULTIPLE DX										
A. Not Operated	1604	16.7	168	5	8	14	22	33	42	70
B. Operated	63	26.6	332	7	17	23	32	47	67	91
1. SINGLE DX	1174	15.3	135	4	7	12	21	31	39	60
2. MULTIPLE DX	1667	17.1	178	5	8	14	22	34	43	72
A. Not Operated	2776	16.1	154	4	7	13	21	32	41	65
B. Operated	65	26.9	356	7	17	23	33	47	70	91
TOTAL										
0-19 YRS	71	23.2	353	6	11	17	35	65	84	99 +
20-34	1130	16.2	165	4	7	13	21	32	42	68
35-49	1063	15.6	150	4	7	12	21	31	40	60
50-64	389	16.8	139	5	8	14	21	33	39	55
65 +	188	18.3	150	5	10	16	24	34	41	61
GRAND TOTAL	**2841**	**16.4**	**161**	**4**	**7**	**13**	**21**	**33**	**42**	**66**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	31.5	967	4	17	20	37	86	91	91
20-34	23	23.7	488	2	8	12	41	53	64	80
35-49	10	23.1	681	5	7	17	25	60	93	93
50-64	7	11.0	22	5	8	10	14	17	18	18
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	19.7	132	7	12	22	36	99 +	99 +	99 +
20-34	25	11.4	62	2	4	10	18	24	24	25
35-49	18	19.4	227	4	6	16	35	42	47	49
50-64	12	18.3	166	2	7	17	30	35	36	36
65 +	5	13.2	75	7	7	12	16	28	28	28
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	32.0		32	32	32	32	32	32	32
50-64	0									
65 +	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	22.7	517	4	8	14	28	52	82	93
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	70	15.9	140	3	6	13	24	36	43	99 +
B. Operated	3	20.3	284	1	8	28	31	32	32	32
1. SINGLE DX	46	22.7	517	4	8	14	28	52	82	93
2. MULTIPLE DX	73	16.1	142	2	6	13	25	36	42	99 +
A. Not Operated	116	18.6	297	3	7	13	25	42	54	99 +
B. Operated	3	20.3	284	1	8	28	31	32	32	32
TOTAL										
0-19 YRS	16	24.1	437	5	13	21	37	97	99 +	99 +
20-34	49	17.0	298	2	5	11	21	47	52	80
35-49	29	21.1	364	5	7	17	29	42	51	93
50-64	19	15.6	122	3	8	14	24	34	35	36
65 +	6	15.7	96	7	7	12	28	28	28	28
GRAND TOTAL	**119**	**18.6**	**294**	**3**	**7**	**14**	**25**	**41**	**54**	**99 +**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	21.3	276	5	9	19	29	45	67	99 +
20-34	773	16.1	167	4	7	13	21	34	43	60
35-49	609	14.4	108	4	7	12	19	28	34	56
50-64	191	15.1	91	5	7	14	21	28	33	55
65 +	52	16.6	247	5	7	11	20	34	42	93
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	27.0		27	27	27	27	27	27	27
50-64	1	31.0		31	31	31	31	31	31	31
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	27.1	390	8	12	23	46	72	99 +	99 +
20-34	1157	16.7	174	4	8	13	22	34	43	71
35-49	1092	16.3	123	5	8	14	21	31	38	52
50-64	541	17.4	135	6	9	15	22	34	39	58
65 +	242	19.6	178	6	11	17	25	35	47	66
B. Operated										
0-19 YRS	2	30.0	200	20	20	30	40	40	40	40
20-34	36	21.1	261	8	10	17	25	41	48	89
35-49	34	29.2	381	7	16	23	38	60	64	78
50-64	20	22.5	181	8	13	20	28	46	51	52
65 +	15	29.1	187	14	20	27	33	46	59	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1721	15.7	148	4	7	13	21	31	41	65
B. Operated	2	29.0	8	27	27	29	31	31	31	31
2. MULTIPLE DX										
A. Not Operated	3168	17.4	164	5	8	14	23	34	43	71
B. Operated	107	25.2	278	8	14	21	34	50	60	83
1. SINGLE DX	1723	15.7	148	4	7	13	21	31	41	65
2. MULTIPLE DX	3275	17.6	169	5	9	14	23	35	44	71
A. Not Operated	4889	16.8	159	5	8	14	22	33	42	67
B. Operated	109	25.3	274	8	14	21	33	50	60	82
TOTAL										
0-19 YRS	234	24.7	348	6	11	21	37	60	99 +	99 +
20-34	1966	16.5	173	4	8	13	21	34	43	67
35-49	1736	15.9	127	4	8	14	21	31	38	58
50-64	753	17.0	126	6	9	15	22	33	38	58
65 +	309	19.5	194	6	10	17	25	35	47	72
GRAND TOTAL	**4998**	**16.9**	**163**	**5**	**8**	**14**	**22**	**34**	**43**	**68**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	18.9	195	4	8	13	28	37	48	49
20-34	1	34.0		34	34	34	34	34	34	34
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	19.5	308	4	6	14	36	52	95	99 +
20-34	1	26.0		26	26	26	26	26	26	26
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	71.0		71	71	71	71	71	71	71
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	20.2	197	4	9	19	28	38	47	49
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	34	19.4	293	4	6	14	32	49	92	99 +
B. Operated	1	71.0		71	71	71	71	71	71	71
1. SINGLE DX	12	20.2	197	4	9	19	28	38	47	49
2. MULTIPLE DX	35	20.9	361	4	6	14	37	67	91	99 +
A. Not Operated	46	19.6	263	4	6	14	29	47	77	99 +
B. Operated	1	71.0		71	71	71	71	71	71	71
TOTAL										
0-19 YRS	43	19.3	274	4	6	14	28	49	80	99 +
20-34	2	30.0	32	26	26	30	34	34	34	34
35-49	2	40.5	1861	10	10	40	71	71	71	71
50-64	0									
65 +	0									
GRAND TOTAL	**47**	**20.7**	**314**	**4**	**7**	**14**	**30**	**50**	**75**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	593	19.3	204	4	9	16	27	37	48	71
20-34	926	11.4	80	3	5	9	15	22	29	46
35-49	953	11.8	78	3	5	10	16	22	27	42
50-64	394	13.8	82	4	8	12	18	26	33	43
65 +	291	15.3	95	3	8	14	21	29	35	42
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	15.0	109	8	8	10	23	27	27	27
50-64	1	14.0		14	14	14	14	14	14	14
65 +	3	42.0	228	26	30	44	53	56	56	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1571	20.8	256	4	9	17	29	43	57	99 +
20-34	2985	13.0	108	3	6	11	17	26	33	52
35-49	3243	13.4	106	4	7	11	17	26	32	52
50-64	1464	15.1	115	5	8	13	19	27	34	54
65 +	1816	18.5	153	5	10	16	24	34	43	65
B. Operated										
0-19 YRS	35	27.0	376	5	13	23	41	57	68	73
20-34	106	20.8	233	6	10	17	27	40	48	81
35-49	130	20.0	111	9	13	18	24	32	42	53
50-64	85	21.0	207	7	11	19	27	34	54	77
65 +	115	26.1	264	9	14	23	34	54	63	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3157	13.7	113	3	6	11	18	28	34	49
B. Operated	8	24.9	298	9	12	20	35	52	56	56
2. MULTIPLE DX										
A. Not Operated	11079	15.4	145	4	7	13	20	30	38	63
B. Operated	471	22.4	218	8	12	20	29	42	55	78
1. SINGLE DX	3165	13.7	114	3	6	11	18	28	34	50
2. MULTIPLE DX	11550	15.7	150	4	7	13	21	31	40	65
A. Not Operated	14236	15.0	138	4	7	12	20	30	37	62
B. Operated	479	22.4	219	8	12	20	29	43	55	77
TOTAL										
0-19 YRS	2199	20.5	245	4	9	17	28	42	54	99
20-34	4018	12.9	107	3	6	10	17	25	32	51
35-49	4329	13.3	102	3	6	11	17	25	31	48
50-64	1944	15.1	114	5	8	13	19	27	34	54
65 +	2225	18.5	156	5	10	16	24	35	43	65
GRAND TOTAL	**14715**	**15.3**	**143**	**4**	**7**	**13**	**20**	**30**	**38**	**63**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	16.8	171	5	8	14	21	31	43	67
20-34	550	13.6	101	4	7	11	18	27	32	47
35-49	557	13.5	111	3	7	11	18	27	33	52
50-64	265	15.6	99	5	8	14	20	29	34	51
65 +	101	15.9	116	6	8	13	20	29	39	54
B. Operated										
0-19 YRS	0									
20-34	3	13.7	49	7	8	13	19	21	21	21
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	393	20.7	254	6	10	18	28	43	64	99 +
20-34	989	14.6	143	3	7	11	20	29	38	64
35-49	1223	14.7	114	4	7	12	19	29	35	48
50-64	680	16.4	132	5	8	14	22	32	40	54
65 +	542	20.2	187	7	11	17	26	37	45	70
B. Operated										
0-19 YRS	8	21.6	102	9	13	21	30	35	36	36
20-34	30	19.2	218	5	11	17	26	37	41	76
35-49	44	23.0	143	10	14	20	31	40	49	54
50-64	40	24.9	201	9	15	21	33	47	55	61
65 +	22	25.7	326	8	14	20	36	43	63	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1640	14.3	113	4	7	12	19	28	34	53
B. Operated	3	13.7	49	7	8	13	19	21	21	21
2. MULTIPLE DX										
A. Not Operated	3827	16.4	155	4	8	13	21	32	40	67
B. Operated	144	23.1	200	8	13	20	31	40	49	77
1. SINGLE DX	1643	14.3	113	4	7	12	19	28	34	53
2. MULTIPLE DX	3971	16.6	158	4	8	14	22	33	41	68
A. Not Operated	5467	15.8	143	4	7	13	21	31	39	64
B. Operated	147	22.9	199	8	13	20	31	40	49	76
TOTAL										
0-19 YRS	568	19.6	230	5	9	16	26	39	58	99 +
20-34	1572	14.3	130	4	7	11	19	29	35	62
35-49	1824	14.6	115	4	7	12	19	29	35	51
50-64	985	16.5	129	5	8	14	22	32	39	57
65 +	665	19.8	184	7	11	17	26	37	44	70
GRAND TOTAL	**5614**	**16.0**	**146**	**4**	**8**	**13**	**21**	**31**	**39**	**64**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	13.7	173	1	3	9	24	35	42	50
20-34	130	10.9	85	2	5	9	14	22	29	44
35-49	127	10.0	85	2	4	7	12	21	29	47
50-64	42	11.5	87	2	4	9	16	27	32	38
65 +	62	12.0	138	2	4	9	15	24	31	62
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	18.5	302	3	7	15	36	99 +	99 +	99 +
20-34	270	11.3	84	3	5	9	15	24	31	99 +
35-49	286	11.1	68	3	5	10	15	21	26	43
50-64	176	11.4	114	2	4	9	15	22	31	55
65 +	523	11.4	90	3	5	9	15	22	28	49
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	18.2	53	10	15	17	20	30	31	31
35-49	10	11.5	74	3	4	9	12	26	29	29
50-64	12	17.8	221	3	7	16	23	39	53	55
65 +	38	15.7	104	4	7	13	22	30	38	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	408	11.2	104	2	4	8	14	24	30	50
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1338	11.7	103	3	5	9	16	25	34	99
B. Operated	67	15.5	115	4	7	13	22	30	36	53
1. SINGLE DX	409	11.2	104	2	4	8	14	24	30	50
2. MULTIPLE DX	1405	11.9	104	3	5	9	16	25	34	89
A. Not Operated	1746	11.6	103	2	5	9	15	25	34	67
B. Operated	68	15.3	116	4	7	13	21	30	35	52
TOTAL										
0-19 YRS	131	16.6	258	2	5	12	29	52	99 +	99 +
20-34	406	11.3	84	3	5	9	15	24	30	79
35-49	423	10.8	73	2	4	8	14	21	26	44
50-64	230	11.7	116	2	4	9	16	26	32	55
65 +	624	11.7	97	3	5	9	15	23	29	50
GRAND TOTAL	**1814**	**11.8**	**104**	**3**	**5**	**9**	**16**	**25**	**34**	**66**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	11.0	123	1	1	7	18	25	33	36
20-34	49	5.7	33	1	1	3	7	15	17	23
35-49	31	3.4	20	< 1	1	2	3	7	16	21
50-64	19	4.4	19	< 1	1	3	7	10	14	16
65 +	7	7.4	113	2	2	3	7	26	31	31
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	9.5	119	1	2	5	14	28	34	40
20-34	170	7.5	71	1	2	5	9	16	21	49
35-49	170	5.8	37	1	2	4	7	14	19	28
50-64	128	6.6	58	1	2	4	9	15	20	37
65 +	182	5.8	32	1	2	4	7	13	18	29
B. Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	7	7.1	115	1	1	4	6	26	31	31
50-64	4	9.5	113	1	3	6	16	25	25	25
65 +	6	13.3	504	1	3	5	6	54	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	5.6	45	1	1	3	7	15	21	32
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	691	6.6	53	1	2	4	8	15	21	35
B. Operated	19	9.1	210	1	2	4	7	29	46	59
1. SINGLE DX	122	5.5	45	1	1	3	7	15	21	32
2. MULTIPLE DX	710	6.7	57	1	2	4	8	15	21	36
A. Not Operated	811	6.4	52	1	2	4	8	15	21	35
B. Operated	21	8.5	193	1	2	4	6	27	44	59
TOTAL										
0-19 YRS	55	9.9	118	1	2	5	16	25	35	40
20-34	222	7.0	62	1	2	5	9	15	21	44
35-49	209	5.5	37	1	2	3	7	14	19	29
50-64	151	6.4	54	1	2	4	9	15	20	31
65 +	195	6.1	48	1	2	4	7	13	19	35
GRAND TOTAL	**832**	**6.5**	**56**	**1**	**2**	**4**	**8**	**15**	**21**	**35**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	173	17.7	199	3	6	14	24	35	47	69
20-34	108	6.0	20	1	2	5	9	13	15	18
35-49	76	7.2	28	2	3	6	10	13	15	31
50-64	13	7.3	19	2	4	8	9	13	16	17
65 +	11	10.7	70	3	5	8	17	25	26	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	713	19.7	206	5	9	17	28	39	46	80
20-34	489	8.5	55	2	3	6	11	17	22	35
35-49	394	9.3	54	3	4	7	12	18	24	34
50-64	117	8.8	42	3	4	8	11	19	21	31
65 +	127	11.1	73	3	5	8	15	23	28	39
B. Operated										
0-19 YRS	12	12.4	53	5	7	10	18	24	25	25
20-34	10	9.2	43	2	4	8	12	20	21	21
35-49	12	14.9	114	2	6	14	21	31	34	35
50-64	4	15.8	19	10	12	16	19	20	20	20
65 +	11	11.9	55	4	7	10	15	23	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	381	11.7	134	2	4	8	15	25	34	54
B. Operated	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated	1840	13.2	140	3	5	10	18	29	37	62
B. Operated	49	12.5	64	4	7	10	18	24	29	35
1. SINGLE DX	382	11.7	134	2	4	8	15	25	34	54
2. MULTIPLE DX	1889	13.2	138	3	5	10	18	29	37	62
A. Not Operated	2221	12.9	139	2	5	9	17	29	37	61
B. Operated	50	12.7	63	4	7	10	18	24	29	35
TOTAL										
0-19 YRS	898	19.2	203	5	8	16	27	38	46	78
20-34	607	8.0	49	2	3	6	11	16	20	33
35-49	482	9.1	52	2	4	7	12	18	24	35
50-64	134	8.9	41	3	4	8	12	18	21	29
65 +	150	11.2	71	3	5	9	16	23	28	34
GRAND TOTAL	**2271**	**12.9**	**138**	**3**	**5**	**9**	**17**	**29**	**36**	**60**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	7.7	95	1	2	4	8	26	32	39
20-34	119	7.3	63	1	1	4	9	20	24	34
35-49	84	8.2	120	1	2	5	10	16	24	58
50-64	19	7.1	30	1	2	6	11	15	18	21
65 +	12	13.1	202	2	3	6	20	39	41	41
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	14	7.8	33	1	2	9	13	14	18	19
35-49	9	7.7	47	1	2	7	11	19	19	19
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	287	13.7	231	2	4	8	18	32	48	75
20-34	494	9.4	122	1	3	6	13	21	30	66
35-49	311	8.7	64	1	3	7	13	19	28	42
50-64	114	9.1	83	1	3	6	12	21	27	46
65 +	130	10.2	149	2	4	7	12	21	31	76
B. Operated										
0-19 YRS	9	13.6	69	4	8	13	16	26	32	32
20-34	46	10.0	77	1	3	8	15	26	34	99 +
35-49	45	12.7	126	3	5	10	18	24	32	59
50-64	12	6.8	32	2	2	4	12	15	17	17
65 +	12	17.4	180	4	7	15	24	36	48	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	7.8	90	1	2	4	10	21	27	47
B. Operated	25	7.6	36	1	2	8	12	18	19	19
2. MULTIPLE DX										
A. Not Operated	1336	10.2	134	2	3	7	13	24	33	69
B. Operated	124	11.7	104	2	5	10	16	27	32	69
1. SINGLE DX	352	7.8	86	1	2	5	10	20	26	44
2. MULTIPLE DX	1460	10.3	132	2	3	7	14	24	32	69
A. Not Operated	1663	9.7	126	1	3	6	13	23	32	64
B. Operated	149	11.0	95	2	4	9	16	21	30	59
TOTAL										
0-19 YRS	390	12.2	200	2	3	7	15	30	43	71
20-34	673	9.0	107	1	3	6	12	21	29	60
35-49	449	9.0	81	1	3	7	13	19	27	57
50-64	145	8.7	72	1	3	6	11	19	26	42
65 +	155	10.9	157	2	4	7	13	26	37	73
GRAND TOTAL	**1812**	**9.8**	**124**	**1**	**3**	**6**	**13**	**23**	**32**	**63**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	20.2	212	1	5	21	31	38	45	60
20-34	984	11.8	93	1	3	10	21	27	28	31
35-49	891	11.0	90	2	3	7	19	27	28	32
50-64	279	11.9	88	2	4	9	20	27	28	31
65 +	54	13.2	89	2	4	12	18	28	30	31
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	21.0		21	21	21	21	21	21	21
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1158	25.8	205	6	15	27	35	42	50	64
20-34	3666	14.2	100	2	4	14	22	28	28	32
35-49	3065	12.9	89	2	4	11	21	27	28	32
50-64	1278	12.5	91	2	4	10	21	27	28	32
65 +	515	12.8	81	2	5	11	20	27	29	31
B. Operated										
0-19 YRS	18	23.4	189	6	17	23	29	38	50	58
20-34	69	16.2	98	2	6	20	24	28	29	36
35-49	76	16.1	108	3	7	16	24	28	32	44
50-64	46	18.9	92	6	10	21	26	30	34	39
65 +	29	17.7	100	4	10	19	25	30	36	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2384	12.2	105	1	3	9	21	28	29	36
B. Operated	3	13.0	73	4	6	14	19	21	21	21
2. MULTIPLE DX										
A. Not Operated	9682	14.9	124	2	4	14	23	28	31	45
B. Operated	238	17.4	109	3	8	19	25	29	34	43
1. SINGLE DX	2387	12.2	105	1	3	9	21	28	29	36
2. MULTIPLE DX	9920	14.9	124	2	4	14	23	28	32	45
A. Not Operated	12066	14.3	121	2	4	13	22	28	31	43
B. Operated	241	17.4	109	3	8	18	25	29	34	43
TOTAL										
0-19 YRS	1353	25.0	209	4	14	27	35	42	49	64
20-34	4720	13.7	100	2	4	14	21	28	28	32
35-49	4033	12.5	91	2	4	10	21	27	28	32
50-64	1603	12.6	92	2	4	10	21	27	28	33
65 +	598	13.1	84	2	5	11	21	27	29	32
GRAND TOTAL	**12307**	**14.4**	**121**	**2**	**4**	**14**	**22**	**28**	**31**	**43**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	26.0	133	13	17	30	34	35	35	35
20-34	41	11.5	80	3	5	6	20	25	28	31
35-49	51	8.1	43	3	4	6	11	16	22	33
50-64	5	15.0	153	3	4	16	21	34	34	34
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	23.6	179	7	12	22	35	42	44	44
20-34	215	12.5	86	3	4	9	20	27	29	33
35-49	263	12.0	65	3	5	10	20	22	27	31
50-64	39	12.0	61	3	4	10	17	23	27	28
65 +	25	14.4	59	4	10	14	18	28	28	29
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	8.3	4	6	7	9	10	10	10	10
35-49	5	6.6	13	3	3	7	9	11	11	11
50-64	3	20.7	8	19	19	19	23	24	24	24
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	10.4	74	3	4	6	15	24	29	34
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	550	12.5	75	3	5	10	20	25	28	33
B. Operated	12	10.3	48	3	5	9	15	21	24	24
1. SINGLE DX	100	10.4	74	3	4	6	15	24	29	34
2. MULTIPLE DX	562	12.4	75	3	5	10	20	25	28	33
A. Not Operated	650	12.1	76	3	5	10	19	25	28	33
B. Operated	12	10.3	48	3	5	9	15	21	24	24
TOTAL										
0-19 YRS	12	22.5	177	5	12	22	34	39	43	44
20-34	259	12.3	84	3	4	9	20	27	29	33
35-49	319	11.3	63	3	5	9	18	22	26	31
50-64	47	12.9	69	3	4	13	18	24	28	34
65 +	25	14.4	59	4	10	14	18	28	28	29
GRAND TOTAL	**662**	**12.1**	**75**	**3**	**5**	**10**	**19**	**25**	**28**	**33**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	30.7	380	3	15	31	40	57	71	90
20-34	352	11.3	87	2	3	7	18	28	28	30
35-49	100	11.8	86	2	3	10	20	27	28	31
50-64	13	11.4	84	2	4	9	16	27	29	29
65 +	4	13.0	21	7	10	13	16	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	717	32.4	346	8	21	30	42	58	69	91
20-34	1606	13.6	96	3	4	13	21	28	29	33
35-49	653	12.6	75	3	4	12	20	26	28	30
50-64	62	13.1	79	3	5	11	20	25	28	37
65 +	37	14.6	70	4	10	12	20	27	29	37
B. Operated										
0-19 YRS	6	36.0	107	27	28	34	39	53	54	54
20-34	23	18.8	82	6	13	21	26	30	33	35
35-49	15	20.5	69	13	15	21	24	32	35	36
50-64	4	24.5	65	15	18	25	31	33	33	33
65 +	2	22.0	72	16	16	22	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	628	16.3	230	2	4	12	27	35	43	74
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3075	17.7	214	3	5	15	26	35	46	72
B. Operated	50	21.9	103	9	15	21	29	34	39	54
1. SINGLE DX	628	16.3	230	2	4	12	27	35	43	74
2. MULTIPLE DX	3125	17.8	212	3	6	15	26	35	46	71
A. Not Operated	3703	17.5	217	3	5	14	26	35	45	73
B. Operated	50	21.9	103	9	15	21	29	34	39	54
TOTAL										
0-19 YRS	882	32.1	350	7	20	30	41	58	69	91
20-34	1981	13.2	95	3	4	12	21	28	29	32
35-49	768	12.7	77	3	4	12	20	26	28	31
50-64	79	13.4	85	3	5	12	21	26	29	37
65 +	43	14.8	66	5	10	13	20	28	29	37
GRAND TOTAL	**3753**	**17.6**	**216**	**3**	**5**	**15**	**26**	**35**	**45**	**73**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	4.6	96	< 1	< 1	1	2	14	30	45
20-34	136	2.0	13	< 1	< 1	1	1	2	8	22
35-49	49	4.1	40	< 1	1	1	3	15	19	28
50-64	11	2.3	7	< 1	1	2	2	5	10	10
65 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	226	11.6	174	< 1	1	4	21	30	37	51
20-34	261	4.7	52	< 1	1	2	4	15	21	31
35-49	159	4.2	28	< 1	1	2	5	11	17	26
50-64	56	5.5	50	< 1	2	3	6	14	20	38
65 +	33	6.0	64	1	2	3	5	18	28	30
B. Operated										
0-19 YRS	10	6.9	171	< 1	< 1	1	2	30	40	40
20-34	12	1.8	5	< 1	< 1	1	1	4	8	9
35-49	9	8.8	229	1	3	4	5	32	49	49
50-64	0									
65 +	5	3.8	4	2	2	3	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	340	3.4	52	< 1	< 1	1	2	8	18	38
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	735	6.8	94	< 1	1	2	7	21	28	45
B. Operated	36	5.2	107	< 1	< 1	2	4	9	34	49
1. SINGLE DX	340	3.4	52	< 1	< 1	1	2	8	18	38
2. MULTIPLE DX	771	6.7	95	< 1	1	2	7	21	28	46
A. Not Operated	1075	5.7	84	< 1	1	2	5	20	28	42
B. Operated	36	5.2	107	< 1	< 1	2	4	9	34	49
TOTAL										
0-19 YRS	378	8.8	155	< 1	1	2	14	29	36	50
20-34	409	3.7	39	< 1	< 1	1	3	9	20	28
35-49	217	4.3	39	< 1	1	2	4	13	18	28
50-64	67	4.9	44	< 1	1	2	5	13	19	36
65 +	40	5.7	54	1	2	3	6	14	28	30
GRAND TOTAL	**1111**	**5.7**	**84**	**< 1**	**1**	**2**	**5**	**20**	**28**	**43**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	17.3	365	1	2	6	35	49	51	58
20-34	52	9.2	76	2	3	6	14	24	29	30
35-49	20	8.7	69	1	3	5	15	21	25	29
50-64	2	5.5	41	1	1	5	10	10	10	10
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	23.1	340	1	7	21	32	49	58	72
20-34	181	10.2	103	1	2	6	16	24	28	45
35-49	91	8.8	75	2	2	5	14	21	29	35
50-64	13	8.4	57	1	3	7	11	20	26	27
65 +	6	8.8	115	< 1	1	3	22	23	23	23
B. Operated										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	7	19.6	246	2	6	20	28	44	47	47
35-49	5	10.6	71	1	2	13	16	21	21	21
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	11.6	177	1	3	6	16	30	45	54
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	398	13.3	194	1	3	7	21	30	42	63
B. Operated	15	16.7	236	2	3	14	21	47	48	49
1. SINGLE DX	111	11.5	176	1	3	6	16	30	45	54
2. MULTIPLE DX	413	13.4	195	1	3	8	21	30	44	62
A. Not Operated	508	12.9	190	1	3	7	21	30	44	59
B. Operated	16	15.9	229	2	4	13	21	45	48	49
TOTAL										
0-19 YRS	143	21.9	352	1	4	19	34	49	57	69
20-34	240	10.3	103	1	3	6	16	24	28	47
35-49	117	8.8	72	1	3	5	14	21	29	34
50-64	16	7.9	50	1	2	7	10	17	24	27
65 +	8	8.1	85	< 1	1	4	15	23	23	23
GRAND TOTAL	**524**	**13.0**	**191**	**1**	**3**	**7**	**21**	**30**	**45**	**59**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	6	3.2	6	< 1	1	2	5	7	7	7
35-49	6	6.8	143	1	1	2	5	28	31	31
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	7.6	64	1	2	3	11	22	25	26
20-34	20	8.1	117	2	2	3	8	23	36	44
35-49	40	4.9	63	1	1	3	5	10	14	49
50-64	34	4.9	33	1	2	3	5	12	18	26
65 +	48	4.8	12	1	2	4	7	10	12	15
B. Operated										
0-19 YRS	4	4.5	4	2	3	4	6	7	7	7
20-34	5	8.4	51	1	3	6	14	19	19	19
35-49	3	6.0	3	4	5	7	7	7	7	7
50-64	4	2.8	6	1	1	2	4	6	6	6
65 +	5	6.2	33	2	2	3	10	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.7	50	< 1	1	1	3	6	21	31
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	179	5.8	50	1	2	3	7	14	19	39
B. Operated	21	5.7	23	1	2	4	7	13	17	19
1. SINGLE DX	19	3.7	47	< 1	1	1	3	6	20	31
2. MULTIPLE DX	200	5.8	47	1	2	3	7	13	19	36
A. Not Operated	197	5.6	50	1	2	3	7	13	19	38
B. Operated	22	5.6	22	1	2	4	7	13	17	19
TOTAL										
0-19 YRS	47	6.5	55	1	2	3	9	19	24	26
20-34	31	7.2	86	1	2	4	7	19	28	44
35-49	49	5.2	67	1	1	3	6	10	17	49
50-64	38	4.7	31	1	2	3	5	11	18	26
65 +	54	4.8	14	1	2	3	7	10	14	15
GRAND TOTAL	**219**	**5.6**	**47**	**1**	**2**	**3**	**7**	**13**	**19**	**35**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	262	8.2	70	1	2	6	11	18	26	32
20-34	282	5.0	22	1	1	4	7	10	13	25
35-49	152	5.0	15	1	2	4	7	10	13	19
50-64	37	5.5	25	1	1	4	7	14	16	21
65 +	21	9.6	132	1	1	7	12	19	35	52
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	745	11.8	129	2	4	8	16	28	35	56
20-34	1027	7.3	50	1	3	5	10	15	21	30
35-49	617	7.3	45	1	3	5	10	17	21	32
50-64	192	8.7	54	2	4	7	11	19	23	39
65 +	201	10.7	101	3	5	7	14	21	27	57
B. Operated										
0-19 YRS	14	6.7	34	1	2	5	11	15	18	19
20-34	31	9.2	67	3	4	7	10	22	28	36
35-49	12	10.8	74	3	4	6	17	24	27	28
50-64	5	13.2	74	5	6	9	22	23	23	23
65 +	13	17.1	206	7	8	14	17	34	55	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	754	6.2	43	1	2	4	8	13	18	30
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	2782	8.8	78	1	3	6	12	20	26	42
B. Operated	75	10.6	93	2	4	8	15	22	28	54
1. SINGLE DX	756	6.2	43	1	2	4	8	13	18	30
2. MULTIPLE DX	2857	8.9	78	1	3	6	12	20	26	42
A. Not Operated	3536	8.3	71	1	3	6	11	19	25	41
B. Operated	77	10.4	93	2	4	8	15	22	28	53
TOTAL										
0-19 YRS	1022	10.8	115	1	3	7	14	26	33	54
20-34	1341	6.9	45	1	2	5	9	15	20	29
35-49	781	6.9	41	1	2	5	9	16	20	29
50-64	234	8.3	51	2	3	6	11	18	22	38
65 +	235	11.0	110	3	5	8	15	21	28	58
GRAND TOTAL	**3613**	**8.3**	**72**	**1**	**3**	**6**	**11**	**19**	**25**	**41**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	311	10.5	132	1	3	7	14	24	29	67
20-34	171	5.6	37	1	2	4	8	13	16	29
35-49	94	5.0	19	1	2	4	7	9	12	23
50-64	24	6.9	47	1	2	5	9	14	20	32
65 +	9	7.6	67	1	2	5	10	21	27	27
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	696	12.9	161	2	4	9	18	31	40	85
20-34	663	7.9	78	1	3	6	10	17	22	38
35-49	350	7.9	60	1	3	6	10	17	21	39
50-64	100	8.0	49	2	3	6	12	19	23	28
65 +	90	8.9	45	2	4	7	14	19	23	27
B. Operated										
0-19 YRS	14	11.9	86	3	4	9	21	26	27	27
20-34	19	20.3	286	3	6	19	29	55	85	99 +
35-49	7	8.7	31	2	4	8	14	16	16	16
50-64	3	15.0	277	3	4	8	27	34	34	34
65 +	6	15.7	90	7	10	11	22	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	609	8.1	89	1	2	5	10	19	26	41
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1899	9.8	107	2	3	7	13	22	31	55
B. Operated	49	15.3	175	3	5	11	26	32	40	99 +
1. SINGLE DX	610	8.1	89	1	2	5	10	18	26	41
2. MULTIPLE DX	1948	9.9	110	2	3	7	13	23	32	57
A. Not Operated	2508	9.4	103	1	3	6	12	22	29	54
B. Operated	50	15.1	175	3	5	11	25	32	40	99 +
TOTAL										
0-19 YRS	1022	12.2	152	2	4	8	17	28	36	77
20-34	853	7.7	78	1	3	5	10	17	23	41
35-49	451	7.3	52	1	2	6	9	16	21	38
50-64	127	8.0	53	1	3	6	11	19	24	32
65 +	105	9.1	51	2	4	7	13	19	24	29
GRAND TOTAL	**2558**	**9.5**	**105**	**1**	**3**	**6**	**12**	**22**	**29**	**56**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	290	14.3	173	1	4	12	20	32	38	63
20-34	21	11.5	184	1	2	5	14	38	40	41
35-49	12	7.3	160	1	2	4	5	20	43	47
50-64	5	1.8	1	1	1	2	2	3	3	3
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	5.0	6	2	3	5	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1225	21.5	308	3	8	18	30	47	64	99 +
20-34	225	15.9	282	2	4	9	23	43	54	82
35-49	90	8.7	112	1	2	5	11	20	31	53
50-64	41	6.6	79	2	3	4	7	14	25	49
65 +	42	6.2	25	1	2	5	8	14	16	23
B. Operated										
0-19 YRS	16	27.3	845	2	4	18	71	99 +	99 +	99 +
20-34	13	22.2	459	2	5	13	39	52	63	66
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	9.0	2	8	8	9	10	10	10	10
65 +	12	11.5	68	5	6	7	17	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	13.7	173	1	3	10	20	32	38	62
B. Operated	5	5.6	6	2	3	7	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	1623	19.2	300	3	6	15	28	43	60	99 +
B. Operated	44	20.2	491	2	5	10	38	72	99 +	99 +
1. SINGLE DX	334	13.6	172	1	3	10	20	32	38	61
2. MULTIPLE DX	1667	19.3	305	3	6	15	28	45	62	99 +
A. Not Operated	1952	18.3	283	2	5	14	27	42	57	99 +
B. Operated	49	18.7	460	2	5	8	36	68	98	99 +
TOTAL										
0-19 YRS	1531	20.2	296	3	7	17	29	43	62	99 +
20-34	259	15.9	284	2	4	9	23	43	53	79
35-49	107	8.4	111	1	2	5	9	19	32	53
50-64	49	6.2	68	1	2	3	7	11	21	49
65 +	55	7.5	39	2	3	6	9	15	22	28
GRAND TOTAL	**2001**	**18.3**	**287**	**2**	**5**	**14**	**27**	**42**	**58**	**99 +**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	18.0		18	18	18	18	18	18	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	10.0	44	4	6	9	11	21	25	25
20-34	10	16.2	169	2	9	12	19	38	40	40
35-49	10	7.7	50	2	4	5	10	18	26	26
50-64	5	6.8	50	< 1	1	5	11	18	18	18
65 +	3	20.3	89	13	14	17	27	31	31	31
B. Operated										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	1	47.0		47	47	47	47	47	47	47
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.3	63	1	1	3	11	18	18	18
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	36	11.5	97	2	5	9	15	26	35	40
B. Operated	3	22.0	471	8	9	11	38	47	47	47
1. SINGLE DX	4	6.3	63	1	1	3	11	18	18	18
2. MULTIPLE DX	39	12.3	122	2	5	10	16	29	39	47
A. Not Operated	40	11.0	94	2	4	9	15	25	34	40
B. Operated	3	22.0	471	8	9	11	38	47	47	47
TOTAL										
0-19 YRS	11	9.4	34	4	5	8	11	17	24	25
20-34	13	16.3	242	1	3	10	23	41	46	47
35-49	11	8.6	54	3	4	6	11	21	26	26
50-64	5	6.8	50	< 1	1	5	11	18	18	18
65 +	3	20.3	89	13	14	17	27	31	31	31
GRAND TOTAL	**43**	**11.7**	**118**	**2**	**4**	**9**	**16**	**27**	**38**	**47**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	218	8.0	16	2	4	9	10	13	15	17
20-34	26	5.7	17	1	2	4	10	11	13	13
35-49	16	5.0	10	2	3	4	6	10	11	12
50-64	7	7.0	17	1	3	9	10	10	10	10
65 +	3	5.3	8	2	3	7	7	7	7	7
B. Operated										
0-19 YRS	10	11.2	66	1	5	10	15	23	29	29
20-34	6	13.7	183	2	8	10	12	37	40	40
35-49	11	7.5	79	1	2	4	10	21	30	31
50-64	8	5.5	72	< 1	1	2	5	20	26	26
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	473	9.5	26	3	7	10	11	14	17	25
20-34	53	8.7	49	3	4	7	11	15	17	39
35-49	46	9.1	27	3	5	8	13	17	19	23
50-64	30	10.6	42	3	5	11	14	16	24	31
65 +	46	14.0	51	6	11	13	16	23	27	39
B. Operated										
0-19 YRS	74	20.3	144	9	11	17	29	39	46	50
20-34	25	17.6	107	7	10	16	22	34	39	44
35-49	44	15.2	131	3	7	13	22	29	36	54
50-64	48	20.3	308	4	9	17	26	57	90	99 +
65 +	37	20.6	269	7	10	17	33	66	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	7.6	17	2	3	8	10	13	14	17
B. Operated	36	8.9	91	1	2	5	12	25	30	40
2. MULTIPLE DX										
A. Not Operated	648	9.8	32	3	6	10	12	15	19	30
B. Operated	228	19.1	193	5	10	16	27	42	54	99 +
1. SINGLE DX	306	7.7	25	2	3	8	10	13	15	27
2. MULTIPLE DX	876	12.2	90	3	7	10	14	23	31	60
A. Not Operated	918	9.1	28	3	5	10	11	14	17	26
B. Operated	264	17.7	191	3	9	15	25	40	50	99 +
TOTAL										
0-19 YRS	775	10.1	46	3	6	10	11	16	21	40
20-34	110	10.3	78	2	4	9	12	20	34	42
35-49	117	10.7	81	2	4	8	14	23	29	47
50-64	93	14.9	211	2	6	12	19	31	57	99 +
65 +	87	16.4	157	5	9	14	20	38	63	99 +
GRAND TOTAL	**1182**	**11.0**	**77**	**3**	**6**	**10**	**13**	**20**	**29**	**55**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	5.0	7	3	3	4	7	8	8	8
65 +	15	5.3	6	3	3	5	7	8	11	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	14.5	61	9	9	14	20	20	20	20
35-49	1	12.0		12	12	12	12	12	12	12
50-64	44	10.5	147	3	4	7	10	20	44	59
65 +	250	8.7	29	3	5	7	11	16	18	30
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	10.4	53	2	6	9	14	22	22	22
65 +	45	15.2	149	6	7	11	20	30	41	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.2	6	3	3	5	7	8	10	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	297	9.0	47	3	5	7	11	16	20	39
B. Operated	50	14.7	140	5	7	10	19	29	37	55
1. SINGLE DX	18	5.2	6	3	3	5	7	8	10	12
2. MULTIPLE DX	347	9.8	64	3	5	8	11	18	26	45
A. Not Operated	315	8.8	45	3	5	7	11	16	20	37
B. Operated	50	14.7	140	5	7	10	19	29	37	55
TOTAL										
0-19 YRS	0									
20-34	2	14.5	61	9	9	14	20	20	20	20
35-49	1	12.0		12	12	12	12	12	12	12
50-64	52	10.2	130	3	4	7	10	20	43	59
65 +	310	9.4	51	3	5	7	11	17	25	34
GRAND TOTAL	**365**	**9.6**	**62**	**3**	**5**	**7**	**11**	**18**	**26**	**45**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.8	6	5	5	6	8	10	10	10
20-34	85	6.0	13	2	3	6	8	10	14	17
35-49	129	5.8	10	2	4	5	8	10	11	15
50-64	29	5.9	8	3	4	5	8	10	10	13
65 +	4	4.3	3	2	3	4	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	3	4.0	27	1	1	1	8	10	10	10
35-49	6	5.8	11	1	3	6	9	9	9	9
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	11	1	3	6	8	8	8	8
20-34	130	8.6	42	3	5	7	10	15	19	39
35-49	350	7.5	31	3	4	6	9	13	15	32
50-64	122	9.1	46	4	5	8	10	14	19	40
65 +	16	8.8	46	3	4	7	10	16	26	30
B. Operated										
0-19 YRS	0									
20-34	21	14.6	190	4	6	9	18	38	50	54
35-49	60	11.7	81	5	6	10	16	29	99 +	99 +
50-64	34	10.1	61	4	6	9	12	15	41	99 +
65 +	4	8.3	126	1	2	3	14	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	251	5.9	11	2	4	5	8	10	12	16
B. Operated	11	4.9	13	1	1	6	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	622	8.0	37	3	4	7	10	14	17	35
B. Operated	119	11.6	95	4	6	9	15	26	54	99 +
1. SINGLE DX	262	5.8	11	2	3	5	8	10	12	16
2. MULTIPLE DX	741	8.6	48	3	5	7	10	15	21	54
A. Not Operated	873	7.4	30	3	4	6	9	13	15	32
B. Operated	130	11.1	92	3	5	9	14	26	52	99 +
TOTAL										
0-19 YRS	8	6.1	8	2	5	6	8	9	10	10
20-34	239	8.2	49	3	4	6	10	15	19	41
35-49	545	7.5	34	2	4	6	9	13	18	51
50-64	187	8.7	44	4	5	8	10	14	18	55
65 +	24	7.9	50	2	4	5	10	17	26	30
GRAND TOTAL	**1003**	**7.9**	**40**	**3**	**4**	**6**	**10**	**14**	**18**	**47**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	569	3.0	7	1	1	2	4	6	7	14
20-34	170	4.4	34	1	1	3	4	8	20	29
35-49	92	4.1	19	1	2	3	5	7	11	23
50-64	39	3.7	17	1	1	2	4	8	14	20
65 +	35	3.3	5	1	2	3	4	5	7	14
B. Operated										
0-19 YRS	27	8.2	27	1	4	8	12	15	16	19
20-34	7	11.4	140	1	3	6	21	30	31	31
35-49	7	4.7	54	1	1	1	4	18	21	21
50-64	0									
65 +	2	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1366	4.1	27	1	2	3	5	8	11	25
20-34	480	5.5	36	1	2	3	6	12	20	29
35-49	488	5.8	32	2	2	4	7	12	19	30
50-64	459	6.1	37	2	3	4	7	12	16	34
65 +	766	6.5	32	2	3	5	8	12	16	29
B. Operated										
0-19 YRS	135	13.7	150	3	5	10	19	31	40	73
20-34	62	14.0	167	2	4	8	22	31	38	56
35-49	62	13.0	157	3	5	9	18	29	38	97
50-64	45	15.4	274	4	8	10	14	32	62	83
65 +	106	17.2	217	4	7	13	22	38	45	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	905	3.4	14	1	1	2	4	6	8	23
B. Operated	43	8.2	48	1	2	6	12	17	22	31
2. MULTIPLE DX										
A. Not Operated	3559	5.3	32	1	2	4	6	11	15	29
B. Operated	410	14.7	185	3	5	10	20	32	42	74
1. SINGLE DX	948	3.6	16	1	1	2	4	7	10	24
2. MULTIPLE DX	3969	6.3	56	1	2	4	7	13	21	39
A. Not Operated	4464	4.9	29	1	2	3	6	10	14	27
B. Operated	453	14.1	175	3	5	10	20	31	41	73
TOTAL										
0-19 YRS	2097	4.5	36	1	2	3	5	9	14	32
20-34	719	6.0	54	1	2	3	6	17	24	34
35-49	649	6.2	47	2	2	4	7	14	21	35
50-64	543	6.7	62	2	3	4	8	13	18	42
65 +	909	7.6	65	2	3	5	9	15	22	44
GRAND TOTAL	**4917**	**5.8**	**50**	**1**	**2**	**4**	**6**	**12**	**19**	**35**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	3.1	8	1	1	2	4	5	7	16
20-34	75	3.1	7	1	2	2	4	7	10	13
35-49	81	4.0	16	1	2	3	5	7	9	26
50-64	31	5.0	19	1	1	3	8	12	13	17
65 +	30	4.4	16	1	1	3	6	8	15	17
B. Operated										
0-19 YRS	283	5.6	20	1	2	4	9	10	15	20
20-34	67	3.6	7	1	2	3	4	6	9	16
35-49	66	4.6	22	1	2	3	6	9	14	27
50-64	39	4.4	14	1	2	3	6	11	13	15
65 +	39	5.1	10	2	3	4	7	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	389	4.7	33	1	1	3	5	11	15	36
20-34	183	4.3	17	1	2	3	5	8	13	23
35-49	266	6.3	37	1	2	5	8	12	17	38
50-64	285	7.4	45	2	3	5	9	15	22	33
65 +	859	8.8	60	3	4	7	11	17	22	46
B. Operated										
0-19 YRS	562	7.4	61	1	3	5	10	16	23	99 +
20-34	158	9.2	112	2	3	6	11	21	30	62
35-49	195	8.4	104	1	3	6	10	17	22	52
50-64	214	11.6	181	2	4	7	14	28	43	96
65 +	418	13.2	107	3	6	10	19	28	35	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	349	3.6	12	1	2	3	4	7	10	17
B. Operated	494	5.1	18	1	2	4	7	10	14	18
2. MULTIPLE DX										
A. Not Operated	1982	7.0	49	1	3	5	9	14	21	38
B. Operated	1547	9.8	107	2	3	7	13	22	32	93
1. SINGLE DX	843	4.5	16	1	2	3	6	10	12	17
2. MULTIPLE DX	3529	8.3	76	2	3	6	10	18	25	53
A. Not Operated	2331	6.5	45	1	2	4	8	14	20	35
B. Operated	2041	8.7	89	1	3	6	11	19	28	64
TOTAL										
0-19 YRS	1366	5.8	42	1	2	4	8	13	17	41
20-34	483	5.6	51	1	2	3	7	12	18	44
35-49	608	6.5	56	1	2	4	8	14	18	37
50-64	569	8.6	99	2	3	6	10	18	28	59
65 +	1346	9.9	78	3	4	7	13	21	28	48
GRAND TOTAL	**4372**	**7.5**	**67**	**1**	**3**	**5**	**9**	**16**	**23**	**46**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	2.6	7	1	1	2	3	5	7	14
20-34	191	2.8	5	1	1	2	3	6	7	10
35-49	132	3.2	5	1	2	3	4	6	8	12
50-64	40	3.1	7	1	1	2	4	5	7	15
65 +	7	2.0	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	19	3.3	6	1	1	3	5	7	9	9
35-49	14	2.2	1	1	1	2	3	4	5	5
50-64	6	3.8	19	1	1	2	5	11	12	12
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	3.3	11	1	1	2	4	6	9	22
20-34	427	5.0	16	1	2	4	7	10	13	19
35-49	550	5.8	18	2	3	5	8	11	14	21
50-64	240	5.5	16	2	2	4	8	11	15	18
65 +	89	5.2	16	2	2	4	7	10	12	20
B. Operated										
0-19 YRS	8	7.4	55	1	2	4	12	19	22	22
20-34	23	8.0	52	2	2	6	11	19	24	29
35-49	44	8.7	171	1	3	6	9	17	27	83
50-64	19	4.6	8	2	3	4	6	9	11	12
65 +	8	3.3	3	1	2	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	486	2.9	5	1	1	2	3	6	7	11
B. Operated	44	2.8	6	1	1	2	4	5	8	12
2. MULTIPLE DX										
A. Not Operated	1469	5.2	17	1	2	4	7	11	13	20
B. Operated	102	7.2	93	1	2	5	8	15	22	56
1. SINGLE DX	530	2.9	5	1	1	2	3	6	7	12
2. MULTIPLE DX	1571	5.4	22	1	2	4	7	11	14	21
A. Not Operated	1955	4.6	15	1	2	3	6	9	12	19
B. Operated	146	5.9	71	1	2	4	7	12	17	33
TOTAL										
0-19 YRS	291	3.1	11	1	1	2	4	6	9	22
20-34	660	4.4	15	1	2	3	6	9	12	19
35-49	740	5.5	26	1	2	4	7	11	14	21
50-64	305	5.1	15	1	2	4	7	11	14	18
65 +	105	4.8	14	1	2	4	6	9	11	20
GRAND TOTAL	**2101**	**4.7**	**19**	**1**	**2**	**3**	**6**	**10**	**12**	**20**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	11	1.3		< 1	< 1	1	1	2	3	3
50-64	6	1.2		1	1	1	1	2	2	2
65 +	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.2	3	< 1	1	1	3	5	5	5
50-64	8	5.3	19	1	2	4	8	12	12	12
65 +	6	5.0	17	1	2	4	10	10	10	10
B. Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	15	2.1	1	1	2	2	3	3	4	4
35-49	25	2.4	8	1	1	1	3	4	8	14
50-64	35	1.9	2	1	1	2	2	4	5	6
65 +	25	2.4	9	1	1	1	3	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	25	1.3		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	20	4.3	14	1	1	3	5	11	12	12
B. Operated	102	2.3	5	1	1	2	3	4	6	14
1. SINGLE DX	26	1.3		< 1	1	1	2	2	3	3
2. MULTIPLE DX	122	2.6	7	1	1	2	3	5	10	14
A. Not Operated	21	4.1	14	1	2	2	5	11	12	12
B. Operated	127	2.1	4	1	1	1	2	4	5	14
TOTAL										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	20	2.0	1	1	1	2	2	3	4	4
35-49	41	2.1	5	< 1	1	1	2	4	5	14
50-64	49	2.4	6	1	1	2	3	5	6	12
65 +	36	2.7	10	1	1	1	3	6	10	15
GRAND TOTAL	**148**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	5.5	47	1	2	3	7	10	16	37
20-34	49	4.4	14	1	2	3	5	12	14	14
35-49	55	4.5	17	1	2	3	5	11	13	22
50-64	32	3.7	13	1	1	2	4	9	13	15
65 +	17	4.8	14	1	2	3	7	11	12	13
B. Operated										
0-19 YRS	28	5.4	45	1	1	2	7	16	21	26
20-34	122	2.8	12	1	1	2	3	5	6	17
35-49	159	2.4	2	1	1	2	3	4	5	7
50-64	88	2.6	12	1	1	2	3	5	6	22
65 +	48	3.1	18	1	1	2	3	8	10	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	5.7	32	1	2	4	6	15	19	23
20-34	76	5.6	31	1	2	4	6	11	17	32
35-49	120	4.6	14	1	2	3	5	11	12	19
50-64	158	6.2	74	1	2	4	6	12	23	52
65 +	312	6.8	37	2	3	5	9	14	17	34
B. Operated										
0-19 YRS	44	8.3	304	1	1	3	6	41	86	99 +
20-34	111	5.4	64	1	2	3	5	12	23	48
35-49	188	5.2	57	1	1	3	6	12	17	61
50-64	190	6.2	97	1	1	3	7	14	21	69
65 +	228	8.3	99	1	2	5	11	20	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	4.5	20	1	2	3	5	11	13	20
B. Operated	445	2.8	11	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. Not Operated	706	6.1	41	1	2	4	7	12	17	34
B. Operated	761	6.6	96	1	2	3	7	16	24	75
1. SINGLE DX	630	3.3	15	1	1	2	4	7	10	20
2. MULTIPLE DX	1467	6.4	70	1	2	4	7	14	20	54
A. Not Operated	891	5.8	37	1	2	4	7	12	16	32
B. Operated	1206	5.2	68	1	1	3	5	12	19	60
TOTAL										
0-19 YRS	144	6.4	121	1	1	3	7	17	24	99 +
20-34	358	4.4	34	1	2	3	5	8	14	35
35-49	522	4.1	28	1	1	3	5	9	13	23
50-64	468	5.3	69	1	1	3	6	12	19	57
65 +	605	7.0	60	1	2	5	9	15	21	40
GRAND TOTAL	**2097**	**5.4**	**55**	**1**	**2**	**3**	**6**	**12**	**18**	**43**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	36	1.6	1	1	1	1	2	3	3	5
20-34	57	1.8	1	1	1	2	2	3	3	4
35-49	101	1.9	2	1	1	2	2	3	3	8
50-64	152	1.7	1	1	1	2	2	3	4	4
65 +	197	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	25	1	2	5	9	11	11	11
20-34	3	1.7	1	< 1	< 1	1	2	3	3	3
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	4	3.3	7	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	76	2.1	2	1	1	2	2	4	6	7
20-34	109	2.3	4	1	1	2	3	4	6	12
35-49	141	2.3	2	1	1	2	3	4	6	7
50-64	239	2.1	2	1	1	2	2	4	5	7
65 +	407	2.3	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	18	< 1	< 1	2	6	10	10	10
B. Operated	543	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	14	3.2	10	< 1	1	1	5	7	10	11
B. Operated	972	2.2	2	1	1	2	3	4	5	8
1. SINGLE DX	547	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	986	2.2	2	1	1	2	3	4	5	8
A. Not Operated	18	3.3	11	< 1	1	1	5	9	11	11
B. Operated	1515	2.1	2	1	1	2	2	4	5	7
TOTAL										
0-19 YRS	116	2.0	3	1	1	2	2	4	5	9
20-34	170	2.1	3	1	1	2	2	4	5	9
35-49	244	2.1	2	1	1	2	3	4	5	7
50-64	393	1.9	1	1	1	2	2	3	4	7
65 +	610	2.2	2	1	1	2	3	4	5	8
GRAND TOTAL	**1533**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**7**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	4	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	14	2.9	3	1	1	3	4	5	6	7
50-64	21	2.0	1	1	1	2	2	3	4	4
65 +	42	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	19	3.2	6	1	1	2	5	7	8	9
B. Operated										
0-19 YRS	8	1.5	1	1	1	1	2	3	3	3
20-34	10	3.0	2	1	1	3	4	5	5	5
35-49	20	3.3	7	1	2	3	4	7	10	10
50-64	77	3.2	6	1	2	2	4	7	9	12
65 +	220	3.0	6	1	2	2	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.6	1	1	1	1	2	3	4	4
B. Operated	82	2.3	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	26	2.9	5	1	1	2	5	6	7	9
B. Operated	335	3.0	6	1	2	2	4	5	8	12
1. SINGLE DX	91	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX	361	3.0	5	1	2	2	4	5	8	12
A. Not Operated	35	2.6	4	1	1	2	4	5	7	9
B. Operated	417	2.9	5	1	2	2	3	5	7	12
TOTAL										
0-19 YRS	13	1.8	1	1	1	1	2	3	5	5
20-34	14	2.7	2	1	1	3	4	4	5	5
35-49	37	3.1	5	1	1	3	4	5	9	10
50-64	103	2.9	5	1	2	2	3	6	8	12
65 +	285	2.8	5	1	1	2	3	5	6	12
GRAND TOTAL	**452**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	1.6		1	1	2	2	2	2	2
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	14	2.2	1	1	1	2	3	3	4	4
65 +	30	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	11	2.6	2	1	2	2	4	5	5	5
B. Operated										
0-19 YRS	19	3.0	8	1	1	2	4	7	10	11
20-34	16	3.3	7	1	1	3	4	9	10	10
35-49	23	2.8	2	1	2	2	4	5	6	6
50-64	38	3.1	3	1	1	3	4	6	6	8
65 +	114	2.9	6	1	2	2	3	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	57	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	18	2.5	1	1	2	2	3	4	5	5
B. Operated	210	3.0	5	1	2	2	4	5	6	11
1. SINGLE DX	58	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	228	2.9	5	1	2	2	4	5	6	10
A. Not Operated	19	2.5	1	1	2	2	3	4	5	5
B. Operated	267	2.9	5	1	2	2	3	5	6	10
TOTAL										
0-19 YRS	22	2.8	7	1	1	2	4	7	9	11
20-34	23	2.9	6	1	1	2	3	6	9	10
35-49	29	2.6	2	1	2	2	3	5	5	6
50-64	56	2.8	3	1	1	3	4	5	6	8
65 +	156	2.9	5	1	2	2	3	5	6	10
GRAND TOTAL	**286**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**	**10**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.2		< 1	1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.0		< 1	< 1	< 1	1	1	1	1
50-64	11	1.2		< 1	< 1	< 1	1	2	3	3
65 +	86	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.3	2	6	6	7	8	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	4	1.8	2	< 1	< 1	1	2	4	4	4
B. Operated										
0-19 YRS	16	2.6	12	1	1	1	2	7	12	14
20-34	9	1.6	1	1	1	1	2	3	3	3
35-49	19	3.5	20	< 1	1	2	4	8	15	20
50-64	61	3.0	18	< 1	1	1	3	6	10	26
65 +	375	1.7	3	< 1	1	1	2	3	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	112	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	10	3.6	8	< 1	< 1	3	6	8	9	9
B. Operated	480	2.0	6	< 1	1	1	2	4	6	14
1. SINGLE DX	112	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	490	2.0	6	< 1	1	1	2	4	6	14
A. Not Operated	10	3.6	8	< 1	< 1	3	6	8	9	9
B. Operated	592	1.8	5	< 1	1	1	2	3	5	12
TOTAL										
0-19 YRS	29	2.6	10	1	1	1	2	7	9	14
20-34	11	1.7	1	1	1	1	3	4	4	4
35-49	23	3.1	17	< 1	1	2	3	7	12	20
50-64	74	2.7	15	< 1	1	1	3	6	10	24
65 +	465	1.6	2	< 1	< 1	1	2	3	4	9
GRAND TOTAL	**602**	**1.8**	**5**	**< 1**	**1**	**1**	**2**	**3**	**5**	**12**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	23	1.1		1	1	1	1	1	2	3
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.4	31	1	2	3	4	12	20	20
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	6.3	9	3	4	7	8	9	9	9
50-64	13	4.5	2	3	3	4	5	7	7	7
65 +	20	3.8	6	2	2	3	4	7	9	11
B. Operated										
0-19 YRS	33	1.2		1	1	1	1	2	3	3
20-34	3	4.7	10	1	2	6	7	7	7	7
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	14	6.0	17	1	3	5	8	11	15	16
65 +	14	4.6	15	1	1	4	7	9	13	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	2	1	1	3	4	4	4	4
B. Operated	33	1.2	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	48	4.3	10	2	3	3	5	7	9	20
B. Operated	66	3.2	11	1	1	1	5	8	9	16
1. SINGLE DX	40	1.5	1	1	1	1	1	3	4	5
2. MULTIPLE DX	114	3.6	11	1	1	3	5	8	9	17
A. Not Operated	55	4.0	9	2	3	3	5	7	9	20
B. Operated	99	2.6	9	1	1	1	3	7	8	15
TOTAL										
0-19 YRS	69	1.7	6	1	1	1	2	3	4	17
20-34	8	3.9	5	1	2	4	5	7	7	7
35-49	9	3.4	11	< 1	1	1	7	8	9	9
50-64	30	4.9	11	1	3	4	7	8	11	16
65 +	38	3.9	9	1	2	3	5	8	10	14
GRAND TOTAL	**154**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**8**	**16**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	3.3	3	1	2	3	4	6	7	11
20-34	13	3.7	8	1	2	3	4	8	10	11
35-49	7	3.4	4	< 1	1	4	5	6	6	6
50-64	8	3.9	10	2	2	2	5	9	10	10
65 +	4	7.0	21	3	3	6	10	13	13	13
B. Operated										
0-19 YRS	22	2.5	18	1	1	1	1	7	15	17
20-34	24	1.3	1	1	1	1	1	2	3	4
35-49	29	1.9	2	1	1	1	2	4	6	6
50-64	18	1.8	4	1	1	1	2	3	7	9
65 +	54	1.6	2	1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	160	3.1	3	1	2	3	4	5	6	9
20-34	18	4.9	11	2	3	4	6	11	12	13
35-49	13	5.5	13	2	3	4	6	12	13	13
50-64	21	5.9	19	2	3	4	8	12	16	19
65 +	40	6.1	14	2	4	5	9	12	13	14
B. Operated										
0-19 YRS	38	3.4	21	1	1	1	3	10	13	22
20-34	35	4.1	24	1	1	2	6	10	11	25
35-49	43	2.7	7	1	1	2	4	7	9	12
50-64	83	2.5	14	1	1	1	3	4	6	25
65 +	332	2.5	7	1	1	2	2	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	3.6	6	1	2	3	4	7	8	12
B. Operated	147	1.8	4	1	1	1	2	3	4	14
2. MULTIPLE DX										
A. Not Operated	252	4.0	9	1	2	3	5	8	11	14
B. Operated	531	2.7	10	1	1	2	3	6	9	15
1. SINGLE DX	236	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX	783	3.1	10	1	1	2	4	7	10	15
A. Not Operated	341	3.9	8	1	2	3	5	7	11	14
B. Operated	678	2.5	9	1	1	2	2	5	9	15
TOTAL										
0-19 YRS	277	3.1	7	1	2	3	4	6	7	15
20-34	90	3.5	15	1	1	2	4	9	11	20
35-49	92	2.9	7	1	1	2	4	6	9	13
50-64	130	3.0	15	1	1	2	3	7	9	22
65 +	430	2.8	8	1	1	2	3	6	9	14
GRAND TOTAL	**1019**	**3.0**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**14**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	309	2.9	2	1	2	3	3	5	5	8
20-34	35	3.7	9	1	2	3	4	8	10	15
35-49	17	2.7	4	1	1	2	3	6	7	7
50-64	4	2.8	2	1	2	3	4	4	4	4
65 +	8	3.4	4	1	2	3	5	6	7	7
B. Operated										
0-19 YRS	55	2.0	3	1	1	1	2	5	6	7
20-34	21	1.8	1	1	1	1	2	3	4	5
35-49	15	1.5		1	1	1	2	2	3	3
50-64	23	1.7	1	1	1	1	2	3	4	5
65 +	87	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	552	3.7	5	2	2	3	4	6	9	12
20-34	52	3.9	6	1	2	3	5	7	10	11
35-49	49	4.3	9	1	2	4	6	8	11	14
50-64	33	4.4	9	1	2	4	6	8	11	13
65 +	112	4.7	10	2	2	4	6	8	9	18
B. Operated										
0-19 YRS	126	6.0	72	1	1	3	8	12	19	51
20-34	102	3.6	19	1	1	2	4	9	13	22
35-49	118	4.3	32	1	1	2	4	12	17	27
50-64	182	2.5	5	1	1	2	3	5	7	12
65 +	311	3.0	11	1	1	2	3	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	373	2.9	3	1	2	3	3	5	6	8
B. Operated	201	1.8	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	798	3.9	6	2	2	3	5	7	9	13
B. Operated	839	3.6	24	1	1	2	4	8	12	24
1. SINGLE DX	574	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	1637	3.8	15	1	2	3	5	8	10	19
A. Not Operated	1171	3.6	5	1	2	3	4	6	8	12
B. Operated	1040	3.3	20	1	1	2	4	7	11	21
TOTAL										
0-19 YRS	1042	3.6	13	1	2	3	4	6	9	14
20-34	210	3.5	12	1	1	2	4	8	11	18
35-49	199	4.0	22	1	1	2	4	9	14	25
50-64	242	2.7	6	1	1	2	4	6	7	12
65 +	518	3.2	10	1	1	2	4	7	9	16
GRAND TOTAL	**2211**	**3.4**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	5	2.8	6	1	1	1	5	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.6	30	1	1	2	4	7	19	22
20-34	7	2.0	2	1	1	2	2	4	5	5
35-49	18	2.8	3	1	2	2	3	5	6	7
50-64	18	3.8	10	1	2	3	5	7	11	14
65 +	21	4.5	7	1	3	5	6	8	10	11
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	13	2.4	4	1	1	2	3	5	7	8
35-49	11	4.6	30	1	1	2	6	12	19	20
50-64	10	2.6	2	1	1	2	4	5	5	5
65 +	19	2.8	8	< 1	1	2	3	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.8	1	< 1	1	2	2	3	3	3
B. Operated	10	2.1	4	< 1	1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	78	3.6	10	1	1	3	5	7	8	20
B. Operated	55	3.0	10	1	1	2	4	7	8	19
1. SINGLE DX	22	2.0	2	< 1	1	2	2	4	5	6
2. MULTIPLE DX	133	3.3	10	1	1	2	4	7	8	20
A. Not Operated	90	3.3	9	1	1	2	4	6	7	19
B. Operated	65	2.9	9	1	1	2	4	6	8	18
TOTAL										
0-19 YRS	25	2.8	17	1	1	2	3	4	9	22
20-34	26	2.3	3	1	1	2	2	5	6	8
35-49	32	3.4	12	1	1	3	4	6	7	20
50-64	30	3.3	7	1	2	3	4	6	7	14
65 +	42	3.6	8	1	1	3	5	8	9	11
GRAND TOTAL	**155**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	229	2.6	3	1	2	2	3	4	4	9
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	161	1.7	4	< 1	1	1	1	4	6	7
20-34	43	1.0		1	1	1	1	1	1	2
35-49	39	1.0		1	1	1	1	1	1	1
50-64	44	1.1		1	1	1	1	1	2	2
65 +	18	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1046	2.7	3	1	2	2	3	5	5	9
20-34	17	4.8	8	2	3	4	6	9	11	12
35-49	15	4.9	22	< 1	1	3	8	10	15	17
50-64	13	4.1	5	2	3	3	5	7	9	9
65 +	16	3.3	5	1	2	3	5	6	8	9
B. Operated										
0-19 YRS	588	1.8	9	1	1	1	1	4	6	12
20-34	65	1.9	7	1	1	1	1	5	6	16
35-49	76	1.3	1	1	1	1	1	2	2	9
50-64	67	1.4	2	1	1	1	1	2	4	8
65 +	54	2.7	21	1	1	1	2	6	8	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	2.6	3	1	2	2	3	4	5	9
B. Operated	305	1.4	2	< 1	1	1	1	2	4	7
2. MULTIPLE DX										
A. Not Operated	1107	2.8	4	1	2	2	3	5	6	11
B. Operated	850	1.8	8	1	1	1	1	3	6	12
1. SINGLE DX	541	1.9	3	1	1	1	2	4	4	7
2. MULTIPLE DX	1957	2.4	6	1	1	2	3	4	6	11
A. Not Operated	1343	2.8	4	1	2	2	3	5	6	10
B. Operated	1155	1.7	7	1	1	1	1	3	5	11
TOTAL										
0-19 YRS	2024	2.4	5	1	1	2	3	4	6	10
20-34	130	2.0	6	1	1	1	1	5	7	13
35-49	131	1.6	5	1	1	1	1	3	6	12
50-64	125	1.6	2	1	1	1	1	3	5	9
65 +	88	2.5	14	1	1	1	2	6	7	25
GRAND TOTAL	**2498**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	2.9	2	1	2	3	4	5	6	9
20-34	28	3.3	2	2	2	3	4	5	5	6
35-49	10	3.8	2	2	3	4	4	6	7	7
50-64	8	3.6	1	2	3	4	4	5	5	5
65 +	3	5.7	2	4	4	6	7	7	7	7
B. Operated										
0-19 YRS	42	2.8	7	1	1	2	4	6	7	15
20-34	10	1.9	3	1	1	1	3	5	6	6
35-49	11	2.2	6	1	1	1	2	6	9	9
50-64	9	2.8	9	< 1	1	1	4	8	8	8
65 +	7	3.7	19	1	1	2	4	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	241	4.2	20	2	2	3	4	9	11	19
20-34	46	4.2	14	2	2	4	5	7	7	26
35-49	43	4.0	3	2	3	4	5	6	8	10
50-64	37	7.3	51	2	4	5	7	18	26	33
65 +	40	7.7	43	3	4	5	8	16	20	35
B. Operated										
0-19 YRS	124	4.6	23	1	1	3	7	10	12	25
20-34	39	3.7	12	1	1	3	5	8	12	15
35-49	35	2.5	14	1	1	1	2	6	8	21
50-64	25	3.9	25	1	1	2	4	14	17	18
65 +	35	6.5	137	1	1	2	7	13	40	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	3.2	2	2	2	3	4	5	6	8
B. Operated	79	2.7	8	1	1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	407	4.8	24	2	2	4	5	9	11	26
B. Operated	258	4.4	36	1	1	2	6	10	14	28
1. SINGLE DX	216	3.0	4	1	1	3	4	5	7	11
2. MULTIPLE DX	665	4.6	29	1	2	3	5	10	12	27
A. Not Operated	544	4.4	19	2	2	3	5	7	11	24
B. Operated	337	4.0	30	1	1	2	5	9	13	25
TOTAL										
0-19 YRS	495	4.0	17	1	2	3	5	8	11	20
20-34	123	3.6	10	1	2	3	5	6	8	18
35-49	99	3.2	8	1	1	3	4	6	8	16
50-64	79	5.3	36	1	2	4	6	11	19	31
65 +	85	6.8	78	1	2	4	7	14	20	51
GRAND TOTAL	**881**	**4.2**	**23**	**1**	**2**	**3**	**5**	**8**	**11**	**24**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	30	2.3	2	1	1	2	3	4	5	6
35-49	53	2.2	1	1	1	2	3	4	4	6
50-64	90	2.3	2	1	1	2	3	4	4	7
65 +	56	2.6	2	1	2	2	3	4	5	6
B. Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	16	1.5	2	1	1	1	1	4	5	5
35-49	33	2.3	5	1	1	1	3	6	7	8
50-64	25	1.9	5	1	1	1	2	3	7	12
65 +	12	1.8	3	1	1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.6	2	1	1	3	4	5	5	5
20-34	58	3.0	3	1	2	3	4	5	6	9
35-49	164	3.3	6	1	2	3	4	6	8	10
50-64	364	3.2	4	1	2	3	4	5	6	11
65 +	875	3.8	6	2	2	3	5	7	9	12
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	8	3.9	13	1	1	2	7	9	10	10
35-49	23	4.6	13	1	2	3	7	9	13	15
50-64	47	3.1	8	1	1	2	4	7	8	13
65 +	77	6.7	46	1	1	5	9	15	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	2.3	2	1	1	2	3	4	5	6
B. Operated	90	2.0	4	1	1	1	2	5	6	10
2. MULTIPLE DX										
A. Not Operated	1472	3.5	5	1	2	3	4	6	8	11
B. Operated	158	5.1	30	1	1	3	7	13	15	29
1. SINGLE DX	326	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1630	3.7	8	1	2	3	5	7	9	14
A. Not Operated	1708	3.4	5	1	2	3	4	6	7	11
B. Operated	248	4.0	23	1	1	2	5	9	14	23
TOTAL										
0-19 YRS	25	2.1	1	1	1	2	3	4	4	5
20-34	112	2.6	3	1	1	2	4	5	6	9
35-49	273	3.1	6	1	1	2	4	6	8	12
50-64	526	2.9	4	1	2	2	4	5	7	11
65 +	1020	3.9	9	1	2	3	5	7	9	15
GRAND TOTAL	**1956**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	1.0		1	1	1	1	1	1	1
20-34	33	1.1		1	1	1	1	2	2	2
35-49	94	1.0		1	1	1	1	1	1	2
50-64	51	1.1		1	1	1	1	2	2	3
65 +	27	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	2	5.0	32	< 1	< 1	4	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	6	1.3		< 1	< 1	1	2	2	2	2
20-34	15	1.0		1	1	1	1	1	1	1
35-49	54	1.1		1	1	1	1	2	2	2
50-64	32	1.3		1	1	1	2	2	2	2
65 +	27	1.4	1	1	1	1	1	2	3	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	216	1.1		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	6	2.3	11	< 1	< 1	1	1	8	9	9
B. Operated	134	1.2		1	1	1	1	2	2	3
1. SINGLE DX	216	1.1		1	1	1	1	2	2	3
2. MULTIPLE DX	140	1.3	1	1	1	1	1	2	2	6
A. Not Operated	6	2.3	11	< 1	< 1	1	1	8	9	9
B. Operated	350	1.2		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	19	1.1		< 1	1	1	1	2	2	2
20-34	48	1.1		1	1	1	1	1	2	2
35-49	150	1.1		1	1	1	1	1	2	2
50-64	85	1.3	1	1	1	1	1	2	2	7
65 +	54	1.5	1	1	1	1	2	2	3	6
GRAND TOTAL	**356**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.0	2	< 1	1	1	3	4	5	5
20-34	10	3.6	2	1	3	3	4	6	6	6
35-49	9	3.9	3	2	3	4	4	7	8	8
50-64	10	3.3	2	1	3	4	4	4	4	4
65 +	9	4.0	2	3	3	4	4	6	7	7
B. Operated										
0-19 YRS	279	1.2	1	1	1	1	1	1	2	3
20-34	62	1.1		< 1	1	1	1	2	2	3
35-49	52	1.2	1	< 1	1	1	1	2	2	6
50-64	31	1.4	1	1	1	1	1	3	4	5
65 +	22	1.4		< 1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.7	5	< 1	1	2	4	7	7	7
20-34	11	4.1	11	< 1	2	3	6	9	11	11
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	8	4.0	12	1	2	3	5	10	11	11
65 +	16	5.2	10	2	3	5	7	10	11	12
B. Operated										
0-19 YRS	301	1.5	3	1	1	1	1	2	4	11
20-34	116	1.9	20	1	1	1	1	3	5	23
35-49	87	1.2	1	1	1	1	1	2	2	5
50-64	101	1.7	3	1	1	1	2	3	5	11
65 +	62	1.7	3	1	1	1	2	3	4	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.3	2	1	2	4	4	5	6	8
B. Operated	446	1.2	1	1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	57	3.9	9	1	1	3	6	8	10	12
B. Operated	667	1.6	6	1	1	1	1	2	4	11
1. SINGLE DX	494	1.4	1	1	1	1	1	3	4	6
2. MULTIPLE DX	724	1.8	6	1	1	1	1	3	5	11
A. Not Operated	105	3.7	6	1	2	3	4	7	8	12
B. Operated	1113	1.4	4	1	1	1	1	2	3	9
TOTAL										
0-19 YRS	609	1.4	2	1	1	1	1	2	3	9
20-34	199	1.9	13	1	1	1	1	3	6	11
35-49	151	1.4	1	1	1	1	1	3	4	6
50-64	150	1.9	3	1	1	1	2	4	5	11
65 +	109	2.3	5	1	1	1	3	5	7	12
GRAND TOTAL	**1218**	**1.6**	**4**	**1**	**1**	**1**	**1**	**3**	**4**	**10**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.1	7	2	2	3	5	7	9	13
20-34	6	6.5	1	5	6	6	7	8	8	8
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	5.6	23	2	2	4	6	16	18	20
20-34	4	6.5	10	3	4	6	9	10	10	10
35-49	5	7.2	39	2	3	3	14	14	14	14
50-64	4	5.3	2	4	4	5	6	7	7	7
65 +	10	7.6	21	2	4	6	11	14	17	17
B. Operated										
0-19 YRS	2	18.5	613	1	1	18	36	36	36	36
20-34	0									
35-49	5	6.8	15	1	4	8	9	11	11	11
50-64	4	7.8	14	3	5	8	10	12	12	12
65 +	5	13.6	45	5	8	14	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	4.5	6	2	3	4	6	8	9	13
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	61	6.1	21	2	3	5	7	14	17	20
B. Operated	16	10.6	78	1	5	9	13	21	31	36
1. SINGLE DX	44	4.4	6	2	3	4	6	8	9	13
2. MULTIPLE DX	77	7.0	36	2	3	5	9	16	19	32
A. Not Operated	104	5.4	16	2	3	4	6	11	15	19
B. Operated	17	10.2	77	2	4	9	12	21	31	36
TOTAL										
0-19 YRS	77	5.2	28	2	2	4	6	10	17	32
20-34	10	6.5	4	4	5	6	8	9	10	10
35-49	11	6.6	23	2	3	5	10	14	14	14
50-64	8	6.5	9	3	4	6	8	11	12	12
65 +	15	9.6	35	3	5	9	13	19	20	21
GRAND TOTAL	**121**	**6.1**	**26**	**2**	**3**	**5**	**7**	**13**	**17**	**25**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	3	4.7	5	2	3	6	6	6	6	6
20-34	3	6.0	75	1	1	1	12	16	16	16
35-49	12	5.3	23	1	1	3	10	12	13	13
50-64	9	5.7	17	1	1	7	8	11	12	12
65 +	5	8.8	115	1	1	1	20	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	10	2	2	2	6	9	9	9
20-34	9	2.2	3	1	1	2	3	5	6	6
35-49	24	4.8	30	1	2	4	5	7	17	28
50-64	37	6.3	34	1	3	4	7	16	18	27
65 +	90	7.3	30	2	4	6	10	14	18	30
B. Operated										
0-19 YRS	13	8.0	40	1	2	6	14	16	20	21
20-34	19	9.3	89	1	3	7	11	17	31	42
35-49	101	9.1	42	1	5	8	12	17	22	31
50-64	156	10.8	64	2	7	10	13	19	25	56
65 +	205	13.9	148	1	7	11	18	32	39	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	32	6.0	34	1	1	4	9	14	19	22
2. MULTIPLE DX										
A. Not Operated	165	6.3	30	2	3	5	8	13	17	28
B. Operated	494	11.6	98	1	6	10	15	23	32	55
1. SINGLE DX	35	5.6	33	1	1	4	9	13	18	22
2. MULTIPLE DX	659	10.3	87	1	4	9	13	20	29	49
A. Not Operated	168	6.3	30	2	3	5	8	13	17	28
B. Operated	526	11.3	96	1	5	9	14	23	32	54
TOTAL										
0-19 YRS	22	6.3	30	1	2	5	8	15	18	21
20-34	31	6.9	69	1	1	5	9	16	17	42
35-49	138	8.0	41	1	3	7	11	15	21	31
50-64	202	9.7	60	2	4	9	12	18	23	52
65 +	301	11.8	121	2	4	9	15	26	34	59
GRAND TOTAL	**694**	**10.1**	**85**	**1**	**4**	**8**	**13**	**20**	**29**	**49**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.1	6	1	1	3	4	6	8	9
20-34	19	2.4	2	1	1	2	3	4	5	5
35-49	72	2.8	3	1	2	3	4	5	7	8
50-64	56	2.9	5	1	2	2	4	5	7	13
65 +	41	3.2	5	1	2	2	4	7	8	10
B. Operated										
0-19 YRS	14	1.4	1	< 1	1	1	2	2	4	4
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	8	4.4	16	1	1	4	5	11	13	13
50-64	9	3.3	16	1	1	1	4	10	13	13
65 +	7	1.9	1	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.6	9	1	2	3	4	7	10	16
20-34	119	3.5	5	1	2	3	4	7	8	13
35-49	459	3.9	7	2	2	3	5	7	9	14
50-64	609	4.0	8	2	2	3	5	7	9	14
65 +	813	4.6	12	2	2	4	6	8	11	16
B. Operated										
0-19 YRS	14	5.5	65	1	1	2	6	16	27	30
20-34	21	6.2	33	2	2	5	7	13	19	26
35-49	61	6.3	19	2	3	6	8	13	17	19
50-64	122	6.3	43	1	3	5	7	12	16	33
65 +	130	6.5	38	1	3	5	8	13	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	2.9	4	1	2	2	4	5	7	10
B. Operated	42	2.5	8	1	1	1	3	5	9	13
2. MULTIPLE DX										
A. Not Operated	2047	4.2	9	2	2	3	5	8	10	15
B. Operated	348	6.4	37	1	3	5	8	13	16	30
1. SINGLE DX	244	2.8	4	1	1	2	4	5	7	13
2. MULTIPLE DX	2395	4.5	14	2	2	4	6	8	11	19
A. Not Operated	2249	4.1	9	2	2	3	5	7	9	14
B. Operated	390	5.9	35	1	2	5	8	12	16	28
TOTAL										
0-19 YRS	89	3.5	17	1	1	2	4	7	10	25
20-34	163	3.7	9	1	2	3	4	7	9	14
35-49	600	4.0	9	1	2	3	5	7	9	16
50-64	796	4.3	14	2	2	3	5	8	10	19
65 +	991	4.8	15	2	2	4	6	9	12	20
GRAND TOTAL	**2639**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	3.6	4	2	2	3	4	7	8	8
50-64	13	3.3	3	1	2	3	5	5	6	6
65 +	32	4.0	4	2	3	4	5	7	8	10
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	3.0	3	1	2	3	4	6	6	6
50-64	7	2.6	5	< 1	1	1	4	6	6	6
65 +	5	4.6	41	1	1	2	6	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.3	43	2	2	3	10	16	16	16
20-34	18	3.9	4	2	3	3	5	7	8	9
35-49	139	5.2	11	2	3	4	7	9	11	17
50-64	419	5.9	13	2	3	5	7	10	13	17
65 +	1669	7.3	32	3	4	6	9	13	17	31
B. Operated										
0-19 YRS	0									
20-34	5	5.2	17	1	3	4	7	12	12	12
35-49	28	6.5	37	1	2	4	9	16	20	21
50-64	116	8.1	36	1	4	6	11	16	21	25
65 +	254	11.2	68	2	5	9	16	23	26	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.8	4	2	3	4	5	6	8	10
B. Operated	21	3.1	12	1	1	2	4	6	11	16
2. MULTIPLE DX										
A. Not Operated	2249	6.9	27	3	4	6	8	12	15	27
B. Operated	403	9.9	58	2	4	7	14	21	25	35
1. SINGLE DX	79	3.6	6	1	2	3	5	6	8	14
2. MULTIPLE DX	2652	7.4	33	3	4	6	9	14	18	29
A. Not Operated	2307	6.8	27	3	4	6	8	12	15	27
B. Operated	424	9.6	58	1	4	7	14	21	24	34
TOTAL										
0-19 YRS	4	6.3	43	2	2	3	10	16	16	16
20-34	25	4.0	7	1	3	3	5	7	10	12
35-49	187	5.2	15	2	3	4	7	10	12	21
50-64	555	6.3	18	2	3	5	8	12	15	23
65 +	1960	7.8	38	3	4	6	9	15	19	33
GRAND TOTAL	**2731**	**7.3**	**33**	**3**	**4**	**6**	**9**	**14**	**18**	**29**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64	4	3.3	3	< 1	1	3	4	5	5	5
65 +	3	9.7	156	1	2	4	19	24	24	24
B. Operated										
0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	7	3.6	11	1	1	1	7	8	8	8
35-49	21	5.5	21	1	2	4	8	13	15	17
50-64	7	2.3	2	1	1	2	3	5	5	5
65 +	12	2.3	5	1	1	1	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.6	24	1	2	3	6	9	16	25
20-34	44	3.8	6	1	2	4	5	6	7	14
35-49	48	6.6	28	2	2	6	9	13	16	28
50-64	85	6.0	25	1	3	5	8	11	14	29
65 +	152	8.1	35	3	4	7	10	14	20	32
B. Operated										
0-19 YRS	59	15.8	322	3	6	9	17	34	64	93
20-34	95	9.9	95	2	3	8	11	25	33	82
35-49	171	10.3	65	2	4	9	14	22	28	33
50-64	208	9.2	74	2	3	7	12	18	26	43
65 +	230	11.3	110	2	4	8	16	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.3	28	1	2	3	5	5	17	24
B. Operated	50	4.0	15	1	1	2	6	9	13	17
2. MULTIPLE DX										
A. Not Operated	366	6.6	29	2	3	5	8	12	15	31
B. Operated	763	10.7	107	2	4	8	14	23	29	62
1. SINGLE DX	67	4.0	18	1	1	2	5	9	13	23
2. MULTIPLE DX	1129	9.3	85	2	3	7	12	20	27	53
A. Not Operated	383	6.5	29	2	3	5	8	12	15	31
B. Operated	813	10.3	104	2	3	8	14	23	29	61
TOTAL										
0-19 YRS	103	11.0	224	2	3	7	13	22	38	82
20-34	149	7.7	72	2	3	5	9	16	29	61
35-49	243	9.1	56	2	4	7	13	19	26	33
50-64	304	8.1	61	1	3	6	11	17	24	38
65 +	397	9.8	82	2	4	7	12	22	28	55
GRAND TOTAL	**1196**	**9.0**	**83**	**2**	**3**	**7**	**12**	**19**	**26**	**49**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	0									
35-49	3	10.3	2	9	9	10	11	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65 +	6	6.0	20	2	2	4	10	13	13	13
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.1	1	1	1	2	3	3	3	3
50-64	7	2.7	7	1	1	2	4	7	8	8
65 +	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.5	8	2	3	3	6	9	11	12
20-34	12	5.3	9	2	3	4	8	10	10	10
35-49	25	5.5	6	3	3	6	7	8	9	11
50-64	109	7.5	36	2	4	6	10	14	17	32
65 +	298	9.4	38	3	5	8	13	18	21	29
B. Operated										
0-19 YRS	12	10.1	187	2	3	5	9	31	46	49
20-34	15	7.9	31	3	4	6	11	12	21	24
35-49	57	10.3	58	3	5	9	13	18	25	43
50-64	98	13.1	169	2	5	10	15	28	32	76
65 +	181	13.6	163	3	5	9	18	32	45	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.9	17	1	2	5	10	12	13	13
B. Operated	22	2.4	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	457	8.5	36	3	4	7	11	17	21	28
B. Operated	363	12.6	145	3	5	9	16	27	38	59
1. SINGLE DX	36	3.8	11	1	1	3	5	10	11	13
2. MULTIPLE DX	820	10.3	88	3	5	8	13	21	28	52
A. Not Operated	471	8.4	36	3	4	7	11	16	20	28
B. Operated	385	12.0	142	2	5	9	15	26	37	59
TOTAL										
0-19 YRS	32	6.1	81	1	2	3	6	11	23	49
20-34	28	6.6	22	2	3	5	9	12	13	24
35-49	92	8.4	45	2	4	7	11	16	20	38
50-64	215	9.9	104	2	4	8	12	19	28	46
65 +	489	10.9	89	3	5	8	14	21	29	53
GRAND TOTAL	**856**	**10.0**	**87**	**2**	**4**	**7**	**13**	**20**	**27**	**52**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.4	18	2	3	5	9	13	13	13
35-49	81	5.0	7	1	3	5	7	8	9	10
50-64	134	5.5	6	2	4	6	7	9	9	10
65 +	137	6.8	7	3	5	7	8	10	12	13
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	5.1	11	2	3	4	7	10	12	12
35-49	100	6.5	6	3	5	7	8	10	11	12
50-64	161	7.0	11	3	5	6	9	11	12	17
65 +	83	8.3	18	4	6	8	10	13	14	76
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	35	6.5	19	2	4	6	8	11	13	26
35-49	480	6.3	8	3	5	6	8	9	11	15
50-64	1587	7.4	14	4	5	7	9	11	14	19
65 +	5078	9.0	21	5	6	8	10	14	17	27
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	91	8.0	23	4	5	7	9	11	15	32
35-49	1185	8.3	32	4	6	7	10	13	16	27
50-64	2668	9.5	40	4	6	8	11	16	20	33
65 +	2848	12.0	64	5	7	10	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	357	5.9	7	2	4	6	8	9	10	13
B. Operated	355	7.1	12	3	5	7	9	11	12	23
2. MULTIPLE DX										
A. Not Operated	7181	8.4	20	4	6	8	10	13	16	26
B. Operated	6793	10.3	51	5	7	9	12	18	23	39
1. SINGLE DX	712	6.5	10	3	5	6	8	10	11	15
2. MULTIPLE DX	13974	9.4	36	5	6	8	11	15	19	33
A. Not Operated	7538	8.3	19	4	6	8	10	13	16	25
B. Operated	7148	10.2	49	5	6	9	12	17	22	39
TOTAL										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	141	7.4	22	3	5	7	9	11	14	28
35-49	1846	7.5	24	3	5	7	9	12	14	23
50-64	4550	8.5	30	4	6	8	10	14	17	29
65 +	8146	10.0	38	5	7	9	12	17	21	36
GRAND TOTAL	**14686**	**9.2**	**35**	**4**	**6**	**8**	**11**	**15**	**19**	**33**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	19	1.9	1	<1	1	1	3	4	4	4
35-49	159	2.2	1	1	1	2	3	4	4	6
50-64	158	2.4	2	1	1	2	3	4	5	7
65 +	154	2.7	3	1	2	2	3	5	6	10
B. Operated										
0-19 YRS	0									
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	33	2.2	2	1	1	1	3	4	5	7
50-64	82	2.6	4	1	1	2	3	5	6	12
65 +	53	2.5	4	1	1	2	3	5	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	92	3.0	4	1	2	3	4	6	7	10
35-49	825	3.0	4	1	2	3	4	5	6	10
50-64	1913	3.3	5	1	2	3	4	6	7	11
65 +	3694	3.9	8	2	2	3	5	7	9	15
B. Operated										
0-19 YRS	0									
20-34	15	2.8	3	1	2	2	4	5	6	6
35-49	442	3.7	9	1	1	3	5	8	9	14
50-64	1223	4.1	15	1	1	3	6	9	11	19
65 +	1270	5.4	29	1	2	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	490	2.4	2	1	1	2	3	4	5	7
B. Operated	171	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	6526	3.6	7	1	2	3	4	6	8	13
B. Operated	2950	4.6	21	1	1	3	6	10	13	21
1. SINGLE DX	661	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	9476	3.9	11	1	2	3	5	7	10	17
A. Not Operated	7016	3.6	6	1	2	3	4	6	8	13
B. Operated	3121	4.5	20	1	1	3	6	9	12	21
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	129	2.8	3	1	1	2	4	6	6	8
35-49	1459	3.1	5	1	2	3	4	6	8	11
50-64	3376	3.5	9	1	2	3	4	7	9	14
65 +	5171	4.2	13	1	2	3	5	8	11	18
GRAND TOTAL	**10137**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	25	2.5	2	1	1	2	3	4	5	6
35-49	244	2.7	2	1	2	2	3	5	6	7
50-64	289	2.8	2	1	2	2	3	5	6	8
65 +	338	3.3	4	1	2	3	4	5	7	10
B. Operated										
0-19 YRS	0									
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	59	3.5	5	1	2	3	4	8	9	9
50-64	149	4.5	15	1	2	4	6	9	11	15
65 +	144	5.6	18	2	2	4	7	11	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	94	2.8	2	1	2	3	3	4	5	9
35-49	1279	3.5	5	1	2	3	4	6	7	12
50-64	3672	3.9	6	2	2	3	5	7	8	13
65 +	8735	4.7	10	2	3	4	6	8	10	17
B. Operated										
0-19 YRS	0									
20-34	38	5.1	15	2	2	4	7	10	11	21
35-49	1033	5.5	18	1	3	4	7	11	14	20
50-64	3348	6.5	33	2	3	5	9	12	15	24
65 +	4473	8.3	57	2	4	7	10	16	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	896	2.9	3	1	2	3	4	5	6	9
B. Operated	354	4.8	15	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	13782	4.4	9	2	3	4	5	8	10	16
B. Operated	8892	7.3	44	2	3	6	9	14	18	32
1. SINGLE DX	1250	3.5	7	1	2	3	4	6	8	15
2. MULTIPLE DX	22674	5.5	25	2	3	4	7	10	14	23
A. Not Operated	14678	4.3	8	2	2	4	5	7	9	15
B. Operated	9246	7.2	43	2	3	6	9	14	17	32
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	159	3.3	6	1	2	3	4	6	8	11
35-49	2615	4.2	11	1	2	3	5	8	10	17
50-64	7458	5.0	20	2	2	4	6	10	12	20
65 +	13690	5.9	28	2	3	4	7	11	15	26
GRAND TOTAL	**23924**	**5.4**	**24**	**2**	**3**	**4**	**7**	**10**	**14**	**23**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.5		1	1	1	2	2	2	2
35-49	9	3.4	6	< 1	1	4	5	7	8	8
50-64	18	3.3	8	1	2	2	5	7	10	12
65 +	18	6.9	70	< 1	1	3	15	22	25	26
B. Operated										
0-19 YRS	0									
20-34	8	2.5	4	1	1	2	3	6	7	7
35-49	300	3.0	8	1	1	2	4	8	9	11
50-64	737	3.2	21	1	1	2	3	8	10	15
65 +	514	3.8	22	1	1	2	5	10	12	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	9	2.9	6	1	2	2	3	7	9	9
35-49	134	3.2	9	1	1	3	4	6	7	21
50-64	380	3.7	8	1	2	3	4	7	9	17
65 +	531	4.4	11	2	2	4	6	8	10	18
B. Operated										
0-19 YRS	7	4.1	7	1	2	5	7	72	99 +	99 +
20-34	55	4.8	16	1	2	3	7	10	13	16
35-49	1686	5.2	24	1	2	4	8	10	13	22
50-64	5602	6.0	33	1	2	5	9	12	15	26
65 +	5471	8.0	68	1	2	7	11	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	4.5	32	1	1	2	5	14	16	26
B. Operated	1559	3.4	19	1	1	2	4	8	10	16
2. MULTIPLE DX										
A. Not Operated	1056	4.0	10	1	2	3	5	7	10	18
B. Operated	12821	6.8	48	1	2	6	9	14	18	34
1. SINGLE DX	1608	3.4	19	1	1	2	4	8	10	17
2. MULTIPLE DX	13877	6.6	45	1	2	5	9	13	17	33
A. Not Operated	1105	4.0	11	1	2	3	5	7	10	18
B. Operated	14380	6.4	46	1	2	5	9	13	17	32
TOTAL										
0-19 YRS	9	4.2	8	1	2	5	8	54	99 +	99 +
20-34	76	4.1	14	1	1	3	6	9	13	16
35-49	2129	4.8	21	1	1	3	7	10	12	20
50-64	6737	5.6	31	1	2	4	8	12	14	24
65 +	6534	7.4	62	1	2	6	10	15	20	38
GRAND TOTAL	**15485**	**6.2**	**44**	**1**	**2**	**4**	**9**	**13**	**17**	**31**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.0	7	2	3	5	7	8	8	8
20-34	27	6.5	6	3	5	7	8	9	10	14
35-49	29	7.4	9	4	6	7	9	12	15	15
50-64	23	7.3	2	5	7	7	8	9	9	9
65 +	22	8.1	8	5	7	8	11	12	12	13
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	7.6	13	2	5	9	10	12	12	12
35-49	8	7.9	8	5	5	8	10	11	12	12
50-64	8	8.0	22	4	5	7	8	16	19	19
65 +	4	8.3	4	7	7	8	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	8.9	20	5	6	8	9	17	19	19
20-34	82	8.0	14	4	6	8	10	12	16	22
35-49	148	8.9	19	5	6	8	10	14	16	29
50-64	278	9.6	36	5	7	9	11	15	18	27
65 +	797	10.5	26	6	7	9	12	16	20	32
B. Operated										
0-19 YRS	8	8.4	15	3	6	8	10	14	15	15
20-34	30	8.3	17	3	6	8	11	11	16	21
35-49	79	10.5	31	5	7	9	13	18	22	30
50-64	139	12.5	60	7	8	10	15	20	30	44
65 +	273	13.6	73	6	8	11	16	22	30	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	7.2	7	4	6	7	8	10	12	15
B. Operated	30	7.8	11	4	5	8	9	11	12	19
2. MULTIPLE DX										
A. Not Operated	1314	9.9	27	6	7	9	11	15	19	30
B. Operated	529	12.5	62	6	8	10	15	21	27	43
1. SINGLE DX	135	7.3	8	4	6	7	9	11	12	16
2. MULTIPLE DX	1843	10.7	38	6	7	9	12	17	21	35
A. Not Operated	1419	9.7	26	5	7	9	11	15	19	29
B. Operated	559	12.2	60	6	8	10	15	20	26	42
TOTAL										
0-19 YRS	22	7.8	16	3	6	7	8	14	17	19
20-34	148	7.8	13	3	6	7	9	11	15	21
35-49	264	9.2	22	5	6	8	11	14	18	29
50-64	448	10.4	43	5	7	9	12	16	20	36
65 +	1096	11.2	40	6	7	10	13	18	22	37
GRAND TOTAL	**1978**	**10.4**	**37**	**6**	**7**	**9**	**12**	**17**	**20**	**34**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	20.0		20	20	20	20	20	20	20
35-49	0									
50-64	1	15.0		15	15	15	15	15	15	15
65 +	1	51.0		51	51	51	51	51	51	51
B. Operated										
0-19 YRS	0									
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	17.4	175	4	7	14	24	42	44	44
20-34	20	14.0	96	3	6	13	19	30	31	32
35-49	40	22.4	213	4	10	21	30	42	45	56
50-64	25	14.4	136	4	6	11	16	34	40	43
65 +	59	22.0	158	8	11	18	34	41	44	50
B. Operated										
0-19 YRS	10	26.0	466	2	11	21	42	59	67	67
20-34	17	27.0	89	15	19	27	32	42	44	45
35-49	48	28.2	222	11	17	26	41	50	56	62
50-64	31	24.5	308	7	11	17	37	52	56	72
65 +	58	26.7	208	14	16	23	34	45	50	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	28.7	380	15	16	20	43	51	51	51
B. Operated	4	12.8	105	2	4	13	21	22	22	22
2. MULTIPLE DX										
A. Not Operated	160	19.4	171	5	9	15	29	41	43	51
B. Operated	164	26.7	230	11	15	23	37	47	54	71
1. SINGLE DX	7	19.6	252	3	8	20	22	45	51	51
2. MULTIPLE DX	324	23.1	213	7	13	19	33	44	49	63
A. Not Operated	163	19.6	174	5	9	15	29	41	44	51
B. Operated	168	26.4	230	9	15	22	37	46	54	71
TOTAL										
0-19 YRS	26	20.7	291	3	9	15	30	44	55	67
20-34	39	20.0	126	5	13	20	28	35	41	45
35-49	89	25.3	228	6	14	23	37	45	51	61
50-64	58	19.7	248	6	8	15	31	43	53	71
65 +	119	24.6	190	9	15	20	35	43	48	63
GRAND TOTAL	**331**	**23.1**	**214**	**6**	**13**	**19**	**32**	**44**	**49**	**63**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-19 YRS	17	1.9	1	< 1	1	2	2	3	4	4
20-34	13	2.4	3	< 1	1	2	3	5	7	7
35-49	28	2.0	1	1	1	2	2	3	4	6
50-64	31	1.5	1	1	1	1	2	2	3	4
65 +	24	2.7	3	1	1	2	3	4	7	8
B Operated										
0-19 YRS	13	1.8	1	1	1	1	3	3	4	4
20-34	8	2.4	1	1	1	2	3	4	4	4
35-49	14	2.4	2	1	1	2	4	4	4	4
50-64	11	1.9	2	1	1	1	3	4	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A Not Operated										
0-19 YRS	20	2.9	4	1	1	2	4	6	7	7
20-34	46	2.6	5	1	1	2	3	5	7	14
35-49	73	3.1	5	1	2	2	4	6	8	10
50-64	192	3.4	6	1	2	3	4	6	8	17
65 +	446	4.3	13	2	2	3	5	8	11	14
B Operated										
0-19 YRS	14	5.4	16	1	2	5	8	9	14	16
20-34	15	2.4	2	1	2	2	2	4	6	7
35-49	37	3.6	4	2	2	3	4	7	8	8
50-64	34	5.6	32	1	2	4	7	12	15	30
65 +	60	7.0	42	2	3	5	9	16	22	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	2.0	2	1	1	2	2	3	4	7
B. Operated	47	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	777	3.8	10	1	2	3	5	7	10	14
B. Operated	160	5.4	27	2	2	4	7	11	15	29
1. SINGLE DX	160	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	937	4.1	13	1	2	3	5	8	11	20
A. Not Operated	890	3.6	9	1	2	3	4	7	9	14
B. Operated	207	4.6	23	1	2	3	5	9	13	29
TOTAL										
0-19 YRS	64	3.0	7	1	1	2	4	7	8	15
20-34	82	2.5	4	1	1	2	3	5	7	12
35-49	152	3.0	4	1	2	2	4	5	7	10
50-64	268	3.4	9	1	2	3	4	6	9	19
65 +	531	4.6	17	2	2	3	5	9	11	21
GRAND TOTAL	**1097**	**3.8**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-19 YRS	12	2.4	1	1	1	2	3	4	4	4
20-34	87	1.8	1	1	1	2	2	3	3	5
35-49	118	1.8	1	< 1	1	2	2	4	4	5
50-64	175	2.1	1	1	1	2	3	4	4	6
65 +	194	2.9	7	1	1	2	3	6	8	12
B Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	7	2.7	5	1	1	2	4	6	7	7
65 +	10	4.3	12	1	1	4	6	9	12	12
2. MULTIPLE DX										
A Not Operated										
0-19 YRS	45	3.6	7	1	2	3	4	7	9	14
20-34	147	2.5	3	1	1	2	3	5	6	9
35-49	397	3.1	6	1	2	2	4	6	8	11
50-64	1319	4.1	14	1	2	3	5	8	10	16
65 +	4388	5.0	15	2	3	4	6	9	12	20
B Operated										
0-19 YRS	8	4.8	10	< 1	1	5	8	8	8	8
20-34	12	5.0	16	1	2	3	7	12	13	13
35-49	41	6.7	26	2	4	6	8	11	14	31
50-64	165	7.4	53	1	3	5	8	16	24	34
65 +	592	10.5	87	3	5	8	13	20	30	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	586	2.3	3	1	1	2	3	4	5	10
B. Operated	24	3.1	8	1	1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	6296	4.6	14	1	2	4	6	9	11	19
B. Operated	818	9.5	77	2	4	7	12	19	27	49
1. SINGLE DX	610	2.3	4	1	1	2	3	4	5	10
2. MULTIPLE DX	7114	5.2	24	1	2	4	6	10	13	25
A. Not Operated	6882	4.4	14	1	2	3	6	9	11	19
B. Operated	842	9.4	76	2	4	7	12	18	26	49
TOTAL										
0-19 YRS	67	3.4	7	1	1	3	4	7	8	13
20-34	248	2.4	3	1	1	2	3	4	6	10
35-49	559	3.1	8	1	1	2	4	7	8	12
50-64	1666	4.2	18	1	2	3	5	8	10	20
65 +	5184	5.6	26	2	3	4	7	11	14	27
GRAND TOTAL	**7724**	**5.0**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	2.5	5	1	1	2	3	5	6	15
20-34	67	2.1	3	1	1	2	3	4	6	9
35-49	118	2.4	3	1	1	2	3	4	5	10
50-64	118	2.3	2	1	1	2	3	4	5	7
65 +	134	3.1	7	1	2	3	4	5	7	15
B. Operated										
0-19 YRS	77	2.8	7	1	1	2	3	7	9	13
20-34	48	2.9	6	1	1	2	3	6	8	12
35-49	33	3.7	7	1	2	2	5	8	9	10
50-64	65	3.8	18	1	2	2	4	9	11	25
65 +	149	3.3	8	1	2	2	4	6	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	3.9	21	1	1	2	4	8	14	26
20-34	253	2.8	6	1	1	2	3	5	6	14
35-49	640	3.1	6	1	2	2	4	6	8	12
50-64	1377	4.0	11	1	2	3	5	7	10	17
65 +	4081	5.2	15	2	3	4	6	10	12	20
B. Operated										
0-19 YRS	163	5.3	32	1	2	4	6	10	15	35
20-34	107	4.5	22	1	2	3	6	10	12	27
35-49	189	6.6	71	1	2	4	8	12	19	48
50-64	617	8.2	87	2	3	6	10	16	23	53
65 +	2779	8.0	50	2	4	6	10	15	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	524	2.6	4	1	1	2	3	4	6	11
B. Operated	372	3.3	9	1	2	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	6547	4.6	13	1	2	4	6	9	12	19
B. Operated	3855	7.8	56	2	3	6	10	15	21	36
1. SINGLE DX	896	2.9	6	1	1	2	3	5	7	14
2. MULTIPLE DX	10402	5.8	32	2	3	4	7	11	15	28
A. Not Operated	7071	4.4	13	1	2	3	6	8	11	19
B. Operated	4227	7.4	54	2	3	5	9	15	20	36
TOTAL										
0-19 YRS	523	3.9	21	1	1	3	5	8	12	26
20-34	475	3.1	10	1	1	2	4	6	9	17
35-49	980	3.7	20	1	2	3	4	7	10	19
50-64	2177	5.1	36	1	2	4	6	10	15	29
65 +	7143	6.2	30	2	3	5	8	12	16	28
GRAND TOTAL	**11298**	**5.5**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	3	2.3	5	< 1	< 1	1	4	5	5	5
35-49	11	3.0	5	< 1	1	2	4	6	8	8
50-64	49	4.2	7	2	2	3	5	8	10	13
65 +	224	5.5	15	2	3	4	7	11	14	21
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	21.0	242	10	10	21	32	32	32	32
50-64	3	23.7	576	6	8	14	42	51	51	51
65 +	8	6.4	19	1	2	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	5.1	16	1	2	4	7	9	12	23
20-34	137	6.2	21	2	3	5	8	13	17	20
35-49	750	5.8	17	2	3	5	7	11	14	20
50-64	4076	6.7	21	2	4	5	8	12	15	23
65 +	20164	7.4	27	3	4	6	9	13	17	27
B. Operated										
0-19 YRS	53	15.0	245	1	5	9	24	49	68	99 +
20-34	48	10.4	106	2	4	8	12	24	28	55
35-49	196	9.3	63	2	4	8	13	18	24	33
50-64	768	11.4	89	3	6	9	14	23	31	74
65 +	2782	13.1	94	4	7	11	16	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	292	5.1	14	1	3	4	7	10	13	20
B. Operated	16	10.4	178	< 1	2	7	11	30	45	51
2. MULTIPLE DX										
A. Not Operated	25282	7.2	26	3	4	6	9	13	16	26
B. Operated	3847	12.6	95	4	6	10	16	25	32	51
1. SINGLE DX	308	5.4	23	1	3	4	7	10	14	22
2. MULTIPLE DX	29129	7.9	38	3	4	6	10	15	19	32
A. Not Operated	25574	7.2	26	3	4	6	9	13	16	26
B. Operated	3863	12.6	95	4	6	10	16	25	32	51
TOTAL										
0-19 YRS	215	7.4	91	1	2	5	8	15	27	82
20-34	189	7.2	46	2	3	5	9	15	19	36
35-49	959	6.5	29	2	3	5	8	13	17	28
50-64	4896	7.4	35	3	4	6	9	14	18	31
65 +	23178	8.1	38	3	4	6	10	15	19	32
GRAND TOTAL	**29437**	**7.9**	**38**	**3**	**4**	**6**	**10**	**15**	**19**	**32**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	6	2.8	2	1	2	3	4	5	5	5
35-49	4	4.5	7	2	2	4	6	8	8	8
50-64	4	2.5	6	1	1	2	4	6	6	6
65 +	7	6.9	8	4	5	6	8	11	12	12
B. Operated										
0-19 YRS	9	5.4	63	< 1	1	2	5	18	26	26
20-34	9	2.1	1	1	1	2	3	4	4	4
35-49	13	2.7	2	1	2	2	4	5	5	5
50-64	19	3.4	26	1	1	1	3	12	17	19
65 +	9	1.4	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.6	26	1	2	3	8	14	18	20
20-34	37	5.6	18	1	3	5	7	12	14	20
35-49	102	5.2	14	2	2	4	7	11	14	16
50-64	225	7.0	36	2	3	5	8	15	18	30
65 +	355	7.6	30	3	4	6	9	14	19	31
B. Operated										
0-19 YRS	38	12.7	383	2	4	7	10	33	61	97
20-34	23	10.8	99	1	3	8	16	29	33	36
35-49	118	7.7	87	1	2	5	10	17	25	54
50-64	204	7.8	82	1	2	5	10	17	25	51
65 +	143	7.7	62	1	2	6	10	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	4.2	8	1	2	4	6	8	10	12
B. Operated	59	3.1	19	1	1	2	3	5	11	25
2. MULTIPLE DX										
A. Not Operated	754	6.9	29	2	3	5	8	14	18	29
B. Operated	526	8.2	101	1	2	6	10	17	25	58
1. SINGLE DX	83	3.4	16	1	1	2	4	6	10	24
2. MULTIPLE DX	1280	7.4	59	1	3	5	9	15	20	36
A. Not Operated	778	6.8	29	2	3	5	8	14	18	28
B. Operated	585	7.7	95	1	2	5	10	17	25	55
TOTAL										
0-19 YRS	85	8.7	199	1	2	5	8	17	29	84
20-34	75	6.6	48	1	2	4	8	16	19	35
35-49	237	6.3	51	1	2	4	7	14	17	37
50-64	452	7.1	57	1	2	5	9	15	21	35
65 +	514	7.5	38	2	4	6	9	15	19	31
GRAND TOTAL	**1363**	**7.2**	**57**	**1**	**3**	**5**	**9**	**15**	**20**	**36**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.9	2	1	2	3	4	5	6	6
20-34	52	2.6	2	1	2	2	3	5	5	9
35-49	78	2.9	2	1	2	3	4	5	5	8
50-64	47	2.6	2	1	1	2	3	4	6	6
65 +	15	2.7	8	1	1	2	3	4	10	12
B. Operated										
0-19 YRS	65	3.7	10	1	1	2	6	8	10	13
20-34	20	4.3	11	1	1	3	8	9	9	10
35-49	51	3.4	11	1	1	1	6	8	11	12
50-64	64	4.3	15	1	1	2	8	9	11	15
65 +	45	6.1	30	1	1	5	10	14	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	4.7	18	1	2	3	6	11	15	18
20-34	134	3.7	7	1	2	3	4	6	8	15
35-49	260	4.0	17	1	2	3	5	7	9	16
50-64	345	5.4	18	2	3	4	7	10	14	21
65 +	580	6.4	27	2	3	5	8	12	16	23
B. Operated										
0-19 YRS	145	6.9	96	1	1	5	8	16	22	44
20-34	80	8.1	67	1	4	6	9	15	27	42
35-49	224	8.7	88	1	3	7	11	16	22	53
50-64	518	8.9	56	1	3	8	12	17	23	38
65 +	880	12.1	113	1	5	10	15	24	31	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	2.7	2	1	2	2	3	5	5	8
B. Operated	245	4.3	16	1	1	2	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	1398	5.3	21	2	3	4	7	10	14	23
B. Operated	1847	10.2	94	1	4	8	13	20	27	51
1. SINGLE DX	455	3.6	10	1	1	2	5	8	10	15
2. MULTIPLE DX	3245	8.1	68	1	3	6	10	17	23	43
A. Not Operated	1608	5.0	20	1	2	4	6	10	13	22
B. Operated	2092	9.5	88	1	3	8	12	19	26	49
TOTAL										
0-19 YRS	307	5.4	54	1	1	3	7	11	17	32
20-34	286	4.8	28	1	2	3	6	9	11	34
35-49	613	5.5	46	1	2	4	7	11	15	44
50-64	974	7.1	41	1	2	6	9	14	18	34
65 +	1520	9.7	85	2	4	8	13	19	25	51
GRAND TOTAL	**3700**	**7.6**	**64**	**1**	**2**	**5**	**10**	**16**	**21**	**42**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	16	11.0	48	4	7	9	16	19	25	28
35-49	25	9.5	52	1	3	10	14	17	21	28
50-64	14	10.8	29	5	7	11	14	19	21	21
65 +	3	14.7	81	6	8	14	21	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.7	24	< 1	2	9	10	10	10	10
35-49	8	15.1	202	2	6	13	17	38	47	47
50-64	10	15.7	147	< 1	1	19	22	30	38	38
65 +	24	12.8	41	5	7	13	16	20	27	28
B. Operated										
0-19 YRS	7	15.9	141	7	11	12	15	37	42	42
20-34	29	16.5	150	7	9	13	19	32	40	63
35-49	69	21.9	256	6	11	19	29	39	41	93
50-64	93	23.6	306	7	12	19	34	50	65	99 +
65 +	71	29.9	360	11	15	27	40	55	86	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.3	7	1	1	4	4	7	9	9
B. Operated	59	10.5	44	1	6	10	15	19	23	28
2. MULTIPLE DX										
A. Not Operated	46	13.3	89	1	6	12	18	23	30	47
B. Operated	269	23.9	302	7	12	19	33	47	60	99
1. SINGLE DX	68	9.5	45	1	4	9	14	19	21	28
2. MULTIPLE DX	315	22.3	284	6	11	18	30	45	56	97
A. Not Operated	55	11.7	89	1	4	10	16	22	27	47
B. Operated	328	21.5	281	6	10	17	29	45	56	97
TOTAL										
0-19 YRS	1[illegible]	12.9	104	5	7	11	13	26	41	42
20-34	50	13.6	116	4	7	11	17	26	34	63
35-49	106	17.7	229	1	9	15	25	37	40	87
50-64	118	21.2	278	6	11	18	27	45	60	99 +
65 +	98	25.3	329	8	13	20	34	52	57	95
GRAND TOTAL	**383**	**20.0**	**265**	**4**	**10**	**16**	**27**	**42**	**54**	**94**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	54.0		54	54	54	54	54	54	54
65 +	4	25.5	153	12	15	27	36	36	36	36
B. Operated										
0-19 YRS	2	13.5	1	13	13	13	14	14	14	14
20-34	1	25.0		25	25	25	25	25	25	25
35-49	5	27.0	283	15	15	20	36	55	55	55
50-64	12	36.6	558	8	24	36	57	87	98	99 +
65 +	7	40.4	788	9	15	37	63	80	83	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6	26.2	374	2	12	27	36	52	54	54
B. Operated	27	33.7	520	9	14	30	53	79	86	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	33	32.3	490	9	14	30	52	70	84	99 +
A. Not Operated	6	26.2	374	2	12	27	36	52	54	54
B. Operated	27	33.7	520	9	14	30	53	79	86	99 +
TOTAL										
0-19 YRS	2	13.5	1	13	13	13	14	14	14	14
20-34	2	13.0	288	1	1	13	25	25	25	25
35-49	5	27.0	283	15	15	20	36	55	55	55
50-64	13	37.9	535	9	27	36	55	86	97	99 +
65 +	11	35.0	575	9	13	36	43	75	82	83
GRAND TOTAL	**33**	**32.3**	**490**	**9**	**14**	**30**	**52**	**70**	**84**	**99 +**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	3	6.3	34	2	2	4	11	13	13	13
35-49	4	5.3	19	1	2	4	8	11	11	11
50-64	4	7.8	20	1	5	10	10	10	10	10
65 +	23	6.9	30	1	2	5	11	13	17	22
B. Operated										
0-19 YRS	9	5.0	4	2	4	5	6	8	8	8
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	10	4.4	8	1	3	4	7	9	10	10
50-64	15	8.9	191	2	3	4	8	15	46	57
65 +	31	9.1	37	4	5	7	12	14	24	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	5.9	28	1	1	5	8	15	16	17
20-34	17	5.0	9	1	2	6	7	8	11	12
35-49	39	8.8	85	3	4	7	8	21	35	41
50-64	80	9.0	39	3	5	7	13	17	20	32
65 +	366	11.5	90	4	6	9	14	21	28	48
B. Operated										
0-19 YRS	35	13.8	253	2	4	9	18	25	53	76
20-34	14	14.8	258	6	7	9	16	26	59	68
35-49	39	17.1	361	3	7	10	23	60	74	99 +
50-64	102	21.5	440	5	8	14	26	62	80	99 +
65 +	285	17.9	159	6	9	15	23	35	45	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	6.5	24	1	3	5	10	13	14	22
B. Operated	68	7.6	63	2	4	6	9	13	16	52
2. MULTIPLE DX										
A. Not Operated	517	10.6	80	3	5	8	14	20	27	44
B. Operated	475	18.2	247	5	8	14	23	37	58	99
1. SINGLE DX	105	7.2	49	2	3	5	10	13	15	42
2. MULTIPLE DX	992	14.2	175	4	6	10	18	29	40	89
A. Not Operated	554	10.3	77	3	5	8	13	19	26	43
B. Operated	543	16.9	236	4	7	13	22	35	56	96
TOTAL										
0-19 YRS	62	10.1	166	2	3	6	12	20	33	74
20-34	37	8.8	123	2	4	7	9	16	20	68
35-49	92	11.7	211	2	4	7	12	28	54	92
50-64	201	15.3	291	3	5	10	18	32	64	96
65 +	705	13.8	125	4	7	11	18	27	36	64
GRAND TOTAL	**1097**	**13.5**	**167**	**3**	**6**	**10**	**17**	**28**	**39**	**83**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.0	128	1	1	9	17	17	17	17
20-34	1	10.0		10	10	10	10	10	10	10
35-49	11	13.4	36	7	9	13	15	24	26	26
50-64	57	15.6	209	4	7	12	18	29	43	86
65 +	194	14.5	106	5	9	12	18	28	33	70
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	36.0	50	31	31	36	41	41	41	41
35-49	19	29.5	528	8	11	24	36	63	83	92
50-64	35	27.2	341	11	13	21	37	63	77	99 +
65 +	80	19.1	145	8	11	15	26	37	44	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	265	14.6	124	5	8	12	17	28	33	75
B. Operated	137	22.8	263	8	11	17	30	45	55	93
1. SINGLE DX	0									
2. MULTIPLE DX	402	17.4	186	6	9	13	22	35	45	83
A. Not Operated	265	14.6	124	5	8	12	17	28	33	75
B. Operated	137	22.8	263	8	11	17	30	45	55	93
TOTAL										
0-19 YRS	3	9.3	64	1	3	10	15	17	17	17
20-34	3	27.3	250	10	15	31	38	41	41	41
35-49	30	23.6	403	8	10	16	30	50	71	92
50-64	92	20.0	289	6	9	16	23	43	63	95
65 +	274	15.8	121	6	9	13	20	31	40	59
GRAND TOTAL	**402**	**17.4**	**186**	**6**	**9**	**13**	**22**	**35**	**45**	**83**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	1.7	1	< 1	< 1	1	3	3	3	3
50-64	2	4.0		4	4	4	4	4	4	4
65 +	14	3.1	3	1	2	3	4	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	23	3.6	6	1	2	3	4	7	9	11
50-64	167	3.5	5	1	2	3	4	6	7	13
65 +	315	4.1	11	1	3	4	5	7	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	8	7.8	19	3	4	7	11	14	14	14
50-64	85	4.2	8	1	2	4	6	9	10	11
65 +	378	5.6	15	2	3	5	7	10	12	22
B. Operated										
0-19 YRS	0									
20-34	4	4.3	6	1	2	4	6	7	7	7
35-49	88	5.1	37	1	3	4	6	8	10	39
50-64	886	5.4	19	2	3	4	6	10	13	21
65 +	2590	6.3	30	2	3	5	7	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.8	2	< 1	1	3	4	5	6	6
B. Operated	506	3.9	9	1	2	3	5	6	9	14
2. MULTIPLE DX										
A. Not Operated	473	5.4	14	2	3	5	7	10	12	21
B. Operated	3568	6.1	28	2	3	5	7	12	15	26
1. SINGLE DX	528	3.8	8	1	2	3	5	6	8	13
2. MULTIPLE DX	4041	6.0	26	2	3	5	7	11	15	25
A. Not Operated	495	5.3	14	1	3	5	7	10	12	21
B. Operated	4074	5.8	26	2	3	4	7	11	15	25
TOTAL										
0-19 YRS	0									
20-34	7	4.0	5	1	2	4	6	7	7	7
35-49	125	4.8	29	1	3	4	6	8	11	24
50-64	1140	5.0	16	2	3	4	6	10	12	21
65 +	3297	6.0	27	2	3	5	7	12	15	25
GRAND TOTAL	**4569**	**5.7**	**25**	**2**	**3**	**4**	**7**	**11**	**14**	**24**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	10.0	1	9	9	10	11	11	11	11
50-64	15	8.7	48	1	3	7	13	19	23	24
65 +	57	9.2	48	3	5	8	12	16	19	41
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	8	9.1	30	4	5	7	13	17	19	19
50-64	64	7.9	47	3	3	5	9	18	25	30
65 +	141	11.0	94	2	5	9	14	21	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	76	9.0	45	3	5	8	11	17	20	39
B. Operated	214	10.0	79	3	4	8	14	19	28	41
1. SINGLE DX	0									
2. MULTIPLE DX	290	9.8	70	3	4	8	13	19	26	41
A. Not Operated	76	9.0	45	3	5	8	11	17	20	39
B. Operated	214	10.0	79	3	4	8	14	19	28	41
TOTAL										
0-19 YRS	0									
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	11	9.4	21	4	5	9	12	16	19	19
50-64	79	8.0	47	2	3	6	10	18	24	30
65 +	198	10.5	81	3	5	9	14	19	28	42
GRAND TOTAL	**290**	**9.8**	**70**	**3**	**4**	**8**	**13**	**19**	**26**	**41**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	4.0	12	1	2	2	7	9	9	9
35-49	11	5.7	15	2	3	4	7	12	15	15
50-64	50	4.2	7	2	3	4	5	8	10	13
65 +	135	6.8	57	2	3	5	8	11	17	45
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	3.1	3	1	2	3	5	6	6	6
50-64	9	6.6	52	1	2	5	6	18	25	25
65 +	14	14.6	192	3	4	8	24	34	45	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	26	6.0	18	2	3	4	9	11	14	21
35-49	159	6.9	34	3	4	5	8	13	17	28
50-64	853	7.8	43	3	4	6	9	14	19	37
65 +	4291	8.7	37	3	5	7	11	16	20	32
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	8.8	28	1	4	10	12	16	18	18
35-49	65	13.0	117	4	6	9	15	33	38	47
50-64	204	14.8	215	4	6	9	17	36	47	86
65 +	727	16.9	152	6	8	14	22	34	43	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	6.1	42	2	3	5	7	10	14	38
B. Operated	31	9.4	123	2	3	5	8	27	32	48
2. MULTIPLE DX										
A. Not Operated	5329	8.5	38	3	5	7	10	15	20	33
B. Operated	1010	16.1	163	5	7	12	21	34	42	68
1. SINGLE DX	232	6.5	54	2	3	5	7	11	17	42
2. MULTIPLE DX	6339	9.7	66	3	5	7	12	18	25	44
A. Not Operated	5530	8.4	38	3	5	7	10	15	19	33
B. Operated	1041	15.9	163	5	7	12	21	34	42	67
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	45	6.5	21	2	3	5	10	12	16	21
35-49	242	8.4	62	3	4	6	9	16	24	44
50-64	1116	8.9	81	3	4	6	10	17	26	49
65 +	5167	9.8	63	3	5	8	12	18	25	43
GRAND TOTAL	**6571**	**9.6**	**66**	**3**	**5**	**7**	**11**	**18**	**25**	**44**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	13	10.2	32	4	5	10	13	19	21	22
35-49	99	9.9	38	4	6	9	12	17	19	37
50-64	505	10.9	103	4	5	8	13	20	28	61
65 +	2319	10.8	52	4	6	9	13	20	23	40
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	19.6	205	8	9	14	25	44	51	51
35-49	28	18.8	227	6	8	13	25	36	48	71
50-64	114	20.2	304	6	8	14	25	46	55	80
65 +	453	19.4	178	7	11	16	23	37	45	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2937	10.8	60	4	6	9	13	19	24	43
B. Operated	605	19.5	204	7	10	16	24	38	49	76
1. SINGLE DX	0									
2. MULTIPLE DX	3542	12.3	95	4	6	10	15	22	30	55
A. Not Operated	2937	10.8	60	4	6	9	13	19	24	43
B. Operated	605	19.5	204	7	10	16	24	38	49	76
TOTAL										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	22	14.0	118	5	7	11	18	25	40	51
35-49	127	11.9	92	4	7	9	14	19	32	52
50-64	619	12.6	152	4	6	9	14	25	35	74
65 +	2772	12.2	83	4	7	10	15	22	28	51
GRAND TOTAL	**3542**	**12.3**	**95**	**4**	**6**	**10**	**15**	**22**	**30**	**55**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	11	2.5	2	< 1	1	2	4	5	5	5
35-49	42	2.4	1	1	2	2	3	4	5	5
50-64	103	2.5	2	1	1	2	3	4	5	9
65 +	228	3.2	5	1	2	3	4	6	7	12
B. Operated										
0-19 YRS	0									
20-34	4	6.0	65	1	1	2	10	18	18	18
35-49	8	3.1	7	1	1	2	5	7	8	8
50-64	21	3.4	4	1	2	3	4	6	8	9
65 +	30	5.2	18	1	3	4	6	11	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	8	1	2	2	5	8	8	8
20-34	51	3.2	4	1	2	3	4	6	6	11
35-49	252	3.6	6	1	2	3	4	6	8	12
50-64	970	4.0	8	2	2	3	5	7	8	12
65 +	4452	4.9	12	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	0									
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	55	5.5	15	2	3	5	7	10	17	95
50-64	229	6.8	64	2	3	5	7	12	16	33
65 +	628	8.2	52	3	4	7	10	15	19	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	386	2.9	4	1	2	2	4	5	6	11
B. Operated	63	4.4	15	1	2	3	6	8	14	18
2. MULTIPLE DX										
A. Not Operated	5730	4.7	11	2	3	4	6	8	10	17
B. Operated	915	7.7	53	3	4	6	9	14	18	41
1. SINGLE DX	449	3.1	6	1	2	3	4	6	7	14
2. MULTIPLE DX	6645	5.1	18	2	3	4	6	9	12	20
A. Not Operated	6116	4.6	11	2	3	4	6	8	10	17
B. Operated	978	7.5	51	2	4	6	9	14	18	37
TOTAL										
0-19 YRS	7	3.0	6	1	1	2	4	7	8	8
20-34	69	3.2	7	1	2	3	4	6	7	17
35-49	357	3.7	7	1	2	3	5	7	9	16
50-64	1323	4.3	18	2	2	3	5	7	9	18
65 +	5338	5.2	17	2	3	4	6	9	12	20
GRAND TOTAL	**7094**	**5.0**	**17**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	6.0	18	2	3	5	9	12	12	12
35-49	9	4.1	9	< 1	1	3	6	8	9	9
50-64	29	5.0	18	2	2	4	5	10	14	21
65 +	73	5.3	10	2	3	5	6	10	13	16
B. Operated										
0-19 YRS	0									
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	13.8	330	4	4	5	23	41	41	41
65 +	4	9.5	4	8	8	9	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.6	50	2	3	4	12	19	19	19
20-34	5	6.4	53	1	2	4	9	19	19	19
35-49	73	6.0	12	2	3	5	8	11	13	16
50-64	344	6.9	45	2	3	5	8	12	17	32
65 +	1784	7.8	33	3	4	6	9	14	18	31
B. Operated										
0-19 YRS	0									
20-34	3	6.0	12	4	4	4	9	10	10	10
35-49	14	7.9	16	5	5	7	9	12	18	20
50-64	72	10.7	74	4	5	8	13	22	30	42
65 +	244	14.7	113	5	8	12	19	29	38	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	5.1	12	2	3	5	6	10	13	18
B. Operated	11	10.1	111	4	5	7	10	24	40	41
2. MULTIPLE DX										
A. Not Operated	2211	7.6	35	3	4	6	9	13	18	31
B. Operated	333	13.5	104	4	7	10	18	28	36	71
1. SINGLE DX	126	5.6	22	2	3	5	6	10	13	26
2. MULTIPLE DX	2544	8.3	48	3	4	7	10	16	21	36
A. Not Operated	2326	7.5	34	3	4	6	9	13	18	31
B. Operated	344	13.4	104	4	6	10	18	28	37	67
TOTAL										
0-19 YRS	5	7.6	50	2	3	4	12	19	19	19
20-34	14	6.2	22	2	4	5	7	13	18	19
35-49	97	6.1	13	2	3	5	8	11	13	19
50-64	449	7.4	52	2	4	6	8	14	20	41
65 +	2105	8.5	47	3	4	7	10	16	21	37
GRAND TOTAL	**2670**	**8.2**	**47**	**3**	**4**	**6**	**10**	**15**	**21**	**36**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	6	8.7	65	2	4	4	18	20	20	20
35-49	31	8.3	42	3	5	6	9	16	20	33
50-64	167	7.7	38	3	4	6	9	14	17	36
65 +	823	8.5	30	3	5	7	10	15	18	30
B. Operated										
0-19 YRS	0									
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	8	11.6	25	5	8	12	15	18	19	19
50-64	19	16.2	367	5	7	10	13	51	67	72
65 +	110	16.4	152	6	10	13	19	28	35	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1028	8.4	32	3	5	7	10	15	18	31
B. Operated	139	15.9	172	5	9	12	19	28	38	75
1. SINGLE DX	0									
2. MULTIPLE DX	1167	9.3	54	3	5	7	11	17	21	39
A. Not Operated	1028	8.4	32	3	5	7	10	15	18	31
B. Operated	139	15.9	172	5	9	12	19	28	38	75
TOTAL										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	7.6	50	2	4	4	11	19	20	20
35-49	39	9.0	39	3	5	7	13	18	20	33
50-64	186	8.6	76	3	4	7	10	15	18	58
65 +	933	9.5	51	4	5	8	12	17	21	37
GRAND TOTAL	**1167**	**9.3**	**54**	**3**	**5**	**7**	**11**	**17**	**21**	**39**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	1.8		1	1	2	2	2	2	2
35-49	17	3.4	5	1	2	3	5	7	8	8
50-64	9	2.4	2	1	2	2	3	5	6	6
65 +	23	3.2	4	1	2	3	4	6	8	9
B. Operated										
0-19 YRS	9	6.2	35	< 1	1	3	10	15	18	18
20-34	8	4.3	13	1	1	4	7	9	9	9
35-49	10	5.3	22	1	1	5	8	12	15	15
50-64	25	3.8	26	1	1	2	4	9	13	25
65 +	6	5.3	55	1	1	2	6	19	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.9	16	1	2	3	7	12	13	13
20-34	31	4.9	17	1	2	3	6	12	14	18
35-49	132	4.2	8	1	2	4	6	8	10	13
50-64	218	4.9	12	2	3	4	6	9	11	20
65 +	627	6.7	53	2	3	5	8	12	16	38
B. Operated										
0-19 YRS	16	7.8	35	1	3	7	10	15	21	23
20-34	20	6.3	20	1	2	6	9	13	14	16
35-49	63	9.7	108	1	3	7	12	23	37	48
50-64	109	11.5	168	1	4	8	13	22	37	71
65 +	118	9.6	77	2	4	8	13	21	25	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.0	4	1	2	3	4	6	8	9
B. Operated	58	4.7	27	1	1	2	7	9	17	25
2. MULTIPLE DX										
A. Not Operated	1023	5.9	38	2	3	5	7	11	14	28
B. Operated	326	9.9	109	1	4	7	13	21	32	58
1. SINGLE DX	112	3.9	16	1	1	3	5	9	9	22
2. MULTIPLE DX	1349	6.9	58	2	3	5	8	13	18	40
A. Not Operated	1077	5.8	36	2	3	4	7	10	14	27
B. Operated	384	9.1	100	1	3	7	12	20	26	55
TOTAL										
0-19 YRS	41	6.3	28	1	2	5	9	13	16	23
20-34	63	5.1	17	1	2	4	7	12	13	18
35-49	222	5.7	42	1	2	4	7	11	15	38
50-64	361	6.8	69	1	3	5	8	13	20	43
65 +	774	7.0	57	2	3	5	8	13	19	40
GRAND TOTAL	**1461**	**6.7**	**55**	**2**	**3**	**5**	**8**	**13**	**18**	**40**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	0									
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	10	3.7	9	1	1	3	6	8	9	9
65 +	8	2.0	3	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.3	4	4	5	7	8	8	8	8
35-49	41	3.9	6	1	1	4	6	7	8	10
50-64	149	4.4	11	1	1	4	6	9	10	15
65 +	137	4.7	16	1	1	4	7	10	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	5.0	3	4	4	4	6	7	7	7
35-49	17	6.5	9	1	4	7	8	10	11	11
50-64	66	6.3	59	1	1	4	8	15	20	46
65 +	183	6.1	31	1	2	5	8	11	18	32
B. Operated										
0-19 YRS	7	9.7	68	1	3	8	13	23	25	25
20-34	18	8.5	31	3	5	8	11	12	21	27
35-49	209	8.4	79	1	4	6	9	16	27	50
50-64	1123	9.2	88	1	4	7	11	18	27	51
65 +	3076	10.9	96	2	5	8	14	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.2	7	< 1	1	2	5	7	8	9
B. Operated	331	4.5	12	1	1	4	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	270	6.1	36	1	2	5	8	11	17	32
B. Operated	4433	10.3	93	2	5	8	13	21	28	50
1. SINGLE DX	353	4.4	12	1	1	4	6	8	10	16
2. MULTIPLE DX	4703	10.1	91	1	4	8	12	21	28	49
A. Not Operated	292	5.9	34	1	2	5	8	11	16	32
B. Operated	4764	9.9	90	1	4	8	12	21	28	49
TOTAL										
0-19 YRS	11	8.0	49	1	2	7	12	18	24	25
20-34	24	7.8	25	3	5	7	9	12	17	27
35-49	269	7.6	66	1	3	6	8	15	25	46
50-64	1348	8.5	80	1	3	6	10	17	25	49
65 +	3404	10.3	91	2	5	8	13	22	28	49
GRAND TOTAL	**5056**	**9.7**	**88**	**1**	**4**	**7**	**12**	**20**	**27**	**48**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	1.7	1	< 1	1	1	2	3	3	3
50-64	8	1.4		1	1	1	2	2	2	2
65 +	8	1.9	4	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	11	3.9	13	< 1	1	3	5	9	13	13
65 +	19	5.7	37	1	2	4	6	15	22	25
B. Operated										
0-19 YRS	0									
20-34	5	9.0	32	1	5	9	13	16	16	16
35-49	26	6.5	29	1	2	6	8	12	15	24
50-64	135	7.0	47	1	1	5	9	16	20	33
65 +	163	8.2	94	1	2	5	12	18	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	25	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	32	5.1	27	1	2	4	6	9	18	25
B. Operated	329	7.6	69	1	2	5	10	16	23	43
1. SINGLE DX	25	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX	361	7.4	66	1	2	5	10	16	23	41
A. Not Operated	32	5.1	27	1	2	4	6	9	18	25
B. Operated	354	7.2	66	1	1	4	10	16	23	41
TOTAL										
0-19 YRS	0									
20-34	5	9.0	32	1	5	9	13	16	16	16
35-49	37	5.2	25	1	1	4	8	12	13	24
50-64	154	6.5	44	1	1	5	9	15	19	32
65 +	190	7.7	87	1	2	4	10	17	27	51
GRAND TOTAL	**386**	**7.0**	**63**	**1**	**1**	**4**	**9**	**16**	**22**	**41**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.5	1	1	1	1	2	3	3	3
65 +	5	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	23.0		23	23	23	23	23	23	23
50-64	32	6.7	23	1	2	7	9	11	13	24
65 +	34	8.1	12	1	7	9	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	9.0	85	< 1	2	5	16	23	24	24
50-64	13	6.5	39	< 1	2	4	9	16	20	21
65 +	123	4.9	30	1	2	4	6	8	15	31
B. Operated										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	5	5.4	23	< 1	1	4	10	11	11	11
35-49	25	12.5	118	2	7	9	13	30	39	45
50-64	428	11.6	78	6	8	9	13	20	33	87
65 +	1247	13.7	127	6	8	10	15	25	37	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.6	1	< 1	1	1	2	3	3	3
B. Operated	68	7.6	21	1	5	8	9	12	13	24
2. MULTIPLE DX										
A. Not Operated	145	5.2	34	1	2	4	6	11	19	28
B. Operated	1707	13.1	115	6	8	10	14	24	36	75
1. SINGLE DX	79	6.7	23	1	2	8	9	12	13	24
2. MULTIPLE DX	1852	12.5	113	4	8	10	14	23	35	71
A. Not Operated	156	5.0	32	1	2	3	6	10	19	27
B. Operated	1775	12.9	112	6	8	10	14	23	36	74
TOTAL										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	8	4.4	15	< 1	1	3	7	11	11	11
35-49	35	11.7	110	1	4	9	13	24	35	45
50-64	477	11.1	76	5	7	9	12	19	29	77
65 +	1409	12.8	122	4	8	10	14	23	36	70
GRAND TOTAL	**1931**	**12.3**	**110**	**4**	**7**	**10**	**14**	**23**	**35**	**69**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	6	2.5	6	1	1	2	3	7	7	7
35-49	12	6.2	36	1	2	5	8	14	21	22
50-64	15	6.5	26	1	4	5	9	10	18	21
65 +	25	5.8	11	2	4	5	7	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.5	8	1	1	3	6	6	6	6
65 +	14	4.0	7	1	2	3	6	8	9	9
B. Operated										
0-19 YRS	0									
20-34	7	10.6	233	2	2	3	11	38	44	44
35-49	36	10.0	80	1	4	8	12	25	29	41
50-64	114	8.3	35	3	5	7	11	15	20	35
65 +	268	9.7	82	3	5	8	12	17	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	60	5.6	19	1	2	5	7	11	13	22
2. MULTIPLE DX										
A. Not Operated	20	3.6	7	1	1	3	6	7	8	9
B. Operated	425	9.3	71	3	4	7	11	17	25	43
1. SINGLE DX	62	5.5	19	1	2	5	7	10	13	22
2. MULTIPLE DX	445	9.1	70	2	4	7	11	17	24	43
A. Not Operated	22	3.4	7	1	1	3	6	7	8	9
B. Operated	485	8.9	66	2	4	7	11	16	23	42
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	15	6.1	121	1	1	2	6	13	36	44
35-49	49	8.9	71	1	3	7	11	22	26	41
50-64	134	7.9	34	1	4	7	10	15	20	35
65 +	307	9.1	75	3	4	7	11	16	24	46
GRAND TOTAL	**507**	**8.6**	**65**	**2**	**4**	**7**	**11**	**15**	**22**	**42**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	4	5.8	16	1	2	6	9	10	10	10
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	2	9.5	1	9	9	9	10	10	10	10
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.4	1	1	2	3	3	3	3	3
35-49	20	4.2	10	1	2	3	7	9	9	9
50-64	36	5.4	9	1	3	5	8	9	10	11
65 +	24	4.1	10	1	2	3	6	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	8	1	2	6	6	6	6	6
20-34	0									
35-49	5	9.0	11	4	7	10	11	13	13	13
50-64	16	7.5	20	1	3	9	10	14	14	14
65 +	44	8.5	52	3	5	7	10	15	16	49
B. Operated										
0-19 YRS	2	9.0	128	1	1	9	17	17	17	17
20-34	8	5.8	72	1	1	2	6	21	26	26
35-49	82	8.9	55	3	5	7	10	16	22	42
50-64	272	9.2	55	2	5	8	11	16	21	40
65 +	407	10.0	76	2	5	8	12	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	6.7	14	1	3	8	9	10	10	10
B. Operated	87	4.5	9	1	2	4	7	9	10	11
2. MULTIPLE DX										
A. Not Operated	68	8.1	40	2	5	8	10	14	15	43
B. Operated	771	9.5	66	2	5	8	11	18	25	43
1. SINGLE DX	96	4.7	10	1	2	4	8	9	10	11
2. MULTIPLE DX	839	9.4	64	2	5	8	11	17	24	43
A. Not Operated	77	8.0	37	2	5	8	10	13	15	40
B. Operated	858	9.0	63	2	4	8	11	17	23	42
TOTAL										
0-19 YRS	8	5.4	31	1	1	4	8	15	17	17
20-34	13	4.5	45	1	2	2	3	12	23	26
35-49	111	7.9	46	2	4	7	10	15	21	42
50-64	326	8.7	49	2	5	8	10	15	20	39
65 +	477	9.5	72	2	4	8	12	19	25	48
GRAND TOTAL	**935**	**8.9**	**61**	**2**	**4**	**8**	**11**	**16**	**22**	**42**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	3.6	4	1	2	4	5	6	7	9
20-34	7	3.3	2	2	2	4	4	5	5	5
35-49	6	3.2	6	< 1	1	2	5	7	7	7
50-64	3	4.0	13	1	1	3	7	8	8	8
65 +	15	3.8	19	1	1	2	5	7	15	18
B. Operated										
0-19 YRS	11	4.8	20	1	2	4	5	12	17	17
20-34	12	5.8	23	1	1	4	9	13	15	15
35-49	47	2.8	6	1	1	2	4	8	9	99 +
50-64	108	3.2	11	1	1	2	5	9	9	16
65 +	103	3.4	12	1	1	2	5	8	9	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	173	5.1	9	2	3	4	7	9	10	17
20-34	27	6.2	17	1	3	5	8	12	15	18
35-49	60	5.5	17	1	2	4	10	12	13	15
50-64	81	5.9	59	1	2	4	7	10	15	52
65 +	176	6.1	20	2	3	5	8	12	14	23
B. Operated										
0-19 YRS	50	9.5	178	1	3	6	11	24	38	99 +
20-34	30	7.4	37	1	4	6	9	17	21	24
35-49	132	6.5	42	1	2	5	9	13	19	36
50-64	478	7.1	69	1	2	5	9	16	22	48
65 +	889	9.1	98	1	3	6	11	20	28	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	3.6	5	1	2	3	5	6	7	9
B. Operated	281	3.4	11	1	1	2	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	517	5.7	22	2	3	5	7	11	13	21
B. Operated	1579	8.3	87	1	2	6	10	19	27	44
1. SINGLE DX	454	3.5	9	1	1	3	5	7	9	17
2. MULTIPLE DX	2096	7.6	72	1	2	5	9	16	23	41
A. Not Operated	690	5.2	18	1	3	4	7	10	12	18
B. Operated	1860	7.5	79	1	2	5	9	17	25	43
TOTAL										
0-19 YRS	376	5.1	33	1	3	4	6	9	12	27
20-34	76	6.4	25	1	2	5	8	14	18	23
35-49	245	5.5	30	1	2	4	8	12	14	35
50-64	670	6.3	60	1	2	4	8	14	19	41
65 +	1183	8.1	82	1	2	6	10	18	26	40
GRAND TOTAL	**2550**	**6.9**	**63**	**1**	**2**	**5**	**8**	**15**	**21**	**40**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	6.4	21	1	2	6	11	12	12	12
20-34	50	5.4	10	2	3	5	7	9	11	17
35-49	81	5.6	10	2	3	6	7	10	12	15
50-64	89	5.7	8	2	4	6	7	10	10	14
65 +	74	6.4	9	3	5	6	8	10	11	18
B. Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	28	5.8	15	1	2	6	8	11	13	16
35-49	45	5.8	10	1	4	5	8	10	12	13
50-64	41	6.4	12	1	4	7	8	11	13	14
65 +	32	5.5	8	2	3	5	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	10.4	108	1	2	8	14	28	31	31
20-34	93	6.9	13	3	5	6	8	12	14	20
35-49	228	6.2	13	2	4	6	8	10	11	18
50-64	373	7.1	11	3	5	7	8	11	13	17
65 +	708	7.7	18	3	5	7	9	12	15	24
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	43	6.7	20	3	4	6	8	9	13	29
35-49	116	8.2	42	2	5	7	10	14	18	37
50-64	207	7.5	22	2	4	7	9	13	15	26
65 +	353	9.6	50	4	6	8	11	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	303	5.8	9	2	4	6	7	10	11	15
B. Operated	148	5.9	11	1	3	6	8	10	12	14
2. MULTIPLE DX										
A. Not Operated	1409	7.3	16	3	5	7	9	12	14	21
B. Operated	721	8.6	39	3	5	7	10	15	20	33
1. SINGLE DX	451	5.9	10	2	4	6	7	10	12	15
2. MULTIPLE DX	2130	7.7	24	3	5	7	9	13	16	27
A. Not Operated	1712	7.0	15	3	5	7	9	11	13	19
B. Operated	869	8.1	36	3	5	7	10	14	18	30
TOTAL										
0-19 YRS	20	7.5	51	1	2	6	11	13	22	31
20-34	214	6.4	14	2	4	6	8	11	13	19
35-49	470	6.5	20	2	4	6	8	11	13	22
50-64	710	7.0	14	3	4	7	9	11	13	19
65 +	1167	8.1	28	3	5	7	10	14	16	29
GRAND TOTAL	**2581**	**7.4**	**22**	**3**	**5**	**7**	**9**	**12**	**15**	**26**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	2	14.0	98	7	7	14	21	21	21	21
65 +	6	8.7	17	4	5	8	13	14	14	14
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	109	1.7	4	1	1	1	2	2	3	14
35-49	208	1.8	9	1	1	1	2	3	3	16
50-64	141	1.8	4	1	1	1	2	3	4	11
65 +	55	6.4	74	1	1	2	9	17	28	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	15.0	338	2	2	15	28	28	28	28
20-34	11	5.1	10	2	3	4	7	10	12	12
35-49	23	7.6	53	2	4	5	10	13	22	36
50-64	68	8.0	40	2	4	7	9	17	20	33
65 +	176	9.4	39	4	6	8	11	17	22	34
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	42	4.5	51	1	1	2	3	14	25	30
35-49	139	4.5	56	1	1	2	4	11	23	37
50-64	143	6.1	61	1	1	3	9	14	21	40
65 +	205	12.1	101	2	4	10	18	26	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	9.0	31	3	5	7	13	17	21	21
B. Operated	515	2.3	15	1	1	1	2	3	7	25
2. MULTIPLE DX										
A. Not Operated	280	8.8	41	3	5	7	11	17	22	36
B. Operated	530	7.9	86	1	1	3	11	22	27	44
1. SINGLE DX	526	2.4	16	1	1	1	2	4	9	25
2. MULTIPLE DX	810	8.2	70	1	2	6	11	20	26	39
A. Not Operated	291	8.8	41	3	5	7	11	17	21	35
B. Operated	1045	5.1	59	1	1	2	5	15	23	36
TOTAL										
0-19 YRS	5	10.6	127	2	3	4	19	28	28	28
20-34	163	2.6	18	1	1	1	2	4	11	27
35-49	372	3.2	32	1	1	1	3	7	12	34
50-64	354	4.8	40	1	1	2	6	12	17	35
65 +	442	10.2	76	2	4	8	14	23	27	43
GRAND TOTAL	**1336**	**5.9**	**57**	**1**	**1**	**2**	**8**	**15**	**23**	**36**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	1.6		<1	1	2	2	2	2	2
35-49	10	1.9	1	1	1	2	2	3	4	4
50-64	8	1.6	1	<1	1	1	2	3	3	3
65 +	4	2.5		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	62	2.3	2	1	1	2	3	4	5	7
35-49	103	2.2	2	1	1	2	3	4	5	6
50-64	47	2.0	2	1	1	2	2	3	4	8
65 +	18	1.8	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	27	2.7	4	1	1	2	3	6	7	7
35-49	49	3.1	7	1	2	2	4	6	10	14
50-64	49	3.5	7	1	2	3	4	7	9	14
65 +	97	4.7	18	1	2	4	5	11	15	20
B. Operated										
0-19 YRS	4	4.3	27	1	1	2	7	12	12	12
20-34	306	2.5	2	1	2	2	3	4	5	7
35-49	680	2.7	3	1	2	2	3	5	6	9
50-64	485	2.9	15	1	2	2	3	5	6	10
65 +	309	3.3	6	1	2	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.8	1	<1	1	2	2	3	3	4
B. Operated	232	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	226	3.8	12	1	2	3	5	7	11	18
B. Operated	1784	2.9	7	1	2	2	3	5	6	11
1. SINGLE DX	264	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	2010	3.0	7	1	2	2	3	5	7	12
A. Not Operated	258	3.6	11	1	2	3	4	7	10	18
B. Operated	2016	2.8	6	1	2	2	3	5	6	10
TOTAL										
0-19 YRS	11	2.4	10	1	1	1	2	6	12	12
20-34	404	2.5	2	1	2	2	3	4	5	7
35-49	842	2.7	3	1	2	2	3	5	6	10
50-64	589	2.9	13	1	2	2	3	5	6	10
65 +	428	3.5	9	1	2	3	4	7	9	17
GRAND TOTAL	**2274**	**2.9**	**7**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.2	11	1	2	4	5	9	11	14
20-34	100	6.3	9	3	5	6	8	10	12	15
35-49	135	6.0	8	2	4	6	8	10	10	13
50-64	101	6.1	6	3	5	6	7	9	10	12
65 +	118	6.5	7	3	5	6	8	9	11	15
B. Operated										
0-19 YRS	30	5.6	35	1	1	4	8	12	20	26
20-34	52	5.8	10	1	3	6	8	10	10	14
35-49	68	5.6	7	2	4	6	7	9	10	14
50-64	69	5.9	9	2	4	6	7	10	12	13
65 +	56	6.8	18	2	5	6	8	10	15	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	4.7	11	1	2	3	7	10	11	14
20-34	217	6.9	21	2	4	6	9	12	15	26
35-49	480	6.5	19	2	4	6	8	11	13	23
50-64	903	6.3	14	2	4	6	8	10	12	20
65 +	2440	6.9	18	2	4	6	9	12	15	22
B. Operated										
0-19 YRS	54	6.6	34	1	2	5	9	12	16	32
20-34	162	7.7	32	2	4	7	10	13	17	32
35-49	330	8.4	29	3	5	8	11	14	17	35
50-64	494	8.7	52	3	5	7	10	15	22	42
65 +	1070	10.2	58	3	6	8	12	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	480	6.1	8	2	4	6	8	10	11	14
B. Operated	275	6.0	13	1	4	6	8	10	12	19
2. MULTIPLE DX										
A. Not Operated	4121	6.7	17	2	4	6	8	11	14	22
B. Operated	2110	9.3	50	3	5	8	11	16	22	40
1. SINGLE DX	755	6.1	10	2	4	6	8	10	11	15
2. MULTIPLE DX	6231	7.5	30	2	4	7	9	13	17	29
A. Not Operated	4601	6.6	16	2	4	6	8	11	14	21
B. Operated	2385	8.9	47	3	5	8	11	16	20	40
TOTAL										
0-19 YRS	191	5.3	22	1	2	4	8	11	13	24
20-34	531	6.9	21	2	4	6	9	12	15	26
35-49	1013	7.0	21	2	4	7	9	12	14	24
50-64	1567	7.0	26	2	4	6	8	11	15	25
65 +	3684	7.8	32	2	4	7	10	14	18	30
GRAND TOTAL	**6986**	**7.4**	**28**	**2**	**4**	**7**	**9**	**13**	**16**	**28**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1428	2.0	2	1	1	2	2	3	4	7
20-34	129	2.6	1	1	2	2	3	4	5	7
35-49	44	3.1	2	2	2	3	4	5	6	7
50-64	19	2.8	1	1	2	3	3	4	5	5
65 +	8	3.3	3	1	2	3	5	5	5	5
B. Operated										
0-19 YRS	80	2.1	7	1	1	1	2	5	6	16
20-34	16	2.4	9	1	1	1	3	4	10	13
35-49	8	3.4	10	1	1	2	5	9	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3117	2.8	4	1	2	2	3	5	6	11
20-34	429	3.4	5	1	2	3	4	6	7	12
35-49	246	3.7	5	1	2	3	5	7	8	12
50-64	194	4.7	9	2	3	4	6	8	10	14
65 +	294	5.7	19	2	3	5	7	10	13	26
B. Operated										
0-19 YRS	162	5.0	50	1	1	3	7	11	16	39
20-34	72	4.3	14	1	1	3	6	10	13	16
35-49	33	6.1	29	1	2	4	8	13	18	23
50-64	41	7.8	24	3	4	7	10	15	18	20
65 +	47	11.0	59	3	5	9	15	22	28	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1628	2.1	2	1	1	2	3	4	5	7
B. Operated	105	2.3	8	1	1	1	3	5	7	16
2. MULTIPLE DX										
A. Not Operated	4280	3.2	6	1	2	3	4	6	8	13
B. Operated	355	6.1	43	1	1	4	8	14	18	29
1. SINGLE DX	1733	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	4635	3.4	10	1	2	3	4	6	8	15
A. Not Operated	5908	2.9	5	1	1	2	3	5	7	11
B. Operated	460	5.2	37	1	1	3	7	12	16	28
TOTAL										
0-19 YRS	4787	2.6	5	1	1	2	3	5	6	11
20-34	646	3.3	5	1	2	3	4	6	7	13
35-49	331	3.9	8	1	2	3	5	7	9	14
50-64	255	5.1	13	2	3	4	7	9	13	19
65 +	349	6.3	27	2	3	5	8	11	17	28
GRAND TOTAL	**6368**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1857	2.7	4	1	2	2	3	5	6	9
20-34	55	3.5	2	1	2	3	5	6	6	7
35-49	66	3.5	3	2	2	3	4	6	7	8
50-64	45	4.1	4	2	3	4	5	7	8	10
65 +	46	4.6	8	2	3	4	5	8	10	15
B. Operated										
0-19 YRS	8	3.6	5	1	2	3	5	7	8	8
20-34	0									
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	4	6.3	12	3	4	5	8	11	11	11
65 +	3	19.7	281	9	9	11	32	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7265	3.7	8	1	2	3	4	7	8	15
20-34	437	5.2	19	2	3	4	6	11	15	22
35-49	771	5.0	10	2	3	4	6	9	10	16
50-64	1919	6.0	15	2	4	5	7	10	13	18
65 +	5022	6.8	17	3	4	6	8	11	15	22
B. Operated										
0-19 YRS	115	14.0	195	3	6	10	17	27	47	99 +
20-34	27	8.1	48	2	3	6	11	19	24	26
35-49	81	8.3	33	3	5	7	11	16	25	78
50-64	196	11.2	73	4	6	9	13	19	25	44
65 +	402	13.5	130	5	7	10	15	26	35	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2069	2.8	4	1	2	2	4	5	6	9
B. Operated	17	7.2	76	2	3	5	8	11	29	39
2. MULTIPLE DX										
A. Not Operated	15414	5.1	14	2	3	4	6	9	12	19
B. Operated	821	12.3	116	4	6	9	15	24	33	73
1. SINGLE DX	2086	2.9	5	1	2	2	4	5	6	9
2. MULTIPLE DX	16235	5.5	22	2	3	4	7	10	13	23
A. Not Operated	17483	4.8	13	2	3	4	6	9	11	18
B. Operated	838	12.2	116	4	6	9	15	24	33	73
TOTAL										
0-19 YRS	9245	3.7	11	1	2	3	4	6	8	16
20-34	519	5.2	19	2	3	4	6	11	15	23
35-49	920	5.2	12	2	3	4	6	9	12	18
50-64	2164	6.5	22	3	4	5	8	11	14	22
65 +	5473	7.3	29	3	4	6	9	13	16	28
GRAND TOTAL	**18321**	**5.2**	**20**	**2**	**3**	**4**	**6**	**10**	**13**	**22**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	1.1		1	1	1	1	1	2	4
20-34	67	1.1		1	1	1	1	1	2	2
35-49	76	1.1		1	1	1	1	2	2	2
50-64	17	1.1		< 1	1	1	1	1	2	2
65 +	5	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	119	1.1		1	1	1	1	1	2	2
20-34	315	1.2		1	1	1	1	2	2	4
35-49	342	1.2		1	1	1	1	2	2	4
50-64	155	1.4	1	1	1	1	2	3	3	5
65 +	58	1.4	1	1	1	1	2	2	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	193	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	5	1.8	1	< 1	1	2	2	3	3	3
B. Operated	989	1.2		1	1	1	1	2	2	4
1. SINGLE DX	195	1.1		1	1	1	1	2	2	3
2. MULTIPLE DX	994	1.2		1	1	1	1	2	2	4
A. Not Operated	7	2.0	1	< 1	1	2	3	4	4	4
B. Operated	1182	1.2		1	1	1	1	2	2	4
TOTAL										
0-19 YRS	148	1.1		1	1	1	1	1	2	2
20-34	382	1.1		1	1	1	1	2	2	4
35-49	421	1.2		1	1	1	1	2	2	4
50-64	173	1.4	1	1	1	1	1	3	3	5
65 +	65	1.4	1	1	1	1	2	2	3	4
GRAND TOTAL	**1189**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**4**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	7	1.0		1	1	1	1	1	1	1
35-49	4	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	28	2.5	4	1	1	2	3	5	8	9
20-34	37	1.6	1	1	1	1	2	3	3	7
35-49	53	1.3		1	1	1	1	2	3	4
50-64	60	1.6	2	1	1	1	2	3	3	10
65 +	47	1.6	1	1	1	1	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	18	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	225	1.6	2	1	1	1	2	3	4	8
1. SINGLE DX	19	1.1		< 1	1	1	1	1	2	2
2. MULTIPLE DX	228	1.6	2	1	1	1	2	3	4	8
A. Not Operated	4	1.3		< 1	< 1	1	1	2	2	2
B. Operated	243	1.6	2	1	1	1	2	3	4	8
TOTAL										
0-19 YRS	33	2.3	4	1	1	1	3	4	8	9
20-34	44	1.5	1	1	1	1	2	3	3	7
35-49	57	1.2		1	1	1	1	2	3	4
50-64	61	1.6	2	1	1	1	2	3	3	10
65 +	52	1.5	1	1	1	1	2	3	4	6
GRAND TOTAL	**247**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.3		< 1	1	1	1	2	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2511	1.0		1	1	1	1	1	1	2
20-34	499	1.1		1	1	1	1	1	2	3
35-49	68	1.2		1	1	1	1	2	2	5
50-64	10	1.3		1	1	1	1	2	3	3
65 +	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	2.3	3	< 1	1	2	3	4	6	8
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	2751	1.3	3	1	1	1	1	2	3	8
20-34	229	1.2	1	1	1	1	1	2	2	5
35-49	56	1.8	6	1	1	1	2	3	3	17
50-64	24	2.2	3	1	1	1	3	5	7	7
65 +	8	3.0	12	1	1	1	4	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.3		< 1	1	1	1	2	3	3
B. Operated	3092	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	84	2.3	3	< 1	1	2	3	4	6	8
B. Operated	3068	1.3	3	1	1	1	1	2	3	8
1. SINGLE DX	3106	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX	3152	1.4	3	1	1	1	1	2	3	8
A. Not Operated	98	2.2	2	< 1	1	2	3	4	6	8
B. Operated	6160	1.2	1	1	1	1	1	1	2	5
TOTAL										
0-19 YRS	5350	1.2	1	1	1	1	1	1	2	5
20-34	733	1.1		1	1	1	1	1	2	3
35-49	128	1.5	3	1	1	1	2	3	3	9
50-64	35	2.0	3	1	1	1	3	4	6	7
65 +	12	2.3	9	1	1	1	3	6	10	11
GRAND TOTAL	**6258**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**5**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	235	2.5	2	1	1	2	3	4	6	8
20-34	111	2.5	1	1	2	2	3	4	4	6
35-49	32	2.7	2	1	2	2	3	5	5	6
50-64	22	3.0	2	2	2	3	4	5	6	6
65 +	6	3.7	7	2	2	3	4	8	9	9
B. Operated										
0-19 YRS	354	2.6	24	1	1	2	3	5	7	16
20-34	191	2.1	2	1	1	2	3	4	5	8
35-49	134	2.0	3	1	1	1	2	4	5	11
50-64	62	1.8	5	< 1	1	1	2	4	5	14
65 +	41	2.0	3	1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	477	3.3	9	1	2	3	4	6	8	12
20-34	140	3.5	8	1	2	3	4	6	7	15
35-49	102	3.5	4	1	2	3	5	6	7	11
50-64	70	3.7	10	1	2	3	4	7	9	18
65 +	98	4.7	9	1	3	4	6	9	10	17
B. Operated										
0-19 YRS	790	4.7	54	1	1	2	5	11	18	40
20-34	372	2.6	10	1	1	2	3	5	8	17
35-49	384	2.5	11	1	1	1	2	5	8	17
50-64	297	3.5	25	1	1	2	4	9	14	27
65 +	213	4.4	29	1	1	2	5	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	406	2.6	2	1	2	2	3	4	5	8
B. Operated	782	2.3	12	1	1	1	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	887	3.5	8	1	2	3	4	6	8	15
B. Operated	2056	3.7	32	1	1	2	4	9	14	28
1. SINGLE DX	1188	2.4	9	1	1	2	3	4	5	11
2. MULTIPLE DX	2943	3.7	25	1	1	2	4	8	12	26
A. Not Operated	1293	3.2	7	1	2	3	4	6	7	12
B. Operated	2838	3.3	27	1	1	2	3	7	12	27
TOTAL										
0-19 YRS	1856	3.7	31	1	1	2	4	7	11	29
20-34	814	2.6	7	1	1	2	3	5	7	15
35-49	652	2.6	8	1	1	2	3	5	7	17
50-64	451	3.3	19	1	1	2	4	7	11	25
65 +	358	4.2	21	1	1	2	5	10	14	24
GRAND TOTAL	**4131**	**3.3**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	257	3.4	4	2	2	3	4	6	7	10
20-34	117	4.9	6	2	3	4	6	8	9	15
35-49	90	5.4	9	3	4	5	6	9	11	17
50-64	74	5.8	7	3	4	5	8	9	11	12
65 +	87	6.9	16	3	4	6	8	12	14	21
B. Operated										
0-19 YRS	4	4.3	8	1	2	4	6	8	8	8
20-34	6	6.5	7	4	5	6	8	11	11	11
35-49	6	6.3	10	3	4	6	7	12	12	12
50-64	5	13.0	13	10	11	12	14	19	19	19
65 +	4	10.0	30	4	6	9	14	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	967	5.9	18	2	3	4	8	13	15	20
20-34	459	8.0	44	3	4	6	10	14	17	25
35-49	516	7.1	27	3	4	6	9	13	16	25
50-64	1034	8.3	27	4	5	7	10	14	18	26
65 +	4054	9.9	40	4	6	8	12	17	22	34
B. Operated										
0-19 YRS	100	15.8	186	6	7	12	18	35	54	99 +
20-34	87	13.6	124	5	7	11	17	25	35	99 +
35-49	134	17.8	213	7	9	13	22	33	48	89
50-64	272	19.8	287	7	10	14	24	46	72	99 +
65 +	864	19.2	166	7	11	16	24	36	46	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	625	4.7	8	2	3	4	6	8	10	15
B. Operated	25	8.0	20	4	4	7	11	13	17	19
2. MULTIPLE DX										
A. Not Operated	7030	8.8	36	3	5	7	11	16	19	32
B. Operated	1457	18.6	194	7	10	15	23	36	50	99 +
1. SINGLE DX	650	4.9	9	2	3	4	6	8	11	16
2. MULTIPLE DX	8487	10.5	77	4	5	8	13	19	26	50
A. Not Operated	7655	8.4	35	3	5	7	11	15	19	31
B. Operated	1482	18.4	193	7	10	15	23	36	50	99 +
TOTAL										
0-19 YRS	1328	6.2	36	2	3	4	8	13	16	28
20-34	669	8.1	53	3	4	6	10	15	20	40
35-49	746	8.8	76	3	4	7	10	16	23	54
50-64	1385	10.4	99	4	5	8	12	19	26	72
65 +	5009	11.4	74	4	6	9	14	21	28	46
GRAND TOTAL	**9137**	**10.1**	**74**	**3**	**5**	**8**	**12**	**19**	**26**	**49**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3190	3.3	3	2	2	3	4	5	7	9
20-34	675	4.3	4	2	3	4	5	7	8	11
35-49	485	4.5	4	2	3	4	6	7	8	12
50-64	263	4.8	5	2	3	5	6	8	9	11
65 +	272	5.6	11	3	4	5	7	9	11	20
B. Operated										
0-19 YRS	13	4.4	9	1	2	3	6	10	10	10
20-34	16	9.4	35	3	5	8	11	19	22	23
35-49	13	8.0	25	3	4	8	11	14	19	20
50-64	19	7.5	10	3	5	8	10	12	12	12
65 +	9	12.9	75	6	7	9	16	28	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9330	4.0	8	2	2	3	5	7	9	14
20-34	1458	5.2	12	2	3	4	6	9	11	18
35-49	1961	5.8	11	3	4	5	7	10	12	16
50-64	3086	6.8	19	3	4	6	8	12	14	23
65 +	11484	8.2	26	4	5	7	10	14	17	26
B. Operated										
0-19 YRS	328	13.2	184	3	5	10	15	28	46	99 +
20-34	155	10.7	65	4	6	9	13	21	26	69
35-49	277	12.8	104	5	7	10	15	22	28	60
50-64	588	13.1	92	5	8	10	16	24	31	52
65 +	1607	15.1	97	6	9	13	19	27	34	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4885	3.7	4	2	2	3	5	6	8	11
B. Operated	70	8.1	31	2	4	7	10	13	20	29
2. MULTIPLE DX										
A. Not Operated	27319	6.3	20	2	3	5	8	12	15	22
B. Operated	2955	14.1	106	5	8	11	17	25	33	64
1. SINGLE DX	4955	3.8	5	2	2	3	5	7	8	11
2. MULTIPLE DX	30274	7.0	34	2	3	6	9	13	17	29
A. Not Operated	32204	5.9	19	2	3	5	7	11	14	22
B. Operated	3025	13.9	105	5	8	11	17	25	33	64
TOTAL										
0-19 YRS	12861	4.0	13	2	2	3	5	7	9	17
20-34	2304	5.3	16	2	3	4	6	9	11	22
35-49	2736	6.3	25	3	4	5	7	11	14	24
50-64	3956	7.6	34	3	4	6	9	13	18	30
65 +	13372	9.0	39	4	5	7	11	16	20	33
GRAND TOTAL	**35229**	**6.6**	**31**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	3.0	5	1	2	3	4	4	5	15
20-34	20	2.3	1	1	1	2	3	4	4	4
35-49	12	2.9	1	1	3	3	4	4	4	4
50-64	14	4.2	6	2	2	3	6	8	10	10
65 +	11	3.9	3	1	2	4	5	6	6	6
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	4.0	24	2	2	3	4	7	9	21
20-34	91	3.4	7	2	2	3	4	6	7	16
35-49	104	3.6	5	1	2	3	5	6	8	12
50-64	151	4.8	11	2	3	4	6	9	10	20
65 +	431	6.3	19	3	3	5	7	12	14	24
B. Operated										
0-19 YRS	12	11.8	56	3	6	11	18	22	24	24
20-34	4	7.3	87	1	1	3	13	21	21	21
35-49	6	9.2	73	2	3	5	18	22	22	22
50-64	12	6.7	26	2	4	5	8	14	19	20
65 +	27	11.3	56	4	7	9	12	20	31	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	3.1	4	1	2	3	4	5	6	12
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	1015	5.0	18	2	3	4	6	9	12	21
B. Operated	61	10.0	54	3	5	8	14	21	23	35
1. SINGLE DX	114	3.1	4	1	2	3	4	5	6	12
2. MULTIPLE DX	1076	5.3	21	2	3	4	6	10	14	22
A. Not Operated	1128	4.8	17	2	2	4	6	9	12	21
B. Operated	62	10.0	53	3	5	8	14	21	23	35
TOTAL										
0-19 YRS	307	4.2	24	1	2	3	4	8	12	22
20-34	115	3.3	9	1	2	3	4	5	7	18
35-49	122	3.8	9	1	2	3	6	7	9	19
50-64	177	4.9	12	2	3	4	6	9	10	20
65 +	469	6.5	23	3	4	5	8	12	14	27
GRAND TOTAL	**1190**	**5.1**	**20**	**2**	**3**	**4**	**6**	**10**	**13**	**22**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.2	1	1	1	2	3	4	4	7
20-34	9	3.1	3	1	2	3	4	6	7	7
35-49	17	3.4	4	1	2	3	4	5	8	9
50-64	45	4.2	3	2	3	4	5	7	8	9
65 +	46	4.6	7	2	3	4	5	8	11	13
B. Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	334	3.9	12	1	2	3	5	7	10	15
20-34	69	4.9	15	2	3	4	6	10	13	20
35-49	143	4.9	16	2	3	4	6	8	11	20
50-64	330	6.2	20	2	3	5	7	11	14	21
65 +	809	6.8	22	3	4	6	8	12	16	26
B. Operated										
0-19 YRS	11	6.1	37	1	2	4	10	16	20	20
20-34	12	8.3	37	1	4	6	13	17	18	18
35-49	24	12.9	313	3	5	6	10	36	53	80
50-64	60	11.2	121	3	5	7	13	24	31	57
65 +	118	11.8	109	3	6	9	13	23	37	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	3.3	4	1	2	3	4	6	7	11
B. Operated	8	2.9	3	< 1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	1685	5.9	20	2	3	5	7	11	14	24
B. Operated	225	11.3	126	3	5	8	13	23	34	55
1. SINGLE DX	214	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX	1910	6.5	35	2	3	5	8	12	16	33
A. Not Operated	1891	5.6	19	2	3	5	7	10	13	23
B. Operated	233	11.0	125	3	4	7	13	22	33	55
TOTAL										
0-19 YRS	436	3.6	11	1	2	3	4	6	10	15
20-34	91	5.2	18	2	3	4	6	11	15	20
35-49	184	5.8	59	2	3	4	6	9	14	40
50-64	437	6.6	35	2	3	5	8	12	16	33
65 +	976	7.3	34	3	4	6	9	13	17	32
GRAND TOTAL	**2124**	**6.2**	**33**	**2**	**3**	**5**	**7**	**11**	**15**	**30**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	2.8	3	1	1	3	4	5	5	5
50-64	27	4.7	8	1	3	4	7	8	10	13
65 +	34	6.2	15	3	4	5	7	11	14	21
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	6.0	7	3	4	7	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	40	5.9	17	2	3	4	8	13	14	14
50-64	273	7.6	45	3	4	6	9	13	16	34
65 +	652	7.5	26	3	4	6	9	13	16	26
B. Operated										
0-19 YRS	7	8.1	32	3	5	7	15	76	99 +	99 +
20-34	19	10.1	48	4	5	7	12	22	26	27
35-49	12	15.0	71	7	9	12	19	25	34	36
50-64	50	14.2	234	4	5	9	16	31	60	69
65 +	75	17.4	204	7	8	12	22	37	43	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	5.3	12	1	3	5	7	10	12	20
B. Operated	4	6.8	7	3	5	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	968	7.4	31	3	4	6	9	13	15	31
B. Operated	163	15.0	183	5	7	11	19	33	41	90
1. SINGLE DX	70	5.4	12	2	3	5	7	9	12	20
2. MULTIPLE DX	1131	8.5	60	3	4	7	10	15	21	42
A. Not Operated	1034	7.3	30	3	4	6	9	13	15	29
B. Operated	167	14.8	180	4	7	10	19	33	40	89
TOTAL										
0-19 YRS	8	7.5	31	3	4	7	12	68	99 +	99 +
20-34	22	9.7	43	4	5	8	12	20	25	27
35-49	60	7.4	40	2	3	5	10	14	19	34
50-64	350	8.3	75	3	4	6	10	14	18	60
65 +	761	8.4	52	3	5	7	10	14	21	38
GRAND TOTAL	**1201**	**8.3**	**58**	**3**	**4**	**6**	**10**	**15**	**20**	**41**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7073	2.5	3	1	2	2	3	4	5	7
20-34	911	3.1	3	1	2	3	4	5	6	9
35-49	828	3.8	4	2	2	3	5	7	8	11
50-64	471	4.3	6	2	3	4	5	8	9	12
65 +	279	4.7	6	2	3	4	6	8	9	12
B. Operated										
0-19 YRS	28	3.9	6	1	2	3	5	8	10	11
20-34	7	6.0	16	2	3	4	9	12	12	12
35-49	9	6.0	20	3	3	5	6	13	17	17
50-64	3	8.0	13	4	5	9	10	11	11	11
65 +	3	6.7	16	2	4	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9128	3.1	4	1	2	3	4	5	6	10
20-34	1389	4.1	8	2	2	4	5	7	9	14
35-49	1915	4.8	10	2	3	4	6	8	10	16
50-64	2250	5.8	14	2	3	5	7	10	12	20
65 +	2882	6.7	23	3	4	6	8	12	15	24
B. Operated										
0-19 YRS	152	9.9	107	2	4	7	12	20	27	63
20-34	58	9.1	53	3	5	6	11	16	21	42
35-49	134	9.8	57	4	5	8	12	18	22	48
50-64	182	10.0	65	4	5	8	12	18	24	50
65 +	188	13.0	101	5	7	10	15	26	35	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9562	2.8	4	1	2	2	3	5	6	9
B. Operated	50	5.0	12	2	3	4	7	10	11	17
2. MULTIPLE DX										
A. Not Operated	17564	4.3	12	2	2	3	5	8	10	16
B. Operated	714	10.7	82	3	5	8	13	20	27	50
1. SINGLE DX	9612	2.8	4	1	2	2	3	5	6	9
2. MULTIPLE DX	18278	4.5	16	2	2	4	5	8	11	19
A. Not Operated	27126	3.8	9	1	2	3	5	7	9	15
B. Operated	764	10.3	80	3	5	8	12	19	27	50
TOTAL										
0-19 YRS	16381	2.9	5	1	2	2	3	5	6	10
20-34	2365	3.8	8	1	2	3	5	7	8	14
35-49	2886	4.7	12	2	3	4	6	8	10	18
50-64	2906	5.8	17	2	3	5	7	10	13	22
65 +	3352	6.9	28	3	4	6	8	12	15	28
GRAND TOTAL	**27890**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.0	3	1	2	4	4	4	4	4
35-49	26	4.2	5	2	3	4	5	8	9	9
50-64	151	5.1	12	2	3	4	6	9	11	21
65 +	181	5.1	8	2	3	4	6	8	10	15
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	7.3	4	5	6	8	9	9	9	9
50-64	0									
65 +	6	4.2	6	< 1	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	14.2	517	3	4	6	14	34	77	91
20-34	25	7.2	17	3	4	7	10	14	15	17
35-49	206	5.8	32	2	3	5	7	10	12	31
50-64	1067	6.3	20	2	4	5	8	11	13	25
65 +	2586	7.2	27	3	4	6	9	13	16	27
B. Operated										
0-19 YRS	7	20.7	179	7	11	21	26	42	46	46
20-34	6	8.3	39	< 1	3	8	13	17	17	17
35-49	31	9.6	57	3	5	7	13	20	25	36
50-64	131	10.9	85	4	5	8	13	22	30	53
65 +	287	13.5	147	4	7	10	16	28	33	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	362	5.0	9	2	3	4	6	8	10	18
B. Operated	10	4.8	8	< 1	2	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	3899	6.9	27	3	4	6	9	12	15	26
B. Operated	462	12.5	125	4	6	10	15	25	33	70
1. SINGLE DX	372	5.0	9	2	3	4	6	8	10	17
2. MULTIPLE DX	4361	7.5	41	3	4	6	9	14	17	34
A. Not Operated	4261	6.7	26	3	4	5	8	12	15	26
B. Operated	472	12.4	124	4	6	9	15	25	33	69
TOTAL										
0-19 YRS	24	15.1	387	3	4	7	18	35	59	91
20-34	34	7.0	20	2	4	6	11	14	16	17
35-49	266	6.1	34	2	3	5	7	10	14	34
50-64	1349	6.6	28	2	4	5	8	11	14	30
65 +	3060	7.6	41	3	4	6	9	14	18	33
GRAND TOTAL	**4733**	**7.3**	**39**	**3**	**4**	**6**	**9**	**13**	**17**	**33**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.3	3	1	1	2	3	4	5	9
20-34	47	2.4	2	1	1	2	3	4	4	10
35-49	12	2.3	2	1	1	2	3	4	6	6
50-64	4	3.8	10	1	1	3	6	8	8	8
65 +	5	3.2	1	2	2	4	4	4	4	4
B. Operated										
0-19 YRS	95	5.4	14	2	3	4	7	10	12	19
20-34	277	4.7	8	2	3	4	6	8	10	15
35-49	99	5.9	26	2	3	4	6	12	14	29
50-64	25	5.5	11	3	3	5	7	10	13	16
65 +	18	4.9	8	2	3	4	6	8	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.9	15	1	2	3	3	12	13	13
20-34	19	5.1	31	1	2	3	5	13	19	23
35-49	15	4.3	9	1	2	3	7	8	10	11
50-64	13	8.8	56	2	4	5	15	22	22	22
65 +	54	6.7	36	2	3	5	8	13	18	36
B. Operated										
0-19 YRS	53	8.7	30	3	5	7	12	17	18	25
20-34	203	8.7	52	3	4	6	11	17	24	41
35-49	126	8.2	42	3	4	6	11	17	24	29
50-64	148	9.9	95	3	4	7	12	19	26	57
65 +	263	11.6	128	4	5	8	15	22	30	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.4	3	1	1	2	3	4	5	9
B. Operated	514	5.1	13	2	3	4	6	10	12	19
2. MULTIPLE DX										
A. Not Operated	113	6.1	32	2	2	4	7	13	18	28
B. Operated	793	9.8	84	3	4	7	12	19	26	46
1. SINGLE DX	615	4.7	12	2	3	4	6	9	12	18
2. MULTIPLE DX	906	9.3	79	3	4	7	12	18	25	45
A. Not Operated	214	4.3	22	1	2	3	5	10	14	23
B. Operated	1307	8.0	61	2	4	5	10	16	21	43
TOTAL										
0-19 YRS	193	5.7	21	2	3	4	8	12	16	21
20-34	546	6.0	29	2	3	4	7	12	15	27
35-49	252	6.8	34	2	3	5	9	14	19	29
50-64	190	9.1	82	2	4	7	11	18	23	53
65 +	340	10.3	111	3	4	7	12	21	29	60
GRAND TOTAL	**1521**	**7.4**	**57**	**2**	**3**	**5**	**9**	**15**	**20**	**38**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	3	< 1	1	2	4	5	5	5
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	4.4	12	< 1	1	4	6	10	10	10
65 +	12	14.0	88	3	6	14	20	26	31	32
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	180	7.1	55	1	3	5	10	15	17	36
20-34	91	6.8	47	2	3	5	8	14	26	34
35-49	219	8.0	48	2	4	6	10	15	19	39
50-64	959	8.9	40	3	5	7	11	16	21	34
65 +	2285	9.7	41	4	6	8	12	17	21	34
B. Operated										
0-19 YRS	64	19.3	308	4	8	18	34	99 +	99 +	99 +
20-34	23	16.9	167	6	9	12	25	35	73	99 +
35-49	55	21.4	343	5	9	16	32	66	93	99 +
50-64	305	20.1	320	6	9	15	25	47	69	99 +
65 +	644	21.8	283	7	10	17	29	50	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	8.7	71	1	2	5	14	21	26	32
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	3734	9.2	42	3	5	8	12	17	21	34
B. Operated	1091	21.0	296	6	10	16	28	51	75	99 +
1. SINGLE DX	27	8.5	69	1	2	5	14	21	25	32
2. MULTIPLE DX	4825	11.9	124	4	5	9	14	24	34	82
A. Not Operated	3760	9.2	42	3	5	8	12	17	21	34
B. Operated	1092	21.0	296	6	10	16	28	51	75	99 +
TOTAL										
0-19 YRS	250	10.1	147	1	3	7	13	30	60	99 +
20-34	116	8.9	85	2	3	6	10	25	29	74
35-49	275	10.7	135	2	4	7	13	24	38	95
50-64	1269	11.6	130	4	5	8	14	23	33	86
65 +	2942	12.3	119	4	6	9	15	23	34	75
GRAND TOTAL	**4852**	**11.8**	**124**	**3**	**5**	**9**	**14**	**24**	**34**	**82**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	359	2.3	4	1	1	2	3	4	5	7
20-34	58	2.8	7	1	1	2	3	5	6	15
35-49	51	2.9	5	1	1	2	4	5	7	13
50-64	34	2.9	4	1	1	3	4	5	8	8
65 +	43	7.1	104	2	3	4	7	13	18	67
B. Operated										
0-19 YRS	141	3.6	44	1	1	1	3	7	15	43
20-34	25	5.4	14	2	3	5	6	12	14	16
35-49	42	4.0	6	1	2	4	6	7	8	12
50-64	65	5.8	20	1	3	5	8	10	14	25
65 +	37	5.0	12	1	2	4	7	10	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1315	4.4	20	1	2	3	5	10	14	22
20-34	251	5.6	31	1	2	4	7	12	15	25
35-49	398	5.7	25	2	3	4	7	10	16	28
50-64	713	6.4	25	2	3	5	8	12	16	26
65 +	2456	8.4	42	3	4	7	11	16	21	34
B. Operated										
0-19 YRS	552	9.8	156	1	1	5	13	27	43	99 +
20-34	179	11.2	122	1	4	8	16	24	34	92
35-49	320	10.1	92	2	4	8	13	21	29	44
50-64	613	11.4	127	3	4	8	15	23	33	71
65 +	1194	13.7	120	4	6	11	18	26	35	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	545	2.8	13	1	1	2	3	5	6	14
B. Operated	310	4.4	28	1	1	3	6	9	12	29
2. MULTIPLE DX										
A. Not Operated	5133	6.8	35	2	3	5	9	14	18	29
B. Operated	2858	11.9	128	2	5	9	16	25	34	69
1. SINGLE DX	855	3.4	19	1	1	2	4	6	9	19
2. MULTIPLE DX	7991	8.6	74	2	3	6	11	19	24	46
A. Not Operated	5678	6.4	34	2	3	5	8	13	17	29
B. Operated	3168	11.2	123	1	4	8	15	24	33	66
TOTAL										
0-19 YRS	2367	5.3	57	1	2	3	6	13	20	46
20-34	513	7.3	68	1	2	4	9	17	23	52
35-49	811	7.2	56	2	3	5	9	16	21	34
50-64	1425	8.4	75	2	3	6	10	18	24	47
65 +	3730	10.1	74	3	5	8	13	20	26	45
GRAND TOTAL	**8846**	**8.1**	**71**	**1**	**3**	**6**	**10**	**18**	**23**	**45**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.7	1	1	2	3	4	4	4	4
20-34	13	3.2	3	1	2	3	4	6	7	7
35-49	6	2.8	4	2	2	2	2	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	346	2.1	1	1	1	2	3	3	4	7
20-34	477	1.9	1	1	1	2	2	3	4	5
35-49	254	2.0	1	1	1	2	2	3	4	5
50-64	55	1.7	1	1	1	1	2	3	4	5
65 +	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	3.1	6	1	1	2	4	6	9	12
20-34	40	3.8	24	1	2	3	4	7	19	99 +
35-49	31	3.9	13	1	2	3	4	9	12	17
50-64	19	4.6	10	1	2	4	7	9	11	12
65 +	22	3.6	4	1	2	4	5	6	8	9
B. Operated										
0-19 YRS	528	2.4	3	1	2	2	3	4	5	8
20-34	351	2.9	11	1	2	2	3	5	7	14
35-49	239	2.9	10	1	2	2	3	5	7	17
50-64	118	3.4	12	1	1	2	4	8	11	17
65 +	87	4.8	33	1	1	2	6	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.9	3	1	2	3	4	6	7	7
B. Operated	1138	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	168	3.7	12	1	2	3	4	8	9	29
B. Operated	1323	2.9	9	1	2	2	3	5	8	16
1. SINGLE DX	1166	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX	1491	3.0	10	1	2	2	3	5	8	17
A. Not Operated	196	3.5	11	1	2	3	4	7	9	25
B. Operated	2461	2.5	6	1	1	2	3	4	5	13
TOTAL										
0-19 YRS	937	2.4	3	1	1	2	3	4	5	9
20-34	881	2.4	6	1	1	2	3	4	5	10
35-49	530	2.5	6	1	1	2	3	4	5	11
50-64	194	3.1	9	1	1	2	4	8	9	15
65 +	115	4.4	27	1	1	2	5	12	16	26
GRAND TOTAL	**2657**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	3.3	3	2	2	3	4	6	7	10
20-34	19	2.7	1	1	2	3	3	4	5	5
35-49	7	3.1	2	1	2	3	4	6	6	6
50-64	9	2.7	2	1	2	2	3	5	5	5
65 +	4	5.3	28	1	2	3	8	13	13	13
B. Operated										
0-19 YRS	110	2.1	2	1	1	2	3	4	5	8
20-34	49	2.2	4	1	1	1	3	5	7	11
35-49	60	2.1	7	1	1	1	2	3	7	15
50-64	28	1.9	3	1	1	1	2	3	7	8
65 +	41	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	4.1	6	2	2	4	5	8	9	11
20-34	41	4.6	14	2	2	3	5	11	13	19
35-49	54	4.5	11	1	2	4	5	9	11	17
50-64	58	5.1	13	1	2	4	7	10	13	17
65 +	118	6.9	16	3	4	6	9	12	15	21
B. Operated										
0-19 YRS	143	2.7	5	1	2	2	3	5	8	12
20-34	78	4.0	10	1	2	3	5	9	12	15
35-49	80	3.8	24	1	1	2	4	8	14	29
50-64	98	3.8	25	1	1	2	3	9	16	28
65 +	104	4.8	46	1	1	2	5	12	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.2	3	1	2	3	4	5	7	11
B. Operated	288	2.0	3	1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	418	5.2	12	2	3	4	7	10	12	17
B. Operated	503	3.7	21	1	1	2	4	8	13	25
1. SINGLE DX	390	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX	921	4.4	18	1	2	3	5	9	12	21
A. Not Operated	520	4.8	11	2	2	4	6	9	11	17
B. Operated	791	3.1	16	1	1	2	3	7	10	21
TOTAL										
0-19 YRS	463	3.1	5	1	2	3	4	6	8	11
20-34	187	3.5	9	1	1	3	5	7	11	14
35-49	201	3.5	15	1	1	2	4	8	10	17
50-64	193	3.9	18	1	1	2	5	8	13	23
65 +	267	5.2	29	1	2	4	7	11	15	26
GRAND TOTAL	**1311**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	399	2.1	2	1	1	2	3	4	5	7
20-34	35	2.0	2	1	1	2	3	4	5	5
35-49	72	2.2	2	1	1	2	3	4	5	7
50-64	58	2.2	1	1	1	2	3	3	4	5
65 +	25	2.4	3	1	1	2	3	5	6	7
B. Operated										
0-19 YRS	157	3.7	9	1	1	3	5	7	9	14
20-34	18	5.6	4	3	5	5	7	8	9	10
35-49	32	4.6	4	2	3	5	6	7	9	9
50-64	24	5.1	26	2	2	4	6	7	18	26
65 +	35	5.3	19	2	3	4	6	10	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	885	3.4	7	1	2	3	4	6	9	15
20-34	254	3.4	8	1	2	3	4	6	9	17
35-49	578	3.4	7	1	2	3	4	6	7	14
50-64	669	3.7	11	1	2	3	4	6	8	17
65 +	1016	4.7	13	2	2	4	6	9	11	20
B. Operated										
0-19 YRS	623	9.8	97	1	4	7	13	22	33	67
20-34	129	7.1	74	2	3	6	8	13	18	49
35-49	323	6.2	50	2	3	5	7	10	16	42
50-64	459	6.5	46	2	3	5	7	12	19	39
65 +	910	7.6	50	2	4	6	9	14	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	589	2.2	2	1	1	2	3	4	5	7
B. Operated	266	4.3	11	1	2	4	6	7	10	19
2. MULTIPLE DX										
A. Not Operated	3402	3.9	10	1	2	3	5	7	9	16
B. Operated	2444	7.7	64	2	3	6	9	16	23	48
1. SINGLE DX	855	2.8	6	1	1	2	4	6	7	13
2. MULTIPLE DX	5846	5.5	36	1	2	4	6	11	16	34
A. Not Operated	3991	3.6	9	1	2	3	4	7	9	16
B. Operated	2710	7.4	60	2	3	5	8	15	22	47
TOTAL										
0-19 YRS	2064	5.1	43	1	2	3	6	11	17	37
20-34	436	4.5	30	1	2	3	6	8	12	23
35-49	1005	4.2	22	1	2	3	5	7	9	23
50-64	1210	4.7	26	1	2	3	5	8	12	28
65 +	1986	6.0	32	2	3	4	7	12	15	29
GRAND TOTAL	**6701**	**5.1**	**33**	**1**	**2**	**4**	**6**	**10**	**14**	**31**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.4	5	1	1	1	3	6	7	7
35-49	14	2.2	1	1	2	2	2	4	5	5
50-64	9	2.7	1	2	2	2	3	4	4	4
65 +	10	4.8	5	1	3	5	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	8	4.9	5	2	4	5	5	8	9	9
35-49	13	5.6	10	2	3	5	8	10	11	11
50-64	11	5.1	8	2	3	5	7	9	10	10
65 +	5	5.6	13	2	3	5	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.1	12	1	2	3	6	10	10	10
20-34	48	4.5	21	2	3	4	5	7	8	33
35-49	96	4.0	4	2	3	4	5	7	8	11
50-64	120	4.6	20	2	3	4	5	7	9	25
65 +	221	5.3	9	2	3	5	7	9	11	17
B. Operated										
0-19 YRS	4	4.3	8	< 1	1	4	6	7	7	7
20-34	46	6.0	20	2	3	5	7	12	14	24
35-49	104	6.6	24	2	4	6	8	11	17	29
50-64	171	6.6	28	2	3	6	8	12	16	29
65 +	253	7.9	40	3	4	6	10	14	18	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.0	4	1	2	2	4	6	7	7
B. Operated	37	5.3	8	2	3	5	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	493	4.8	12	2	3	4	6	8	10	16
B. Operated	578	7.1	32	3	4	6	8	13	17	32
1. SINGLE DX	78	4.1	7	1	2	4	5	8	10	11
2. MULTIPLE DX	1071	6.1	24	2	3	5	7	11	14	29
A. Not Operated	534	4.7	12	2	3	4	6	8	10	16
B. Operated	615	7.0	31	3	4	6	8	12	16	31
TOTAL										
0-19 YRS	13	4.0	9	1	2	3	6	9	10	10
20-34	109	5.1	19	2	3	4	6	9	12	28
35-49	227	5.2	16	2	3	4	7	9	11	24
50-64	311	5.7	25	2	3	4	7	10	13	28
65 +	489	6.7	27	3	4	5	8	11	15	30
GRAND TOTAL	**1149**	**5.9**	**23**	**2**	**3**	**5**	**7**	**11**	**13**	**27**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	11	2.5	1	1	2	2	3	4	5	5
35-49	19	3.3	3	1	2	3	4	6	6	6
50-64	23	3.7	8	1	2	3	4	8	11	12
65 +	20	4.2	7	2	2	3	4	9	10	10
B. Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	7	5.6	6	2	4	6	7	9	9	9
35-49	17	5.4	8	1	3	6	7	9	10	10
50-64	16	5.4	14	2	3	5	7	7	14	17
65 +	12	7.6	153	1	2	4	7	20	42	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.8	9	1	2	3	5	8	11	12
20-34	46	3.5	2	2	2	3	4	5	6	8
35-49	138	4.4	6	2	3	4	5	7	9	13
50-64	317	4.9	8	2	3	4	6	8	11	16
65 +	816	6.1	16	3	4	5	7	10	14	21
B. Operated										
0-19 YRS	13	11.6	249	2	3	6	12	31	53	58
20-34	48	7.1	21	2	4	6	10	14	15	20
35-49	174	7.8	51	3	4	6	9	15	20	46
50-64	351	8.6	79	3	4	6	10	17	23	60
65 +	1090	9.8	75	3	5	7	12	19	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.6	5	2	2	3	4	6	10	12
B. Operated	55	5.7	39	1	3	5	7	9	10	45
2. MULTIPLE DX										
A. Not Operated	1330	5.5	13	2	3	5	7	10	12	19
B. Operated	1676	9.3	73	3	4	7	11	18	25	48
1. SINGLE DX	131	4.5	21	2	2	3	6	8	10	22
2. MULTIPLE DX	3006	7.6	50	3	4	6	9	15	20	40
A. Not Operated	1406	5.4	13	2	3	4	6	9	12	19
B. Operated	1731	9.2	73	3	4	7	11	18	24	47
TOTAL										
0-19 YRS	32	6.8	117	1	2	4	6	15	24	58
20-34	112	5.1	14	2	3	4	6	10	13	19
35-49	348	6.1	31	2	3	4	7	11	15	31
50-64	707	6.7	47	2	3	5	8	12	17	34
65 +	1938	8.2	53	3	4	6	9	16	21	41
GRAND TOTAL	**3137**	**7.5**	**49**	**3**	**4**	**5**	**9**	**14**	**19**	**39**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	2	< 1	1	2	3	4	5	5
20-34	58	2.6	2	1	2	2	3	5	5	8
35-49	61	3.0	4	1	2	2	4	6	8	9
50-64	35	3.0	2	2	2	3	4	4	6	6
65 +	14	3.7	3	2	2	3	5	6	7	7
B. Operated										
0-19 YRS	0									
20-34	6	7.0	10	4	4	6	10	11	11	11
35-49	13	5.7	9	2	3	5	7	11	11	11
50-64	6	5.0	5	2	4	5	7	8	8	8
65 +	6	3.0	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.7	5	1	2	3	5	6	7	11
20-34	134	3.8	5	2	2	3	5	6	8	12
35-49	250	3.5	4	2	2	3	4	6	7	11
50-64	204	4.0	6	2	3	3	5	7	8	14
65 +	328	5.7	14	2	3	5	7	11	13	18
B. Operated										
0-19 YRS	6	3.3	3	1	2	3	5	5	5	5
20-34	29	6.8	27	2	4	6	9	11	18	26
35-49	67	7.3	23	3	4	7	8	14	19	24
50-64	88	7.1	28	2	4	6	8	14	18	27
65 +	116	8.5	98	3	4	6	9	14	19	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	2.9	3	1	2	2	4	5	6	9
B. Operated	31	5.3	9	2	3	5	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	956	4.4	9	2	3	4	5	8	10	15
B. Operated	306	7.6	53	3	4	6	9	14	18	32
1. SINGLE DX	209	3.2	4	1	2	3	4	6	8	11
2. MULTIPLE DX	1262	5.2	22	2	3	4	6	9	12	21
A. Not Operated	1134	4.2	8	2	2	3	5	7	10	15
B. Operated	337	7.4	50	2	4	6	8	13	18	29
TOTAL										
0-19 YRS	56	3.4	4	1	2	3	5	6	7	11
20-34	227	3.9	9	1	2	3	5	8	9	17
35-49	391	4.1	10	2	2	3	5	8	9	18
50-64	333	4.7	13	2	3	4	6	8	11	23
65 +	464	6.3	36	2	3	5	8	11	14	26
GRAND TOTAL	**1471**	**4.9**	**20**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.8	2	1	2	3	3	5	5	5
20-34	26	3.6	6	1	2	3	4	7	9	12
35-49	44	4.0	4	2	2	4	5	7	8	12
50-64	37	3.0	2	1	2	3	4	5	6	8
65 +	21	5.3	10	1	3	5	7	10	11	12
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	5.6	5	3	4	6	7	8	9	10
35-49	27	6.4	6	3	5	6	8	10	10	11
50-64	31	6.0	7	3	4	6	8	10	11	13
65 +	15	6.1	10	3	4	6	7	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.7	3	2	3	4	4	5	7	9
20-34	106	3.8	4	2	3	3	5	6	7	10
35-49	231	4.6	20	2	3	4	5	7	9	13
50-64	319	4.6	14	2	3	4	5	7	9	12
65 +	867	6.1	16	3	4	5	7	11	13	20
B. Operated										
0-19 YRS	7	8.4	69	3	3	5	10	23	26	26
20-34	68	9.4	91	3	5	7	10	13	23	60
35-49	177	8.8	113	3	4	6	9	14	26	70
50-64	285	9.2	70	3	4	7	10	17	25	46
65 +	769	11.9	125	4	5	9	14	24	31	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	3.8	5	1	2	3	5	7	8	12
B. Operated	97	6.0	7	3	4	6	8	10	11	13
2. MULTIPLE DX										
A. Not Operated	1543	5.4	16	2	3	4	6	9	11	18
B. Operated	1306	10.7	111	3	5	8	12	21	30	61
1. SINGLE DX	231	4.7	7	2	3	4	6	8	10	12
2. MULTIPLE DX	2849	7.8	66	3	4	5	9	14	21	44
A. Not Operated	1677	5.2	15	2	3	4	6	9	11	18
B. Operated	1403	10.4	105	3	5	7	12	20	29	59
TOTAL										
0-19 YRS	35	4.4	18	2	3	3	5	8	10	26
20-34	222	5.7	37	2	3	4	7	10	14	32
35-49	479	6.2	56	2	3	5	7	10	12	42
50-64	672	6.5	42	2	3	5	7	11	16	36
65 +	1672	8.7	74	3	4	6	10	16	24	45
GRAND TOTAL	**3080**	**7.6**	**63**	**3**	**4**	**5**	**9**	**14**	**20**	**43**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	4.5	8	1	2	4	6	8	8	8
50-64	4	6.5	27	3	3	5	10	14	14	14
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	18.0		18	18	18	18	18	18	18
35-49	10	8.8	10	5	6	8	12	13	14	14
50-64	7	7.9	37	2	4	6	11	18	19	19
65 +	3	15.7	160	6	7	11	25	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	7	5.7	14	2	3	4	8	11	12	12
35-49	14	6.4	32	2	3	5	8	12	21	23
50-64	30	5.4	4	3	4	5	7	8	9	10
65 +	49	7.1	32	3	4	5	8	12	16	33
B. Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	5	14.4	70	8	9	9	21	27	27	27
35-49	59	16.7	113	7	9	13	22	32	38	50
50-64	62	14.0	133	4	6	10	19	30	38	56
65 +	107	15.3	134	5	8	12	19	31	37	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.2	15	2	3	4	6	12	14	14
B. Operated	21	9.9	42	4	6	7	13	18	24	30
2. MULTIPLE DX										
A. Not Operated	102	6.4	22	2	4	5	8	10	13	29
B. Operated	235	15.2	126	5	8	12	20	31	37	57
1. SINGLE DX	30	8.5	38	3	5	7	12	16	19	30
2. MULTIPLE DX	337	12.5	111	3	5	9	15	27	36	51
A. Not Operated	111	6.3	22	2	4	5	8	10	14	29
B. Operated	256	14.8	121	5	7	11	19	30	37	57
TOTAL										
0-19 YRS	4	6.0	7	2	4	7	8	8	8	8
20-34	14	9.5	54	2	4	8	12	20	25	27
35-49	87	13.6	104	4	7	10	17	29	35	48
50-64	103	10.8	100	3	5	7	13	24	33	51
65 +	159	12.8	116	4	5	10	16	27	36	57
GRAND TOTAL	**367**	**12.2**	**106**	**3**	**5**	**9**	**15**	**27**	**35**	**50**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	1.7	1	1	1	2	2	3	4	6
20-34	165	2.5	3	1	1	2	3	5	6	8
35-49	138	2.6	3	1	1	2	3	4	5	12
50-64	52	2.8	4	1	1	2	4	5	6	10
65 +	31	2.5	1	1	2	2	3	4	5	5
B. Operated										
0-19 YRS	11	2.5	2	< 1	1	2	4	5	5	5
20-34	16	3.4	2	2	2	3	4	6	7	7
35-49	17	3.5	10	1	1	2	5	7	11	13
50-64	9	4.3	3	2	3	5	5	7	7	7
65 +	4	4.0	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	404	2.4	2	1	1	2	3	4	5	9
20-34	627	3.3	4	1	2	3	4	6	7	11
35-49	847	3.8	8	2	2	3	5	7	8	14
50-64	821	4.0	8	1	2	3	5	7	9	16
65 +	1363	4.9	14	2	3	4	6	8	11	19
B. Operated										
0-19 YRS	49	5.0	16	2	3	5	6	8	10	28
20-34	144	6.2	75	2	3	4	6	10	17	56
35-49	260	5.8	16	2	3	5	7	11	13	22
50-64	327	6.8	37	2	4	5	8	13	17	29
65 +	547	8.4	49	3	4	6	10	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	486	2.4	3	1	1	2	3	4	5	8
B. Operated	57	3.5	5	1	2	3	5	6	7	13
2. MULTIPLE DX										
A. Not Operated	4062	4.0	9	1	2	3	5	7	9	15
B. Operated	1327	7.1	43	2	4	5	8	14	19	31
1. SINGLE DX	543	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX	5389	4.7	19	2	2	4	6	9	12	22
A. Not Operated	4548	3.8	9	1	2	3	5	7	9	14
B. Operated	1384	7.0	42	2	3	5	8	13	19	31
TOTAL										
0-19 YRS	564	2.5	4	1	1	2	3	4	6	9
20-34	952	3.6	16	1	2	3	4	6	8	12
35-49	1262	4.1	10	1	2	3	5	7	10	16
50-64	1209	4.7	17	2	2	4	6	8	11	20
65 +	1945	5.8	26	2	3	4	7	11	15	24
GRAND TOTAL	**5932**	**4.5**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.1	27	1	1	2	3	4	5	31
20-34	8	1.4		< 1	1	1	2	2	2	2
35-49	23	2.7	3	1	1	2	4	5	6	6
50-64	13	2.2	1	< 1	1	2	3	4	4	4
65 +	10	3.4	5	< 1	2	3	6	7	7	7
B. Operated										
0-19 YRS	39	3.4	7	1	2	3	4	5	7	17
20-34	4	5.3	1	4	4	5	6	6	6	6
35-49	11	8.3	16	4	5	8	9	15	17	17
50-64	7	6.7	3	5	5	7	7	9	10	10
65 +	3	7.0	28	1	3	9	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	201	4.6	42	1	2	3	5	8	15	38
20-34	101	5.5	61	1	2	3	6	11	20	47
35-49	184	4.7	19	1	2	4	5	9	12	23
50-64	141	4.5	15	1	2	3	6	9	11	24
65 +	272	5.3	16	2	3	4	7	10	13	18
B. Operated										
0-19 YRS	67	7.0	62	1	3	4	9	14	16	51
20-34	36	9.6	52	2	4	7	15	20	23	30
35-49	92	11.2	133	4	5	8	13	18	33	70
50-64	124	12.3	123	3	6	9	15	26	41	79
65 +	262	13.3	126	4	6	9	18	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.7	12	1	1	2	3	5	6	22
B. Operated	64	4.9	12	2	3	4	6	9	12	17
2. MULTIPLE DX										
A. Not Operated	899	4.9	27	1	2	4	6	9	13	29
B. Operated	581	11.8	118	3	5	8	15	25	34	59
1. SINGLE DX	150	3.6	13	1	2	3	5	7	9	17
2. MULTIPLE DX	1480	7.6	74	2	3	5	9	16	24	47
A. Not Operated	985	4.7	26	1	2	3	6	9	13	29
B. Operated	645	11.1	112	3	5	8	14	23	34	58
TOTAL										
0-19 YRS	339	4.8	42	1	2	3	5	9	15	34
20-34	149	6.3	58	1	2	4	7	15	21	36
35-49	310	6.6	61	1	3	5	8	13	18	44
50-64	285	7.8	77	1	3	5	10	16	24	49
65 +	547	9.1	85	2	3	6	11	20	28	55
GRAND TOTAL	**1630**	**7.2**	**70**	**1**	**3**	**5**	**8**	**16**	**24**	**46**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.0	2	<1	1	1	3	4	5	5
20-34	8	1.9		1	1	2	2	3	3	3
35-49	4	4.3	4	2	3	4	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	2381	2.8	1	2	2	3	3	4	5	7
20-34	1676	2.8	1	2	2	3	3	4	5	6
35-49	601	3.2	2	2	2	3	4	5	6	8
50-64	145	3.6	2	2	3	3	4	5	6	8
65+	37	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.0	10	1	1	2	4	8	10	10
20-34	4	1.5		1	1	1	2	2	2	2
35-49	0									
50-64	4	5.5	14	3	3	4	8	11	11	11
65+	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	604	3.8	8	2	2	3	4	6	8	14
20-34	542	3.8	5	2	3	3	4	6	8	12
35-49	299	4.6	8	2	3	4	5	8	11	16
50-64	171	5.1	9	3	3	4	6	8	10	17
65+	98	6.0	11	3	4	5	7	11	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.5	3	1	1	2	3	5	6	7
B. Operated	4840	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	18	3.3	8	1	1	2	4	8	11	11
B. Operated	1714	4.2	8	2	3	3	5	7	9	15
1. SINGLE DX	4865	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	1732	4.2	8	2	3	3	5	7	9	15
A. Not Operated	43	2.8	5	1	1	2	4	5	8	11
B. Operated	6554	3.2	3	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	3004	3.0	3	2	2	3	3	5	6	9
20-34	2230	3.1	2	2	2	3	4	5	6	9
35-49	904	3.7	4	2	2	3	4	6	7	12
50-64	321	4.4	7	2	3	4	5	7	9	15
65+	138	5.5	9	3	4	5	7	10	11	18
GRAND TOTAL	**6597**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	6.6	9	2	4	6	9	10	10	10
20-34	5	5.6	5	2	4	7	7	7	7	7
35-49	3	7.3	5	6	6	6	9	10	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	7.5	85	1	1	7	14	14	14	14
B. Operated										
0-19 YRS	569	5.9	6	3	4	6	7	9	10	12
20-34	263	5.4	6	3	4	5	7	9	10	13
35-49	170	5.7	5	3	4	6	7	8	10	13
50-64	80	6.2	8	3	4	6	7	9	12	19
65+	35	6.7	9	3	5	7	7	10	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	8.0	15	2	5	8	11	13	13	13
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	8	8.0	17	3	6	7	9	14	16	16
65+	6	7.8	21	2	3	9	11	13	13	13
B. Operated										
0-19 YRS	557	8.5	22	4	6	7	10	14	17	27
20-34	283	7.4	13	4	5	7	9	12	14	21
35-49	302	8.4	19	4	6	7	10	14	17	23
50-64	272	9.9	55	5	6	8	11	16	23	46
65+	309	11.6	58	5	7	9	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	6.5	10	2	5	6	8	10	12	14
B. Operated	1117	5.8	6	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	28	7.6	16	2	4	7	11	13	14	16
B. Operated	1723	9.1	33	4	6	8	10	15	19	31
1. SINGLE DX	1137	5.8	6	3	4	6	7	9	10	13
2. MULTIPLE DX	1751	9.0	33	4	6	8	10	15	19	31
A. Not Operated	48	7.2	13	2	5	7	10	12	13	16
B. Operated	2840	7.8	25	4	5	7	9	13	16	26
TOTAL										
0-19 YRS	1144	7.2	16	3	5	7	8	11	14	23
20-34	553	6.4	10	3	4	6	8	10	12	19
35-49	478	7.4	15	4	5	7	9	12	15	22
50-64	361	9.0	46	4	6	7	10	15	21	38
65+	352	11.0	55	5	7	9	13	19	25	43
GRAND TOTAL	**2888**	**7.8**	**25**	**3**	**5**	**7**	**9**	**13**	**16**	**26**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	1.6	1	1	1	1	2	3	4	6
20-34	17	1.9	2	1	1	2	2	3	6	7
35-49	6	3.7	4	1	2	3	6	6	6	6
50-64	4	3.0	1	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	172	2.9	2	2	2	3	3	4	5	9
20-34	129	2.9	2	2	2	3	3	4	6	10
35-49	35	3.1	3	1	2	3	4	6	7	8
50-64	13	4.5	7	2	3	3	6	9	11	11
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.1	3	1	1	1	2	6	6	6
20-34	14	1.6	1	1	1	2	2	3	4	4
35-49	6	3.7	7	< 1	1	3	5	8	8	8
50-64	4	3.3	4	2	2	3	4	6	6	6
65 +	0									
B. Operated										
0-19 YRS	100	4.7	49	2	2	3	5	7	9	48
20-34	110	4.4	5	2	3	4	6	8	9	11
35-49	44	5.0	7	3	3	4	6	9	10	13
50-64	20	7.3	48	2	4	5	7	18	25	28
65 +	13	7.2	15	3	4	6	9	12	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.0	2	1	1	2	2	4	6	7
B. Operated	350	3.0	2	2	2	3	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	49	2.3	3	1	1	2	3	5	6	8
B. Operated	287	4.9	25	2	3	4	6	8	10	26
1. SINGLE DX	412	2.8	2	1	2	3	3	5	6	9
2. MULTIPLE DX	336	4.5	22	2	2	4	5	8	10	24
A. Not Operated	111	2.1	2	1	1	2	2	5	6	7
B. Operated	637	3.9	13	2	2	3	4	6	9	15
TOTAL										
0-19 YRS	332	3.2	17	1	2	3	4	5	6	15
20-34	270	3.4	4	1	2	3	4	6	8	10
35-49	91	4.1	6	2	3	3	5	7	9	12
50-64	41	5.6	28	2	3	4	6	10	18	28
65 +	14	6.9	15	3	4	6	9	11	16	17
GRAND TOTAL	**748**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.0		< 1	< 1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	4.3	28	< 1	< 1	2	7	12	12	12
65 +	0									
B. Operated										
0-19 YRS	364	1.2		1	1	1	1	2	2	3
20-34	160	1.4	1	1	1	1	2	3	3	4
35-49	279	1.4	1	1	1	1	2	2	3	4
50-64	334	1.6	1	1	1	1	2	3	4	6
65 +	282	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.0	9	< 1	< 1	1	2	4	9	14
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	4	4.0	5	2	2	3	5	7	7	7
65 +	19	3.2	16	1	1	2	3	9	14	16
B. Operated										
0-19 YRS	615	1.5	3	1	1	1	1	3	4	11
20-34	120	1.8	2	1	1	1	2	3	4	7
35-49	294	2.0	3	1	1	1	2	3	5	11
50-64	579	2.3	4	1	1	2	3	4	6	10
65 +	1043	2.8	8	1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.0	9	< 1	< 1	1	1	5	11	12
B. Operated	1419	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	47	2.7	11	< 1	1	1	3	7	11	16
B. Operated	2651	2.2	5	1	1	1	3	4	6	12
1. SINGLE DX	1432	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX	2698	2.3	5	1	1	1	3	4	7	13
A. Not Operated	60	2.6	11	< 1	1	1	3	6	11	16
B. Operated	4070	2.0	4	1	1	1	2	4	5	11
TOTAL										
0-19 YRS	1005	1.4	2	1	1	1	1	2	3	10
20-34	283	1.6	1	1	1	1	2	3	4	6
35-49	577	1.7	2	1	1	1	2	3	4	8
50-64	921	2.0	3	1	1	1	2	4	5	9
65 +	1344	2.6	7	1	1	2	3	5	7	15
GRAND TOTAL	**4130**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**	**11**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	139	1.4	1	< 1	1	1	2	2	3	4
20-34	30	1.6		1	1	2	2	2	2	3
35-49	32	2.0	1	1	1	2	3	3	3	5
50-64	41	2.9	6	1	1	2	3	6	8	12
65 +	93	2.8	6	1	1	2	3	5	6	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.7	1	< 1	< 1	1	2	4	4	4
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	26	4.0	11	1	1	4	6	6	10	16
B. Operated										
0-19 YRS	208	2.3	5	1	1	2	3	5	6	12
20-34	30	3.1	8	1	1	2	4	7	11	12
35-49	42	3.3	13	1	1	2	3	7	11	19
50-64	110	4.3	14	1	2	3	5	7	13	21
65 +	403	7.0	60	1	3	5	8	13	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.4	1	< 1	1	1	2	3	3	3
B. Operated	335	2.1	3	1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	38	3.3	9	< 1	1	2	5	6	7	16
B. Operated	793	5.0	39	1	2	3	6	11	15	37
1. SINGLE DX	344	2.0	3	1	1	2	2	4	5	9
2. MULTIPLE DX	831	5.0	38	1	2	3	6	10	15	37
A. Not Operated	47	2.9	8	< 1	1	2	5	6	7	16
B. Operated	1128	4.2	30	1	1	2	5	9	12	28
TOTAL										
0-19 YRS	360	2.0	3	1	1	1	2	4	5	11
20-34	63	2.3	4	1	1	2	2	4	7	12
35-49	74	2.7	8	1	1	2	3	4	7	18
50-64	153	3.9	12	1	2	3	5	7	11	19
65 +	525	6.1	51	1	2	4	7	12	19	43
GRAND TOTAL	**1175**	**4.1**	**29**	**1**	**1**	**2**	**5**	**9**	**12**	**27**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	2.3	3	< 1	1	2	3	5	6	6
20-34	14	1.9	1	< 1	1	2	2	4	5	5
35-49	13	1.8	1	1	1	1	2	4	4	4
50-64	22	1.4		< 1	1	1	2	3	3	3
65 +	7	1.9	3	1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.0	3	< 1	< 1	1	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	3.0	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	28	2.6	6	1	1	1	3	7	8	9
20-34	9	2.3	2	1	1	2	3	4	5	5
35-49	50	2.6	2	1	1	2	4	5	5	6
50-64	58	3.5	9	1	1	2	4	9	11	12
65 +	63	3.4	5	1	2	3	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	69	1.8	2	< 1	1	1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	11	2.2	2	< 1	1	2	3	4	5	5
B. Operated	208	3.1	6	1	1	2	4	6	8	12
1. SINGLE DX	73	1.8	1	< 1	1	1	2	4	4	6
2. MULTIPLE DX	219	3.0	5	1	1	2	4	6	8	12
A. Not Operated	15	2.0	2	< 1	1	1	3	4	5	5
B. Operated	277	2.8	5	1	1	2	4	6	7	11
TOTAL										
0-19 YRS	43	2.4	5	< 1	1	1	3	5	8	9
20-34	27	2.0	1	1	1	2	3	4	5	5
35-49	68	2.4	2	1	1	2	4	5	5	6
50-64	81	2.9	8	1	1	2	3	7	10	12
65 +	73	3.2	5	1	1	2	5	6	7	9
GRAND TOTAL	**292**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**11**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	27	2.7	5	1	1	2	4	7	8	8
20-34	77	2.5	2	1	1	2	3	5	6	8
35-49	200	2.8	3	1	2	2	4	5	6	8
50-64	185	2.6	3	1	1	2	3	5	6	9
65 +	146	3.0	5	1	2	3	3	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	15	3.8	13	< 1	1	3	4	10	12	13
50-64	15	2.9	3	< 1	1	3	4	6	6	6
65 +	26	2.8	5	< 1	1	2	4	6	7	9
B. Operated										
0-19 YRS	33	3.5	6	1	1	3	5	6	9	10
20-34	99	3.6	8	1	2	3	4	6	8	18
35-49	337	3.9	9	1	2	3	5	6	9	16
50-64	507	4.3	19	1	2	3	5	8	11	16
65 +	591	5.0	16	1	3	4	6	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	1	< 1	1	1	3	3	3	3
B. Operated	635	2.8	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	60	3.0	6	< 1	1	2	4	6	8	13
B. Operated	1567	4.4	15	1	2	4	5	8	10	18
1. SINGLE DX	640	2.8	3	1	1	2	3	5	6	8
2. MULTIPLE DX	1627	4.4	15	1	2	4	5	8	10	17
A. Not Operated	65	2.9	6	< 1	1	2	4	6	7	13
B. Operated	2202	4.0	12	1	2	3	5	7	9	16
TOTAL										
0-19 YRS	62	3.1	5	1	1	3	4	6	8	10
20-34	179	3.1	6	1	2	3	4	5	7	13
35-49	553	3.5	7	1	2	3	4	6	7	15
50-64	709	3.9	15	1	2	3	5	7	9	15
65 +	764	4.5	14	1	2	4	6	8	11	20
GRAND TOTAL	**2267**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	9	3.2	6	< 1	1	3	5	7	8	8
50-64	8	2.6	2	1	2	3	3	5	5	5
65 +	7	4.0	20	1	2	3	3	12	14	14
B. Operated										
0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	10	7.1	7	5	5	6	8	11	13	13
50-64	7	4.3	5	1	3	4	6	7	7	7
65 +	6	6.8	6	3	6	7	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	12	1	1	2	4	9	10	10
20-34	18	2.7	3	1	2	2	4	5	6	6
35-49	69	3.0	2	1	2	3	4	5	6	8
50-64	136	2.9	2	1	2	3	4	5	6	8
65 +	266	4.3	10	2	2	3	5	8	9	18
B. Operated										
0-19 YRS	25	11.0	69	4	5	8	18	28	46	99 +
20-34	14	8.4	148	2	4	6	7	13	42	50
35-49	66	6.2	7	3	4	6	7	10	12	13
50-64	75	6.9	29	2	3	6	8	12	15	33
65 +	121	9.1	38	3	5	7	11	18	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.1	7	1	1	3	3	5	9	14
B. Operated	29	5.9	7	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	495	3.7	7	1	2	3	5	6	8	13
B. Operated	301	8.0	38	3	4	6	9	16	20	36
1. SINGLE DX	57	4.5	9	1	3	4	6	8	10	14
2. MULTIPLE DX	796	5.3	23	2	2	4	6	10	14	29
A. Not Operated	523	3.6	7	1	2	3	5	6	8	14
B. Operated	330	7.8	36	3	4	6	9	15	19	36
TOTAL										
0-19 YRS	36	8.8	61	2	4	6	12	23	31	99 +
20-34	37	5.0	62	1	2	4	5	7	8	50
35-49	154	4.6	8	2	3	4	6	8	10	13
50-64	226	4.2	15	1	2	3	5	8	10	20
65 +	400	5.8	23	2	3	4	7	11	16	26
GRAND TOTAL	**853**	**5.3**	**22**	**2**	**3**	**4**	**6**	**10**	**13**	**28**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	7	1.6	1	< 1	< 1	1	2	3	3	3
35-49	12	2.2	2	1	1	2	3	4	5	5
50-64	7	1.6		1	1	2	2	2	2	2
65 +	6	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	5	3.4	5	1	2	3	5	7	7	7
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	8	5.4	7	2	3	5	7	9	9	9
35-49	13	6.5	22	2	3	5	9	14	16	16
50-64	14	5.3	21	1	2	3	8	12	15	16
65 +	49	5.9	39	1	2	4	7	16	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	32	1.9	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	8	4.4	7	1	2	4	6	8	9	9
B. Operated	86	5.9	30	1	2	4	8	15	16	27
1. SINGLE DX	33	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	94	5.8	28	1	2	4	8	13	16	26
A. Not Operated	9	4.2	6	1	3	4	5	8	9	9
B. Operated	118	4.8	25	1	1	3	6	13	16	25
TOTAL										
0-19 YRS	4	6.5	33	3	3	4	10	15	15	15
20-34	15	3.6	8	< 1	1	3	6	8	9	9
35-49	30	4.2	15	1	2	3	5	10	13	16
50-64	22	4.3	17	1	2	2	6	10	14	16
65 +	56	5.5	35	1	2	3	6	15	18	28
GRAND TOTAL	**127**	**4.8**	**24**	**1**	**2**	**3**	**6**	**12**	**16**	**25**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	17	2.6	8	1	1	2	2	8	9	9
20-34	39	2.1	4	1	1	1	2	4	8	9
35-49	80	2.7	3	1	1	2	4	5	6	8
50-64	93	3.2	7	1	1	3	4	7	9	11
65 +	64	3.6	6	1	2	3	5	6	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	15	4.1	5	2	3	4	5	7	9	10
65 +	52	5.5	14	2	3	5	7	11	12	21
B. Operated										
0-19 YRS	21	5.7	51	1	2	4	7	9	21	34
20-34	30	6.3	32	2	3	5	7	10	20	29
35-49	186	5.0	15	1	2	4	7	9	13	21
50-64	283	7.3	56	2	3	6	9	13	18	45
65 +	670	9.4	89	2	4	7	12	17	25	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	1	< 1	1	1	2	3	3	3
B. Operated	293	3.0	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. Not Operated	73	5.0	12	1	3	4	6	10	12	19
B. Operated	1190	8.1	70	2	3	6	10	15	21	52
1. SINGLE DX	298	3.0	5	1	1	2	4	6	8	10
2. MULTIPLE DX	1263	7.9	68	2	3	6	10	15	20	51
A. Not Operated	78	4.7	12	1	2	4	6	10	12	19
B. Operated	1483	7.1	62	1	3	5	9	14	19	42
TOTAL										
0-19 YRS	39	4.2	33	1	1	2	6	9	10	34
20-34	71	3.9	20	1	1	2	6	8	9	27
35-49	271	4.3	12	1	2	4	6	8	12	18
50-64	393	6.2	45	1	3	5	8	12	16	40
65 +	787	8.7	81	2	3	6	11	16	22	53
GRAND TOTAL	**1561**	**7.0**	**59**	**1**	**3**	**5**	**9**	**14**	**18**	**41**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	179	2.0	2	1	1	1	2	4	5	8
20-34	106	3.0	4	1	2	3	4	5	6	11
35-49	167	3.4	4	1	2	3	4	6	6	10
50-64	189	3.9	5	2	3	4	5	6	8	14
65 +	159	4.2	14	2	2	3	5	7	9	26
B. Operated										
0-19 YRS	148	5.0	7	2	3	5	6	8	9	18
20-34	44	7.1	9	4	5	7	9	11	12	17
35-49	82	7.7	15	4	5	7	9	12	13	25
50-64	65	8.8	11	5	6	8	10	14	15	19
65 +	60	9.0	11	6	7	9	11	13	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	221	3.3	7	1	1	2	4	7	8	13
20-34	225	4.1	7	1	2	4	6	8	9	13
35-49	527	4.8	12	2	3	4	6	8	11	19
50-64	813	5.2	14	2	3	4	7	9	11	21
65 +	2406	6.4	20	2	4	5	8	12	15	23
B. Operated										
0-19 YRS	278	9.6	66	3	5	7	12	19	23	62
20-34	193	10.6	41	4	6	9	13	18	22	33
35-49	434	12.6	97	5	7	9	14	24	32	51
50-64	577	13.4	74	6	8	11	17	23	30	57
65 +	1469	15.5	101	7	9	13	19	27	34	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	800	3.3	6	1	2	3	4	6	7	13
B. Operated	399	7.0	13	3	5	6	9	12	13	18
2. MULTIPLE DX										
A. Not Operated	4192	5.7	17	2	3	5	7	10	13	21
B. Operated	2951	13.8	92	6	8	11	17	25	31	56
1. SINGLE DX	1199	4.5	12	1	2	4	6	9	11	15
2. MULTIPLE DX	7143	9.0	64	2	4	7	11	18	24	41
A. Not Operated	4992	5.3	16	2	3	4	7	10	13	21
B. Operated	3350	13.0	87	5	7	11	16	24	30	55
TOTAL										
0-19 YRS	826	5.4	35	1	2	4	7	11	16	27
20-34	568	6.4	28	2	3	5	8	13	17	29
35-49	1210	7.6	56	2	3	6	9	14	22	39
50-64	1644	8.1	50	2	4	6	10	17	22	37
65 +	4094	9.6	68	3	4	7	12	19	25	42
GRAND TOTAL	**8342**	**8.4**	**59**	**2**	**4**	**6**	**11**	**17**	**23**	**40**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	896	2.0	1	1	1	2	2	3	4	6
20-34	464	2.0	2	1	1	2	2	3	4	7
35-49	238	2.3	2	1	1	2	3	4	5	7
50-64	71	2.5	2	1	1	2	3	4	5	7
65 +	51	2.9	2	1	2	3	4	5	5	7
B. Operated										
0-19 YRS	36	3.6	4	1	2	3	4	6	6	10
20-34	52	3.9	4	2	2	3	5	7	8	10
35-49	22	4.0	4	2	3	4	4	7	9	10
50-64	7	3.0	6	< 1	1	2	4	7	8	8
65 +	3	5.0	19	2	2	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3833	2.8	6	1	2	2	3	5	6	12
20-34	994	2.8	5	1	1	2	3	5	6	11
35-49	833	3.4	5	1	2	3	4	6	8	11
50-64	848	3.9	8	2	2	3	5	7	9	16
65 +	1672	4.9	13	2	3	4	6	9	12	20
B. Operated										
0-19 YRS	151	10.9	261	2	3	5	11	27	50	94
20-34	136	6.1	24	2	3	5	7	11	15	30
35-49	144	7.6	48	2	4	5	9	15	23	34
50-64	190	7.8	54	2	4	6	9	15	18	46
65 +	312	10.7	98	4	5	8	12	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1720	2.1	2	1	1	2	3	4	5	7
B. Operated	120	3.8	4	2	2	3	4	7	8	10
2. MULTIPLE DX										
A. Not Operated	8180	3.4	8	1	2	3	4	6	8	15
B. Operated	933	9.0	100	3	4	6	10	17	26	60
1. SINGLE DX	1840	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	9113	4.0	21	1	2	3	4	7	10	21
A. Not Operated	9900	3.2	7	1	2	2	4	6	8	14
B. Operated	1053	8.4	92	2	4	6	9	16	25	52
TOTAL										
0-19 YRS	4916	2.9	15	1	2	2	3	5	6	16
20-34	1646	2.9	7	1	1	2	3	5	7	13
35-49	1237	3.7	12	1	2	3	4	7	9	17
50-64	1116	4.5	18	2	2	3	5	8	11	19
65 +	2038	5.7	31	2	3	4	7	11	14	27
GRAND TOTAL	**10953**	**3.7**	**18**	**1**	**2**	**3**	**4**	**7**	**9**	**20**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	33	3.5	3	1	2	3	4	6	6	7
35-49	216	4.3	4	2	3	4	5	7	8	11
50-64	248	4.3	5	2	3	4	5	7	9	12
65 +	175	4.6	5	2	3	4	6	8	9	12
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	15	6.3	9	3	4	6	8	12	12	12
35-49	50	7.3	10	4	5	7	8	11	13	21
50-64	73	8.4	7	6	7	8	9	12	14	17
65 +	22	7.5	7	4	6	8	9	11	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	30	4.3	3	2	3	4	6	7	7	8
35-49	319	5.1	8	2	3	4	6	9	11	16
50-64	743	5.1	6	2	3	5	6	8	10	12
65 +	2342	6.1	14	3	4	5	7	11	13	20
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	62	9.0	21	5	6	8	11	14	20	26
35-49	285	10.1	33	5	7	9	12	16	21	36
50-64	507	10.4	37	5	7	9	12	17	21	35
65 +	1239	12.6	90	4	7	10	15	23	29	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	672	4.3	5	2	3	4	5	7	8	12
B. Operated	161	7.7	9	4	6	8	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	3436	5.8	12	3	4	5	7	10	12	18
B. Operated	2094	11.6	69	5	7	9	14	20	26	50
1. SINGLE DX	833	5.0	7	2	3	4	6	8	10	14
2. MULTIPLE DX	5530	8.0	41	3	4	6	10	14	19	33
A. Not Operated	4108	5.6	11	2	3	5	7	9	11	18
B. Operated	2255	11.3	66	5	7	9	13	20	26	50
TOTAL										
0-19 YRS	4	6.0	5	3	4	6	7	8	8	8
20-34	140	6.4	17	2	4	6	8	11	13	23
35-49	870	6.7	21	3	4	6	8	12	15	24
50-64	1571	6.8	23	3	4	6	8	12	15	26
65 +	3778	8.2	48	3	4	6	10	15	20	35
GRAND TOTAL	**6363**	**7.6**	**38**	**3**	**4**	**6**	**9**	**14**	**18**	**32**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.4	1	< 1	1	1	2	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.0	4	1	2	2	5	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	35	2.7	6	1	1	2	4	5	7	14
20-34	137	2.3	2	1	1	2	3	4	5	7
35-49	170	2.3	4	1	1	2	3	4	5	7
50-64	82	2.4	4	1	1	2	3	4	6	10
65 +	19	2.5	3	1	1	2	2	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	5.4	42	1	2	3	5	14	23	26
20-34	27	4.5	9	2	2	4	5	9	12	13
35-49	23	3.7	5	1	2	3	5	6	8	12
50-64	26	6.1	35	1	1	5	7	10	22	26
65 +	26	6.0	24	1	2	5	7	14	16	21
B. Operated										
0-19 YRS	53	4.1	13	1	2	3	5	9	12	17
20-34	210	3.6	22	1	1	2	4	7	11	22
35-49	349	3.5	15	1	2	2	4	7	9	20
50-64	268	4.5	29	1	2	3	5	10	13	30
65 +	183	5.6	63	1	2	3	6	11	16	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.1	2	1	1	1	3	5	5	6
B. Operated	443	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	129	5.2	24	1	2	4	6	11	14	26
B. Operated	1063	4.2	29	1	2	3	5	9	12	28
1. SINGLE DX	468	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1192	4.3	28	1	2	3	5	9	13	26
A. Not Operated	154	4.7	21	1	2	3	6	9	14	26
B. Operated	1506	3.6	22	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	128	3.7	17	1	1	2	4	8	14	24
20-34	376	3.2	14	1	1	2	4	5	9	17
35-49	547	3.1	12	1	1	2	4	6	7	16
50-64	379	4.1	25	1	2	2	5	9	12	25
65 +	230	5.4	54	1	2	3	6	11	15	48
GRAND TOTAL	**1660**	**3.7**	**22**	**1**	**1**	**2**	**4**	**7**	**11**	**23**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.5	2	1	1	2	3	5	5	5
20-34	45	2.8	4	1	1	2	4	5	6	10
35-49	43	3.5	5	1	2	3	4	7	8	11
50-64	21	2.8	3	1	1	2	4	5	6	7
65 +	8	3.9	3	2	3	4	5	6	7	7
B. Operated										
0-19 YRS	7	5.3	6	2	4	5	6	9	10	10
20-34	7	3.4	1	2	3	3	4	5	5	5
35-49	3	5.3		5	5	5	6	6	6	6
50-64	3	5.3	2	4	4	5	6	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.2	4	1	2	3	4	6	8	10
20-34	132	3.6	4	1	2	3	5	6	7	10
35-49	125	4.2	7	1	2	4	5	7	9	14
50-64	90	4.2	5	2	3	4	5	7	8	12
65 +	107	5.2	12	2	3	4	7	9	12	20
B. Operated										
0-19 YRS	15	2.5	4	1	1	2	4	5	7	7
20-34	37	5.5	13	3	4	5	7	8	9	24
35-49	31	6.4	12	3	4	6	8	11	15	16
50-64	27	6.3	23	2	4	5	7	12	19	23
65 +	32	8.2	29	3	5	6	10	17	20	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	3.0	4	1	2	3	4	5	7	10
B. Operated	20	4.7	4	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	506	4.2	7	2	2	4	5	7	9	14
B. Operated	142	6.1	19	2	3	5	7	11	16	24
1. SINGLE DX	157	3.2	4	1	2	3	4	6	7	10
2. MULTIPLE DX	648	4.6	10	2	3	4	6	8	10	18
A. Not Operated	643	3.9	7	1	2	3	5	7	9	13
B. Operated	162	6.0	17	2	3	5	7	10	15	24
TOTAL										
0-19 YRS	94	3.1	4	1	2	3	4	5	7	10
20-34	221	3.8	6	1	2	3	5	7	8	10
35-49	202	4.4	8	1	2	4	6	8	10	15
50-64	141	4.4	9	2	3	4	5	7	9	18
65 +	147	5.8	17	2	3	5	7	11	14	22
GRAND TOTAL	**805**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	5.3	20	2	3	4	6	9	13	26
20-34	105	4.5	5	2	3	4	6	7	9	13
35-49	72	3.8	5	1	2	3	5	7	8	11
50-64	13	4.2	4	2	3	4	5	7	8	8
65 +	9	6.7	35	2	2	6	8	16	21	21
B. Operated										
0-19 YRS	92	7.3	32	3	4	6	8	11	18	34
20-34	91	7.9	38	3	4	6	9	15	22	33
35-49	57	6.9	21	2	4	6	8	12	14	28
50-64	24	7.1	12	3	5	7	8	13	14	14
65 +	16	8.0	17	3	6	7	11	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	6.0	23	2	3	5	8	12	15	25
20-34	295	6.0	16	2	3	5	7	11	14	19
35-49	205	6.2	21	2	3	5	7	12	14	28
50-64	98	5.4	11	2	3	4	7	10	12	17
65 +	116	7.6	36	3	4	6	9	13	19	37
B. Operated										
0-19 YRS	209	10.8	60	3	6	8	13	21	27	39
20-34	392	11.4	70	4	6	9	14	22	29	44
35-49	307	10.7	54	4	6	9	14	20	26	39
50-64	199	10.9	63	4	6	9	13	21	30	41
65 +	236	12.3	103	4	6	9	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	4.6	10	2	3	4	6	8	9	18
B. Operated	280	7.4	29	3	4	6	8	13	17	31
2. MULTIPLE DX										
A. Not Operated	847	6.2	21	2	3	5	8	11	14	24
B. Operated	1343	11.2	70	4	6	9	14	22	29	44
1. SINGLE DX	545	6.1	22	2	3	5	7	10	14	27
2. MULTIPLE DX	2190	9.3	57	3	4	7	11	18	24	39
A. Not Operated	1112	5.8	19	2	3	5	7	11	14	23
B. Operated	1623	10.6	65	4	6	8	13	20	27	42
TOTAL										
0-19 YRS	500	8.2	45	2	4	7	10	16	22	34
20-34	883	8.4	49	3	4	6	10	16	22	36
35-49	641	8.2	42	2	4	7	10	16	20	34
50-64	334	8.8	49	3	4	7	11	17	22	38
65 +	377	10.5	82	3	5	8	13	21	28	54
GRAND TOTAL	**2735**	**8.6**	**51**	**3**	**4**	**7**	**10**	**17**	**23**	**38**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.5	8	2	3	5	7	10	10	10
20-34	5	3.6	5	1	2	3	5	7	7	7
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	3	3.7	4	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	6.8	43	2	3	4	10	18	18	18
35-49	6	7.2	74	1	2	4	8	22	24	24
50-64	3	6.3	37	1	2	5	11	13	13	13
65 +	6	11.2	101	4	6	7	12	29	31	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	5.5	13	2	3	4	8	11	14	99
20-34	34	6.4	27	2	3	5	9	13	17	24
35-49	58	7.3	44	2	3	6	9	13	18	41
50-64	52	10.3	69	3	5	8	12	20	31	40
65 +	60	9.0	38	2	4	8	13	16	18	32
B. Operated										
0-19 YRS	35	11.9	124	4	6	8	13	23	45	47
20-34	27	10.3	43	4	5	7	15	20	25	25
35-49	60	16.4	195	5	7	13	19	33	54	64
50-64	66	16.7	162	6	8	13	19	38	41	66
65 +	91	18.5	187	7	10	15	21	37	47	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.3	16	2	3	4	7	10	15	17
B. Operated	21	8.0	61	2	3	5	9	20	27	31
2. MULTIPLE DX										
A. Not Operated	254	7.8	42	2	4	6	10	15	19	40
B. Operated	279	16.0	166	5	7	13	19	33	45	68
1. SINGLE DX	36	6.9	43	2	3	5	7	17	22	31
2. MULTIPLE DX	533	12.1	123	3	5	9	15	24	38	60
A. Not Operated	269	7.7	40	2	3	6	10	15	19	39
B. Operated	300	15.4	163	5	7	12	19	32	43	67
TOTAL										
0-19 YRS	92	7.9	63	2	4	6	10	15	22	77
20-34	71	7.7	36	2	3	5	11	17	21	25
35-49	124	11.7	138	3	5	8	14	24	36	61
50-64	122	13.7	128	4	7	10	17	31	39	54
65 +	160	14.4	146	4	7	11	17	29	38	68
GRAND TOTAL	**569**	**11.8**	**120**	**3**	**5**	**9**	**15**	**24**	**36**	**58**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	2.1	2	1	1	2	3	4	5	8
20-34	51	2.6	4	< 1	1	2	3	5	8	10
35-49	35	2.8	4	1	2	2	3	5	8	8
50-64	25	2.8	3	1	2	3	3	5	7	8
65 +	36	3.4	5	1	2	3	4	6	8	11
B. Operated										
0-19 YRS	89	3.7	14	1	1	2	5	7	10	21
20-34	57	3.7	7	1	2	3	5	7	9	15
35-49	51	4.9	6	2	3	4	6	8	10	12
50-64	43	4.1	6	1	2	3	6	8	9	9
65 +	45	6.3	12	2	4	6	8	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	305	3.2	10	1	2	2	4	6	8	16
20-34	145	3.7	8	1	2	3	5	8	10	13
35-49	230	4.3	13	1	2	3	5	9	11	20
50-64	329	4.7	15	1	2	4	6	9	11	21
65 +	1305	5.8	20	2	3	5	7	11	14	23
B. Operated										
0-19 YRS	176	9.6	132	2	3	6	12	21	37	93
20-34	272	7.6	56	2	3	5	9	16	20	44
35-49	385	9.7	111	2	4	7	12	19	27	69
50-64	487	10.7	119	2	4	8	13	23	32	61
65 +	1321	12.3	135	3	5	9	15	25	34	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	2.5	3	1	1	2	3	5	6	10
B. Operated	285	4.4	10	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	2314	5.0	17	1	2	4	6	10	13	20
B. Operated	2641	11.0	122	2	4	8	14	23	32	71
1. SINGLE DX	571	3.4	8	1	1	3	4	7	9	12
2. MULTIPLE DX	4955	8.2	82	2	3	6	10	17	24	51
A. Not Operated	2600	4.8	16	1	2	4	6	9	12	20
B. Operated	2926	10.3	115	2	4	7	13	22	30	64
TOTAL										
0-19 YRS	709	4.6	47	1	1	3	5	10	16	40
20-34	525	5.6	36	1	2	4	7	12	16	33
35-49	701	7.2	73	2	3	5	9	14	21	40
50-64	884	7.9	81	2	3	5	9	17	24	51
65 +	2707	9.0	86	2	4	6	11	19	25	51
GRAND TOTAL	**5526**	**7.7**	**76**	**2**	**3**	**5**	**9**	**16**	**23**	**48**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	5.3	11	1	3	6	7	10	11	11
50-64	3	5.3	8	2	3	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	2.0	2	1	1	1	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	125	6.7	37	2	3	5	8	12	20	36
35-49	390	8.0	44	3	4	6	10	15	20	33
50-64	296	8.1	39	3	4	7	10	16	22	30
65 +	159	9.9	59	3	5	8	12	20	24	36
B. Operated										
0-19 YRS	0									
20-34	41	12.6	292	3	5	7	12	31	56	83
35-49	141	11.6	117	3	5	9	13	23	33	59
50-64	126	11.5	82	4	6	9	15	23	28	50
65 +	82	11.5	130	3	5	8	14	22	40	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.2	8	2	3	6	7	9	11	11
B. Operated	7	2.1	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	970	8.2	45	3	4	6	10	16	21	35
B. Operated	390	11.7	126	3	5	9	14	23	31	64
1. SINGLE DX	18	4.0	8	1	1	3	6	7	10	11
2. MULTIPLE DX	1360	9.2	70	3	4	7	11	18	24	44
A. Not Operated	981	8.2	45	3	4	6	10	16	21	34
B. Operated	397	11.5	125	3	5	9	13	23	31	64
TOTAL										
0-19 YRS	0									
20-34	167	8.1	105	2	4	5	9	14	23	61
35-49	543	8.8	65	3	4	6	11	17	23	43
50-64	426	9.1	54	3	4	7	11	18	24	36
65 +	242	10.4	83	3	5	8	13	20	27	47
GRAND TOTAL	**1378**	**9.1**	**70**	**3**	**4**	**7**	**11**	**18**	**24**	**44**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.7	4	< 1	1	2	4	6	6	6
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
0-19 YRS	12	1.4	1	1	1	1	2	3	4	4
20-34	7	3.4	41	1	1	1	1	15	18	18
35-49	21	2.2	7	< 1	1	1	2	7	9	10
50-64	11	3.2	21	1	1	1	4	10	15	16
65 +	8	3.0	8	1	1	1	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	5.3	98	1	1	3	5	8	13	60
20-34	12	4.6	12	1	2	3	6	9	12	13
35-49	57	5.7	19	1	3	4	8	13	16	18
50-64	92	6.7	34	2	3	5	8	13	17	34
65 +	135	8.6	44	3	4	6	11	16	22	36
B. Operated										
0-19 YRS	47	8.9	185	1	1	3	11	28	55	99 +
20-34	23	7.5	244	1	1	3	7	12	36	77
35-49	74	8.9	133	1	2	5	13	20	22	71
50-64	130	8.3	57	1	3	7	11	17	24	99 +
65 +	105	11.6	124	3	6	9	15	22	34	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.2	6	1	1	2	4	7	9	9
B. Operated	59	2.5	12	1	1	1	2	6	9	18
2. MULTIPLE DX										
A. Not Operated	332	7.1	43	2	3	5	9	14	18	36
B. Operated	379	9.4	118	1	3	7	12	21	29	94
1. SINGLE DX	71	2.6	11	1	1	1	2	6	9	18
2. MULTIPLE DX	711	8.3	84	1	3	6	10	17	23	64
A. Not Operated	344	6.9	42	2	3	5	8	14	17	35
B. Operated	438	8.4	109	1	2	6	10	20	27	84
TOTAL										
0-19 YRS	102	6.3	126	1	1	2	6	18	31	79
20-34	42	6.0	143	1	1	3	7	12	16	77
35-49	153	6.8	78	1	2	4	8	16	20	35
50-64	235	7.4	47	1	3	6	9	15	21	58
65 +	250	9.7	80	3	4	7	12	19	23	59
GRAND TOTAL	**782**	**7.8**	**80**	**1**	**2**	**5**	**10**	**17**	**22**	**60**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.9	2	1	2	3	3	5	6	6
20-34	29	4.2	7	1	3	4	5	7	8	14
35-49	13	3.5	4	1	2	3	5	7	8	8
50-64	12	4.7	24	1	2	3	5	11	18	19
65 +	0									
B. Operated										
0-19 YRS	17	2.2	4	1	1	2	2	4	7	9
20-34	8	3.3	4	< 1	1	3	4	6	7	7
35-49	6	5.5	26	1	1	4	10	13	13	13
50-64	10	7.0	80	< 1	1	3	7	23	25	25
65 +	3	11.0	12	7	8	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	5.3	64	1	2	3	6	10	14	56
20-34	90	5.2	26	2	3	4	6	9	12	32
35-49	156	7.3	35	2	4	6	9	15	21	30
50-64	290	7.8	39	3	4	6	9	15	19	41
65 +	331	8.0	36	3	4	6	10	15	19	35
B. Operated										
0-19 YRS	44	7.7	121	1	1	3	12	38	99 +	99 +
20-34	33	14.0	111	4	8	10	20	30	36	43
35-49	76	11.6	152	2	4	8	16	25	50	99 +
50-64	126	17.1	244	4	7	12	23	35	50	73
65 +	110	15.5	151	4	7	13	21	32	39	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	3.8	7	1	2	3	5	6	8	18
B. Operated	44	4.5	29	1	1	2	5	13	16	25
2. MULTIPLE DX										
A. Not Operated	927	7.4	38	2	3	6	9	15	19	35
B. Operated	389	14.3	183	2	5	10	20	33	47	99 +
1. SINGLE DX	121	4.1	15	1	2	3	5	7	13	23
2. MULTIPLE DX	1316	9.4	91	2	4	7	11	20	28	57
A. Not Operated	1004	7.1	37	2	3	5	9	14	19	35
B. Operated	433	13.3	176	1	4	9	19	31	43	99 +
TOTAL										
0-19 YRS	144	5.3	67	1	2	3	5	13	24	99 +
20-34	160	6.7	52	2	3	4	8	13	23	42
35-49	251	8.4	73	2	4	6	10	18	24	80
50-64	438	10.4	117	2	4	7	12	22	31	63
65 +	444	9.9	75	3	4	7	12	20	26	43
GRAND TOTAL	**1437**	**8.9**	**87**	**2**	**3**	**6**	**11**	**19**	**27**	**56**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.8	1	< 1	1	1	2	4	4	4
20-34	141	2.0	2	< 1	1	2	3	4	5	7
35-49	152	2.2	2	1	1	2	3	4	5	10
50-64	109	2.0	1	< 1	1	2	3	3	4	5
65 +	53	3.0	6	1	1	2	3	6	9	11
B. Operated										
0-19 YRS	194	3.6	4	2	2	3	4	6	7	10
20-34	2074	3.1	3	1	2	3	4	5	6	8
35-49	1984	3.1	3	1	2	3	4	5	6	8
50-64	1324	3.2	4	1	2	3	4	5	7	9
65 +	601	3.8	8	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.0	5	1	1	2	4	7	9	9
20-34	186	2.9	4	1	1	2	4	6	7	9
35-49	247	3.0	5	1	1	3	4	6	8	9
50-64	353	3.7	9	1	2	3	5	7	9	15
65 +	728	5.1	14	2	3	4	7	10	11	20
B. Operated										
0-19 YRS	190	5.0	7	2	3	5	6	8	12	14
20-34	2180	4.8	11	2	3	4	6	8	10	16
35-49	3101	4.7	10	2	3	4	6	8	10	16
50-64	3501	5.5	18	2	3	4	7	10	12	21
65 +	4112	8.0	35	3	4	7	10	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	472	2.2	2	< 1	1	2	3	4	5	9
B. Operated	6177	3.2	4	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	1545	4.1	11	1	2	3	5	8	10	17
B. Operated	13084	6.0	22	2	3	5	7	11	14	23
1. SINGLE DX	6649	3.1	4	1	2	3	4	5	6	9
2. MULTIPLE DX	14629	5.8	21	2	3	5	7	11	14	22
A. Not Operated	2017	3.7	9	1	2	3	5	7	9	15
B. Operated	19261	5.1	18	1	3	4	6	9	12	20
TOTAL										
0-19 YRS	432	4.1	6	2	2	4	5	7	9	13
20-34	4581	3.9	7	1	2	3	5	7	8	13
35-49	5484	4.0	8	1	2	3	5	7	9	13
50-64	5287	4.7	15	1	3	4	6	9	11	19
65 +	5494	7.1	31	2	4	6	9	13	17	27
GRAND TOTAL	**21278**	**4.9**	**17**	**1**	**3**	**4**	**6**	**9**	**12**	**20**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.1	2	< 1	1	2	3	4	5	5
20-34	65	2.3	2	1	1	2	3	4	5	6
35-49	48	2.9	3	1	1	2	4	5	6	8
50-64	31	2.5	3	< 1	1	2	3	5	6	7
65 +	12	3.2	3	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	25	3.6	10	1	2	3	4	5	9	17
20-34	136	3.7	9	1	2	3	5	7	8	17
35-49	154	3.0	4	1	1	3	4	5	5	11
50-64	79	3.7	5	1	2	3	5	7	8	12
65 +	26	5.4	12	1	3	5	7	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.0	17	< 1	1	5	8	11	13	13
20-34	80	3.1	4	1	2	3	4	6	7	9
35-49	102	3.5	5	1	2	3	5	6	7	11
50-64	99	4.3	5	2	3	4	6	8	9	10
65 +	173	6.2	18	2	3	5	8	11	14	23
B. Operated										
0-19 YRS	26	5.8	102	1	2	3	5	11	22	53
20-34	236	5.0	13	2	3	4	6	8	11	20
35-49	392	5.2	12	2	3	4	6	10	12	19
50-64	293	6.3	20	2	4	5	8	11	15	23
65 +	334	9.7	48	4	5	8	12	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	2.6	3	1	1	2	3	5	6	7
B. Operated	420	3.5	7	1	2	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	465	4.6	11	1	2	4	6	9	10	18
B. Operated	1281	6.6	29	2	3	5	8	12	16	28
1. SINGLE DX	586	3.3	6	1	2	3	4	6	7	13
2. MULTIPLE DX	1746	6.1	25	2	3	5	8	11	15	26
A. Not Operated	631	4.1	10	1	2	3	5	8	10	16
B. Operated	1701	5.8	25	2	3	4	7	11	15	25
TOTAL										
0-19 YRS	72	4.4	44	1	2	3	5	7	13	45
20-34	517	4.0	10	1	2	3	5	7	9	17
35-49	696	4.3	10	1	2	4	5	8	11	16
50-64	502	5.3	15	2	3	4	7	9	12	19
65 +	545	8.2	39	3	4	7	10	15	21	35
GRAND TOTAL	**2332**	**5.4**	**22**	**1**	**3**	**4**	**7**	**10**	**14**	**24**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.4	2	1	2	2	3	4	5	5
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	7	2.6	3	1	1	2	4	5	5	5
65 +	4	7.0	13	3	4	7	10	11	11	11
B. Operated										
0-19 YRS	9	4.0	5	1	2	3	6	7	7	7
20-34	48	5.6	13	2	3	5	7	11	14	17
35-49	38	5.1	24	1	1	4	6	12	17	21
50-64	38	5.6	12	1	3	5	7	11	12	17
65 +	35	5.1	12	1	2	5	7	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	4.3	13	1	2	3	5	10	12	12
35-49	13	3.2	4	1	1	3	5	6	6	6
50-64	39	3.7	11	1	2	3	5	7	13	14
65 +	82	6.0	17	2	4	5	8	11	12	25
B. Operated										
0-19 YRS	9	6.8	4	4	5	6	8	10	10	10
20-34	116	6.4	8	3	5	6	8	10	13	16
35-49	126	7.7	38	3	4	6	9	14	19	36
50-64	167	8.6	38	3	5	7	10	15	20	32
65 +	549	10.5	48	4	7	9	13	18	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.1	6	1	1	2	4	5	9	11
B. Operated	168	5.3	15	1	3	5	7	11	14	19
2. MULTIPLE DX										
A. Not Operated	142	5.1	15	1	2	4	6	10	12	17
B. Operated	967	9.3	42	3	5	8	11	16	21	35
1. SINGLE DX	194	5.0	14	1	2	4	7	10	13	18
2. MULTIPLE DX	1109	8.8	41	3	5	7	11	15	20	32
A. Not Operated	168	4.8	14	1	2	4	6	10	12	16
B. Operated	1135	8.7	40	3	5	7	11	15	20	32
TOTAL										
0-19 YRS	19	5.2	7	2	3	5	7	9	10	10
20-34	181	5.9	10	2	4	5	7	10	13	16
35-49	182	6.7	34	1	3	5	8	14	17	30
50-64	251	7.2	33	2	3	6	9	13	17	31
65 +	670	9.7	46	3	5	8	12	17	21	36
GRAND TOTAL	**1303**	**8.2**	**39**	**2**	**4**	**7**	**10**	**15**	**19**	**31**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.6	12	1	2	4	7	10	11	11
20-34	4	2.5	1	1	2	3	3	3	3	3
35-49	5	3.0	5	< 1	1	3	4	6	6	6
50-64	5	2.2	1	1	2	2	3	3	3	3
65 +	6	5.3	14	2	2	4	7	11	12	12
B. Operated										
0-19 YRS	6	6.0	23	2	2	4	9	13	14	14
20-34	9	4.1	6	1	2	3	6	7	7	7
35-49	9	4.0	12	1	2	2	6	10	11	11
50-64	9	6.2	19	1	2	5	9	12	14	14
65 +	9	3.6	7	1	2	3	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	5.9	16	1	2	5	9	11	13	14
20-34	15	4.6	4	2	3	4	6	8	9	9
35-49	33	5.0	10	2	3	4	6	9	12	15
50-64	39	5.0	10	2	3	4	7	9	13	15
65 +	115	7.0	29	3	4	5	8	13	16	31
B. Operated										
0-19 YRS	16	15.2	268	1	4	12	21	58	87	99 +
20-34	26	9.6	40	3	5	8	13	19	22	27
35-49	61	10.9	96	2	4	8	13	23	32	50
50-64	83	10.3	49	3	5	9	14	18	23	35
65 +	237	11.8	76	3	6	10	16	23	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.8	8	1	2	3	5	7	11	12
B. Operated	42	4.7	12	1	2	4	7	9	12	14
2. MULTIPLE DX										
A. Not Operated	228	6.1	20	2	3	5	8	11	14	22
B. Operated	423	11.4	78	3	5	9	15	22	28	52
1. SINGLE DX	70	4.3	11	1	2	3	6	9	11	14
2. MULTIPLE DX	651	9.5	64	2	4	7	12	20	25	48
A. Not Operated	256	5.8	20	2	3	5	7	11	14	21
B. Operated	465	10.8	76	2	5	9	14	22	26	51
TOTAL										
0-19 YRS	56	8.4	103	1	3	6	11	19	34	97
20-34	54	6.8	29	2	3	5	8	14	18	27
35-49	108	8.2	67	2	3	6	10	17	25	44
50-64	136	8.2	41	2	3	7	11	16	20	33
65 +	367	10.0	64	3	5	8	13	20	24	47
GRAND TOTAL	**721**	**9.0**	**62**	**2**	**4**	**7**	**12**	**19**	**24**	**44**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	4.5	8	2	2	4	6	9	10	13
20-34	196	4.3	8	2	2	4	5	8	9	14
35-49	184	4.9	11	2	3	4	6	9	10	21
50-64	80	4.8	6	2	3	4	6	8	10	12
65 +	60	5.0	7	2	3	5	6	8	10	15
B. Operated										
0-19 YRS	5	5.4	19	1	2	4	9	11	11	11
20-34	18	8.2	38	2	5	7	8	19	23	25
35-49	24	6.5	22	1	3	5	8	16	17	18
50-64	13	9.0	58	3	5	7	9	20	29	31
65 +	11	7.8	11	4	6	6	10	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	5.6	10	2	4	5	7	9	14	15
20-34	778	5.7	15	2	3	5	7	10	12	20
35-49	1287	6.1	19	2	3	5	7	11	14	26
50-64	707	6.4	20	3	4	5	8	12	15	22
65 +	813	7.2	23	3	4	6	9	14	16	25
B. Operated										
0-19 YRS	15	15.1	97	4	8	14	22	39	82	99 +
20-34	209	12.5	125	5	7	9	15	23	30	87
35-49	389	14.1	139	5	7	10	17	29	42	96
50-64	345	13.4	153	4	7	10	16	26	35	83
65 +	499	15.1	130	6	8	12	18	29	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	4.6	8	2	3	4	6	8	10	13
B. Operated	71	7.5	31	2	4	6	8	16	18	30
2. MULTIPLE DX										
A. Not Operated	3632	6.3	19	3	4	5	8	11	14	23
B. Operated	1457	14.0	137	5	7	11	17	28	38	85
1. SINGLE DX	622	5.0	12	2	3	4	6	9	10	18
2. MULTIPLE DX	5089	8.5	65	3	4	6	10	16	23	47
A. Not Operated	4183	6.1	18	2	3	5	7	11	14	23
B. Operated	1528	13.7	134	5	7	10	17	27	37	83
TOTAL										
0-19 YRS	98	6.7	35	2	3	5	8	14	20	71
20-34	1201	6.7	41	2	3	5	8	12	16	32
35-49	1884	7.7	54	3	4	6	9	15	22	43
50-64	1145	8.5	70	3	4	6	10	17	23	55
65 +	1383	10.0	75	3	5	7	12	19	26	49
GRAND TOTAL	**5711**	**8.2**	**61**	**3**	**4**	**6**	**10**	**16**	**22**	**45**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	1.9	1	1	1	1	2	4	4	5
20-34	20	1.8	1	< 1	1	2	2	3	4	4
35-49	16	2.1	1	1	1	2	2	4	4	4
50-64	22	4.0	8	1	2	3	5	9	10	10
65 +	30	4.1	8	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	12	3.3	7	1	2	3	4	7	10	11
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	7	3.7	2	2	3	3	5	5	5	5
65 +	7	4.3	3	2	4	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	174	3.6	13	1	2	3	4	6	10	16
20-34	226	3.8	12	1	2	3	5	7	10	20
35-49	454	4.3	9	2	2	4	5	7	10	18
50-64	680	4.8	15	2	3	4	6	8	11	19
65 +	2410	6.1	19	2	3	5	7	11	14	22
B. Operated										
0-19 YRS	61	7.9	79	2	3	5	9	16	21	55
20-34	68	6.2	54	2	3	4	7	12	27	90
35-49	152	6.4	27	2	4	5	7	12	16	41
50-64	313	8.4	81	2	4	6	9	16	25	56
65 +	1094	9.2	60	3	5	7	11	18	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.7	5	1	1	2	3	5	7	11
B. Operated	33	3.5	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	3944	5.4	17	2	3	4	7	10	12	20
B. Operated	1688	8.6	62	3	4	6	10	17	24	44
1. SINGLE DX	171	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	5632	6.4	33	2	3	5	7	12	16	30
A. Not Operated	4082	5.3	17	2	3	4	6	10	12	20
B. Operated	1721	8.5	61	3	4	6	10	17	23	43
TOTAL										
0-19 YRS	297	4.2	28	1	2	3	4	9	13	30
20-34	318	4.2	21	1	2	3	5	7	11	31
35-49	625	4.8	14	2	3	4	6	8	11	21
50-64	1022	5.9	38	2	3	4	6	10	14	31
65 +	3541	7.0	34	2	4	5	8	13	17	31
GRAND TOTAL	**5803**	**6.3**	**32**	**2**	**3**	**5**	**7**	**12**	**16**	**30**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.3	5	1	2	3	4	6	8	9
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	3.5	2	2	2	3	4	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	13	4.2	12	< 1	1	3	7	10	10	10
20-34	0									
35-49	4	4.5	10	1	2	4	7	8	8	8
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	5.7	45	2	2	4	6	11	17	41
20-34	9	5.6	7	3	4	5	7	10	11	11
35-49	18	6.7	15	3	3	5	11	13	14	14
50-64	12	7.7	35	2	3	6	11	16	21	22
65 +	29	7.6	29	3	4	6	10	16	17	24
B. Operated										
0-19 YRS	53	11.9	135	2	4	9	18	32	90	99 +
20-34	10	7.1	32	3	4	5	7	16	22	22
35-49	27	15.3	266	4	5	9	23	28	37	83
50-64	21	17.6	188	4	7	15	25	34	46	58
65 +	33	15.2	188	4	5	12	18	39	44	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.3	4	1	2	3	4	6	8	9
B. Operated	18	4.6	12	< 1	2	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	153	6.3	35	2	3	4	8	13	17	28
B. Operated	144	13.8	175	3	4	10	22	31	47	99 +
1. SINGLE DX	49	3.7	7	1	2	3	5	9	10	10
2. MULTIPLE DX	297	9.9	117	2	4	6	12	24	31	91
A. Not Operated	184	5.8	31	2	3	4	7	12	16	27
B. Operated	162	12.8	165	3	4	9	18	29	42	99 +
TOTAL										
0-19 YRS	175	7.1	74	1	2	4	9	18	28	99 +
20-34	19	6.4	20	3	4	5	7	11	17	22
35-49	51	10.9	167	3	4	7	12	24	28	82
50-64	37	12.9	147	3	4	8	18	29	35	58
65 +	64	11.5	123	3	4	7	16	25	39	55
GRAND TOTAL	**346**	**9.1**	**106**	**2**	**3**	**5**	**11**	**23**	**29**	**83**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.6	3	1	1	2	3	4	6	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	84	1.5	2	1	1	1	1	3	5	9
20-34	9	1.7	1	1	1	1	2	3	4	4
35-49	9	1.4	1	1	1	1	2	3	3	3
50-64	4	1.0		1	1	1	1	1	1	1
65 +	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	4.9	20	1	2	4	6	11	13	18
20-34	20	5.6	14	2	3	5	7	10	14	16
35-49	21	3.5	5	1	2	3	4	5	8	11
50-64	15	5.7	14	1	3	6	8	11	13	14
65 +	43	7.6	21	3	4	6	10	13	15	23
B. Operated										
0-19 YRS	72	4.8	49	1	1	2	7	10	16	89
20-34	37	5.8	31	1	1	3	9	15	18	19
35-49	53	5.6	32	1	1	5	9	11	15	32
50-64	44	4.5	22	1	1	2	7	9	13	23
65 +	47	5.4	33	1	2	3	8	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.6	3	1	2	2	3	4	6	10
B. Operated	109	1.6	2	1	1	1	1	3	4	8
2. MULTIPLE DX										
A. Not Operated	250	5.3	19	1	3	4	7	11	13	18
B. Operated	253	5.2	35	1	1	3	8	12	16	32
1. SINGLE DX	194	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX	503	5.2	27	1	2	4	7	12	15	25
A. Not Operated	335	4.6	16	1	2	3	6	10	13	17
B. Operated	362	4.1	28	1	1	2	6	10	14	27
TOTAL										
0-19 YRS	387	3.7	20	1	1	2	5	8	12	20
20-34	67	5.1	23	1	1	3	7	12	17	19
35-49	84	4.6	24	1	1	3	6	10	12	27
50-64	66	4.5	19	1	1	3	7	10	12	22
65 +	93	6.3	28	1	3	5	9	13	16	26
GRAND TOTAL	**697**	**4.3**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.7	2	1	2	3	4	5	5	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	5	2.8	9	< 1	1	1	4	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	4.6	10	2	3	4	5	7	10	19
20-34	7	4.1	12	1	2	3	5	10	11	11
35-49	5	5.2	1	4	4	5	6	7	7	7
50-64	12	5.8	14	2	3	5	8	12	14	14
65 +	32	6.9	15	2	4	6	9	13	14	16
B. Operated										
0-19 YRS	13	9.2	68	1	4	7	12	24	27	28
20-34	3	9.0	49	2	4	9	14	16	16	16
35-49	9	7.1	16	2	3	8	10	12	14	14
50-64	12	10.8	41	3	6	11	15	20	21	21
65 +	18	13.6	73	3	8	12	21	26	30	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.8	2	1	2	3	4	5	5	6
B. Operated	10	2.4	6	< 1	1	1	3	6	8	8
2. MULTIPLE DX										
A. Not Operated	119	5.4	12	2	3	4	7	10	13	17
B. Operated	55	10.6	56	2	5	10	13	22	27	31
1. SINGLE DX	31	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX	174	7.0	32	2	3	5	9	14	20	28
A. Not Operated	140	5.0	11	2	3	4	6	9	12	17
B. Operated	65	9.4	57	1	3	8	13	21	24	31
TOTAL										
0-19 YRS	100	4.7	19	1	2	4	5	8	13	25
20-34	16	4.6	19	1	1	3	7	11	14	16
35-49	15	6.3	10	3	4	5	8	10	13	14
50-64	24	8.3	33	2	4	7	12	18	20	21
65 +	50	9.3	45	2	5	8	12	19	23	31
GRAND TOTAL	**205**	**6.4**	**30**	**2**	**3**	**5**	**8**	**13**	**18**	**28**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	8.0	31	3	4	6	11	16	16	16
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	15	5.1	23	1	2	3	6	14	16	17
20-34	9	2.2	2	1	1	2	3	5	5	5
35-49	17	1.9	1	1	1	2	2	3	4	4
50-64	24	4.0	70	1	1	1	3	7	18	42
65 +	20	2.1	5	< 1	1	1	2	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.8	28	1	2	3	6	11	17	25
20-34	10	5.8	14	1	2	5	9	11	12	12
35-49	21	5.4	38	1	2	3	6	12	22	26
50-64	37	6.5	30	2	3	5	8	13	21	22
65 +	129	9.4	115	2	4	7	11	16	24	70
B. Operated										
0-19 YRS	122	13.1	146	2	5	11	18	24	32	67
20-34	60	7.9	40	2	3	7	10	16	21	29
35-49	118	9.3	114	2	2	6	13	20	28	61
50-64	184	8.9	97	1	3	6	12	19	25	53
65 +	241	10.7	101	1	3	8	15	25	30	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.0	23	1	2	5	7	14	16	16
B. Operated	85	3.1	26	1	1	2	3	6	8	33
2. MULTIPLE DX										
A. Not Operated	238	7.6	79	2	3	6	9	15	21	43
B. Operated	725	10.2	107	2	3	8	13	23	29	54
1. SINGLE DX	95	3.4	26	1	1	2	3	7	11	31
2. MULTIPLE DX	963	9.6	101	2	3	7	12	20	27	52
A. Not Operated	248	7.6	77	2	3	6	9	15	20	40
B. Operated	810	9.4	103	1	2	7	13	21	28	50
TOTAL										
0-19 YRS	182	10.5	121	1	3	8	15	21	28	54
20-34	80	7.1	35	1	2	6	9	14	18	29
35-49	158	7.9	97	1	2	4	11	18	27	51
50-64	246	8.0	86	1	2	5	11	18	24	47
65 +	392	9.8	104	1	3	7	12	22	28	58
GRAND TOTAL	**1058**	**9.0**	**97**	**1**	**3**	**6**	**12**	**19**	**27**	**48**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	0									
35-49	3	18.7	884	1	1	2	40	53	53	53
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	6.9	13	3	4	6	9	12	14	15
20-34	34	5.1	16	2	3	4	6	8	12	22
35-49	70	7.6	46	2	3	6	9	15	24	36
50-64	123	7.0	26	3	4	6	8	12	15	32
65 +	562	9.3	50	3	5	7	12	17	22	35
B. Operated										
0-19 YRS	22	14.1	190	3	7	10	14	33	51	57
20-34	36	18.4	403	3	5	12	25	41	62	94
35-49	60	13.2	81	4	7	12	16	28	43	99 +
50-64	146	15.3	159	4	8	12	18	29	40	66
65 +	377	15.9	99	6	9	14	21	30	35	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.8	3	1	3	4	5	5	5	5
B. Operated	6	11.5	418	1	2	3	7	48	53	53
2. MULTIPLE DX										
A. Not Operated	805	8.6	45	3	5	7	10	16	21	34
B. Operated	641	15.6	131	5	8	13	20	30	38	66
1. SINGLE DX	11	8.0	226	1	2	4	5	25	51	53
2. MULTIPLE DX	1446	11.7	95	3	6	9	15	24	31	55
A. Not Operated	810	8.5	45	3	4	7	10	16	21	34
B. Operated	647	15.6	133	5	8	12	20	30	38	66
TOTAL										
0-19 YRS	40	10.8	121	3	5	8	12	19	37	57
20-34	71	11.8	253	2	3	6	14	28	41	87
35-49	134	10.3	82	3	4	8	14	24	32	99 +
50-64	271	11.4	115	3	5	9	14	22	31	64
65 +	941	11.9	80	4	6	9	16	24	30	44
GRAND TOTAL	**1457**	**11.6**	**96**	**3**	**5**	**9**	**15**	**24**	**31**	**55**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	199	3.4	2	2	2	3	4	5	6	9
20-34	221	3.4	3	2	2	3	4	5	6	11
35-49	79	3.8	4	2	3	4	4	6	7	13
50-64	27	3.9	4	2	2	4	5	6	9	10
65 +	19	4.1	3	1	3	4	5	6	7	8
B. Operated										
0-19 YRS	4	4.3	4	3	3	4	5	7	7	7
20-34	5	4.2	4	2	3	4	5	7	7	7
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	604	4.1	4	2	3	4	5	7	8	11
20-34	890	4.3	4	2	3	4	5	7	8	12
35-49	422	4.9	7	2	3	4	6	8	10	16
50-64	341	6.2	13	3	4	5	7	10	12	22
65 +	639	6.5	18	3	4	6	8	11	14	26
B. Operated										
0-19 YRS	44	6.3	27	3	4	5	7	10	11	36
20-34	67	7.1	16	3	5	6	8	12	20	86
35-49	63	7.5	20	3	5	6	9	14	15	27
50-64	78	10.9	116	4	6	8	11	19	31	64
65 +	119	11.9	79	5	7	10	14	20	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	545	3.5	3	2	2	3	4	5	6	10
B. Operated	12	4.7	5	2	3	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	2896	5.1	10	2	3	4	6	8	10	17
B. Operated	371	9.4	64	4	5	7	11	16	22	56
1. SINGLE DX	557	3.6	3	2	2	3	4	5	6	10
2. MULTIPLE DX	3267	5.6	18	2	3	5	7	9	12	21
A. Not Operated	3441	4.8	9	2	3	4	6	8	10	16
B. Operated	383	9.3	63	4	5	7	11	16	22	54
TOTAL										
0-19 YRS	851	4.0	5	2	3	4	5	7	8	11
20-34	1183	4.3	5	2	3	4	5	7	8	14
35-49	566	5.1	9	2	3	4	6	8	11	17
50-64	446	6.9	34	3	4	6	8	11	14	29
65 +	778	7.3	30	3	4	6	8	13	17	31
GRAND TOTAL	**3824**	**5.3**	**16**	**2**	**3**	**4**	**6**	**9**	**11**	**21**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	3.4	3	2	2	3	4	6	7	9
20-34	134	3.2	2	2	2	3	4	5	6	7
35-49	34	3.6	3	2	2	3	4	7	7	7
50-64	14	2.9	2	1	2	3	4	4	6	6
65 +	14	4.9	2	3	4	5	6	7	7	7
B. Operated										
0-19 YRS	17	3.8	2	2	3	4	5	6	6	6
20-34	9	3.9	2	1	3	4	5	5	5	5
35-49	6	4.3	7	1	1	5	7	7	7	7
50-64	2	5.5	41	1	1	5	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	470	4.2	4	2	3	4	5	7	8	12
20-34	330	4.2	6	2	3	4	5	6	8	13
35-49	191	4.9	7	2	3	4	6	8	10	16
50-64	149	5.5	12	2	3	5	6	10	12	17
65 +	254	6.1	17	3	4	5	7	10	13	20
B. Operated										
0-19 YRS	65	7.8	30	3	4	7	9	15	16	32
20-34	51	9.1	52	3	5	7	11	20	24	34
35-49	55	9.4	39	3	5	7	12	18	22	32
50-64	54	10.4	43	5	7	8	13	18	23	39
65 +	89	13.9	147	5	7	10	16	26	29	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	365	3.4	2	2	2	3	4	5	7	8
B. Operated	34	4.0	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	1394	4.8	9	2	3	4	6	8	10	16
B. Operated	314	10.5	75	4	6	8	13	20	26	36
1. SINGLE DX	399	3.4	3	2	2	3	4	6	7	9
2. MULTIPLE DX	1708	5.8	26	2	3	4	7	10	14	27
A. Not Operated	1759	4.5	8	2	3	4	5	7	9	15
B. Operated	348	9.8	72	3	5	7	12	19	26	34
TOTAL										
0-19 YRS	721	4.3	7	2	3	4	5	7	9	15
20-34	524	4.4	12	2	3	4	5	7	9	21
35-49	286	5.6	16	2	3	5	7	10	13	22
50-64	219	6.6	24	2	3	5	8	12	16	26
65 +	357	8.0	60	3	4	6	9	15	23	34
GRAND TOTAL	**2107**	**5.4**	**22**	**2**	**3**	**4**	**6**	**9**	**13**	**26**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.8	1	1	1	2	2	3	4	5
20-34	172	1.6	1	< 1	1	1	2	3	4	5
35-49	239	1.5	1	< 1	1	1	2	3	3	4
50-64	116	1.6	1	1	1	1	2	3	4	6
65 +	67	1.4	1	1	1	1	1	3	3	6
B. Operated										
0-19 YRS	9	2.6	2	1	2	2	4	4	4	4
20-34	74	2.7	4	1	1	2	3	6	7	11
35-49	116	2.8	5	1	1	2	3	5	8	11
50-64	102	2.5	4	1	1	2	3	5	7	11
65 +	50	2.5	5	1	1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.1	2	1	1	2	3	4	4	6
20-34	190	2.3	4	1	1	2	3	5	6	9
35-49	272	2.5	4	1	1	2	3	4	6	11
50-64	240	2.4	3	1	1	2	3	5	6	8
65 +	175	3.1	14	1	1	2	4	6	8	13
B. Operated										
0-19 YRS	25	7.1	85	1	2	4	7	17	30	41
20-34	122	5.1	40	1	2	4	7	10	12	34
35-49	218	4.2	12	1	2	3	5	9	11	19
50-64	218	5.0	29	1	2	4	6	10	15	30
65 +	246	6.0	34	1	2	4	8	13	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	625	1.5	1	1	1	1	2	3	3	5
B. Operated	351	2.6	5	1	1	2	3	5	8	10
2. MULTIPLE DX										
A. Not Operated	913	2.5	6	1	1	2	3	5	6	10
B. Operated	829	5.1	30	1	2	4	6	11	15	25
1. SINGLE DX	976	1.9	3	1	1	1	2	4	5	9
2. MULTIPLE DX	1742	3.8	19	1	1	2	5	8	11	21
A. Not Operated	1538	2.1	4	1	1	2	3	4	5	9
B. Operated	1180	4.4	24	1	1	3	5	9	13	24
TOTAL										
0-19 YRS	101	3.3	26	1	1	2	3	5	10	33
20-34	558	2.7	12	1	1	2	3	6	8	13
35-49	845	2.7	6	1	1	2	3	5	8	13
50-64	676	3.1	13	1	1	2	4	6	8	21
65 +	538	4.1	24	1	1	2	5	10	13	24
GRAND TOTAL	**2718**	**3.1**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	1.5		1	1	1	2	2	3	4
20-34	671	1.6	1	1	1	1	2	3	3	5
35-49	964	1.6	1	1	1	1	2	3	3	4
50-64	393	1.7	1	1	1	1	2	3	3	5
65 +	112	1.8	1	1	1	1	2	3	4	7
B. Operated										
0-19 YRS	54	3.0	4	1	2	3	4	6	6	10
20-34	497	2.8	3	1	2	3	4	5	6	8
35-49	646	2.9	3	1	2	3	4	5	6	9
50-64	392	3.0	4	1	1	3	4	6	7	10
65 +	127	3.0	5	1	1	3	4	5	6	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	2.4	3	1	1	2	3	4	5	10
20-34	450	1.8	1	1	1	1	2	3	4	6
35-49	752	2.0	2	1	1	2	2	4	4	6
50-64	576	2.2	2	1	1	2	3	4	5	8
65 +	365	2.7	4	1	1	2	3	5	7	10
B. Operated										
0-19 YRS	48	3.7	9	1	2	3	5	6	8	18
20-34	454	3.8	7	1	2	3	5	6	9	13
35-49	743	3.5	7	1	2	3	4	6	8	14
50-64	736	4.2	10	1	2	4	5	8	10	15
65 +	615	5.3	23	1	2	4	7	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2223	1.6	1	1	1	1	2	3	3	5
B. Operated	1716	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	2219	2.2	2	1	1	2	3	4	5	8
B. Operated	2596	4.2	12	1	2	3	5	8	10	17
1. SINGLE DX	3939	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	4815	3.2	9	1	1	2	4	6	8	14
A. Not Operated	4442	1.9	2	1	1	2	2	3	4	7
B. Operated	4312	3.7	9	1	2	3	5	7	9	15
TOTAL										
0-19 YRS	261	2.5	4	1	1	2	3	5	6	10
20-34	2072	2.4	3	1	1	2	3	5	6	9
35-49	3105	2.4	4	1	1	2	3	5	6	9
50-64	2097	3.0	6	1	1	2	4	6	7	12
65 +	1219	3.9	15	1	2	3	5	8	10	19
GRAND TOTAL	**8754**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.2	2	< 1	1	2	3	5	6	6
20-34	21	1.6	1	< 1	1	1	2	3	4	4
35-49	18	2.0	2	1	1	2	2	4	6	7
50-64	7	1.9	1	1	1	2	2	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	411	4.2	3	2	3	4	5	6	8	9
20-34	61	4.4	4	1	3	5	6	7	8	11
35-49	31	4.9	11	1	2	4	7	9	12	14
50-64	43	4.7	11	1	2	5	7	8	10	18
65 +	25	4.4	7	1	2	4	7	8	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	3.7	9	1	2	3	5	8	10	15
20-34	46	2.9	3	1	2	2	3	6	7	9
35-49	51	4.1	22	1	1	3	4	8	14	25
50-64	60	4.4	23	1	2	3	6	8	10	33
65 +	116	6.8	26	2	3	5	8	15	18	23
B. Operated										
0-19 YRS	534	6.0	22	3	4	5	7	10	13	33
20-34	137	6.6	42	2	3	5	8	11	15	43
35-49	217	6.4	28	2	3	5	7	12	15	33
50-64	213	6.8	33	1	3	6	9	13	16	28
65 +	384	8.7	58	1	4	7	11	18	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.0	2	1	1	2	2	4	6	7
B. Operated	571	4.3	4	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	344	4.8	20	1	2	3	6	10	14	23
B. Operated	1485	6.9	37	2	3	5	8	13	18	34
1. SINGLE DX	640	4.1	5	1	3	4	5	7	8	10
2. MULTIPLE DX	1829	6.5	34	2	3	5	8	12	17	33
A. Not Operated	413	4.3	18	1	2	3	5	9	13	22
B. Operated	2056	6.2	29	2	3	5	7	11	16	32
TOTAL										
0-19 YRS	1038	5.1	14	2	3	4	6	8	10	21
20-34	265	5.1	26	1	2	4	6	9	11	24
35-49	317	5.6	26	1	2	4	7	11	14	28
50-64	323	6.0	29	1	2	5	7	12	15	28
65 +	526	8.1	50	2	3	6	11	17	21	40
GRAND TOTAL	**2469**	**5.9**	**28**	**2**	**3**	**5**	**7**	**11**	**15**	**29**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	21	1.6	1	1	1	1	2	3	3	3
35-49	21	1.5		< 1	1	2	2	2	2	2
50-64	14	1.6	1	< 1	1	1	2	3	5	5
65 +	4	5.0	54	1	1	2	9	16	16	16
B. Operated										
0-19 YRS	5	2.6	2	1	2	2	3	5	5	5
20-34	6	4.5	6	2	2	4	6	8	8	8
35-49	17	1.7	1	1	1	1	2	4	5	5
50-64	8	1.9	1	1	1	2	2	4	4	4
65 +	17	2.4	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	20	1.9	2	1	1	1	2	3	5	6
35-49	21	1.8	1	1	1	2	2	3	4	4
50-64	26	2.2	2	1	1	2	3	5	5	6
65 +	12	2.0	1	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	11	2.8	2	1	2	3	4	5	5	5
20-34	21	4.5	19	1	2	3	6	9	14	20
35-49	31	5.0	60	1	1	3	5	9	18	42
50-64	53	7.3	133	1	3	5	9	12	13	82
65 +	147	5.5	14	1	3	5	8	11	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	1.8	4	1	1	1	2	3	3	14
B. Operated	53	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	83	2.0	2	1	1	2	3	4	5	7
B. Operated	263	5.6	44	1	2	4	7	11	13	21
1. SINGLE DX	117	2.0	3	1	1	2	2	4	5	11
2. MULTIPLE DX	346	4.8	36	1	2	3	6	10	12	20
A. Not Operated	147	1.9	3	1	1	1	2	3	5	8
B. Operated	316	5.1	39	1	2	4	6	10	13	20
TOTAL										
0-19 YRS	24	2.6	3	1	1	2	4	5	6	8
20-34	68	2.8	9	1	1	2	3	6	8	18
35-49	90	2.8	23	1	1	2	2	5	6	32
50-64	101	4.7	77	1	1	3	6	10	12	52
65 +	180	5.0	15	1	2	4	7	10	13	17
GRAND TOTAL	**463**	**4.1**	**29**	**1**	**1**	**2**	**6**	**9**	**12**	**18**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.9	1	1	1	2	2	3	4	4
20-34	7	1.9		1	2	2	2	2	2	2
35-49	0									
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	5	5.0	4	3	4	4	6	8	8	8
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	3.3	9	< 1	1	2	6	8	8	8
35-49	18	3.5	4	1	2	3	5	6	7	8
50-64	8	2.8	12	< 1	1	2	3	9	11	11
65 +	16	2.3	1	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	3.3	8	1	2	2	4	6	9	15
20-34	41	4.4	34	1	2	3	5	6	12	36
35-49	40	4.9	9	2	3	4	6	8	10	18
50-64	45	5.3	12	2	3	4	6	8	14	17
65 +	167	6.1	16	2	4	5	7	12	13	23
B. Operated										
0-19 YRS	21	5.8	17	1	3	4	8	12	15	17
20-34	35	5.3	121	1	2	3	5	7	11	67
35-49	59	6.1	31	1	2	5	8	15	20	93
50-64	103	5.4	26	1	2	4	7	12	15	27
65 +	306	7.3	45	2	3	6	9	15	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.3	2	1	1	2	3	4	6	8
B. Operated	49	2.9	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	332	5.3	17	2	3	4	6	9	13	21
B. Operated	524	6.6	44	1	3	5	8	14	17	32
1. SINGLE DX	84	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX	856	6.1	34	2	3	5	7	12	16	28
A. Not Operated	367	5.0	16	2	2	4	6	9	13	20
B. Operated	573	6.3	42	1	2	5	8	13	17	29
TOTAL										
0-19 YRS	82	3.6	10	1	2	2	4	7	11	16
20-34	89	4.5	64	1	2	3	5	7	8	55
35-49	117	5.3	20	1	3	4	6	11	17	50
50-64	158	5.2	21	1	2	4	7	11	15	25
65 +	494	6.7	35	2	3	5	8	13	16	28
GRAND TOTAL	**940**	**5.8**	**32**	**1**	**2**	**4**	**7**	**12**	**16**	**27**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	2.2	2	1	1	2	4	4	5	5
20-34	39	2.0	2	1	1	2	3	4	4	6
35-49	23	2.3	4	1	1	1	3	6	7	8
50-64	23	1.7	2	1	1	1	2	3	5	7
65 +	13	1.5	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	12	3.3	6	1	1	3	5	6	9	9
B. Operated										
0-19 YRS	32	3.6	18	1	1	2	4	10	10	21
20-34	54	3.3	8	1	1	2	4	7	10	13
35-49	48	3.0	6	1	1	2	4	7	8	12
50-64	76	3.1	14	1	1	2	3	6	10	22
65 +	241	3.7	16	1	1	3	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	116	2.0	2	1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	24	2.4	4	1	1	2	4	5	6	9
B. Operated	451	3.5	14	1	1	2	4	7	10	16
1. SINGLE DX	116	2.0	2	1	1	1	3	4	5	8
2. MULTIPLE DX	475	3.4	13	1	1	2	4	7	10	16
A. Not Operated	24	2.4	4	1	1	2	4	5	6	9
B. Operated	567	3.2	12	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	55	2.9	12	1	1	2	3	6	10	20
20-34	95	2.7	6	1	1	2	4	6	8	13
35-49	73	2.8	5	1	1	2	4	6	8	11
50-64	102	2.8	11	1	1	2	3	5	7	20
65 +	266	3.6	15	1	1	3	5	8	10	16
GRAND TOTAL	**591**	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	2.9	2	1	2	3	4	5	6	8
20-34	59	2.5	2	1	1	2	3	5	6	7
35-49	32	2.8	1	1	2	3	3	5	5	5
50-64	31	3.8	10	1	2	3	4	6	7	19
65 +	46	5.1	13	2	2	4	6	11	14	17
B. Operated										
0-19 YRS	13	3.6	5	1	2	3	5	7	7	7
20-34	3	6.0	13	3	3	5	9	10	10	10
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65 +	2	8.0	50	3	3	8	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1082	4.1	7	2	2	3	5	7	10	15
20-34	442	4.7	16	2	3	4	6	8	10	18
35-49	491	5.8	19	2	3	5	7	11	13	23
50-64	795	6.1	17	2	4	5	7	10	13	24
65 +	4737	7.8	31	3	4	6	9	14	17	28
B. Operated										
0-19 YRS	154	6.8	18	3	4	6	9	12	17	21
20-34	58	8.5	49	3	4	6	11	20	26	94
35-49	76	13.6	140	4	6	8	21	33	36	54
50-64	171	13.6	199	4	6	9	16	23	49	84
65 +	952	14.2	106	5	8	12	17	26	35	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	3.2	5	1	2	3	4	6	7	14
B. Operated	21	4.5	10	1	2	3	7	8	11	13
2. MULTIPLE DX										
A. Not Operated	7547	6.8	27	2	4	6	8	12	16	26
B. Operated	1411	13.1	113	4	7	10	16	24	34	56
1. SINGLE DX	365	3.3	5	1	2	3	4	6	7	14
2. MULTIPLE DX	8958	7.8	46	3	4	6	9	14	19	36
A. Not Operated	7891	6.6	26	2	3	5	8	12	15	26
B. Operated	1432	13.0	112	4	7	10	16	24	34	56
TOTAL										
0-19 YRS	1425	4.2	9	2	2	3	5	8	10	16
20-34	562	4.9	20	2	2	4	6	9	11	25
35-49	601	6.6	40	2	3	5	8	12	20	35
50-64	998	7.3	56	3	4	5	8	13	18	45
65 +	5737	8.8	49	3	5	7	11	16	21	39
GRAND TOTAL	**9323**	**7.6**	**45**	**2**	**4**	**6**	**9**	**14**	**19**	**35**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.6	1	1	1	1	2	3	3	4
20-34	7	1.4		< 1	< 1	1	2	2	2	2
35-49	12	1.7	2	< 1	1	1	2	4	5	5
50-64	6	1.8	4	1	1	1	1	6	6	6
65 +	12	3.1	5	1	2	3	4	6	9	9
B. Operated										
0-19 YRS	54	2.4	4	1	1	2	3	5	6	11
20-34	33	1.8	2	1	1	1	2	3	6	7
35-49	28	4.2	15	2	2	3	5	8	11	21
50-64	55	2.4	3	1	1	2	3	4	7	7
65 +	93	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	3.2	16	1	1	2	4	6	7	28
20-34	44	3.8	8	1	2	3	5	8	9	15
35-49	58	3.6	7	1	2	3	4	8	10	12
50-64	86	4.1	9	2	2	3	5	7	9	18
65 +	293	4.7	14	2	2	4	6	9	12	19
B. Operated										
0-19 YRS	93	4.7	24	1	1	3	7	11	16	22
20-34	80	5.1	12	2	3	4	7	10	13	16
35-49	149	4.9	24	1	2	3	6	10	13	28
50-64	299	4.6	15	1	2	3	6	10	12	20
65 +	975	6.2	48	1	2	4	8	13	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	1.9	2	< 1	1	1	2	3	5	8
B. Operated	263	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	557	4.2	13	1	2	3	5	8	11	18
B. Operated	1596	5.6	37	1	2	4	7	12	17	31
1. SINGLE DX	331	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX	2153	5.3	31	1	2	3	6	11	15	28
A. Not Operated	625	4.0	12	1	2	3	5	8	10	16
B. Operated	1859	5.2	33	1	2	3	6	11	15	28
TOTAL										
0-19 YRS	254	3.4	16	1	1	2	4	7	11	22
20-34	164	3.9	10	1	2	3	5	8	10	15
35-49	247	4.4	18	1	2	3	5	9	11	25
50-64	446	4.2	13	1	2	3	5	9	11	19
65 +	1373	5.6	38	1	2	4	7	12	17	33
GRAND TOTAL	**2484**	**4.9**	**28**	**1**	**2**	**3**	**6**	**10**	**14**	**26**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	5	5.0	6	3	3	4	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	3	3.3	16	< 1	< 1	1	6	8	8	8
35-49	13	2.5	3	< 1	1	2	3	5	7	7
50-64	480	3.3	2	2	3	3	4	4	5	8
65 +	964	3.5	2	2	3	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	30	2.9	3	< 1	2	3	4	6	7	7
65 +	124	4.3	16	1	2	3	6	9	13	19
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	42	3.9	10	2	3	3	4	5	11	18
50-64	1969	4.1	6	2	3	3	4	6	8	12
65 +	6545	4.9	11	3	3	4	5	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.0	7	< 1	2	3	6	8	8	8
B. Operated	1460	3.5	2	2	3	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	157	4.0	13	1	2	3	5	8	12	18
B. Operated	8557	4.7	10	2	3	4	5	8	11	17
1. SINGLE DX	1467	3.5	2	2	3	3	4	5	6	8
2. MULTIPLE DX	8714	4.7	10	2	3	4	5	8	11	17
A. Not Operated	164	4.0	13	1	2	3	5	8	12	18
B. Operated	10017	4.5	9	2	3	4	5	8	10	16
TOTAL										
0-19 YRS	0									
20-34	5	3.6	10	< 1	1	2	6	8	8	8
35-49	58	3.5	9	1	2	3	4	5	7	18
50-64	2480	3.9	6	2	3	3	4	6	8	12
65 +	7638	4.7	10	2	3	4	5	8	11	18
GRAND TOTAL	**10181**	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**10**	**16**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	3.5	4	1	2	3	4	7	9	9
35-49	15	3.3	1	2	3	3	4	4	5	5
50-64	12	3.3	1	2	3	3	4	5	5	5
65 +	4	4.3	1	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	23	3.0	3	1	2	3	4	5	7	8
35-49	51	4.1	4	2	3	4	5	6	7	12
50-64	97	4.4	4	2	3	4	5	7	8	10
65 +	93	5.4	12	3	3	5	6	10	10	21
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	7.9	22	4	4	5	12	15	15	15
35-49	18	6.6	16	2	4	6	8	13	15	16
50-64	53	5.0	8	2	3	5	6	9	11	12
65 +	99	7.5	33	2	3	5	10	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.3	2	2	3	3	4	5	5	9
B. Operated	7	3.4	10	1	2	2	4	9	10	10
2. MULTIPLE DX										
A. Not Operated	264	4.6	7	2	3	4	6	7	9	17
B. Operated	178	6.6	24	2	3	5	8	14	16	24
1. SINGLE DX	51	3.4	3	2	2	3	4	5	5	10
2. MULTIPLE DX	442	5.4	15	2	3	4	6	10	13	21
A. Not Operated	308	4.4	7	2	3	4	5	7	9	15
B. Operated	185	6.5	24	2	3	5	8	14	16	24
TOTAL										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	43	3.8	9	1	2	3	4	8	11	15
35-49	87	4.4	7	2	3	4	5	7	9	15
50-64	164	4.5	5	2	3	4	6	7	9	11
65 +	196	6.4	24	2	3	5	8	13	16	24
GRAND TOTAL	**493**	**5.2**	**14**	**2**	**3**	**4**	**6**	**10**	**13**	**21**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	19	1.1		< 1	1	1	1	1	2	2
20-34	7	1.4		1	1	1	2	2	2	2
35-49	6	1.0		1	1	1	1	1	1	1
50-64	17	1.5	2	1	1	1	1	3	5	6
65 +	9	1.3	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	26	1.7	1	1	1	1	2	3	4	5
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	9	2.3	5	1	1	1	3	6	7	7
50-64	27	2.1	2	1	1	2	3	4	6	6
65 +	41	3.0	9	1	1	2	3	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	4	1	1	2	3	5	5	5
B. Operated	58	1.3	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	108	2.3	5	1	1	1	3	5	7	12
1. SINGLE DX	62	1.3	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	116	2.3	5	1	1	1	3	5	7	12
A. Not Operated	12	1.8	2	< 1	1	1	2	4	5	5
B. Operated	166	1.9	4	1	1	1	2	4	6	11
TOTAL										
0-19 YRS	52	1.4	1	< 1	1	1	1	3	3	5
20-34	13	1.7	1	1	1	1	2	3	5	5
35-49	15	1.8	3	1	1	1	2	5	6	7
50-64	46	1.8	2	1	1	1	2	4	6	6
65 +	52	2.6	8	1	1	1	3	7	10	13
GRAND TOTAL	**178**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**	**11**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	3.6	5	1	2	3	5	7	8	10
20-34	66	3.3	3	2	2	3	4	6	7	8
35-49	59	3.8	3	2	3	4	5	6	7	8
50-64	22	4.0	3	2	2	4	5	6	7	7
65 +	9	4.6	4	2	3	5	6	7	8	8
B. Operated										
0-19 YRS	15	2.4	2	< 1	1	2	4	5	5	5
20-34	13	2.3	3	1	1	2	3	5	7	7
35-49	11	1.9	2	< 1	1	2	2	4	5	5
50-64	5	1.2		1	1	1	2	2	2	2
65 +	4	5.8	11	2	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.5	12	1	2	3	8	9	11	12
20-34	41	4.3	5	2	3	4	6	7	8	10
35-49	66	4.3	4	2	3	4	5	6	8	12
50-64	60	4.9	5	3	4	4	6	7	9	14
65 +	114	5.9	8	3	4	5	8	10	11	14
B. Operated										
0-19 YRS	14	2.8	3	1	2	3	3	5	7	7
20-34	23	5.3	18	1	2	5	7	10	14	19
35-49	26	6.2	12	3	4	5	9	11	13	15
50-64	28	6.6	27	1	2	5	10	15	17	20
65 +	54	8.9	43	2	4	8	11	18	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	198	3.7	3	2	2	3	5	6	7	9
B. Operated	48	2.4	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	303	5.0	7	2	3	4	6	9	10	13
B. Operated	145	6.8	30	1	3	5	9	13	18	26
1. SINGLE DX	246	3.4	4	1	2	3	5	6	7	9
2. MULTIPLE DX	448	5.6	15	2	3	5	7	10	12	22
A. Not Operated	501	4.5	6	2	3	4	6	8	9	12
B. Operated	193	5.7	27	1	2	4	8	12	16	26
TOTAL										
0-19 YRS	93	3.5	6	1	2	3	4	7	9	11
20-34	143	3.8	6	1	2	3	5	7	8	12
35-49	162	4.2	6	2	3	4	5	7	9	13
50-64	115	5.0	11	2	3	4	6	9	11	18
65 +	181	6.7	20	3	4	6	9	11	14	26
GRAND TOTAL	**694**	**4.8**	**12**	**2**	**3**	**4**	**6**	**9**	**11**	**18**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.0		< 1	< 1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	4	6.5	18	2	3	6	10	11	11	11
B. Operated										
0-19 YRS	11	1.5	1	1	1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	6	1.8	1	< 1	1	2	3	3	3	3
65 +	19	3.4	18	< 1	1	2	4	5	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	1.2		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	6	5.0	16	2	2	3	9	11	11	11
B. Operated	40	2.4	9	1	1	2	3	4	5	20
1. SINGLE DX	11	1.2		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX	46	2.8	11	1	1	2	3	4	9	20
A. Not Operated	6	5.0	16	2	2	3	9	11	11	11
B. Operated	51	2.2	8	< 1	1	1	3	4	4	20
TOTAL										
0-19 YRS	20	1.4		< 1	1	1	2	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	1.7	1	1	1	1	3	3	3	3
50-64	6	1.8	1	< 1	1	2	3	3	3	3
65 +	23	3.9	19	1	1	3	4	9	14	20
GRAND TOTAL	**57**	**2.5**	**9**	**< 1**	**1**	**1**	**3**	**4**	**8**	**19**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.6	3	1	1	2	3	5	6	7
20-34	6	1.3	1	< 1	1	1	1	3	3	3
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	225	1.4	3	< 1	1	1	1	2	3	5
20-34	74	1.6	1	1	1	1	2	3	4	6
35-49	69	2.1	3	1	1	2	2	4	5	11
50-64	114	2.1	2	1	1	2	3	3	4	8
65 +	39	2.2	2	1	1	2	3	4	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.2	5	1	2	3	4	7	8	9
20-34	12	4.3	17	1	2	3	5	9	15	16
35-49	14	6.0	15	2	3	5	8	13	14	14
50-64	29	4.3	40	< 1	1	3	5	7	10	35
65 +	31	6.4	20	1	4	5	9	12	17	19
B. Operated										
0-19 YRS	92	2.8	29	1	1	1	2	6	11	77
20-34	65	4.4	34	1	1	3	5	8	14	33
35-49	151	4.5	37	1	2	3	5	8	11	35
50-64	326	3.0	8	1	2	2	3	5	7	23
65 +	218	4.7	41	1	2	3	5	9	14	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.4	2	1	1	2	3	5	6	7
B. Operated	521	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	138	4.5	19	1	2	3	6	9	12	21
B. Operated	852	3.8	27	1	1	2	4	7	11	34
1. SINGLE DX	557	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	990	3.9	26	1	2	3	4	7	11	33
A. Not Operated	174	4.1	16	1	2	3	5	8	10	19
B. Operated	1373	3.0	18	1	1	2	3	6	8	28
TOTAL										
0-19 YRS	391	2.0	10	1	1	1	2	4	6	16
20-34	157	3.0	18	1	1	2	3	6	8	27
35-49	238	3.9	27	1	2	2	4	8	11	31
50-64	473	2.8	9	1	1	2	3	5	6	20
65 +	288	4.6	35	1	2	3	5	9	14	31
GRAND TOTAL	**1547**	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**8**	**27**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	1.9	1	< 1	1	2	3	3	4	4
35-49	45	2.6	2	1	2	2	3	4	5	6
50-64	19	2.6	3	< 1	1	2	3	5	6	6
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	3.0	3	1	2	3	4	6	6	6
35-49	85	3.0	4	1	2	3	4	5	6	12
50-64	59	2.8	2	1	2	3	4	5	6	7
65 +	35	2.9	3	1	2	3	4	5	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	81	2.4	2	< 1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	5	2.8	16	< 1	< 1	1	3	10	10	10
B. Operated	201	2.9	3	1	2	3	4	5	6	10
1. SINGLE DX	82	2.4	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX	206	2.9	3	1	2	3	4	5	6	11
A. Not Operated	6	2.5	14	< 1	< 1	1	1	9	10	10
B. Operated	282	2.8	3	1	2	2	3	5	6	10
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	36	2.6	2	1	1	2	3	5	6	6
35-49	133	2.8	3	1	2	3	3	4	6	11
50-64	80	2.8	3	1	2	2	4	5	6	9
65 +	37	2.8	3	1	2	3	4	5	5	9
GRAND TOTAL	**288**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	**10**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.7	1	1	2	3	3	4	4	4
20-34	23	2.6	2	1	2	2	3	4	5	6
35-49	8	3.5	2	1	3	3	4	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	144	1.8	1	1	1	2	2	3	4	5
20-34	264	2.0	1	1	1	2	2	3	4	6
35-49	150	2.1	3	1	1	2	2	3	5	12
50-64	82	1.9	1	1	1	2	2	3	4	5
65 +	19	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.3	10	1	2	3	7	9	10	10
20-34	11	4.0	8	< 1	2	3	6	8	10	10
35-49	16	4.9	10	< 1	3	4	6	9	11	12
50-64	20	5.6	6	2	4	5	7	9	10	11
65 +	13	5.1	11	1	2	5	8	10	10	10
B. Operated										
0-19 YRS	63	2.1	3	1	1	2	2	3	6	10
20-34	202	2.4	2	1	1	2	3	4	5	9
35-49	227	3.1	16	1	1	2	3	6	7	22
50-64	142	3.3	8	1	2	2	4	7	8	15
65 +	81	3.2	10	1	1	2	4	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.8	2	1	2	3	3	4	5	6
B. Operated	659	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	72	4.9	9	1	2	5	7	9	10	12
B. Operated	715	2.8	9	1	1	2	3	5	7	13
1. SINGLE DX	702	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX	787	3.0	9	1	1	2	3	6	8	13
A. Not Operated	115	4.1	7	1	2	3	6	8	10	11
B. Operated	1374	2.4	5	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	231	2.1	2	1	1	2	2	3	4	9
20-34	500	2.2	2	1	1	2	3	4	5	8
35-49	401	2.8	11	1	1	2	3	5	7	13
50-64	244	3.0	7	1	1	2	4	6	8	12
65 +	113	3.3	9	1	1	2	4	7	10	15
GRAND TOTAL	**1489**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	1.7	1	1	1	1	2	3	4	6
20-34	223	1.7	1	1	1	1	2	3	4	5
35-49	72	1.7	1	< 1	1	2	2	3	3	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	176	2.8	2	1	2	3	3	4	5	8
20-34	358	2.9	2	1	2	3	4	4	5	6
35-49	160	3.5	2	2	3	3	4	5	7	9
50-64	36	3.6	3	1	3	4	4	6	7	8
65 +	12	4.3	1	3	4	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	2.1	1	1	1	2	3	4	5	6
20-34	191	2.2	2	1	1	2	3	4	5	7
35-49	88	2.4	4	1	1	2	3	4	5	12
50-64	4	2.8	3	1	1	2	4	5	5	5
65 +	4	3.8	24	< 1	< 1	1	6	11	11	11
B. Operated										
0-19 YRS	188	3.7	12	2	2	3	4	6	6	15
20-34	1060	3.9	4	2	3	4	5	6	7	11
35-49	920	4.3	5	3	3	4	5	6	8	14
50-64	173	4.4	3	3	3	4	5	7	8	11
65 +	119	6.2	16	4	4	5	7	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	453	1.7	1	1	1	1	2	3	4	5
B. Operated	742	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	397	2.2	2	1	1	2	3	4	5	9
B. Operated	2460	4.2	6	2	3	4	5	6	8	13
1. SINGLE DX	1195	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2857	3.9	6	2	3	4	5	6	8	12
A. Not Operated	850	2.0	2	1	1	2	2	3	4	7
B. Operated	3202	3.9	5	2	3	4	4	6	7	12
TOTAL										
0-19 YRS	629	2.7	5	1	1	2	3	5	5	9
20-34	1832	3.2	4	1	2	3	4	5	7	10
35-49	1240	3.9	5	2	3	4	4	6	7	13
50-64	216	4.3	3	3	3	4	5	6	8	11
65 +	135	6.0	15	4	4	5	7	10	13	24
GRAND TOTAL	**4052**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	319	3.3	3	2	2	3	4	5	6	9
20-34	637	3.4	2	2	2	3	4	5	6	8
35-49	114	3.8	3	2	2	4	5	6	7	9
50-64	6	5.0	9	3	3	4	5	10	11	11
65 +	0									
B. Operated										
0-19 YRS	52	3.8	3	2	3	4	5	6	7	11
20-34	186	3.6	3	2	3	3	4	6	7	11
35-49	100	4.4	12	2	3	4	5	7	9	23
50-64	19	4.5	2	3	4	4	5	7	8	8
65 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	404	3.7	3	2	3	3	5	6	7	10
20-34	818	4.1	5	2	3	4	5	7	8	12
35-49	185	4.8	13	2	3	4	5	8	11	19
50-64	12	6.7	11	3	4	6	9	12	13	13
65 +	8	8.4	19	4	6	7	9	16	18	18
B. Operated										
0-19 YRS	112	4.9	13	2	3	4	6	9	11	20
20-34	1197	4.5	8	2	3	4	5	8	10	15
35-49	787	5.0	9	3	3	4	6	9	11	18
50-64	99	5.9	19	3	3	4	7	11	15	24
65 +	28	6.8	11	4	4	6	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1076	3.4	3	2	2	3	4	5	6	8
B. Operated	359	3.9	6	2	3	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	1427	4.1	6	2	3	4	5	7	8	13
B. Operated	2223	4.8	10	2	3	4	5	8	11	17
1. SINGLE DX	1435	3.5	3	2	2	3	4	6	6	10
2. MULTIPLE DX	3650	4.5	8	2	3	4	5	8	10	15
A. Not Operated	2503	3.8	4	2	2	3	5	6	7	11
B. Operated	2582	4.7	9	2	3	4	5	8	10	16
TOTAL										
0-19 YRS	887	3.7	4	2	2	3	5	6	7	11
20-34	2838	4.1	6	2	3	4	5	7	8	12
35-49	1186	4.8	10	2	3	4	5	8	11	18
50-64	136	5.8	15	3	4	4	7	11	13	22
65 +	38	7.0	13	4	4	6	9	12	14	18
GRAND TOTAL	**5085**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**9**	**14**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	2	< 1	1	2	3	4	5	5
20-34	10	2.4	1	< 1	2	2	3	4	4	4
35-49	3	4.3		4	4	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	3.0	4	1	1	3	5	6	6	6
20-34	169	3.3	1	2	3	3	4	5	5	6
35-49	156	3.8	1	3	3	4	4	5	5	7
50-64	2	4.0		4	4	4	4	4	4	4
65 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.2	16	1	2	4	10	10	10	10
20-34	19	3.7	8	1	2	3	4	9	11	11
35-49	15	2.7	3	< 1	1	2	4	5	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	24	3.7	3	1	3	3	5	7	7	8
20-34	1603	3.8	2	3	3	4	4	5	6	10
35-49	2672	4.1	2	3	3	4	4	5	6	10
50-64	278	4.4	2	3	4	4	5	6	7	11
65 +	32	5.8	14	3	4	5	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.6	2	< 1	2	2	4	5	5	5
B. Operated	336	3.5	1	2	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	42	3.5	7	< 1	2	3	4	8	10	11
B. Operated	4609	4.0	2	3	3	4	4	5	6	10
1. SINGLE DX	357	3.5	1	2	3	4	4	5	5	7
2. MULTIPLE DX	4651	4.0	2	3	3	4	4	5	6	10
A. Not Operated	63	3.2	6	< 1	2	3	4	6	10	11
B. Operated	4945	4.0	2	3	3	4	4	5	6	10
TOTAL										
0-19 YRS	45	3.5	5	1	2	3	5	7	8	10
20-34	1801	3.8	2	3	3	4	4	5	6	10
35-49	2846	4.1	2	3	3	4	4	5	6	10
50-64	281	4.4	2	3	4	4	5	6	7	11
65 +	35	5.6	13	3	4	5	6	9	13	21
GRAND TOTAL	**5008**	**4.0**	**2**	**3**	**3**	**4**	**4**	**5**	**6**	**10**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	2.1	2	< 1	< 1	1	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.8	11	1	2	2	6	9	9	9
20-34	8	3.6	3	1	2	3	5	6	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	75	3.8	1	3	3	4	4	5	6	7
35-49	102	4.2	4	3	3	4	4	6	7	13
50-64	19	4.1		3	4	4	5	5	5	5
65 +	6	4.3	1	3	3	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	8	2.4	2	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	16	3.6	5	1	2	3	5	7	8	9
B. Operated	202	4.0	2	3	3	4	4	6	7	10
1. SINGLE DX	9	2.3	2	< 1	1	2	4	4	4	4
2. MULTIPLE DX	218	4.0	3	3	3	4	4	6	7	10
A. Not Operated	17	3.5	5	1	2	3	4	7	8	9
B. Operated	210	4.0	2	3	3	4	4	6	7	9
TOTAL										
0-19 YRS	5	3.8	11	1	2	2	6	9	9	9
20-34	85	3.7	1	3	3	4	4	5	6	7
35-49	111	4.0	4	2	3	4	4	6	7	13
50-64	20	4.1		3	4	4	5	5	5	5
65 +	6	4.3	1	3	3	4	5	6	6	6
GRAND TOTAL	**227**	**3.9**	**3**	**2**	**3**	**4**	**4**	**6**	**7**	**9**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.4	2	2	2	3	4	5	6	6
20-34	39	2.8	2	1	2	2	3	5	6	8
35-49	6	3.3	2	1	3	3	4	5	5	5
50-64	4	3.8		3	3	4	4	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	11	1.8	2	< 1	1	1	2	4	5	5
20-34	34	2.1	2	1	1	1	3	4	5	7
35-49	14	3.0	4	1	1	3	3	6	8	8
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	3	3.0	12	1	1	1	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.2	3	1	2	3	4	6	6	7
20-34	53	3.7	3	2	2	3	5	6	7	9
35-49	26	4.9	15	2	3	4	5	8	14	20
50-64	9	6.8	9	4	5	6	7	12	14	14
65 +	13	7.5	10	4	6	7	9	12	14	14
B. Operated										
0-19 YRS	11	5.5	29	1	2	4	5	16	17	17
20-34	73	3.7	2	2	3	4	5	6	6	7
35-49	52	5.0	18	1	2	4	6	8	16	21
50-64	29	6.2	22	1	3	4	9	12	14	21
65 +	19	10.6	149	1	2	8	17	21	39	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.1	2	1	2	3	4	5	6	8
B. Operated	65	2.3	3	1	1	1	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	123	4.5	9	2	3	4	6	7	10	16
B. Operated	184	5.3	29	1	3	4	6	10	16	22
1. SINGLE DX	129	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX	307	5.0	21	2	3	4	6	8	14	21
A. Not Operated	187	4.0	7	2	2	3	5	7	8	14
B. Operated	249	4.5	24	1	2	4	5	8	14	21
TOTAL										
0-19 YRS	58	3.4	8	1	2	3	4	5	7	17
20-34	199	3.2	3	1	2	3	4	6	6	8
35-49	98	4.6	14	1	2	4	5	8	14	21
50-64	45	5.8	17	1	3	4	7	12	14	21
65 +	36	8.7	87	1	3	7	10	18	22	52
GRAND TOTAL	**436**	**4.3**	**17**	**1**	**2**	**3**	**5**	**7**	**11**	**20**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	50	3.2	1	2	3	3	4	4	6	6
35-49	196	3.5	1	2	3	3	4	5	6	7
50-64	413	3.7	2	2	3	4	4	5	6	8
65 +	406	4.1	2	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	6	2.0	2	< 1	< 1	1	3	4	4	4
50-64	7	2.4	3	< 1	< 1	1	4	5	5	5
65 +	15	2.6	4	< 1	1	2	3	6	7	7
B. Operated										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	367	3.7	1	2	3	4	4	5	6	7
35-49	1278	4.0	2	3	3	4	5	6	7	9
50-64	1482	4.3	3	3	3	4	5	6	7	10
65 +	1865	4.9	5	3	4	4	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1066	3.8	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	29	2.4	3	< 1	< 1	2	3	5	6	7
B. Operated	4995	4.4	4	3	3	4	5	6	7	11
1. SINGLE DX	1066	3.8	2	2	3	4	4	5	6	8
2. MULTIPLE DX	5024	4.4	4	3	3	4	5	6	7	11
A. Not Operated	29	2.4	3	< 1	< 1	2	3	5	6	7
B. Operated	6061	4.3	3	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	418	3.6	1	2	3	4	4	5	6	7
35-49	1480	4.0	2	2	3	4	5	5	6	9
50-64	1902	4.2	3	3	3	4	5	6	7	9
65 +	2286	4.7	5	3	4	4	5	7	8	14
GRAND TOTAL	**6090**	**4.3**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.2		< 1	1	1	1	2	2	2
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	8	2.4	4	1	1	2	3	6	7	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	31	2.7	2	< 1	1	3	4	4	5	5
35-49	66	2.8	2	1	2	3	4	4	5	5
50-64	4	4.5	2	3	3	4	5	6	6	6
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.3	2	1	1	2	3	4	5	5
20-34	34	2.3	2	1	1	2	3	4	5	6
35-49	10	2.9	19	< 1	< 1	1	3	9	15	15
50-64	5	2.8	2	< 1	1	3	4	5	5	5
65 +	3	5.0	12	1	2	7	7	7	7	7
B. Operated										
0-19 YRS	17	2.9	3	1	1	3	4	6	6	6
20-34	329	3.8	3	2	3	4	4	5	6	11
35-49	707	3.9	5	3	3	4	4	5	6	11
50-64	91	4.2	3	2	3	4	5	6	8	11
65 +	5	10.2	169	2	2	6	14	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	1.7	2	1	1	1	2	3	4	7
B. Operated	106	2.8	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	67	2.5	5	< 1	1	2	3	5	6	14
B. Operated	1149	3.9	5	3	3	4	4	5	6	11
1. SINGLE DX	130	2.6	2	1	1	3	4	4	5	6
2. MULTIPLE DX	1216	3.9	5	2	3	4	4	5	6	11
A. Not Operated	91	2.3	4	< 1	1	2	3	4	6	12
B. Operated	1255	3.9	5	2	3	4	4	5	6	11
TOTAL										
0-19 YRS	45	2.3	2	1	1	2	3	4	5	6
20-34	399	3.6	3	2	3	3	4	5	6	10
35-49	791	3.8	5	2	3	4	4	5	6	11
50-64	101	4.1	3	2	3	4	5	6	8	11
65 +	10	7.2	89	1	2	5	7	20	33	33
GRAND TOTAL	**1346**	**3.7**	**5**	**2**	**3**	**4**	**4**	**5**	**6**	**11**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	< 1	1	2	3	3	3	3
20-34	8	1.4		< 1	1	1	2	2	2	2
35-49	10	1.5	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	51	2.8	2	1	2	3	4	4	5	6
35-49	79	3.2	1	1	3	3	4	4	5	5
50-64	4	3.5	3	1	2	4	5	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.6	3	< 1	1	2	3	5	6	7
20-34	28	2.2	3	1	1	2	3	5	6	7
35-49	37	2.4	4	< 1	1	2	3	5	6	10
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	9	2.4	2	1	2	2	3	4	5	5
20-34	498	3.7	4	2	3	4	4	5	6	12
35-49	1484	4.0	3	3	3	4	4	5	6	10
50-64	163	4.2	3	3	3	4	5	6	7	10
65 +	5	2.8	2	1	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	1.6	1	< 1	1	1	2	3	3	3
B. Operated	136	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	88	2.3	3	< 1	1	2	3	5	6	9
B. Operated	2159	3.9	3	2	3	4	4	5	6	10
1. SINGLE DX	159	2.8	2	1	2	3	4	4	5	6
2. MULTIPLE DX	2247	3.9	3	2	3	4	4	5	6	10
A. Not Operated	111	2.2	3	< 1	1	2	3	4	5	8
B. Operated	2295	3.9	3	2	3	4	4	5	6	10
TOTAL										
0-19 YRS	35	2.4	2	< 1	1	2	3	4	5	7
20-34	585	3.6	4	1	3	4	4	5	6	10
35-49	1610	3.9	3	2	3	4	4	5	6	9
50-64	170	4.1	3	2	3	4	5	6	7	10
65 +	6	3.3	3	1	2	3	4	6	6	6
GRAND TOTAL	**2406**	**3.8**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**10**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	13	3.3	2	1	3	3	4	5	6	6
50-64	10	1.9	2	< 1	1	1	2	4	5	5
65 +	8	2.1	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.0	2	< 1	1	2	3	4	4	4
50-64	5	1.2		< 1	< 1	1	1	2	2	2
65 +	17	5.2	27	1	3	4	6	8	18	24
B. Operated										
0-19 YRS	0									
20-34	18	3.7	1	3	3	4	4	5	5	5
35-49	77	4.1	2	3	3	4	5	7	7	9
50-64	132	3.7	3	1	3	4	5	6	6	8
65 +	101	4.9	16	2	2	4	6	9	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	32	2.6	2	1	1	2	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	30	3.7	19	1	1	3	5	7	8	24
B. Operated	328	4.2	7	1	3	4	5	7	8	17
1. SINGLE DX	34	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	358	4.1	8	1	3	4	5	7	8	17
A. Not Operated	32	3.6	18	1	1	3	4	6	8	24
B. Operated	360	4.0	7	1	3	4	5	7	8	16
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	20	3.6	1	3	3	3	4	5	5	5
35-49	96	3.8	3	2	3	4	4	6	7	9
50-64	148	3.5	3	1	2	4	5	5	6	8
65 +	126	4.8	17	1	2	4	6	9	14	22
GRAND TOTAL	**392**	**4.0**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**17**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.4	5	1	1	2	2	6	8	8
20-34	16	1.4		< 1	1	1	2	2	2	2
35-49	13	2.4	3	1	1	2	3	5	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	46	3.4	3	1	2	3	4	5	7	9
20-34	155	2.7	2	1	2	3	3	4	5	6
35-49	132	3.4	4	1	2	3	4	5	7	13
50-64	52	3.4	3	1	3	3	4	6	7	7
65 +	13	3.8	2	2	3	4	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.4	2	1	1	2	3	5	5	5
20-34	17	3.5	11	< 1	1	3	4	10	11	12
35-49	23	4.2	8	1	2	3	6	8	11	12
50-64	8	2.3	4	< 1	< 1	1	3	6	7	7
65 +	23	6.5	33	1	4	5	7	16	22	22
B. Operated										
0-19 YRS	60	4.0	6	1	3	4	5	7	11	13
20-34	533	3.7	4	2	3	3	4	5	6	12
35-49	930	4.1	5	2	3	4	4	6	7	14
50-64	404	4.6	9	3	3	4	5	7	9	16
65 +	267	7.0	41	2	4	5	9	14	19	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.0	2	1	1	2	2	3	6	8
B. Operated	398	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	88	4.1	16	1	2	3	5	8	12	22
B. Operated	2194	4.4	11	2	3	4	5	7	9	18
1. SINGLE DX	437	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX	2282	4.4	11	2	3	4	5	7	9	19
A. Not Operated	127	3.5	12	1	1	2	4	7	10	22
B. Operated	2592	4.2	10	2	3	4	5	6	9	16
TOTAL										
0-19 YRS	132	3.5	5	1	2	3	4	6	8	12
20-34	721	3.4	4	1	2	3	4	5	6	11
35-49	1098	4.0	5	2	3	4	4	6	7	13
50-64	465	4.4	9	2	3	4	5	7	9	15
65 +	303	6.9	39	2	4	5	8	13	19	38
GRAND TOTAL	**2719**	**4.2**	**10**	**2**	**3**	**4**	**5**	**6**	**9**	**17**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	1.6	1	< 1	1	1	2	3	3	5
20-34	64	2.1	2	1	1	2	2	4	5	6
35-49	14	2.4	2	1	1	2	3	4	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	10	3.1	4	1	2	2	4	6	7	7
20-34	126	3.1	2	2	2	3	4	5	6	7
35-49	335	3.6	2	2	3	3	4	5	6	8
50-64	241	3.9	2	2	3	4	4	6	7	8
65 +	125	4.0	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	1.7	1	1	1	1	2	3	4	5
20-34	97	2.2	2	< 1	1	2	3	4	5	7
35-49	37	2.5	3	1	1	2	3	5	7	8
50-64	4	3.0	2	1	2	3	4	4	4	4
65 +	10	3.7	10	1	1	3	5	8	10	10
B. Operated										
0-19 YRS	30	3.0	6	1	1	3	4	5	6	14
20-34	807	3.6	2	2	3	4	4	5	6	8
35-49	1152	4.0	2	3	3	4	5	6	7	9
50-64	555	4.5	3	3	3	4	5	7	8	11
65 +	396	4.8	6	3	3	4	6	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	1.9	1	1	1	2	2	4	5	6
B. Operated	837	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	187	2.3	2	1	1	2	3	4	5	8
B. Operated	2940	4.1	3	2	3	4	5	6	7	10
1. SINGLE DX	973	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3127	4.0	3	2	3	4	5	6	7	10
A. Not Operated	323	2.1	2	1	1	2	3	4	5	7
B. Operated	3777	4.0	3	2	3	4	5	6	7	9
TOTAL										
0-19 YRS	136	2.1	3	1	1	2	2	4	5	8
20-34	1094	3.4	2	1	3	3	4	5	6	8
35-49	1538	3.9	2	2	3	4	5	6	6	9
50-64	801	4.3	3	3	3	4	5	6	7	11
65 +	531	4.6	6	2	3	4	5	7	8	13
GRAND TOTAL	**4100**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	25	1.6	2	< 1	1	1	2	2	4	8
35-49	5	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	74	2.9	1	1	2	3	4	4	4	7
20-34	825	3.0	1	1	2	3	4	4	5	6
35-49	139	3.1	1	1	2	3	4	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	18	1.4	1	< 1	1	1	2	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	99	3.5	2	2	3	3	4	5	6	8
20-34	1213	3.6	3	2	3	3	4	5	6	9
35-49	273	3.7	4	1	3	4	4	5	6	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.5	1	< 1	1	1	2	2	2	8
B. Operated	1038	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	23	1.5	1	< 1	1	1	2	3	3	3
B. Operated	1585	3.6	3	2	3	3	4	5	6	9
1. SINGLE DX	1073	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	1608	3.6	3	2	3	3	4	5	6	9
A. Not Operated	58	1.5	1	< 1	1	1	2	2	3	8
B. Operated	2623	3.4	2	2	3	3	4	5	5	8
TOTAL										
0-19 YRS	181	3.2	2	1	2	3	4	5	5	8
20-34	2081	3.3	2	1	3	3	4	5	5	8
35-49	419	3.4	3	1	3	3	4	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**2681**	**3.3**	**2**	**1**	**3**	**3**	**4**	**5**	**5**	**8**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.3	1	< 1	< 1	1	1	3	3	3
20-34	22	1.3	1	< 1	1	1	1	2	3	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	1.3		< 1	1	1	1	2	3	3
20-34	53	1.4	1	< 1	1	1	2	2	3	7
35-49	14	1.1		< 1	1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.1		1	1	1	1	2	2	2
20-34	55	1.8	2	1	1	1	2	4	5	8
35-49	12	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.6	18	1	1	1	2	4	14	18
20-34	125	2.1	3	1	1	2	3	4	6	8
35-49	34	2.4	5	1	1	1	4	5	8	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.3		< 1	1	1	1	2	3	4
B. Operated	95	1.3	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	77	1.6	2	< 1	1	1	2	3	4	8
B. Operated	175	2.2	5	1	1	1	3	4	6	11
1. SINGLE DX	128	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	252	2.0	4	1	1	1	2	4	6	10
A. Not Operated	110	1.5	1	< 1	1	1	1	3	4	7
B. Operated	270	1.9	3	1	1	1	2	4	6	10
TOTAL										
0-19 YRS	62	1.6	5	< 1	1	1	1	3	3	16
20-34	255	1.8	2	1	1	1	2	4	5	8
35-49	63	1.8	3	< 1	1	1	2	4	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**380**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**8**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. Not Operated	0									
B. Operated	2	3.0		3	3	3	3	3	3	3
TOTAL										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	1.3		< 1	< 1	1	1	2	3	3
20-34	177	1.3		< 1	1	1	1	2	3	4
35-49	22	1.3		< 1	1	1	1	2	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	295	1.2		< 1	< 1	1	1	2	2	4
20-34	1191	1.2		< 1	< 1	1	1	2	3	4
35-49	198	1.1		< 1	< 1	1	1	1	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	1.7	1	< 1	1	1	2	3	4	5
20-34	91	2.2	2	1	1	2	3	4	5	7
35-49	12	2.7	5	< 1	1	2	4	6	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	116	2.2	4	< 1	1	1	3	5	5	10
20-34	480	2.3	7	< 1	1	2	3	4	5	12
35-49	91	2.7	6	< 1	1	2	4	6	8	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	1.3		< 1	1	1	1	2	3	4
B. Operated	1684	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	138	2.1	2	1	1	2	3	4	5	7
B. Operated	687	2.3	6	< 1	1	2	3	4	6	12
1. SINGLE DX	1969	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	825	2.3	5	< 1	1	2	3	4	6	11
A. Not Operated	423	1.6	1	< 1	1	1	2	3	4	6
B. Operated	2371	1.5	2	< 1	1	1	1	3	4	7
TOTAL										
0-19 YRS	532	1.5	1	< 1	1	1	1	3	4	6
20-34	1939	1.5	2	< 1	1	1	2	3	4	6
35-49	323	1.6	3	< 1	1	1	1	3	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**2794**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**	**7**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	1.9	2	1	1	1	2	3	5	7
20-34	119	1.6	1	< 1	1	1	2	3	4	5
35-49	19	2.1	2	1	1	2	3	4	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	55	1.5	1	< 1	1	1	2	3	3	6
20-34	287	1.3	1	< 1	1	1	1	2	3	4
35-49	45	1.3		< 1	1	1	1	2	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	2.8	4	1	2	3	3	5	6	11
20-34	84	2.5	5	1	1	2	3	4	6	14
35-49	17	1.7	1	1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	46	2.3	4	< 1	1	2	3	4	7	9
20-34	198	2.3	4	1	1	2	3	5	6	10
35-49	33	2.9	10	1	1	2	3	7	9	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	1.7	1	< 1	1	1	2	3	4	6
B. Operated	387	1.3	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	131	2.5	4	1	1	2	3	4	5	12
B. Operated	277	2.4	4	1	1	2	3	5	6	10
1. SINGLE DX	559	1.4	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	408	2.4	4	1	1	2	3	5	6	11
A. Not Operated	303	2.1	3	1	1	2	3	4	5	7
B. Operated	664	1.8	2	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	165	2.0	3	1	1	1	3	4	5	9
20-34	688	1.8	2	< 1	1	1	2	3	4	9
35-49	114	1.9	4	< 1	1	1	2	4	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**967**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	1.5	1	< 1	1	1	2	3	3	4
20-34	263	1.5	1	< 1	1	1	2	3	3	5
35-49	21	1.2		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	2.7	10	< 1	1	1	3	9	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	1.9	2	< 1	1	1	2	3	4	8
20-34	135	2.2	3	1	1	2	3	4	6	10
35-49	14	3.0	10	1	1	2	4	7	11	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.2	7	1	1	2	6	7	7	7
20-34	17	2.6	8	1	1	2	3	3	10	13
35-49	4	7.3	73	2	2	3	12	20	20	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	331	1.5	1	< 1	1	1	2	3	3	5
B. Operated	13	2.5	9	< 1	1	1	2	8	10	10
2. MULTIPLE DX										
A. Not Operated	194	2.2	3	1	1	2	3	4	6	11
B. Operated	27	3.4	17	1	1	2	3	7	14	20
1. SINGLE DX	344	1.6	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	221	2.4	5	1	1	2	3	4	6	12
A. Not Operated	525	1.8	2	< 1	1	1	2	3	4	7
B. Operated	40	3.1	15	1	1	2	3	7	11	20
TOTAL										
0-19 YRS	99	1.8	2	< 1	1	1	2	3	4	8
20-34	426	1.8	2	1	1	1	2	3	4	9
35-49	40	2.5	12	< 1	1	1	2	5	9	20
50-64	0									
65 +	0									
GRAND TOTAL	**565**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**	**9**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	2	1	1	2	3	4	4	4
20-34	56	1.4	1	< 1	1	1	2	3	3	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.3	20	1	1	1	6	10	10	10
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	21	1.9	1	< 1	1	2	2	3	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	1.5	1	< 1	1	1	2	3	3	4
B. Operated	4	3.3	20	1	1	1	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	26	1.9	1	1	1	2	2	3	4	4
B. Operated	4	1.5	1	1	1	1	2	3	3	3
1. SINGLE DX	68	1.6	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX	30	1.8	1	1	1	2	2	3	4	4
A. Not Operated	90	1.6	1	< 1	1	1	2	3	4	4
B. Operated	8	2.4	10	1	1	1	2	8	10	10
TOTAL										
0-19 YRS	10	1.9	2	1	1	1	3	4	4	4
20-34	84	1.6	2	< 1	1	1	2	3	4	8
35-49	4	2.5	1	1	2	3	3	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**98**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**7**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	2.3	2	1	1	2	3	4	5	9
20-34	553	2.3	2	1	1	2	3	4	5	9
35-49	70	2.6	3	1	1	2	3	5	6	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	1.6		1	1	2	2	3	3	3
20-34	68	2.5	4	1	1	2	3	5	6	12
35-49	14	3.4	14	< 1	1	2	4	9	13	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.0	6	1	2	2	3	7	10	11
20-34	271	3.3	9	1	2	2	4	6	9	18
35-49	60	3.5	8	1	2	2	4	7	9	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.6	3	1	1	2	4	5	6	6
20-34	73	2.9	16	< 1	1	2	3	6	9	25
35-49	14	3.9	16	< 1	1	3	4	12	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	720	2.3	2	1	1	2	3	4	5	9
B. Operated	94	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	380	3.3	8	1	2	2	4	6	9	18
B. Operated	101	3.0	14	< 1	1	2	3	6	10	22
1. SINGLE DX	814	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	481	3.2	10	1	1	2	4	6	9	18
A. Not Operated	1100	2.7	5	1	1	2	3	5	6	11
B. Operated	195	2.7	10	< 1	1	2	3	6	8	16
TOTAL										
0-19 YRS	172	2.5	3	1	1	2	3	5	5	11
20-34	965	2.6	5	1	1	2	3	5	6	12
35-49	158	3.1	7	1	2	2	4	6	9	14
50-64	0									
65 +	0									
GRAND TOTAL	**1295**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	178	3.0	4	1	2	3	4	6	7	10
20-34	1040	3.1	4	1	2	3	4	5	6	10
35-49	44	3.0	4	2	2	3	3	4	6	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	10	5.9	21	2	3	4	8	13	16	16
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	211	3.5	9	1	2	3	4	6	10	16
20-34	910	3.5	7	1	2	3	4	6	9	14
35-49	63	3.9	8	2	2	3	5	6	7	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	5.0	36	< 1	1	2	10	14	15	15
20-34	40	9.4	106	1	2	6	13	23	30	48
35-49	2	22.0	722	3	3	22	41	41	41	41
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1262	3.1	4	1	2	3	4	5	6	10
B. Operated	14	4.6	19	1	2	3	6	11	15	16
2. MULTIPLE DX										
A. Not Operated	1184	3.5	8	1	2	3	4	6	9	15
B. Operated	48	9.4	116	1	2	5	13	23	36	48
1. SINGLE DX	1276	3.1	4	1	2	3	4	5	6	11
2. MULTIPLE DX	1232	3.7	13	1	2	3	4	6	10	19
A. Not Operated	2446	3.3	6	1	2	3	4	6	7	13
B. Operated	62	8.3	98	1	2	4	11	21	29	47
TOTAL										
0-19 YRS	399	3.3	7	1	2	3	4	6	8	14
20-34	2000	3.4	8	1	2	3	4	6	8	15
35-49	109	3.9	19	2	2	3	4	6	7	29
50-64	0									
65 +	0									
GRAND TOTAL	**2508**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	304	1.1		< 1	< 1	1	1	1	2	2
20-34	1064	1.1	1	< 1	< 1	< 1	1	1	2	4
35-49	74	1.1		< 1	< 1	< 1	1	1	2	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	65	1.1		< 1	< 1	< 1	1	1	2	2
20-34	266	1.2	1	< 1	< 1	< 1	1	1	2	6
35-49	9	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	1.3	1	< 1	< 1	1	1	2	4	4
20-34	215	1.6	5	< 1	< 1	1	1	3	4	13
35-49	17	2.0	5	< 1	1	1	2	4	8	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	1.4	1	< 1	< 1	1	1	2	4	5
20-34	75	1.4	2	< 1	< 1	1	1	3	4	8
35-49	7	2.9	24	< 1	< 1	1	1	11	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1442	1.1	1	< 1	< 1	< 1	1	1	2	4
B. Operated	340	1.1	1	< 1	< 1	< 1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	278	1.6	4	< 1	< 1	1	1	3	4	11
B. Operated	101	1.5	3	< 1	< 1	1	1	3	4	11
1. SINGLE DX	1782	1.1	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	379	1.6	4	< 1	< 1	1	1	3	4	11
A. Not Operated	1720	1.2	1	< 1	< 1	1	1	1	2	5
B. Operated	441	1.2	1	< 1	< 1	< 1	1	1	2	6
TOTAL										
0-19 YRS	434	1.1		< 1	< 1	1	1	1	2	3
20-34	1620	1.2	2	< 1	< 1	< 1	1	1	2	5
35-49	107	1.4	3	< 1	< 1	< 1	1	2	3	12
50-64	0									
65 +	0									
GRAND TOTAL	**2161**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**1**	**2**	**5**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.6	14	< 1	1	2	2	4	12	17
20-34	178	2.6	12	1	1	2	3	5	6	19
35-49	26	4.8	71	1	1	2	4	8	21	43
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	3.3	5	1	1	3	5	7	8	8
35-49	5	2.6	1	< 1	1	3	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.8	5	1	1	2	3	7	8	9
20-34	132	4.7	36	1	2	3	5	11	13	35
35-49	21	5.2	19	1	2	4	7	10	15	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	6.9	219	1	2	3	6	10	29	78
35-49	9	4.6	19	< 1	1	4	6	11	15	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	222	2.9	19	1	1	2	3	5	8	23
B. Operated	29	3.2	5	< 1	2	3	4	7	7	8
2. MULTIPLE DX										
A. Not Operated	171	4.6	31	1	2	3	5	10	12	33
B. Operated	37	6.1	164	1	1	3	6	10	19	78
1. SINGLE DX	251	2.9	18	1	1	2	3	6	8	20
2. MULTIPLE DX	208	4.9	54	1	2	3	5	10	13	38
A. Not Operated	393	3.6	25	1	1	2	4	7	12	32
B. Operated	66	4.8	95	1	1	3	5	7	11	69
TOTAL										
0-19 YRS	38	2.7	9	< 1	1	2	3	5	8	17
20-34	360	3.7	37	1	1	2	4	7	11	32
35-49	61	4.8	39	1	2	3	5	9	15	40
50-64	0									
65 +	0									
GRAND TOTAL	**459**	**3.8**	**35**	**1**	**1**	**2**	**4**	**7**	**12**	**32**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	1.6	1	< 1	1	1	2	3	4	5
20-34	275	1.8	2	< 1	1	1	2	3	4	7
35-49	19	1.9	2	< 1	1	1	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.4	5	1	1	1	3	6	7	7
20-34	38	1.5	1	< 1	1	1	2	3	4	4
35-49	2	9.5	85	3	3	9	16	16	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.3	37	1	1	2	3	6	7	38
20-34	201	2.9	12	1	1	2	3	5	8	20
35-49	21	2.8	5	< 1	1	2	3	5	8	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.5	16	< 1	1	4	7	10	13	13
20-34	41	2.8	4	1	1	2	4	6	7	9
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	1.8	2	< 1	1	1	2	3	4	7
B. Operated	48	2.0	6	< 1	1	1	2	4	5	16
2. MULTIPLE DX										
A. Not Operated	259	2.9	15	1	1	2	3	5	8	21
B. Operated	53	3.3	9	1	1	2	4	7	9	15
1. SINGLE DX	395	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	312	3.0	14	1	1	2	4	6	8	20
A. Not Operated	606	2.3	8	< 1	1	1	3	4	5	11
B. Operated	101	2.7	8	< 1	1	2	3	6	8	15
TOTAL										
0-19 YRS	108	2.5	16	1	1	1	3	5	7	23
20-34	555	2.2	6	< 1	1	2	3	4	6	10
35-49	44	3.0	11	< 1	1	2	3	5	12	16
50-64	0									
65 +	0									
GRAND TOTAL	**707**	**2.3**	**8**	**< 1**	**1**	**2**	**3**	**4**	**6**	**14**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.9	3	1	2	2	4	5	6	8
20-34	166	2.7	2	1	1	2	4	5	5	7
35-49	7	2.6	3	< 1	1	2	3	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	4.0	4	1	3	4	5	7	7	7
20-34	29	2.4	6	< 1	< 1	1	3	6	9	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	434	3.2	3	1	2	3	4	5	6	8
20-34	947	3.1	3	1	2	3	4	5	6	10
35-49	30	3.0	2	2	2	3	4	4	6	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	38	3.0	3	< 1	1	3	4	6	7	7
20-34	92	3.2	5	1	1	3	4	6	8	11
35-49	8	3.5	8	1	1	2	5	8	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	2.7	3	1	1	2	4	5	6	8
B. Operated	37	2.7	6	< 1	1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	1411	3.1	3	1	2	3	4	5	6	9
B. Operated	138	3.2	4	1	1	3	4	6	8	10
1. SINGLE DX	276	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1549	3.1	3	1	2	3	4	5	6	9
A. Not Operated	1650	3.1	3	1	2	3	4	5	6	9
B. Operated	175	3.1	5	< 1	1	3	4	6	8	10
TOTAL										
0-19 YRS	545	3.1	3	1	2	3	4	5	6	8
20-34	1234	3.0	3	1	2	3	4	5	6	10
35-49	46	3.0	3	1	2	3	4	6	8	8
50-64	0									
65 +	0									
GRAND TOTAL	**1825**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.9	4	1	1	2	4	6	7	9
20-34	283	2.5	3	1	1	2	3	4	6	9
35-49	61	2.9	4	1	2	2	3	5	7	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	27	2.6	2	< 1	1	2	3	4	5	8
35-49	4	3.8	4	1	2	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	405	3.2	16	1	1	2	3	6	9	24
20-34	2038	3.6	20	1	1	2	4	7	9	21
35-49	217	3.5	10	1	2	3	4	7	9	17
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	60	5.0	43	1	1	4	5	8	17	37
20-34	322	4.5	22	1	2	3	5	9	14	26
35-49	38	5.1	22	1	3	3	6	12	16	22
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	379	2.6	3	1	1	2	3	5	6	11
B. Operated	32	2.8	3	< 1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	2661	3.5	19	1	1	2	4	7	9	22
B. Operated	420	4.6	25	1	2	3	5	9	14	28
1. SINGLE DX	411	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX	3081	3.7	20	1	1	2	4	7	10	22
A. Not Operated	3040	3.4	17	1	1	2	4	7	9	21
B. Operated	452	4.5	24	1	2	3	5	9	14	27
TOTAL										
0-19 YRS	501	3.4	18	1	1	2	4	7	9	28
20-34	2670	3.6	19	1	1	2	4	7	10	21
35-49	320	3.6	10	1	2	3	4	7	10	19
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
GRAND TOTAL	**3492**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**9**	**22**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	610	2.0	4	< 1	1	1	2	4	6	11
20-34	2447	2.2	7	< 1	1	1	2	4	6	14
35-49	184	2.4	6	< 1	1	2	3	5	6	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	169	2.6	9	< 1	1	1	3	6	8	18
20-34	982	2.3	7	< 1	1	1	2	4	7	14
35-49	88	2.1	9	< 1	< 1	1	2	4	7	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	521	2.9	12	< 1	1	2	3	5	8	17
20-34	2007	3.1	17	1	1	2	3	6	9	19
35-49	184	3.3	11	1	1	2	4	7	9	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	215	3.5	32	< 1	< 1	2	4	7	12	27
20-34	1083	3.4	29	< 1	1	2	4	7	11	29
35-49	120	4.7	58	< 1	1	2	5	12	17	45
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3241	2.1	6	< 1	1	1	2	4	6	14
B. Operated	1239	2.3	8	< 1	1	1	3	4	7	14
2. MULTIPLE DX										
A. Not Operated	2712	3.1	15	1	1	2	3	6	9	18
B. Operated	1418	3.5	32	< 1	< 1	2	4	7	12	30
1. SINGLE DX	4480	2.2	7	< 1	1	1	2	4	6	14
2. MULTIPLE DX	4130	3.2	21	< 1	1	2	4	6	10	23
A. Not Operated	5953	2.6	11	< 1	1	2	3	5	7	16
B. Operated	2657	2.9	21	< 1	1	1	3	6	10	24
TOTAL										
0-19 YRS	1515	2.6	11	< 1	1	2	3	5	8	17
20-34	6519	2.7	14	< 1	1	2	3	5	8	17
35-49	576	3.1	19	< 1	1	2	3	7	10	22
50-64	0									
65 +	0									
GRAND TOTAL	**8610**	**2.7**	**14**	**< 1**	**1**	**2**	**3**	**5**	**8**	**18**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	2.2		2	2	2	2	3	3	4
20-34	373	2.1		1	2	2	2	3	3	3
35-49	40	2.0		1	2	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	62	2.3		2	2	2	2	3	4	4
20-34	372	2.4	1	2	2	2	3	4	4	5
35-49	53	2.4	1	2	2	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	2.2	1	2	2	2	2	3	3	5
20-34	1401	2.3	3	2	2	2	2	3	3	6
35-49	145	2.3	1	2	2	2	2	3	4	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	420	3.0	5	2	2	2	3	5	6	11
20-34	2702	3.1	8	2	2	2	3	5	6	13
35-49	423	3.5	19	2	2	3	4	5	7	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	514	2.1		1	2	2	2	3	3	3
B. Operated	487	2.4	1	2	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	1882	2.3	3	2	2	2	2	3	3	6
B. Operated	3545	3.1	9	2	2	2	4	5	6	14
1. SINGLE DX	1001	2.2	1	2	2	2	2	3	4	4
2. MULTIPLE DX	5427	2.8	7	2	2	2	3	4	5	11
A. Not Operated	2396	2.2	2	2	2	2	2	3	3	5
B. Operated	4032	3.0	8	2	2	2	3	4	6	13
TOTAL										
0-19 YRS	918	2.6	3	2	2	2	3	4	5	9
20-34	4848	2.7	5	2	2	2	3	4	5	10
35-49	661	3.1	13	2	2	2	3	5	6	13
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**6428**	**2.7**	**6**	**2**	**2**	**2**	**3**	**4**	**5**	**10**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2944	2.0		1	2	2	2	3	3	3
20-34	15869	2.0	1	1	2	2	2	3	3	3
35-49	1135	2.0		1	2	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1555	2.1		1	2	2	2	3	3	3
20-34	9255	2.0		1	2	2	2	3	3	3
35-49	674	2.1		2	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	2.1		2	2	2	2	3	3	4
20-34	858	2.0	1	1	2	2	2	3	3	4
35-49	75	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	146	2.0	1	1	2	2	2	3	3	4
20-34	2774	2.2		2	2	2	2	3	3	4
35-49	348	2.3		2	2	2	3	3	3	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19949	2.0	1	1	2	2	2	3	3	3
B. Operated	11484	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1153	2.0	1	1	2	2	2	3	3	4
B. Operated	3268	2.2		2	2	2	2	3	3	4
1. SINGLE DX	31433	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX	4421	2.2		2	2	2	2	3	3	4
A. Not Operated	21102	2.0	1	1	2	2	2	3	3	3
B. Operated	14752	2.1		2	2	2	2	3	3	3
TOTAL										
0-19 YRS	4865	2.0		1	2	2	2	3	3	3
20-34	28756	2.0		1	2	2	2	3	3	3
35-49	2232	2.1		1	2	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**35854**	**2.0**		**1**	**2**	**2**	**2**	**3**	**3**	**3**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	1.8	1	1	1	2	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	55	4.6	12	2	3	4	4	6	12	23
35-49	11	4.4	1	3	4	4	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	19	3.3	9	2	2	2	3	7	11	13
35-49	6	2.2		2	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	9.2	118	2	3	4	10	31	36	38
20-34	357	9.0	146	3	4	4	7	23	36	61
35-49	74	9.9	157	3	4	4	7	32	45	54
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	1	1	2	2	3	3	3
B. Operated	67	4.5	10	2	3	4	4	6	11	21
2. MULTIPLE DX										
A. Not Operated	28	3.0	6	2	2	2	3	5	9	13
B. Operated	451	9.1	146	3	4	4	7	24	37	59
1. SINGLE DX	73	4.3	10	2	3	4	4	6	10	21
2. MULTIPLE DX	479	8.8	140	2	3	4	7	23	35	59
A. Not Operated	34	2.8	5	2	2	2	3	4	8	13
B. Operated	518	8.5	131	3	4	4	7	22	34	58
TOTAL										
0-19 YRS	24	8.0	104	2	3	4	7	29	35	38
20-34	437	8.1	125	2	3	4	6	19	30	59
35-49	91	8.7	134	2	3	4	6	27	35	53
50-64	0									
65 +	0									
GRAND TOTAL	**552**	**8.2**	**125**	**2**	**3**	**4**	**6**	**19**	**33**	**58**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	2	< 1	1	2	3	4	5	5
20-34	72	2.2	2	1	2	2	2	3	3	10
35-49	3	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	3.2	3	1	2	3	4	4	7	9
20-34	100	2.9	3	2	2	3	4	4	4	11
35-49	12	2.6	2	1	2	2	3	4	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.4	3	1	2	2	2	3	5	11
20-34	113	2.8	31	1	2	2	3	3	5	29
35-49	11	1.9	1	< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	80	4.5	10	2	3	4	5	8	10	18
20-34	583	4.3	17	2	2	4	4	6	9	28
35-49	76	4.6	56	2	3	4	5	5	8	52
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.2	2	1	2	2	2	3	3	10
B. Operated	131	2.9	3	2	2	3	4	4	4	10
2. MULTIPLE DX										
A. Not Operated	164	2.6	22	1	2	2	2	3	5	12
B. Operated	739	4.4	20	2	2	4	4	7	10	27
1. SINGLE DX	214	2.6	2	1	2	2	3	4	4	10
2. MULTIPLE DX	903	4.0	21	2	2	3	4	6	9	25
A. Not Operated	247	2.5	15	1	2	2	2	3	4	12
B. Operated	870	4.1	18	2	2	3	4	6	9	24
TOTAL										
0-19 YRS	147	3.6	8	1	2	3	4	7	9	17
20-34	868	3.8	17	2	2	3	4	5	8	24
35-49	102	4.0	43	2	2	3	4	5	7	37
50-64	0									
65 +	0									
GRAND TOTAL	**1117**	**3.8**	**18**	**2**	**2**	**3**	**4**	**6**	**8**	**21**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	28	2.1		1	2	2	3	3	3	3
35-49	4	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	29	2.0		1	2	2	2	3	3	3
20-34	239	2.1		1	2	2	2	3	3	4
35-49	20	2.4	1	1	2	2	2	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	2	2	3	4	5	5	5
20-34	23	2.4		2	2	2	3	3	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	41	2.4	2	1	2	2	2	3	5	10
20-34	384	2.5	2	1	2	2	3	4	5	8
35-49	44	2.6	4	2	2	2	3	3	4	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.1		1	2	2	2	3	3	3
B. Operated	288	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	30	2.5	1	2	2	2	3	4	4	5
B. Operated	469	2.5	2	1	2	2	3	4	5	9
1. SINGLE DX	323	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX	499	2.5	2	1	2	2	3	4	5	9
A. Not Operated	65	2.3	1	2	2	2	3	3	4	5
B. Operated	757	2.4	1	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	78	2.3	2	1	2	2	2	3	3	9
20-34	674	2.3	1	1	2	2	3	3	4	6
35-49	70	2.5	3	1	2	2	3	3	5	13
50-64	0									
65 +	0									
GRAND TOTAL	**822**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.1		1	2	2	3	3	3	3
20-34	94	2.1		1	2	2	2	3	3	4
35-49	5	2.2		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.2		2	2	2	2	3	3	3
20-34	93	2.5	11	2	2	2	3	3	3	21
35-49	7	2.6	1	2	2	2	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.6	1	2	2	2	3	4	5	6
20-34	97	2.2		2	2	2	3	3	3	5
35-49	5	2.4		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	49	2.6	1	2	2	2	3	3	4	7
20-34	218	2.6	2	2	2	2	3	4	5	10
35-49	20	3.5	10	2	2	2	4	7	12	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	2.1		1	2	2	2	3	3	4
B. Operated	114	2.5	9	2	2	2	3	3	3	15
2. MULTIPLE DX										
A. Not Operated	121	2.3	1	2	2	2	3	3	4	5
B. Operated	287	2.6	2	2	2	2	3	4	5	11
1. SINGLE DX	229	2.3	5	2	2	2	2	3	3	5
2. MULTIPLE DX	408	2.5	2	2	2	2	3	3	4	9
A. Not Operated	236	2.2		2	2	2	2	3	3	4
B. Operated	401	2.6	4	2	2	2	3	3	4	11
TOTAL										
0-19 YRS	98	2.4	1	2	2	2	3	3	4	7
20-34	502	2.4	3	2	2	2	3	3	4	7
35-49	37	3.0	6	2	2	2	3	5	8	14
50-64	0									
65 +	0									
GRAND TOTAL	**637**	**2.5**	**3**	**2**	**2**	**2**	**3**	**3**	**4**	**8**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	40	2.3		2	2	2	3	3	3	4
35-49	8	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	3.4	6	2	2	3	4	7	10	10
20-34	58	2.8	1	2	2	3	3	4	4	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.3		1	2	2	3	3	3	3
20-34	82	2.8	5	2	2	2	3	4	6	16
35-49	7	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	65	5.7	27	2	3	4	6	12	15	33
20-34	700	4.6	21	2	3	4	5	6	10	28
35-49	86	6.0	86	2	3	4	5	8	14	63
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	2.3		2	2	2	3	3	3	4
B. Operated	70	2.9	2	2	2	3	3	4	4	9
2. MULTIPLE DX										
A. Not Operated	101	2.7	4	2	2	2	3	4	5	14
B. Operated	851	4.8	29	2	3	4	5	7	12	29
1. SINGLE DX	120	2.7	1	2	2	2	3	4	4	7
2. MULTIPLE DX	952	4.6	26	2	2	4	5	6	11	28
A. Not Operated	151	2.6	3	2	2	2	3	3	4	8
B. Operated	921	4.7	27	2	3	4	5	6	11	28
TOTAL										
0-19 YRS	89	4.9	22	2	2	4	5	11	13	29
20-34	880	4.2	18	2	2	3	4	6	9	27
35-49	103	5.4	74	2	2	4	5	7	12	60
50-64	0									
65 +	0									
GRAND TOTAL	**1072**	**4.4**	**24**	**2**	**2**	**3**	**4**	**6**	**10**	**28**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	55	1.9	1	1	1	2	2	3	3	4
35-49	7	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	144	3.4	1	2	3	4	4	4	4	5
20-34	1172	3.6	1	3	3	4	4	4	5	5
35-49	94	3.5	1	2	3	4	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.4	3	1	1	2	3	5	6	6
20-34	47	2.1	2	1	2	2	2	3	4	11
35-49	4	2.0	1	< 1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	275	5.0	14	3	3	4	5	7	12	24
20-34	1855	4.1	5	3	3	4	4	5	6	13
35-49	287	4.6	23	3	3	4	4	5	7	35
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.0	1	1	1	2	2	3	3	4
B. Operated	1410	3.6	1	3	3	4	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	59	2.2	2	1	2	2	2	3	4	11
B. Operated	2417	4.3	9	3	3	4	4	5	7	18
1. SINGLE DX	1475	3.5	1	2	3	4	4	4	5	5
2. MULTIPLE DX	2476	4.2	9	3	3	4	4	5	7	18
A. Not Operated	124	2.1	1	1	2	2	2	3	3	7
B. Operated	3827	4.0	6	3	3	4	4	5	6	13
TOTAL										
0-19 YRS	430	4.4	10	3	3	4	4	6	8	21
20-34	3129	3.9	4	3	3	4	4	5	6	10
35-49	392	4.3	17	3	3	4	4	5	6	31
50-64	0									
65 +	0									
GRAND TOTAL	**3951**	**4.0**	**6**	**3**	**3**	**4**	**4**	**5**	**6**	**13**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.3		2	2	2	3	3	3	4
20-34	285	2.1		1	2	2	2	3	3	4
35-49	20	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	65	2.8	2	1	2	3	3	4	5	7
20-34	587	2.6	1	2	2	2	3	4	5	5
35-49	65	2.7	1	2	2	2	3	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.0		1	2	2	2	3	3	3
20-34	258	2.2	1	1	2	2	2	3	3	4
35-49	28	1.9		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	376	3.8	6	2	2	3	4	6	8	16
20-34	2888	3.5	3	2	2	3	4	5	6	8
35-49	335	3.6	4	2	2	3	4	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	2.1		1	2	2	2	3	3	4
B. Operated	717	2.7	1	2	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	324	2.1		1	2	2	2	3	3	4
B. Operated	3599	3.5	3	2	2	3	4	5	6	9
1. SINGLE DX	1056	2.5	1	2	2	2	3	4	4	5
2. MULTIPLE DX	3923	3.4	3	2	2	3	4	5	6	9
A. Not Operated	663	2.1		1	2	2	2	3	3	4
B. Operated	4316	3.4	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	513	3.5	5	2	2	3	4	5	7	14
20-34	4018	3.2	3	2	2	3	4	5	5	8
35-49	448	3.3	4	2	2	3	4	5	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**4979**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	26	2.2		2	2	2	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	82	4.0	1	3	3	4	4	5	5	7
20-34	500	3.9	1	3	3	4	4	5	5	6
35-49	38	4.1		3	4	4	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	23	2.5	1	2	2	2	3	4	5	5
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	488	4.6	3	3	4	4	5	7	8	12
20-34	3061	4.2	2	3	4	4	5	5	6	8
35-49	260	4.3	1	3	4	4	5	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.3	1	2	2	2	3	3	4	5
B. Operated	620	4.0	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	31	2.5	1	2	2	2	3	4	4	5
B. Operated	3809	4.3	2	3	4	4	5	5	6	9
1. SINGLE DX	649	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX	3840	4.2	2	3	4	4	5	5	6	9
A. Not Operated	60	2.4	1	2	2	2	3	4	4	5
B. Operated	4429	4.2	2	3	4	4	5	5	6	8
TOTAL										
0-19 YRS	575	4.5	3	3	4	4	5	6	8	12
20-34	3610	4.1	2	3	4	4	5	5	6	8
35-49	304	4.2	1	3	4	4	5	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**4489**	**4.2**	**2**	**3**	**4**	**4**	**5**	**5**	**6**	**8**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	2.3		2	2	2	3	3	4	4
20-34	380	2.2		2	2	2	3	3	3	4
35-49	22	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	3.0	2	2	2	3	4	5	5	6
20-34	1091	3.1	1	2	2	3	4	5	5	6
35-49	85	3.5	2	2	2	4	4	5	5	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	2.4		2	2	2	3	3	3	5
20-34	401	2.4	1	2	2	2	3	3	4	5
35-49	32	2.4	1	2	2	2	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	636	3.9	4	2	2	4	5	6	8	11
20-34	4033	3.6	5	2	2	3	4	5	6	9
35-49	415	3.9	3	2	3	4	5	5	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	467	2.2		2	2	2	3	3	3	4
B. Operated	1370	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	516	2.4	1	2	2	2	3	3	4	5
B. Operated	5084	3.7	5	2	2	4	4	5	6	10
1. SINGLE DX	1837	2.9	1	2	2	3	4	5	5	6
2. MULTIPLE DX	5600	3.5	4	2	2	3	4	5	6	9
A. Not Operated	983	2.3	1	2	2	2	3	3	3	4
B. Operated	6454	3.5	4	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	978	3.5	4	2	2	3	4	5	7	10
20-34	5905	3.3	4	2	2	3	4	5	6	8
35-49	554	3.7	3	2	2	4	5	5	6	10
50-64	0									
65 +	0									
GRAND TOTAL	**7437**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.1		2	2	2	2	3	3	3
20-34	78	2.1		1	2	2	2	3	3	4
35-49	8	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	3.1	1	2	2	3	4	4	5	5
20-34	228	2.9	2	2	2	3	4	4	5	7
35-49	19	3.0	1	2	2	3	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.2		1	2	2	3	3	3	3
20-34	89	2.5	2	2	2	2	3	3	4	9
35-49	12	3.4	14	2	2	2	3	7	14	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	103	3.4	1	2	2	4	4	5	6	7
20-34	848	3.7	16	2	2	3	4	5	6	17
35-49	112	3.8	7	2	2	4	4	5	6	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	2.1		2	2	2	2	3	3	4
B. Operated	286	2.9	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	114	2.5	3	2	2	2	3	3	4	11
B. Operated	1063	3.7	14	2	2	3	4	5	6	16
1. SINGLE DX	386	2.7	1	2	2	2	3	4	5	6
2. MULTIPLE DX	1177	3.6	13	2	2	3	4	5	6	15
A. Not Operated	214	2.3	2	2	2	2	3	3	3	8
B. Operated	1349	3.5	11	2	2	3	4	5	6	12
TOTAL										
0-19 YRS	169	3.1	1	2	2	3	4	5	5	6
20-34	1243	3.4	12	2	2	3	4	5	5	11
35-49	151	3.6	7	2	2	3	4	5	6	20
50-64	0									
65 +	0									
GRAND TOTAL	**1563**	**3.4**	**10**	**2**	**2**	**3**	**4**	**5**	**5**	**11**

295: Previous cesarean section (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.4	1	1	2	2	3	3	4	5
20-34	337	2.1	1	1	2	2	2	3	3	4
35-49	38	2.1	1	1	2	2	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	161	3.4	1	2	3	3	4	4	5	6
20-34	3299	3.4	1	2	3	4	4	4	4	5
35-49	355	3.6	1	3	3	4	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.1		1	2	2	2	3	3	3
20-34	240	2.2	1	1	2	2	2	3	3	4
35-49	31	2.4	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	216	3.5	2	2	3	3	4	5	5	8
20-34	7364	3.6	2	2	3	4	4	5	5	8
35-49	1055	3.9	2	3	3	4	4	5	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	392	2.1	1	1	2	2	2	3	3	5
B. Operated	3815	3.5	1	2	3	4	4	4	4	5
2. MULTIPLE DX										
A. Not Operated	285	2.2	1	1	2	2	2	3	3	5
B. Operated	8635	3.6	2	2	3	4	4	5	5	8
1. SINGLE DX	4207	3.3	1	2	3	3	4	4	4	5
2. MULTIPLE DX	8920	3.6	2	2	3	4	4	5	5	8
A. Not Operated	677	2.2	1	1	2	2	2	3	3	5
B. Operated	12450	3.6	1	2	3	4	4	4	5	7
TOTAL										
0-19 YRS	408	3.3	1	2	3	3	4	4	5	7
20-34	11240	3.5	2	2	3	4	4	4	5	7
35-49	1479	3.7	2	2	3	4	4	5	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**13127**	**3.5**	**2**	**2**	**3**	**4**	**4**	**4**	**5**	**7**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	143	2.4	1	2	2	2	3	3	4	5
20-34	650	2.2		1	2	2	3	3	3	4
35-49	53	2.3	2	2	2	2	2	3	3	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	126	2.5	1	2	2	2	3	3	4	7
20-34	715	2.4	2	2	2	2	3	3	3	6
35-49	73	2.4		2	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	3.0	6	2	2	2	3	4	7	16
20-34	645	3.0	7	2	2	2	3	5	7	16
35-49	67	3.0	5	2	2	2	3	5	7	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	553	3.4	9	2	2	3	4	5	7	15
20-34	3021	3.4	10	2	2	3	4	5	7	16
35-49	339	3.7	19	2	2	3	4	5	7	21
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	846	2.2	1	2	2	2	3	3	3	4
B. Operated	914	2.4	2	2	2	2	3	3	3	6
2. MULTIPLE DX										
A. Not Operated	869	3.0	6	2	2	2	3	5	7	16
B. Operated	3913	3.4	10	2	2	3	4	5	7	17
1. SINGLE DX	1760	2.3	1	2	2	2	3	3	3	5
2. MULTIPLE DX	4782	3.3	10	2	2	3	4	5	7	17
A. Not Operated	1715	2.6	4	2	2	2	3	3	5	12
B. Operated	4827	3.2	9	2	2	3	4	5	6	15
TOTAL										
0-19 YRS	979	3.1	6	2	2	3	3	5	6	14
20-34	5031	3.1	7	2	2	2	3	5	6	14
35-49	532	3.3	13	2	2	2	4	5	6	18
50-64	0									
65 +	0									
GRAND TOTAL	**6542**	**3.1**	**7**	**2**	**2**	**2**	**3**	**5**	**6**	**15**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	539	2.1		1	2	2	2	3	3	4
20-34	3191	2.0		1	2	2	2	3	3	3
35-49	263	2.0		1	2	2	2	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	420	2.1		1	2	2	2	3	3	4
20-34	2871	2.1		1	2	2	2	3	3	4
35-49	248	2.1		2	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	251	2.2	1	1	2	2	2	3	3	4
20-34	1338	2.1	1	1	2	2	2	3	3	4
35-49	102	2.0	1	1	2	2	2	3	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	462	2.4	5	1	2	2	3	3	4	6
20-34	3714	2.4	1	2	2	2	3	3	4	6
35-49	425	2.5	1	2	2	2	3	4	5	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3995	2.0		1	2	2	2	3	3	3
B. Operated	3539	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	1692	2.1	1	1	2	2	2	3	3	4
B. Operated	4602	2.4	2	2	2	2	3	3	4	6
1. SINGLE DX	7534	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX	6294	2.3	1	2	2	2	3	3	4	6
A. Not Operated	5687	2.0	1	1	2	2	2	3	3	3
B. Operated	8141	2.3	1	2	2	2	3	3	4	5
TOTAL										
0-19 YRS	1672	2.2	2	1	2	2	2	3	3	4
20-34	11114	2.2	1	1	2	2	2	3	3	4
35-49	1038	2.2	1	1	2	2	2	3	4	5
50-64	4	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**13828**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	2.0		1	2	2	2	3	3	4
20-34	600	2.0		1	2	2	2	3	3	3
35-49	64	1.9		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	945	2.1		1	2	2	2	3	3	3
20-34	6031	2.0		1	2	2	2	3	3	3
35-49	589	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	2.3	1	2	2	2	3	3	3	6
20-34	365	2.2	1	1	2	2	3	3	4	5
35-49	38	2.1		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	863	2.2	1	1	2	2	2	3	4	6
20-34	5728	2.2	1	1	2	2	2	3	3	5
35-49	679	2.2	2	1	2	2	2	3	3	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	777	2.0		1	2	2	2	3	3	3
B. Operated	7565	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	495	2.2	1	1	2	2	3	3	3	5
B. Operated	7271	2.2	1	1	2	2	2	3	3	5
1. SINGLE DX	8342	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX	7766	2.2	1	1	2	2	2	3	3	5
A. Not Operated	1272	2.1		1	2	2	2	3	3	4
B. Operated	14836	2.1	1	1	2	2	2	3	3	4
TOTAL										
0-19 YRS	2013	2.1	1	1	2	2	2	3	3	5
20-34	12724	2.1	1	1	2	2	2	3	3	4
35-49	1370	2.1	1	1	2	2	2	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**16108**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.4		2	2	2	3	3	4	4
20-34	139	2.2		2	2	2	2	3	3	4
35-49	10	2.3		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	495	2.1		2	2	2	2	3	3	3
20-34	2256	2.2		2	2	2	2	3	3	4
35-49	137	2.2		2	2	2	2	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.8	1	2	2	3	3	4	5	5
20-34	83	2.4	1	2	2	2	3	3	4	5
35-49	6	2.7	1	2	2	2	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	550	2.4	3	2	2	2	3	3	4	6
20-34	2557	2.4	1	2	2	2	3	3	4	5
35-49	213	2.5	1	2	2	2	3	3	4	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	2.2		2	2	2	3	3	3	4
B. Operated	2889	2.2		2	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	114	2.5	1	2	2	2	3	3	4	5
B. Operated	3320	2.4	1	2	2	2	3	3	4	5
1. SINGLE DX	3082	2.2		2	2	2	2	3	3	4
2. MULTIPLE DX	3434	2.4	1	2	2	2	3	3	4	5
A. Not Operated	307	2.3	1	2	2	2	3	3	4	5
B. Operated	6209	2.3	1	2	2	2	3	3	3	5
TOTAL										
0-19 YRS	1114	2.3	2	2	2	2	3	3	3	5
20-34	5035	2.3	1	2	2	2	3	3	3	4
35-49	366	2.4	1	2	2	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**6516**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	2.1		1	2	2	2	3	3	3
20-34	251	2.0	1	1	2	2	2	3	3	3
35-49	14	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	302	2.1		1	2	2	2	3	3	4
20-34	1261	2.0		1	2	2	2	3	3	4
35-49	58	2.1		2	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.2		2	2	2	3	3	4	4
20-34	154	2.3	1	1	2	2	3	3	3	8
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	378	2.4	4	1	2	2	3	3	4	7
20-34	1705	2.3	1	2	2	2	3	3	4	7
35-49	134	2.5	2	2	2	2	3	3	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	326	2.0	1	1	2	2	2	3	3	3
B. Operated	1621	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	204	2.3	1	1	2	2	3	3	3	7
B. Operated	2217	2.4	2	2	2	2	3	3	4	7
1. SINGLE DX	1947	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX	2421	2.4	2	2	2	2	3	3	4	7
A. Not Operated	530	2.1	1	1	2	2	2	3	3	5
B. Operated	3838	2.2	1	1	2	2	2	3	3	6
TOTAL										
0-19 YRS	787	2.2	2	1	2	2	2	3	3	6
20-34	3371	2.2	1	1	2	2	2	3	3	6
35-49	210	2.3	1	2	2	2	3	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**4368**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**6**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	674	2.3	1	1	2	2	3	3	4	5
20-34	2850	2.1	1	1	2	2	2	3	3	5
35-49	227	2.1	1	1	2	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1152	2.5	2	2	2	2	3	4	4	6
20-34	6700	2.4	1	2	2	2	3	4	4	6
35-49	538	2.5	1	2	2	2	3	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	940	2.7	4	1	2	2	3	4	6	10
20-34	3228	2.5	4	1	2	2	3	4	5	10
35-49	317	2.6	4	1	2	2	3	4	5	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3195	3.6	10	2	2	3	4	6	8	14
20-34	17483	3.4	9	2	2	3	4	5	7	15
35-49	2043	3.7	11	2	2	3	4	6	8	18
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3751	2.1	1	1	2	2	2	3	3	5
B. Operated	8390	2.5	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	4486	2.5	4	1	2	2	3	4	5	10
B. Operated	22722	3.4	9	2	2	3	4	5	7	15
1. SINGLE DX	12141	2.4	1	2	2	2	3	3	4	6
2. MULTIPLE DX	27208	3.3	9	2	2	3	4	5	7	15
A. Not Operated	8237	2.4	3	1	2	2	3	3	4	8
B. Operated	31112	3.2	7	2	2	2	4	5	6	13
TOTAL										
0-19 YRS	5961	3.1	7	2	2	2	4	5	7	12
20-34	30261	3.0	6	2	2	2	3	5	6	12
35-49	3125	3.2	8	2	2	2	4	5	7	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
GRAND TOTAL	**39349**	**3.0**	**7**	**2**	**2**	**2**	**3**	**5**	**6**	**12**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.9	2	1	2	3	4	5	6	6
20-34	101	3.1	1	2	2	3	4	4	5	7
35-49	4	4.0	7	2	2	3	6	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	5.3	4	3	4	6	7	7	7	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	3.1	2	2	2	3	4	4	6	10
20-34	214	3.5	4	2	2	3	4	5	7	11
35-49	15	4.0	5	2	3	3	4	8	9	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	9.0	7	6	7	10	11	11	11	11
20-34	30	5.3	5	2	3	5	7	9	9	10
35-49	4	9.5	51	4	4	8	15	19	19	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	3.1	2	2	2	3	4	5	5	7
B. Operated	6	5.0	6	2	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	292	3.4	3	2	2	3	4	5	7	10
B. Operated	37	6.0	12	2	4	6	7	10	11	19
1. SINGLE DX	143	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX	329	3.7	5	2	2	3	4	6	7	12
A. Not Operated	429	3.3	3	2	2	3	4	5	6	10
B. Operated	43	5.9	11	2	4	6	7	10	11	19
TOTAL										
0-19 YRS	99	3.3	3	2	2	3	4	5	7	11
20-34	348	3.5	3	2	2	3	4	6	7	10
35-49	25	4.8	15	2	3	3	5	10	13	19
50-64	0									
65 +	0									
GRAND TOTAL	**472**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	22	1.2		< 1	1	1	1	2	3	3
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	51	1.5		< 1	1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	29	2.1	1	1	1	2	3	3	4	5
35-49	5	1.4		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	2.0	1	1	1	2	3	3	3	3
20-34	74	2.7	6	1	1	2	3	5	7	14
35-49	8	2.5	5	< 1	1	2	3	6	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.2		< 1	1	1	1	2	3	3
B. Operated	55	1.5		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	38	1.9	1	1	1	2	2	3	4	5
B. Operated	94	2.6	6	1	1	2	3	4	7	14
1. SINGLE DX	84	1.4		< 1	1	1	2	2	3	3
2. MULTIPLE DX	132	2.4	4	1	1	2	3	4	5	13
A. Not Operated	67	1.6	1	1	1	1	2	3	3	5
B. Operated	149	2.2	4	1	1	2	3	4	5	13
TOTAL										
0-19 YRS	23	1.8	1	1	1	2	3	3	3	3
20-34	176	2.1	3	< 1	1	2	2	3	5	13
35-49	17	1.8	3	< 1	1	1	2	3	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**216**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.8	3	1	2	2	3	5	7	8
20-34	73	3.0	5	1	2	2	3	6	9	11
35-49	9	2.4	1	2	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	2.1		1	2	2	2	3	3	3
20-34	66	2.7	5	1	2	2	3	6	7	12
35-49	5	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	3.9	5	2	2	3	5	7	9	10
20-34	117	4.2	11	1	2	3	5	8	10	19
35-49	15	4.9	18	1	2	4	7	10	14	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	29	3.5	8	1	2	2	5	7	9	13
20-34	119	4.3	23	1	2	2	5	9	13	25
35-49	18	6.0	39	1	2	2	13	16	18	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.9	4	1	2	2	3	6	8	11
B. Operated	82	2.6	4	1	2	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	150	4.3	11	1	2	3	5	9	10	18
B. Operated	166	4.3	22	1	2	2	5	10	14	24
1. SINGLE DX	177	2.8	4	1	2	2	3	6	7	11
2. MULTIPLE DX	316	4.3	17	1	2	3	5	9	13	22
A. Not Operated	245	3.7	9	1	2	3	5	8	10	16
B. Operated	248	3.8	17	1	2	2	4	8	13	24
TOTAL										
0-19 YRS	71	3.3	5	1	2	2	4	7	8	12
20-34	375	3.7	13	1	2	2	4	8	10	21
35-49	47	4.5	22	1	2	2	5	13	16	18
50-64	0									
65 +	0									
GRAND TOTAL	**493**	**3.8**	**13**	**1**	**2**	**2**	**4**	**8**	**10**	**19**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	494	3.2	3	2	2	3	4	5	7	11
20-34	278	3.9	8	2	2	3	5	7	8	14
35-49	227	3.7	5	2	2	3	4	6	8	12
50-64	148	4.7	8	2	3	4	6	8	11	13
65 +	108	4.7	6	2	3	4	6	8	10	13
B. Operated										
0-19 YRS	171	4.2	9	1	2	4	5	8	10	18
20-34	133	4.5	8	2	2	4	6	8	9	13
35-49	98	5.2	22	1	2	4	6	10	12	30
50-64	39	5.0	12	2	3	5	6	8	12	20
65 +	28	5.2	7	3	3	5	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	878	4.0	7	2	2	3	5	7	9	14
20-34	639	4.8	10	2	3	4	6	9	10	17
35-49	972	5.7	16	2	3	5	7	10	12	21
50-64	1244	6.4	18	3	4	5	8	11	14	23
65 +	2326	7.6	25	3	4	6	9	13	17	26
B. Operated										
0-19 YRS	305	6.1	32	2	3	5	8	11	15	31
20-34	362	7.8	60	2	4	6	9	15	20	39
35-49	575	9.1	62	3	4	7	11	17	23	40
50-64	542	11.3	120	3	5	8	14	22	33	66
65 +	892	12.4	102	4	6	9	15	25	33	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1255	3.8	6	2	2	3	5	6	8	12
B. Operated	469	4.6	12	1	2	4	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	6059	6.2	19	2	3	5	8	11	14	23
B. Operated	2676	10.1	88	3	4	7	12	20	28	50
1. SINGLE DX	1724	4.0	7	2	2	3	5	7	9	14
2. MULTIPLE DX	8735	7.4	44	3	4	6	9	14	19	36
A. Not Operated	7314	5.8	18	2	3	5	7	11	13	22
B. Operated	3145	9.3	81	2	4	7	11	19	26	49
TOTAL										
0-19 YRS	1848	4.1	11	2	2	3	5	7	10	16
20-34	1412	5.4	24	2	3	4	6	10	13	23
35-49	1872	6.5	33	2	3	5	8	12	16	32
50-64	1973	7.6	50	3	4	6	9	14	19	39
65 +	3354	8.7	50	3	5	7	10	16	21	38
GRAND TOTAL	**10459**	**6.9**	**39**	**2**	**3**	**5**	**8**	**13**	**18**	**34**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	3.3	4	1	2	3	4	6	8	10
20-34	31	3.8	18	1	2	3	3	8	11	23
35-49	26	3.2	3	1	2	3	4	7	7	8
50-64	12	2.8	1	2	2	3	3	4	4	4
65 +	5	2.8	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	69	3.4	6	1	1	3	5	7	9	12
20-34	27	3.8	11	1	2	2	5	9	11	14
35-49	19	4.2	11	1	2	3	6	10	12	13
50-64	13	2.8	7	1	1	2	3	7	9	9
65 +	5	9.2	61	3	4	6	14	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	306	3.8	5	2	2	3	5	6	8	14
20-34	71	4.4	14	2	2	4	6	8	11	23
35-49	83	6.3	34	2	3	4	7	12	19	33
50-64	100	6.5	60	3	4	5	7	9	16	49
65 +	145	7.1	28	3	4	6	8	12	17	32
B. Operated										
0-19 YRS	130	5.8	41	2	3	5	7	10	14	30
20-34	86	7.0	72	2	3	5	8	15	19	54
35-49	78	8.1	41	3	4	6	10	15	20	39
50-64	105	9.3	70	3	4	7	12	18	23	50
65 +	130	9.5	101	2	4	7	11	19	23	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	222	3.3	6	1	2	3	4	6	8	11
B. Operated	133	3.8	11	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	705	5.2	24	2	3	4	6	9	12	25
B. Operated	529	7.9	68	2	4	6	10	15	20	44
1. SINGLE DX	355	3.5	8	1	2	3	4	7	9	13
2. MULTIPLE DX	1234	6.4	44	2	3	5	7	12	16	32
A. Not Operated	927	4.8	20	2	3	4	6	8	12	23
B. Operated	662	7.1	59	2	3	5	9	14	19	42
TOTAL										
0-19 YRS	653	4.0	13	1	2	3	5	7	9	14
20-34	215	5.3	39	2	2	4	6	10	15	27
35-49	206	6.4	33	2	3	5	8	13	17	31
50-64	230	7.4	62	2	3	5	8	15	20	48
65 +	285	8.1	63	3	4	6	10	15	22	37
GRAND TOTAL	**1589**	**5.7**	**38**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	96	1.9	1	1	1	2	2	3	4	6
20-34	129	1.6	1	1	1	1	2	2	4	6
35-49	22	2.2	4	1	1	1	2	5	6	7
50-64	9	1.7	1	1	1	1	2	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	1	1	2	4	4	4	4
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	25	3.5	16	1	1	2	4	11	13	16
20-34	41	2.8	13	1	1	2	3	5	9	22
35-49	18	2.7	3	1	1	2	4	6	6	6
50-64	9	3.6	13	1	2	2	4	10	12	12
65 +	4	8.3	41	3	3	7	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	257	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	6	2.7	3	< 1	1	2	4	5	5	5
B. Operated	97	3.2	14	1	1	2	3	8	12	19
1. SINGLE DX	258	1.8	1	1	1	1	2	4	4	6
2. MULTIPLE DX	103	3.2	13	1	1	2	4	7	11	19
A. Not Operated	7	3.0	4	< 1	1	4	5	5	5	5
B. Operated	354	2.2	5	1	1	2	2	4	5	12
TOTAL										
0-19 YRS	125	2.2	4	1	1	2	2	4	5	13
20-34	171	1.9	4	1	1	1	2	3	5	10
35-49	41	2.4	3	1	1	2	4	5	6	7
50-64	19	2.7	8	1	1	2	3	6	10	12
65 +	5	7.6	33	3	3	5	12	16	16	16
GRAND TOTAL	**361**	**2.2**	**5**	**1**	**1**	**2**	**2**	**4**	**5**	**12**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	2.1	4	< 1	< 1	1	2	5	8	8
20-34	6	1.2		1	1	1	1	2	2	2
35-49	7	2.7	5	< 1	1	2	4	6	7	7
50-64	4	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.0	50	7	7	12	17	17	17	17
50-64	0									
65 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	2.4	4	1	1	2	3	6	7	7
50-64	9	3.8	6	1	2	3	6	7	7	7
65 +	10	3.5	9	1	2	2	3	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	30	1.9	3	< 1	1	1	2	4	7	8
2. MULTIPLE DX										
A. Not Operated	5	7.6	31	3	4	7	10	17	17	17
B. Operated	36	3.0	6	1	1	2	4	7	8	10
1. SINGLE DX	31	2.0	3	< 1	1	1	2	4	7	8
2. MULTIPLE DX	41	3.5	10	1	1	3	5	7	9	17
A. Not Operated	6	7.2	26	3	4	6	7	16	17	17
B. Operated	66	2.5	5	1	1	2	3	7	7	10
TOTAL										
0-19 YRS	16	2.0	3	< 1	1	1	2	4	7	8
20-34	8	1.6	1	1	1	1	2	3	4	4
35-49	22	3.5	14	1	1	2	5	7	11	17
50-64	13	2.9	6	1	1	2	4	7	7	7
65 +	13	3.6	8	1	2	3	4	8	10	10
GRAND TOTAL	**72**	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**8**	**15**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.8	26	1	2	4	10	14	14	14
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	9.0		9	9	9	9	9	9	9
65 +	10	8.9	35	5	6	7	9	17	25	25
B. Operated										
0-19 YRS	9	13.9	127	2	4	13	21	32	32	32
20-34	14	5.7	25	1	3	4	6	13	18	20
35-49	25	4.8	12	1	3	5	6	8	12	17
50-64	23	8.0	177	1	2	4	9	13	33	66
65 +	28	10.4	113	1	4	7	13	19	40	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	11.8	182	3	4	7	14	30	41	61
20-34	69	10.0	95	2	4	7	13	19	27	57
35-49	94	10.9	96	3	4	7	14	27	33	43
50-64	121	10.3	62	3	5	8	13	20	29	42
65 +	528	11.9	103	4	6	9	14	22	31	57
B. Operated										
0-19 YRS	64	17.5	252	5	7	13	22	35	45	83
20-34	154	21.4	325	4	9	16	29	54	63	99 +
35-49	230	20.3	322	3	7	15	31	52	71	99 +
50-64	314	17.0	246	3	6	12	22	38	55	98
65 +	944	16.9	194	4	7	13	22	36	46	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	7.5	28	2	5	7	9	12	20	25
B. Operated	99	8.1	96	1	3	5	10	17	26	56
2. MULTIPLE DX										
A. Not Operated	838	11.4	98	3	5	9	14	22	31	53
B. Operated	1706	17.8	237	4	7	14	23	40	54	98
1. SINGLE DX	118	8.0	84	1	3	5	10	16	23	52
2. MULTIPLE DX	2544	15.7	200	4	7	12	20	35	48	87
A. Not Operated	857	11.3	97	3	5	9	14	22	31	53
B. Operated	1805	17.2	234	3	7	13	23	39	53	94
TOTAL										
0-19 YRS	105	15.1	219	3	5	11	18	32	41	82
20-34	238	17.1	273	3	5	12	22	44	59	99 +
35-49	350	16.7	266	3	5	11	25	42	57	99 +
50-64	459	14.7	204	3	6	10	18	34	48	90
65 +	1510	15.0	165	4	7	11	18	30	42	73
GRAND TOTAL	**2662**	**15.3**	**197**	**3**	**6**	**11**	**19**	**34**	**47**	**85**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	3.0	10	1	1	2	3	7	11	17
20-34	64	4.7	31	1	1	2	6	12	18	27
35-49	56	8.6	81	1	2	4	14	21	29	39
50-64	24	5.3	44	2	2	3	5	10	24	30
65 +	16	6.8	36	1	2	5	10	17	20	21
B. Operated										
0-19 YRS	88	3.4	15	1	1	1	4	9	11	19
20-34	58	3.4	10	1	1	2	5	8	10	16
35-49	52	2.2	2	1	1	2	3	4	5	7
50-64	38	4.1	37	1	1	2	5	8	12	36
65 +	14	4.1	26	1	1	2	5	9	17	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	371	4.2	19	1	2	3	5	8	11	27
20-34	180	7.0	47	1	2	4	9	17	23	30
35-49	257	9.3	55	2	3	7	14	20	22	32
50-64	276	11.1	60	3	4	10	16	21	24	36
65 +	402	10.2	65	3	4	8	14	20	25	39
B. Operated										
0-19 YRS	146	4.6	27	1	1	3	6	11	13	26
20-34	131	6.2	55	1	2	3	8	15	20	38
35-49	145	7.4	60	1	2	4	11	19	24	42
50-64	137	7.9	66	1	2	4	13	19	25	35
65 +	140	12.2	134	2	4	9	17	23	29	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	316	4.7	34	1	1	3	5	12	18	30
B. Operated	250	3.3	15	1	1	2	4	8	11	20
2. MULTIPLE DX										
A. Not Operated	1486	8.3	55	2	3	5	13	19	22	34
B. Operated	699	7.6	74	1	2	4	11	19	23	39
1. SINGLE DX	566	4.1	26	1	1	2	4	10	15	28
2. MULTIPLE DX	2185	8.1	62	1	3	5	12	19	23	35
A. Not Operated	1802	7.7	54	1	2	5	11	18	22	33
B. Operated	949	6.5	62	1	1	3	9	16	21	36
TOTAL										
0-19 YRS	761	3.9	18	1	1	3	5	8	11	23
20-34	433	5.9	43	1	2	3	7	15	20	31
35-49	510	8.0	58	1	2	5	13	19	22	39
50-64	475	9.3	64	1	3	7	14	20	24	36
65 +	572	10.5	82	2	4	8	14	21	25	39
GRAND TOTAL	**2751**	**7.3**	**57**	**1**	**2**	**4**	**10**	**18**	**22**	**35**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.3	5	1	1	2	3	5	6	12
20-34	15	3.1	5	1	1	2	5	6	7	7
35-49	13	5.0	18	2	2	4	6	11	16	17
50-64	4	5.8	3	4	4	5	7	8	8	8
65 +	2	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	14	3.4	4	1	2	3	5	6	7	7
20-34	8	3.1	10	1	1	1	6	8	8	8
35-49	6	2.5	4	1	1	2	5	5	5	5
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	4	4.5	17	< 1	< 1	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	4.3	33	1	2	3	5	8	11	33
20-34	126	5.5	35	2	2	3	7	11	17	31
35-49	159	4.6	20	2	2	3	5	10	13	22
50-64	83	6.2	16	2	3	5	9	11	14	17
65 +	51	8.1	66	3	4	7	9	13	14	55
B. Operated										
0-19 YRS	38	9.6	256	1	1	7	12	14	30	96
20-34	59	10.2	110	1	4	8	13	18	31	60
35-49	63	10.2	100	2	4	8	13	24	29	95
50-64	47	12.7	86	2	5	12	17	28	32	36
65 +	35	15.7	197	5	6	11	17	40	43	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	3.3	8	1	1	2	5	7	8	16
B. Operated	34	3.4	8	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	522	5.3	31	2	2	4	7	11	13	29
B. Operated	242	11.4	140	1	4	9	15	24	36	68
1. SINGLE DX	105	3.3	8	1	1	2	5	7	8	14
2. MULTIPLE DX	764	7.3	73	2	2	5	9	15	21	43
A. Not Operated	593	5.1	29	1	2	3	7	11	13	28
B. Operated	276	10.4	130	1	3	8	14	21	35	65
TOTAL										
0-19 YRS	192	4.9	74	1	1	3	6	10	13	46
20-34	208	6.6	58	1	2	4	8	14	21	40
35-49	241	6.0	46	2	2	4	8	13	18	39
50-64	136	8.4	49	2	3	6	11	16	23	35
65 +	92	10.8	126	3	5	7	12	21	40	61
GRAND TOTAL	**869**	**6.8**	**67**	**1**	**2**	**4**	**8**	**14**	**19**	**42**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	4.5	12	1	2	3	6	9	13	14
20-34	7	4.0	17	1	2	3	4	11	13	13
35-49	14	6.5	59	2	3	4	6	16	28	31
50-64	20	4.1	4	2	3	4	5	7	9	10
65 +	6	4.3	5	1	3	4	6	7	7	7
B. Operated										
0-19 YRS	16	4.8	27	1	1	4	7	7	18	22
20-34	24	3.8	9	1	2	3	5	7	10	15
35-49	79	4.1	13	1	2	3	5	9	13	17
50-64	99	4.4	13	1	2	3	7	10	11	16
65 +	72	5.9	16	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	6.4	70	2	2	4	7	11	19	54
20-34	7	6.6	10	2	4	7	9	11	11	11
35-49	34	5.5	25	2	3	4	8	12	13	26
50-64	102	6.6	27	2	3	5	8	14	16	26
65 +	177	7.7	41	3	4	6	9	14	18	49
B. Operated										
0-19 YRS	37	11.8	329	1	2	6	13	31	47	96
20-34	40	7.1	19	2	3	6	10	13	15	17
35-49	144	5.0	14	1	2	4	7	10	14	17
50-64	279	6.9	28	2	3	6	9	14	17	28
65 +	352	8.2	36	2	4	7	11	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.7	18	1	2	3	6	8	13	26
B. Operated	290	4.7	15	1	2	3	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	401	6.9	41	2	3	5	8	13	17	42
B. Operated	852	7.3	43	2	3	6	10	14	17	30
1. SINGLE DX	372	4.7	15	1	2	3	6	10	12	19
2. MULTIPLE DX	1253	7.2	43	2	3	6	9	14	17	32
A. Not Operated	483	6.5	38	2	3	5	8	12	15	36
B. Operated	1142	6.7	37	2	3	6	9	13	17	26
TOTAL										
0-19 YRS	169	7.0	116	1	2	4	7	14	22	59
20-34	78	5.7	17	2	2	5	7	13	14	17
35-49	271	4.9	18	1	2	3	7	10	14	19
50-64	500	6.2	25	1	3	5	8	12	16	24
65 +	607	7.7	35	2	4	7	10	14	18	33
GRAND TOTAL	**1625**	**6.6**	**38**	**2**	**3**	**5**	**9**	**13**	**17**	**30**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	6.0	26	1	2	3	11	12	12	12
65 +	8	5.0	22	1	2	4	7	13	15	15
B. Operated										
0-19 YRS	0									
20-34	21	4.0	5	1	2	4	5	7	8	8
35-49	197	5.7	7	2	4	6	7	9	10	13
50-64	879	7.5	7	5	6	7	9	11	12	16
65 +	1464	8.8	7	6	7	8	10	12	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	0									
35-49	8	3.4	7	< 1	1	2	5	7	8	8
50-64	38	5.0	17	1	1	4	6	12	14	17
65 +	252	6.0	39	1	2	5	8	13	16	28
B. Operated										
0-19 YRS	8	7.0	11	2	5	8	8	11	12	12
20-34	48	6.0	9	2	4	6	8	10	11	15
35-49	288	6.6	13	3	4	6	8	11	12	20
50-64	2002	8.7	14	5	7	8	10	13	15	22
65 +	5864	10.0	22	6	7	9	11	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.6	20	1	1	3	7	12	14	15
B. Operated	2561	8.1	8	5	6	8	10	12	13	16
2. MULTIPLE DX										
A. Not Operated	300	5.8	36	1	2	4	7	13	16	26
B. Operated	8210	9.5	20	6	7	9	11	14	16	27
1. SINGLE DX	2577	8.1	8	5	6	8	10	12	13	16
2. MULTIPLE DX	8510	9.4	21	5	7	9	11	14	16	27
A. Not Operated	316	5.7	35	1	2	4	7	12	16	26
B. Operated	10771	9.2	18	5	7	8	11	13	15	24
TOTAL										
0-19 YRS	10	6.5	10	2	4	7	8	10	12	12
20-34	70	5.3	9	1	3	5	8	9	10	14
35-49	495	6.1	11	2	4	6	8	10	11	16
50-64	2924	8.3	13	5	6	8	10	12	14	20
65 +	7588	9.6	20	6	7	9	11	14	16	27
GRAND TOTAL	**11087**	**9.1**	**18**	**5**	**7**	**8**	**11**	**13**	**15**	**24**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	35	2.2	1	1	1	2	3	4	4	6
35-49	80	2.4	4	1	1	2	3	5	6	11
50-64	122	2.9	6	1	1	2	4	5	8	11
65 +	63	4.0	10	1	2	3	5	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	7	7.6	56	1	2	5	9	20	23	23
50-64	17	4.4	4	3	3	4	6	8	9	9
65 +	88	6.0	18	2	3	5	8	12	14	71
B. Operated										
0-19 YRS	4	8.8	140	1	1	4	16	26	26	26
20-34	35	2.4	3	1	1	2	3	5	6	8
35-49	121	2.8	3	1	2	2	4	5	7	9
50-64	190	3.4	8	1	2	3	4	8	9	14
65 +	269	5.6	23	1	2	4	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	7.0	2	6	6	7	8	8	8	8
B. Operated	304	2.9	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	116	5.8	18	2	3	5	8	11	14	50
B. Operated	619	4.2	16	1	2	3	5	9	11	19
1. SINGLE DX	306	2.9	6	1	1	2	3	6	8	12
2. MULTIPLE DX	735	4.5	16	1	2	3	6	9	12	22
A. Not Operated	118	5.8	18	2	3	5	8	11	14	49
B. Operated	923	3.8	13	1	2	3	5	8	10	18
TOTAL										
0-19 YRS	9	4.8	67	1	1	1	4	18	26	26
20-34	74	2.4	2	1	1	2	3	4	6	8
35-49	208	2.8	6	1	1	2	4	5	7	11
50-64	329	3.3	7	1	2	3	4	7	8	14
65 +	421	5.4	20	1	2	4	7	11	14	24
GRAND TOTAL	**1041**	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	6.0	25	1	3	4	8	13	16	25
20-34	16	4.3	5	2	3	4	6	7	8	9
35-49	17	5.0	7	2	3	4	6	9	11	12
50-64	13	4.5	6	1	3	4	6	8	9	9
65 +	6	4.0	6	1	2	3	7	7	7	7
B. Operated										
0-19 YRS	77	9.4	33	3	5	8	13	16	21	27
20-34	62	4.1	9	1	2	3	5	9	11	13
35-49	95	3.7	8	1	2	3	5	8	10	14
50-64	62	4.3	10	1	2	3	6	8	10	14
65 +	35	7.9	32	3	5	8	9	11	13	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	7.2	36	1	2	5	10	14	21	29
20-34	46	6.3	32	2	3	5	7	10	18	31
35-49	69	7.4	51	2	3	6	10	14	22	40
50-64	68	6.2	18	2	3	5	8	13	16	18
65 +	146	7.2	49	2	3	6	9	14	16	32
B. Operated										
0-19 YRS	149	11.4	47	4	7	10	15	21	24	32
20-34	105	7.9	73	1	3	5	9	16	33	39
35-49	174	6.8	40	1	2	5	8	15	19	32
50-64	183	8.5	44	2	4	7	11	17	22	34
65 +	238	13.9	157	3	7	11	17	27	41	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	5.4	17	2	3	4	7	10	13	22
B. Operated	331	5.7	22	1	2	4	8	11	14	25
2. MULTIPLE DX										
A. Not Operated	408	7.0	39	2	3	5	9	14	17	32
B. Operated	849	10.1	86	2	4	8	13	21	27	45
1. SINGLE DX	451	5.6	21	1	2	4	8	11	14	25
2. MULTIPLE DX	1257	9.1	73	2	4	7	11	18	24	43
A. Not Operated	528	6.6	35	2	3	5	8	13	16	31
B. Operated	1180	8.9	72	2	3	7	11	19	24	42
TOTAL										
0-19 YRS	373	9.1	42	2	4	8	12	18	22	31
20-34	229	6.3	45	1	3	4	7	12	17	37
35-49	355	6.0	34	1	2	4	8	12	17	32
50-64	326	7.1	33	2	3	6	9	15	18	29
65 +	425	11.0	118	2	5	8	13	22	31	58
GRAND TOTAL	**1708**	**8.2**	**62**	**2**	**3**	**6**	**10**	**17**	**22**	**38**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	152	2.5	1	1	2	2	3	4	4	7
20-34	274	2.4	1	1	2	2	3	4	4	5
35-49	75	2.7	2	1	2	2	3	4	6	8
50-64	17	2.8	5	1	1	1	5	6	7	7
65 +	6	2.8	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	7.7	9	5	5	7	10	11	11	11
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65 +	5	4.4	16	< 1	1	3	6	11	11	11
B. Operated										
0-19 YRS	195	2.6	1	1	2	3	3	4	4	5
20-34	426	2.7	4	1	2	2	3	4	5	7
35-49	159	2.5	2	1	1	2	3	5	5	7
50-64	77	2.8	8	1	1	2	3	7	8	15
65 +	44	3.1	7	1	1	2	4	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.3	2	< 1	1	2	4	4	4	4
B. Operated	524	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	15	3.9	12	1	1	3	5	11	11	11
B. Operated	901	2.7	3	1	2	2	3	4	5	8
1. SINGLE DX	530	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX	916	2.7	4	1	2	2	3	4	5	8
A. Not Operated	21	3.4	9	< 1	1	3	4	8	11	11
B. Operated	1425	2.6	3	1	2	2	3	4	5	7
TOTAL										
0-19 YRS	349	2.5	1	1	2	2	3	4	4	6
20-34	705	2.6	3	1	2	2	3	4	4	7
35-49	238	2.6	2	1	1	2	3	5	6	7
50-64	98	2.7	8	1	1	2	3	6	7	15
65 +	56	3.2	7	1	1	2	4	7	8	15
GRAND TOTAL	**1446**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**7**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.7	5	1	1	2	3	5	7	13
20-34	12	5.3	43	1	2	3	6	13	23	25
35-49	14	2.8	3	1	1	2	4	5	6	6
50-64	12	2.2	1	1	1	2	3	4	4	4
65 +	17	3.3	15	1	1	2	3	8	14	16
B. Operated										
0-19 YRS	502	2.0	1	1	1	2	2	3	4	6
20-34	595	2.0	1	1	1	2	2	3	4	6
35-49	209	2.2	2	1	1	2	3	3	4	8
50-64	75	2.7	3	1	1	2	4	5	7	8
65 +	28	3.9	8	1	2	3	5	7	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	4.0	34	1	2	2	4	6	12	39
20-34	35	6.6	55	1	2	4	9	18	24	32
35-49	53	4.7	47	1	1	2	4	14	23	36
50-64	68	5.5	91	1	2	3	5	9	11	65
65 +	171	5.4	20	2	2	4	7	10	15	23
B. Operated										
0-19 YRS	488	3.1	8	1	2	2	4	5	7	18
20-34	384	2.9	6	1	2	2	3	5	7	15
35-49	269	3.3	19	1	2	2	3	6	7	15
50-64	144	4.5	22	1	2	3	5	10	13	23
65 +	154	6.6	42	2	3	4	9	13	17	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	3.0	10	1	1	2	4	5	7	20
B. Operated	1409	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	431	5.1	41	1	2	3	6	10	15	34
B. Operated	1439	3.6	16	1	2	2	4	7	10	19
1. SINGLE DX	1517	2.2	2	1	1	2	3	4	4	8
2. MULTIPLE DX	1870	3.9	22	1	2	3	4	8	11	25
A. Not Operated	539	4.7	35	1	2	3	5	9	14	32
B. Operated	2848	2.9	9	1	1	2	3	5	7	15
TOTAL										
0-19 YRS	1147	2.7	8	1	1	2	3	4	6	14
20-34	1026	2.5	6	1	1	2	3	4	5	14
35-49	545	3.0	15	1	1	2	3	5	7	16
50-64	299	4.2	33	1	2	3	4	8	11	28
65 +	370	5.7	29	1	2	4	7	11	15	29
GRAND TOTAL	**3387**	**3.1**	**14**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	6.0	11	1	3	7	9	10	10	10
50-64	3	7.0	12	5	5	5	10	11	11	11
65 +	6	4.5	13	1	2	3	8	10	10	10
B. Operated										
0-19 YRS	0									
20-34	2	11.0	32	7	7	11	15	15	15	15
35-49	9	6.7	24	1	3	5	11	14	15	15
50-64	4	14.8	152	6	8	10	22	33	33	33
65 +	7	14.3	91	4	8	15	25	79	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	1	2	2	4	4	4	4	4
B. Operated	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	19	5.8	13	1	3	5	9	11	11	11
B. Operated	22	11.0	73	2	5	10	15	30	56	99 +
1. SINGLE DX	5	4.2	5	2	3	4	5	8	8	8
2. MULTIPLE DX	41	8.6	51	2	3	8	11	21	31	99 +
A. Not Operated	22	5.5	12	1	3	5	9	10	11	11
B. Operated	24	10.5	69	2	5	9	15	29	50	99 +
TOTAL										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	3	11.0	16	7	8	11	14	15	15	15
35-49	19	5.9	16	1	3	4	9	12	14	15
50-64	9	10.1	81	1	5	8	10	24	33	33
65 +	13	9.8	77	2	3	9	21	36	86	99 +
GRAND TOTAL	**46**	**8.1**	**47**	**2**	**3**	**7**	**10**	**20**	**30**	**99 +**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	12	2.5	4	1	1	1	4	6	7	7
35-49	32	3.6	18	1	1	2	4	10	12	20
50-64	45	2.8	8	1	1	2	3	7	9	12
65 +	36	2.7	5	1	1	2	4	7	7	9
B. Operated										
0-19 YRS	4	4.0	6	1	2	4	6	7	7	7
20-34	23	4.0	15	1	1	3	6	8	12	17
35-49	218	3.3	5	1	1	3	4	6	7	10
50-64	219	3.5	9	1	1	3	4	6	9	17
65 +	124	4.9	10	1	3	5	7	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	18	4.8	31	1	1	3	7	12	19	22
35-49	72	4.9	13	1	2	4	7	10	12	16
50-64	177	4.8	22	1	2	4	6	9	13	25
65 +	480	6.0	19	2	3	5	8	11	15	24
B. Operated										
0-19 YRS	0									
20-34	49	4.7	10	1	3	4	6	8	10	17
35-49	268	4.8	33	1	2	4	6	8	11	23
50-64	461	5.6	32	1	3	4	7	10	14	33
65 +	583	8.1	53	1	4	6	10	17	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	2.9	9	1	1	2	4	7	9	14
B. Operated	588	3.7	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	750	5.6	20	1	3	4	7	11	14	24
B. Operated	1361	6.5	43	1	3	5	8	12	18	37
1. SINGLE DX	716	3.6	8	1	1	3	5	7	9	15
2. MULTIPLE DX	2111	6.2	35	1	3	5	8	12	17	32
A. Not Operated	878	5.2	19	1	2	4	7	10	13	23
B. Operated	1949	5.6	34	1	2	4	7	11	16	31
TOTAL										
0-19 YRS	10	2.7	4	1	1	2	4	6	7	7
20-34	102	4.3	14	1	1	3	6	8	11	20
35-49	590	4.2	20	1	2	3	5	8	10	19
50-64	902	4.8	24	1	2	4	6	9	12	26
65 +	1223	6.8	36	1	3	5	8	13	18	32
GRAND TOTAL	**2827**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.1	4	1	1	3	5	6	6	6
20-34	291	4.4	9	1	2	4	6	8	9	15
35-49	420	4.4	12	1	2	4	6	8	10	14
50-64	190	3.6	7	1	1	3	5	8	9	12
65 +	53	3.9	6	1	2	4	5	7	9	11
B. Operated										
0-19 YRS	92	3.4	5	1	2	3	4	6	7	13
20-34	2310	3.7	6	1	2	3	4	6	8	13
35-49	3373	3.7	6	1	2	3	5	7	8	13
50-64	1392	4.1	14	1	2	4	5	7	9	15
65 +	339	4.9	13	1	3	4	6	9	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	8.4	19	4	6	7	10	16	17	17
20-34	243	5.5	16	1	3	5	7	10	12	20
35-49	469	5.6	17	2	3	5	7	10	12	21
50-64	399	6.0	22	1	3	5	8	11	14	24
65 +	452	6.9	20	2	4	6	9	13	15	22
B. Operated										
0-19 YRS	27	4.0	5	1	2	4	5	7	9	10
20-34	929	5.2	13	2	3	4	7	9	12	18
35-49	2150	5.5	19	2	3	5	7	10	13	20
50-64	1655	5.9	23	2	3	5	7	11	14	23
65 +	1137	8.2	47	3	4	6	10	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	961	4.2	10	1	2	4	6	8	10	13
B. Operated	7506	3.8	8	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1570	6.1	19	2	3	5	8	11	14	22
B. Operated	5898	6.1	26	2	3	5	8	11	15	25
1. SINGLE DX	8467	3.9	8	1	2	3	5	7	9	14
2. MULTIPLE DX	7468	6.1	24	2	3	5	8	11	15	24
A. Not Operated	2531	5.4	17	1	3	5	7	10	12	20
B. Operated	13404	4.8	17	1	3	4	6	9	12	20
TOTAL										
0-19 YRS	133	3.8	7	1	2	3	5	7	9	14
20-34	3773	4.3	9	1	2	4	5	8	10	16
35-49	6412	4.5	12	1	2	4	6	8	11	17
50-64	3636	5.1	20	1	3	4	6	9	12	20
65 +	1981	7.2	36	2	4	6	9	14	18	29
GRAND TOTAL	**15935**	**4.9**	**17**	**1**	**3**	**4**	**6**	**9**	**12**	**20**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	4.5	11	1	2	4	6	9	12	13
35-49	59	3.6	12	1	1	2	5	8	10	18
50-64	15	4.7	10	1	2	4	7	8	11	12
65 +	3	4.3	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	4	4.8	13	2	2	3	7	10	10	10
20-34	294	3.1	3	1	2	3	4	5	6	10
35-49	881	3.3	4	1	2	3	4	5	7	11
50-64	315	3.4	4	1	2	3	4	6	7	10
65 +	45	3.5	5	1	2	3	5	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	20	4.3	9	1	2	4	6	8	11	13
35-49	75	4.7	10	1	3	4	6	9	12	16
50-64	74	6.7	71	1	3	5	8	13	17	56
65 +	52	5.8	38	1	2	4	7	12	18	33
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	158	4.2	14	1	2	3	5	8	9	26
35-49	728	4.4	13	1	2	4	5	8	11	20
50-64	487	4.7	18	1	3	4	6	9	12	23
65 +	136	6.0	30	1	3	4	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	4.0	11	1	1	3	6	8	11	16
B. Operated	1539	3.3	4	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	221	5.6	37	1	2	4	7	11	14	28
B. Operated	1511	4.6	16	1	3	4	5	8	12	22
1. SINGLE DX	1643	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX	1732	4.7	19	1	3	4	6	9	12	23
A. Not Operated	325	5.1	30	1	2	4	7	9	13	24
B. Operated	3050	3.9	10	1	2	3	5	7	9	18
TOTAL										
0-19 YRS	7	3.4	10	< 1	1	3	4	9	10	10
20-34	498	3.6	7	1	2	3	4	6	8	14
35-49	1743	3.8	8	1	2	3	4	7	9	15
50-64	891	4.4	18	1	2	4	5	8	11	22
65 +	236	5.5	27	1	2	4	7	11	14	27
GRAND TOTAL	**3375**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	2.9	3	1	1	2	4	6	6	6
35-49	10	5.2	19	1	2	5	6	12	16	16
50-64	3	3.7		3	3	4	4	4	4	4
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	9	4.9	14	1	1	6	7	10	11	11
35-49	9	5.2	20	1	1	3	9	11	11	11
50-64	3	3.3	16	1	1	1	6	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	11	5.4	5	3	4	5	7	8	10	10
35-49	10	3.7	2	2	3	4	5	6	6	6
50-64	15	8.0	36	2	3	6	13	17	19	20
65 +	18	4.9	7	1	3	5	7	9	10	10
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	5.2	47	1	1	4	6	11	24	27
35-49	25	6.2	21	1	1	6	8	13	15	17
50-64	15	6.5	24	1	2	8	10	13	16	17
65 +	17	9.1	22	2	6	9	12	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.9	10	1	2	3	5	6	10	16
B. Operated	21	4.8	16	1	1	3	8	11	11	11
2. MULTIPLE DX										
A. Not Operated	56	5.9	16	2	3	5	7	12	15	20
B. Operated	71	6.7	27	1	2	6	10	14	16	25
1. SINGLE DX	45	4.3	13	1	1	3	6	9	11	16
2. MULTIPLE DX	127	6.3	22	1	3	5	9	13	16	22
A. Not Operated	80	5.3	15	2	3	5	6	11	14	19
B. Operated	92	6.3	25	1	1	6	9	13	16	23
TOTAL										
0-19 YRS	3	8.3	30	2	4	11	12	12	12	12
20-34	41	4.7	20	1	2	4	6	8	10	27
35-49	54	5.4	17	1	2	5	7	11	14	17
50-64	36	6.6	28	1	2	5	9	16	17	20
65 +	38	6.6	18	1	3	6	9	13	15	16
GRAND TOTAL	**172**	**5.8**	**21**	**1**	**2**	**5**	**8**	**12**	**16**	**19**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	3.9	6	1	2	4	5	8	9	9
35-49	34	4.1	7	2	2	3	6	7	10	13
50-64	15	4.7	3	3	3	5	6	7	8	8
65 +	9	4.7	4	3	3	4	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	14	2.2	3	1	1	2	3	4	6	7
35-49	33	3.1	9	1	1	2	4	7	10	14
50-64	13	3.0	9	1	1	2	4	8	10	10
65 +	4	3.5	4	1	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	22	4.0	7	1	2	3	6	8	9	10
35-49	36	5.4	12	1	3	5	8	10	13	14
50-64	52	6.2	28	2	3	5	7	14	19	26
65 +	58	6.2	9	3	4	6	8	10	10	19
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.0	36	1	1	5	8	15	21	21
35-49	26	6.1	28	1	2	5	8	14	18	24
50-64	12	5.4	18	1	2	4	7	11	15	16
65 +	17	9.1	39	2	6	9	12	14	23	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	4.2	6	2	3	4	6	7	8	12
B. Operated	64	2.9	7	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	170	5.8	16	2	3	5	7	10	14	21
B. Operated	66	6.7	31	1	3	6	9	14	17	27
1. SINGLE DX	137	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	236	6.1	20	2	3	5	8	10	15	24
A. Not Operated	243	5.3	13	2	3	5	7	9	12	20
B. Operated	130	4.8	23	1	1	3	7	10	14	25
TOTAL										
0-19 YRS	3	8.0	43	2	3	7	13	15	15	15
20-34	61	3.9	11	1	1	3	6	8	9	20
35-49	129	4.6	14	1	2	4	6	9	13	18
50-64	92	5.4	21	1	3	4	6	10	16	24
65 +	88	6.5	16	3	4	6	8	10	12	25
GRAND TOTAL	**373**	**5.2**	**17**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.7	3	1	1	2	4	5	6	8
20-34	223	3.6	8	1	1	3	5	7	8	15
35-49	309	3.8	14	1	1	3	5	7	9	17
50-64	134	3.8	9	1	1	3	5	8	10	15
65 +	78	3.0	5	1	1	2	5	6	8	9
B. Operated										
0-19 YRS	10	1.4	1	1	1	1	1	3	4	4
20-34	246	2.5	6	1	1	1	3	6	8	11
35-49	533	2.6	6	1	1	2	3	6	7	12
50-64	478	3.1	7	1	1	2	4	6	8	13
65 +	302	4.9	19	1	2	4	6	8	12	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.7	18	1	1	2	5	7	10	25
20-34	296	4.7	23	1	2	3	6	9	13	25
35-49	581	5.6	30	1	2	4	7	11	16	25
50-64	510	5.2	19	1	2	4	7	10	13	23
65 +	705	6.1	21	2	3	5	8	12	15	26
B. Operated										
0-19 YRS	18	6.6	33	2	3	5	7	18	21	21
20-34	249	3.8	13	1	1	3	5	8	10	23
35-49	619	4.1	20	1	1	3	5	9	12	20
50-64	946	5.8	30	1	2	5	7	10	15	28
65 +	1354	8.5	50	2	4	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	772	3.6	10	1	1	3	5	7	9	15
B. Operated	1569	3.2	9	1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	2140	5.5	23	1	2	4	7	11	14	25
B. Operated	3186	6.5	38	1	2	5	8	13	17	29
1. SINGLE DX	2341	3.3	10	1	1	2	4	7	9	15
2. MULTIPLE DX	5326	6.1	33	1	2	5	8	12	16	27
A. Not Operated	2912	5.0	21	1	2	4	6	10	13	25
B. Operated	4755	5.4	31	1	1	4	7	11	15	26
TOTAL										
0-19 YRS	104	3.7	17	1	1	3	5	7	10	23
20-34	1014	3.7	14	1	1	3	5	8	10	24
35-49	2042	4.1	19	1	1	3	5	8	12	25
50-64	2068	4.9	22	1	2	4	6	10	13	25
65 +	2439	7.2	39	1	3	6	9	14	18	30
GRAND TOTAL	**7667**	**5.2**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	110	2.6	3	1	1	2	3	5	6	9
20-34	35	2.6	2	1	1	2	4	4	5	6
35-49	45	3.0	4	1	2	3	4	6	7	8
50-64	22	2.8	3	1	1	2	4	5	6	6
65 +	6	3.0	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	51	2.2	3	1	1	1	3	5	5	8
20-34	181	2.0	2	1	1	2	3	4	5	8
35-49	381	2.0	2	1	1	2	2	3	5	9
50-64	248	2.0	2	1	1	2	2	4	4	6
65 +	59	3.0	6	1	2	2	3	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.2	3	1	2	3	4	6	7	9
20-34	50	3.5	3	2	2	3	4	6	7	8
35-49	65	4.1	7	2	2	3	5	7	9	13
50-64	77	4.5	10	1	3	4	5	8	10	18
65 +	107	5.5	17	2	3	4	7	10	13	24
B. Operated										
0-19 YRS	29	4.8	43	1	2	2	6	9	26	28
20-34	183	2.7	6	1	1	2	3	6	8	11
35-49	498	2.5	6	1	1	2	3	4	7	16
50-64	481	2.9	12	1	1	2	3	5	8	15
65 +	271	4.3	23	1	2	3	5	9	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.7	3	1	1	2	4	5	6	8
B. Operated	920	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	363	4.4	10	2	2	4	5	8	10	17
B. Operated	1462	3.0	12	1	1	2	3	6	8	18
1. SINGLE DX	1138	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1825	3.3	12	1	1	2	4	7	9	18
A. Not Operated	581	3.8	8	1	2	3	5	7	9	14
B. Operated	2382	2.6	9	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	254	2.9	8	1	1	2	4	5	7	9
20-34	449	2.5	4	1	1	2	3	5	7	10
35-49	989	2.4	5	1	1	2	3	4	6	12
50-64	828	2.8	9	1	1	2	3	5	7	13
65 +	443	4.4	20	1	2	3	5	9	12	21
GRAND TOTAL	**2963**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**14**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	53	2.0	1	1	1	2	2	4	4	5
20-34	84	1.8	1	1	1	2	2	3	4	5
35-49	110	1.7	1	1	1	2	2	3	3	5
50-64	122	1.8	1	1	1	2	2	3	4	4
65 +	39	2.0	1	1	1	2	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated										
0-19 YRS	53	1.8	1	1	1	2	2	3	4	5
20-34	144	1.7	1	1	1	1	2	3	3	5
35-49	257	1.8	1	1	1	2	2	3	4	7
50-64	393	1.9	1	1	1	2	2	3	4	6
65 +	358	2.4	3	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	1	1	1	2	3	3	3
B. Operated	408	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	5	1.8	3	< 1	< 1	< 1	2	5	5	5
B. Operated	1205	2.0	2	1	1	2	2	3	4	7
1. SINGLE DX	412	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX	1210	2.0	2	1	1	2	2	3	4	7
A. Not Operated	9	1.7	2	< 1	< 1	1	2	4	5	5
B. Operated	1613	2.0	1	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	109	1.8	1	1	1	2	2	4	4	5
20-34	229	1.7	1	1	1	1	2	3	3	5
35-49	369	1.8	1	1	1	2	2	3	4	6
50-64	516	1.9	1	1	1	2	2	3	4	6
65 +	399	2.4	3	1	1	2	3	4	5	8
GRAND TOTAL	**1622**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	12	1.1		< 1	< 1	1	1	2	2	2
20-34	15	1.4	1	< 1	1	1	2	2	4	4
35-49	12	1.6	1	1	1	1	2	3	4	4
50-64	10	2.0	2	1	1	2	2	4	5	5
65 +	10	2.2	2	< 1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	4	2.3		2	2	2	3	3	3	3
50-64	6	3.3	4	1	2	3	4	7	7	7
65 +	10	3.0	8	1	1	2	3	7	10	10
B. Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	15	2.7	4	1	1	2	4	6	6	6
35-49	22	3.9	10	1	2	3	4	10	11	12
50-64	28	4.9	94	1	1	3	5	7	13	53
65 +	37	4.5	19	1	2	3	6	8	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.3	10	1	2	4	7	9	9	9
B. Operated	59	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	21	2.9	5	1	2	2	3	6	8	10
B. Operated	105	4.1	34	1	2	3	5	7	11	36
1. SINGLE DX	65	1.9	2	1	1	1	2	4	5	9
2. MULTIPLE DX	126	3.9	29	1	2	3	5	7	10	30
A. Not Operated	27	3.2	6	1	2	2	4	7	9	10
B. Operated	164	3.2	24	1	1	2	4	6	8	22
TOTAL										
0-19 YRS	17	1.8	4	< 1	1	1	1	4	8	9
20-34	32	2.0	2	1	1	1	2	5	6	6
35-49	40	3.0	7	1	1	2	4	6	10	12
50-64	45	4.1	60	1	1	2	4	7	8	53
65 +	57	3.8	15	1	2	3	5	7	11	23
GRAND TOTAL	**191**	**3.2**	**21**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	8.0	39	2	4	6	11	15	21	30
20-34	11	8.5	43	3	4	8	10	19	24	25
35-49	8	6.9	68	1	2	3	8	21	26	26
50-64	5	10.4	75	3	4	9	14	25	25	25
65 +	7	14.7	139	5	6	9	20	35	38	38
B. Operated										
0-19 YRS	67	11.0	70	1	5	9	16	22	28	39
20-34	26	6.3	22	1	3	6	8	13	17	19
35-49	25	7.4	42	2	3	5	9	18	21	27
50-64	36	7.6	29	2	3	7	11	16	19	21
65 +	15	8.2	16	3	5	8	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	10.6	34	4	6	10	14	21	21	25
20-34	37	10.0	68	3	4	6	15	22	27	32
35-49	63	10.4	116	3	4	7	12	17	37	56
50-64	72	9.5	43	3	5	8	12	17	24	32
65 +	136	13.3	120	4	6	10	16	26	37	57
B. Operated										
0-19 YRS	161	15.3	165	5	7	11	18	32	44	63
20-34	130	13.0	125	3	6	9	16	28	44	63
35-49	235	15.2	261	4	6	10	17	28	52	84
50-64	301	15.1	189	4	6	11	18	33	46	72
65 +	436	16.7	182	5	8	13	22	35	46	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	8.6	52	2	3	6	11	18	25	35
B. Operated	169	8.8	48	2	4	7	11	19	21	30
2. MULTIPLE DX										
A. Not Operated	394	11.2	83	3	5	9	14	21	28	46
B. Operated	1263	15.5	191	4	7	11	19	32	46	77
1. SINGLE DX	260	8.7	49	2	4	7	11	18	23	30
2. MULTIPLE DX	1657	14.5	169	4	7	11	18	29	44	72
A. Not Operated	485	10.7	78	3	5	8	14	21	27	45
B. Operated	1432	14.7	179	4	7	11	18	30	45	73
TOTAL										
0-19 YRS	374	12.3	105	3	6	10	15	23	31	52
20-34	204	11.3	102	2	5	8	14	26	33	52
35-49	331	13.5	219	3	5	9	15	27	47	81
50-64	414	13.4	155	3	5	10	16	27	43	71
65 +	594	15.7	166	5	8	12	20	31	44	73
GRAND TOTAL	**1917**	**13.7**	**156**	**3**	**6**	**10**	**17**	**27**	**42**	**70**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	4.5	15	1	1	4	6	9	13	18
20-34	29	2.8	23	1	1	2	3	4	6	27
35-49	51	2.4	3	1	1	2	3	4	5	10
50-64	28	2.8	7	1	1	2	4	5	8	14
65 +	37	5.5	15	1	3	4	7	10	13	18
B. Operated										
0-19 YRS	670	3.1	8	1	1	2	4	6	9	15
20-34	309	2.6	4	1	1	2	3	5	7	11
35-49	245	3.7	7	1	2	3	5	8	9	11
50-64	126	4.0	11	1	2	3	6	8	10	18
65 +	73	5.7	16	1	2	5	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	82	5.5	48	1	2	3	5	11	20	38
20-34	79	3.3	7	1	2	3	3	7	9	14
35-49	243	3.1	8	1	2	2	4	6	8	14
50-64	340	5.1	29	1	2	4	6	10	13	21
65 +	1427	7.3	27	2	4	6	10	14	17	25
B. Operated										
0-19 YRS	322	4.6	34	1	2	3	5	10	14	25
20-34	358	4.6	24	1	2	3	6	9	11	28
35-49	434	6.1	56	2	2	4	7	10	16	39
50-64	500	8.6	84	2	3	6	10	17	24	50
65 +	903	11.4	69	4	6	10	14	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	3.8	13	1	1	2	5	8	11	18
B. Operated	1423	3.3	8	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	2171	6.3	27	2	3	5	8	12	16	25
B. Operated	2517	8.1	67	2	3	6	10	16	23	43
1. SINGLE DX	1654	3.4	9	1	1	2	4	7	10	15
2. MULTIPLE DX	4688	7.2	49	2	3	5	9	14	20	37
A. Not Operated	2402	6.0	27	1	3	5	8	12	15	24
B. Operated	3940	6.4	51	1	2	4	8	13	19	37
TOTAL										
0-19 YRS	1160	3.8	19	1	1	3	4	8	11	19
20-34	775	3.6	15	1	1	2	4	7	9	22
35-49	973	4.6	31	1	2	3	6	9	11	26
50-64	994	6.7	57	1	2	5	8	13	19	45
65 +	2440	8.7	46	2	4	7	11	16	21	36
GRAND TOTAL	**6342**	**6.2**	**42**	**1**	**2**	**4**	**8**	**13**	**17**	**32**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	175	2.6	5	1	1	2	3	5	7	12
20-34	17	3.2	5	1	1	3	4	7	8	8
35-49	16	2.6	3	1	1	2	3	6	6	6
50-64	8	4.9	11	1	2	5	6	10	11	11
65 +	4	5.0	7	1	3	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.7	6	< 1	1	4	5	7	8	8
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	24.0		24	24	24	24	24	24	24
50-64	4	18.3	492	2	2	11	34	49	49	49
65 +	5	13.2	432	2	2	3	19	50	50	50
B. Operated										
0-19 YRS	287	2.9	9	1	1	2	3	6	8	15
20-34	65	3.7	10	1	2	3	5	8	14	86
35-49	59	3.4	7	1	2	3	4	6	7	18
50-64	48	6.3	126	1	2	3	5	10	33	65
65 +	51	5.8	22	1	3	4	8	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	1	1	1	2	3	3	3	3
B. Operated	220	2.8	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	18	10.6	242	< 1	2	3	9	41	50	50
B. Operated	510	3.7	22	1	2	2	4	7	10	28
1. SINGLE DX	224	2.8	5	1	1	2	3	6	7	11
2. MULTIPLE DX	528	3.9	31	1	2	2	4	7	10	34
A. Not Operated	22	9.0	207	1	2	3	8	31	49	50
B. Operated	730	3.4	17	1	1	2	4	7	9	20
TOTAL										
0-19 YRS	471	2.8	8	1	1	2	3	5	8	14
20-34	83	3.5	9	1	2	3	5	8	10	71
35-49	77	3.5	12	1	2	3	4	6	7	23
50-64	61	6.8	134	1	2	3	5	12	36	63
65 +	60	6.3	52	1	3	4	8	12	17	47
GRAND TOTAL	**752**	**3.6**	**24**	**1**	**1**	**2**	**4**	**7**	**9**	**28**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	1.5	1	1	1	1	2	3	3	4
20-34	41	2.4	3	<1	1	2	3	5	6	7
35-49	73	2.8	7	1	1	2	3	5	10	13
50-64	36	3.0	7	1	1	2	4	8	10	11
65+	23	3.4	6	1	1	3	4	7	9	10
B. Operated										
0-19 YRS	315	5.4	17	1	2	6	8	9	10	23
20-34	136	3.3	11	1	1	2	5	7	9	17
35-49	162	3.7	18	1	1	2	5	9	13	22
50-64	133	2.7	9	1	1	2	3	6	10	15
65+	67	3.2	11	1	1	2	3	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	3.3	9	1	1	2	4	7	10	15
20-34	145	3.9	12	1	2	3	5	8	10	19
35-49	253	3.9	12	1	2	3	5	7	10	24
50-64	254	3.8	10	1	2	3	4	8	11	14
65+	393	5.5	17	1	2	4	7	12	14	19
B. Operated										
0-19 YRS	616	6.3	55	1	2	4	8	13	19	39
20-34	319	5.4	36	1	2	4	7	11	19	32
35-49	393	6.1	58	1	2	4	7	13	18	33
50-64	403	6.9	77	1	2	4	8	16	21	45
65+	388	8.2	89	1	2	6	10	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	2.4	5	1	1	2	3	4	7	11
B. Operated	813	4.1	15	1	1	3	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	1161	4.4	14	1	2	3	6	9	12	17
B. Operated	2119	6.6	64	1	2	4	8	15	20	42
1. SINGLE DX	1061	3.7	13	1	1	2	6	8	10	16
2. MULTIPLE DX	3280	5.8	47	1	2	4	7	12	18	35
A. Not Operated	1409	4.0	12	1	2	3	5	9	11	17
B. Operated	2932	5.9	52	1	2	4	8	12	19	37
TOTAL										
0-19 YRS	1122	5.4	38	1	1	4	8	10	15	30
20-34	641	4.4	24	1	1	3	6	9	14	25
35-49	881	4.7	35	1	1	3	6	10	14	25
50-64	826	5.1	46	1	2	3	6	11	16	36
65+	871	6.5	51	1	2	4	8	13	18	35
GRAND TOTAL	**4341**	**5.3**	**40**	**1**	**2**	**3**	**7**	**11**	**15**	**31**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.7	6	2	4	4	5	9	10	10
35-49	20	4.4	11	2	2	3	5	8	12	15
50-64	8	4.3	5	2	3	4	5	8	9	9
65+	7	5.9	6	3	5	5	7	10	10	10
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.0	4	1	3	4	6	6	6	6
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	42	4.6	8	2	2	4	5	9	10	15
B. Operated	4	6.3	20	2	2	6	10	11	11	11
1. SINGLE DX	7	3.9	3	1	3	3	6	6	6	6
2. MULTIPLE DX	46	4.8	9	2	2	4	5	9	10	15
A. Not Operated	48	4.6	7	2	3	4	5	9	10	15
B. Operated	5	5.6	17	2	3	3	9	11	11	11
TOTAL										
0-19 YRS	0									
20-34	11	4.5	7	2	3	4	5	9	10	10
35-49	24	4.7	11	2	2	4	6	9	12	15
50-64	11	4.1	4	2	2	4	5	7	9	9
65+	7	5.9	6	3	5	5	7	10	10	10
GRAND TOTAL	**53**	**4.7**	**8**	**2**	**3**	**4**	**5**	**9**	**10**	**15**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.5	3	< 1	1	2	4	5	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	98	4.6	15	1	2	4	5	9	11	23
20-34	4	11.3	51	5	6	9	16	21	21	21
35-49	5	8.2	8	4	7	8	10	12	12	12
50-64	2	7.0	2	6	6	7	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	3.7	14	1	1	2	4	9	13	19
20-34	3	5.7	41	1	1	3	10	13	13	13
35-49	4	4.5	12	1	2	4	7	9	9	9
50-64	6	6.0	16	2	3	5	8	12	13	13
65 +	6	4.3	7	1	2	4	7	8	8	8
B. Operated										
0-19 YRS	313	9.0	122	2	3	6	10	20	33	99 +
20-34	20	11.0	187	3	5	6	10	23	44	63
35-49	17	9.2	71	2	5	7	9	22	31	35
50-64	12	12.3	106	4	5	8	19	28	34	35
65 +	6	9.0	24	2	5	10	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.5	3	1	1	2	4	5	6	6
B. Operated	109	5.1	18	1	3	4	6	10	12	22
2. MULTIPLE DX										
A. Not Operated	94	4.0	14	1	1	3	5	9	13	18
B. Operated	368	9.2	121	2	4	6	10	20	33	98
1. SINGLE DX	123	4.8	16	1	2	4	6	9	12	22
2. MULTIPLE DX	462	8.2	104	1	3	6	9	18	26	88
A. Not Operated	108	3.8	13	1	1	3	5	9	13	17
B. Operated	477	8.3	100	2	3	6	9	18	26	85
TOTAL										
0-19 YRS	499	7.2	88	1	3	4	8	16	25	80
20-34	28	10.2	145	3	4	6	12	22	29	63
35-49	26	8.3	51	2	4	7	9	16	25	35
50-64	20	9.9	75	3	5	7	12	24	30	35
65 +	12	6.7	20	2	3	6	10	13	15	15
GRAND TOTAL	**585**	**7.4**	**87**	**1**	**3**	**5**	**8**	**16**	**24**	**71**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	205	1.8	2	1	1	1	2	4	5	8
20-34	33	1.7	1	1	1	1	2	3	4	5
35-49	12	1.4		< 1	1	1	2	3	3	3
50-64	6	1.5	1	< 1	1	1	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.4	1	< 1	1	1	2	3	3	3
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	147	2.3	12	1	1	1	2	4	7	13
20-34	19	2.1	2	1	1	2	3	4	5	5
35-49	13	2.2	3	1	1	2	3	5	6	6
50-64	6	1.2		< 1	1	1	1	2	2	2
65 +	5	4.8	47	1	1	2	6	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	1	1	1	1	2	3	3	3
B. Operated	257	1.8	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	17	1.6	1	< 1	1	1	2	3	4	4
B. Operated	190	2.3	10	1	1	1	3	4	6	15
1. SINGLE DX	262	1.8	2	1	1	1	2	4	5	8
2. MULTIPLE DX	207	2.2	10	1	1	1	3	4	6	14
A. Not Operated	22	1.6	1	< 1	1	1	2	3	4	4
B. Operated	447	2.0	6	1	1	1	2	4	5	9
TOTAL										
0-19 YRS	371	2.0	6	1	1	1	2	4	5	9
20-34	53	1.8	1	1	1	1	2	3	4	5
35-49	26	1.8	2	1	1	1	2	3	5	6
50-64	12	1.3		< 1	1	1	2	2	3	3
65 +	7	4.1	33	1	1	2	4	14	17	17
GRAND TOTAL	**469**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	**9**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.3	16	1	1	2	4	9	14	18
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	917	4.2	9	1	1	4	6	8	9	15
20-34	45	3.3	6	1	1	2	5	7	8	9
35-49	22	4.1	9	1	1	4	7	8	9	10
50-64	4	7.8	13	3	5	8	10	11	11	11
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	310	3.7	31	< 1	1	2	4	8	12	28
20-34	31	3.2	7	1	2	2	3	7	10	12
35-49	12	5.0	16	1	2	4	7	10	14	15
50-64	6	2.7	1	2	2	3	3	4	4	4
65 +	9	5.0	15	2	3	4	6	12	14	14
B. Operated										
0-19 YRS	2700	8.1	93	1	2	6	10	17	26	67
20-34	130	6.9	85	1	2	6	8	11	16	52
35-49	71	5.8	18	1	2	5	7	12	15	20
50-64	59	8.4	51	1	2	7	11	16	22	39
65 +	39	11.4	141	1	3	9	13	25	36	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.3	15	1	1	2	3	9	13	18
B. Operated	991	4.2	9	1	1	4	6	7	9	15
2. MULTIPLE DX										
A. Not Operated	368	3.7	28	< 1	1	2	4	8	12	28
B. Operated	2999	8.1	91	1	2	6	10	16	25	64
1. SINGLE DX	1028	4.1	10	1	1	4	6	8	9	15
2. MULTIPLE DX	3367	7.6	86	1	2	6	9	16	24	62
A. Not Operated	405	3.6	27	< 1	1	2	4	8	12	27
B. Operated	3990	7.1	73	1	2	6	8	14	21	57
TOTAL										
0-19 YRS	3962	6.8	72	1	2	5	8	14	21	57
20-34	207	5.6	59	1	2	5	7	9	12	39
35-49	106	5.3	16	1	2	5	7	10	14	18
50-64	69	7.9	47	1	2	7	11	15	21	38
65 +	51	9.7	120	1	2	8	12	19	35	62
GRAND TOTAL	**4395**	**6.8**	**70**	**1**	**2**	**5**	**8**	**14**	**21**	**55**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.2	69	1	1	2	7	20	20	20
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	532	1.8	1	1	1	1	2	3	4	5
20-34	5	2.0	2	1	1	1	3	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.7	4	< 1	1	2	3	5	7	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	683	2.3	3	1	1	2	3	4	5	8
20-34	14	2.1	2	1	1	2	3	4	5	6
35-49	4	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.2	69	1	1	2	7	20	20	20
B. Operated	539	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	15	2.7	4	< 1	1	2	3	5	7	8
B. Operated	702	2.3	3	1	1	2	3	4	5	8
1. SINGLE DX	544	1.8	2	1	1	1	2	3	4	5
2. MULTIPLE DX	717	2.3	3	1	1	2	3	4	5	8
A. Not Operated	20	3.3	19	< 1	1	2	3	7	14	20
B. Operated	1241	2.1	2	1	1	2	2	4	5	7
TOTAL										
0-19 YRS	1235	2.1	3	1	1	2	2	4	5	7
20-34	19	2.1	2	1	1	2	3	4	5	6
35-49	6	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**1261**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**	**7**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.0		1	2	2	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	482	2.8	2	1	2	3	3	4	5	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.5	6	1	1	1	5	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	256	4.0	8	2	3	3	4	6	9	15
20-34	0									
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.0		1	2	2	2	3	3	3
B. Operated	482	2.8	2	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	6	2.5	6	1	1	1	5	6	6	6
B. Operated	257	4.0	8	2	3	3	4	6	9	15
1. SINGLE DX	492	2.7	2	1	2	3	3	4	4	8
2. MULTIPLE DX	263	4.0	8	2	3	3	4	6	9	15
A. Not Operated	16	2.2	2	1	1	2	3	5	6	6
B. Operated	739	3.2	4	2	2	3	4	5	7	10
TOTAL										
0-19 YRS	754	3.2	4	2	2	3	4	5	6	10
20-34	0									
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**755**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	2.5	3	1	1	2	3	5	7	8
20-34	0									
35-49	0									
50-64	0									
65 +	2	8.0	32	4	4	8	12	12	12	12
B. Operated										
0-19 YRS	416	5.4	44	1	2	4	7	10	14	26
20-34	11	3.6	5	1	2	3	5	7	9	9
35-49	8	4.6	3	2	4	5	6	6	6	6
50-64	7	5.9	4	4	4	5	7	9	10	10
65 +	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	4.5	69	1	1	3	5	11	12	19
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	4	3.0	5	1	1	3	5	5	5	5
50-64	4	5.8	32	2	2	4	9	14	14	14
65 +	4	4.3	10	2	2	3	6	9	9	9
B. Operated										
0-19 YRS	777	9.5	175	1	3	6	11	22	42	99 +
20-34	36	7.0	26	3	4	6	8	15	18	25
35-49	15	7.7	46	2	3	6	10	11	25	29
50-64	17	6.2	10	2	4	5	8	10	13	14
65 +	18	16.4	429	4	8	12	15	30	71	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.6	5	1	1	2	3	6	7	12
B. Operated	445	5.3	41	1	2	4	7	10	13	24
2. MULTIPLE DX										
A. Not Operated	162	4.4	64	1	1	3	5	10	12	17
B. Operated	863	9.4	170	1	3	6	11	21	37	99 +
1. SINGLE DX	507	5.0	38	1	2	4	7	10	12	23
2. MULTIPLE DX	1025	8.6	156	1	3	5	10	18	32	99 +
A. Not Operated	224	3.9	48	1	1	2	4	8	11	16
B. Operated	1308	8.0	130	1	3	5	9	16	28	98
TOTAL										
0-19 YRS	1400	7.4	123	1	2	5	8	15	28	96
20-34	50	6.0	22	2	3	5	7	13	16	25
35-49	27	6.1	30	1	3	5	7	11	14	29
50-64	28	6.0	10	2	4	5	8	10	14	14
65 +	27	12.6	314	3	4	9	13	15	45	94
GRAND TOTAL	**1532**	**7.4**	**120**	**1**	**2**	**5**	**8**	**15**	**26**	**95**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	72	1.5	1	1	1	1	2	3	4	7
20-34	8	1.1		< 1	1	1	1	2	2	2
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	4	< 1	< 1	1	3	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	108	1.5	1	1	1	1	2	3	3	5
20-34	6	1.5		1	1	1	2	2	2	2
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	3.3		3	3	3	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	82	1.5	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	4	2.0	4	< 1	< 1	1	3	5	5	5
B. Operated	120	1.6	1	1	1	1	2	3	3	5
1. SINGLE DX	85	1.5	1	1	1	1	2	3	4	6
2. MULTIPLE DX	124	1.6	1	1	1	1	2	3	3	5
A. Not Operated	7	1.9	2	< 1	1	1	3	5	5	5
B. Operated	202	1.5	1	1	1	1	2	3	4	6
TOTAL										
0-19 YRS	186	1.5	1	1	1	1	2	3	3	6
20-34	15	1.3		1	1	1	2	2	2	2
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	3	3.3		3	3	3	4	4	4	4
65 +	0									
GRAND TOTAL	**209**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.3	22	1	2	4	7	11	17	18
20-34	3	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	494	2.4	4	1	1	2	3	5	7	11
20-34	32	3.3	6	1	2	3	4	6	6	14
35-49	14	3.1	5	1	2	3	4	6	8	9
50-64	6	4.0	2	1	4	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.6	22	< 1	1	3	5	12	16	20
20-34	8	4.3	8	1	2	3	6	8	9	9
35-49	13	4.1	12	1	2	2	7	10	11	11
50-64	8	9.5	53	1	3	8	15	20	21	21
65 +	9	4.0	6	1	2	4	6	8	8	8
B. Operated										
0-19 YRS	513	5.0	38	1	2	3	6	11	15	27
20-34	62	4.9	14	2	3	4	5	8	11	25
35-49	46	4.2	5	2	3	4	5	8	10	99 +
50-64	29	5.6	12	2	4	4	7	11	12	14
65 +	25	6.4	17	2	3	6	10	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.1	17	1	1	2	5	8	14	18
B. Operated	546	2.5	5	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	84	4.9	22	1	2	3	7	12	16	21
B. Operated	675	5.1	32	1	2	4	6	10	14	27
1. SINGLE DX	565	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX	759	5.0	31	1	2	4	6	11	14	26
A. Not Operated	103	4.7	21	1	2	3	7	11	16	20
B. Operated	1221	3.9	21	1	1	3	5	8	11	22
TOTAL										
0-19 YRS	1065	3.8	23	1	1	2	5	8	12	22
20-34	105	4.3	11	1	2	4	5	7	10	20
35-49	74	4.0	6	1	2	3	5	9	10	78
50-64	44	6.1	19	1	4	5	7	12	15	21
65 +	36	5.5	16	1	2	5	8	12	13	15
GRAND TOTAL	**1324**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.8	9	1	1	2	4	8	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	460	1.9	1	1	1	2	2	4	4	6
20-34	7	2.3	1	1	2	2	3	4	4	4
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	285	2.6	4	1	1	2	3	4	6	11
20-34	12	2.6	3	1	1	2	4	5	6	6
35-49	17	2.1	1	1	1	2	3	4	5	5
50-64	16	2.2	1	1	1	2	3	3	4	4
65 +	6	1.8	2	1	1	1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	9	1	1	2	4	8	8	8
B. Operated	472	1.9	1	1	1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	336	2.6	3	1	1	2	3	4	6	11
1. SINGLE DX	477	1.9	1	1	1	2	2	4	4	6
2. MULTIPLE DX	340	2.5	3	1	1	2	3	4	6	11
A. Not Operated	9	2.0	5	< 1	< 1	1	2	6	8	8
B. Operated	808	2.2	2	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	754	2.2	2	1	1	2	3	4	5	9
20-34	19	2.5	2	1	1	2	4	4	5	6
35-49	20	2.2	1	1	1	2	3	4	5	5
50-64	18	2.2	1	1	1	2	3	4	4	4
65 +	6	1.8	2	1	1	1	3	4	4	4
GRAND TOTAL	**817**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.5	23	< 1	1	1	2	5	8	32
20-34	6	2.5	3	1	1	2	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	5.3	10	1	2	7	8	8	8	8
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	1075	3.5	14	1	1	2	4	7	11	21
20-34	83	3.3	8	1	1	2	4	7	8	15
35-49	61	3.1	5	1	1	2	5	7	7	9
50-64	38	3.5	14	1	1	2	4	8	9	20
65 +	9	3.4	8	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	4.7	28	1	1	3	6	11	17	27
20-34	30	4.0	12	< 1	2	3	5	7	7	19
35-49	8	5.9	16	2	3	5	7	12	14	14
50-64	17	5.8	35	1	2	4	7	17	20	20
65 +	20	5.1	6	2	3	5	6	7	10	13
B. Operated										
0-19 YRS	821	5.9	65	1	2	4	7	12	25	99 +
20-34	119	6.2	31	1	3	5	8	11	16	34
35-49	120	7.7	100	1	3	6	8	12	16	66
50-64	81	6.6	27	1	3	6	8	13	15	29
65 +	62	8.8	63	2	4	7	11	16	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	2.6	20	1	1	1	2	7	8	28
B. Operated	1266	3.5	13	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. Not Operated	242	4.7	24	1	1	3	6	9	17	25
B. Operated	1203	6.3	63	1	2	4	7	13	21	99 +
1. SINGLE DX	1363	3.4	14	1	1	2	4	7	10	20
2. MULTIPLE DX	1445	6.0	57	1	2	4	7	12	19	91
A. Not Operated	339	4.1	24	1	1	2	5	9	15	25
B. Operated	2469	4.8	39	1	2	3	6	10	15	46
TOTAL										
0-19 YRS	2143	4.5	36	1	1	3	5	9	15	49
20-34	238	4.8	22	1	2	4	6	9	12	24
35-49	190	6.1	70	1	2	5	8	10	14	48
50-64	143	5.6	25	1	2	5	8	11	15	21
65 +	94	7.3	49	1	3	6	9	14	19	40
GRAND TOTAL	**2808**	**4.8**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**43**

230 Hospitals, North Central Region, January-December 1990, by Diagnosis

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	10.1	25	3	5	10	15	17	17	19
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	4.0	9	< 1	1	3	6	8	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	409	18.8	239	4	8	15	27	43	61	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	97	38.0	741	13	30	99	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	10.1	25	3	5	10	15	17	17	19
B. Operated	4	4.0	9	< 1	1	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	409	18.8	239	4	8	15	27	43	61	99 +
B. Operated	97	38.0	741	13	30	99	99 +	99 +	99 +	99 +
1. SINGLE DX	44	9.6	27	3	4	9	14	17	17	19
2. MULTIPLE DX	506	22.5	391	5	10	20	55	99 +	99 +	99 +
A. Not Operated	449	18.0	226	4	7	14	24	41	60	99 +
B. Operated	101	36.7	756	11	28	98	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	550	21.5	374	5	10	18	50	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**550**	**21.5**	**374**	**5**	**10**	**18**	**50**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1335	2.1	1	1	2	2	2	3	3	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	3.0	3	1	2	3	4	6	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	444	2.9	8	1	2	2	3	4	6	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	12.6	278	1	3	5	15	47	53	54
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1335	2.1	1	1	2	2	2	3	3	5
B. Operated	18	3.0	3	1	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	444	2.9	8	1	2	2	3	4	6	13
B. Operated	24	12.6	278	1	3	5	15	47	53	54
1. SINGLE DX	1353	2.1	1	1	2	2	2	3	4	5
2. MULTIPLE DX	468	3.4	26	1	2	2	3	5	7	32
A. Not Operated	1779	2.3	3	1	2	2	3	3	4	8
B. Operated	42	8.5	180	1	2	4	7	24	49	54
TOTAL										
0-19 YRS	1821	2.4	8	1	2	2	3	3	4	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**1821**	**2.4**	**8**	**1**	**2**	**2**	**3**	**3**	**4**	**10**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	753	3.0	6	1	2	2	3	5	7	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	34	6.4	124	1	2	3	8	14	53	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1757	6.2	68	2	2	4	7	13	21	74
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	273	20.1	469	4	7	19	99 +	99 +	99 +	99 +
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	755	3.0	6	1	2	2	3	5	7	13
B. Operated	34	6.4	124	1	2	3	8	14	53	99 +
2. MULTIPLE DX										
A. Not Operated	1757	6.2	68	2	2	4	7	13	21	74
B. Operated	274	20.1	468	3	7	19	99 +	99 +	99 +	99 +
1. SINGLE DX	789	3.1	11	1	2	2	3	5	8	15
2. MULTIPLE DX	2031	8.1	144	2	3	4	9	32	99 +	99 +
A. Not Operated	2512	5.2	52	1	2	3	5	10	17	52
B. Operated	308	18.5	448	3	7	16	97	99 +	99 +	99 +
TOTAL										
0-19 YRS	2817	6.7	112	1	2	3	7	19	59	99 +
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	**2820**	**6.7**	**112**	**1**	**2**	**3**	**7**	**19**	**59**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	985	2.2	3	1	1	2	3	4	5	9
20-34	237	2.3	2	1	1	2	3	4	6	9
35-49	159	2.9	7	1	1	2	3	5	9	16
50-64	67	2.9	4	1	2	2	4	5	7	11
65 +	46	3.4	5	1	2	3	4	7	8	9
B. Operated										
0-19 YRS	7	4.0	5	1	3	4	5	7	8	8
20-34	3	14.0	97	3	6	17	21	22	22	22
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2418	2.9	8	1	1	2	3	5	7	15
20-34	538	3.7	19	1	2	3	4	7	9	30
35-49	678	4.2	16	1	2	3	5	8	11	21
50-64	647	4.6	14	2	2	4	6	8	12	21
65 +	1240	6.0	29	2	3	5	7	11	15	27
B. Operated										
0-19 YRS	61	7.6	79	1	3	5	8	23	30	41
20-34	48	4.5	15	1	2	3	6	11	12	17
35-49	57	7.1	56	1	3	5	8	12	20	47
50-64	67	9.6	70	3	4	7	13	22	27	89
65 +	99	11.9	78	3	6	10	16	23	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1494	2.4	3	1	1	2	3	4	6	10
B. Operated	13	5.8	42	1	2	3	6	18	21	22
2. MULTIPLE DX										
A. Not Operated	5521	4.1	17	1	2	3	5	8	11	20
B. Operated	332	8.8	69	2	3	6	11	20	26	43
1. SINGLE DX	1507	2.4	4	1	1	2	3	4	6	10
2. MULTIPLE DX	5853	4.3	21	1	2	3	5	8	12	24
A. Not Operated	7015	3.7	15	1	2	3	4	7	10	19
B. Operated	345	8.7	68	2	3	6	11	20	26	42
TOTAL										
0-19 YRS	3471	2.8	8	1	1	2	3	5	7	14
20-34	826	3.4	15	1	2	2	4	6	9	21
35-49	896	4.2	17	1	2	3	5	8	11	21
50-64	782	4.9	20	2	2	4	6	10	13	25
65 +	1385	6.4	35	2	3	5	7	12	16	29
GRAND TOTAL	**7360**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	706	2.7	2	2	2	3	3	4	4	7
20-34	19	4.3	8	2	2	3	5	9	10	10
35-49	21	3.3	3	1	2	3	4	6	7	7
50-64	14	3.9	6	2	3	3	4	7	10	11
65 +	8	3.6	2	2	2	4	5	5	5	5
B. Operated										
0-19 YRS	5	3.4	7	1	2	3	4	8	8	8
20-34	3	12.3	72	6	7	9	19	22	22	22
35-49	3	11.7	100	2	4	11	19	22	22	22
50-64	1	18.0		18	18	18	18	18	18	18
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1744	3.3	6	2	2	3	4	5	7	12
20-34	163	5.0	18	2	2	4	6	10	14	24
35-49	161	4.7	10	2	3	4	6	8	11	16
50-64	260	5.8	17	2	3	5	7	10	13	22
65 +	547	6.7	38	2	4	5	8	12	15	24
B. Operated										
0-19 YRS	95	10.1	119	2	3	6	13	23	29	55
20-34	38	8.6	45	2	4	7	12	15	19	37
35-49	41	10.1	65	3	4	8	14	20	25	40
50-64	56	11.2	68	3	6	9	15	26	30	36
65 +	92	12.4	71	3	6	12	17	23	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	768	2.8	2	2	2	3	3	4	5	[illegible]
B. Operated	13	9.2	57	2	3	8	14	22	22	22
2. MULTIPLE DX										
A. Not Operated	2875	4.3	16	2	2	3	5	8	11	19
B. Operated	322	10.8	82	3	4	8	14	21	29	47
1. SINGLE DX	781	2.9	3	2	2	3	3	4	5	11
2. MULTIPLE DX	3197	5.0	26	2	2	3	6	10	14	25
A. Not Operated	3643	4.0	13	2	2	3	5	7	10	17
B. Operated	335	10.7	81	3	4	8	14	22	28	47
TOTAL										
0-19 YRS	2550	3.4	11	2	2	3	3	5	7	16
20-34	223	5.7	24	2	3	4	7	11	15	25
35-49	226	5.7	25	2	3	4	6	11	15	25
50-64	331	6.7	30	2	3	5	8	13	17	31
65 +	648	7.5	46	2	4	6	9	15	18	32
GRAND TOTAL	**3978**	**4.6**	**23**	**2**	**2**	**3**	**5**	**9**	**13**	**24**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.0	2	1	1	2	2	4	5	8
20-34	76	3.0	6	1	1	2	4	5	7	13
35-49	58	2.8	4	1	2	2	4	5	6	11
50-64	17	2.6	4	1	1	2	3	6	8	9
65 +	8	2.8	3	1	2	2	3	6	7	7
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	1.7	1	1	1	1	2	3	3	3
35-49	18	1.9	2	1	1	2	2	4	5	5
50-64	10	2.5	3	1	1	2	4	5	5	5
65 +	4	1.8	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	2.6	4	1	1	2	3	5	7	10
20-34	211	3.4	7	1	2	3	4	6	8	12
35-49	171	3.8	12	1	2	3	5	7	8	22
50-64	116	3.8	6	1	2	3	5	8	9	12
65 +	101	4.2	9	1	2	3	5	9	10	15
B. Operated										
0-19 YRS	13	3.7	3	1	2	4	5	6	6	6
20-34	37	5.5	27	1	2	4	7	11	14	28
35-49	26	5.0	16	1	2	4	7	9	15	16
50-64	18	6.3	45	1	2	4	7	13	23	29
65 +	32	8.4	47	2	3	6	11	18	24	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	2.6	4	1	1	2	3	5	6	12
B. Operated	50	1.9	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	749	3.5	8	1	2	3	4	7	9	13
B. Operated	126	6.1	32	1	2	4	7	14	17	28
1. SINGLE DX	261	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	875	3.9	12	1	2	3	5	7	10	17
A. Not Operated	960	3.3	7	1	2	3	4	6	8	13
B. Operated	176	4.9	26	1	2	3	6	11	16	27
TOTAL										
0-19 YRS	216	2.5	4	1	1	2	3	5	6	9
20-34	341	3.4	9	1	2	3	4	7	9	14
35-49	273	3.6	10	1	2	3	5	7	8	16
50-64	161	3.9	11	1	2	3	5	8	9	14
65 +	145	5.0	20	1	2	4	6	10	15	24
GRAND TOTAL	**1136**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**9**	**16**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.3	3	< 1	< 1	2	4	5	5	5
20-34	5	2.8	3	1	2	2	4	5	5	5
35-49	13	3.3	2	1	2	4	4	5	6	6
50-64	23	2.6	2	1	1	3	3	5	5	5
65 +	25	2.8	3	< 1	1	3	4	5	6	7
B. Operated										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	19	3.2	3	1	2	3	5	6	6	6
35-49	38	3.2	3	1	2	3	4	6	6	8
50-64	38	3.5	4	1	2	4	5	6	7	9
65 +	36	3.2	3	1	2	3	4	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.2	3	1	1	1	3	4	6	7
20-34	13	2.3	2	1	1	2	3	5	5	5
35-49	38	3.7	6	1	2	3	5	7	9	13
50-64	108	3.4	3	1	2	3	4	6	6	10
65 +	168	3.7	5	1	2	3	5	7	8	10
B. Operated										
0-19 YRS	19	4.1	11	1	1	4	6	9	11	12
20-34	17	4.9	7	2	3	4	6	9	10	10
35-49	54	4.4	5	2	3	4	6	7	8	11
50-64	144	4.8	11	2	3	4	6	9	12	18
65 +	238	5.3	16	2	2	4	7	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.8	2	< 1	1	3	4	5	5	7
B. Operated	138	3.2	3	1	2	3	4	6	6	8
2. MULTIPLE DX										
A. Not Operated	346	3.5	5	1	2	3	5	6	8	10
B. Operated	472	5.0	13	2	3	4	6	9	12	19
1. SINGLE DX	211	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX	818	4.3	10	1	2	4	6	8	10	17
A. Not Operated	419	3.4	4	1	2	3	4	6	7	10
B. Operated	610	4.6	11	1	2	4	6	8	11	18
TOTAL										
0-19 YRS	52	2.9	6	1	1	2	4	6	8	12
20-34	54	3.5	5	1	2	3	5	6	9	10
35-49	143	3.8	5	2	2	3	5	6	8	11
50-64	313	4.0	7	1	2	4	5	7	9	15
65 +	467	4.4	11	1	2	4	6	8	10	19
GRAND TOTAL	**1029**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.1	2	1	2	3	4	5	6	6
20-34	5	1.4		1	1	1	2	2	2	2
35-49	9	1.9	4	< 1	1	1	2	5	7	7
50-64	7	1.9		1	1	2	2	3	3	3
65 +	5	5.4	37	1	1	1	11	13	13	13
B. Operated										
0-19 YRS	29	2.2	4	< 1	1	1	3	5	8	8
20-34	16	1.8	3	1	1	1	2	4	7	8
35-49	15	1.7	1	1	1	1	2	3	5	5
50-64	13	1.7	2	1	1	1	2	3	5	6
65 +	7	2.1	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	4.3	22	1	1	3	5	10	14	25
20-34	31	3.8	16	1	2	2	5	7	9	22
35-49	56	3.0	11	1	1	2	3	7	11	18
50-64	74	3.8	26	1	2	2	4	8	10	33
65 +	169	5.5	24	1	2	4	8	11	14	25
B. Operated										
0-19 YRS	31	5.7	38	1	2	4	8	12	22	28
20-34	23	5.1	44	1	1	3	5	13	22	29
35-49	42	5.7	26	1	1	4	8	14	17	21
50-64	43	9.4	110	1	2	6	14	28	32	44
65 +	55	17.3	262	2	6	11	22	40	59	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.7	7	1	1	2	3	6	8	13
B. Operated	80	1.9	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	379	4.5	22	1	2	3	5	10	13	24
B. Operated	194	9.8	139	1	2	6	12	25	32	61
1. SINGLE DX	124	2.2	4	1	1	1	3	4	7	12
2. MULTIPLE DX	573	6.3	68	1	2	3	8	14	21	43
A. Not Operated	423	4.3	21	1	2	3	5	10	13	23
B. Operated	274	7.5	112	1	1	3	9	19	29	59
TOTAL										
0-19 YRS	127	4.0	20	1	1	3	4	9	12	26
20-34	75	3.6	22	1	1	2	4	8	11	27
35-49	122	3.7	17	1	1	2	5	8	13	19
50-64	137	5.3	56	1	1	2	5	14	20	40
65 +	236	8.2	104	1	2	5	10	18	27	60
GRAND TOTAL	**697**	**5.6**	**59**	**1**	**1**	**3**	**6**	**13**	**19**	**40**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	2	17.5	181	8	8	17	27	27	27	27
B. Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	5	3.8	4	2	2	4	5	7	7	7
35-49	12	6.1	34	2	2	3	9	16	18	18
50-64	5	5.0	22	2	2	3	7	13	13	13
65 +	10	8.3	48	1	2	5	16	18	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	9.6	56	3	4	6	16	20	20	20
20-34	5	5.6	7	2	3	6	8	8	8	8
35-49	4	4.0	7	1	2	4	6	7	7	7
50-64	10	6.9	19	2	4	6	10	13	14	14
65 +	34	10.9	82	3	5	8	14	20	33	43
B. Operated										
0-19 YRS	4	4.8	38	1	1	2	8	14	14	14
20-34	16	18.3	173	6	8	16	22	37	47	51
35-49	48	14.3	136	3	6	10	20	31	34	56
50-64	118	14.9	129	4	7	12	21	29	36	54
65 +	385	14.5	105	4	8	12	20	29	35	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	12.4	85	2	6	12	16	27	27	27
B. Operated	36	5.8	30	1	2	4	7	16	17	20
2. MULTIPLE DX										
A. Not Operated	58	9.1	61	2	4	7	13	17	22	42
B. Operated	571	14.6	115	4	7	12	20	29	35	55
1. SINGLE DX	41	6.6	40	1	2	4	11	16	19	27
2. MULTIPLE DX	629	14.1	112	4	7	11	19	28	35	55
A. Not Operated	63	9.4	62	2	4	7	13	18	24	42
B. Operated	607	14.1	114	3	7	11	19	29	35	55
TOTAL										
0-19 YRS	13	5.7	41	1	1	3	8	16	19	20
20-34	28	12.6	145	2	4	8	18	31	38	51
35-49	65	12.2	120	2	4	9	18	29	32	54
50-64	133	13.9	124	3	6	11	19	28	35	51
65 +	431	14.0	104	4	7	11	19	28	35	55
GRAND TOTAL	**670**	**13.6**	**111**	**3**	**6**	**11**	**19**	**28**	**35**	**54**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.0	2	1	1	2	3	4	5	6
20-34	426	1.9	1	1	1	2	2	3	4	5
35-49	1422	1.9	1	1	1	2	2	3	4	5
50-64	975	2.0	1	1	1	2	2	3	4	6
65 +	304	2.4	3	1	1	2	3	4	5	9
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	44	2.2	2	1	1	2	3	5	5	6
35-49	246	2.4	3	1	1	2	3	5	6	8
50-64	295	2.0	3	1	1	1	3	4	5	7
65 +	79	2.3	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	2.1	2	1	1	2	3	4	5	8
20-34	949	2.4	3	1	1	2	3	4	5	8
35-49	3949	2.5	3	1	1	2	3	4	5	8
50-64	4523	2.8	3	1	2	2	3	5	6	9
65 +	4283	3.3	5	1	2	3	4	6	7	12
B. Operated										
0-19 YRS	6	4.3	17	1	2	3	6	11	12	12
20-34	110	3.8	7	1	1	3	5	7	9	12
35-49	838	3.3	6	1	1	3	4	6	8	11
50-64	1331	3.4	10	1	1	3	5	7	8	15
65 +	909	4.3	13	1	2	3	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3160	2.0	1	1	1	2	2	3	4	6
B. Operated	665	2.2	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	13792	2.8	4	1	2	2	4	5	6	10
B. Operated	3194	3.7	10	1	1	3	5	7	9	15
1. SINGLE DX	3825	2.0	2	1	1	2	3	3	4	6
2. MULTIPLE DX	16986	3.0	5	1	2	2	4	5	7	11
A. Not Operated	16952	2.7	3	1	1	2	3	5	6	9
B. Operated	3859	3.4	9	1	1	3	5	7	9	15
TOTAL										
0-19 YRS	128	2.2	3	1	1	2	3	4	5	9
20-34	1529	2.4	3	1	1	2	3	4	5	8
35-49	6455	2.5	3	1	1	2	3	4	5	9
50-64	7124	2.8	4	1	1	2	3	5	6	10
65 +	5575	3.4	7	1	2	3	4	6	8	13
GRAND TOTAL	**20811**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	442	2.4	3	1	1	2	3	4	6	9
20-34	6	5.0	63	< 1	1	2	4	19	21	21
35-49	12	2.3	2	< 1	1	2	3	5	6	6
50-64	5	3.0	7	1	1	2	5	7	7	7
65 +	8	4.6	9	< 1	2	4	7	9	9	9
B. Operated										
0-19 YRS	41	2.6	7	1	1	2	3	5	8	14
20-34	9	4.8	17	1	2	4	7	12	12	12
35-49	24	3.0	8	1	1	2	4	8	10	10
50-64	17	2.1	3	1	1	2	3	4	6	7
65 +	11	4.0	7	1	2	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1161	4.4	25	1	2	3	5	9	12	27
20-34	60	4.1	16	1	2	3	5	9	11	23
35-49	81	3.1	5	1	2	2	4	7	8	10
50-64	128	3.9	12	1	2	3	5	8	10	19
65 +	245	4.5	13	1	2	4	6	9	12	17
B. Operated										
0-19 YRS	173	8.8	139	1	1	4	10	24	40	90
20-34	17	6.2	37	1	2	4	13	19	68	99 +
35-49	47	4.3	13	1	2	3	6	9	13	17
50-64	110	5.3	26	1	2	4	6	11	16	27
65 +	149	6.6	27	1	3	5	8	14	20	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	473	2.5	4	1	1	2	3	4	6	9
B. Operated	102	2.9	8	1	1	2	4	7	10	13
2. MULTIPLE DX										
A. Not Operated	1675	4.3	21	1	2	3	5	9	12	24
B. Operated	496	6.9	67	1	2	4	8	16	23	58
1. SINGLE DX	575	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	2171	4.9	33	1	2	3	6	10	15	32
A. Not Operated	2148	3.9	18	1	2	3	5	8	11	21
B. Operated	598	6.2	59	1	2	4	7	15	21	54
TOTAL										
0-19 YRS	1817	4.3	33	1	1	3	5	9	13	37
20-34	92	4.6	23	1	1	3	5	11	16	67
35-49	164	3.4	8	1	1	2	4	7	9	15
50-64	260	4.4	18	1	2	3	6	8	13	24
65 +	413	5.2	19	1	2	4	7	11	14	22
GRAND TOTAL	**2746**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**29**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.0	2	< 1	1	1	3	4	6	7
20-34	75	1.7	1	1	1	1	2	3	3	6
35-49	84	1.8	2	< 1	1	1	2	3	5	8
50-64	46	1.6	1	1	1	1	2	2	3	4
65 +	13	2.5	1	1	2	3	3	4	4	4
B. Operated										
0-19 YRS	12	3.5	3	1	2	3	5	6	7	7
20-34	11	3.9	9	1	2	4	5	8	11	11
35-49	22	3.0	2	1	2	3	4	5	6	7
50-64	10	4.6	6	2	3	4	4	9	10	10
65 +	7	2.4	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.6	4	1	1	2	3	5	6	10
20-34	90	2.7	3	1	1	2	4	5	6	8
35-49	110	2.8	5	1	1	2	3	6	8	12
50-64	123	3.2	6	1	1	2	4	6	8	13
65 +	196	4.3	12	1	2	3	5	9	11	19
B. Operated										
0-19 YRS	49	5.9	14	1	3	6	9	11	13	17
20-34	39	3.1	5	1	1	2	4	6	8	11
35-49	85	5.2	24	1	2	4	6	12	14	28
50-64	77	4.7	11	2	2	4	5	9	13	17
65 +	184	7.1	45	2	3	5	9	15	20	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	1.8	1	< 1	1	1	2	3	4	7
B. Operated	62	3.5	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	571	3.3	8	1	1	3	4	6	9	14
B. Operated	434	5.8	29	1	2	4	7	12	16	25
1. SINGLE DX	301	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1005	4.4	18	1	2	3	5	9	12	21
A. Not Operated	810	2.9	6	1	1	2	4	6	7	13
B. Operated	496	5.5	27	1	2	4	7	11	15	25
TOTAL										
0-19 YRS	134	3.8	10	1	1	3	5	9	10	14
20-34	215	2.5	3	1	1	2	3	5	6	9
35-49	301	3.2	11	1	1	2	4	7	9	15
50-64	256	3.4	7	1	2	3	4	6	9	14
65 +	400	5.5	29	1	2	4	7	11	16	25
GRAND TOTAL	**1306**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	899	1.7	1	<1	1	1	2	3	4	6
20-34	730	2.0	2	1	1	2	2	4	5	7
35-49	425	2.3	2	1	1	2	3	4	5	8
50-64	192	2.3	2	1	1	2	3	4	5	8
65 +	88	3.4	5	1	2	3	5	7	7	11
B. Operated										
0-19 YRS	134	2.7	1	1	2	3	3	4	5	7
20-34	129	3.4	4	1	2	3	4	6	8	11
35-49	66	3.9	5	2	3	4	5	6	8	15
50-64	18	3.1	6	1	1	2	4	6	8	10
65 +	6	4.8	8	1	4	4	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	784	2.2	3	1	1	2	3	4	5	9
20-34	887	2.7	4	1	1	2	3	5	7	10
35-49	852	3.5	7	1	2	3	4	6	8	12
50-64	655	3.6	7	1	2	3	4	7	8	14
65 +	984	4.4	11	1	2	4	6	8	11	16
B. Operated										
0-19 YRS	141	4.4	23	1	2	3	5	8	10	29
20-34	226	5.1	29	1	2	4	7	10	12	39
35-49	211	5.9	19	2	3	5	8	12	14	22
50-64	145	6.1	17	2	3	5	8	11	13	22
65 +	223	8.0	33	2	4	7	10	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2334	2.0	2	1	1	2	2	4	5	7
B. Operated	353	3.3	4	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	4162	3.3	7	1	2	3	4	6	8	13
B. Operated	946	6.0	27	2	3	5	8	12	15	27
1. SINGLE DX	2687	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	5108	3.8	12	1	2	3	5	8	10	17
A. Not Operated	6496	2.8	6	1	1	2	4	6	7	12
B. Operated	1299	5.3	22	2	2	4	7	10	13	24
TOTAL										
0-19 YRS	1958	2.1	4	1	1	2	3	4	5	9
20-34	1972	2.8	7	1	1	2	3	5	7	11
35-49	1554	3.5	8	1	2	3	4	7	9	15
50-64	1010	3.7	9	1	2	3	5	7	9	14
65 +	1301	5.0	16	1	2	4	6	10	13	20
GRAND TOTAL	**7795**	**3.2**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.0	2	1	1	2	3	4	5	7
20-34	14	2.3	3	<1	1	2	3	5	6	6
35-49	22	3.0	2	1	2	3	4	5	6	7
50-64	9	2.2	2	1	1	2	2	5	6	6
65 +	11	1.9	1	<1	1	2	2	3	3	3
B. Operated										
0-19 YRS	19	2.7	4	<1	1	2	4	6	7	7
20-34	12	4.8	12	2	2	4	6	10	13	13
35-49	7	3.7	9	1	2	3	4	9	10	10
50-64	8	3.1	3	1	2	3	4	5	6	6
65 +	9	4.2	5	2	3	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	432	2.9	9	1	1	2	3	5	7	18
20-34	111	3.4	9	1	2	3	4	6	11	16
35-49	180	4.1	11	1	2	3	5	8	10	18
50-64	258	4.7	20	1	2	4	6	8	15	26
65 +	537	5.4	46	2	3	4	6	10	12	20
B. Operated										
0-19 YRS	107	4.6	28	1	1	3	6	10	16	28
20-34	47	4.0	16	1	1	3	5	10	13	18
35-49	79	5.4	33	1	2	4	7	9	17	34
50-64	86	7.2	40	1	3	5	10	14	19	31
65 +	224	9.0	142	1	3	5	10	20	24	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	2.2	2	1	1	2	3	4	5	7
B. Operated	55	3.6	7	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	1518	4.3	25	1	2	3	5	8	12	19
B. Operated	543	6.9	80	1	2	4	8	16	22	37
1. SINGLE DX	220	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	2061	5.0	41	1	2	3	6	10	15	26
A. Not Operated	1683	4.1	23	1	2	3	5	8	11	19
B. Operated	598	6.6	74	1	2	4	8	15	21	36
TOTAL										
0-19 YRS	667	3.0	11	1	1	2	3	6	8	18
20-34	184	3.6	11	1	1	3	4	7	12	17
35-49	288	4.4	16	1	2	3	5	8	10	21
50-64	361	5.2	25	1	2	4	6	11	16	30
65 +	781	6.4	75	2	3	4	7	12	17	35
GRAND TOTAL	**2281**	**4.7**	**38**	**1**	**2**	**3**	**5**	**9**	**14**	**25**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0- 780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790- 799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	754	3.0	7	1	2	2	4	6	8	15
20-34	186	3.8	31	1	1	2	3	5	21	32
35-49	163	3.2	20	1	1	2	3	5	12	27
50-64	213	3.3	20	1	1	2	3	5	10	26
65 +	262	3.7	17	1	1	2	4	8	12	20
B. Operated										
0-19 YRS	86	3.0	25	1	1	2	3	5	5	34
20-34	37	2.0	6	1	1	1	2	3	5	15
35-49	63	1.9	4	1	1	1	2	4	5	14
50-64	63	1.7	2	1	1	1	2	4	5	8
65 +	32	2.6	4	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1959	4.8	32	1	2	3	6	10	14	29
20-34	583	3.2	6	1	2	3	4	6	8	13
35-49	970	3.4	10	1	2	3	4	6	8	17
50-64	1711	3.7	9	1	2	3	4	7	9	16
65 +	5084	4.7	18	2	2	4	6	8	11	18
B. Operated										
0-19 YRS	360	9.1	134	1	2	5	12	23	33	99 +
20-34	94	4.6	26	1	1	3	6	10	14	71
35-49	192	4.9	37	1	1	3	6	11	13	30
50-64	320	5.5	45	1	2	4	7	11	16	31
65 +	744	7.4	39	2	3	6	9	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1578	3.3	15	1	1	2	4	6	9	21
B. Operated	281	2.3	10	1	1	1	3	5	5	15
2. MULTIPLE DX										
A. Not Operated	10307	4.3	18	1	2	3	5	8	11	19
B. Operated	1710	7.0	61	1	2	5	9	15	21	47
1. SINGLE DX	1859	3.1	14	1	1	2	3	6	9	21
2. MULTIPLE DX	12017	4.7	25	1	2	3	6	9	12	24
A. Not Operated	11885	4.2	18	1	2	3	5	8	11	20
B. Operated	1991	6.3	57	1	2	4	8	14	20	42
TOTAL										
0-19 YRS	3159	4.8	40	1	2	3	5	10	15	34
20-34	900	3.4	14	1	1	2	4	6	10	21
35-49	1388	3.5	15	1	1	3	4	7	10	20
50-64	2307	3.8	15	1	2	3	5	7	10	19
65 +	6122	5.0	22	2	2	4	6	9	12	20
GRAND TOTAL	**13876**	**4.5**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**23**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	0									
50-64	1	48.0		48	48	48	48	48	48	48
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	18.0	136	5	7	18	27	31	32	32
20-34	5	26.8	18	22	23	28	30	32	32	32
35-49	1	23.0		23	23	23	23	23	23	23
50-64	0									
65 +	3	24.3	324	12	13	16	38	45	45	45
B. Operated										
0-19 YRS	24	24.5	317	10	13	17	29	49	66	79
20-34	26	36.5	576	15	17	27	47	78	89	92
35-49	8	44.8	529	18	24	42	65	75	78	78
50-64	4	27.0	78	14	21	30	32	33	33	33
65 +	6	26.3	111	18	18	23	29	44	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	30.5	613	13	13	30	48	48	48	48
2. MULTIPLE DX										
A. Not Operated	15	22.5	116	7	13	23	29	32	42	45
B. Operated	68	31.8	442	12	16	25	42	66	78	91
1. SINGLE DX	2	30.5	613	13	13	30	48	48	48	48
2. MULTIPLE DX	83	30.1	394	11	16	25	38	62	78	91
A. Not Operated	15	22.5	116	7	13	23	29	32	42	45
B. Operated	70	31.8	438	12	16	25	44	65	78	91
TOTAL										
0-19 YRS	30	23.2	282	7	11	17	28	44	61	79
20-34	32	34.3	494	14	19	27	44	76	87	92
35-49	9	42.3	515	18	24	40	65	74	78	78
50-64	5	31.2	147	14	25	32	37	48	48	48
65 +	9	25.7	151	14	17	22	33	46	46	46
GRAND TOTAL	**85**	**30.1**	**392**	**11**	**16**	**25**	**39**	**61**	**78**	**91**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	320	1.7	2	1	1	1	2	3	5	8
20-34	14	4.5	13	2	3	3	5	10	14	15
35-49	6	3.3	2	2	2	3	5	5	5	5
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	75	3.4	4	1	2	3	4	7	8	11
20-34	13	4.3	8	1	2	3	6	9	9	9
35-49	4	5.8	15	2	2	5	9	10	10	10
50-64	1	25.0		25	25	25	25	25	25	25
65 +	2	11.0	162	2	2	11	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	302	3.2	11	1	1	2	4	7	9	16
20-34	43	4.2	7	1	2	4	6	8	9	11
35-49	20	4.6	35	1	2	3	4	8	19	28
50-64	15	8.2	24	3	4	7	13	15	16	16
65 +	24	5.7	21	2	2	4	8	14	15	16
B. Operated										
0-19 YRS	135	7.0	50	2	3	4	8	17	22	35
20-34	84	9.8	135	2	3	6	11	24	30	67
35-49	48	8.7	107	2	4	6	9	14	23	63
50-64	13	17.0	370	4	4	9	27	73	94	99 +
65 +	13	12.8	127	2	4	9	17	32	38	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	341	1.8	3	1	1	1	2	4	5	9
B. Operated	95	4.0	13	1	2	3	4	8	9	23
2. MULTIPLE DX										
A. Not Operated	404	3.7	14	1	1	2	4	8	11	17
B. Operated	293	8.8	105	2	3	6	10	21	30	67
1. SINGLE DX	436	2.3	6	1	1	1	3	5	7	11
2. MULTIPLE DX	697	5.8	59	1	2	3	7	13	20	39
A. Not Operated	745	2.8	10	1	1	2	3	6	9	15
B. Operated	388	7.6	86	2	3	4	9	18	26	58
TOTAL										
0-19 YRS	832	3.2	17	1	1	2	4	7	10	22
20-34	154	7.3	85	1	3	5	8	15	25	48
35-49	78	7.1	79	2	3	5	8	11	21	57
50-64	29	12.7	195	3	4	9	16	33	70	99 +
65 +	40	8.3	67	2	2	6	13	18	25	39
GRAND TOTAL	**1133**	**4.5**	**41**	**1**	**1**	**2**	**5**	**9**	**15**	**33**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	1.9	2	< 1	1	1	2	3	5	8
20-34	15	3.7	14	< 1	1	2	5	12	12	12
35-49	10	4.1	3	2	3	4	6	7	7	7
50-64	4	5.5	42	1	1	3	9	15	15	15
65 +	4	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	13	4.9	3	3	4	5	6	7	8	8
20-34	12	5.1	27	1	2	3	7	12	18	19
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	3.1	8	1	1	2	4	6	8	15
20-34	81	5.3	29	1	2	4	7	10	13	34
35-49	34	7.4	99	1	2	5	8	15	29	52
50-64	19	8.5	75	1	2	4	15	23	26	26
65 +	34	10.0	91	2	3	7	15	20	23	51
B. Operated										
0-19 YRS	74	9.0	98	2	3	6	10	20	34	48
20-34	107	9.7	112	2	3	6	11	21	29	57
35-49	59	12.6	122	3	5	9	17	27	37	52
50-64	26	17.0	289	3	5	9	26	49	54	55
65 +	25	15.2	119	3	7	12	22	30	39	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	2.4	5	1	1	2	3	4	6	12
B. Operated	29	4.8	15	1	2	4	7	9	12	19
2. MULTIPLE DX										
A. Not Operated	364	4.9	37	1	2	3	6	11	15	31
B. Operated	291	11.2	131	2	4	7	15	26	36	53
1. SINGLE DX	183	2.8	7	1	1	2	3	6	8	14
2. MULTIPLE DX	655	7.7	89	1	2	4	9	19	26	50
A. Not Operated	518	4.2	29	1	1	3	5	9	14	27
B. Operated	320	10.7	124	2	3	7	13	25	36	53
TOTAL										
0-19 YRS	404	3.9	28	1	1	2	4	8	12	31
20-34	215	7.4	74	2	3	4	9	17	25	37
35-49	106	9.8	110	2	3	6	11	22	32	52
50-64	50	12.8	198	1	3	8	18	33	50	55
65 +	63	11.6	106	2	4	9	16	23	32	50
GRAND TOTAL	**838**	**6.6**	**75**	**1**	**2**	**3**	**8**	**16**	**24**	**47**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.3		< 1	1	1	1	2	3	3
20-34	17	2.0	2	1	1	1	2	5	6	6
35-49	7	1.4		< 1	1	1	2	2	2	2
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	178	2.0	2	1	1	1	2	3	5	9
20-34	271	2.1	2	1	1	2	3	4	5	8
35-49	107	2.2	3	1	1	1	3	5	6	8
50-64	20	2.4	6	< 1	1	1	3	5	8	11
65 +	7	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	2.2	3	1	1	2	3	4	5	9
20-34	76	2.2	4	< 1	1	2	3	4	5	13
35-49	28	3.1	7	1	2	3	4	5	7	14
50-64	23	2.8	5	1	1	2	3	6	8	9
65 +	43	3.8	6	1	2	3	5	7	9	12
B. Operated										
0-19 YRS	325	4.2	25	1	2	3	5	8	11	21
20-34	679	3.9	16	1	2	3	5	7	10	19
35-49	304	4.3	19	1	2	3	5	9	11	21
50-64	100	4.6	16	1	2	4	6	11	14	60
65 +	98	7.4	107	1	2	5	8	15	22	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	1.7	1	< 1	1	1	2	3	4	6
B. Operated	583	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	244	2.6	5	1	1	2	3	5	7	12
B. Operated	1506	4.3	25	1	2	3	5	9	12	22
1. SINGLE DX	623	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1750	4.1	23	1	2	3	5	8	11	21
A. Not Operated	284	2.5	4	1	1	2	3	5	6	11
B. Operated	2089	3.7	20	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	592	3.2	16	1	1	2	4	7	9	19
20-34	1043	3.3	12	1	1	2	4	6	9	16
35-49	446	3.7	15	1	1	3	5	8	10	17
50-64	143	4.0	14	1	1	3	5	9	12	27
65 +	149	6.1	76	1	2	4	7	13	20	37
GRAND TOTAL	**2373**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	3.0	3	1	2	3	4	6	7	9
20-34	156	3.1	5	1	2	3	4	6	8	11
35-49	90	3.9	7	1	2	3	5	7	8	15
50-64	70	3.8	4	1	2	4	5	7	7	9
65 +	72	4.5	7	2	3	4	6	7	8	16
B. Operated										
0-19 YRS	24	7.3	13	4	5	7	9	13	14	15
20-34	54	7.0	31	3	4	6	9	12	17	34
35-49	16	11.1	102	2	6	8	12	22	37	43
50-64	5	8.0	27	2	5	7	11	16	16	16
65 +	8	5.0	23	1	2	4	6	13	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	4.0	10	1	2	3	5	8	10	18
20-34	207	4.6	14	1	2	4	6	8	10	17
35-49	189	5.2	17	2	3	4	6	10	13	20
50-64	215	6.4	20	2	3	5	8	10	14	27
65 +	1070	7.6	32	3	4	6	9	13	17	31
B. Operated										
0-19 YRS	63	9.0	58	2	4	8	11	16	29	92
20-34	179	9.9	78	3	5	8	12	18	26	42
35-49	94	10.3	113	3	5	9	13	18	27	99 +
50-64	77	11.8	81	3	6	10	14	23	33	43
65 +	154	12.8	99	5	7	11	15	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	469	3.6	5	1	2	3	5	6	8	11
B. Operated	107	7.6	38	2	4	6	9	14	17	38
2. MULTIPLE DX										
A. Not Operated	1794	6.6	27	2	3	5	8	12	15	25
B. Operated	567	10.9	89	3	5	9	14	20	28	70
1. SINGLE DX	576	4.3	14	1	2	3	5	8	10	18
2. MULTIPLE DX	2361	7.6	45	2	4	6	10	14	18	35
A. Not Operated	2263	6.0	24	2	3	5	8	11	14	23
B. Operated	674	10.4	82	3	5	9	13	19	26	49
TOTAL										
0-19 YRS	281	5.1	24	1	2	4	7	11	13	34
20-34	596	6.0	40	1	2	4	7	12	16	34
35-49	389	6.3	48	2	3	5	8	13	16	39
50-64	367	7.0	37	2	3	5	9	13	18	34
65 +	1304	8.0	42	3	4	7	10	14	18	32
GRAND TOTAL	**2937**	**7.0**	**41**	**2**	**3**	**5**	**9**	**13**	**18**	**33**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	3	1	1	1	2	5	5	5
20-34	4	4.3	20	2	2	2	7	11	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	5	8.8	43	4	5	6	12	20	20	20
20-34	7	12.0	50	5	6	10	17	23	24	24
35-49	7	7.6	16	3	4	6	12	13	13	13
50-64	2	17.0	72	11	11	17	23	23	23	23
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.3	75	< 1	2	4	16	21	22	22
20-34	5	6.0	24	1	5	56	99 +	99 +	99 +	99 +
35-49	8	13.9	266	2	4	8	39	76	99 +	99 +
50-64	4	13.5	110	4	4	13	22	24	24	24
65 +	14	16.8	119	6	7	14	23	37	37	37
B. Operated										
0-19 YRS	21	19.7	220	8	11	12	25	47	54	56
20-34	47	18.9	155	6	10	17	28	52	99 +	99 +
35-49	26	20.7	475	6	8	17	33	95	99 +	99 +
50-64	11	27.2	386	8	15	16	37	59	67	68
65 +	8	22.5	337	8	16	19	65	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.5	9	1	1	2	5	9	11	11
B. Operated	21	10.2	41	4	6	8	13	21	23	24
2. MULTIPLE DX										
A. Not Operated	37	13.0	133	2	5	12	28	99 +	99 +	99 +
B. Operated	113	20.5	270	7	10	17	30	66	99 +	99 +
1. SINGLE DX	34	7.7	39	1	3	6	11	19	22	24
2. MULTIPLE DX	150	18.7	246	5	8	16	30	83	99 +	99 +
A. Not Operated	50	10.5	118	1	3	7	21	94	99 +	99 +
B. Operated	134	18.9	248	6	9	15	27	56	99 +	99 +
TOTAL										
0-19 YRS	37	13.9	186	1	5	11	17	34	49	56
20-34	63	16.2	147	4	9	15	28	99 +	99 +	99 +
35-49	42	16.8	367	4	7	10	30	88	99 +	99 +
50-64	19	20.9	302	4	8	15	28	47	61	68
65 +	23	18.3	193	5	9	16	27	65	99 +	99 +
GRAND TOTAL	**184**	**16.6**	**226**	**4**	**7**	**13**	**24**	**56**	**99 +**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.3		< 1	1	1	2	2	2	2
20-34	26	1.7	1	< 1	1	2	2	3	3	4
35-49	32	2.2	2	1	1	2	3	4	5	6
50-64	29	2.6	2	1	1	2	4	4	4	5
65 +	21	2.9	6	1	1	2	3	7	9	10
B. Operated										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	3.2	5	1	1	3	4	7	8	9
20-34	188	3.0	7	1	1	3	4	5	7	10
35-49	219	3.7	7	1	2	3	5	7	9	14
50-64	269	4.3	12	1	2	3	6	8	11	20
65 +	600	6.0	18	2	3	5	8	12	14	18
B. Operated										
0-19 YRS	17	8.1	78	2	3	4	9	23	30	33
20-34	74	7.4	63	2	3	5	8	13	30	37
35-49	101	8.5	79	2	3	6	10	19	24	49
50-64	72	9.8	87	3	5	7	11	17	25	55
65 +	130	15.8	261	3	6	10	21	31	46	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	2.2	2	1	1	2	3	4	5	9
B. Operated	4	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1318	4.7	14	1	2	4	6	9	12	18
B. Operated	394	10.9	149	2	4	7	13	25	32	72
1. SINGLE DX	124	2.2	2	1	1	2	3	4	5	9
2. MULTIPLE DX	1712	6.2	52	1	2	4	7	12	18	33
A. Not Operated	1438	4.5	14	1	2	3	6	9	12	18
B. Operated	398	10.8	148	2	4	7	13	24	32	72
TOTAL										
0-19 YRS	71	4.1	27	1	1	2	4	8	10	31
20-34	290	4.0	24	1	2	3	4	7	10	31
35-49	353	5.0	32	1	2	4	6	9	15	25
50-64	371	5.2	31	1	2	4	6	11	15	25
65 +	751	7.6	74	2	3	5	9	15	21	44
GRAND TOTAL	**1836**	**5.9**	**49**	**1**	**2**	**4**	**7**	**12**	**17**	**33**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	3.4	6	1	2	3	4	6	9	14
20-34	38	6.3	58	2	2	4	7	14	20	43
35-49	20	6.2	34	2	3	5	7	12	21	27
50-64	16	5.9	29	3	3	5	6	8	20	25
65 +	72	5.3	12	2	3	4	7	9	12	19
B. Operated										
0-19 YRS	5	16.6	362	2	2	9	29	47	47	47
20-34	5	16.4	349	5	5	8	23	49	49	49
35-49	5	16.6	64	9	12	14	20	30	30	30
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	5.3	33	1	2	3	6	11	14	30
20-34	116	6.2	21	2	3	5	8	12	14	26
35-49	80	8.5	67	2	4	6	10	18	24	45
50-64	83	8.8	60	4	5	7	10	14	22	49
65 +	915	8.5	50	3	5	7	10	15	19	34
B. Operated										
0-19 YRS	56	13.9	263	3	4	9	17	25	41	91
20-34	125	15.3	202	3	6	11	19	34	47	71
35-49	60	19.7	323	6	9	14	23	49	59	86
50-64	39	21.4	227	8	11	17	25	54	59	99 +
65 +	125	14.7	95	6	8	11	19	28	38	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	5.2	24	2	3	4	6	9	16	26
B. Operated	15	16.5	222	2	6	13	21	47	48	49
2. MULTIPLE DX										
A. Not Operated	1312	8.0	49	3	4	6	10	14	19	34
B. Operated	405	16.2	202	4	7	12	20	34	48	76
1. SINGLE DX	206	6.0	46	2	3	4	7	10	17	45
2. MULTIPLE DX	1717	9.9	97	3	5	7	12	19	26	52
A. Not Operated	1503	7.7	46	2	4	6	9	14	18	33
B. Operated	420	16.2	202	4	7	12	20	34	48	76
TOTAL										
0-19 YRS	224	7.3	108	1	2	4	9	16	25	54
20-34	284	10.4	131	2	4	6	12	23	35	55
35-49	165	12.6	186	3	4	8	15	27	45	75
50-64	138	12.0	138	4	5	8	14	25	46	64
65 +	1112	9.0	57	3	5	7	11	16	21	39
GRAND TOTAL	**1923**	**9.5**	**93**	**3**	**4**	**7**	**11**	**18**	**26**	**51**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	1.4	1	1	1	1	1	3	4	6
20-34	8	2.4	3	< 1	< 1	2	3	5	6	6
35-49	11	1.7	1	< 1	1	2	2	3	4	4
50-64	12	2.3	2	< 1	1	2	3	4	5	5
65 +	38	2.4	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	818	2.0	5	1	1	1	2	3	4	15
20-34	78	2.3	2	1	1	2	3	4	5	7
35-49	59	2.6	4	1	1	2	3	5	7	12
50-64	64	2.8	6	1	2	2	3	4	6	15
65 +	93	3.9	12	1	2	3	4	6	8	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.3	11	< 1	1	2	5	7	8	20
20-34	23	4.5	68	1	1	2	3	11	29	34
35-49	28	3.9	33	1	2	2	4	7	12	31
50-64	68	4.8	17	1	2	4	7	9	14	22
65 +	341	5.9	32	2	3	4	7	11	14	29
B. Operated										
0-19 YRS	227	4.0	39	1	1	2	3	9	16	42
20-34	93	7.1	53	1	3	5	8	16	24	38
35-49	106	5.3	18	1	3	4	6	12	16	20
50-64	165	6.1	24	2	3	5	8	13	17	25
65 +	454	7.6	51	2	3	6	10	14	18	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	1.8	2	1	1	1	2	4	4	6
B. Operated	1112	2.2	6	1	1	2	3	4	5	15
2. MULTIPLE DX										
A. Not Operated	510	5.3	30	1	2	4	7	10	14	30
B. Operated	1045	6.3	43	1	2	4	8	13	17	30
1. SINGLE DX	1253	2.2	5	1	1	2	3	4	5	14
2. MULTIPLE DX	1555	6.0	39	1	2	4	7	12	16	30
A. Not Operated	651	4.6	26	1	2	3	6	9	12	26
B. Operated	2157	4.2	28	1	1	2	5	10	14	25
TOTAL										
0-19 YRS	1167	2.4	12	1	1	1	2	4	7	19
20-34	202	4.7	37	1	2	3	5	11	17	32
35-49	204	4.2	17	1	2	3	5	8	12	20
50-64	309	5.0	19	1	2	4	6	10	15	23
65 +	926	6.4	40	2	3	5	8	12	15	29
GRAND TOTAL	**2808**	**4.3**	**27**	**1**	**1**	**3**	**5**	**10**	**13**	**25**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	1.6	1	1	1	1	2	3	3	5
20-34	10	1.9		1	2	2	2	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	4	2.0	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	853	1.6	1	1	1	1	2	3	3	5
20-34	241	2.2	3	1	1	2	3	4	5	8
35-49	214	2.2	3	1	1	2	3	4	6	10
50-64	179	2.0	2	1	1	2	3	3	5	9
65 +	169	2.1	3	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.1	2	< 1	1	1	2	4	6	7
20-34	21	2.2	2	1	1	2	3	4	5	5
35-49	19	2.7	6	1	1	2	4	6	8	10
50-64	15	3.4	8	1	2	2	4	6	10	12
65 +	63	5.0	12	1	3	4	7	10	12	16
B. Operated										
0-19 YRS	250	3.2	17	1	1	2	3	7	10	22
20-34	270	4.8	26	1	2	3	6	9	13	24
35-49	241	4.7	31	1	2	3	5	8	14	33
50-64	216	3.4	12	1	1	3	4	7	8	18
65 +	412	4.7	25	1	2	3	5	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	1.7	1	1	1	1	2	3	4	5
B. Operated	1656	1.8	2	1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	156	3.4	9	1	1	2	4	7	10	13
B. Operated	1389	4.3	23	1	2	3	5	8	12	27
1. SINGLE DX	1746	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	1545	4.2	22	1	2	3	5	8	12	26
A. Not Operated	246	2.8	6	1	1	2	3	6	8	12
B. Operated	3045	2.9	13	1	1	2	3	6	8	17
TOTAL										
0-19 YRS	1211	1.9	5	1	1	1	2	3	5	11
20-34	542	3.5	16	1	1	2	4	7	10	19
35-49	477	3.5	19	1	1	2	4	6	10	28
50-64	413	2.8	8	1	1	2	3	5	7	13
65 +	648	4.1	19	1	2	3	5	9	12	25
GRAND TOTAL	**3291**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.5	3	1	1	2	3	5	6	8
20-34	7	1.4		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	91	1.7	2	1	1	1	2	3	4	9
20-34	106	2.0	2	1	1	2	2	4	5	7
35-49	52	2.0	2	1	1	2	2	4	6	7
50-64	25	1.6	1	< 1	1	1	2	3	3	3
65 +	17	2.4	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.4	10	1	1	2	5	9	10	10
20-34	17	3.0	3	1	2	2	4	6	7	7
35-49	13	2.3	3	< 1	1	2	3	5	6	6
50-64	5	3.0	1	2	2	3	3	4	4	4
65 +	18	4.4	9	1	2	4	6	10	11	11
B. Operated										
0-19 YRS	115	3.1	17	1	1	2	4	6	7	25
20-34	217	3.1	12	1	1	2	3	6	9	20
35-49	128	3.0	12	1	1	2	3	5	8	20
50-64	80	3.1	16	1	1	2	3	6	8	26
65 +	54	3.7	9	1	2	3	5	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.3	3	1	1	2	3	4	5	8
B. Operated	291	1.9	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	63	3.3	6	1	1	3	4	7	9	11
B. Operated	594	3.1	13	1	1	2	4	6	9	19
1. SINGLE DX	324	1.9	2	1	1	1	2	4	5	7
2. MULTIPLE DX	657	3.1	13	1	1	2	4	6	9	18
A. Not Operated	96	3.0	5	1	1	2	4	6	8	11
B. Operated	885	2.7	10	1	1	2	3	5	7	17
TOTAL										
0-19 YRS	240	2.5	10	1	1	2	3	5	7	12
20-34	347	2.7	9	1	1	2	3	5	7	17
35-49	194	2.6	9	1	1	2	3	5	6	18
50-64	111	2.8	12	1	1	2	3	5	7	19
65 +	89	3.6	8	1	2	3	5	8	11	13
GRAND TOTAL	**981**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	8.0	77	1	2	3	14	24	25	25
20-34	5	2.4	5	1	1	1	4	6	6	6
35-49	0									
50-64	6	2.8	2	< 1	2	3	4	5	5	5
65 +	40	5.6	19	1	2	4	7	12	15	19
B. Operated										
0-19 YRS	59	6.2	67	1	2	4	6	17	26	40
20-34	26	6.2	8	3	4	6	9	11	11	12
35-49	52	6.2	14	3	4	6	7	9	10	27
50-64	122	7.6	8	4	5	7	9	11	12	16
65 +	643	9.5	14	6	7	9	11	14	16	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	12.8	124	1	3	9	22	28	33	35
20-34	9	4.0	5	2	2	4	5	7	8	8
35-49	13	6.8	39	2	3	5	9	13	23	25
50-64	40	10.6	53	2	4	9	15	22	24	26
65 +	450	8.8	70	2	4	7	10	17	23	49
B. Operated										
0-19 YRS	84	12.7	110	4	5	9	18	28	33	50
20-34	94	13.0	185	4	6	9	14	24	38	81
35-49	160	11.6	81	5	7	9	13	19	26	43
50-64	514	12.2	90	6	7	10	13	19	27	60
65 +	7297	12.1	45	6	8	11	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	5.7	32	1	2	4	7	14	19	25
B. Operated	902	8.8	18	4	6	8	11	13	15	24
2. MULTIPLE DX										
A. Not Operated	532	9.0	69	2	4	7	11	18	24	47
B. Operated	8149	12.1	51	6	8	11	14	19	24	41
1. SINGLE DX	970	8.6	20	4	6	8	11	13	16	24
2. MULTIPLE DX	8681	11.9	52	6	8	10	14	19	24	42
A. Not Operated	600	8.6	66	2	4	6	10	18	23	46
B. Operated	9051	11.8	48	6	8	10	14	18	23	40
TOTAL										
0-19 YRS	180	10.1	102	2	3	6	15	24	32	42
20-34	134	10.7	144	3	5	8	11	18	29	67
35-49	225	10.1	69	4	6	8	12	16	25	42
50-64	682	11.2	76	5	7	9	13	18	25	57
65 +	8430	11.7	45	6	8	10	14	18	23	39
GRAND TOTAL	**9651**	**11.6**	**50**	**6**	**8**	**10**	**13**	**18**	**23**	**40**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	285	12.2	108	1	2	10	21	26	28	39
20-34	4	27.5	1750	2	4	9	50	90	90	90
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	6	6.0	7	1	5	7	8	8	8	8
65 +	18	7.6	34	1	3	6	10	16	19	21
B. Operated										
0-19 YRS	312	8.6	86	1	2	4	13	22	26	39
20-34	55	7.7	26	3	5	7	10	11	12	37
35-49	26	7.8	24	3	4	7	9	13	19	26
50-64	15	7.5	11	5	5	7	9	14	15	15
65 +	32	9.7	15	6	7	10	11	14	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	13.2	107	1	3	12	22	26	29	44
20-34	13	7.7	102	2	3	4	8	20	35	39
35-49	10	12.7	655	1	2	5	7	48	85	85
50-64	31	9.8	64	2	4	7	15	21	24	34
65 +	199	10.8	141	3	4	8	12	21	34	67
B. Operated										
0-19 YRS	356	13.8	145	2	5	10	20	28	36	65
20-34	246	12.4	72	5	7	11	14	21	30	55
35-49	118	14.8	159	6	8	11	15	32	45	68
50-64	101	15.6	123	6	9	12	20	29	43	81
65 +	492	14.1	77	6	9	12	17	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	11.9	122	1	2	8	20	25	28	41
B. Operated	440	8.5	67	1	3	6	10	21	25	38
2. MULTIPLE DX										
A. Not Operated	422	11.7	133	2	4	8	17	24	32	59
B. Operated	1313	13.9	106	4	8	11	17	26	34	59
1. SINGLE DX	757	9.9	93	1	3	6	16	23	27	38
2. MULTIPLE DX	1735	13.3	113	4	6	11	17	25	33	59
A. Not Operated	739	11.8	128	1	3	8	20	24	29	49
B. Operated	1753	12.5	102	3	6	10	16	24	32	57
TOTAL										
0-19 YRS	1122	11.9	118	1	3	8	20	25	31	45
20-34	318	11.6	88	4	7	10	13	19	30	56
35-49	158	13.2	169	4	7	10	14	25	43	73
50-64	153	13.3	106	4	7	10	18	25	34	64
65 +	741	12.9	94	4	7	11	16	23	31	58
GRAND TOTAL	**2492**	**12.3**	**109**	**2**	**5**	**10**	**17**	**24**	**32**	**55**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	1.7	1	1	1	1	2	3	4	5
20-34	36	2.9	5	1	1	2	4	5	8	11
35-49	25	2.6	3	1	1	2	3	5	6	6
50-64	18	2.8	3	1	1	2	4	6	6	6
65 +	22	4.6	8	1	3	4	6	9	10	11
B. Operated										
0-19 YRS	362	2.9	6	1	1	2	4	6	8	12
20-34	266	4.3	12	2	2	4	5	7	11	17
35-49	233	5.2	45	2	2	4	6	9	13	22
50-64	101	5.2	18	2	3	4	7	9	12	24
65 +	46	6.8	19	2	4	7	8	10	14	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	2.9	7	1	1	2	4	5	6	16
20-34	45	3.5	7	1	2	3	5	7	8	13
35-49	50	5.8	34	1	2	4	8	12	27	99
50-64	58	6.7	48	2	3	4	8	14	20	41
65 +	189	7.4	72	2	4	6	9	13	16	76
B. Operated										
0-19 YRS	216	6.2	41	2	3	4	8	12	17	33
20-34	363	8.1	41	2	4	7	10	17	21	34
35-49	311	8.8	64	2	4	6	11	18	26	37
50-64	240	9.4	88	3	4	7	11	18	28	64
65 +	273	11.1	98	4	6	9	13	20	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	2.4	4	1	1	2	3	5	6	10
B. Operated	1008	4.2	19	1	2	3	5	8	11	16
2. MULTIPLE DX										
A. Not Operated	414	5.9	49	1	2	4	7	11	15	50
B. Operated	1403	8.7	68	2	4	7	11	17	23	47
1. SINGLE DX	1218	3.9	17	1	2	3	5	8	10	15
2. MULTIPLE DX	1817	8.1	65	2	3	6	10	16	22	47
A. Not Operated	624	4.7	36	1	2	3	6	10	13	32
B. Operated	2411	6.9	52	2	3	5	8	14	19	39
TOTAL										
0-19 YRS	759	3.7	18	1	1	2	4	8	11	19
20-34	710	6.1	30	2	3	4	8	13	17	28
35-49	619	6.9	55	2	3	5	8	14	20	37
50-64	417	7.7	66	2	3	6	9	15	22	47
65 +	530	9.1	82	3	4	7	11	16	23	60
GRAND TOTAL	**3035**	**6.4**	**50**	**1**	**2**	**4**	**8**	**13**	**18**	**38**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	1.8	2	1	1	1	2	3	4	9
20-34	58	2.3	2	1	1	2	3	5	5	6
35-49	46	2.6	2	1	1	2	3	5	6	7
50-64	17	2.8	3	1	2	2	4	5	7	8
65 +	32	3.9	30	1	1	3	4	6	9	32
B. Operated										
0-19 YRS	550	2.4	3	1	1	2	3	4	5	9
20-34	953	2.9	3	1	2	2	4	5	6	9
35-49	788	3.2	4	1	2	3	4	5	7	10
50-64	527	3.5	4	2	2	3	4	6	7	10
65 +	250	4.3	5	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	2.9	9	1	1	2	4	6	9	17
20-34	69	3.6	12	1	2	3	4	6	8	23
35-49	56	3.4	7	1	2	3	4	6	7	17
50-64	67	4.2	10	1	2	3	6	9	11	15
65 +	175	5.5	16	2	3	4	7	10	14	22
B. Operated										
0-19 YRS	312	4.8	33	1	2	3	5	9	16	28
20-34	727	4.9	21	1	2	4	6	9	13	24
35-49	639	5.2	19	2	3	4	6	10	14	22
50-64	652	5.5	22	2	3	4	6	10	13	25
65 +	776	6.8	19	3	4	6	8	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	234	2.4	6	1	1	2	3	5	6	9
B. Operated	3068	3.1	4	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	445	4.3	13	1	2	3	5	9	11	18
B. Operated	3106	5.6	22	2	3	4	7	10	14	24
1. SINGLE DX	3302	3.1	4	1	2	3	4	5	7	10
2. MULTIPLE DX	3551	5.4	21	2	3	4	7	10	14	23
A. Not Operated	679	3.7	12	1	2	3	5	7	10	18
B. Operated	6174	4.3	14	1	2	3	5	8	11	19
TOTAL										
0-19 YRS	1021	3.1	14	1	1	2	4	6	8	18
20-34	1807	3.7	11	1	2	3	4	7	9	16
35-49	1529	4.0	11	1	2	3	5	7	10	18
50-64	1263	4.6	14	2	3	4	5	8	10	20
65 +	1233	6.0	17	2	3	5	7	11	14	22
GRAND TOTAL	**6853**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.5		< 1	1	1	2	3	3	3
20-34	3	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	17	1.9	2	1	1	1	2	4	5	5
20-34	18	2.2	4	1	1	2	3	4	7	9
35-49	7	2.3	2	1	2	2	2	4	5	5
50-64	6	1.8	1	1	1	2	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.2	4	1	1	2	3	3	6	12
20-34	59	2.9	4	1	2	2	4	5	6	11
35-49	36	3.1	6	1	1	3	4	6	8	13
50-64	27	4.5	16	1	2	3	5	9	11	20
65 +	55	8.3	164	2	3	6	10	14	16	92
B. Operated										
0-19 YRS	16	3.6	17	1	1	2	4	12	14	14
20-34	31	4.5	16	2	2	3	5	11	15	17
35-49	22	7.3	129	1	2	3	7	16	34	53
50-64	11	3.7	7	1	2	3	6	8	8	8
65 +	12	9.0	21	2	6	9	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.6		< 1	1	1	2	2	3	3
B. Operated	49	2.1	2	1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	213	4.4	52	1	2	3	5	9	13	19
B. Operated	92	5.5	45	1	2	3	7	13	15	40
1. SINGLE DX	65	1.9	2	1	1	2	2	3	5	8
2. MULTIPLE DX	305	4.7	50	1	2	3	5	10	14	21
A. Not Operated	229	4.2	49	1	2	3	5	9	13	18
B. Operated	141	4.3	33	1	1	2	5	10	14	25
TOTAL										
0-19 YRS	80	2.3	6	1	1	1	3	4	6	14
20-34	111	3.2	8	1	2	2	4	6	9	16
35-49	65	4.5	50	1	2	3	4	9	13	48
50-64	45	3.9	12	1	2	3	5	8	9	20
65 +	69	8.2	136	2	3	6	10	14	15	81
GRAND TOTAL	**370**	**4.2**	**43**	**1**	**2**	**3**	**5**	**9**	**13**	**20**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.6	7	1	2	3	5	8	9	9
20-34	5	11.8	245	2	2	5	18	39	39	39
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	10.0	43	4	5	9	15	17	17	17
B. Operated										
0-19 YRS	12	22.5	360	3	7	16	37	52	59	60
20-34	5	18.2	228	4	7	19	41	94	99 +	99 +
35-49	2	15.0	200	5	5	15	25	25	25	25
50-64	2	11.5	145	3	3	11	20	20	20	20
65 +	2	31.5	1625	3	3	31	60	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	3	6.7	21	4	4	4	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	20	6.7	75	1	2	4	8	14	28	39
B. Operated	23	20.7	335	3	5	16	37	60	72	99 +
1. SINGLE DX	6	4.0	17	< 1	1	3	4	11	12	12
2. MULTIPLE DX	43	14.2	260	2	3	7	20	42	60	99 +
A. Not Operated	23	6.0	68	1	2	3	7	12	25	39
B. Operated	26	19.1	318	3	4	14	32	57	66	99 +
TOTAL										
0-19 YRS	26	12.4	255	1	2	5	16	40	50	60
20-34	10	15.0	221	2	4	11	35	65	97	99 +
35-49	5	7.6	97	< 1	2	4	10	25	25	25
50-64	3	10.3	76	3	4	8	17	20	20	20
65 +	5	18.6	566	3	4	9	28	60	60	60
GRAND TOTAL	**49**	**12.9**	**241**	**1**	**3**	**6**	**17**	**41**	**60**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	1.7	1	1	1	2	2	3	3	4
20-34	108	1.6	1	1	1	2	2	3	3	4
35-49	55	1.5		1	1	1	2	2	3	3
50-64	9	1.4		< 1	1	1	2	2	2	2
65 +	10	1.7	2	1	1	1	1	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	10	7.8	76	2	2	5	7	22	30	30
B. Operated										
0-19 YRS	11	1.8	1	1	1	2	2	3	4	4
20-34	46	2.8	10	1	1	2	3	6	10	16
35-49	27	2.8	15	1	1	2	3	5	9	21
50-64	27	2.1	3	1	1	2	2	4	5	10
65 +	46	4.3	13	1	2	3	7	9	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	218	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	22	5.2	39	2	2	3	5	10	21	30
B. Operated	157	3.1	10	1	1	2	3	7	10	18
1. SINGLE DX	220	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX	179	3.3	14	1	1	2	4	7	10	20
A. Not Operated	24	4.9	37	1	2	3	5	8	19	30
B. Operated	375	2.2	5	1	1	2	2	4	7	12
TOTAL										
0-19 YRS	51	1.8	1	1	1	2	2	3	4	7
20-34	158	2.0	3	1	1	2	2	3	4	12
35-49	87	2.0	5	1	1	2	2	3	4	16
50-64	37	1.9	3	1	1	2	2	3	4	10
65 +	66	4.5	22	1	2	3	6	9	12	28
GRAND TOTAL	**399**	**2.4**	**7**	**1**	**1**	**2**	**2**	**4**	**7**	**16**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	127	2.4	1	1	2	2	3	4	4	5
20-34	115	2.3	2	1	1	2	3	4	4	9
35-49	42	2.7	4	1	1	2	4	5	7	9
50-64	18	2.7	3	1	1	2	3	5	7	8
65 +	8	3.8	5	< 1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.7	6	1	1	3	6	7	7	7
35-49	8	4.4	14	< 1	1	3	8	10	10	10
50-64	4	3.3	7	1	1	2	5	7	7	7
65 +	11	6.6	8	3	4	7	8	11	13	13
B. Operated										
0-19 YRS	121	2.6	2	1	2	2	3	4	5	7
20-34	179	3.1	4	1	2	3	4	5	8	10
35-49	89	3.6	10	1	2	3	4	6	10	18
50-64	44	3.2	17	1	1	2	4	6	10	25
65 +	38	5.2	26	1	1	4	8	12	17	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	1	1	2	2	3	3	3
B. Operated	310	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	30	4.9	10	1	2	4	7	9	10	13
B. Operated	471	3.2	8	1	2	3	4	6	8	17
1. SINGLE DX	317	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	501	3.3	8	1	2	3	4	6	9	17
A. Not Operated	37	4.3	10	1	2	3	7	9	10	13
B. Operated	781	2.9	6	1	2	2	3	5	7	13
TOTAL										
0-19 YRS	249	2.5	1	1	2	2	3	4	4	6
20-34	303	2.8	3	1	2	2	3	5	7	10
35-49	141	3.4	8	1	2	3	4	6	9	18
50-64	67	3.0	12	1	1	2	4	6	9	23
65 +	58	5.2	20	1	1	4	7	10	14	23
GRAND TOTAL	**818**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**7**	**13**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.2	3	< 1	1	2	3	5	6	7
20-34	7	4.1	6	1	2	4	6	8	8	8
35-49	5	2.6	7	1	1	1	4	7	7	7
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	63	3.8	19	1	1	2	4	8	14	24
20-34	71	2.3	3	1	1	2	3	4	5	11
35-49	34	3.4	6	1	1	3	5	7	9	10
50-64	24	3.7	16	1	1	2	4	10	13	16
65 +	5	5.0	6	2	3	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.3	9	1	1	2	6	28	86	99 +
20-34	19	5.8	50	1	2	4	6	23	64	99 +
35-49	16	3.7	23	< 1	1	2	4	9	17	20
50-64	8	4.0	7	1	2	4	7	64	99 +	99 +
65 +	18	5.9	55	1	2	4	7	8	24	34
B. Operated										
0-19 YRS	93	5.9	39	1	2	4	7	12	15	37
20-34	93	7.0	83	1	2	5	8	13	21	57
35-49	79	6.5	32	1	3	5	8	14	18	30
50-64	55	6.1	46	1	2	4	7	13	26	29
65 +	50	7.6	63	1	2	6	11	15	17	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.1	6	1	1	2	5	7	8	8
B. Operated	197	3.2	11	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. Not Operated	73	4.8	34	1	2	3	6	14	32	99 +
B. Operated	370	6.6	53	1	2	4	8	13	19	43
1. SINGLE DX	227	3.2	10	1	1	2	4	7	9	15
2. MULTIPLE DX	443	6.3	50	1	2	4	8	13	21	51
A. Not Operated	103	4.3	26	1	1	3	6	9	22	99 +
B. Operated	567	5.4	41	1	2	4	7	12	15	32
TOTAL										
0-19 YRS	184	4.7	28	1	1	3	6	10	14	38
20-34	190	5.0	52	1	2	3	5	11	17	57
35-49	134	5.2	26	1	2	4	7	10	15	25
50-64	89	5.3	34	1	2	4	7	12	25	72
65 +	73	7.0	57	1	2	5	8	13	17	43
GRAND TOTAL	**670**	**5.2**	**39**	**1**	**2**	**4**	**6**	**11**	**16**	**42**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	4	2.5	3	< 1	1	2	4	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	205	2.7	1	2	2	2	3	4	5	6
20-34	242	2.8	2	1	2	3	3	4	5	7
35-49	77	2.9	3	2	2	2	3	5	5	11
50-64	10	3.3	4	1	2	3	4	6	8	8
65 +	7	6.6	10	3	5	6	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.7	5	< 1	2	2	2	7	7	7
20-34	14	2.2	3	< 1	1	2	3	6	6	6
35-49	13	2.9	4	1	2	2	4	6	8	8
50-64	15	4.2	8	1	2	4	6	7	11	12
65 +	50	5.2	15	1	2	4	6	11	12	21
B. Operated										
0-19 YRS	266	2.6	1	1	2	2	3	4	4	6
20-34	325	2.9	2	1	2	3	4	5	5	8
35-49	128	3.8	15	2	2	3	4	6	9	23
50-64	28	4.9	8	2	3	4	6	10	11	11
65 +	38	7.8	59	2	4	6	9	14	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.1	3	< 1	1	2	2	5	6	6
B. Operated	541	2.8	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	98	4.2	11	1	2	3	6	8	11	17
B. Operated	785	3.3	8	2	2	3	4	5	7	14
1. SINGLE DX	554	2.8	2	1	2	3	3	4	5	8
2. MULTIPLE DX	883	3.4	9	1	2	3	4	5	8	14
A. Not Operated	111	3.9	11	1	2	3	5	8	11	16
B. Operated	1326	3.1	6	2	2	3	4	5	6	13
TOTAL										
0-19 YRS	480	2.6	1	1	2	2	3	4	5	6
20-34	585	2.9	2	1	2	3	4	5	5	8
35-49	221	3.4	10	1	2	3	4	5	8	18
50-64	55	4.4	7	2	3	4	6	9	11	12
65 +	96	6.3	33	2	3	5	7	11	14	37
GRAND TOTAL	**1437**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.8	8	<1	1	2	2	7	10	10
20-34	112	3.9	4	1	2	4	5	7	7	10
35-49	135	4.2	8	1	2	3	5	8	10	14
50-64	26	4.0	8	<1	2	4	6	7	9	13
65+	16	3.7	6	1	2	3	5	7	8	9
B. Operated										
0-19 YRS	0									
20-34	16	4.2	9	1	2	3	7	8	9	9
35-49	15	3.1	15	1	1	1	4	9	13	14
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.5	9	<1	2	2	5	7	10	13
20-34	198	4.4	9	1	2	4	6	8	10	18
35-49	295	4.9	7	2	3	4	6	8	10	13
50-64	165	4.8	9	2	3	4	6	9	11	15
65+	175	6.2	17	2	3	5	8	11	13	19
B. Operated										
0-19 YRS	0									
20-34	26	6.3	30	1	2	5	9	14	18	23
35-49	36	6.4	29	1	2	5	8	14	18	21
50-64	18	6.8	19	1	4	7	9	13	15	17
65+	15	9.6	28	4	5	8	12	17	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	4.0	7	1	2	3	5	7	9	13
B. Operated	33	3.8	12	1	1	2	6	9	10	14
2. MULTIPLE DX										
A. Not Operated	852	5.0	10	2	3	4	6	9	11	16
B. Operated	95	7.0	28	1	3	6	10	14	18	22
1. SINGLE DX	332	4.0	7	1	2	3	5	7	9	13
2. MULTIPLE DX	947	5.2	12	2	3	4	7	10	12	18
A. Not Operated	1151	4.7	10	2	3	4	6	9	11	16
B. Operated	128	6.1	26	1	2	5	9	13	17	22
TOTAL										
0-19 YRS	29	3.2	8	<1	2	2	4	7	10	13
20-34	352	4.4	9	1	2	4	6	8	9	17
35-49	481	4.8	10	2	3	4	6	9	11	16
50-64	211	4.9	10	2	3	4	6	9	11	16
65+	206	6.3	18	2	3	5	8	11	14	20
GRAND TOTAL	**1279**	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**12**	**17**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	1.8	2	<1	1	1	2	4	5	9
20-34	128	3.3	5	1	2	3	4	6	8	10
35-49	115	3.8	8	1	2	3	5	8	9	14
50-64	31	4.1	6	1	2	4	6	7	8	10
65+	10	3.6	2	1	3	4	4	5	6	6
B. Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	35	2.1	7	1	1	1	2	4	8	13
35-49	35	2.3	7	1	1	1	2	8	9	10
50-64	7	1.7	4	1	1	1	1	5	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	2.3	2	1	1	2	3	4	5	9
20-34	261	4.4	13	1	2	4	6	8	11	20
35-49	314	4.6	13	1	2	4	6	8	10	20
50-64	174	4.7	9	2	2	4	6	9	11	14
65+	189	5.0	14	1	2	4	6	10	12	17
B. Operated										
0-19 YRS	7	3.1	23	1	1	1	3	12	14	14
20-34	51	4.3	15	1	1	3	7	9	14	16
35-49	48	3.5	12	1	1	2	5	9	10	16
50-64	24	3.5	20	1	1	2	3	7	14	21
65+	15	7.1	30	2	4	7	8	13	20	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	3.3	6	1	1	3	4	7	8	11
B. Operated	81	2.2	6	1	1	1	2	6	8	12
2. MULTIPLE DX										
A. Not Operated	996	4.5	12	1	2	4	6	9	11	16
B. Operated	145	4.1	18	1	1	3	6	9	13	21
1. SINGLE DX	406	3.1	6	1	1	2	4	7	8	11
2. MULTIPLE DX	1141	4.5	13	1	2	4	6	9	11	17
A. Not Operated	1321	4.2	11	1	2	3	6	8	10	16
B. Operated	226	3.4	14	1	1	1	5	9	11	17
TOTAL										
0-19 YRS	109	2.2	4	1	1	2	3	4	5	11
20-34	475	3.9	11	1	2	3	5	8	10	16
35-49	512	4.2	12	1	2	3	6	8	10	17
50-64	236	4.4	9	1	2	4	6	9	10	14
65+	215	5.1	15	1	2	4	6	10	12	20
GRAND TOTAL	**1547**	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.5	1	1	1	1	2	3	4	4
20-34	18	2.2	2	1	1	2	3	4	5	6
35-49	12	2.6	2	< 1	1	2	3	5	6	6
50-64	8	3.1	2	1	2	3	4	5	5	5
65 +	10	3.7	4	2	2	3	4	7	8	8
B. Operated										
0-19 YRS	27	1.6	2	1	1	1	2	3	4	7
20-34	178	2.0	1	1	1	2	2	3	4	7
35-49	371	2.1	2	1	1	2	3	4	4	7
50-64	438	2.3	1	1	2	2	3	3	4	6
65 +	175	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.3	3	< 1	1	2	3	5	6	7
20-34	25	2.3	4	1	1	2	2	4	8	9
35-49	44	2.9	4	1	1	2	4	5	8	10
50-64	48	2.6	2	< 1	1	2	4	5	6	6
65 +	115	4.7	9	2	2	4	6	8	11	15
B. Operated										
0-19 YRS	13	1.6	1	1	1	1	2	3	4	4
20-34	93	2.1	3	1	1	2	3	3	4	12
35-49	257	2.4	2	1	2	2	3	4	5	8
50-64	600	2.7	5	1	2	2	3	4	5	9
65 +	437	3.5	6	1	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.5	2	1	1	2	3	4	6	8
B. Operated	1189	2.2	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	250	3.6	7	1	2	3	5	7	9	13
B. Operated	1400	2.8	5	1	2	2	3	5	6	11
1. SINGLE DX	1252	2.3	1	1	1	2	3	4	4	7
2. MULTIPLE DX	1650	3.0	5	1	2	2	3	5	7	12
A. Not Operated	313	3.3	6	1	2	3	4	7	8	13
B. Operated	2589	2.6	3	1	2	2	3	4	5	9
TOTAL										
0-19 YRS	73	1.8	2	1	1	1	2	3	4	7
20-34	314	2.1	2	1	1	2	3	3	4	8
35-49	684	2.3	2	1	1	2	3	4	5	8
50-64	1094	2.6	3	1	2	2	3	4	5	8
65 +	737	3.5	6	1	2	3	4	6	8	14
GRAND TOTAL	**2902**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**6**	**10**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	451	1.2		< 1	1	1	1	2	2	3
20-34	85	1.7	1	1	1	1	2	3	4	7
35-49	36	1.5	1	< 1	1	1	2	3	3	4
50-64	13	1.5	1	1	1	1	2	3	3	3
65 +	12	3.3	8	1	1	2	4	9	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	666	1.8	4	1	1	1	2	3	4	8
20-34	435	2.2	4	1	1	2	3	4	6	11
35-49	246	2.9	6	1	1	2	4	6	7	13
50-64	152	3.0	14	1	1	2	4	5	6	17
65 +	266	4.4	11	1	2	4	6	9	11	16
B. Operated										
0-19 YRS	162	3.3	33	1	1	2	3	6	9	31
20-34	217	3.5	22	1	1	2	3	7	12	23
35-49	98	3.6	30	1	1	2	4	6	9	35
50-64	55	3.5	11	1	1	3	4	7	9	16
65 +	96	6.1	43	2	2	3	8	15	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	597	1.4	1	< 1	1	1	1	2	3	4
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1765	2.5	7	1	1	2	3	5	7	12
B. Operated	628	3.9	29	1	1	2	4	8	13	26
1. SINGLE DX	598	1.4	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX	2393	2.9	13	1	1	2	3	6	8	17
A. Not Operated	2362	2.2	6	1	1	1	3	4	6	11
B. Operated	629	3.9	29	1	1	2	4	8	13	26
TOTAL										
0-19 YRS	1279	1.8	7	1	1	1	2	3	4	8
20-34	737	2.5	9	1	1	2	3	5	7	17
35-49	381	3.0	12	1	1	2	4	6	7	16
50-64	220	3.1	12	1	1	2	4	6	7	16
65 +	374	4.8	20	1	2	4	6	10	13	23
GRAND TOTAL	**2991**	**2.6**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	19.7	221	6	8	15	26	42	55	56
20-34	10	30.3	496	6	12	23	47	64	69	69
35-49	4	13.0	135	4	6	9	20	30	30	30
50-64	2	22.5	5	21	21	22	24	24	24	24
65 +	3	16.0	13	13	13	15	19	20	20	20
B. Operated										
0-19 YRS	43	34.6	496	12	20	34	71	99 +	99 +	99 +
20-34	59	34.7	453	11	21	31	49	79	99	99 +
35-49	16	34.3	428	13	16	32	52	78	94 +	99 +
50-64	9	36.6	804	9	15	32	65	93	99 +	99 +
65 +	7	26.7	384	12	15	20	33	61	67	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	30	22.2	286	6	10	16	27	51	59	69
B. Operated	134	34.3	471	12	18	32	58	94	99 +	99 +
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	164	32.1	458	10	16	29	49	85	99 +	99 +
A. Not Operated	31	21.5	288	6	8	16	26	51	59	69
B. Operated	134	34.3	471	12	18	32	58	94	99 +	99 +
TOTAL										
0-19 YRS	55	31.0	477	10	16	27	59	99 +	99 +	99 +
20-34	69	34.1	454	10	18	31	48	72	98	99 +
35-49	20	30.0	435	9	14	30	44	70	90	99 +
50-64	11	34.0	676	10	16	23	62	91	99	99 +
65 +	10	23.5	286	12	15	18	21	52	67	67
GRAND TOTAL	**165**	**31.9**	**460**	**10**	**16**	**29**	**49**	**85**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	472	1.6	2	1	1	1	2	3	4	7
20-34	72	2.9	11	< 1	1	2	3	6	10	18
35-49	36	2.6	6	1	1	2	3	6	7	13
50-64	9	3.6	10	1	1	2	5	9	10	10
65 +	14	5.2	40	2	3	3	4	12	23	26
B. Operated										
0-19 YRS	31	5.0	9	2	3	4	7	10	11	12
20-34	10	7.0	28	1	2	6	11	15	15	15
35-49	4	11.0	17	8	8	9	13	17	17	17
50-64	8	7.1	11	4	4	6	9	12	13	13
65 +	18	6.4	28	3	4	5	7	9	19	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1030	2.4	11	1	1	1	2	5	8	16
20-34	445	4.2	57	1	1	2	4	8	13	40
35-49	248	4.1	24	1	1	2	5	9	12	27
50-64	179	4.4	17	1	2	3	6	9	13	22
65 +	333	7.2	59	2	3	5	9	15	20	34
B. Operated										
0-19 YRS	311	9.6	212	1	2	4	10	27	38	81
20-34	336	8.1	144	1	2	4	9	19	36	73
35-49	159	8.2	112	1	2	4	10	20	32	73
50-64	128	12.7	233	1	4	8	13	29	50	80
65 +	305	12.5	110	2	5	10	18	25	33	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	603	1.9	5	1	1	1	2	4	6	11
B. Operated	71	6.2	18	2	3	5	8	11	15	24
2. MULTIPLE DX										
A. Not Operated	2235	3.8	32	1	1	2	4	9	12	26
B. Operated	1239	10.0	161	1	2	5	13	25	37	70
1. SINGLE DX	674	2.4	8	1	1	1	3	5	8	14
2. MULTIPLE DX	3474	6.0	87	1	1	3	7	14	23	48
A. Not Operated	2838	3.4	27	1	1	2	4	8	11	25
B. Operated	1310	9.8	154	1	2	5	12	25	36	70
TOTAL										
0-19 YRS	1844	3.5	51	1	1	1	3	7	12	38
20-34	863	5.6	90	1	1	3	6	13	20	63
35-49	447	5.5	58	1	1	3	6	13	20	39
50-64	324	7.7	118	1	2	4	9	16	25	55
65 +	670	9.6	88	2	3	7	12	22	27	43
GRAND TOTAL	**4148**	**5.4**	**76**	**1**	**1**	**2**	**6**	**13**	**20**	**44**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.5	2	1	2	2	3	5	5	5
20-34	23	2.6	2	1	1	2	3	5	6	6
35-49	21	2.4	3	1	1	2	3	4	7	9
50-64	8	2.4	2	1	1	2	3	4	5	5
65 +	6	2.3	2	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	23	4.3	6	2	3	4	4	7	10	13
20-34	40	3.9	3	2	3	4	5	6	8	8
35-49	15	4.4	5	2	3	4	5	5	10	11
50-64	5	4.8	8	1	2	5	7	8	8	8
65 +	4	10.8	207	1	2	5	19	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	3.5	8	1	1	3	5	7	9	13
20-34	123	3.1	5	1	1	3	4	6	8	12
35-49	96	3.9	7	1	2	3	5	8	9	13
50-64	98	4.9	10	1	2	4	7	9	11	13
65 +	129	6.6	30	2	3	5	9	13	16	31
B. Operated										
0-19 YRS	133	8.2	53	3	4	6	10	19	27	53
20-34	275	8.1	38	3	4	6	10	15	21	32
35-49	155	10.0	130	3	4	7	10	20	35	60
50-64	109	9.2	85	3	4	6	10	17	36	74
65 +	134	13.1	183	4	5	9	15	28	37	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	2.5	2	1	1	2	3	5	5	8
B. Operated	87	4.4	13	2	3	4	5	7	8	25
2. MULTIPLE DX										
A. Not Operated	524	4.5	14	1	2	3	6	9	12	18
B. Operated	806	9.5	92	3	4	7	11	19	28	55
1. SINGLE DX	162	3.5	9	1	2	3	4	6	8	13
2. MULTIPLE DX	1330	7.5	67	2	3	5	9	14	22	49
A. Not Operated	599	4.3	13	1	2	3	5	9	11	17
B. Operated	893	9.0	86	3	4	6	10	18	27	55
TOTAL										
0-19 YRS	251	6.0	37	1	2	4	7	12	20	38
20-34	461	6.1	30	1	3	4	7	13	16	28
35-49	287	7.1	83	2	3	5	8	12	21	55
50-64	220	6.9	52	2	3	5	9	13	17	49
65 +	273	9.8	117	2	4	7	12	20	30	58
GRAND TOTAL	**1492**	**7.1**	**62**	**2**	**3**	**5**	**8**	**14**	**21**	**46**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	4.1	7	1	2	3	6	8	9	10
20-34	46	2.9	7	1	1	2	4	7	9	11
35-49	11	3.2	5	< 1	1	3	5	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	45	6.0	9	3	4	5	7	8	12	16
20-34	40	5.1	6	2	3	5	7	8	9	11
35-49	13	5.9	5	3	4	5	8	9	9	9
50-64	4	14.3	371	2	4	6	25	43	43	43
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	4.8	14	1	2	4	7	9	12	17
20-34	131	3.9	10	1	2	3	5	7	9	18
35-49	55	4.9	22	1	2	3	6	11	15	25
50-64	26	4.5	9	2	2	3	7	9	11	13
65 +	52	5.8	17	2	3	4	8	12	13	20
B. Operated										
0-19 YRS	270	11.0	84	4	6	8	12	22	32	46
20-34	403	10.4	105	4	6	8	11	18	26	63
35-49	181	11.3	84	5	6	8	13	23	34	55
50-64	80	14.9	212	5	7	11	16	36	67	99 +
65 +	87	16.2	243	5	7	11	18	34	54	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	3.7	7	1	1	3	6	8	9	11
B. Operated	102	6.0	21	3	4	5	7	9	10	29
2. MULTIPLE DX										
A. Not Operated	486	4.7	14	1	2	3	6	9	12	19
B. Operated	1021	11.6	119	4	6	8	13	23	35	68
1. SINGLE DX	303	4.5	13	1	2	4	6	8	9	13
2. MULTIPLE DX	1507	9.3	95	2	4	7	11	19	26	57
A. Not Operated	687	4.4	12	1	2	3	6	9	11	16
B. Operated	1123	11.0	112	4	6	8	12	22	34	66
TOTAL										
0-19 YRS	677	7.2	50	1	3	6	8	13	21	40
20-34	620	8.1	81	2	4	6	9	15	22	53
35-49	260	9.3	72	2	4	7	10	20	28	53
50-64	112	12.2	184	2	5	9	14	27	43	99 +
65 +	141	12.2	182	3	4	8	14	26	43	72
GRAND TOTAL	**1810**	**8.5**	**85**	**2**	**4**	**6**	**10**	**16**	**25**	**54**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.8	2	< 1	1	1	2	4	4	4
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	117	2.3	2	1	1	2	3	5	5	6
20-34	53	2.4	2	1	1	2	3	5	5	6
35-49	22	2.3	1	1	1	2	3	4	5	5
50-64	5	4.8	8	2	3	4	7	9	9	9
65 +	6	3.7	7	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.4	2	1	1	2	4	4	5	6
20-34	10	2.7	6	< 1	1	2	3	6	9	9
35-49	6	3.2	4	2	2	3	3	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	182	3.7	9	1	1	3	5	6	8	15
20-34	151	3.4	6	1	1	3	5	6	8	13
35-49	70	4.2	11	1	2	3	5	7	11	19
50-64	30	3.6	6	1	2	3	5	7	8	12
65 +	40	4.1	9	1	2	3	7	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.1	2	< 1	1	1	3	4	5	5
B. Operated	203	2.4	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. Not Operated	35	3.0	6	1	1	2	4	7	9	12
B. Operated	473	3.7	8	1	2	3	5	7	9	13
1. SINGLE DX	215	2.4	2	1	1	2	3	5	5	7
2. MULTIPLE DX	508	3.6	8	1	2	3	5	7	9	13
A. Not Operated	47	2.8	5	< 1	1	2	4	6	8	12
B. Operated	676	3.3	7	1	1	3	5	6	8	13
TOTAL										
0-19 YRS	325	3.1	6	1	1	2	4	6	7	11
20-34	216	3.1	5	1	1	3	4	6	7	13
35-49	98	3.7	9	1	2	3	5	7	9	17
50-64	37	3.8	6	1	2	3	5	8	9	12
65 +	47	4.2	9	1	2	3	7	9	10	12
GRAND TOTAL	**723**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	1.8	8	1	1	1	2	3	4	15
20-34	18	2.5	8	1	1	2	2	8	10	10
35-49	5	4.6	23	2	2	2	6	13	13	13
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	5.3	52	1	1	2	9	16	16	16
B. Operated										
0-19 YRS	147	1.6	2	< 1	1	1	2	3	4	7
20-34	61	1.7	2	< 1	1	1	2	3	5	8
35-49	21	1.8	1	< 1	1	1	2	4	4	5
50-64	7	2.0	1	< 1	1	2	3	4	4	4
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	2.7	4	1	1	2	3	5	6	11
20-34	81	2.1	3	1	1	2	2	4	6	9
35-49	36	2.9	13	1	1	2	3	7	8	20
50-64	15	3.9	5	1	2	4	5	7	8	9
65 +	47	4.1	9	1	1	4	6	9	9	13
B. Operated										
0-19 YRS	317	2.6	11	1	1	2	3	5	7	16
20-34	339	2.8	11	1	1	2	3	6	8	17
35-49	152	3.2	10	1	1	2	4	7	8	21
50-64	58	5.9	100	1	1	3	6	10	21	64
65 +	97	5.0	23	1	2	4	6	11	16	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	2.1	10	1	1	1	2	3	4	18
B. Operated	239	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	304	2.8	6	1	1	2	4	6	8	11
B. Operated	963	3.2	18	1	1	2	4	7	9	21
1. SINGLE DX	375	1.8	5	< 1	1	1	2	3	4	10
2. MULTIPLE DX	1267	3.1	15	1	1	2	4	6	9	20
A. Not Operated	440	2.6	7	1	1	2	3	5	7	13
B. Operated	1202	2.9	15	1	1	2	3	6	8	20
TOTAL										
0-19 YRS	696	2.3	7	1	1	1	3	4	6	13
20-34	499	2.6	9	1	1	2	3	5	8	14
35-49	214	3.0	10	1	1	2	4	7	8	20
50-64	82	5.1	73	1	1	3	6	9	14	56
65 +	151	4.7	19	1	2	4	6	9	15	32
GRAND TOTAL	**1642**	**2.8**	**13**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	1.5	1	< 1	1	1	2	2	4	5
20-34	71	1.5	1	< 1	1	1	2	3	3	4
35-49	23	1.5		< 1	1	1	2	2	3	3
50-64	5	1.8	2	< 1	< 1	1	2	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	86	2.3	7	< 1	1	1	3	5	6	16
20-34	62	2.9	5	< 1	1	2	4	6	8	8
35-49	32	3.6	7	1	1	3	5	7	8	13
50-64	3	3.0	7	< 1	< 1	2	5	6	6	6
65 +	3	1.7		< 1	< 1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.4	3	< 1	1	2	3	5	6	9
20-34	97	2.9	17	1	1	2	3	5	7	25
35-49	30	2.2	3	< 1	1	1	3	5	6	7
50-64	7	2.3	3	1	1	2	4	5	5	5
65 +	9	8.6	101	1	3	6	10	25	33	33
B. Operated										
0-19 YRS	93	5.7	58	1	2	4	7	10	16	46
20-34	188	4.7	19	1	2	4	6	8	12	28
35-49	76	5.2	41	1	2	4	5	9	14	41
50-64	20	5.3	44	1	2	4	5	8	20	32
65 +	14	7.6	67	3	4	5	6	17	30	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	1.5	1	< 1	1	1	2	3	3	5
B. Operated	186	2.7	6	< 1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated	208	2.8	15	< 1	1	2	3	5	7	25
B. Operated	391	5.2	36	1	2	4	6	9	15	35
1. SINGLE DX	358	2.1	4	< 1	1	1	2	5	6	8
2. MULTIPLE DX	599	4.4	30	1	1	3	5	8	13	33
A. Not Operated	380	2.2	9	< 1	1	1	2	4	5	20
B. Operated	577	4.4	27	1	1	3	5	8	12	33
TOTAL										
0-19 YRS	316	3.1	23	< 1	1	2	4	7	8	23
20-34	418	3.4	15	1	1	2	4	7	8	25
35-49	161	3.8	24	1	1	2	5	7	9	33
50-64	35	4.0	28	1	1	3	5	6	8	32
65 +	27	7.0	70	1	3	4	6	15	33	34
GRAND TOTAL	**957**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**9**	**28**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	2.3	1	1	1	2	3	4	4	5
20-34	113	2.6	2	1	2	2	3	4	5	7
35-49	37	2.7	2	1	2	2	4	4	4	7
50-64	22	2.9	2	1	2	3	4	5	6	6
65 +	5	3.4	7	1	2	3	4	8	8	8
B. Operated										
0-19 YRS	258	2.2	4	< 1	1	1	2	4	7	11
20-34	327	2.4	4	1	1	2	3	5	6	11
35-49	163	2.3	3	1	1	2	3	5	6	8
50-64	62	3.1	15	1	1	2	4	5	6	26
65 +	21	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	3.1	7	1	2	3	4	6	8	14
20-34	116	3.1	7	1	2	3	4	6	7	15
35-49	68	3.0	5	1	2	3	4	5	6	14
50-64	27	6.5	91	2	3	3	6	8	38	40
65 +	45	5.0	8	2	3	5	6	8	9	18
B. Operated										
0-19 YRS	330	3.2	13	1	1	2	4	7	10	17
20-34	544	3.3	15	1	1	2	4	7	9	21
35-49	250	3.4	13	1	1	2	4	8	11	16
50-64	121	5.3	72	1	1	2	6	12	18	48
65 +	88	4.3	21	1	1	2	6	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	2.5	2	1	2	2	3	4	5	7
B. Operated	831	2.3	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	374	3.6	14	1	2	3	4	6	8	21
B. Operated	1333	3.5	20	1	1	2	4	7	10	21
1. SINGLE DX	1156	2.4	4	1	1	2	3	4	6	10
2. MULTIPLE DX	1707	3.5	19	1	1	2	4	7	10	21
A. Not Operated	699	3.1	8	1	2	2	4	5	7	10
B. Operated	2164	3.1	14	1	1	2	4	6	9	18
TOTAL										
0-19 YRS	854	2.7	7	1	1	2	3	5	8	14
20-34	1100	2.9	10	1	1	2	4	5	7	16
35-49	518	2.9	8	1	1	2	4	6	8	15
50-64	232	4.6	54	1	1	3	5	8	15	41
65 +	159	4.2	15	1	2	3	6	8	11	20
GRAND TOTAL	**2863**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	268	2.5	3	1	1	2	3	5	6	8
20-34	86	2.7	3	1	1	2	4	5	6	7
35-49	30	2.8	3	1	1	3	4	5	6	7
50-64	11	2.6	2	1	2	2	4	5	5	5
65 +	7	2.6	2	1	2	2	3	5	5	5
B. Operated										
0-19 YRS	264	3.2	8	1	1	2	4	7	8	13
20-34	161	3.5	12	1	1	2	4	6	11	18
35-49	80	3.7	13	1	2	3	5	7	8	23
50-64	47	4.1	12	1	2	3	5	9	12	16
65 +	11	4.5	6	1	2	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	3.2	6	1	2	3	4	6	7	16
20-34	88	3.1	6	1	1	2	4	6	8	15
35-49	39	5.3	29	2	2	4	6	10	11	34
50-64	31	5.3	11	2	3	4	6	11	13	14
65 +	43	8.9	209	2	4	6	9	14	16	98
B. Operated										
0-19 YRS	237	5.8	39	1	2	4	7	13	17	39
20-34	216	5.9	45	1	2	4	7	12	21	44
35-49	119	6.8	46	1	2	4	9	17	22	33
50-64	63	9.0	77	3	4	6	12	17	22	52
65 +	76	10.3	56	3	5	8	14	22	27	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	2.6	3	1	1	2	3	5	6	8
B. Operated	563	3.5	10	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	325	4.4	40	1	2	3	5	8	11	17
B. Operated	711	6.8	49	1	2	4	8	15	21	40
1. SINGLE DX	965	3.1	7	1	1	2	4	6	7	13
2. MULTIPLE DX	1036	6.0	47	1	2	4	7	13	18	34
A. Not Operated	727	3.4	20	1	2	3	4	6	8	15
B. Operated	1274	5.3	35	1	2	3	6	12	17	31
TOTAL										
0-19 YRS	893	3.7	16	1	2	3	4	7	10	19
20-34	551	4.3	24	1	2	3	5	8	12	29
35-49	268	5.2	31	1	2	4	6	10	19	29
50-64	152	6.2	43	2	2	4	8	13	16	42
65 +	137	9.0	101	2	4	7	11	17	24	41
GRAND TOTAL	**2001**	**4.6**	**30**	**1**	**2**	**3**	**5**	**9**	**14**	**28**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	8	4.0	10	1	1	4	6	9	10	10
20-34	7	4.3	6	1	2	5	6	7	7	7
35-49	5	3.8	10	1	2	3	5	9	9	9
50-64	3	3.3		3	3	3	4	4	4	4
65 +	3	9.0	9	6	7	9	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	7.5	41	3	3	7	12	12	12	12
65 +	2	6.5	13	4	4	6	9	9	9	9
B. Operated										
0-19 YRS	51	6.5	27	1	2	6	9	14	18	22
20-34	100	5.7	41	1	2	4	7	11	22	34
35-49	38	7.7	151	1	2	4	7	14	36	65
50-64	11	5.5	13	1	2	6	8	10	12	12
65 +	15	17.0	240	4	5	11	30	35	51	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.8	7	1	3	5	6	7	7	7
B. Operated	26	4.5	9	1	2	4	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	9	5.7	13	2	3	5	9	11	12	12
B. Operated	215	7.0	76	1	2	5	8	14	24	45
1. SINGLE DX	30	4.6	9	1	2	5	6	9	10	12
2. MULTIPLE DX	224	7.0	73	1	2	5	8	14	23	43
A. Not Operated	13	5.4	10	1	3	5	7	10	12	12
B. Operated	241	6.8	69	1	2	5	8	13	23	41
TOTAL										
0-19 YRS	62	6.1	24	1	2	5	9	13	17	22
20-34	110	5.5	38	1	2	4	7	10	21	34
35-49	45	7.1	130	1	2	4	7	13	33	65
50-64	17	5.4	12	1	3	5	8	11	12	12
65 +	20	14.8	195	4	5	9	19	34	45	56
GRAND TOTAL	**254**	**6.7**	**66**	**1**	**2**	**5**	**8**	**12**	**23**	**39**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	4.3	19	2	2	3	4	12	14	14
20-34	10	2.9	8	< 1	1	2	2	8	9	9
35-49	4	2.5	3	1	1	2	4	4	4	4
50-64	6	2.2	1	1	1	2	3	3	3	3
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	9.8	93	3	5	15	99 +	99 +	99 +	99 +
20-34	8	25.3	1457	3	3	5	87	95	99 +	99 +
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	5.0	32	1	1	5	9	9	9	9
65 +	4	5.5	7	3	3	5	7	9	9	9
B. Operated										
0-19 YRS	9	5.1	13	2	2	4	7	11	13	13
20-34	10	6.5	62	1	3	5	99 +	99 +	99 +	99 +
35-49	10	4.6	54	1	1	2	5	55	96	99 +
50-64	9	2.7	2	1	2	2	4	5	5	5
65 +	4	6.8	16	1	5	9	32	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	28	3.3	10	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. Not Operated	20	14.2	644	3	3	6	20	99 +	99 +	99 +
B. Operated	42	5.0	32	1	2	4	8	99 +	99 +	99 +
1. SINGLE DX	30	3.2	9	1	2	2	3	8	10	14
2. MULTIPLE DX	62	7.9	241	1	2	5	9	99 +	99 +	99 +
A. Not Operated	22	13.1	594	3	3	5	13	99 +	99 +	99 +
B. Operated	70	4.3	23	1	2	3	6	24	99 +	99 +
TOTAL										
0-19 YRS	20	5.8	31	2	2	4	7	47	99 +	99 +
20-34	30	10.0	463	1	2	4	13	99 +	99 +	99 +
35-49	16	4.1	34	1	1	3	5	21	74	99 +
50-64	17	2.8	4	1	1	2	3	5	8	9
65 +	9	6.6	11	2	4	8	10	55	99 +	99 +
GRAND TOTAL	**92**	**6.4**	**169**	**1**	**2**	**3**	**7**	**87**	**99 +**	**99 +**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	3.9	3	1	3	4	5	6	7	9
20-34	22	2.6	3	1	1	2	4	5	6	6
35-49	7	4.0	3	2	3	4	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	3	4.7	16	1	2	4	8	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	3.9	4	1	2	4	5	7	8	10
20-34	33	3.3	3	1	1	3	4	6	7	8
35-49	20	3.2	3	1	2	3	4	6	6	6
50-64	4	5.3	3	3	4	5	6	7	7	7
65 +	6	3.0	3	2	2	2	4	6	6	6
B. Operated										
0-19 YRS	10	4.1	2	2	4	4	5	6	6	6
20-34	9	2.3	4	< 1	1	2	3	5	7	7
35-49	11	5.1	38	1	2	3	5	13	22	23
50-64	3	4.3	5	3	3	3	6	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.7	3	1	2	4	5	6	7	9
B. Operated	9	3.6	6	1	2	3	4	7	9	9
2. MULTIPLE DX										
A. Not Operated	146	3.7	4	1	2	4	5	6	7	9
B. Operated	33	4.0	15	1	2	3	5	6	7	23
1. SINGLE DX	129	3.7	3	1	2	4	5	6	7	9
2. MULTIPLE DX	179	3.7	6	1	2	3	5	6	7	10
A. Not Operated	266	3.7	4	1	2	4	5	6	7	9
B. Operated	42	3.9	13	1	2	3	5	6	8	23
TOTAL										
0-19 YRS	188	3.9	3	1	2	4	5	6	7	9
20-34	67	3.0	4	1	1	3	4	5	7	9
35-49	39	3.8	13	1	2	3	5	6	7	23
50-64	8	4.5	4	2	3	4	6	7	7	7
65 +	6	3.0	3	2	2	2	4	6	6	6
GRAND TOTAL	**308**	**3.7**	**5**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	216	1.6	1	< 1	1	1	2	3	3	7
20-34	111	2.2	3	1	1	2	3	4	7	9
35-49	68	2.0	2	1	1	1	3	4	4	8
50-64	28	1.9	1	1	1	2	2	3	4	4
65 +	53	2.8	6	1	1	2	3	7	8	11
B. Operated										
0-19 YRS	25	2.4	4	1	1	2	3	6	6	6
20-34	16	2.9	6	1	1	2	4	5	9	11
35-49	12	4.0	47	1	1	2	3	12	23	25
50-64	17	4.0	17	1	1	3	5	9	14	16
65 +	6	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	427	2.2	3	1	1	2	3	5	6	8
20-34	367	2.4	3	1	1	2	3	5	6	9
35-49	267	2.9	6	1	1	2	3	6	8	12
50-64	261	3.5	9	1	1	2	4	7	10	16
65 +	817	4.8	15	1	2	4	6	9	11	18
B. Operated										
0-19 YRS	60	4.0	55	1	1	2	3	8	13	42
20-34	89	3.6	12	1	1	3	4	7	10	20
35-49	70	4.9	62	1	2	3	6	9	10	55
50-64	38	5.8	21	1	3	5	7	13	17	20
65 +	111	7.8	89	2	3	6	9	15	22	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	476	2.0	2	1	1	1	2	4	5	9
B. Operated	76	3.1	13	1	1	2	4	6	9	23
2. MULTIPLE DX										
A. Not Operated	2139	3.5	10	1	1	2	4	7	9	15
B. Operated	368	5.4	55	1	2	3	6	11	15	37
1. SINGLE DX	552	2.1	4	1	1	1	2	4	6	10
2. MULTIPLE DX	2507	3.7	17	1	1	3	5	8	10	18
A. Not Operated	2615	3.2	9	1	1	2	4	7	9	14
B. Operated	444	5.0	49	1	2	3	6	10	14	31
TOTAL										
0-19 YRS	728	2.2	7	1	1	1	2	4	6	10
20-34	583	2.5	5	1	1	2	3	5	7	11
35-49	417	3.1	16	1	1	2	3	7	9	13
50-64	344	3.6	11	1	1	2	4	8	11	16
65 +	987	5.0	24	1	2	4	6	9	12	23
GRAND TOTAL	**3059**	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.3		< 1	1	1	2	2	3	3
20-34	19	1.6	1	1	1	1	2	3	4	4
35-49	7	2.3	3	1	1	2	4	5	5	5
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	9	3.8	9	1	1	3	6	9	9	9
20-34	16	2.8	2	1	1	3	4	5	5	5
35-49	11	3.5	6	< 1	1	4	5	7	8	8
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	2	9.5	145	1	1	9	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.4	15	1	1	1	2	4	12	18
20-34	26	2.8	14	1	1	2	3	4	8	20
35-49	16	2.4	4	< 1	1	2	3	6	7	8
50-64	7	2.9	1	1	2	3	4	4	4	4
65 +	4	2.8	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	30	4.9	38	1	2	2	6	11	20	29
20-34	59	7.0	76	1	2	4	8	16	22	47
35-49	45	5.4	49	1	1	2	8	12	18	37
50-64	17	5.9	79	1	2	2	5	21	30	33
65 +	8	8.8	33	2	4	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.6	1	< 1	1	1	2	3	4	5
B. Operated	41	3.5	10	1	1	3	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	72	2.6	10	1	1	2	3	4	6	20
B. Operated	159	6.1	59	1	2	3	8	15	22	39
1. SINGLE DX	84	2.5	6	1	1	2	3	5	7	15
2. MULTIPLE DX	231	5.0	46	1	1	2	5	12	19	37
A. Not Operated	115	2.2	7	1	1	1	3	4	5	19
B. Operated	200	5.6	50	1	2	3	6	13	19	38
TOTAL										
0-19 YRS	73	3.4	22	1	1	2	3	8	11	27
20-34	120	4.7	46	1	1	2	5	12	17	42
35-49	79	4.2	31	1	1	2	5	9	13	34
50-64	27	4.6	52	1	2	2	4	8	25	33
65 +	16	6.4	37	1	1	4	11	16	17	18
GRAND TOTAL	**315**	**4.3**	**37**	**1**	**1**	**2**	**5**	**10**	**16**	**34**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	356	1.2		< 1	1	1	1	2	2	3
20-34	24	1.7	2	< 1	1	1	2	4	5	5
35-49	15	1.9	3	< 1	1	1	2	5	6	6
50-64	21	1.3		< 1	1	1	1	2	3	3
65 +	7	1.9	5	1	1	1	1	6	7	7
B. Operated										
0-19 YRS	181	1.6	3	< 1	1	1	1	3	5	10
20-34	6	3.0	9	1	1	2	3	8	9	9
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	4	1.3		1	1	1	2	2	2	2
65 +	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	2.1	4	< 1	1	1	2	4	6	14
20-34	25	2.3	2	< 1	1	2	3	5	6	6
35-49	33	2.2	3	1	1	1	3	5	6	7
50-64	46	3.1	19	1	1	2	3	6	9	28
65 +	109	3.5	9	1	1	3	4	7	9	17
B. Operated										
0-19 YRS	113	3.8	31	1	1	2	4	8	13	31
20-34	25	4.7	17	1	2	4	7	8	11	20
35-49	25	7.1	35	1	3	5	11	12	22	23
50-64	30	4.6	16	1	1	3	7	10	14	14
65 +	69	5.1	23	1	2	3	8	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	423	1.2	1	< 1	1	1	1	2	2	5
B. Operated	199	1.6	3	< 1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	358	2.7	8	1	1	2	3	6	8	15
B. Operated	262	4.6	27	1	1	3	6	11	14	23
1. SINGLE DX	622	1.4	1	< 1	1	1	1	2	3	7
2. MULTIPLE DX	620	3.5	17	1	1	2	4	8	11	20
A. Not Operated	781	1.9	4	< 1	1	1	2	4	6	10
B. Operated	461	3.3	19	1	1	2	4	8	12	21
TOTAL										
0-19 YRS	795	1.8	7	< 1	1	1	2	3	5	13
20-34	80	2.9	8	1	1	2	4	7	8	17
35-49	77	3.7	19	1	1	2	4	9	12	23
50-64	101	3.1	15	1	1	2	3	8	10	21
65 +	189	4.0	14	1	1	3	5	9	13	17
GRAND TOTAL	**1242**	**2.4**	**10**	**< 1**	**1**	**1**	**2**	**6**	**8**	**15**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	5.9	28	1	2	5	8	11	18	21
20-34	9	4.8	25	1	2	2	7	13	16	16
35-49	6	4.5	1	3	4	4	5	6	6	6
50-64	2	7.5	13	5	5	7	10	10	10	10
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	26	6.5	66	1	1	4	8	12	29	35
20-34	18	6.3	36	1	1	5	10	12	20	25
35-49	8	5.5	19	1	2	4	9	12	12	12
50-64	5	7.2	14	3	4	7	9	13	13	13
65 +	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	5.9	27	1	2	4	8	13	17	24
20-34	38	4.8	30	1	2	3	5	11	20	23
35-49	13	6.5	24	2	3	5	9	14	15	15
50-64	18	5.6	15	1	2	5	7	11	14	16
65 +	13	9.7	52	2	4	10	13	20	26	27
B. Operated										
0-19 YRS	192	18.6	252	4	8	14	24	38	54	96
20-34	107	15.6	256	3	5	10	22	36	55	90
35-49	74	13.8	128	3	6	12	18	36	46	99 +
50-64	50	18.2	290	5	8	13	24	52	83	99 +
65 +	61	18.4	248	4	7	13	27	41	62	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	5.3	20	1	2	4	7	10	15	21
B. Operated	58	6.6	47	1	2	5	8	12	24	34
2. MULTIPLE DX										
A. Not Operated	149	5.9	29	1	2	4	8	14	17	25
B. Operated	484	17.1	238	4	7	12	22	39	58	99 +
1. SINGLE DX	91	6.2	38	1	2	5	8	12	21	32
2. MULTIPLE DX	633	14.5	212	2	5	10	19	34	48	99 +
A. Not Operated	182	5.8	27	1	2	4	8	13	17	24
B. Operated	542	16.0	228	3	6	12	21	36	54	99 +
TOTAL										
0-19 YRS	300	14.0	210	2	4	10	19	31	42	83
20-34	172	11.7	196	1	3	7	13	27	42	81
35-49	101	11.7	111	3	4	9	16	23	39	99 +
50-64	75	14.2	230	2	5	10	17	40	63	99 +
65 +	76	16.7	221	4	6	11	25	37	54	92
GRAND TOTAL	**724**	**13.4**	**197**	**2**	**4**	**9**	**18**	**32**	**46**	**99**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	3.0	8	1	1	2	4	7	9	13
20-34	44	3.2	10	1	1	2	5	7	10	16
35-49	23	3.1	8	1	1	2	5	8	9	10
50-64	7	2.9	11	1	1	1	3	9	10	10
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	16	5.2	29	1	2	3	7	12	18	21
20-34	9	3.3	7	1	2	2	4	8	9	9
35-49	7	3.1	10	1	1	2	4	9	10	10
50-64	1	48.0		48	48	48	48	48	48	48
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	595	4.6	19	1	1	3	6	11	14	19
20-34	186	3.7	16	1	1	2	5	9	12	18
35-49	157	4.0	15	1	1	3	6	9	12	16
50-64	60	5.5	22	1	2	4	9	12	14	21
65 +	53	7.1	27	2	3	6	10	14	18	25
B. Operated										
0-19 YRS	81	12.5	162	2	4	10	16	29	36	64
20-34	47	10.4	101	2	4	7	13	23	29	48
35-49	43	8.6	44	2	4	6	11	20	25	26
50-64	27	12.9	113	2	7	10	15	29	41	43
65 +	18	14.6	193	1	5	10	21	33	48	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	3.0	8	1	1	2	4	7	9	14
B. Operated	33	5.5	76	1	2	2	6	10	20	48
2. MULTIPLE DX										
A. Not Operated	1051	4.5	19	1	1	3	6	11	14	19
B. Operated	216	11.5	123	2	4	8	14	26	34	55
1. SINGLE DX	257	3.4	17	1	1	2	4	8	10	16
2. MULTIPLE DX	1267	5.7	43	1	2	3	7	13	17	32
A. Not Operated	1275	4.3	17	1	1	3	6	10	13	18
B. Operated	249	10.7	120	2	3	7	14	24	33	55
TOTAL										
0-19 YRS	840	5.1	37	1	1	3	6	12	15	30
20-34	286	4.7	35	1	1	2	6	11	15	27
35-49	230	4.8	23	1	2	3	6	10	15	26
50-64	95	7.9	76	1	2	5	10	15	23	46
65 +	73	8.8	77	2	3	7	11	20	23	51
GRAND TOTAL	**1524**	**5.3**	**40**	**1**	**1**	**3**	**7**	**12**	**16**	**30**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.1	3	1	2	3	4	6	6	6
20-34	8	3.1	6	1	1	2	4	7	8	8
35-49	8	5.5	17	1	2	4	9	12	12	12
50-64	5	2.6	4	1	1	2	3	6	6	6
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	15	1.9	4	1	1	1	2	5	7	8
20-34	27	2.9	37	1	1	1	2	4	9	33
35-49	11	1.4	1	1	1	1	1	3	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.7	25	1	2	3	5	10	18	22
20-34	28	4.5	22	1	2	3	6	11	28	99 +
35-49	20	6.1	103	1	2	4	7	25	71	99 +
50-64	17	9.6	400	1	3	5	8	94	99 +	99 +
65 +	17	7.5	80	2	4	5	7	32	76	99 +
B. Operated										
0-19 YRS	44	3.7	33	1	1	2	4	10	17	99 +
20-34	73	4.4	39	1	1	2	4	17	21	83
35-49	36	7.3	256	1	2	2	5	25	70	99 +
50-64	18	8.2	118	1	2	4	8	26	37	41
65 +	16	13.3	298	1	3	7	17	22	57	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.6	7	1	2	3	5	7	10	12
B. Operated	55	2.3	20	1	1	1	2	4	5	32
2. MULTIPLE DX										
A. Not Operated	100	6.3	111	1	2	4	6	16	89	99 +
B. Operated	187	5.9	113	1	1	2	5	18	30	99 +
1. SINGLE DX	91	2.8	15	1	1	2	3	6	8	24
2. MULTIPLE DX	287	6.0	112	1	1	3	6	18	36	99 +
A. Not Operated	136	5.5	85	1	2	4	6	11	44	99 +
B. Operated	242	5.1	94	1	1	2	4	14	24	99 +
TOTAL										
0-19 YRS	91	3.5	22	1	1	2	4	7	10	73
20-34	136	4.1	33	1	1	2	4	10	21	99 +
35-49	75	5.9	153	1	1	2	5	12	42	99 +
50-64	41	8.0	216	1	2	4	7	33	91	99 +
65 +	35	9.8	181	1	3	5	14	22	62	99 +
GRAND TOTAL	**378**	**5.2**	**91**	**1**	**1**	**3**	**5**	**14**	**26**	**99 +**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	1.8	2	1	1	1	2	3	5	6
20-34	55	2.3	2	< 1	1	2	3	4	5	8
35-49	45	3.0	5	1	1	2	4	6	9	11
50-64	15	2.6	4	1	1	2	3	4	8	9
65 +	6	6.0	51	1	2	3	7	19	20	20
B. Operated										
0-19 YRS	26	5.0	10	2	2	4	7	11	12	12
20-34	33	2.9	7	1	1	2	4	7	9	10
35-49	19	6.0	50	1	1	3	8	15	23	29
50-64	7	6.1	7	2	4	6	8	10	10	10
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	2.6	6	1	1	2	3	5	7	11
20-34	190	2.6	4	1	1	2	3	5	7	11
35-49	90	3.4	7	1	2	2	5	8	9	13
50-64	90	4.2	19	1	2	3	5	8	12	25
65 +	134	5.6	57	1	2	4	6	10	13	38
B. Operated										
0-19 YRS	79	6.5	51	1	2	4	8	17	21	39
20-34	102	5.5	29	1	2	4	7	12	15	29
35-49	56	8.9	104	2	3	5	10	19	31	50
50-64	47	7.1	22	2	3	7	9	14	17	22
65 +	57	12.7	111	3	5	10	17	24	35	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	2.3	4	1	1	2	3	4	6	9
B. Operated	86	4.5	18	1	1	3	6	10	12	24
2. MULTIPLE DX										
A. Not Operated	672	3.5	19	1	1	2	4	7	10	18
B. Operated	341	7.7	65	1	3	5	10	17	22	45
1. SINGLE DX	335	2.8	9	1	1	2	3	6	8	14
2. MULTIPLE DX	1013	4.9	38	1	2	3	6	10	16	29
A. Not Operated	921	3.2	15	1	1	2	4	6	9	15
B. Operated	427	7.0	57	1	2	5	9	16	21	44
TOTAL										
0-19 YRS	401	3.3	17	1	1	2	4	7	10	21
20-34	380	3.3	12	1	1	2	4	7	10	19
35-49	210	5.0	42	1	2	3	6	10	15	39
50-64	159	5.0	20	1	2	3	7	10	15	22
65 +	198	7.6	82	2	3	5	9	17	21	50
GRAND TOTAL	**1348**	**4.4**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	786	1.6	4	< 1	1	1	2	3	3	6
20-34	208	1.6	2	< 1	1	1	2	3	4	8
35-49	105	1.7	4	< 1	1	1	2	3	4	12
50-64	12	1.5	1	< 1	1	1	2	3	3	3
65 +	6	2.5	14	< 1	1	1	1	9	10	10
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	18.0	242	7	7	18	29	29	29	29
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1917	2.8	19	1	1	2	3	5	9	25
20-34	2032	2.8	15	1	1	2	3	5	8	20
35-49	1206	3.6	26	1	1	2	4	8	12	27
50-64	449	4.5	26	1	2	3	6	9	14	26
65 +	543	5.7	26	2	3	4	7	11	14	26
B. Operated										
0-19 YRS	37	5.4	57	1	2	3	5	10	25	37
20-34	63	7.7	94	1	2	5	8	15	24	56
35-49	62	8.0	71	2	3	5	10	18	25	42
50-64	28	14.4	361	2	3	7	20	31	56	90
65 +	55	11.2	74	3	5	8	14	23	32	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1117	1.6	3	< 1	1	1	2	3	3	9
B. Operated	9	5.7	80	1	2	2	4	20	29	29
2. MULTIPLE DX										
A. Not Operated	6147	3.3	21	1	1	2	4	7	11	25
B. Operated	245	9.0	113	2	3	5	10	21	30	52
1. SINGLE DX	1126	1.7	4	< 1	1	1	2	3	3	9
2. MULTIPLE DX	6392	3.6	26	1	1	2	4	7	12	27
A. Not Operated	7264	3.1	19	1	1	2	3	6	10	23
B. Operated	254	8.9	112	2	3	5	10	21	30	52
TOTAL										
0-19 YRS	2743	2.5	16	1	1	1	2	4	7	23
20-34	2304	2.8	17	1	1	2	3	5	8	20
35-49	1376	3.7	27	1	1	2	4	9	13	27
50-64	491	5.0	51	1	2	3	6	10	16	33
65 +	604	6.1	33	2	3	4	8	12	17	32
GRAND TOTAL	**7518**	**3.3**	**23**	**1**	**1**	**2**	**3**	**7**	**11**	**26**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	530	2.7	4	1	1	1	5	6	6	8
20-34	58	1.8	2	< 1	1	1	2	4	5	9
35-49	43	1.5	1	< 1	1	1	1	3	4	7
50-64	15	1.3		1	1	1	2	2	2	2
65 +	6	1.2		< 1	1	1	1	2	2	2
B. Operated										
0-19 YRS	16	2.6	5	1	1	2	3	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	404	3.1	8	1	1	2	5	6	8	14
20-34	168	2.8	12	1	1	2	3	5	9	17
35-49	143	2.7	13	1	1	2	3	6	8	16
50-64	105	3.0	28	1	1	2	3	5	8	32
65 +	90	4.3	28	1	1	2	5	9	15	30
B. Operated										
0-19 YRS	27	13.1	358	2	2	5	11	53	60	66
20-34	15	11.4	516	2	4	5	9	9	72	93
35-49	14	5.5	23	1	3	4	7	13	17	18
50-64	14	8.2	26	2	5	9	11	14	18	19
65 +	10	13.2	107	5	7	9	12	32	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	652	2.5	4	< 1	1	1	5	6	6	8
B. Operated	21	2.7	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	910	3.1	14	1	1	2	4	6	8	17
B. Operated	80	10.6	238	2	3	6	10	23	46	85
1. SINGLE DX	673	2.5	4	< 1	1	1	5	6	6	8
2. MULTIPLE DX	990	3.7	36	1	1	2	5	7	10	28
A. Not Operated	1562	2.8	10	1	1	2	4	6	7	15
B. Operated	101	9.0	200	1	2	5	9	18	35	79
TOTAL										
0-19 YRS	977	3.1	18	1	1	2	5	6	7	14
20-34	242	3.1	43	< 1	1	2	3	6	9	18
35-49	203	2.7	12	1	1	1	3	6	8	16
50-64	135	3.4	27	1	1	2	3	7	12	24
65 +	106	5.0	41	1	1	3	6	12	16	35
GRAND TOTAL	**1663**	**3.2**	**23**	**1**	**1**	**2**	**5**	**6**	**8**	**19**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	1.9	3	1	1	1	2	4	5	9
20-34	68	1.6	1	< 1	1	1	2	2	4	5
35-49	74	2.0	3	1	1	1	2	3	6	9
50-64	42	1.9	2	1	1	1	2	4	5	8
65 +	19	1.9	1	1	1	2	2	3	4	5
B. Operated										
0-19 YRS	0									
20-34	5	4.8	8	1	2	5	7	8	8	8
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	0									
65 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	2.9	11	1	1	2	3	5	9	15
20-34	230	3.0	14	1	1	2	3	6	8	23
35-49	276	3.2	8	1	1	2	4	7	9	14
50-64	292	4.1	16	1	2	3	5	7	10	19
65 +	675	5.4	19	1	3	4	7	11	14	23
B. Operated										
0-19 YRS	31	13.0	236	1	2	5	24	43	48	99 +
20-34	27	6.5	182	1	1	1	5	13	41	63
35-49	32	10.0	230	1	1	4	10	30	54	56
50-64	44	9.1	144	1	2	5	10	24	51	99 +
65 +	82	9.4	76	1	3	8	13	19	27	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	380	1.9	2	1	1	1	2	3	5	8
B. Operated	9	5.1	8	2	3	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	1809	4.1	16	1	2	3	5	8	12	21
B. Operated	216	9.6	149	1	1	5	13	25	47	99 +
1. SINGLE DX	389	1.9	3	1	1	1	2	4	5	9
2. MULTIPLE DX	2025	4.7	33	1	2	3	6	9	14	32
A. Not Operated	2189	3.7	14	1	1	2	5	8	10	19
B. Operated	225	9.4	144	1	1	5	12	24	46	99 +
TOTAL										
0-19 YRS	544	3.1	27	1	1	2	3	5	10	36
20-34	330	3.0	26	1	1	2	3	6	8	28
35-49	384	3.5	29	1	1	2	4	7	9	23
50-64	378	4.4	33	1	1	3	5	8	13	38
65 +	778	5.7	26	1	2	4	7	12	15	26
GRAND TOTAL	**2414**	**4.2**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.3	4	1	1	2	3	4	6	13
20-34	23	2.7	3	1	1	2	4	5	6	8
35-49	28	4.0	12	1	2	3	6	8	11	16
50-64	24	4.3	9	2	2	4	6	7	10	14
65 +	36	5.8	59	1	1	4	6	13	20	42
B. Operated										
0-19 YRS	476	3.3	9	1	1	2	4	6	10	17
20-34	186	4.3	24	1	2	3	5	9	14	20
35-49	228	4.3	13	1	2	3	6	9	11	18
50-64	303	5.1	24	1	2	4	7	10	13	27
65 +	492	6.2	39	1	2	5	9	12	15	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	428	6.0	32	1	2	4	8	13	16	29
20-34	147	6.0	33	1	2	4	8	13	17	24
35-49	249	6.3	26	1	3	5	8	12	15	22
50-64	256	6.5	44	2	3	5	8	14	17	43
65 +	559	7.1	52	1	3	5	8	14	20	43
B. Operated										
0-19 YRS	1640	7.4	87	1	2	4	9	19	27	66
20-34	689	7.5	76	1	2	5	9	16	26	48
35-49	1112	7.4	71	1	3	5	9	15	22	43
50-64	1883	8.2	85	1	3	6	10	16	24	48
65 +	3788	9.0	88	1	3	7	11	19	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	3.5	18	1	1	2	4	7	10	20
B. Operated	1685	4.7	24	1	2	3	6	10	12	21
2. MULTIPLE DX										
A. Not Operated	1639	6.5	40	1	3	5	8	13	17	36
B. Operated	9112	8.3	85	1	2	6	10	18	25	50
1. SINGLE DX	1870	4.6	24	1	2	3	6	10	12	21
2. MULTIPLE DX	10751	8.0	78	1	3	5	10	17	24	48
A. Not Operated	1824	6.2	39	1	2	4	8	13	17	35
B. Operated	10797	7.7	77	1	2	5	10	16	24	48
TOTAL										
0-19 YRS	2618	6.3	64	1	2	3	7	15	23	44
20-34	1045	6.6	61	1	2	4	8	15	22	41
35-49	1617	6.8	57	1	2	5	8	14	19	35
50-64	2466	7.6	73	1	2	6	9	15	22	47
65 +	4875	8.5	80	1	3	6	11	17	25	49
GRAND TOTAL	**12621**	**7.5**	**72**	**1**	**2**	**5**	**9**	**16**	**23**	**45**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	161	1.2		< 1	1	1	1	2	3	5
20-34	54	2.1	3	< 1	1	2	3	4	5	10
35-49	45	2.5	5	1	1	2	3	5	6	12
50-64	38	2.5	2	1	1	2	3	5	5	6
65 +	51	2.6	2	1	1	3	3	4	5	5
B. Operated										
0-19 YRS	153	1.5	1	1	1	1	2	2	3	6
20-34	75	1.8	1	1	1	1	2	3	5	6
35-49	46	2.7	4	1	1	2	4	6	7	8
50-64	32	2.8	3	1	1	3	3	5	6	9
65 +	31	3.2	10	1	1	2	3	7	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	2.1	3	1	1	2	2	4	6	10
20-34	79	2.8	4	1	1	2	3	6	7	10
35-49	78	3.9	12	1	2	3	5	7	11	18
50-64	117	3.8	9	1	2	3	5	8	9	15
65 +	277	3.8	11	1	2	3	4	7	10	22
B. Operated										
0-19 YRS	131	2.1	8	1	1	1	2	4	6	17
20-34	135	3.0	11	1	1	2	3	6	9	15
35-49	149	3.6	17	1	1	3	5	7	9	13
50-64	187	3.9	19	1	1	2	5	8	11	23
65 +	372	5.1	38	1	2	3	6	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	349	1.9	2	< 1	1	1	2	4	5	6
B. Operated	337	2.0	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	613	3.5	9	1	2	3	4	7	9	17
B. Operated	974	3.9	24	1	1	2	5	8	12	25
1. SINGLE DX	686	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX	1587	3.8	19	1	1	3	5	8	11	23
A. Not Operated	962	2.9	7	1	1	2	4	6	7	15
B. Operated	1311	3.4	20	1	1	2	4	7	11	23
TOTAL										
0-19 YRS	507	1.6	3	< 1	1	1	2	3	4	8
20-34	343	2.5	6	1	1	2	3	5	7	11
35-49	318	3.4	12	1	1	2	5	7	9	15
50-64	374	3.6	13	1	1	3	4	7	9	17
65 +	731	4.3	25	1	2	3	5	8	12	24
GRAND TOTAL	**2273**	**3.2**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**20**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	4.0	8	1	2	3	5	8	10	15
20-34	73	3.8	9	1	2	3	5	7	8	19
35-49	79	4.1	5	2	3	4	5	8	9	10
50-64	37	4.1	5	2	3	4	5	7	8	9
65 +	34	4.7	12	2	3	4	6	8	11	19
B. Operated										
0-19 YRS	36	5.5	19	1	2	4	8	12	14	20
20-34	61	5.4	13	1	3	4	7	10	12	17
35-49	51	6.5	27	1	2	5	10	14	19	20
50-64	22	6.0	32	1	3	5	7	9	17	29
65 +	25	6.6	30	2	3	5	9	11	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	4.2	8	1	2	3	5	9	10	13
20-34	144	4.9	10	2	3	4	6	9	11	16
35-49	213	5.9	16	2	3	5	7	11	15	19
50-64	205	7.2	33	3	4	5	9	14	17	27
65 +	344	7.9	26	3	4	7	10	14	18	26
B. Operated										
0-19 YRS	115	9.9	103	2	3	7	12	23	29	56
20-34	157	8.9	47	3	4	7	11	18	22	35
35-49	242	11.5	106	3	5	8	15	24	34	48
50-64	304	12.5	119	3	5	9	16	28	38	99 +
65 +	395	14.2	146	4	6	10	18	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	4.1	7	2	2	3	5	7	9	16
B. Operated	195	5.9	22	1	3	5	8	11	16	25
2. MULTIPLE DX										
A. Not Operated	1051	6.4	22	2	3	5	8	12	16	24
B. Operated	1213	12.1	117	3	5	9	15	27	35	64
1. SINGLE DX	485	4.8	14	2	2	4	6	9	11	20
2. MULTIPLE DX	2264	9.5	81	3	4	7	12	20	28	47
A. Not Operated	1341	5.9	20	2	3	5	7	11	15	23
B. Operated	1408	11.3	109	3	5	8	14	25	33	60
TOTAL										
0-19 YRS	363	6.1	46	2	2	4	7	12	17	35
20-34	435	6.2	28	2	3	4	8	12	17	28
35-49	585	8.0	61	2	3	5	10	17	23	40
50-64	568	9.8	86	3	4	7	12	22	30	78
65 +	798	10.8	96	3	5	8	13	23	30	48
GRAND TOTAL	**2749**	**8.7**	**73**	**2**	**4**	**6**	**11**	**18**	**26**	**45**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.2	15	1	1	3	4	5	6	24
20-34	43	3.0	5	1	2	2	3	6	8	11
35-49	49	3.5	6	1	2	2	5	8	8	9
50-64	27	4.5	11	1	2	3	8	10	10	10
65 +	20	3.9	12	1	2	3	4	9	12	14
B. Operated										
0-19 YRS	54	3.3	7	1	1	3	4	7	8	12
20-34	51	4.0	11	1	2	3	5	7	9	21
35-49	75	5.1	19	1	2	4	6	14	18	79
50-64	58	6.5	41	1	2	5	8	14	20	35
65 +	45	4.5	15	1	2	3	6	11	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	291	3.1	12	1	1	2	3	6	9	20
20-34	242	3.6	7	1	2	3	4	8	9	13
35-49	293	4.9	29	1	2	4	6	9	13	22
50-64	346	5.2	20	1	2	4	7	10	13	21
65 +	592	6.0	25	1	3	5	8	11	15	25
B. Operated										
0-19 YRS	634	3.7	37	1	1	1	4	9	15	29
20-34	581	4.5	62	1	1	2	5	10	15	38
35-49	831	5.7	76	1	1	2	7	14	22	44
50-64	913	6.9	62	1	2	4	9	17	25	39
65 +	1393	7.4	87	1	2	4	9	17	25	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	3.5	9	1	2	3	4	8	9	13
B. Operated	283	4.8	20	1	2	3	6	10	14	22
2. MULTIPLE DX										
A. Not Operated	1764	4.9	21	1	2	3	6	10	13	24
B. Operated	4352	6.1	71	1	1	3	7	15	22	44
1. SINGLE DX	457	4.3	16	1	2	3	6	9	12	21
2. MULTIPLE DX	6116	5.7	57	1	1	3	7	13	19	40
A. Not Operated	1938	4.7	20	1	2	3	6	9	12	23
B. Operated	4635	6.0	68	1	1	3	7	15	21	43
TOTAL										
0-19 YRS	1014	3.5	28	1	1	2	4	8	12	24
20-34	917	4.2	42	1	1	2	4	8	12	33
35-49	1248	5.4	59	1	1	3	6	12	18	43
50-64	1344	6.4	50	1	2	4	8	15	22	36
65 +	2050	6.9	67	1	2	4	8	15	22	43
GRAND TOTAL	**6573**	**5.6**	**54**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.4	1	1	1	1	2	2	3	4
20-34	6	2.2	1	1	2	2	2	4	4	4
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	4	4.0	17	1	1	2	6	10	10	10
65 +	6	1.8	3	< 1	< 1	1	2	5	5	5
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	3.3	9	1	2	2	4	6	10	16
20-34	19	3.3	4	1	2	3	4	6	8	9
35-49	17	3.6	6	1	2	3	5	7	8	9
50-64	27	3.6	7	1	2	3	4	8	9	11
65 +	47	5.3	48	1	2	4	6	10	12	47
B. Operated										
0-19 YRS	5	7.4	3	5	6	7	8	10	10	10
20-34	8	6.9	25	2	3	5	10	15	16	16
35-49	8	9.8	67	1	3	7	18	21	21	21
50-64	14	10.3	79	2	5	7	11	25	30	31
65 +	19	10.6	48	3	5	8	15	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.0	3	1	1	1	2	4	5	10
B. Operated	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	177	3.9	18	1	2	3	5	8	10	15
B. Operated	54	9.6	50	2	5	8	13	21	24	31
1. SINGLE DX	49	2.0	3	1	1	1	2	4	5	10
2. MULTIPLE DX	231	5.2	31	1	2	3	6	11	16	26
A. Not Operated	224	3.5	16	1	1	2	4	7	9	15
B. Operated	56	9.3	49	2	5	7	13	21	24	31
TOTAL										
0-19 YRS	100	3.0	8	1	1	2	4	6	9	15
20-34	34	3.9	10	2	2	3	4	9	11	16
35-49	28	5.5	29	1	2	4	6	13	21	21
50-64	45	5.7	38	1	2	3	7	11	22	31
65 +	73	6.4	50	1	2	4	8	13	19	42
GRAND TOTAL	**280**	**4.7**	**28**	**1**	**2**	**3**	**6**	**10**	**15**	**24**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	22	1.6	1	< 1	1	1	2	3	3	3
35-49	15	1.6	1	< 1	1	1	2	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	69	2.2	2	1	1	2	3	4	5	6
35-49	40	1.7	1	< 1	1	1	2	3	4	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	37	1.6	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	113	2.0	1	1	1	2	3	3	4	6
1. SINGLE DX	37	1.6	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX	115	2.0	1	1	1	2	3	3	4	6
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	150	1.9	1	< 1	1	2	3	3	4	6
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	92	2.0	1	< 1	1	2	3	3	4	6
35-49	56	1.7	1	< 1	1	1	2	3	4	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**152**	**1.9**	**1**	**< 1**	**1**	**2**	**3**	**3**	**4**	**6**

411: Single liveborn, without cesarean section delivery, born in hospital (V30.00; V39.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	2	29.5	13	27	27	29	32	32	32	32
1500-1749	0									
1750-2499	914	2.1	1	1	2	2	2	3	4	6
2500 +	65337	2.0		1	2	2	2	2	3	4
B. Operated										
1-999 G	0									
1000-1499	1	85.0		85	85	92	99 +	99 +	99 +	99 +
1500-1749	1	92.0		92	92	92	92	92	92	92
1750-2499	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2500 +	24	2.3	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	18	65.6	468	37	49	77	85	99 +	99 +	99 +
1000-1499	139	35.8	169	21	27	33	44	54	60	87
1500-1749	231	22.5	84	13	16	21	27	34	40	51
1750-2499	3587	5.4	28	2	2	3	7	13	16	24
2500 +	41588	2.5	3	1	2	2	2	4	5	9
B. Operated										
1-999 G	82	75.3	236	57	72	85	99 +	99 +	99 +	99 +
1000-1499	164	50.3	303	30	38	51	64	82	99 +	99 +
1500-1749	96	31.2	235	18	23	27	36	44	79	98
1750-2499	294	16.6	199	5	8	13	21	32	43	86
2500 +	796	7.2	70	2	2	5	9	14	21	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66253	2.0		1	2	2	2	2	3	4
B. Operated	27	8.6	532	1	2	2	3	89	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	45563	2.9	13	2	2	2	3	4	7	19
B. Operated	1432	19.5	526	2	4	10	29	68	90	99 +
1. SINGLE DX	66280	2.0	1	1	2	2	2	2	3	4
2. MULTIPLE DX	46995	3.4	37	2	2	2	3	5	9	33
A. Not Operated	111816	2.4	6	1	2	2	2	3	4	11
B. Operated	1459	19.3	528	2	4	10	29	68	91	99 +
TOTAL										
1-999 G	100	73.6	287	54	71	82	99 +	99 +	99 +	99 +
1000-1499	306	43.7	297	24	31	42	57	73	91	99 +
1500-1749	328	25.3	157	14	18	23	30	39	45	91
1750-2499	4796	5.4	43	2	2	3	7	13	18	29
2500 +	107745	2.2	2	1	2	2	2	3	4	7
GRAND TOTAL	**113275**	**2.6**	**16**	**1**	**2**	**2**	**2**	**3**	**5**	**16**

412: Twin or multiple liveborn, without cesarean section delivery, born in hospital (V31.00; V32.00; V33.00; V34.00; V35.00; V36.00; V37.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	91	2.7	3	2	2	2	3	4	4	14
2500 +	414	2.5	1	2	2	2	3	4	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	60.7	576	40	47	71	93	99 +	99 +	99 +
1000-1499	31	35.7	166	21	24	37	43	51	57	72
1500-1749	44	19.8	41	13	15	19	24	27	32	40
1750-2499	497	6.9	38	2	2	4	10	16	19	27
2500 +	417	3.8	8	2	2	3	4	7	9	17
B. Operated										
1-999 G	7	71.3	210	58	64	89	99 +	99 +	99 +	99 +
1000-1499	36	51.2	268	36	42	46	64	82	83	99 +
1500-1749	20	27.2	132	15	21	25	32	41	53	60
1750-2499	37	18.5	117	4	12	17	24	29	35	55
2500 +	21	10.3	204	2	4	6	9	24	45	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	505	2.5	1	2	2	2	3	4	4	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	992	7.2	77	2	2	4	9	17	23	44
B. Operated	121	31.3	521	5	13	27	47	78	91	99 +
1. SINGLE DX	505	2.5	1	2	2	2	3	4	4	5
2. MULTIPLE DX	1113	9.8	181	2	2	4	12	25	42	83
A. Not Operated	1497	5.6	56	2	2	3	5	14	20	41
B. Operated	121	31.3	521	5	13	27	47	78	91	99 +
TOTAL										
1-999 G	10	68.1	295	52	62	88	99 +	99 +	99 +	99 +
1000-1499	67	44.0	278	23	36	43	52	73	82	97
1500-1749	64	22.1	80	13	16	21	26	32	37	58
1750-2499	625	7.0	48	2	2	4	10	16	22	30
2500 +	852	3.3	11	2	2	2	4	5	7	15
GRAND TOTAL	**1618**	**7.5**	**136**	**2**	**2**	**3**	**7**	**20**	**32**	**73**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	14	2.1	1	1	2	2	2	3	4	4
2500 +	207	2.0	1	1	1	2	2	3	3	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	3	30.3	5	29	29	29	32	33	33	33
1500-1749	5	22.4	95	8	17	22	29	34	34	34
1750-2499	45	7.2	38	2	2	6	12	17	19	25
2500 +	153	3.2	8	1	2	2	4	6	7	16
B. Operated										
1-999 G	2	78.5	421	64	71	93	98	99 +	99 +	99 +
1000-1499	3	47.0	108	41	41	41	55	59	59	59
1500-1749	0									
1750-2499	2	7.5	41	3	3	7	12	12	12	12
2500 +	6	9.3	7	6	8	9	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	2.0	1	1	2	2	2	3	4	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	206	4.9	36	1	2	2	5	12	18	31
B. Operated	13	28.4	819	6	8	13	59	94	99	99 +
1. SINGLE DX	221	2.0	1	1	2	2	2	3	4	6
2. MULTIPLE DX	219	6.3	110	1	2	3	6	13	26	73
A. Not Operated	427	3.4	20	1	2	2	3	6	12	28
B. Operated	13	28.4	819	6	8	13	59	94	99	99 +
TOTAL										
1-999 G	2	78.5	421	64	71	93	98	99 +	99 +	99 +
1000-1499	6	38.7	129	29	29	37	41	57	59	59
1500-1749	5	22.4	95	8	17	22	29	34	34	34
1750-2499	61	6.0	33	2	2	3	8	15	17	25
2500 +	366	2.6	5	1	2	2	3	4	7	13
GRAND TOTAL	**440**	**4.1**	**60**	**1**	**2**	**2**	**3**	**8**	**13**	**43**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
B. Operated										
0-19 YRS	190	1.5	2	1	1	1	2	2	3	4
20-34	170	1.8	1	1	1	1	2	3	4	7
35-49	98	1.8	1	1	1	1	2	3	4	7
50-64	47	1.9	2	1	1	1	2	4	5	8
65 +	29	2.1	3	< 1	1	1	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.0	65	< 1	1	2	10	18	18	18
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	170	2.0	6	1	1	1	2	3	4	16
20-34	60	2.4	5	1	1	2	3	4	8	14
35-49	44	3.1	12	1	1	2	3	6	8	22
50-64	33	2.8	5	1	1	2	4	4	8	11
65 +	51	4.3	18	1	1	3	5	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.7	96	1	1	1	14	18	18	18
B. Operated	534	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	11	3.6	25	< 1	< 1	2	3	11	17	18
B. Operated	358	2.6	9	1	1	2	3	4	8	17
1. SINGLE DX	537	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX	369	2.6	9	1	1	2	3	5	9	18
A. Not Operated	14	4.3	36	< 1	1	2	3	18	18	18
B. Operated	892	2.1	5	1	1	1	2	4	5	13
TOTAL										
0-19 YRS	366	1.7	4	1	1	1	2	3	3	16
20-34	232	1.9	3	1	1	2	2	3	4	10
35-49	144	2.2	5	1	1	2	3	4	6	10
50-64	83	2.5	6	1	1	2	3	4	7	16
65 +	81	3.5	14	1	1	2	4	8	12	19
GRAND TOTAL	**906**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	**14**

415: Admission for dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	3	2.7		2	2	3	3	3	3	3
65 +	5	3.8	2	3	3	3	4	6	6	6
B. Operated										
0-19 YRS	3	5.3	20	1	2	5	9	10	10	10
20-34	3	1.7		1	1	2	2	2	2	2
35-49	11	3.8	4	2	2	3	5	7	8	8
50-64	13	4.3	13	1	2	3	7	10	12	12
65 +	44	4.5	20	1	2	3	6	8	12	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	3.1	1	2	2	3	3	5	6	6
B. Operated	74	4.3	16	1	2	3	6	9	11	24
1. SINGLE DX	0									
2. MULTIPLE DX	84	4.2	14	1	2	3	5	8	10	22
A. Not Operated	10	3.1	1	2	2	3	3	5	6	6
B. Operated	74	4.3	16	1	2	3	6	9	11	24
TOTAL										
0-19 YRS	3	5.3	20	1	2	5	9	10	10	10
20-34	5	1.8		1	1	2	2	2	2	2
35-49	11	3.8	4	2	2	3	5	7	8	8
50-64	16	4.0	11	1	2	3	5	9	11	12
65 +	49	4.5	18	1	2	3	6	8	11	27
GRAND TOTAL	**84**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**22**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.8	4	1	2	4	6	6	6	6
20-34	4	1.5		1	1	1	2	2	2	2
35-49	11	3.0	6	1	1	2	4	7	9	9
50-64	21	3.6	4	1	2	4	5	6	7	8
65 +	30	2.6	2	1	1	2	4	5	5	6
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3377	3.1	7	1	2	3	4	5	6	9
20-34	948	3.3	7	1	1	3	5	5	6	9
35-49	2297	3.1	8	1	1	2	4	5	6	11
50-64	5701	3.1	8	1	1	2	4	5	6	12
65 +	5298	3.0	6	1	1	2	4	5	6	11
B. Operated										
0-19 YRS	294	5.9	56	1	3	4	6	9	22	43
20-34	122	7.5	88	2	2	4	7	23	28	43
35-49	267	7.2	82	2	2	4	7	17	25	52
50-64	482	7.0	55	2	3	5	7	15	22	37
65 +	459	6.9	70	2	3	5	7	13	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.0	4	1	1	2	4	6	6	9
B. Operated	4	6.0	17	3	3	4	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	17621	3.1	7	1	1	2	4	5	6	11
B. Operated	1624	6.9	67	2	3	5	7	15	24	42
1. SINGLE DX	80	3.2	5	1	1	3	5	6	7	11
2. MULTIPLE DX	19245	3.4	13	1	2	3	4	6	7	18
A. Not Operated	17697	3.1	7	1	1	2	4	5	6	11
B. Operated	1628	6.9	66	2	3	5	7	15	24	42
TOTAL										
0-19 YRS	3682	3.3	11	1	2	3	4	5	6	15
20-34	1074	3.7	18	1	2	3	5	6	7	26
35-49	2576	3.5	18	1	1	3	4	6	7	23
50-64	6205	3.4	13	1	2	3	4	6	7	18
65 +	5788	3.4	12	1	2	3	4	6	7	16
GRAND TOTAL	**19325**	**3.4**	**13**	**1**	**2**	**3**	**4**	**6**	**7**	**18**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	337	2.2	5	< 1	1	2	3	4	6	15
20-34	290	1.7	4	< 1	1	1	2	2	3	9
35-49	80	1.9	3	1	1	2	2	3	4	12
50-64	47	2.5	7	< 1	1	1	3	7	9	11
65 +	76	5.3	47	< 1	1	2	7	11	18	37
B. Operated										
0-19 YRS	200	3.4	9	1	1	2	6	8	9	12
20-34	274	2.9	7	< 1	1	1	4	7	8	11
35-49	226	3.0	10	1	1	2	5	7	8	11
50-64	86	3.4	10	1	1	2	6	8	9	13
65 +	64	4.8	13	1	1	5	8	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	945	6.0	103	1	1	2	4	20	34	56
20-34	654	12.5	255	1	2	6	22	33	57	99 +
35-49	835	12.2	203	1	2	6	19	30	42	93
50-64	1116	15.3	201	1	4	11	23	36	44	66
65 +	3792	17.4	157	3	9	16	23	34	43	99 +
B. Operated										
0-19 YRS	827	4.5	64	1	1	2	6	9	16	99 +
20-34	463	6.9	170	1	1	3	7	25	62	99 +
35-49	678	6.2	82	1	1	3	8	14	33	99 +
50-64	773	8.5	145	1	1	5	10	23	35	99
65 +	1157	13.9	185	1	4	10	21	33	42	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	830	2.3	9	< 1	1	2	2	4	7	16
B. Operated	850	3.3	9	1	1	2	5	8	9	12
2. MULTIPLE DX										
A. Not Operated	7342	14.6	185	1	3	12	22	33	42	99 +
B. Operated	3898	8.6	145	1	1	4	10	25	38	99 +
1. SINGLE DX	1680	2.8	9	1	1	2	3	7	8	14
2. MULTIPLE DX	11240	12.5	179	1	2	8	19	31	41	99 +
A. Not Operated	8172	13.3	181	1	2	10	21	32	40	99 +
B. Operated	4748	7.7	125	1	1	4	9	22	34	99 +
TOTAL										
0-19 YRS	2309	4.7	68	1	1	2	5	10	22	60
20-34	1681	7.5	167	1	1	2	8	28	39	99 +
35-49	1819	8.4	139	1	1	4	10	25	35	99 +
50-64	2022	11.9	183	1	2	7	18	32	41	73
65 +	5089	16.3	165	2	7	14	23	33	42	99 +
GRAND TOTAL	**12920**	**11.3**	**168**	**1**	**2**	**7**	**17**	**29**	**39**	**99 +**

418: Single liveborn, with cesarean section delivery, born in hospital (V30.01; V39.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	147	3.7	1	3	3	4	4	5	6	8
2500 +	12021	3.7	1	3	3	4	4	4	5	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	9	3.6		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	21	59.3	357	34	47	65	79	90	99 +	99 +
1000-1499	97	35.8	249	16	25	34	46	58	66	82
1500-1749	116	20.0	72	10	15	19	24	29	35	54
1750-2499	1114	7.4	36	3	4	5	10	15	18	28
2500 +	12187	4.1	3	3	3	4	4	5	7	11
B. Operated										
1-999 G	76	74.3	281	56	68	85	99 +	99 +	99 +	99 +
1000-1499	136	50.9	306	29	39	51	64	78	91	99 +
1500-1749	65	33.8	293	17	23	31	42	71	99 +	99 +
1750-2499	171	17.8	139	5	10	15	24	33	44	93
2500 +	437	9.0	109	3	4	6	9	18	27	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12168	3.7	1	3	3	4	4	4	5	7
B. Operated	9	3.6		3	3	4	4	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	13535	4.9	23	3	3	4	4	6	10	26
B. Operated	885	24.6	627	4	5	14	43	77	95	99 +
1. SINGLE DX	12177	3.7	1	3	3	4	4	4	5	7
2. MULTIPLE DX	14420	6.1	82	3	3	4	5	8	16	66
A. Not Operated	25703	4.3	13	3	3	4	4	5	7	18
B. Operated	894	24.4	625	4	5	14	43	77	96	99 +
TOTAL										
1-999 G	97	71.1	333	47	65	82	99 +	99 +	99 +	99 +
1000-1499	233	44.6	337	23	32	43	58	69	81	99 +
1500-1749	181	25.0	194	11	17	22	30	44	60	99 +
1750-2499	1432	8.3	58	3	4	5	11	17	22	40
2500 +	24654	4.0	4	3	3	4	4	5	6	11
GRAND TOTAL	**26597**	**5.0**	**46**	**3**	**3**	**4**	**4**	**6**	**9**	**46**

419: Twin or multiple liveborn, with cesarean section delivery, born in hospital (V31.01; V32.01; V33.01; V34.01; V35.01; V36.01; V37.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	76	4.2	2	3	3	4	4	5	7	10
2500 +	364	4.1	1	3	4	4	4	5	5	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	5	64.2	131	52	60	74	99 +	99 +	99 +	99 +
1000-1499	30	30.6	243	10	19	28	39	51	62	74
1500-1749	57	22.1	61	13	17	21	27	35	36	39
1750-2499	502	8.2	33	4	4	5	11	17	20	27
2500 +	450	5.0	17	3	4	4	5	7	11	16
B. Operated										
1-999 G	23	71.2	281	54	60	79	97	99 +	99 +	99 +
1000-1499	54	44.9	238	29	33	44	55	65	75	84
1500-1749	30	31.9	165	15	22	31	43	50	53	54
1750-2499	52	19.4	134	9	11	16	24	38	39	62
2500 +	19	11.2	80	4	4	10	14	27	30	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	440	4.1	1	3	4	4	4	5	5	8
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	1044	8.5	78	4	4	5	10	19	26	52
B. Operated	178	35.0	514	10	16	32	52	76	95	99 +
1. SINGLE DX	441	4.1	1	3	4	4	4	5	5	8
2. MULTIPLE DX	1222	12.4	229	4	4	5	15	32	51	94
A. Not Operated	1484	7.2	59	3	4	4	7	16	21	41
B. Operated	179	34.9	517	10	16	32	52	76	94	99 +
TOTAL										
1-999 G	28	69.9	256	53	60	76	98	99 +	99 +	99 +
1000-1499	84	39.8	285	19	29	38	51	62	70	82
1500-1749	87	25.5	117	14	18	23	32	41	47	54
1750-2499	630	8.7	49	4	4	5	11	18	21	36
2500 +	834	4.7	12	3	4	4	5	6	9	16
GRAND TOTAL	**1663**	**10.2**	**182**	**3**	**4**	**5**	**10**	**25**	**41**	**81**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46289	2.9	12	1	1	2	3	5	8	18
20-34	91585	2.6	5	1	2	2	3	4	5	10
35-49	32860	3.3	10	1	2	3	4	6	8	15
50-64	20449	3.9	13	1	2	3	5	8	10	17
65 +	16184	5.0	19	1	2	4	7	10	12	20
2. MULTIPLE DX										
0-19 YRS	74318	6.4	99	1	2	3	7	14	25	79
20-34	127603	4.3	28	2	2	3	4	7	12	28
35-49	92436	5.9	45	1	3	4	7	12	17	36
50-64	109833	7.4	61	2	3	5	9	15	21	42
65 +	216149	9.2	72	2	4	7	11	18	25	45
TOTAL SINGLE DX	207367	3.1	10	1	2	2	3	6	8	15
TOTAL MULTIPLE DX	620339	7.0	64	2	3	5	9	15	21	43
TOTAL										
0-19 YRS	120607	5.0	68	1	2	3	5	10	18	58
20-34	219188	3.6	19	1	2	2	4	6	9	23
35-49	125296	5.2	37	1	2	4	6	10	15	32
50-64	130282	6.8	55	1	3	5	8	14	19	40
65 +	232333	8.9	69	2	4	7	11	18	24	44
GRAND TOTAL	**827706**	**6.1**	**53**	**1**	**2**	**4**	**7**	**13**	**19**	**39**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	155	5.6	19	1	2	5	7	11	12	23
20-34	53	9.8	48	3	6	8	13	19	28	98
35-49	80	7.0	19	3	4	6	9	11	15	27
50-64	93	7.7	45	3	4	7	8	14	17	42
65 +	94	7.9	31	3	4	7	10	14	21	28
2. MULTIPLE DX										
0-19 YRS	478	11.4	171	2	4	8	14	29	43	98
20-34	193	13.4	166	4	6	9	16	30	40	65
35-49	287	14.6	173	5	7	10	16	32	47	95
50-64	483	15.2	189	5	7	11	19	30	40	77
65 +	706	16.5	151	6	8	13	21	31	42	72
TOTAL SINGLE DX	475	7.2	32	2	4	6	9	13	17	30
TOTAL MULTIPLE DX	2147	14.6	172	4	7	11	18	30	42	77
TOTAL										
0-19 YRS	633	10.0	141	2	3	7	12	23	36	88
20-34	246	12.6	143	4	6	9	15	28	38	70
35-49	367	12.9	150	4	6	9	15	26	43	84
50-64	576	14.0	174	4	6	10	17	27	36	75
65 +	800	15.5	145	5	8	12	20	29	39	71
GRAND TOTAL	**2622**	**13.2**	**155**	**3**	**6**	**9**	**16**	**27**	**39**	**74**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	4.9	7	2	3	4	6	9	10	14
20-34	16	7.3	10	3	5	7	8	12	15	16
35-49	18	6.1	6	3	4	7	8	9	10	11
50-64	12	10.4	146	3	5	7	9	22	44	48
65 +	13	7.9	9	4	6	7	10	12	13	13
2. MULTIPLE DX										
0-19 YRS	171	12.9	186	3	5	8	16	31	41	95
20-34	71	19.0	334	5	7	12	25	45	76	95
35-49	60	16.4	274	4	6	10	20	39	52	77
50-64	54	15.7	154	5	7	11	21	36	51	98
65 +	97	17.4	172	5	8	13	23	37	46	85
TOTAL SINGLE DX	151	6.0	20	3	3	5	8	10	12	16
TOTAL MULTIPLE DX	453	15.6	218	4	6	10	21	38	50	98
TOTAL										
0-19 YRS	263	10.1	138	2	4	6	12	25	36	80
20-34	87	16.9	295	4	7	10	22	39	72	92
35-49	78	14.0	231	4	5	8	15	33	48	76
50-64	66	14.7	155	5	7	10	19	35	49	92
65 +	110	16.3	163	5	8	12	22	36	43	80
GRAND TOTAL	**604**	**13.2**	**186**	**3**	**5**	**8**	**16**	**31**	**44**	**80**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	246	3.6	3	2	2	3	5	6	7	9
20-34	31	3.7	5	2	2	3	5	8	9	9
35-49	12	3.3	6	1	2	3	4	7	10	10
50-64	4	9.5	108	3	3	5	15	25	25	25
65 +	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	198	5.6	24	2	3	4	6	9	13	31
20-34	75	8.7	68	2	3	6	11	20	27	39
35-49	50	9.6	108	3	4	7	10	20	27	64
50-64	25	10.9	212	2	4	5	9	29	54	55
65 +	4	13.0	123	5	5	9	20	29	29	29
TOTAL SINGLE DX	296	3.7	5	2	2	3	5	6	8	10
TOTAL MULTIPLE DX	352	7.3	63	2	3	5	8	15	21	41
TOTAL										
0-19 YRS	444	4.5	14	2	3	4	5	8	9	19
20-34	106	7.3	55	2	3	5	8	18	23	37
35-49	62	8.4	95	2	3	6	9	19	23	61
50-64	29	10.7	194	2	4	5	9	27	54	55
65 +	7	8.6	92	2	3	5	10	26	29	29
GRAND TOTAL	**648**	**5.6**	**40**	**2**	**3**	**4**	**6**	**9**	**16**	**34**

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	278	3.4	8	1	2	3	4	6	10	17
20-34	13	3.4	2	2	2	3	4	6	7	7
35-49	14	4.6	26	1	1	3	5	13	17	18
50-64	10	5.3	16	1	2	5	7	11	15	15
65 +	23	6.9	22	3	4	5	7	13	17	24
2. MULTIPLE DX										
0-19 YRS	477	13.7	300	2	3	7	20	53	99 +	99 +
20-34	59	14.5	237	3	5	9	19	43	65	99 +
35-49	53	15.6	336	3	4	7	23	62	94	99 +
50-64	91	19.8	348	3	6	13	32	53	70	99 +
65 +	186	19.0	216	5	8	16	27	36	49	86
TOTAL SINGLE DX	338	3.7	11	1	2	3	4	7	11	18
TOTAL MULTIPLE DX	866	15.6	290	2	4	10	23	48	76	99 +
TOTAL										
0-19 YRS	755	9.9	217	1	2	4	12	33	67	99 +
20-34	72	12.5	213	2	3	7	16	41	61	99 +
35-49	67	13.3	290	2	3	6	18	49	82	99 +
50-64	101	18.4	334	3	6	10	27	52	65	99 +
65 +	209	17.6	209	4	7	14	24	35	44	84
GRAND TOTAL	**1204**	**12.3**	**240**	**2**	**3**	**6**	**17**	**38**	**62**	**99 +**

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	262	3.6	11	1	2	3	4	7	12	19
20-34	48	5.9	52	2	3	4	6	10	17	46
35-49	15	6.7	28	1	3	5	9	14	19	21
50-64	5	6.0	15	2	3	5	9	11	11	11
65 +	7	4.6	3	2	4	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	937	7.3	86	2	2	4	8	19	26	51
20-34	150	10.5	226	2	3	6	13	24	41	99 +
35-49	66	11.2	101	3	5	8	15	27	47	99 +
50-64	55	13.8	191	4	5	9	17	28	48	69
65 +	74	11.8	168	2	5	8	16	29	62	99 +
TOTAL SINGLE DX	337	4.1	19	1	2	3	4	9	12	21
TOTAL MULTIPLE DX	1282	8.4	116	2	3	4	9	21	30	97
TOTAL										
0-19 YRS	1199	6.4	73	1	2	3	7	17	24	47
20-34	198	9.4	188	2	3	5	10	23	31	99 +
35-49	81	10.4	90	3	4	8	15	23	36	99 +
50-64	60	13.1	181	3	5	8	16	27	46	68
65 +	81	11.2	158	2	4	8	15	28	58	99 +
GRAND TOTAL	1619	7.5	99	1	2	4	8	19	27	70

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	6.4	24	2	3	5	8	11	20	21
20-34	97	4.4	7	2	3	4	5	7	9	17
35-49	251	4.2	7	2	3	3	5	8	9	14
50-64	291	4.4	6	2	3	4	5	7	9	14
65 +	239	6.0	14	3	4	5	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	58	9.3	78	3	4	7	12	20	36	95
20-34	146	7.8	45	3	4	5	9	16	22	36
35-49	396	6.8	49	2	3	5	8	12	17	37
50-64	721	7.7	61	3	4	6	8	13	21	39
65 +	1213	9.6	57	4	5	7	11	19	25	37
TOTAL SINGLE DX	903	4.8	10	2	3	4	6	8	10	17
TOTAL MULTIPLE DX	2534	8.5	58	3	4	6	10	16	23	38
TOTAL										
0-19 YRS	83	8.4	64	3	4	6	10	20	23	82
20-34	243	6.5	33	2	3	5	7	13	18	33
35-49	647	5.8	34	2	3	4	7	10	14	30
50-64	1012	6.8	48	3	4	5	7	11	16	38
65 +	1452	9.0	52	3	5	7	11	17	23	36
GRAND TOTAL	3437	7.5	48	3	4	6	8	14	20	37

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	131	8.9	19	4	6	9	10	16	17	24
20-34	73	4.7	31	1	2	3	5	10	18	31
35-49	72	5.1	21	1	2	4	7	11	14	25
50-64	56	4.8	16	1	2	4	6	11	13	19
65 +	23	5.7	25	2	3	5	6	11	16	25
2. MULTIPLE DX										
0-19 YRS	326	11.3	97	4	6	8	13	23	34	55
20-34	149	10.8	118	1	4	8	14	24	31	64
35-49	172	8.1	60	2	3	6	10	17	24	38
50-64	160	10.4	116	2	4	8	13	21	36	99 +
65 +	129	11.8	103	2	5	9	14	23	35	55
TOTAL SINGLE DX	355	6.4	26	1	2	5	9	12	17	24
TOTAL MULTIPLE DX	936	10.5	99	2	5	8	13	22	32	59
TOTAL										
0-19 YRS	457	10.6	77	4	6	8	12	20	28	53
20-34	222	8.8	98	1	2	6	11	20	28	46
35-49	244	7.3	51	1	3	5	9	15	22	35
50-64	216	8.9	97	1	3	7	12	19	31	99 +
65 +	152	10.9	96	2	5	8	14	21	29	54
GRAND TOTAL	1291	9.4	83	2	4	7	11	19	28	55

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	4.9	47	1	1	2	6	11	23	29
20-34	22	2.8	5	< 1	1	2	4	6	8	9
35-49	38	2.8	5	1	1	2	4	6	8	11
50-64	25	3.0	7	1	1	2	4	6	8	13
65 +	13	4.1	50	1	1	1	3	11	24	27
2. MULTIPLE DX										
0-19 YRS	18	5.7	37	1	1	3	9	13	20	24
20-34	41	6.5	45	2	2	4	8	13	21	35
35-49	53	5.0	11	1	2	5	7	10	11	13
50-64	57	7.8	93	1	2	5	9	21	24	56
65 +	72	10.9	206	1	2	7	14	24	35	83
TOTAL SINGLE DX	115	3.3	17	1	1	2	5	6	9	28
TOTAL MULTIPLE DX	241	7.7	101	1	2	5	9	17	24	57
TOTAL										
0-19 YRS	35	5.3	42	1	1	2	7	12	22	29
20-34	63	5.2	34	1	2	3	7	10	16	34
35-49	9	4.1	10	1	1	3	6	9	10	12
50-64	82	6.3	72	1	1	3	7	17	23	48
65 +	85	9.9	188	1	1	6	13	23	33	78
GRAND TOTAL	356	6.3	78	1	1	3	7	14	22	44

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.7	2	1	1	1	2	4	5	7
20-34	58	2.0	3	1	1	1	2	3	6	10
35-49	77	1.8	2	1	1	1	2	4	5	9
50-64	51	2.2	3	1	1	2	3	5	6	9
65 +	27	2.2	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
0-19 YRS	66	3.4	24	1	1	2	3	8	13	27
20-34	132	3.5	55	1	1	2	4	6	9	84
35-49	126	3.2	16	1	1	2	3	6	10	19
50-64	126	3.1	13	1	1	2	3	7	9	22
65 +	126	5.1	45	1	1	2	6	13	20	34
TOTAL SINGLE DX	236	2.0	3	1	1	1	2	4	6	10
TOTAL MULTIPLE DX	576	3.7	32	1	1	2	4	8	13	29
TOTAL										
0-19 YRS	89	3.0	19	1	1	1	3	6	10	25
20-34	190	3.0	40	1	1	2	3	6	9	56
35-49	203	2.6	11	1	1	2	3	6	9	15
50-64	177	2.8	10	1	1	2	3	6	8	19
65 +	153	4.6	39	1	1	2	5	11	18	34
GRAND TOTAL	812	3.2	24	1	1	2	3	7	10	27

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	3.9	2	1	3	4	5	6	6	6
35-49	12	3.5	2	2	3	3	4	6	7	7
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	13	4.2	6	2	3	4	5	7	11	12
35-49	24	4.7	9	2	3	4	5	8	13	14
50-64	14	11.6	280	2	5	6	9	26	58	67
65 +	23	12.6	78	4	5	11	16	25	30	37
TOTAL SINGLE DX	24	4.1	4	2	3	4	5	6	8	10
TOTAL MULTIPLE DX	77	8.3	89	2	4	5	9	16	24	59
TOTAL										
0-19 YRS	4	5.8	2	4	4	6	7	7	7	7
20-34	20	4.1	5	2	3	4	5	6	9	12
35-49	36	4.3	7	2	3	4	5	7	11	14
50-64	16	10.8	248	2	4	6	8	20	53	67
65 +	25	12.2	74	4	5	10	15	25	29	37
GRAND TOTAL	101	7.3	72	2	3	5	7	14	22	52

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	11.0	162	2	2	11	20	20	20	20
20-34	9	6.7	116	1	2	3	5	24	35	35
35-49	9	4.1	20	1	1	2	5	12	14	14
50-64	8	2.5	5	1	1	1	4	6	6	6
65 +	4	3.8	23	1	1	2	6	11	11	11
2. MULTIPLE DX										
0-19 YRS	8	8.8	45	1	4	7	12	19	22	22
20-34	17	16.9	620	2	3	7	16	63	82	88
35-49	38	11.4	283	1	2	7	12	24	35	98
50-64	34	10.3	99	1	3	7	15	23	28	46
65 +	24	11.7	124	2	3	9	15	23	39	47
TOTAL SINGLE DX	32	4.8	49	1	1	2	5	12	19	35
TOTAL MULTIPLE DX	121	11.7	229	1	3	7	15	23	36	91
TOTAL										
0-19 YRS	10	9.2	54	1	4	7	13	21	22	22
20-34	26	13.3	459	1	3	4	14	34	74	88
35-49	47	10.0	240	1	2	5	11	22	32	98
50-64	42	8.8	91	1	2	6	11	22	26	46
65 +	28	10.5	117	1	3	7	14	21	36	47
GRAND TOTAL	153	10.3	199	1	2	6	13	22	34	87

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	1.9		1	1	2	2	3	3	4
20-34	267	2.1		1	2	2	2	3	3	4
35-49	440	2.0		1	1	2	2	3	3	5
50-64	234	2.0		1	1	2	2	3	4	5
65 +	113	2.3	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	35	2.6	3	1	2	2	3	3	5	12
20-34	195	2.6	2	1	2	2	3	5	7	9
35-49	340	2.6	4	1	2	2	3	4	5	15
50-64	346	2.8	9	1	2	2	3	4	7	12
65 +	322	3.9	21	1	2	3	4	7	11	28
TOTAL SINGLE DX	1117	2.0	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1238	3.0	10	1	2	2	3	5	7	17
TOTAL										
0-19 YRS	98	2.1	2	1	1	2	3	3	3	9
20-34	462	2.3	2	1	2	2	3	4	5	8
35-49	780	2.2	2	1	2	2	3	3	4	8
50-64	580	2.5	6	1	2	2	3	4	5	11
65 +	435	3.5	17	1	2	2	4	6	9	25
GRAND TOTAL	**2355**	**2.5**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	139	1.5	1	1	1	1	2	2	3	7
20-34	28	1.6	2	1	1	1	2	3	5	8
35-49	39	1.8		1	1	2	2	3	3	6
50-64	35	1.8		1	1	2	2	3	4	4
65 +	18	2.2	1	1	2	2	3	3	5	6
2. MULTIPLE DX										
0-19 YRS	28	4.7	58	1	1	2	7	11	14	40
20-34	37	5.6	76	1	2	3	5	12	17	51
35-49	97	5.0	46	1	2	3	5	11	20	39
50-64	143	4.4	26	1	2	3	4	10	15	23
65 +	121	7.8	83	2	2	4	8	21	29	41
TOTAL SINGLE DX	259	1.6	1	1	1	1	2	3	3	7
TOTAL MULTIPLE DX	426	5.6	55	1	2	3	5	14	21	40
TOTAL										
0-19 YRS	167	2.0	12	1	1	1	2	3	7	11
20-34	65	3.9	48	1	1	2	4	8	13	46
35-49	136	4.1	36	1	2	2	4	7	14	38
50-64	178	3.9	23	1	2	2	3	8	14	21
65 +	139	7.0	77	2	2	3	8	20	27	40
GRAND TOTAL	**685**	**4.1**	**39**	**1**	**1**	**2**	**3**	**9**	**16**	**38**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	5.0	3	3	4	5	6	8	8	9
20-34	21	5.4	1	4	5	5	6	7	8	9
35-49	23	5.7	7	1	4	6	7	9	11	12
50-64	12	6.3	6	4	5	5	7	10	13	13
65 +	6	7.3	2	5	7	7	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	46	9.2	47	4	5	7	11	16	31	99 +
20-34	66	7.3	40	4	5	6	7	11	17	44
35-49	65	10.7	153	5	6	7	10	18	24	84
50-64	92	9.9	67	4	5	7	11	17	25	48
65 +	95	11.3	108	5	6	8	12	20	31	62
TOTAL SINGLE DX	83	5.6	5	3	4	5	7	8	10	13
TOTAL MULTIPLE DX	364	9.8	87	4	5	7	11	17	26	55
TOTAL										
0-19 YRS	67	7.8	37	4	5	6	9	13	21	90
20-34	87	6.8	31	4	5	5	7	9	14	39
35-49	88	9.4	120	4	5	7	9	15	23	76
50-64	104	9.5	61	4	5	7	11	16	22	46
65 +	101	11.0	103	5	6	8	11	20	30	61
GRAND TOTAL	**447**	**9.1**	**74**	**4**	**5**	**7**	**10**	**16**	**23**	**54**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	0									
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9	3.0	9	1	1	2	4	8	10	10
20-34	4	12.8	253	2	2	6	23	36	36	36
35-49	4	13.0	216	< 1	< 1	10	25	31	31	31
50-64	4	8.0	44	1	4	7	12	17	17	17
65 +	19	6.7	28	2	3	6	7	15	18	20
TOTAL SINGLE DX	12	2.5	3	1	2	2	3	5	7	7
TOTAL MULTIPLE DX	40	7.2	65	1	2	5	9	18	25	36
TOTAL										
0-19 YRS	12	2.8	7	1	1	2	3	6	9	10
20-34	4	12.8	253	2	2	6	23	36	36	36
35-49	8	8.4	119	< 1	1	3	13	27	31	31
50-64	7	5.1	35	< 1	1	2	7	15	17	17
65 +	21	6.2	27	2	2	5	7	15	18	20
GRAND TOTAL	**52**	**6.1**	**55**	**1**	**2**	**3**	**7**	**16**	**20**	**36**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	1.4		1	1	1	1	3	3	6
20-34	10	1.5	1	< 1	1	1	2	3	4	4
35-49	5	1.0		1	1	1	1	1	1	1
50-64	6	3.2	9	1	1	2	4	8	9	9
65 +	4	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	137	3.1	26	1	1	2	3	7	9	31
20-34	171	2.7	4	< 1	1	2	4	5	8	10
35-49	116	4.9	53	1	2	3	5	9	15	47
50-64	72	5.8	79	1	1	3	6	12	18	53
65 +	138	7.0	62	1	2	4	10	15	22	41
TOTAL SINGLE DX	70	1.5	2	< 1	1	1	2	3	4	8
TOTAL MULTIPLE DX	634	4.5	42	1	1	2	5	10	14	41
TOTAL										
0-19 YRS	182	2.7	20	1	1	1	3	5	8	25
20-34	181	2.6	5	< 1	1	2	3	5	8	10
35-49	121	4.7	52	1	1	3	5	9	14	47
50-64	78	5.6	74	1	1	3	6	12	17	52
65 +	142	6.8	62	1	2	4	9	15	22	41
GRAND TOTAL	**704**	**4.2**	**39**	**1**	**1**	**2**	**5**	**9**	**13**	**37**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.0		1	1	1	1	1	2	2
20-34	7	1.1		1	1	1	1	2	2	2
35-49	6	1.5		1	1	1	2	3	3	3
50-64	5	1.2		1	1	1	2	2	2	2
65 +	8	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	31	3.2	13	< 1	1	2	4	7	8	19
20-34	14	1.3		< 1	1	1	2	2	2	2
35-49	8	2.8	8	1	1	1	4	8	9	9
50-64	9	4.3	40	1	1	1	4	16	19	19
65 +	27	2.0	2	1	1	1	3	4	5	6
TOTAL SINGLE DX	48	1.1		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	89	2.6	10	1	1	1	3	5	8	19
TOTAL										
0-19 YRS	53	2.3	9	1	1	1	2	5	8	19
20-34	21	1.2		< 1	1	1	1	2	2	2
35-49	14	2.2	5	1	1	1	3	5	8	9
50-64	14	3.2	28	1	1	1	2	12	17	19
65 +	35	1.7	2	1	1	1	2	4	5	6
GRAND TOTAL	**137**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**7**	**19**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	8.5	139	1	2	5	44	99 +	99 +	99 +
20-34	3	32.3	2412	2	3	6	68	89	89	89
35-49	4	3.8		3	3	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	7	7.7	54	1	2	3	15	18	18	18
TOTAL SINGLE DX	4	3.3	5	1	1	3	5	6	6	6
TOTAL MULTIPLE DX	19	10.6	408	1	2	4	14	57	94	99 +
TOTAL										
0-19 YRS	5	7.0	116	1	1	3	26	93	99 +	99 +
20-34	3	32.3	2412	2	3	6	68	89	89	89
35-49	6	3.5	1	2	3	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	8	7.5	47	1	2	4	14	17	18	18
GRAND TOTAL	**23**	**9.3**	**342**	**1**	**2**	**4**	**9**	**32**	**92**	**99 +**

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	2.3	19	1	1	1	1	5	15	17
20-34	21	1.3		1	1	1	1	3	3	4
35-49	26	1.7	1	1	1	1	2	4	5	6
50-64	11	1.6		1	1	2	2	3	3	3
65+	51	2.0	4	1	1	1	2	4	4	15
2. MULTIPLE DX										
0-19 YRS	24	1.1		<1	1	1	1	2	2	2
20-34	28	3.1	12	1	1	2	3	10	11	13
35-49	31	2.2	4	1	1	1	2	5	7	11
50-64	81	2.2	13	1	1	1	2	4	4	25
65+	421	2.0	1	1	1	2	2	3	4	9
TOTAL SINGLE DX	122	1.8	4	1	1	1	2	3	4	16
TOTAL MULTIPLE DX	585	2.1	4	1	1	2	2	3	4	10
TOTAL										
0-19 YRS	37	1.5	7	1	1	1	1	2	2	17
20-34	49	2.3	8	1	1	1	2	6	10	13
35-49	57	2.0	3	1	1	1	2	4	6	11
50-64	92	2.1	12	1	1	1	2	4	4	22
65+	472	2.0	2	1	1	2	2	3	4	10
GRAND TOTAL	707	2.0	4	1	1	2	2	3	4	11

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	3.0	2	1	2	3	3	5	6	8
20-34	22	2.9	2	<1	2	3	4	5	6	6
35-49	12	3.4	1	2	2	3	4	5	6	6
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	72	4.6	7	2	3	4	6	8	10	81
20-34	52	5.0	18	2	2	4	5	10	14	25
35-49	28	4.9	7	1	3	4	6	9	11	12
50-64	16	5.1	40	1	3	3	5	7	22	28
65+	49	5.7	41	1	2	4	6	10	23	33
TOTAL SINGLE DX	85	3.1	3	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	217	5.0	20	1	2	4	6	9	13	30
TOTAL										
0-19 YRS	120	3.9	6	1	2	3	5	7	9	40
20-34	74	4.4	15	1	2	4	5	8	13	23
35-49	40	4.5	6	2	3	4	6	8	10	12
50-64	18	5.0	36	1	3	3	6	7	20	28
65+	50	5.8	41	1	2	4	6	10	23	33
GRAND TOTAL	302	4.5	16	1	2	4	5	8	11	27

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	2.0	2	1	1	1	2	5	6	6
20-34	8	2.1	1	1	1	2	3	4	5	5
35-49	16	2.8	2	1	2	3	4	4	6	7
50-64	31	2.1		1	1	2	3	3	4	4
65+	50	2.7	1	1	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	43	1.9	2	1	1	1	2	4	5	8
20-34	29	3.6	7	1	2	3	4	5	10	14
35-49	38	3.0	4	1	2	3	3	5	8	10
50-64	107	3.8	26	1	1	3	4	7	10	34
65+	309	3.1	8	1	2	2	4	5	9	17
TOTAL SINGLE DX	134	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	526	3.2	11	1	1	2	4	5	9	21
TOTAL										
0-19 YRS	72	1.9	2	1	1	1	2	4	6	8
20-34	37	3.3	6	1	2	3	4	5	8	14
35-49	54	2.9	4	1	2	3	4	5	7	10
50-64	138	3.4	21	1	1	2	3	6	9	34
65+	359	3.1	7	1	2	2	4	5	8	14
GRAND TOTAL	660	3.0	9	1	1	2	4	5	8	14

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	2.8	2	1	1	3	4	5	5	5
20-34	12	3.3	5	1	2	3	4	7	9	9
35-49	7	2.0	1	1	1	1	3	4	4	4
50-64	6	3.3	9	1	1	2	4	8	9	9
65+	20	1.9		1	1	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	28	4.6	12	1	2	4	6	11	12	14
20-34	24	4.0	5	1	2	4	6	7	8	8
35-49	27	4.5	10	2	3	4	5	8	13	15
50-64	24	5.6	29	1	2	4	7	11	18	26
65+	78	4.4	12	1	2	3	6	10	11	17
TOTAL SINGLE DX	63	2.6	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	181	4.5	13	1	2	4	6	9	12	17
TOTAL										
0-19 YRS	46	3.9	9	1	1	4	5	7	11	14
20-34	36	3.8	5	1	2	3	5	7	8	9
35-49	34	4.0	10	1	2	3	4	7	12	15
50-64	30	5.1	26	1	2	4	7	10	14	26
65+	98	3.9	11	1	2	3	6	9	10	17
GRAND TOTAL	244	4.0	11	1	2	3	5	8	10	16

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	7	2.1	3	1	1	2	2	5	6	6
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	7	3.0	19	1	1	1	2	11	13	13
65 +	19	3.4	16	1	1	2	4	8	13	17
TOTAL SINGLE DX	16	1.1		1	1	1	1	1	2	2
TOTAL MULTIPLE DX	38	2.9	12	1	1	2	2	8	11	17
TOTAL										
0-19 YRS	20	1.4	1	1	1	1	1	2	4	6
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	9	2.7	15	1	1	1	2	9	13	13
65 +	20	3.3	16	1	1	2	3	8	13	17
GRAND TOTAL	**54**	**2.3**	**9**	**1**	**1**	**1**	**2**	**6**	**8**	**17**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.5		1	1	1	2	2	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	11	1.2		<1	<1	<1	1	2	3	3
65 +	83	1.0		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	20	4.4	65	1	1	1	4	10	25	36
20-34	11	1.7	1	<1	1	1	3	4	4	4
35-49	27	3.1	15	1	1	2	3	7	10	20
50-64	79	4.7	61	<1	1	2	4	14	23	43
65 +	516	2.6	12	<1	1	1	3	6	8	23
TOTAL SINGLE DX	117	1.1		<1	<1	<1	1	2	2	3
TOTAL MULTIPLE DX	653	2.9	20	<1	1	1	3	6	9	24
TOTAL										
0-19 YRS	30	3.0	35	1	1	1	2	6	11	36
20-34	12	1.8	1	<1	1	1	2	3	4	4
35-49	30	2.9	14	<1	1	2	3	7	8	20
50-64	90	4.3	55	<1	1	1	4	10	22	41
65 +	599	2.4	11	<1	1	1	2	5	8	21
GRAND TOTAL	**770**	**2.7**	**18**	**<1**	**1**	**1**	**3**	**6**	**8**	**24**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.5	1	1	1	2	3	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	14	5.9	87	<1	1	2	6	14	31	36
TOTAL SINGLE DX	8	1.0		<1	<1	1	1	1	1	1
TOTAL MULTIPLE DX	25	4.1	52	<1	1	2	3	11	17	36
TOTAL										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	18	4.8	71	<1	<1	1	5	11	26	36
GRAND TOTAL	**33**	**3.4**	**41**	**<1**	**1**	**1**	**3**	**7**	**11**	**36**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	1.6	1	1	1	1	2	3	4	6
20-34	53	1.7		1	1	2	2	3	3	4
35-49	93	1.7		1	1	2	2	3	3	5
50-64	144	1.7		1	1	2	2	3	3	4
65 +	192	1.9		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	74	3.1	104	1	1	2	2	5	7	99 +
20-34	102	2.5	4	1	1	2	3	5	7	12
35-49	127	2.5	3	1	1	2	3	5	5	10
50-64	228	2.2	2	1	1	2	3	4	5	7
65 +	388	2.4	2	1	1	2	3	4	5	9
TOTAL SINGLE DX	521	1.8	1	1	1	2	2	3	3	5
TOTAL MULTIPLE DX	919	2.4	11	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	113	2.6	69	1	1	1	2	4	6	99 +
20-34	155	2.3	3	1	1	2	2	4	6	9
35-49	220	2.2	3	1	1	2	3	4	5	7
50-64	372	2.0	2	1	1	2	2	4	4	7
65 +	580	2.2	2	1	1	2	3	4	5	8
GRAND TOTAL	**1440**	**2.2**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.9	1	1	1	2	2	3	6	7
20-34	14	1.8		1	1	2	2	3	3	3
35-49	20	2.3	5	1	1	2	2	4	8	12
50-64	28	1.6		1	1	1	2	3	4	4
65 +	96	1.9	1	1	1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	84	6.5	243	1	1	2	6	99 +	99 +	99 +
20-34	134	1.9	1	1	1	1	2	4	5	6
35-49	139	2.3	25	1	1	1	2	4	5	15
50-64	218	2.1	2	1	1	2	3	4	6	10
65 +	326	2.7	14	1	1	2	3	5	8	19
TOTAL SINGLE DX	194	1.9	2	1	1	1	2	3	5	8
TOTAL MULTIPLE DX	901	2.7	34	1	1	2	3	5	8	99 +
TOTAL										
0-19 YRS	120	5.1	175	1	1	2	4	62	99 +	99 +
20-34	148	1.9	1	1	1	1	2	3	4	5
35-49	159	2.3	23	1	1	1	2	4	5	12
50-64	246	2.1	2	1	1	2	2	4	5	8
65 +	422	2.5	11	1	1	2	2	5	7	15
GRAND TOTAL	1095	2.6	28	1	1	2	3	5	7	99 +

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.0		<1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	41	1.7	6	1	1	1	1	3	6	15
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.7		1	1	2	2	2	2	2
50-64	4	1.0		1	1	1	1	1	1	1
65 +	3	1.3		1	1	1	2	2	2	2
TOTAL SINGLE DX	28	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	53	1.6	5	1	1	1	1	2	6	15
TOTAL										
0-19 YRS	64	1.5	4	1	1	1	1	2	4	14
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	6	1.7	1	<1	1	1	2	3	3	3
50-64	4	1.0		1	1	1	1	1	1	1
65 +	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	81	1.4	3	1	1	1	1	2	3	13

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	2.6	2	1	1	2	4	5	5	8
20-34	30	2.0	1	1	1	2	2	4	5	5
35-49	24	1.8	1	1	1	1	2	4	5	6
50-64	11	1.9		1	1	2	2	3	4	4
65 +	19	2.9	4	1	1	2	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	103	4.9	19	1	1	4	6	10	13	22
20-34	70	3.8	12	1	1	2	5	9	11	17
35-49	54	3.9	20	1	1	2	6	7	13	23
50-64	55	2.9	6	1	1	2	3	6	9	12
65 +	121	4.1	20	1	2	3	5	9	12	24
TOTAL SINGLE DX	147	2.3	3	1	1	2	3	5	5	7
TOTAL MULTIPLE DX	403	4.1	17	1	1	3	5	9	12	21
TOTAL										
0-19 YRS	166	4.0	14	1	1	3	5	9	11	20
20-34	100	3.3	10	1	1	2	4	8	10	16
35-49	78	3.2	15	1	1	2	4	7	9	22
50-64	66	2.8	6	1	1	2	3	5	8	12
65 +	140	4.0	18	1	2	3	5	8	11	21
GRAND TOTAL	550	3.6	14	1	1	2	5	8	10	20

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	2.2	5	1	1	1	3	5	6	13
20-34	17	1.7		<1	1	1	2	3	4	4
35-49	7	2.1	9	<1	<1	<1	1	7	9	9
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	7	3.7	19	1	1	1	5	11	13	13
2. MULTIPLE DX										
0-19 YRS	170	2.9	12	1	1	2	4	6	9	14
20-34	63	3.5	10	1	1	2	4	7	12	17
35-49	40	4.8	135	<1	1	2	5	7	9	75
50-64	22	4.8	9	2	3	4	6	8	11	14
65+	68	7.0	37	1	3	6	9	14	20	88
TOTAL SINGLE DX	132	2.2	5	<1	1	1	2	5	6	14
TOTAL MULTIPLE DX	363	4.1	32	1	1	2	5	9	12	34
TOTAL										
0-19 YRS	267	2.7	10	1	1	2	3	6	7	14
20-34	80	3.1	9	1	1	2	4	6	11	16
35-49	47	4.4	117	<1	1	2	5	8	9	75
50-64	26	4.2	10	1	2	4	6	8	10	14
65+	75	6.7	37	1	2	6	9	14	18	83
GRAND TOTAL	495	3.6	26	1	1	2	4	8	11	25

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.0		1	1	1	1	1	1	2
20-34	39	1.2		1	1	1	1	2	2	4
35-49	98	1.1		1	1	1	1	1	2	2
50-64	57	1.1		1	1	1	1	2	2	3
65+	28	1.5		1	1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	22	1.2		1	1	1	1	2	3	3
20-34	28	1.1		1	1	1	1	1	2	3
35-49	69	1.2		1	1	1	1	2	2	5
50-64	43	1.2		1	1	1	1	2	2	2
65+	36	1.4	1	1	1	1	2	2	3	7
TOTAL SINGLE DX	255	1.1		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	198	1.2		1	1	1	1	2	2	5
TOTAL										
0-19 YRS	55	1.1		1	1	1	1	1	2	3
20-34	67	1.1		1	1	1	1	1	2	4
35-49	167	1.1		1	1	1	1	1	2	2
50-64	100	1.2		1	1	1	1	2	2	3
65+	64	1.5	1	1	1	1	2	2	3	7
GRAND TOTAL	453	1.2		1	1	1	1	2	2	3

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	141	1.0		1	1	1	1	1	1	2
20-34	33	1.0		<1	1	1	1	1	1	2
35-49	39	1.0		<1	1	1	1	1	1	1
50-64	36	1.0		1	1	1	1	1	1	1
65+	20	1.1		<1	1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	198	1.1		1	1	1	1	1	2	5
20-34	56	1.2		1	1	1	1	2	3	4
35-49	47	1.1		1	1	1	1	1	2	4
50-64	58	1.2		1	1	1	1	2	3	4
65+	34	1.5	1	1	1	1	2	3	4	5
TOTAL SINGLE DX	269	1.0		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	393	1.2	1	1	1	1	1	2	2	5
TOTAL										
0-19 YRS	339	1.1		1	1	1	1	1	1	3
20-34	89	1.1		1	1	1	1	1	2	4
35-49	86	1.1		<1	1	1	1	1	2	3
50-64	94	1.1		1	1	1	1	1	2	4
65+	54	1.4	1	1	1	1	1	2	3	5
GRAND TOTAL	662	1.1		1	1	1	1	1	2	4

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	2.3	5	<1	1	1	3	5	7	13
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49	8	1.1		1	1	1	1	2	2	2
50-64	4	4.5	16	1	1	4	8	8	8	8
65+	6	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	700	3.4	44	1	1	1	4	7	11	38
20-34	21	3.8	16	<1	1	3	4	9	14	17
35-49	22	4.1	36	1	1	1	6	12	21	22
50-64	30	7.3	120	1	1	2	11	17	18	56
65+	50	5.3	39	1	1	2	8	13	19	27
TOTAL SINGLE DX	124	2.1	5	<1	1	1	3	5	7	11
TOTAL MULTIPLE DX	823	3.7	46	1	1	1	4	8	14	38
TOTAL										
0-19 YRS	799	3.2	40	1	1	1	3	7	10	35
20-34	28	3.1	14	<1	1	1	4	6	12	17
35-49	30	3.3	28	1	1	1	2	7	21	22
50-64	34	6.9	109	1	1	2	10	17	18	56
65+	56	4.8	37	1	1	1	7	12	18	27
GRAND TOTAL	947	3.5	41	1	1	1	4	7	12	34

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	129	1.4	3	1	1	1	1	2	3	15
20-34	46	1.2		1	1	1	1	2	3	5
35-49	37	1.2		1	1	1	1	2	3	4
50-64	31	1.4		1	1	1	1	3	4	4
65 +	13	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	196	2.1	9	1	1	1	1	4	9	17
20-34	106	2.1	23	1	1	1	1	4	6	28
35-49	90	1.6	4	1	1	1	1	2	2	14
50-64	84	2.0	8	1	1	1	2	3	6	18
65 +	54	2.2	9	1	1	1	2	4	6	20
TOTAL SINGLE DX	256	1.4	2	1	1	1	1	2	3	7
TOTAL MULTIPLE DX	530	2.0	11	1	1	1	1	4	7	16
TOTAL										
0-19 YRS	325	1.8	7	1	1	1	1	3	6	16
20-34	152	1.8	16	1	1	1	1	3	4	12
35-49	127	1.5	3	1	1	1	1	2	3	13
50-64	115	1.8	7	1	1	1	2	3	5	16
65 +	67	2.1	8	1	1	1	2	3	6	19
GRAND TOTAL	786	1.8	8	1	1	1	1	3	5	15

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	1.7	4	1	1	1	1	2	4	14
20-34	35	1.1		1	1	1	1	1	3	3
35-49	40	1.5	1	1	1	1	1	3	4	7
50-64	35	1.3		1	1	1	1	3	3	4
65 +	18	1.5	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	137	2.7	18	1	1	1	2	7	9	25
20-34	38	2.1	4	1	1	1	2	6	7	9
35-49	47	1.6	1	1	1	1	2	3	4	7
50-64	58	2.1	7	1	1	1	2	4	9	17
65 +	46	2.5	15	1	1	1	2	5	10	22
TOTAL SINGLE DX	222	1.5	2	1	1	1	1	2	3	9
TOTAL MULTIPLE DX	326	2.3	12	1	1	1	2	6	8	18
TOTAL										
0-19 YRS	231	2.3	13	1	1	1	2	6	8	18
20-34	73	1.6	3	1	1	1	1	3	6	9
35-49	87	1.5	2	1	1	1	1	3	4	7
50-64	93	1.8	5	1	1	1	2	3	5	14
65 +	64	2.2	12	1	1	1	2	4	8	21
GRAND TOTAL	548	2.0	8	1	1	1	2	4	7	16

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	21	1.1		1	1	1	1	2	2	2
35-49	19	1.1		1	1	1	1	2	2	2
50-64	7	1.6	2	1	1	1	1	4	5	5
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	45	1.5	7	1	1	1	1	2	2	19
20-34	115	1.3	1	1	1	1	1	2	3	8
35-49	115	1.4		1	1	1	1	2	3	6
50-64	69	2.0	1	1	1	2	2	4	5	7
65 +	27	2.8	7	1	1	1	4	8	10	10
TOTAL SINGLE DX	56	1.2		1	1	1	1	2	2	5
TOTAL MULTIPLE DX	371	1.6	3	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	52	1.4	6	1	1	1	1	2	2	19
20-34	136	1.3	1	1	1	1	1	2	3	6
35-49	134	1.3	1	1	1	1	1	2	3	6
50-64	76	1.9	2	1	1	1	2	4	5	7
65 +	29	2.7	7	1	1	1	3	8	10	10
GRAND TOTAL	427	1.5	2	1	1	1	1	3	4	9

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	89	1.3		1	1	1	1	2	3	5
20-34	77	1.2		1	1	1	1	2	2	7
35-49	85	1.2		1	1	1	1	2	2	5
50-64	20	1.2		1	1	1	1	2	3	3
65 +	11	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	232	2.5	35	1	1	1	2	4	7	34
20-34	323	1.9	15	1	1	1	1	3	5	24
35-49	315	1.5	2	1	1	1	1	2	4	9
50-64	149	2.0	5	1	1	1	2	4	7	12
65 +	88	3.2	10	1	1	2	3	9	11	15
TOTAL SINGLE DX	282	1.3	1	1	1	1	1	2	3	5
TOTAL MULTIPLE DX	1107	2.0	14	1	1	1	2	3	6	14
TOTAL										
0-19 YRS	321	2.2	26	1	1	1	2	3	5	29
20-34	400	1.8	13	1	1	1	1	2	5	17
35-49	400	1.4	2	1	1	1	1	2	3	9
50-64	169	1.9	5	1	1	1	2	4	6	12
65 +	99	2.9	10	1	1	2	3	8	11	14
GRAND TOTAL	1389	1.9	12	1	1	1	2	3	5	12

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	2.2	3	1	1	1	3	5	6	7
20-34	10	1.5	1	1	1	1	1	3	5	5
35-49	13	1.3		1	1	1	2	2	2	2
50-64	8	1.4	1	1	1	1	1	3	4	4
65 +	9	2.1	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	69	3.4	22	1	1	2	4	8	12	27
20-34	59	2.9	35	1	1	1	1	4	19	28
35-49	84	1.8	4	1	1	1	2	4	5	13
50-64	65	2.1	4	1	1	1	2	5	7	12
65 +	79	6.7	71	1	1	3	9	15	19	51
TOTAL SINGLE DX	60	1.8	2	1	1	1	2	4	5	7
TOTAL MULTIPLE DX	356	3.4	31	1	1	1	3	9	14	28
TOTAL										
0-19 YRS	89	3.2	19	1	1	1	4	7	11	26
20-34	69	2.7	31	1	1	1	1	4	14	28
35-49	97	1.7	4	1	1	1	2	4	5	12
50-64	73	2.0	4	1	1	1	2	4	6	12
65 +	88	6.2	66	1	1	3	9	15	17	48
GRAND TOTAL	416	3.2	27	1	1	1	3	8	12	28

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.4		<1	1	1	2	3	3	3
20-34	40	2.3	2	1	1	2	3	5	6	6
35-49	57	2.7	2	1	1	2	4	5	6	8
50-64	37	3.2	3	1	1	3	5	5	6	7
65 +	36	3.0	3	1	2	3	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	73	3.9	15	1	1	2	6	8	12	21
20-34	116	3.5	11	1	1	3	5	7	9	18
35-49	102	4.7	11	2	2	4	6	9	11	17
50-64	160	5.6	45	2	3	4	6	10	12	43
65 +	269	5.8	29	2	2	4	7	11	16	26
TOTAL SINGLE DX	190	2.6	3	1	1	2	4	5	6	7
TOTAL MULTIPLE DX	720	5.0	27	1	2	4	6	10	12	25
TOTAL										
0-19 YRS	93	3.4	13	1	1	2	5	7	11	19
20-34	156	3.2	10	1	1	2	4	6	8	14
35-49	159	4.0	9	1	2	3	5	8	10	15
50-64	197	5.1	39	1	3	4	5	9	11	38
65 +	305	5.5	27	1	2	4	7	11	15	25
GRAND TOTAL	910	4.5	23	1	2	3	6	9	11	24

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	19	2.2	9	1	1	1	1	6	11	13
35-49	24	1.2		1	1	1	1	2	3	3
50-64	11	2.0	5	<1	1	1	2	5	9	9
65 +	10	1.7	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	19	2.9	10	1	1	2	3	7	11	14
20-34	62	2.5	14	1	1	1	2	5	6	26
35-49	61	2.2	9	1	1	1	2	5	8	17
50-64	49	3.3	30	1	1	1	3	8	13	33
65 +	42	3.4	25	1	1	2	3	6	18	25
TOTAL SINGLE DX	69	1.7	4	1	1	1	2	3	4	12
TOTAL MULTIPLE DX	233	2.8	18	1	1	1	2	6	10	26
TOTAL										
0-19 YRS	24	2.6	9	1	1	1	3	7	9	14
20-34	81	2.4	13	1	1	1	2	5	7	23
35-49	85	1.9	7	1	1	1	2	3	6	17
50-64	60	3.1	26	1	1	1	3	7	11	31
65 +	52	3.0	21	1	1	2	3	5	17	25
GRAND TOTAL	302	2.5	15	1	1	1	2	5	9	22

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	1.7	3	1	1	1	1	3	6	11
20-34	36	1.8	1	1	1	1	3	4	4	6
35-49	41	2.0	6	1	1	1	2	3	6	15
50-64	27	3.2	39	1	1	1	2	6	17	31
65 +	23	2.3	4	1	1	1	3	4	7	11
2. MULTIPLE DX										
0-19 YRS	294	4.1	39	1	1	1	5	10	15	45
20-34	189	2.7	14	1	1	1	2	7	10	20
35-49	262	2.6	11	1	1	1	2	7	10	21
50-64	182	3.7	52	1	1	1	3	8	14	49
65 +	142	5.6	59	1	1	2	8	15	19	37
TOTAL SINGLE DX	249	2.0	8	1	1	1	2	3	6	15
TOTAL MULTIPLE DX	1069	3.6	34	1	1	1	4	9	14	31
TOTAL										
0-19 YRS	416	3.4	30	1	1	1	4	8	13	33
20-34	225	2.6	12	1	1	1	3	6	9	18
35-49	303	2.5	11	1	1	1	2	7	10	19
50-64	209	3.6	50	1	1	1	3	8	15	42
65 +	165	5.2	53	1	1	2	7	13	18	35
GRAND TOTAL	1318	3.3	29	1	1	1	3	8	13	29

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.8	5	1	2	2	3	6	9	9
20-34	9	3.3	7	1	1	2	5	8	8	8
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	136	3.3	35	1	1	2	4	6	8	22
20-34	100	7.7	110	1	2	4	9	28	42	99 +
35-49	64	7.7	89	1	1	4	10	19	34	37
50-64	71	8.6	219	1	2	4	9	16	35	74
65 +	98	8.8	79	1	2	6	13	20	23	47
TOTAL SINGLE DX	26	2.7	5	1	1	2	4	7	8	9
TOTAL MULTIPLE DX	469	6.8	100	1	1	3	8	17	28	73
TOTAL										
0-19 YRS	147	3.3	33	1	1	2	4	6	8	16
20-34	109	7.4	104	1	2	3	8	27	42	99 +
35-49	66	7.5	88	1	1	3	10	19	33	37
50-64	74	8.3	213	1	2	4	8	16	33	74
65 +	99	8.8	79	1	2	6	13	20	23	47
GRAND TOTAL	495	6.6	96	1	1	3	8	16	27	72

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	44	2.2	13	1	1	1	2	3	5	25
20-34	7	3.7	8	<1	1	3	7	73	99 +	99 +
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
TOTAL SINGLE DX	9	1.1		<1	1	1	1	2	2	2
TOTAL MULTIPLE DX	60	2.4	11	1	1	1	2	5	7	92
TOTAL										
0-19 YRS	49	2.1	12	1	1	1	2	3	5	25
20-34	9	3.1	8	<1	1	2	6	54	99 +	99 +
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	5	1.6	2	1	1	1	2	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	69	2.2	10	1	1	1	2	5	6	85

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	1.3		1	1	1	1	2	3	5
20-34	10	1.5	1	1	1	1	2	3	4	4
35-49	9	2.4	6	1	1	2	2	7	9	9
50-64	10	1.5		<1	1	1	2	3	3	3
65 +	4	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	105	2.6	15	1	1	2	3	4	6	23
20-34	28	5.7	64	1	2	4	6	9	17	44
35-49	24	4.5	43	1	1	2	5	11	17	32
50-64	31	3.6	25	1	1	2	3	11	13	24
65 +	36	9.6	159	1	2	3	13	33	39	47
TOTAL SINGLE DX	73	1.5	1	1	1	1	2	3	3	8
TOTAL MULTIPLE DX	224	4.4	55	1	1	2	4	10	16	42
TOTAL										
0-19 YRS	145	2.2	12	1	1	2	2	4	5	11
20-34	38	4.6	51	1	1	3	5	8	12	44
35-49	33	3.9	34	1	1	2	5	10	11	32
50-64	41	3.1	20	1	1	2	2	9	12	24
65 +	40	8.9	149	1	1	3	11	32	37	47
GRAND TOTAL	297	3.7	43	1	1	2	3	7	13	41

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	1.8		1	1	2	2	3	4	5
20-34	112	1.5		1	1	1	2	2	3	3
35-49	171	1.7	2	1	1	1	2	3	3	11
50-64	148	1.7	1	1	1	2	2	3	3	7
65 +	116	1.7		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	39	4.0	26	1	1	2	4	10	17	25
20-34	58	2.6	6	1	1	2	3	5	9	12
35-49	107	2.2	3	1	1	2	3	4	6	11
50-64	169	3.0	29	1	1	2	3	6	7	15
65 +	255	4.1	35	1	2	2	4	8	15	39
TOTAL SINGLE DX	607	1.7	1	1	1	1	2	3	3	6
TOTAL MULTIPLE DX	628	3.3	26	1	1	2	3	6	10	26
TOTAL										
0-19 YRS	99	2.7	12	1	1	2	3	5	9	21
20-34	170	1.9	3	1	1	1	2	3	4	11
35-49	278	1.9	3	1	1	1	2	3	4	11
50-64	317	2.4	17	1	1	2	2	4	6	11
65 +	371	3.4	26	1	1	2	3	6	11	34
GRAND TOTAL	**1235**	**2.5**	**14**	**1**	**1**	**2**	**2**	**4**	**7**	**16**

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				[illegible]TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	359	2.0	1	1	1	2	2	3	4	5
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	7	1.4		<1	1	1	2	2	2	2
65 +	0	*								
2. MULTIPLE DX										
0-19 YRS	540	2.4	2	1	1	2	3	4	5	9
20-34	38	3.0	23	1	1	2	3	5	8	30
35-49	52	2.8	5	1	2	2	3	4	6	16
50-64	31	2.5	5	1	1	2	3	4	5	14
65 +	12	4.8	27	1	2	3	6	13	17	18
TOTAL SINGLE DX	373	2.0	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	673	2.5	5	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	899	2.3	2	1	1	2	3	4	5	7
20-34	42	2.9	21	1	1	2	3	4	8	30
35-49	55	2.7	6	1	1	2	3	4	6	16
50-64	38	2.3	5	1	1	2	3	4	5	14
65 +	12	4.8	27	1	2	3	6	13	17	18
GRAND TOTAL	**1046**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	315	2.0	3	1	1	1	2	4	5	10
20-34	48	3.6	6	1	1	3	5	7	8	11
35-49	47	4.0	17	1	1	3	5	8	12	23
50-64	32	2.2	1	1	1	2	3	4	5	6
65 +	37	3.1	8	1	1	2	4	7	10	14
2. MULTIPLE DX										
0-19 YRS	443	3.0	9	1	1	2	4	6	8	16
20-34	229	4.1	17	1	2	3	5	8	10	22
35-49	173	5.5	42	1	2	3	6	13	18	30
50-64	165	7.4	81	1	2	4	9	16	27	50
65 +	247	7.9	78	1	2	5	10	17	26	47
TOTAL SINGLE DX	479	2.4	6	1	1	2	3	5	7	12
TOTAL MULTIPLE DX	1257	5.1	42	1	1	3	6	11	17	34
TOTAL										
0-19 YRS	758	2.6	7	1	1	2	3	5	8	15
20-34	277	4.0	15	1	2	3	5	7	10	21
35-49	220	5.2	38	1	2	3	6	12	16	26
50-64	197	6.5	72	1	2	3	8	14	24	49
65 +	284	7.3	72	1	2	4	10	17	24	47
GRAND TOTAL	**1736**	**4.3**	**34**	**1**	**1**	**2**	**5**	**10**	**14**	**29**

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	810	1.1		1	1	1	1	1	2	4
20-34	483	1.1		1	1	1	1	1	2	3
35-49	87	1.4		1	1	1	2	2	3	6
50-64	12	1.4		1	1	1	2	3	3	3
65 +	5	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	438	1.8	10	1	1	1	1	3	5	11
20-34	250	1.6	2	1	1	1	2	3	5	10
35-49	56	1.9	5	1	1	1	2	3	5	15
50-64	27	1.9	2	1	1	1	2	4	7	7
65 +	10	3.0	6	1	1	2	4	7	9	9
TOTAL SINGLE DX	1397	1.2		1	1	1	1	2	2	4
TOTAL MULTIPLE DX	781	1.8	8	1	1	1	2	3	5	11
TOTAL										
0-19 YRS	1248	1.4	4	1	1	1	1	2	3	9
20-34	733	1.3	1	1	1	1	1	2	3	6
35-49	143	1.6	3	1	1	1	2	3	4	7
50-64	39	1.8	2	1	1	1	2	3	6	7
65 +	15	2.3	5	1	1	1	3	5	8	9
GRAND TOTAL	**2178**	**1.4**	**3**	**1**	**1**	**1**	**1**	**2**	**3**	**7**

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1895	1.1		1	1	1	1	1	1	3
20-34	56	1.1		1	1	1	1	2	2	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2834	1.5	6	1	1	1	1	2	3	10
20-34	47	1.6	1	1	1	1	2	3	5	8
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	3	2.7	8	1	1	1	5	6	6	6
TOTAL SINGLE DX	1952	1.1		1	1	1	1	1	1	3
TOTAL MULTIPLE DX	2887	1.5	6	1	1	1	1	2	3	10
TOTAL										
0-19 YRS	4729	1.3	4	1	1	1	1	2	2	8
20-34	103	1.3	1	1	1	1	1	2	3	7
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	3	2.7	8	1	1	1	5	6	6	6
GRAND TOTAL	4839	1.3	4	1	1	1	1	2	2	8

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.0		<1	1	1	1	1	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	147	2.6	11	1	1	1	2	8	10	15
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	24	1.0		<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	151	2.6	11	1	1	1	2	8	10	15
TOTAL										
0-19 YRS	170	2.4	10	1	1	1	2	7	10	15
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	175	2.4	10	1	1	1	2	7	10	15

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	333	2.0	2	1	1	1	2	4	5	10
20-34	154	2.0	1	1	1	2	3	3	4	5
35-49	71	2.5	3	1	1	2	3	5	5	10
50-64	21	3.0	4	<1	1	3	4	6	7	8
65 +	17	3.4	8	1	1	2	4	9	10	10
2. MULTIPLE DX										
0-19 YRS	252	3.9	28	1	1	3	4	7	11	28
20-34	129	3.4	8	1	2	2	4	6	9	16
35-49	113	3.5	30	1	1	2	3	6	14	31
50-64	95	5.0	32	1	1	2	7	14	19	25
65 +	78	6.9	46	1	2	4	9	16	23	29
TOTAL SINGLE DX	596	2.1	3	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	667	4.2	29	1	1	3	4	9	15	27
TOTAL										
0-19 YRS	585	2.8	15	1	1	2	3	5	8	18
20-34	283	2.6	5	1	1	2	3	4	6	14
35-49	184	3.1	20	1	1	2	3	5	9	25
50-64	116	4.6	28	1	1	3	6	12	17	24
65 +	95	6.3	41	1	2	4	9	16	19	29
GRAND TOTAL	1263	3.3	18	1	1	2	3	7	10	23

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	2.0	3	<1	1	1	2	5	6	8
20-34	8	1.9	1	1	1	2	3	4	4	4
35-49	10	1.8	1	1	1	1	2	4	4	4
50-64	15	2.3	1	<1	1	2	3	4	5	5
65 +	15	2.6	2	<1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	106	4.1	26	1	2	2	4	9	12	34
20-34	37	4.6	57	1	1	2	5	10	22	38
35-49	44	5.7	87	1	2	4	6	9	15	60
50-64	62	3.9	9	1	2	3	5	8	10	16
65 +	135	5.1	15	1	2	4	6	11	13	20
TOTAL SINGLE DX	73	2.2	2	<1	1	1	3	4	5	8
TOTAL MULTIPLE DX	384	4.6	30	1	2	3	6	9	12	32
TOTAL										
0-19 YRS	131	3.7	23	1	1	2	4	7	11	34
20-34	45	4.2	48	1	1	2	4	9	16	38
35-49	54	5.0	74	1	1	3	5	9	10	59
50-64	77	3.6	9	1	1	3	4	7	10	15
65 +	150	4.8	14	1	2	4	6	10	13	20
GRAND TOTAL	457	4.2	26	1	1	3	5	9	11	28

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	1.9	3	1	1	1	2	4	7	9
20-34	4	2.5	1	2	2	2	28	99+	99+	99+
35-49	11	3.3	13	1	1	1	5	10	11	11
50-64	13	3.5	33	<1	1	1	3	9	20	22
65+	12	2.8	9	1	1	1	4	7	10	11
2. MULTIPLE DX										
0-19 YRS	105	4.7	30	1	1	3	7	12	16	62
20-34	14	4.7	46	1	1	2	4	17	22	24
35-49	30	8.3	100	<1	1	5	12	19	23	48
50-64	81	5.0	30	1	1	2	7	12	16	27
65+	115	5.5	41	1	1	3	8	13	15	36
TOTAL SINGLE DX	100	2.4	9	1	1	1	2	5	9	60
TOTAL MULTIPLE DX	345	5.4	41	1	1	3	8	14	17	33
TOTAL										
0-19 YRS	165	3.7	22	1	1	2	4	9	14	32
20-34	18	4.2	37	1	1	2	4	21	66	99+
35-49	41	7.0	81	1	1	4	9	17	22	48
50-64	94	4.8	31	1	1	2	7	11	17	26
65+	127	5.3	39	1	1	3	8	13	15	34
GRAND TOTAL	445	4.7	36	1	1	2	7	12	16	33

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	4.2	31	1	1	2	2	14	17	17
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	10.0		10	10	10	10	10	10	10
50-64	7	8.9	25	2	6	9	11	16	17	17
65+	10	12.4	41	4	8	12	17	21	23	23
2. MULTIPLE DX										
0-19 YRS	81	6.7	110	1	2	3	7	15	22	64
20-34	5	6.2	34	1	2	3	12	14	14	14
35-49	15	15.5	311	3	6	13	14	27	63	75
50-64	41	11.1	174	1	3	8	13	24	38	71
65+	37	14.2	85	4	8	12	18	24	34	43
TOTAL SINGLE DX	29	8.3	42	1	2	8	13	17	19	23
TOTAL MULTIPLE DX	179	10.0	144	1	2	7	13	20	34	72
TOTAL										
0-19 YRS	91	6.4	102	1	2	3	7	15	20	61
20-34	6	5.5	31	1	2	3	11	14	14	14
35-49	16	15.2	293	3	7	12	14	26	61	75
50-64	48	10.8	153	1	3	8	12	18	36	71
65+	47	13.8	76	4	8	12	18	23	33	43
GRAND TOTAL	208	9.7	130	1	2	7	13	19	33	72

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	6	12.2	23	7	8	11	16	19	19	19
50-64	16	10.3	8	7	8	10	12	14	17	18
65+	17	10.1	6	7	8	11	11	13	15	16
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	17.3	49	10	12	18	22	24	24	24
35-49	27	15.9	57	9	11	14	17	24	30	45
50-64	101	19.0	184	9	11	15	20	33	50	80
65+	99	15.8	97	9	11	13	17	27	38	84
TOTAL SINGLE DX	39	10.5	10	7	8	10	12	15	17	19
TOTAL MULTIPLE DX	230	17.2	132	9	11	14	19	29	45	73
TOTAL										
0-19 YRS	0									
20-34	3	17.3	49	10	12	18	22	24	24	24
35-49	33	15.2	52	8	10	14	17	23	27	45
50-64	117	17.8	169	9	10	14	20	31	48	75
65+	116	15.0	88	9	10	12	16	23	37	79
GRAND TOTAL	269	16.3	120	9	10	13	17	27	38	67

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	17.9	592	1	8	12	26	99+	99+	99+
20-34	6	10.0	94	2	5	6	14	27	28	28
35-49	6	15.5	352	3	5	9	13	49	53	53
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	7	10.4	168	2	4	5	10	33	39	39
2. MULTIPLE DX										
0-19 YRS	146	30.1	517	8	15	33	99	99+	99+	99+
20-34	82	30.0	533	5	13	29	53	87	99+	99+
35-49	123	29.2	508	6	10	24	47	70	83	99+
50-64	254	30.7	602	5	11	28	53	91	99+	99+
65+	383	37.3	574	9	19	37	58	93	99+	99+
TOTAL SINGLE DX	34	13.8	331	2	5	9	15	52	98	99+
TOTAL MULTIPLE DX	988	32.9	572	7	14	32	58	99+	99+	99+
TOTAL										
0-19 YRS	159	29.1	531	8	14	31	95	99+	99+	99+
20-34	88	28.6	528	5	11	27	51	83	99+	99+
35-49	129	28.6	506	6	10	24	46	69	82	99+
50-64	256	30.5	603	5	11	28	53	91	99+	99+
65+	300	36.8	580	8	18	37	58	92	99+	99+
GRAND TOTAL	1022	32.3	575	6	14	31	57	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	7.6	113	1	1	3	8	20	34	49
20-34	3	2.3		2	2	2	3	3	3	3
35-49	8	2.3	2	< 1	1	2	3	5	5	5
50-64	8	1.6	1	1	1	1	2	4	4	4
65 +	6	1.8	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	221	12.7	289	1	2	8	18	44	91	99 +
20-34	13	5.2	18	1	3	6	37	99 +	99 +	99 +
35-49	18	9.9	108	1	2	6	17	22	33	40
50-64	39	7.2	155	1	1	3	7	19	29	69
65 +	56	9.4	115	1	2	6	14	24	31	55
TOTAL SINGLE DX	96	6.2	90	1	1	3	6	18	28	48
TOTAL MULTIPLE DX	347	11.1	231	1	2	6	16	34	81	99 +
TOTAL										
0-19 YRS	292	11.5	251	1	2	7	15	35	76	99 +
20-34	16	4.6	16	1	2	5	13	99 +	99 +	99 +
35-49	26	7.5	88	1	1	3	13	18	26	40
50-64	47	6.2	133	1	1	2	4	17	24	69
65 +	62	8.7	110	1	1	5	11	23	29	53
GRAND TOTAL	443	10.0	204	1	2	5	13	30	61	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	4.2	7	2	3	4	5	7	11	12
20-34	10	7.8	20	2	5	8	9	14	17	17
35-49	18	6.1	26	1	2	4	9	12	18	21
50-64	32	5.8	23	1	2	4	9	12	15	19
65 +	23	6.2	21	1	3	6	9	11	15	21
2. MULTIPLE DX										
0-19 YRS	39	10.6	209	2	3	6	11	32	61	99 +
20-34	110	11.4	85	3	5	8	15	22	28	47
35-49	219	12.3	86	4	7	9	15	24	33	45
50-64	658	11.3	74	4	6	9	14	22	29	40
65 +	1335	13.2	86	5	7	11	16	24	31	49
TOTAL SINGLE DX	96	5.9	21	1	2	5	9	12	14	21
TOTAL MULTIPLE DX	2361	12.5	86	4	7	10	15	24	31	46
TOTAL										
0-19 YRS	52	9.0	166	2	3	5	9	21	44	99
20-34	120	11.1	80	3	5	8	14	21	27	45
35-49	237	11.8	84	3	6	9	15	24	31	45
50-64	690	11.0	73	3	6	9	14	22	29	40
65 +	1358	13.1	86	5	7	11	16	24	31	49
GRAND TOTAL	2457	12.2	85	4	7	10	15	23	30	45

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	20.0		20	20	20	20	20	20	20
50-64	5	7.4	45	3	3	5	10	19	19	19
65 +	2	6.0	50	1	1	6	11	11	11	11
TOTAL SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
TOTAL MULTIPLE DX	10	9.7	58	2	3	7	19	20	21	21
TOTAL										
0-19 YRS	3	4.0	9	1	2	4	6	7	7	7
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	20.0		20	20	20	20	20	20	20
50-64	5	7.4	45	3	3	5	10	19	19	19
65 +	2	6.0	50	1	1	6	11	11	11	11
GRAND TOTAL	12	8.5	56	1	3	6	15	20	21	21

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	6.8	15	3	4	5	9	11	15	19
20-34	40	6.0	11	3	3	5	8	10	13	16
35-49	65	7.3	34	3	4	5	9	12	20	34
50-64	113	6.3	9	3	4	6	8	10	11	18
65 +	54	6.8	17	3	4	6	8	11	14	26
2. MULTIPLE DX										
0-19 YRS	130	12.8	148	4	6	10	16	32	63	99 +
20-34	219	12.8	121	4	6	10	15	26	38	56
35-49	423	11.9	118	4	5	8	15	24	30	54
50-64	1068	11.3	89	4	6	8	14	22	28	52
65 +	1694	12.4	74	4	7	10	16	22	29	45
TOTAL SINGLE DX	293	6.6	17	3	4	6	8	11	14	23
TOTAL MULTIPLE DX	3534	12.1	90	4	6	9	15	23	30	53
TOTAL										
0-19 YRS	151	11.9	134	4	5	9	14	31	57	99 +
20-34	259	11.7	110	4	5	9	14	24	36	56
35-49	488	11.3	110	3	5	8	14	23	29	52
50-64	1181	10.8	84	4	6	8	13	21	27	50
65 +	1748	12.3	74	4	7	10	15	22	29	45
GRAND TOTAL	3827	11.6	87	4	6	9	15	22	29	50

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	5.2	3	3	4	5	6	8	8	8
20-34	5	10.4	29	5	6	10	13	19	19	19
35-49	19	8.4	9	5	7	7	10	12	15	17
50-64	46	7.7	9	5	6	7	8	11	16	18
65 +	38	9.3	13	6	7	8	11	16	17	19
2. MULTIPLE DX										
0-19 YRS	26	14.8	91	6	7	13	22	41	99 +	99 +
20-34	14	11.3	29	5	6	11	15	20	21	21
35-49	92	10.5	67	5	6	8	11	20	24	83
50-64	400	12.2	74	6	7	9	13	21	30	54
65 +	526	13.1	81	6	8	10	15	23	28	50
TOTAL SINGLE DX	114	8.3	12	5	6	7	9	13	17	19
TOTAL MULTIPLE DX	1058	12.5	78	6	7	10	15	22	28	55
TOTAL										
0-19 YRS	32	13.0	89	4	6	12	21	31	89	99 +
20-34	19	11.1	28	5	6	11	15	20	21	21
35-49	111	10.2	58	5	7	8	11	17	22	75
50-64	446	11.7	70	6	7	9	13	21	27	53
65 +	564	12.9	78	6	8	10	15	21	28	50
GRAND TOTAL	1172	12.1	73	6	7	9	14	21	28	53

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	283	2.4	8	1	1	1	3	5	9	15
20-34	17	7.7	34	2	4	6	11	17	21	23
35-49	30	5.7	18	1	2	5	8	11	16	17
50-64	28	6.6	46	1	2	5	9	12	15	36
65 +	13	5.5	8	2	3	6	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	787	7.5	124	1	2	4	9	18	31	98
20-34	150	11.2	89	3	5	8	14	23	29	59
35-49	195	10.9	87	3	5	8	13	24	31	48
50-64	426	10.7	81	3	6	9	12	20	26	51
65 +	738	13.2	81	4	7	11	17	24	29	47
TOTAL SINGLE DX	371	3.3	16	1	1	2	4	9	11	18
TOTAL MULTIPLE DX	2296	10.5	102	2	4	8	14	22	29	57
TOTAL										
0-19 YRS	1070	6.2	99	1	1	3	7	15	23	87
20-34	167	10.9	85	3	5	8	13	23	29	58
35-49	225	10.2	81	2	5	8	12	22	28	47
50-64	454	10.4	80	3	5	9	12	20	26	50
65 +	751	13.1	81	4	7	11	17	23	29	47
GRAND TOTAL	2667	9.5	96	1	3	7	12	21	27	56

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	5.8	14	2	3	4	10	11	11	11
20-34	10	4.4	4	3	3	4	5	8	8	8
35-49	12	4.3	8	2	3	4	5	8	11	12
50-64	2	7.5	41	3	3	7	12	12	12	12
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	24	12.0	98	3	5	9	14	28	33	41
20-34	21	13.3	282	3	5	7	14	34	54	75
35-49	20	14.0	53	5	7	14	21	26	61	99 +
50-64	30	9.7	51	3	4	8	13	18	24	34
65 +	47	20.2	269	5	10	17	26	36	45	99
TOTAL SINGLE DX	33	4.8	10	2	3	4	6	10	12	12
TOTAL MULTIPLE DX	142	14.7	179	4	6	12	20	31	38	99
TOTAL										
0-19 YRS	32	10.4	84	3	4	9	12	26	30	41
20-34	31	10.5	208	3	3	6	12	22	37	75
35-49	32	10.3	58	3	4	7	17	22	28	99 +
50-64	32	9.6	49	3	4	8	13	18	23	34
65 +	48	19.8	271	4	10	16	26	36	44	99
GRAND TOTAL	175	12.8	162	3	5	9	17	29	36	93

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	4.8	10	2	3	4	5	9	12	18
20-34	292	4.4	6	2	3	4	5	8	9	14
35-49	100	4.6	8	2	3	4	5	9	11	16
50-64	37	6.3	17	3	3	5	8	13	15	21
65 +	36	5.4	6	3	3	5	7	9	10	11
2. MULTIPLE DX										
0-19 YRS	227	10.6	109	3	5	7	12	24	37	68
20-34	380	7.9	51	3	4	6	9	16	23	37
35-49	347	8.6	46	3	4	7	11	17	23	36
50-64	513	10.1	81	3	5	7	13	19	26	46
65 +	876	11.6	86	4	5	9	15	22	29	48
TOTAL SINGLE DX	569	4.7	9	2	3	4	6	8	10	16
TOTAL MULTIPLE DX	2343	10.1	78	3	5	7	12	20	27	47
TOTAL										
0-19 YRS	331	8.7	86	3	4	6	10	18	29	58
20-34	672	6.4	35	2	3	5	7	12	17	35
35-49	447	7.7	41	2	4	5	10	16	20	32
50-64	550	9.9	78	3	5	7	12	19	25	46
65 +	912	11.3	85	4	5	8	15	22	29	48
GRAND TOTAL	2912	9.1	69	3	4	6	11	19	24	43

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	4.5	4	3	3	4	5	7	9	12
20-34	46	4.7	15	1	1	4	7	11	13	16
35-49	71	3.7	18	1	1	2	5	10	15	20
50-64	50	2.7	11	1	1	1	3	6	12	17
65 +	26	6.7	60	1	1	3	10	14	26	32
2. MULTIPLE DX										
0-19 YRS	123	9.4	94	3	4	6	10	19	33	50
20-34	128	9.9	86	1	4	7	13	23	30	43
35-49	173	10.6	110	1	4	8	14	21	28	62
50-64	307	10.9	148	1	4	7	13	24	31	70
65 +	434	12.1	131	2	5	9	16	27	32	58
TOTAL SINGLE DX	357	4.3	14	1	1	4	5	8	12	18
TOTAL MULTIPLE DX	1165	11.0	124	2	4	8	14	23	31	60
TOTAL										
0-19 YRS	287	6.6	49	3	4	5	7	12	16	43
20-34	174	8.5	73	1	3	6	11	20	26	39
35-49	244	8.6	93	1	2	6	12	18	25	55
50-64	357	9.7	137	1	2	6	12	23	28	67
65 +	460	11.8	129	2	4	9	15	25	32	58
GRAND TOTAL	**1522**	**9.4**	**107**	**1**	**3**	**6**	**12**	**20**	**28**	**54**

570: Open heart operations (33.6; 35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	363	5.9	7	3	5	6	7	9	10	14
20-34	20	7.1	6	5	6	7	8	9	13	16
35-49	27	8.4	29	5	6	7	9	12	16	32
50-64	35	10.8	65	7	8	9	11	16	23	51
65 +	23	12.7	24	8	9	12	15	22	48	99 +
2. MULTIPLE DX										
0-19 YRS	1346	11.6	113	5	6	8	13	23	33	87
20-34	114	10.4	59	5	6	8	11	18	29	39
35-49	242	13.7	109	7	8	11	15	23	30	63
50-64	580	14.7	114	7	8	11	17	27	37	68
65 +	877	17.2	149	8	10	13	20	32	43	73
TOTAL SINGLE DX	468	6.8	18	4	5	6	8	10	13	26
TOTAL MULTIPLE DX	3159	13.9	127	6	7	10	16	26	37	76
TOTAL										
0-19 YRS	1709	10.4	97	5	6	7	11	20	30	79
20-34	134	9.9	53	5	6	7	10	16	28	39
35-49	269	13.2	104	6	8	10	15	23	30	62
50-64	615	14.4	112	7	8	11	16	26	37	67
65 +	900	17.1	147	8	10	13	20	32	42	73
GRAND TOTAL	**3627**	**13.0**	**119**	**5**	**7**	**10**	**15**	**25**	**35**	**74**

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	2.7	1	2	2	2	3	5	5	5
35-49	189	3.1	6	1	2	2	4	7	8	11
50-64	455	3.0	22	1	1	2	3	6	7	11
65 +	293	3.0	5	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	58	5.5	28	2	3	4	7	9	13	35
35-49	1511	4.4	11	1	2	3	6	9	11	16
50-64	3775	4.3	12	1	2	3	6	9	11	17
65 +	3325	5.5	27	1	2	4	7	11	15	24
TOTAL SINGLE DX	945	3.0	14	1	1	2	3	6	8	11
TOTAL MULTIPLE DX	8672	4.8	19	1	2	3	7	10	12	20
TOTAL										
0-19 YRS	5	3.6	9	1	1	3	6	8	8	8
20-34	64	5.3	27	2	2	4	7	8	12	34
35-49	1700	4.3	11	1	2	3	6	8	10	15
50-64	4230	4.2	14	1	2	3	6	9	11	16
65 +	3618	5.3	26	1	2	4	7	11	14	23
GRAND TOTAL	**9617**	**4.6**	**18**	**1**	**2**	**3**	**6**	**10**	**12**	**19**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	7.0		7	7	7	7	7	7	7
35-49	60	7.7	3	5	6	8	9	10	11	14
50-64	149	9.1	13	6	7	8	10	13	15	25
65 +	146	10.8	26	7	8	9	12	16	20	31
2. MULTIPLE DX										
0-19 YRS	0									
20-34	18	10.1	10	7	8	9	12	16	16	16
35-49	847	10.4	27	6	7	9	12	16	20	33
50-64	3426	11.2	37	7	8	10	13	17	21	33
65 +	4083	14.0	83	8	9	11	16	22	30	57
TOTAL SINGLE DX	357	9.6	18	6	7	8	10	14	17	30
TOTAL MULTIPLE DX	8374	12.5	61	7	8	10	14	20	25	46
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	9.9	11	7	8	9	12	16	16	16
35-49	907	10.3	26	6	7	9	12	15	19	33
50-64	3575	11.1	37	7	8	9	13	17	21	33
65 +	4229	13.9	82	8	9	11	16	22	30	56
GRAND TOTAL	**8731**	**12.4**	**60**	**7**	**8**	**10**	**14**	**20**	**25**	**46**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	335	1.4		<1	1	1	2	2	2	6
20-34	88	2.5	4	1	1	2	3	5	7	11
35-49	590	2.7	5	1	1	2	4	6	8	10
50-64	915	2.6	5	1	1	1	4	6	8	11
65 +	516	2.8	8	1	1	1	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	1050	2.5	29	<1	1	1	2	4	9	25
20-34	318	4.8	16	1	1	4	7	10	12	20
35-49	3208	4.5	14	1	2	4	6	9	11	17
50-64	7855	4.8	18	1	1	4	7	10	12	20
65 +	8093	6.0	30	1	2	5	8	12	16	27
TOTAL SINGLE DX	2444	2.5	6	1	1	1	3	6	8	11
TOTAL MULTIPLE DX	20524	5.1	24	1	1	4	7	10	13	23
TOTAL										
0-19 YRS	1385	2.2	23	<1	1	1	2	3	8	22
20-34	406	4.3	15	1	1	3	6	9	11	20
35-49	3798	4.2	13	1	1	3	6	9	10	17
50-64	8770	4.6	17	1	1	4	7	9	12	19
65 +	8609	5.8	30	1	2	5	8	12	15	26
GRAND TOTAL	22968	4.8	22	1	1	4	7	10	13	22

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	3.3	7	1	2	2	4	6	9	15
20-34	16	3.6	8	1	2	3	3	9	11	12
35-49	24	3.1	4	1	2	3	4	6	8	10
50-64	60	3.8	19	1	1	2	4	9	12	25
65 +	234	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	109	4.6	18	1	2	4	5	10	15	54
20-34	45	6.4	30	1	2	4	9	13	18	24
35-49	111	6.3	23	2	3	5	9	12	15	24
50-64	519	8.5	81	2	3	6	11	18	25	44
65 +	3516	8.5	54	2	4	7	11	17	23	36
TOTAL SINGLE DX	373	3.1	9	1	1	2	4	6	8	16
TOTAL MULTIPLE DX	4300	8.3	56	2	4	6	11	17	22	37
TOTAL										
0-19 YRS	148	4.3	16	1	2	3	5	9	14	25
20-34	61	5.6	26	1	2	3	8	12	15	24
35-49	135	5.7	22	1	2	4	8	11	14	22
50-64	579	8.0	77	1	3	5	10	17	25	43
65 +	3750	8.2	53	2	3	6	11	16	22	36
GRAND TOTAL	4673	7.9	55	2	3	6	10	16	22	36

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	4.5	16	1	1	4	6	9	10	24
20-34	37	3.1	3	1	2	2	4	5	7	10
35-49	28	5.0	20	2	2	3	7	11	13	22
50-64	21	4.6	13	1	2	3	7	10	12	13
65 +	9	6.2	24	<1	2	5	9	14	16	16
2. MULTIPLE DX										
0-19 YRS	170	8.7	122	2	4	6	8	14	28	63
20-34	86	7.6	57	1	2	6	10	14	21	42
35-49	145	8.4	75	1	3	6	10	19	24	45
50-64	213	9.6	79	1	4	7	14	18	30	44
65 +	210	12.5	120	2	5	10	17	25	32	62
TOTAL SINGLE DX	163	4.3	14	1	2	3	6	9	11	21
TOTAL MULTIPLE DX	824	9.7	98	2	3	7	12	20	28	51
TOTAL										
0-19 YRS	238	7.5	96	1	3	6	8	13	24	55
20-34	123	6.2	45	1	2	4	8	11	19	41
35-49	173	7.9	68	2	2	6	10	17	24	45
50-64	234	9.1	75	1	3	7	12	18	29	42
65 +	219	12.2	118	2	5	10	17	25	31	62
GRAND TOTAL	987	8.8	88	1	3	6	11	18	26	49

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	581	2.5	12	1	2	2	2	4	5	9
20-34	55	2.8	3	1	1	2	4	6	7	9
35-49	48	3.8	11	1	1	3	6	9	13	14
50-64	58	2.6	4	1	1	2	3	6	8	9
65 +	42	5.5	37	1	1	3	7	14	18	31
2. MULTIPLE DX										
0-19 YRS	1028	5.5	52	1	2	3	6	12	17	47
20-34	225	6.5	33	1	2	5	10	15	18	47
35-49	381	7.8	43	2	3	6	10	16	20	34
50-64	839	8.9	52	2	4	7	12	18	22	36
65 +	2258	10.9	73	3	5	9	14	21	27	44
TOTAL SINGLE DX	784	2.8	13	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	4731	8.9	66	2	3	7	12	19	24	44
TOTAL										
0-19 YRS	1609	4.4	40	1	2	2	5	9	14	42
20-34	280	5.8	30	1	2	4	8	14	17	31
35-49	429	7.3	42	1	3	6	10	15	20	34
50-64	897	8.5	52	2	3	7	12	18	22	36
65 +	2300	10.8	73	3	5	9	14	21	27	44
GRAND TOTAL	5515	8.1	63	1	2	6	11	18	23	40

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	111	1.4		1	1	1	2	2	3	4
35-49	207	1.5		1	1	1	2	3	3	5
50-64	136	1.6	1	1	1	1	2	2	4	8
65 +	36	2.1	3	1	1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	40	3.1	29	1	1	1	2	6	16	27
35-49	130	2.6	11	1	1	2	2	4	7	23
50-64	110	3.0	9	1	1	2	3	6	11	15
65 +	67	4.0	24	1	1	2	5	10	15	27
TOTAL SINGLE DX	492	1.6	1	1	1	1	2	3	3	6
TOTAL MULTIPLE DX	347	3.0	16	1	1	2	3	6	10	24
TOTAL										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	151	1.9	9	1	1	1	2	3	3	24
35-49	337	1.9	5	1	1	1	2	3	4	12
50-64	246	2.3	6	1	1	1	2	5	6	13
65 +	103	3.3	18	1	1	2	3	7	11	24
GRAND TOTAL	839	2.2	8	1	1	1	2	4	6	17

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	6.8	12	5	5	6	7	10	17	20
20-34	7	4.0	4	2	2	3	6	7	7	7
35-49	28	5.2	4	2	3	5	7	8	9	9
50-64	113	6.5	6	4	5	6	8	10	11	15
65 +	94	6.7	9	4	5	6	8	10	11	19
2. MULTIPLE DX										
0-19 YRS	199	12.3	161	5	6	8	13	23	43	91
20-34	31	12.3	162	4	6	9	14	27	66	99 +
35-49	217	11.1	87	4	5	8	13	24	33	52
50-64	1177	11.3	94	4	6	8	13	21	29	63
65 +	2387	13.0	101	5	7	10	15	25	32	56
TOTAL SINGLE DX	269	6.4	8	3	5	6	8	10	11	18
TOTAL MULTIPLE DX	4011	12.4	103	5	7	9	15	24	31	61
TOTAL										
0-19 YRS	226	11.6	147	5	6	8	12	20	35	87
20-34	38	10.8	143	3	5	8	11	23	54	99 +
35-49	245	10.5	82	4	5	8	12	23	30	51
50-64	1290	10.9	89	4	6	8	12	19	27	62
65 +	2481	12.8	99	5	7	10	15	25	31	55
GRAND TOTAL	4280	12.0	99	5	6	9	14	23	31	59

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	9	3.4	4	1	2	3	4	7	8	8
65 +	7	3.1	5	< 1	2	3	3	7	8	8
2. MULTIPLE DX										
0-19 YRS	72	5.5	29	1	2	5	7	10	20	85
20-34	236	5.8	25	2	3	4	7	12	17	25
35-49	453	5.8	36	2	2	4	7	12	16	33
50-64	672	6.6	48	2	3	5	8	13	18	32
65 +	1072	7.2	49	2	3	5	9	14	18	38
TOTAL SINGLE DX	16	3.3	5	1	2	3	4	7	8	8
TOTAL MULTIPLE DX	2505	6.6	45	2	3	5	8	13	17	35
TOTAL										
0-19 YRS	72	5.5	29	1	2	5	7	10	20	85
20-34	236	5.8	26	2	3	4	7	12	17	25
35-49	453	5.8	37	2	2	4	7	12	16	33
50-64	681	6.5	48	2	3	5	8	13	17	32
65 +	1079	7.2	50	2	3	5	9	14	18	38
GRAND TOTAL	2521	6.6	44	2	3	5	8	13	17	35

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	9	3.1	8	1	1	2	5	8	8	8
35-49	22	2.1	3	1	1	1	2	5	7	9
50-64	29	3.9	59	1	1	1	4	8	11	42
65 +	23	2.1	4	1	1	1	2	6	8	8
2. MULTIPLE DX										
0-19 YRS	50	9.4	151	1	2	5	12	36	49	99 +
20-34	134	10.6	212	1	2	6	12	29	43	95
35-49	277	9.2	105	1	2	5	13	20	30	49
50-64	489	10.8	143	1	3	7	14	23	33	64
65 +	718	11.8	134	1	3	9	16	27	35	62
TOTAL SINGLE DX	87	2.8	23	1	1	1	3	7	8	30
TOTAL MULTIPLE DX	1668	10.9	140	1	3	7	15	25	35	63
TOTAL										
0-19 YRS	54	8.9	144	1	1	4	10	36	47	98
20-34	143	10.1	202	1	2	5	11	27	41	94
35-49	299	8.7	102	1	2	5	12	19	29	49
50-64	518	10.4	141	1	2	7	14	23	33	63
65 +	741	11.5	134	1	3	8	16	27	35	62
GRAND TOTAL	1755	10.5	137	1	2	7	14	25	34	62

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	3.9	5	2	3	3	4	8	10	11
50-64	126	3.7	2	2	3	3	4	6	6	12
65 +	243	4.6	6	3	3	4	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	73	5.5	10	3	3	4	7	10	12	18
50-64	833	6.4	27	3	3	5	7	12	16	30
65 +	2413	7.2	37	3	4	5	8	14	19	29
TOTAL SINGLE DX	385	4.3	5	2	3	4	5	6	9	14
TOTAL MULTIPLE DX	3320	7.0	35	3	4	5	8	14	18	29
TOTAL										
0-19 YRS	0									
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	88	5.3	10	3	3	4	7	10	11	17
50-64	959	6.1	25	3	3	4	7	12	16	29
65 +	2656	7.0	35	3	4	5	8	14	18	28
GRAND TOTAL	3705	6.7	32	3	4	5	8	13	17	28

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	355	4.9	30	1	3	4	6	8	13	30
20-34	76	4.7	20	1	1	3	7	10	15	21
35-49	131	4.9	24	1	1	3	7	11	15	24
50-64	251	4.8	23	1	2	3	7	10	12	24
65 +	221	5.2	38	1	1	4	7	11	14	26
2. MULTIPLE DX										
0-19 YRS	1826	15.6	338	3	5	9	21	57	91	99 +
20-34	447	8.4	124	1	2	5	10	20	33	77
35-49	804	9.2	108	1	2	6	12	20	32	50
50-64	2139	9.9	113	1	3	8	12	20	32	60
65 +	4461	11.2	106	2	5	9	14	22	31	55
TOTAL SINGLE DX	1034	4.9	29	1	2	4	6	10	13	24
TOTAL MULTIPLE DX	9677	11.4	157	2	4	8	14	25	40	99 +
TOTAL										
0-19 YRS	2181	13.8	304	2	4	8	18	49	83	99 +
20-34	523	7.8	111	1	2	5	9	18	30	75
35-49	935	8.6	99	1	2	5	11	19	30	47
50-64	2390	9.4	106	1	3	7	11	19	29	58
65 +	4682	10.9	105	2	4	9	14	22	30	55
GRAND TOTAL	10711	10.8	149	1	4	8	13	24	38	99

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	139	3.2	8	1	1	2	4	8	9	13
20-34	60	3.2	9	1	1	2	5	7	8	16
35-49	41	2.8	8	1	1	2	4	6	7	16
50-64	56	3.2	8	1	1	2	4	7	9	16
65 +	42	2.8	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	138	8.5	128	1	3	5	9	16	24	67
20-34	98	9.2	150	2	3	6	9	18	28	73
35-49	148	7.3	39	1	3	6	10	15	20	27
50-64	273	8.4	57	2	3	7	11	17	23	42
65 +	433	10.0	86	2	4	7	13	21	29	43
TOTAL SINGLE DX	338	3.1	8	1	1	2	4	7	9	15
TOTAL MULTIPLE DX	1090	9.0	84	2	3	7	11	18	25	48
TOTAL										
0-19 YRS	277	5.8	75	1	1	3	7	12	16	53
20-34	158	6.9	105	1	2	4	8	15	21	48
35-49	189	6.3	36	1	2	5	8	14	17	27
50-64	329	7.5	53	1	2	6	10	16	21	40
65 +	475	9.4	83	2	3	7	12	20	27	43
GRAND TOTAL	1428	7.6	73	1	2	5	10	16	22	43

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	3.7	7	1	2	3	4	7	10	12
20-34	12	5.2	9	2	3	5	6	9	12	13
35-49	28	4.3	13	1	2	3	6	8	12	18
50-64	57	4.4	11	1	2	3	5	9	12	16
65 +	53	3.8	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	19	7.0	19	1	3	8	10	13	14	15
20-34	44	6.6	19	2	3	6	8	14	15	20
35-49	105	7.2	55	2	3	5	8	14	19	44
50-64	228	7.8	79	2	3	5	9	16	22	48
65 +	296	7.6	52	2	4	5	9	17	22	38
TOTAL SINGLE DX	168	4.1	10	1	2	3	5	8	11	16
TOTAL MULTIPLE DX	692	7.5	59	2	3	5	9	15	20	42
TOTAL										
0-19 YRS	37	5.4	16	1	2	4	8	12	13	15
20-34	56	6.3	18	2	3	6	8	13	15	20
35-49	133	6.6	48	2	3	5	8	13	18	39
50-64	285	7.1	68	2	3	4	8	15	20	45
65 +	349	7.1	48	2	3	5	8	14	20	37
GRAND TOTAL	860	6.9	51	2	3	5	8	14	19	39

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	51.4	153	32	44	54	60	64	64	64
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	65	49.9	237	33	38	48	65	77	99 +	99 +
20-34	22	36.1	44	27	31	36	38	46	48	50
35-49	21	38.7	153	28	32	38	43	50	63	76
50-64	14	33.1	243	4	29	34	43	52	57	58
65 +	2	26.5	1	26	26	26	27	27	27	27
TOTAL SINGLE DX	5	51.4	153	32	44	54	60	64	64	64
TOTAL MULTIPLE DX	124	43.3	234	28	34	41	51	71	79	99 +
TOTAL										
0-19 YRS	70	50.0	229	32	38	48	64	77	99	99 +
20-34	22	36.1	45	27	31	36	38	46	48	50
35-49	21	38.7	153	28	32	38	43	50	63	76
50-64	14	33.1	243	4	29	34	43	52	57	58
65 +	2	26.5	1	26	26	26	27	27	27	27
GRAND TOTAL	129	43.6	232	29	34	42	52	70	77	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	309	4.3	29	1	2	3	5	8	11	31
20-34	103	4.6	20	1	2	4	5	7	9	30
35-49	83	3.9	7	1	1	4	6	8	9	12
50-64	49	6.8	71	1	2	5	7	16	21	43
65 +	29	7.3	47	2	3	4	10	14	25	30
2. MULTIPLE DX										
0-19 YRS	585	8.6	84	2	4	6	9	19	28	58
20-34	393	10.9	97	4	5	7	13	25	30	52
35-49	460	10.6	104	3	5	7	12	24	31	50
50-64	675	11.6	111	3	5	8	14	23	33	55
65 +	1718	11.6	95	4	6	9	14	22	30	51
TOTAL SINGLE DX	573	4.7	30	1	2	4	6	8	13	35
TOTAL MULTIPLE DX	3831	10.9	99	3	5	8	13	22	31	51
TOTAL										
0-19 YRS	894	7.1	70	1	3	5	8	15	25	50
20-34	496	9.6	88	2	4	7	11	22	29	51
35-49	543	9.6	95	2	4	6	11	22	30	50
50-64	724	11.2	110	3	5	8	14	22	33	53
65 +	1747	11.6	95	4	6	9	14	22	30	51
GRAND TOTAL	4404	10.1	94	3	4	7	12	21	29	50

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	169	6.6	38	1	2	5	9	15	21	26
20-34	58	9.3	48	2	4	8	12	21	23	27
35-49	38	6.6	42	1	2	5	9	12	23	30
50-64	24	9.0	94	1	4	6	9	29	32	36
65 +	20	6.1	48	1	2	4	6	18	23	25
2. MULTIPLE DX										
0-19 YRS	823	14.2	235	2	4	10	19	33	54	99 +
20-34	487	13.4	145	3	6	9	16	28	42	67
35-49	796	11.8	115	2	5	9	15	25	33	56
50-64	1058	12.8	126	3	5	10	17	26	35	57
65 +	1657	14.9	136	4	6	12	20	30	38	56
TOTAL SINGLE DX	309	7.3	47	1	2	5	9	17	22	30
TOTAL MULTIPLE DX	4821	13.6	150	3	5	10	18	28	39	69
TOTAL										
0-19 YRS	992	12.9	210	2	4	9	17	29	47	99 +
20-34	545	13.0	137	3	6	9	16	26	40	67
35-49	834	11.5	114	2	5	8	15	25	32	56
50-64	1082	12.7	126	3	5	9	17	26	35	57
65 +	1677	14.7	136	4	6	12	20	30	37	56
GRAND TOTAL	5130	13.3	146	3	5	10	18	28	38	67

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	3.8	27	1	1	2	4	6	14	26
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	5.7	6	3	4	6	7	8	8	8
50-64	0									
65 +	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	111	5.6	47	2	3	4	6	11	15	43
20-34	4	12.0	214	1	2	7	22	33	33	33
35-49	7	5.6	11	2	2	6	8	10	10	10
50-64	24	9.2	176	2	4	7	9	11	30	70
65 +	49	8.4	112	3	4	5	9	12	24	65
TOTAL SINGLE DX	29	4.1	24	1	2	2	5	7	12	26
TOTAL MULTIPLE DX	195	6.9	82	2	3	4	7	12	15	62
TOTAL										
0-19 YRS	133	5.3	45	1	2	4	6	10	15	37
20-34	6	8.5	158	1	1	2	11	31	33	33
35-49	10	5.6	9	2	3	6	8	9	10	10
50-64	24	9.2	177	2	4	7	9	11	30	70
65 +	51	8.4	108	3	4	5	9	12	23	65
GRAND TOTAL	224	6.5	75	2	3	4	7	11	15	60

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	5.7	182	1	1	3	5	8	11	92
20-34	8	5.9	4	3	5	5	7	9	10	10
35-49	14	4.7	8	1	2	4	6	9	10	10
50-64	23	5.8	42	1	3	4	5	15	21	28
65 +	23	5.1	25	1	2	4	6	10	18	23
2. MULTIPLE DX										
0-19 YRS	181	7.5	132	1	1	3	11	18	31	97
20-34	70	7.5	22	2	4	7	10	14	18	83
35-49	202	9.0	83	2	4	6	12	18	25	51
50-64	340	10.1	108	3	4	7	12	20	29	59
65 +	634	10.3	112	3	4	7	12	21	29	58
TOTAL SINGLE DX	113	5.5	86	1	2	4	6	9	16	52
TOTAL MULTIPLE DX	1427	9.6	107	2	4	7	12	20	27	59
TOTAL										
0-19 YRS	226	7.2	142	1	1	3	9	16	28	94
20-34	78	7.4	21	2	4	6	10	14	18	77
35-49	216	8.8	79	2	4	6	11	18	25	49
50-64	363	9.9	105	3	4	7	12	20	28	58
65 +	657	10.1	111	3	4	7	11	21	28	58
GRAND TOTAL	**1540**	**9.3**	**106**	**2**	**4**	**6**	**11**	**19**	**27**	**59**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	505	2.8	1	2	2	3	3	4	5	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
0-19 YRS	282	4.1	9	2	3	3	5	7	9	23
20-34	7	7.1	20	2	4	7	8	14	16	16
35-49	4	18.8	331	8	9	10	28	46	46	46
50-64	6	8.5	8	6	6	8	11	12	12	12
65 +	10	15.5	66	5	9	15	19	28	29	29
TOTAL SINGLE DX	507	2.8	2	2	2	3	3	4	5	9
TOTAL MULTIPLE DX	309	4.8	21	2	3	4	5	9	12	28
TOTAL										
0-19 YRS	787	3.3	5	2	2	3	4	5	7	12
20-34	8	7.4	18	3	4	7	9	14	16	16
35-49	4	18.8	332	8	9	10	28	46	46	46
50-64	7	8.3	7	6	6	7	11	12	12	12
65 +	10	15.5	67	5	9	15	19	28	29	29
GRAND TOTAL	**816**	**3.6**	**10**	**2**	**2**	**3**	**4**	**6**	**8**	**18**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.5	13	3	3	4	6	10	15	16
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	5.7	22	2	2	4	9	11	11	11
50-64	4	7.5	137	1	1	2	14	25	25	25
65 +	19	7.5	46	2	3	4	12	19	22	24
2. MULTIPLE DX										
0-19 YRS	179	13.5	210	2	4	9	19	40	61	99 +
20-34	42	16.0	252	4	6	11	19	52	82	99 +
35-49	108	16.6	235	4	7	12	21	36	52	98
50-64	280	18.3	211	4	8	14	25	39	52	99 +
65 +	2095	17.1	154	4	8	14	22	34	42	62
TOTAL SINGLE DX	40	6.7	38	2	3	4	8	16	22	25
TOTAL MULTIPLE DX	2704	16.9	170	4	8	14	22	35	44	76
TOTAL										
0-19 YRS	192	13.0	202	2	4	9	18	38	61	99 +
20-34	43	15.8	249	4	6	11	19	51	81	99 +
35-49	111	16.3	233	4	6	12	21	36	52	98
50-64	284	18.1	211	4	8	14	25	39	51	99 +
65 +	2114	17.0	155	4	8	14	22	34	42	62
GRAND TOTAL	**2744**	**16.8**	**169**	**4**	**8**	**14**	**22**	**35**	**44**	**75**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.3	2	1	2	3	5	5	5	5
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	9	7.4	10	4	5	7	10	12	13	13
50-64	6	5.3	7	2	2	6	7	8	8	8
65 +	4	4.3	15	2	2	3	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	21	7.0	28	2	3	4	9	17	17	17
20-34	35	6.8	16	2	4	6	9	13	15	19
35-49	77	7.4	42	2	3	5	9	16	22	32
50-64	129	7.9	51	2	4	6	9	16	22	36
65 +	380	9.5	59	3	5	7	11	19	24	40
TOTAL SINGLE DX	28	5.2	10	2	3	5	7	10	11	13
TOTAL MULTIPLE DX	642	8.7	53	3	4	7	10	17	22	36
TOTAL										
0-19 YRS	28	6.0	24	2	3	4	7	16	17	17
20-34	37	6.6	16	2	4	6	9	12	15	19
35-49	86	7.4	39	2	3	5	9	14	22	32
50-64	135	7.8	49	2	4	6	9	16	22	35
65 +	384	9.5	59	3	5	7	11	19	24	40
GRAND TOTAL	670	8.6	52	3	4	6	10	17	22	36

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	7.7	29	2	3	8	9	16	18	18
35-49	14	7.7	7	5	6	7	10	12	13	13
50-64	15	8.4	10	5	6	7	10	13	16	17
65 +	13	12.2	111	7	7	9	11	23	42	46
2. MULTIPLE DX										
0-19 YRS	5	6.6	15	2	3	8	10	10	10	10
20-34	32	15.0	125	7	9	11	18	27	31	65
35-49	129	15.0	94	7	9	11	18	28	39	47
50-64	201	16.0	129	8	9	12	18	31	39	77
65 +	416	19.2	164	8	10	15	24	36	45	65
TOTAL SINGLE DX	49	9.1	40	5	6	8	10	13	17	46
TOTAL MULTIPLE DX	783	17.4	145	8	10	13	21	34	43	61
TOTAL										
0-19 YRS	5	6.6	15	2	3	8	10	10	10	10
20-34	39	13.7	115	6	8	10	18	24	30	65
35-49	143	14.3	90	6	8	11	17	27	36	46
50-64	216	15.4	125	7	9	12	17	31	39	72
65 +	429	19.0	164	8	10	15	24	36	45	63
GRAND TOTAL	832	16.9	143	7	9	13	20	33	42	60

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	3	15.7	122	4	7	17	24	26	26	26
65 +	2	14.0	2	13	13	14	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	11.8	24	7	9	10	14	20	20	20
35-49	10	19.6	63	10	12	21	24	30	34	34
50-64	58	17.3	85	9	12	15	19	29	41	50
65 +	91	20.1	110	10	13	17	24	34	50	82
TOTAL SINGLE DX	7	13.3	51	5	8	13	16	24	26	26
TOTAL MULTIPLE DX	164	18.8	99	10	12	16	23	33	43	57
TOTAL										
0-19 YRS	0									
20-34	5	11.8	24	7	9	10	14	20	20	20
35-49	12	17.8	69	9	10	17	23	29	33	34
50-64	61	17.2	86	9	12	15	19	28	41	49
65 +	93	20.0	109	10	13	17	24	34	49	81
GRAND TOTAL	171	18.6	97	10	12	16	23	32	43	57

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.6	7	2	3	3	7	8	8	8
20-34	10	7.0	2	5	6	7	8	9	10	10
35-49	18	7.6	6	5	6	7	10	11	13	14
50-64	12	6.9	8	4	5	7	8	12	13	13
65 +	4	6.5	3	5	5	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	19	12.4	190	3	5	8	14	31	49	58
20-34	38	11.8	55	6	7	10	14	22	27	40
35-49	70	10.3	42	5	6	8	12	21	26	30
50-64	91	13.2	71	6	7	10	16	28	31	78
65 +	179	17.0	160	6	9	13	20	33	46	71
TOTAL SINGLE DX	49	6.9	6	4	5	7	8	10	11	14
TOTAL MULTIPLE DX	397	14.2	117	6	7	11	17	28	36	57
TOTAL										
0-19 YRS	24	10.8	161	3	4	7	9	22	44	58
20-34	48	10.8	48	6	7	8	12	19	25	40
35-49	88	9.8	37	5	6	8	11	19	24	30
50-64	103	12.4	68	6	7	9	15	27	31	71
65 +	183	16.7	160	6	9	13	20	33	45	70
GRAND TOTAL	446	13.4	110	5	7	10	16	26	34	55

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	4.9	11	1	2	4	6	9	11	19
20-34	79	4.8	6	3	3	4	6	7	8	18
35-49	78	5.1	6	3	3	5	6	9	10	12
50-64	41	6.1	8	3	5	6	7	9	11	19
65 +	15	7.4	45	3	4	6	7	11	25	30
2. MULTIPLE DX										
0-19 YRS	622	14.6	186	4	6	10	20	37	68	99 +
20-34	179	8.1	40	3	5	6	9	15	23	45
35-49	423	9.2	94	4	5	7	9	15	26	55
50-64	415	9.9	77	3	5	8	11	19	27	54
65 +	853	13.3	134	4	6	9	17	28	37	63
TOTAL SINGLE DX	301	5.2	10	2	3	5	6	8	10	19
TOTAL MULTIPLE DX	2492	12.0	130	4	6	8	14	27	37	99 +
TOTAL										
0-19 YRS	710	13.4	175	3	5	9	18	34	63	99 +
20-34	258	7.1	32	3	4	6	7	13	19	34
35-49	501	8.5	83	3	5	6	9	13	23	52
50-64	456	9.6	72	3	5	7	11	19	25	52
65 +	868	13.2	133	4	6	9	16	28	36	63
GRAND TOTAL	2793	11.3	121	3	5	8	13	25	35	87

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	223	3.2	8	1	1	3	4	6	8	14
20-34	160	4.8	10	2	3	4	6	7	10	21
35-49	106	4.7	12	2	3	4	6	8	10	21
50-64	98	4.0	5	< 1	2	4	5	7	8	12
65 +	87	5.4	23	1	2	4	6	13	16	24
2. MULTIPLE DX										
0-19 YRS	719	7.1	69	1	3	5	8	16	23	57
20-34	923	7.1	40	2	3	5	8	14	21	34
35-49	1588	7.1	39	2	4	5	8	14	19	33
50-64	2406	7.1	40	2	4	5	8	13	18	30
65 +	6587	9.1	53	3	5	7	11	17	23	39
TOTAL SINGLE DX	674	4.2	12	1	2	3	5	8	10	18
TOTAL MULTIPLE DX	12223	8.2	50	3	4	6	10	16	22	36
TOTAL										
0-19 YRS	942	6.2	58	1	2	4	7	13	19	48
20-34	1083	6.7	36	2	3	5	8	13	26	32
35-49	1694	7.0	38	2	4	5	8	13	18	32
50-64	2504	7.0	40	2	4	5	8	13	18	30
65 +	6674	9.1	53	3	5	7	11	17	23	39
GRAND TOTAL	12897	8.0	49	2	4	6	10	16	21	36

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	9.4	136	4	6	7	8	10	29	64
20-34	12	7.3	7	4	5	7	8	12	13	13
35-49	13	9.8	15	6	6	9	13	16	17	17
50-64	14	9.0	13	6	7	8	10	14	18	19
65 +	10	12.5	34	6	8	12	13	22	24	24
2. MULTIPLE DX										
0-19 YRS	110	19.4	555	5	7	11	29	99 +	99 +	99 +
20-34	144	11.7	77	6	7	9	14	20	28	40
35-49	204	15.0	123	7	8	12	17	26	41	71
50-64	272	16.6	146	7	9	13	20	36	44	81
65 +	634	17.6	169	8	10	13	21	33	45	78
TOTAL SINGLE DX	74	9.5	58	5	6	8	10	15	19	54
TOTAL MULTIPLE DX	1364	16.6	183	7	9	12	20	33	48	99 +
TOTAL										
0-19 YRS	135	17.6	492	5	7	10	21	98	99 +	99 +
20-34	156	11.4	74	5	7	9	13	19	27	37
35-49	217	14.7	118	7	8	11	17	26	39	69
50-64	286	16.2	142	7	8	12	20	32	44	80
65 +	644	17.6	168	8	10	13	21	33	45	77
GRAND TOTAL	1438	16.2	179	7	9	12	19	32	47	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	75	8.1	20	5	6	8	9	11	12	34
20-34	41	9.2	36	5	6	7	10	13	23	34
35-49	99	7.8	8	5	6	7	8	12	13	19
50-64	174	8.5	6	6	7	8	10	12	13	18
65 +	162	8.4	7	6	7	8	9	11	12	17
2. MULTIPLE DX										
0-19 YRS	156	15.2	176	6	7	11	17	34	45	99
20-34	284	12.4	62	6	7	10	15	22	28	44
35-49	636	11.5	51	6	8	9	13	19	25	40
50-64	1593	11.9	59	7	8	9	13	19	26	45
65 +	4142	14.4	87	7	9	11	17	25	33	55
TOTAL SINGLE DX	551	8.3	11	6	7	8	9	11	13	20
TOTAL MULTIPLE DX	6811	13.5	80	7	8	11	15	23	31	53
TOTAL										
0-19 YRS	231	12.9	137	6	7	9	14	29	39	93
20-34	325	12.0	61	6	7	9	14	22	28	42
35-49	735	11.0	47	6	7	9	12	17	24	39
50-64	1767	11.5	56	7	8	9	13	19	25	44
65 +	4304	14.2	85	7	9	11	17	25	32	55
GRAND TOTAL	7362	13.1	77	7	8	10	15	23	30	52

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	6.5	13	3	4	6	8	11	14	15
20-34	2	11.0	2	10	10	11	12	12	12	12
35-49	4	6.8	2	5	5	7	8	8	8	8
50-64	4	8.8	19	5	5	9	12	13	13	13
65 +	6	8.5	5	6	7	8	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	38	16.7	369	4	6	9	26	74	99 +	99 +
20-34	17	14.9	94	7	9	11	17	29	38	43
35-49	44	19.0	279	6	9	14	19	39	62	76
50-64	45	16.4	172	7	9	13	18	29	40	79
65 +	170	17.3	128	8	9	14	21	31	39	50
TOTAL SINGLE DX	28	7.6	11	4	5	7	10	12	13	15
TOTAL MULTIPLE DX	314	17.2	181	7	9	13	21	34	47	99
TOTAL										
0-19 YRS	50	14.3	301	4	5	8	21	52	99 +	99 +
20-34	19	14.5	85	7	10	11	16	28	37	43
35-49	48	18.0	267	6	8	13	19	38	59	76
50-64	49	15.8	164	6	9	12	18	28	38	79
65 +	176	17.0	127	7	9	14	21	30	38	50
GRAND TOTAL	342	16.4	174	6	9	13	20	33	43	99

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	5.3	7	2	4	5	7	8	9	16
20-34	59	6.2	5	3	5	6	8	9	10	14
35-49	55	6.9	16	3	5	7	8	10	11	29
50-64	40	6.7	6	4	5	7	8	9	10	15
65 +	49	8.1	10	4	6	8	9	13	14	17
2. MULTIPLE DX										
0-19 YRS	421	9.4	97	3	5	7	10	17	27	92
20-34	185	9.7	67	4	6	8	10	15	26	46
35-49	268	10.5	64	5	7	8	11	20	25	36
50-64	379	11.5	81	5	7	9	13	21	26	58
65 +	765	13.0	129	5	7	10	14	24	35	73
TOTAL SINGLE DX	376	6.2	10	3	4	6	8	9	11	17
TOTAL MULTIPLE DX	2018	11.3	102	4	6	9	13	21	30	66
TOTAL										
0-19 YRS	594	8.2	75	3	5	6	8	15	22	82
20-34	244	8.8	55	4	5	7	9	13	19	46
35-49	323	9.9	58	5	6	8	11	18	24	35
50-64	419	11.0	76	5	7	9	13	19	25	57
65 +	814	12.7	124	5	7	10	14	24	35	70
GRAND TOTAL	2394	10.5	91	4	6	8	11	19	27	59

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	8.2	35	3	4	7	10	16	21	28
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	9	8.0	11	4	5	7	11	13	13	13
50-64	3	9.7	32	5	6	8	14	16	16	16
65 +	11	10.4	12	6	7	10	13	15	17	17
2. MULTIPLE DX										
0-19 YRS	75	15.6	329	4	6	9	22	73	99 +	99 +
20-34	34	17.0	236	3	8	13	24	45	64	99 +
35-49	61	16.5	238	5	8	11	19	44	62	96
50-64	144	17.1	121	8	9	13	23	30	38	83
65 +	441	17.5	124	8	10	15	21	31	39	59
TOTAL SINGLE DX	48	8.5	24	3	5	8	10	15	17	28
TOTAL MULTIPLE DX	755	17.1	158	7	9	14	22	32	43	99
TOTAL										
0-19 YRS	97	13.9	272	4	5	8	16	47	88	99 +
20-34	37	16.0	229	3	7	11	23	41	64	99 +
35-49	70	15.4	217	5	7	10	17	34	60	93
50-64	147	17.0	121	8	9	13	23	30	37	82
65 +	452	17.3	123	8	10	15	21	31	39	59
GRAND TOTAL	803	16.6	154	6	9	13	21	31	42	96

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3337	3.3	3	2	2	3	4	6	7	10
20-34	2219	3.1	2	2	2	3	4	5	6	9
35-49	832	3.7	3	2	3	3	4	6	7	10
50-64	241	4.3	4	2	3	4	5	7	8	11
65 +	72	5.3	6	3	3	5	7	8	10	17
2. MULTIPLE DX										
0-19 YRS	1439	5.6	17	2	3	4	7	10	13	23
20-34	1144	4.8	12	2	3	4	6	8	10	15
35-49	696	6.1	15	2	3	5	8	11	13	20
50-64	460	7.5	33	3	4	6	9	12	17	27
65 +	376	9.6	45	4	5	8	11	17	22	37
TOTAL SINGLE DX	6701	3.4	3	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	4115	6.0	22	2	3	5	7	11	14	25
TOTAL										
0-19 YRS	4776	4.0	9	2	2	3	5	7	9	15
20-34	3363	3.7	7	2	2	3	4	6	8	12
35-49	1528	4.8	10	2	3	4	6	9	11	17
50-64	701	6.4	26	3	4	5	8	11	14	26
65 +	448	8.9	42	3	5	7	10	16	20	36
GRAND TOTAL	10816	4.4	12	2	2	3	5	8	10	18

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	3	8.0	3	7	7	7	9	10	10	10
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	10.0	7	8	8	9	12	13	13	13
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	9.6	18	5	6	9	12	16	16	16
20-34	4	6.8	3	5	5	6	8	9	9	9
35-49	6	6.8	7	5	5	6	7	11	12	12
50-64	10	10.5	27	5	7	9	14	18	21	21
65 +	5	13.0	48	8	9	10	16	25	25	25
TOTAL SINGLE DX	9	8.6	4	6	7	8	9	12	13	13
TOTAL MULTIPLE DX	30	9.5	24	5	6	8	12	15	21	25
TOTAL										
0-19 YRS	7	8.9	14	5	6	8	10	15	16	16
20-34	7	7.3	3	5	6	7	9	10	10	10
35-49	7	7.1	6	5	5	6	8	11	12	12
50-64	13	10.4	22	6	7	9	13	16	20	21
65 +	5	13.0	49	8	9	10	16	25	25	25
GRAND TOTAL	39	9.3	20	5	6	8	11	15	19	25

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	3.9	36	1	1	2	4	7	15	37
20-34	8	3.3	7	1	1	3	5	7	7	7
35-49	9	2.9	6	1	1	2	3	7	9	9
50-64	18	2.5	2	1	1	2	4	4	5	6
65 +	26	2.2	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	112	7.9	107	1	3	4	10	15	22	65
20-34	27	4.6	6	2	3	3	7	8	9	10
35-49	41	7.0	42	1	2	6	9	13	20	33
50-64	84	5.9	37	1	2	4	8	12	19	32
65 +	347	7.3	42	2	3	5	10	16	21	31
TOTAL SINGLE DX	120	3.2	20	1	1	2	4	6	8	27
TOTAL MULTIPLE DX	611	7.1	53	1	3	5	9	15	20	34
TOTAL										
0-19 YRS	171	6.5	86	1	2	4	8	14	21	58
20-34	35	4.3	7	1	2	3	7	8	9	10
35-49	50	6.3	38	1	2	5	8	13	14	33
50-64	102	5.3	33	1	2	3	6	11	18	30
65 +	373	6.9	42	1	3	5	9	15	20	31
GRAND TOTAL	731	6.4	49	1	2	4	8	14	20	34

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.4	12	1	2	2	4	8	13	14
20-34	58	2.4	1	1	1	2	3	4	5	6
35-49	81	2.4	1	1	1	2	3	4	5	6
50-64	30	2.5	3	1	1	2	3	4	6	9
65 +	6	3.8	14	1	1	2	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	26	6.0	31	1	2	4	9	16	18	21
20-34	71	4.8	34	1	2	3	5	10	14	38
35-49	88	4.7	33	1	2	3	6	10	14	36
50-64	91	6.0	27	1	2	4	8	14	17	22
65 +	77	7.6	60	2	3	6	9	16	23	44
TOTAL SINGLE DX	187	2.5	3	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	353	5.8	39	1	2	4	7	13	17	37
TOTAL										
0-19 YRS	38	5.2	27	1	2	3	6	14	17	21
20-34	129	3.7	21	1	2	3	4	7	11	24
35-49	169	3.6	19	1	1	3	4	7	10	17
50-64	121	5.1	23	1	2	3	7	13	16	21
65 +	83	7.4	58	1	3	6	9	15	21	44
GRAND TOTAL	540	4.7	29	1	2	3	5	10	15	25

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	7.5	5	5	6	7	9	11	11	13
20-34	5	10.2	38	5	7	8	12	21	21	21
35-49	16	7.4	4	5	6	7	9	9	11	12
50-64	43	8.7	5	6	7	9	10	12	13	14
65 +	36	10.2	49	7	8	9	11	12	17	48
2. MULTIPLE DX										
0-19 YRS	100	9.0	33	5	6	8	10	14	18	39
20-34	28	10.0	40	5	7	8	11	19	28	28
35-49	89	10.6	32	6	8	9	11	17	22	36
50-64	271	11.3	37	7	8	10	12	17	21	47
65 +	572	14.0	87	8	9	11	16	22	29	58
TOTAL SINGLE DX	165	8.5	17	5	7	8	9	11	12	20
TOTAL MULTIPLE DX	1060	12.4	67	7	8	10	14	20	26	51
TOTAL										
0-19 YRS	165	8.4	23	5	6	7	10	12	14	31
20-34	33	10.0	39	5	7	8	11	20	27	28
35-49	105	10.1	30	6	7	9	11	14	21	35
50-64	314	10.9	34	7	8	10	12	15	20	39
65 +	608	13.8	86	8	9	11	16	22	28	58
GRAND TOTAL	1225	11.9	62	7	8	10	13	19	25	49

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	108	2.8	10	1	1	2	3	5	8	18
20-34	198	3.3	4	1	2	3	4	6	7	9
35-49	236	4.0	9	1	2	3	5	7	8	18
50-64	206	4.1	16	1	2	3	5	7	10	21
65 +	137	4.9	16	1	2	4	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	351	5.5	41	1	2	4	6	11	15	56
20-34	1473	5.6	33	2	3	4	6	10	14	33
35-49	2531	5.9	30	2	3	5	7	11	15	28
50-64	3384	6.9	46	2	3	5	8	13	19	38
65 +	8647	8.3	47	3	4	6	10	16	21	36
TOTAL SINGLE DX	885	3.9	12	1	2	3	5	7	9	18
TOTAL MULTIPLE DX	16386	7.3	45	2	4	5	9	14	19	35
TOTAL										
0-19 YRS	459	4.9	35	1	2	3	6	10	13	43
20-34	1671	5.3	30	2	3	4	6	10	14	32
35-49	2767	5.7	29	2	3	4	7	10	14	28
50-64	3590	6.7	45	2	3	5	8	13	18	36
65 +	8784	8.3	48	3	4	6	10	16	21	36
GRAND TOTAL	17271	7.2	44	2	3	5	8	14	19	34

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	36	1.9	1	1	1	2	2	3	5	7
35-49	40	1.8	9	1	1	1	2	2	3	20
50-64	26	1.7		1	1	2	2	2	4	4
65 +	6	2.0	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	3.1	6	1	1	2	5	7	9	9
20-34	50	2.7	7	1	1	2	3	5	7	15
35-49	99	3.3	20	1	1	2	3	7	14	67
50-64	76	3.3	18	1	1	2	4	7	9	26
65 +	47	2.8	5	1	1	2	3	6	7	12
TOTAL SINGLE DX	112	1.8	4	1	1	1	2	3	4	12
TOTAL MULTIPLE DX	283	3.1	14	1	1	2	3	6	9	26
TOTAL										
0-19 YRS	15	2.5	6	1	1	1	4	6	8	9
20-34	86	2.4	5	1	1	2	2	4	6	15
35-49	139	2.9	18	1	1	2	3	5	13	41
50-64	102	2.9	14	1	1	2	3	6	8	25
65 +	53	2.7	5	1	1	2	3	5	7	12
GRAND TOTAL	395	2.7	12	1	1	2	3	5	7	23

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	20	2.0	1	< 1	1	2	2	4	5	5
35-49	12	1.6	1	1	1	1	2	3	5	5
50-64	6	1.7		1	1	2	2	2	2	2
65 +	5	3.4	14	1	1	2	5	10	10	10
2. MULTIPLE DX										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	51	2.4	3	1	1	2	3	4	5	10
35-49	74	3.0	13	1	1	2	3	5	11	19
50-64	47	3.5	11	1	2	2	4	7	12	17
65 +	56	5.0	44	1	2	3	6	8	21	36
TOTAL SINGLE DX	47	1.9	3	1	1	1	2	4	5	10
TOTAL MULTIPLE DX	235	3.4	19	1	1	2	3	7	11	23
TOTAL										
0-19 YRS	11	1.5		< 1	1	1	2	2	2	2
20-34	71	2.2	3	1	1	2	3	4	5	10
35-49	86	2.8	12	1	1	2	3	5	9	19
50-64	53	3.3	11	1	2	2	4	7	11	17
65 +	61	4.9	42	1	2	3	6	9	21	36
GRAND TOTAL	282	3.2	16	1	1	2	3	6	10	21

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	60	2.3	1	1	1	2	3	4	5	7
35-49	102	2.2	1	1	1	2	3	4	5	6
50-64	47	2.0	1	1	1	2	2	3	4	8
65 +	18	1.8	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	6	3.3	18	1	1	2	2	11	12	12
20-34	335	2.6	3	1	2	2	3	5	5	9
35-49	705	2.9	14	1	2	2	3	5	6	12
50-64	514	3.4	34	1	2	2	3	5	7	33
65 +	318	3.7	16	1	2	3	4	7	10	18
TOTAL SINGLE DX	229	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1878	3.1	18	1	2	2	3	5	7	16
TOTAL										
0-19 YRS	8	2.8	14	1	1	2	2	9	12	12
20-34	395	2.6	3	1	2	2	3	4	5	9
35-49	807	2.8	13	1	2	2	3	5	6	12
50-64	561	3.2	31	1	2	2	3	5	7	31
65 +	336	3.6	16	1	2	3	4	7	9	17
GRAND TOTAL	2107	3.0	16	1	2	2	3	5	7	15

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	3.4	10	1	2	3	4	6	7	20
20-34	45	2.6	2	1	1	2	3	4	6	9
35-49	46	2.6	2	1	1	2	3	5	6	7
50-64	25	3.0	3	1	1	3	4	5	7	9
65 +	13	4.5	6	2	2	4	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	89	5.5	21	1	2	4	7	12	18	21
20-34	83	3.9	12	1	2	3	5	8	10	21
35-49	133	4.7	34	1	2	3	5	9	15	34
50-64	77	4.2	10	1	2	4	5	8	11	17
65 +	85	5.0	18	1	2	3	7	11	14	20
TOTAL SINGLE DX	190	3.0	6	1	1	3	4	6	7	12
TOTAL MULTIPLE DX	467	4.7	22	1	2	3	6	9	13	23
TOTAL										
0-19 YRS	150	4.6	18	1	2	3	6	9	14	21
20-34	128	3.4	10	1	1	3	4	7	9	18
35-49	179	4.2	27	1	1	3	5	7	12	31
50-64	102	3.9	9	1	2	3	5	7	10	15
65 +	98	4.9	17	1	2	3	7	11	13	19
GRAND TOTAL	657	4.2	18	1	2	3	5	9	12	21

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64	2	14.5	221	4	4	14	25	25	25	25
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	14.0	52	6	8	16	19	20	20	20
20-34	10	10.7	33	4	6	10	15	19	22	22
35-49	19	9.4	28	3	6	8	13	18	19	19
50-64	26	14.7	175	2	8	11	19	32	43	63
65 +	35	17.2	162	6	8	15	21	36	50	56
TOTAL SINGLE DX	7	9.1	69	2	3	6	13	23	25	25
TOTAL MULTIPLE DX	93	14.1	127	5	7	11	18	26	37	60
TOTAL										
0-19 YRS	5	12.0	38	6	6	12	17	20	20	20
20-34	11	9.9	37	2	6	9	14	18	22	22
35-49	21	9.2	29	2	5	8	13	18	19	19
50-64	28	14.6	170	3	7	11	19	31	40	63
65 +	35	17.2	163	6	8	15	21	36	50	56
GRAND TOTAL	100	13.7	124	3	7	11	18	25	37	59

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	107	4.2	33	1	1	2	4	10	14	30
20-34	41	4.6	21	1	1	3	6	11	16	18
35-49	42	3.0	14	< 1	1	1	4	8	10	20
50-64	30	3.9	20	< 1	1	1	6	9	10	22
65 +	18	4.0	23	1	1	1	5	13	15	16
2. MULTIPLE DX										
0-19 YRS	247	12.6	320	1	2	6	16	46	70	99 +
20-34	151	14.6	218	2	5	9	19	35	51	67
35-49	245	11.0	128	1	4	8	15	23	35	99 +
50-64	373	11.7	129	1	5	9	15	26	36	85
65 +	489	12.3	85	2	6	10	16	23	30	50
TOTAL SINGLE DX	238	4.0	25	1	1	2	5	10	13	26
TOTAL MULTIPLE DX	1505	12.2	156	1	5	9	16	26	39	84
TOTAL										
0-19 YRS	354	10.1	249	1	1	4	11	29	61	99 +
20-34	192	12.4	193	1	4	8	15	29	47	64
35-49	287	9.9	120	1	2	7	14	21	30	90
50-64	403	11.1	125	1	4	8	15	24	35	79
65 +	507	12.0	86	2	6	10	16	23	30	49
GRAND TOTAL	1743	11.1	146	1	3	8	15	24	36	79

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	219	3.6	3	1	2	3	4	6	7	9
20-34	2214	3.2	3	1	2	3	4	5	6	9
35-49	2119	3.1	3	1	2	3	4	5	6	9
50-64	1410	3.3	3	1	2	3	4	6	7	10
65 +	630	3.9	8	1	2	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	233	5.9	24	2	3	5	6	10	13	33
20-34	2580	5.0	10	2	3	4	6	8	11	18
35-49	3592	5.0	14	2	3	4	6	9	11	18
50-64	3945	5.9	21	2	3	5	7	11	14	24
65 +	4827	8.7	44	3	5	7	11	16	20	35
TOTAL SINGLE DX	6592	3.3	4	1	2	3	4	5	7	10
TOTAL MULTIPLE DX	15177	6.4	28	2	3	5	8	12	16	27
TOTAL										
0-19 YRS	452	4.8	16	2	3	4	6	8	11	20
20-34	4794	4.1	8	1	3	4	5	7	9	15
35-49	5711	4.3	11	1	3	4	5	8	10	16
50-64	5355	5.2	18	1	3	4	6	10	12	21
65 +	5457	8.2	43	3	4	7	10	15	20	34
GRAND TOTAL	21769	5.5	23	1	3	4	7	10	14	24

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	7.0	43	1	2	6	12	14	14	14
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	0									
20-34	8	10.0	47	2	4	9	15	20	21	21
35-49	14	6.6	28	1	1	5	13	14	14	14
50-64	19	8.1	84	1	2	5	9	17	30	40
65+	65	9.8	43	2	4	9	15	19	23	28
TOTAL SINGLE DX	7	3.7	24	1	1	1	5	12	14	14
TOTAL MULTIPLE DX	106	9.1	49	1	3	8	14	17	21	34
TOTAL										
0-19 YRS	0									
20-34	9	9.0	51	1	3	7	15	19	21	21
35-49	14	6.6	29	1	1	5	13	14	14	14
50-64	22	7.9	77	1	2	6	9	17	27	40
65+	68	9.4	45	2	3	9	15	18	23	28
GRAND TOTAL	**113**	**8.8**	**49**	**1**	**3**	**7**	**14**	**17**	**21**	**33**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.2	3	1	2	3	4	6	6	6
20-34	38	4.4	11	1	2	4	6	7	8	20
35-49	40	4.0	13	1	2	3	5	7	12	18
50-64	37	5.3	18	1	2	4	8	11	15	17
65+	38	5.3	12	1	2	4	8	11	12	14
2. MULTIPLE DX										
0-19 YRS	14	8.0	70	1	2	5	13	21	28	30
20-34	86	7.9	35	2	4	7	10	15	19	32
35-49	191	8.4	39	2	4	7	11	17	22	30
50-64	249	8.9	74	2	4	7	11	20	26	43
65+	634	9.4	56	3	5	7	12	18	23	38
TOTAL SINGLE DX	159	4.7	14	1	2	4	6	9	12	18
TOTAL MULTIPLE DX	1174	9.0	56	2	4	7	11	18	23	36
TOTAL										
0-19 YRS	20	6.6	54	1	2	4	7	17	25	30
20-34	124	6.8	30	2	3	6	8	14	19	29
35-49	231	7.7	38	1	3	6	10	16	20	29
50-64	286	8.5	68	1	4	6	10	19	25	42
65+	672	9.2	55	2	4	7	11	18	23	37
GRAND TOTAL	**1333**	**8.5**	**53**	**2**	**4**	**7**	**11**	**17**	**22**	**35**

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	9.9	19	5	6	9	14	16	17	17
20-34	16	6.3	26	1	2	5	8	14	17	18
35-49	17	7.6	26	1	4	8	10	16	18	19
50-64	15	7.1	37	1	5	6	8	10	23	27
65+	17	8.2	48	2	5	7	9	13	26	32
2. MULTIPLE DX										
0-19 YRS	35	15.3	243	4	7	11	16	36	72	99+
20-34	52	8.7	37	3	6	8	10	15	18	35
35-49	83	13.4	64	5	8	11	18	25	30	41
50-64	165	14.0	87	5	8	13	17	25	29	48
65+	521	15.6	120	6	9	13	19	26	36	65
TOTAL SINGLE DX	85	7.9	31	2	5	7	10	14	17	30
TOTAL MULTIPLE DX	856	14.6	111	6	8	12	18	26	34	65
TOTAL										
0-19 YRS	55	13.3	167	4	7	11	15	25	54	99
20-34	68	8.1	36	2	4	7	10	15	18	34
35-49	100	12.4	62	4	7	11	16	21	29	39
50-64	180	13.4	87	5	7	11	17	25	28	48
65+	538	15.3	120	6	9	13	19	26	36	65
GRAND TOTAL	**941**	**14.0**	**108**	**5**	**8**	**12**	**17**	**25**	**32**	**62**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	8.8	30	1	5	9	12	16	16	16
20-34	4	9.0	34	3	5	8	13	17	17	17
35-49	11	6.1	20	1	1	7	8	12	14	14
50-64	6	13.2	43	7	8	11	17	23	24	24
65+	4	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	3	16.7	33	10	12	20	20	20	20	20
20-34	53	19.7	468	6	9	13	19	42	83	99
35-49	115	19.5	195	7	9	14	26	47	54	99+
50-64	135	21.4	284	7	10	17	26	47	73	99+
65+	192	19.2	167	7	11	15	24	39	47	70
TOTAL SINGLE DX	30	8.0	32	1	3	8	11	16	17	24
TOTAL MULTIPLE DX	498	19.9	236	7	10	15	25	41	56	99+
TOTAL										
0-19 YRS	8	11.8	43	3	8	10	18	20	20	20
20-34	57	18.9	444	6	8	12	18	36	81	98
35-49	126	18.3	195	6	9	13	25	46	53	99+
50-64	141	21.0	276	7	10	17	25	46	73	99+
65+	196	18.8	169	6	11	15	24	38	46	70
GRAND TOTAL	**528**	**19.2**	**232**	**7**	**9**	**15**	**24**	**40**	**55**	**99+**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	130	2.1	5	1	1	1	2	4	6	11
20-34	54	3.9	8	1	2	3	5	8	10	16
35-49	67	3.8	5	1	2	3	5	7	9	11
50-64	29	4.3	11	1	2	4	6	8	9	16
65 +	51	3.9	6	< 1	2	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	232	3.8	22	1	1	2	5	7	10	32
20-34	251	6.4	53	2	3	4	8	12	20	30
35-49	354	6.8	33	2	3	5	8	13	18	34
50-64	529	7.2	53	2	3	5	8	14	20	34
65 +	1863	8.5	48	3	4	7	10	16	21	35
TOTAL SINGLE DX	331	3.2	7	1	1	2	4	7	8	12
TOTAL MULTIPLE DX	3229	7.6	48	2	3	6	9	15	20	34
TOTAL										
0-19 YRS	362	3.2	17	1	1	2	4	7	9	28
20-34	305	6.0	46	2	2	4	7	11	16	29
35-49	421	6.3	31	2	3	5	8	12	17	32
50-64	558	7.0	52	2	3	5	8	14	19	33
65 +	1914	8.4	48	3	4	7	10	16	21	35
GRAND TOTAL	**3560**	**7.2**	**46**	**2**	**3**	**5**	**9**	**14**	**20**	**33**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	226	1.3		< 1	1	1	1	2	3	4
20-34	156	1.5		1	1	1	2	2	3	4
35-49	225	1.4		1	1	1	2	2	3	4
50-64	261	1.6	1	1	1	1	2	3	4	7
65 +	294	1.9	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	342	3.2	99	1	1	1	2	5	10	96
20-34	145	2.2	9	1	1	1	2	4	7	13
35-49	304	2.3	8	1	1	1	3	4	7	14
50-64	576	2.8	10	1	1	2	3	5	8	17
65 +	1340	3.8	20	1	1	2	5	8	11	22
TOTAL SINGLE DX	1162	1.6	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	2707	3.2	27	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	568	2.4	61	1	1	1	2	3	5	82
20-34	301	1.8	5	1	1	1	2	3	4	11
35-49	529	1.9	5	1	1	1	2	3	5	11
50-64	837	2.4	8	1	1	1	3	5	7	15
65 +	1634	3.4	18	1	1	2	4	8	11	21
GRAND TOTAL	**3869**	**2.7**	**20**	**1**	**1**	**1**	**3**	**6**	**8**	**19**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	277	1.2		1	1	1	1	2	2	4
20-34	34	1.4		1	1	1	2	2	3	4
35-49	87	1.6		1	1	1	2	3	3	6
50-64	113	1.8	1	1	1	2	2	3	4	6
65 +	83	2.0	1	1	1	1	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	576	4.7	193	1	1	1	2	9	76	99 +
20-34	37	1.9	2	1	1	1	2	4	5	7
35-49	111	1.8	1	1	1	2	2	3	3	8
50-64	200	2.3	2	1	1	2	3	4	5	8
65 +	322	3.4	10	1	1	2	4	7	10	19
TOTAL SINGLE DX	594	1.5	1	1	1	1	2	2	3	6
TOTAL MULTIPLE DX	1246	3.6	94	1	1	2	3	6	12	99 +
TOTAL										
0-19 YRS	853	3.6	134	1	1	1	2	5	42	99 +
20-34	71	1.7	1	1	1	1	2	3	4	7
35-49	198	1.7	1	1	1	1	2	3	3	6
50-64	313	2.1	2	1	1	2	3	4	5	7
65 +	405	3.1	9	1	1	2	4	6	9	16
GRAND TOTAL	**1840**	**2.9**	**65**	**1**	**1**	**1**	**2**	**5**	**8**	**99 +**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	1.3		< 1	1	1	2	2	2	2
35-49	17	2.2	2	1	1	2	3	4	6	7
50-64	17	2.6	5	1	1	2	3	5	8	10
65 +	27	3.5	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.8	3	1	1	2	4	6	6	6
35-49	14	3.6	16	1	1	2	3	8	14	16
50-64	42	3.9	8	1	2	3	5	8	11	12
65 +	179	7.1	37	1	3	5	10	15	19	28
TOTAL SINGLE DX	74	2.6	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	242	6.2	32	1	2	5	8	14	17	27
TOTAL										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	17	1.8	2	< 1	1	1	2	4	5	6
35-49	31	2.8	9	1	1	2	3	6	7	16
50-64	59	3.5	8	1	1	3	5	7	11	12
65 +	206	6.6	35	1	2	5	9	15	19	28
GRAND TOTAL	**316**	**5.4**	**28**	**1**	**2**	**4**	**7**	**13**	**16**	**26**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	2.0	1	< 1	1	1	2	4	5	6
20-34	29	1.7	1	1	1	1	2	3	4	5
35-49	39	2.0	2	1	1	1	3	4	5	8
50-64	49	1.6		1	1	1	2	3	3	4
65 +	19	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	61	7.7	249	1	1	2	6	18	45	88
20-34	21	2.8	4	1	1	2	4	6	7	8
35-49	124	3.7	17	1	1	3	5	7	10	23
50-64	138	4.3	14	1	2	3	6	10	12	19
65 +	189	5.8	39	1	2	4	7	12	16	34
TOTAL SINGLE DX	157	1.8	2	1	1	1	2	4	4	6
TOTAL MULTIPLE DX	533	5.0	52	1	1	3	6	10	14	38
TOTAL										
0-19 YRS	82	6.3	192	1	1	2	5	13	33	81
20-34	50	2.2	2	1	1	2	3	5	5	8
35-49	163	3.3	15	1	1	2	4	7	9	19
50-64	187	3.6	12	1	1	2	4	8	11	18
65 +	208	5.5	37	1	2	4	7	11	15	32
GRAND TOTAL	690	4.3	42	1	1	2	5	9	13	31

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	2.8	4	1	1	2	4	7	8	8
20-34	93	2.4	2	1	1	2	3	5	6	8
35-49	240	2.8	2	1	2	3	4	5	5	7
50-64	232	2.8	3	1	1	2	4	5	6	9
65 +	168	3.0	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	38	3.4	5	1	1	3	5	7	9	10
20-34	115	4.1	23	1	2	3	4	6	9	32
35-49	428	4.2	11	1	2	3	5	7	10	18
50-64	627	5.1	44	1	2	4	6	9	12	37
65 +	854	6.1	44	2	3	4	7	12	15	37
TOTAL SINGLE DX	764	2.8	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	2062	5.2	37	1	2	4	6	10	13	33
TOTAL										
0-19 YRS	69	3.1	6	1	1	2	4	7	8	10
20-34	208	3.3	14	1	1	3	4	5	7	25
35-49	668	3.7	9	1	2	3	5	6	8	16
50-64	859	4.5	34	1	2	3	5	8	11	24
65 +	1022	5.6	40	1	2	4	7	11	14	34
GRAND TOTAL	2826	4.6	29	1	2	3	5	8	12	25

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.0	3	3	3	5	6	7	8	8
20-34	5	4.8	4	3	3	4	6	8	8	8
35-49	10	6.8	8	4	5	6	8	11	13	13
50-64	5	6.2	11	2	3	7	8	11	11	11
65 +	9	7.2	6	3	6	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	60	12.9	149	3	6	9	19	55	99 +	99 +
20-34	14	8.9	13	6	7	8	9	13	18	20
35-49	50	8.1	13	5	6	7	9	13	15	22
50-64	41	9.2	35	4	5	7	10	21	23	26
65 +	121	13.7	125	5	7	11	17	24	29	68
TOTAL SINGLE DX	42	6.0	7	3	4	6	7	10	11	13
TOTAL MULTIPLE DX	286	11.7	97	4	6	9	15	22	32	99 +
TOTAL										
0-19 YRS	73	11.5	132	3	5	8	17	49	99 +	99 +
20-34	19	7.8	14	4	6	7	9	11	16	20
35-49	60	7.9	13	5	6	7	9	13	14	22
50-64	46	8.9	33	4	5	7	10	20	22	26
65 +	130	13.3	119	5	7	10	17	23	29	66
GRAND TOTAL	328	11.0	89	4	6	8	14	20	30	99 +

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	4.5	10	1	2	4	6	8	10	16
20-34	64	3.0	3	1	1	3	4	5	6	9
35-49	61	4.8	11	1	3	4	7	9	12	16
50-64	39	4.2	14	1	1	3	6	10	12	17
65 +	31	4.9	6	1	3	5	7	8	9	11
2. MULTIPLE DX										
0-19 YRS	141	10.4	142	2	4	6	11	26	36	99 +
20-34	195	7.3	59	1	3	5	9	16	22	42
35-49	449	9.0	75	2	4	7	11	16	26	49
50-64	622	9.5	64	3	5	8	12	17	23	43
65 +	894	11.2	82	3	6	9	14	22	28	46
TOTAL SINGLE DX	280	4.2	10	1	2	4	6	8	10	16
TOTAL MULTIPLE DX	2301	9.9	79	3	4	8	12	20	26	48
TOTAL										
0-19 YRS	226	8.2	101	1	3	5	9	19	29	84
20-34	259	6.3	49	1	2	4	8	13	19	37
35-49	510	8.5	70	2	4	7	11	16	22	48
50-64	661	9.2	63	2	4	7	11	17	23	42
65 +	925	11.0	81	3	5	9	14	21	28	46
GRAND TOTAL	2581	9.3	75	2	4	7	12	18	25	47

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	116	4.4	8	2	2	4	6	8	10	17
20-34	116	4.3	6	2	3	4	5	7	9	15
35-49	60	5.7	18	3	4	4	6	10	12	25
50-64	28	6.3	12	2	3	5	9	12	13	13
65 +	20	7.3	38	3	4	6	8	12	22	31
2. MULTIPLE DX										
0-19 YRS	236	10.2	147	3	4	7	11	25	41	99 +
20-34	329	7.0	35	2	3	5	7	14	21	27
35-49	279	9.0	82	3	4	6	9	18	26	44
50-64	256	12.1	115	4	6	9	14	23	34	63
65 +	370	15.9	154	5	8	13	19	33	40	66
TOTAL SINGLE DX	340	4.9	12	2	3	4	6	9	11	19
TOTAL MULTIPLE DX	1470	11.0	117	3	5	7	14	23	33	65
TOTAL										
0-19 YRS	352	8.3	109	2	3	5	9	18	32	99
20-34	445	6.3	30	2	3	5	7	12	19	27
35-49	339	8.4	73	3	4	6	9	17	24	37
50-64	284	11.5	108	4	6	8	13	23	32	61
65 +	390	15.5	152	5	7	12	19	32	39	66
GRAND TOTAL	1810	9.9	103	3	4	7	12	21	30	62

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	3.1	3	1	2	3	4	6	7	9
20-34	261	2.5	2	1	1	2	3	5	6	7
35-49	76	2.3	2	1	1	2	3	4	5	8
50-64	20	2.9	7	1	1	1	5	7	8	10
65 +	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	149	3.4	4	1	2	3	5	6	7	11
20-34	640	3.8	13	1	2	3	5	7	10	26
35-49	210	4.4	20	1	2	3	6	8	12	21
50-64	63	5.6	28	1	2	4	7	13	17	27
65 +	56	8.9	59	1	3	7	13	21	25	34
TOTAL SINGLE DX	451	2.6	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	1118	4.2	18	1	2	3	5	8	12	25
TOTAL										
0-19 YRS	239	3.3	4	1	2	3	5	6	7	10
20-34	901	3.4	11	1	1	3	4	6	8	14
35-49	286	3.8	16	1	1	3	5	8	11	21
50-64	83	4.9	25	1	1	3	6	11	16	25
65 +	60	8.5	59	1	2	7	12	20	24	33
GRAND TOTAL	1569	3.7	14	1	1	3	5	7	10	21

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	5.9	13	2	4	6	7	9	11	24
20-34	116	4.4	7	2	3	4	6	8	9	14
35-49	136	5.7	10	2	3	5	8	11	12	13
50-64	78	7.2	18	2	4	6	9	14	15	20
65 +	58	6.5	11	2	4	7	9	11	12	13
2. MULTIPLE DX										
0-19 YRS	331	12.7	168	3	5	8	17	32	50	99 +
20-34	487	6.3	26	2	3	4	8	13	17	24
35-49	670	8.7	65	3	4	6	11	16	24	42
50-64	622	10.9	71	3	5	9	14	22	28	46
65 +	1051	13.8	100	5	7	12	17	24	33	63
TOTAL SINGLE DX	481	5.8	12	2	3	5	8	10	12	17
TOTAL MULTIPLE DX	3161	10.9	90	3	5	8	14	22	29	57
TOTAL										
0-19 YRS	424	11.2	142	3	5	7	13	27	45	99 +
20-34	603	6.0	23	2	3	4	7	12	16	23
35-49	806	8.2	57	3	4	6	10	15	22	39
50-64	700	10.5	67	3	5	8	14	20	28	44
65 +	1109	13.5	98	5	7	11	17	24	32	60
GRAND TOTAL	3642	10.2	83	3	4	8	13	21	28	54

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	5.3	22	1	2	4	7	10	16	27
20-34	30	6.7	6	5	5	6	7	10	12	16
35-49	52	7.2	18	4	5	6	7	10	11	27
50-64	53	7.2	6	5	5	7	8	10	14	16
65 +	42	8.2	12	5	7	7	9	11	15	25
2. MULTIPLE DX										
0-19 YRS	182	9.7	155	3	4	7	10	20	36	86
20-34	65	8.6	42	4	5	7	8	21	25	33
35-49	149	9.8	45	5	6	8	12	16	25	44
50-64	265	11.3	73	5	7	8	12	22	31	42
65 +	487	12.4	80	6	7	9	15	21	28	56
TOTAL SINGLE DX	234	6.9	15	3	5	6	8	10	14	27
TOTAL MULTIPLE DX	1148	11.2	85	5	6	8	13	21	28	59
TOTAL										
0-19 YRS	239	8.7	127	2	3	6	9	17	25	78
20-34	95	8.0	32	4	5	6	8	12	23	31
35-49	201	9.2	40	5	6	7	11	14	24	42
50-64	318	10.6	64	5	6	8	11	19	27	42
65 +	529	12.1	77	6	7	9	14	21	27	55
GRAND TOTAL	**1382**	**10.5**	**76**	**5**	**6**	**8**	**12**	**19**	**26**	**54**

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	17	4.6	6	2	3	4	6	8	10	11
35-49	26	4.3	7	2	2	4	5	8	9	14
50-64	18	3.8	2	2	3	3	5	6	7	7
65 +	13	2.9	2	< 1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	32	8.3	81	1	2	5	13	20	25	41
20-34	41	7.3	42	2	4	5	9	15	22	32
35-49	75	7.8	49	2	3	5	11	16	19	40
50-64	91	10.2	93	2	3	8	13	21	31	50
65 +	206	12.1	95	2	5	10	16	23	29	50
TOTAL SINGLE DX	81	3.8	5	1	2	3	5	7	8	13
TOTAL MULTIPLE DX	445	10.3	84	2	4	8	14	21	27	45
TOTAL										
0-19 YRS	39	7.2	72	1	2	4	9	19	24	41
20-34	58	6.5	33	2	3	4	8	13	18	31
35-49	101	6.9	41	2	3	5	9	15	18	35
50-64	109	9.2	84	2	3	7	12	20	30	46
65 +	219	11.5	95	2	4	9	16	23	29	48
GRAND TOTAL	**526**	**9.3**	**77**	**2**	**3**	**6**	**13**	**20**	**26**	**45**

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	12.5	17	7	9	13	15	17	17	17
20-34	0									
35-49	5	11.4	19	7	7	13	14	17	17	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	73	18.6	163	10	12	16	21	29	41	99
20-34	59	14.2	80	8	9	11	17	27	36	95
35-49	80	15.4	56	7	10	13	20	26	31	38
50-64	43	17.3	141	8	11	13	19	34	54	99 +
65 +	7	13.1	21	9	10	12	13	21	23	23
TOTAL SINGLE DX	9	11.9	16	7	7	13	15	17	17	17
TOTAL MULTIPLE DX	262	16.3	107	8	10	13	19	28	36	99
TOTAL										
0-19 YRS	77	18.3	158	9	12	16	21	28	40	99
20-34	59	14.2	80	8	9	11	17	27	36	95
35-49	85	15.2	55	7	10	13	19	26	31	38
50-64	43	17.3	141	8	11	13	19	34	54	99 +
65 +	7	13.1	21	9	10	12	13	21	23	23
GRAND TOTAL	**271**	**16.1**	**104**	**8**	**10**	**13**	**19**	**28**	**35**	**99**

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	323	3.0	4	1	1	3	4	6	7	10
20-34	61	3.4	5	1	1	3	5	6	7	9
35-49	39	4.2	11	1	1	3	7	9	10	14
50-64	34	3.5	7	1	1	3	5	7	9	10
65 +	20	4.9	7	1	2	5	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	404	6.2	43	1	2	4	8	14	21	36
20-34	195	8.0	59	1	3	6	11	17	21	38
35-49	222	7.6	52	1	3	6	10	15	20	44
50-64	225	7.7	62	1	3	6	10	15	22	35
65 +	352	10.2	88	2	4	8	14	21	28	48
TOTAL SINGLE DX	477	3.2	6	1	1	3	5	6	7	10
TOTAL MULTIPLE DX	1398	7.9	64	1	3	6	10	17	24	40
TOTAL										
0-19 YRS	727	4.8	29	1	1	3	6	10	15	32
20-34	256	6.9	50	1	2	5	9	15	20	34
35-49	261	7.1	48	1	2	6	9	15	18	40
50-64	259	7.2	57	1	2	6	9	14	21	34
65 +	372	9.9	86	1	4	8	13	21	27	46
GRAND TOTAL	**1875**	**6.7**	**53**	**1**	**2**	**5**	**8**	**15**	**21**	**36**

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	13	4.5	6	2	2	4	6	8	9	9
35-49	20	5.7	15	2	3	5	7	11	14	16
50-64	21	4.5	13	1	2	4	5	7	12	18
65 +	5	4.2	25	1	1	2	6	13	13	13
2. MULTIPLE DX										
0-19 YRS	7	2.6	3	1	1	2	4	5	5	5
20-34	21	6.6	18	1	3	7	9	11	15	17
35-49	27	6.7	17	2	3	6	9	13	15	17
50-64	41	7.2	22	2	4	6	9	13	17	23
65 +	46	11.1	70	3	6	9	13	21	31	40
TOTAL SINGLE DX	62	4.8	13	1	2	4	6	9	13	18
TOTAL MULTIPLE DX	142	8.1	40	2	4	7	10	15	20	39
TOTAL										
0-19 YRS	10	2.5	2	1	1	2	4	5	5	5
20-34	34	5.8	14	1	2	6	8	10	12	17
35-49	47	6.3	16	2	3	6	8	13	15	17
50-64	62	6.3	21	2	4	5	8	12	16	23
65 +	51	10.4	70	2	5	9	13	20	29	40
GRAND TOTAL	204	7.1	34	2	3	6	9	14	17	34

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	288	4.6	4	3	3	4	6	7	8	12
20-34	8	6.0	4	4	5	5	6	10	11	11
35-49	5	6.4	21	2	2	7	9	13	13	13
50-64	3	7.7	9	5	5	7	10	11	11	11
65 +	7	10.0	37	3	5	8	15	19	20	20
2. MULTIPLE DX										
0-19 YRS	348	6.6	24	3	4	5	8	11	15	33
20-34	37	9.1	23	4	6	8	12	16	19	21
35-49	39	15.1	72	6	8	13	23	32	33	99 +
50-64	35	13.1	72	4	7	11	16	28	32	35
65 +	78	18.0	168	6	10	14	22	39	44	64
TOTAL SINGLE DX	311	4.8	6	3	3	4	6	7	9	15
TOTAL MULTIPLE DX	537	9.5	70	3	4	7	11	19	27	48
TOTAL										
0-19 YRS	636	5.7	16	3	4	5	7	9	12	22
20-34	45	8.6	21	4	5	7	10	16	18	21
35-49	44	14.1	74	5	7	13	19	32	33	99 +
50-64	38	12.7	70	4	7	10	15	27	31	35
65 +	85	17.3	162	6	10	13	21	39	43	64
GRAND TOTAL	848	7.8	52	3	4	5	9	15	22	41

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	2.7	3	1	1	2	3	6	6	6
20-34	282	2.8	2	1	2	3	4	5	6	9
35-49	352	2.8	2	1	2	3	4	5	6	8
50-64	198	3.0	4	1	2	2	4	6	7	11
65 +	75	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	19	3.5	5	1	2	3	5	6	9	10
20-34	245	3.5	4	1	2	3	5	6	8	9
35-49	407	3.2	4	1	2	3	4	6	7	10
50-64	387	4.0	7	1	2	3	5	7	10	13
65 +	317	5.2	23	1	2	4	6	11	15	26
TOTAL SINGLE DX	934	2.9	3	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	1375	3.9	10	1	2	3	5	7	9	16
TOTAL										
0-19 YRS	46	3.0	4	1	1	3	4	6	6	10
20-34	527	3.2	4	1	2	3	4	6	6	9
35-49	759	3.0	4	1	2	3	4	5	7	9
50-64	585	3.7	7	1	2	3	5	7	9	13
65 +	392	4.8	21	1	2	3	6	9	15	25
GRAND TOTAL	2309	3.5	8	1	2	3	4	6	8	14

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	4.7	5	2	3	4	7	8	9	9
20-34	17	4.1	3	1	3	5	5	6	7	7
35-49	24	3.5	5	1	2	3	4	5	8	12
50-64	10	3.2	1	1	3	3	4	5	6	6
65 +	6	5.0	10	1	3	4	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	60	6.3	23	2	4	6	8	10	13	33
20-34	13	5.4	5	2	4	6	7	8	9	9
35-49	43	5.5	18	1	2	5	7	11	14	21
50-64	39	5.1	13	1	2	4	8	11	13	14
65 +	82	7.5	44	1	3	7	9	13	19	36
TOTAL SINGLE DX	81	4.0	5	1	3	3	5	7	8	11
TOTAL MULTIPLE DX	237	6.3	28	1	3	6	8	11	14	35
TOTAL										
0-19 YRS	84	5.9	19	2	3	5	7	9	11	29
20-34	30	4.6	5	1	3	5	6	7	8	9
35-49	67	4.8	14	1	2	4	6	9	13	20
50-64	49	4.7	12	1	2	3	7	10	12	14
65 +	88	7.4	43	1	3	7	9	13	19	36
GRAND TOTAL	318	5.8	23	1	3	5	7	10	13	32

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	2.8	4	1	1	2	4	6	8	10
20-34	187	2.9	3	1	1	3	4	5	6	10
35-49	201	3.0	4	1	1	3	4	6	6	10
50-64	156	3.0	6	1	1	2	4	6	7	12
65 +	75	2.9	6	1	1	2	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	185	6.0	41	1	2	4	7	14	19	41
20-34	398	5.9	48	1	2	4	7	11	16	29
35-49	607	6.2	42	1	3	4	7	13	20	36
50-64	827	7.3	59	2	3	5	9	15	20	41
65 +	2116	10.4	78	2	5	8	14	22	28	42
TOTAL SINGLE DX	683	2.9	5	1	1	2	4	6	7	11
TOTAL MULTIPLE DX	4133	8.5	69	2	3	6	11	19	25	41
TOTAL										
0-19 YRS	249	5.2	34	1	2	3	7	11	17	33
20-34	585	4.9	36	1	2	4	6	9	13	26
35-49	808	5.4	35	1	2	4	6	11	15	35
50-64	983	6.6	54	1	2	5	8	14	19	40
65 +	2191	10.2	78	2	4	8	13	22	27	42
GRAND TOTAL	**4816**	**7.7**	**64**	**1**	**3**	**5**	**10**	**17**	**24**	**39**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.2	3	1	2	3	4	6	6	6
20-34	8	2.0	2	< 1	1	1	3	5	5	5
35-49	39	2.3	2	1	1	2	2	5	6	8
50-64	129	2.3	2	1	1	2	3	4	5	9
65 +	250	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	15	7.9	77	1	2	5	12	32	80	99 +
20-34	46	5.4	70	1	2	4	7	9	10	58
35-49	100	4.1	14	1	1	3	6	9	12	19
50-64	513	4.4	25	1	2	3	5	9	14	29
65 +	1940	5.9	48	1	2	4	7	13	18	32
TOTAL SINGLE DX	431	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	2614	5.5	44	1	2	3	7	12	17	32
TOTAL										
0-19 YRS	20	6.7	62	1	2	4	10	24	64	99 +
20-34	54	4.9	62	1	1	3	6	8	10	56
35-49	139	3.6	12	1	1	2	5	8	11	19
50-64	642	4.0	22	1	1	3	4	8	12	27
65 +	2190	5.4	45	1	2	3	6	12	17	31
GRAND TOTAL	**3045**	**5.0**	**39**	**1**	**2**	**3**	**6**	**11**	**16**	**31**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	2.8		2	2	3	3	3	3	3
35-49	6	2.5	3	< 1	1	2	3	6	6	6
50-64	7	1.9	1	1	1	2	2	4	4	4
65 +	9	2.3	3	< 1	1	1	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	8	3.6	11	1	1	2	6	9	9	9
20-34	9	2.4	4	1	1	2	3	6	7	7
35-49	15	4.5	38	1	1	2	5	12	21	24
50-64	41	4.2	20	1	1	3	5	10	12	25
65 +	131	7.6	73	1	3	5	10	15	26	43
TOTAL SINGLE DX	28	2.3	2	1	1	2	3	4	6	6
TOTAL MULTIPLE DX	204	6.3	58	1	2	4	8	14	19	35
TOTAL										
0-19 YRS	10	3.3	9	1	2	2	3	9	9	9
20-34	13	2.5	3	1	1	2	3	5	7	7
35-49	21	3.9	29	1	1	2	4	9	17	24
50-64	48	3.9	19	1	1	3	5	9	11	25
65 +	140	7.2	71	1	2	5	10	15	23	41
GRAND TOTAL	**232**	**5.8**	**53**	**1**	**2**	**3**	**7**	**14**	**17**	**34**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	3.6	6	1	2	3	5	7	10	12
20-34	28	4.6	9	1	2	4	7	8	9	14
35-49	47	4.0	4	2	2	3	5	8	8	11
50-64	59	3.9	6	1	2	3	5	8	10	12
65 +	69	3.9	12	1	2	3	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	214	9.2	70	2	4	7	11	20	26	69
20-34	78	9.1	103	2	4	7	11	16	27	63
35-49	146	9.1	77	2	3	6	11	21	28	41
50-64	304	9.5	77	2	4	8	13	18	25	50
65 +	853	10.3	99	2	4	8	13	21	29	55
TOTAL SINGLE DX	251	3.9	8	1	2	3	5	8	9	13
TOTAL MULTIPLE DX	1595	9.8	90	2	4	8	13	20	28	53
TOTAL										
0-19 YRS	262	8.2	63	1	3	6	11	18	25	52
20-34	106	7.9	82	2	3	6	9	14	19	59
35-49	193	7.8	65	2	3	5	10	20	26	38
50-64	363	8.6	70	2	3	7	12	16	23	46
65 +	922	9.8	96	2	3	7	12	20	28	53
GRAND TOTAL	**1846**	**9.0**	**83**	**2**	**3**	**7**	**12**	**19**	**26**	**52**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	8	2.5	2	<1	1	2	4	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.5	1	<1	1	1	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	7	7.9	63	1	1	6	11	21	23	23
TOTAL SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
TOTAL MULTIPLE DX	20	4.5	28	1	1	2	5	11	17	23
TOTAL										
0-19 YRS	8	2.5	3	<1	1	2	4	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	9	6.7	54	1	1	4	11	18	23	23
GRAND TOTAL	**23**	**4.2**	**25**	**1**	**1**	**2**	**5**	**11**	**15**	**23**

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	324	1.8	2	1	1	1	2	3	6	9
20-34	25	2.5	1	1	2	2	3	4	5	5
35-49	28	3.2	2	1	2	3	4	5	6	7
50-64	27	3.6	2	1	3	4	5	6	7	7
65 +	18	2.6	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	227	2.8	10	1	1	2	3	7	10	18
20-34	33	5.0	35	1	2	3	5	8	17	32
35-49	74	4.1	5	2	3	4	5	7	10	12
50-64	85	4.1	6	1	2	4	5	7	9	13
65 +	98	5.7	44	1	2	4	6	14	19	37
TOTAL SINGLE DX	422	2.1	3	1	1	1	3	4	6	8
TOTAL MULTIPLE DX	517	3.9	18	1	1	3	5	8	11	21
TOTAL										
0-19 YRS	551	2.2	6	1	1	1	2	5	7	12
20-34	58	3.9	22	1	2	3	5	6	11	31
35-49	102	3.9	5	2	2	4	5	6	8	12
50-64	112	4.0	6	1	2	4	5	7	9	13
65 +	116	5.2	39	1	2	4	5	11	19	35
GRAND TOTAL	**939**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	7	1.9	2	1	1	1	3	5	5	5
35-49	8	1.8		<1	1	2	2	3	3	3
50-64	4	1.5		1	1	1	2	2	2	2
65 +	5	10.0	165	1	1	2	19	30	30	30
2. MULTIPLE DX										
0-19 YRS	22	3.2	4	1	1	3	4	6	7	8
20-34	40	8.3	137	2	3	5	9	13	25	71
35-49	52	7.1	47	2	3	5	7	18	24	29
50-64	76	7.2	34	2	3	6	10	16	20	25
65 +	306	9.1	61	2	4	7	12	18	22	37
TOTAL SINGLE DX	28	3.2	36	1	1	1	2	5	17	30
TOTAL MULTIPLE DX	496	8.3	61	2	3	6	11	17	22	36
TOTAL										
0-19 YRS	26	3.0	4	1	1	2	4	6	7	8
20-34	47	7.3	123	1	3	5	8	13	20	71
35-49	60	6.4	45	1	2	4	7	16	23	29
50-64	80	6.9	34	1	2	5	9	15	20	25
65 +	311	9.1	62	2	4	7	12	18	23	37
GRAND TOTAL	**524**	**8.0**	**61**	**1**	**3**	**6**	**11**	**16**	**22**	**35**

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	4.3	21	1	1	2	6	11	16	16
20-34	22	1.5		1	1	1	2	3	3	3
35-49	16	2.3	4	1	1	2	3	6	7	8
50-64	20	1.8	1	1	1	1	2	4	4	4
65 +	23	2.4	1	1	1	2	4	4	5	5
2. MULTIPLE DX										
0-19 YRS	44	5.7	18	1	2	5	8	10	15	21
20-34	38	3.3	20	1	2	2	3	6	11	27
35-49	54	4.6	41	1	1	2	6	11	18	97
50-64	111	4.2	23	1	2	3	5	9	14	26
65 +	367	5.3	29	1	2	4	6	11	14	26
TOTAL SINGLE DX	91	2.2	4	1	1	2	3	4	6	13
TOTAL MULTIPLE DX	614	5.0	28	1	2	3	6	11	14	27
TOTAL										
0-19 YRS	54	5.4	19	1	2	5	7	10	16	21
20-34	60	2.7	14	1	1	2	3	4	6	26
35-49	70	4.0	34	1	1	2	5	10	17	88
50-64	131	3.8	21	1	1	3	4	8	13	22
65 +	390	5.2	28	1	2	4	6	11	14	26
GRAND TOTAL	**705**	**4.6**	**26**	**1**	**2**	**3**	**6**	**10**	**14**	**26**

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	11	4.4	2	2	3	4	5	6	7	7
35-49	98	4.2	1	3	3	4	5	6	7	9
50-64	83	4.6	2	3	4	4	5	7	7	10
65 +	37	4.3	2	3	3	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	29	4.8	2	3	4	4	5	7	8	10
35-49	182	4.5	2	3	3	4	5	6	7	11
50-64	214	4.9	2	3	4	5	5	7	8	11
65 +	135	5.6	8	3	4	5	6	7	9	18
TOTAL SINGLE DX	229	4.4	2	3	3	4	5	6	7	9
TOTAL MULTIPLE DX	562	4.9	4	3	4	5	6	7	8	12
TOTAL										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	40	4.7	2	3	4	4	5	7	8	10
35-49	280	4.4	2	3	3	4	5	6	7	9
50-64	297	4.8	3	3	4	4	5	7	8	11
65 +	172	5.3	8	3	4	5	6	7	9	16
GRAND TOTAL	791	4.8	4	3	4	4	5	7	8	12

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	3.7	2	2	3	3	5	6	7	7
35-49	156	3.3	1	2	2	3	4	5	5	8
50-64	131	3.6	1	2	3	3	4	5	6	7
65 +	80	3.8	2	2	3	4	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	4	7.8	13	5	5	6	10	13	13	13
20-34	36	3.9	2	2	3	4	5	6	7	8
35-49	237	3.9	3	2	3	4	5	5	8	11
50-64	257	4.0	3	2	3	4	5	6	7	9
65 +	255	4.6	6	2	3	4	5	7	9	15
TOTAL SINGLE DX	391	3.5	2	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	789	4.2	5	2	3	4	5	6	8	12
TOTAL										
0-19 YRS	5	6.6	16	2	4	6	8	13	13	13
20-34	59	3.8	2	2	3	4	5	6	7	8
35-49	393	3.7	3	2	3	3	4	5	7	11
50-64	388	3.9	3	2	3	4	5	6	7	9
65 +	335	4.4	5	2	3	4	5	7	8	15
GRAND TOTAL	1180	4.0	4	2	3	4	5	6	7	11

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	59	2.5	2	1	1	2	3	5	6	7
35-49	91	2.4	1	1	1	2	3	4	5	7
50-64	64	2.4	2	1	1	2	3	4	6	8
65 +	27	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	36	4.7	10	1	3	4	6	8	11	18
20-34	124	4.8	24	1	2	4	6	9	14	31
35-49	193	4.4	11	1	2	4	5	9	12	16
50-64	176	5.7	40	1	2	4	6	11	16	37
65 +	241	8.0	53	2	3	5	10	17	25	36
TOTAL SINGLE DX	249	2.4	2	1	1	2	3	4	6	7
TOTAL MULTIPLE DX	770	5.9	36	1	2	4	7	12	17	33
TOTAL										
0-19 YRS	44	4.3	10	1	2	4	5	7	10	18
20-34	183	4.0	18	1	2	3	5	7	11	28
35-49	284	3.7	9	1	2	3	5	8	10	15
50-64	240	4.8	32	1	2	3	6	9	14	33
65 +	268	7.4	51	1	3	5	9	16	24	35
GRAND TOTAL	1019	5.0	30	1	2	3	6	10	15	30

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.8	1	1	1	1	3	4	4	4
20-34	77	1.8	1	1	1	1	2	3	5	6
35-49	122	1.7	1	1	1	1	2	3	4	6
50-64	100	1.5	1	1	1	1	1	3	4	6
65 +	87	1.6	3	1	1	1	1	3	4	14
2. MULTIPLE DX										
0-19 YRS	12	3.0	4	1	1	2	4	7	8	8
20-34	69	3.8	28	1	1	2	5	9	11	33
35-49	134	3.2	23	1	1	2	3	6	11	27
50-64	153	2.7	9	1	1	1	3	6	8	16
65 +	176	3.7	34	1	1	2	4	9	13	39
TOTAL SINGLE DX	392	1.6	2	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	544	3.3	23	1	1	2	3	7	10	24
TOTAL										
0-19 YRS	18	2.6	4	1	1	2	3	5	7	8
20-34	146	2.7	15	1	1	1	3	5	9	23
35-49	256	2.5	13	1	1	1	3	5	7	15
50-64	253	2.2	6	1	1	1	2	5	7	11
65 +	263	3.0	25	1	1	1	3	7	11	21
GRAND TOTAL	936	2.6	15	1	1	1	3	5	8	17

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	4	1.8	1	< 1	< 1	1	2	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	6.5	5	5	5	6	8	8	8	8
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	6.3	7	4	4	5	8	10	10	10
20-34	10	7.5	25	3	5	5	9	16	18	18
35-49	17	9.0	23	4	6	8	11	15	20	23
50-64	9	7.9	23	2	5	6	13	14	15	15
65 +	33	11.9	61	4	6	9	15	24	28	31
TOTAL SINGLE DX	11	4.5	8	1	2	5	7	8	9	9
TOTAL MULTIPLE DX	73	9.8	43	4	5	8	13	21	24	30
TOTAL										
0-19 YRS	7	5.7	5	3	4	5	7	9	10	10
20-34	14	5.9	25	1	2	5	8	14	17	18
35-49	18	9.0	22	4	7	8	11	14	20	23
50-64	11	7.6	19	3	5	6	12	14	15	15
65 +	34	11.7	61	4	6	9	15	24	27	31
GRAND TOTAL	84	9.1	41	3	5	8	12	18	23	30

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	3.3	16	< 1	< 1	1	6	8	8	8
35-49	11	2.7	3	1	2	2	3	6	7	7
50-64	499	3.4	1	2	3	3	4	5	5	7
65 +	1115	3.6	1	2	3	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	48	4.3	18	2	3	3	4	6	9	29
50-64	2163	4.4	15	2	3	3	5	7	10	18
65 +	8889	5.7	24	3	3	4	6	11	15	26
TOTAL SINGLE DX	1628	3.5	2	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	11103	5.5	23	3	3	4	6	10	14	25
TOTAL										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	4	4.0	13	< 1	< 1	3	7	8	8	8
35-49	59	4.0	16	2	2	3	4	6	8	28
50-64	2662	4.2	13	2	3	3	4	6	9	16
65 +	10004	5.5	22	3	3	4	6	10	14	25
GRAND TOTAL	12731	5.2	20	3	3	4	5	9	14	24

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	0									
35-49	4	6.5		6	6	6	7	7	7	7
50-64	100	7.5	4	5	6	7	8	11	11	14
65 +	129	7.4	5	5	6	7	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	7	7.7	4	6	6	7	9	11	11	11
50-64	355	8.4	9	6	7	8	9	12	15	23
65 +	760	9.4	19	6	7	8	11	15	18	27
TOTAL SINGLE DX	236	7.4	5	5	6	7	8	10	11	15
TOTAL MULTIPLE DX	1123	9.1	17	6	7	8	10	13	16	25
TOTAL										
0-19 YRS	4	3.3	4	2	2	3	4	6	6	6
20-34	0									
35-49	11	7.3	3	6	6	7	7	10	11	11
50-64	455	8.2	9	5	6	8	9	11	14	20
65 +	889	9.1	18	6	7	8	10	14	17	25
GRAND TOTAL	1359	8.8	15	6	7	8	10	13	16	24

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	3.3	4	1	2	4	5	5	5	5
50-64	17	1.6		1	1	1	2	3	4	4
65 +	15	1.9	1	1	1	1	3	3	5	5
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	14.0		14	14	14	14	14	14	14
35-49	15	3.0	8	1	1	2	3	4	11	13
50-64	106	5.2	26	1	2	3	7	12	16	24
65 +	330	8.9	64	2	3	7	12	19	26	33
TOTAL SINGLE DX	38	1.8	1	1	1	1	2	4	5	5
TOTAL MULTIPLE DX	453	7.8	57	1	3	6	11	17	22	33
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	5.7	52	1	1	2	11	14	14	14
35-49	18	3.1	8	1	1	2	4	5	10	13
50-64	123	4.7	24	1	1	3	7	11	15	23
65 +	345	8.6	64	2	3	6	11	18	25	33
GRAND TOTAL	491	7.3	55	1	2	5	10	16	21	33

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.7	2	< 1	1	1	2	4	6	7
20-34	24	2.0	1	1	1	2	3	4	4	4
35-49	17	2.9	3	1	2	2	4	6	7	7
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	6	3.0	9	1	1	2	3	8	9	9
2. MULTIPLE DX										
0-19 YRS	33	3.8	59	1	1	1	3	6	14	44
20-34	33	4.1	12	1	1	3	7	9	11	12
35-49	48	6.7	53	2	3	4	7	15	29	35
50-64	36	5.7	31	1	2	3	8	13	19	22
65 +	48	8.3	89	1	2	5	11	23	29	45
TOTAL SINGLE DX	89	2.1	3	< 1	1	1	3	4	6	8
TOTAL MULTIPLE DX	198	6.0	54	1	2	3	7	13	22	40
TOTAL										
0-19 YRS	71	2.7	30	< 1	1	1	3	5	7	38
20-34	57	3.2	8	1	1	2	4	8	9	12
35-49	65	5.7	43	1	2	4	6	11	19	34
50-64	40	5.4	30	1	2	3	7	13	19	22
65 +	54	7.7	83	1	2	4	9	22	28	45
GRAND TOTAL	287	4.8	41	1	1	3	5	11	16	35

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	1.8	2	1	1	1	2	3	5	9
20-34	52	1.9	2	1	1	1	2	4	6	7
35-49	29	2.2	4	1	1	1	3	5	7	9
50-64	18	2.1	2	1	1	2	2	4	6	7
65 +	44	1.8	2	.	1	1	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	65	3.8	95	1	1	2	3	7	10	68
20-34	51	4.4	19	1	1	3	6	11	12	19
35-49	36	4.6	22	1	2	3	5	13	16	19
50-64	70	6.0	45	1	2	4	7	13	18	41
65 +	440	7.4	60	1	1	5	11	17	23	38
TOTAL SINGLE DX	213	1.9	3	1	1	1	2	4	6	9
TOTAL MULTIPLE DX	662	6.5	59	1	1	4	9	16	21	38
TOTAL										
0-19 YRS	135	2.8	48	1	1	1	2	4	8	36
20-34	103	3.2	12	1	1	2	4	7	11	17
35-49	65	3.6	15	1	1	2	4	9	13	19
50-64	88	5.2	39	1	1	3	6	11	16	37
65 +	484	6.9	58	1	1	4	10	16	22	38
GRAND TOTAL	875	5.4	49	1	1	2	7	14	18	34

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	177	1.3		1	1	1	1	2	3	5
20-34	34	1.2		1	1	1	1	2	2	3
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	134	1.8	21	1	1	1	2	3	3	61
20-34	15	2.1	3	1	1	1	3	4	7	8
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	216	1.3	1	1	1	1	1	2	3	5
TOTAL MULTIPLE DX	152	1.9	19	1	1	1	2	3	3	53
TOTAL										
0-19 YRS	311	1.5	10	1	1	1	1	3	3	6
20-34	49	1.5	1	1	1	1	2	3	3	8
35-49	7	1.4		< 1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	368	1.5	8	1	1	1	1	3	3	7

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	1.3		<1	1	1	1	2	2	6
20-34	13	2.0	1	<1	1	2	3	4	5	5
35-49	6	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	38	2.9	28	<1	1	1	3	6	10	32
20-34	13	4.2	15	1	2	3	5	8	15	16
35-49	7	6.1	35	<1	1	3	11	14	15	15
50-64	6	2.0	1	1	1	2	2	4	4	4
65 +	5	5.0	4	2	3	5	7	7	7	7
TOTAL SINGLE DX	69	1.5	1	<1	1	1	2	2	4	6
TOTAL MULTIPLE DX	69	3.6	23	1	1	2	4	8	12	29
TOTAL										
0-19 YRS	88	2.0	13	<1	1	1	2	3	6	24
20-34	26	3.1	9	1	1	2	4	6	8	16
35-49	13	4.1	24	<1	1	2	5	12	14	15
50-64	6	2.0	1	1	1	2	2	4	4	4
65 +	5	5.0	5	2	3	5	7	7	7	7
GRAND TOTAL	138	2.5	13	<1	1	1	2	5	8	18

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	7.0	8	5	5	7	9	9	9	9
TOTAL SINGLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	6	3.3	10	1	1	2	5	9	9	9
TOTAL										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	7.0	8	5	5	7	9	9	9	9
GRAND TOTAL	8	2.8	8	1	1	2	4	8	9	9

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.2		<1	1	1	1	2	2	3
20-34	12	1.4		<1	1	1	2	3	3	3
35-49	18	1.3		1	1	1	1	2	3	3
50-64	7	1.0		1	1	1	1	1	1	1
65 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4	3.0	16	<1	<1	1	5	9	9	9
20-34	11	2.2	2	<1	1	2	3	5	5	5
35-49	13	2.6	15	1	1	1	2	8	14	15
50-64	28	2.3	4	1	1	1	3	5	9	9
65 +	23	2.3	9	1	1	1	2	4	9	16
TOTAL SINGLE DX	65	1.3		1	1	1	1	2	3	3
TOTAL MULTIPLE DX	79	2.4	8	1	1	1	2	5	9	16
TOTAL										
0-19 YRS	29	1.4	2	<1	1	1	1	2	3	9
20-34	23	1.8	2	<1	1	1	2	4	5	5
35-49	31	1.8	7	1	1	1	2	3	6	15
50-64	35	2.0	4	1	1	1	2	4	8	9
65 +	26	2.2	9	1	1	2	2	3	7	16
GRAND TOTAL	144	1.9	5	1	1	1	2	3	5	15

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.2		<1	<1	1	1	2	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	40	5.5	44	1	1	3	7	17	20	28
20-34	6	5.5	36	1	1	3	7	16	17	17
35-49	12	6.1	55	1	1	4	7	14	26	28
50-64	29	7.2	99	1	1	4	9	16	36	43
65 +	35	8.2	42	1	2	7	13	18	21	22
TOTAL SINGLE DX	14	1.3	1	<1	1	1	1	3	3	3
TOTAL MULTIPLE DX	122	6.8	57	1	1	4	10	17	21	38
TOTAL										
0-19 YRS	49	4.7	39	1	1	2	6	16	20	28
20-34	7	4.9	33	1	1	3	6	15	17	17
35-49	16	4.9	45	1	1	3	6	8	22	28
50-64	29	7.2	99	1	1	4	9	16	36	43
65 +	35	8.2	42	1	2	7	13	18	21	22
GRAND TOTAL	136	6.2	54	1	1	3	8	17	21	37

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	42	2.3	3	1	1	2	3	3	5	12
50-64	109	2.1	1	1	1	2	3	3	4	6
65 +	42	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.1	14	1	2	3	5	9	14	15
35-49	134	2.9	3	1	2	2	3	5	6	9
50-64	343	2.5	2	1	2	2	3	4	5	7
65 +	192	3.3	13	1	2	3	4	6	7	12
TOTAL SINGLE DX	198	2.1	2	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	683	2.8	6	1	2	2	3	5	6	11
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	3.5	12	1	2	2	3	7	12	15
35-49	176	2.7	3	1	2	2	3	5	6	11
50-64	452	2.4	2	1	1	2	3	4	5	6
65 +	234	3.1	12	1	2	2	4	5	7	12
GRAND TOTAL	881	2.7	5	1	2	2	3	5	6	10

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.7	1	1	1	1	2	3	4	4
20-34	25	5.0	27	1	1	2	9	13	15	19
35-49	22	3.4	16	1	1	2	4	8	13	18
50-64	23	2.4	4	1	1	2	3	4	8	11
65 +	9	3.9	6	1	2	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	42	3.8	14	1	1	2	5	12	16	99 +
20-34	34	11.0	105	1	3	7	20	27	33	37
35-49	47	7.3	33	1	2	6	10	17	20	21
50-64	61	5.8	51	1	1	4	8	18	32	99 +
65 +	44	6.8	75	1	3	4	7	17	31	99 +
TOTAL SINGLE DX	102	3.2	13	1	1	2	3	9	12	18
TOTAL MULTIPLE DX	228	6.7	57	1	2	4	9	18	25	99 +
TOTAL										
0-19 YRS	65	3.1	11	1	1	2	4	6	14	87
20-34	59	8.5	80	1	2	5	11	22	29	37
35-49	69	6.0	31	1	2	4	9	16	18	21
50-64	84	4.9	40	1	1	3	6	14	23	99 +
65 +	53	6.3	65	1	3	4	7	17	24	98
GRAND TOTAL	330	5.6	46	1	1	3	7	16	21	99 +

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	118	3.2	2	2	2	3	4	5	6	9
20-34	294	3.0	1	2	2	3	4	4	4	6
35-49	65	3.2	1	2	2	3	4	5	5	7
50-64	9	4.8	10	1	2	4	7	10	10	10
65 +	3	6.3	16	4	4	4	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	136	4.1	13	2	3	3	4	6	8	28
20-34	744	3.9	9	2	3	3	4	6	7	12
35-49	242	4.3	13	2	3	4	4	6	8	23
50-64	38	9.5	107	4	4	5	11	21	35	50
65 +	36	10.6	50	5	6	9	13	19	22	41
TOTAL SINGLE DX	489	3.1	2	2	2	3	4	4	5	9
TOTAL MULTIPLE DX	1196	4.4	17	2	3	4	4	6	9	22
TOTAL										
0-19 YRS	254	3.7	8	2	3	3	4	5	6	11
20-34	1038	3.6	7	2	3	3	4	5	6	10
35-49	307	4.1	11	2	3	4	4	6	7	21
50-64	47	8.6	91	2	4	5	9	18	28	50
65 +	39	10.3	49	4	6	8	12	18	22	41
GRAND TOTAL	1685	4.0	13	2	3	3	4	6	8	18

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	3.7	2	2	3	3	4	5	7	9
20-34	249	3.5	2	2	3	3	4	5	6	10
35-49	189	3.4	1	2	3	3	4	4	5	8
50-64	25	3.4	1	2	3	3	4	5	6	6
65 +	10	5.8	16	4	4	4	5	12	17	17
2. MULTIPLE DX										
0-19 YRS	117	4.8	9	2	3	4	5	8	11	19
20-34	860	4.2	5	3	3	4	4	6	8	15
35-49	739	4.2	4	3	3	4	5	7	9	14
50-64	100	5.8	15	3	3	4	7	10	11	25
65 +	103	9.6	55	4	5	7	11	22	27	37
TOTAL SINGLE DX	536	3.5	2	2	3	3	4	5	6	10
TOTAL MULTIPLE DX	1919	4.6	10	3	3	4	5	8	10	20
TOTAL										
0-19 YRS	180	4.4	7	2	3	4	5	7	10	18
20-34	1109	4.1	5	3	3	4	4	6	8	13
35-49	928	4.1	4	2	3	4	4	6	8	13
50-64	125	5.3	13	3	3	4	6	9	11	25
65 +	113	9.2	53	4	5	7	11	20	26	36
GRAND TOTAL	2455	4.4	9	3	3	4	5	7	9	17

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	21	3.7		3	3	4	4	5	5	5
35-49	57	4.0	2	2	3	4	5	6	7	8
50-64	49	4.5	3	3	4	4	5	6	7	12
65 +	19	5.2	3	3	4	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	231	4.5	6	3	3	4	5	7	9	16
35-49	587	4.9	11	3	3	4	5	7	10	22
50-64	271	5.8	20	3	4	4	7	10	13	25
65 +	217	9.4	73	4	5	7	10	18	26	47
TOTAL SINGLE DX	149	4.2	3	3	3	4	5	6	7	10
TOTAL MULTIPLE DX	1308	5.8	26	3	3	4	6	10	14	27
TOTAL										
0-19 YRS	5	4.6	10	2	2	3	7	9	9	9
20-34	252	4.5	6	3	3	4	5	7	9	16
35-49	644	4.8	11	3	3	4	5	7	10	20
50-64	320	5.6	18	3	4	4	6	10	12	24
65 +	236	9.0	69	4	5	6	10	17	25	45
GRAND TOTAL	1457	5.6	23	3	3	4	6	9	13	26

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	2.7	1	1	2	3	3	4	5	8
20-34	67	2.7	1	1	2	3	4	4	5	6
35-49	14	2.8	2	1	1	2	4	5	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	47	4.0	22	1	2	3	4	5	10	33
20-34	264	3.6	7	1	2	3	4	6	7	20
35-49	97	4.5	17	1	3	4	5	8	13	24
50-64	4	4.3	15	1	2	3	7	10	10	10
65 +	6	5.3	18	1	2	4	9	12	12	12
TOTAL SINGLE DX	117	2.7	2	1	2	3	3	4	5	7
TOTAL MULTIPLE DX	418	3.9	12	1	2	3	4	6	8	22
TOTAL										
0-19 YRS	81	3.5	14	1	2	3	4	5	7	26
20-34	331	3.4	6	1	2	3	4	5	7	16
35-49	111	4.2	16	1	2	3	5	7	12	24
50-64	6	3.7	11	1	1	3	4	9	10	10
65 +	6	5.3	18	1	2	4	9	12	12	12
GRAND TOTAL	535	3.6	10	1	2	3	4	6	7	21

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	9	2.1		<1	1	2	3	3	3	3
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	85	2.1	1	1	1	2	3	3	4	9
35-49	25	1.7	1	<1	1	1	2	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	12	1.8	1	<1	<1	2	3	3	3	3
TOTAL MULTIPLE DX	112	2.0	2	1	1	2	3	3	4	8
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	94	2.1	2	1	1	2	3	3	4	9
35-49	28	1.6	1	<1	1	1	2	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	124	2.0	2	1	1	2	3	3	4	8

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	151	2.4		1	2	2	3	3	4	6
35-49	49	2.4	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	2.3		2	2	2	3	3	4	4
20-34	2728	2.5	1	2	2	2	3	3	4	6
35-49	500	2.7	3	2	2	2	3	4	5	10
50-64	7	3.3	1	2	2	3	4	5	5	5
65 +	0									
TOTAL SINGLE DX	203	2.4	1	1	2	2	3	4	4	6
TOTAL MULTIPLE DX	3251	2.5	2	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	19	2.2	1	1	2	2	3	3	4	4
20-34	2879	2.4	1	2	2	2	3	3	4	6
35-49	549	2.7	3	2	2	2	3	4	5	10
50-64	7	3.3	1	2	2	3	4	5	5	5
65 +	0									
GRAND TOTAL	3454	2.5	2	2	2	2	3	3	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	3.2		2	3	3	4	4	5	5
20-34	690	3.1	1	1	2	3	4	4	5	6
35-49	150	3.1	1	1	2	3	4	4	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	94	3.5	1	2	3	3	4	5	5	8
20-34	1243	3.5	2	2	3	3	4	5	6	9
35-49	332	3.5	2	1	3	3	4	5	6	8
50-64	9	5.0	10	2	3	4	5	10	13	13
65 +	4	2.8	2	1	1	3	4	4	4	4
TOTAL SINGLE DX	902	3.1	1	1	2	3	4	4	5	6
TOTAL MULTIPLE DX	1682	3.5	2	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	155	3.4	1	2	3	3	4	5	5	8
20-34	1933	3.4	2	2	3	3	4	5	5	8
35-49	482	3.4	2	1	2	3	4	5	6	8
50-64	10	4.9	9	2	3	4	5	9	13	13
65 +	4	2.8	2	1	1	3	4	4	4	4
GRAND TOTAL	2584	3.4	2	2	3	3	4	5	5	8

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	8	1.1		1	1	1	1	2	2	2
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	20	2.6	11	1	1	1	3	5	11	16
35-49	18	3.2	4	1	2	2	5	7	8	8
50-64	11	2.7	7	1	1	1	4	7	8	8
65 +	9	4.3	30	1	1	2	6	14	14	14
TOTAL SINGLE DX	15	1.1		1	1	1	1	2	2	2
TOTAL MULTIPLE DX	59	3.0	11	1	1	2	3	7	11	16
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	28	2.1	9	1	1	1	2	4	7	16
35-49	23	2.8	5	1	1	2	4	6	7	8
50-64	13	2.5	6	1	1	1	3	7	8	8
65 +	9	4.3	31	1	1	2	6	14	14	14
GRAND TOTAL	74	2.6	9	1	1	1	3	6	8	16

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	1.6		<1	<1	1	2	3	3	3
35-49	8	2.0	2	<1	<1	1	3	4	5	5
50-64	3	1.7		1	1	2	2	2	2	2
65 +	6	3.3	2	1	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	7	6.7	37	2	2	3	12	16	16	16
20-34	39	2.5	2	1	1	2	3	4	6	9
35-49	38	7.3	119	1	1	3	8	23	33	52
50-64	21	10.3	288	1	2	4	8	35	52	71
65 +	65	8.6	77	2	3	5	10	17	27	45
TOTAL SINGLE DX	29	2.2	2	<1	1	2	3	4	5	5
TOTAL MULTIPLE DX	170	7.0	99	1	2	3	8	16	28	51
TOTAL										
0-19 YRS	8	6.4	33	2	2	3	11	15	16	16
20-34	50	2.3	2	1	1	2	3	4	6	9
35-49	46	6.4	103	1	1	3	7	20	30	52
50-64	24	9.3	260	1	2	3	7	35	46	71
65 +	71	8.1	73	2	3	5	10	17	27	44
GRAND TOTAL	199	6.3	87	1	2	3	7	14	27	49

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.9	1	1	1	2	2	4	4	4
20-34	210	1.7	2	1	1	1	2	3	4	9
35-49	35	1.4		1	1	1	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	6	2.7	1	1	2	3	4	4	4	4
20-34	122	2.9	17	1	1	2	3	6	8	27
35-49	23	2.6	12	<1	1	1	2	7	12	14
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	254	1.6	2	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	152	2.9	16	1	1	2	3	6	8	26
TOTAL										
0-19 YRS	15	2.2	1	1	1	2	3	4	4	4
20-34	332	2.1	8	1	1	1	2	4	6	14
35-49	58	1.9	5	1	1	1	2	3	6	14
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	406	2.1	7	1	1	1	2	4	6	13

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	104	3.4		2	3	3	4	4	5	6
35-49	54	3.1	1	1	2	3	4	4	5	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	4.8	8	2	3	4	5	9	11	11
20-34	371	4.1	10	2	3	4	4	5	7	16
35-49	284	4.3	22	1	3	4	5	6	8	29
50-64	35	8.1	69	2	2	5	12	19	28	34
65 +	40	11.2	95	2	5	9	13	27	32	47
TOTAL SINGLE DX	164	3.3	1	2	3	3	4	4	5	6
TOTAL MULTIPLE DX	738	4.8	25	2	3	4	5	7	11	34
TOTAL										
0-19 YRS	11	4.7	6	2	3	5	5	8	11	11
20-34	475	4.0	8	2	3	4	4	5	6	14
35-49	338	4.1	19	1	3	4	4	5	8	18
50-64	37	7.8	68	1	2	5	11	19	27	34
65 +	41	11.0	94	2	5	9	13	27	32	47
GRAND TOTAL	902	4.5	21	2	3	4	5	6	10	31

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	276	3.8		3	3	4	4	5	6	6
35-49	809	4.1	2	3	4	4	4	5	6	8
50-64	201	4.3	1	3	4	4	5	6	6	9
65 +	137	5.0	3	4	4	4	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	22	6.0	15	3	3	5	8	11	16	17
20-34	3226	4.2	2	3	3	4	4	6	7	10
35-49	10933	4.4	3	3	4	4	5	6	7	11
50-64	2704	5.0	7	3	4	4	5	7	9	18
65 +	1308	7.2	29	4	4	5	8	12	16	29
TOTAL SINGLE DX	1425	4.1	2	3	4	4	4	5	6	8
TOTAL MULTIPLE DX	18193	4.7	7	3	4	4	5	6	8	15
TOTAL										
0-19 YRS	24	5.8	14	2	3	5	7	10	16	17
20-34	3502	4.2	3	3	3	4	4	5	7	10
35-49	11742	4.4	4	3	4	4	5	6	7	11
50-64	2905	5.0	7	3	4	4	5	7	9	18
65 +	1445	7.0	28	4	4	5	8	12	15	27
GRAND TOTAL	19618	4.6	6	3	4	4	5	6	8	14

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	157	3.2		2	3	3	4	4	5	6
35-49	252	3.4	1	2	3	3	4	5	5	7
50-64	164	4.2	1	3	4	4	5	5	6	9
65 +	164	4.5	2	3	4	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	868	3.6	2	2	3	3	4	5	5	9
35-49	2382	3.7	2	2	3	4	4	5	6	9
50-64	933	4.3	2	3	3	4	5	6	7	10
65 +	967	5.1	9	3	4	5	5	7	9	17
TOTAL SINGLE DX	738	3.8	2	2	3	4	4	5	6	8
TOTAL MULTIPLE DX	5151	4.1	4	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1025	3.5	2	2	3	3	4	5	5	8
35-49	2634	3.7	2	2	3	4	4	5	6	9
50-64	1097	4.3	2	3	3	4	5	6	7	10
65 +	1131	5.0	8	3	4	4	5	7	8	15
GRAND TOTAL	5889	4.0	3	3	3	4	5	6	7	10

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	8	6.8	2	5	6	6	7	9	10	10
35-49	16	6.9	8	3	5	6	9	11	12	12
50-64	2	9.5	13	7	7	9	12	12	12	12
65 +	3	6.7	9	4	4	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	35	7.4	17	4	6	7	8	9	10	29
35-49	82	8.1	24	4	5	7	9	12	18	31
50-64	55	11.0	40	5	8	9	13	20	27	33
65 +	37	12.5	53	5	7	10	15	27	30	32
TOTAL SINGLE DX	29	7.0	7	4	5	6	9	11	12	12
TOTAL MULTIPLE DX	209	9.5	36	4	6	8	10	16	23	32
TOTAL										
0-19 YRS	0									
20-34	43	7.3	15	4	6	7	8	9	10	29
35-49	98	7.9	22	4	5	7	9	11	16	31
50-64	57	11.0	40	5	8	9	13	19	26	33
65 +	40	12.1	53	5	7	10	14	24	29	32
GRAND TOTAL	238	9.2	33	4	6	8	10	15	22	32

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	17	1.4		<1	1	1	2	2	3	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	2.8	1	1	2	3	4	4	4	4
20-34	29	3.0	8	1	1	2	3	7	11	13
35-49	8	3.5	4	1	2	3	4	7	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
TOTAL SINGLE DX	23	1.4	1	<1	1	1	2	3	3	4
TOTAL MULTIPLE DX	43	3.1	7	1	2	2	4	6	9	13
TOTAL										
0-19 YRS	8	2.4	2	1	1	2	3	4	4	4
20-34	46	2.4	6	1	1	2	2	4	8	13
35-49	11	3.0	4	1	2	2	4	6	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	66	2.5	5	1	1	2	3	4	7	13

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	303	1.3		<1	<1	1	1	2	3	5
20-34	1291	1.3		<1	<1	1	1	2	3	5
35-49	263	1.3		<1	<1	1	1	2	3	5
50-64	22	2.0	2	<1	<1	1	3	4	5	6
65 +	14	3.0	9	<1	1	2	3	7	11	12
2. MULTIPLE DX										
0-19 YRS	192	2.5	7	1	1	2	3	5	7	13
20-34	1091	2.7	12	1	1	2	3	5	6	13
35-49	491	3.4	23	1	1	2	4	6	9	24
50-64	154	4.7	38	1	1	3	5	11	18	28
65 +	189	7.2	68	1	2	4	9	16	24	44
TOTAL SINGLE DX	1893	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	2117	3.4	23	1	1	2	4	6	10	24
TOTAL										
0-19 YRS	495	1.8	4	<1	1	1	2	3	5	8
20-34	2382	2.0	7	<1	1	1	2	4	5	10
35-49	754	2.6	17	<1	1	1	3	5	8	17
50-64	176	4.4	35	1	1	2	5	11	15	27
65 +	203	6.9	66	1	2	4	9	16	23	42
GRAND TOTAL	4010	2.4	14	<1	1	1	3	5	7	17

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	12	2.3	14	<1	<1	1	1	7	13	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	7.1	34	1	2	7	10	16	18	18
20-34	26	4.2	41	1	1	2	6	7	15	33
35-49	8	3.4	11	1	1	2	4	9	11	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	16	2.1	11	<1	<1	1	1	4	11	14
TOTAL MULTIPLE DX	42	4.6	35	1	1	2	6	10	14	33
TOTAL										
0-19 YRS	11	5.5	32	<1	1	2	10	13	18	18
20-34	38	3.6	33	<1	1	1	4	7	12	33
35-49	9	3.2	10	1	1	2	4	9	11	11
50-64	0									
65 +	0									
GRAND TOTAL	58	3.9	29	<1	1	2	5	10	13	32

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	1.3		<1	1	1	1	2	3	4
20-34	291	1.4	4	<1	1	1	1	2	3	5
35-49	38	1.5	1	<1	1	1	2	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	50	2.8	7	1	1	2	3	7	9	12
20-34	247	2.9	12	1	1	2	3	5	7	14
35-49	39	5.4	70	1	1	2	5	10	27	42
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	6	13.5	375	2	2	5	14	48	52	52
TOTAL SINGLE DX	393	1.4	3	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	344	3.4	26	1	1	2	4	6	9	32
TOTAL										
0-19 YRS	113	2.0	4	<1	1	1	2	4	7	11
20-34	538	2.1	8	<1	1	1	2	4	5	13
35-49	77	3.5	39	<1	1	2	3	6	10	39
50-64	3	5.0	16	1	2	5	8	9	9	9
65 +	6	13.5	375	2	2	5	14	48	52	52
GRAND TOTAL	737	2.4	15	<1	1	1	2	4	6	15

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.8		2	2	3	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	3.0		2	2	3	4	4	4	4
20-34	40	2.7	1	1	2	3	4	4	4	5
35-49	12	2.9	4	1	1	2	4	7	8	8
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	5	12.4	245	4	4	4	17	40	40	40
TOTAL SINGLE DX	8	2.9		2	2	3	3	4	4	4
TOTAL MULTIPLE DX	63	3.6	25	1	2	3	4	5	8	36
TOTAL										
0-19 YRS	5	3.2	1	2	3	3	4	4	4	4
20-34	45	2.7	1	1	2	3	4	4	4	5
35-49	14	2.9	4	1	1	2	3	6	8	8
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	5	12.4	245	4	4	4	17	40	40	40
GRAND TOTAL	71	3.5	22	1	2	3	4	4	8	34

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.3		1	1	3	3	3	3	3
20-34	110	1.4		1	1	1	1	3	4	5
35-49	47	1.5		1	1	1	2	3	4	4
50-64	12	2.7	2	1	2	2	3	5	6	6
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	19	3.4	7	1	2	3	4	8	10	11
20-34	116	3.7	24	1	1	3	4	7	9	33
35-49	45	3.4	7	1	1	3	4	8	10	11
50-64	16	3.4	11	1	1	2	4	6	12	14
65 +	15	3.9	12	1	2	2	5	10	11	12
TOTAL SINGLE DX	182	1.6	1	1	1	1	2	3	4	5
TOTAL MULTIPLE DX	211	3.6	17	1	1	3	4	7	10	22
TOTAL										
0-19 YRS	30	3.0	5	1	2	3	3	6	8	11
20-34	226	2.6	14	1	1	1	3	4	7	20
35-49	92	2.4	5	1	1	2	3	5	8	11
50-64	28	3.1	7	1	1	2	4	6	7	14
65 +	17	3.6	11	1	2	2	4	10	11	12
GRAND TOTAL	393	2.7	11	1	1	2	3	5	8	13

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	13	3.0	1	2	2	3	3	5	6	6
35-49	90	3.0	1	1	2	3	4	4	5	6
50-64	221	3.3	1	2	2	3	4	5	6	7
65 +	181	3.9	1	2	3	4	5	6	6	8
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	41	3.4	2	1	2	3	4	5	6	7
35-49	255	3.6	2	2	3	4	4	5	6	8
50-64	481	4.0	2	2	3	4	5	6	7	9
65 +	598	4.7	5	3	3	4	5	7	9	15
TOTAL SINGLE DX	505	3.5	2	2	3	3	4	5	6	7
TOTAL MULTIPLE DX	1377	4.2	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	54	3.3	2	2	2	3	4	5	6	7
35-49	345	3.5	2	2	3	3	4	5	6	7
50-64	702	3.8	2	2	3	4	4	6	7	9
65 +	779	4.5	5	2	3	4	5	7	8	14
GRAND TOTAL	1882	4.0	4	2	3	4	5	6	7	11

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	3.0	4	<1	1	2	5	6	7	8
20-34	60	2.5	3	1	1	2	3	4	5	13
35-49	18	3.9	17	1	2	3	5	7	14	19
50-64	20	3.3	3	1	2	3	4	6	6	7
65 +	21	3.1	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	43	4.7	43	1	2	3	5	8	12	43
20-34	50	2.6	4	1	1	2	3	5	5	13
35-49	47	6.3	29	2	3	4	7	15	19	25
50-64	65	4.8	9	2	3	4	6	7	8	23
65 +	95	6.3	22	3	4	5	8	11	15	29
TOTAL SINGLE DX	140	3.0	5	1	2	2	4	5	6	14
TOTAL MULTIPLE DX	300	5.1	22	1	3	4	6	9	14	25
TOTAL										
0-19 YRS	64	4.2	31	1	2	3	5	7	9	39
20-34	110	2.6	4	1	1	2	3	4	5	13
35-49	65	5.6	27	2	3	4	6	14	19	24
50-64	85	4.4	9	2	3	4	5	7	7	20
65 +	116	5.8	20	2	4	4	6	11	14	27
GRAND TOTAL	440	4.4	18	1	2	4	5	8	12	24

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	2.1	3	1	1	2	2	5	7	7
20-34	29	3.4	6	<1	1	3	5	8	9	9
35-49	19	6.4	23	2	3	5	8	13	18	21
50-64	18	2.7	3	<1	1	2	4	5	7	7
65 +	31	2.9	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	39	5.0	47	1	2	3	5	9	19	39
20-34	127	3.9	6	1	2	3	5	8	9	11
35-49	79	6.3	20	2	3	5	9	12	13	25
50-64	84	5.5	31	2	3	4	6	11	15	35
65 +	151	6.0	38	2	3	4	7	12	20	33
TOTAL SINGLE DX	115	3.4	9	1	2	3	4	7	9	16
TOTAL MULTIPLE DX	480	5.3	27	2	2	4	7	10	14	31
TOTAL										
0-19 YRS	57	4.1	35	1	1	2	5	7	14	38
20-34	156	3.8	7	1	2	3	5	8	9	11
35-49	98	6.3	21	2	3	5	9	12	14	25
50-64	102	5.0	27	2	2	4	6	10	15	30
65 +	182	5.5	34	2	3	4	6	10	17	33
GRAND TOTAL	595	5.0	24	1	2	4	6	9	13	26

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	2.3	2	1	1	2	3	5	6	6
20-34	54	2.4	2	1	1	2	3	4	5	7
35-49	15	2.1	1	1	1	2	3	3	5	5
50-64	5	1.6	2	<1	<1	1	2	4	4	4
65 +	7	3.0	11	1	1	1	4	9	10	10
2. MULTIPLE DX										
0-19 YRS	34	3.2	12	1	1	2	3	5	14	17
20-34	159	3.4	7	1	2	2	4	6	9	16
35-49	69	5.7	32	1	2	4	7	12	15	33
50-64	38	5.9	16	1	3	6	8	10	12	21
65 +	41	6.5	24	1	3	6	9	14	17	19
TOTAL SINGLE DX	120	2.3	3	1	1	2	3	5	5	8
TOTAL MULTIPLE DX	341	4.5	18	1	2	3	6	10	13	20
TOTAL										
0-19 YRS	73	2.7	7	1	1	2	3	5	6	17
20-34	213	3.1	6	1	2	2	4	5	6	15
35-49	84	5.0	29	1	2	3	7	11	14	31
50-64	43	5.4	16	1	2	5	8	10	12	21
65 +	48	6.0	24	1	2	5	9	13	17	19
GRAND TOTAL	461	3.9	15	1	2	3	5	8	12	19

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	6	3.5	10	1	1	2	7	8	8	8
50-64	3	5.3	2	4	4	5	6	7	7	7
65 +	11	7.3	22	2	3	7	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.6	20	2	3	4	6	14	16	16
35-49	16	4.6	17	1	2	3	5	10	15	17
50-64	27	7.3	32	2	3	5	9	15	20	24
65 +	70	9.1	43	2	4	8	13	19	23	26
TOTAL SINGLE DX	23	5.4	17	1	2	4	7	13	14	14
TOTAL MULTIPLE DX	122	7.9	38	2	3	6	10	18	21	25
TOTAL										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	10	4.9	19	1	3	4	5	12	16	16
35-49	22	4.3	15	1	2	3	6	9	13	17
50-64	30	7.1	29	2	4	5	9	15	19	24
65 +	81	8.9	41	2	4	8	13	18	23	26
GRAND TOTAL	145	7.5	35	2	3	6	10	17	19	24

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.9	2	<1	1	1	3	4	5	5
20-34	12	1.8		1	1	2	2	3	4	4
35-49	4	3.0	8	1	1	2	5	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	18	3.7	17	<1	1	2	3	10	14	16
20-34	26	2.7	4	1	2	2	3	5	8	11
35-49	12	4.8	29	1	2	3	5	13	19	20
50-64	10	3.7	5	1	2	3	6	7	7	7
65+	8	4.9	3	2	4	5	6	7	7	7
TOTAL SINGLE DX	29	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	74	3.6	12	1	2	3	5	7	10	19
TOTAL										
0-19 YRS	29	3.0	12	<1	1	2	3	8	11	16
20-34	38	2.4	4	1	1	2	3	4	6	11
35-49	16	4.4	24	1	1	3	5	10	17	20
50-64	11	3.6	5	1	2	3	6	7	7	7
65+	9	4.8	3	3	4	4	6	7	7	7
GRAND TOTAL	103	3.2	9	1	1	2	4	7	10	18

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	12.0	19	7	8	12	15	17	17	17
50-64	0									
65+	3	24.7	329	8	11	22	38	44	44	44
TOTAL SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
TOTAL MULTIPLE DX	10	13.3	156	2	6	9	17	33	44	44
TOTAL										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	4	12.0	19	7	8	12	15	17	17	17
50-64	0									
65+	3	24.7	329	8	11	22	38	44	44	44
GRAND TOTAL	12	11.5	145	2	3	7	15	29	42	44

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	292	2.2		2	2	2	3	3	3	4
20-34	1602	2.3		2	2	2	3	3	3	4
35-49	126	2.3		2	2	2	3	3	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	601	2.6	1	2	2	2	3	4	5	8
20-34	3146	2.6	3	2	2	2	3	3	4	9
35-49	258	2.7	1	2	2	2	3	4	5	11
50-64	0									
65+	0									
TOTAL SINGLE DX	2020	2.3	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	4005	2.6	3	2	2	2	3	3	4	9
TOTAL										
0-19 YRS	893	2.5	1	2	2	2	3	3	4	7
20-34	4748	2.5	2	2	2	2	3	3	4	7
35-49	384	2.6	1	2	2	2	3	3	4	9
50-64	0									
65+	0									
GRAND TOTAL	6025	2.5	2	2	2	2	3	3	4	7

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	47	2.1		1	2	2	2	3	3	4
35-49	6	1.3		1	1	1	1	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	33	2.4	4	1	1	2	2	3	7	12
20-34	162	2.8	9	1	2	2	3	4	7	20
35-49	24	3.8	13	1	2	3	5	6	11	19
50-64	0									
65+	0									
TOTAL SINGLE DX	60	2.0		1	1	2	2	3	3	4
TOTAL MULTIPLE DX	219	2.8	10	1	2	2	3	5	7	20
TOTAL										
0-19 YRS	40	2.2	4	1	1	2	2	3	6	12
20-34	209	2.6	8	1	2	2	3	3	6	17
35-49	30	3.3	12	1	1	2	3	6	8	19
50-64	0									
65+	0									
GRAND TOTAL	279	2.6	8	1	2	2	3	4	6	18

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	393	2.2		2	2	2	2	3	3	5
20-34	2512	2.2		2	2	2	3	3	3	4
35-49	194	2.3		2	2	2	2	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	690	2.5	3	2	2	2	3	3	4	9
20-34	4450	2.5	2	2	2	2	3	3	4	6
35-49	446	2.6	2	2	2	2	3	4	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	3099	2.2		2	2	2	3	3	3	4
TOTAL MULTIPLE DX	5586	2.5	3	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	1083	2.4	2	2	2	2	3	3	4	7
20-34	6962	2.4	2	2	2	2	3	3	4	5
35-49	640	2.5	2	2	2	2	3	3	4	7
50-64	0									
65 +	0									
GRAND TOTAL	8685	2.4	2	2	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7534	2.1		1	2	2	2	3	3	4
20-34	41044	2.1		1	2	2	2	3	3	4
35-49	3071	2.0		1	2	2	2	3	3	4
50-64	5	1.8		1	1	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5107	2.5	3	1	2	2	3	3	5	9
20-34	26234	2.4	3	1	2	2	3	3	4	8
35-49	2649	2.5	4	2	2	2	3	3	4	10
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	0									
TOTAL SINGLE DX	51654	2.1		1	2	2	2	3	3	4
TOTAL MULTIPLE DX	33993	2.4	4	1	2	2	3	3	4	9
TOTAL										
0-19 YRS	12641	2.3	2	1	2	2	2	3	4	7
20-34	67278	2.2	2	1	2	2	2	3	3	5
35-49	5720	2.3	2	1	2	2	2	3	3	7
50-64	8	2.1	1	1	2	2	2	4	4	4
65 +	0									
GRAND TOTAL	85647	2.2	2	1	2	2	2	3	3	5

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	625	3.9		3	3	4	4	5	5	7
20-34	6195	3.8		3	3	4	4	5	5	6
35-49	610	3.8		3	3	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2775	5.0	9	3	4	4	5	7	9	17
20-34	22799	4.5	7	3	4	4	5	6	7	15
35-49	3080	4.7	12	3	4	4	5	6	8	17
50-64	0									
65 +	0									
TOTAL SINGLE DX	7430	3.8	1	3	3	4	4	5	5	6
TOTAL MULTIPLE DX	28654	4.5	9	3	4	4	5	6	7	15
TOTAL										
0-19 YRS	3400	4.8	8	3	4	4	5	7	9	15
20-34	28994	4.3	7	3	3	4	4	5	6	13
35-49	3690	4.5	10	3	4	4	5	6	7	15
50-64	0									
65 +	0									
GRAND TOTAL	36084	4.4	7	3	3	4	5	5	7	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.4		3	3	3	4	4	4	4
20-34	101	3.8		3	3	4	4	5	5	7
35-49	12	3.8		3	3	4	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	89	7.3	29	3	4	6	8	14	18	32
20-34	626	6.8	63	3	4	5	7	11	17	50
35-49	125	8.3	123	3	4	5	6	14	33	64
50-64	0									
65 +	0									
TOTAL SINGLE DX	122	3.8	1	3	3	4	4	5	5	7
TOTAL MULTIPLE DX	840	7.1	69	3	4	5	7	12	19	51
TOTAL										
0-19 YRS	98	7.0	28	3	4	5	8	13	18	32
20-34	727	6.4	56	3	4	4	6	10	15	47
35-49	137	7.9	115	3	4	5	6	14	33	62
50-64	0									
65 +	0									
GRAND TOTAL	962	6.7	62	3	4	4	6	10	17	47

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.1		2	3	3	4	4	4	4
20-34	105	2.7	1	1	2	3	4	4	5	6
35-49	17	2.6	1	1	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	13	3.0	1	1	2	3	4	5	6	6
20-34	161	3.3	2	1	2	3	4	5	6	10
35-49	17	3.8	9	1	1	3	5	8	11	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	131	2.8	2	1	2	3	4	4	5	6
TOTAL MULTIPLE DX	191	3.3	3	1	2	3	4	5	6	11
TOTAL										
0-19 YRS	22	3.0	1	2	2	3	4	5	5	6
20-34	266	3.1	3	1	2	3	4	5	6	9
35-49	34	3.2	5	1	1	3	4	6	8	12
50-64	0									
65 +	0									
GRAND TOTAL	322	3.1	3	1	2	3	4	5	6	9

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.1		< 1	1	1	1	2	2	2
20-34	30	1.3		< 1	1	1	1	2	2	3
35-49	5	1.2		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	1.9	4	1	1	1	2	5	7	7
20-34	40	1.4		1	1	1	1	3	4	4
35-49	11	1.6		1	1	1	2	3	3	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	53	1.2		< 1	1	1	1	2	2	3
TOTAL MULTIPLE DX	59	1.5	1	1	1	1	2	3	4	7
TOTAL										
0-19 YRS	26	1.3	1	1	1	1	1	2	3	7
20-34	70	1.3	1	1	1	1	1	2	3	4
35-49	16	1.5	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	112	1.4	1	1	1	1	1	2	3	5

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	4.7	22	1	2	3	5	13	17	19
20-34	134	4.7	24	1	2	3	5	10	14	29
35-49	14	7.3	32	1	3	6	9	16	19	20
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	53	6.6	81	1	3	4	6	13	21	56
20-34	243	6.4	63	1	2	4	8	13	21	33
35-49	30	8.6	132	1	2	3	13	18	41	50
50-64	0									
65 +	0									
TOTAL SINGLE DX	176	4.9	25	1	2	3	6	11	15	26
TOTAL MULTIPLE DX	326	6.7	72	1	2	4	8	14	21	43
TOTAL										
0-19 YRS	81	6.0	62	1	2	4	6	13	18	50
20-34	377	5.8	50	1	2	4	7	13	18	33
35-49	44	8.2	100	1	2	4	12	16	26	50
50-64	0									
65 +	0									
GRAND TOTAL	502	6.0	57	1	2	4	7	13	19	38

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	680	2.1	2	1	1	2	2	3	3	7
20-34	4327	2.1	1	1	2	2	2	3	3	6
35-49	367	2.1	1	1	2	2	2	3	3	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	320	2.5	4	1	1	2	3	4	6	12
20-34	2256	2.6	6	1	2	2	3	4	5	13
35-49	241	2.9	10	1	2	2	3	4	7	16
50-64	0									
65 +	0									
TOTAL SINGLE DX	5374	2.1	1	1	2	2	2	3	3	6
TOTAL MULTIPLE DX	2817	2.6	6	1	2	2	3	4	5	14
TOTAL										
0-19 YRS	1000	2.2	3	1	1	2	2	3	4	9
20-34	6583	2.2	3	1	2	2	2	3	4	9
35-49	608	2.5	5	1	2	2	3	3	4	14
50-64	0									
65 +	0									
GRAND TOTAL	8191	2.2	3	1	2	2	2	3	4	9

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	970	2.1		1	2	2	2	3	3	4
20-34	5732	2.0		1	2	2	2	3	3	3
35-49	537	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1517	2.4	3	1	2	2	3	3	4	7
20-34	8872	2.3	2	1	2	2	2	3	3	6
35-49	997	2.4	4	1	2	2	3	3	4	9
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	7239	2.0		1	2	2	2	3	3	3
TOTAL MULTIPLE DX	11387	2.3	3	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	2487	2.3	3	1	2	2	3	3	4	7
20-34	14604	2.2	1	1	2	2	2	3	3	5
35-49	1534	2.2	3	1	2	2	2	3	3	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**18626**	**2.2**	**2**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	3.0	4	1	1	2	4	7	8	8
20-34	22	2.7	4	1	1	2	3	5	7	9
35-49	15	2.7	2	2	2	2	3	5	6	7
50-64	9	4.9	25	1	2	3	6	13	17	17
65 +	12	4.8	38	1	1	3	6	12	21	23
2. MULTIPLE DX										
0-19 YRS	15	2.4	3	1	1	2	2	6	7	7
20-34	20	5.4	23	1	2	4	8	13	16	18
35-49	22	4.6	14	1	2	3	8	10	12	15
50-64	42	7.4	52	2	2	5	9	17	25	32
65 +	52	9.6	94	1	2	7	12	24	36	40
TOTAL SINGLE DX	81	3.3	11	1	1	2	4	7	8	21
TOTAL MULTIPLE DX	151	7.0	57	1	2	4	10	15	23	38
TOTAL										
0-19 YRS	38	2.7	4	1	1	2	4	6	7	8
20-34	42	4.0	15	1	1	3	5	10	12	18
35-49	37	3.9	10	1	2	2	5	9	10	15
50-64	51	6.9	48	1	2	4	9	16	23	32
65 +	64	8.7	86	1	2	6	11	23	29	40
GRAND TOTAL	**232**	**5.7**	**44**	**1**	**2**	**3**	**7**	**13**	**20**	**37**

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	303	2.2	1	1	1	2	3	3	4	7
20-34	447	1.9		1	1	2	2	3	3	5
35-49	239	2.1	1	1	1	2	2	3	4	6
50-64	45	1.7	1	1	1	1	2	3	4	5
65 +	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	314	2.8	3	1	2	2	3	4	6	11
20-34	255	2.5	3	1	2	2	3	4	5	10
35-49	169	2.5	3	1	2	2	3	4	5	13
50-64	37	3.6	15	1	1	2	4	10	12	18
65 +	22	5.2	62	1	1	2	4	17	27	31
TOTAL SINGLE DX	1038	2.0	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	797	2.7	6	1	2	2	3	4	6	14
TOTAL										
0-19 YRS	617	2.5	3	1	2	2	3	4	5	9
20-34	702	2.1	2	1	1	2	2	3	4	6
35-49	408	2.2	2	1	2	2	3	3	5	7
50-64	82	2.6	8	1	1	2	3	5	9	16
65 +	26	4.5	55	1	1	2	4	12	26	31
GRAND TOTAL	**1835**	**2.3**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	1.8	1	1	1	2	2	3	4	7
20-34	74	2.0	1	1	1	2	3	3	5	7
35-49	17	2.2	2	1	1	1	3	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	104	3.8	33	1	1	2	4	6	10	39
20-34	128	3.4	29	1	2	2	4	5	8	27
35-49	38	5.1	22	1	2	4	5	12	17	21
50-64	12	4.6	8	1	2	4	7	9	9	9
65 +	14	4.8	10	1	2	4	7	10	11	11
TOTAL SINGLE DX	158	1.9	2	1	1	2	2	3	5	7
TOTAL MULTIPLE DX	296	3.9	28	1	2	3	4	7	11	28
TOTAL										
0-19 YRS	169	3.0	22	1	1	2	3	5	7	31
20-34	202	2.9	20	1	1	2	3	5	6	16
35-49	55	4.2	18	1	1	3	5	10	13	21
50-64	14	4.3	8	1	2	4	7	9	9	9
65 +	14	4.8	10	1	2	4	7	10	11	11
GRAND TOTAL	**454**	**3.2**	**20**	**1**	**1**	**2**	**4**	**5**	**8**	**19**

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	2.2	3	1	1	2	3	4	6	10
20-34	175	2.3	2	1	1	2	3	4	6	9
35-49	68	2.3	3	1	1	2	3	5	6	9
50-64	15	2.4	3	1	1	2	4	5	6	7
65 +	4	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	184	5.8	36	1	2	4	7	12	19	35
20-34	419	5.0	37	1	2	3	6	10	13	40
35-49	206	5.4	45	1	2	3	7	10	13	46
50-64	58	5.1	19	1	2	4	7	12	16	19
65 +	45	8.1	55	2	2	5	12	15	24	36
TOTAL SINGLE DX	348	2.3	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	912	5.4	39	1	2	3	6	11	15	40
TOTAL										
0-19 YRS	270	4.6	29	1	2	3	6	10	16	24
20-34	594	4.2	29	1	2	3	5	8	11	28
35-49	274	4.6	37	1	2	3	5	9	13	40
50-64	73	4.5	17	1	2	3	6	11	14	19
65 +	49	7.6	53	2	2	5	11	15	24	36
GRAND TOTAL	1260	4.5	31	1	2	3	5	9	13	30

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.1	1	1	1	2	2	4	5	7
20-34	10	2.3	1	1	1	2	3	4	5	5
35-49	10	2.1	1	< 1	1	2	3	4	4	4
50-64	7	1.1		1	1	1	1	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	31	4.0	52	1	2	2	4	6	7	42
20-34	31	5.0	45	1	2	3	5	9	14	38
35-49	31	3.6	6	1	1	3	5	7	9	11
50-64	17	3.5	8	1	1	3	4	7	10	12
65 +	13	5.0	9	2	2	4	7	10	10	10
TOTAL SINGLE DX	51	2.0	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	123	4.2	28	1	2	3	5	7	10	39
TOTAL										
0-19 YRS	55	3.2	31	1	1	2	3	5	7	40
20-34	41	4.4	36	1	2	3	4	7	12	38
35-49	41	3.3	6	1	1	3	4	7	8	11
50-64	24	2.8	7	1	1	2	4	5	8	12
65 +	13	5.0	9	2	2	4	7	10	10	10
GRAND TOTAL	174	3.6	21	1	1	2	4	7	9	32

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	119	4.0	6	2	2	3	4	7	9	16
20-34	9	3.8	10	1	2	3	5	9	10	10
35-49	7	5.7	9	2	3	6	7	10	11	11
50-64	3	5.3	5	4	4	4	7	8	8	8
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	184	4.5	10	2	3	4	5	8	11	17
20-34	16	6.6	7	4	5	6	8	11	12	12
35-49	16	14.7	429	2	3	6	17	50	69	76
50-64	5	6.6	7	3	4	7	9	9	9	9
65 +	3	6.0	28	2	2	4	10	12	12	12
TOTAL SINGLE DX	139	4.1	7	2	2	3	5	7	10	15
TOTAL MULTIPLE DX	224	5.5	45	2	3	4	6	10	12	32
TOTAL										
0-19 YRS	303	4.3	9	2	2	3	5	7	10	16
20-34	25	5.6	10	2	3	5	7	11	11	12
35-49	23	12.0	313	2	3	6	11	27	61	76
50-64	8	6.1	6	3	4	6	8	9	9	9
65 +	4	6.0	19	2	3	5	9	12	12	12
GRAND TOTAL	363	4.9	31	2	3	4	6	9	12	20

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	227	3.2	8	1	2	2	4	6	8	15
20-34	53	2.8	3	1	2	2	4	5	7	8
35-49	84	3.3	4	1	2	3	4	5	6	15
50-64	88	3.6	2	2	2	4	4	6	6	9
65 +	11	4.9	10	2	2	4	6	10	13	13
2. MULTIPLE DX										
0-19 YRS	248	4.4	44	1	2	3	5	10	12	22
20-34	69	6.0	62	1	2	3	6	15	26	42
35-49	139	5.4	47	1	2	4	5	10	18	35
50-64	132	4.8	17	1	3	4	5	9	12	24
65 +	44	7.9	47	1	3	6	9	18	24	30
TOTAL SINGLE DX	463	3.3	6	1	2	3	4	6	7	15
TOTAL MULTIPLE DX	632	5.1	42	1	2	3	5	11	16	29
TOTAL										
0-19 YRS	475	3.8	28	1	2	3	4	7	11	20
20-34	122	4.6	39	1	2	3	4	9	15	37
35-49	223	4.6	33	1	2	3	5	7	13	30
50-64	220	4.3	12	1	3	4	5	7	10	22
65 +	55	7.3	42	2	3	6	8	18	23	30
GRAND TOTAL	1095	4.3	28	1	2	3	5	8	12	26

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	1.9	1	1	1	2	2	4	4	5
20-34	90	1.8	1	1	1	2	2	3	4	5
35-49	103	1.8	1	1	1	1	2	3	4	5
50-64	113	1.8		1	1	2	2	3	4	4
65 +	38	2.0	1	1	1	2	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	62	2.0	1	1	1	2	2	4	4	8
20-34	157	1.6		1	1	1	2	3	3	4
35-49	255	1.9	5	1	1	1	2	3	4	11
50-64	379	1.9	1	1	1	2	2	3	4	7
65 +	343	2.6	5	1	1	2	3	4	6	14
TOTAL SINGLE DX	395	1.8	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1196	2.1	3	1	1	2	2	3	4	9
TOTAL										
0-19 YRS	113	1.9	1	1	1	2	2	4	4	6
20-34	247	1.7	1	1	1	1	2	3	3	4
35-49	358	1.9	4	1	1	1	2	3	4	7
50-64	492	1.9	1	1	1	2	2	3	4	6
65 +	381	2.5	5	1	1	2	3	4	6	13
GRAND TOTAL	1591	2.0	3	1	1	2	2	3	4	8

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	2.5	5	1	1	2	3	5	7	13
20-34	28	3.4	11	1	1	2	4	10	12	13
35-49	30	3.8	24	1	1	2	5	7	9	27
50-64	14	5.1	36	1	1	3	6	16	19	20
65 +	6	4.5	22	1	1	2	7	12	13	13
2. MULTIPLE DX										
0-19 YRS	69	8.7	50	2	3	7	13	18	22	36
20-34	44	9.9	152	2	2	4	15	30	45	99 +
35-49	34	14.7	303	1	3	11	22	39	75	99 +
50-64	35	11.3	204	1	2	7	14	25	50	59
65 +	51	19.4	277	3	8	14	26	44	57	72
TOTAL SINGLE DX	189	3.1	12	1	1	2	4	7	10	18
TOTAL MULTIPLE DX	233	12.5	193	2	3	8	16	32	44	86
TOTAL										
0-19 YRS	180	4.9	31	1	1	3	6	13	16	23
20-34	72	7.4	107	1	2	3	9	19	38	90
35-49	64	9.6	200	1	2	4	12	27	41	98
50-64	49	9.6	162	1	2	4	10	23	41	59
65 +	57	17.8	271	2	7	13	25	43	54	72
GRAND TOTAL	422	8.3	134	1	2	4	10	22	35	67

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	469	2.8	13	1	1	2	3	6	9	20
20-34	327	2.6	5	1	1	2	3	4	6	12
35-49	332	2.7	10	1	1	2	3	5	7	16
50-64	174	3.1	32	1	1	2	3	5	7	25
65 +	65	4.0	12	1	2	3	5	8	14	16
2. MULTIPLE DX										
0-19 YRS	337	6.3	65	1	2	3	8	14	23	47
20-34	397	4.8	37	1	2	3	5	10	15	38
35-49	472	6.0	94	1	2	3	5	14	23	57
50-64	455	7.8	130	1	2	4	9	19	32	72
65 +	523	10.6	129	2	3	7	14	24	32	56
TOTAL SINGLE DX	1367	2.8	13	1	1	2	3	5	7	17
TOTAL MULTIPLE DX	2184	7.3	100	1	2	4	9	17	27	57
TOTAL										
0-19 YRS	806	4.3	38	1	1	2	5	10	14	34
20-34	724	3.8	24	1	1	2	4	8	12	25
35-49	804	4.6	62	1	1	2	4	9	16	51
50-64	629	6.5	108	1	2	3	6	16	26	67
65 +	588	9.9	121	2	3	6	13	24	29	53
GRAND TOTAL	3551	5.6	71	1	1	3	6	13	21	47

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	317	4.2	33	1	1	2	4	8	18	27
20-34	24	4.8	9	2	3	4	6	9	11	14
35-49	20	4.4	3	2	3	4	5	6	8	10
50-64	20	6.8	7	3	4	7	9	10	11	11
65 +	42	8.6	10	5	6	8	11	14	15	16
2. MULTIPLE DX										
0-19 YRS	163	7.9	83	1	2	5	9	20	26	41
20-34	64	9.0	39	4	5	7	11	14	22	38
35-49	47	11.1	197	3	4	7	11	19	39	75
50-64	97	13.5	171	4	6	9	16	25	33	76
65 +	451	11.9	60	6	8	10	14	20	26	42
TOTAL SINGLE DX	423	4.8	29	1	2	3	6	10	14	25
TOTAL MULTIPLE DX	822	11.0	87	3	6	9	13	21	27	52
TOTAL										
0-19 YRS	480	5.4	54	1	2	3	6	13	22	37
20-34	88	7.9	35	3	4	6	10	14	20	35
35-49	67	9.1	148	3	4	6	9	15	28	73
50-64	117	12.4	150	4	6	8	14	23	31	75
65 +	493	11.6	57	6	7	10	13	19	26	41
GRAND TOTAL	1245	8.9	76	2	3	7	11	18	24	45

717: Repair and plastic operation on bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	154	3.1	17	1	1	2	3	7	12	25
20-34	149	2.8	3	1	1	2	4	6	6	10
35-49	100	3.0	4	1	2	2	4	6	7	10
50-64	40	3.9	16	1	2	3	4	9	13	20
65 +	10	4.7	9	1	2	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	145	6.0	130	1	2	3	6	11	24	74
20-34	133	4.5	18	1	2	3	6	8	14	21
35-49	140	5.9	109	1	3	4	6	9	13	86
50-64	86	8.0	143	1	2	4	6	22	44	51
65 +	103	9.1	99	2	3	6	11	22	27	51
TOTAL SINGLE DX	453	3.1	10	1	1	2	4	6	8	16
TOTAL MULTIPLE DX	607	6.5	99	1	2	4	6	12	23	55
TOTAL										
0-19 YRS	299	4.5	74	1	1	2	4	9	15	46
20-34	282	3.6	11	1	2	3	5	7	9	19
35-49	240	4.7	67	1	2	3	5	7	10	34
50-64	126	6.7	106	1	2	3	6	13	37	49
65 +	113	8.7	93	1	3	6	10	22	27	49
GRAND TOTAL	1060	5.0	64	1	2	3	5	10	15	45

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	239	1.9	6	1	1	1	2	3	3	16
20-34	246	2.0	2	1	1	2	2	3	5	10
35-49	148	2.2	5	1	1	2	3	4	6	9
50-64	88	2.8	15	1	1	2	3	5	7	26
65 +	64	3.1	8	1	1	2	4	8	10	13
2. MULTIPLE DX										
0-19 YRS	277	3.5	37	1	1	2	3	7	14	28
20-34	167	4.7	48	1	1	3	5	10	15	44
35-49	168	4.3	23	1	2	3	5	8	13	21
50-64	147	5.9	50	1	2	4	7	14	22	41
65 +	238	8.9	92	1	2	6	13	20	27	44
TOTAL SINGLE DX	785	2.2	6	1	1	1	2	4	6	13
TOTAL MULTIPLE DX	997	5.5	56	1	1	3	6	14	20	41
TOTAL										
0-19 YRS	516	2.7	24	1	1	1	2	4	10	25
20-34	413	3.1	23	1	1	2	3	6	10	25
35-49	316	3.3	16	1	1	2	4	7	9	20
50-64	235	4.7	39	1	1	3	5	10	16	34
65 +	302	7.7	80	1	2	4	10	18	25	41
GRAND TOTAL	1782	4.0	37	1	1	2	4	9	15	31

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	9.8	113	2	3	5	14	23	35	45
20-34	21	7.3	7	4	5	8	9	11	12	12
35-49	11	6.7	11	3	4	6	8	12	15	15
50-64	25	7.2	6	5	5	7	9	10	12	15
65 +	50	7.3	4	4	6	7	8	9	12	13
2. MULTIPLE DX										
0-19 YRS	72	13.9	186	4	5	9	18	29	43	68
20-34	70	10.2	31	4	6	10	12	16	22	29
35-49	33	9.5	11	6	7	9	12	14	15	17
50-64	58	10.5	33	5	7	9	12	18	21	33
65 +	642	11.5	44	6	8	10	14	18	22	33
TOTAL SINGLE DX	178	8.2	50	3	4	7	9	15	22	39
TOTAL MULTIPLE DX	875	11.5	54	5	7	10	13	19	23	42
TOTAL										
0-19 YRS	143	11.8	153	2	4	7	17	27	38	68
20-34	91	9.6	27	4	5	9	11	15	21	28
35-49	44	8.8	13	4	6	8	11	14	15	17
50-64	83	9.5	28	5	5	8	11	15	19	33
65 +	692	11.2	43	6	7	10	13	18	22	33
GRAND TOTAL	1053	10.9	54	5	7	9	13	18	23	41

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	6.2	33	1	3	5	7	12	16	33
20-34	44	7.1	11	3	5	7	9	12	14	15
35-49	55	6.4	15	3	4	6	7	9	12	29
50-64	76	7.0	10	3	5	7	9	12	15	77
65 +	314	9.6	14	5	7	9	12	14	16	23
2. MULTIPLE DX										
0-19 YRS	145	10.8	57	4	6	9	13	20	29	40
20-34	237	12.9	116	5	7	10	15	22	32	60
35-49	211	13.0	118	5	7	10	14	23	34	62
50-64	395	13.3	98	6	8	11	15	23	32	57
65 +	4041	12.5	50	6	8	11	14	20	25	42
TOTAL SINGLE DX	557	8.3	18	4	5	8	11	13	15	24
TOTAL MULTIPLE DX	5029	12.5	61	6	8	11	14	20	26	47
TOTAL										
0-19 YRS	213	9.3	54	2	5	8	11	17	26	38
20-34	281	12.0	105	4	7	9	14	21	29	59
35-49	266	11.6	105	4	6	9	13	20	30	60
50-64	471	12.3	90	5	7	10	14	21	31	58
65 +	4355	12.3	48	6	8	11	14	19	24	41
GRAND TOTAL	5586	12.1	58	6	8	10	14	20	25	45

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS.	187	6.6	64	1	2	3	6	21	25	36
20-34	6	5.0	10	1	3	5	7	10	10	10
35-49	2	12.0	50	7	7	12	17	17	17	17
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	15	8.1	21	3	5	8	10	11	19	21
2. MULTIPLE DX										
0-19 YRS	147	10.8	111	2	3	6	18	25	32	44
20-34	13	18.9	253	6	11	14	26	59	91	99+
35-49	12	18.0	254	2	5	12	26	45	49	50
50-64	12	16.7	214	3	7	12	23	38	51	53
65+	81	10.6	83	3	5	8	13	21	32	44
TOTAL SINGLE DX	212	6.7	60	1	2	3	8	20	24	34
TOTAL MULTIPLE DX	265	11.7	125	2	4	8	17	28	35	53
TOTAL										
0-19 YRS	334	8.4	90	1	2	4	13	23	26	40
20-34	19	14.5	216	2	6	11	16	52	77	99+
35-49	14	17.1	224	2	7	12	21	44	49	50
50-64	14	15.4	194	3	7	11	18	33	49	53
65+	96	10.2	74	3	5	8	11	20	29	44
GRAND TOTAL	477	9.5	102	1	3	5	13	23	31	50

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	322	2.2	7	1	1	1	2	3	6	16
20-34	68	4.0	35	1	2	3	5	7	8	42
35-49	55	3.3	7	1	2	3	4	7	7	15
50-64	49	3.0	4	1	2	2	4	5	9	10
65+	45	2.5	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	80	3.5	19	1	1	2	4	8	14	21
20-34	81	8.1	64	1	2	5	10	19	29	34
35-49	77	6.6	46	2	3	4	8	13	16	40
50-64	66	4.9	21	1	2	3	7	12	20	87
65+	103	6.7	53	2	3	4	7	14	26	38
TOTAL SINGLE DX	539	2.6	11	1	1	2	3	5	7	16
TOTAL MULTIPLE DX	407	6.0	44	1	2	4	7	13	21	34
TOTAL										
0-19 YRS	402	2.4	10	1	1	2	2	4	9	19
20-34	149	6.2	55	1	2	4	7	13	23	35
35-49	132	5.3	33	1	2	4	6	10	15	33
50-64	115	4.1	15	1	2	3	5	9	13	48
65+	148	5.4	42	1	2	3	6	12	20	34
GRAND TOTAL	946	4.1	28	1	1	2	4	9	13	30

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1086	2.3	3	1	1	2	3	4	5	10
20-34	1315	2.9	3	1	2	2	4	5	6	10
35-49	1027	3.3	5	1	2	3	4	6	8	13
50-64	665	3.6	6	1	2	3	4	6	8	12
65+	372	3.8	6	1	2	3	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	564	4.4	26	1	2	3	5	9	14	25
20-34	1183	5.6	29	1	2	4	7	11	16	27
35-49	1014	6.1	43	2	3	4	7	12	17	34
50-64	1022	6.3	38	2	3	5	7	12	16	32
65+	1255	7.7	42	2	4	6	9	15	19	38
TOTAL SINGLE DX	4465	3.0	5	1	2	2	4	5	7	11
TOTAL MULTIPLE DX	5038	6.2	38	2	3	4	8	12	17	31
TOTAL										
0-19 YRS	1650	3.0	12	1	1	2	3	5	8	19
20-34	2498	4.1	18	1	2	3	5	8	11	22
35-49	2041	4.7	26	1	2	3	5	9	13	26
50-64	1687	5.2	28	2	2	4	6	10	14	29
65+	1627	6.8	37	2	3	5	8	13	17	34
GRAND TOTAL	9503	4.7	25	1	2	3	5	9	13	26

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1190	1.7	2	1	1	1	2	3	4	9
20-34	185	2.2	3	1	1	2	3	4	5	7
35-49	206	3.1	37	1	1	2	3	5	6	13
50-64	124	2.4	3	1	1	2	3	4	6	10
65+	110	3.1	9	1	1	2	4	6	9	19
2. MULTIPLE DX										
0-19 YRS	391	4.3	49	1	1	2	4	8	16	44
20-34	269	5.4	58	1	2	3	6	10	16	40
35-49	266	5.0	34	1	2	3	6	11	14	38
50-64	246	5.1	29	1	2	3	6	11	15	27
65+	565	6.6	44	1	3	5	8	13	19	33
TOTAL SINGLE DX	1815	2.0	7	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	1737	5.4	45	1	2	3	6	11	16	37
TOTAL										
0-19 YRS	1581	2.3	15	1	1	1	2	4	6	19
20-34	454	4.1	38	1	1	2	4	7	11	35
35-49	472	4.1	37	1	2	3	5	8	12	36
50-64	370	4.2	22	1	2	3	5	9	13	25
65+	675	6.0	41	1	2	4	8	13	18	30
GRAND TOTAL	3552	3.7	28	1	1	2	4	8	12	26

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	115	5.6	25	1	2	3	9	14	16	19
20-34	11	3.3	3	1	2	2	5	6	6	6
35-49	6	2.3	1	1	2	2	3	4	4	4
50-64	17	4.1	16	1	1	2	5	11	13	14
65 +	73	3.8	13	1	1	3	4	8	10	20
2. MULTIPLE DX										
0-19 YRS	79	6.5	32	2	3	4	7	15	19	26
20-34	31	7.3	24	2	4	6	11	13	20	21
35-49	24	7.3	60	1	2	5	9	16	26	34
50-64	45	7.3	144	1	2	4	7	14	28	74
65 +	166	6.7	46	1	2	4	9	15	22	31
TOTAL SINGLE DX	222	4.7	20	1	1	3	6	12	15	19
TOTAL MULTIPLE DX	345	6.8	54	1	2	4	9	14	22	32
TOTAL										
0-19 YRS	194	5.9	29	1	2	4	9	14	16	25
0-34	42	6.2	22	2	3	5	7	12	17	21
35-49	30	6.3	53	1	2	4	8	14	23	34
50-64	62	6.5	111	1	2	4	7	13	25	68
65 +	239	5.8	38	1	2	3	8	12	19	28
GRAND TOTAL	**567**	**6.0**	**42**	**1**	**2**	**4**	**8**	**14**	**18**	**28**

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	1.7	1	1	1	1	2	3	5	6
20-34	93	1.9	1	1	1	2	2	3	4	6
35-49	50	2.0	2	1	1	2	2	4	5	7
50-64	19	1.8	1	< 1	1	1	2	4	4	4
65 +	15	1.7	1	1	1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	37	2.5	3	< 1	1	2	3	4	4	11
20-34	68	3.9	20	< 1	1	2	5	8	12	87
35-49	45	5.0	34	1	1	3	7	15	22	99 +
50-64	47	5.4	73	1	2	3	5	11	26	49
65 +	82	6.1	56	1	2	4	8	12	19	45
TOTAL SINGLE DX	234	1.8	1	1	1	1	2	3	5	6
TOTAL MULTIPLE DX	279	4.8	41	1	2	3	5	10	18	48
TOTAL										
0-19 YRS	94	2.0	2	1	1	1	3	4	4	9
20-34	161	2.7	10	1	1	2	3	6	8	29
35-49	95	3.4	19	1	1	2	4	8	14	67
50-64	66	4.3	55	1	1	2	4	8	15	46
65 +	97	5.4	50	1	2	3	7	11	17	45
GRAND TOTAL	**513**	**3.4**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**35**

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	203	4.4	28	1	1	2	6	10	14	27
20-34	85	2.8	5	1	1	2	3	6	8	13
35-49	62	2.9	5	1	1	2	4	7	8	12
50-64	51	3.5	11	1	1	2	5	7	9	19
65 +	46	8.2	90	1	3	5	10	17	28	52
2. MULTIPLE DX										
0-19 YRS	225	6.6	54	1	2	4	8	16	22	39
20-34	174	4.1	22	1	1	3	5	9	12	23
35-49	177	5.9	64	1	2	3	7	15	23	42
50-64	154	9.7	137	1	3	6	11	22	35	64
65 +	227	13.7	174	3	5	9	17	35	46	74
TOTAL SINGLE DX	447	4.2	27	1	1	2	5	9	14	26
TOTAL MULTIPLE DX	957	8.2	104	1	2	5	10	21	30	57
TOTAL										
0-19 YRS	428	5.6	43	1	2	3	7	14	21	36
20-34	259	3.7	17	1	1	2	4	8	11	19
35-49	239	5.1	51	1	1	3	6	11	18	40
50-64	205	8.2	113	1	2	4	9	21	30	58
65 +	273	12.8	164	3	5	8	16	32	45	65
GRAND TOTAL	**1404**	**6.9**	**83**	**1**	**2**	**4**	**8**	**16**	**25**	**52**

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	3.1	13	1	1	2	4	6	14	15
35-49	34	3.1	11	1	1	2	3	8	9	17
50-64	7	2.6	8	1	1	2	2	8	9	9
65 +	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	0									
20-34	6	2.5		1	2	3	3	3	3	3
35-49	9	4.9	15	1	3	4	6	12	14	14
50-64	3	3.7	4	2	2	3	5	6	6	6
65 +	5	4.2	30	1	1	2	6	14	14	14
TOTAL SINGLE DX	68	3.1	12	1	1	2	3	8	10	17
TOTAL MULTIPLE DX	23	4.0	13	1	2	3	4	9	14	14
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	30	3.0	11	1	1	2	3	5	14	15
35-49	43	3.4	12	1	1	2	4	8	11	17
50-64	10	2.9	7	1	1	2	3	7	9	9
65 +	7	4.4	26	1	1	2	7	13	14	14
GRAND TOTAL	**91**	**3.3**	**12**	**1**	**1**	**2**	**3**	**8**	**13**	**16**

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	89	3.8	6	2	2	3	4	6	10	13
20-34	2225	3.9	5	2	3	3	4	6	8	13
35-49	3640	3.9	4	2	3	3	5	6	8	12
50-64	1531	4.3	7	2	3	4	5	7	9	15
65 +	396	5.3	12	3	3	4	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	48	8.3	45	3	4	5	11	21	25	27
20-34	899	5.6	19	2	3	4	7	10	14	23
35-49	2381	5.6	25	2	3	4	7	10	13	22
50-64	1974	6.0	21	2	3	5	7	11	14	24
65 +	1355	8.8	49	3	5	7	10	17	23	39
TOTAL SINGLE DX	7881	4.0	6	2	3	3	5	7	8	14
TOTAL MULTIPLE DX	6657	6.4	30	3	3	5	7	12	16	28
TOTAL										
0-19 YRS	137	5.4	24	2	3	4	6	12	14	25
20-34	3124	4.4	10	2	3	4	5	7	10	17
35-49	6021	4.6	14	2	3	4	5	8	10	18
50-64	3505	5.3	16	2	3	4	6	9	12	21
65 +	1751	8.0	43	3	4	6	9	15	20	38
GRAND TOTAL	14538	5.1	18	2	3	4	6	9	12	22

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	2.2		1	2	2	3	3	4	4
20-34	74	2.1		1	1	2	3	3	4	4
35-49	34	1.9	1	1	1	2	2	3	5	5
50-64	14	1.8	1	< 1	1	1	2	3	5	5
65 +	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	136	2.6	1	1	2	2	3	4	4	7
20-34	230	2.4	1	1	1	2	3	4	5	8
35-49	128	2.9	17	1	1	2	3	5	6	29
50-64	107	2.6	10	1	1	2	3	4	7	20
65 +	71	3.5	15	1	1	2	4	9	15	19
TOTAL SINGLE DX	174	2.1	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	672	2.7	8	1	1	2	3	4	5	15
TOTAL										
0-19 YRS	185	2.5	1	1	2	2	3	4	4	6
20-34	304	2.4	1	1	1	2	3	4	4	7
35-49	162	2.7	15	1	1	2	3	4	6	29
50-64	121	2.5	9	1	1	2	3	4	6	19
65 +	74	3.4	16	1	1	2	4	8	14	19
GRAND TOTAL	846	2.6	6	1	1	2	3	4	5	15

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	2.8	8	1	1	2	3	5	8	18
20-34	70	2.4	3	1	1	2	3	5	7	10
35-49	22	2.3	5	< 1	1	2	2	5	8	11
50-64	21	2.7	4	1	1	2	3	6	8	9
65 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	65	4.2	34	1	1	2	4	13	15	32
20-34	103	3.4	16	1	1	2	4	7	10	25
35-49	72	4.0	30	1	1	2	4	11	17	30
50-64	58	4.4	22	1	1	3	5	12	15	23
65 +	29	9.1	98	1	1	4	17	25	27	35
TOTAL SINGLE DX	181	2.5	5	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	327	4.4	33	1	1	2	4	11	18	30
TOTAL										
0-19 YRS	129	3.5	22	1	1	2	3	8	14	25
20-34	173	3.0	11	1	1	2	3	6	8	20
35-49	94	3.6	25	1	1	2	3	10	13	27
50-64	79	4.0	18	1	1	2	4	10	13	22
65 +	33	8.2	93	1	1	4	11	25	27	35
GRAND TOTAL	508	3.7	24	1	1	2	4	9	14	26

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	3.2	12	1	1	2	4	7	14	16
20-34	87	2.9	7	1	1	2	3	6	8	16
35-49	79	2.4	5	1	1	2	3	5	6	14
50-64	59	3.6	18	1	1	2	4	8	11	28
65 +	19	5.6	78	1	1	3	7	10	27	40
2. MULTIPLE DX										
0-19 YRS	116	6.9	69	1	1	4	10	16	21	42
20-34	138	3.5	10	1	1	2	5	8	10	14
35-49	196	4.8	43	1	1	2	5	12	21	31
50-64	196	7.4	112	1	2	3	9	17	28	56
65 +	237	9.0	107	1	2	6	12	21	29	53
TOTAL SINGLE DX	311	3.1	15	1	1	2	3	6	9	17
TOTAL MULTIPLE DX	883	6.6	78	1	1	3	8	16	23	49
TOTAL										
0-19 YRS	183	5.5	51	1	1	2	8	14	17	31
20-34	225	3.3	10	1	1	2	4	8	9	14
35-49	275	4.1	34	1	1	2	4	8	15	29
50-64	255	6.5	93	1	1	3	8	16	25	53
65 +	256	8.8	106	1	2	6	11	21	29	52
GRAND TOTAL	1194	5.7	64	1	1	3	7	14	20	46

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	249	7.5	16	4	6	7	8	10	12	28
20-34	115	6.6	14	3	4	6	8	10	12	23
35-49	224	5.7	19	2	3	5	7	10	12	22
50-64	83	6.0	17	2	3	5	7	12	16	22
65 +	11	7.5	44	3	4	5	7	18	25	26
2. MULTIPLE DX										
0-19 YRS	401	10.8	78	5	7	8	11	19	29	57
20-34	317	9.1	49	4	6	7	10	16	22	45
35-49	560	8.3	32	4	5	7	9	14	18	34
50-64	380	9.9	56	4	5	8	12	18	23	45
65 +	237	12.5	83	6	8	10	14	21	29	86
TOTAL SINGLE DX	682	6.6	18	3	4	6	8	10	13	25
TOTAL MULTIPLE DX	1895	9.8	58	4	6	8	11	17	24	48
TOTAL										
0-19 YRS	650	9.5	58	5	6	8	10	16	25	45
20-34	432	8.5	42	4	5	7	9	14	21	40
35-49	784	7.5	30	3	4	7	9	13	17	32
50-64	463	9.2	52	3	5	7	11	17	22	45
65 +	248	12.3	83	5	8	10	14	21	29	84
GRAND TOTAL	**2577**	**8.9**	**50**	**3**	**5**	**7**	**10**	**16**	**22**	**44**

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	2.2	1	1	1	2	3	4	5	5
20-34	82	2.7	2	1	2	3	4	4	5	8
35-49	124	3.1	4	1	2	3	4	6	8	12
50-64	106	3.2	5	1	2	3	4	5	8	14
65 +	32	3.9	4	2	2	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	78	3.4	6	1	2	3	4	6	8	16
20-34	107	3.9	13	1	2	3	5	6	12	21
35-49	198	3.9	35	1	2	3	4	6	7	17
50-64	168	3.8	10	1	2	3	4	7	9	19
65 +	124	4.6	13	1	2	3	5	9	12	18
TOTAL SINGLE DX	385	3.0	4	1	2	3	4	5	7	11
TOTAL MULTIPLE DX	675	3.9	18	1	2	3	4	7	9	18
TOTAL										
0-19 YRS	119	3.0	5	1	2	3	3	5	7	14
20-34	189	3.4	9	1	2	3	4	6	8	16
35-49	322	3.6	24	1	2	3	4	6	7	13
50-64	274	3.6	8	1	2	3	4	7	8	17
65 +	156	4.4	11	1	2	3	5	9	11	17
GRAND TOTAL	**1060**	**3.6**	**13**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

735: Total hip replacement (81.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	7.3		7	7	7	8	8	8	8
20-34	24	6.4	6	4	5	6	8	9	11	15
35-49	103	7.6	6	5	6	7	9	11	12	16
50-64	352	7.8	5	5	6	8	9	11	12	15
65 +	596	9.1	7	6	7	9	11	12	13	17
2. MULTIPLE DX										
0-19 YRS	11	9.9	18	6	7	8	13	17	19	19
20-34	71	8.3	15	5	6	8	9	11	13	29
35-49	237	8.6	16	5	7	8	9	12	15	28
50-64	976	9.4	26	6	7	8	10	13	16	34
65 +	2799	10.7	32	6	8	10	12	16	20	37
TOTAL SINGLE DX	1079	8.5	7	6	7	8	10	12	13	16
TOTAL MULTIPLE DX	4094	10.3	31	6	7	9	11	15	19	36
TOTAL										
0-19 YRS	15	9.2	15	7	7	8	9	15	18	19
20-34	95	7.8	14	5	6	7	9	10	13	27
35-49	340	8.3	14	5	6	8	9	12	14	24
50-64	1328	9.0	22	6	7	8	10	12	15	31
65 +	3395	10.5	29	6	8	9	12	15	18	34
GRAND TOTAL	**5173**	**9.9**	**26**	**6**	**7**	**9**	**11**	**14**	**17**	**32**

736: Other arthroplasty of hip (81.40; 81.52-81.53)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	4.4	7	2	3	4	5	8	11	12
20-34	19	8.1	15	4	6	7	9	13	17	20
35-49	33	7.4	5	5	6	7	8	10	11	16
50-64	70	8.4	9	5	7	8	9	10	11	24
65 +	318	9.8	12	6	8	9	11	13	16	22
2. MULTIPLE DX										
0-19 YRS	20	6.7	14	3	4	6	8	13	14	15
20-34	34	10.8	65	5	6	8	11	24	30	36
35-49	82	9.6	19	5	7	9	11	15	20	24
50-64	309	11.0	44	6	7	9	13	17	24	46
65 +	3102	12.4	51	7	8	11	14	19	25	41
TOTAL SINGLE DX	457	9.1	13	5	7	9	11	13	15	22
TOTAL MULTIPLE DX	3547	12.2	50	6	8	10	14	19	24	41
TOTAL										
0-19 YRS	37	5.6	12	2	3	5	7	11	14	15
20-34	53	9.8	48	5	6	7	10	20	26	36
35-49	115	8.9	16	5	6	8	11	14	18	23
50-64	379	10.5	39	6	7	9	12	16	23	44
65 +	3420	12.2	48	7	8	11	14	19	24	39
GRAND TOTAL	**4004**	**11.8**	**47**	**6**	**8**	**10**	**14**	**19**	**23**	**39**

737: Total knee replacement (81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	8	6.3	5	3	5	7	8	9	9	9
35-49	79	7.3	6	5	6	7	9	10	12	16
50-64	503	8.0	6	5	6	8	9	11	13	16
65 +	961	8.8	7	6	7	8	10	13	14	17
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	13	6.6	9	3	4	5	9	11	12	12
35-49	123	8.2	13	5	6	7	9	12	15	25
50-64	1231	9.1	11	6	7	8	10	13	15	20
65 +	3836	10.0	17	6	7	9	11	15	17	27
TOTAL SINGLE DX	1555	8.5	7	6	7	8	10	12	14	16
TOTAL MULTIPLE DX	5204	9.7	16	6	7	9	11	14	16	25
TOTAL										
0-19 YRS	5	4.6	14	1	2	3	8	10	10	10
20-34	21	6.5	7	3	5	6	8	10	11	12
35-49	202	7.9	11	5	6	7	9	11	14	21
50-64	1734	8.8	10	6	7	8	10	13	15	19
65 +	4797	9.7	16	6	7	9	11	14	16	26
GRAND TOTAL	6759	9.4	14	6	7	9	11	14	16	24

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	518	2.5	1	1	2	2	3	4	4	6
20-34	570	2.7	1	1	2	2	3	4	5	6
35-49	165	3.2	3	2	2	3	4	5	6	10
50-64	86	6.2	11	2	3	6	8	11	12	16
65 +	110	7.9	23	4	5	7	10	13	15	32
2. MULTIPLE DX										
0-19 YRS	454	2.7	2	2	2	2	3	4	5	7
20-34	731	2.9	2	2	2	3	3	4	5	9
35-49	276	4.0	12	2	2	3	4	8	10	20
50-64	195	7.7	19	3	5	7	9	12	16	27
65 +	458	9.6	41	5	6	8	11	15	20	32
TOTAL SINGLE DX	1449	3.3	6	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	2114	4.9	22	2	2	3	6	10	13	23
TOTAL										
0-19 YRS	972	2.6	2	1	2	2	3	4	4	6
20-34	1301	2.8	2	2	2	3	3	4	5	8
35-49	441	3.7	9	2	2	3	4	6	9	16
50-64	281	7.2	18	3	5	7	9	12	14	24
65 +	568	9.2	38	4	6	8	10	15	18	32
GRAND TOTAL	3563	4.2	16	2	2	3	5	9	11	19

739: Prosthetic replacement of joint, except hip and knee (81.56-81.59; 81.71; 81.73-81.74; 81.80-81.81; 81.84)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	27	2.2	1	1	1	2	3	4	4	4
35-49	71	2.5	3	1	1	2	3	5	6	11
50-64	75	3.3	6	1	1	3	4	7	8	13
65 +	87	4.0	9	1	2	3	5	7	10	17
2. MULTIPLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	24	3.8	21	1	1	2	4	8	13	23
35-49	83	3.6	18	1	2	3	4	6	7	20
50-64	208	3.9	11	1	2	3	5	8	11	18
65 +	311	5.7	19	2	3	4	7	12	14	24
TOTAL SINGLE DX	266	3.2	7	1	1	3	4	6	8	14
TOTAL MULTIPLE DX	628	4.7	18	1	2	3	6	10	13	21
TOTAL										
0-19 YRS	8	1.4	1	1	1	1	2	3	3	3
20-34	51	2.9	11	1	1	2	3	5	8	23
35-49	154	3.1	12	1	2	2	3	6	7	14
50-64	283	3.8	10	1	2	3	5	8	11	17
65 +	398	5.3	18	2	3	4	7	11	13	22
GRAND TOTAL	894.	4.3	15	1	2	3	5	8	12	19

740: Miscellaneous repair of other joint, except hip and knee (81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	278	1.8		1	1	2	2	3	3	4
20-34	498	1.8		1	1	2	2	3	3	5
35-49	340	2.0	1	1	1	2	2	3	4	6
50-64	271	2.2	1	1	1	2	3	3	4	9
65 +	106	2.9	7	1	2	2	3	5	5	17
2. MULTIPLE DX										
0-19 YRS	78	2.0	1	1	1	2	2	3	4	7
20-34	236	2.2	2	1	1	2	3	3	5	11
35-49	425	2.3	5	1	1	2	3	3	4	11
50-64	540	2.5	5	1	2	2	3	4	5	10
65 +	337	3.2	15	1	2	3	3	5	7	15
TOTAL SINGLE DX	1493	2.0	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1616	2.5	7	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	356	1.8	1	1	1	2	2	3	3	5
20-34	734	1.9	1	1	1	2	2	3	4	6
35-49	765	2.2	4	1	1	2	3	3	4	8
50-64	811	2.4	4	1	1	2	3	4	4	10
65 +	443	3.1	14	1	2	3	3	5	6	15
GRAND TOTAL	3109	2.3	5	1	1	2	3	4	4	9

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	232	3.6	16	1	1	2	4	9	12	19
20-34	81	2.8	3	1	1	2	4	5	6	8
35-49	60	3.3	16	1	1	2	4	6	8	28
50-64	28	3.5	4	1	2	3	5	6	8	8
65 +	15	3.8	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	494	3.9	18	1	2	3	4	7	11	22
20-34	148	5.3	23	1	2	4	7	11	15	99 +
35-49	160	5.7	35	1	2	4	8	12	17	32
50-64	129	6.2	49	1	2	4	8	14	19	40
65 +	140	8.1	77	1	3	5	11	16	23	43
TOTAL SINGLE DX	416	3.4	13	1	1	2	4	7	10	18
TOTAL MULTIPLE DX	1071	5.2	35	1	2	3	6	11	16	37
TOTAL										
0-19 YRS	726	3.8	18	1	1	3	4	8	12	21
20-34	229	4.4	18	1	2	3	6	9	13	50
35-49	220	5.1	31	1	2	3	7	10	14	31
50-64	157	5.7	43	1	2	4	7	13	18	39
65 +	155	7.7	72	1	2	5	10	16	22	42
GRAND TOTAL	1487	4.7	30	1	2	3	5	10	15	33

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	2.8	5	1	1	2	4	6	7	11
20-34	47	2.2	3	1	1	1	3	5	7	9
35-49	40	2.0	4	1	1	1	2	4	5	13
50-64	27	2.0	2	<1	1	1	2	4	6	6
65 +	28	3.0	6	1	1	2	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	101	8.9	147	1	2	5	11	21	36	89
20-34	54	5.4	30	1	1	3	8	14	16	27
35-49	94	8.4	93	1	2	6	12	15	26	58
50-64	128	9.8	203	1	2	5	12	22	35	83
65 +	214	10.6	130	1	2	7	14	23	33	67
TOTAL SINGLE DX	236	2.5	5	1	1	2	3	6	7	10
TOTAL MULTIPLE DX	591	9.3	136	1	2	6	12	20	30	70
TOTAL										
0-19 YRS	195	5.9	88	1	1	3	7	13	23	67
20-34	101	3.9	21	1	1	2	5	10	14	24
35-49	134	6.5	75	1	1	3	9	14	18	57
50-64	155	8.5	177	1	2	4	9	19	29	82
65 +	242	9.7	122	1	2	7	13	22	31	66
GRAND TOTAL	827	7.4	108	1	1	4	9	16	27	60

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	6.6	21	2	3	4	11	12	12	12
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	8	3.4	13	1	1	2	4	10	12	12
50-64	15	1.1		1	1	1	1	1	3	3
65 +	12	1.5	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	9	13.4	962	1	2	3	5	60	96	96
20-34	9	11.4	157	1	3	4	21	32	32	32
35-49	15	4.1	13	1	1	3	5	12	12	12
50-64	24	1.6		1	1	1	2	3	3	3
65 +	41	3.0	15	1	1	2	3	7	13	19
TOTAL SINGLE DX	43	2.4	8	1	1	1	3	4	11	12
TOTAL MULTIPLE DX	98	4.6	116	1	1	2	4	8	18	65
TOTAL										
0-19 YRS	14	11.0	610	1	2	4	7	20	79	96
20-34	12	9.2	132	1	2	4	12	32	32	32
35-49	23	3.8	13	1	1	3	5	12	12	12
50-64	39	1.4	1	1	1	1	2	3	3	3
65 +	53	2.7	13	1	1	1	3	5	8	19
GRAND TOTAL	141	3.9	84	1	1	2	3	7	12	38

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	1.4		<1	1	1	2	2	3	5
20-34	87	1.7	1	1	1	1	2	3	5	7
35-49	44	1.4		<1	1	1	2	2	3	3
50-64	14	2.0	2	1	1	1	3	4	6	6
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	109	2.2	10	1	1	1	2	4	6	20
20-34	141	3.2	42	1	1	1	3	6	12	24
35-49	73	3.2	52	1	1	1	2	5	8	50
50-64	28	2.8	40	1	1	1	2	4	7	35
65 +	23	3.6	20	1	1	2	3	7	16	21
TOTAL SINGLE DX	210	1.6	1	1	1	1	2	3	3	6
TOTAL MULTIPLE DX	374	2.9	33	1	1	1	3	5	8	26
TOTAL										
0-19 YRS	171	1.9	7	1	1	1	2	3	5	13
20-34	228	2.6	27	1	1	1	3	5	7	19
35-49	117	2.5	33	1	1	1	2	3	6	32
50-64	42	2.5	28	1	1	1	2	4	5	35
65 +	26	3.3	19	1	1	2	3	6	15	21
GRAND TOTAL	584	2.4	22	1	1	1	2	4	6	19

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	1.8	1	<1	1	1	2	3	4	7
20-34	171	2.1	2	1	1	2	3	4	5	8
35-49	290	2.1	1	1	1	2	3	4	4	7
50-64	316	2.4	1	1	2	2	3	4	4	8
65+	126	2.9	3	1	2	3	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	72	4.3	51	1	1	2	4	9	15	38
20-34	186	3.7	31	1	1	2	4	7	11	35
35-49	280	3.2	14	1	1	2	3	6	10	23
50-64	480	3.3	13	1	2	2	4	5	8	21
65+	342	4.3	37	1	2	3	5	7	10	23
TOTAL SINGLE DX	980	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1360	3.6	25	1	2	2	4	6	10	28
TOTAL										
0-19 YRS	149	3.0	27	1	1	1	3	5	9	35
20-34	357	2.9	18	1	1	2	3	5	7	27
35-49	570	2.7	8	1	1	2	3	5	6	19
50-64	796	2.9	9	1	2	2	3	4	6	14
65+	468	3.9	29	1	2	3	4	7	9	18
GRAND TOTAL	**2340**	**3.1**	**16**	**1**	**2**	**2**	**3**	**5**	**7**	**19**

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	443	1.8	1	1	1	1	2	3	4	5
20-34	149	2.4	5	1	1	2	3	4	4	16
35-49	144	2.1	1	1	1	2	3	4	5	8
50-64	68	2.2	2	1	1	2	3	4	5	7
65+	18	4.3	46	1	2	2	4	6	21	31
2. MULTIPLE DX										
0-19 YRS	545	2.4	6	1	1	2	3	4	6	14
20-34	117	3.8	19	1	1	2	4	8	13	49
35-49	97	4.7	40	1	2	3	5	10	17	38
50-64	116	4.1	40	1	2	2	4	7	11	38
65+	128	6.0	62	1	2	4	6	10	21	47
TOTAL SINGLE DX	822	2.1	3	1	1	2	2	4	4	7
TOTAL MULTIPLE DX	1003	3.5	24	1	1	2	4	6	10	29
TOTAL										
0-19 YRS	988	2.2	4	1	1	2	3	4	5	11
20-34	266	3.0	12	1	1	2	3	5	9	25
35-49	241	3.2	19	1	1	2	3	6	9	28
50-64	184	3.4	27	1	1	2	3	6	8	29
65+	146	5.8	60	1	2	4	6	9	21	46
GRAND TOTAL	**1825**	**2.8**	**15**	**1**	**1**	**2**	**3**	**6**	**7**	**22**

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.4		<1	1	1	2	2	3	3
20-34	28	1.6		1	1	1	2	3	3	4
35-49	17	2.7	15	1	1	1	2	6	13	17
50-64	15	3.2	43	1	1	2	2	2	21	27
65+	7	1.6		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	21	9.4	436	1	1	2	7	24	65	91
20-34	40	4.4	33	1	1	2	5	9	13	34
35-49	44	6.6	94	1	2	3	9	13	29	48
50-64	37	7.2	73	1	1	3	10	19	27	37
65+	27	8.2	124	1	2	4	11	19	31	54
TOTAL SINGLE DX	90	2.0	11	1	1	1	2	3	4	23
TOTAL MULTIPLE DX	169	6.8	121	1	1	3	8	15	27	53
TOTAL										
0-19 YRS	44	5.2	220	<1	1	1	3	8	20	91
20-34	68	3.2	21	1	1	2	4	6	10	31
35-49	61	5.5	75	1	1	2	5	11	21	47
50-64	52	6.1	67	1	1	2	7	18	27	37
65+	34	6.8	106	1	1	3	9	15	26	54
GRAND TOTAL	**259**	**5.1**	**88**	**1**	**1**	**2**	**5**	**11**	**20**	**48**

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.0		<1	1	2	2	3	3	3
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	0									
2. MULTIPLE DX										
0-19 YRS	4	19.3	317	1	5	33	52	99+	99+	99+
20-34	4	7.8	91	2	2	3	13	22	22	22
35-49	8	4.9	43	1	2	3	4	16	21	21
50-64	2	26.0	968	4	4	26	48	48	48	48
65+	8	19.9	235	4	8	16	30	44	46	46
TOTAL SINGLE DX	12	2.3	3	<1	1	2	3	5	6	6
TOTAL MULTIPLE DX	26	13.8	225	2	3	7	22	45	56	99+
TOTAL										
0-19 YRS	9	9.7	202	<1	2	3	33	68	99+	99+
20-34	7	5.1	56	1	1	3	4	18	22	22
35-49	9	5.0	38	1	2	3	4	15	21	21
50-64	5	11.8	413	1	1	4	16	48	48	48
65+	8	19.9	235	4	8	16	30	44	46	46
GRAND TOTAL	**38**	**10.2**	**182**	**1**	**2**	**3**	**18**	**38**	**47**	**99+**

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.3	1	1	1	1	1	3	4	4
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	12	3.8	23	1	2	2	3	41	17	18
50-64	6	4.2	7	1	2	4	6	8	8	8
65 +	8	4.4	10	1	2	4	6	9	11	11
2. MULTIPLE DX										
0-19 YRS	20	5.5	42	1	2	3	6	12	21	29
20-34	50	9.6	124	2	2	5	14	19	39	52
35-49	158	12.5	111	3	5	10	15	28	36	50
50-64	311	12.9	112	3	5	10	16	27	37	45
65 +	490	12.5	108	3	6	10	16	24	31	53
TOTAL SINGLE DX	44	3.1	10	1	1	2	4	6	9	18
TOTAL MULTIPLE DX	1029	12.3	111	3	5	10	16	25	35	51
TOTAL										
0-19 YRS	30	4.1	32	1	1	2	5	11	12	29
20-34	58	8.6	114	1	2	4	12	18	33	52
35-49	170	11.9	110	2	5	9	15	27	36	50
50-64	317	12.8	112	3	5	10	16	27	36	45
65 +	498	12.3	108	3	6	10	16	23	31	53
GRAND TOTAL	1073	12.0	110	2	5	10	16	25	34	51

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	5.7	30	2	2	3	10	12	12	12
35-49	2	12.0	2	11	11	12	13	13	13	13
50-64	3	11.3	6	9	9	11	13	14	14	14
65 +	5	14.4	61	7	8	12	21	25	25	25
2. MULTIPLE DX										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	22	13.7	112	5	6	11	18	28	40	48
35-49	75	18.1	196	5	8	14	24	31	51	73
50-64	232	18.4	147	7	10	16	24	33	41	68
65 +	530	17.4	152	6	9	14	22	33	42	74
TOTAL SINGLE DX	15	10.3	41	3	5	11	13	20	24	25
TOTAL MULTIPLE DX	861	17.6	154	6	9	15	23	32	42	72
TOTAL										
0-19 YRS	4	6.0	10	3	3	5	8	10	10	10
20-34	25	12.7	108	4	6	11	15	25	37	48
35-49	77	18.0	191	6	9	14	24	31	50	72
50-64	235	18.3	146	7	10	15	24	33	41	68
65 +	535	17.3	152	6	9	14	22	33	42	74
GRAND TOTAL	876	17.5	153	6	9	14	22	32	42	71

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.3	3	2	3	4	6	7	7	7
20-34	0									
35-49	3	11.7	30	8	8	9	16	18	18	18
50-64	3	10.7	66	5	5	7	17	20	20	20
65 +	8	12.9	10	8	11	13	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	8	8.3	19	3	4	8	12	14	14	14
20-34	7	10.9	17	6	8	12	15	75	99 +	99 +
35-49	30	24.8	557	5	8	14	34	64	81	84
50-64	117	19.6	205	6	9	16	25	42	56	99 +
65 +	689	16.8	192	5	8	13	21	32	48	88
TOTAL SINGLE DX	21	9.5	29	3	5	8	14	17	19	20
TOTAL MULTIPLE DX	851	17.3	208	5	8	13	22	35	52	97
TOTAL										
0-19 YRS	15	6.4	15	2	3	6	8	13	14	14
20-34	7	10.9	17	6	8	12	15	75	99 +	99 +
35-49	33	23.6	522	5	8	13	34	57	80	84
50-64	120	19.4	204	6	9	16	25	41	55	99 +
65 +	697	16.7	191	5	8	13	21	32	48	88
GRAND TOTAL	872	17.1	205	5	8	13	21	34	51	95

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.1	8	1	2	3	6	9	9	9
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
0-19 YRS	9	16.3	655	4	5	8	14	92	99 +	99 +
20-34	17	19.5	572	2	5	8	36	80	97	99 +
35-49	44	17.1	192	4	7	14	23	31	42	68
50-64	108	16.3	165	5	8	13	20	29	41	69
65 +	158	18.0	160	5	8	15	25	35	48	97
TOTAL SINGLE DX	13	5.3	38	2	2	3	5	12	22	24
TOTAL MULTIPLE DX	336	17.4	196	5	8	14	23	34	50	99 +
TOTAL										
0-19 YRS	16	11.0	392	2	4	6	10	70	94	99 +
20-34	19	17.9	531	3	5	7	34	71	96	99 +
35-49	47	16.2	194	3	6	14	21	30	38	68
50-64	108	16.3	165	5	8	13	20	29	41	69
65 +	159	18.1	159	5	9	15	25	34	48	97
GRAND TOTAL	349	16.9	196	4	7	14	22	34	50	99

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.8	5	<1	1	2	4	6	8	9
20-34	13	4.5	12	1	2	3	5	11	13	13
35-49	5	4.6		4	4	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	9.2	198	1	3	5	9	15	46	60
20-34	15	5.3	16	3	3	4	6	9	16	18
35-49	12	5.2	19	1	2	4	7	13	14	14
50-64	3	11.3	44	4	6	13	16	17	17	17
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	34	3.7	8	1	1	3	5	7	10	13
TOTAL MULTIPLE DX	47	6.9	81	2	3	4	7	14	17	60
TOTAL										
0-19 YRS	32	6.0	110	1	1	3	6	11	15	60
20-34	28	4.9	14	2	3	4	5	10	13	18
35-49	17	5.0	13	1	3	4	5	12	14	14
50-64	3	11.3	44	4	6	13	16	17	17	17
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	81	5.5	53	1	3	4	6	12	14	47

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	3.0	5	1	1	2	4	7	8	8
20-34	11	2.5	5	<1	<1	2	3	6	9	9
35-49	11	2.4	3	<1	1	2	4	34	91	99 +
50-64	9	2.4	2	1	1	2	3	5	6	6
65 +	5	3.0	3	1	2	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	10	7.4	102	1	1	2	15	23	31	31
20-34	17	8.4	92	2	3	5	10	28	33	33
35-49	29	13.0	213	2	4	8	16	39	63	99 +
50-64	45	10.4	90	3	5	8	15	35	99 +	99 +
65 +	122	10.0	98	2	4	7	11	21	28	58
TOTAL SINGLE DX	46	2.6	4	1	1	2	3	6	8	99 +
TOTAL MULTIPLE DX	223	10.2	111	2	3	7	13	26	36	99 +
TOTAL										
0-19 YRS	20	5.2	56	1	1	2	5	15	23	31
20-34	28	6.1	65	<1	2	3	7	11	32	33
35-49	40	10.1	177	1	2	5	14	37	78	99 +
50-64	54	9.0	84	2	3	7	13	26	82	99 +
65 +	127	9.7	97	2	3	7	11	21	27	57
GRAND TOTAL	269	8.9	101	1	3	6	11	22	34	99 +

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	4	12.8	123	3	4	10	21	27	27	27
65 +	2	17.0	392	3	3	17	31	31	31	31
TOTAL SINGLE DX	3	4.3	2	3	3	4	5	6	6	6
TOTAL MULTIPLE DX	7	12.3	156	1	3	5	24	30	31	31
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	4	12.8	123	3	4	10	21	27	27	27
65 +	3	12.7	252	3	3	4	24	31	31	31
GRAND TOTAL	10	9.9	119	2	3	4	16	29	31	31

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	1	<1	1	1	2	4	4	4
20-34	33	2.1	1	<1	1	2	3	4	5	6
35-49	141	2.7	27	1	1	2	3	4	5	19
50-64	136	2.2	1	1	1	2	3	4	4	6
65 +	104	2.3	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	3	10.3	184	2	2	3	20	26	26	26
20-34	37	6.9	99	1	2	3	6	20	33	42
35-49	205	4.5	31	1	2	3	5	11	15	29
50-64	303	5.2	49	1	2	3	5	11	18	35
65 +	471	6.5	57	1	2	4	8	16	21	38
TOTAL SINGLE DX	419	2.4	10	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	1019	5.7	52	1	2	3	7	14	20	38
TOTAL										
0-19 YRS	8	5.0	73	<1	1	2	3	19	26	26
20-34	70	4.6	58	1	1	2	4	11	20	41
35-49	346	3.8	30	1	2	2	4	7	12	28
50-64	439	4.2	36	1	2	2	4	9	15	27
65 +	575	5.7	50	1	2	3	6	14	19	33
GRAND TOTAL	1438	4.7	42	1	2	3	5	11	16	31

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	7	2.4	1	<1	2	2	3	4	4	4
35-49	59	2.7	1	1	2	3	3	4	4	6
50-64	64	2.8	1	2	2	3	3	4	5	7
65 +	54	3.2	2	1	2	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	0									
20-34	22	2.7	1	1	2	2	3	4	6	7
35-49	104	3.7	7	2	2	3	4	5	8	17
50-64	137	3.7	47	2	2	3	4	5	7	24
65 +	251	4.6	20	2	2	3	5	9	11	28
TOTAL SINGLE DX	187	2.9	2	1	2	3	3	4	5	8
TOTAL MULTIPLE DX	514	4.1	24	2	2	3	4	6	10	22
TOTAL										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	29	2.6	2	1	2	2	3	4	5	7
35-49	163	3.3	5	2	2	3	4	5	6	12
50-64	201	3.4	33	2	2	3	4	5	6	13
65 +	305	4.4	17	2	2	3	5	8	11	24
GRAND TOTAL	701	3.8	19	2	2	3	4	6	9	17

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	27	3.3	1	2	2	3	4	5	5	6
35-49	332	3.2	1	2	2	3	4	5	5	7
50-64	468	3.2	1	2	2	3	4	5	6	8
65 +	480	3.4	1	2	3	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	75	4.2	11	2	3	4	4	7	9	24
35-49	562	3.6	3	2	3	3	4	5	6	10
50-64	985	3.9	5	2	3	3	4	6	7	14
65 +	1807	4.7	11	2	3	4	5	7	11	20
TOTAL SINGLE DX	1307	3.3	2	2	2	3	4	5	6	7
TOTAL MULTIPLE DX	3430	4.3	9	2	3	4	5	7	9	17
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	102	3.9	9	2	3	3	4	6	8	20
35-49	894	3.5	3	2	2	3	4	5	6	9
50-64	1453	3.7	5	2	3	3	4	5	7	13
65 +	2287	4.4	10	2	3	4	5	7	9	18
GRAND TOTAL	4737	4.0	7	2	3	3	5	6	8	15

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	144	1.8		1	1	2	2	3	4	5
20-34	277	2.0	1	1	1	2	2	3	4	6
35-49	219	2.2	2	1	1	2	3	4	5	7
50-64	105	2.0	1	1	1	2	3	3	4	7
65 +	23	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	77	2.5	8	1	1	2	2	4	9	17
20-34	241	2.6	3	1	1	2	3	5	6	10
35-49	434	3.0	11	1	1	2	4	6	7	16
50-64	281	3.0	7	1	1	2	4	6	8	12
65 +	106	3.4	25	1	1	2	4	6	10	30
TOTAL SINGLE DX	768	2.0	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1139	2.9	10	1	1	2	3	6	7	13
TOTAL										
0-19 YRS	221	2.0	4	1	1	2	2	3	4	12
20-34	518	2.2	2	1	1	2	3	4	5	8
35-49	653	2.7	8	1	1	2	3	5	6	13
50-64	386	2.7	6	1	1	2	3	5	7	12
65 +	129	3.2	21	1	1	2	3	5	8	24
GRAND TOTAL	1907	2.5	7	1	1	2	3	5	6	12

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	1.9	1	1	1	2	2	3	4	6
20-34	121	1.6	1	1	1	1	2	2	4	6
35-49	21	2.1	3	1	1	1	2	6	7	7
50-64	7	1.9	1	1	1	1	3	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	27	2.3	8	1	1	1	2	5	7	16
20-34	51	2.8	15	1	1	2	3	5	8	22
35-49	24	3.6	10	1	1	2	5	7	12	13
50-64	8	3.5	7	1	1	2	6	7	7	7
65 +	5	7.6	33	3	3	5	12	16	16	16
TOTAL SINGLE DX	237	1.7	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	115	3.1	13	1	1	2	3	6	11	19
TOTAL										
0-19 YRS	114	1.9	3	1	1	2	2	3	4	10
20-34	172	1.9	5	1	1	1	2	3	5	16
35-49	45	2.9	8	1	1	2	4	6	8	13
50-64	15	2.7	5	1	1	2	4	7	7	7
65 +	6	7.2	27	3	3	5	11	15	16	16
GRAND TOTAL	**352**	**2.2**	**6**	**1**	**1**	**1**	**2**	**4**	**6**	**16**

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	202	2.7	13	1	1	1	3	6	9	19
20-34	65	3.2	10	1	1	2	4	7	11	16
35-49	62	2.3	3	1	1	2	3	5	6	10
50-64	50	3.5	29	1	1	1	4	8	9	36
65 +	18	3.7	22	1	1	2	3	9	16	20
2. MULTIPLE DX										
0-19 YRS	234	7.0	78	1	1	4	8	20	27	50
20-34	188	10.0	101	2	3	6	14	23	34	42
35-49	245	9.6	93	1	3	7	13	21	29	54
50-64	260	8.9	69	1	3	7	12	18	24	40
65 +	548	11.2	109	3	5	8	15	23	33	68
TOTAL SINGLE DX	397	2.9	14	1	1	2	3	7	9	19
TOTAL MULTIPLE DX	1475	9.7	96	1	3	7	13	21	30	56
TOTAL										
0-19 YRS	436	5.0	53	1	1	2	5	13	21	39
20-34	253	8.3	87	1	2	5	11	19	30	41
35-49	307	8.1	84	1	2	5	11	20	25	53
50-64	310	8.0	67	1	2	6	10	17	22	38
65 +	566	11.0	108	2	4	8	14	23	33	67
GRAND TOTAL	**1872**	**8.3**	**86**	**1**	**2**	**5**	**11**	**20**	**27**	**51**

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	237	4.3	18	1	1	3	6	9	13	22
20-34	255	4.6	33	1	2	3	5	10	14	23
35-49	155	5.4	32	1	2	4	6	11	19	28
50-64	98	6.2	42	1	2	5	9	13	15	39
65 +	72	8.0	74	1	3	5	10	15	28	44
2. MULTIPLE DX										
0-19 YRS	613	10.1	158	1	3	6	13	25	34	98
20-34	894	10.1	147	1	3	6	12	25	36	65
35-49	838	14.1	230	2	5	9	18	36	55	99 +
50-64	1008	14.9	190	3	6	11	20	34	47	99 +
65 +	2211	17.6	202	5	8	14	23	37	49	80
TOTAL SINGLE DX	817	5.2	35	1	2	3	6	11	16	28
TOTAL MULTIPLE DX	5564	14.6	200	2	5	10	19	33	47	94
TOTAL										
0-19 YRS	850	8.5	126	1	2	5	10	20	29	82
20-34	1149	8.9	127	1	2	5	10	21	32	61
35-49	993	12.8	210	2	4	8	17	31	49	99 +
50-64	1106	14.2	183	3	5	10	18	32	45	99 +
65 +	2283	17.3	201	4	8	13	23	37	48	79
GRAND TOTAL	**6381**	**13.4**	**189**	**2**	**4**	**9**	**18**	**31**	**44**	**87**

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	479	3.2	13	1	1	2	4	6	9	17
20-34	293	3.3	6	1	1	3	4	7	8	12
35-49	240	3.8	12	1	1	3	5	7	10	18
50-64	122	3.7	9	1	2	3	5	7	9	18
65 +	91	4.3	18	1	1	3	6	9	16	20
2. MULTIPLE DX										
0-19 YRS	1216	5.4	53	1	2	3	6	12	17	41
20-34	1386	5.1	51	1	1	3	6	11	18	39
35-49	1081	6.5	63	1	2	4	8	14	19	46
50-64	972	7.9	53	1	3	6	11	17	22	36
65 +	1595	8.7	66	2	4	6	11	18	25	45
TOTAL SINGLE DX	1225	3.5	12	1	1	3	4	7	9	17
TOTAL MULTIPLE DX	6250	6.8	60	1	2	4	8	15	21	41
TOTAL										
0-19 YRS	1695	4.8	43	1	1	3	5	10	15	36
20-34	1679	4.8	44	1	1	3	5	10	16	38
35-49	1321	6.0	56	1	2	4	7	13	18	43
50-64	1094	7.5	51	1	3	5	10	16	21	35
65 +	1686	8.5	64	2	3	6	11	18	24	45
GRAND TOTAL	**7475**	**6.2**	**54**	**1**	**2**	**4**	**8**	**14**	**19**	**39**

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	5.4	31	1	1	4	7	11	12	32
20-34	71	4.8	28	1	2	3	6	11	12	32
35-49	68	5.6	27	1	2	5	7	15	17	26
50-64	37	5.2	16	1	2	4	7	11	14	16
65 +	41	8.5	60	1	3	6	11	20	26	35
2. MULTIPLE DX										
0-19 YRS	192	14.6	195	2	5	12	19	32	42	82
20-34	197	13.9	211	2	4	10	18	33	52	91
35-49	165	13.8	175	2	5	10	20	29	38	90
50-64	183	12.9	158	2	4	9	16	30	43	88
65 +	310	15.2	187	3	6	11	21	29	39	72
TOTAL SINGLE DX	307	5.7	33	1	2	4	7	12	16	31
TOTAL MULTIPLE DX	1047	14.3	186	2	5	10	20	31	42	82
TOTAL										
0-19 YRS	282	11.6	161	1	3	8	16	26	36	60
20-34	268	11.5	179	1	3	7	14	29	44	81
35-49	233	11.4	146	1	4	7	17	27	35	67
50-64	220	11.6	143	2	4	8	15	28	41	76
65 +	351	14.5	177	2	6	11	20	29	38	67
GRAND TOTAL	**1354**	**12.3**	**164**	**1**	**4**	**8**	**16**	**28**	**38**	**69**

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	2.2	6	1	1	1	2	6	8	12
20-34	21	4.5	19	1	1	2	6	11	14	17
35-49	15	4.5	21	1	1	3	6	8	16	19
50-64	4	4.8	15	1	2	4	7	10	10	10
65 +	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	52	5.4	59	1	1	2	7	13	24	35
20-34	66	11.8	182	1	2	5	21	27	41	55
35-49	58	16.2	359	2	4	9	27	41	71	99
50-64	57	12.7	149	1	4	9	17	32	46	96
65 +	79	15.7	380	1	2	8	20	47	61	81
TOTAL SINGLE DX	79	3.3	14	1	1	2	4	8	11	18
TOTAL MULTIPLE DX	312	12.7	250	1	2	7	17	35	51	87
TOTAL										
0-19 YRS	86	4.1	41	1	1	2	4	9	16	35
20-34	87	10.1	152	1	2	4	14	25	37	55
35-49	73	13.8	311	1	3	7	19	34	63	98
50-64	61	12.2	144	1	4	8	17	31	43	95
65 +	84	14.8	369	1	2	7	18	47	58	81
GRAND TOTAL	**391**	**10.8**	**216**	**1**	**2**	**5**	**13**	**30**	**45**	**80**

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	220	2.5	7	1	1	1	3	5	9	14
20-34	87	3.5	11	1	1	2	4	8	11	16
35-49	80	3.0	6	1	1	2	4	7	9	12
50-64	47	2.9	6	1	1	2	4	7	9	11
65 +	17	5.6	28	1	1	5	8	12	18	20
2. MULTIPLE DX										
0-19 YRS	374	5.4	60	1	2	3	6	12	19	43
20-34	244	5.8	45	1	2	4	7	12	17	32
35-49	335	7.1	76	1	2	4	8	15	23	46
50-64	365	9.7	83	1	3	7	13	21	28	41
65 +	582	12.0	93	3	6	9	15	23	30	52
TOTAL SINGLE DX	451	3.0	9	1	1	2	3	7	10	16
TOTAL MULTIPLE DX	1900	8.6	83	1	2	6	11	20	27	48
TOTAL										
0-19 YRS	594	4.3	43	1	1	2	5	9	13	37
20-34	331	5.2	37	1	2	3	7	12	16	31
35-49	415	6.3	65	1	2	4	8	14	21	44
50-64	412	8.9	80	1	2	6	12	20	25	39
65 +	599	11.8	92	3	6	9	15	23	30	52
GRAND TOTAL	**2351**	**7.5**	**74**	**1**	**2**	**5**	**10**	**18**	**24**	**45**

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.6	2	1	1	3	4	4	4	4
20-34	5	6.0	73	1	1	2	9	21	21	21
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	14.8	756	1	1	1	29	56	56	56
2. MULTIPLE DX										
0-19 YRS	42	3.3	5	1	1	3	6	6	7	10
20-34	23	12.3	293	1	3	4	13	41	52	66
35-49	17	8.5	80	1	2	6	9	27	30	30
50-64	16	6.5	37	1	2	5	8	14	22	25
65 +	54	9.6	74	2	4	6	14	21	25	45
TOTAL SINGLE DX	16	6.5	199	1	1	1	4	19	45	56
TOTAL MULTIPLE DX	152	7.8	93	1	2	5	8	19	28	46
TOTAL										
0-19 YRS	47	3.3	5	1	1	3	5	6	7	10
20-34	28	11.2	256	1	2	4	12	36	47	66
35-49	18	8.1	79	1	2	6	8	26	30	30
50-64	17	6.2	37	1	2	4	8	13	21	25
65 +	58	9.9	111	2	3	6	14	22	27	55
GRAND TOTAL	**168**	**7.7**	**102**	**1**	**2**	**5**	**8**	**20**	**28**	**54**

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.5	1	< 1	1	1	1	4	5	5
20-34	544	1.9	4	1	1	1	2	4	7	10
35-49	988	1.8	5	1	1	1	1	4	7	12
50-64	550	1.8	20	1	1	1	1	3	6	13
65 +	170	1.7	4	1	1	1	1	3	5	15
2. MULTIPLE DX										
0-19 YRS	42	4.5	29	< 1	1	2	5	15	20	99 +
20-34	416	3.2	14	1	1	1	4	8	11	20
35-49	968	3.2	18	1	1	1	4	8	12	20
50-64	871	3.7	29	1	1	1	4	9	13	30
65 +	753	6.0	62	1	1	4	9	14	17	26
TOTAL SINGLE DX	2285	1.8	9	1	1	1	1	4	6	12
TOTAL MULTIPLE DX	3050	4.1	33	1	1	1	5	10	14	25
TOTAL										
0-19 YRS	75	3.2	19	< 1	1	1	4	10	17	79
20-34	960	2.5	9	1	1	1	3	6	9	16
35-49	1956	2.5	12	1	1	1	2	6	9	17
50-64	1421	3.0	27	1	1	1	3	7	11	24
65 +	923	5.2	54	1	1	2	8	13	16	25
GRAND TOTAL	**5335**	**3.1**	**24**	**1**	**1**	**1**	**3**	**8**	**12**	**21**

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	2.3	4	1	1	1	3	5	8	9
20-34	73	2.7	9	1	1	1	3	7	9	17
35-49	91	2.1	4	1	1	1	3	5	6	65
50-64	117	3.1	10	1	1	1	4	7	10	16
65 +	110	3.7	32	1	1	2	4	8	13	35
2. MULTIPLE DX										
0-19 YRS	61	4.0	16	1	1	2	6	9	11	22
20-34	128	6.2	48	1	2	4	8	14	20	35
35-49	276	6.9	53	1	2	5	9	14	22	37
50-64	654	6.0	30	1	2	5	8	13	16	28
65 +	1201	7.1	40	1	3	6	9	14	19	32
TOTAL SINGLE DX	435	2.9	14	1	1	1	3	6	9	20
TOTAL MULTIPLE DX	2320	6.6	39	1	2	5	9	13	19	32
TOTAL										
0-19 YRS	105	3.3	12	1	1	2	5	8	9	19
20-34	201	4.9	37	1	1	3	6	11	17	31
35-49	367	5.7	45	1	1	4	7	13	19	37
50-64	771	5.6	29	1	1	4	8	12	15	27
65 +	1311	6.8	40	1	2	5	9	14	19	32
GRAND TOTAL	**2755**	**6.0**	**37**	**1**	**2**	**4**	**8**	**13**	**17**	**31**

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	12	1.3		< 1	< 1	1	2	2	2	2
65 +	4	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	31	4.6	26	< 1	2	4	5	8	10	29
50-64	53	4.2	19	1	1	3	5	9	14	22
65 +	50	4.6	13	1	2	4	7	9	13	17
TOTAL SINGLE DX	21	1.7	1	< 1	1	1	2	3	4	4
TOTAL MULTIPLE DX	136	4.4	18	1	1	3	6	9	13	23
TOTAL										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	36	4.3	23	< 1	1	3	5	8	10	29
50-64	65	3.6	17	< 1	1	2	5	7	12	21
65 +	54	4.5	13	1	2	3	7	9	12	17
GRAND TOTAL	**157**	**4.1**	**17**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	3.2	10	1	1	2	4	7	9	17
20-34	170	4.9	19	1	1	4	7	10	13	16
35-49	213	4.2	8	1	1	4	6	8	10	13
50-64	237	3.8	10	1	1	2	6	8	10	14
65 +	209	3.8	9	1	1	3	6	8	10	12
2. MULTIPLE DX										
0-19 YRS	90	6.1	44	1	1	4	9	13	20	34
20-34	345	7.0	41	1	3	6	9	12	17	34
35-49	731	6.4	35	1	3	6	8	12	14	28
50-64	1360	6.6	37	1	2	6	8	12	16	31
65 +	2647	7.5	46	1	3	6	10	14	19	37
TOTAL SINGLE DX	920	4.0	12	1	1	3	6	9	10	13
TOTAL MULTIPLE DX	5173	7.0	43	1	3	6	9	13	17	33
TOTAL										
0-19 YRS	181	4.6	29	1	1	2	6	11	14	23
20-34	515	6.3	35	1	2	5	8	12	16	31
35-49	944	5.9	30	1	2	5	8	11	14	27
50-64	1597	6.2	35	1	2	5	8	12	15	30
65 +	2856	7.2	45	1	3	6	9	14	18	37
GRAND TOTAL	6093	6.6	39	1	2	6	9	13	16	32

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1026	2.9	20	1	1	2	3	6	9	19
20-34	614	4.8	34	1	2	3	5	9	15	33
35-49	607	5.0	42	1	2	3	5	9	14	31
50-64	383	4.8	24	1	2	3	5	10	15	27
65 +	399	5.9	36	2	3	4	7	12	19	28
2. MULTIPLE DX										
0-19 YRS	2674	5.1	42	1	2	3	6	11	16	34
20-34	2086	6.1	66	1	2	4	7	13	20	48
35-49	2952	6.4	42	2	3	4	8	13	19	35
50-64	4421	7.0	42	2	3	5	8	13	18	33
65 +	12882	8.0	41	3	4	6	10	15	19	32
TOTAL SINGLE DX	3029	4.3	31	1	2	3	5	9	13	28
TOTAL MULTIPLE DX	25015	7.2	45	2	3	5	9	14	19	34
TOTAL										
0-19 YRS	3700	4.5	38	1	1	3	5	10	14	31
20-34	2700	5.8	59	1	2	4	6	12	19	44
35-49	3559	6.1	43	1	2	4	7	12	19	34
50-64	4804	6.8	41	2	3	5	8	13	18	32
65 +	13281	8.0	41	3	4	6	10	15	19	32
GRAND TOTAL	28044	6.9	44	2	3	5	8	14	18	33

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1780	3.4	17	1	1	2	4	6	8	22
20-34	2432	3.2	13	1	1	2	4	6	8	17
35-49	1757	3.3	12	1	1	2	4	6	8	20
50-64	919	3.7	13	1	2	3	4	7	10	20
65 +	587	4.9	16	1	2	4	6	9	12	22
2. MULTIPLE DX										
0-19 YRS	5345	5.7	51	1	2	4	6	11	17	38
20-34	5791	5.2	36	1	2	4	6	10	15	33
35-49	6575	5.7	34	2	3	4	7	11	15	31
50-64	9092	6.2	30	2	3	5	8	11	15	30
65 +	20659	7.4	33	3	4	6	9	14	18	31
TOTAL SINGLE DX	7475	3.5	14	1	2	3	4	6	9	20
TOTAL MULTIPLE DX	47462	6.5	36	2	3	5	8	12	17	32
TOTAL										
0-19 YRS	7125	5.1	44	1	2	3	6	10	15	35
20-34	8223	4.6	31	1	2	3	5	9	13	29
35-49	8332	5.2	31	1	2	4	6	10	14	28
50-64	10011	6.0	30	2	3	5	7	11	15	29
65 +	21246	7.3	33	3	4	6	9	14	18	31
GRAND TOTAL	54937	6.1	34	2	3	4	7	12	16	31

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	79	4.1	13	1	2	3	4	10	13	17
20-34	10	4.5	10	1	2	3	7	9	11	11
35-49	17	4.9	9	1	3	4	6	9	11	12
50-64	4	2.8	1	2	2	3	3	4	4	4
65 +	13	7.4	31	2	3	7	9	15	21	22
2. MULTIPLE DX										
0-19 YRS	1164	19.1	485	2	4	10	28	64	87	99 +
20-34	294	10.2	145	2	4	6	13	23	29	87
35-49	334	12.1	110	3	5	9	16	27	36	74
50-64	821	13.9	118	4	7	11	18	27	35	58
65 +	2226	14.9	115	6	8	12	19	28	35	59
TOTAL SINGLE DX	123	4.5	15	1	2	3	6	10	12	19
TOTAL MULTIPLE DX	4839	15.3	213	4	6	11	19	33	50	99 +
TOTAL										
0-19 YRS	1243	18.2	469	2	4	9	26	62	84	99 +
20-34	304	10.0	142	2	4	6	12	23	29	86
35-49	351	11.7	108	3	4	9	16	25	36	70
50-64	825	13.8	119	4	7	11	17	27	34	58
65 +	2239	14.9	116	5	8	12	19	28	35	59
GRAND TOTAL	**4962**	**15.0**	**211**	**3**	**6**	**11**	**19**	**33**	**49**	**99**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1934	5.5	53	1	2	3	5	17	23	34
20-34	796	8.8	105	2	3	5	11	21	29	51
35-49	745	7.7	77	1	2	5	9	19	26	43
50-64	371	6.9	62	1	2	4	8	18	24	47
65 +	273	8.3	78	2	3	5	10	17	27	50
2. MULTIPLE DX										
0-19 YRS	4981	6.4	70	2	2	4	6	15	24	42
20-34	1918	9.0	95	2	3	6	11	20	28	50
35-49	2235	8.7	90	2	3	6	10	20	26	49
50-64	2675	8.8	82	2	4	6	10	18	26	48
65 +	7637	10.0	83	3	5	7	12	20	27	50
TOTAL SINGLE DX	4119	6.9	72	1	2	4	8	18	25	41
TOTAL MULTIPLE DX	19446	8.7	84	2	3	6	10	19	26	47
TOTAL										
0-19 YRS	6915	6.1	66	1	2	3	6	16	24	40
20-34	2714	8.9	98	2	3	6	11	20	28	51
35-49	2980	8.5	87	2	3	5	10	19	26	48
50-64	3046	8.5	81	2	3	6	10	18	26	49
65 +	7910	9.9	83	3	5	7	12	20	27	50
GRAND TOTAL	**23565**	**8.3**	**83**	**2**	**3**	**5**	**10**	**19**	**26**	**46**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	390	2.6	2	1	2	2	3	4	5	8
20-34	80	3.6	18	1	2	2	4	7	9	29
35-49	96	3.8	7	1	2	3	5	7	8	14
50-64	85	5.0	10	2	2	4	7	9	10	17
65 +	63	5.3	8	2	3	5	7	9	10	16
2. MULTIPLE DX										
0-19 YRS	541	6.2	74	2	2	4	6	13	23	45
20-34	284	5.4	21	1	2	4	6	10	15	25
35-49	474	6.2	39	2	3	5	7	11	15	30
50-64	1113	7.7	42	2	4	6	9	15	20	30
65 +	2937	9.3	50	3	5	7	12	18	22	38
TOTAL SINGLE DX	714	3.4	7	1	2	3	4	7	8	13
TOTAL MULTIPLE DX	5349	8.2	50	2	4	6	10	16	21	37
TOTAL										
0-19 YRS	931	4.7	48	1	2	3	4	8	16	39
20-34	364	5.0	21	1	2	4	6	10	14	26
35-49	570	5.8	35	2	3	4	7	11	15	28
50-64	1198	7.5	41	2	4	6	9	14	19	29
65 +	3000	9.2	50	3	5	7	12	18	22	38
GRAND TOTAL	6063	7.6	48	2	3	6	9	15	20	37

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2553	3.3	23	1	2	2	4	5	8	26
20-34	1079	3.7	27	1	1	2	4	8	14	25
35-49	892	3.9	24	1	1	2	4	8	15	25
50-64	658	3.8	15	1	2	3	4	7	10	21
65 +	473	4.7	28	1	2	3	5	10	14	32
2. MULTIPLE DX										
0-19 YRS	7588	7.2	144	1	2	3	6	17	34	94
20-34	3124	5.4	59	1	2	3	6	12	19	43
35-49	4348	5.2	34	1	2	3	6	11	16	31
50-64	6620	5.8	35	2	3	4	7	11	16	33
65 +	15939	7.1	38	2	3	5	9	13	18	33
TOTAL SINGLE DX	5655	3.7	24	1	2	2	4	7	10	25
TOTAL MULTIPLE DX	37619	6.5	61	2	3	4	8	13	19	45
TOTAL										
0-19 YRS	10141	6.2	117	1	2	3	5	13	27	82
20-34	4203	5.0	52	1	2	3	5	11	18	39
35-49	5240	5.0	33	1	2	3	6	10	16	30
50-64	7278	5.6	34	2	2	4	7	10	15	32
65 +	16412	7.1	39	2	3	5	9	13	18	33
GRAND TOTAL	43274	6.2	58	1	2	4	7	12	18	43

APPENDIX A

1990 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	380	44	11.6
25-49	1,125	148	13.2
50-99	1,148	160	13.9
100-199	1,130	188	16.6
200-299	694	110	15.9
300-399	389	86	22.1
400-499	204	40	19.6
500+	262	56	21.4
Unknown	5	0	
Total	**5,337**	**832**	**15.6**
Region and Census Division			
Northeast	760	176	23.2
New England	226	72	31.9
Middle Atlantic	534	104	19.5
North Central	1,554	230	14.8
East North Central	811	198	24.4
West North Central	743	32	4.3
South	2,020	154	7.6
South Atlantic	792	87	11.0
East South Central	467	32	6.9
West South Central	761	35	4.6
West	1,003	272	27.1
Mountain	353	149	42.2
Pacific	650	123	18.9
Location			
Urban	2,812	497	17.7
Rural	2,525	335	13.3
Teaching Intensity			
Low	4,362	613	14.1
Medium	691	155	22.4
High	284	60	21.1
Unknown	0	4	

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 sample is compared to the universe of hospitals in 1989.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by American Medical Association (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 717, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
717	Repair and plastic operation on bone, except facial and femur	78.00-78.04; 78.06-78.14; 78.16-78.23; 78.27-78.34; 78.37-78.44; 78.46-78.54; 78.56-78.59; 78.70-78.74; 78.76-78.84; 78.86-78.94; 78.96-78.99; 79.90-79.94; 79.96-79.99
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.98; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1990 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
	Angiodysplasia
224	intestine
206	stomach
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	bone marrow transplant
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough

Group No.	Title
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
340	kidney disease
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional

DIAGNOSIS INDEX (continued)

Group No.	Title
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic

Group No.	Title
	Dependence **(continued)**
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
134	Dermatochalasis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy

DIAGNOSIS INDEX (continued)

Group No. Title

- Diabetic complications **(continued)**
  - 78 retinopathy
  - 78 ulcer
- Dialysis
  - 415 peritoneal
  - 415 renal
- 214 Diaphragmatic hernia
- 218 Diarrhea, except infectious and functional
  - 224 functional
  - 2 infectious
- 7 Diphtheria
- Disease
  - 209 appendix, except acute appendicitis
  - 150 arteriosclerotic cardiovascular
  - 176 artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 14 arthropod-borne
  - 84 autoimmune, except AIDS
    - 13 AIDS
  - 7 bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 231 biliary ducts
  - 248 bladder, except calculus and cystitis
  - 329 bone, except osteomyelitis and osteoarthritis
  - 256 breast, except fibrocystic
    - 255 fibrocystic
  - 234 celiac
  - central nervous system
    - 8 enteroviral
    - 120 inflammatory, except enteroviral
    - 124 noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - cerebrovascular-*see Cerebrovascular accident*
  - 142 chronic rheumatic heart
  - 311 connective tissue, diffuse
  - 150 coronary artery
  - 222 Crohn's

Group No. Title

- Disease **(continued)**
  - 80 Cushing's
  - 340 cystic kidney
  - 13 cytomegalic inclusion
  - 197 dental
  - 219 diverticular
  - 206 duodenum, except ulcer and inflammatory
  - 140 ear, except inflammatory and otosclerosis
  - 152 endocarditis, bacterial
  - 80 endocrine, except ovary, thyroid, and diabetes mellitus
  - 199 esophagus
  - 135 eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
    - 134 inflammatory, except lacrimal tract
  - 266 fallopian tube, except endometriosis
  - 331 fascia
  - 266 female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
  - 229 gallbladder
  - 266 gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
  - heart
    - 144 hypertensive
      - 146 with renal disease or failure
    - 150 ischemic, except infarction and angina pectoris
    - 142 rheumatic, chronic
    - 158 other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
  - 91 hematopoietic, except anemia, hemophilia, and leukemia
  - 344 hemolytic, newborn
  - 13 HIV infection (AIDS)
  - 48 Hodgkin's
  - 143 hypertensive, except heart and renal
    - 144 heart
      - 146 with renal disease or failure
    - 145 renal
      - 146 with heart disease or failure

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica

Group No.	Title
	Disease **(continued)**
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disorder **(continued)**
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy

Group No.	Title
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial

DIAGNOSIS INDEX (continued)

Group No. **Title**
Enteritis, except bacterial, regional, and viral **(continued)**
218 noninfectious
222 regional
1 viral
252 Epididymitis
123 Epilepsy
349 Epistaxis
7 Erysipelas
71 Erythroplasia
180 Esophageal varices
199 Esophagitis
199 Esophagospasm
143 Essential benign hypertension
Examination
417 follow-up
417 medical

Failure
56 heart, except hypertensive and postoperative
144 hypertensive
146 with renal disease or failure
408 postoperative
238 renal, except chronic and hypertensive
237 chronic
145 hypertensive
146 with heart disease or failure
195 respiratory (acute)
357 Fainting
277 False labor
Fever
141 active rheumatic
347 of undetermined origin (FUO)
2 paratyphoid
302 puerperal
5 scarlet
2 typhoid
13 yellow

Group No. **Title**
Fibrillation or flutter
154 atrial
155 ventricular
Fibrocystic disease
255 breast
82 pancreas
60 Fibroma, uterus
17 Filariasis
220 Fissure, anal
220 Fistula, anal
134 Flat anterior chamber
2 Food poisoning
397 Foreign body in body orifice
Fracture
372 ankle
367 arm, except upper
366 upper
372 bimalleolar
368 carpal
373 clavicle
367 Colles'
361 face bone
370 femur, except upper end
369 upper end
371 fibula, except lateral malleolus
368 finger
372 foot
368 hand
417 healed, aftercare, except removal of fixation device
414 removal of fixation device
369 hip
366 humerus
372 knee
372 lateral malleolus
371 leg, lower, except ankle
370 upper, except hip
361 mandible

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*

Group No.	Title
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
176	Goodpasture's syndrome
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	- postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No. Title
357 Hyperbilirubinemia, unspecified
84 constitutional
344 neonatal
84 Hypercalcemia
276 Hyperemesis gravidarum
80 Hyperinsulinism
84 Hyperlipoproteinemia
80 Hyperparathyroidism
249 Hyperplasia of prostate
86 Hyperpotassemia
176 Hypersensitivity angiitis
143 Hypertension, except renal and of pregnancy
275 of pregnancy
301 with delivery
145 renal
146 renovascular
134 Hypertensive retinopathy
74 Hyperthyroidism
185 Hypertrophy of tonsils and adenoids
84 Hypogammaglobulinemia
80 Hypoparathyroidism
86 Hypopotassemia
180 Hypotension
74 Hypothyroidism
86 Hypovolemia

222 Ileitis, regional
217 Ileus, paralytic or adynamic
357 Ill-defined conditions
343 Immaturity of newborn
84 Immunodeficiency disorder, except AIDS
13 AIDS
167 Impending CVA
306 Impetigo
271 Incomplete abortion
354 Incontinence
147 Infarction, acute myocardial

Group No. Title
Infection
245 bladder
328 bone
260 cervix
240 kidney, except nephritis, nephrosis, and acute pyelonephritis
7 meningococcal
407 postoperative wound
302 puerperal, major
306 skin and subcutaneous tissue, except cellulitis and abscess
181 upper respiratory, except streptococcal
247 urinary tract
280 in pregnancy
261 uterine, except cervix
261 vaginal
261 vulvar
407 wound, postoperative
11 Infectious mononucleosis
Infertility
266 female
254 male
Inflammation
120 central nervous system
135 eye, except lacrimal tract
133 lacrimal tract
189 Influenza
189 Influenzal pneumonia
Inguinal hernia
210 without complication
211 with complication
Injury
345 birth
392 blood vessel
396 crush, except abdomen and chest
386 abdomen
385 chest
384 head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury **(continued)**
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No. Title

- 196 Lung disease, except pneumonia and obstructive
  - 188 pneumonia, except bacterial
    - 187 bacterial
  - 193 obstructive
- 14 Lyme
- 93 Lymphadenitis, except acute and mesenteric
  - 306 acute
  - 92 mesenteric
- 350 Lymphadenopathy
  - 13 in HIV infection (disease) (syndrome)
- 58 Lymphangioma
- 180 Lymphedema
- 53 Lymphosarcoma

- 134 Macular degeneration, retina
- 234 Malabsorption syndrome
- 14 Malaria
- 32 Malignant melanoma, skin
- 105 Manic-depressive psychosis
- 342 Marfan syndrome
- 256 Mastitis, except puerperal
  - 304 puerperal
- 9 Measles
  - 20 late effect
- 126 Median nerve entrapment
- 32 Melanoma, malignant
- 138 Meniere's disease
- 120 Meningitis, except tuberculous and viral
  - 4 tuberculous
  - 8 viral
    - 20 late effect
- 265 Menopause
- 264 Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
- 119 Mental deficiency or retardation
- 224 Mesenteric artery syndrome
- 92 Mesenteric lymphadenitis

Group No. Title

- 261 Metritis
- 263 Metrorrhagia
- 125 Migraine
- 4 Miliary tuberculosis
- Mitral valve disease-*see Valvular disease*
- 342 Mongolism
- 16 Moniliasis
- 11 Mononucleosis
- 221 Mucous colitis
- Multiparity
  - 282 without delivery
  - 410 without pregnancy
- 282 Multiple pregnancy
  - 289 with delivery
- 122 Multiple sclerosis
- 13 Mumps
- 124 Muscular dystrophy
- 16 Mycosis
- 147 Myocardial infarction, acute

- 184 Nasal polyp
- 356 Nausea
- Neoplasm, benign
  - 65 bladder
  - 57 bone
  - 67 brain
  - 59 breast
  - 56 bronchus
  - 54 buccal cavity
  - 61 cervix
  - 57 connective tissue
  - 55 digestive
  - 69 endocrine, except thyroid
  - 66 eye
  - genitalia
    - 63 female, except uterus and ovary
    - 64 male

DIAGNOSIS INDEX (continued)

Group No. **Title**

Neoplasm, benign **(continued)**
- 65 kidney
- 56 larynx
- 56 lung
- 57 muscle
- 67 nervous system
- 62 ovary
- 54 pharynx
- 64 prostate
- 56 respiratory
- 64 scrotum
- 58 skin
- 56 thymus
- 68 thyroid
- 65 ureter
- 65 urethra
- 65 urinary
- 61 uterus, except fibroma
  - 60 fibroma
- 63 vagina
- 63 vulva

Neoplasm, malignant
- 46 adrenal gland
- 27 bile duct
- 41 bladder
- 31 bone
- 44 brain
- 34 breast
- 29 bronchus
- 21 buccal cavity
- 45 cerebral meninges
- 35 cervix uteri
- 25 colon
- 31 connective tissue
- 46 endocrine glands
- 22 esophagus
- 43 eye

Group No. **Title**

Neoplasm, malignant **(continued)**
- 38 fallopian tube
- 27 gallbladder
- genitalia
  - 38 female, except uterus and ovary
  - 40 male, except prostate
- 47 ill-defined sites
- 27 intestine, not further specified
  - 25 large, except rectum
  - 24 small
- 42 kidney
- 25 large intestine, except rectum
- 27 liver
- 29 lung
- 53 lymphatic, except Hodgkin's disease
- 47 metastatic
- 21 mouth
- 45 nervous system, except brain
- 37 ovary
- 28 pancreas
- 21 pharynx
- 46 pituitary gland
- 38 placenta
- 39 prostate
- 26 rectum
- 30 respiratory system, except bronchus and lung
- 40 scrotum
- 47 secondary
- 33 skin, except genitalia and melanoma
- 24 small intestine
- 45 spinal cord and meninges
- 23 stomach
- 46 thyroid gland
- 42 ureter
- 42 urethra
- 42 urinary tract, except bladder
- 36 uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
72	Neurofibromatosis
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple, except by cesarean delivery
419	by cesarean delivery
411	single, except by cesarean delivery
418	by cesarean delivery
412	twin, except by cesarean delivery
419	by cesarean delivery
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery

Group No.	Title
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)

Group No.	Title
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis

DIAGNOSIS INDEX (continued)

Group No.	Title
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 357 Rash
- Reaction
  - 107 anxiety
  - 108 depressive
  - 404 drug, not elsewhere classified
  - 409 transfusion
- 262 Rectocele, female
- 253 Redundant prepuce
- 222 Regional enteritis
- 414 Removal of internal fixation device
- Renal
  - 241 calculus
  - 415 dialysis treatment
  - 238 failure, except chronic and hypertensive
    - 237 chronic
    - 145 hypertensive
      - 146 with heart disease or failure
  - 145 hypertension
- 146 Renovascular hypertension
- 195 Respiratory distress, acute
- 3 Respiratory tuberculosis
- 134 Retained intraocular foreign body
- 287 Retained placenta
- 119 Retardation, mental
- 354 Retention, urine
- Retinal
  - 128 cyst
  - 128 detachment
  - 128 hemorrhage
  - 128 tear
- 134 Retinitis pigmentosa
- 344 Rh (Rhesus) disease of newborn
- 141 Rheumatic fever, active
- 142 Rheumatic heart disease, chronic
- 331 Rheumatism
- 312 Rheumatoid arthritis, except spine
  - 318 spine

Group No. **Title**

- 14 Rickettsiosis
- 9 Rubella
  - 20 late effect
- Rupture
  - 180 blood vessel
  - 321 intervertebral disc, except lumbar
    - 320 lumbar disc
  - 257 ovarian cyst
  - 282 uterus
    - 304 postpartum
    - 300 with delivery
- 208 Ruptured appendix

- 322 Sacroiliac instability
- 2 Salmonellosis
- 258 Salpingitis
- Sarcoma-*see Neoplasm, malignant, connective tissue*
- 102 Schizophrenia, except paranoid, childhood, and acute episode
  - 101 acute episode
  - 103 childhood
  - 100 paranoid
- 323 Sciatica
- 122 Sclerosis, multiple
- 331 Scoliosis
- 308 Sebaceous cyst
- 346 Seizure, except epileptic
  - 123 epileptic
- 270 Self-induced abortion
- 131 Senile cataract
- 97 Senile dementia or psychosis
- 357 Senility
- 375 Separation, shoulder
- 6 Sepsis
  - 302 puerperal
- 6 Septicemia
  - 302 puerperal
- 10 Serum hepatitis

DIAGNOSIS INDEX (continued)

Group No.	Title
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 7 Tetanus
- 173 Thoracic aortic aneurysm
- 273 Threatened abortion
- 91 Thrombocytopenia
- 177 Thrombophlebitis
  - 180 migrans
- Thrombosis
  - 175 arterial, except cerebral, precerebral, and lower limb
  - 165 cerebral, without paralysis
    - 166 with paralysis
  - 171 lower limb
  - 180 portal vein
  - 163 precerebral, without paralysis
    - 164 with paralysis
  - 180 vein
- 74 Thyroid disease, except nodule or goiter
  - 73 thyroid nodule or goiter
- 74 Thyrotoxicosis
- 167 TIA
- 127 Tic douloureux
- 185 Tonsillitis, chronic
- 275 Toxemia of pregnancy
  - 301 with delivery
- 275 Toxemia of the puerperium
  - 301 with delivery
- 182 Tracheobronchitis, acute
- 409 Transfusion reaction
- 167 Transient ischemic attack (TIA)
- 131 Traumatic cataract
- Treatment
  - 416 chemotherapy
  - 415 dialysis
  - 417 physical therapy
  - 417 radiotherapy
- 17 Trichinosis
- 19 Trichomoniasis

Group No. **Title**

- Tricuspid valve disease-*see Valvular disease*
- 127 Trigeminal neuralgia
- 245 Trigonitis
- 268 Tubal pregnancy
- Tuberculosis
  - 4 bone
  - 20 late effect
  - 3 lung
  - 4 nonrespiratory
  - 3 respiratory
- 14 Typhus

- Ulcer
  - 202 duodenal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 200 gastric
    - 201 with hemorrhage or perforation
    - 204 with obstruction
  - 202 gastrojejunal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 202 peptic, except gastric
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 309 skin
  - 178 varicose, lower extremity
- 222 Ulcerative colitis
- 78 Uncontrolled diabetes mellitus
- 339 Undescended testis
- 357 Undiagnosed disease
- 322 Unstable low back
- 181 Upper respiratory infection, acute, except streptococcal
  - 5 streptococcal
- 238 Uremia, except chronic
  - 237 chronic

DIAGNOSIS INDEX (continued)

Group No. **Title**
Ureteral
243 disease, except calculus
242 calculus
Urethral
248 disease, except calculus and stricture
244 calculus
246 stenosis, except congenital
340 congenital
246 stricture, except congenital
340 congenital
248 Urethritis
280 in pregnancy
181 URI (upper respiratory infection)
247 Urinary tract infection
280 in pregnancy
Uterine
60 fibroid
262 prolapse
134 Uveitis

261 Vaginitis, except atrophic and senile
265 atrophic or senile
330 Valgus deformity, limb
Valvular disease
158 nonrheumatic
142 rheumatic
180 Varices, esophagus
178 Varicose veins of lower extremities
330 Varus deformity, limb
Venereal
15 disease
12 wart

Group No. **Title**
324 Vertebrogenic pain syndrome
357 Vertigo
Viral
13 encephalitis
20 late effect
1 gastroenteritis
10 hepatitis
8 meningitis
20 late effect
12 wart
Vitreous
134 abscess
134 prolapse
269 Voluntary abortion
217 Volvulus
356 Vomiting
276 of pregnancy
261 Vulvar infection
261 Vulvitis

12 Warts, viral
7 Whooping cough
Withdrawal
98 alcohol
99 drug
Wound
408 dehiscence
infection
407 postoperative
401 posttraumatic
open-*see Laceration*

13 Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy **(continued)**
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt **(continued)**
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement **(continued)**
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No.	Title
	Excision **(continued)**
	hydrocele (continued)
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag

Group No.	Title
	Excision **(continued)**
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct, except by ERCP
618	by ERCP
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney

OPERATION INDEX (continued)

Group No. **Title**

- Excision of lesion **(continued)**
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 564 lung
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - nerve
    - 508 peripheral
    - 511 sympathetic
  - 542 nose, except submucous resection
    - 540 submucous resection
  - 668 ovary
  - 620 pancreatic duct, except by ERCP
    - 618 by ERCP
  - 549 parotid gland
  - 666 penis
  - perineum
    - 691 female
    - 762 male
  - 508 peripheral nerve
  - 607 perirectal tissue
  - 628 peritoneum
  - 606 rectum
  - 549 salivary gland
  - 524 sclera
  - 658 scrotum
  - 762 skin, except debridement, radical and of pilonidal cyst
    - 763 debridement
    - 761 pilonidal cyst or sinus
    - 764 radical
  - 507 skull
  - 598 small intestine
  - 507 spinal meninges
  - 593 stomach

Group No. **Title**

- Excision of lesion **(continued)**
  - 742 tendon
  - 661 testis
  - 551 tongue
  - 558 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterine ligament
  - 678 uterus
  - 690 vagina
  - 558 vocal cord
  - 691 vulva
- Exenteration
  - 531 eyeball, orbit
  - 681 pelvic
- Exploration
  - 629 abdominal cavity
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 636 kidney
- 629 Exploratory laparotomy
- 601 Exteriorization, intestine
- Extracorporeal
  - 582 circulation
  - 582 membrane oxygenation (ECMO)
  - shock wave lithotripsy (ESWL)
    - 619 biliary tract
    - 652 urinary tract
- Extraction
  - 696 breech, for delivery
  - 546 dental
  - 694 menstrual
  - 546 teeth
  - 697 vacuum, for delivery

- 767 Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
764	infusion pump
755	limb prosthesis
764	vascular access device
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*
	Incision (and drainage) **(continued)**
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
	sclerosing agent
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis

OPERATION INDEX (continued)

Group No. **Title**

- Insertion **(continued)**
  - 767 tissue expander, except breast
    - 760 breast
  - 651 ureteral stent, except by incision
    - 637 by incision
  - 764 vascular access device
- 674 Insufflation, fallopian tubes
- 582 Interruption, vena cava
- 702 Intra-amniotic injection for termination of pregnancy
- 775 Intravenous pyelogram (IVP)
- 783 Intubation, nonoperative
- 783 Irrigation, nonoperative
- 775 IVP (intravenous pyelogram)

- 522 Keratotomy, radial

- Laceration repair (suture)-*see Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 729 excision of intervertebral disc
- 630 Laparoscopy, except for tubal ligation
  - 672 tubal ligation
- 629 Laparotomy, exploratory
- 559 Laryngectomy, except partial
  - 558 partial
- 576 Laryngoscopy
- 560 Laryngotomy
- 717 Lengthening of bone, except femur
  - 716 femur
- 526 Lens extraction, except intracapsular
  - 525 intracapsular
- 781 Leukopheresis
- Ligation
  - 673 fallopian tubes (bilateral), except endoscopic approach
    - 672 endoscopic approach
  - 612 hemorrhoids

Group No. **Title**

- Ligation **(continued)**
  - 577 varicose veins
  - 662 vas deferens
- 577 Ligation and stripping, varicose veins
- Lithotripsy
  - 644 bladder
  - 652 extracorporeal shock wave (ESWL)
  - 639 kidney
  - 652 ultrasonic
  - 640 ureter
- Lobectomy
  - 501 brain
  - 615 liver
  - 565 lung, except partial
    - 564 partial
- 695 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 632 abdominal
  - 744 hand
  - 524 iris
  - 727 joint
  - 746 muscle, except hand
    - 744 hand
  - 632 pelvis
  - 632 peritoneum
  - 746 tendon, except of hand
    - 744 hand

- 775 Magnetic resonance imaging (MRI)
- 760 Mammectomy
- 775 Mammography
- 760 Mammoplasty, augmentation or reduction
- 707 Mandibulectomy, except partial
  - 706 partial
- 707 Mandibulotomy

OPERATION INDEX (continued)

Group No.	Title
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral

Group No.	Title
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis

OPERATION INDEX (continued)

Group No. **Title**
631 Peritoneal dialysis
630 Peritoneoscopy
556 Pharyngoscopy
555 Pharyngotomy
773 Phlebography
781 Photopheresis
539 Piercing, ear
781 Plasmapheresis
781 Plateletpheresis
576 Pleurocentesis
576 Pleurodesis, chemical
569 Pleurosclerosis
Plication
  650 urethral, urethrovesical
  582 vena cava
769 Pneumoencephalography
565 Pneumonectomy
Polypectomy
  589 esophagus
  598 large intestine
  593 stomach
783 Polysomnogram
781 PPN (peripheral parenteral nutrition)
667 Preputiotomy
608 Proctectomy
609 Proctopexy
621 Proctosigmoidoscopy, except surgical approach
  609 surgical approach (transabdominal)
607 Proctotomy
656 Prostatectomy, except transurethral approach
  655 transurethral approach
779 Psychiatric testing and evaluation
779 Psychotherapy
571 PTCA (percutaneous transluminal coronary angioplasty)
Puncture
  501 cranial
  512 lumbar

Group No. **Title**
Puncture **(continued)**
  501 skull, for drainage
  512 spinal
775 Pyelogram (intravenous) (retrograde)
641 Pyeloscopy
636 Pyelotomy, except percutaneous
  634 percutaneous
591 Pyloromyotomy
596 Pyloroplasty

776 Radiation therapy
Radiography
  773 arteries, except cerebral and coronary
    771 cerebral
    772 coronary
  775 breast
  771 cerebral
    771 arteries
    769 ventricles
  775 chest
  774 computerized axial tomography (C.A.T. Scan)
  775 gallbladder
  775 kidney
  775 skeletal
  775 spine, except myelogram
    770 myelogram
  773 veins
Reattachment
  753 extremity
  528 retina
  746 tendon, except of hand
    744 hand
530 Recession, ocular muscle
Reconstruction
  534 ear ossicles
  707 mandible

OPERATION INDEX (continued)

Group No. Title
Reconstruction **(continued)**
744 thumb
688 Rectocele repair
Reduction
726 dislocation, except hip and temporomandibular
725 hip (closed) (open)
710 temporomandibular (joint)
fracture
709 facial bone, except closed reduction
708 closed reduction
femur
721 closed, except with internal fixation
719 with internal fixation
721 open, except with internal fixation
720 with internal fixation
709 mandible, except closed reduction
708 closed reduction
709 maxillofacial, except closed reduction
708 closed reduction
543 nose
site, other than above
724 closed, except with internal fixation
722 with internal fixation
724 open, except with internal fixation
723 with internal fixation
621 hemorrhoids
hernia-*see also Herniorrhaphy*
783 manual
602 intestinal torsion
602 intussusception, intestine
760 mammoplasty
602 volvulus, intestine
Rehabilitation
779 alcohol
779 drug
Release
adhesions-*see Lysis, adhesions*

Group No. Title
Release **(continued)**
743 Dupuytren's contracture
767 scar contracture, skin
648 urethral stricture
Removal
718 bone growth stimulator
calculus
619 biliary tract, except by ERCP or percutaneous
618 by ERCP
617 percutaneous
644 bladder, except transurethral approach
643 transurethral approach
636 kidney, except transurethral approach
639 transurethral approach
519 lacrimal tract (by incision)
532 without incision
620 pancreatic duct, except by endoscopic approach
618 endoscopic approach
637 ureter, except transurethral approach
639 transurethral approach
783 catheter, nonoperatively
783 cholecystotomy tube
701 ectopic fetus
718 fixation device, internal
foreign body
780 bronchus, except with incision
562 with incision
531 eye, except as below
524 anterior chamber
520 conjunctiva
524 iris
527 lens
prosthesis
760 breast
727 joint
597 gastric balloon
666 penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid

Group No.	Title
	Repair **(continued)**
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve

OPERATION INDEX (continued)

Group No.	Title
	Repair **(continued)**
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
713	toe(s)
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
	Replacement **(continued)**
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
	Sclerotherapy (injection)
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP

Group No.	Title
	Sphincterotomy **(continued)**
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*

OPERATION INDEX (continued)

Group No.	Title
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
783	Thallium stress test
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*

Group No.	Title
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
570	and lung
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy

OPERATION INDEX (continued)

Group No.	Title
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry

Group No.	Title
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy

X-ray-*see Radiography*

Group No.	Title
767	Z-plasty, skin

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
Northeastern Region, 1990

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
Northeastern Region, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1991

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1990
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1990
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1990
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1990
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi
Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii
Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics x
Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Ten Year Length of Stay Comparison xii

Length of Stay Tables 1
Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-419 4
Length of Stay Operation Groups 215
Summary of All Patients in Operation Groups 216
Operation Groups 501-783 217

Appendix A
1990 Hospital Characteristics 289

Appendix B
Description of Hospital Characteristics 290

Appendix C
State Inclusions By Region 291

Appendix D
Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index
Part I: Diagnosis Index 298
Part II: Operation Index 321

ACKNOWLEDGEMENTS

1990 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda Vanek, Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Michele Archer, Staff Nosologist, CPHA.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Sally Smith, and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1990 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General –** The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal –** Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term –** The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, The National Association of Children's Hospitals and Related Institutions (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The system was designed to group together patients with the same or closely related diagnoses (or procedures) to permit the development of detailed guidelines of care.

The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, and 418-419, which pertain exclusively to newborns, age is replaced by birth weight in grams. Two new groups were added in 1990 to the List A Diagnosis Groups to separate newborns delivered by cesarean section from unassisted deliveries:

418 - Single liveborn, with cesarean section delivery, born in hospital
419 - Twin or multiple liveborn, with cesarean section delivery, born in hospital

The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. A significant procedure is defined as one that is surgical (invasive) in nature, or carries a procedural risk, or carries an anesthetic risk, or requires specialized training. Surgery generally includes incision, excision, amputation, introduction (of devices), endoscopy, repair, suture, and manipulation. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis

- Not Operated or Operated (for Diagnosis groups only)

- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

TEN YEAR LENGTH OF STAY COMPARISON

The Length of Stay publications present statistical data which describe hospital stay in the United States. Companion volumes display data for census regions and the pediatric and geriatric populations. The 1990 LOS series, published by Healthcare Knowledge Resources, is derived from the database developed and maintained by the Commission on Professional and Hospital Activities (CPHA) and is drawn from over four million hospital discharge records.

Hospital stay data provide a valuable perspective for healthcare professionals who make decisions based on hospital utilization. Length of Stay has been published since 1963 and can be used to track trends, examine patterns of care, and conduct comparisons between years.

The following graphs illustrate changes in hospital stay over a 10 year period.



AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS - 1980, 1985, 1990

[1] Short term, general nonfederal hospitals

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS EXCEPT NEWBORNS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

There is a steady decline in length of stay over the time period studied, with a 12% drop observed from 1980 to 1985 for all patients in the U.S. From 1985 to 1990 the decline continued, but slowed to a 5% decrease.

Traditionally, hospital stays are highest in the Northeast and North Central, and lowest in the South and West. This regional pattern remains consistent until 1990, when the North Central and Southern regions display an almost equivalent length of stay.

A variety of factors can be looked at to explain the decline in hospital stay. Studies show that the prospective payment system implemented by the federal government had an impact on reducing hospital stays by reimbursing at a fixed rate for inpatient care. The introduction of utilization review to monitor costs and resource consumption helped shorten hospital stays by assuring medical necessity of admissions.

Other factors that affect hospital stay include introducing new medical technology and techniques that require shorter hospitalization and recovery time, discharging patients as soon as medically feasible to less acute care settings, providing more home-based services as an alternative to inpatient care, and managing catastrophic cases.

The growth of HMOs and PPOs provides yet another explanation for the decrease in hospital stays. Because services are prepaid, all medical care is closely monitored to control costs and utilization.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61543	2.8	7	1	2	2	3	4	5	11
20-34	29019	3.0	17	1	2	2	3	5	7	21
35-49	10195	4.3	35	1	2	3	5	8	13	30
50-64	5371	4.7	34	1	2	3	5	9	14	31
65 +	4882	5.9	52	1	2	4	7	11	18	37
B. Operated										
0-19 YRS	18030	2.6	7	1	1	2	3	5	7	13
20-34	35003	2.7	4	1	1	2	3	5	6	10
35-49	15641	3.1	7	1	1	2	4	6	8	13
50-64	9268	3.8	13	1	1	3	5	8	10	16
65 +	7809	4.9	23	1	1	3	7	11	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72263	4.4	38	1	2	3	5	8	12	34
20-34	33874	5.6	53	1	2	3	6	13	20	35
35-49	32477	6.3	51	1	2	4	7	13	20	37
50-64	42880	6.6	50	2	3	5	8	13	18	37
65 +	116245	8.8	82	2	4	6	10	17	25	57
B. Operated										
0-19 YRS	29033	6.6	109	1	1	3	7	16	27	83
20-34	54217	4.6	34	1	2	3	5	8	12	32
35-49	36345	6.2	61	1	2	4	7	13	19	45
50-64	40458	8.4	93	1	3	6	10	18	26	57
65 +	80135	11.6	147	2	4	8	15	26	37	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111010	3.2	16	1	2	2	3	5	8	21
B. Operated	85751	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	297739	6.8	63	2	3	4	8	14	21	45
B. Operated	240188	8.1	103	1	2	5	10	18	27	65
1. SINGLE DX	196761	3.1	13	1	2	2	4	6	8	17
2. MULTIPLE DX	537927	7.4	81	1	2	5	9	16	24	55
A. Not Operated	408749	5.8	53	1	2	4	7	12	18	40
B. Operated	325939	6.8	83	1	2	4	8	15	23	56
TOTAL										
0-19 YRS	180869	4.0	37	1	2	3	4	7	12	35
20-34	152113	4.1	29	1	2	3	4	7	12	28
35-49	94658	5.6	47	1	2	4	6	11	17	37
50-64	97977	7.0	65	1	2	5	8	14	21	45
65 +	209071	9.7	107	2	4	7	12	20	30	69
GRAND TOTAL	**734688**	**6.2**	**66**	**1**	**2**	**4**	**7**	**14**	**20**	**47**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20858	3.1	17	1	1	2	3	5	8	20
20-34	29019	3.0	17	1	2	2	3	5	7	21
35-49	10195	4.3	35	1	2	3	5	8	13	30
50-64	5371	4.7	34	1	2	3	5	9	14	31
65 +	4882	5.9	52	1	2	4	7	11	18	37
B. Operated										
0-19 YRS	18016	2.6	7	1	1	2	3	5	7	13
20-34	35003	2.7	4	1	1	2	3	5	6	10
35-49	15641	3.1	7	1	1	2	4	6	8	13
50-64	9268	3.8	13	1	1	3	5	8	10	16
65 +	7809	4.9	23	1	1	3	7	11	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43594	4.7	44	1	2	3	5	9	14	37
20-34	33874	5.6	53	1	2	3	6	13	20	35
35-49	32477	6.3	51	1	2	4	7	13	20	37
50-64	42880	6.6	50	2	3	5	8	13	18	37
65 +	116245	8.8	82	2	4	6	10	17	25	57
B. Operated										
0-19 YRS	28127	6.0	85	1	1	3	7	14	23	66
20-34	54217	4.6	34	1	2	3	5	8	12	32
35-49	36345	6.2	61	1	2	4	7	13	19	45
50-64	40458	8.4	93	1	3	6	10	18	26	57
65 +	80135	11.6	147	2	4	8	15	26	37	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70325	3.5	24	1	2	2	4	7	10	26
B. Operated	85737	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	269070	7.1	66	2	3	5	8	15	21	46
B. Operated	239282	8.0	100	1	2	5	10	18	27	63
1. SINGLE DX	156062	3.3	16	1	1	2	4	6	9	19
2. MULTIPLE DX	508352	7.5	82	1	3	5	9	16	24	55
A. Not Operated	339395	6.3	59	1	2	4	7	13	20	43
B. Operated	325019	6.7	81	1	2	4	8	15	23	54
TOTAL										
0-19 YRS	110595	4.4	45	1	1	2	5	9	14	39
20-34	152113	4.1	29	1	2	3	4	7	12	28
35-49	94658	5.6	47	1	2	4	6	11	17	37
50-64	97977	7.0	65	1	2	5	8	14	21	45
65 +	209071	9.7	107	2	4	7	12	20	30	69
GRAND TOTAL	**664414**	**6.5**	**70**	**1**	**2**	**4**	**8**	**14**	**21**	**48**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	275	2.1	2	1	1	2	3	3	4	5
20-34	75	1.7		1	1	2	2	3	3	4
35-49	40	2.1	2	1	1	2	3	3	4	7
50-64	15	3.2	5	1	1	3	4	7	8	9
65 +	16	3.2	5	1	1	3	4	7	8	8
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	880	3.1	5	1	2	3	4	5	7	14
20-34	184	2.9	4	1	2	2	3	6	7	9
35-49	135	3.2	6	1	2	3	4	5	8	15
50-64	110	3.6	4	1	2	3	5	6	7	9
65 +	315	5.0	13	2	3	4	6	10	12	19
B. Operated										
0-19 YRS	29	12.1	198	2	4	5	13	35	46	52
20-34	13	5.5	29	1	1	4	8	15	17	17
35-49	5	4.8	9	3	3	4	6	10	10	10
50-64	10	5.8	22	1	3	5	6	12	18	18
65 +	23	9.3	91	4	6	7	9	13	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	421	2.1	2	1	1	2	3	3	4	7
B. Operated	6	3.7	2	2	3	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1624	3.4	7	1	2	3	4	6	8	17
B. Operated	80	9.0	111	2	4	6	9	19	34	52
1. SINGLE DX	427	2.1	2	1	1	2	3	3	4	7
2. MULTIPLE DX	1704	3.7	13	1	2	3	4	7	9	18
A. Not Operated	2045	3.2	6	1	2	3	4	6	8	15
B. Operated	86	8.6	105	2	3	5	8	18	32	52
TOTAL										
0-19 YRS	1187	3.0	11	1	2	2	3	5	7	16
20-34	273	2.7	5	1	1	2	3	5	7	14
35-49	182	3.0	5	1	2	3	3	5	7	14
50-64	135	3.7	5	1	2	3	5	7	7	11
65 +	354	5.2	18	2	3	4	6	10	13	20
GRAND TOTAL	**2131**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	3.9	9	2	2	3	5	7	10	16
20-34	71	3.2	4	1	2	3	4	6	7	11
35-49	39	3.6	3	2	2	3	5	6	7	8
50-64	19	3.3	1	2	3	3	4	5	5	5
65 +	10	4.4	5	1	2	5	6	7	7	7
B. Operated										
0-19 YRS	6	6.3	38	2	2	4	8	17	18	18
20-34	10	4.6	8	3	3	4	5	9	12	12
35-49	6	4.8	4	2	3	5	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	245	4.3	10	2	2	3	5	8	9	19
20-34	132	5.2	20	2	2	4	7	10	13	21
35-49	147	5.0	16	2	2	4	6	9	12	24
50-64	117	6.0	28	2	3	5	7	9	14	34
65 +	309	9.5	79	3	5	7	11	17	25	53
B. Operated										
0-19 YRS	17	15.6	143	3	5	15	22	35	39	41
20-34	63	9.3	123	2	4	5	9	24	41	54
35-49	50	11.8	105	4	6	8	13	27	35	52
50-64	53	13.6	232	4	5	8	18	28	51	73
65 +	119	13.9	124	5	7	10	17	29	42	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	3.6	6	1	2	3	4	6	8	11
B. Operated	25	5.0	13	2	3	4	6	8	13	18
2. MULTIPLE DX										
A. Not Operated	950	6.4	42	2	3	5	8	13	17	32
B. Operated	302	12.7	143	4	5	9	16	28	41	64
1. SINGLE DX	279	3.7	7	2	2	3	5	6	8	12
2. MULTIPLE DX	1252	7.9	73	2	3	5	9	16	24	46
A. Not Operated	1204	5.8	36	2	3	4	7	11	15	28
B. Operated	327	12.1	137	3	5	8	15	27	40	61
TOTAL										
0-19 YRS	383	4.7	21	2	2	3	5	8	12	26
20-34	276	5.6	43	2	2	4	6	11	15	42
35-49	242	6.1	40	2	3	4	7	11	18	35
50-64	190	7.9	95	2	4	5	8	16	24	64
65 +	440	10.6	94	3	5	8	13	21	28	60
GRAND TOTAL	**1531**	**7.2**	**64**	**2**	**3**	**5**	**8**	**14**	**21**	**42**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.0	23	2	3	3	10	13	13	13
20-34	14	12.2	28	7	8	11	13	22	24	24
35-49	3	9.7	22	6	6	8	13	15	15	15
50-64	2	8.0	8	6	6	8	10	10	10	10
65 +	2	14.5	41	10	10	14	19	19	19	19
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	4	8.0	29	1	4	8	11	14	14	14
35-49	4	6.8	24	1	3	6	10	13	13	13
50-64	3	7.3		7	7	7	8	8	8	8
65 +	3	10.0	7	8	8	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	11.4	78	3	5	8	17	25	28	28
20-34	44	13.6	95	3	6	11	18	30	33	39
35-49	58	15.6	102	5	8	13	22	33	36	43
50-64	14	15.0	86	4	8	15	19	28	35	37
65 +	16	21.4	279	6	11	19	24	33	63	76
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	20	19.4	231	4	9	16	29	50	75	99 +
35-49	33	19.5	167	6	8	17	29	32	42	62
50-64	16	18.2	126	8	11	15	22	34	44	48
65 +	27	22.6	290	7	11	19	29	38	51	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	10.6	29	3	7	10	13	19	22	24
B. Operated	16	7.5	15	1	6	7	9	13	14	14
2. MULTIPLE DX										
A. Not Operated	140	15.3	119	4	7	13	21	31	35	46
B. Operated	98	19.8	205	6	9	17	25	38	48	95
1. SINGLE DX	42	9.4	25	3	6	9	13	15	20	24
2. MULTIPLE DX	238	17.2	159	5	8	15	23	34	39	77
A. Not Operated	166	14.6	108	4	7	12	19	29	34	42
B. Operated	114	18.1	197	4	8	15	23	38	47	93
TOTAL										
0-19 YRS	17	8.1	51	3	3	6	10	18	25	28
20-34	82	14.5	119	4	7	12	18	32	40	85
35-49	98	16.4	125	5	8	14	22	31	38	53
50-64	35	15.4	101	5	8	12	20	27	36	48
65 +	48	21.1	261	7	10	18	23	37	47	89
GRAND TOTAL	**280**	**16.0**	**146**	**4**	**8**	**13**	**22**	**32**	**38**	**72**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	12.7	66	4	7	11	15	26	29	29
35-49	7	15.4	205	3	7	11	35	83	99 +	99 +
50-64	3	17.3	186	5	7	15	28	32	32	32
65 +	3	19.7	17	15	16	21	22	23	23	23
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	18	25.4	548	8	14	18	25	83	98	99 +
35-49	19	29.6	650	7	12	20	41	71	90	98
50-64	7	22.3	512	6	7	13	29	62	69	69
65 +	8	26.3	372	7	12	27	46	85	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.3	17	2	2	4	8	10	10	10
B. Operated	3	7.0	49	2	2	4	12	15	15	15
2. MULTIPLE DX										
A. Not Operated	23	15.0	108	5	7	12	23	33	59	99 +
B. Operated	53	26.4	524	7	12	18	37	69	97	99 +
1. SINGLE DX	6	6.2	27	2	2	4	10	14	15	15
2. MULTIPLE DX	76	22.9	422	6	10	16	31	64	97	99 +
A. Not Operated	26	13.9	106	3	6	11	22	31	51	99 +
B. Operated	56	25.3	517	7	11	17	36	67	97	99 +
TOTAL										
0-19 YRS	3	6.3	16	4	4	4	9	11	11	11
20-34	30	20.1	391	6	9	15	24	61	93	99 +
35-49	28	24.4	545	6	9	14	38	71	98	99 +
50-64	10	20.8	388	5	7	14	32	51	69	69
65 +	11	24.5	273	7	14	22	37	74	96	99 +
GRAND TOTAL	**82**	**21.7**	**412**	**6**	**9**	**15**	**29**	**63**	**96**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.1	2	1	1	2	3	4	5	6
20-34	14	3.3	1	2	3	3	4	4	5	5
35-49	8	3.5	3	2	2	3	5	6	7	7
50-64	3	5.0	4	3	3	5	6	7	7	7
65 +	0									
B. Operated										
0-19 YRS	33	1.0		1	1	1	1	1	1	1
20-34	8	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	2.6	2	1	2	2	3	4	5	7
20-34	57	2.9	3	1	2	3	4	5	6	10
35-49	22	3.8	4	2	2	3	5	6	8	10
50-64	6	4.5	4	2	3	4	6	7	7	7
65 +	7	4.1	1	3	3	5	5	5	5	5
B. Operated										
0-19 YRS	43	1.5	3	1	1	1	1	2	5	11
20-34	5	1.6	1	< 1	1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.6	2	1	1	2	4	5	5	7
B. Operated	42	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	244	2.9	3	1	2	3	4	5	6	8
B. Operated	48	1.5	3	1	1	1	1	2	4	11
1. SINGLE DX	110	2.0	2	1	1	1	3	4	5	7
2. MULTIPLE DX	292	2.7	3	1	1	2	3	5	6	9
A. Not Operated	312	2.8	2	1	2	3	4	5	6	8
B. Operated	90	1.3	2	1	1	1	1	1	2	10
TOTAL										
0-19 YRS	271	2.2	2	1	1	2	3	4	5	8
20-34	84	2.7	3	1	2	2	4	5	6	9
35-49	31	3.6	4	2	2	3	5	6	7	10
50-64	9	4.7	3	2	3	5	6	7	7	7
65 +	7	4.1	1	3	3	5	5	5	5	5
GRAND TOTAL	**402**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	209	3.9	7	2	2	3	4	8	10	13
20-34	4	5.5	3	4	4	5	7	8	8	8
35-49	6	5.5	12	2	2	5	7	11	11	11
50-64	4	5.3	5	3	3	5	7	8	8	8
65 +	8	8.0	15	5	6	7	8	15	17	17
B. Operated										
0-19 YRS	4	6.8	13	2	4	7	9	10	10	10
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	539	5.8	26	2	3	4	7	12	14	27
20-34	98	9.7	70	3	5	8	12	17	20	56
35-49	165	9.2	37	4	5	8	12	17	21	34
50-64	348	10.4	57	4	6	8	12	17	22	42
65 +	1505	12.0	82	5	7	10	14	21	30	88
B. Operated										
0-19 YRS	60	13.7	114	3	6	12	18	25	34	56
20-34	40	15.7	264	4	8	12	16	36	52	86
35-49	77	18.9	166	7	9	14	24	41	47	87
50-64	122	19.5	305	6	9	13	25	39	69	99 +
65 +	543	22.2	275	8	11	17	30	48	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	4.2	8	2	2	3	5	8	10	14
B. Operated	5	7.2	11	2	5	9	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	2655	10.2	70	3	5	8	12	19	26	55
B. Operated	842	20.6	263	7	10	15	26	43	60	99 +
1. SINGLE DX	236	4.2	8	2	2	3	5	9	10	14
2. MULTIPLE DX	3497	12.7	136	4	6	10	15	26	38	84
A. Not Operated	2886	9.8	67	3	5	8	12	18	24	54
B. Operated	847	20.5	263	7	10	15	26	43	60	99 +
TOTAL										
0-19 YRS	812	5.9	33	2	3	4	8	12	15	31
20-34	142	11.3	130	4	5	8	13	19	28	63
35-49	249	12.1	97	4	6	9	15	24	36	53
50-64	474	12.6	136	5	7	9	14	24	34	85
65 +	2056	14.7	153	5	8	11	17	31	43	99 +
GRAND TOTAL	**3733**	**12.2**	**132**	**3**	**6**	**9**	**14**	**25**	**36**	**81**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	5.4	14	2	3	4	7	10	14	18
20-34	11	4.6	11	1	2	4	7	9	11	11
35-49	8	7.6	53	2	3	4	11	20	22	22
50-64	6	4.0	4	2	2	4	5	7	7	7
65 +	4	3.5	6	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	5	6.8	43	1	3	5	9	18	18	18
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	3	7.3	14	3	4	9	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	165	6.3	24	2	3	5	8	12	16	32
20-34	36	8.3	51	3	4	6	11	15	17	42
35-49	47	9.1	61	3	5	6	11	17	26	39
50-64	26	5.5	9	2	3	5	9	10	25	99 +
65 +	57	10.5	83	4	5	8	12	18	34	49
B. Operated										
0-19 YRS	11	22.5	507	5	9	15	42	80	97	99 +
20-34	35	18.3	234	4	6	15	29	36	52	62
35-49	33	19.4	280	6	10	17	22	42	99	99 +
50-64	12	19.8	138	8	10	16	30	37	41	42
65 +	19	22.8	442	7	9	17	27	40	74	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	5.4	16	2	3	4	7	10	14	19
B. Operated	10	7.2	23	2	4	6	9	14	18	18
2. MULTIPLE DX										
A. Not Operated	331	7.6	43	2	4	6	9	15	19	43
B. Operated	110	20.0	292	5	9	17	28	42	70	99 +
1. SINGLE DX	156	5.5	16	2	3	4	7	10	15	19
2. MULTIPLE DX	441	10.7	134	2	4	7	13	24	35	99 +
A. Not Operated	477	6.9	36	2	3	5	9	14	17	38
B. Operated	120	18.9	282	4	8	16	25	41	65	99 +
TOTAL										
0-19 YRS	298	6.6	46	2	3	5	8	13	18	66
20-34	84	12.0	149	3	4	8	15	31	36	60
35-49	91	12.7	162	3	5	9	17	29	41	99 +
50-64	44	9.2	84	2	4	5	10	30	37	99 +
65 +	80	13.1	192	3	5	9	15	29	36	84
GRAND TOTAL	**597**	**9.3**	**108**	**2**	**4**	**6**	**11**	**19**	**32**	**97**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	221	3.3	5	2	2	3	4	6	7	12
20-34	107	3.2	5	1	2	3	4	6	8	12
35-49	43	3.5	4	2	2	3	4	5	9	10
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	4	5.0	13	2	2	5	8	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	212	4.5	14	2	2	3	5	8	11	20
20-34	72	5.6	28	2	3	4	7	10	12	36
35-49	40	6.2	20	2	3	5	8	13	16	20
50-64	12	6.5	23	1	2	5	10	14	15	15
65 +	10	9.1	40	3	5	6	15	19	21	21
B. Operated										
0-19 YRS	9	10.8	18	6	8	10	14	17	19	19
20-34	4	7.5	11	3	5	8	10	10	10	10
35-49	3	20.3	358	7	9	27	71	99 +	99 +	99 +
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	23.3	120	11	15	27	31	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	3.3	5	1	2	3	4	6	7	11
B. Operated	6	5.0	9	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	346	5.1	19	2	3	4	6	10	13	21
B. Operated	20	13.1	99	5	7	10	15	36	68	99 +
1. SINGLE DX	380	3.3	5	1	2	3	4	6	7	11
2. MULTIPLE DX	366	5.5	27	2	3	4	7	11	14	34
A. Not Operated	720	4.2	13	2	2	3	5	8	11	19
B. Operated	26	11.2	89	3	7	9	13	31	51	99 +
TOTAL										
0-19 YRS	446	4.0	11	2	2	3	4	7	10	18
20-34	184	4.2	15	1	2	3	5	8	10	19
35-49	87	5.3	29	2	3	4	6	11	14	78
50-64	15	6.0	19	1	3	5	9	13	14	15
65 +	14	11.9	85	4	5	8	17	27	31	32
GRAND TOTAL	**746**	**4.4**	**17**	**2**	**2**	**3**	**5**	**8**	**11**	**21**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	3.9	7	1	2	3	5	8	10	14
20-34	38	4.8	7	2	3	4	6	8	11	11
35-49	16	4.4	15	1	2	3	6	9	14	16
50-64	7	3.4	1	2	3	4	4	4	4	4
65 +	9	5.0	10	2	3	4	7	10	11	11
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	313	4.6	10	2	3	4	6	8	10	14
20-34	99	5.7	16	2	3	5	7	11	13	22
35-49	65	8.7	168	2	4	6	9	12	25	85
50-64	49	8.0	37	2	4	6	10	18	21	25
65 +	188	8.4	51	3	5	7	10	14	19	49
B. Operated										
0-19 YRS	16	11.2	43	5	6	9	14	23	25	26
20-34	13	18.2	299	4	6	13	19	47	61	64
35-49	10	10.7	28	6	8	9	12	19	24	24
50-64	9	13.6	97	2	7	10	19	28	32	32
65 +	31	17.0	246	3	6	11	20	45	52	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	4.3	8	2	2	4	5	8	10	14
B. Operated	4	3.8	2	2	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	714	6.4	41	2	3	5	7	11	14	30
B. Operated	79	14.8	171	4	6	11	18	32	45	64
1. SINGLE DX	136	4.3	8	2	2	4	5	8	10	14
2. MULTIPLE DX	793	7.2	60	2	3	5	8	12	18	45
A. Not Operated	846	6.0	36	2	3	5	7	11	14	26
B. Operated	83	14.3	168	4	6	10	17	31	45	64
TOTAL										
0-19 YRS	392	4.8	12	2	3	4	6	8	10	21
20-34	150	6.6	49	2	3	5	7	11	16	43
35-49	91	8.2	128	2	3	6	9	13	19	74
50-64	65	8.3	46	2	4	6	10	18	23	31
65 +	231	9.4	83	3	5	7	11	16	21	56
GRAND TOTAL	**929**	**6.8**	**53**	**2**	**3**	**5**	**8**	**12**	**17**	**43**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.6	2	1	3	4	5	5	5	5
20-34	26	4.5	7	2	3	3	6	8	10	10
35-49	14	4.7	9	2	3	4	5	7	12	14
50-64	4	5.8	10	3	3	5	8	10	10	10
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	6.7	87	2	3	4	5	12	32	40
20-34	33	6.3	8	3	4	6	8	10	11	12
35-49	49	8.6	62	3	4	6	10	17	19	50
50-64	20	7.2	13	3	4	7	10	12	13	14
65 +	20	8.0	31	2	4	6	12	16	20	22
B. Operated										
0-19 YRS	5	17.0	158	2	9	12	29	32	32	32
20-34	10	7.4	55	1	1	6	10	20	21	21
35-49	6	9.3	115	1	1	7	9	28	30	30
50-64	7	9.0	74	1	1	10	16	21	22	22
65 +	5	10.8	71	1	5	8	17	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	4.4	7	2	3	4	6	7	10	14
B. Operated	8	1.8	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	138	7.5	40	3	4	6	10	13	18	41
B. Operated	33	10.1	86	1	1	8	16	24	30	32
1. SINGLE DX	62	4.1	7	1	3	3	5	7	10	14
2. MULTIPLE DX	171	8.0	50	2	4	6	10	16	22	38
A. Not Operated	192	6.7	33	3	3	5	8	12	15	34
B. Operated	41	8.4	80	1	1	7	11	22	29	32
TOTAL										
0-19 YRS	32	7.2	84	2	3	4	5	17	32	40
20-34	71	5.7	15	2	3	5	8	10	11	21
35-49	72	7.6	56	2	4	5	9	16	19	46
50-64	31	7.4	25	2	3	6	10	13	18	22
65 +	27	8.0	38	2	3	6	12	17	22	23
GRAND TOTAL	**233**	**7.0**	**41**	**2**	**3**	**5**	**9**	**13**	**19**	**33**

176 Hospitals, Northeastern Region, January-December 1990, by Diagnosis

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.8	2	1	2	3	4	4	5	6
20-34	20	4.3	6	2	2	4	6	8	9	9
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	232	3.4	4	1	2	3	4	6	7	11
20-34	56	4.1	7	2	2	4	5	6	8	15
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	4	10.3	26	3	7	11	13	15	15	15
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	6	10.5	31	4	7	9	13	19	20	20
20-34	4	8.8	11	4	6	10	11	11	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	22.0		22	22	22	22	22	22	22
65 +	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.2	3	1	2	3	4	5	7	9
B. Operated	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	295	3.6	6	2	2	3	4	6	8	15
B. Operated	13	10.2	31	4	6	9	12	20	22	22
1. SINGLE DX	78	3.2	3	1	2	3	4	6	7	9
2. MULTIPLE DX	308	3.9	8	2	2	3	5	7	9	16
A. Not Operated	371	3.5	5	2	2	3	4	6	7	14
B. Operated	15	9.5	30	4	5	9	11	20	21	22
TOTAL										
0-19 YRS	295	3.4	5	1	2	3	4	6	7	15
20-34	80	4.3	7	2	2	4	5	8	10	14
35-49	4	4.5	4	2	3	4	6	7	7	7
50-64	5	12.6	47	3	9	12	17	22	22	22
65 +	2	5.0	18	2	2	5	8	8	8	8
GRAND TOTAL	**386**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**9**	**16**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	15	1.2		< 1	1	1	1	2	3	3
35-49	4	1.8	2	< 1	< 1	1	3	4	4	4
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	12	1.8	3	< 1	1	1	2	4	7	7
35-49	10	4.9	58	1	1	2	4	16	26	26
50-64	3	4.0	27	1	1	1	8	10	10	10
65 +	4	3.5	4	< 1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	28	1.4	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated	34	3.1	21	1	1	2	3	7	9	26
1. SINGLE DX	29	1.4	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX	36	3.0	20	< 1	1	2	3	7	9	26
A. Not Operated	3	1.7	1	< 1	< 1	< 1	2	3	3	3
B. Operated	62	2.3	12	< 1	1	1	2	4	7	24
TOTAL										
0-19 YRS	11	1.8	1	< 1	1	2	3	3	3	3
20-34	27	1.4	2	< 1	1	1	1	3	4	7
35-49	15	3.8	41	< 1	1	2	4	7	21	26
50-64	6	2.7	13	< 1	1	1	2	9	10	10
65 +	6	2.8	4	< 1	< 1	2	4	6	6	6
GRAND TOTAL	**65**	**2.3**	**12**	**< 1**	**1**	**1**	**2**	**4**	**7**	**24**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	751	2.7	1	1	2	3	3	4	5	7
20-34	72	2.9	5	1	1	2	3	5	9	11
35-49	30	4.4	15	1	2	3	6	8	16	17
50-64	16	3.2	4	1	2	3	4	6	7	8
65 +	10	2.9	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	21	3.2	6	< 1	2	3	4	6	9	12
20-34	3	5.7	16	< 1	2	8	8	8	8	8
35-49	2	14.0	288	2	2	14	26	26	26	26
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1350	3.1	9	1	2	3	4	5	6	12
20-34	279	5.1	30	1	2	3	6	11	17	33
35-49	230	6.8	56	1	3	4	8	14	20	39
50-64	134	6.3	75	2	2	4	6	11	21	56
65 +	297	6.6	56	2	3	5	7	11	20	48
B. Operated										
0-19 YRS	67	9.0	112	2	3	4	11	28	41	99 +
20-34	96	17.3	259	3	6	14	22	38	58	93
35-49	108	17.0	191	4	8	15	25	48	72	99 +
50-64	35	20.5	395	2	6	15	24	47	61	90
65 +	23	15.8	161	3	7	12	23	35	43	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	879	2.8	2	1	2	3	3	4	5	8
B. Operated	27	4.4	26	< 1	2	3	5	8	14	26
2. MULTIPLE DX										
A. Not Operated	2290	4.4	29	1	2	3	5	8	12	28
B. Operated	329	15.7	225	2	5	13	22	40	57	99 +
1. SINGLE DX	906	2.9	3	1	2	3	3	4	5	9
2. MULTIPLE DX	2619	5.8	67	1	2	3	6	13	21	52
A. Not Operated	3169	3.9	22	1	2	3	4	7	10	24
B. Operated	356	14.9	219	2	4	11	21	38	53	99 +
TOTAL										
0-19 YRS	2189	3.2	11	1	2	3	4	5	6	14
20-34	450	7.3	102	1	2	4	8	18	27	70
35-49	370	9.6	115	2	3	6	14	25	33	99 +
50-64	186	8.7	160	2	2	4	8	21	37	62
65 +	330	7.2	67	2	3	5	8	14	23	49
GRAND TOTAL	**3525**	**5.1**	**52**	**1**	**2**	**3**	**5**	**10**	**18**	**46**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.9	24	1	1	2	4	6	16	24
20-34	25	3.9	6	1	2	3	5	7	9	10
35-49	19	3.7	8	1	2	3	4	7	11	13
50-64	8	2.9	2	1	2	3	4	5	6	6
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	5.7	25	2	2	4	6	11	17	23
20-34	23	7.1	90	2	3	5	7	14	27	47
35-49	27	5.1	17	2	3	4	6	8	12	22
50-64	7	4.4	5	3	3	4	5	8	9	9
65 +	22	14.8	127	4	5	13	20	28	43	45
B. Operated										
0-19 YRS	3	7.7	97	1	1	3	15	19	19	19
20-34	5	11.0	36	4	5	15	15	16	16	16
35-49	2	11.0	98	4	4	11	18	18	18	18
50-64	3	11.7	46	4	6	14	16	17	17	17
65 +	4	22.8	321	7	10	18	35	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.9	13	1	2	3	4	7	12	21
B. Operated	5	2.8	3	< 1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	105	7.7	70	2	3	5	9	18	22	46
B. Operated	17	13.3	124	3	4	14	17	21	39	48
1. SINGLE DX	83	3.8	12	1	2	3	4	7	11	20
2. MULTIPLE DX	122	8.5	80	2	3	5	10	19	22	47
A. Not Operated	183	6.1	49	1	2	4	6	13	20	44
B. Operated	22	10.9	116	1	4	6	16	20	32	48
TOTAL										
0-19 YRS	55	4.9	27	1	2	3	5	11	18	24
20-34	55	5.9	47	2	3	4	6	13	16	45
35-49	50	4.7	17	1	2	4	6	8	13	22
50-64	18	4.9	18	2	3	4	5	12	16	17
65 +	27	15.9	148	4	6	13	21	37	45	48
GRAND TOTAL	**205**	**6.6**	**58**	**1**	**2**	**4**	**7**	**16**	**21**	**46**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	4.9	7	2	3	4	6	9	10	10
20-34	21	5.7	10	3	4	5	7	10	12	14
35-49	3	5.7		5	5	6	6	6	6	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	4	1.3		< 1	< 1	1	2	2	2	2
35-49	4	4.3	16	1	1	4	7	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	7.2	15	3	4	7	10	12	15	17
20-34	26	6.6	16	3	3	6	9	11	15	18
35-49	16	9.5	69	3	4	7	12	19	30	35
50-64	13	13.0	103	3	6	12	14	29	37	39
65 +	8	14.4	53	9	10	11	18	27	29	29
B. Operated										
0-19 YRS	4	3.5	9	1	1	3	6	7	7	7
20-34	10	12.4	396	< 1	1	5	13	41	67	67
35-49	10	11.2	215	1	1	5	12	38	42	42
50-64	3	4.0	3	2	3	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	5.3	8	3	3	5	7	10	10	14
B. Operated	8	2.8	9	< 1	1	1	4	8	9	9
2. MULTIPLE DX										
A. Not Operated	109	8.6	41	3	4	7	11	15	20	37
B. Operated	27	9.7	226	1	1	5	11	30	46	67
1. SINGLE DX	64	5.0	9	1	3	4	7	10	10	13
2. MULTIPLE DX	136	8.8	77	2	4	7	11	15	25	45
A. Not Operated	165	7.5	32	3	4	6	10	13	16	34
B. Operated	35	8.1	184	1	1	4	7	15	40	67
TOTAL										
0-19 YRS	79	6.1	13	2	3	5	8	11	13	16
20-34	61	6.9	77	1	3	5	9	12	15	62
35-49	33	9.0	100	1	3	6	11	23	35	42
50-64	17	10.7	96	1	4	10	13	25	35	39
65 +	10	13.5	45	9	10	11	14	25	29	29
GRAND TOTAL	**200**	**7.6**	**58**	**2**	**3**	**6**	**10**	**13**	**17**	**40**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	0									
50-64	1	19.0		19	19	19	19	19	19	19
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	4.5	23	1	2	3	5	10	12	31
20-34	42	15.6	180	3	5	10	24	35	43	50
35-49	59	11.7	210	1	2	4	20	35	40	69
50-64	13	9.7	133	3	4	7	9	22	41	46
65 +	33	11.9	76	4	6	9	15	24	32	37
B. Operated										
0-19 YRS	8	25.5	449	7	11	18	38	60	63	63
20-34	23	22.3	325	6	7	14	32	47	58	74
35-49	30	20.6	213	5	9	18	29	38	53	62
50-64	26	22.5	423	7	9	14	27	53	67	87
65 +	36	19.9	203	6	10	16	25	38	55	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	6.0	42	2	2	4	5	18	19	19
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	223	9.9	132	1	3	5	12	26	36	47
B. Operated	123	21.4	282	6	9	16	28	47	60	77
1. SINGLE DX	8	5.1	33	1	2	4	5	15	19	19
2. MULTIPLE DX	346	14.0	215	2	4	8	20	33	44	64
A. Not Operated	229	9.8	129	1	3	5	12	25	35	47
B. Operated	125	21.1	283	6	9	16	28	47	60	77
TOTAL										
0-19 YRS	87	6.4	94	1	2	4	6	14	20	60
20-34	67	17.5	236	3	6	12	28	41	47	70
35-49	90	14.6	225	1	2	9	22	35	43	68
50-64	41	17.8	347	4	7	12	18	48	57	87
65 +	69	16.1	156	5	7	13	21	33	38	62
GRAND TOTAL	**354**	**13.8**	**212**	**2**	**4**	**8**	**19**	**33**	**44**	**63**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	10.5	85	4	4	10	17	17	17	17
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	9	1	2	4	6	7	7	7
20-34	9	11.4	37	4	6	13	16	19	19	19
35-49	3	5.3	10	3	3	4	8	9	9	9
50-64	0									
65 +	4	6.0	12	3	4	5	8	11	11	11
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	29.5	481	14	14	29	45	45	45	45
35-49	1	31.0		31	31	31	31	31	31	31
50-64	1	28.0		28	28	28	28	28	28	28
65 +	1	30.0		30	30	30	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.0	41	3	3	6	12	17	17	17
B. Operated	4	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	19	8.2	31	3	4	6	12	17	19	19
B. Operated	6	26.0	175	9	14	29	31	44	45	45
1. SINGLE DX	8	5.9	24	2	3	4	7	14	17	17
2. MULTIPLE DX	25	12.4	120	3	5	8	16	30	34	45
A. Not Operated	23	8.1	31	3	4	6	12	17	19	19
B. Operated	10	17.1	230	2	5	11	30	38	45	45
TOTAL										
0-19 YRS	9	4.2	5	1	3	4	6	8	8	8
20-34	13	14.1	119	4	6	14	17	24	41	45
35-49	4	11.8	172	3	3	6	20	31	31	31
50-64	2	18.0	200	8	8	18	28	28	28	28
65 +	5	10.8	124	3	4	5	16	30	30	30
GRAND TOTAL	**33**	**10.8**	**104**	**3**	**4**	**7**	**15**	**28**	**31**	**45**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	19.0		19	19	19	19	19	19	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	12.4	59	4	5	11	22	23	24	24
20-34	91	13.8	80	5	7	11	19	25	30	44
35-49	118	16.1	73	6	11	15	21	25	35	66
50-64	20	18.4	141	6	10	16	23	37	46	48
65 +	11	11.2	32	4	8	10	14	19	23	23
B. Operated										
0-19 YRS	11	25.0	278	11	15	19	43	72	96	99 +
20-34	107	21.8	179	8	14	20	26	39	52	83
35-49	150	21.2	144	9	15	20	24	32	44	79
50-64	40	28.5	384	10	18	23	35	72	82	99 +
65 +	8	24.8	203	6	13	23	38	42	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	19.0		19	19	19	19	19	19	19
B. Operated	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	250	15.1	80	5	8	13	21	25	33	48
B. Operated	316	22.5	195	9	15	21	25	39	59	99 +
1. SINGLE DX	3	13.3	36	7	9	14	18	19	19	19
2. MULTIPLE DX	566	19.3	158	7	11	18	23	34	44	84
A. Not Operated	251	15.1	80	5	9	13	21	25	33	48
B. Operated	318	22.5	195	9	15	21	25	39	59	99 +
TOTAL										
0-19 YRS	21	19.0	207	5	10	16	22	54	76	99 +
20-34	200	18.0	148	6	10	16	23	33	41	70
35-49	269	19.0	118	7	12	19	23	29	38	79
50-64	60	25.1	322	8	13	21	28	51	77	98
65 +	19	16.9	144	5	8	13	23	39	41	43
GRAND TOTAL	**569**	**19.2**	**157**	**7**	**11**	**18**	**23**	**34**	**44**	**84**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	4	8.8	11	5	6	8	11	13	13	13
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	7.0	50	2	2	7	12	12	12	12
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	26	2.5	10	1	1	1	3	4	10	16
35-49	25	2.1	12	< 1	1	1	2	2	8	18
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	2	15.0	392	1	1	15	29	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	9.7	57	3	4	8	13	20	27	30
20-34	29	13.3	174	3	5	8	18	42	52	99 +
35-49	60	11.9	156	4	5	8	14	19	41	72
50-64	11	14.8	180	5	6	9	19	38	45	46
65 +	7	8.0	17	3	4	8	10	14	15	15
B. Operated										
0-19 YRS	4	8.5	4	7	7	8	10	11	11	11
20-34	27	13.7	447	2	3	6	13	26	76	93
35-49	32	11.0	132	1	2	8	14	31	39	42
50-64	25	16.2	582	< 1	2	7	13	63	82	86
65 +	17	16.1	583	1	3	8	13	65	80	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	7.7	14	2	4	8	10	13	13	13
B. Operated	55	2.7	23	< 1	1	1	2	4	14	28
2. MULTIPLE DX										
A. Not Operated	123	12.0	141	3	5	8	15	24	46	81
B. Operated	105	13.7	381	1	3	7	13	32	74	89
1. SINGLE DX	64	3.4	25	< 1	1	1	3	9	14	27
2. MULTIPLE DX	228	12.8	251	2	4	8	14	29	50	87
A. Not Operated	132	11.7	133	3	5	8	14	23	44	78
B. Operated	160	9.9	284	1	1	4	10	20	41	86
TOTAL										
0-19 YRS	22	9.1	43	3	4	8	11	17	25	30
20-34	86	9.9	223	1	2	5	12	23	50	97
35-49	118	9.6	131	1	2	6	12	19	35	60
50-64	40	14.6	418	1	3	7	12	39	72	86
65 +	26	13.8	406	1	3	8	12	28	78	81
GRAND TOTAL	**292**	**10.7**	**216**	**1**	**3**	**7**	**12**	**22**	**42**	**84**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	1	10.0		10	10	10	10	10	10	10
B. Operated	1	22.0		22	22	22	22	22	22	22
1. SINGLE DX	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX	2	16.0	72	10	10	16	22	22	22	22
A. Not Operated	1	10.0		10	10	10	10	10	10	10
B. Operated	3	11.3	89	4	5	8	18	22	22	22
TOTAL										
0-19 YRS	2	15.0	98	8	8	15	22	22	22	22
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**4**	**11.0**	**60**	**4**	**6**	**9**	**16**	**22**	**22**	**22**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	5	6.8	17	1	4	7	10	12	12	12
20-34	7	1.9	1	1	1	2	3	3	3	3
35-49	16	4.2	17	1	1	3	6	9	13	15
50-64	36	4.4	21	1	1	3	5	13	15	18
65 +	40	3.4	17	1	1	2	3	9	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	7.5	31	2	4	5	12	14	19	21
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	5.5	23	2	3	4	5	14	15	15
50-64	13	6.5	17	2	4	6	9	13	15	15
65 +	25	6.3	16	1	3	5	9	12	13	15
B. Operated										
0-19 YRS	9	13.4	303	2	4	7	13	43	57	57
20-34	6	4.0	11	1	1	3	7	9	9	9
35-49	42	13.1	163	2	2	10	18	32	36	60
50-64	130	11.5	128	1	3	9	17	24	30	59
65 +	175	11.4	146	1	3	8	15	26	35	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.0	18	< 1	1	4	8	10	10	10
B. Operated	104	4.0	18	1	1	2	5	10	13	20
2. MULTIPLE DX										
A. Not Operated	60	6.5	20	1	3	5	9	13	15	20
B. Operated	362	11.5	143	1	3	9	16	25	35	64
1. SINGLE DX	108	4.0	18	1	1	2	5	10	13	20
2. MULTIPLE DX	422	10.8	128	1	3	8	15	23	32	61
A. Not Operated	64	6.4	20	1	3	5	9	13	15	20
B. Operated	466	9.9	125	1	2	6	14	23	30	60
TOTAL										
0-19 YRS	30	9.2	109	2	4	7	10	17	22	57
20-34	14	2.7	6	1	1	2	3	7	9	9
35-49	64	10.2	129	1	2	6	14	24	35	57
50-64	181	9.7	106	1	2	6	13	22	27	56
65 +	241	9.5	120	1	2	6	14	21	29	73
GRAND TOTAL	**530**	**9.4**	**113**	**1**	**2**	**6**	**13**	**22**	**29**	**58**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	8.0	72	2	2	8	14	14	14	14
65 +	3	3.7	6	< 1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64	7	5.0	17	1	3	4	5	12	14	14
65 +	28	9.3	249	1	2	4	9	19	45	78
B. Operated										
0-19 YRS	0									
20-34	1	31.0		31	31	31	31	31	31	31
35-49	9	12.8	77	4	7	11	16	27	32	32
50-64	70	15.6	148	3	8	14	19	31	45	56
65 +	110	16.6	166	4	7	14	24	35	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	2	2	2	4	5	5	5	5
B. Operated	6	7.0	37	< 1	2	5	14	15	15	15
2. MULTIPLE DX										
A. Not Operated	37	8.4	194	1	2	4	8	16	34	78
B. Operated	190	16.1	155	3	8	14	21	35	45	85
1. SINGLE DX	9	5.9	26	1	2	4	8	15	15	15
2. MULTIPLE DX	227	14.9	169	2	6	12	19	33	44	83
A. Not Operated	40	8.0	181	1	2	4	7	15	31	78
B. Operated	196	15.9	153	3	7	14	20	34	45	83
TOTAL										
0-19 YRS	0									
20-34	1	31.0		31	31	31	31	31	31	31
35-49	12	11.9	68	2	6	11	15	23	31	32
50-64	81	14.2	143	2	5	12	18	26	43	55
65 +	142	14.8	188	2	5	11	20	35	45	99 +
GRAND TOTAL	**236**	**14.5**	**166**	**2**	**5**	**12**	**19**	**33**	**43**	**81**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	13.0		13	13	13	13	13	13	13
65 +	2	20.5	365	7	7	20	34	34	34	34
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	5	7.4	34	2	3	6	10	17	17	17
65 +	12	9.8	21	4	7	9	13	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	26.5	145	18	18	26	35	35	35	35
50-64	15	5.9	22	2	2	4	9	13	15	16
65 +	40	9.2	50	2	3	7	13	19	21	33
B. Operated										
0-19 YRS	0									
20-34	2	18.0	2	17	17	18	19	19	19	19
35-49	26	12.9	106	6	8	11	14	21	31	57
50-64	117	16.1	128	7	9	13	20	31	39	62
65 +	300	18.9	174	7	10	15	25	37	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	18.0	201	7	8	13	29	34	34	34
B. Operated	18	8.9	24	3	6	8	10	17	17	17
2. MULTIPLE DX										
A. Not Operated	58	8.9	56	2	3	7	13	19	21	35
B. Operated	445	17.8	159	7	10	14	23	35	47	84
1. SINGLE DX	21	10.2	51	3	6	8	14	17	25	34
2. MULTIPLE DX	503	16.7	155	5	9	13	21	33	45	79
A. Not Operated	61	9.3	64	2	3	7	13	19	26	35
B. Operated	463	17.4	157	7	10	14	22	34	46	83
TOTAL										
0-19 YRS	0									
20-34	4	12.0	49	6	6	12	18	19	19	19
35-49	28	13.9	116	6	8	11	15	23	37	57
50-64	138	14.6	124	4	8	12	18	29	38	58
65 +	354	17.5	166	5	9	14	23	34	48	98
GRAND TOTAL	**524**	**16.5**	**153**	**5**	**9**	**13**	**21**	**33**	**44**	**78**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	12.5	25	9	9	12	16	16	16	16
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	10.0	18	7	7	10	13	13	13	13
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	9	22.3	171	11	16	17	26	45	49	49
50-64	21	17.7	138	9	10	11	21	41	42	43
65 +	43	20.1	139	9	12	17	23	44	47	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	12.5	25	9	9	12	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	4	6.5	23	2	3	5	10	13	13	13
B. Operated	74	19.5	141	8	11	16	23	42	47	49
1. SINGLE DX	2	12.5	25	9	9	12	16	16	16	16
2. MULTIPLE DX	78	18.9	143	8	11	15	23	42	47	49
A. Not Operated	4	6.5	23	2	3	5	10	13	13	13
B. Operated	76	19.4	139	8	11	16	23	42	47	49
TOTAL										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	0									
35-49	9	22.3	171	11	16	17	26	45	49	49
50-64	24	16.7	131	8	10	11	19	41	42	43
65 +	45	19.7	138	8	12	16	23	43	47	49
GRAND TOTAL	**80**	**18.7**	**140**	**8**	**11**	**15**	**23**	**41**	**46**	**49**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	3.6	10	1	1	2	7	7	7	7
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.7	10	2	3	7	8	8	8	8
35-49	11	8.9	9	6	7	8	10	13	17	17
50-64	54	8.8	10	6	7	8	10	12	15	24
65 +	68	9.4	19	5	7	9	11	14	19	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	9	7.6	77	2	3	3	8	23	28	28
50-64	14	4.7	14	1	2	4	7	11	13	13
65 +	98	8.6	47	3	4	7	11	18	19	38
B. Operated										
0-19 YRS	5	8.6	2	7	8	8	9	11	11	11
20-34	14	10.4	22	5	6	9	14	16	20	21
35-49	89	13.0	87	6	8	10	14	24	34	52
50-64	463	12.6	70	7	8	10	14	21	28	46
65 +	1677	15.7	113	7	9	12	18	29	35	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.7	15	1	1	4	7	10	10	10
B. Operated	137	9.0	15	6	7	8	10	13	16	23
2. MULTIPLE DX										
A. Not Operated	125	8.1	46	2	4	7	11	17	19	34
B. Operated	2248	14.9	104	7	9	12	17	27	34	65
1. SINGLE DX	143	8.8	16	5	7	8	10	13	16	23
2. MULTIPLE DX	2373	14.5	103	7	9	12	17	26	34	64
A. Not Operated	131	7.9	45	1	3	7	10	17	19	32
B. Operated	2385	14.6	101	7	9	11	17	26	34	64
TOTAL										
0-19 YRS	8	8.8	25	3	7	8	10	17	19	19
20-34	19	9.0	24	3	6	8	12	15	18	21
35-49	109	12.1	81	5	7	10	14	23	31	50
50-64	536	11.9	65	6	8	10	13	19	27	45
65 +	1844	15.1	109	7	9	12	18	27	35	66
GRAND TOTAL	**2516**	**14.2**	**100**	**7**	**9**	**11**	**17**	**26**	**33**	**63**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	6	8.2	7	5	6	8	11	11	11	11
50-64	33	8.1	16	1	7	8	11	12	15	18
65 +	55	7.1	19	2	3	7	10	11	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	9.1	34	2	6	9	11	18	20	20
50-64	21	7.0	26	2	3	4	12	14	16	17
65 +	40	8.2	36	2	4	7	11	16	18	31
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	4	15.5	47	9	10	14	21	24	24	24
35-49	65	12.9	101	5	8	10	13	22	33	55
50-64	251	13.1	80	7	9	11	15	22	29	55
65 +	727	15.6	138	5	9	13	19	29	41	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	96	7.6	17	2	5	8	10	11	15	21
2. MULTIPLE DX										
A. Not Operated	70	7.9	32	2	4	7	11	15	18	29
B. Operated	1048	14.8	123	5	9	12	17	27	38	69
1. SINGLE DX	98	7.5	17	2	5	8	10	11	15	21
2. MULTIPLE DX	1118	14.4	120	5	9	12	17	26	36	68
A. Not Operated	72	7.8	31	2	4	7	11	15	18	29
B. Operated	1144	14.2	118	5	9	11	17	26	34	67
TOTAL										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	7	12.4	38	8	8	9	16	23	24	24
35-49	79	12.1	89	5	8	10	13	20	28	55
50-64	305	12.1	73	4	8	10	14	21	25	49
65 +	823	14.7	132	4	9	12	17	28	38	71
GRAND TOTAL	**1216**	**13.8**	**115**	**4**	**8**	**11**	**16**	**25**	**34**	**67**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	10	8.9	31	2	5	8	11	18	20	20
20-34	0									
35-49	3	6.7	17	2	3	8	9	10	10	10
50-64	4	7.0	7	4	5	7	9	10	10	10
65 +	12	5.7	22	1	2	4	7	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	14.8	187	1	2	14	24	35	38	38
20-34	0									
35-49	0									
50-64	13	12.5	84	3	7	11	16	23	34	37
65 +	22	9.1	110	2	3	6	11	19	37	47
B. Operated										
0-19 YRS	31	17.6	243	4	9	13	23	43	70	99 +
20-34	6	9.3	29	2	7	8	12	17	18	18
35-49	24	14.9	117	4	6	12	21	33	36	40
50-64	58	14.8	133	4	7	11	18	34	47	96
65 +	169	16.5	175	4	8	13	22	31	41	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.7	1	1	2	3	3	4	4	4
B. Operated	29	7.1	23	2	3	7	9	14	17	20
2. MULTIPLE DX										
A. Not Operated	43	11.2	115	2	3	8	14	28	37	47
B. Operated	288	16.0	166	4	8	12	21	32	43	98
1. SINGLE DX	35	6.3	22	2	3	5	9	11	17	20
2. MULTIPLE DX	331	15.4	162	3	7	12	20	32	41	97
A. Not Operated	49	10.1	109	2	3	7	13	24	37	47
B. Operated	317	15.2	160	4	7	12	20	32	41	97
TOTAL										
0-19 YRS	53	14.5	193	3	5	11	20	32	56	99
20-34	6	9.3	29	2	7	8	12	17	18	18
35-49	27	14.0	112	3	6	10	19	33	35	40
50-64	77	13.6	121	4	7	11	17	32	42	87
65 +	203	15.0	169	3	7	11	20	30	38	78
GRAND TOTAL	**366**	**14.5**	**155**	**3**	**7**	**11**	**19**	**31**	**40**	**91**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	8.0	72	2	2	8	14	14	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.0	18	< 1	< 1	3	7	7	7	7
50-64	11	4.4	12	< 1	1	2	8	9	9	9
65 +	13	9.7	99	1	3	6	11	28	32	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	5.0	17	1	1	4	8	11	11	11
50-64	29	8.4	93	1	3	6	10	15	23	51
65 +	76	11.3	177	2	4	7	14	20	44	69
B. Operated										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	1	40.0		40	40	40	40	40	40	40
35-49	24	17.0	298	2	6	11	20	41	58	75
50-64	130	17.0	200	5	8	13	21	35	48	67
65 +	281	18.1	220	5	8	15	22	35	46	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.3	44	2	2	3	11	14	14	14
B. Operated	26	7.0	61	1	2	5	9	15	28	33
2. MULTIPLE DX										
A. Not Operated	113	10.1	146	2	3	6	12	18	38	67
B. Operated	437	17.8	221	5	8	14	22	37	50	76
1. SINGLE DX	29	6.9	57	1	2	5	9	15	27	33
2. MULTIPLE DX	550	16.2	215	3	7	13	20	33	48	75
A. Not Operated	116	10.0	143	2	3	6	12	18	38	67
B. Operated	463	17.2	218	4	8	13	21	35	49	75
TOTAL										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	1	40.0		40	40	40	40	40	40	40
35-49	34	13.4	243	1	3	10	19	30	49	75
50-64	171	14.7	187	2	7	11	18	30	47	61
65 +	372	16.3	215	3	7	13	20	32	43	75
GRAND TOTAL	**579**	**15.8**	**211**	**3**	**7**	**12**	**20**	**31**	**47**	**75**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	12	4.3	10	2	3	3	5	9	12	12
65 +	4	5.5	32	2	2	3	9	14	14	14
B. Operated										
0-19 YRS	0									
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	14	10.0	195	1	3	8	10	16	48	57
50-64	46	6.7	18	1	3	7	10	11	13	18
65 +	48	6.3	25	1	2	6	8	12	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	52	7.4	42	2	3	5	11	17	22	27
50-64	199	8.1	64	1	3	6	11	17	22	39
65 +	346	10.1	67	3	4	8	14	20	25	46
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	15	12.1	59	5	7	9	17	18	30	34
35-49	130	11.4	85	3	6	9	16	20	31	52
50-64	720	11.8	89	3	6	9	15	23	31	52
65 +	1132	14.0	119	3	7	12	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.8	15	1	3	3	6	12	13	14
B. Operated	110	6.9	43	1	2	7	9	11	17	36
2. MULTIPLE DX										
A. Not Operated	600	9.2	65	2	4	7	13	19	24	43
B. Operated	1998	13.0	106	3	7	11	17	26	32	56
1. SINGLE DX	129	6.6	39	1	3	6	9	12	16	29
2. MULTIPLE DX	2598	12.1	99	3	6	10	16	24	32	54
A. Not Operated	619	9.1	64	2	4	7	13	19	24	43
B. Operated	2108	12.7	105	3	7	10	16	25	32	56
TOTAL										
0-19 YRS	3	4.7	12	1	2	5	7	8	8	8
20-34	20	10.1	58	3	5	7	15	18	26	34
35-49	197	10.2	83	2	5	8	13	19	26	53
50-64	977	10.7	83	2	5	9	14	21	29	48
65 +	1530	12.8	108	3	6	11	16	26	32	56
GRAND TOTAL	**2727**	**11.9**	**98**	**2**	**5**	**10**	**15**	**23**	**31**	**53**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	7	5.0	7	1	3	6	7	8	8	8
20-34	3	5.3	24	2	2	3	9	11	11	11
35-49	9	6.8	52	1	2	4	11	18	23	23
50-64	26	6.6	31	1	1	6	10	14	16	22
65 +	21	7.5	46	1	2	7	11	18	21	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.2	227	1	1	1	4	8	44	64
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	7.0	49	1	2	5	11	17	17	17
50-64	8	6.0	10	2	5	6	9	65	99 +	99 +
65 +	22	9.4	40	4	6	7	11	17	24	29
B. Operated										
0-19 YRS	17	12.3	26	7	9	13	14	20	22	22
20-34	5	10.4	49	3	4	10	17	18	18	18
35-49	28	18.3	442	1	6	11	18	54	70	78
50-64	105	13.9	92	2	7	13	19	30	35	72
65 +	131	13.6	144	1	5	12	18	29	36	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	66	6.7	34	1	2	5	11	14	20	24
2. MULTIPLE DX										
A. Not Operated	52	7.5	95	1	2	6	8	16	28	99
B. Operated	286	14.0	145	2	7	12	18	30	38	81
1. SINGLE DX	68	6.6	34	1	2	5	10	14	19	24
2. MULTIPLE DX	338	13.0	143	1	5	11	17	28	37	84
A. Not Operated	54	7.3	93	1	2	6	8	15	27	98
B. Operated	352	12.6	133	1	5	11	16	25	35	78
TOTAL										
0-19 YRS	42	8.5	110	1	1	6	12	15	21	64
20-34	9	7.7	43	1	3	4	12	18	18	18
35-49	41	14.6	342	1	3	9	16	47	61	78
50-64	139	12.1	86	1	5	11	16	24	33	99 +
65 +	175	12.2	123	1	4	11	16	26	33	74
GRAND TOTAL	**406**	**11.9**	**130**	**1**	**4**	**10**	**15**	**25**	**34**	**80**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	3.1	2	2	2	3	4	5	5	6
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	41	5.7	16	1	2	5	8	11	14	16
20-34	13	2.4	5	< 1	1	2	3	5	8	9
35-49	17	4.3	6	1	2	5	6	7	8	9
50-64	9	8.0	145	1	2	3	7	29	38	38
65 +	15	3.1	14	1	1	2	4	6	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	5.2	40	1	2	4	5	11	20	36
20-34	12	3.8	7	1	1	4	6	7	8	8
35-49	0									
50-64	6	8.7	41	3	3	6	15	18	18	18
65 +	15	8.5	84	1	3	6	11	14	32	38
B. Operated										
0-19 YRS	61	9.4	52	1	4	8	14	20	23	32
20-34	12	5.3	17	1	2	4	8	12	13	13
35-49	14	18.4	286	3	9	16	25	36	59	66
50-64	18	9.6	116	2	3	6	10	27	38	42
65 +	56	14.6	279	3	5	10	17	42	67	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.1	2	2	2	3	4	5	5	6
B. Operated	95	4.8	25	1	1	3	6	10	14	28
2. MULTIPLE DX										
A. Not Operated	122	5.7	43	1	2	4	6	13	19	40
B. Operated	161	11.7	165	2	4	8	14	26	40	79
1. SINGLE DX	179	4.0	15	1	2	3	5	7	10	16
2. MULTIPLE DX	283	9.1	121	1	3	5	11	20	32	74
A. Not Operated	206	4.6	28	1	2	3	5	8	14	29
B. Operated	256	9.2	124	1	3	6	11	19	33	77
TOTAL										
0-19 YRS	274	5.6	32	1	2	4	6	13	18	26
20-34	37	3.8	10	1	1	3	5	9	11	13
35-49	32	10.5	173	1	3	6	12	27	33	66
50-64	33	9.0	105	2	3	5	10	21	37	42
65 +	86	11.6	217	1	3	6	14	35	45	92
GRAND TOTAL	**462**	**7.1**	**86**	**1**	**2**	**4**	**9**	**16**	**23**	**45**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.7	2	< 1	1	3	4	4	4	4
35-49	21	4.7	18	< 1	1	3	7	12	13	14
50-64	26	3.1	7	1	1	2	4	7	9	10
65 +	18	3.0	4	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	4	8.5	20	2	6	10	11	12	12	12
65 +	8	11.3	140	1	3	9	13	31	38	38
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	4.5	9	1	2	4	7	9	9	9
35-49	13	5.9	41	1	2	3	9	15	21	23
50-64	25	3.5	10	< 1	1	2	5	9	10	11
65 +	58	7.0	89	1	2	4	8	14	22	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	72	3.5	9	1	1	2	4	7	11	14
2. MULTIPLE DX										
A. Not Operated	15	9.9	80	2	4	10	12	15	32	38
B. Operated	105	5.8	59	1	2	3	8	13	16	44
1. SINGLE DX	72	3.5	9	1	1	2	4	7	11	14
2. MULTIPLE DX	120	6.3	63	1	2	4	8	13	18	45
A. Not Operated	15	9.9	80	2	4	10	12	15	32	38
B. Operated	177	4.8	40	1	1	3	7	11	13	27
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	15	4.3	12	1	1	4	6	9	12	13
35-49	36	5.2	25	1	2	3	7	12	14	23
50-64	55	3.7	10	1	1	2	6	9	10	12
65 +	84	6.5	79	1	2	3	8	13	21	54
GRAND TOTAL	**192**	**5.2**	**44**	**1**	**1**	**3**	**7**	**11**	**14**	**34**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	2	12.5	265	< 1	< 1	12	24	24	24	24
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.0	2	< 1	1	2	3	4	4	4
35-49	8	1.0		1	1	1	1	1	1	1
50-64	15	3.5	6	< 1	1	3	6	7	7	7
65 +	46	2.7	11	< 1	< 1	1	2	8	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	9	5.7	8	1	4	5	8	10	10	10
35-49	15	14.1	106	1	6	16	20	25	34	37
50-64	2	11.5	1	11	11	11	12	12	12	12
65 +	6	11.8	339	< 1	1	6	7	45	49	49
B. Operated										
0-19 YRS	3	7.7	49	< 1	2	7	13	15	15	15
20-34	15	14.5	237	2	4	7	22	33	52	58
35-49	25	6.9	43	< 1	2	4	11	18	20	24
50-64	42	7.9	139	1	1	3	7	26	40	45
65 +	152	5.0	48	< 1	1	2	7	11	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.3	125	< 1	1	2	13	24	24	24
B. Operated	75	2.6	9	< 1	1	1	3	7	8	15
2. MULTIPLE DX										
A. Not Operated	34	11.1	115	1	4	8	16	24	35	49
B. Operated	237	6.4	80	1	1	3	8	16	25	45
1. SINGLE DX	79	2.9	14	< 1	1	1	3	7	8	22
2. MULTIPLE DX	271	7.0	86	1	1	3	9	18	26	47
A. Not Operated	38	10.7	114	1	3	7	16	24	32	49
B. Operated	312	5.5	65	< 1	1	2	7	13	22	44
TOTAL										
0-19 YRS	6	7.8	63	< 1	1	5	15	19	20	20
20-34	30	9.4	146	1	2	5	10	24	33	58
35-49	49	8.0	73	1	1	4	12	20	24	37
50-64	59	6.9	104	1	1	3	7	18	35	45
65 +	206	4.8	51	< 1	1	2	7	10	16	39
GRAND TOTAL	**350**	**6.0**	**73**	**< 1**	**1**	**2**	**7**	**16**	**24**	**45**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	4.8	2	3	4	5	6	6	6	6
65 +	3	2.3	1	< 1	1	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	34	3.0	2	1	2	3	4	5	6	6
35-49	267	3.4	3	1	2	3	4	6	7	9
50-64	381	3.3	3	1	2	3	4	6	6	9
65 +	385	3.9	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	12	5.2	24	< 1	1	3	7	14	16	16
50-64	30	5.5	16	2	3	4	7	10	12	20
65 +	54	13.2	210	3	5	8	17	31	48	72
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	41	4.2	8	1	3	4	5	7	10	16
35-49	397	4.5	9	2	3	4	6	8	9	16
50-64	681	4.9	11	2	3	4	6	8	11	18
65 +	1269	5.8	36	2	3	5	6	9	14	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.9	3	1	3	4	5	6	6	6
B. Operated	1067	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	96	9.8	140	2	3	6	12	20	32	67
B. Operated	2390	5.3	24	2	3	4	6	8	12	27
1. SINGLE DX	1075	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	2486	5.5	29	2	3	4	6	9	13	29
A. Not Operated	104	9.3	132	2	3	6	11	20	32	65
B. Operated	3457	4.7	19	2	3	4	6	8	10	21
TOTAL										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	75	3.6	6	1	2	3	5	6	7	15
35-49	676	4.1	7	1	2	4	5	7	8	14
50-64	1097	4.3	9	2	3	4	5	7	10	17
65 +	1711	5.6	37	2	3	4	6	9	13	37
GRAND TOTAL	**3561**	**4.9**	**23**	**2**	**3**	**4**	**6**	**8**	**11**	**23**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	3.0	1	2	2	3	4	4	4	4
50-64	11	4.3	22	2	2	3	4	10	17	18
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	16	4.2	8	2	2	3	8	8	9	9
35-49	27	4.6	9	2	2	3	6	9	10	14
50-64	18	2.9	2	1	2	3	3	5	6	7
65 +	9	4.1	11	1	2	3	5	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	7.0	24	2	4	5	10	15	16	16
35-49	12	3.7	12	< 1	1	2	4	10	11	11
50-64	17	6.4	37	2	3	4	6	16	22	24
65 +	27	3.6	10	1	2	3	4	6	12	16
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	42	5.8	11	2	4	5	7	9	14	16
35-49	77	7.6	30	3	4	6	9	16	20	25
50-64	47	7.1	42	2	3	5	8	14	18	40
65 +	58	6.2	25	2	3	4	9	14	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.4	9	2	2	3	4	4	6	18
B. Operated	70	4.0	7	2	2	3	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	64	4.8	20	1	2	4	4	11	16	23
B. Operated	225	6.8	28	2	3	5	8	14	17	25
1. SINGLE DX	98	3.8	8	2	2	3	4	8	9	16
2. MULTIPLE DX	289	6.4	27	2	3	4	8	14	16	25
A. Not Operated	92	4.4	17	1	2	3	4	10	15	21
B. Operated	295	6.2	24	2	3	4	8	13	16	25
TOTAL										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	67	5.5	13	2	3	5	7	9	14	16
35-49	128	6.2	24	2	3	4	8	13	17	24
50-64	93	5.8	33	2	3	4	7	13	18	33
65 +	97	5.2	20	1	2	4	7	12	15	22
GRAND TOTAL	**387**	**5.7**	**23**	**2**	**3**	**4**	**7**	**12**	**16**	**24**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	6	2.3	1	2	2	2	2	4	4	4
65 +	13	2.8	2	1	2	3	3	4	6	7
B. Operated										
0-19 YRS	0									
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	16	5.3	8	2	3	5	7	10	11	11
50-64	52	4.9	2	3	4	5	6	7	7	9
65 +	38	5.3	5	2	4	5	7	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	5.0	13	2	2	4	8	9	9	9
65 +	23	7.7	60	1	2	4	9	20	25	28
B. Operated										
0-19 YRS	0									
20-34	11	4.3	4	1	4	4	6	7	7	7
35-49	69	5.9	13	3	4	5	7	8	13	22
50-64	190	7.0	19	4	5	6	7	13	17	27
65 +	360	8.3	47	4	5	7	9	14	22	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.5	2	1	2	2	3	4	5	7
B. Operated	108	5.1	4	3	4	5	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	28	7.6	53	1	2	4	9	18	23	28
B. Operated	630	7.6	35	4	5	6	8	13	19	41
1. SINGLE DX	130	4.7	4	2	3	5	6	7	9	11
2. MULTIPLE DX	658	7.6	36	4	5	6	8	13	19	40
A. Not Operated	50	5.4	36	1	2	3	6	16	19	28
B. Operated	738	7.2	31	4	5	6	8	12	17	34
TOTAL										
0-19 YRS	0									
20-34	14	5.4	13	1	4	5	6	9	14	16
35-49	89	5.7	12	2	4	5	7	8	13	22
50-64	251	6.5	17	4	4	5	7	11	14	24
65 +	434	7.8	44	3	5	6	8	14	21	43
GRAND TOTAL	**788**	**7.1**	**32**	**3**	**5**	**6**	**8**	**12**	**17**	**33**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.8	2	1	1	3	4	4	4	4
20-34	0									
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	4	4.8	4	3	3	5	6	7	7	7
20-34	7	5.1	4	3	3	5	6	8	9	9
35-49	15	5.3	18	2	3	4	5	9	16	19
50-64	6	7.2	13	4	5	6	7	13	14	14
65 +	6	9.8	35	3	5	9	14	18	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	11	3.8	11	1	1	4	4	9	12	12
50-64	12	4.8	12	1	2	4	8	9	10	10
65 +	46	9.9	106	2	3	5	12	28	33	44
B. Operated										
0-19 YRS	6	8.8	10	5	7	8	11	14	14	14
20-34	20	10.8	190	4	4	6	9	25	48	61
35-49	78	9.0	19	5	6	8	12	15	19	77
50-64	105	11.3	35	5	7	9	15	20	24	29
65 +	186	15.2	118	6	8	12	20	28	38	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.2	2	1	1	1	4	4	4	4
B. Operated	38	6.2	17	3	3	5	7	12	17	19
2. MULTIPLE DX										
A. Not Operated	70	8.0	80	1	3	4	9	19	29	43
B. Operated	395	12.6	84	5	7	10	15	24	29	61
1. SINGLE DX	47	5.4	17	1	3	4	6	9	15	19
2. MULTIPLE DX	465	11.9	86	4	6	9	15	23	29	58
A. Not Operated	79	7.3	74	1	3	4	9	17	29	42
B. Operated	433	12.1	81	5	6	9	15	22	28	60
TOTAL										
0-19 YRS	17	5.5	12	2	3	4	7	10	13	14
20-34	27	9.3	146	3	4	6	8	14	39	61
35-49	104	7.9	21	3	5	7	11	14	18	57
50-64	125	10.3	36	4	6	9	13	19	24	29
65 +	239	14.0	118	4	7	10	18	28	37	60
GRAND TOTAL	**512**	**11.3**	**83**	**4**	**6**	**9**	**14**	**22**	**28**	**51**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.3		3	3	3	4	4	4	4
50-64	7	4.1	12	1	2	3	5	10	11	11
65 +	10	3.5	11	< 1	1	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	9.0		9	9	9	9	9	9	9
65 +	4	3.8	13	1	1	2	6	9	9	9
B. Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	22	11.1	59	2	6	9	17	26	52	99 +
65 +	58	12.8	147	3	5	10	16	30	50	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	1	1	1	2	3	3	3	3
B. Operated	20	3.7	9	1	2	3	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	7	4.9	15	1	1	3	9	9	9	9
B. Operated	84	12.1	118	3	5	9	16	27	49	99 +
1. SINGLE DX	24	3.4	8	1	1	3	4	7	11	11
2. MULTIPLE DX	91	11.5	114	2	5	9	15	26	46	99 +
A. Not Operated	11	3.8	12	1	1	2	7	9	9	9
B. Operated	104	10.5	108	2	4	8	14	24	35	99 +
TOTAL										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	6	4.5	15	1	3	3	4	11	12	12
50-64	31	9.4	52	2	4	8	15	24	27	99 +
65 +	76	10.6	131	2	3	7	13	24	42	89
GRAND TOTAL	**115**	**9.8**	**103**	**2**	**3**	**7**	**13**	**24**	**31**	**99 +**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	6.5	61	1	1	6	12	12	12	12
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	3	7.0	1	6	6	7	8	8	8	8
50-64	81	6.3	12	2	4	7	9	10	12	18
65 +	216	4.8	10	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	18	5.3	37	< 1	1	3	8	12	21	25
65 +	102	8.4	62	1	4	7	10	16	26	41
B. Operated										
0-19 YRS	3	6.0	7	3	4	7	8	8	8	8
20-34	0									
35-49	8	6.8	21	1	3	7	10	13	14	14
50-64	269	8.7	61	3	4	7	11	15	21	30
65 +	1655	7.6	54	2	3	5	9	15	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	6.5	61	1	1	6	12	12	12	12
B. Operated	301	5.2	11	1	3	5	7	10	12	15
2. MULTIPLE DX										
A. Not Operated	121	7.9	59	1	3	6	9	16	24	40
B. Operated	1935	7.7	55	2	4	6	9	15	19	36
1. SINGLE DX	303	5.3	11	1	3	5	7	10	12	15
2. MULTIPLE DX	2056	7.7	55	2	4	6	9	15	20	36
A. Not Operated	123	7.9	59	1	3	6	9	16	24	39
B. Operated	2236	7.4	50	2	3	6	9	14	18	34
TOTAL										
0-19 YRS	5	5.0	7	2	3	5	7	8	8	8
20-34	0									
35-49	11	6.8	15	1	5	7	9	12	14	14
50-64	368	8.0	51	2	4	7	10	14	17	28
65 +	1975	7.3	50	2	3	5	9	14	18	36
GRAND TOTAL	**2359**	**7.4**	**50**	**2**	**3**	**6**	**9**	**14**	**18**	**35**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	7.7	35	2	4	5	11	17	18	18
20-34	50	1.9	2	1	1	1	2	3	6	8
35-49	23	3.1	16	1	1	2	3	6	13	18
50-64	6	2.0	2	1	1	2	2	5	5	5
65 +	7	2.3	2	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	9	16.0	147	3	8	14	23	35	40	40
20-34	30	4.8	19	1	1	3	8	11	14	15
35-49	24	6.1	30	1	2	4	9	16	18	18
50-64	13	4.8	8	1	3	4	7	8	9	9
65 +	15	7.9	29	2	3	7	13	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	92	2.6	9	1	1	2	3	5	8	18
2. MULTIPLE DX										
A. Not Operated	6	4.2	1	3	3	4	5	5	5	5
B. Operated	91	6.7	43	1	2	5	9	15	18	35
1. SINGLE DX	92	2.6	9	1	1	2	3	5	8	18
2. MULTIPLE DX	97	6.6	41	1	2	5	9	14	18	34
A. Not Operated	6	4.2	1	3	3	4	5	5	5	5
B. Operated	183	4.7	30	1	1	2	6	11	16	26
TOTAL										
0-19 YRS	17	11.5	110	2	4	9	15	27	36	40
20-34	82	3.0	10	1	1	2	3	8	10	15
35-49	48	4.6	24	1	1	3	6	11	18	18
50-64	19	3.9	7	1	1	3	6	8	9	9
65 +	23	6.1	26	1	2	4	8	14	16	18
GRAND TOTAL	**189**	**4.6**	**29**	**1**	**1**	**3**	**6**	**11**	**15**	**26**

176 Hospitals, Northeastern Region, January-December 1990, by Diagnosis

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	30	2.1	4	1	1	2	3	3	4	11
50-64	87	2.7	6	1	1	2	3	4	7	14
65 +	225	2.9	7	1	1	2	4	5	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	21	1	2	4	8	10	10	10
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	8	5.0	46	< 1	< 1	2	6	17	20	20
65 +	49	10.4	86	2	4	7	15	21	33	44
B. Operated										
0-19 YRS	4	38.8	186	24	30	37	47	57	57	57
20-34	5	6.6	76	1	2	3	9	22	22	22
35-49	56	4.1	19	1	1	2	5	9	14	21
50-64	339	5.5	64	1	2	3	6	13	17	36
65 +	1300	6.5	75	1	2	4	7	14	21	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	345	2.8	6	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. Not Operated	62	9.2	79	1	3	6	13	20	27	43
B. Operated	1704	6.3	74	1	2	4	7	14	21	44
1. SINGLE DX	345	2.8	6	1	1	2	3	5	8	14
2. MULTIPLE DX	1766	6.4	74	1	2	4	7	14	21	44
A. Not Operated	62	9.2	79	1	3	6	13	20	27	43
B. Operated	2049	5.7	64	1	2	3	6	13	19	43
TOTAL										
0-19 YRS	7	24.3	425	2	5	24	37	53	57	57
20-34	8	4.8	50	1	1	2	4	17	22	22
35-49	88	3.4	14	1	1	2	4	8	11	20
50-64	434	5.0	53	1	1	3	5	12	15	34
65 +	1574	6.1	68	1	2	4	7	14	20	44
GRAND TOTAL	**2111**	**5.8**	**65**	**1**	**2**	**3**	**6**	**14**	**19**	**43**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.0		2	3	3	3	4	4	4
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	13	7.2	12	1	5	8	9	11	12	12
20-34	3	8.0	1	7	7	8	9	9	9	9
35-49	12	8.6	6	6	7	8	10	13	14	14
50-64	21	7.9	3	6	7	8	9	11	11	12
65 +	28	8.8	13	5	7	8	11	13	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.5	1	3	3	5	5	6	6	6
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	5	6.8	27	1	3	7	9	15	15	15
50-64	9	11.1	78	3	5	9	14	26	31	31
65 +	39	9.9	83	2	5	8	13	23	26	48
B. Operated										
0-19 YRS	26	10.2	74	4	6	8	11	17	35	40
20-34	6	11.2	52	5	6	10	11	24	25	25
35-49	47	8.6	16	5	6	8	10	13	15	23
50-64	132	9.3	41	4	6	8	11	14	23	37
65 +	309	12.2	97	4	8	10	14	22	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.9		2	2	3	3	4	4	4
B. Operated	77	8.2	9	5	7	8	10	12	13	17
2. MULTIPLE DX										
A. Not Operated	67	8.7	65	2	4	6	10	19	25	45
B. Operated	520	11.0	76	4	7	9	12	20	26	45
1. SINGLE DX	86	7.7	10	3	6	8	9	12	13	17
2. MULTIPLE DX	587	10.8	75	3	6	9	12	20	26	46
A. Not Operated	76	8.0	61	2	3	5	9	18	24	44
B. Operated	597	10.7	68	4	7	9	12	18	25	43
TOTAL										
0-19 YRS	56	7.6	44	3	4	6	9	12	16	40
20-34	12	8.7	33	4	5	7	10	15	24	25
35-49	64	8.4	15	5	6	8	10	13	14	23
50-64	163	9.2	38	4	6	8	10	14	21	36
65 +	378	11.7	90	3	7	9	13	22	28	51
GRAND TOTAL	**673**	**10.4**	**68**	**3**	**6**	**9**	**12**	**18**	**25**	**43**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.9	3	1	1	1	2	5	6	6
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	14.3	320	4	4	4	27	35	35	35
20-34	0									
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	7	15.1	620	< 1	1	6	15	59	70	70
20-34	0									
35-49	0									
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	6	6.8	141	1	1	2	3	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	14	1.9	2	1	1	2	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	4	12.5	227	4	4	6	21	35	35	35
B. Operated	15	10.3	340	1	1	3	9	31	60	70
1. SINGLE DX	16	2.0	2	1	1	2	2	5	6	6
2. MULTIPLE DX	19	10.7	303	1	1	4	9	33	54	70
A. Not Operated	6	9.3	162	1	4	5	7	32	35	35
B. Operated	29	6.2	189	1	1	2	4	14	33	70
TOTAL										
0-19 YRS	20	8.5	274	1	1	2	6	26	52	70
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	10	5.3	85	1	1	2	3	19	31	31
GRAND TOTAL	**35**	**6.7**	**181**	**1**	**1**	**2**	**5**	**17**	**34**	**70**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.0	5	1	1	2	5	6	7	7
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	4	4.0	2	3	3	4	5	6	6	6
65 +	10	7.4	14	2	4	8	9	12	14	14
B. Operated										
0-19 YRS	36	6.2	20	1	3	6	8	10	13	24
20-34	17	4.6	18	< 1	1	3	7	9	14	17
35-49	18	8.7	24	1	6	9	13	15	17	18
50-64	23	10.4	95	2	4	7	11	24	36	37
65 +	11	6.5	40	1	2	2	11	16	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.7	9	1	1	3	5	8	11	13
20-34	14	4.1	11	1	1	3	6	10	11	11
35-49	19	7.8	31	1	3	7	11	17	19	20
50-64	49	13.7	137	3	6	10	19	29	36	58
65 +	55	18.0	418	2	5	10	24	45	50	99
B. Operated										
0-19 YRS	146	12.5	141	3	5	8	16	26	39	57
20-34	25	11.1	86	3	5	9	14	23	35	37
35-49	29	13.9	176	4	6	9	16	36	43	57
50-64	53	16.5	256	4	5	12	22	50	55	99
65 +	74	23.9	503	8	12	17	26	81	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.2	12	1	2	4	8	10	11	14
B. Operated	105	7.3	41	1	3	6	10	14	19	36
2. MULTIPLE DX										
A. Not Operated	201	10.5	189	1	3	6	12	24	37	77
B. Operated	327	15.7	260	4	6	11	19	36	56	99 +
1. SINGLE DX	135	6.8	36	1	2	6	9	14	18	36
2. MULTIPLE DX	528	13.7	239	2	5	9	17	32	48	98
A. Not Operated	231	9.8	169	1	3	6	11	21	34	65
B. Operated	432	13.7	219	3	5	9	17	32	49	98
TOTAL										
0-19 YRS	258	9.0	101	1	3	6	10	20	28	56
20-34	58	7.3	55	1	3	6	10	15	21	37
35-49	68	10.7	96	2	5	9	12	18	36	54
50-64	129	14.0	180	3	5	9	19	36	50	78
65 +	150	19.4	435	4	8	13	23	46	88	99 +
GRAND TOTAL	**663**	**12.3**	**205**	**2**	**4**	**8**	**15**	**28**	**44**	**96**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3	7.0	28	1	3	9	10	11	11	11
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	3	< 1	2	2	4	5	5	5
20-34	0									
35-49	0									
50-64	2	8.0	98	1	1	8	15	15	15	15
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	15	14.5	154	3	6	15	19	23	44	51
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	10.0		10	10	10	10	10	10	10
65 +	3	11.0	52	5	6	9	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	5	5.6	21	1	1	6	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	10	4.1	18	< 1	2	2	5	10	15	15
B. Operated	23	12.7	112	4	5	9	17	21	33	51
1. SINGLE DX	7	4.4	18	1	1	2	8	11	11	11
2. MULTIPLE DX	33	10.1	98	2	4	6	16	20	23	51
A. Not Operated	12	3.7	16	1	1	2	5	9	14	15
B. Operated	28	11.4	102	2	5	9	17	21	26	51
TOTAL										
0-19 YRS	26	10.0	119	1	2	6	17	21	29	51
20-34	4	7.0	25	1	3	7	10	13	13	13
35-49	2	5.0		5	5	5	5	5	5	5
50-64	4	6.8	48	1	1	6	12	15	15	15
65 +	4	9.8	41	5	5	7	14	19	19	19
GRAND TOTAL	**40**	**9.1**	**88**	**1**	**2**	**6**	**14**	**19**	**22**	**51**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	2	1	1	1	3	4	4	4
20-34	0									
35-49	6	2.5	1	1	2	2	3	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	13	3.3	7	1	2	2	5	7	9	9
20-34	25	2.3	1	1	2	2	3	4	4	4
35-49	25	2.4	1	1	2	2	3	4	4	5
50-64	12	4.0	10	1	2	3	4	10	12	12
65 +	11	2.8	8	1	2	2	3	6	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.6	13	1	2	4	6	8	13	17
20-34	4	4.3	6	3	3	3	6	8	8	8
35-49	3	3.3		3	3	3	4	4	4	4
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	4	5.5	14	2	2	5	8	10	10	10
B. Operated										
0-19 YRS	42	9.9	116	2	5	6	11	26	41	46
20-34	27	4.1	4	2	3	4	5	7	8	9
35-49	50	3.7	8	2	2	3	4	7	9	16
50-64	38	4.1	12	1	2	3	6	8	10	18
65 +	35	9.9	155	2	3	4	14	22	34	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.3	2	1	1	2	3	4	5	5
B. Operated	86	2.8	4	1	2	2	3	4	7	12
2. MULTIPLE DX										
A. Not Operated	50	4.4	11	1	2	4	6	8	10	17
B. Operated	192	6.3	66	2	2	4	7	12	21	45
1. SINGLE DX	102	2.7	4	1	2	2	3	4	6	11
2. MULTIPLE DX	242	5.9	55	2	2	4	7	11	18	43
A. Not Operated	66	3.9	9	1	2	3	5	8	9	17
B. Operated	278	5.2	49	1	2	3	5	10	16	42
TOTAL										
0-19 YRS	96	6.6	65	1	2	5	7	11	23	45
20-34	56	3.3	3	1	2	3	4	5	8	9
35-49	84	3.3	5	2	2	3	4	5	8	14
50-64	57	3.8	10	1	2	3	4	8	10	18
65 +	51	7.9	117	2	2	3	10	19	32	62
GRAND TOTAL	**344**	**5.0**	**42**	**1**	**2**	**3**	**5**	**9**	**14**	**39**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	6	5.3	14	1	4	4	7	11	12	12
B. Operated										
0-19 YRS	9	4.3	9	1	1	5	6	8	10	10
20-34	0									
35-49	6	2.7	2	< 1	1	3	4	4	4	4
50-64	18	5.2	13	1	3	4	7	10	13	15
65 +	22	6.7	74	1	1	2	10	25	26	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	4.7	15	1	2	5	5	9	12	20
20-34	57	6.6	54	2	2	5	8	14	20	46
35-49	211	8.2	72	2	3	6	10	19	22	37
50-64	660	10.3	92	3	4	7	13	22	31	48
65 +	1342	11.6	106	3	5	8	15	24	32	54
B. Operated										
0-19 YRS	80	13.8	180	2	4	10	17	30	49	55
20-34	87	10.0	115	1	3	8	12	23	31	59
35-49	334	11.9	143	1	4	9	16	26	36	65
50-64	874	12.6	164	2	5	9	16	27	39	68
65 +	1489	14.6	190	2	6	11	19	32	42	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.8	9	1	2	3	5	7	10	12
B. Operated	55	5.4	36	1	1	4	6	11	22	27
2. MULTIPLE DX										
A. Not Operated	2334	10.6	97	2	4	7	14	23	30	52
B. Operated	2864	13.5	175	2	5	10	18	29	40	72
1. SINGLE DX	71	5.0	30	1	1	4	6	11	15	27
2. MULTIPLE DX	5198	12.2	142	2	5	9	16	26	36	65
A. Not Operated	2350	10.6	97	2	4	7	14	22	30	52
B. Operated	2919	13.4	174	2	5	10	17	29	40	72
TOTAL										
0-19 YRS	156	9.3	120	1	3	5	11	21	31	55
20-34	146	8.6	92	2	3	6	10	19	27	49
35-49	554	10.4	117	2	4	7	13	22	31	60
50-64	1554	11.6	133	2	4	8	15	25	36	63
65 +	2859	13.1	152	3	5	10	17	27	37	70
GRAND TOTAL	**5269**	**12.1**	**142**	**2**	**5**	**8**	**16**	**26**	**36**	**65**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	4.6	12	< 1	1	4	7	9	11	12
20-34	43	4.2	10	1	2	4	6	8	10	15
35-49	23	2.7	5	< 1	1	1	5	6	7	7
50-64	11	4.8	24	< 1	1	5	6	11	17	18
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.3	3	< 1	1	1	4	5	5	5
20-34	12	6.2	23	1	2	5	10	13	14	14
35-49	17	7.4	75	2	2	4	9	17	30	36
50-64	4	6.5	23	1	2	7	10	11	11	11
65 +	9	12.3	92	5	8	10	12	27	37	37
B. Operated										
0-19 YRS	32	8.6	93	1	3	6	9	22	33	42
20-34	34	9.1	162	1	3	6	10	18	61	99 +
35-49	33	9.8	57	3	6	7	14	20	26	33
50-64	23	13.9	159	1	2	10	25	31	38	46
65 +	10	8.6	173	1	2	5	8	27	45	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	1	1	1	2	3	4	4	4
B. Operated	98	4.0	11	1	1	3	6	7	10	17
2. MULTIPLE DX										
A. Not Operated	53	6.8	54	1	2	4	10	12	17	37
B. Operated	132	10.0	119	1	3	7	11	25	34	75
1. SINGLE DX	103	3.9	10	1	1	3	6	7	9	16
2. MULTIPLE DX	185	9.1	102	1	3	6	11	24	34	61
A. Not Operated	58	6.4	51	1	2	4	10	12	16	37
B. Operated	230	7.4	81	1	2	5	8	18	27	51
TOTAL										
0-19 YRS	65	6.1	56	1	1	5	7	11	22	41
20-34	91	6.3	72	1	2	5	8	12	17	87
35-49	74	7.0	53	1	2	5	8	18	24	35
50-64	38	10.5	121	1	2	7	13	26	32	46
65 +	20	9.9	129	1	3	7	10	25	41	45
GRAND TOTAL	**288**	**7.2**	**75**	**1**	**2**	**5**	**8**	**16**	**26**	**46**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	3.9	11	< 1	2	3	5	7	9	17
20-34	4	3.3	7	1	1	2	5	7	7	7
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	55	8.0	67	1	2	5	10	23	26	35
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	26.0		26	26	26	26	26	26	26
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	6.0	30	1	2	5	8	11	16	30
20-34	4	4.3	27	1	1	2	7	12	12	12
35-49	0									
50-64	2	17.0	98	10	10	17	24	24	24	24
65 +	1	33.0		33	33	33	33	33	33	33
B. Operated										
0-19 YRS	156	20.6	207	5	9	18	29	41	49	73
20-34	12	31.1	507	7	17	25	39	67	80	82
35-49	7	23.6	184	5	14	29	37	81	99 +	99 +
50-64	7	27.6	284	5	13	31	37	50	53	53
65 +	5	26.0	173	13	17	19	37	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.8	10	1	2	3	5	7	8	17
B. Operated	59	8.0	70	1	2	5	10	23	27	35
2. MULTIPLE DX										
A. Not Operated	109	6.4	39	1	2	5	9	13	19	32
B. Operated	187	21.8	230	5	10	21	31	43	53	93
1. SINGLE DX	91	6.5	53	1	2	4	7	17	24	33
2. MULTIPLE DX	296	16.1	214	2	5	11	25	37	46	78
A. Not Operated	141	5.8	33	1	2	4	7	11	17	32
B. Operated	246	18.5	226	2	7	15	28	39	48	82
TOTAL										
0-19 YRS	341	12.8	167	1	4	8	19	32	40	59
20-34	22	18.5	470	1	2	10	26	51	69	82
35-49	8	23.9	158	5	17	28	36	75	99 +	99 +
50-64	9	25.2	247	6	10	25	34	47	53	53
65 +	7	23.4	220	3	14	19	34	43	45	45
GRAND TOTAL	**387**	**13.9**	**193**	**1**	**4**	**9**	**22**	**34**	**42**	**70**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	7.5	1	7	7	7	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	10.0	43	4	5	9	15	17	17	17
50-64	11	5.1	9	2	3	4	7	10	10	10
65 +	34	11.1	66	2	6	9	15	24	27	33
B. Operated										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	0									
35-49	4	10.0	117	2	4	6	16	26	26	26
50-64	11	11.4	46	4	6	10	13	23	24	24
65 +	31	19.8	416	4	7	12	29	51	64	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.0	7	3	4	7	8	8	8	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	49	9.5	56	2	4	8	12	22	24	33
B. Operated	47	17.0	306	4	7	11	22	37	54	89
1. SINGLE DX	3	6.0	7	3	4	7	8	8	8	8
2. MULTIPLE DX	96	13.2	191	3	6	9	15	28	37	78
A. Not Operated	52	9.3	54	2	4	8	11	22	24	33
B. Operated	47	17.0	306	4	7	11	22	37	54	89
TOTAL										
0-19 YRS	2	11.0	162	2	2	11	20	20	20	20
20-34	0									
35-49	7	10.0	73	2	4	6	15	24	26	26
50-64	23	8.0	36	3	4	7	10	15	23	24
65 +	67	15.0	242	3	7	9	17	33	50	85
GRAND TOTAL	**99**	**13.0**	**167**	**3**	**6**	**9**	**14**	**27**	**36**	**77**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.6	4	2	4	5	5	7	8	9
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	10	2.9	7	1	1	2	3	7	9	9
20-34	5	2.2	7	< 1	< 1	1	3	7	7	7
35-49	4	1.0		1	1	1	1	1	1	1
50-64	3	4.3	9	1	2	5	6	7	7	7
65 +	2	19.5	481	4	4	19	35	35	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	5.6	16	2	4	5	6	11	13	21
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	9.0	128	< 1	< 1	8	17	17	17	17
50-64	8	15.0	140	5	6	10	23	34	37	37
65 +	19	9.1	79	1	4	5	11	23	28	31
B. Operated										
0-19 YRS	53	29.5	372	2	12	33	45	59	91	99 +
20-34	14	33.4	266	7	25	36	46	53	54	54
35-49	16	24.8	622	2	7	19	30	67	82	87
50-64	16	37.9	408	17	27	34	40	72	79	81
65 +	50	24.0	460	4	8	18	35	67	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.3	4	1	3	5	5	7	8	9
B. Operated	24	4.0	49	1	1	1	4	7	17	35
2. MULTIPLE DX										
A. Not Operated	57	8.2	63	2	4	5	9	22	26	37
B. Operated	149	28.4	431	3	9	29	43	61	80	99 +
1. SINGLE DX	43	4.1	29	1	1	3	5	7	9	35
2. MULTIPLE DX	206	22.8	411	3	5	18	37	56	73	99 +
A. Not Operated	76	7.2	51	1	4	5	7	18	23	35
B. Operated	173	25.0	450	1	7	25	39	59	74	99 +
TOTAL										
0-19 YRS	107	17.0	343	1	4	7	33	51	59	99 +
20-34	20	24.3	388	< 1	4	25	41	51	53	54
35-49	22	19.0	547	1	1	8	27	57	76	87
50-64	27	27.4	450	5	7	27	38	60	74	81
65 +	73	19.4	392	3	5	11	31	57	74	99 +
GRAND TOTAL	**249**	**19.6**	**395**	**1**	**4**	**10**	**33**	**53**	**68**	**99 +**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	9.5	85	3	3	9	16	16	16	16
B. Operated										
0-19 YRS	3	4.0	7	1	2	5	6	6	6	6
20-34	3	8.3	42	2	3	8	13	15	15	15
35-49	1	21.0		21	21	21	21	21	21	21
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.7	22	1	4	6	7	14	15	15
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	6	7.0	33	< 1	2	6	13	14	14	14
50-64	15	7.4	16	2	5	7	10	12	16	17
65 +	37	9.0	86	2	3	5	10	26	33	37
B. Operated										
0-19 YRS	13	22.8	411	2	5	18	36	56	61	62
20-34	8	20.9	234	5	10	18	28	45	50	50
35-49	3	23.0	156	13	14	19	32	37	37	37
50-64	8	30.6	513	10	14	23	44	68	73	73
65 +	27	16.5	309	4	6	10	21	31	62	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.8	32	1	1	3	5	15	16	16
B. Operated	9	7.0	47	1	2	5	10	19	21	21
2. MULTIPLE DX										
A. Not Operated	66	8.1	57	2	3	6	10	17	28	37
B. Operated	59	20.7	342	4	7	14	29	52	61	78
1. SINGLE DX	15	6.1	39	1	2	4	7	16	20	21
2. MULTIPLE DX	125	14.1	230	2	4	9	17	34	51	74
A. Not Operated	72	7.8	55	2	3	6	10	16	26	36
B. Operated	68	18.9	324	3	6	12	26	47	59	78
TOTAL										
0-19 YRS	22	15.9	315	1	4	7	23	44	57	62
20-34	15	13.7	192	1	3	8	20	35	46	50
35-49	11	12.5	112	1	3	13	18	27	36	37
50-64	24	14.9	297	2	5	9	17	34	61	73
65 +	68	11.8	183	2	4	7	13	29	34	75
GRAND TOTAL	**140**	**13.2**	**215**	**2**	**4**	**8**	**16**	**32**	**45**	**74**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	0									
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	9	4.8	19	2	2	3	6	12	15	15
65 +	7	6.6	27	3	4	5	6	16	18	18
B. Operated										
0-19 YRS	16	3.3	11	1	1	1	6	9	10	10
20-34	6	4.8	18	1	1	4	7	11	12	12
35-49	34	4.7	18	1	2	3	6	10	15	17
50-64	33	5.1	22	1	2	3	7	13	16	17
65 +	41	6.2	39	1	2	4	8	17	19	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	8.7	91	2	3	5	11	24	34	35
20-34	12	11.8	231	< 1	2	6	16	31	52	55
35-49	35	7.8	46	2	3	6	9	16	24	28
50-64	84	10.4	87	3	4	8	12	24	28	52
65 +	197	11.4	108	3	5	9	15	22	25	57
B. Operated										
0-19 YRS	52	15.8	357	3	4	9	22	38	46	95
20-34	37	18.3	255	3	8	14	26	40	65	99 +
35-49	88	16.3	303	3	6	10	17	45	52	84
50-64	162	12.9	144	2	5	9	17	29	42	62
65 +	408	15.8	189	3	7	12	21	33	46	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.2	17	2	3	4	6	10	16	18
B. Operated	130	5.1	25	1	1	3	8	11	17	22
2. MULTIPLE DX										
A. Not Operated	348	10.6	100	3	4	8	14	22	27	55
B. Operated	747	15.4	208	3	6	11	20	35	47	86
1. SINGLE DX	152	5.1	23	1	2	3	7	11	17	21
2. MULTIPLE DX	1095	13.9	179	3	5	10	18	30	41	77
A. Not Operated	370	10.3	97	3	4	7	14	21	26	54
B. Operated	877	13.8	194	2	5	9	18	32	45	78
TOTAL										
0-19 YRS	92	11.6	248	1	3	5	13	28	39	91
20-34	55	15.4	240	2	4	12	20	39	53	99
35-49	159	11.8	207	2	4	7	13	27	47	76
50-64	288	11.0	116	2	4	8	14	25	34	58
65 +	653	13.8	162	3	5	10	18	29	39	70
GRAND TOTAL	**1247**	**12.8**	**168**	**2**	**4**	**9**	**17**	**28**	**39**	**74**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	23	2.1	4	1	1	1	2	4	8	9
20-34	32	2.2	1	1	1	2	3	4	5	6
35-49	61	2.1	1	1	1	2	3	3	4	5
50-64	51	2.2	2	1	1	2	3	4	5	7
65 +	41	1.9	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	6	3.3	12	1	1	2	4	9	10	10
20-34	11	3.1	6	1	2	2	3	6	10	10
35-49	20	2.7	2	1	2	3	3	4	5	5
50-64	44	2.8	3	1	2	2	3	5	6	9
65 +	57	2.7	3	1	2	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	208	2.1	2	1	1	2	3	3	5	7
2. MULTIPLE DX										
A. Not Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	138	2.8	3	1	2	2	3	5	6	10
1. SINGLE DX	211	2.1	2	1	1	2	3	3	5	7
2. MULTIPLE DX	142	2.7	3	1	2	2	3	5	6	10
A. Not Operated	7	1.7	1	< 1	1	1	3	3	3	3
B. Operated	346	2.4	2	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	29	2.4	6	1	1	1	2	6	9	10
20-34	43	2.4	3	1	2	2	3	4	5	10
35-49	81	2.2	1	1	1	2	3	3	4	5
50-64	98	2.4	2	1	1	2	3	4	5	8
65 +	102	2.4	2	1	1	2	3	4	5	8
GRAND TOTAL	**353**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.5	13	< 1	< 1	3	6	6	6	6
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	4	6.8	46	< 1	< 1	6	12	14	14	14
20-34	5	4.4	25	< 1	1	1	8	12	12	12
35-49	18	5.7	16	< 1	1	6	9	11	12	12
50-64	34	3.7	20	< 1	< 1	1	7	8	11	21
65 +	55	3.9	17	< 1	< 1	2	7	9	10	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.0	5	1	1	3	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	24	6.2	35	1	3	5	7	9	17	31
B. Operated										
0-19 YRS	17	6.5	38	2	2	3	11	16	20	22
20-34	19	7.7	14	2	4	8	10	13	14	14
35-49	23	8.4	40	1	3	9	11	16	20	27
50-64	136	6.6	34	1	3	6	9	10	13	47
65 +	349	8.5	77	1	3	7	11	17	23	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	5	< 1	< 1	1	3	6	6	6
B. Operated	116	4.2	19	< 1	< 1	1	7	10	12	21
2. MULTIPLE DX										
A. Not Operated	31	5.5	29	1	2	5	7	8	11	31
B. Operated	544	7.9	62	1	3	7	10	14	21	48
1. SINGLE DX	121	4.1	18	< 1	< 1	1	7	10	12	21
2. MULTIPLE DX	575	7.8	61	1	3	7	10	14	21	47
A. Not Operated	36	5.0	27	1	2	4	6	8	10	31
B. Operated	660	7.3	56	1	2	6	10	14	20	45
TOTAL										
0-19 YRS	22	6.4	37	1	2	3	11	15	18	22
20-34	25	6.8	17	1	3	8	10	12	13	14
35-49	45	6.8	30	< 1	2	6	10	14	16	27
50-64	173	6.0	32	< 1	2	5	8	10	12	39
65 +	431	7.7	70	1	2	6	10	15	21	49
GRAND TOTAL	**696**	**7.2**	**55**	**1**	**2**	**6**	**9**	**13**	**19**	**43**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	82	1.6	1	< 1	1	1	2	3	5	6
20-34	7	5.0	8	1	3	5	7	9	9	9
35-49	8	4.5	9	1	2	5	6	8	9	9
50-64	12	3.2	6	1	1	2	5	6	7	7
65 +	12	4.1	10	< 1	1	4	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	53	4.0	36	1	1	2	4	11	16	34
20-34	8	3.4	31	< 1	< 1	1	3	13	17	17
35-49	18	9.4	93	1	2	6	16	25	31	33
50-64	30	8.3	35	3	5	7	9	18	21	28
65 +	30	8.9	49	2	5	7	11	18	27	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated	121	2.4	5	1	1	1	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	3	2.7	4	1	1	2	4	5	5	5
B. Operated	139	6.7	50	1	1	5	9	17	22	33
1. SINGLE DX	124	2.4	5	1	1	1	3	6	7	10
2. MULTIPLE DX	142	6.6	50	1	1	5	8	17	21	33
A. Not Operated	6	2.5	3	< 1	1	2	4	5	5	5
B. Operated	260	4.7	34	1	1	2	6	11	17	30
TOTAL										
0-19 YRS	138	2.6	16	1	1	1	2	5	9	23
20-34	16	3.9	19	< 1	1	2	6	9	15	17
35-49	27	7.7	70	1	2	5	9	18	29	33
50-64	42	6.8	32	1	4	6	7	13	20	28
65 +	43	7.4	42	1	3	6	9	16	22	30
GRAND TOTAL	**266**	**4.6**	**33**	**1**	**1**	**2**	**6**	**11**	**17**	**30**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	140	1.9	2	1	1	1	2	4	5	6
20-34	54	2.0	4	< 1	1	1	3	4	6	10
35-49	68	2.1	2	1	1	1	3	4	6	8
50-64	50	1.6	2	< 1	1	1	2	4	4	8
65 +	29	1.8	3	< 1	< 1	1	2	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	6	4.8	12	< 1	< 1	5	7	10	10	10
65 +	0									
B. Operated										
0-19 YRS	62	5.1	59	1	1	3	5	12	16	47
20-34	32	3.7	29	< 1	1	2	4	6	14	29
35-49	45	2.5	4	< 1	1	2	3	5	7	10
50-64	51	5.8	83	< 1	1	2	7	13	17	60
65 +	57	6.7	82	< 1	2	5	8	14	17	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	341	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	10	3.3	11	< 1	< 1	1	5	8	10	10
B. Operated	247	4.9	57	< 1	1	2	5	11	16	49
1. SINGLE DX	343	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	257	4.9	55	< 1	1	2	5	10	16	49
A. Not Operated	12	3.1	9	< 1	< 1	2	5	8	10	10
B. Operated	588	3.2	27	< 1	1	2	3	6	10	26
TOTAL										
0-19 YRS	205	2.9	21	1	1	2	3	5	7	24
20-34	86	2.6	13	< 1	1	1	3	4	8	24
35-49	115	2.2	3	< 1	1	1	3	5	6	9
50-64	107	3.8	45	< 1	1	2	4	9	13	38
65 +	87	5.0	60	< 1	1	2	6	10	17	49
GRAND TOTAL	**600**	**3.2**	**27**	**< 1**	**1**	**2**	**3**	**6**	**10**	**25**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.3	14	< 1	1	2	4	10	12	12
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	184	1.9	3	< 1	1	1	2	4	6	9
20-34	22	2.8	5	< 1	1	2	3	7	8	8
35-49	21	2.6	6	< 1	1	1	3	6	8	9
50-64	17	1.9	4	< 1	< 1	1	2	6	7	7
65 +	3	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.8	11	< 1	1	3	5	8	11	16
20-34	3	4.0	9	1	2	4	6	7	7	7
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	4	14.0	226	2	5	9	23	36	36	36
B. Operated										
0-19 YRS	96	6.3	66	1	1	3	8	15	24	40
20-34	8	2.5	6	1	1	2	3	7	8	8
35-49	21	6.0	30	< 1	1	4	9	14	17	20
50-64	19	6.8	20	1	2	7	11	13	14	14
65 +	19	10.9	126	< 1	4	7	12	28	38	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.4	10	< 1	1	2	4	8	11	12
B. Operated	247	2.0	4	< 1	1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated	32	5.0	43	< 1	1	4	6	9	15	36
B. Operated	163	6.6	62	1	1	4	9	14	22	41
1. SINGLE DX	259	2.1	4	< 1	1	1	2	5	7	9
2. MULTIPLE DX	195	6.4	59	1	1	4	9	14	20	40
A. Not Operated	44	4.6	34	< 1	1	3	5	9	13	36
B. Operated	410	3.9	32	< 1	1	1	5	9	13	33
TOTAL										
0-19 YRS	313	3.4	27	< 1	1	1	4	8	12	33
20-34	33	2.8	6	1	1	2	4	7	8	8
35-49	43	4.3	20	1	1	3	5	11	14	20
50-64	38	4.4	17	< 1	1	2	7	11	13	14
65 +	27	10.0	128	< 1	1	7	12	29	37	44
GRAND TOTAL	**454**	**3.9**	**32**	**< 1**	**1**	**2**	**5**	**9**	**13**	**34**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	12	1.1		< 1	< 1	< 1	< 1	1	2	2
50-64	4	1.3		1	1	1	2	2	2	2
65 +	9	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	5	2.0	2	< 1	< 1	< 1	3	4	4	4
35-49	21	1.3		< 1	< 1	1	1	2	3	3
50-64	12	1.5	1	< 1	< 1	1	2	3	4	4
65 +	22	2.6	11	< 1	1	1	2	7	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	32	1.2		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	63	1.9	4	< 1	< 1	1	2	3	5	14
1. SINGLE DX	32	1.2		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX	63	1.9	4	< 1	< 1	1	2	3	5	14
A. Not Operated	0									
B. Operated	95	1.6	3	< 1	< 1	1	2	3	4	12
TOTAL										
0-19 YRS	6	1.3		< 1	< 1	1	2	2	2	2
20-34	9	1.6	1	< 1	< 1	< 1	1	4	4	4
35-49	33	1.2		< 1	< 1	< 1	1	2	3	3
50-64	16	1.4	1	< 1	1	1	2	3	4	4
65 +	31	2.3	8	< 1	< 1	1	2	4	8	15
GRAND TOTAL	**95**	**1.6**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**12**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.7	4	1	3	3	4	7	7	7
35-49	8	2.4	5	1	1	2	3	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	87	3.9	2	2	3	4	5	6	6	7
35-49	271	4.4	4	3	4	4	5	6	7	9
50-64	27	4.7	2	3	4	5	6	7	7	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	3.5	9	< 1	1	2	5	9	9	9
35-49	54	2.7	5	< 1	1	2	4	5	7	12
50-64	7	3.0	9	< 1	1	1	4	8	9	9
65 +	3	8.0	37	4	4	5	12	15	15	15
B. Operated										
0-19 YRS	3	5.0	37	< 1	< 1	2	9	12	12	12
20-34	321	4.8	5	3	4	5	6	7	8	14
35-49	2585	5.0	5	3	4	5	6	7	8	12
50-64	473	5.2	6	3	4	5	6	7	8	13
65 +	50	7.4	28	4	4	6	7	14	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.9	4	1	1	2	4	7	7	7
B. Operated	385	4.3	3	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	78	3.1	8	< 1	1	2	4	7	9	14
B. Operated	3432	5.1	5	3	4	5	6	7	8	13
1. SINGLE DX	399	4.3	4	3	3	4	5	6	7	8
2. MULTIPLE DX	3510	5.0	5	3	4	5	6	7	8	13
A. Not Operated	92	3.0	7	< 1	1	2	4	7	9	14
B. Operated	3817	5.0	5	3	4	5	6	7	8	13
TOTAL										
0-19 YRS	4	5.0	25	< 1	1	3	8	12	12	12
20-34	427	4.6	5	2	3	4	5	6	7	13
35-49	2918	4.9	5	3	4	5	6	7	8	12
50-64	507	5.1	6	3	4	5	6	7	8	13
65 +	53	7.4	28	4	4	6	7	15	22	25
GRAND TOTAL	**3909**	**4.9**	**5**	**3**	**4**	**5**	**6**	**7**	**8**	**13**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	4.6	5	< 1	3	5	6	7	7	7
50-64	3	5.3	1	4	4	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	42	4.3	3	2	4	4	5	6	7	8
50-64	10	4.0	2	2	4	4	5	5	5	5
65 +	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	4.4	5	< 1	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	56	4.3	2	2	4	4	5	6	7	8
1. SINGLE DX	9	4.4	5	< 1	3	5	6	7	7	7
2. MULTIPLE DX	57	4.2	2	2	4	4	5	6	7	8
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	65	4.3	3	2	4	4	5	6	7	8
TOTAL										
0-19 YRS	0									
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	47	4.3	3	2	4	4	5	6	7	8
50-64	14	4.1	2	1	4	4	5	6	6	6
65 +	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**66**	**4.3**	**3**	**1**	**4**	**4**	**5**	**6**	**7**	**8**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	4.1	1	3	3	4	5	6	7	7
20-34	128	3.7	1	2	3	4	5	5	6	7
35-49	81	4.0	2	3	3	4	5	6	6	7
50-64	29	5.4	3	4	4	5	7	7	8	10
65 +	16	5.3	5	2	4	5	7	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	29	5.3	5	3	4	5	6	8	10	13
20-34	200	4.5	4	3	3	4	5	6	8	15
35-49	248	5.0	5	3	4	5	6	7	9	12
50-64	134	6.4	12	4	5	5	7	12	14	21
65 +	112	8.0	48	4	5	6	8	12	17	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	285	4.1	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	2	5.0	2	4	4	5	6	6	6	6
B. Operated	723	5.6	14	3	4	5	6	8	11	21
1. SINGLE DX	288	4.1	2	3	3	4	5	6	7	8
2. MULTIPLE DX	725	5.6	14	3	4	5	6	8	11	21
A. Not Operated	5	3.8	2	2	3	4	5	6	6	6
B. Operated	1008	5.2	11	3	4	5	6	7	10	17
TOTAL										
0-19 YRS	61	4.6	4	3	3	4	5	7	8	13
20-34	330	4.2	3	3	3	4	5	6	7	11
35-49	331	4.8	4	3	4	4	6	7	8	11
50-64	163	6.2	10	4	4	5	7	9	14	20
65 +	128	7.6	44	4	5	6	8	11	17	37
GRAND TOTAL	**1013**	**5.2**	**11**	**3**	**4**	**5**	**6**	**7**	**10**	**17**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.8	2	1	2	3	4	4	4	4
35-49	4	4.3		4	4	4	5	5	5	5
50-64	3	3.7	6	1	2	4	5	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	2.9	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	14	3.6	2	1	3	4	4	6	6	6
1. SINGLE DX	8	2.9	2	1	2	3	4	5	5	5
2. MULTIPLE DX	14	3.6	2	1	3	4	4	6	6	6
A. Not Operated	0									
B. Operated	22	3.4	2	1	2	4	4	5	6	6
TOTAL										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	2.9	2	1	2	3	4	5	5	5
35-49	7	3.7	1	2	3	4	4	5	5	5
50-64	4	3.0	6	1	1	3	5	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**22**	**3.4**	**2**	**1**	**2**	**4**	**4**	**5**	**6**	**6**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	0									
50-64	4	2.5	4	1	1	2	4	5	5	5
65 +	3	4.3	12	1	2	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	10	2.8	5	1	1	2	4	6	8	8
1. SINGLE DX	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	10	2.8	5	1	1	2	4	6	8	8
A. Not Operated	0									
B. Operated	18	2.3	3	1	1	2	3	5	7	8
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	1.8	1	1	1	2	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.4	3	1	1	2	3	5	5	5
65 +	3	4.3	12	1	2	4	7	8	8	8
GRAND TOTAL	**18**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**7**	**8**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	4.3	11	1	1	4	7	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	7.3	10	5	5	6	10	11	11	11
35-49	5	8.0	28	1	5	7	12	15	15	15
50-64	10	4.3	25	< 1	1	2	7	13	15	15
65 +	29	4.7	22	1	2	3	5	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	4.8	8	1	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	48	5.2	22	1	2	3	7	11	15	24
1. SINGLE DX	6	4.8	8	1	2	5	7	8	8	8
2. MULTIPLE DX	49	5.1	22	1	2	3	7	11	15	24
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	54	5.1	21	1	2	3	7	11	14	24
TOTAL										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	3	7.3	10	5	5	6	10	11	11	11
35-49	6	7.8	23	1	6	7	11	15	15	15
50-64	14	4.3	20	1	1	2	7	11	14	15
65 +	30	4.7	21	1	2	3	5	9	12	24
GRAND TOTAL	**55**	**5.1**	**21**	**1**	**2**	**3**	**7**	**11**	**14**	**24**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	12	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	4	2.8	3	< 1	1	2	4	5	5	5
1. SINGLE DX	12	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX	4	2.8	3	< 1	1	2	4	5	5	5
A. Not Operated	0									
B. Operated	16	1.4	1	< 1	< 1	1	1	3	4	5
TOTAL										
0-19 YRS	10	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	2.5	4	1	1	2	4	5	5	5
GRAND TOTAL	**16**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**	**5**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	2	8.0	72	2	2	8	14	14	14	14
B. Operated										
0-19 YRS	5	4.0	14	1	1	3	6	10	10	10
20-34	5	7.2	16	3	4	7	10	13	13	13
35-49	24	7.1	15	2	5	6	9	12	15	17
50-64	22	6.8	20	2	5	6	7	16	17	17
65 +	20	6.7	14	1	3	7	9	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	7	3.7	7	1	2	3	4	8	9	9
50-64	7	8.6	99	3	4	5	7	26	31	31
65 +	23	6.2	52	1	2	4	8	12	21	35
B. Operated										
0-19 YRS	24	15.3	137	4	6	10	26	34	36	37
20-34	21	11.8	58	4	7	10	18	26	59	99 +
35-49	33	11.4	53	5	7	10	13	23	26	33
50-64	54	11.7	77	3	6	9	15	25	33	40
65 +	84	16.6	253	5	7	12	19	36	56	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.2	24	1	2	2	4	13	14	14
B. Operated	76	6.7	16	2	4	6	9	12	15	17
2. MULTIPLE DX										
A. Not Operated	42	5.8	46	1	3	4	7	11	20	35
B. Operated	216	14.0	150	4	7	10	18	30	37	91
1. SINGLE DX	82	6.5	17	2	3	6	9	12	15	17
2. MULTIPLE DX	258	12.6	142	3	6	9	15	28	36	86
A. Not Operated	48	5.6	43	1	2	4	6	12	16	35
B. Operated	292	12.1	125	3	6	9	14	24	34	83
TOTAL										
0-19 YRS	31	12.6	132	2	4	9	21	32	36	37
20-34	29	10.2	51	3	5	8	13	23	32	99 +
35-49	66	8.7	41	2	5	7	11	17	23	32
50-64	85	10.0	67	2	5	7	12	18	30	39
65 +	129	13.1	199	2	5	9	15	26	50	90
GRAND TOTAL	**340**	**11.2**	**119**	**2**	**5**	**8**	**13**	**24**	**33**	**80**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	2.2		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.7	1	< 1	1	1	2	3	3	3
20-34	34	2.1	1	1	2	2	2	3	4	5
35-49	89	2.0	1	1	2	2	2	3	3	5
50-64	41	2.4	1	1	2	2	3	4	4	5
65 +	11	2.3	1	1	2	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	15	2.3	1	1	2	2	3	3	3	3
35-49	41	2.6	1	2	2	3	3	4	4	5
50-64	43	3.1	3	2	2	3	3	4	7	11
65 +	24	3.2	1	2	3	3	4	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2		2	2	2	3	3	3	3
B. Operated	181	2.1	1	1	2	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	3	3.0	3	2	2	2	4	5	5	5
B. Operated	128	2.8	2	2	2	3	3	4	5	9
1. SINGLE DX	186	2.1	1	1	2	2	2	3	4	5
2. MULTIPLE DX	131	2.8	2	2	2	3	3	4	5	9
A. Not Operated	8	2.5	1	2	2	2	3	4	5	5
B. Operated	309	2.4	1	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	11	1.8	1	< 1	1	2	2	3	3	3
20-34	50	2.1	1	1	2	2	2	3	3	5
35-49	136	2.2	1	1	2	2	3	3	4	5
50-64	84	2.7	2	2	2	2	3	4	5	10
65 +	36	2.9	1	2	2	3	4	5	5	5
GRAND TOTAL	**317**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	9	4.0	5	1	2	4	6	7	7	7
50-64	9	5.7	5	2	4	6	7	8	8	8
65 +	8	4.5	8	1	2	4	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	5.3	4	3	4	6	7	7	7	7
50-64	3	12.0	1	11	11	12	13	13	13	13
65 +	4	10.8	47	7	7	8	14	21	21	21
B. Operated										
0-19 YRS	4	5.0	9	1	3	5	7	8	8	8
20-34	17	4.9	5	2	3	5	7	8	9	9
35-49	38	7.6	40	2	3	6	10	14	20	32
50-64	47	7.7	85	2	2	3	9	20	30	46
65 +	51	8.8	83	2	3	6	11	18	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	18	2	2	5	8	8	8	8
B. Operated	30	5.0	6	2	3	5	7	8	9	10
2. MULTIPLE DX										
A. Not Operated	13	8.5	25	2	6	7	11	15	20	21
B. Operated	157	7.7	63	2	3	5	9	16	24	45
1. SINGLE DX	32	5.0	6	2	3	5	7	8	9	10
2. MULTIPLE DX	170	7.8	60	2	3	6	9	16	23	44
A. Not Operated	15	8.1	24	2	6	7	10	13	19	21
B. Operated	187	7.3	55	2	3	5	8	14	21	42
TOTAL										
0-19 YRS	9	5.7	7	1	4	6	8	8	8	8
20-34	20	4.9	6	1	3	5	7	8	9	9
35-49	51	6.8	32	2	3	6	8	13	15	32
50-64	59	7.6	69	2	2	5	9	18	27	45
65 +	63	8.4	72	2	3	6	10	18	23	49
GRAND TOTAL	**202**	**7.3**	**52**	**2**	**3**	**6**	**8**	**14**	**21**	**40**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	36	2.6	3	< 1	1	2	4	5	6	8
35-49	32	3.4	5	1	2	4	4	5	6	12
50-64	18	3.8	4	1	2	4	5	6	8	9
65 +	4	3.0	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	51	3.9	5	1	1	4	5	7	7	10
35-49	117	4.7	5	3	4	4	5	7	8	14
50-64	37	5.2	9	2	3	5	6	9	10	18
65 +	15	4.2	6	1	2	4	6	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	90	3.2	4	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated	3	4.3		4	4	4	5	5	5	5
B. Operated	221	4.5	6	1	3	4	5	7	9	14
1. SINGLE DX	91	3.2	4	1	1	3	4	5	6	11
2. MULTIPLE DX	224	4.5	6	1	3	4	5	7	9	14
A. Not Operated	4	4.3		4	4	4	5	5	5	5
B. Operated	311	4.1	6	1	3	4	5	7	8	13
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	90	3.4	5	1	1	3	5	6	7	10
35-49	150	4.4	5	1	3	4	5	6	8	14
50-64	55	4.8	8	1	3	5	6	7	10	18
65 +	19	3.9	6	1	2	4	6	7	9	10
GRAND TOTAL	**315**	**4.1**	**6**	**1**	**3**	**4**	**5**	**7**	**8**	**13**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	2.2	2	1	1	2	3	4	4	4
35-49	27	2.9	2	1	2	3	4	4	5	6
50-64	31	3.3	4	1	1	3	5	6	7	7
65 +	36	3.5	7	< 1	2	3	4	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	9.3	16	7	7	7	12	14	14	14
B. Operated										
0-19 YRS	0									
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	31	4.5	7	2	3	4	6	9	10	11
50-64	66	6.0	37	1	2	4	8	12	18	30
65 +	160	8.9	131	1	3	6	10	20	27	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	99	3.2	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	5	6.8	21	2	3	7	9	14	14	14
B. Operated	259	7.6	94	1	3	5	9	16	24	74
1. SINGLE DX	101	3.2	4	1	2	3	4	6	7	11
2. MULTIPLE DX	264	7.6	92	1	3	5	9	16	24	71
A. Not Operated	7	5.3	21	< 1	2	4	7	13	14	14
B. Operated	358	6.4	73	1	2	4	8	13	21	34
TOTAL										
0-19 YRS	0									
20-34	8	3.1	7	< 1	1	2	4	8	9	9
35-49	59	3.7	5	1	2	3	4	7	9	11
50-64	99	5.1	28	1	2	4	6	10	15	30
65 +	199	7.9	111	1	3	5	10	18	24	88
GRAND TOTAL	365	6.3	72	1	2	4	7	13	20	34

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.7	3	< 1	1	1	2	4	7	7
20-34	6	2.7	2	1	1	3	4	4	4	4
35-49	7	4.1	34	1	1	2	4	15	17	17
50-64	8	1.8	1	< 1	1	2	2	3	3	3
65 +	4	3.5	3	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	53	3.3	5	1	1	3	5	6	7	8
20-34	21	4.1	15	1	1	4	5	7	12	19
35-49	33	3.5	11	1	2	3	4	6	7	19
50-64	35	4.3	9	1	1	4	7	8	10	10
65 +	40	3.5	10	< 1	1	2	5	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.8	7	1	2	3	6	7	8	10
20-34	16	4.8	19	1	2	3	7	13	13	13
35-49	15	5.2	12	1	2	5	7	11	12	12
50-64	34	5.4	29	1	2	4	7	11	14	28
65 +	111	8.2	66	1	3	5	11	21	26	69
B. Operated										
0-19 YRS	66	13.5	294	1	4	7	16	32	47	84
20-34	38	6.3	17	3	4	5	8	11	13	24
35-49	93	6.1	13	2	4	5	8	11	15	64
50-64	90	9.3	107	2	4	7	11	17	23	64
65 +	249	9.6	115	1	3	8	11	18	29	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.5	8	< 1	1	2	3	5	7	17
B. Operated	182	3.7	9	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. Not Operated	201	6.7	47	1	2	5	9	14	21	44
B. Operated	536	9.2	115	2	4	7	11	18	28	76
1. SINGLE DX	219	3.5	9	1	1	3	5	7	9	18
2. MULTIPLE DX	737	8.5	98	1	3	6	10	17	26	74
A. Not Operated	238	6.0	43	1	2	4	7	13	21	39
B. Operated	718	7.8	94	1	3	5	9	15	23	72
TOTAL										
0-19 YRS	156	7.6	153	1	2	4	7	19	30	81
20-34	81	5.2	17	1	2	4	6	11	13	22
35-49	148	5.3	14	1	2	4	7	11	15	20
50-64	167	7.1	71	1	2	5	9	13	20	43
65 +	404	8.6	93	1	3	6	11	18	27	72
GRAND TOTAL	956	7.4	82	1	2	5	9	15	22	67

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	33	2.2	1	1	2	2	3	3	4	4
35-49	80	2.3	1	1	2	2	3	4	5	6
50-64	47	2.1	1	1	1	2	3	3	4	4
65 +	22	3.0	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	7.0	1	6	6	7	8	8	8	8
65 +	3	8.0	109	1	1	3	16	20	20	20
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	3.2	4	1	2	3	4	5	7	10
35-49	45	2.7	2	1	2	2	3	5	6	7
50-64	50	3.7	24	2	2	3	3	5	7	35
65 +	68	4.2	12	2	2	3	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	16	1	1	1	6	8	8	8
B. Operated	190	2.3	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	9	5.7	36	< 1	1	4	7	15	20	20
B. Operated	191	3.6	12	2	2	3	4	6	8	19
1. SINGLE DX	193	2.3	1	1	2	2	3	4	4	6
2. MULTIPLE DX	200	3.7	13	2	2	3	4	6	9	21
A. Not Operated	12	5.1	30	< 1	1	3	7	12	19	20
B. Operated	381	2.9	7	1	2	2	3	5	6	12
TOTAL										
0-19 YRS	12	1.8	1	< 1	1	2	2	3	4	4
20-34	60	2.6	2	1	2	2	3	5	5	10
35-49	126	2.4	1	1	2	2	3	4	5	7
50-64	102	3.1	14	1	2	2	3	5	7	24
65 +	93	4.1	12	2	2	3	5	7	11	22
GRAND TOTAL	**393**	**3.0**	**8**	**1**	**2**	**2**	**3**	**5**	**7**	**13**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.3	3	< 1	2	3	5	6	6	6
20-34	10	3.4	6	1	1	3	6	7	7	7
35-49	3	4.7	14	2	2	3	7	9	9	9
50-64	5	5.6	13	1	2	7	8	10	10	10
65 +	3	7.0	13	3	4	8	9	10	10	10
B. Operated										
0-19 YRS	7	3.1	8	1	1	2	4	8	9	9
20-34	22	3.0	4	1	2	2	4	6	7	8
35-49	29	2.4	1	1	2	2	3	4	5	5
50-64	12	2.8	1	1	2	3	3	4	5	5
65 +	7	2.6	1	1	2	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.4	5	2	3	4	5	8	9	9
20-34	14	5.1	17	1	2	4	6	11	15	16
35-49	25	5.0	15	2	2	4	6	11	14	16
50-64	29	7.6	36	3	4	5	10	16	21	27
65 +	70	13.0	255	3	5	8	16	31	38	99
B. Operated										
0-19 YRS	3	3.0	3	1	2	4	4	4	4	4
20-34	6	6.3	27	2	2	4	10	14	15	15
35-49	17	4.1	13	2	2	3	4	10	14	15
50-64	28	4.8	48	2	2	3	4	7	12	39
65 +	29	14.3	272	3	4	9	17	37	47	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	4.3	8	1	2	3	7	9	10	10
B. Operated	77	2.7	2	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	145	9.4	147	2	4	6	11	20	31	94
B. Operated	83	8.0	135	2	3	4	9	17	31	67
1. SINGLE DX	105	3.1	4	1	2	2	4	7	8	10
2. MULTIPLE DX	228	8.9	143	2	3	5	10	18	30	87
A. Not Operated	173	8.5	128	2	3	5	10	17	27	92
B. Operated	160	5.5	78	2	2	3	4	11	17	45
TOTAL										
0-19 YRS	24	3.5	5	1	2	3	4	6	9	9
20-34	52	4.0	11	1	2	3	5	8	11	16
35-49	74	3.8	10	2	2	3	4	7	11	16
50-64	74	5.6	36	2	3	4	6	12	16	36
65 +	109	12.5	242	2	4	8	15	29	43	96
GRAND TOTAL	**333**	**7.1**	**106**	**2**	**2**	**4**	**7**	**15**	**25**	**79**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	5.2	3	3	4	6	6	7	8	9
20-34	6	5.2	13	2	3	4	6	11	12	12
35-49	4	1.8		< 1	1	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	5.2	5	2	4	6	7	7	8	10
20-34	10	3.6	4	2	2	3	6	7	7	7
35-49	14	4.7	7	2	3	4	5	9	11	11
50-64	15	4.6	6	2	3	4	6	8	10	11
65 +	21	4.9	10	1	3	4	6	10	11	11
B. Operated										
0-19 YRS	3	10.0	7	8	8	9	12	13	13	13
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	0									
50-64	4	10.3	45	3	5	9	15	19	19	19
65 +	5	21.4	449	2	6	15	35	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	5.0	4	2	4	5	6	7	8	11
B. Operated	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	169	5.0	6	2	3	5	7	8	9	11
B. Operated	14	13.3	194	2	6	9	15	31	50	55
1. SINGLE DX	96	5.0	4	2	4	5	6	7	8	11
2. MULTIPLE DX	183	5.6	24	2	3	5	7	9	11	25
A. Not Operated	263	5.0	5	2	3	5	7	7	9	11
B. Operated	16	12.2	178	2	4	8	14	27	47	55
TOTAL										
0-19 YRS	195	5.3	5	2	4	6	7	7	8	10
20-34	18	4.2	7	2	2	3	6	7	10	12
35-49	18	4.1	7	2	2	3	5	8	10	11
50-64	20	5.7	17	2	3	4	7	11	15	19
65 +	28	7.8	116	1	3	5	8	14	31	55
GRAND TOTAL	**279**	**5.4**	**17**	**2**	**3**	**5**	**7**	**8**	**10**	**18**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	168	3.7	7	1	2	3	5	7	8	15
20-34	72	3.7	6	2	2	3	4	7	9	13
35-49	32	4.3	6	2	3	4	6	7	8	11
50-64	9	4.6	5	2	3	4	6	8	9	9
65 +	13	7.0	17	3	4	7	9	12	17	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	308	4.4	12	1	2	4	6	8	10	19
20-34	288	4.7	10	2	2	4	6	9	11	17
35-49	211	5.9	15	2	3	5	8	11	12	15
50-64	146	8.1	42	3	5	7	10	12	20	31
65 +	233	11.0	98	3	6	8	12	19	31	55
B. Operated										
0-19 YRS	6	18.3	634	3	3	11	12	63	69	69
20-34	38	9.1	84	3	5	7	9	16	17	59
35-49	35	10.2	54	3	6	8	13	20	27	34
50-64	23	20.0	205	6	9	15	27	47	49	50
65 +	54	21.4	292	8	11	16	27	59	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	294	3.9	8	1	2	3	5	7	9	15
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1186	6.5	39	2	3	5	8	12	15	35
B. Operated	156	15.6	213	4	7	11	19	39	57	99 +
1. SINGLE DX	294	3.9	8	1	2	3	5	7	9	15
2. MULTIPLE DX	1342	7.5	67	2	3	6	9	14	20	53
A. Not Operated	1480	6.0	34	2	3	5	7	11	14	32
B. Operated	156	15.6	213	4	7	11	19	39	57	99 +
TOTAL										
0-19 YRS	482	4.4	19	1	2	3	6	8	10	19
20-34	398	4.9	19	2	2	4	6	9	12	17
35-49	278	6.2	21	2	3	5	8	11	14	27
50-64	178	9.5	77	3	5	7	11	18	27	49
65 +	300	12.7	146	4	6	9	14	26	43	91
GRAND TOTAL	**1636**	**6.9**	**58**	**2**	**3**	**5**	**8**	**12**	**19**	**48**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	14.0	98	7	7	14	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	11	8.5	29	2	6	9	10	15	21	22
50-64	30	9.1	32	3	4	8	12	19	19	23
65 +	61	16.7	265	4	6	11	19	41	52	83
B. Operated										
0-19 YRS	0									
20-34	11	10.3	25	4	6	10	14	17	19	19
35-49	59	15.5	202	4	7	12	20	30	39	88
50-64	203	19.4	234	5	9	16	27	42	57	99 +
65 +	437	21.6	286	6	10	17	30	48	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	2	14.0	98	7	7	14	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	104	13.4	182	3	6	9	16	27	45	70
B. Operated	710	20.3	264	5	10	16	28	44	57	99 +
1. SINGLE DX	3	11.3	70	6	6	7	17	21	21	21
2. MULTIPLE DX	814	19.4	259	5	9	15	27	43	56	99 +
A. Not Operated	105	13.3	181	3	6	9	15	27	45	70
B. Operated	712	20.3	263	5	10	16	27	44	57	99 +
TOTAL										
0-19 YRS	0									
20-34	13	9.4	26	4	5	8	14	17	19	19
35-49	70	14.4	180	3	7	10	18	28	32	83
50-64	234	18.0	219	4	8	14	24	39	53	99 +
65 +	500	21.0	285	6	10	16	28	46	58	99 +
GRAND TOTAL	**817**	**19.4**	**258**	**5**	**9**	**15**	**26**	**43**	**56**	**99 +**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	5.1	8	2	3	5	6	8	10	16
20-34	54	4.1	4	2	3	4	6	7	7	10
35-49	57	4.2	5	2	3	4	5	7	9	12
50-64	61	5.3	7	2	3	5	7	9	10	14
65 +	58	5.6	9	2	3	5	7	10	12	14
B. Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	18	1.2		< 1	< 1	< 1	< 1	2	3	3
65 +	5	4.2	16	1	2	3	6	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	148	4.7	7	1	3	4	6	8	10	12
20-34	207	5.3	27	2	3	4	6	10	12	25
35-49	452	6.1	20	2	3	5	7	10	14	31
50-64	744	7.0	36	3	4	6	8	12	16	31
65 +	1282	8.6	56	3	5	7	10	16	21	49
B. Operated										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	60	7.9	84	1	2	6	10	17	24	48
35-49	156	13.6	207	2	5	10	17	34	54	99
50-64	356	13.8	169	2	5	10	18	28	43	73
65 +	419	15.0	190	3	7	11	20	35	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	348	4.9	7	2	3	4	6	8	9	14
B. Operated	28	1.8	4	< 1	< 1	< 1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	2833	7.3	42	3	4	6	9	13	18	39
B. Operated	994	13.9	181	2	5	10	18	32	47	99 +
1. SINGLE DX	376	4.7	7	2	3	4	6	8	9	14
2. MULTIPLE DX	3827	9.0	86	2	4	6	10	18	27	59
A. Not Operated	3181	7.0	39	2	4	6	8	12	17	37
B. Operated	1022	13.5	180	2	5	10	18	32	47	99 +
TOTAL										
0-19 YRS	269	4.9	7	2	3	5	6	8	10	14
20-34	323	5.6	35	2	3	4	6	10	15	32
35-49	668	7.6	73	2	3	5	9	15	23	56
50-64	1179	8.9	85	2	4	6	10	18	26	48
65 +	1764	10.0	94	3	5	7	12	20	30	81
GRAND TOTAL	**4203**	**8.6**	**81**	**2**	**4**	**6**	**10**	**17**	**26**	**56**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	3.2	1	< 1	3	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	9.7	97	1	2	6	17	25	26	26
35-49	3	6.7	10	3	4	8	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	21	4.0	6	1	3	4	5	6	9	12
35-49	7	4.7	7	2	3	4	5	9	10	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	6	3.2	1	< 1	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	10	8.0	62	1	2	6	9	21	26	26
B. Operated	30	4.1	6	1	3	4	5	6	10	12
1. SINGLE DX	7	3.1	1	1	3	3	4	4	4	4
2. MULTIPLE DX	40	5.1	21	1	3	4	5	9	14	26
A. Not Operated	11	7.5	58	1	2	5	9	21	26	26
B. Operated	36	3.9	5	1	3	4	5	5	9	12
TOTAL										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	34	4.8	24	1	3	4	5	8	16	26
35-49	10	5.3	8	2	3	4	8	9	10	10
50-64	0									
65 +	0									
GRAND TOTAL	**47**	**4.8**	**19**	**1**	**3**	**4**	**5**	**9**	**13**	**26**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	1.6	2	1	1	1	2	2	3	7
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	11	2.9	8	1	1	2	4	8	10	10
50-64	7	3.0	8	1	1	2	3	8	9	9
65 +	6	2.0	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	6	2.2	3	1	1	1	4	5	5	5
20-34	6	4.3	3	2	3	4	6	6	6	6
35-49	5	3.6	1	2	3	4	4	5	5	5
50-64	10	3.1	1	2	2	3	3	5	5	5
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	3.2	19	1	1	2	3	7	12	28
20-34	58	3.4	11	1	1	3	4	8	10	18
35-49	82	5.1	26	1	2	4	7	10	14	31
50-64	155	6.0	42	2	2	4	7	13	16	47
65 +	575	7.7	86	2	3	5	9	15	24	73
B. Operated										
0-19 YRS	16	14.4	289	3	4	8	20	37	57	65
20-34	14	11.6	197	2	4	8	12	31	49	54
35-49	13	10.5	64	3	5	8	20	32	85	99 +
50-64	43	8.7	58	2	4	7	10	20	26	36
65 +	73	13.5	203	3	6	9	14	33	40	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	1.9	2	1	1	1	2	3	4	10
B. Operated	30	3.1	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	1060	6.2	62	1	2	4	7	13	18	50
B. Operated	159	11.9	161	2	5	8	13	28	38	84
1. SINGLE DX	185	2.1	3	1	1	2	2	4	5	10
2. MULTIPLE DX	1219	6.9	79	1	2	4	8	14	23	55
A. Not Operated	1215	5.6	57	1	2	4	7	12	16	48
B. Operated	189	10.5	146	2	4	7	12	25	37	78
TOTAL										
0-19 YRS	338	3.1	31	1	1	2	2	5	10	31
20-34	83	4.9	48	1	2	3	5	10	13	45
35-49	111	5.5	31	1	2	4	7	12	16	61
50-64	215	6.3	44	2	2	4	8	14	18	40
65 +	657	8.3	101	2	3	6	9	16	27	74
GRAND TOTAL	**1404**	**6.3**	**71**	**1**	**2**	**4**	**7**	**13**	**21**	**52**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	2	2	3	4	5	5	5	5
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	17.1	345	4	6	11	21	53	79	99 +
20-34	6	10.0	34	3	6	9	14	18	19	19
35-49	10	16.1	197	2	6	14	21	36	49	49
50-64	16	8.4	40	3	4	7	10	19	23	25
65 +	69	14.7	257	4	6	8	19	45	81	99 +
B. Operated										
0-19 YRS	22	15.7	121	3	5	17	28	99 +	99 +	99 +
20-34	5	13.2	169	1	3	8	24	32	32	32
35-49	10	18.5	236	3	8	15	20	45	48	48
50-64	22	22.6	348	6	12	17	29	39	64	90
65 +	95	17.2	281	3	6	11	26	37	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.5	10	< 1	2	4	5	10	10	10
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	128	14.3	235	3	6	8	19	43	70	99 +
B. Operated	154	17.7	260	3	6	14	28	38	68	99 +
1. SINGLE DX	7	4.0	10	< 1	1	4	5	9	10	10
2. MULTIPLE DX	282	16.2	251	3	6	11	23	41	70	99 +
A. Not Operated	134	13.9	229	3	5	8	18	42	65	99 +
B. Operated	155	17.6	260	3	6	14	28	38	68	99 +
TOTAL										
0-19 YRS	53	15.5	233	3	5	13	25	54	99 +	99 +
20-34	11	11.5	87	2	4	8	18	25	31	32
35-49	20	17.3	207	2	7	15	21	45	48	49
50-64	40	15.8	263	3	6	11	22	32	41	90
65 +	165	16.1	269	3	6	10	23	40	70	99 +
GRAND TOTAL	**289**	**15.9**	**249**	**3**	**6**	**11**	**23**	**40**	**68**	**99 +**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	12.6	33	5	10	13	15	20	23	27
20-34	41	11.5	27	5	7	11	15	18	20	24
35-49	6	12.2	7	9	10	12	15	15	15	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	15.6	140	2	4	18	19	32	40	40
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	307	13.5	51	5	9	13	16	22	27	38
20-34	163	13.9	46	7	10	13	17	21	27	38
35-49	31	12.1	36	7	7	11	15	18	26	32
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
B. Operated										
0-19 YRS	56	18.8	172	6	13	17	21	34	56	98
20-34	42	17.2	54	9	14	16	22	27	36	99 +
35-49	8	22.8	142	11	15	20	26	42	49	49
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	12.4	31	5	9	13	15	19	22	26
B. Operated	9	15.6	140	2	4	18	19	32	40	40
2. MULTIPLE DX										
A. Not Operated	502	13.5	49	6	9	13	16	22	27	37
B. Operated	107	18.4	122	9	13	16	21	32	49	99 +
1. SINGLE DX	190	12.5	36	5	9	13	16	20	23	27
2. MULTIPLE DX	609	14.4	65	6	10	13	18	24	31	47
A. Not Operated	683	13.2	44	5	9	13	16	21	26	35
B. Operated	116	18.2	123	7	13	16	21	32	47	99 +
TOTAL										
0-19 YRS	506	13.9	64	5	9	13	17	22	27	43
20-34	246	14.1	47	6	10	14	17	22	27	41
35-49	45	14.0	65	7	9	11	15	25	28	49
50-64	2	12.5	1	12	12	12	13	13	13	13
65 +	0									
GRAND TOTAL	**799**	**13.9**	**58**	**5**	**10**	**13**	**17**	**22**	**27**	**42**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	5.5	7	1	4	6	7	8	8	8
35-49	5	4.4	5	1	3	4	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	13.5	68	6	7	11	17	27	28	28
20-34	1	26.0		26	26	26	26	26	26	26
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	25	7.4	30	4	5	6	7	10	24	26
35-49	20	8.9	31	5	6	7	9	15	24	28
50-64	9	9.7	37	4	6	7	12	19	23	23
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	4.9	5	1	3	6	7	7	8	8
2. MULTIPLE DX										
A. Not Operated	10	13.2	64	6	7	9	17	27	28	28
B. Operated	55	8.4	30	4	5	7	9	14	23	28
1. SINGLE DX	13	4.9	5	1	3	6	7	7	8	8
2. MULTIPLE DX	65	9.1	38	5	6	7	9	20	26	28
A. Not Operated	10	13.2	64	6	7	9	17	27	28	28
B. Operated	68	7.7	27	4	5	6	8	11	23	28
TOTAL										
0-19 YRS	7	12.4	65	6	6	9	16	26	28	28
20-34	32	7.7	36	4	5	6	8	14	25	26
35-49	26	7.9	27	4	6	7	8	10	22	28
50-64	12	9.0	30	3	5	8	11	17	22	23
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**78**	**8.4**	**35**	**4**	**5**	**7**	**9**	**16**	**25**	**28**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	2.4	2	1	1	2	3	4	6	9
20-34	9	3.9	33	< 1	1	1	4	14	18	18
35-49	5	4.4	6	1	2	5	6	7	7	7
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	5	4.8	6	< 1	3	5	6	8	8	8
B. Operated										
0-19 YRS	21	4.4	57	1	1	3	3	12	26	31
20-34	28	1.6	1	< 1	1	1	2	3	4	4
35-49	30	2.1	11	1	1	1	2	4	5	19
50-64	11	1.9	1	1	1	1	3	4	4	4
65 +	7	1.6	2	< 1	< 1	1	1	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	4.6	30	1	2	3	5	10	17	29
20-34	51	4.6	27	< 1	< 1	3	6	10	13	32
35-49	36	7.7	60	2	4	5	9	12	17	47
50-64	59	10.2	77	2	4	8	14	20	27	42
65 +	127	9.3	69	2	4	7	12	21	32	58
B. Operated										
0-19 YRS	52	16.5	365	2	3	8	26	51	61	99
20-34	31	3.7	8	1	1	3	5	7	10	11
35-49	46	6.5	194	1	2	3	7	11	16	95
50-64	38	8.5	103	1	1	4	13	24	28	45
65 +	52	10.4	71	2	4	8	15	22	30	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.9	7	1	1	2	3	6	8	16
B. Operated	97	2.4	17	1	1	1	3	4	5	27
2. MULTIPLE DX										
A. Not Operated	436	7.0	55	1	2	5	9	16	22	41
B. Operated	219	9.8	179	1	2	5	11	25	39	84
1. SINGLE DX	169	2.6	13	1	1	1	3	5	6	21
2. MULTIPLE DX	655	7.9	98	1	2	5	9	19	29	53
A. Not Operated	508	6.4	50	1	2	4	8	15	20	38
B. Operated	316	7.5	141	1	1	3	8	21	31	68
TOTAL										
0-19 YRS	286	6.4	111	1	2	3	6	16	30	59
20-34	119	3.6	17	< 1	1	2	4	7	12	22
35-49	117	5.6	101	1	1	3	7	10	16	63
50-64	111	8.6	82	1	2	6	11	20	24	43
65 +	191	9.2	68	2	4	7	12	21	30	42
GRAND TOTAL	**824**	**6.8**	**85**	**1**	**2**	**4**	**8**	**17**	**24**	**48**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0		2	2	2	2	2	2	2
35-49	8	2.0	1	< 1	1	2	3	3	3	3
50-64	4	4.3	4	2	2	4	6	6	6	6
65 +	6	4.3	2	2	4	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	4	3.3	3	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	17	4.9	15	2	2	4	5	12	13	14
50-64	21	6.0	12	2	3	6	8	12	13	13
65 +	88	7.4	128	2	3	5	8	11	19	75
B. Operated										
0-19 YRS	0									
20-34	2	8.0		8	8	8	8	8	8	8
35-49	7	3.6	3	1	3	3	5	6	6	6
50-64	4	17.3	605	3	3	6	31	54	54	54
65 +	21	7.9	32	2	4	7	10	16	22	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.0	3	1	2	2	4	6	6	6
B. Operated	5	3.2	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	127	6.8	93	2	3	5	7	11	14	52
B. Operated	34	8.1	89	3	3	6	8	14	23	54
1. SINGLE DX	27	3.0	3	1	2	3	4	6	6	6
2. MULTIPLE DX	161	7.1	92	2	3	5	8	12	16	52
A. Not Operated	149	6.2	82	2	2	4	7	11	13	39
B. Operated	39	7.5	81	2	3	5	8	12	22	54
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.3	9	2	2	3	8	8	8	8
35-49	33	3.8	9	1	2	3	4	7	12	14
50-64	29	7.3	91	2	3	6	8	12	15	54
65 +	119	7.2	101	2	3	5	8	11	20	57
GRAND TOTAL	**188**	**6.5**	**81**	**2**	**3**	**5**	**7**	**11**	**14**	**48**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.2	2	1	1	2	3	4	5	9
20-34	7	3.1	6	1	1	3	4	7	8	8
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	25	7.1	63	2	3	5	8	13	21	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2172	3.0	14	1	2	2	3	5	7	18
20-34	386	3.5	13	1	2	2	4	7	9	18
35-49	449	• 5.1	24	2	2	4	6	10	14	23
50-64	655	6.5	55	2	3	4	8	12	17	43
65 +	3123	9.5	106	3	4	6	11	20	30	81
B. Operated										
0-19 YRS	68	13.4	190	2	4	8	20	34	49	92
20-34	32	12.9	242	2	3	6	14	40	48	60
35-49	61	13.1	258	1	3	7	18	30	54	73
50-64	111	12.2	119	3	5	9	15	26	36	56
65 +	512	18.3	261	4	8	14	25	48	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	3.7	25	1	2	2	4	8	11	32
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	6785	6.5	69	1	2	4	8	14	21	55
B. Operated	784	16.4	240	3	6	12	22	41	63	99 +
1. SINGLE DX	84	3.8	25	1	2	2	4	8	11	32
2. MULTIPLE DX	7569	7.5	96	2	2	4	9	17	27	70
A. Not Operated	6868	6.5	69	1	2	4	8	14	21	55
B. Operated	785	16.4	239	3	6	12	22	41	63	99 +
TOTAL										
0-19 YRS	2284	3.3	22	1	2	2	3	6	8	24
20-34	425	4.2	36	1	2	3	4	8	12	36
35-49	516	6.0	57	1	2	4	7	12	18	47
50-64	768	7.3	68	2	3	5	9	15	22	49
65 +	3660	10.7	137	3	4	7	13	24	38	99 +
GRAND TOTAL	**7653**	**7.5**	**95**	**1**	**2**	**4**	**9**	**17**	**27**	**69**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.7	2	1	2	3	3	5	5	5
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	3.0		3	3	3	3	3	3	3
65 +	14	3.3	4	1	1	3	5	6	7	7
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	4.0		4	4	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.6	5	1	2	3	5	7	8	9
20-34	36	4.3	26	1	1	2	5	11	16	25
35-49	54	4.4	12	1	2	3	6	9	11	17
50-64	62	5.6	30	2	3	4	7	10	13	35
65 +	383	6.8	49	2	3	5	8	14	18	37
B. Operated										
0-19 YRS	4	4.5	4	2	3	4	6	7	7	7
20-34	8	9.4	72	2	4	8	10	23	29	29
35-49	30	7.7	61	2	4	5	8	17	22	40
50-64	29	8.2	37	2	4	5	12	16	20	25
65 +	167	11.1	111	4	6	8	13	21	26	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.0	3	1	2	3	3	6	7	7
B. Operated	8	3.4	5	1	2	3	4	7	8	8
2. MULTIPLE DX										
A. Not Operated	560	6.2	41	1	2	4	7	12	17	35
B. Operated	238	10.2	94	3	5	8	12	20	25	52
1. SINGLE DX	42	3.0	3	1	2	3	4	6	7	8
2. MULTIPLE DX	798	7.4	60	2	3	5	9	15	20	37
A. Not Operated	594	6.0	39	1	2	4	7	12	17	33
B. Operated	246	10.0	93	3	5	8	12	20	25	52
TOTAL										
0-19 YRS	44	3.3	4	1	2	3	5	7	7	9
20-34	48	5.1	34	1	2	3	7	11	18	29
35-49	88	5.5	31	1	2	4	7	10	17	33
50-64	95	6.3	32	2	3	5	8	12	17	32
65 +	565	8.0	70	2	3	6	10	16	21	46
GRAND TOTAL	**840**	**7.1**	**58**	**2**	**3**	**5**	**9**	**15**	**19**	**37**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	324	3.6	5	1	2	3	5	7	8	10
20-34	91	4.7	11	< 1	2	4	6	9	10	17
35-49	9	4.8	3	4	4	4	5	7	9	9
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	6	3.0	2	2	2	3	4	5	5	5
20-34	7	11.4	9	7	9	12	14	15	15	15
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	372	4.9	13	2	3	4	6	9	11	18
20-34	116	7.9	26	3	4	7	11	14	20	23
35-49	35	11.1	119	4	5	7	12	29	35	52
50-64	4	5.5	20	2	2	4	8	12	12	12
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	13	11.0	126	3	6	8	11	22	41	46
20-34	21	16.6	259	6	9	10	19	37	58	73
35-49	5	19.0	252	9	10	12	24	47	47	47
50-64	1	82.0		82	82	82	82	82	82	82
65 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	426	3.9	7	1	2	3	5	7	9	13
B. Operated	14	7.5	22	2	3	7	12	14	15	15
2. MULTIPLE DX										
A. Not Operated	528	6.0	26	2	3	5	8	11	14	25
B. Operated	41	16.5	312	5	8	10	16	45	59	82
1. SINGLE DX	440	4.0	8	1	2	3	5	7	9	15
2. MULTIPLE DX	569	6.7	53	2	3	5	8	12	16	44
A. Not Operated	954	5.0	18	1	2	4	6	10	12	21
B. Operated	55	14.2	252	3	7	9	14	32	47	82
TOTAL										
0-19 YRS	715	4.4	12	1	2	4	6	8	10	16
20-34	235	7.6	50	2	3	6	10	14	19	34
35-49	50	10.7	118	4	5	7	11	26	37	52
50-64	7	16.6	848	2	2	5	11	68	82	82
65 +	2	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**1009**	**5.5**	**35**	**2**	**2**	**4**	**7**	**10**	**13**	**29**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.1	3	1	1	1	3	4	6	9
20-34	7	2.0	2	< 1	< 1	1	3	4	4	4
35-49	10	3.5	5	< 1	1	3	5	6	7	7
50-64	13	2.0	3	< 1	1	1	3	5	6	6
65 +	38	2.6	8	1	1	1	3	7	11	12
B. Operated										
0-19 YRS	26	4.6	44	1	2	3	5	6	13	36
20-34	5	3.0	4	1	1	3	5	5	5	5
35-49	8	6.1	6	4	4	5	7	10	11	11
50-64	5	7.6	15	2	6	8	9	13	13	13
65 +	16	6.6	75	< 1	< 1	2	10	17	28	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	3.9	22	< 1	1	2	5	10	13	36
20-34	76	4.1	19	1	1	3	5	10	16	20
35-49	149	4.9	22	1	1	3	6	12	14	22
50-64	205	4.2	19	1	1	3	5	8	14	23
65 +	741	5.5	35	1	2	4	7	13	18	35
B. Operated										
0-19 YRS	57	8.7	75	1	4	5	12	25	33	95
20-34	29	14.4	252	3	4	11	17	34	42	80
35-49	59	10.4	76	3	5	8	13	21	32	43
50-64	63	12.2	198	2	3	8	15	28	32	87
65 +	230	10.2	67	3	5	8	14	20	28	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	2.3	5	1	1	1	3	5	7	11
B. Operated	60	5.5	42	< 1	2	4	6	11	15	36
2. MULTIPLE DX										
A. Not Operated	1321	5.0	29	1	2	3	6	11	16	28
B. Operated	438	10.6	101	2	4	8	14	22	31	99 +
1. SINGLE DX	190	3.3	18	1	1	2	4	7	10	27
2. MULTIPLE DX	1759	6.4	53	1	2	4	8	15	20	39
A. Not Operated	1451	4.7	28	1	1	3	6	11	15	27
B. Operated	498	10.0	96	2	4	7	13	22	31	96
TOTAL										
0-19 YRS	295	4.5	34	1	1	3	5	11	17	36
20-34	117	6.5	95	1	1	4	7	16	20	53
35-49	226	6.3	40	1	2	4	8	14	18	35
50-64	286	5.9	69	1	1	3	7	14	21	33
65 +	1025	6.5	46	1	2	4	8	15	20	39
GRAND TOTAL	**1949**	**6.1**	**50**	**1**	**2**	**4**	**8**	**14**	**19**	**38**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.9	5	1	1	2	4	7	8	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	3.8	14	1	1	2	6	9	11	18
20-34	13	11.4	58	3	5	13	16	23	25	26
35-49	2	18.0	450	3	3	18	33	33	33	33
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.9	5	1	1	2	4	7	8	9
B. Operated	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	78	5.5	38	1	2	3	7	14	18	31
B. Operated	4	6.3	3	4	5	6	7	8	8	8
1. SINGLE DX	31	3.0	6	1	1	2	5	7	8	9
2. MULTIPLE DX	82	5.5	37	1	2	3	7	13	18	31
A. Not Operated	107	4.8	31	1	1	2	7	11	16	29
B. Operated	6	5.5	7	1	4	6	7	8	8	8
TOTAL										
0-19 YRS	93	3.6	11	1	1	2	5	9	10	17
20-34	15	10.3	58	2	4	7	15	22	25	26
35-49	3	14.3	265	3	4	7	26	33	33	33
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**113**	**4.8**	**29**	**1**	**1**	**3**	**7**	**11**	**15**	**29**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	2.6	3	1	1	2	3	5	5	11
20-34	7	4.0	5	1	2	4	5	7	8	8
35-49	14	2.5	2	1	1	2	4	4	4	4
50-64	9	2.7	3	1	2	2	3	5	6	6
65 +	5	3.2	11	< 1	1	2	4	9	9	9
B. Operated										
0-19 YRS	53	3.8	11	1	2	3	5	7	9	22
20-34	20	5.0	6	2	4	5	6	8	10	12
35-49	9	5.2	20	< 1	< 1	5	7	12	15	15
50-64	9	5.0	8	< 1	3	5	7	9	9	9
65 +	9	3.7	12	< 1	< 1	1	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	657	5.2	17	1	2	4	7	11	14	18
20-34	91	5.5	16	1	2	5	7	11	13	20
35-49	138	6.2	22	2	3	5	8	10	17	25
50-64	221	5.8	21	1	3	5	7	11	13	25
65 +	333	7.8	69	2	4	6	9	13	18	37
B. Operated										
0-19 YRS	141	10.5	203	2	3	5	12	27	41	79
20-34	63	9.7	96	3	4	7	12	22	28	61
35-49	59	12.2	173	4	6	8	14	22	37	72
50-64	95	10.7	40	4	6	9	15	19	24	70
65 +	188	12.6	140	3	5	9	15	29	37	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	2.6	3	1	1	2	3	5	6	11
B. Operated	100	4.3	11	1	2	4	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	1440	6.0	31	1	3	5	8	12	14	25
B. Operated	546	11.3	138	2	4	8	14	23	35	69
1. SINGLE DX	282	3.2	7	1	2	2	4	6	8	12
2. MULTIPLE DX	1986	7.5	66	2	3	5	9	14	20	45
A. Not Operated	1622	5.6	29	1	2	4	7	11	14	24
B. Operated	646	10.2	125	2	4	7	13	22	31	66
TOTAL										
0-19 YRS	998	5.5	46	1	2	4	7	11	15	34
20-34	181	6.8	47	2	3	5	8	13	18	30
35-49	220	7.5	69	2	4	6	8	15	20	53
50-64	334	7.1	31	1	3	6	9	14	17	32
65 +	535	9.4	98	2	4	7	10	17	26	53
GRAND TOTAL	**2268**	**6.9**	**61**	**1**	**3**	**5**	**8**	**14**	**19**	**41**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	2.0	1	1	1	2	3	3	4	5
20-34	39	1.6		1	1	2	2	2	3	3
35-49	5	1.6		1	1	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	41	3.0	1	2	2	3	4	4	5	6
20-34	29	3.6	2	2	3	3	4	6	7	7
35-49	4	4.8	2	4	4	4	6	7	7	7
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	2.1	3	1	1	2	2	3	4	11
20-34	17	2.1	1	1	1	2	3	4	4	4
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	3	3.7	4	2	2	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	26	3.6	2	2	3	3	4	6	6	7
20-34	21	5.0	19	2	3	4	5	10	16	21
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	1.9	1	1	1	2	2	3	3	5
B. Operated	75	3.3	2	2	3	3	4	4	6	7
2. MULTIPLE DX										
A. Not Operated	72	2.2	2	1	1	2	3	4	5	10
B. Operated	48	4.2	10	2	3	4	5	6	8	21
1. SINGLE DX	189	2.4	2	1	2	2	3	4	4	7
2. MULTIPLE DX	120	3.0	6	1	2	2	4	5	6	15
A. Not Operated	186	2.0	1	1	1	2	2	3	4	6
B. Operated	123	3.6	5	2	3	3	4	5	7	14
TOTAL										
0-19 YRS	183	2.5	2	1	1	2	3	4	5	7
20-34	106	2.9	6	1	2	2	4	5	6	16
35-49	14	3.1	3	1	2	3	4	5	7	7
50-64	5	3.2	3	2	2	3	4	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**309**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	5.0	6	3	3	4	6	8	9	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.8	4	< 1	1	2	4	6	7	8
20-34	8	1.3		< 1	< 1	1	2	2	2	2
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	4.5	9	2	2	4	6	7	8	16
20-34	5	2.2		2	2	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	14	8.4	10	4	7	9	10	11	13	13
20-34	5	1.2		< 1	< 1	1	1	2	2	2
35-49	5	3.2	15	1	1	1	5	10	10	10
50-64	5	8.6	33	< 1	3	12	13	14	14	14
65 +	6	1.7	1	1	1	1	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.9	5	3	3	4	6	8	9	13
B. Operated	30	2.2	4	< 1	1	2	2	5	7	8
2. MULTIPLE DX										
A. Not Operated	42	4.2	8	2	2	3	6	7	8	16
B. Operated	35	5.5	21	1	1	4	10	12	13	14
1. SINGLE DX	71	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	77	4.8	14	1	2	3	7	10	12	15
A. Not Operated	83	4.5	7	2	3	4	6	8	9	15
B. Operated	65	4.0	15	< 1	1	2	7	10	12	14
TOTAL										
0-19 YRS	100	5.0	9	2	3	4	7	9	11	15
20-34	19	1.6	1	< 1	1	1	2	3	4	4
35-49	13	3.3	8	1	1	3	4	8	10	10
50-64	7	6.4	36	< 1	< 1	4	12	14	14	14
65 +	9	2.3	6	1	1	1	3	6	8	8
GRAND TOTAL	**148**	**4.3**	**10**	**1**	**2**	**3**	**6**	**9**	**11**	**14**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	6.3	3	4	5	6	7	8	8	8
35-49	4	2.3	4	< 1	< 1	1	3	5	5	5
50-64	5	6.0	62	< 1	2	3	7	20	20	20
65 +	7	5.4	43	< 1	1	3	7	17	19	19
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	16.4	147	4	5	18	23	34	34	34
20-34	33	17.8	309	2	5	14	28	37	43	84
35-49	43	9.7	156	2	2	5	11	23	37	66
50-64	47	9.4	82	2	3	6	14	27	32	99 +
65 +	218	12.3	158	2	4	8	16	29	36	67
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	13.5	61	8	8	13	19	19	19	19
50-64	5	12.2	74	3	4	11	20	22	22	22
65 +	24	20.7	266	4	9	16	34	51	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	5.1	30	< 1	1	3	6	14	19	20
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	346	12.2	165	2	4	7	16	31	36	75
B. Operated	32	18.5	226	4	8	15	23	49	55	99 +
1. SINGLE DX	20	5.1	30	< 1	1	3	6	14	19	20
2. MULTIPLE DX	378	12.7	173	2	4	8	18	32	39	75
A. Not Operated	366	11.8	160	2	3	7	16	29	36	73
B. Operated	32	18.5	226	4	8	15	23	49	55	99 +
TOTAL										
0-19 YRS	5	16.4	147	4	5	18	23	34	34	34
20-34	38	16.3	284	2	5	9	27	35	42	84
35-49	49	9.2	143	1	2	5	10	23	35	66
50-64	57	9.3	78	2	3	5	14	26	30	95
65 +	249	12.9	172	2	4	8	17	32	42	75
GRAND TOTAL	**398**	**12.3**	**168**	**2**	**4**	**7**	**17**	**31**	**37**	**75**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	11.5	61	6	6	11	17	17	17	17
65 +	10	21.7	529	1	3	15	35	59	68	68
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	17	20.3	315	4	7	14	37	87	99 +	99 +
65 +	198	17.9	354	3	6	12	26	61	81	99 +
B. Operated										
0-19 YRS	0									
20-34	1	90.0		90	90	90	90	90	90	90
35-49	0									
50-64	0									
65 +	24	28.8	460	6	14	28	56	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	20.0	454	2	3	14	28	56	66	68
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	216	18.0	348	3	6	12	27	61	88	99 +
B. Operated	25	31.2	591	6	15	31	66	99 +	99 +	99 +
1. SINGLE DX	12	20.0	454	2	3	14	28	56	66	68
2. MULTIPLE DX	241	19.4	387	4	6	13	29	66	99 +	99 +
A. Not Operated	228	18.1	352	3	6	12	27	61	84	99 +
B. Operated	25	31.2	591	6	15	31	66	99 +	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	1	90.0		90	90	90	90	90	90	90
35-49	1	11.0		11	11	55	99 +	99 +	99 +	99 +
50-64	19	19.4	291	4	6	14	35	80	99 +	99 +
65 +	232	19.2	379	3	6	13	28	63	93	99 +
GRAND TOTAL	**253**	**19.4**	**389**	**3**	**6**	**13**	**29**	**66**	**99 +**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	6	17.2	182	2	11	14	21	39	41	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	30.3	72	22	24	30	37	39	39	39
65 +	154	20.8	331	4	8	16	29	45	73	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	61.5	925	40	40	61	83	83	83	83
65 +	20	26.8	353	8	13	19	51	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	17.2	182	2	11	14	21	39	41	41
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	157	21.0	327	4	8	17	30	45	73	99 +
B. Operated	22	29.9	468	8	13	30	52	99 +	99 +	99 +
1. SINGLE DX	6	17.2	182	2	11	14	21	39	41	41
2. MULTIPLE DX	179	22.1	351	5	9	17	35	55	80	99 +
A. Not Operated	163	20.8	321	4	8	17	30	45	72	99 +
B. Operated	22	29.9	468	8	13	30	52	99 +	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	42.8	559	22	28	39	51	83	83	83
65 +	180	21.3	329	4	9	17	32	51	76	99 +
GRAND TOTAL	**185**	**21.9**	**345**	**5**	**9**	**17**	**35**	**53**	**79**	**99 +**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	1.7	1	1	1	1	2	4	5	5
20-34	19	5.0	41	1	1	2	4	16	21	23
35-49	10	2.6	4	1	1	2	3	6	8	8
50-64	7	7.1	46	1	2	6	10	18	20	20
65 +	37	16.6	266	2	5	14	22	33	46	84
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.0	32	1	1	1	2	6	9	30
20-34	72	6.9	151	1	2	3	6	15	27	77
35-49	42	7.2	79	1	2	4	8	15	31	42
50-64	48	11.4	108	2	3	8	18	28	39	99 +
65 +	448	17.5	256	4	7	13	26	46	77	99 +
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	10	4.7	15	1	2	5	7	48	96	99 +
35-49	2	39.0	18	36	36	39	42	42	42	42
50-64	8	10.5	49	3	4	9	16	20	21	21
65 +	47	28.3	536	7	10	24	48	94	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	8.2	149	1	1	3	10	22	31	65
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	658	14.2	231	2	4	9	20	40	58	99 +
B. Operated	70	22.1	477	2	7	15	37	69	99 +	99 +
1. SINGLE DX	102	8.2	149	1	1	3	10	22	31	65
2. MULTIPLE DX	728	14.9	260	2	4	10	22	43	68	99 +
A. Not Operated	760	13.4	224	1	3	8	19	36	54	99 +
B. Operated	70	22.1	477	2	7	15	37	69	99 +	99 +
TOTAL										
0-19 YRS	80	2.5	20	1	1	1	2	4	6	29
20-34	101	6.3	117	1	1	3	6	15	25	93
35-49	54	7.5	104	1	2	4	8	17	36	42
50-64	63	10.8	93	2	3	8	17	26	32	92
65 +	532	18.4	290	4	7	14	27	50	80	99 +
GRAND TOTAL	**830**	**14.1**	**251**	**1**	**3**	**9**	**20**	**41**	**61**	**99 +**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	4.1	8	1	2	4	5	8	11	12
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	5	4.0	6	2	3	3	5	8	8	8
65 +	4	10.8	91	5	5	6	16	25	25	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.7	4	< 1	5	5	5	7	7	7
20-34	704	5.5	9	3	5	5	5	7	14	15
35-49	1283	5.5	12	4	5	5	5	7	10	17
50-64	459	6.8	62	4	5	5	6	10	14	49
65 +	121	9.6	81	3	5	7	13	19	36	64
B. Operated										
0-19 YRS	0									
20-34	5	9.8	55	4	4	8	14	22	22	22
35-49	16	8.4	58	2	3	7	12	28	76	99 +
50-64	18	12.1	100	4	6	11	16	69	99 +	99 +
65 +	10	18.2	151	6	10	16	32	65	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	5.2	24	2	3	4	6	8	16	25
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2573	5.9	24	3	5	5	5	8	14	22
B. Operated	49	11.9	99	3	5	11	16	40	99 +	99 +
1. SINGLE DX	24	5.2	24	2	3	4	6	8	16	25
2. MULTIPLE DX	2622	6.0	26	3	5	5	5	9	14	30
A. Not Operated	2597	5.9	24	3	5	5	5	8	14	23
B. Operated	49	11.9	99	3	5	11	16	40	99 +	99 +
TOTAL										
0-19 YRS	6	4.7	4	< 1	5	5	5	7	7	7
20-34	721	5.5	9	3	5	5	5	7	14	16
35-49	1302	5.5	12	4	5	5	5	7	10	18
50-64	482	6.9	64	4	5	5	6	11	15	68
65 +	135	10.2	90	3	5	7	13	23	37	99 +
GRAND TOTAL	**2646**	**6.0**	**26**	**3**	**5**	**5**	**5**	**9**	**14**	**30**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.2	13	< 1	1	2	4	9	10	10
20-34	4	4.3	16	1	1	4	7	9	9	9
35-49	0									
50-64	3	3.3	5	2	2	2	5	6	6	6
65 +	3	7.7	80	2	2	3	14	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	5.9	12	1	3	6	9	12	65	99 +
20-34	241	7.6	27	3	5	7	8	12	14	40
35-49	280	7.0	9	4	5	7	7	10	13	18
50-64	56	8.3	66	2	4	6	9	20	22	45
65 +	103	7.8	53	2	3	6	10	16	20	73
B. Operated										
0-19 YRS	0									
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	6	15.5	91	4	9	15	19	30	31	31
50-64	3	11.7	9	9	9	11	14	15	15	15
65 +	12	13.3	195	1	4	9	18	30	49	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.3	22	1	1	2	6	10	16	18
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	697	7.4	26	3	5	7	8	12	14	39
B. Operated	23	13.0	127	2	6	10	18	22	38	52
1. SINGLE DX	16	4.3	22	1	1	2	6	10	16	18
2. MULTIPLE DX	720	7.6	30	3	5	7	9	13	16	41
A. Not Operated	713	7.4	26	3	5	7	8	12	14	38
B. Operated	23	13.0	127	2	6	10	18	22	38	52
TOTAL										
0-19 YRS	23	5.2	13	< 1	2	5	9	11	39	99 +
20-34	247	7.6	27	3	5	7	8	12	14	40
35-49	286	7.2	11	4	5	7	7	11	14	20
50-64	62	8.3	62	2	4	6	9	17	22	45
65 +	118	8.3	68	2	3	6	10	17	22	67
GRAND TOTAL	**736**	**7.5**	**30**	**3**	**5**	**7**	**9**	**13**	**16**	**41**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	23.0	407	2	5	17	37	52	56	56
20-34	146	17.6	228	3	6	14	26	36	44	96
35-49	139	19.2	198	4	9	16	27	40	53	70
50-64	39	23.7	296	5	10	22	33	48	53	79
65 +	25	18.2	139	5	10	16	23	37	44	50
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	27.4	647	9	11	20	31	71	86	86
20-34	153	15.7	162	3	7	13	22	37	48	98
35-49	183	19.5	188	6	10	17	26	38	52	99 +
50-64	55	18.4	170	6	11	15	26	37	65	99 +
65 +	53	20.1	247	6	12	18	24	37	86	99 +
B. Operated										
0-19 YRS	0									
20-34	7	29.0	517	6	18	23	60	90	99 +	99 +
35-49	5	22.8	265	7	7	21	39	40	40	40
50-64	2	27.0		27	27	27	27	27	27	27
65 +	3	41.0	577	22	25	33	59	68	68	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	356	19.0	222	4	7	16	27	40	50	78
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	452	18.3	194	4	9	15	24	38	50	99 +
B. Operated	17	29.1	372	7	20	26	40	67	87	99 +
1. SINGLE DX	356	19.0	222	4	7	16	27	40	50	78
2. MULTIPLE DX	469	18.7	204	4	9	16	25	38	54	99 +
A. Not Operated	808	18.6	206	4	8	16	26	38	50	99 +
B. Operated	17	29.1	372	7	20	26	40	67	87	99 +
TOTAL										
0-19 YRS	15	25.3	503	4	10	19	36	56	78	86
20-34	306	16.9	204	3	6	13	24	37	49	99 +
35-49	327	19.4	192	5	10	16	26	39	53	99 +
50-64	96	20.8	222	6	11	17	28	44	54	99 +
65 +	81	20.3	234	6	12	18	25	38	74	99 +
GRAND TOTAL	**825**	**18.8**	**211**	**4**	**8**	**16**	**26**	**38**	**52**	**99 +**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	8	12.3	136	2	2	8	21	30	33	33
35-49	4	33.3	174	26	26	27	40	53	53	53
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	53	99 +	99 +	99 +	99 +
20-34	10	20.4	233	4	6	16	37	40	43	43
35-49	4	12.8	10	10	10	13	15	16	16	16
50-64	2	9.5	5	8	8	9	11	11	11	11
65 +	1	16.0		16	16	16	16	16	16	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	16.7	219	2	3	12	27	33	48	53
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	18	16.4	150	5	8	12	27	41	74	99 +
B. Operated	0									
1. SINGLE DX	15	16.7	219	2	3	12	27	33	48	53
2. MULTIPLE DX	18	16.4	150	5	8	12	27	41	74	99 +
A. Not Operated	33	16.6	175	2	6	12	27	38	51	99 +
B. Operated	0									
TOTAL										
0-19 YRS	3	5.7	12	2	4	7	54	99 +	99 +	99 +
20-34	18	16.8	197	2	5	12	29	38	41	43
35-49	8	23.0	199	10	13	21	27	45	53	53
50-64	2	9.5	5	8	8	9	11	11	11	11
65 +	2	12.5	25	9	9	12	16	16	16	16
GRAND TOTAL	**33**	**16.6**	**175**	**2**	**6**	**12**	**27**	**38**	**51**	**99 +**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	22.2	518	2	6	20	38	78	95	99 +
20-34	214	20.4	323	4	7	15	27	48	60	96
35-49	157	18.0	213	3	7	14	25	36	46	70
50-64	59	18.9	243	4	6	14	27	41	57	97
65 +	12	19.3	199	5	10	16	22	42	51	53
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	21.2	240	6	9	16	33	49	62	99 +
20-34	306	18.0	263	4	7	13	23	42	58	83
35-49	304	18.5	234	4	8	15	24	41	61	99 +
50-64	140	19.2	263	4	9	15	24	40	51	90
65 +	71	19.3	203	6	9	17	25	32	50	81
B. Operated										
0-19 YRS	1	44.0		44	44	44	44	44	44	44
20-34	11	31.6	337	9	14	37	46	55	56	56
35-49	6	26.8	974	2	11	14	36	81	86	86
50-64	7	25.7	195	14	18	20	32	50	53	53
65 +	4	36.3	651	16	16	29	56	70	70	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	458	19.4	277	4	7	15	26	44	55	95
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	852	18.6	246	4	8	15	24	41	56	97
B. Operated	29	30.3	426	11	15	21	44	56	71	86
1. SINGLE DX	459	19.4	277	4	7	15	26	44	54	95
2. MULTIPLE DX	881	19.0	256	4	8	15	24	42	56	95
A. Not Operated	1310	18.9	257	4	8	15	25	41	56	96
B. Operated	30	29.7	421	11	13	21	44	55	70	86
TOTAL										
0-19 YRS	49	21.8	324	5	9	16	34	52	84	99 +
20-34	531	19.2	293	4	7	14	25	45	58	86
35-49	467	18.5	235	4	8	15	25	40	56	98
50-64	206	19.3	254	4	8	15	25	40	52	93
65 +	87	20.1	226	6	10	17	25	37	53	80
GRAND TOTAL	**1340**	**19.1**	**263**	**4**	**8**	**15**	**25**	**42**	**56**	**96**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.5	470	< 1	1	3	59	99 +	99 +	99 +
20-34	1	9.0		9	9	9	9	9	9	9
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	30.0	657	1	8	30	41	63	87	91
20-34	5	11.8	103	3	4	8	19	27	27	27
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	11.8	355	< 1	1	6	45	94	99 +	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	17	24.6	550	2	4	20	36	49	77	91
B. Operated	2	3.5	1	3	3	3	4	4	4	4
1. SINGLE DX	5	11.8	355	< 1	1	6	45	94	99 +	99 +
2. MULTIPLE DX	19	22.4	533	2	3	17	34	47	73	91
A. Not Operated	22	21.7	517	1	3	17	39	59	94	99 +
B. Operated	2	3.5	1	3	3	3	4	4	4	4
TOTAL										
0-19 YRS	18	23.2	613	1	2	20	42	75	96	99 +
20-34	6	11.3	83	3	4	8	17	26	27	27
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**24**	**20.2**	**499**	**1**	**3**	**14**	**36**	**51**	**93**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	18.6	333	3	6	14	21	50	70	97
20-34	211	15.0	227	3	6	11	18	30	53	82
35-49	248	13.4	97	3	6	11	19	26	31	48
50-64	152	15.9	98	3	9	16	21	29	32	46
65 +	198	22.4	192	7	13	21	28	37	48	79
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	14.0		14	14	14	14	14	14	14
65 +	2	18.5	13	16	16	18	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	227	19.8	252	3	8	17	29	44	65	99 +
20-34	693	15.7	160	4	7	13	21	32	39	71
35-49	783	15.4	148	3	7	12	21	31	40	70
50-64	462	19.1	178	5	9	17	26	39	45	71
65 +	974	23.0	227	7	13	21	30	44	55	99
B. Operated										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	25	20.7	185	5	9	18	30	42	44	46
35-49	19	23.3	326	8	10	19	28	48	65	78
50-64	31	23.7	161	11	16	22	31	39	41	66
65 +	90	30.5	358	12	18	27	37	64	79	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	874	16.7	178	3	8	14	22	31	42	73
B. Operated	3	17.0	13	14	14	16	20	21	21	21
2. MULTIPLE DX										
A. Not Operated	3139	18.7	198	4	8	16	26	38	47	91
B. Operated	166	26.9	302	10	16	23	34	50	70	99 +
1. SINGLE DX	877	16.7	178	3	8	14	22	31	42	73
2. MULTIPLE DX	3305	19.1	206	4	9	16	26	38	48	92
A. Not Operated	4013	18.2	194	4	8	16	25	36	46	84
B. Operated	169	26.7	298	10	16	22	34	50	70	99
TOTAL										
0-19 YRS	293	19.5	269	3	8	16	28	45	69	99 +
20-34	929	15.6	177	3	7	12	21	32	41	73
35-49	1050	15.1	141	3	7	12	21	30	38	66
50-64	646	18.6	161	4	10	17	24	36	44	71
65 +	1264	23.5	234	7	13	21	30	44	56	98
GRAND TOTAL	**4182**	**18.6**	**201**	**4**	**8**	**16**	**25**	**37**	**47**	**85**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	18.3	319	3	6	14	28	49	85	99+
20-34	195	14.2	138	2	6	11	21	27	35	63
35-49	207	16.4	202	3	7	13	21	32	45	73
50-64	91	18.6	204	5	10	15	22	36	48	77
65+	44	22.5	281	5	12	19	27	43	53	86
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	20.0	187	4	12	16	31	43	81	99+
20-34	300	16.5	185	4	7	13	22	32	42	69
35-49	342	17.3	165	5	9	14	23	33	44	66
50-64	231	18.7	236	4	8	15	25	41	53	83
65+	239	21.0	251	5	10	19	27	41	63	99+
B. Operated										
0-19 YRS	0									
20-34	5	40.0	1332	9	12	21	72	91	91	91
35-49	6	27.3	275	13	14	22	35	55	57	57
50-64	12	32.4	452	11	22	32	43	90	98	99+
65+	14	32.0	374	9	17	26	46	53	69	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	561	16.5	195	3	7	13	22	33	45	79
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1150	18.2	205	4	8	15	24	38	49	82
B. Operated	37	32.5	472	10	17	25	46	72	89	99+
1. SINGLE DX	561	16.5	195	3	7	13	22	33	45	79
2. MULTIPLE DX	1187	18.7	219	4	8	15	25	39	52	89
A. Not Operated	1711	17.7	202	4	8	14	24	35	47	81
B. Operated	37	32.5	472	10	17	25	46	72	89	99+
TOTAL										
0-19 YRS	62	19.4	234	4	9	16	29	44	85	99+
20-34	500	15.8	182	3	7	12	22	31	42	69
35-49	555	17.1	181	4	8	14	22	33	45	71
50-64	334	19.1	240	5	9	15	25	41	53	88
65+	297	21.7	265	5	11	19	27	45	63	99+
GRAND TOTAL	**1748**	**18.0**	**212**	**4**	**8**	**15**	**24**	**36**	**49**	**83**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	16.8	246	1	3	13	30	37	46	48
20-34	61	12.1	120	1	4	10	16	26	31	55
35-49	44	11.8	69	4	6	9	16	22	26	40
50-64	21	15.7	291	2	4	7	22	45	54	64
65+	33	12.7	73	3	5	12	17	23	32	34
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	15.5	398	1	2	8	28	77	99+	99+
20-34	100	14.5	200	3	5	10	18	36	52	83
35-49	121	11.2	90	2	5	8	14	26	33	43
50-64	72	12.7	118	3	5	9	19	24	30	52
65+	248	15.5	190	3	6	12	21	35	49	99+
B. Operated										
0-19 YRS	0									
20-34	4	34.8	1018	12	16	22	53	82	82	82
35-49	2	5.0		5	5	5	5	5	5	5
50-64	7	22.7	229	8	10	18	38	44	44	44
65+	26	21.6	227	7	10	19	30	58	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	12.9	127	2	5	10	17	28	34	54
B. Operated	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	570	14.1	174	2	5	10	20	32	49	99+
B. Operated	39	22.3	298	6	10	19	28	57	90	99+
1. SINGLE DX	173	12.9	126	2	5	10	17	28	34	54
2. MULTIPLE DX	609	14.6	185	2	5	11	20	34	50	99+
A. Not Operated	742	13.8	163	2	5	10	19	31	44	99+
B. Operated	40	22.1	292	6	10	19	27	56	89	99+
TOTAL										
0-19 YRS	42	15.9	344	1	2	8	30	63	99+	99+
20-34	165	14.1	195	2	5	10	17	32	50	79
35-49	167	11.3	84	2	5	9	15	23	32	42
50-64	100	14.0	165	3	5	9	20	27	44	58
65+	308	15.7	183	3	6	13	21	35	50	99+
GRAND TOTAL	**782**	**14.2**	**172**	**2**	**5**	**10**	**20**	**32**	**47**	**99+**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	17.7	397	1	3	12	24	52	58	58
20-34	19	5.6	40	1	2	4	5	15	23	26
35-49	17	5.4	16	1	2	4	8	12	13	14
50-64	6	3.0	3	1	2	3	4	6	6	6
65 +	11	5.5	38	1	2	2	9	15	20	20
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	11.2	108	1	3	7	19	29	31	33
20-34	62	9.3	60	1	2	7	14	21	25	28
35-49	85	5.8	56	1	2	3	7	14	17	41
50-64	70	7.5	89	1	2	4	9	16	28	54
65 +	75	7.5	68	2	2	4	10	18	28	39
B. Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65 +	6	30.2	900	1	6	24	43	79	83	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	6.7	81	1	2	4	8	15	23	55
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	315	7.7	72	1	2	4	10	19	27	40
B. Operated	11	17.5	662	1	1	6	26	59	81	83
1. SINGLE DX	60	6.7	81	1	2	4	8	15	23	55
2. MULTIPLE DX	326	8.0	93	1	2	4	10	20	28	42
A. Not Operated	375	7.5	73	1	2	4	10	19	26	41
B. Operated	11	17.5	662	1	1	6	26	59	81	83
TOTAL										
0-19 YRS	30	12.7	172	1	3	8	21	29	33	58
20-34	83	8.2	57	1	2	5	11	21	25	28
35-49	104	5.7	49	1	2	3	7	13	16	40
50-64	77	7.2	83	1	2	4	9	15	26	53
65 +	92	8.8	141	1	2	4	11	20	31	66
GRAND TOTAL	**386**	**7.8**	**91**	**1**	**2**	**4**	**10**	**19**	**27**	**42**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	26.3	762	1	7	21	38	76	87	92
20-34	26	5.2	18	1	1	4	9	12	13	13
35-49	25	8.4	54	1	2	7	13	19	22	22
50-64	7	7.9	32	2	3	7	11	17	18	18
65 +	6	5.0	23	1	1	3	10	12	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	25.9	597	2	6	17	44	62	88	99
20-34	206	13.3	140	2	4	10	21	22	34	60
35-49	180	14.0	146	3	5	11	21	27	34	63
50-64	52	11.5	94	2	4	10	15	22	26	57
65 +	54	12.9	142	2	4	9	20	35	38	98
B. Operated										
0-19 YRS	3	28.3	146	19	20	24	37	42	42	42
20-34	4	4.0	36	1	1	1	7	13	13	13
35-49	2	10.0		10	10	10	10	10	10	10
50-64	3	16.3	2	15	15	16	17	18	18	18
65 +	5	20.2	230	4	8	26	36	94	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	11.2	263	1	2	7	13	22	42	89
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	560	14.9	209	2	5	11	21	30	45	87
B. Operated	17	15.9	157	1	8	15	24	40	77	99 +
1. SINGLE DX	84	11.1	260	1	2	7	12	22	42	89
2. MULTIPLE DX	577	14.9	207	2	5	11	21	31	45	90
A. Not Operated	643	14.4	217	2	4	10	21	29	45	88
B. Operated	18	15.4	154	1	6	15	23	40	74	99 +
TOTAL										
0-19 YRS	90	26.1	607	2	6	19	43	63	88	97
20-34	236	12.3	132	1	4	9	21	21	32	58
35-49	208	13.2	136	2	5	10	20	24	33	59
50-64	62	11.4	84	2	4	10	16	22	24	54
65 +	65	12.7	144	2	4	9	20	36	41	99 +
GRAND TOTAL	**661**	**14.4**	**215**	**2**	**4**	**10**	**21**	**29**	**45**	**91**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	8.8	139	1	2	4	10	31	48	99+
20-34	74	9.1	133	1	3	5	9	21	38	56
35-49	45	8.9	154	1	2	4	9	23	39	56
50-64	7	12.3	153	< 1	2	4	26	27	27	27
65+	7	23.6	653	4	7	10	32	68	76	76
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.3		2	2	2	3	3	3	3
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	14.8	254	2	3	8	23	35	59	91
20-34	274	11.5	156	1	3	8	16	26	36	71
35-49	157	10.5	125	2	4	6	14	24	32	61
50-64	52	9.5	87	2	3	7	13	29	34	98
65+	98	13.5	193	3	5	8	18	30	41	78
B. Operated										
0-19 YRS	3	7.0	25	2	3	7	11	12	12	12
20-34	13	21.8	700	2	4	16	24	74	82	84
35-49	7	18.1	623	2	2	3	41	56	57	57
50-64	6	4.0	10	1	2	3	4	9	10	10
65+	14	18.2	133	4	10	17	20	33	43	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	9.8	165	1	2	5	10	28	38	73
B. Operated	8	3.6	9	1	2	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	667	11.8	163	2	3	7	16	28	36	74
B. Operated	43	16.5	372	2	3	10	20	47	62	84
1. SINGLE DX	173	9.5	159	1	2	5	10	27	38	72
2. MULTIPLE DX	710	12.1	176	2	3	7	16	29	39	75
A. Not Operated	832	11.4	164	2	3	7	15	28	38	74
B. Operated	51	14.5	336	2	3	7	19	38	57	84
TOTAL										
0-19 YRS	121	13.0	224	1	2	7	21	33	54	99+
20-34	361	11.4	174	1	3	7	16	27	37	72
35-49	212	10.3	146	2	3	5	13	24	36	59
50-64	68	9.1	86	2	3	5	11	27	34	88
65+	121	14.5	212	3	5	10	19	32	44	77
GRAND TOTAL	**883**	**11.6**	**174**	**2**	**3**	**7**	**16**	**29**	**39**	**75**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.5	11	< 1	1	2	5	7	12	13
20-34	181	5.5	21	1	3	4	6	13	14	27
35-49	185	5.3	18	2	3	5	6	8	13	25
50-64	62	5.5	24	1	2	4	7	12	15	25
65+	9	4.0	2	3	3	3	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	13.4	128	1	3	7	27	28	30	35
20-34	1885	10.1	78	2	4	6	14	27	28	32
35-49	1928	8.6	59	3	4	5	9	22	28	30
50-64	751	8.9	66	3	4	5	11	23	28	35
65+	252	9.0	56	3	4	6	12	20	27	34
B. Operated										
0-19 YRS	0									
20-34	26	11.9	115	1	2	11	22	28	31	33
35-49	33	12.2	63	4	6	9	15	24	28	30
50-64	22	11.3	42	4	7	9	14	20	25	30
65+	21	13.7	109	5	6	10	16	27	38	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	450	5.3	19	2	3	4	6	10	14	26
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4930	9.3	69	3	4	6	13	26	28	32
B. Operated	102	12.2	79	3	6	10	16	25	29	40
1. SINGLE DX	450	5.3	19	2	3	4	6	10	14	26
2. MULTIPLE DX	5032	9.4	70	3	4	6	13	26	28	32
A. Not Operated	5380	9.0	66	2	4	5	12	25	28	32
B. Operated	102	12.2	79	3	6	10	16	25	29	40
TOTAL										
0-19 YRS	127	12.4	125	1	3	6	26	28	30	35
20-34	2092	9.7	75	2	4	6	14	27	28	32
35-49	2146	8.4	56	3	4	5	9	21	27	30
50-64	835	8.7	63	2	4	5	10	21	28	33
65+	282	9.2	61	3	4	6	13	20	27	43
GRAND TOTAL	**5482**	**9.1**	**67**	**2**	**4**	**5**	**12**	**25**	**28**	**32**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.3	9	3	4	7	8	9	9	9
20-34	22	13.1	102	1	5	9	23	28	28	28
35-49	16	14.8	115	4	5	10	28	28	28	28
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	10.5	130	1	3	5	18	30	32	32
20-34	290	11.7	94	3	4	7	20	28	28	32
35-49	201	10.4	73	3	5	7	13	28	28	31
50-64	10	9.8	18	4	7	9	14	15	16	16
65 +	5	13.2	89	4	5	11	22	25	25	25
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	10.5	48	5	6	7	16	21	22	22
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	13.2	102	2	5	9	26	28	28	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	516	11.2	85	3	4	7	15	28	28	32
B. Operated	8	9.8	39	4	5	7	13	20	22	22
1. SINGLE DX	41	13.2	102	2	5	9	26	28	28	28
2. MULTIPLE DX	524	11.1	84	3	4	7	15	28	28	32
A. Not Operated	557	11.3	86	3	4	7	16	28	28	32
B. Operated	8	9.8	39	4	5	7	13	20	22	22
TOTAL										
0-19 YRS	13	9.5	102	1	3	6	11	29	31	32
20-34	313	11.8	94	3	4	7	21	28	28	31
35-49	223	10.7	76	3	5	7	14	28	28	31
50-64	11	9.9	16	5	7	9	14	15	16	16
65 +	5	13.2	89	4	5	11	22	25	25	25
GRAND TOTAL	**565**	**11.3**	**86**	**3**	**4**	**7**	**15**	**28**	**28**	**32**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	11.1	71	2	6	8	17	24	26	26
20-34	118	9.1	51	4	5	6	11	22	28	28
35-49	30	7.8	37	5	5	5	7	15	26	28
50-64	3	11.0	27	5	7	14	14	14	14	14
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	17.0	127	5	6	14	28	32	35	44
20-34	792	9.6	63	4	5	6	11	26	28	31
35-49	350	9.0	59	4	5	6	8	21	28	33
50-64	31	9.3	50	4	5	5	14	20	27	29
65 +	11	12.1	36	5	6	14	18	20	21	21
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	11	14.1	88	6	7	12	17	29	36	37
35-49	4	11.3	42	5	6	10	16	19	19	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	9.0	49	4	5	6	10	21	28	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1230	9.7	66	4	5	6	11	26	28	33
B. Operated	16	13.3	69	6	7	12	17	23	33	37
1. SINGLE DX	160	9.0	49	4	5	6	10	21	28	28
2. MULTIPLE DX	1246	9.7	66	4	5	6	12	26	28	33
A. Not Operated	1390	9.6	64	4	5	6	11	25	28	33
B. Operated	16	13.3	69	6	7	12	17	23	33	37
TOTAL										
0-19 YRS	55	16.1	120	5	6	13	27	32	34	44
20-34	921	9.6	62	4	5	6	11	25	28	31
35-49	384	8.9	57	4	5	6	8	21	28	33
50-64	34	9.5	47	4	5	6	14	18	26	29
65 +	12	11.5	37	5	6	11	17	20	21	21
GRAND TOTAL	**1406**	**9.7**	**64**	**4**	**5**	**6**	**11**	**25**	**28**	**33**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	1.1		< 1	< 1	1	1	1	2	2
20-34	16	1.1		< 1	< 1	1	1	2	2	2
35-49	7	2.0	5	< 1	1	1	2	6	7	7
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	1.7	3	< 1	< 1	1	2	3	5	12
20-34	90	4.7	19	< 1	1	3	7	13	13	19
35-49	51	5.6	56	1	1	3	8	13	14	49
50-64	21	4.7	17	< 1	1	4	7	12	13	13
65 +	29	4.2	11	1	2	4	5	10	13	13
B. Operated										
0-19 YRS	4	4.8	32	< 1	< 1	2	8	13	13	13
20-34	4	11.5	207	1	1	6	21	32	32	32
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	23.5	481	8	8	23	39	39	39	39
65 +	2	18.5	481	3	3	18	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	1.3	1	< 1	< 1	1	1	2	2	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	242	4.2	24	< 1	1	2	5	12	13	16
B. Operated	13	11.5	196	1	1	4	18	35	38	39
1. SINGLE DX	72	1.3	1	< 1	< 1	1	1	2	2	9
2. MULTIPLE DX	255	4.6	35	< 1	1	2	6	13	13	34
A. Not Operated	314	3.5	20	< 1	1	1	4	9	13	15
B. Operated	13	11.5	196	1	1	4	18	35	38	39
TOTAL										
0-19 YRS	103	1.5	3	< 1	< 1	1	1	2	4	12
20-34	110	4.4	25	< 1	1	2	6	12	13	25
35-49	59	5.1	51	1	1	3	6	13	14	46
50-64	23	6.3	67	1	1	4	8	13	22	39
65 +	32	5.3	38	1	2	4	5	12	13	34
GRAND TOTAL	**327**	**3.8**	**29**	**< 1**	**1**	**2**	**4**	**10**	**13**	**32**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	5.2	16	< 1	3	4	7	11	14	14
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	1	5.0		5	-5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.5	22	< 1	< 1	2	7	13	14	14
20-34	94	9.5	62	2	3	7	14	22	28	70
35-49	35	9.5	45	1	5	8	14	21	23	23
50-64	4	13.0	122	2	3	13	22	23	23	23
65 +	4	15.5	46	6	11	17	20	22	22	22
B. Operated										
0-19 YRS	0									
20-34	5	13.6	141	3	4	13	19	33	33	33
35-49	1	23.0		23	23	23	23	23	23	23
50-64	0									
65 +	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.1	12	1	1	3	5	9	12	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	151	9.3	58	1	3	7	14	22	26	34
B. Operated	7	14.9	107	3	7	13	21	31	33	33
1. SINGLE DX	17	4.1	12	1	1	3	5	9	12	14
2. MULTIPLE DX	158	9.5	61	1	3	7	14	22	27	34
A. Not Operated	168	8.8	55	1	3	6	14	21	24	33
B. Operated	7	14.9	107	3	7	13	21	31	33	33
TOTAL										
0-19 YRS	16	4.1	20	< 1	< 1	1	6	13	14	14
20-34	109	9.3	63	1	3	7	14	22	28	60
35-49	40	9.2	49	1	4	7	14	21	23	23
50-64	5	11.4	104	2	4	5	22	23	23	23
65 +	5	15.0	36	6	11	16	19	22	22	22
GRAND TOTAL	**175**	**9.0**	**58**	**1**	**3**	**6**	**14**	**22**	**26**	**34**

176 Hospitals, Northeastern Region, January-December 1990, by Diagnosis

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	10	1	2	6	7	7	7	
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.4	39	1	2	3	4	15	20	21
20-34	10	3.3	7	1	2	3	4	7	10	10
35-49	19	3.3	5	1	2	2	5	7	8	8
50-64	12	4.9	21	1	2	3	8	13	14	14
65 +	34	4.6	12	2	2	3	6	10	13	15
B. Operated										
0-19 YRS	3	11.0	63	5	6	8	17	20	20	20
20-34	2	11.5	221	1	1	11	22	22	22	22
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	0									
65 +	4	5.3	10	3	3	4	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.0	7	1	2	4	6	8	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	89	4.4	15	1	2	3	5	10	14	19
B. Operated	11	8.0	48	2	3	5	10	21	22	22
1. SINGLE DX	12	4.0	7	1	2	4	6	8	9	9
2. MULTIPLE DX	100	4.8	20	1	2	3	6	11	14	21
A. Not Operated	101	4.3	14	1	2	3	5	9	13	18
B. Operated	11	8.0	48	2	3	5	10	21	22	22
TOTAL										
0-19 YRS	20	6.1	39	1	2	3	7	17	20	21
20-34	16	4.6	29	1	1	3	5	10	18	22
35-49	24	3.4	5	1	2	3	4	8	8	8
50-64	14	4.9	17	1	2	3	6	12	14	14
65 +	38	4.7	12	2	2	3	6	10	13	15
GRAND TOTAL	**112**	**4.7**	**18**	**1**	**2**	**3**	**6**	**10**	**14**	**21**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	7.0	47	1	2	5	9	15	19	37
20-34	103	5.2	31	1	2	4	6	11	14	33
35-49	66	7.9	70	1	2	5	11	16	23	48
50-64	12	5.5	14	2	2	5	8	10	13	14
65 +	14	14.6	177	3	7	9	18	30	46	51
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	207	10.4	119	1	4	7	14	24	29	67
20-34	448	8.0	61	2	3	5	10	16	22	39
35-49	273	8.8	71	2	3	7	12	18	25	42
50-64	69	10.7	82	2	4	9	14	20	28	46
65 +	109	12.5	116	3	4	9	16	31	35	48
B. Operated										
0-19 YRS	4	4.5	12	1	1	4	7	8	8	8
20-34	3	5.3	10	3	3	4	8	9	9	9
35-49	8	13.9	100	5	6	13	15	30	36	36
50-64	4	6.0	5	4	4	5	7	9	9	9
65 +	8	15.3	189	7	8	9	19	39	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	6.8	55	1	2	5	9	14	20	41
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1106	9.3	83	2	3	7	12	19	27	47
B. Operated	27	10.8	103	3	5	8	12	26	37	44
1. SINGLE DX	273	6.8	55	1	2	5	9	14	20	41
2. MULTIPLE DX	1133	9.3	83	2	3	7	12	19	28	47
A. Not Operated	1379	8.8	78	1	3	6	12	18	26	47
B. Operated	27	10.8	103	3	5	8	12	26	37	44
TOTAL										
0-19 YRS	289	9.4	100	1	3	7	12	21	27	63
20-34	554	7.4	56	1	3	5	10	15	21	39
35-49	347	8.7	72	1	3	6	12	18	25	43
50-64	85	9.8	72	2	4	8	13	19	26	46
65 +	131	12.9	125	3	5	9	16	30	40	51
GRAND TOTAL	**1406**	**8.8**	**79**	**1**	**3**	**6**	**12**	**18**	**26**	**47**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	14.0	269	1	3	9	21	31	71	99 +
20-34	67	7.1	67	1	2	5	8	15	24	46
35-49	48	7.1	75	1	2	5	9	13	21	54
50-64	7	4.7	16	1	1	3	8	11	11	11
65 +	4	26.8	2138	1	2	5	51	96	96	96
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	14.5	202	2	4	10	22	33	47	69
20-34	290	8.7	98	1	3	6	11	17	24	55
35-49	199	10.0	97	2	3	7	13	20	31	51
50-64	50	8.4	73	1	2	5	13	18	28	40
65 +	31	11.5	150	1	4	8	15	29	33	57
B. Operated										
0-19 YRS	5	14.6	619	2	2	4	19	59	59	59
20-34	9	10.3	38	2	7	9	13	20	21	21
35-49	4	4.8	25	1	1	3	8	12	12	12
50-64	1	12.0		12	12	12	12	12	12	12
65 +	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	10.2	194	1	2	6	11	27	35	97
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	800	10.8	134	2	3	7	14	24	34	62
B. Operated	20	10.3	162	2	3	8	12	19	40	59
1. SINGLE DX	211	10.2	194	1	2	6	11	27	35	97
2. MULTIPLE DX	820	10.8	134	2	3	7	14	24	34	62
A. Not Operated	1011	10.7	146	1	3	7	14	25	35	69
B. Operated	20	10.3	162	2	3	8	12	19	40	59
TOTAL										
0-19 YRS	320	14.4	223	2	4	9	21	33	54	88
20-34	366	8.4	91	1	3	6	10	17	23	47
35-49	251	9.4	93	2	3	7	12	20	30	54
50-64	58	8.1	66	1	2	5	12	17	26	39
65 +	36	13.1	336	1	3	8	14	30	50	96
GRAND TOTAL	**1031**	**10.7**	**146**	**1**	**3**	**7**	**14**	**25**	**35**	**68**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	17.7	334	1	3	16	28	45	79	99 +
20-34	21	20.1	474	3	4	13	30	69	90	99 +
35-49	7	3.3	8	1	1	2	4	8	9	9
50-64	1	37.0		37	37	37	37	37	37	37
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	444	29.7	598	2	9	25	52	73	96	99 +
20-34	100	19.0	518	2	4	8	29	56	74	99
35-49	33	14.5	423	2	3	8	14	56	89	99 +
50-64	17	6.4	26	2	3	4	8	15	16	17
65 +	24	7.5	60	1	2	6	9	15	28	32
B. Operated										
0-19 YRS	16	26.7	794	1	3	25	53	87	98	99 +
20-34	6	23.8	145	8	11	26	32	38	39	39
35-49	4	23.5	110	14	16	21	31	38	38	38
50-64	0									
65 +	5	11.0	54	6	7	8	13	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	17.4	345	1	3	13	28	47	83	99 +
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	618	25.6	586	2	6	19	44	69	93	99 +
B. Operated	31	23.2	471	3	7	21	35	60	90	99 +
1. SINGLE DX	148	17.3	344	1	3	13	28	46	82	99 +
2. MULTIPLE DX	649	25.5	580	2	6	19	43	68	93	99 +
A. Not Operated	765	24.0	550	2	5	18	40	64	92	99 +
B. Operated	32	22.5	470	2	6	18	34	60	88	99 +
TOTAL										
0-19 YRS	578	27.1	571	2	7	22	46	71	95	99 +
20-34	127	19.4	490	2	4	9	30	57	75	99 +
35-49	44	13.5	351	1	2	8	15	38	71	99 +
50-64	18	8.1	77	2	3	5	12	16	29	37
65 +	30	8.0	57	1	2	6	9	19	27	32
GRAND TOTAL	**797**	**24.0**	**546**	**2**	**5**	**18**	**39**	**63**	**92**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.3	140	1	1	2	17	22	22	22
20-34	3	6.3	16	4	4	4	9	11	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	39.0	2738	2	2	39	76	76	76	76
20-34	1	19.0		19	19	19	19	19	19	19
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	6.9	55	1	2	4	9	20	22	22
B. Operated	3	32.3	1502	2	6	19	62	76	76	76
1. SINGLE DX	0									
2. MULTIPLE DX	10	14.5	522	1	2	4	19	49	76	76
A. Not Operated	7	6.9	55	1	2	4	9	20	22	22
B. Operated	3	32.3	1502	2	6	19	62	76	76	76
TOTAL										
0-19 YRS	5	20.6	1037	1	2	2	35	76	76	76
20-34	4	9.5	51	4	4	8	15	19	19	19
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**10**	**14.5**	**522**	**1**	**2**	**4**	**19**	**49**	**76**	**76**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	8.8	11	4	6	10	10	12	14	20
20-34	7	5.1	20	1	2	3	7	13	14	14
35-49	6	6.3	7	3	5	6	7	11	11	11
50-64	2	10.5	1	10	10	10	11	11	11	11
65 +	2	9.0	2	8	8	9	10	10	10	10
B. Operated										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	2	47.5	4141	2	25	93	98	99 +	99 +	99 +
35-49	4	6.3	10	2	4	7	8	9	9	9
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	10.1	32	3	7	10	13	16	21	27
20-34	21	9.5	141	2	3	5	9	22	37	54
35-49	39	10.0	74	2	4	9	11	20	40	99 +
50-64	30	18.8	310	5	8	13	26	50	82	99 +
65 +	35	17.1	113	7	11	14	20	30	43	53
B. Operated										
0-19 YRS	33	18.7	82	9	11	18	23	28	40	43
20-34	13	13.3	103	3	6	8	20	31	33	33
35-49	14	15.2	86	6	10	15	16	25	39	43
50-64	21	25.0	331	2	9	25	46	54	76	99 +
65 +	16	22.1	258	10	14	17	28	44	61	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	8.3	12	3	5	9	10	12	14	19
B. Operated	10	14.0	783	1	2	7	10	96	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	322	11.6	88	3	7	10	14	21	29	62
B. Operated	97	19.4	177	3	10	16	25	43	47	85
1. SINGLE DX	90	8.9	93	3	5	9	10	12	14	97
2. MULTIPLE DX	419	13.4	119	3	7	11	16	26	42	72
A. Not Operated	402	10.9	74	3	6	10	13	19	26	53
B. Operated	107	18.9	229	4	9	16	24	43	51	99 +
TOTAL										
0-19 YRS	295	10.7	41	3	7	10	13	20	23	37
20-34	43	11.7	269	2	3	7	14	30	66	99 +
35-49	63	10.6	73	3	5	9	13	19	40	92
50-64	55	20.3	316	2	8	15	31	51	76	99 +
65 +	53	18.3	157	8	11	15	21	34	45	68
GRAND TOTAL	**509**	**12.6**	**117**	**3**	**7**	**10**	**15**	**24**	**36**	**87**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	19.0	189	4	8	18	30	35	35	35
65 +	16	7.2	47	1	2	5	9	19	22	24
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	5	13.6	194	3	4	9	20	37	37	37
50-64	18	11.6	65	2	6	9	16	24	27	28
65 +	218	15.0	255	4	7	10	16	33	65	99 +
B. Operated										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	0									
50-64	2	8.5	25	5	5	8	12	12	12	12
65 +	22	24.6	413	6	11	20	39	78	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	9.5	86	2	3	6	13	24	29	35
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	243	14.6	238	4	7	10	16	30	55	99 +
B. Operated	25	22.8	389	5	10	18	38	75	99 +	99 +
1. SINGLE DX	22	9.2	84	2	3	6	12	24	29	35
2. MULTIPLE DX	268	15.4	257	4	7	10	18	38	70	99 +
A. Not Operated	264	14.2	228	3	6	9	16	29	52	99
B. Operated	26	22.0	388	4	8	18	36	74	99 +	99 +
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	6.3	17	3	3	5	9	11	11	11
35-49	6	12.7	160	3	4	8	15	35	37	37
50-64	24	12.5	83	3	5	11	17	26	30	35
65 +	256	15.3	266	4	7	10	18	39	71	99 +
GRAND TOTAL	**290**	**14.9**	**246**	**3**	**6**	**10**	**17**	**35**	**67**	**99 +**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	36	4.9	10	2	3	4	6	10	12	14
35-49	78	6.6	22	2	4	5	10	12	15	25
50-64	19	5.7	8	3	4	5	7	10	13	13
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	7.0	32	1	3	6	10	16	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.3	4	2	2	3	4	7	8	8
20-34	49	8.3	31	3	4	7	11	18	21	99 +
35-49	161	8.6	61	3	4	7	10	15	22	37
50-64	52	10.0	107	3	4	7	12	16	32	64
65 +	21	7.5	27	3	4	5	11	16	18	19
B. Operated										
0-19 YRS	0									
20-34	7	17.3	94	8	10	13	27	31	31	31
35-49	18	12.3	107	4	7	9	14	27	38	44
50-64	13	17.6	669	3	4	8	17	47	87	97
65 +	4	26.5	522	7	9	33	67	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	5.9	17	2	3	5	7	11	14	24
B. Operated	6	6.0	32	1	1	5	8	15	16	16
2. MULTIPLE DX										
A. Not Operated	295	8.5	60	3	4	7	10	15	21	52
B. Operated	42	16.1	310	4	7	10	19	36	70	99 +
1. SINGLE DX	144	5.9	17	2	3	5	7	11	14	24
2. MULTIPLE DX	337	9.5	97	3	4	7	11	17	30	72
A. Not Operated	433	7.7	48	3	4	6	10	14	18	36
B. Operated	48	14.9	285	3	6	9	16	34	58	99 +
TOTAL										
0-19 YRS	15	3.4	4	2	2	3	4	7	8	8
20-34	93	7.6	37	2	3	6	10	14	21	70
35-49	262	8.2	53	3	4	6	10	15	20	37
50-64	84	10.2	177	3	4	7	12	16	33	86
65 +	27	10.0	132	3	4	7	13	29	60	99 +
GRAND TOTAL	**481**	**8.4**	**76**	**3**	**4**	**6**	**10**	**15**	**23**	**62**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	258	3.2	9	1	1	2	4	6	9	15
20-34	105	3.5	9	1	2	2	4	9	11	14
35-49	55	2.5	4	1	1	2	3	5	8	9
50-64	32	3.5	14	1	1	3	4	7	8	21
65 +	26	4.3	7	1	2	4	6	8	9	13
B. Operated										
0-19 YRS	20	9.5	114	2	4	8	10	17	36	50
20-34	23	9.0	59	1	2	7	12	19	25	32
35-49	7	8.9	165	< 1	1	6	8	31	37	37
50-64	4	6.5	12	2	4	7	9	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	676	4.7	31	1	2	3	6	10	15	29
20-34	216	4.2	18	1	2	3	5	9	11	22
35-49	203	5.4	38	1	2	4	6	10	13	39
50-64	202	5.9	38	1	3	4	7	11	15	45
65 +	464	7.9	77	2	4	6	9	15	23	81
B. Operated										
0-19 YRS	105	14.5	199	3	6	9	17	37	47	86
20-34	27	8.0	48	2	2	8	11	13	20	34
35-49	22	13.4	353	2	6	9	13	24	59	90
50-64	17	14.5	373	2	7	9	15	68	92	99 +
65 +	38	17.3	196	6	8	15	21	38	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	476	3.3	9	1	1	2	4	7	9	15
B. Operated	54	9.0	85	1	2	7	10	18	30	49
2. MULTIPLE DX										
A. Not Operated	1761	5.7	45	1	2	4	7	11	16	40
B. Operated	209	14.1	211	2	6	9	17	36	49	99 +
1. SINGLE DX	530	3.8	19	1	1	2	4	8	11	21
2. MULTIPLE DX	1970	6.6	69	1	2	4	8	13	21	49
A. Not Operated	2237	5.2	38	1	2	3	6	10	15	35
B. Operated	263	13.0	189	2	6	9	16	34	45	98
TOTAL										
0-19 YRS	1059	5.4	53	1	2	3	6	11	17	42
20-34	371	4.6	23	1	2	3	6	10	13	23
35-49	287	5.5	64	1	2	4	6	10	13	42
50-64	255	6.2	61	1	2	4	7	12	17	79
65 +	528	8.4	89	2	4	6	10	18	28	87
GRAND TOTAL	**2500**	**6.0**	**60**	**1**	**2**	**4**	**7**	**12**	**18**	**45**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.2	8	1	1	2	4	7	10	13
20-34	44	3.4	6	1	2	3	4	7	9	10
35-49	33	3.6	7	< 1	1	3	5	8	9	10
50-64	11	4.6	38	1	1	2	4	16	20	20
65 +	15	5.1	11	2	3	4	6	10	13	14
B. Operated										
0-19 YRS	92	5.4	34	< 1	2	4	7	11	21	29
20-34	26	4.1	15	< 1	1	3	5	11	13	14
35-49	24	5.0	19	1	2	3	7	11	15	15
50-64	11	3.4	8	< 1	1	3	4	8	9	9
65 +	5	18.4	513	2	3	11	28	57	57	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	5.2	72	1	1	3	6	9	17	39
20-34	97	7.3	165	1	2	3	7	16	28	82
35-49	101	9.2	185	2	3	6	10	19	44	99 +
50-64	113	8.6	96	1	4	6	11	19	28	83
65 +	490	14.1	245	3	5	8	17	35	54	99 +
B. Operated										
0-19 YRS	323	8.4	79	2	3	6	11	18	25	99 +
20-34	72	8.0	73	1	3	5	9	20	32	87
35-49	63	12.4	264	2	3	7	16	32	72	99 +
50-64	93	10.9	149	2	4	8	13	23	38	93
65 +	204	15.5	204	3	6	11	23	43	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	3.6	9	1	1	3	4	8	10	14
B. Operated	158	5.4	44	< 1	2	3	7	11	15	29
2. MULTIPLE DX										
A. Not Operated	994	10.6	193	2	3	6	12	26	41	98
B. Operated	755	11.0	145	2	4	7	14	27	44	99 +
1. SINGLE DX	328	4.5	27	1	1	3	6	9	13	27
2. MULTIPLE DX	1749	10.7	172	2	3	7	13	27	43	99 +
A. Not Operated	1164	9.5	173	1	3	5	11	23	38	90
B. Operated	913	10.0	132	2	3	7	13	24	38	99 +
TOTAL										
0-19 YRS	675	6.6	67	1	2	4	8	15	21	68
20-34	239	6.4	94	1	2	4	7	14	23	77
35-49	221	8.8	171	1	3	5	10	19	35	99 +
50-64	228	9.1	114	1	3	6	11	21	28	87
65 +	714	14.3	231	3	5	9	19	38	57	99 +
GRAND TOTAL	**2077**	**9.7**	**155**	**1**	**3**	**6**	**11**	**24**	**38**	**99 +**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	1.9	2	1	1	1	2	4	4	8
20-34	87	2.5	3	1	1	2	4	5	6	8
35-49	75	2.8	3	1	1	2	4	5	7	9
50-64	8	2.9	4	1	2	2	4	6	7	7
65 +	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.0	13	1	1	3	7	8	8	8
35-49	4	4.3	11	1	1	4	7	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.7	9	1	1	2	3	5	7	20
20-34	117	3.6	5	1	2	3	5	7	7	11
35-49	153	3.5	7	1	2	3	4	7	9	15
50-64	77	4.0	10	1	2	3	5	8	10	18
65 +	41	5.7	37	1	3	4	7	11	18	32
B. Operated										
0-19 YRS	4	3.8		3	3	4	4	4	4	4
20-34	10	4.6	16	1	2	3	7	11	14	14
35-49	13	5.8	31	1	2	4	7	16	18	18
50-64	7	4.3	7	1	2	4	6	8	9	9
65 +	3	5.3	17	2	2	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	2.5	3	1	1	2	4	5	6	8
B. Operated	10	3.5	8	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	440	3.7	11	1	2	3	5	7	9	19
B. Operated	37	4.9	17	1	2	4	6	10	15	18
1. SINGLE DX	229	2.5	3	1	1	2	4	5	6	8
2. MULTIPLE DX	477	3.8	11	1	2	3	5	7	10	19
A. Not Operated	659	3.3	8	1	1	3	4	6	8	13
B. Operated	47	4.6	15	1	2	4	6	9	14	18
TOTAL										
0-19 YRS	102	2.4	6	1	1	2	3	4	6	15
20-34	217	3.2	5	1	1	3	4	6	7	11
35-49	245	3.4	8	1	2	3	4	7	8	16
50-64	94	3.9	9	1	2	3	5	7	10	16
65 +	48	5.3	33	1	2	4	7	11	13	32
GRAND TOTAL	**706**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**8**	**15**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	15	1.0		< 1	< 1	< 1	< 1	< 1	1	1
35-49	31	1.0		< 1	< 1	< 1	< 1	1	1	1
50-64	24	1.1		< 1	< 1	1	1	1	2	2
65 +	19	1.2		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.8	12	1	1	3	6	8	8	8
50-64	3	4.0	13	< 1	1	3	7	8	8	8
65 +	5	5.2	20	< 1	1	4	8	12	12	12
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	12	1.3		< 1	1	1	2	2	2	2
35-49	21	1.8	2	< 1	1	1	2	3	5	7
50-64	24	1.4	2	< 1	< 1	1	1	2	4	8
65 +	40	2.4	13	< 1	< 1	1	2	5	8	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	93	1.1		< 1	< 1	< 1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	13	4.3	12	< 1	1	3	7	9	11	12
B. Operated	101	1.8	6	< 1	< 1	1	2	3	6	16
1. SINGLE DX	94	1.1		< 1	< 1	< 1	1	1	1	3
2. MULTIPLE DX	114	2.1	7	< 1	< 1	1	2	5	8	15
A. Not Operated	14	4.1	12	< 1	1	3	7	9	11	12
B. Operated	194	1.5	3	< 1	< 1	1	1	2	3	10
TOTAL										
0-19 YRS	8	1.1		1	1	1	1	2	2	2
20-34	28	1.2		< 1	< 1	< 1	1	2	2	3
35-49	56	1.5	2	< 1	< 1	< 1	1	3	5	8
50-64	52	1.4	2	< 1	< 1	1	1	2	3	8
65 +	64	2.2	10	< 1	< 1	1	2	5	8	20
GRAND TOTAL	**208**	**1.6**	**4**	**< 1**	**< 1**	**1**	**1**	**3**	**5**	**11**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.3	7	1	2	3	4	7	8	13
20-34	10	5.1	12	1	1	5	8	10	11	11
35-49	20	4.4	11	1	2	4	6	10	11	12
50-64	14	6.9	33	1	3	5	10	16	17	17
65 +	19	2.6	6	1	1	2	3	5	9	11
B. Operated										
0-19 YRS	35	6.3	25	1	2	5	8	14	17	18
20-34	71	2.1	2	< 1	1	2	3	4	5	7
35-49	73	2.4	5	1	1	2	3	4	5	15
50-64	55	3.0	55	< 1	1	1	2	6	9	53
65 +	27	1.7	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	7.2	160	1	2	3	8	13	21	79
20-34	27	5.9	32	1	2	3	9	14	17	25
35-49	52	6.6	37	2	2	5	9	14	17	30
50-64	86	7.1	58	1	3	5	8	14	24	41
65 +	180	8.1	52	2	3	6	11	18	23	34
B. Operated										
0-19 YRS	35	4.7	23	1	1	3	6	11	15	21
20-34	54	7.2	154	1	2	3	7	18	28	73
35-49	93	5.6	66	1	2	3	5	14	23	46
50-64	87	5.9	60	1	1	2	7	15	25	39
65 +	133	7.7	156	1	2	4	9	20	38	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	4.2	14	1	1	3	5	10	12	17
B. Operated	261	2.9	19	1	1	2	3	6	8	18
2. MULTIPLE DX										
A. Not Operated	390	7.4	62	1	2	5	9	16	23	35
B. Operated	402	6.5	103	1	1	3	7	16	24	78
1. SINGLE DX	351	3.2	18	1	1	2	4	7	10	17
2. MULTIPLE DX	792	7.0	83	1	2	4	8	16	24	48
A. Not Operated	480	6.8	55	1	2	5	8	15	20	34
B. Operated	663	5.1	73	1	1	2	5	12	19	54
TOTAL										
0-19 YRS	142	5.6	65	1	2	3	7	13	15	41
20-34	162	4.6	63	1	1	2	5	9	15	46
35-49	238	4.7	39	1	1	3	5	11	16	30
50-64	242	5.7	59	1	1	3	7	14	19	45
65 +	359	7.2	88	1	2	4	9	17	24	78
GRAND TOTAL	**1143**	**5.8**	**66**	**1**	**1**	**3**	**7**	**14**	**19**	**45**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	11	2.3	1	1	2	2	3	4	4	4
20-34	36	2.3	3	1	1	2	2	4	6	9
35-49	46	2.5	2	1	2	2	3	4	5	8
50-64	70	2.3	2	1	1	2	3	4	5	8
65 +	76	2.5	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.4	10	< 1	< 1	1	3	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	11	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated										
0-19 YRS	25	3.2	7	1	2	3	3	5	8	15
20-34	52	2.3	1	1	2	2	3	4	5	6
35-49	84	2.6	2	1	2	2	3	4	6	8
50-64	212	3.1	5	1	2	2	3	5	7	14
65 +	316	3.1	7	2	2	2	3	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	239	2.4	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	18	1.7	3	< 1	< 1	1	2	3	6	8
B. Operated	689	3.0	5	1	2	2	3	5	7	14
1. SINGLE DX	241	2.4	2	1	2	2	3	4	5	8
2. MULTIPLE DX	707	2.9	5	1	2	2	3	5	7	13
A. Not Operated	20	1.7	3	< 1	< 1	1	2	3	6	8
B. Operated	928	2.8	5	1	2	2	3	5	6	12
TOTAL										
0-19 YRS	37	2.8	5	1	2	2	3	4	5	15
20-34	89	2.3	2	1	2	2	3	4	5	8
35-49	135	2.5	2	1	2	2	3	4	6	8
50-64	283	2.8	5	1	2	2	3	5	7	12
65 +	404	2.9	6	1	2	2	3	5	7	13
GRAND TOTAL	**948**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	3	1.0		1	1	1	1	1	1	1
65 +	4	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	5	3.2	5	< 1	< 1	3	5	6	6	6
50-64	10	1.4		< 1	< 1	< 1	2	3	3	3
65 +	43	1.4	1	< 1	< 1	< 1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	14	2.2	6	1	1	1	3	4	9	10
B. Operated										
0-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
20-34	0									
35-49	6	4.0	12	1	1	3	7	9	9	9
50-64	13	5.3	42	1	2	2	7	12	23	25
65 +	54	4.3	16	1	1	3	5	9	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.1		< 1	< 1	< 1	1	1	2	2
B. Operated	63	1.5	1	< 1	< 1	< 1	1	3	5	6
2. MULTIPLE DX										
A. Not Operated	21	1.9	4	< 1	1	1	2	3	6	10
B. Operated	76	4.4	19	1	2	3	6	9	14	23
1. SINGLE DX	79	1.4	1	< 1	< 1	< 1	1	2	4	6
2. MULTIPLE DX	97	3.8	17	1	1	2	5	9	11	22
A. Not Operated	37	1.5	2	< 1	< 1	1	1	3	3	10
B. Operated	139	3.1	13	< 1	< 1	2	4	7	9	20
TOTAL										
0-19 YRS	19	1.2	1	< 1	< 1	< 1	< 1	1	3	4
20-34	0									
35-49	14	3.1	8	< 1	1	1	5	7	9	9
50-64	28	3.2	23	< 1	1	2	3	8	11	25
65 +	115	2.9	10	< 1	< 1	1	3	7	10	17
GRAND TOTAL	**176**	**2.8**	**11**	**< 1**	**< 1**	**1**	**3**	**7**	**9**	**18**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	< 1	< 1	< 1	3	4	4	4
50-64	3	3.3	1	2	2	4	4	4	4	4
65 +	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	3	< 1	< 1	1	3	5	5	5
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	6	4.5	13	1	2	3	6	10	11	11
50-64	4	5.8	19	2	2	6	9	10	10	10
65 +	26	3.8	9	1	2	3	5	7	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	13	2.2	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	7	2.4	5	< 1	< 1	1	4	6	6	6
B. Operated	39	3.9	10	1	2	3	6	9	11	13
1. SINGLE DX	14	2.1	1	< 1	1	2	2	4	4	4
2. MULTIPLE DX	46	3.7	9	1	1	3	5	9	10	13
A. Not Operated	8	2.3	4	< 1	< 1	1	3	6	6	6
B. Operated	52	3.5	8	1	2	2	4	8	10	13
TOTAL										
0-19 YRS	6	2.0	2	< 1	< 1	1	2	5	5	5
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	9	3.7	11	< 1	1	3	5	9	11	11
50-64	9	4.4	11	1	2	4	7	10	10	10
65 +	32	3.4	8	1	1	2	5	7	10	13
GRAND TOTAL	**60**	**3.4**	**8**	**1**	**1**	**2**	**4**	**7**	**10**	**13**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	4	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	8	1.1		< 1	< 1	< 1	1	2	2	2
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	20	1.2		< 1	< 1	< 1	1	2	3	3
65 +	82	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	19	1.8	1	< 1	1	2	2	4	5	5
B. Operated										
0-19 YRS	13	1.3	1	< 1	1	1	1	2	4	4
20-34	6	1.8	1	1	1	2	2	3	3	3
35-49	18	1.9	1	< 1	1	2	2	3	5	6
50-64	87	1.9	4	< 1	< 1	1	2	4	5	12
65 +	685	2.0	7	< 1	< 1	1	2	3	5	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	115	1.1		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	21	1.8	1	< 1	1	2	2	3	4	5
B. Operated	809	1.9	7	< 1	< 1	1	2	3	5	12
1. SINGLE DX	119	1.1		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	830	1.9	7	< 1	1	1	2	3	5	12
A. Not Operated	25	1.7	1	< 1	1	1	2	3	4	5
B. Operated	924	1.8	6	< 1	< 1	1	2	3	4	11
TOTAL										
0-19 YRS	22	1.2		< 1	< 1	1	1	2	3	4
20-34	8	1.6	1	< 1	< 1	1	2	3	3	3
35-49	22	1.9	1	< 1	1	2	2	3	4	6
50-64	107	1.8	3	< 1	< 1	1	2	3	5	11
65 +	790	1.9	7	< 1	< 1	1	2	3	4	11
GRAND TOTAL	**949**	**1.8**	**6**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**10**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	0									
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	227	1.1		< 1	< 1	< 1	< 1	< 1	1	3
20-34	12	1.1		< 1	< 1	< 1	< 1	1	2	2
35-49	8	1.1		< 1	< 1	< 1	< 1	2	2	2
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.4	6	< 1	< 1	1	3	6	8	8
20-34	4	5.3	5	3	3	5	7	8	8	8
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	9	3.3	3	1	2	4	4	6	6	6
65 +	12	6.7	42	1	2	6	8	16	23	24
B. Operated										
0-19 YRS	125	1.1		< 1	< 1	< 1	< 1	1	2	3
20-34	11	1.1		< 1	< 1	< 1	< 1	1	2	2
35-49	6	1.0		< 1	< 1	< 1	< 1	1	1	1
50-64	7	1.6	1	< 1	< 1	1	2	3	3	3
65 +	7	3.6	35	< 1	1	1	2	14	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	5	1	1	2	4	6	7	7
B. Operated	251	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	36	4.5	19	< 1	1	3	6	8	11	24
B. Operated	156	1.2	2	< 1	< 1	< 1	< 1	1	2	4
1. SINGLE DX	258	1.1	1	< 1	< 1	< 1	< 1	1	1	7
2. MULTIPLE DX	192	1.8	7	< 1	< 1	< 1	1	4	6	15
A. Not Operated	43	4.2	17	1	1	3	6	8	11	24
B. Operated	407	1.1	1	< 1	< 1	< 1	< 1	1	2	4
TOTAL										
0-19 YRS	364	1.1	1	< 1	< 1	< 1	< 1	1	2	4
20-34	27	1.7	3	< 1	< 1	< 1	< 1	4	6	8
35-49	19	1.8	3	< 1	< 1	< 1	2	5	7	7
50-64	20	2.3	3	< 1	1	2	3	5	5	6
65 +	20	5.3	39	< 1	1	2	6	14	20	24
GRAND TOTAL	**450**	**1.4**	**3**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**4**	**9**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.3	2	<1	<1	2	3	4	5	6
20-34	5	4.2	11	2	2	3	5	10	10	10
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	5.3	26	1	2	4	9	11	11	11
B. Operated										
0-19 YRS	32	1.3	1	<1	<1	<1	<1	2	4	5
20-34	13	1.8	2	<1	1	1	2	4	5	5
35-49	14	1.1		<1	<1	1	1	2	3	3
50-64	23	1.0		<1	1	1	1	1	1	1
65+	22	1.4	1	<1	1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.5	5	1	2	3	4	7	8	11
20-34	6	4.7	9	2	2	4	6	10	10	10
35-49	8	4.0	5	<1	2	4	6	7	7	7
50-64	7	3.1	5	1	1	3	5	6	6	6
65+	23	4.8	20	1	2	4	6	9	15	21
B. Operated										
0-19 YRS	15	1.8	1	<1	<1	2	2	4	4	4
20-34	11	2.8	8	1	1	2	3	7	11	11
35-49	32	1.6	2	1	1	1	1	3	5	8
50-64	70	1.9	4	1	1	1	2	5	7	10
65+	166	2.2	8	1	1	2	2	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.6	4	<1	1	2	3	4	6	11
B. Operated	104	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	94	3.9	9	1	2	3	5	7	9	17
B. Operated	294	2.1	6	1	1	1	2	4	5	12
1. SINGLE DX	164	1.8	2	<1	<1	1	2	4	4	9
2. MULTIPLE DX	388	2.5	7	1	1	2	3	5	7	12
A. Not Operated	154	3.4	7	<1	2	3	4	6	8	12
B. Operated	398	1.9	5	<1	1	1	2	4	5	11
TOTAL										
0-19 YRS	148	2.4	3	<1	<1	2	3	5	6	9
20-34	35	2.9	7	1	1	2	4	6	10	11
35-49	54	1.8	3	<1	1	1	1	5	6	8
50-64	101	1.8	3	1	1	1	2	5	6	9
65+	214	2.5	10	1	1	2	3	4	7	17
GRAND TOTAL	**552**	**2.3**	**6**	**<1**	**1**	**1**	**3**	**5**	**6**	**11**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	3.1	3	1	2	3	4	5	6	9
20-34	12	3.7	2	2	3	3	4	6	7	7
35-49	10	6.0	30	<1	2	4	8	15	19	19
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	3	3.0	3	2	2	2	4	5	5	5
B. Operated										
0-19 YRS	20	2.4	3	1	1	2	3	5	6	7
20-34	4	4.5	20	1	2	3	7	11	11	11
35-49	6	1.3		1	1	1	2	2	2	2
50-64	10	4.2	16	1	2	3	6	11	13	13
65+	19	2.2	7	<1	<1	1	2	6	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	4.4	9	2	3	4	6	8	10	16
20-34	27	5.7	23	2	3	4	6	14	17	20
35-49	24	4.2	10	1	2	4	5	8	10	15
50-64	30	5.3	19	2	2	4	7	10	12	22
65+	61	5.2	16	2	3	4	7	10	14	19
B. Operated										
0-19 YRS	41	5.5	19	1	2	4	8	12	15	16
20-34	46	4.4	23	1	2	2	4	11	17	20
35-49	37	4.3	72	1	2	2	2	10	14	51
50-64	90	3.6	18	1	2	2	3	7	10	26
65+	173	3.6	18	1	2	2	4	8	11	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	3.3	5	1	2	3	4	5	7	11
B. Operated	59	2.7	8	<1	1	2	3	7	10	13
2. MULTIPLE DX										
A. Not Operated	362	4.7	12	2	3	4	6	9	11	19
B. Operated	387	4.0	24	1	2	2	4	9	12	25
1. SINGLE DX	218	3.2	6	1	2	3	4	6	8	12
2. MULTIPLE DX	749	4.3	18	1	2	3	5	9	12	20
A. Not Operated	521	4.3	10	1	2	3	5	8	10	18
B. Operated	446	3.8	22	1	2	2	4	9	12	21
TOTAL										
0-19 YRS	412	4.0	8	1	2	3	5	7	10	15
20-34	89	4.7	20	1	2	3	5	11	16	20
35-49	77	4.2	42	1	2	2	5	8	14	42
50-64	133	4.1	18	1	2	2	4	9	12	23
65+	256	3.9	17	1	2	2	4	9	11	20
GRAND TOTAL	**967**	**4.0**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9	1	< 1	1	1	3	4	4	4
20-34	9	5.9	31	1	2	4	7	15	19	19
35-49	6	3.5	2	2	2	4	4	5	5	5
50-64	8	3.0	4	1	1	3	4	6	6	6
65 +	17	6.4	61	2	2	3	7	18	27	31
B. Operated										
0-19 YRS	8	2.0	6	< 1	< 1	< 1	1	6	8	8
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64	3	11.3	209	2	2	4	22	28	28	28
65 +	10	4.2	17	1	1	3	5	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	10	2	2	3	7	8	8	8
B. Operated	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	47	4.7	31	1	2	3	5	9	19	31
B. Operated	27	4.1	32	< 1	1	2	5	8	16	28
1. SINGLE DX	6	2.7	7	1	1	2	3	7	8	8
2. MULTIPLE DX	74	4.4	31	1	1	3	5	8	18	30
A. Not Operated	50	4.6	29	1	2	3	5	8	19	31
B. Operated	30	3.8	29	< 1	1	2	4	8	14	28
TOTAL										
0-19 YRS	16	1.9	3	< 1	< 1	1	2	4	7	8
20-34	13	5.2	22	2	2	4	6	11	17	19
35-49	10	2.7	2	1	2	2	4	5	5	5
50-64	12	5.5	55	1	2	3	5	14	26	28
65 +	29	5.3	43	1	2	3	6	12	21	31
GRAND TOTAL	**80**	**4.3**	**29**	**1**	**1**	**3**	**5**	**8**	**16**	**30**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	2.8	3	1	2	3	4	5	6	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	181	1.3	1	< 1	< 1	1	1	2	3	7
20-34	25	1.2		< 1	1	1	1	2	2	2
35-49	15	1.0		1	1	1	1	1	1	1
50-64	14	1.1		1	1	1	1	2	2	2
65 +	14	1.0		< 1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	381	2.9	4	1	2	2	4	5	7	11
20-34	6	2.8	2	< 1	2	3	4	5	5	5
35-49	7	4.1	9	< 1	1	4	5	9	10	10
50-64	3	5.7	2	4	4	6	7	7	7	7
65 +	8	8.3	39	1	5	7	9	18	22	22
B. Operated										
0-19 YRS	482	1.7	5	< 1	1	1	1	3	5	13
20-34	65	1.2	1	< 1	1	1	1	2	3	5
35-49	41	1.4	1	< 1	1	1	1	2	4	7
50-64	35	1.9	9	1	1	1	2	2	6	18
65 +	37	2.4	47	1	1	1	1	2	3	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	2.8	3	1	2	3	4	5	7	8
B. Operated	249	1.2	1	< 1	< 1	1	1	1	3	7
2. MULTIPLE DX										
A. Not Operated	405	3.1	5	1	2	3	4	6	8	11
B. Operated	660	1.7	7	< 1	1	1	1	2	5	13
1. SINGLE DX	366	1.8	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	1065	2.2	7	< 1	1	1	3	4	6	12
A. Not Operated	522	3.0	5	1	2	3	4	6	7	11
B. Operated	909	1.5	5	< 1	1	1	1	2	4	11
TOTAL										
0-19 YRS	1159	2.1	4	< 1	1	1	3	4	6	11
20-34	97	1.3	1	< 1	1	1	1	2	3	5
35-49	63	1.6	3	< 1	1	1	1	3	5	10
50-64	53	2.0	8	1	1	1	2	4	7	18
65 +	59	2.8	39	< 1	1	1	1	6	10	41
GRAND TOTAL	**1431**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**	**11**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.4	4	2	2	3	4	6	8	9
20-34	20	3.6	1	2	3	3	4	5	6	7
35-49	6	3.0	1	2	2	3	4	4	4	4
50-64	7	3.0	3	1	2	2	5	5	5	5
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	55	1.9	2	1	1	1	2	5	5	7
20-34	4	1.5		1	1	1	2	2	2	2
35-49	9	1.8	5	< 1	1	1	1	5	8	8
50-64	4	1.8	1	< 1	< 1	1	2	3	3	3
65 +	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	3.7	7	1	2	3	4	7	9	14
20-34	17	6.2	40	1	2	3	8	19	21	21
35-49	22	3.5	3	1	3	3	4	6	7	7
50-64	21	4.5	3	3	3	4	6	7	8	9
65 +	23	7.3	15	3	4	7	10	13	14	16
B. Operated										
0-19 YRS	127	2.9	13	1	1	1	3	7	11	18
20-34	26	1.6	1	1	1	1	2	4	4	4
35-49	22	4.7	108	1	1	2	2	13	29	48
50-64	19	2.5	5	1	1	2	3	5	8	10
65 +	15	8.6	80	1	1	5	14	24	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.4	3	2	2	3	4	6	7	9
B. Operated	74	1.9	3	1	1	1	2	5	6	8
2. MULTIPLE DX										
A. Not Operated	251	4.3	10	1	2	3	5	8	11	17
B. Operated	209	3.3	27	1	1	1	3	9	13	26
1. SINGLE DX	162	2.7	3	1	1	2	4	5	7	9
2. MULTIPLE DX	460	3.8	18	1	1	3	4	8	12	20
A. Not Operated	339	4.1	9	2	2	3	5	8	10	16
B. Operated	283	2.9	21	1	1	1	3	6	11	22
TOTAL										
0-19 YRS	404	3.2	8	1	1	2	4	6	9	15
20-34	67	3.4	14	1	1	2	4	6	11	21
35-49	59	3.7	42	1	1	2	4	6	10	45
50-64	51	3.3	4	1	2	3	4	6	7	10
65 +	41	7.6	38	1	3	7	10	15	20	29
GRAND TOTAL	**622**	**3.5**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	23	2.8	2	1	2	3	4	5	6	6
35-49	40	2.7	4	1	1	2	3	5	7	11
50-64	27	2.3	4	1	1	2	3	5	6	9
65 +	52	2.3	2	1	1	2	3	4	5	9
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	1.3	1	1	1	1	2	3	3	3
35-49	12	2.1	2	< 1	1	2	3	4	5	5
50-64	8	3.1	6	1	1	2	5	7	7	7
65 +	5	3.2	5	1	2	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.4	3	< 1	1	2	3	5	7	7
20-34	31	2.8	5	1	1	2	3	7	9	10
35-49	86	3.5	7	1	2	3	4	7	8	16
50-64	196	3.4	5	1	2	3	4	6	8	13
65 +	491	4.6	24	2	2	4	6	8	11	22
B. Operated										
0-19 YRS	10	1.2		< 1	1	1	1	2	3	3
20-34	5	1.4		1	1	1	2	2	2	2
35-49	15	3.3	7	1	1	2	6	7	8	8
50-64	20	3.5	10	1	1	2	5	8	10	13
65 +	25	6.1	43	1	2	4	9	13	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	2.5	3	1	1	2	3	4	6	9
B. Operated	36	2.2	3	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated	816	4.1	17	1	2	3	5	8	10	18
B. Operated	75	3.9	21	1	1	2	5	8	13	24
1. SINGLE DX	180	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX	891	4.1	17	1	2	3	5	8	10	20
A. Not Operated	960	3.9	15	1	2	3	5	7	10	17
B. Operated	111	3.4	16	1	1	2	4	7	11	24
TOTAL										
0-19 YRS	26	1.7	2	1	1	1	2	3	5	7
20-34	68	2.5	3	1	1	2	3	5	6	10
35-49	153	3.1	6	1	2	2	4	6	8	15
50-64	251	3.3	5	1	2	3	4	6	8	13
65 +	573	4.5	23	1	2	3	5	8	11	23
GRAND TOTAL	**1071**	**3.8**	**15**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	1.2		1	1	1	1	2	2	3
35-49	45	1.2		1	1	1	1	2	2	3
50-64	26	1.2		1	1	1	1	2	2	2
65 +	20	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	6	1.2		1	1	1	1	2	2	2
35-49	19	1.3		< 1	1	1	1	2	3	3
50-64	17	1.1		1	1	1	1	2	2	2
65 +	15	1.1		1	1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.3		1	1	1	2	2	2	2
B. Operated	124	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	60	1.2		1	1	1	1	2	2	3
1. SINGLE DX	131	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX	63	1.2		1	1	1	1	2	2	3
A. Not Operated	10	1.2		1	1	1	1	2	2	2
B. Operated	184	1.2		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	41	1.2		1	1	1	1	2	2	3
35-49	66	1.2		1	1	1	1	2	2	3
50-64	45	1.2		1	1	1	1	2	2	2
65 +	38	1.1		1	1	1	1	2	2	2
GRAND TOTAL	**194**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.9	4	2	3	6	6	7	8	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	3.2	1	2	3	3	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	172	1.1		1	1	1	1	1	2	4
20-34	40	1.3		1	1	1	2	2	2	3
35-49	44	1.2		1	1	1	1	2	2	4
50-64	14	1.1		< 1	1	1	1	2	2	2
65 +	8	1.3	1	1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	5.5	10	1	3	6	7	8	10	15
20-34	5	3.0	4	< 1	1	4	4	5	5	5
35-49	8	3.0	5	< 1	1	2	5	6	6	6
50-64	12	4.3	9	2	3	4	5	8	12	13
65 +	13	5.8	15	2	3	5	7	12	13	13
B. Operated										
0-19 YRS	223	1.4	2	1	1	1	1	2	3	11
20-34	71	1.5	1	< 1	1	1	2	2	2	7
35-49	53	1.4	1	< 1	1	1	1	2	3	4
50-64	51	1.5	1	1	1	1	2	3	3	5
65 +	23	2.2	6	1	1	1	2	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.8	4	1	2	4	6	7	7	8
B. Operated	278	1.2		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	63	4.8	10	1	3	5	6	8	12	15
B. Operated	421	1.5	2	1	1	1	1	2	4	9
1. SINGLE DX	300	1.4	1	1	1	1	1	2	4	6
2. MULTIPLE DX	484	1.9	4	1	1	1	2	4	7	11
A. Not Operated	85	4.6	9	1	3	4	6	8	11	14
B. Operated	699	1.3	1	1	1	1	1	2	3	8
TOTAL										
0-19 YRS	431	1.6	3	1	1	1	1	3	6	10
20-34	118	1.5	1	1	1	1	2	2	3	6
35-49	110	1.5	1	1	1	1	2	3	4	6
50-64	78	1.9	3	1	1	1	2	4	5	11
65 +	47	3.0	10	1	1	1	4	8	11	13
GRAND TOTAL	**784**	**1.7**	**3**	**1**	**1**	**1**	**1**	**3**	**6**	**10**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.0	14	1	3	6	8	11	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	7.1	12	2	5	7	9	11	14	15
20-34	4	3.5	4	< 1	1	3	5	6	6	6
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	7.0	32	3	3	7	11	11	11	11
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	18.5	181	9	9	18	28	28	28	28
65 +	5	30.2	1353	8	9	15	42	95	95	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.0	12	1	3	6	8	11	12	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	25	6.2	12	2	3	6	8	11	12	15
B. Operated	10	22.7	692	8	9	13	24	61	95	95
1. SINGLE DX	8	6.0	12	1	3	6	8	11	12	12
2. MULTIPLE DX	35	10.9	249	3	4	7	11	18	27	95
A. Not Operated	33	6.1	11	2	3	6	8	11	12	15
B. Operated	10	22.7	692	8	9	13	24	61	95	95
TOTAL										
0-19 YRS	24	7.2	17	2	5	7	9	12	16	18
20-34	6	5.2	12	< 1	3	5	6	11	11	11
35-49	3	6.7	9	4	4	6	9	10	10	10
50-64	3	13.3	170	3	4	9	23	28	28	28
65 +	7	23.6	1035	4	8	11	22	81	95	95
GRAND TOTAL	**43**	**10.0**	**207**	**2**	**4**	**7**	**10**	**16**	**25**	**95**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65 +	5	6.6	43	1	2	3	12	16	16	16
B. Operated										
0-19 YRS	3	3.3	16	< 1	< 1	1	6	8	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	7	1.4	1	1	1	1	2	3	3	3
50-64	8	2.6	12	1	1	1	2	9	11	11
65 +	7	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	10.3	98	1	2	11	14	26	29	29
50-64	31	8.6	29	2	4	8	12	16	18	22
65 +	84	10.5	81	3	5	9	14	18	30	87
B. Operated										
0-19 YRS	15	7.1	22	1	3	7	11	14	15	16
20-34	10	9.7	66	1	1	10	18	19	20	20
35-49	41	6.9	45	1	1	7	9	15	22	31
50-64	115	9.2	71	1	1	8	14	22	25	36
65 +	200	11.8	139	1	3	10	16	26	32	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.6	29	1	2	6	10	15	16	16
B. Operated	27	1.9	5	1	1	1	2	3	8	11
2. MULTIPLE DX										
A. Not Operated	125	9.8	68	2	4	9	12	18	24	72
B. Operated	381	10.3	104	1	2	8	14	23	29	54
1. SINGLE DX	34	2.9	13	1	1	1	3	8	11	16
2. MULTIPLE DX	506	10.2	95	1	3	8	14	22	29	59
A. Not Operated	132	9.7	66	2	4	8	12	18	22	69
B. Operated	408	9.7	102	1	1	8	14	22	28	51
TOTAL										
0-19 YRS	20	6.1	22	1	2	6	9	13	15	16
20-34	13	7.8	63	1	1	2	16	19	20	20
35-49	56	6.6	49	1	1	5	9	15	22	31
50-64	155	8.7	61	1	1	8	13	17	23	36
65 +	296	11.1	120	1	3	9	15	23	32	63
GRAND TOTAL	**540**	**9.7**	**93**	**1**	**2**	**8**	**14**	**22**	**28**	**57**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.8	20	< 1	1	2	6	11	12	12
20-34	15	3.3	2	1	2	3	4	5	6	6
35-49	22	3.4	4	1	2	3	4	6	7	9
50-64	34	3.1	2	2	2	3	4	5	6	7
65 +	31	2.9	2	1	2	3	4	5	5	7
B. Operated										
0-19 YRS	7	1.1		1	1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	4.3	17	< 1	1	2	8	11	11	11
50-64	3	5.7	12	2	3	6	8	9	9	9
65 +	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	5.4	19	1	2	4	7	11	12	22
20-34	33	3.8	6	2	2	3	4	8	8	12
35-49	152	4.7	53	1	2	3	5	8	11	40
50-64	215	5.1	15	2	3	4	6	10	13	17
65 +	360	5.2	22	2	3	4	6	9	12	20
B. Operated										
0-19 YRS	10	3.7	11	1	1	2	6	9	11	11
20-34	8	5.6	27	1	2	4	8	14	16	16
35-49	31	6.7	108	1	2	3	8	14	18	57
50-64	35	5.5	29	1	2	4	7	11	17	27
65 +	66	8.0	126	1	2	5	9	16	27	72
SUBTOTALS:										
1. SINGLE DX										
~~A. Not~~ Operated	108	3.2	3	1	2	3	4	5	6	10
B. Operated	19	3.2	11	1	1	2	5	9	10	11
2. MULTIPLE DX										
A. Not Operated	788	5.0	25	2	3	4	6	9	12	19
B. Operated	150	6.7	87	1	2	5	7	15	18	57
1. SINGLE DX	127	3.2	4	1	2	3	4	6	7	11
2. MULTIPLE DX	938	5.3	36	2	2	4	6	10	13	27
A. Not Operated	896	4.8	23	2	2	4	6	9	12	18
B. Operated	169	6.3	79	1	2	4	7	13	18	52
TOTAL										
0-19 YRS	51	4.3	17	1	1	3	6	10	11	22
20-34	57	3.9	8	1	2	3	5	8	9	16
35-49	211	4.9	55	1	2	3	5	9	12	47
50-64	287	4.9	16	2	3	4	6	10	13	18
65 +	459	5.5	37	2	3	4	6	10	13	30
GRAND TOTAL	**1065**	**5.1**	**32**	**2**	**2**	**4**	**6**	**10**	**12**	**26**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	5.2	16	2	3	4	7	12	12	12
50-64	14	5.1	12	3	3	4	6	8	14	16
65 +	22	5.8	11	2	5	5	6	10	14	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	4	1.5		1	1	1	2	2	2	2
65 +	5	4.6	18	1	2	2	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.0		3	3	3	3	3	3	3
35-49	33	5.6	8	2	3	5	7	10	11	11
50-64	157	6.8	17	2	4	6	9	13	15	20
65 +	719	8.8	67	3	4	7	10	15	21	51
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	10	5.9	18	1	2	5	9	12	13	13
50-64	35	15.8	300	1	4	7	22	54	66	99 +
65 +	102	13.5	104	2	8	11	18	25	36	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	5.5	11	2	4	5	6	10	14	16
B. Operated	12	2.9	9	1	1	2	3	8	11	11
2. MULTIPLE DX										
A. Not Operated	912	8.3	57	3	4	7	10	14	19	48
B. Operated	147	13.5	148	2	6	10	19	30	45	99 +
1. SINGLE DX	53	4.9	12	2	2	4	6	9	14	16
2. MULTIPLE DX	1059	9.1	73	3	4	7	11	17	23	56
A. Not Operated	953	8.2	56	3	4	6	10	14	19	47
B. Operated	159	12.7	146	1	5	9	17	27	42	96
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.0		3	3	3	3	3	3	3
35-49	51	5.4	10	2	3	5	8	11	11	13
50-64	210	8.1	75	2	4	6	9	16	21	62
65 +	848	9.3	73	3	5	7	11	17	23	52
GRAND TOTAL	**1112**	**8.9**	**71**	**3**	**4**	**7**	**11**	**16**	**22**	**56**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	6.0	32	2	2	4	10	14	14	14
50-64	0									
65 +	3	4.3	17	1	1	3	7	9	9	9
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	4.2	8	1	2	4	6	8	8	8
35-49	12	2.3	3	1	1	2	3	5	6	6
50-64	14	2.1	2	1	1	2	2	4	5	6
65 +	11	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.2	17	2	2	3	4	9	15	18
20-34	13	4.4	6	2	3	4	6	7	9	10
35-49	20	9.2	38	3	6	7	11	19	23	25
50-64	26	9.7	87	2	4	6	11	27	31	36
65 +	70	9.7	55	3	4	8	13	18	21	44
B. Operated										
0-19 YRS	27	9.6	95	2	2	5	15	27	29	34
20-34	38	10.9	147	1	3	7	12	25	32	62
35-49	55	8.3	52	1	2	6	13	22	23	27
50-64	99	11.2	156	1	3	8	14	27	34	94
65 +	115	10.2	107	1	2	7	16	29	36	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.6	20	1	2	4	8	12	14	14
B. Operated	43	2.6	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. Not Operated	145	8.5	53	2	4	6	11	18	22	37
B. Operated	334	10.2	116	1	3	7	14	26	33	99 +
1. SINGLE DX	51	3.1	7	1	1	2	3	7	9	14
2. MULTIPLE DX	479	9.7	97	1	3	7	13	24	30	79
A. Not Operated	153	8.4	52	2	4	6	11	18	22	36
B. Operated	377	9.3	109	1	2	6	13	25	32	96
TOTAL										
0-19 YRS	44	7.6	70	2	2	4	10	21	27	34
20-34	57	8.8	109	1	3	6	10	24	26	60
35-49	91	7.6	45	1	2	6	11	18	22	26
50-64	139	10.0	134	1	3	7	13	26	33	89
65 +	199	9.5	85	1	3	7	13	22	32	99 +
GRAND TOTAL	**530**	**9.1**	**92**	**1**	**3**	**6**	**13**	**22**	**29**	**66**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	4	5.8	3	4	4	5	7	8	8	8
B. Operated										
0-19 YRS	4	5.0	18	2	2	4	8	11	11	11
20-34	0									
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65 +	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	8.4	67	2	3	6	10	22	27	27
20-34	4	3.0	2	1	2	3	4	4	4	4
35-49	12	7.7	26	2	3	7	11	16	16	16
50-64	25	9.9	66	3	4	7	14	20	29	34
65 +	132	11.5	100	4	6	9	13	22	28	77
B. Operated										
0-19 YRS	9	13.3	747	1	2	3	8	58	85	85
20-34	6	10.0	47	3	6	9	10	22	23	23
35-49	13	10.7	126	2	4	7	13	25	40	43
50-64	29	8.2	87	1	3	5	10	29	37	99 +
65 +	66	16.9	171	3	8	16	23	35	46	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.3	3	3	4	5	6	8	8	8
B. Operated	13	3.0	7	1	2	2	3	6	10	11
2. MULTIPLE DX										
A. Not Operated	181	10.7	89	3	5	8	13	21	28	67
B. Operated	123	13.6	189	2	4	10	18	32	43	99 +
1. SINGLE DX	21	3.9	6	1	2	3	5	7	9	11
2. MULTIPLE DX	304	11.9	131	3	4	9	16	25	36	91
A. Not Operated	189	10.5	86	3	5	8	13	21	27	66
B. Operated	136	12.6	181	2	3	9	17	31	42	99 +
TOTAL										
0-19 YRS	21	9.9	336	1	2	4	9	21	53	85
20-34	11	6.8	38	2	3	4	9	15	22	23
35-49	29	8.3	72	2	2	7	11	16	21	43
50-64	58	8.6	73	2	3	6	12	22	35	94
65 +	206	13.0	128	4	6	10	17	27	37	84
GRAND TOTAL	**325**	**11.4**	**127**	**3**	**4**	**8**	**15**	**24**	**35**	**88**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.8	3	4	4	5	7	8	8	8
35-49	92	7.1	6	4	6	7	8	10	11	14
50-64	160	7.4	6	4	6	8	9	10	11	14
65 +	144	7.8	6	5	6	8	9	11	12	14
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	8	3.8	9	1	2	3	5	9	10	10
35-49	52	6.2	9	2	3	7	8	10	11	11
50-64	54	6.5	13	2	3	7	8	11	13	18
65 +	32	6.6	20	1	2	7	9	13	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	27	8.3	6	5	7	8	10	12	12	13
35-49	454	7.6	8	4	6	8	9	11	12	15
50-64	1508	8.5	14	5	7	8	10	12	14	21
65 +	4300	10.4	41	5	7	9	12	16	21	39
B. Operated										
0-19 YRS	0									
20-34	36	8.4	39	3	5	8	10	12	14	39
35-49	389	9.6	45	3	6	9	11	16	19	27
50-64	906	10.8	59	4	7	9	12	19	24	47
65 +	1232	14.7	119	6	8	12	18	26	35	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	400	7.5	6	4	6	8	9	10	11	14
B. Operated	148	6.2	13	2	3	7	8	10	13	17
2. MULTIPLE DX										
A. Not Operated	6289	9.7	33	5	7	9	11	15	19	36
B. Operated	2563	12.5	90	5	7	10	15	23	29	69
1. SINGLE DX	548	7.1	8	3	6	7	9	10	11	14
2. MULTIPLE DX	8852	10.5	51	5	7	9	12	17	23	44
A. Not Operated	6689	9.6	32	5	7	8	11	15	18	35
B. Operated	2711	12.1	88	4	7	10	15	22	29	64
TOTAL										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	75	7.7	24	3	5	8	10	12	13	33
35-49	987	8.3	24	4	6	8	10	13	15	24
50-64	2628	9.2	30	4	7	8	10	14	18	31
65 +	5708	11.3	60	5	7	9	13	19	25	48
GRAND TOTAL	**9400**	**10.3**	**49**	**5**	**7**	**9**	**12**	**17**	**22**	**42**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	2.6	2	1	2	2	3	5	6	6
35-49	72	2.5	3	1	1	2	3	4	5	9
50-64	124	3.0	3	1	2	3	4	5	7	10
65 +	98	3.2	5	1	2	3	4	7	8	12
B. Operated										
0-19 YRS	0									
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	20	1.7	2	1	1	1	2	4	5	5
50-64	38	1.9	3	1	1	1	2	3	6	9
65 +	22	2.1	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	24	3.3	5	1	2	3	4	7	8	9
35-49	290	3.3	7	1	2	3	4	6	8	14
50-64	958	3.8	22	2	2	3	4	6	8	12
65 +	1932	4.3	11	2	2	3	5	8	10	19
B. Operated										
0-19 YRS	0									
20-34	10	2.7	6	1	1	2	5	6	7	7
35-49	182	3.5	10	1	1	2	4	8	9	12
50-64	455	3.7	15	1	1	2	5	9	10	18
65 +	501	5.8	51	1	1	3	8	13	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	2.9	4	1	2	2	4	5	7	9
B. Operated	82	2.0	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	3206	4.0	14	2	2	3	5	7	9	17
B. Operated	1148	4.6	31	1	1	3	6	10	14	30
1. SINGLE DX	389	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX	4354	4.2	18	1	2	3	5	8	10	23
A. Not Operated	3513	3.9	13	2	2	3	5	7	9	16
B. Operated	1230	4.4	29	1	1	2	6	10	13	30
TOTAL										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	49	3.0	4	1	2	2	4	7	7	9
35-49	564	3.2	7	1	1	2	4	7	9	13
50-64	1575	3.7	18	1	2	3	4	7	9	14
65 +	2553	4.5	19	1	2	3	5	8	11	25
GRAND TOTAL	**4743**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**	**22**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	2.4	1	1	1	2	3	4	4	4
35-49	69	2.8	3	1	2	3	4	5	6	7
50-64	201	3.5	5	1	2	3	4	6	7	11
65 +	238	3.8	7	2	2	3	4	7	9	16
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	20	3.8	11	1	2	3	5	8	12	14
50-64	42	3.2	5	1	1	3	4	7	8	9
65 +	30	4.3	13	1	1	3	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	27	2.5	2	1	2	2	3	5	5	6
35-49	543	3.8	6	1	2	3	5	7	9	13
50-64	1806	4.6	9	2	3	4	6	8	10	15
65 +	5269	5.5	23	2	3	4	7	10	13	24
B. Operated										
0-19 YRS	0									
20-34	13	4.0	6	1	2	3	6	8	9	9
35-49	466	6.1	31	1	2	5	8	12	15	29
50-64	1559	7.4	42	1	3	6	10	15	18	32
65 +	2053	9.8	73	2	4	8	12	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	516	3.5	5	1	2	3	4	6	7	13
B. Operated	93	3.7	9	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	7646	5.2	19	2	3	4	6	9	12	20
B. Operated	4091	8.4	58	1	3	7	11	17	22	38
1. SINGLE DX	609	3.6	6	1	2	3	4	7	8	14
2. MULTIPLE DX	11737	6.3	35	2	3	5	8	12	16	30
A. Not Operated	8162	5.1	18	2	3	4	6	9	12	20
B. Operated	4184	8.3	58	1	3	7	11	17	22	38
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	49	3.0	4	1	2	2	4	6	7	9
35-49	1098	4.7	18	1	2	4	6	9	12	23
50-64	3608	5.7	25	2	3	4	7	11	15	24
65 +	7590	6.6	40	2	3	5	8	13	18	32
GRAND TOTAL	**12346**	**6.2**	**34**	**2**	**3**	**5**	**8**	**12**	**16**	**30**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	2.0	1	1	1	2	3	3	3	3
50-64	9	3.0	7	1	1	2	4	7	9	9
65 +	6	2.8	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	149	2.1	3	1	1	1	3	4	6	10
50-64	337	2.3	5	1	1	1	3	6	8	10
65 +	239	2.3	7	1	1	1	2	4	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	< 1	< 1	2	4	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	33	2.8	4	1	1	2	4	6	7	8
50-64	171	3.6	9	1	1	3	4	7	10	16
65 +	242	5.9	56	1	2	4	6	11	17	51
B. Operated										
0-19 YRS	12	7.3	70	1	2	2	12	20	26	27
20-34	27	3.5	13	1	1	2	5	9	11	16
35-49	878	4.6	25	1	1	3	7	10	13	28
50-64	2964	5.4	36	1	1	3	8	12	16	27
65 +	3351	7.0	64	1	1	4	10	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.6	3	1	1	2	3	4	6	9
B. Operated	729	2.2	5	1	1	1	2	4	8	11
2. MULTIPLE DX										
A. Not Operated	450	4.8	35	1	2	3	6	9	12	29
B. Operated	7232	6.0	49	1	1	3	9	14	18	34
1. SINGLE DX	752	2.3	5	1	1	1	2	4	8	11
2. MULTIPLE DX	7682	6.0	48	1	1	3	9	14	18	34
A. Not Operated	473	4.7	34	1	2	3	5	9	12	29
B. Operated	7961	5.7	46	1	1	3	8	13	17	33
TOTAL										
0-19 YRS	16	6.0	57	1	1	2	8	17	24	27
20-34	32	3.2	12	1	1	2	4	8	10	16
35-49	1067	4.2	22	1	1	2	6	9	13	25
50-64	3481	5.0	33	1	1	3	8	11	15	25
65 +	3838	6.6	61	1	1	4	9	15	20	39
GRAND TOTAL	**8434**	**5.6**	**45**	**1**	**1**	**3**	**8**	**13**	**17**	**32**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	6.4	4	4	5	6	8	9	9	9
35-49	12	8.5	6	6	7	8	10	13	14	14
50-64	16	8.7	16	5	6	8	10	12	18	21
65 +	15	8.3	9	4	7	8	11	11	13	13
B. Operated										
0-19 YRS	0									
20-34	3	7.0	9	4	5	7	9	10	10	10
35-49	6	8.5	19	1	7	9	12	13	13	13
50-64	2	8.0	8	6	6	8	10	10	10	10
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.5	12	3	4	6	9	11	11	11
20-34	36	8.4	19	3	6	8	9	15	18	20
35-49	63	9.5	16	5	7	9	12	14	17	22
50-64	127	10.6	37	6	7	10	12	16	20	35
65 +	360	11.9	60	7	8	10	13	19	23	59
B. Operated										
0-19 YRS	0									
20-34	21	11.5	17	6	8	12	14	16	18	21
35-49	32	10.7	14	6	8	10	13	16	18	19
50-64	72	13.9	114	7	8	11	15	27	39	59
65 +	130	16.1	131	7	9	12	20	33	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	8.2	10	5	6	8	10	12	13	21
B. Operated	12	8.2	12	3	6	9	10	12	13	13
2. MULTIPLE DX										
A. Not Operated	590	11.1	49	6	8	10	13	17	21	44
B. Operated	255	14.4	105	7	8	11	16	30	39	97
1. SINGLE DX	63	8.2	10	5	6	8	10	12	13	20
2. MULTIPLE DX	845	12.1	68	6	8	10	14	20	27	60
A. Not Operated	641	10.9	46	6	7	9	12	17	21	36
B. Operated	267	14.2	103	7	8	11	16	28	39	92
TOTAL										
0-19 YRS	5	7.0	10	3	4	7	9	11	11	11
20-34	67	9.1	19	4	7	8	12	16	17	21
35-49	113	9.7	15	6	7	9	12	15	17	21
50-64	217	11.5	63	6	7	10	12	18	23	50
65 +	506	12.9	80	7	8	10	15	22	32	72
GRAND TOTAL	**908**	**11.9**	**65**	**6**	**8**	**10**	**13**	**19**	**27**	**60**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	9.0	98	2	2	9	16	16	16	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	21.7	450	1	3	9	42	47	48	48
20-34	24	26.3	265	9	12	28	33	45	60	71
35-49	26	24.5	263	7	9	25	31	44	57	63
50-64	21	24.3	210	7	12	23	32	48	49	50
65 +	52	28.3	138	11	19	30	37	43	47	49
B. Operated										
0-19 YRS	5	40.4	714	25	27	29	46	88	88	88
20-34	15	26.3	147	14	16	29	34	44	46	47
35-49	16	34.3	104	25	27	31	43	47	50	52
50-64	13	34.6	452	10	13	39	48	59	74	77
65 +	43	35.1	333	11	24	35	43	57	72	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	9.0	98	2	2	9	16	16	16	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	130	26.1	210	8	14	28	36	44	49	65
B. Operated	92	33.7	297	11	22	32	43	53	65	89
1. SINGLE DX	2	9.0	98	2	2	9	16	16	16	16
2. MULTIPLE DX	222	29.3	259	9	15	29	39	47	55	85
A. Not Operated	132	25.9	212	7	13	28	36	44	49	64
B. Operated	92	33.7	297	11	22	32	43	53	65	89
TOTAL										
0-19 YRS	12	29.5	598	1	9	28	42	60	84	88
20-34	39	26.3	215	9	15	28	33	44	52	71
35-49	42	28.2	221	8	14	29	38	46	54	63
50-64	34	28.2	317	8	13	27	43	50	55	77
65 +	97	30.9	242	11	20	31	40	46	55	87
GRAND TOTAL	**224**	**29.1**	**261**	**9**	**15**	**29**	**39**	**47**	**55**	**85**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	1	1	2	2	4	4	4
20-34	7	2.0	2	1	1	2	2	4	5	5
35-49	7	3.6	18	1	1	2	4	11	13	13
50-64	14	2.4	2	1	1	2	3	4	6	6
65 +	22	3.0	3	1	2	3	4	5	6	7
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	0									
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.5	5	<1	1	2	3	6	8	8
20-34	11	2.5	2	1	1	2	3	4	6	6
35-49	46	3.3	13	1	1	2	3	7	10	22
50-64	100	3.7	8	1	2	3	4	7	10	14
65 +	293	5.1	38	2	2	4	6	9	12	19
B. Operated										
0-19 YRS	3	5.3	24	2	2	3	9	11	11	11
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	6.3	26	1	2	6	10	12	12	12
50-64	6	5.5	4	4	4	5	6	9	9	9
65 +	26	16.1	314	2	5	11	19	34	54	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.7	4	1	1	2	4	5	6	13
B. Operated	4	2.5	3	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	458	4.5	28	1	2	3	6	9	11	19
B. Operated	41	12.1	228	2	4	6	13	29	40	83
1. SINGLE DX	61	2.7	4	1	1	2	4	5	6	12
2. MULTIPLE DX	499	5.1	48	1	2	4	6	9	13	30
A. Not Operated	515	4.3	26	1	2	3	5	8	11	19
B. Operated	45	11.2	216	2	3	6	12	29	37	83
TOTAL										
0-19 YRS	20	2.9	6	1	1	2	3	6	9	11
20-34	20	2.3	2	1	1	2	3	4	5	6
35-49	59	3.5	14	1	1	2	4	8	12	21
50-64	120	3.6	7	1	2	3	4	7	9	13
65 +	341	5.8	65	2	2	4	6	10	17	35
GRAND TOTAL	**560**	**4.9**	**44**	**1**	**2**	**3**	**6**	**9**	**13**	**28**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	36	2.4	6	1	1	2	3	4	6	14
35-49	85	2.4	3	1	1	2	3	5	6	8
50-64	127	2.4	5	<1	1	2	3	5	8	10
65 +	140	2.9	5	1	1	2	4	6	8	11
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	0									
35-49	4	4.8	18	2	2	3	7	11	11	11
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	5.9	38	1	2	4	8	13	15	31
20-34	94	2.8	5	1	1	2	4	6	8	11
35-49	244	3.5	10	1	1	2	4	8	10	15
50-64	867	4.5	16	1	2	3	6	9	12	21
65 +	2756	6.0	37	2	3	4	7	12	15	27
B. Operated										
0-19 YRS	16	5.8	23	1	2	4	10	13	14	14
20-34	11	4.5	6	1	2	5	6	8	9	9
35-49	15	6.7	24	1	3	6	11	13	15	16
50-64	66	9.8	70	4	6	8	11	16	23	56
65 +	293	13.5	159	3	6	10	17	29	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	2.6	5	1	1	2	3	5	7	11
B. Operated	10	3.8	8	1	2	3	4	8	11	11
2. MULTIPLE DX										
A. Not Operated	3990	5.4	31	1	2	4	7	11	14	26
B. Operated	401	12.1	136	3	5	9	15	26	37	98
1. SINGLE DX	399	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	4391	6.0	44	1	2	4	7	12	16	33
A. Not Operated	4379	5.2	29	1	2	4	7	10	14	25
B. Operated	411	11.9	134	3	5	9	15	25	37	97
TOTAL										
0-19 YRS	48	5.6	30	1	2	4	8	13	14	31
20-34	141	2.9	6	1	1	2	4	6	8	11
35-49	348	3.4	10	1	1	2	4	7	10	15
50-64	1062	4.6	20	1	2	3	6	9	12	23
65 +	3191	6.5	52	2	3	5	8	13	18	40
GRAND TOTAL	**4790**	**5.8**	**42**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.9	4	1	2	2	4	6	8	9
20-34	11	1.4		< 1	1	1	2	3	3	3
35-49	59	2.6	4	1	1	2	3	6	7	8
50-64	63	2.9	3	1	2	2	4	6	7	7
65+	63	3.3	6	1	2	3	4	6	7	15
B. Operated										
0-19 YRS	45	4.2	14	1	2	3	5	8	14	17
20-34	11	4.1	7	< 1	2	4	7	8	8	8
35-49	13	5.0	32	1	2	3	6	12	20	22
50-64	18	5.7	44	1	2	3	5	16	22	26
65+	70	4.4	6	2	3	4	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	5.8	60	1	2	4	7	12	17	48
20-34	101	3.4	10	1	1	3	4	7	8	18
35-49	226	3.4	5	1	2	3	4	7	8	12
50-64	566	4.5	20	1	2	4	6	8	10	21
65+	1828	6.2	34	2	3	5	8	11	15	30
B. Operated										
0-19 YRS	95	8.1	88	2	3	5	10	21	24	87
20-34	44	6.0	44	2	2	4	7	14	25	29
35-49	67	9.7	61	2	4	8	12	20	25	40
50-64	303	9.7	121	2	4	6	11	20	31	69
65+	1550	9.8	95	3	4	7	12	20	27	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	2.9	4	1	1	2	4	6	7	9
B. Operated	157	4.5	15	1	2	4	5	8	14	22
2. MULTIPLE DX										
A. Not Operated	2810	5.5	30	2	3	4	7	10	14	28
B. Operated	2059	9.6	96	2	4	7	12	20	27	63
1. SINGLE DX	402	3.5	9	1	2	3	4	7	8	16
2. MULTIPLE DX	4869	7.3	62	2	3	5	9	15	21	46
A. Not Operated	3055	5.3	28	1	2	4	7	10	13	26
B. Operated	2216	9.3	92	2	4	7	11	19	26	58
TOTAL										
0-19 YRS	278	5.8	55	1	2	3	7	13	20	53
20-34	167	4.0	19	1	1	3	5	8	11	28
35-49	365	4.5	22	1	2	3	5	9	12	25
50-64	950	6.1	58	1	2	4	7	11	18	48
65+	3511	7.7	63	2	3	6	9	15	22	46
GRAND TOTAL	**5271**	**7.0**	**59**	**2**	**3**	**5**	**8**	**14**	**20**	**45**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	4.5		4	4	4	5	5	5	5
50-64	16	5.7	11	2	3	5	8	11	11	11
65+	79	5.1	14	2	3	4	6	10	14	19
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	5.7	15	2	3	5	7	11	12	21
20-34	53	9.0	53	3	5	7	10	18	26	40
35-49	280	6.8	28	2	4	6	8	12	16	25
50-64	1802	7.5	34	3	4	6	9	14	18	29
65+	10973	9.0	66	3	4	7	11	17	23	50
B. Operated										
0-19 YRS	27	13.8	150	2	3	11	21	35	50	99+
20-34	15	12.8	152	3	5	9	19	47	85	99+
35-49	58	10.8	62	2	5	9	14	20	27	41
50-64	285	12.1	121	3	5	10	16	24	35	96
65+	1382	16.3	187	5	8	13	20	33	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	5.2	13	2	3	4	7	10	13	19
B. Operated	3	3.7	6	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	13203	8.7	61	3	4	7	10	16	22	46
B. Operated	1767	15.4	174	4	7	12	19	32	44	99+
1. SINGLE DX	102	5.1	13	2	3	4	6	10	13	18
2. MULTIPLE DX	14970	9.5	79	3	4	7	11	18	25	57
A. Not Operated	13302	8.7	60	3	4	7	10	16	22	46
B. Operated	1770	15.3	174	4	7	12	19	32	44	99+
TOTAL										
0-19 YRS	122	7.5	56	2	3	6	9	[illegible]6	28	59
20-34	69	9.8	75	3	5	7	12	22	29	90
35-49	343	7.4	35	2	4	6	9	14	19	29
50-64	2104	8.1	48	3	4	6	10	15	20	36
65+	12434	9.8	84	3	5	7	12	19	26	62
GRAND TOTAL	**15072**	**9.5**	**78**	**3**	**4**	**7**	**11**	**18**	**25**	**57**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	6	3.8	3	2	2	3	6	6	6	6
35-49	5	3.4	5	2	2	2	5	7	7	7
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	6	4.5	14	< 1	1	3	9	9	9	9
20-34	4	1.5		1	1	1	2	2	2	2
35-49	12	1.7	1	1	1	1	2	3	4	4
50-64	6	3.5	18	1	1	1	6	10	11	11
65 +	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.7	28	1	3	6	9	13	19	21
20-34	16	6.4	18	2	3	6	8	12	15	17
35-49	48	6.4	14	2	3	6	9	11	14	17
50-64	87	7.4	32	2	4	7	9	12	17	31
65 +	217	9.2	39	3	5	7	12	17	22	33
B. Operated										
0-19 YRS	37	7.0	41	2	2	4	9	14	18	32
20-34	7	6.1	34	1	1	5	10	15	16	16
35-49	40	5.8	44	1	1	2	10	14	20	27
50-64	81	4.6	28	1	1	2	7	10	14	30
65 +	82	9.8	167	1	[illegible]	3	12	31	36	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.2	3	1	2	2	4	6	7	7
B. Operated	32	2.5	7	1	1	2	2	7	9	11
2. MULTIPLE DX										
A. Not Operated	382	8.2	34	3	4	7	10	15	20	31
B. Operated	247	6.9	83	1	1	3	9	17	28	40
1. SINGLE DX	49	2.8	6	1	1	2	3	6	9	11
2. MULTIPLE DX	629	7.7	54	1	3	6	10	16	22	36
A. Not Operated	399	8.0	34	2	4	6	10	15	19	31
B. Operated	279	6.4	76	1	1	2	8	16	27	39
TOTAL										
0-19 YRS	59	6.5	34	1	2	4	9	14	18	31
20-34	33	5.3	19	1	2	5	7	11	15	17
35-49	105	5.5	25	1	1	4	8	12	15	24
50-64	177	5.9	32	1	2	4	8	11	14	31
65 +	304	9.2	74	1	4	6	12	19	28	46
GRAND TOTAL	**678**	**7.3**	**52**	**1**	**2**	**6**	**10**	**15**	**21**	**36**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.1	1	2	2	3	4	5	5	5
20-34	27	4.2	32	1	2	3	5	5	12	31
35-49	45	2.8	3	1	2	3	4	5	6	7
50-64	28	3.4	11	1	2	3	4	5	7	19
65 +	9	2.9	1	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	17	1.9	2	1	1	1	2	4	5	6
20-34	8	1.9	2	< 1	1	1	2	4	5	5
35-49	35	2.7	8	1	1	1	3	7	8	12
50-64	38	2.9	11	1	1	1	3	9	10	11
65 +	56	2.5	11	1	1	1	2	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	6.4	64	1	2	4	7	14	21	43
20-34	52	4.6	15	1	2	4	6	10	13	21
35-49	136	4.8	38	1	2	3	5	8	13	37
50-64	230	6.5	52	2	3	5	7	11	15	37
65 +	386	7.6	81	2	3	6	9	13	18	53
B. Operated										
0-19 YRS	91	8.0	82	1	2	5	11	20	28	44
20-34	28	8.4	64	1	2	7	12	16	20	39
35-49	89	9.4	120	1	3	7	11	18	34	62
50-64	296	8.9	70	1	2	8	13	19	22	43
65 +	698	11.3	137	1	2	9	16	25	32	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	3.3	11	1	2	3	4	5	6	23
B. Operated	154	2.6	9	1	1	1	2	7	9	14
2. MULTIPLE DX										
A. Not Operated	849	6.6	62	2	3	5	8	12	17	43
B. Operated	1202	10.2	114	1	2	8	14	23	30	59
1. SINGLE DX	270	2.9	10	1	1	2	4	6	8	15
2. MULTIPLE DX	2051	8.7	96	1	2	6	11	20	26	57
A. Not Operated	965	6.2	57	2	3	4	7	11	16	35
B. Operated	1356	9.4	108	1	1	7	13	22	28	58
TOTAL										
0-19 YRS	160	6.7	68	1	2	4	9	15	26	43
20-34	115	5.3	33	1	2	3	6	12	15	34
35-49	305	5.6	59	1	2	3	6	11	16	45
50-64	592	7.3	60	1	2	5	10	16	21	41
65 +	1149	9.6	116	1	2	7	13	22	28	61
GRAND TOTAL	**2321**	**8.1**	**89**	**1**	**2**	**5**	**10**	**16**	**25**	**51**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	7.8	15	3	4	9	10	13	13	13
35-49	9	10.1	28	5	6	9	12	19	21	21
50-64	6	10.2	27	4	8	9	13	18	19	19
65+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	7.0	28	3	3	5	11	13	13	13
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	20.8	397	2	5	17	36	46	46	46
65+	14	17.6	360	4	7	10	23	37	67	75
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	13	14.5	57	7	11	12	16	28	30	31
35-49	36	22.1	274	9	12	17	24	58	66	99+
50-64	42	26.5	499	7	11	18	43	79	89	99+
65+	25	32.1	487	12	17	29	46	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	23	9.5	23	4	6	9	12	17	20	21
2. MULTIPLE DX										
A. Not Operated	22	16.2	305	3	5	9	23	37	58	75
B. Operated	117	25.0	392	8	12	18	37	69	96	99+
1. SINGLE DX	24	9.3	22	4	6	9	12	16	20	21
2. MULTIPLE DX	139	23.6	386	7	11	17	32	63	86	99+
A. Not Operated	23	15.7	296	3	5	9	22	36	56	75
B. Operated	140	22.5	364	7	11	16	30	62	86	99+
TOTAL										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	21	11.9	52	3	7	12	15	21	29	31
35-49	47	19.1	244	6	9	15	22	53	63	99+
50-64	52	24.2	455	7	11	16	39	74	83	99+
65+	41	26.0	475	6	11	21	40	84	99+	99+
GRAND TOTAL	**163**	**21.5**	**358**	**6**	**9**	**16**	**28**	**58**	**83**	**99+**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	34.0	1058	11	11	34	57	57	57	57
20-34	0									
35-49	7	42.1	654	19	20	32	66	78	80	80
50-64	3	38.3	1146	14	19	50	88	99+	99+	99+
65+	2	21.5	1	21	21	22	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	14	37.2	613	14	20	28	74	98	99+	99+
1. SINGLE DX	0									
2. MULTIPLE DX	14	37.2	613	14	20	28	74	98	99+	99+
A. Not Operated	0									
B. Operated	14	37.2	613	14	20	28	74	98	90+	99+
TOTAL										
0-19 YRS	2	34.0	1058	11	11	34	57	57	57	57
20-34	0									
35-49	7	42.1	654	19	20	32	66	78	80	80
50-64	3	38.3	1146	14	19	50	88	99+	99+	99+
65+	2	21.5	1	21	21	22	80	99+	99+	99+
GRAND TOTAL	**14**	**37.2**	**613**	**14**	**20**	**28**	**74**	**98**	**99+**	**99+**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	2	7.5	61	2	2	7	13	13	13	13
65 +	7	8.0	21	2	5	7	12	14	14	14
B. Operated										
0-19 YRS	5	5.4	25	2	2	2	9	13	13	13
20-34	0									
35-49	5	12.0	18	8	9	11	14	19	19	19
50-64	7	6.9	24	2	3	6	11	14	15	15
65 +	9	9.9	29	5	6	8	13	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.4	25	2	4	5	11	15	16	16
20-34	8	8.5	50	1	3	7	11	20	23	23
35-49	21	11.3	76	5	6	7	15	26	31	35
50-64	38	12.8	253	4	5	7	15	35	67	99+
65 +	245	15.8	193	4	7	11	19	36	47	99+
B. Operated										
0-19 YRS	20	13.3	265	3	6	9	14	21	50	78
20-34	11	11.9	96	3	4	8	17	26	34	35
35-49	18	21.3	654	5	7	14	47	99+	99+	99+
50-64	48	22.3	451	4	7	16	28	48	80	87
65 +	130	20.6	345	6	9	15	36	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	7.5	22	1	4	6	12	13	14	14
B. Operated	26	8.6	28	2	5	8	12	18	19	19
2. MULTIPLE DX										
A. Not Operated	319	14.8	188	4	6	10	18	33	45	99+
B. Operated	227	19.9	375	5	8	14	31	81	99+	99+
1. SINGLE DX	36	8.3	26	2	4	7	12	15	19	19
2. MULTIPLE DX	546	16.9	272	4	7	12	22	46	85	99+
A. Not Operated	329	14.5	184	4	6	10	18	32	44	99+
B. Operated	253	18.8	351	5	8	13	26	77	99+	99+
TOTAL										
0-19 YRS	32	10.8	182	2	4	8	11	20	21	78
20-34	20	10.2	74	2	4	7	14	21	29	35
35-49	44	15.5	319	5	6	11	20	68	99+	99+
50-64	95	17.1	358	4	6	9	24	40	73	95
65 +	391	17.1	244	5	8	13	22	47	89	99+
GRAND TOTAL	**582**	**16.4**	**261**	**4**	**7**	**11**	**21**	**44**	**82**	**99+**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	15.0		15	15	15	15	15	15	15
35-49	3	13.0	91	4	6	12	20	23	23	23
50-64	18	17.3	111	6	7	16	28	34	35	35
65 +	68	24.5	354	7	10	18	34	54	66	98
B. Operated										
0-19 YRS	4	11.3	68	3	4	10	18	21	21	21
20-34	0									
35-49	1	13.0		13	13	56	99+	99+	99+	99+
50-64	7	32.0	998	9	11	26	70	98	99+	99+
65 +	21	31.1	363	13	18	26	41	73	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	92	22.1	304	6	9	17	30	49	65	97
B. Operated	33	28.3	472	9	13	23	43	93	99+	99+
1. SINGLE DX	0									
2. MULTIPLE DX	125	23.8	352	7	11	19	34	54	80	99+
A. Not Operated	92	22.1	304	6	9	17	30	49	65	97
B. Operated	33	28.3	472	9	13	23	43	93	99+	99+
TOTAL										
0-19 YRS	6	8.5	59	3	3	5	15	20	21	21
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	13.0	61	4	10	13	42	99+	99+	99+
50-64	25	21.4	374	7	9	16	33	45	96	99+
65 +	89	26.1	360	7	12	21	37	57	71	99+
GRAND TOTAL	**125**	**23.8**	**352**	**7**	**11**	**19**	**34**	**54**	**80**	**99+**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	5	3.8	4	1	2	4	5	6	6	6
65 +	4	6.8	42	1	2	5	11	16	16	16
B. Operated										
0-19 YRS	0									
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	6	3.8	3	< 1	3	4	5	6	6	6
50-64	62	3.6	8	1	1	3	5	7	9	15
65 +	64	4.0	7	< 1	2	3	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	7.3	30	< 1	2	10	11	11	11	11
50-64	30	5.5	13	1	3	5	8	10	13	14
65 +	151	7.5	48	2	4	6	9	13	18	42
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	38	5.8	51	2	2	4	6	12	15	43
50-64	316	5.8	34	1	3	5	7	10	14	29
65 +	759	6.8	36	1	3	5	8	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.9	17	1	2	4	6	10	16	16
B. Operated	134	3.9	8	< 1	2	3	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	184	7.1	42	2	4	6	9	13	16	40
B. Operated	1114	6.5	36	1	3	5	8	13	17	.30
1. SINGLE DX	145	3.9	8	< 1	2	3	5	8	9	15
2. MULTIPLE DX	1298	6.6	37	2	3	5	8	13	17	32
A. Not Operated	195	7.0	41	2	3	6	8	13	16	40
B. Operated	1248	6.2	34	1	3	5	8	12	16	28
TOTAL										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	49	5.6	41	2	2	4	6	11	13	43
50-64	413	5.4	29	1	3	4	7	10	13	28
65 +	978	6.7	37	1	3	5	8	13	17	32
GRAND TOTAL	**1443**	**6.3**	**35**	**1**	**3**	**5**	**8**	**12**	**16**	**30**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	11.8	126	3	4	8	19	28	28	28
50-64	9	14.1	246	4	7	9	13	39	55	55
65 +	13	11.5	31	7	7	10	16	33	85	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	6.0	67	1	1	3	10	16	16	16
50-64	19	10.6	299	2	4	8	10	50	89	99 +
65 +	38	11.9	286	2	4	7	12	26	58	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	26	12.5	110	5	7	10	14	28	62	99 +
B. Operated	61	11.1	271	2	4	6	12	24	76	97
1. SINGLE DX	0									
2. MULTIPLE DX	87	11.5	221	2	4	8	13	27	74	99 +
A. Not Operated	26	12.5	110	5	7	10	14	28	62	99 +
B. Operated	61	11.1	271	2	4	6	12	24	76	97
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	8	8.9	84	1	2	5	13	24	28	28
50-64	28	11.7	275	3	4	8	12	42	80	99 +
65 +	51	11.8	219	2	5	8	13	27	70	99 +
GRAND TOTAL	**87**	**11.5**	**221**	**2**	**4**	**8**	**13**	**27**	**74**	**99 +**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3		2	2	2	3	3	3	3
35-49	8	7.3	33	2	3	5	10	17	19	19
50-64	27	5.1	11	2	3	4	7	10	11	14
65 +	70	7.5	41	2	3	6	10	13	16	42
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50 64	3	10.3	22	5	7	12	13	14	14	14
65 +	5	23.6	1150	2	3	11	35	83	83	83
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.0	21	2	3	5	9	11	11	11
20-34	13	10.8	149	2	3	8	10	33	41	43
35-49	89	7.7	36	3	4	6	8	15	18	34
50-64	550	9.4	66	3	5	7	12	18	23	54
65 +	2865	12.4	142	4	6	9	15	25	38	93
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	6.5	16	1	4	6	10	12	12	12
35-49	29	16.1	220	6	8	12	18	29	36	82
50-64	105	18.1	318	5	7	11	23	49	67	99 +
65 +	450	25.2	440	7	11	19	39	77	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	6.8	33	2	3	5	9	12	15	32
B. Operated	10	15.5	596	2	3	8	14	51	83	83
2. MULTIPLE DX										
A. Not Operated	3520	11.8	129	3	5	8	14	24	36	85
B. Operated	591	23.3	415	6	10	17	35	69	99 +	99 +
1. SINGLE DX	118	7.5	82	2	3	5	10	13	16	58
2. MULTIPLE DX	4111	13.4	186	4	6	9	16	30	48	99 +
A. Not Operated	3628	11.6	127	3	5	8	14	24	36	83
B. Operated	601	23.2	418	6	10	17	34	69	99 +	99 +
TOTAL										
0-19 YRS	4	5.5	15	2	3	4	8	11	11	11
20-34	22	8.5	99	2	2	6	10	18	35	43
35-49	128	9.5	88	3	4	7	11	18	24	48
50-64	685	10.6	113	3	5	8	12	20	32	70
65 +	3390	14.0	200	4	6	10	17	32	52	99 +
GRAND TOTAL	**4229**	**13.3**	**184**	**3**	**6**	**9**	**16**	**29**	**47**	**99 +**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	9.0	4	7	7	9	10	11	11	11
35-49	35	11.5	92	5	6	7	13	25	38	43
50-64	204	14.3	162	4	7	10	18	31	41	83
65 +	1070	15.3	162	5	7	11	19	34	49	99 +
B. Operated										
0-19 YRS	0									
20-34	2	14.5	85	8	11	21	80	99 +	99 +	99 +
35-49	9	11.9	16	7	8	12	16	17	17	17
50-64	30	24.6	469	8	13	17	49	99 +	99 +	99 +
65 +	152	32.3	550	9	16	28	62	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1312	15.1	160	5	7	11	19	34	48	99 +
B. Operated	193	30.0	531	9	13	25	59	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1505	17.0	232	5	8	12	22	45	67	99 +
A. Not Operated	1312	15.1	160	5	7	11	19	34	48	99 +
B. Operated	193	30.0	531	9	13	25	59	99 +	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	5	11.2	32	7	8	10	21	92	99 +	99 +
35-49	44	11.5	76	5	7	9	13	18	36	43
50-64	234	15.6	212	4	7	11	19	35	67	99 +
65 +	1222	17.5	241	5	8	12	23	46	68	99 +
GRAND TOTAL	**1505**	**17.0**	**232**	**5**	**8**	**12**	**22**	**45**	**67**	**99 +**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	17	3.6	5	< 1	2	3	5	7	8	8
50-64	47	3.4	4	1	2	3	4	6	7	11
65 +	103	3.4	4	1	2	3	4	6	8	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	4	6.0	19	2	3	5	9	12	12	12
65 +	6	5.3	13	1	4	5	6	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	2.6	1	1	2	3	3	4	4	4
35-49	78	4.8	29	1	2	4	6	9	10	36
50-64	466	4.8	10	2	3	4	6	9	10	16
65 +	2446	7.0	70	2	3	5	8	13	19	56
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	15	7.1	27	1	3	7	10	14	18	19
50-64	81	6.7	22	2	3	6	9	12	15	25
65 +	257	11.6	141	3	5	8	14	25	38	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	3.4	4	1	2	3	4	6	8	10
B. Operated	13	4.5	14	1	1	4	6	12	12	12
2. MULTIPLE DX										
A. Not Operated	2998	6.6	60	2	3	5	7	12	16	46
B. Operated	353	10.3	114	3	4	8	12	22	33	93
1. SINGLE DX	185	3.5	5	1	2	3	4	6	8	11
2. MULTIPLE DX	3351	7.0	67	2	3	5	8	13	19	53
A. Not Operated	3170	6.4	57	2	3	5	7	11	16	44
B. Operated	366	10.1	111	2	4	8	11	21	32	90
TOTAL										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	2.4	1	1	2	2	3	4	4	4
35-49	113	4.8	26	1	2	4	6	9	11	29
50-64	598	4.9	12	2	3	4	6	9	11	17
65 +	2812	7.3	76	2	3	5	8	13	21	58
GRAND TOTAL	**3536**	**6.8**	**64**	**2**	**3**	**5**	**8**	**12**	**18**	**49**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	3.4	6	< 1	1	3	5	7	8	8
65 +	24	7.5	61	2	4	5	9	11	21	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	20	8.2	103	2	3	6	8	18	33	46
50-64	90	7.9	76	2	3	5	10	16	22	54
65 +	628	11.1	149	3	5	8	13	22	36	87
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	14	13.5	168	3	6	12	20	95	99 +	99 +
65 +	65	21.8	414	5	8	14	31	57	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	6.3	47	2	3	5	8	11	13	41
B. Operated	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	739	10.6	139	3	5	7	12	22	35	84
B. Operated	82	19.8	370	5	8	14	29	57	84	99 +
1. SINGLE DX	36	6.3	45	2	3	5	8	11	12	41
2. MULTIPLE DX	821	11.6	170	3	5	8	13	24	41	98
A. Not Operated	773	10.4	136	3	4	7	12	21	34	84
B. Operated	84	19.5	366	5	7	13	28	56	83	99 +
TOTAL										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	23	7.9	90	2	3	6	8	17	29	46
50-64	113	8.2	86	2	3	6	10	19	24	99 +
65 +	717	12.0	179	3	5	8	13	25	41	95
GRAND TOTAL	**857**	**11.3**	**165**	**3**	**5**	**8**	**13**	**23**	**40**	**97**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	23	14.3	445	4	6	8	13	26	69	99
65 +	161	11.1	74	3	6	9	14	25	35	99 +
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	0									
50-64	1	11.0		11	11	11	11	11	11	11
65 +	18	28.5	402	11	20	24	69	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	185	11.5	119	3	6	8	14	25	36	99 +
B. Operated	22	25.0	387	7	12	22	49	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	207	12.9	163	4	6	9	16	34	52	99 +
A. Not Operated	185	11.5	119	3	6	8	14	25	36	99 +
B. Operated	22	25.0	387	7	12	22	49	99 +	99 +	99 +
TOTAL										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	1	9.0		9	9	9	9	9	9	9
50-64	24	14.2	426	4	6	8	12	22	67	99
65 +	179	12.8	133	4	6	9	18	35	53	99 +
GRAND TOTAL	**207**	**12.9**	**163**	**4**	**6**	**9**	**16**	**34**	**52**	**99 +**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	1.8	1	< 1	1	2	2	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	10	3.3	10	1	1	2	5	8	11	11
65 +	10	3.5	5	1	2	3	5	7	8	8
B. Operated										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	3	5.7	20	1	2	6	9	10	10	10
35-49	7	2.1	3	1	1	1	3	5	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.4	6	1	2	5	6	7	7	7
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	35	5.2	20	1	2	3	7	11	16	18
50-64	53	6.1	27	2	3	5	7	14	19	24
65 +	270	9.6	140	2	4	6	10	20	37	99 +
B. Operated										
0-19 YRS	11	9.8	111	2	4	6	10	29	34	35
20-34	11	11.1	101	3	5	7	14	29	34	34
35-49	33	10.0	101	2	5	7	12	19	28	55
50-64	30	12.2	259	2	5	9	12	18	36	89
65 +	53	18.0	201	4	7	14	24	45	52	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.0	5	1	1	2	4	6	8	11
B. Operated	18	2.9	8	1	1	2	4	7	9	10
2. MULTIPLE DX										
A. Not Operated	366	8.6	112	2	3	6	10	17	28	99 +
B. Operated	138	13.6	183	2	5	9	18	33	47	90
1. SINGLE DX	46	3.0	6	1	1	2	4	6	9	11
2. MULTIPLE DX	504	9.9	136	2	4	7	11	22	35	99
A. Not Operated	394	8.2	107	2	3	5	9	17	26	99
B. Operated	156	12.4	174	1	4	8	16	31	43	87
TOTAL										
0-19 YRS	19	7.6	71	2	3	5	8	19	30	35
20-34	23	7.0	65	1	2	5	8	17	28	34
35-49	77	6.9	60	1	3	5	9	15	19	48
50-64	96	7.6	106	2	3	5	9	16	19	65
65 +	335	10.7	156	2	4	7	13	24	39	99 +
GRAND TOTAL	**550**	**9.4**	**129**	**2**	**3**	**6**	**10**	**21**	**34**	**98**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	3	6.0	25	1	2	6	10	11	11	11
65 +	3	5.7	32	1	2	4	10	12	12	12
B. Operated										
0-19 YRS	0									
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	15	3.9	6	1	2	3	6	7	8	8
50-64	63	4.8	16	1	2	4	6	9	13	19
65 +	73	5.0	19	1	1	4	8	10	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	3	7.3	8	4	5	9	9	9	9	9
50-64	31	5.9	17	1	2	6	9	12	13	15
65 +	95	8.2	56	2	4	7	10	16	21	42
B. Operated										
0-19 YRS	0									
20-34	11	14.8	284	2	4	7	16	46	53	54
35-49	87	10.6	90	3	5	9	13	23	32	85
50-64	500	11.2	162	1	4	8	13	22	33	76
65 +	1409	14.3	207	2	6	10	18	31	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.8	18	1	1	4	7	12	12	12
B. Operated	153	4.9	16	1	2	4	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	130	7.6	46	1	3	7	10	15	19	36
B. Operated	2007	13.4	193	2	5	9	16	29	44	97
1. SINGLE DX	162	4.9	16	1	2	4	7	10	12	19
2. MULTIPLE DX	2137	13.0	186	2	5	9	16	28	42	96
A. Not Operated	139	7.5	45	1	3	6	10	14	18	34
B. Operated	2160	12.8	185	2	5	9	16	28	42	95
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	14	13.1	234	2	4	7	13	41	51	54
35-49	107	9.4	81	2	4	8	12	16	26	77
50-64	597	10.2	143	1	4	7	12	21	30	68
65 +	1580	13.5	195	2	5	10	17	29	46	99
GRAND TOTAL	**2299**	**12.5**	**178**	**2**	**5**	**9**	**15**	**27**	**40**	**92**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	1.2		1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.3	16	2	2	2	7	9	9	9
65 +	8	4.8	16	1	2	3	8	11	11	11
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	19	5.5	12	1	2	6	9	10	11	11
50-64	77	6.8	40	1	2	6	10	14	18	31
65 +	86	6.8	48	1	2	4	9	17	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	11	4.6	15	1	2	3	8	11	11	11
B. Operated	187	6.6	40	1	2	4	9	14	18	31
1. SINGLE DX	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX	198	6.5	39	1	2	4	9	14	18	31
A. Not Operated	11	4.6	15	1	2	3	8	11	11	11
B. Operated	193	6.4	40	1	2	4	9	14	18	31
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	20	5.4	12	1	2	6	8	10	10	11
50-64	85	6.4	39	1	2	4	9	14	17	31
65 +	94	6.7	45	1	2	4	9	16	19	35
GRAND TOTAL	**204**	**6.3**	**39**	**1**	**2**	**4**	**9**	**13**	**18**	**31**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	10	7.1	19	1	2	8	10	12	13	13
65 +	23	8.0	14	1	7	9	10	12	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	21	3.4	10	1	2	2	4	8	11	13
65 +	85	8.0	58	1	2	5	10	18	26	35
B. Operated										
0-19 YRS	3	23.7	37	17	19	25	28	29	29	29
20-34	2	8.0		8	8	8	8	8	8	8
35-49	12	11.6	127	1	4	10	13	27	40	42
50-64	183	12.5	106	6	8	10	13	23	27	78
65 +	729	14.5	132	6	9	11	17	27	40	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		1	1	1	2	2	2	2
B. Operated	34	7.5	16	1	6	8	10	12	13	15
2. MULTIPLE DX										
A. Not Operated	107	7.1	52	1	2	4	10	16	23	33
B. Operated	929	14.1	127	6	9	11	16	26	39	99 +
1. SINGLE DX	38	6.8	18	1	1	8	10	12	13	15
2. MULTIPLE DX	1036	13.3	123	3	8	11	16	25	35	95
A. Not Operated	111	6.9	51	1	2	4	10	16	22	33
B. Operated	963	13.8	124	6	8	11	16	25	38	98
TOTAL										
0-19 YRS	3	23.7	37	17	19	25	28	29	29	29
20-34	3	5.7	16	1	3	8	8	8	8	8
35-49	13	11.5	116	1	6	10	13	25	39	42
50-64	215	11.3	100	2	7	9	13	20	26	70
65 +	840	13.6	126	3	8	11	16	26	37	99 +
GRAND TOTAL	**1074**	**13.1**	**121**	**3**	**8**	**10**	**15**	**25**	**35**	**92**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	5.0	13	1	2	6	7	8	8	8
50-64	6	3.2	3	1	2	3	4	6	6	6
65 +	4	5.3	26	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	5	4.0	18	< 1	1	1	8	10	10	10
B. Operated										
0-19 YRS	0									
20-34	5	9.0	31	3	5	7	13	17	17	17
35-49	12	7.1	12	4	4	6	9	13	14	14
50-64	51	8.4	42	3	4	6	11	16	21	35
65 +	132	11.6	97	3	6	9	14	24	34	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	4.3	10	1	1	4	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	7	3.1	14	< 1	< 1	1	6	9	10	10
B. Operated	200	10.5	78	3	5	8	12	20	28	50
1. SINGLE DX	15	4.3	10	1	1	4	6	8	10	11
2. MULTIPLE DX	207	10.2	78	3	5	8	12	19	27	50
A. Not Operated	7	3.1	14	< 1	< 1	1	6	9	10	10
B. Operated	215	10.0	76	3	5	8	12	19	26	50
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	8.3	27	3	5	6	12	16	17	17
35-49	15	6.7	12	3	4	6	8	12	13	14
50-64	59	7.6	40	2	4	6	10	15	20	34
65 +	141	11.2	95	2	6	9	12	22	33	52
GRAND TOTAL	**222**	**9.8**	**75**	**2**	**5**	**8**	**12**	**19**	**26**	**50**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	2	5.0	32	1	1	5	9	9	9	9
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	10	5.7	13	1	2	6	8	10	11	11
50-64	19	3.2	9	1	1	2	5	9	9	9
65 +	15	6.6	14	1	3	8	9	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.3	5	4	4	4	7	8	8	8
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	5.3		5	5	5	6	6	6	6
50-64	10	5.1	16	1	1	4	9	10	11	11
65 +	26	8.3	15	4	6	8	11	15	29	99 +
B. Operated										
0-19 YRS	3	13.0	61	8	8	9	19	22	22	22
20-34	5	6.6	8	4	4	6	9	10	10	10
35-49	34	8.7	51	2	5	8	10	16	24	38
50-64	133	9.4	61	1	4	9	11	19	24	44
65 +	174	11.6	166	1	5	8	14	22	33	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	16	< 1	< 1	3	7	9	9	9
B. Operated	50	4.7	13	1	1	3	8	10	10	12
2. MULTIPLE DX										
A. Not Operated	44	6.9	16	1	4	6	10	13	16	99 +
B. Operated	349	10.4	113	1	5	8	12	20	28	56
1. SINGLE DX	54	4.6	13	1	1	3	8	9	10	12
2. MULTIPLE DX	393	10.0	103	1	5	8	12	19	26	60
A. Not Operated	48	6.7	16	1	4	6	9	13	16	99 +
B. Operated	399	9.7	104	1	4	8	11	19	26	52
TOTAL										
0-19 YRS	8	7.3	44	1	3	6	9	18	22	22
20-34	12	4.4	8	1	2	4	6	9	10	10
35-49	47	7.9	41	1	4	7	10	11	18	38
50-64	164	8.4	56	1	2	8	11	17	23	42
65 +	216	10.8	139	1	5	8	12	20	31	87
GRAND TOTAL	**447**	**9.4**	**95**	**1**	**4**	**8**	**11**	**18**	**25**	**56**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	2.6	5	1	1	2	3	4	7	13
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	5	3.0	6	1	2	2	4	7	7	7
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	13	2.8	14	1	1	1	2	8	13	14
50-64	31	2.8	5	1	1	2	4	7	8	9
65 +	33	3.2	14	1	1	2	4	7	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	4.2	8	1	2	4	5	7	8	15
20-34	12	7.2	60	2	2	3	10	18	27	28
35-49	16	5.5	23	1	2	4	7	11	17	20
50-64	44	5.8	32	1	1	4	8	13	20	24
65 +	119	10.5	155	2	4	6	13	21	27	67
B. Operated										
0-19 YRS	12	9.2	45	2	3	8	14	18	22	23
20-34	10	6.9	36	2	3	6	7	15	23	23
35-49	69	7.1	107	1	1	3	9	19	29	94
50-64	189	8.0	156	1	1	4	9	19	27	94
65 +	485	11.2	163	1	3	8	14	25	34	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	2.6	5	1	1	2	3	4	7	12
B. Operated	80	2.9	10	1	1	2	3	6	11	15
2. MULTIPLE DX										
A. Not Operated	309	7.0	78	1	3	5	8	14	21	60
B. Operated	765	9.9	155	1	2	6	12	23	31	87
1. SINGLE DX	188	2.7	7	1	1	2	3	5	8	14
2. MULTIPLE DX	1074	9.1	134	1	2	6	11	21	28	74
A. Not Operated	417	5.9	63	1	2	4	6	12	18	55
B. Operated	845	9.3	145	1	2	6	12	22	30	86
TOTAL										
0-19 YRS	230	3.7	11	1	1	3	5	7	10	17
20-34	24	6.5	46	2	2	4	7	15	24	28
35-49	100	6.2	81	1	1	3	8	16	24	84
50-64	266	7.0	120	1	1	4	8	16	23	86
65 +	642	10.6	156	1	3	7	13	24	32	76
GRAND TOTAL	**1262**	**8.1**	**121**	**1**	**2**	**5**	**10**	**19**	**26**	**69**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	8.2	11	4	5	8	11	12	12	12
20-34	33	4.7	9	1	2	4	7	9	10	11
35-49	49	6.9	9	4	5	7	8	11	12	15
50-64	52	7.5	20	4	5	7	9	11	12	33
65 +	36	7.7	12	3	6	7	9	11	15	20
B. Operated										
0-19 YRS	3	6.7		6	6	7	7	7	7	7
20-34	18	5.6	14	1	3	5	8	10	13	15
35-49	24	5.3	10	1	3	5	8	9	11	11
50-64	18	7.2	9	3	5	8	9	11	12	12
65 +	20	5.8	9	2	4	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	9.0	21	2	6	9	13	14	14	14
20-34	55	7.0	14	2	4	7	9	11	13	22
35-49	104	7.5	18	3	5	7	9	12	16	23
50-64	176	8.2	29	3	5	7	9	14	18	32
65 +	415	8.6	23	4	6	8	10	14	18	31
B. Operated										
0-19 YRS	3	5.3	44	1	1	2	10	13	13	13
20-34	23	8.3	23	3	4	7	13	14	16	17
35-49	58	11.1	110	2	5	8	14	20	35	55
50-64	114	9.8	76	3	5	8	12	18	24	56
65 +	228	10.0	40	3	6	9	13	18	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	6.8	14	3	4	7	9	11	12	19
B. Operated	83	5.9	10	2	4	6	8	10	11	14
2. MULTIPLE DX										
A. Not Operated	756	8.3	23	3	6	7	10	13	16	30
B. Operated	426	10.0	58	3	5	8	13	18	22	44
1. SINGLE DX	258	6.5	13	2	4	6	8	11	12	16
2. MULTIPLE DX	1182	8.9	37	3	5	8	11	15	20	33
A. Not Operated	931	8.0	22	3	5	7	10	13	15	30
B. Operated	509	9.3	53	3	5	8	12	17	21	39
TOTAL										
0-19 YRS	17	7.7	17	2	5	7	11	13	14	14
20-34	129	6.5	15	2	4	6	9	12	14	18
35-49	235	8.0	41	2	5	7	10	14	18	44
50-64	360	8.6	42	3	5	7	10	14	19	35
65 +	699	8.9	28	4	6	8	11	15	19	31
GRAND TOTAL	**1440**	**8.5**	**33**	**3**	**5**	**7**	**10**	**14**	**18**	**32**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	6	3.3	15	1	1	2	3	10	11	11
65 +	8	7.0	26	2	3	6	9	15	17	17
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	122	1.6	2	1	1	1	2	3	4	7
35-49	198	1.8	2	1	1	1	2	3	4	6
50-64	102	2.7	16	1	1	2	3	4	7	27
65 +	53	5.4	91	1	1	2	4	12	28	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	7.4	37	< 1	2	5	13	15	15	15
35-49	20	10.1	137	2	4	6	11	21	40	53
50-64	30	11.7	74	3	7	10	14	19	26	47
65 +	148	13.0	129	4	6	9	16	27	37	78
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	36	3.3	27	1	1	2	3	14	22	99 +
35-49	63	3.6	29	1	1	2	3	7	18	91
50-64	93	7.0	64	1	2	4	9	21	26	72
65 +	164	15.7	237	1	4	12	22	38	54	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	5.0	22	1	2	3	7	11	15	17
B. Operated	478	2.3	16	1	1	1	2	4	5	23
2. MULTIPLE DX										
A. Not Operated	205	12.3	119	4	6	9	15	25	35	70
B. Operated	357	10.0	162	1	2	4	15	28	43	99 +
1. SINGLE DX	494	2.4	16	1	1	1	2	4	6	22
2. MULTIPLE DX	562	10.8	147	1	2	7	15	27	38	96
A. Not Operated	221	11.8	115	3	5	9	15	23	34	67
B. Operated	835	5.6	93	1	1	2	4	17	27	65
TOTAL										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	165	2.2	10	1	1	1	2	4	7	22
35-49	283	2.8	21	1	1	2	3	5	8	32
50-64	231	5.6	52	1	1	2	7	16	22	38
65 +	373	12.9	180	1	4	9	18	31	45	76
GRAND TOTAL	**1056**	**6.9**	**104**	**1**	**1**	**2**	**8**	**19**	**29**	**65**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	1.2		< 1	1	1	1	2	2	2
35-49	7	2.3	2	< 1	< 1	2	3	5	5	5
50-64	8	2.5	3	< 1	1	2	3	5	6	6
65 +	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	0									
20-34	34	2.1	1	1	1	2	3	4	4	5
35-49	53	2.2	2	1	1	2	3	5	5	5
50-64	41	2.3	2	1	1	2	3	4	5	6
65 +	18	2.5	3	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.6	7	< 1	1	1	3	7	8	8
35-49	22	4.1	15	1	2	3	5	9	13	18
50-64	25	3.7	3	2	2	3	5	7	7	7
65 +	69	5.7	106	1	3	4	5	9	10	74
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	238	2.2	4	1	1	2	3	4	5	10
35-49	410	2.1	3	1	1	2	3	4	5	8
50-64	328	2.7	18	1	1	2	3	5	7	9
65 +	252	3.9	24	1	1	2	5	8	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.1	2	< 1	< 1	1	3	4	5	6
B. Operated	146	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	123	4.8	63	1	2	3	5	8	10	41
B. Operated	1231	2.7	12	1	1	2	3	5	7	17
1. SINGLE DX	172	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX	1354	2.8	17	1	1	2	3	5	7	17
A. Not Operated	149	4.3	54	< 1	2	3	5	7	9	26
B. Operated	1377	2.6	11	1	1	2	3	5	6	16
TOTAL										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	285	2.1	4	1	1	2	3	4	5	9
35-49	492	2.2	4	1	1	2	3	4	5	9
50-64	402	2.7	15	1	1	2	3	5	6	9
65 +	343	4.2	40	1	1	3	5	8	13	27
GRAND TOTAL	**1526**	**2.8**	**15**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.3	29	1	1	3	4	13	17	17
20-34	32	6.5	10	2	5	7	8	10	11	15
35-49	49	6.8	16	2	4	7	9	11	12	22
50-64	49	6.6	5	3	6	7	8	9	10	13
65 +	61	6.8	7	3	5	7	8	10	11	13
B. Operated										
0-19 YRS	29	1.8	3	1	1	1	2	5	6	8
20-34	55	4.0	12	1	1	2	7	9	11	14
35-49	59	4.7	14	< 1	1	4	7	10	12	14
50-64	33	6.6	13	1	4	6	9	11	13	15
65 +	22	6.5	11	1	4	7	8	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.0	10	1	2	3	5	9	11	12
20-34	79	7.7	59	2	4	7	10	13	16	51
35-49	184	7.9	37	2	4	7	10	13	19	30
50-64	349	7.0	17	2	4	7	9	12	14	19
65 +	1095	7.8	35	2	4	7	10	14	18	32
B. Operated										
0-19 YRS	49	6.0	64	1	1	2	7	18	22	34
20-34	81	7.1	63	1	1	5	10	17	25	40
35-49	137	8.2	59	1	3	6	11	17	22	42
50-64	212	9.4	43	3	6	8	12	16	23	34
65 +	487	11.5	96	4	6	9	13	22	32	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	6.6	10	2	5	7	8	10	11	16
B. Operated	198	4.6	14	1	1	4	7	10	11	14
2. MULTIPLE DX										
A. Not Operated	1737	7.6	33	2	4	7	10	13	16	28
B. Operated	966	9.9	78	2	5	8	12	19	27	51
1. SINGLE DX	397	5.6	13	1	2	6	8	10	11	15
2. MULTIPLE DX	2703	8.4	50	2	4	7	10	15	20	40
A. Not Operated	1936	7.5	30	2	4	7	9	13	16	27
B. Operated	1164	9.0	71	1	4	7	11	17	25	48
TOTAL										
0-19 YRS	116	4.3	35	1	1	2	5	10	18	33
20-34	247	6.5	45	1	2	6	9	12	16	34
35-49	429	7.4	39	1	3	7	10	13	18	32
50-64	643	7.8	26	2	5	7	10	13	16	28
65 +	1665	8.8	55	3	5	7	10	15	21	45
GRAND TOTAL	**3100**	**8.1**	**46**	**2**	**4**	**7**	**10**	**14**	**19**	**37**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	558	2.2	4	1	1	2	3	4	4	5
20-34	67	2.7	2	1	2	2	4	5	5	6
35-49	25	2.8	2	1	2	3	4	5	5	5
50-64	9	2.8	1	1	2	3	3	4	4	4
65 +	6	4.7	3	3	3	4	6	7	7	7
B. Operated										
0-19 YRS	38	1.2		<1	1	1	1	2	3	4
20-34	11	2.1	6	1	1	1	2	6	9	9
35-49	4	4.0	7	1	2	4	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1131	3.1	10	1	2	3	4	5	7	12
20-34	188	3.2	4	1	2	3	4	5	6	11
35-49	117	3.9	6	1	2	3	5	7	9	12
50-64	102	4.8	20	1	3	4	6	8	11	28
65 +	196	6.6	34	2	3	6	8	11	14	33
B. Operated										
0-19 YRS	107	4.9	65	1	1	1	5	12	22	42
20-34	50	5.9	66	1	1	3	7	16	25	43
35-49	23	4.1	23	1	1	2	5	15	16	16
50-64	22	7.6	25	1	4	7	10	15	16	16
65 +	28	13.0	184	1	4	11	17	23	51	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	665	2.3	4	1	1	2	3	4	5	6
B. Operated	56	1.7	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	1734	3.7	14	1	2	3	4	7	9	15
B. Operated	230	6.3	78	1	1	2	8	16	23	51
1. SINGLE DX	721	2.2	4	1	1	2	3	4	5	6
2. MULTIPLE DX	1964	4.0	22	1	2	3	4	8	10	23
A. Not Operated	2399	3.3	11	1	2	3	4	6	8	13
B. Operated	286	5.4	66	1	1	2	7	15	21	47
TOTAL										
0-19 YRS	1834	2.9	12	1	1	2	3	5	7	14
20-34	316	3.5	14	1	2	3	4	6	8	20
35-49	169	3.8	7	1	2	3	5	7	9	16
50-64	134	5.1	21	1	3	4	7	10	14	22
65 +	232	7.3	55	2	3	6	9	12	20	51
GRAND TOTAL	**2685**	**3.5**	**18**	**1**	**2**	**3**	**4**	**7**	**9**	**20**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	650	3.1	3	1	2	3	4	5	6	8
20-34	14	2.8	2	1	2	3	4	4	5	5
35-49	25	3.6	6	1	2	3	5	6	8	12
50-64	17	3.2	4	1	2	3	4	6	7	7
65 +	19	4.9	5	1	4	5	6	8	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2286	4.1	10	1	2	3	5	7	10	17
20-34	129	5.4	21	2	3	4	6	12	15	21
35-49	228	5.4	14	2	3	5	6	9	12	20
50-64	864	6.7	21	3	4	6	8	12	14	24
65 +	2722	8.0	46	3	4	6	9	14	18	39
B. Operated										
0-19 YRS	34	11.8	138	3	4	9	14	23	40	57
20-34	8	8.4	69	1	2	5	12	22	26	26
35-49	25	8.6	48	2	4	7	11	19	23	32
50-64	64	12.1	107	4	5	9	15	26	37	49
65 +	197	13.8	136	5	7	11	16	32	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	725	3.1	4	1	2	3	4	6	7	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6229	6.2	30	2	3	5	8	11	15	29
B. Operated	328	12.7	124	4	6	9	15	28	40	80
1. SINGLE DX	725	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX	6557	6.6	37	2	3	5	8	12	16	34
A. Not Operated	6954	5.9	28	2	3	5	7	11	14	28
B. Operated	328	12.7	124	4	6	9	15	28	40	80
TOTAL										
0-19 YRS	2970	4.0	11	1	2	3	5	7	9	17
20-34	151	5.3	22	2	3	4	6	12	15	26
35-49	278	5.5	17	2	3	5	7	9	13	21
50-64	945	7.0	28	3	4	6	8	13	16	28
65 +	2938	8.4	54	3	4	7	10	15	20	45
GRAND TOTAL	**7282**	**6.2**	**35**	**2**	**3**	**5**	**8**	**12**	**15**	**32**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	1.0		1	1	1	1	1	1	2
20-34	131	1.1		1	1	1	1	2	2	3
35-49	79	1.1		1	1	1	1	2	2	3
50-64	20	1.2		1	1	1	1	2	3	3
65 +	5	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	128	1.2		1	1	1	1	2	2	4
20-34	445	1.2		1	1	1	1	2	2	3
35-49	343	1.2		1	1	1	1	2	2	4
50-64	147	1.3		1	1	1	1	2	3	4
65 +	28	1.3		1	1	1	2	2	2	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	286	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	6	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	1091	1.2		1	1	1	1	2	2	4
1. SINGLE DX	288	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX	1097	1.2		1	1	1	1	2	2	4
A. Not Operated	8	1.1		< 1	< 1	1	1	2	2	2
B. Operated	1377	1.2		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	179	1.1		1	1	1	1	1	2	4
20-34	580	1.2		1	1	1	1	2	2	3
35-49	423	1.2		1	1	1	1	2	2	3
50-64	170	1.3		1	1	1	1	2	3	4
65 +	33	1.3		< 1	1	1	2	2	2	3
GRAND TOTAL	**1385**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	5	1.2		1	1	1	2	2	2	2
50-64	5	1.0		< 1	< 1	1	1	1	1	1
65 +	7	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	46	2.8	12	1	1	1	4	6	8	19
20-34	29	1.2		1	1	1	1	2	3	3
35-49	55	1.6	1	< 1	1	1	2	2	3	8
50-64	67	1.5	1	1	1	1	2	2	3	8
65 +	36	1.4	1	< 1	1	1	1	2	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	27	1.1		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	5	2.8	3	1	1	3	4	5	5	5
B. Operated	233	1.7	3	1	1	1	2	3	5	9
1. SINGLE DX	27	1.1		< 1	1	1	1	2	2	2
2. MULTIPLE DX	238	1.7	3	1	1	1	2	3	5	9
A. Not Operated	5	2.8	3	1	1	3	4	5	5	5
B. Operated	260	1.6	3	1	1	1	2	3	4	8
TOTAL										
0-19 YRS	54	2.6	10	1	1	1	4	5	6	19
20-34	33	1.2		< 1	1	1	1	2	3	3
35-49	61	1.5	1	< 1	1	1	2	2	3	8
50-64	73	1.5	1	1	1	1	2	2	3	8
65 +	44	1.3	1	1	1	1	1	2	3	5
GRAND TOTAL	**265**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.0		1	1	1	1	1	1	2
20-34	24	1.3	1	1	1	1	1	2	5	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2523	1.0		1	1	1	1	1	1	2
20-34	568	1.1	1	1	1	1	1	1	1	2
35-49	58	1.2		< 1	1	1	1	2	2	4
50-64	9	1.2		< 1	1	1	1	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	1.6	1	< 1	< 1	1	2	3	4	5
20-34	7	1.3	1	< 1	1	1	1	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3310	1.2	1	1	1	1	1	1	2	4
20-34	158	1.3		1	1	1	1	2	2	4
35-49	35	1.2		1	1	1	1	2	3	3
50-64	9	2.2	9	< 1	1	1	2	7	10	10
65 +	6	1.5	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	1.1	1	1	1	1	1	1	2	6
B. Operated	3159	1.0		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	60	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	3518	1.2	1	1	1	1	1	1	2	4
1. SINGLE DX	3220	1.0		1	1	1	1	1	1	2
2. MULTIPLE DX	3578	1.2	1	1	1	1	1	1	2	4
A. Not Operated	121	1.4	1	< 1	1	1	1	3	4	5
B. Operated	6677	1.1	1	1	1	1	1	1	2	3
TOTAL										
0-19 YRS	5923	1.1	1	1	1	1	1	1	2	3
20-34	757	1.1	1	1	1	1	1	1	2	3
35-49	93	1.2		1	1	1	1	2	2	4
50-64	18	1.7	5	< 1	1	1	1	3	7	10
65 +	7	1.4	1	< 1	1	1	2	3	3	3
GRAND TOTAL	**6798**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	2.4	2	1	2	2	3	4	5	7
20-34	59	2.9	3	1	2	2	3	5	7	8
35-49	26	3.2	2	1	2	3	4	5	6	7
50-64	7	2.6	1	1	2	2	4	4	4	4
65 +	5	4.6	15	1	2	4	6	11	11	11
B. Operated										
0-19 YRS	173	2.2	4	1	1	2	3	4	5	13
20-34	147	1.8	2	1	1	1	2	3	4	6
35-49	97	1.7	1	< 1	1	1	2	3	5	7
50-64	42	2.0	5	1	1	1	2	4	6	13
65 +	31	1.8	3	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	3.6	10	1	2	3	4	7	10	16
20-34	87	3.3	6	1	2	2	4	6	9	13
35-49	43	3.6	13	1	1	3	5	6	7	23
50-64	39	5.0	11	1	3	4	6	11	12	13
65 +	45	5.1	15	1	3	5	6	11	13	20
B. Operated										
0-19 YRS	352	3.8	42	1	1	2	3	9	15	37
20-34	310	2.1	11	1	1	1	2	4	6	19
35-49	300	1.9	9	1	1	1	2	3	5	10
50-64	234	2.7	17	1	1	1	2	6	11	23
65 +	143	3.7	38	1	1	2	3	9	22	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	238	2.7	2	1	2	2	3	5	6	8
B. Operated	490	1.9	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	434	3.8	10	1	2	3	5	8	11	16
B. Operated	1339	2.8	23	1	1	1	2	5	10	30
1. SINGLE DX	728	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1773	3.0	20	1	1	2	3	6	10	25
A. Not Operated	672	3.4	8	1	2	3	4	6	9	14
B. Operated	1829	2.5	18	1	1	1	2	4	8	24
TOTAL										
0-19 YRS	886	3.2	21	1	1	2	3	6	10	21
20-34	603	2.3	8	1	1	1	3	4	6	13
35-49	466	2.1	8	1	1	1	2	4	5	10
50-64	322	2.9	15	1	1	1	3	6	11	20
65 +	224	3.8	29	1	1	2	4	9	17	51
GRAND TOTAL	**2501**	**2.8**	**15**	**1**	**1**	**2**	**3**	**5**	**9**	**21**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	4.0	7	1	2	3	6	8	10	12
20-34	31	4.2	3	2	3	4	5	6	7	9
35-49	45	5.0	5	3	3	5	6	7	9	13
50-64	32	6.3	7	3	5	6	7	10	12	14
65 +	49	7.4	36	3	4	6	8	12	17	36
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	340	7.1	30	2	3	5	10	14	16	25
20-34	238	8.5	40	3	4	7	11	15	20	36
35-49	301	8.5	38	3	5	7	10	15	20	32
50-64	605	9.4	54	4	5	8	11	16	22	40
65 +	2529	11.1	79	4	6	9	13	20	25	65
B. Operated										
0-19 YRS	56	16.5	199	5	9	14	20	30	54	99
20-34	38	19.2	253	6	9	14	26	45	93	99 +
35-49	73	21.6	312	6	9	17	28	49	68	98
50-64	138	19.7	235	7	10	15	25	41	54	91
65 +	453	21.3	252	8	11	16	29	50	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	5.2	14	2	3	5	6	9	11	17
B. Operated	5	7.8	19	4	5	7	10	15	15	15
2. MULTIPLE DX										
A. Not Operated	4013	10.1	67	4	5	8	12	18	24	51
B. Operated	758	20.6	251	7	10	16	27	48	65	99 +
1. SINGLE DX	245	5.3	14	2	3	5	6	9	11	17
2. MULTIPLE DX	4771	11.8	111	4	6	9	14	22	33	81
A. Not Operated	4253	9.9	66	4	5	8	12	18	23	51
B. Operated	763	20.5	251	7	10	16	27	47	65	99 +
TOTAL										
0-19 YRS	479	7.7	57	2	3	5	10	15	20	33
20-34	308	9.3	76	3	4	7	12	19	26	68
35-49	421	10.4	109	3	5	7	12	21	29	62
50-64	776	11.1	100	4	6	8	13	21	31	55
65 +	3032	12.5	118	4	6	10	15	24	35	88
GRAND TOTAL	**5016**	**11.5**	**108**	**4**	**6**	**9**	**14**	**22**	**32**	**78**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	947	3.3	3	1	2	3	4	6	7	10
20-34	182	4.5	5	2	3	4	6	8	9	11
35-49	167	5.4	7	3	3	5	7	9	10	13
50-64	99	5.6	7	3	4	5	7	9	11	15
65 +	172	6.2	8	3	4	6	8	10	12	15
B. Operated										
0-19 YRS	3	7.7	12	4	5	8	10	11	11	11
20-34	5	9.6	30	3	6	8	14	17	17	17
35-49	5	7.2	8	3	5	8	9	10	10	10
50-64	4	8.3	21	2	5	9	11	13	13	13
65 +	5	16.8	100	9	10	11	24	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3114	4.5	16	2	2	3	5	8	11	20
20-34	623	6.1	16	2	4	5	7	11	14	21
35-49	838	6.8	18	3	4	6	8	11	14	24
50-64	1448	7.7	23	3	5	7	9	13	17	26
65 +	6546	10.2	70	4	6	8	12	18	24	53
B. Operated										
0-19 YRS	113	13.4	101	3	6	11	20	33	44	99 +
20-34	65	13.8	108	3	8	12	16	22	37	56
35-49	129	12.7	97	5	6	10	16	23	33	74
50-64	231	14.2	108	5	8	11	17	26	30	56
65 +	833	18.5	209	7	10	14	23	36	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1567	4.1	6	2	2	4	5	7	9	13
B. Operated	22	10.2	45	3	7	9	11	18	26	32
2. MULTIPLE DX										
A. Not Operated	12569	8.1	51	3	4	6	10	15	20	38
B. Operated	1371	16.6	173	6	9	13	21	33	45	99 +
1. SINGLE DX	1589	4.2	7	2	2	4	5	8	9	13
2. MULTIPLE DX	13940	8.9	70	3	4	7	11	17	23	49
A. Not Operated	14136	7.7	48	2	4	6	9	14	19	37
B. Operated	1393	16.5	172	6	8	13	21	33	44	99 +
TOTAL										
0-19 YRS	4177	4.5	18	2	2	3	5	8	11	23
20-34	875	6.3	25	2	4	5	7	12	15	28
35-49	1139	7.3	29	3	4	6	9	13	16	30
50-64	1782	8.4	39	3	5	7	10	15	20	32
65 +	7556	11.1	91	4	6	9	13	20	28	67
GRAND TOTAL	**15529**	**8.4**	**65**	**2**	**4**	**6**	**10**	**16**	**22**	**45**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.8	2	1	2	3	4	4	5	5
20-34	6	3.2	1	2	2	3	4	4	4	4
35-49	9	2.3	2	< 1	1	2	3	4	5	5
50-64	8	3.5	2	2	2	3	4	5	6	6
65 +	10	7.7	19	2	4	8	11	13	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	4.5	27	1	2	3	5	8	11	34
20-34	31	4.3	13	1	2	3	6	11	12	14
35-49	30	4.9	14	1	2	4	7	10	13	16
50-64	78	5.5	16	2	3	4	7	12	15	18
65 +	295	8.4	51	3	4	7	10	15	22	37
B. Operated										
0-19 YRS	3	15.0	97	4	7	18	22	23	23	23
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	5.7	1	5	5	5	7	7	7	7
50-64	3	22.7	72	14	16	23	29	31	31	31
65 +	11	25.9	262	6	18	22	36	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.7	8	1	2	3	4	6	11	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	505	6.9	41	2	3	5	8	13	18	33
B. Operated	21	20.0	214	5	6	18	25	44	53	53
1. SINGLE DX	58	3.7	8	1	2	3	4	6	11	14
2. MULTIPLE DX	526	7.5	54	2	3	5	9	14	21	39
A. Not Operated	563	6.6	38	2	3	5	8	13	17	32
B. Operated	21	20.0	214	5	6	18	25	44	53	53
TOTAL										
0-19 YRS	99	4.4	26	1	2	3	4	7	15	31
20-34	38	4.2	11	2	2	3	5	10	12	14
35-49	42	4.4	12	1	2	3	6	8	12	16
50-64	89	5.9	26	2	3	4	7	13	17	28
65 +	316	9.0	67	3	4	7	11	18	25	46
GRAND TOTAL	**584**	**7.1**	**50**	**2**	**3**	**5**	**8**	**14**	**20**	**38**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.6	3	1	1	2	3	6	6	6
20-34	3	3.3		3	3	3	4	4	4	4
35-49	15	4.7	5	2	3	5	7	8	8	8
50-64	25	5.4	6	2	3	6	7	9	9	10
65 +	32	6.2	12	3	4	5	8	9	14	19
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.7		2	2	3	3	3	3	3
35-49	0									
50-64	1	19.0		19	19	19	19	19	19	19
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	3.9	9	1	2	3	5	7	9	18
20-34	13	5.1	6	2	4	5	6	7	10	11
35-49	38	5.8	15	2	3	5	7	10	15	19
50-64	162	6.3	16	2	4	5	8	11	14	23
65 +	473	8.0	31	3	5	7	10	14	18	35
B. Operated										
0-19 YRS	10	5.6	28	1	2	4	13	49	96	99 +
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	9	12.2	174	2	5	7	15	36	40	40
50-64	28	9.3	52	3	4	8	11	18	28	31
65 +	47	13.7	123	4	7	10	18	26	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	4.8	9	2	3	4	6	8	9	17
B. Operated	5	6.0	53	2	2	3	7	19	19	19
2. MULTIPLE DX										
A. Not Operated	745	7.2	26	3	4	6	9	14	17	28
B. Operated	97	11.1	100	2	5	8	15	25	36	99 +
1. SINGLE DX	103	4.9	10	2	3	4	6	8	9	19
2. MULTIPLE DX	842	7.6	36	3	4	6	10	14	19	40
A. Not Operated	843	6.9	25	2	4	6	9	13	16	27
B. Operated	102	10.9	98	2	4	8	15	23	34	99 +
TOTAL										
0-19 YRS	93	3.8	10	1	2	3	5	7	12	64
20-34	22	4.4	5	2	3	4	6	6	8	11
35-49	62	6.5	39	2	3	5	7	10	17	39
50-64	216	6.6	21	2	4	6	8	11	16	27
65 +	552	8.4	40	3	5	7	10	16	20	43
GRAND TOTAL	**945**	**7.3**	**34**	**2**	**4**	**6**	**9**	**14**	**18**	**37**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	7.5	10	4	5	7	10	11	11	11
50-64	9	6.8	12	2	3	7	10	11	11	11
65 +	28	7.4	30	3	4	6	8	16	18	26
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	2	8.5	5	7	7	8	10	10	10	10
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	26	7.3	40	2	4	6	9	11	18	34
50-64	113	10.1	117	3	5	7	11	21	33	60
65 +	408	9.2	54	3	5	7	10	18	24	42
B. Operated										
0-19 YRS	2	11.0	8	9	9	11	13	13	13	13
20-34	3	8.3	34	4	4	6	13	15	15	15
35-49	9	20.0	239	4	10	15	31	44	51	51
50-64	22	13.0	80	6	8	11	16	21	34	45
65 +	47	21.1	372	7	9	14	25	46	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	7.2	23	3	4	6	9	13	17	26
B. Operated	8	5.6	6	2	4	6	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	548	9.3	66	3	5	7	10	18	26	43
B. Operated	83	18.1	271	5	9	13	21	44	52	98
1. SINGLE DX	49	7.0	21	3	4	6	8	12	17	26
2. MULTIPLE DX	631	10.4	102	3	5	8	12	21	34	57
A. Not Operated	589	9.1	63	3	5	7	10	17	25	43
B. Operated	91	17.0	260	5	8	12	19	43	51	97
TOTAL										
0-19 YRS	4	8.8	10	6	6	8	11	13	13	13
20-34	5	6.4	25	2	3	5	8	15	15	15
35-49	41	10.0	103	3	5	6	11	23	33	51
50-64	146	10.3	105	3	5	8	11	20	29	51
65 +	484	10.2	95	3	5	7	12	20	32	72
GRAND TOTAL	**680**	**10.2**	**97**	**3**	**5**	**7**	**12**	**20**	**32**	**53**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2704	2.5	2	1	2	2	3	4	5	7
20-34	487	3.3	4	1	2	3	4	6	7	11
35-49	389	4.2	6	2	2	4	5	8	10	12
50-64	304	4.8	8	2	3	4	6	8	10	14
65 +	185	5.1	8	2	3	4	6	9	11	15
B. Operated										
0-19 YRS	7	5.6	3	3	4	5	7	8	8	8
20-34	2	12.0	50	7	7	12	17	17	17	17
35-49	1	39.0		39	39	39	39	39	39	39
50-64	2	9.5	113	2	2	9	17	17	17	17
65 +	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3314	3.0	5	1	2	2	4	5	7	10
20-34	687	4.5	11	2	3	4	5	8	10	16
35-49	829	5.7	22	2	3	5	7	10	12	19
50-64	1050	6.9	24	3	4	6	8	12	15	25
65 +	1756	7.7	28	3	4	6	9	13	17	28
B. Operated										
0-19 YRS	41	7.2	38	1	2	6	10	18	20	22
20-34	15	11.3	358	< 1	3	5	12	17	62	77
35-49	50	10.3	62	3	5	8	12	24	28	33
50-64	57	11.4	60	4	6	9	14	26	31	95
65 +	116	16.3	210	5	8	11	19	31	50	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4069	3.1	4	1	2	3	4	6	7	11
B. Operated	14	9.6	91	3	5	7	8	19	35	39
2. MULTIPLE DX										
A. Not Operated	7636	5.0	19	2	2	4	6	10	12	21
B. Operated	279	12.6	145	3	6	9	16	27	33	74
1. SINGLE DX	4083	3.1	5	1	2	3	4	6	7	11
2. MULTIPLE DX	7915	5.3	26	2	2	4	7	10	13	25
A. Not Operated	11705	4.3	15	1	2	3	5	8	11	19
B. Operated	293	12.5	142	3	6	9	16	27	33	73
TOTAL										
0-19 YRS	6066	2.8	4	1	2	2	3	5	6	10
20-34	1191	4.1	13	1	2	3	5	7	9	15
35-49	1269	5.4	21	2	3	4	7	10	12	23
50-64	1413	6.6	24	3	4	5	8	12	15	26
65 +	2059	7.9	41	3	4	6	10	14	18	36
GRAND TOTAL	**11998**	**4.5**	**20**	**1**	**2**	**3**	**6**	**9**	**12**	**21**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	5.0	12	3	3	3	8	9	9	9
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64	62	5.6	10	3	4	5	7	8	12	18
65 +	122	5.0	11	2	3	4	6	8	12	19
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	2	5.5	1	5	5	5	6	6	6	6
65 +	2	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.7	18	2	5	7	9	14	15	15
20-34	6	9.7	109	1	2	6	15	27	28	28
35-49	66	6.2	26	2	4	5	8	10	12	36
50-64	520	7.6	49	3	4	6	9	13	17	34
65 +	1488	8.1	45	3	4	6	10	16	21	48
B. Operated										
0-19 YRS	5	4.6	13	1	2	4	7	10	10	10
20-34	6	8.3	49	2	3	6	11	20	21	21
35-49	8	10.1	110	3	4	8	10	28	35	35
50-64	50	18.7	316	4	8	12	25	40	70	75
65 +	135	16.9	224	5	8	12	23	43	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	5.2	10	2	3	4	6	8	12	19
B. Operated	5	7.2	3	5	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	2089	8.0	46	3	4	6	9	15	19	43
B. Operated	204	16.5	238	4	7	11	23	38	68	99 +
1. SINGLE DX	198	5.3	10	2	3	5	6	9	12	19
2. MULTIPLE DX	2293	8.7	69	3	4	7	10	16	23	59
A. Not Operated	2282	7.7	43	3	4	6	9	14	19	41
B. Operated	209	16.3	234	4	7	11	22	37	67	99 +
TOTAL										
0-19 YRS	15	6.8	17	1	4	7	9	13	14	15
20-34	16	8.1	57	2	3	6	10	20	26	28
35-49	79	6.4	34	2	3	5	8	11	12	39
50-64	634	8.3	76	3	4	6	9	14	21	47
65 +	1747	8.6	63	3	4	6	10	17	23	64
GRAND TOTAL	**2491**	**8.4**	**65**	**3**	**4**	**6**	**10**	**16**	**23**	**58**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.9	2	1	1	2	2	4	5	6
20-34	19	2.4	5	1	1	2	3	4	8	11
35-49	6	1.7	1	1	1	1	2	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	6.5	41	2	2	6	11	11	11	11
B. Operated										
0-19 YRS	51	5.8	13	2	3	5	7	11	15	18
20-34	185	5.3	11	2	3	4	7	9	11	18
35-49	65	4.8	8	2	3	4	6	8	9	18
50-64	13	5.4	18	2	3	4	6	14	15	15
65 +	4	8.5	95	2	3	4	14	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.7	9	2	2	3	4	9	11	11
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	3	5.3	12	2	3	5	8	9	9	9
50-64	9	3.3	5	1	2	3	5	7	7	7
65 +	19	6.3	30	1	4	5	7	13	19	24
B. Operated										
0-19 YRS	32	10.2	30	4	6	9	13	17	18	29
20-34	133	8.8	36	3	5	7	11	17	22	44
35-49	75	10.8	105	3	4	7	13	26	32	56
50-64	70	10.5	105	3	4	8	14	21	25	66
65 +	115	12.1	96	3	5	9	16	24	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.2	5	1	1	2	2	4	6	11
B. Operated	318	5.3	12	2	3	4	7	9	12	19
2. MULTIPLE DX										
A. Not Operated	44	4.8	17	1	2	4	6	10	12	24
B. Operated	425	10.4	76	3	5	8	13	21	26	55
1. SINGLE DX	366	4.9	12	2	3	4	6	9	11	19
2. MULTIPLE DX	469	9.9	74	3	4	8	13	20	26	52
A. Not Operated	92	3.4	12	1	1	2	4	7	11	19
B. Operated	743	8.2	55	3	4	6	10	17	23	37
TOTAL										
0-19 YRS	112	6.2	24	2	3	5	8	13	16	22
20-34	341	6.5	24	2	3	5	8	12	17	28
35-49	149	7.7	67	2	4	5	8	16	26	40
50-64	93	9.0	89	2	4	6	12	18	24	54
65 +	140	11.1	90	3	5	8	15	23	27	55
GRAND TOTAL	**835**	**7.7**	**53**	**2**	**3**	**5**	**9**	**16**	**22**	**34**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	0									
35-49	0									
50-64	2	8.5	113	1	1	8	16	16	16	16
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	8.1	69	1	2	5	13	21	29	55
20-34	29	7.0	161	1	2	3	5	10	40	62
35-49	68	9.6	120	2	4	6	12	17	22	72
50-64	353	11.3	148	3	5	8	13	21	29	82
65 +	991	12.3	107	4	6	9	15	22	33	59
B. Operated										
0-19 YRS	30	30.5	417	7	16	32	49	99 +	99 +	99 +
20-34	7	31.4	527	12	15	16	48	66	70	70
35-49	26	24.6	288	8	12	19	42	84	99 +	99 +
50-64	87	21.8	366	5	10	16	36	85	99 +	99 +
65 +	221	25.5	347	9	12	21	39	77	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.0	35	1	1	2	3	15	16	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1559	11.6	116	3	5	9	14	22	31	63
B. Operated	371	25.1	358	8	12	21	40	81	99 +	99 +
1. SINGLE DX	6	4.0	35	1	1	2	3	15	16	16
2. MULTIPLE DX	1930	14.2	191	4	6	10	17	33	53	99 +
A. Not Operated	1565	11.5	116	3	5	9	14	22	31	63
B. Operated	371	25.1	358	8	12	21	40	81	99 +	99 +
TOTAL										
0-19 YRS	151	12.4	217	1	3	6	19	39	55	99 +
20-34	36	11.7	315	2	2	4	11	43	58	70
35-49	94	13.7	210	3	5	9	17	42	59	99 +
50-64	442	13.3	207	4	5	9	16	30	56	99 +
65 +	1213	14.7	176	4	7	11	18	33	51	99 +
GRAND TOTAL	**1936**	**14.1**	**191**	**4**	**6**	**10**	**17**	**33**	**53**	**99 +**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	2.6	4	1	1	2	3	5	6	12
20-34	34	2.9	6	1	2	2	3	5	10	11
35-49	14	1.9	2	1	1	2	2	3	5	6
50-64	20	2.7	5	1	1	2	3	7	8	8
65 +	15	8.6	59	1	3	5	14	21	24	25
B. Operated										
0-19 YRS	26	2.0	4	< 1	1	1	2	5	7	9
20-34	12	6.1	24	1	2	5	9	12	17	18
35-49	27	6.4	30	1	3	5	8	13	20	24
50-64	32	7.3	51	1	2	5	9	19	20	32
65 +	27	5.6	35	1	1	5	7	11	18	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	534	6.9	43	1	2	5	10	15	21	33
20-34	125	7.2	33	2	3	6	10	16	19	27
35-49	154	6.8	42	2	3	5	9	13	20	49
50-64	329	7.5	46	2	3	6	9	15	20	47
65 +	1286	9.9	71	3	5	8	13	20	27	47
B. Operated										
0-19 YRS	235	11.4	250	1	1	6	16	35	62	99 +
20-34	79	11.6	126	2	4	9	17	24	45	99 +
35-49	158	14.3	193	3	5	10	19	31	48	98
50-64	252	12.9	136	2	5	10	19	28	42	99 +
65 +	632	15.5	196	3	7	12	20	36	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	3.1	11	1	1	2	3	6	9	20
B. Operated	124	5.5	33	1	1	4	7	12	18	29
2. MULTIPLE DX										
A. Not Operated	2428	8.6	60	2	3	7	11	18	23	41
B. Operated	1356	13.9	192	2	5	10	19	32	50	99 +
1. SINGLE DX	299	4.1	22	1	1	2	5	9	14	25
2. MULTIPLE DX	3784	10.5	114	2	4	8	14	23	33	92
A. Not Operated	2603	8.2	58	2	3	6	11	17	23	41
B. Operated	1480	13.2	184	1	4	9	18	31	47	99 +
TOTAL										
0-19 YRS	887	7.5	100	1	2	4	10	18	28	88
20-34	250	7.9	66	1	3	6	11	18	24	67
35-49	353	9.9	122	2	3	7	13	22	32	85
50-64	633	9.5	89	2	3	7	13	21	29	87
65 +	1960	11.6	118	3	5	9	15	25	35	89
GRAND TOTAL	**4083**	**10.0**	**110**	**2**	**3**	**7**	**13**	**22**	**32**	**88**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.2	1	< 1	1	2	3	3	3	3
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	6.0	5	4	4	5	7	9	9	9
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	127	1.8	2	< 1	< 1	1	2	4	4	7
20-34	197	1.9	2	< 1	1	2	2	3	4	8
35-49	52	2.0	1	1	1	2	2	3	4	5
50-64	10	1.4		< 1	< 1	1	2	2	2	2
65 +	8	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.1	8	< 1	1	2	3	6	9	14
20-34	28	3.0	3	< 1	1	3	4	5	6	7
35-49	7	7.6	30	3	4	6	8	17	19	19
50-64	8	3.0	3	< 1	1	3	4	5	5	5
65 +	15	9.6	128	2	3	5	11	33	37	39
B. Operated										
0-19 YRS	438	2.2	4	< 1	1	1	3	4	5	10
20-34	229	2.4	3	1	1	2	3	4	5	11
35-49	111	2.4	4	< 1	1	2	3	5	6	11
50-64	63	2.9	10	1	1	2	3	5	10	17
65 +	73	3.5	18	1	1	2	4	8	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.2	5	1	2	3	4	6	8	9
B. Operated	394	1.9	1	< 1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	84	4.6	34	< 1	2	3	5	8	13	37
B. Operated	914	2.4	5	< 1	1	2	3	4	6	13
1. SINGLE DX	411	1.9	2	< 1	1	2	2	3	4	7
2. MULTIPLE DX	998	2.6	8	< 1	1	2	3	5	6	14
A. Not Operated	101	4.4	29	< 1	2	3	5	7	12	36
B. Operated	1308	2.3	4	< 1	1	2	3	4	5	11
TOTAL										
0-19 YRS	597	2.1	4	< 1	1	1	3	4	5	10
20-34	458	2.2	2	< 1	1	2	3	4	5	9
35-49	171	2.5	5	1	1	2	3	5	6	13
50-64	85	2.8	9	1	1	2	3	5	8	17
65 +	98	4.3	37	1	1	2	5	9	15	36
GRAND TOTAL	**1409**	**2.4**	**6**	**< 1**	**1**	**2**	**3**	**4**	**6**	**13**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.3	3	1	2	3	5	6	6	7
20-34	13	3.5	3	2	2	3	4	6	8	8
35-49	15	3.8	5	1	2	4	5	6	8	9
50-64	5	3.8	3	2	3	3	5	6	6	6
65 +	5	3.2	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	37	2.0	2	< 1	1	1	2	5	5	6
20-34	29	1.6	1	1	1	1	2	3	4	4
35-49	29	1.8	1	< 1	1	2	2	3	3	3
50-64	26	2.4	6	1	1	1	2	8	9	9
65 +	16	2.4	8	1	1	2	3	5	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.9	18	1	2	3	5	6	8	29
20-34	29	4.3	9	1	2	4	5	7	8	16
35-49	23	5.0	13	2	3	4	6	10	13	16
50-64	25	6.4	19	2	4	5	8	10	14	23
65 +	61	8.0	34	3	4	7	10	15	20	30
B. Operated										
0-19 YRS	55	3.4	101	1	1	2	3	4	6	72
20-34	25	3.9	10	1	1	3	7	8	10	11
35-49	43	3.9	39	1	1	2	3	8	17	34
50-64	51	3.5	16	1	1	2	3	9	10	23
65 +	53	4.8	22	1	2	3	6	12	19	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.5	3	1	2	3	5	6	7	9
B. Operated	137	2.0	3	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	202	5.6	24	2	2	5	7	11	15	28
B. Operated	227	3.9	41	1	1	2	4	9	12	43
1. SINGLE DX	199	2.5	4	1	1	2	3	5	6	9
2. MULTIPLE DX	429	4.7	34	1	2	3	6	10	13	31
A. Not Operated	264	5.1	20	1	2	4	6	10	13	26
B. Operated	364	3.2	28	1	1	2	3	6	10	24
TOTAL										
0-19 YRS	180	3.3	38	1	1	2	4	6	6	26
20-34	96	3.3	7	1	1	2	4	7	8	14
35-49	110	3.5	20	1	1	2	5	7	10	28
50-64	107	3.9	16	1	1	2	5	9	10	23
65 +	135	5.9	29	1	2	4	8	13	19	41
GRAND TOTAL	**628**	**4.0**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	2.7	3	1	1	2	3	5	6	8
20-34	21	2.0	2	1	1	2	2	4	5	7
35-49	37	2.6	3	1	1	2	3	4	5	10
50-64	24	2.6	2	1	1	2	4	5	5	5
65 +	18	2.6	2	1	2	2	3	5	6	6
B. Operated										
0-19 YRS	85	2.7	7	< 1	1	1	4	6	8	13
20-34	14	4.8	48	1	1	3	5	8	23	28
35-49	17	3.2	6	< 1	1	3	5	7	8	9
50-64	23	3.9	18	< 1	1	2	6	9	13	19
65 +	19	2.4	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	380	4.3	18	1	2	3	5	9	12	20
20-34	103	3.3	7	1	1	3	4	7	10	13
35-49	210	4.0	12	1	2	3	5	8	11	19
50-64	331	4.2	23	1	2	3	5	8	11	19
65 +	513	5.5	38	2	2	4	7	10	15	49
B. Operated										
0-19 YRS	319	9.4	146	1	2	6	10	22	37	74
20-34	54	7.8	56	2	3	6	9	17	27	34
35-49	127	6.7	48	2	3	5	7	15	19	41
50-64	174	7.9	119	2	3	5	8	15	24	93
65 +	453	10.1	167	2	4	7	11	22	33	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	232	2.6	3	1	1	2	3	5	6	8
B. Operated	158	3.1	12	< 1	1	2	4	6	9	19
2. MULTIPLE DX										
A. Not Operated	1537	4.6	25	1	2	3	5	9	12	26
B. Operated	1127	9.1	136	2	3	6	10	20	31	92
1. SINGLE DX	390	2.8	6	1	1	2	4	6	7	11
2. MULTIPLE DX	2664	6.5	77	1	2	4	7	13	20	65
A. Not Operated	1769	4.3	22	1	2	3	5	8	12	23
B. Operated	1285	8.3	124	1	2	5	9	18	28	86
TOTAL										
0-19 YRS	916	5.7	67	1	2	3	6	12	19	43
20-34	192	4.6	27	1	2	3	5	9	14	31
35-49	391	4.7	24	1	2	3	5	10	13	26
50-64	552	5.3	55	1	2	3	6	10	15	36
65 +	1003	7.5	101	2	3	5	8	16	25	96
GRAND TOTAL	**3054**	**6.0**	**69**	**1**	**2**	**4**	**7**	**12**	**19**	**55**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	5	2.8	4	< 1	1	2	4	6	6	6
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	4.0	5	< 1	2	4	5	7	7	7
35-49	4	3.8	6	2	2	3	5	7	7	7
50-64	4	1.8	2	< 1	< 1	< 1	2	4	4	4
65 +	5	2.2	3	< 1	< 1	< 1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.8	32	3	3	5	10	15	15	15
20-34	21	5.8	82	2	3	4	5	6	24	45
35-49	33	5.0	24	1	3	3	6	10	12	27
50-64	44	5.4	9	2	3	5	7	10	11	12
65 +	85	6.4	28	2	4	5	7	12	16	28
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	17	5.4	11	2	4	4	6	11	12	12
35-49	44	6.8	22	2	3	5	10	13	17	21
50-64	58	8.4	76	2	4	6	9	15	25	50
65 +	103	7.7	37	3	4	6	9	14	16	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.2	4	1	2	3	4	6	7	8
B. Operated	18	2.9	4	< 1	< 1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	187	5.9	28	2	3	5	7	10	14	28
B. Operated	224	7.5	42	3	4	6	9	14	18	43
1. SINGLE DX	34	3.1	4	< 1	1	3	4	6	7	8
2. MULTIPLE DX	411	6.8	37	2	3	5	8	12	15	34
A. Not Operated	203	5.7	27	2	3	4	7	10	14	28
B. Operated	242	7.2	41	2	4	6	8	13	17	42
TOTAL										
0-19 YRS	10	5.2	15	3	3	4	6	11	15	15
20-34	47	5.1	41	1	3	4	5	8	12	45
35-49	86	5.8	22	2	3	4	8	11	15	25
50-64	109	6.8	47	2	3	5	8	12	15	45
65 +	193	7.0	33	2	4	6	8	13	15	29
GRAND TOTAL	**445**	**6.5**	**35**	**2**	**3**	**5**	**8**	**12**	**15**	**30**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	10	3.3	2	1	2	4	4	5	5	5
50-64	6	3.7	3	2	2	3	5	6	6	6
65 +	15	3.7	4	2	3	3	4	8	8	8
B. Operated										
0-19 YRS	0									
20-34	8	5.0	7	2	3	5	7	9	9	9
35-49	9	9.1	19	3	5	9	12	15	16	16
50-64	5	5.4	11	1	3	5	8	10	10	10
65 +	5	3.4	4	2	2	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	2	2	2	3	5	5	5	5
20-34	25	4.8	18	2	2	3	6	7	12	23
35-49	75	5.6	31	2	3	4	6	9	13	37
50-64	130	5.1	7	2	3	5	6	7	12	14
65 +	446	7.3	34	3	4	6	8	14	18	34
B. Operated										
0-19 YRS	6	8.8	45	4	4	7	9	21	22	22
20-34	19	6.1	7	3	4	6	7	10	12	13
35-49	56	9.5	200	3	4	6	8	15	27	96
50-64	156	9.2	56	4	5	7	11	17	23	43
65 +	525	10.8	108	4	5	7	12	23	33	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.5	3	2	2	3	4	6	7	8
B. Operated	27	6.1	15	2	3	6	9	12	14	16
2. MULTIPLE DX										
A. Not Operated	682	6.6	29	3	4	5	7	12	16	31
B. Operated	762	10.2	102	4	5	7	12	20	30	62
1. SINGLE DX	61	4.7	10	2	3	4	6	9	11	16
2. MULTIPLE DX	1444	8.5	70	3	4	6	9	16	25	49
A. Not Operated	716	6.4	28	3	3	5	7	12	15	31
B. Operated	789	10.1	99	3	5	7	12	20	30	62
TOTAL										
0-19 YRS	12	6.2	29	2	3	5	7	13	21	22
20-34	55	5.2	12	2	3	5	6	8	11	22
35-49	150	7.1	95	2	3	5	7	13	16	46
50-64	297	7.2	37	3	4	6	8	14	18	31
65 +	991	9.1	76	3	4	6	10	17	28	56
GRAND TOTAL	**1505**	8.3	**69**	**3**	**4**	**6**	**9**	**16**	**24**	**48**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	2.9	2	1	2	3	3	5	6	6
35-49	14	3.3	4	1	2	3	5	7	7	7
50-64	15	2.7	2	< 1	2	2	4	5	6	6
65 +	5	3.0	4	1	2	2	4	6	6	6
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	6.8	3	5	5	6	8	9	9	9
35-49	5	6.8	23	2	3	5	10	14	14	14
50-64	2	3.0	8	< 1	< 1	2	5	5	5	5
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.5	5	2	2	2	5	7	8	8
20-34	56	4.1	6	1	2	4	5	7	9	11
35-49	100	4.3	5	2	3	4	5	7	8	12
50-64	97	4.6	7	2	3	4	6	8	10	14
65 +	179	6.2	20	2	4	5	7	12	16	22
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	6.4	5	3	5	7	8	9	10	10
35-49	29	8.2	59	2	4	6	10	15	24	39
50-64	31	8.7	52	3	4	6	11	23	26	27
65 +	62	11.9	138	4	5	8	11	29	34	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.9	3	1	2	2	4	6	6	7
B. Operated	13	6.3	11	2	4	6	8	10	13	14
2. MULTIPLE DX										
A. Not Operated	440	5.1	12	2	3	4	6	9	12	19
B. Operated	134	9.8	93	3	4	7	11	23	29	54
1. SINGLE DX	71	3.5	6	1	2	3	5	7	8	13
2. MULTIPLE DX	574	6.2	35	2	3	5	7	11	15	30
A. Not Operated	498	4.8	12	2	3	4	6	9	11	18
B. Operated	147	9.5	86	3	4	7	10	22	29	52
TOTAL										
0-19 YRS	12	3.3	6	1	2	2	5	7	8	8
20-34	93	4.1	6	1	2	4	5	7	9	11
35-49	148	5.0	18	2	3	4	6	9	11	23
50-64	145	5.2	19	2	3	4	6	9	12	26
65 +	247	7.6	55	2	4	5	8	14	21	36
GRAND TOTAL	**645**	**5.9**	**32**	**2**	**3**	**4**	**7**	**10**	**14**	**30**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	18	4.3	9	1	2	4	7	9	10	11
35-49	27	3.7	4	2	2	3	5	7	7	8
50-64	16	4.3	3	2	3	4	6	6	7	7
65 +	19	4.2	3	2	3	4	6	7	7	7
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	5.6	4	3	4	6	7	8	9	9
35-49	17	6.2	7	3	4	7	9	9	10	10
50-64	11	6.8	8	4	5	7	9	11	12	12
65 +	9	6.1	5	3	4	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.4	3	3	3	4	5	7	8	8
20-34	62	4.0	5	2	2	3	5	7	8	11
35-49	121	4.3	4	2	3	4	5	7	8	12
50-64	187	5.7	19	3	3	5	7	8	10	27
65 +	507	7.4	54	3	4	6	8	13	18	65
B. Operated										
0-19 YRS	13	13.3	167	3	4	9	20	30	45	48
20-34	28	8.0	21	2	5	7	10	15	16	21
35-49	65	9.5	68	3	5	7	10	22	32	91
50-64	147	12.4	182	3	5	8	13	25	43	90
65 +	374	14.9	239	4	7	10	17	32	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.0	4	2	2	4	5	7	8	10
B. Operated	48	6.1	7	3	4	6	8	9	10	12
2. MULTIPLE DX										
A. Not Operated	889	6.3	37	3	4	5	7	11	14	39
B. Operated	627	13.4	201	4	6	9	16	28	45	99
1. SINGLE DX	132	4.8	6	2	3	4	7	8	9	11
2. MULTIPLE DX	1516	9.3	117	3	4	6	10	18	28	88
A. Not Operated	973	6.1	35	2	3	5	7	10	14	37
B. Operated	675	12.9	190	4	6	9	15	26	42	98
TOTAL										
0-19 YRS	30	7.9	94	2	3	4	8	20	25	48
20-34	118	5.1	12	2	3	4	7	10	11	17
35-49	230	5.9	28	2	3	5	7	9	16	36
50-64	361	8.4	95	3	4	6	8	15	25	59
65 +	909	10.4	143	3	4	7	12	21	33	93
GRAND TOTAL	**1648**	**8.9**	**110**	**3**	**4**	**6**	**9**	**18**	**26**	**85**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	6.0	12	4	4	4	9	10	10	10
50-64	3	7.0	28	3	3	5	11	13	13	13
65 +	5	7.8	7	5	6	7	10	11	11	11
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	13.0		13	13	13	13	13	13	13
35-49	3	6.3	5	5	5	5	8	9	9	9
50-64	4	10.0	17	7	7	8	12	16	16	16
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.7	32	4	5	7	13	15	15	15
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	8	9.0	37	3	5	8	11	19	22	22
50-64	20	7.2	41	2	3	6	8	13	22	30
65 +	46	9.8	37	4	5	8	14	18	21	30
B. Operated										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	7	13.0	89	3	6	11	21	27	28	28
35-49	24	14.9	142	5	7	10	21	32	39	49
50-64	37	14.8	133	4	8	13	18	26	36	65
65 +	57	19.9	354	5	8	14	26	55	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.4	11	3	4	5	10	11	13	13
B. Operated	10	9.5	13	5	7	9	13	15	16	16
2. MULTIPLE DX										
A. Not Operated	79	8.9	37	3	5	7	11	18	21	30
B. Operated	126	17.1	235	5	8	13	22	35	57	99 +
1. SINGLE DX	24	7.7	14	3	5	7	10	13	14	16
2. MULTIPLE DX	205	14.0	174	4	6	10	17	29	42	95
A. Not Operated	93	8.5	34	3	4	7	10	17	21	30
B. Operated	136	16.5	222	5	8	12	21	35	55	99 +
TOTAL										
0-19 YRS	6	11.5	56	4	6	10	15	23	24	24
20-34	12	10.2	70	2	3	9	12	25	28	28
35-49	38	12.3	109	4	5	9	13	29	34	49
50-64	64	11.8	104	3	5	9	15	21	29	62
65 +	109	15.0	226	4	7	10	18	33	57	99 +
GRAND TOTAL	**229**	**13.3**	**161**	**4**	**6**	**10**	**17**	**28**	**40**	**93**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.2	2	1	1	2	3	4	6	7
20-34	72	2.3	2	1	1	2	3	4	5	7
35-49	55	2.8	5	1	1	2	3	6	8	10
50-64	40	3.3	5	1	2	3	4	6	7	12
65 +	14	3.0	6	1	1	2	5	7	8	8
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	9	2.6	4	< 1	1	2	3	6	7	7
35-49	16	3.3	4	< 1	2	3	4	6	7	8
50-64	4	5.0	13	< 1	1	5	8	9	9	9
65 +	8	2.9	7	< 1	< 1	1	4	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	2.7	10	1	1	2	3	4	6	14
20-34	239	3.2	4	1	2	3	4	6	7	10
35-49	329	4.3	8	2	2	4	5	8	10	16
50-64	350	4.6	9	2	3	4	6	8	11	20
65 +	672	6.2	47	2	3	5	7	11	14	44
B. Operated										
0-19 YRS	25	10.4	199	1	3	6	8	36	45	54
20-34	53	5.6	22	2	2	5	7	11	15	28
35-49	84	7.8	70	3	4	6	9	15	21	52
50-64	135	6.4	23	2	3	6	8	11	13	26
65 +	290	9.4	61	3	5	7	11	19	28	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.6	3	1	1	2	3	5	6	9
B. Operated	39	3.2	5	< 1	1	3	4	7	8	9
2. MULTIPLE DX										
A. Not Operated	1734	4.8	25	2	2	4	6	9	12	21
B. Operated	587	8.2	58	3	4	6	9	16	24	45
1. SINGLE DX	262	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX	2321	5.7	35	2	3	4	7	11	14	35
A. Not Operated	1957	4.6	23	1	2	4	5	8	11	20
B. Operated	626	7.9	56	2	4	6	9	15	22	44
TOTAL										
0-19 YRS	213	3.5	36	1	1	2	3	6	8	38
20-34	373	3.4	7	1	2	3	4	6	7	14
35-49	484	4.7	21	1	2	4	6	9	11	18
50-64	529	5.0	13	2	3	4	6	9	11	21
65 +	984	7.1	53	2	3	5	8	13	18	46
GRAND TOTAL	**2583**	**5.4**	**33**	**1**	**2**	**4**	**6**	**10**	**14**	**33**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.8	27	1	2	3	5	9	18	23
20-34	12	2.5	3	1	1	2	4	5	6	6
35-49	10	3.2	2	1	2	3	4	5	5	5
50-64	13	2.8	3	1	2	2	4	5	6	6
65 +	7	2.4	9	< 1	1	1	2	8	9	9
B. Operated										
0-19 YRS	20	4.3	7	1	3	3	5	9	10	11
20-34	0									
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.5	9	1	2	2	4	7	10	16
20-34	46	4.8	14	1	2	4	6	8	15	17
35-49	58	3.8	6	1	2	3	5	7	9	12
50-64	59	7.6	151	1	2	4	6	19	30	75
65 +	158	7.2	64	2	3	5	8	14	21	54
B. Operated										
0-19 YRS	32	7.2	55	1	3	4	10	15	20	37
20-34	16	6.0	27	1	2	5	8	11	18	21
35-49	40	13.6	181	3	6	10	13	34	38	73
50-64	52	12.9	103	5	6	9	16	27	39	49
65 +	108	15.3	171	3	6	12	21	35	44	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.3	11	1	1	3	5	6	8	22
B. Operated	25	4.5	7	2	3	4	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	365	6.0	58	1	2	4	6	11	16	43
B. Operated	248	12.9	142	3	5	9	15	29	38	60
1. SINGLE DX	84	3.7	10	1	2	3	5	7	9	19
2. MULTIPLE DX	613	8.8	103	2	3	5	10	20	30	53
A. Not Operated	424	5.6	52	1	2	4	6	10	15	39
B. Operated	273	12.1	136	3	4	8	14	28	37	58
TOTAL										
0-19 YRS	113	4.8	26	1	2	3	5	11	15	28
20-34	74	4.7	16	1	2	4	6	9	14	20
35-49	110	7.3	91	2	3	4	9	13	23	52
50-64	125	9.3	125	2	3	6	11	22	30	56
65 +	275	10.3	121	2	4	6	13	24	35	59
GRAND TOTAL	**697**	**8.2**	**95**	**2**	**3**	**5**	**9**	**19**	**28**	**51**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.0	3	1	2	2	4	6	7	7
20-34	20	3.1	2	1	2	3	4	5	5	6
35-49	5	2.6		2	2	3	3	3	3	3
50-64	5	3.4	3	< 1	2	3	4	6	6	6
65 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	1142	3.1	2	2	2	3	4	4	5	8
20-34	890	3.3	2	2	3	3	4	5	5	8
35-49	314	3.7	2	2	3	3	4	5	6	8
50-64	83	4.1	2	2	3	4	5	6	7	9
65 +	18	5.0	5	3	3	4	7	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.1	2	1	1	2	3	4	5	5
20-34	9	3.6	2	2	3	3	5	5	5	5
35-49	4	4.8	18	2	2	3	7	11	11	11
50-64	4	3.3	7	1	1	2	5	7	7	7
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	320	4.3	10	2	3	3	5	7	10	20
20-34	327	4.3	6	2	3	4	5	7	8	13
35-49	175	4.8	7	3	3	4	6	8	10	15
50-64	86	6.0	16	3	4	5	8	10	13	24
65 +	54	7.1	21	3	4	6	9	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.0	3	1	2	3	4	6	6	7
B. Operated	2447	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	30	3.3	6	1	1	3	4	6	10	11
B. Operated	962	4.7	10	2	3	4	5	8	10	17
1. SINGLE DX	2504	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX	992	4.7	10	2	3	4	5	8	10	17
A. Not Operated	87	3.1	4	1	2	3	4	6	7	11
B. Operated	3409	3.7	4	2	3	3	4	6	7	12
TOTAL										
0-19 YRS	1498	3.3	4	2	2	3	4	5	6	10
20-34	1246	3.6	3	2	3	3	4	5	6	9
35-49	498	4.1	4	2	3	4	5	6	8	13
50-64	178	5.0	10	2	3	4	6	8	10	20
65 +	76	6.4	18	3	4	5	8	11	14	24
GRAND TOTAL	**3496**	**3.7**	**4**	**2**	**3**	**3**	**4**	**6**	**7**	**12**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	6.8	6	4	5	6	8	11	12	12
20-34	6	4.0	2	3	3	4	5	6	6	6
35-49	4	10.0	37	6	6	7	13	19	19	19
50-64	3	10.7	1	10	10	10	12	12	12	12
65 +	3	7.3	21	2	4	10	10	10	10	10
B. Operated										
0-19 YRS	287	6.2	9	3	4	6	8	10	11	15
20-34	139	5.7	7	3	4	5	7	9	10	15
35-49	108	6.3	6	3	5	6	8	10	11	13
50-64	68	7.5	11	4	6	7	9	12	12	21
65 +	21	7.7	3	6	6	8	9	10	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	8.8	16	5	6	8	10	14	18	20
20-34	4	7.0	30	1	3	6	11	14	14	14
35-49	7	9.4	22	4	5	11	13	15	16	16
50-64	9	6.2	14	1	3	6	9	11	11	11
65 +	6	10.5	10	8	8	9	12	16	16	16
B. Operated										
0-19 YRS	305	9.6	42	4	6	8	11	15	20	28
20-34	162	8.0	17	4	5	7	10	12	15	25
35-49	189	9.3	19	5	6	8	11	15	17	25
50-64	154	10.0	34	5	7	9	12	16	20	38
65 +	140	12.2	34	6	8	11	16	21	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	7.1	13	3	4	7	10	11	13	19
B. Operated	623	6.3	8	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	41	8.4	17	4	5	8	11	14	16	20
B. Operated	950	9.7	32	5	6	8	12	16	20	29
1. SINGLE DX	651	6.3	8	3	4	6	8	10	11	15
2. MULTIPLE DX	991	9.7	31	5	6	8	12	16	20	29
A. Not Operated	69	7.9	16	3	5	8	10	13	16	20
B. Operated	1573	8.4	25	4	5	7	10	14	17	26
TOTAL										
0-19 YRS	619	7.9	28	3	5	7	10	13	16	26
20-34	311	6.9	14	3	5	6	8	11	13	21
35-49	308	8.2	17	4	6	7	10	14	16	23
50-64	234	9.2	28	4	6	8	11	14	18	37
65 +	170	11.5	31	6	7	10	15	20	22	34
GRAND TOTAL	**1642**	**8.3**	**25**	**4**	**5**	**7**	**10**	**14**	**17**	**26**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.5	1	1	1	1	2	3	3	3
20-34	6	2.7	2	1	2	2	3	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	67	3.1	2	2	2	3	4	5	6	9
20-34	46	3.1	2	2	2	3	4	5	5	7
35-49	18	3.7	2	2	3	3	4	6	6	6
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	18	1	1	2	6	11	11	11
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	3.3	5	1	1	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	44	4.0	3	2	3	4	5	6	7	9
20-34	42	5.2	11	2	3	4	7	10	12	15
35-49	25	5.2	9	2	3	4	6	10	11	15
50-64	5	3.8	1	3	3	4	4	5	5	5
65 +	4	12.8	107	3	5	10	20	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.9	1	1	1	1	3	3	4	5
B. Operated	137	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	15	3.1	7	1	1	2	4	6	10	11
B. Operated	120	4.9	12	2	3	4	6	9	11	19
1. SINGLE DX	154	3.0	2	2	2	3	4	5	6	8
2. MULTIPLE DX	135	4.7	12	2	3	4	6	9	11	17
A. Not Operated	32	2.4	4	1	1	2	3	5	6	11
B. Operated	257	4.0	7	2	2	3	5	7	9	15
TOTAL										
0-19 YRS	126	3.3	3	1	2	3	4	6	6	10
20-34	98	3.9	7	2	2	3	5	7	10	14
35-49	46	4.4	6	2	3	4	5	7	10	15
50-64	11	3.9	4	2	3	4	5	7	8	8
65 +	8	7.9	74	1	2	4	10	23	27	27
GRAND TOTAL	**289**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**9**	**14**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	1.7	1	< 1	< 1	1	2	3	3	3
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	6	1.3	1	1	1	1	1	3	3	3
B. Operated										
0-19 YRS	351	1.2		< 1	1	1	1	2	2	4
20-34	246	1.2		1	1	1	1	2	2	3
35-49	325	1.4	1	1	1	1	2	2	3	4
50-64	386	1.5	1	1	1	1	2	2	3	5
65 +	350	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.4	1	< 1	< 1	1	1	3	4	4
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	4	3.8	5	< 1	1	4	5	6	6	6
50-64	4	1.0		< 1	< 1	< 1	1	1	1	1
65 +	25	5.6	122	< 1	1	2	7	13	25	55
B. Operated										
0-19 YRS	441	1.4	1	< 1	1	1	1	2	3	7
20-34	140	1.9	2	1	1	1	2	3	4	8
35-49	285	1.8	2	1	1	1	2	4	4	7
50-64	513	2.2	5	1	1	2	3	4	6	10
65 +	1072	2.8	10	1	1	2	3	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.3		< 1	< 1	1	1	3	3	3
B. Operated	1658	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	55	3.5	59	< 1	< 1	1	3	8	12	53
B. Operated	2451	2.3	6	1	1	1	3	4	6	13
1. SINGLE DX	1677	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX	2506	2.3	8	1	1	1	3	4	6	14
A. Not Operated	74	2.9	45	< 1	< 1	1	2	6	9	45
B. Operated	4109	1.9	4	1	1	1	2	3	5	10
TOTAL										
0-19 YRS	818	1.3	1	< 1	1	1	1	2	3	5
20-34	390	1.5	1	1	1	1	2	3	3	6
35-49	617	1.6	1	1	1	1	2	3	4	6
50-64	905	1.9	3	1	1	1	2	3	4	8
65 +	1453	2.6	10	1	1	2	3	5	7	16
GRAND TOTAL	**4183**	**1.9**	**5**	**1**	**1**	**1**	**2**	**3**	**5**	**11**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	0									
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	122	1.6	1	< 1	1	1	2	3	3	6
20-34	41	1.7	2	1	1	1	2	3	4	8
35-49	42	2.1	1	1	1	2	3	4	4	5
50-64	42	2.6	2	1	1	3	4	4	5	6
65 +	68	2.7	3	1	2	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.0	3	< 1	< 1	1	3	5	5	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	16	3.4	5	1	2	3	4	7	8	8
B. Operated										
0-19 YRS	121	2.2	4	1	1	2	2	4	8	39
20-34	11	2.6	2	< 1	1	3	3	5	5	5
35-49	32	3.1	3	1	2	3	4	6	6	7
50-64	82	4.4	13	1	2	4	6	8	10	22
65 +	373	6.6	61	2	3	4	8	15	20	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.3		< 1	1	1	2	2	2	2
B. Operated	315	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	27	2.7	4	< 1	1	2	4	5	8	8
B. Operated	619	5.2	43	1	2	3	6	11	16	45
1. SINGLE DX	328	2.0	2	1	1	2	3	4	5	7
2. MULTIPLE DX	646	5.1	42	1	2	3	6	11	16	40
A. Not Operated	40	2.3	3	< 1	1	2	3	5	7	8
B. Operated	934	4.2	31	1	1	3	5	8	14	27
TOTAL										
0-19 YRS	256	1.9	3	< 1	1	1	2	3	5	9
20-34	52	1.9	2	1	1	1	2	4	5	8
35-49	78	2.4	2	1	1	2	3	5	5	7
50-64	127	3.7	10	1	2	3	5	7	9	18
65 +	461	5.9	52	1	2	4	7	14	18	57
GRAND TOTAL	**974**	**4.1**	**30**	**1**	**1**	**3**	**5**	**8**	**14**	**27**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.0		< 1	< 1	< 1	1	1	1	1
20-34	18	1.3		< 1	1	1	1	2	3	3
35-49	30	1.7	1	1	1	1	2	3	4	5
50-64	27	1.7	1	1	1	1	2	3	3	4
65 +	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	19	5.2	64	1	1	2	7	25	66	99 +
20-34	21	1.7	1	1	1	1	2	4	4	5
35-49	50	3.0	9	1	1	2	4	6	11	15
50-64	45	2.9	6	1	1	2	3	6	8	13
65 +	50	3.3	11	1	1	2	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	97	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	5	3.4	3	2	2	3	4	6	6	6
B. Operated	185	3.1	14	1	1	2	4	7	10	28
1. SINGLE DX	99	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	190	3.1	14	1	1	2	4	7	10	27
A. Not Operated	7	2.7	3	< 1	1	2	4	6	6	6
B. Operated	282	2.6	10	1	1	1	3	5	8	19
TOTAL										
0-19 YRS	38	3.2	36	< 1	< 1	1	2	8	26	99 +
20-34	41	1.6	1	< 1	1	1	2	3	4	6
35-49	80	2.5	6	1	1	2	3	5	7	14
50-64	73	2.4	5	1	1	2	3	5	7	12
65 +	57	3.1	10	1	1	2	4	7	9	18
GRAND TOTAL	**289**	**2.6**	**10**	**1**	**1**	**1**	**3**	**5**	**7**	**19**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	3.6	2	2	3	3	4	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	14	1.6	1	< 1	< 1	1	2	4	4	4
20-34	48	2.7	4	1	1	2	3	5	6	10
35-49	134	2.7	3	1	1	2	4	5	6	7
50-64	122	3.3	5	1	2	3	4	6	7	12
65 +	82	3.5	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	10	2.4	4	< 1	1	2	3	5	7	7
50-64	8	3.5	7	< 1	1	3	6	7	7	7
65 +	21	6.1	38	1	2	4	7	12	20	28
B. Operated										
0-19 YRS	10	2.6	1	< 1	2	3	3	4	4	4
20-34	57	3.6	5	1	2	3	5	7	8	10
35-49	168	4.6	15	1	3	4	6	8	11	26
50-64	278	4.5	11	1	2	4	6	8	11	19
65 +	381	5.9	19	2	3	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.3	2	2	2	3	4	6	6	6
B. Operated	400	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	41	4.4	24	< 1	1	3	7	8	12	28
B. Operated	894	5.0	15	2	3	4	6	9	11	21
1. SINGLE DX	406	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	935	5.0	15	1	3	4	6	9	11	22
A. Not Operated	47	4.3	21	< 1	1	3	6	7	11	28
B. Operated	1294	4.4	12	1	2	4	6	8	10	19
TOTAL										
0-19 YRS	24	2.0	1	< 1	< 1	2	3	4	4	4
20-34	107	3.1	5	1	1	3	4	6	8	10
35-49	312	3.7	10	1	2	3	5	7	8	16
50-64	413	4.1	9	1	2	4	5	7	10	16
65 +	485	5.5	18	2	3	5	7	9	12	23
GRAND TOTAL	**1341**	**4.4**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	2.3	2	< 1	1	2	3	4	5	5
50-64	6	1.7		< 1	1	2	2	2	2	2
65 +	8	2.6	3	< 1	1	2	4	5	5	5
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	7.0	4	5	5	7	8	9	9	9
65 +	5	8.4	32	< 1	4	8	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	10	5.5	31	1	2	5	6	13	20	20
35-49	28	3.5	6	1	2	3	5	6	7	12
50-64	69	3.8	3	2	2	4	5	6	7	10
65 +	121	5.8	93	2	3	4	6	9	11	60
B. Operated										
0-19 YRS	10	9.7	19	5	6	10	11	16	20	20
20-34	13	7.9	10	4	5	9	11	12	13	13
35-49	26	9.1	28	5	7	8	10	13	18	32
50-64	37	7.1	8	3	5	7	9	11	11	12
65 +	52	11.0	126	2	5	9	12	19	23	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.3	2	< 1	1	2	3	4	5	5
B. Operated	10	7.7	18	2	5	7	10	14	14	14
2. MULTIPLE DX										
A. Not Operated	229	4.9	53	2	2	4	5	7	10	28
B. Operated	138	9.2	59	4	5	8	11	14	19	55
1. SINGLE DX	34	3.9	12	< 1	2	2	5	9	13	14
2. MULTIPLE DX	367	6.5	59	2	3	5	8	11	14	43
A. Not Operated	253	4.6	48	2	2	3	5	7	9	23
B. Operated	148	9.1	56	4	5	8	10	14	19	53
TOTAL										
0-19 YRS	12	9.4	16	5	6	10	11	14	19	20
20-34	25	6.5	20	2	3	5	9	11	15	20
35-49	63	5.7	23	2	2	5	8	10	13	30
50-64	115	4.8	8	2	3	4	6	9	11	12
65 +	186	7.2	102	2	3	5	8	13	18	61
GRAND TOTAL	**401**	**6.3**	**56**	**2**	**3**	**5**	**8**	**11**	**14**	**38**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	15	1.9	3	1	1	1	2	2	7	8
50-64	11	2.5	5	< 1	1	1	4	6	8	8
65 +	10	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	5.3	6	2	3	5	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	8	3.6	8	1	1	2	7	7	7	7
35-49	17	2.6	3	1	1	2	4	5	6	6
50-64	17	2.8	10	1	1	1	4	7	10	12
65 +	50	5.4	67	1	2	3	6	11	21	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	39	2.1	3	1	1	2	2	4	7	8
2. MULTIPLE DX										
A. Not Operated	5	5.2	5	2	4	5	6	8	8	8
B. Operated	92	4.3	41	1	1	3	5	7	12	81
1. SINGLE DX	41	2.1	3	1	1	2	2	4	6	8
2. MULTIPLE DX	97	4.3	39	1	1	3	5	7	12	79
A. Not Operated	7	4.1	6	1	2	5	6	8	8	8
B. Operated	131	3.6	30	1	1	2	4	7	10	64
TOTAL										
0-19 YRS	0									
20-34	12	3.3	6	1	1	2	6	7	7	7
35-49	33	2.3	3	1	1	2	3	5	6	8
50-64	29	2.8	8	1	1	1	4	7	8	12
65 +	64	4.8	55	1	2	3	5	9	16	93
GRAND TOTAL	**138**	**3.6**	**29**	**1**	**1**	**2**	**5**	**7**	**10**	**61**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	2.0	3	< 1	< 1	1	3	4	4	4
50-64	4	2.0	2	< 1	< 1	1	3	4	4	4
65 +	9	3.7	5	1	2	3	5	7	7	7
B. Operated										
0-19 YRS	14	2.3	4	1	1	2	3	5	7	8
20-34	35	2.5	5	< 1	1	2	3	7	8	8
35-49	87	2.8	4	1	1	2	4	5	7	9
50-64	73	3.4	8	1	1	3	5	7	9	13
65 +	83	4.1	8	2	2	3	5	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	3.9	4	1	2	4	5	7	7	7
50-64	10	6.7	44	< 1	2	6	7	16	24	24
65 +	50	7.7	81	2	3	6	8	14	18	62
B. Operated										
0-19 YRS	9	8.2	13	4	6	7	10	14	16	16
20-34	21	5.4	44	1	2	3	5	14	24	27
35-49	92	6.3	36	1	2	5	8	13	17	34
50-64	203	7.7	59	2	3	6	9	16	21	48
65 +	486	10.6	113	2	5	8	13	22	30	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.8	4	< 1	1	2	4	6	7	7
B. Operated	292	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	69	7.0	67	1	3	5	8	14	18	55
B. Operated	811	9.2	91	2	4	7	11	20	26	64
1. SINGLE DX	310	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX	880	9.1	89	2	4	7	11	19	25	63
A. Not Operated	87	6.1	56	1	2	5	7	12	16	48
B. Operated	1103	7.7	75	1	3	5	10	16	22	54
TOTAL										
0-19 YRS	24	4.5	16	1	1	3	7	10	12	16
20-34	59	3.5	20	1	1	2	4	8	9	26
35-49	189	4.5	22	1	2	3	6	9	13	24
50-64	290	6.5	48	1	2	5	8	12	20	39
65 +	628	9.4	101	2	4	7	11	20	28	72
GRAND TOTAL	**1190**	**7.5**	**74**	**1**	**3**	**5**	**9**	**16**	**22**	**55**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.0	2	< 1	1	2	2	4	6	7
20-34	65	3.0	4	1	2	3	4	6	7	9
35-49	124	3.8	4	2	2	3	5	6	7	10
50-64	92	4.1	5	2	3	4	5	7	8	11
65 +	114	4.4	9	1	3	4	6	8	11	15
B. Operated										
0-19 YRS	50	5.7	13	3	3	5	7	11	12	19
20-34	28	7.4	14	4	5	6	9	13	14	18
35-49	39	9.2	19	5	7	8	11	14	16	27
50-64	35	8.9	9	5	7	9	11	13	14	17
65 +	38	9.6	18	5	7	9	13	15	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	3.3	7	1	1	3	4	6	8	15
20-34	110	4.9	12	1	2	4	7	9	12	17
35-49	227	5.1	11	2	3	4	7	9	11	17
50-64	385	6.0	31	2	3	5	7	10	12	25
65 +	1199	7.6	58	3	4	6	9	13	18	49
B. Operated										
0-19 YRS	143	9.4	87	3	5	7	11	17	23	93
20-34	87	12.6	121	4	7	9	14	26	31	59
35-49	147	11.8	39	5	7	10	15	21	24	32
50-64	261	14.8	94	6	9	12	18	27	34	78
65 +	762	17.8	167	7	10	14	22	34	45	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	468	3.6	6	1	2	3	5	6	8	12
B. Operated	190	8.0	17	3	5	7	10	13	15	20
2. MULTIPLE DX										
A. Not Operated	2041	6.6	44	2	3	5	8	12	15	34
B. Operated	1400	15.4	137	6	8	12	19	29	39	91
1. SINGLE DX	658	4.9	13	1	2	4	6	10	12	18
2. MULTIPLE DX	3441	10.2	100	3	4	7	13	21	29	60
A. Not Operated	2509	6.1	38	2	3	5	7	11	14	31
B. Operated	1590	14.5	128	5	8	11	18	28	37	78
TOTAL										
0-19 YRS	386	5.6	46	1	2	4	7	11	16	34
20-34	290	7.1	57	2	3	5	9	13	19	48
35-49	537	6.9	28	2	3	6	9	14	18	26
50-64	773	8.9	67	3	4	6	11	18	24	43
65 +	2113	11.1	119	3	5	8	13	23	33	70
GRAND TOTAL	**4099**	**9.3**	**90**	**2**	**4**	**7**	**11**	**19**	**26**	**56**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	488	2.0	1	1	1	2	3	4	4	6
20-34	292	2.1	2	1	1	2	3	4	4	6
35-49	137	2.5	4	1	1	2	3	4	6	11
50-64	56	2.4	2	1	1	2	3	4	5	7
65 +	34	3.1	5	1	1	3	4	5	8	11
B. Operated										
0-19 YRS	24	3.5	3	2	2	3	5	6	7	8
20-34	28	4.8	8	2	3	4	6	8	10	15
35-49	11	3.6	4	< 1	1	4	6	6	6	6
50-64	6	3.8	7	< 1	1	3	7	7	7	7
65 +	4	3.8	18	< 1	< 1	2	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1281	2.8	5	1	2	2	3	5	6	13
20-34	434	3.1	14	1	1	2	4	6	8	14
35-49	348	3.5	14	1	2	3	4	6	8	11
50-64	369	4.4	13	2	2	3	6	9	11	20
65 +	919	5.7	44	2	3	4	7	10	15	30
B. Operated										
0-19 YRS	59	11.8	212	2	3	6	14	31	43	80
20-34	85	7.2	49	2	3	5	8	14	22	39
35-49	72	8.6	63	2	4	7	11	16	20	46
50-64	73	7.9	28	3	4	7	11	15	17	83
65 +	172	11.3	141	4	5	8	13	21	29	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1007	2.2	2	1	1	2	3	4	5	7
B. Operated	73	4.1	6	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	3351	3.9	20	1	2	3	4	7	10	19
B. Operated	461	9.7	106	3	4	7	11	18	26	64
1. SINGLE DX	1080	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	3812	4.6	34	1	2	3	5	9	13	26
A. Not Operated	4358	3.5	16	1	2	3	4	6	9	18
B. Operated	534	8.9	96	2	4	6	10	17	24	55
TOTAL										
0-19 YRS	1852	2.9	13	1	1	2	3	5	6	17
20-34	839	3.2	15	1	1	2	4	6	8	20
35-49	568	3.9	21	1	2	3	4	7	10	18
50-64	504	4.7	16	1	2	4	6	9	13	22
65 +	1129	6.5	62	2	3	4	8	12	17	45
GRAND TOTAL	**4892**	**4.1**	**28**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	32	4.3	4	2	3	4	5	7	8	9
35-49	155	5.0	5	2	3	5	7	8	9	9
50-64	163	4.9	7	1	3	4	6	8	10	14
65 +	139	4.7	7	< 1	2	5	7	8	9	10
B. Operated										
0-19 YRS	0									
20-34	14	8.1	16	4	6	7	8	13	18	20
35-49	43	7.7	10	4	6	7	9	12	15	16
50-64	47	8.8	7	6	8	8	9	13	15	16
65 +	20	9.0	40	1	6	8	9	19	23	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	25	6.3	14	3	4	5	8	10	15	16
35-49	174	6.0	12	2	4	5	8	10	12	19
50-64	442	6.7	27	3	4	6	8	11	13	19
65 +	1429	7.3	27	3	4	6	9	13	16	31
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	36	12.9	61	6	8	11	15	20	34	37
35-49	150	11.5	83	6	7	9	13	19	27	79
50-64	350	12.3	52	6	8	11	15	22	26	41
65 +	835	15.2	149	5	8	12	18	30	42	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	489	4.8	6	1	3	5	7	8	9	12
B. Operated	124	8.4	14	5	6	8	9	13	16	22
2. MULTIPLE DX										
A. Not Operated	2070	7.1	26	3	4	6	9	12	15	27
B. Operated	1372	14.0	117	5	8	11	16	26	36	71
1. SINGLE DX	613	5.5	10	2	3	5	7	9	10	16
2. MULTIPLE DX	3442	9.8	74	3	5	8	12	18	25	49
A. Not Operated	2559	6.7	23	3	4	6	8	11	14	25
B. Operated	1496	13.5	111	5	8	11	16	25	34	69
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	107	8.1	39	3	4	7	10	16	20	36
35-49	522	7.4	37	3	4	7	9	12	15	29
50-64	1002	8.4	40	3	5	7	10	15	19	32
65 +	2423	9.9	83	3	5	7	12	19	27	55
GRAND TOTAL	**4055**	**9.2**	**66**	**3**	**5**	**7**	**11**	**17**	**23**	**45**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	7	3.1	4	1	1	3	4	6	7	7
50-64	2	4.5	13	2	2	4	7	7	7	7
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	34	2.4	5	1	1	2	3	4	5	13
20-34	130	2.0	3	1	1	1	2	4	6	8
35-49	161	2.0	2	1	1	1	3	4	5	8
50-64	68	2.1	2	1	1	2	3	4	6	7
65 +	23	3.3	18	< 1	1	1	4	8	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.5	15	1	1	3	7	11	13	14
20-34	6	3.3	3	< 1	2	3	5	5	5	5
35-49	18	4.9	12	1	3	4	7	10	13	14
50-64	11	5.5	22	1	2	4	7	14	15	15
65 +	20	10.1	171	2	4	7	12	16	39	62
B. Operated										
0-19 YRS	36	4.9	18	1	1	4	7	12	14	16
20-34	167	2.9	7	1	1	2	4	6	8	15
35-49	252	3.1	25	1	1	2	3	6	8	17
50-64	186	4.4	45	1	1	2	5	10	14	44
65 +	135	7.4	106	1	2	4	10	19	36	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.8	4	1	1	2	4	6	7	7
B. Operated	416	2.1	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	73	6.2	61	1	3	4	7	13	15	52
B. Operated	776	4.2	42	1	1	2	5	9	14	46
1. SINGLE DX	434	2.2	4	1	1	2	3	4	6	10
2. MULTIPLE DX	849	4.3	44	1	1	2	5	10	14	47
A. Not Operated	91	5.5	51	1	2	4	7	12	14	44
B. Operated	1192	3.5	29	1	1	2	4	7	12	29
TOTAL										
0-19 YRS	92	3.8	13	1	1	2	5	10	13	16
20-34	306	2.5	5	1	1	2	3	5	7	13
35-49	438	2.8	16	1	1	2	3	6	8	12
50-64	267	3.8	33	1	1	2	4	8	13	30
65 +	180	7.1	103	1	1	3	10	17	28	99 +
GRAND TOTAL	**1283**	**3.6**	**31**	**1**	**1**	**2**	**4**	**7**	**12**	**30**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	4	1	1	2	3	6	7	7
20-34	17	3.4	4	1	2	3	5	6	7	7
35-49	26	4.2	4	2	2	4	5	7	8	8
50-64	4	4.5	19	2	2	3	7	11	11	11
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	5.7	2	4	4	6	7	7	7	7
35-49	4	7.3	9	3	5	8	9	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	10.0	128	2	2	10	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.0	3	1	2	3	4	5	7	7
20-34	39	4.8	9	1	3	4	7	9	10	13
35-49	50	4.6	7	2	3	4	6	7	9	14
50-64	42	5.5	14	2	3	4	7	11	14	17
65 +	71	8.9	145	2	3	7	11	13	18	77
B. Operated										
0-19 YRS	5	5.4	3	3	4	6	7	7	7	7
20-34	15	4.3	6	2	2	4	6	8	9	9
35-49	19	8.8	63	2	3	6	10	20	27	32
50-64	14	9.1	27	5	6	7	11	15	22	24
65 +	26	9.4	41	3	5	8	12	18	21	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.7	5	1	2	3	5	7	7	11
B. Operated	11	6.8	20	2	3	6	8	13	18	18
2. MULTIPLE DX										
A. Not Operated	215	6.1	57	2	3	4	7	11	13	39
B. Operated	79	8.0	37	2	4	6	10	17	20	31
1. SINGLE DX	69	4.2	8	1	2	3	6	7	8	17
2. MULTIPLE DX	294	6.6	52	2	3	5	8	12	16	30
A. Not Operated	273	5.6	47	2	3	4	7	11	12	22
B. Operated	90	7.9	35	2	4	6	10	17	19	30
TOTAL										
0-19 YRS	28	3.4	4	1	2	3	5	7	7	7
20-34	74	4.4	7	1	2	4	6	8	9	12
35-49	99	5.4	19	2	3	4	6	9	14	27
50-64	61	6.2	19	2	3	6	8	11	14	23
65 +	101	8.9	114	2	4	7	11	15	19	74
GRAND TOTAL	**363**	**6.2**	**45**	**2**	**3**	**5**	**7**	**11**	**14**	**27**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	5.5	17	1	3	4	8	12	14	19
20-34	84	5.8	14	2	3	5	8	11	14	18
35-49	42	4.8	6	2	3	5	6	8	10	12
50-64	13	5.3	16	2	3	4	7	13	13	13
65 +	7	5.9	8	2	4	6	8	10	10	10
B. Operated										
0-19 YRS	22	8.1	48	3	4	6	11	13	22	34
20-34	70	7.6	15	4	5	7	9	11	16	22
35-49	42	8.0	18	3	6	7	9	14	16	20
50-64	18	8.9	20	3	6	9	11	16	18	18
65 +	6	5.5	14	< 1	2	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	7.0	44	2	3	5	8	16	23	32
20-34	195	6.8	23	2	3	6	9	12	16	23
35-49	114	7.1	22	2	4	6	9	13	17	24
50-64	67	7.3	20	3	4	6	9	15	17	23
65 +	108	9.9	167	3	5	7	10	18	20	94
B. Operated										
0-19 YRS	96	14.6	122	4	7	11	18	28	43	49
20-34	217	12.2	87	4	6	10	15	23	27	53
35-49	181	13.5	136	4	7	10	17	26	32	60
50-64	115	15.8	150	7	8	12	18	29	48	62
65 +	180	14.4	122	5	7	11	19	30	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	5.5	12	2	3	5	7	10	13	18
B. Operated	158	7.8	21	3	5	7	9	14	16	23
2. MULTIPLE DX										
A. Not Operated	570	7.5	54	2	4	6	9	14	19	30
B. Operated	789	13.8	120	5	7	11	17	27	37	59
1. SINGLE DX	337	6.6	18	2	4	6	8	12	14	20
2. MULTIPLE DX	1359	11.2	102	3	5	8	14	22	30	56
A. Not Operated	749	7.0	45	2	4	6	8	13	17	28
B. Operated	947	12.8	109	4	6	10	15	25	35	57
TOTAL										
0-19 YRS	237	10.0	86	2	4	7	12	22	30	48
20-34	566	8.8	53	3	4	7	11	17	22	37
35-49	379	10.0	86	3	5	8	12	19	26	48
50-64	213	11.9	108	4	6	9	14	22	30	58
65 +	301	12.4	139	4	6	9	15	26	37	99
GRAND TOTAL	**1696**	**10.3**	**89**	**3**	**5**	**8**	**12**	**21**	**27**	**52**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	5.3	14	1	2	7	8	8	8	8
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	6.0	10	1	3	7	9	10	10	10
35-49	0									
50-64	0									
65 +	2	12.5	41	8	8	12	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	6.1	22	2	3	5	7	12	17	20
20-34	15	6.8	32	3	3	4	9	17	20	21
35-49	22	6.8	21	1	3	7	9	13	15	18
50-64	30	11.9	104	3	5	8	14	31	33	40
65 +	50	11.1	88	3	5	7	16	22	29	50
B. Operated										
0-19 YRS	14	12.5	29	7	9	12	18	92	99 +	99 +
20-34	18	12.3	35	6	7	11	17	22	23	23
35-49	27	16.0	114	6	10	14	21	47	99 +	99 +
50-64	34	17.6	284	6	8	11	17	48	55	77
65 +	52	18.0	145	7	10	14	25	32	38	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.4	11	2	3	5	8	10	11	11
B. Operated	10	7.0	21	2	3	7	9	13	17	17
2. MULTIPLE DX										
A. Not Operated	147	9.2	67	2	4	6	12	20	29	40
B. Operated	145	16.3	149	6	9	13	20	33	55	99 +
1. SINGLE DX	19	6.3	16	2	3	7	8	11	14	17
2. MULTIPLE DX	292	12.7	120	3	6	10	17	28	34	99 +
A. Not Operated	156	8.9	64	2	4	6	11	19	27	40
B. Operated	155	15.7	145	6	8	12	20	32	54	99 +
TOTAL										
0-19 YRS	48	7.8	31	2	3	7	11	18	26	99 +
20-34	41	9.2	36	3	5	7	12	19	22	23
35-49	50	11.7	91	3	6	10	16	25	54	99 +
50-64	67	14.5	200	4	6	10	17	33	48	73
65 +	105	14.4	126	4	6	12	20	28	33	58
GRAND TOTAL	**311**	**12.3**	**116**	**3**	**5**	**10**	**16**	**27**	**33**	**99 +**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.1	2	1	1	2	3	4	5	8
20-34	33	3.1	34	1	1	1	3	5	9	34
35-49	20	2.3	4	< 1	1	2	2	4	7	10
50-64	15	2.9	3	1	1	2	4	5	6	6
65 +	42	3.0	5	< 1	1	2	4	7	8	9
B. Operated										
0-19 YRS	25	4.6	16	< 1	2	4	6	8	12	19
20-34	32	3.6	5	1	2	3	5	7	8	10
35-49	39	4.1	6	1	2	4	5	7	9	12
50-64	23	4.7	12	1	2	4	7	11	12	12
65 +	31	4.9	9	1	2	5	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	3.7	25	1	1	2	4	7	9	27
20-34	63	4.2	12	1	2	3	5	8	11	18
35-49	85	5.4	24	1	2	4	7	12	15	25
50-64	162	4.9	14	2	2	4	6	10	13	19
65 +	839	7.3	59	2	3	5	9	15	20	47
B. Operated										
0-19 YRS	95	12.1	216	1	1	7	15	35	56	99 +
20-34	152	6.3	72	1	2	4	8	15	21	99
35-49	209	7.9	128	1	2	5	9	15	24	65
50-64	276	9.2	86	2	3	7	12	21	28	94
65 +	738	12.6	143	3	5	10	15	26	38	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	2.6	9	1	1	2	3	5	7	10
B. Operated	150	4.3	9	1	2	4	6	8	10	12
2. MULTIPLE DX										
A. Not Operated	1304	6.3	47	1	2	4	8	13	18	39
B. Operated	1470	10.6	133	2	4	7	13	24	35	91
1. SINGLE DX	335	3.4	10	1	1	2	5	7	9	12
2. MULTIPLE DX	2774	8.5	97	1	3	6	11	18	28	62
A. Not Operated	1489	5.9	44	1	2	4	7	12	17	36
B. Operated	1620	10.0	124	1	3	7	12	22	34	80
TOTAL										
0-19 YRS	344	5.8	88	1	1	3	6	12	21	64
20-34	280	5.2	48	1	2	3	6	11	17	65
35-49	359	6.5	84	1	2	4	8	12	18	53
50-64	476	7.4	60	1	3	5	10	16	23	47
65 +	1650	9.5	102	2	4	7	12	20	31	61
GRAND TOTAL	**3109**	**8.0**	**90**	**1**	**3**	**5**	**10**	**17**	**26**	**59**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	1.6	2	< 1	< 1	1	2	4	4	4
50-64	0									
65 +	4	2.3	6	1	1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	51	8.4	31	2	4	8	11	15	16	32
35-49	148	9.9	62	3	5	7	13	20	25	36
50-64	177	12.0	110	3	5	9	15	24	32	52
65 +	111	12.3	118	5	7	10	15	20	26	68
B. Operated										
0-19 YRS	0									
20-34	11	8.2	82	1	2	6	11	21	32	33
35-49	73	12.0	95	1	4	10	16	26	34	38
50-64	66	14.3	170	6	7	11	16	28	43	76
65 +	50	18.3	357	5	7	12	25	48	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.7	22	3	3	5	10	12	12	12
B. Operated	10	2.1	3	< 1	1	1	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	487	11.0	90	3	5	9	14	20	28	47
B. Operated	200	14.1	190	3	6	10	18	30	43	97
1. SINGLE DX	13	3.2	10	< 1	1	1	4	7	11	12
2. MULTIPLE DX	687	11.9	121	3	5	9	15	24	33	63
A. Not Operated	490	11.0	90	3	5	9	14	20	28	47
B. Operated	210	13.6	188	1	5	10	17	29	42	97
TOTAL										
0-19 YRS	0									
20-34	63	8.3	38	2	4	7	11	15	17	33
35-49	228	10.4	73	2	4	8	14	23	28	38
50-64	243	12.6	127	4	6	9	16	25	38	54
65 +	166	13.8	196	4	6	10	16	26	43	99
GRAND TOTAL	**700**	**11.8**	**120**	**3**	**5**	**9**	**15**	**24**	**32**	**61**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	14	1.9	6	1	1	1	2	3	8	10
20-34	18	1.3	1	1	1	1	1	3	4	4
35-49	28	1.2		< 1	1	1	1	2	2	2
50-64	15	2.6	7	< 1	1	1	4	8	9	9
65 +	14	2.0	4	< 1	1	1	1	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.6	12	1	3	4	5	11	14	14
20-34	8	5.8	14	2	3	5	7	12	13	13
35-49	23	9.7	53	3	5	8	12	19	28	29
50-64	60	8.5	51	2	4	6	12	16	27	31
65 +	102	9.5	43	3	5	8	13	18	22	34
B. Operated										
0-19 YRS	31	6.8	113	1	1	2	9	18	32	49
20-34	19	2.9	9	1	1	1	3	8	10	11
35-49	59	4.0	30	< 1	1	1	5	10	16	29
50-64	79	7.9	139	1	1	3	8	19	33	58
65 +	102	11.4	140	1	4	9	15	23	31	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	2	1	1	2	3	5	5	5
B. Operated	89	1.7	3	< 1	1	1	1	3	5	10
2. MULTIPLE DX										
A. Not Operated	212	8.6	44	3	4	7	12	17	24	32
B. Operated	290	7.9	114	1	1	4	11	18	28	52
1. SINGLE DX	96	1.7	3	1	1	1	2	4	5	10
2. MULTIPLE DX	502	8.2	85	1	2	6	11	17	26	48
A. Not Operated	219	8.4	44	2	4	6	11	17	24	32
B. Operated	379	6.4	95	1	1	2	8	16	25	50
TOTAL										
0-19 YRS	66	5.0	61	1	1	2	5	12	16	46
20-34	48	2.8	8	1	1	1	4	6	9	13
35-49	110	4.5	35	< 1	1	1	6	12	17	29
50-64	155	7.6	94	1	1	4	8	17	28	53
65 +	219	9.9	91	1	4	8	13	19	26	44
GRAND TOTAL	**598**	**7.2**	**77**	**1**	**1**	**4**	**9**	**16**	**24**	**45**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.0	4	1	1	2	4	6	6	6
20-34	9	3.0	5	1	2	2	4	6	8	8
35-49	5	4.0	5	2	2	4	5	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	5.5	13	3	3	5	8	8	8	8
B. Operated										
0-19 YRS	9	1.1		1	1	1	1	2	2	2
20-34	6	13.0	77	5	7	11	15	28	29	29
35-49	8	4.8	32	1	1	2	8	14	15	15
50-64	6	5.7	61	1	1	3	6	19	21	21
65 +	8	2.0	6	< 1	1	1	2	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	6.4	37	1	2	4	8	17	19	22
20-34	33	5.7	20	2	3	5	7	9	14	25
35-49	79	7.0	34	2	3	5	10	14	23	79
50-64	123	8.3	111	2	4	6	9	16	20	74
65 +	193	10.2	67	3	5	8	13	23	27	81
B. Operated										
0-19 YRS	48	13.6	365	1	2	4	19	47	60	72
20-34	17	17.4	461	1	3	11	17	55	72	78
35-49	36	12.3	197	1	4	7	15	35	48	52
50-64	66	11.8	137	1	3	7	17	27	40	52
65 +	89	17.5	281	1	7	13	23	38	52	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.4	5	1	2	3	4	7	8	8
B. Operated	37	4.8	43	1	1	1	6	15	19	29
2. MULTIPLE DX										
A. Not Operated	458	8.6	70	2	4	6	11	18	25	69
B. Operated	256	14.6	262	1	3	9	20	36	52	77
1. SINGLE DX	62	4.2	28	1	1	2	5	9	15	28
2. MULTIPLE DX	714	10.7	147	2	4	7	13	25	34	75
A. Not Operated	483	8.3	68	2	3	6	10	17	25	66
B. Operated	293	13.3	244	1	2	8	18	33	49	76
TOTAL										
0-19 YRS	95	9.3	216	1	1	3	10	24	48	72
20-34	65	9.1	163	1	3	5	9	16	30	75
35-49	128	8.2	84	1	3	5	11	16	30	62
50-64	196	9.4	120	2	3	6	11	21	28	63
65 +	292	12.2	144	3	5	8	15	27	37	82
GRAND TOTAL	**776**	**10.2**	**140**	**1**	**3**	**6**	**12**	**24**	**33**	**73**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.5	3	< 1	1	2	3	6	6	6
20-34	76	2.2	2	1	1	2	3	4	5	8
35-49	84	2.5	3	1	1	2	3	5	7	8
50-64	58	2.8	4	1	1	2	3	5	6	13
65 +	37	3.1	5	1	1	2	4	7	8	9
B. Operated										
0-19 YRS	73	3.8	4	1	3	4	5	6	7	9
20-34	1025	3.7	4	1	3	4	5	6	7	10
35-49	939	3.8	5	1	2	4	5	6	7	11
50-64	642	4.2	6	1	3	4	5	7	8	12
65 +	268	5.1	8	2	3	5	7	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.8	7	2	2	2	6	8	9	9
20-34	80	3.4	7	< 1	1	3	5	7	10	12
35-49	152	3.8	8	1	2	4	5	7	9	14
50-64	228	4.1	13	1	2	3	5	8	10	22
65 +	500	6.4	29	2	3	5	8	12	15	35
B. Operated										
0-19 YRS	87	5.1	7	2	3	5	6	8	11	14
20-34	934	5.6	17	3	4	5	7	9	12	18
35-49	1382	5.7	14	2	4	5	7	10	12	18
50-64	1605	6.7	26	3	4	6	8	11	14	27
65 +	2119	9.8	56	4	5	8	12	17	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	2.5	3	1	1	2	3	5	6	9
B. Operated	2947	4.0	5	1	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	970	5.2	21	1	2	4	7	10	13	24
B. Operated	6127	7.4	35	3	4	6	9	13	17	29
1. SINGLE DX	3215	3.8	5	1	2	4	5	7	8	11
2. MULTIPLE DX	7097	7.1	34	2	4	6	9	13	16	29
A. Not Operated	1238	4.6	19	1	2	3	6	9	12	21
B. Operated	9074	6.3	28	2	3	5	8	11	15	26
TOTAL										
0-19 YRS	183	4.3	6	1	3	4	6	7	9	13
20-34	2115	4.5	11	1	3	4	5	8	10	15
35-49	2557	4.8	11	1	3	4	6	8	11	16
50-64	2533	5.8	21	2	3	5	7	10	13	23
65 +	2924	8.7	49	3	4	7	11	15	20	38
GRAND TOTAL	**10312**	**6.1**	**27**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.2	8	1	2	4	7	7	7	7
20-34	39	3.3	2	1	2	3	4	6	6	7
35-49	34	2.8	2	1	1	3	4	5	6	6
50-64	17	3.3	9	1	2	3	4	5	11	14
65 +	10	4.5	13	< 1	1	3	7	10	11	11
B. Operated										
0-19 YRS	7	4.3	5	2	3	3	6	8	8	8
20-34	57	4.4	4	1	3	4	6	7	8	11
35-49	72	4.3	10	1	2	3	6	8	12	15
50-64	39	6.0	10	2	4	5	7	10	12	17
65 +	11	6.6	13	1	4	7	9	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	4	2	2	5	5	6	6	6
20-34	41	4.0	10	1	2	3	5	9	11	14
35-49	44	4.1	6	1	2	4	5	8	8	11
50-64	67	4.6	10	1	2	4	6	10	11	13
65 +	116	7.2	25	2	4	6	10	13	17	26
B. Operated										
0-19 YRS	9	11.2	167	1	2	6	17	33	40	40
20-34	87	6.1	17	2	4	5	8	10	13	23
35-49	126	6.9	33	2	4	5	8	13	18	34
50-64	131	7.8	56	3	4	6	9	14	19	40
65 +	174	13.0	85	5	7	10	16	25	35	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	3.3	5	1	2	3	4	6	7	12
B. Operated	186	4.8	9	1	3	4	6	8	11	15
2. MULTIPLE DX										
A. Not Operated	273	5.5	18	2	3	5	7	11	13	21
B. Operated	527	9.1	63	3	4	7	11	18	23	43
1. SINGLE DX	291	4.3	8	1	2	4	6	8	10	14
2. MULTIPLE DX	800	7.9	51	2	4	6	10	15	21	38
A. Not Operated	378	4.9	15	1	2	4	6	10	12	21
B. Operated	713	8.0	53	2	4	6	10	15	22	39
TOTAL										
0-19 YRS	26	6.6	68	1	2	4	7	14	26	40
20-34	224	4.8	11	1	3	4	6	9	10	21
35-49	276	5.3	21	1	3	4	6	11	13	23
50-64	254	6.4	36	2	3	5	8	12	15	27
65 +	311	10.3	67	3	5	9	13	20	27	51
GRAND TOTAL	**1091**	**6.9**	**42**	**2**	**3**	**5**	**9**	**13**	**19**	**36**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	8	3.3	5	< 1	1	3	5	7	7	7
50-64	5	3.0	2	2	2	2	4	5	5	5
65 +	5	4.2	3	2	3	5	5	6	6	6
B. Operated										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	22	4.5	3	3	3	4	5	7	8	8
35-49	23	4.9	13	1	2	4	8	9	11	15
50-64	35	4.8	10	1	2	4	7	9	11	14
65 +	49	4.1	14	1	1	3	6	9	10	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	3.1	5	1	1	3	5	6	7	7
35-49	11	4.0	11	1	2	3	6	9	12	12
50-64	15	5.6	13	3	3	5	6	8	15	17
65 +	67	6.8	15	3	4	7	8	13	15	18
B. Operated										
0-19 YRS	6	7.5	46	1	1	7	12	16	17	17
20-34	55	7.6	15	3	5	7	9	13	14	20
35-49	76	8.6	33	2	5	7	12	15	18	31
50-64	110	7.6	25	2	4	7	10	14	17	25
65 +	365	11.5	89	2	6	10	14	22	27	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.1	3	1	2	3	4	6	6	7
B. Operated	131	4.6	11	1	2	4	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	101	6.0	15	2	3	5	8	11	15	18
B. Operated	612	10.1	66	2	5	8	13	19	24	39
1. SINGLE DX	157	4.3	10	1	2	4	6	9	10	15
2. MULTIPLE DX	713	9.5	61	2	5	8	12	18	23	37
A. Not Operated	127	5.4	14	2	3	5	7	10	14	17
B. Operated	743	9.1	61	2	4	8	12	17	22	37
TOTAL										
0-19 YRS	12	6.0	28	1	2	4	10	13	16	17
20-34	89	6.2	14	2	4	6	8	12	14	18
35-49	118	7.1	29	1	3	7	10	14	16	25
50-64	165	6.7	22	1	3	6	9	12	15	23
65 +	486	10.1	77	2	4	8	13	20	24	42
GRAND TOTAL	**870**	**8.6**	**56**	**2**	**4**	**7**	**11**	**17**	**22**	**36**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	3.3	2	2	2	3	5	5	5	5
35-49	5	3.8	8	1	2	3	6	8	8	8
50-64	4	4.8	20	1	1	3	8	11	11	11
65 +	4	3.0	3	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.4	5	1	1	2	3	6	7	7
35-49	5	6.6	16	1	4	7	9	12	12	12
50-64	10	2.9	7	< 1	1	2	4	7	9	9
65 +	10	3.1	13	1	1	2	3	8	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	7.7	17	3	4	7	10	14	15	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	29	5.2	11	2	3	5	7	11	12	13
50-64	40	6.3	32	1	3	5	8	12	20	27
65 +	84	7.5	26	2	4	6	10	15	18	23
B. Operated										
0-19 YRS	21	15.4	185	3	6	14	21	25	43	64
20-34	24	7.5	23	1	3	7	11	14	16	16
35-49	51	8.6	50	1	1	8	12	20	24	24
50-64	77	9.1	58	1	3	8	12	19	23	40
65 +	186	11.3	136	2	3	8	15	23	37	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.6	6	1	2	3	5	7	9	11
B. Operated	33	3.4	11	1	1	2	4	8	12	13
2. MULTIPLE DX										
A. Not Operated	176	6.8	24	2	3	6	9	13	16	23
B. Operated	359	10.4	105	1	3	8	14	21	25	47
1. SINGLE DX	53	3.5	9	1	1	2	5	8	11	13
2. MULTIPLE DX	535	9.3	81	1	3	7	12	19	24	44
A. Not Operated	196	6.5	23	2	3	5	9	13	16	23
B. Operated	392	9.8	101	1	3	8	13	21	25	47
TOTAL										
0-19 YRS	45	11.0	111	2	4	9	14	22	25	64
20-34	38	5.8	21	1	2	4	10	13	15	16
35-49	90	7.1	36	1	2	6	10	16	20	24
50-64	131	7.6	49	1	2	6	11	17	22	31
65 +	284	9.8	102	2	3	7	13	20	25	46
GRAND TOTAL	**588**	**8.7**	**77**	**1**	**3**	**7**	**12**	**18**	**23**	**44**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	5.8	6	3	4	5	8	9	10	11
20-34	65	4.8	9	2	3	4	6	8	11	15
35-49	80	4.6	12	1	3	4	6	8	10	22
50-64	48	5.2	7	2	3	5	7	9	10	14
65 +	30	5.8	21	2	3	4	7	11	15	23
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	10.4	17	7	8	8	13	17	17	17
35-49	21	6.8	23	1	3	6	9	14	16	17
50-64	13	5.7	37	1	1	5	7	11	22	24
65 +	11	8.5	86	1	2	4	13	21	31	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	6.3	13	2	3	6	9	12	13	14
20-34	256	6.7	22	2	4	6	8	12	17	23
35-49	457	7.2	33	3	4	6	9	13	17	25
50-64	314	6.4	20	2	4	5	8	12	14	25
65 +	421	8.1	44	3	4	6	9	14	20	46
B. Operated										
0-19 YRS	6	9.0	68	2	5	6	10	23	25	25
20-34	81	18.7	276	5	9	14	23	38	50	85
35-49	166	16.0	247	3	6	11	19	40	48	96
50-64	190	15.2	223	3	6	10	20	35	45	95
65 +	262	15.4	194	4	8	12	18	31	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	237	5.0	11	2	3	4	6	8	11	16
B. Operated	51	7.2	39	1	3	6	8	15	17	32
2. MULTIPLE DX										
A. Not Operated	1469	7.2	32	3	4	6	9	13	17	30
B. Operated	705	15.8	223	3	7	11	20	35	49	97
1. SINGLE DX	288	5.4	17	2	3	4	7	10	13	24
2. MULTIPLE DX	2174	10.0	110	3	4	7	11	20	29	68
A. Not Operated	1706	6.9	29	3	4	6	8	12	16	29
B. Operated	756	15.2	215	3	7	11	19	33	48	96
TOTAL										
0-19 YRS	42	6.4	18	2	4	6	8	11	13	25
20-34	407	8.9	95	2	4	6	10	17	24	50
35-49	724	8.9	95	3	4	6	10	18	25	50
50-64	565	9.3	105	2	4	6	10	20	27	52
65 +	724	10.6	111	3	5	8	13	21	31	82
GRAND TOTAL	**2462**	**9.5**	**101**	**3**	**4**	**7**	**11**	**19**	**27**	**65**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.3	2	1	1	2	3	3	6	7
20-34	15	2.3	1	1	2	2	3	4	4	4
35-49	15	3.2	2	2	2	3	4	5	6	7
50-64	19	3.0	3	1	1	3	4	6	7	7
65 +	26	5.2	106	1	2	3	4	7	17	55
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	3	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	3.6	9	1	2	3	4	8	10	16
20-34	145	4.1	9	1	2	3	5	8	10	17
35-49	212	4.5	11	2	2	4	6	8	10	19
50-64	362	5.2	33	2	3	4	6	8	11	19
65 +	1601	7.2	52	2	4	5	8	13	17	41
B. Operated										
0-19 YRS	16	9.4	158	1	2	5	13	19	41	51
20-34	29	7.1	34	2	3	6	10	12	20	29
35-49	75	8.3	54	2	3	6	11	17	21	42
50-64	160	9.3	99	3	4	6	9	19	29	56
65 +	660	10.6	109	3	5	7	14	22	31	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.4	32	1	2	3	4	5	7	35
B. Operated	11	3.8	3	1	2	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	2422	6.3	43	2	3	5	7	11	15	35
B. Operated	940	10.1	102	3	4	7	12	21	29	65
1. SINGLE DX	102	3.5	29	1	2	3	4	6	7	30
2. MULTIPLE DX	3362	7.4	62	2	3	5	8	14	20	47
A. Not Operated	2513	6.2	43	2	3	5	7	11	15	35
B. Operated	951	10.0	101	3	4	7	12	21	29	65
TOTAL										
0-19 YRS	136	4.1	29	1	2	3	5	9	11	24
20-34	192	4.4	14	2	2	3	5	9	11	20
35-49	303	5.3	24	2	2	4	6	10	14	24
50-64	543	6.4	55	2	3	5	7	10	15	41
65 +	2290	8.2	71	3	4	6	9	16	22	54
GRAND TOTAL	**3464**	**7.3**	**62**	**2**	**3**	**5**	**8**	**14**	**20**	**47**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.9	1	1	1	2	2	3	3	3
20-34	0									
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	6.0	8	4	4	6	8	8	8	8
B. Operated										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	5.4	24	2	2	3	6	13	14	25
20-34	0									
35-49	6	5.3	5	2	4	5	7	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	17	12.2	168	1	4	8	16	29	45	52
B. Operated										
0-19 YRS	35	14.7	309	3	5	10	21	99 +	99 +	99 +
20-34	4	15.3	125	4	6	14	24	28	28	28
35-49	7	14.6	227	2	4	14	32	83	99 +	99 +
50-64	17	18.1	169	7	9	10	29	36	44	49
65 +	21	15.7	264	4	8	10	18	34	58	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.6	3	1	2	2	3	5	7	8
B. Operated	5	5.6	11	1	3	6	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	67	7.1	66	1	3	4	8	14	18	49
B. Operated	84	15.7	246	4	6	10	23	57	99 +	99 +
1. SINGLE DX	26	3.2	6	1	2	2	4	7	8	10
2. MULTIPLE DX	151	11.9	183	2	4	8	15	35	70	99 +
A. Not Operated	88	6.0	54	1	2	3	7	14	17	44
B. Operated	89	15.1	238	3	6	10	22	49	99 +	99 +
TOTAL										
0-19 YRS	97	8.2	146	2	3	4	11	24	89	99 +
20-34	5	14.2	99	4	7	10	23	28	28	28
35-49	16	9.0	119	1	3	6	11	38	80	99 +
50-64	19	16.6	172	5	8	10	28	35	43	49
65 +	40	13.7	211	2	5	9	16	29	48	73
GRAND TOTAL	**177**	**10.6**	**166**	**2**	**3**	**7**	**14**	**31**	**57**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	4.3	24	1	2	3	5	9	16	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	1.8	1	1	1	2	2	3	5	6
20-34	20	1.3		1	1	1	2	2	2	2
35-49	10	1.7		1	1	2	2	3	3	3
50-64	9	1.9	1	1	1	2	2	4	4	4
65 +	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	4.5	13	1	2	4	6	9	12	20
20-34	8	4.6	2	3	4	5	5	7	7	7
35-49	6	5.2	2	4	4	5	5	8	8	8
50-64	10	7.6	20	2	4	6	12	14	15	15
65 +	20	7.2	30	1	3	6	11	15	18	19
B. Operated										
0-19 YRS	37	5.0	27	1	2	3	7	11	17	24
20-34	25	5.1	36	1	1	3	5	13	21	23
35-49	33	3.3	15	1	1	2	3	9	12	18
50-64	36	4.8	18	1	1	3	7	11	12	19
65 +	34	8.3	61	1	1	6	15	20	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.1	23	1	2	3	5	9	15	24
B. Operated	68	1.7	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	117	5.3	16	1	2	4	7	12	13	20
B. Operated	165	5.3	33	1	1	3	8	13	19	24
1. SINGLE DX	114	2.6	11	1	1	2	3	5	7	23
2. MULTIPLE DX	282	5.3	26	1	2	4	7	12	16	23
A. Not Operated	163	5.0	18	1	2	4	6	11	13	22
B. Operated	233	4.2	26	1	1	2	5	11	15	23
TOTAL										
0-19 YRS	177	4.2	18	1	2	3	5	9	12	23
20-34	55	3.5	20	1	1	2	4	7	12	23
35-49	50	3.1	11	1	1	2	3	7	11	18
50-64	55	4.8	18	1	1	3	7	11	12	19
65 +	59	7.4	48	1	1	5	12	18	20	29
GRAND TOTAL	**396**	**4.5**	**23**	**1**	**1**	**3**	**6**	**11**	**15**	**23**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	6	1	1	3	5	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	5.3	12	2	3	5	8	9	9	9
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.7	3	2	2	3	5	6	8	8
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65 +	5	6.6	7	4	5	6	7	11	11	11
B. Operated										
0-19 YRS	8	6.4	26	1	2	7	8	14	16	16
20-34	4	7.0	57	1	2	4	11	18	18	18
35-49	6	9.7	206	1	1	3	11	35	38	38
50-64	5	14.4	87	8	8	10	19	30	30	30
65 +	4	12.3	82	2	6	11	18	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	6	1	1	3	5	6	6	6
B. Operated	6	3.7	8	2	2	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	45	4.2	6	1	3	4	5	7	9	12
B. Operated	27	9.6	86	1	2	8	12	23	31	38
1. SINGLE DX	10	3.6	6	1	2	2	5	7	9	9
2. MULTIPLE DX	72	6.2	42	1	2	4	7	12	18	36
A. Not Operated	49	4.1	6	1	2	4	5	7	8	12
B. Operated	33	8.5	76	1	2	7	11	19	29	38
TOTAL										
0-19 YRS	48	4.1	8	1	2	4	5	8	8	16
20-34	9	6.3	33	1	2	5	10	16	18	18
35-49	8	7.9	159	1	1	3	8	30	38	38
50-64	7	11.6	83	3	7	8	14	27	30	30
65 +	10	8.4	43	2	4	6	11	18	24	24
GRAND TOTAL	**82**	**5.9**	**38**	**1**	**2**	**4**	**7**	**11**	**17**	**35**

176 Hospitals, Northeastern Region, January-December 1990, by Diagnosis

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	16.0		16	16	16	16	16	16	16
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	8	7.5	66	< 1	1	4	13	21	22	22
20-34	10	1.3		< 1	1	1	2	2	2	2
35-49	14	2.6	4	1	1	2	3	6	7	7
50-64	23	2.6	9	1	1	2	3	4	8	15
65 +	21	2.8	13	< 1	1	2	3	4	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	4.7	54	< 1	1	2	4	12	20	36
20-34	8	5.3	18	< 1	1	5	8	12	13	13
35-49	10	5.4	17	1	3	4	8	12	13	13
50-64	23	7.2	39	1	3	5	12	18	45	99 +
65 +	95	11.2	104	2	4	9	15	26	37	77
B. Operated										
0-19 YRS	70	17.1	174	2	8	16	24	34	38	61
20-34	63	8.1	57	1	2	6	11	20	25	30
35-49	96	8.2	70	1	2	5	14	19	23	42
50-64	127	8.4	96	1	2	5	11	19	22	57
65 +	176	12.1	205	1	2	7	18	30	39	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.0	40	< 1	1	3	7	16	16	16
B. Operated	76	3.0	15	1	1	2	3	5	13	21
2. MULTIPLE DX										
A. Not Operated	163	8.9	84	1	3	6	12	21	32	92
B. Operated	532	10.7	141	1	2	7	16	24	32	75
1. SINGLE DX	81	3.1	17	1	1	2	3	5	15	21
2. MULTIPLE DX	695	10.3	128	1	2	6	15	24	32	77
A. Not Operated	168	8.8	83	1	3	6	12	21	32	90
B. Operated	608	9.8	132	1	2	5	15	23	31	70
TOTAL										
0-19 YRS	106	13.1	164	1	3	9	19	28	37	59
20-34	82	6.9	51	1	1	4	9	19	24	29
35-49	121	7.4	62	1	2	4	12	17	21	41
50-64	174	7.5	80	1	2	4	10	18	21	72
65 +	293	11.1	163	1	2	7	17	27	38	94
GRAND TOTAL	**776**	**9.5**	**121**	**1**	**2**	**5**	**14**	**23**	**31**	**72**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	7.1	20	1	5	7	9	13	17	17
20-34	16	7.4	17	2	4	7	11	12	15	16
35-49	28	9.6	132	3	4	7	10	16	31	61
50-64	56	9.1	73	2	4	6	11	21	25	45
65 +	260	11.3	116	3	5	8	14	22	29	53
B. Operated										
0-19 YRS	11	19.1	454	1	2	15	23	54	69	70
20-34	26	11.2	64	4	6	8	15	23	28	33
35-49	30	13.5	147	3	6	10	16	30	35	58
50-64	68	17.5	188	4	9	15	21	32	40	83
65 +	182	19.8	239	6	10	16	27	43	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	25	2	2	5	9	9	9	9
B. Operated	6	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	370	10.5	105	3	5	8	13	20	28	52
B. Operated	317	18.0	218	4	9	14	23	37	48	94
1. SINGLE DX	8	2.5	7	1	1	2	3	7	9	9
2. MULTIPLE DX	687	14.0	171	4	6	10	17	29	41	82
A. Not Operated	372	10.5	105	3	5	8	13	20	28	52
B. Operated	323	17.7	219	4	8	14	23	37	48	93
TOTAL										
0-19 YRS	24	11.9	254	1	2	7	16	26	52	70
20-34	43	9.6	49	3	5	8	11	21	24	33
35-49	60	11.4	138	3	4	8	12	25	33	61
50-64	124	13.7	153	3	5	10	19	29	36	58
65 +	444	14.7	184	4	6	11	18	31	43	87
GRAND TOTAL	**695**	**13.8**	**170**	**3**	**6**	**10**	**17**	**29**	**41**	**82**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	3.7	2	2	3	3	5	6	7	8
20-34	85	4.1	3	2	3	4	5	7	7	10
35-49	29	3.6	4	1	2	3	4	6	8	10
50-64	11	3.8	1	2	3	4	4	5	6	6
65 +	5	5.8	4	3	4	6	7	8	8	8
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	241	4.3	3	2	3	4	5	7	8	9
20-34	294	4.7	5	2	3	4	6	7	8	13
35-49	164	5.1	12	2	3	5	6	8	9	18
50-64	129	6.1	10	3	4	5	7	10	13	17
65 +	250	8.4	59	3	5	7	10	15	18	57
B. Operated										
0-19 YRS	19	7.6	22	3	5	7	9	11	19	24
20-34	21	6.6	4	4	5	7	7	9	11	13
35-49	18	6.8	8	3	5	6	9	11	12	13
50-64	28	9.5	29	3	4	9	14	16	20	21
65 +	53	13.5	110	5	6	12	17	29	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.9	3	2	3	4	5	6	7	9
B. Operated	4	5.5	12	2	3	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	1078	5.7	21	2	4	5	7	9	12	23
B. Operated	139	10.0	60	4	5	8	13	19	25	99 +
1. SINGLE DX	200	4.0	3	2	3	4	5	6	7	10
2. MULTIPLE DX	1217	6.2	27	3	4	5	7	10	14	28
A. Not Operated	1274	5.4	19	2	3	5	6	9	11	19
B. Operated	143	9.9	59	4	5	8	13	19	25	99 +
TOTAL										
0-19 YRS	327	4.4	5	2	3	4	5	7	8	10
20-34	402	4.7	5	2	3	4	6	7	8	12
35-49	211	5.0	11	2	3	5	6	8	10	15
50-64	168	6.5	15	3	4	5	8	13	15	20
65 +	309	9.2	70	3	5	7	11	17	25	84
GRAND TOTAL	**1417**	**5.9**	**25**	**2**	**3**	**5**	**7**	**10**	**13**	**26**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	3.7	4	2	3	3	4	7	7	11
20-34	67	3.7	4	2	2	3	5	6	8	11
35-49	25	4.4	4	3	3	4	5	7	8	10
50-64	10	3.3	1	2	2	3	4	5	5	5
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	4	4.3	3	2	3	4	5	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	8.5	1	8	8	8	9	9	9	9
65 +	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	185	4.5	6	2	3	4	6	7	8	13
20-34	176	4.3	6	2	3	4	5	7	9	14
35-49	83	5.7	13	2	3	5	7	10	11	21
50-64	59	5.7	9	3	4	5	7	8	11	19
65 +	110	8.3	76	3	5	6	9	14	19	56
B. Operated										
0-19 YRS	28	8.8	58	4	4	5	10	15	33	33
20-34	27	12.6	200	4	4	7	13	31	54	56
35-49	24	8.2	32	3	4	7	9	17	22	25
50-64	31	13.8	136	5	7	10	18	24	30	64
65 +	51	15.9	114	5	8	13	23	30	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	3.8	4	2	2	3	4	7	8	11
B. Operated	11	6.5	21	3	4	5	7	13	18	19
2. MULTIPLE DX										
A. Not Operated	613	5.4	22	2	3	4	7	9	11	22
B. Operated	161	12.5	117	4	5	9	15	27	32	57
1. SINGLE DX	181	4.0	5	2	3	4	5	7	8	12
2. MULTIPLE DX	774	6.9	50	2	3	5	7	13	19	33
A. Not Operated	783	5.1	18	2	3	4	6	8	10	19
B. Operated	172	12.2	113	4	5	9	15	26	32	57
TOTAL										
0-19 YRS	262	4.8	13	2	3	4	6	7	9	21
20-34	274	5.0	30	2	3	4	5	8	11	31
35-49	133	5.9	16	3	3	5	7	10	11	23
50-64	102	8.0	61	3	4	6	9	16	20	46
65 +	164	10.7	99	3	5	7	13	24	30	55
GRAND TOTAL	**955**	**6.3**	**43**	**2**	**3**	**5**	**7**	**11**	**17**	**33**

176 Hospitals, Northeastern Region, January-December 1990, by Diagnosis

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.1	1	1	1	2	3	4	4	4
20-34	64	1.6	1	1	1	1	2	3	4	6
35-49	107	1.7	1	< 1	1	1	2	3	5	7
50-64	50	1.9	2	1	1	2	2	3	5	7
65 +	29	2.0	1	< 1	1	1	3	4	4	4
B. Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	42	3.2	3	1	2	3	4	5	6	9
35-49	33	3.1	5	1	2	2	4	6	8	11
50-64	29	3.8	12	1	1	3	5	8	12	15
65 +	26	3.8	10	1	1	3	5	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.8	3	1	1	3	3	6	6	7
20-34	121	2.4	5	1	1	2	3	4	5	11
35-49	166	2.5	3	1	1	2	3	4	6	10
50-64	141	3.3	8	1	2	3	4	6	7	15
65 +	112	3.7	17	1	2	3	4	8	10	61
B. Operated										
0-19 YRS	9	3.4	7	1	2	2	4	8	9	9
20-34	44	5.0	9	1	3	5	7	8	10	15
35-49	83	5.8	13	2	3	5	8	11	12	19
50-64	119	6.9	34	1	2	6	10	13	17	31
65 +	142	6.9	53	1	2	5	9	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	1.8	1	1	1	1	2	3	4	6
B. Operated	134	3.4	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	565	2.9	8	1	1	2	4	5	7	12
B. Operated	397	6.4	33	1	3	5	8	12	15	30
1. SINGLE DX	394	2.3	4	1	1	2	3	5	6	10
2. MULTIPLE DX	962	4.4	21	1	2	3	6	9	11	25
A. Not Operated	825	2.6	6	1	1	2	3	5	7	11
B. Operated	531	5.6	28	1	2	4	7	11	13	29
TOTAL										
0-19 YRS	48	2.6	3	1	1	2	3	6	6	9
20-34	271	2.8	6	1	1	2	4	5	7	11
35-49	389	3.0	7	1	1	2	4	7	9	12
50-64	339	4.4	20	1	2	3	6	10	12	25
65 +	309	5.0	35	1	2	3	7	10	13	38
GRAND TOTAL	**1356**	**3.8**	**17**	**1**	**1**	**2**	**5**	**8**	**11**	**19**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.8	2	1	1	1	2	4	6	6
20-34	312	1.7	1	1	1	1	2	3	3	6
35-49	402	1.7	1	1	1	1	2	3	4	6
50-64	199	1.8	1	1	1	2	2	3	4	7
65 +	50	2.1	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	23	2.9	2	1	2	3	4	4	5	5
20-34	201	3.2	5	1	1	2	4	6	8	11
35-49	281	2.8	4	1	1	2	4	6	7	10
50-64	180	3.0	6	1	1	2	4	6	7	14
65 +	78	3.3	7	1	2	3	4	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.8	2	1	1	2	2	3	3	8
20-34	260	2.2	2	1	1	2	3	4	5	7
35-49	430	2.1	1	1	1	2	3	4	4	7
50-64	325	2.4	3	1	1	2	3	5	6	8
65 +	192	2.9	4	1	2	2	4	5	7	11
B. Operated										
0-19 YRS	22	4.1	7	1	2	4	6	7	9	11
20-34	190	4.3	10	1	2	4	5	8	10	18
35-49	338	4.2	10	1	2	3	6	8	11	15
50-64	329	4.4	11	1	2	4	6	8	10	15
65 +	346	5.9	24	1	3	4	8	13	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	993	1.7	1	1	1	1	2	3	4	6
B. Operated	763	3.0	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	1243	2.3	2	1	1	2	3	4	5	8
B. Operated	1225	4.8	15	1	2	4	6	9	12	19
1. SINGLE DX	1756	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	2468	3.5	10	1	2	3	4	7	10	15
A. Not Operated	2236	2.1	2	1	1	2	3	4	5	7
B. Operated	1988	4.1	12	1	2	3	5	8	11	17
TOTAL										
0-19 YRS	111	2.5	4	1	1	2	3	6	6	9
20-34	963	2.6	5	1	1	2	3	5	7	11
35-49	1451	2.6	5	1	1	2	3	5	7	11
50-64	1033	3.1	7	1	1	2	4	6	8	13
65 +	666	4.5	17	1	2	3	6	10	13	21
GRAND TOTAL	**4224**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	1	1	2	2	3	4	4	4
20-34	7	1.6	1	1	1	1	2	3	3	3
35-49	9	1.9	3	< 1	< 1	1	2	5	6	6
50-64	5	2.6	6	1	1	2	3	7	7	7
65 +	3	3.3	6	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	230	4.6	5	2	3	4	6	7	8	10
20-34	35	4.7	8	1	2	5	6	8	9	12
35-49	33	3.5	6	1	1	4	5	6	7	12
50-64	22	3.0	10	1	1	2	4	6	10	15
65 +	16	2.3	4	1	1	1	2	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.6	7	1	2	3	5	7	8	13
20-34	34	2.7	6	1	1	2	3	5	8	14
35-49	31	3.6	11	1	1	3	5	7	11	16
50-64	42	5.2	32	1	2	3	6	15	20	22
65 +	83	7.9	51	2	3	5	11	19	29	77
B. Operated										
0-19 YRS	347	5.9	15	2	3	5	7	10	12	21
20-34	82	6.1	18	2	3	5	8	13	15	20
35-49	109	7.4	60	1	2	5	10	14	20	44
50-64	131	7.4	67	1	2	5	9	15	29	65
65 +	253	8.1	61	1	3	6	10	17	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.2	2	< 1	1	2	2	5	6	7
B. Operated	336	4.3	6	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	234	5.3	32	1	2	3	6	13	19	33
B. Operated	922	6.9	41	1	3	5	9	13	19	36
1. SINGLE DX	368	4.1	6	1	2	4	6	7	8	12
2. MULTIPLE DX	1156	6.6	40	1	3	5	8	13	19	34
A. Not Operated	266	4.9	29	1	2	3	6	13	17	32
B. Operated	1258	6.2	33	1	3	5	8	12	15	33
TOTAL										
0-19 YRS	629	5.2	11	2	3	5	7	9	11	19
20-34	158	4.9	14	1	2	4	7	9	13	17
35-49	182	5.8	43	1	2	4	7	12	17	34
50-64	200	6.4	54	1	2	4	8	14	20	46
65 +	355	7.8	57	1	3	6	10	17	24	39
GRAND TOTAL	**1524**	**6.0**	**33**	**1**	**2**	**5**	**7**	**12**	**15**	**33**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	2.1	1	< 1	1	2	3	4	4	4
35-49	5	2.2	7	1	1	1	3	7	7	7
50-64	4	1.8		< 1	1	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	8	2.5	2	< 1	1	2	4	5	5	5
50-64	6	1.8	1	< 1	1	2	2	3	3	3
65 +	14	4.0	12	1	1	3	5	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	11	2.4	1	1	1	2	3	4	4	4
35-49	13	2.2	1	1	2	2	3	4	5	5
50-64	15	3.0	10	< 1	1	1	4	9	10	11
65 +	15	6.7	301	1	1	2	3	9	54	69
B. Operated										
0-19 YRS	14	2.8	3	1	2	2	3	6	6	6
20-34	10	4.5	20	< 1	2	3	4	12	16	16
35-49	22	4.9	9	1	3	5	7	9	10	11
50-64	47	3.9	12	1	1	3	5	9	11	17
65 +	151	7.8	141	2	3	5	8	15	21	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.1	2	< 1	1	2	2	4	6	7
B. Operated	32	3.2	7	1	1	2	4	8	10	10
2. MULTIPLE DX										
A. Not Operated	57	3.7	82	1	1	2	3	5	9	65
B. Operated	244	6.4	95	1	2	4	7	11	17	64
1. SINGLE DX	50	2.8	6	1	1	2	3	6	10	10
2. MULTIPLE DX	301	5.9	93	1	2	3	6	10	16	66
A. Not Operated	75	3.3	63	1	1	2	3	5	9	54
B. Operated	276	6.0	86	1	2	4	7	10	16	58
TOTAL										
0-19 YRS	20	2.8	4	1	2	2	3	6	7	8
20-34	31	3.2	8	1	1	3	4	5	8	16
35-49	48	3.5	7	1	1	3	5	7	9	11
50-64	72	3.4	10	1	1	2	4	8	11	16
65 +	180	7.5	144	1	2	4	8	13	20	71
GRAND TOTAL	**351**	**5.4**	**82**	**1**	**2**	**3**	**6**	**10**	**15**	**63**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.5		3	3	3	4	4	4	4
35-49	21	2.0	1	1	1	2	3	4	4	5
50-64	12	2.6	8	< 1	1	1	3	7	10	10
65 +	12	1.8	2	1	1	1	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.3	5	1	2	3	4	7	8	9
20-34	14	2.9	3	1	1	3	3	5	7	7
35-49	15	4.9	8	2	3	5	5	8	12	13
50-64	15	3.3	5	1	2	3	4	4	9	10
65 +	65	6.8	21	3	3	6	10	15	17	19
B. Operated										
0-19 YRS	8	6.5	48	1	2	4	9	19	21	21
20-34	14	5.6	26	< 1	1	4	7	14	16	17
35-49	27	4.9	31	1	2	3	5	10	21	24
50-64	60	4.8	35	1	1	3	6	11	16	34
65 +	260	7.1	87	1	2	5	8	13	22	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.1	1	1	2	2	2	4	4	4
B. Operated	52	2.2	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	126	5.3	16	2	3	4	7	11	15	19
B. Operated	369	6.5	72	1	2	4	8	13	21	52
1. SINGLE DX	65	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX	495	6.2	58	1	2	4	7	12	17	38
A. Not Operated	139	5.0	15	1	2	4	7	10	14	19
B. Operated	421	6.0	65	1	2	4	7	12	17	44
TOTAL										
0-19 YRS	30	3.9	18	1	1	3	4	8	13	21
20-34	37	3.9	13	< 1	2	3	5	7	13	17
35-49	66	3.8	17	1	2	3	5	8	11	24
50-64	89	4.2	26	1	1	3	5	9	14	30
65 +	338	6.9	72	1	2	5	8	13	18	-56
GRAND TOTAL	**560**	**5.7**	**53**	**1**	**2**	**4**	**7**	**11**	**16**	**36**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	31	1.5	2	< 1	< 1	1	2	3	3	7
20-34	29	2.1	2	1	1	2	3	4	6	6
35-49	24	2.2	3	< 1	1	2	2	6	6	7
50-64	18	2.2	5	< 1	1	2	2	4	8	10
65 +	17	3.1	7	1	1	3	4	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	8	3.0	5	1	1	2	4	6	7	7
B. Operated										
0-19 YRS	38	2.1	3	< 1	1	1	2	5	6	7
20-34	25	4.1	14	1	2	3	5	9	12	18
35-49	26	2.9	7	1	1	2	4	6	10	11
50-64	46	3.4	7	1	1	3	5	6	11	11
65 +	166	4.4	31	1	2	3	6	8	11	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	119	2.1	3	< 1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	10	3.0	4	1	1	3	4	6	7	7
B. Operated	301	3.8	21	1	1	3	5	8	10	26
1. SINGLE DX	121	2.1	3	< 1	1	1	2	4	6	10
2. MULTIPLE DX	311	3.8	20	1	1	3	5	8	10	26
A. Not Operated	12	2.8	3	1	1	2	4	6	7	7
B. Operated	420	3.3	17	< 1	1	2	4	7	9	20
TOTAL										
0-19 YRS	69	1.8	2	< 1	< 1	1	2	4	6	7
20-34	54	3.0	9	1	1	2	4	6	9	18
35-49	52	2.5	5	< 1	1	2	3	6	7	11
50-64	65	3.1	7	1	1	2	4	6	10	11
65 +	192	4.2	28	1	1	3	5	8	11	44
GRAND TOTAL	**432**	**3.3**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	3.2	6	1	2	3	4	6	8	15
20-34	19	2.2	1	1	1	2	3	4	4	4
35-49	18	2.7	2	1	2	3	4	5	5	5
50-64	18	3.4	2	2	3	3	4	5	7	8
65 +	16	4.3	5	2	3	4	6	6	9	10
B. Operated										
0-19 YRS	4	2.0	1	< 1	< 1	1	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	555	4.5	7	2	3	4	6	8	10	13
20-34	189	4.4	10	1	2	4	6	8	12	16
35-49	187	5.6	12	2	3	5	7	9	12	21
50-64	343	7.4	75	3	4	6	8	12	16	60
65 +	2134	9.4	78	3	5	7	11	17	25	67
B. Operated										
0-19 YRS	73	8.6	80	2	4	7	9	17	27	52
20-34	29	10.6	289	1	4	6	9	19	50	86
35-49	37	11.8	164	4	6	8	12	26	61	99 +
50-64	70	13.9	187	4	6	9	14	34	39	72
65 +	380	17.6	209	6	8	14	22	41	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.1	5	1	2	3	4	5	7	10
B. Operated	5	2.2	1	< 1	< 1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	3408	7.9	63	3	4	6	9	15	20	55
B. Operated	589	15.4	201	4	7	11	19	35	53	99 +
1. SINGLE DX	157	3.1	5	1	2	3	4	5	7	10
2. MULTIPLE DX	3997	9.0	90	3	4	6	10	17	26	68
A. Not Operated	3560	7.7	61	2	4	6	9	14	20	53
B. Operated	594	15.3	201	4	7	11	19	35	53	99 +
TOTAL										
0-19 YRS	713	4.8	16	2	3	4	6	8	10	22
20-34	238	5.0	47	1	2	4	6	8	13	27
35-49	242	6.3	40	2	3	5	8	11	15	47
50-64	431	8.3	97	3	4	6	9	14	22	61
65 +	2530	10.6	106	4	5	8	12	21	31	83
GRAND TOTAL	**4154**	**8.8**	**88**	**3**	**4**	**6**	**10**	**17**	**25**	**67**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.3	3	< 1	2	3	4	5	6	6
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	8	1.3	1	1	1	1	1	3	3	3
50-64	9	3.2	2	1	2	3	4	5	5	5
65 +	11	2.8	1	2	2	2	3	5	5	5
B. Operated										
0-19 YRS	26	1.6	4	< 1	< 1	1	1	2	5	11
20-34	18	3.2	8	< 1	1	2	5	6	10	12
35-49	22	1.9	1	< 1	1	1	3	4	4	4
50-64	33	2.4	4	1	1	2	3	5	7	8
65 +	51	2.4	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.6	3	< 1	1	2	3	5	6	8
20-34	26	3.5	16	1	2	2	3	6	13	20
35-49	26	3.8	10	1	2	3	5	9	11	13
50-64	45	3.8	14	1	2	3	4	7	12	21
65 +	198	5.9	52	1	2	4	7	13	17	34
B. Operated										
0-19 YRS	64	5.1	29	1	1	3	7	10	18	24
20-34	30	4.8	28	1	1	3	6	12	18	22
35-49	63	5.3	28	1	2	3	8	12	14	30
50-64	214	5.8	48	1	2	4	6	10	17	34
65 +	654	6.5	50	1	3	5	8	13	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.6	2	1	1	2	4	5	5	6
B. Operated	150	2.3	3	< 1	1	2	3	5	5	11
2. MULTIPLE DX										
A. Not Operated	335	4.9	37	1	2	3	6	10	15	23
B. Operated	1025	6.1	46	1	2	4	7	12	17	33
1. SINGLE DX	193	2.3	3	< 1	1	2	3	5	5	10
2. MULTIPLE DX	1360	5.8	44	1	2	4	7	12	16	33
A. Not Operated	378	4.6	33	1	2	3	5	9	14	21
B. Operated	1175	5.6	42	1	2	4	7	11	16	33
TOTAL										
0-19 YRS	140	3.6	17	< 1	1	2	5	8	11	22
20-34	79	3.8	18	1	1	2	5	9	13	21
35-49	119	4.1	19	1	1	2	5	9	12	23
50-64	301	5.0	38	1	2	4	6	9	14	31
65 +	914	6.1	48	1	2	4	7	12	17	34
GRAND TOTAL	**1553**	**5.4**	**40**	**1**	**2**	**4**	**6**	**11**	**15**	**33**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	5	3.6	9	2	2	2	4	9	9	9
B. Operated										
0-19 YRS	0									
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	7	2.4	2	1	1	2	3	5	5	5
50-64	242	3.7	2	2	3	4	5	6	6	9
65 +	514	4.4	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	25	3.6	8	< 1	1	2	6	8	9	10
65 +	87	4.8	30	< 1	1	3	6	12	16	28
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	25	3.8	6	1	2	4	5	6	8	12
50-64	963	5.1	10	3	3	4	6	9	11	19
65 +	3436	6.2	37	3	3	5	7	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.2	9	1	2	2	3	8	9	9
B. Operated	765	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	113	4.6	25	< 1	1	3	6	11	15	25
B. Operated	4425	6.0	32	3	3	5	7	10	14	25
1. SINGLE DX	771	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX	4538	5.9	31	3	3	5	7	10	14	25
A. Not Operated	119	4.5	24	< 1	1	3	6	11	15	24
B. Operated	5190	5.7	28	3	3	4	6	10	13	24
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	33	3.6	5	1	2	4	5	6	7	12
50-64	1231	4.8	9	2	3	4	6	8	10	17
65 +	4042	6.0	33	3	3	5	7	10	14	26
GRAND TOTAL	**5309**	**5.7**	**28**	**3**	**3**	**4**	**6**	**10**	**13**	**23**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	2.7	1	1	3	3	3	3	3	3
35-49	11	3.5	4	1	2	4	4	6	8	8
50-64	6	3.7	5	1	2	4	6	6	6	6
65 +	6	5.5	11	2	3	5	7	11	11	11
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	4.5	7	1	2	5	6	7	7	7
65 +	5	5.6	9	2	3	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	5.4	5	3	4	5	7	9	9	9
35-49	23	4.5	8	2	2	3	6	9	11	11
50-64	46	5.0	10	2	3	4	6	7	13	16
65 +	60	5.9	10	3	4	5	7	10	12	18
B. Operated										
0-19 YRS	0									
20-34	3	4.0	9	1	2	4	6	7	7	7
35-49	11	7.8	44	2	4	5	11	18	23	24
50-64	30	6.4	35	1	2	4	8	16	21	23
65 +	54	5.4	19	1	2	4	7	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.7	5	1	2	3	5	7	8	11
B. Operated	14	4.5	6	2	3	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	137	5.3	9	2	3	5	6	9	12	16
B. Operated	98	5.9	26	1	2	4	7	14	18	24
1. SINGLE DX	45	4.0	5	1	3	3	5	7	8	11
2. MULTIPLE DX	235	5.6	16	2	3	5	7	11	15	21
A. Not Operated	168	5.0	9	2	3	4	6	8	11	16
B. Operated	112	5.8	24	2	3	4	7	12	18	23
TOTAL										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	20	4.0	5	1	3	3	5	7	8	9
35-49	47	5.0	17	2	3	4	6	11	12	24
50-64	86	5.4	18	2	3	4	6	12	15	22
65 +	125	5.6	14	2	3	5	7	10	13	19
GRAND TOTAL	**280**	**5.3**	**15**	**2**	**3**	**4**	**6**	**10**	**13**	**21**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	33	1.3		< 1	< 1	1	2	2	2	3
20-34	22	1.3		< 1	1	1	2	2	3	3
35-49	20	1.2		< 1	1	1	1	2	2	3
50-64	31	1.6	1	1	1	1	2	3	4	4
65 +	19	1.4		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	5	< 1	1	3	5	6	6	6
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	57	1.6	2	1	1	1	2	3	5	9
20-34	9	1.6	1	1	1	1	2	3	4	4
35-49	25	2.7	8	1	1	1	3	8	10	11
50-64	29	2.4	2	1	1	2	3	5	6	7
65 +	48	3.0	9	1	1	2	3	6	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.1		1	1	1	1	2	2	2
B. Operated	125	1.4	1	< 1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	5	2.8	5	< 1	< 1	2	4	6	6	6
B. Operated	168	2.3	5	1	1	1	3	5	7	11
1. SINGLE DX	132	1.4	1	< 1	1	1	2	2	3	4
2. MULTIPLE DX	173	2.3	5	1	1	1	3	5	7	11
A. Not Operated	12	1.8	3	< 1	1	1	2	5	6	6
B. Operated	293	1.9	3	1	1	1	2	3	5	11
TOTAL										
0-19 YRS	95	1.6	2	< 1	1	1	2	2	5	8
20-34	31	1.4	1	< 1	1	1	2	2	3	4
35-49	48	2.0	5	1	1	1	2	4	8	11
50-64	63	2.0	2	1	1	1	3	4	5	7
65 +	68	2.5	7	1	1	2	3	4	7	16
GRAND TOTAL	**305**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**	**11**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.0	3	1	2	2	4	6	6	7
20-34	39	3.4	4	1	2	3	5	5	7	11
35-49	17	4.1	7	1	2	4	5	7	10	11
50-64	16	4.5	4	< 1	3	5	6	7	8	8
65 +	8	3.1	4	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	7	2.9	7	< 1	1	2	4	7	8	8
20-34	11	2.5	5	< 1	1	1	3	6	8	8
35-49	5	2.4	5	1	1	1	4	6	6	6
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	3	3.3	4	1	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	5.2	33	2	2	3	6	10	20	24
20-34	32	5.9	35	2	3	5	6	9	10	36
35-49	27	4.9	7	2	2	5	7	9	10	11
50-64	31	6.3	7	3	4	6	8	10	11	13
65 +	38	6.9	12	4	5	6	8	12	14	19
B. Operated										
0-19 YRS	9	1.7	1	< 1	1	1	2	3	3	3
20-34	5	5.0	15	1	2	3	8	10	10	10
35-49	11	8.3	66	2	2	6	15	48	93	99 +
50-64	14	9.4	68	1	4	9	12	18	30	33
65 +	29	7.1	29	1	2	7	11	14	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	3.6	4	1	2	3	5	6	7	11
B. Operated	28	2.5	5	< 1	1	1	4	6	8	8
2. MULTIPLE DX										
A. Not Operated	143	6.0	17	2	4	5	7	9	12	25
B. Operated	68	6.9	42	1	2	5	11	15	20	87
1. SINGLE DX	134	3.3	5	1	2	3	5	6	7	11
2. MULTIPLE DX	211	6.3	25	2	3	5	8	12	16	34
A. Not Operated	249	5.0	13	2	3	4	6	8	11	19
B. Operated	96	5.6	35	1	1	3	9	12	18	68
TOTAL										
0-19 YRS	57	3.4	12	1	2	2	4	6	8	23
20-34	87	4.3	17	1	2	4	5	8	9	27
35-49	60	5.1	19	1	2	4	7	11	15	92
50-64	63	6.4	23	2	4	5	8	11	13	31
65 +	78	6.4	19	1	3	6	8	12	15	19
GRAND TOTAL	**345**	**5.1**	**19**	**1**	**2**	**4**	**7**	**10**	**12**	**26**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	31	1.4	2	< 1	< 1	1	1	2	2	9
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	8	3.4	40	1	1	1	2	14	19	19
65 +	19	2.5	6	1	1	2	2	5	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	33	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	5	3.4	14	1	1	2	5	10	10	10
B. Operated	63	1.9	8	< 1	1	1	2	3	7	18
1. SINGLE DX	35	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	68	2.0	8	< 1	1	1	2	4	9	18
A. Not Operated	7	2.7	11	1	1	1	3	9	10	10
B. Operated	96	1.6	5	< 1	< 1	1	1	2	5	15
TOTAL										
0-19 YRS	62	1.4	2	< 1	< 1	< 1	1	2	2	10
20-34	5	1.2		< 1	< 1	1	1	2	2	2
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	10	2.9	32	< 1	1	1	1	10	19	19
65 +	22	2.4	6	1	1	2	2	5	8	11
GRAND TOTAL	**103**	**1.7**	**6**	**< 1**	**< 1**	**1**	**1**	**2**	**5**	**15**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.4	2	1	1	2	3	5	6	6
20-34	7	2.0	1	< 1	< 1	2	3	4	4	4
35-49	5	2.8	3	1	2	2	4	5	5	5
50-64	4	3.0	16	1	1	1	5	9	9	9
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	217	1.3	1	< 1	1	1	1	2	2	5
20-34	50	2.3	4	1	1	1	3	5	8	10
35-49	49	2.2	5	< 1	1	1	3	4	4	16
50-64	44	2.1	1	1	1	2	3	4	4	6
65 +	24	2.7	4	1	1	2	3	5	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.5	1	1	2	2	3	4	5	5
20-34	7	6.4	87	1	1	4	6	23	27	27
35-49	14	6.1	26	1	2	5	9	15	17	17
50-64	17	3.5	6	1	1	3	5	7	8	9
65 +	21	6.4	47	1	2	4	8	13	22	30
B. Operated										
0-19 YRS	98	1.8	4	< 1	1	1	2	3	6	12
20-34	34	3.4	22	1	1	2	3	7	14	24
35-49	65	3.5	14	1	1	3	4	6	9	22
50-64	106	4.3	62	1	1	2	4	7	13	52
65 +	60	5.1	38	1	1	3	6	11	17	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.4	3	< 1	1	2	3	5	6	9
B. Operated	384	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	81	4.7	27	1	2	3	6	10	15	29
B. Operated	363	3.5	31	1	1	2	3	7	11	30
1. SINGLE DX	418	1.8	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX	444	3.7	31	1	1	2	4	8	12	30
A. Not Operated	115	4.0	21	1	1	2	5	9	12	28
B. Operated	747	2.6	17	1	1	1	3	5	8	21
TOTAL										
0-19 YRS	354	1.5	2	< 1	1	1	2	3	4	8
20-34	98	2.9	16	1	1	2	3	5	9	26
35-49	133	3.3	13	1	1	2	4	6	10	20
50-64	171	3.6	41	1	1	2	3	6	9	46
65 +	106	4.7	33	1	1	3	6	10	15	34
GRAND TOTAL	**862**	**2.8**	**18**	**1**	**1**	**1**	**3**	**5**	**8**	**22**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	11	1.5		< 1	1	1	2	3	3	3
35-49	35	1.4	1	< 1	< 1	1	1	2	3	5
50-64	36	1.2		< 1	< 1	1	1	2	2	2
65 +	20	1.4		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	20	2.1	2	< 1	1	2	2	4	5	6
35-49	58	2.0	3	< 1	< 1	1	2	4	6	10
50-64	55	2.3	6	< 1	< 1	1	2	4	7	14
65 +	48	2.2	3	< 1	1	1	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	105	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	183	2.1	4	< 1	< 1	1	2	4	6	10
1. SINGLE DX	109	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	183	2.1	4	< 1	< 1	1	2	4	6	10
A. Not Operated	4	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	288	1.8	3	< 1	< 1	1	2	3	5	9
TOTAL										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	32	1.9	1	< 1	1	2	2	4	4	6
35-49	94	1.8	2	< 1	< 1	1	2	3	5	8
50-64	92	1.8	4	< 1	< 1	1	2	3	5	12
65 +	69	1.9	2	< 1	1	1	2	4	6	7
GRAND TOTAL	**292**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**9**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.4	2	2	3	3	4	6	6	6
20-34	13	4.0	9	1	2	3	5	9	11	11
35-49	6	3.8	2	3	3	3	5	6	6	6
50-64	5	3.6	5	< 1	2	3	5	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	115	1.7	1	1	1	1	2	3	3	6
20-34	186	2.0	1	1	1	2	2	3	4	6
35-49	105	2.2	2	1	1	2	3	4	5	8
50-64	35	1.9	2	1	1	2	2	3	5	7
65 +	16	1.9	1	< 1	1	1	3	3	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.2	6	1	3	4	5	8	8	8
20-34	11	3.3	3	< 1	1	4	4	5	6	6
35-49	17	3.3	4	< 1	2	3	4	7	8	8
50-64	13	3.9	7	< 1	< 1	4	6	8	8	8
65 +	16	5.8	15	< 1	2	5	9	12	12	12
B. Operated										
0-19 YRS	41	1.9	1	1	1	2	2	3	4	5
20-34	128	2.3	3	1	1	2	3	3	5	10
35-49	123	2.6	6	1	1	2	3	5	7	16
50-64	57	2.5	9	< 1	1	2	3	4	5	21
65 +	38	3.2	8	1	1	2	4	7	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.7	5	1	2	3	5	6	9	11
B. Operated	457	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	63	4.1	8	< 1	1	4	6	8	10	12
B. Operated	387	2.5	5	1	1	2	3	4	6	13
1. SINGLE DX	491	2.1	2	1	1	2	3	3	5	7
2. MULTIPLE DX	450	2.7	6	1	1	2	3	5	7	12
A. Not Operated	97	4.0	7	< 1	2	3	5	8	9	12
B. Operated	844	2.2	3	1	1	2	3	3	5	10
TOTAL										
0-19 YRS	171	1.9	1	1	1	2	2	3	5	6
20-34	338	2.2	2	1	1	2	3	3	5	8
35-49	251	2.5	4	1	1	2	3	4	7	11
50-64	110	2.5	6	< 1	1	2	3	5	7	14
65 +	71	3.5	10	< 1	1	2	5	9	11	12
GRAND TOTAL	**941**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	1.9	1	1	1	2	2	3	4	5
20-34	160	2.0	1	1	1	2	2	4	4	6
35-49	47	2.4	4	1	1	2	3	5	7	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	96	2.9	4	1	2	3	4	5	6	12
20-34	262	3.0	3	1	2	3	4	5	6	8
35-49	94	3.5	4	1	2	3	5	6	7	9
50-64	17	3.8	2	2	3	4	5	6	6	6
65 +	15	4.4	4	1	3	5	6	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	2.4	3	1	1	2	3	5	7	9
20-34	133	2.5	2	1	1	2	3	4	5	8
35-49	62	3.2	6	1	2	3	4	6	8	14
50-64	4	6.3	34	3	3	4	9	15	15	15
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	80	4.0	5	1	3	4	5	7	9	11
20-34	570	4.0	6	1	3	4	5	6	9	14
35-49	459	4.6	8	2	3	4	5	7	8	16
50-64	81	5.3	7	3	4	5	6	8	11	17
65 +	63	6.8	17	4	4	6	8	11	21	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	334	2.0	2	1	1	2	2	4	4	7
B. Operated	484	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	257	2.7	4	1	1	2	3	5	7	10
B. Operated	1253	4.5	7	2	3	4	5	7	9	17
1. SINGLE DX	818	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1510	4.2	7	1	3	4	5	7	9	15
A. Not Operated	591	2.3	3	1	1	2	3	4	5	9
B. Operated	1737	4.1	7	1	3	4	5	7	8	14
TOTAL										
0-19 YRS	357	2.7	4	1	1	2	4	5	6	9
20-34	1125	3.3	5	1	2	3	4	6	7	11
35-49	662	4.2	7	1	3	4	5	6	8	13
50-64	103	5.1	8	3	4	5	6	8	11	17
65 +	81	6.2	15	3	4	6	7	10	16	75
GRAND TOTAL	**2328**	**3.6**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**12**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	4.2	5	2	3	4	5	7	9	12
20-34	381	3.9	5	2	2	3	5	7	9	11
35-49	71	4.6	5	2	3	4	6	8	9	11
50-64	2	5.5	1	5	5	5	6	6	6	6
65 +	3	8.0	43	2	3	7	13	15	15	15
B. Operated										
0-19 YRS	13	5.2	16	2	3	5	5	8	16	18
20-34	66	4.1	8	1	3	4	5	7	9	17
35-49	52	4.3	5	1	3	4	6	7	9	11
50-64	6	4.7	11	1	4	4	4	10	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	4.9	7	2	3	4	6	8	11	14
20-34	295	4.9	8	2	3	4	6	8	10	15
35-49	81	6.0	16	2	3	5	7	11	15	21
50-64	5	6.4	21	3	3	5	9	14	14	14
65 +	4	6.5	7	3	4	7	8	9	9	9
B. Operated										
0-19 YRS	38	6.3	22	1	4	5	8	11	17	24
20-34	493	4.6	9	1	3	4	5	8	10	17
35-49	352	5.9	18	2	4	5	7	11	14	21
50-64	37	7.8	29	4	4	6	10	17	21	23
65 +	16	13.9	189	4	5	8	15	35	47	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	612	4.1	5	2	3	4	5	7	9	12
B. Operated	137	4.3	8	1	3	4	5	7	10	18
2. MULTIPLE DX										
A. Not Operated	542	5.1	9	2	3	4	6	9	11	15
B. Operated	936	5.4	19	2	3	4	6	10	14	21
1. SINGLE DX	749	4.1	6	2	3	4	5	7	9	12
2. MULTIPLE DX	1478	5.3	15	2	3	4	6	10	12	19
A. Not Operated	1154	4.6	7	2	3	4	5	8	10	15
B. Operated	1073	5.3	17	1	3	4	6	10	13	20
TOTAL										
0-19 YRS	363	4.7	8	2	3	4	5	8	10	15
20-34	1235	4.4	8	2	3	4	5	8	10	15
35-49	556	5.6	15	2	3	5	6	11	14	18
50-64	50	7.2	25	3	4	5	9	14	19	23
65 +	23	11.9	144	3	5	7	14	31	42	52
GRAND TOTAL	**2227**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**	**17**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	3.4	3	1	2	3	4	6	7	7
35-49	6	3.2	7	< 1	1	2	4	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.8	1	1	1	2	2	3	3	3
20-34	76	3.3	3	1	2	4	5	5	6	7
35-49	69	3.5	2	1	3	4	5	5	6	6
50-64	8	5.0	3	2	4	5	6	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	4.2	9	1	2	4	5	8	11	12
35-49	12	4.0	5	1	2	4	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	3.1	13	< 1	1	2	4	8	13	13
20-34	534	4.0	3	1	3	4	5	6	7	9
35-49	895	4.7	4	3	4	4	5	7	8	11
50-64	90	5.1	4	4	4	5	6	7	10	13
65 +	9	5.3	2	4	4	5	6	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.1	4	1	2	3	4	6	8	8
B. Operated	159	3.4	3	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	27	4.0	7	1	2	4	5	7	9	12
B. Operated	1539	4.5	4	3	4	4	5	6	7	11
1. SINGLE DX	176	3.4	3	1	2	4	5	5	6	7
2. MULTIPLE DX	1566	4.4	4	3	4	4	5	6	7	11
A. Not Operated	44	3.7	6	1	2	3	5	7	8	12
B. Operated	1698	4.4	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	20	2.5	7	1	1	2	3	4	9	13
20-34	633	3.9	3	1	3	4	5	6	7	9
35-49	982	4.6	4	3	4	4	5	6	7	11
50-64	98	5.1	4	3	4	5	6	7	9	13
65 +	9	5.3	2	4	4	5	6	7	8	8
GRAND TOTAL	**1742**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.0	4	< 1	1	3	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	21	3.4	4	< 1	1	4	5	6	7	7
35-49	35	3.4	2	1	2	4	5	5	6	6
50-64	7	3.9	5	< 1	1	4	6	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	3.5	4	< 1	1	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	63	3.5	3	< [illegible]	2	4	5	6	6	7
1. SINGLE DX	4	3.5	4	< 1	1	4	5	5	5	5
2. MULTIPLE DX	65	3.5	3	< 1	2	4	5	6	6	7
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	67	3.5	3	< 1	2	4	5	6	6	7
TOTAL										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	21	3.4	4	< 1	1	4	5	6	7	7
35-49	38	3.4	2	< 1	2	4	5	5	6	6
50-64	8	4.0	5	< 1	2	4	6	7	7	7
65 +	0									
GRAND TOTAL	**69**	**3.5**	**3**	**< 1**	**2**	**4**	**5**	**6**	**6**	**7**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.8	4	3	4	4	6	8	8	8
20-34	11	3.2	2	1	2	3	4	5	5	5
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	7.0	2	6	6	7	8	8	8	8
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	15	1.6	2	< 1	1	1	2	3	5	6
20-34	43	1.3	1	< 1	1	1	1	2	4	5
35-49	32	1.3		< 1	1	1	1	2	3	3
50-64	8	3.0	8	< 1	1	2	4	8	9	9
65 +	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.8	1	2	2	3	4	4	4	4
20-34	21	3.7	4	2	3	3	4	6	8	10
35-49	10	4.2	4	2	3	4	5	7	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	9	5.4	13	2	3	4	6	12	14	14
B. Operated										
0-19 YRS	5	4.6	13	1	2	4	7	10	10	10
20-34	37	2.9	8	1	1	2	4	6	10	12
35-49	27	3.8	15	1	1	3	5	7	14	17
50-64	13	4.0	7	1	2	3	5	8	10	10
65 +	11	5.8	13	1	3	5	9	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.0	3	2	3	4	5	7	8	8
B. Operated	102	1.5	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	48	4.0	5	2	2	3	5	7	8	14
B. Operated	93	3.7	11	1	1	3	5	8	11	16
1. SINGLE DX	123	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	141	3.8	9	1	2	3	5	8	10	14
A. Not Operated	69	4.0	5	2	3	4	5	7	8	13
B. Operated	195	2.6	7	< 1	1	1	3	6	9	13
TOTAL										
0-19 YRS	31	2.8	5	< 1	1	2	4	6	8	10
20-34	112	2.5	4	< 1	1	2	3	5	6	12
35-49	71	2.7	8	1	1	2	3	6	7	16
50-64	25	3.8	7	1	2	3	5	8	9	10
65 +	25	5.0	12	2	3	4	7	10	12	14
GRAND TOTAL	**264**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	4.1	4	2	3	4	5	7	9	9
35-49	92	3.7	2	2	3	4	5	5	6	8
50-64	224	4.3	3	2	3	4	5	6	7	11
65 +	218	4.7	3	3	3	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	5	2.2	1	< 1	1	3	3	3	3	3
65 +	14	3.9	17	< 1	1	2	5	10	14	15
B. Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	83	4.3	3	2	3	4	5	6	8	9
35-49	425	4.7	3	3	4	4	5	7	8	11
50-64	621	5.0	4	3	4	5	6	7	9	12
65 +	881	5.6	7	3	4	5	6	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	3	1	1	3	4	5	5	5
B. Operated	555	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	25	3.0	11	< 1	< 1	1	3	7	10	15
B. Operated	2012	5.2	5	3	4	5	6	8	9	14
1. SINGLE DX	559	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX	2037	5.1	5	3	4	5	6	8	9	14
A. Not Operated	29	3.0	9	< 1	< 1	2	4	6	9	15
B. Operated	2567	5.0	5	3	4	5	6	7	9	13
TOTAL										
0-19 YRS	3	3.7	6	1	2	4	5	6	6	6
20-34	107	4.2	3	2	3	4	5	6	8	9
35-49	519	4.5	3	2	3	4	5	6	8	11
50-64	853	4.8	4	3	4	5	6	7	8	12
65 +	1114	5.4	6	3	4	5	6	8	10	15
GRAND TOTAL	**2596**	**5.0**	**5**	**3**	**4**	**5**	**6**	**7**	**9**	**13**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.7	1	1	1	2	2	3	3	3
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	25	1.7	2	<1	<1	1	2	4	5	5
35-49	37	1.9	2	<1	<1	1	3	4	4	6
50-64	6	1.2		<1	<1	1	1	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.5	2	2	3	3	5	5	6	6
20-34	19	2.3	1	1	1	2	3	4	4	4
35-49	12	2.6	1	1	2	3	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	6	2.0	2	1	1	2	3	4	4	4
20-34	73	3.0	3	1	1	3	4	5	5	7
35-49	178	3.5	5	<1	1	4	5	6	7	11
50-64	23	3.6	5	<1	1	4	6	6	7	7
65 +	2	5.5	41	<1	<1	5	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.8	1	1	1	2	2	4	4	4
B. Operated	73	1.8	2	<1	<1	1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	49	2.7	2	1	2	3	4	5	5	6
B. Operated	282	3.4	4	<1	1	4	5	6	7	10
1. SINGLE DX	90	1.8	1	<1	<1	1	2	4	4	6
2. MULTIPLE DX	331	3.3	4	<1	1	3	5	6	7	10
A. Not Operated	66	2.5	2	1	1	2	3	4	5	6
B. Operated	355	3.0	4	<1	1	3	4	5	6	10
TOTAL										
0-19 YRS	30	2.5	2	1	1	2	3	5	5	6
20-34	121	2.6	3	<1	1	2	4	5	5	7
35-49	233	3.2	4	<1	1	3	4	6	7	10
50-64	32	3.0	4	<1	1	2	5	6	7	7
65 +	5	4.0	14	<1	1	2	6	10	10	10
GRAND TOTAL	**421**	**3.0**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	8	1.6	1	<1	1	1	2	3	4	4
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	28	2.3	2	<1	1	2	3	4	4	5
35-49	74	2.3	2	<1	1	2	4	4	4	6
50-64	13	2.2	3	<1	1	1	4	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.8	5	1	2	4	6	6	6	6
20-34	10	2.3	3	<1	1	2	3	5	6	6
35-49	19	1.9	2	<1	1	2	2	4	5	6
50-64	6	1.7		1	1	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	113	3.7	2	1	3	4	5	5	5	7
35-49	480	3.8	4	1	2	4	5	6	7	10
50-64	58	3.6	5	<1	1	4	5	7	7	9
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.5	1	<1	1	1	2	3	4	4
B. Operated	115	2.3	2	<1	1	1	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	41	2.2	2	<1	1	2	3	5	6	6
B. Operated	656	3.8	4	1	2	4	5	6	7	10
1. SINGLE DX	131	2.2	2	<1	1	1	3	4	5	6
2. MULTIPLE DX	697	3.7	4	1	2	4	5	6	7	10
A. Not Operated	57	2.0	2	<1	1	2	2	4	6	6
B. Operated	771	3.5	4	1	2	4	5	6	6	10
TOTAL										
0-19 YRS	13	2.7	3	1	1	2	4	6	6	6
20-34	159	3.2	3	<1	2	4	4	5	5	7
35-49	578	3.5	4	1	2	4	5	6	7	10
50-64	77	3.2	5	<1	1	3	5	6	7	9
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**828**	**3.4**	**4**	**1**	**1**	**4**	**5**	**6**	**6**	**9**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	8	1.5	2	< 1	< 1	1	1	4	5	5
50-64	23	1.4	2	< 1	< 1	< 1	1	2	5	7
65 +	10	1.5	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	1.7	1	< 1	1	1	2	3	3	3
65 +	8	5.9	30	1	1	4	10	14	15	15
B. Operated										
0-19 YRS	0									
20-34	7	1.7	1	< 1	< 1	< 1	3	3	3	3
35-49	20	3.7	9	1	1	3	5	6	10	13
50-64	69	2.6	3	< 1	1	2	4	5	6	6
65 +	81	4.3	28	< 1	1	3	5	8	12	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	41	1.5	2	< 1	< 1	1	1	3	5	7
2. MULTIPLE DX										
A. Not Operated	15	3.9	20	1	1	2	5	13	14	15
B. Operated	177	3.5	15	< 1	1	2	5	6	8	20
1. SINGLE DX	44	1.5	2	< 1	< 1	1	1	3	4	7
2. MULTIPLE DX	192	3.5	16	< 1	1	2	5	6	9	19
A. Not Operated	18	3.4	18	1	1	2	3	11	14	15
B. Operated	218	3.1	13	< 1	1	2	4	6	8	18
TOTAL										
0-19 YRS	0									
20-34	8	1.8	1	< 1	< 1	1	2	3	3	3
35-49	29	3.0	7	< 1	1	2	5	6	7	13
50-64	100	2.2	3	< 1	< 1	1	4	5	6	7
65 +	99	4.2	26	< 1	1	2	5	8	13	30
GRAND TOTAL	**236**	**3.1**	**14**	**< 1**	**1**	**2**	**4**	**6**	**8**	**17**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	< 1	1	2	3	4	4	4
20-34	15	2.7	6	< 1	1	2	3	6	9	10
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	11	3.3	3	1	2	3	5	6	6	6
20-34	90	2.5	3	< 1	1	2	4	5	7	8
35-49	61	2.8	3	< 1	1	3	4	5	6	8
50-64	28	3.9	11	< 1	1	3	6	8	10	15
65 +	12	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	< 1	1	2	3	4	4	4
20-34	18	1.8	1	< 1	< 1	1	2	3	4	5
35-49	8	3.0	6	< 1	1	2	4	7	8	8
50-64	9	6.0	44	< 1	1	4	10	17	19	19
65 +	9	5.4	19	1	2	4	9	12	14	14
B. Operated										
0-19 YRS	32	4.2	6	1	3	4	5	6	10	12
20-34	197	3.5	4	1	2	4	4	5	7	11
35-49	345	4.3	14	1	3	4	5	7	8	16
50-64	174	5.6	13	2	4	5	7	10	12	21
65 +	113	9.9	129	1	3	6	11	23	32	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.2	4	< 1	1	2	3	4	7	10
B. Operated	202	2.9	4	< 1	1	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	50	3.5	15	< 1	1	2	4	9	14	19
B. Operated	861	5.1	30	1	3	4	5	9	12	31
1. SINGLE DX	227	2.8	4	< 1	1	2	4	5	7	9
2. MULTIPLE DX	911	5.0	29	1	3	4	5	9	12	30
A. Not Operated	75	3.1	11	< 1	1	2	4	8	10	18
B. Operated	1063	4.7	26	1	2	4	5	8	11	25
TOTAL										
0-19 YRS	54	3.6	5	1	2	4	5	6	6	12
20-34	320	3.1	4	1	1	3	4	5	7	10
35-49	418	4.0	13	1	2	4	5	6	8	15
50-64	211	5.4	14	1	3	5	7	10	12	20
65 +	135	8.9	114	1	2	5	10	21	31	53
GRAND TOTAL	**1138**	**4.6**	**25**	**1**	**2**	**4**	**5**	**8**	**11**	**24**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	1.5	1	< 1	1	1	2	3	3	5
20-34	41	2.0	2	< 1	1	2	3	3	4	7
35-49	15	2.0	2	1	1	2	3	4	5	5
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	6	2.0	2	< 1	< 1	1	3	4	4	4
20-34	93	2.5	2	< 1	1	2	4	5	5	7
35-49	158	3.6	3	1	2	4	5	6	7	9
50-64	88	4.4	3	2	3	4	6	6	7	10
65 +	37	5.2	13	1	3	5	6	9	11	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	1.7	1	1	1	2	2	3	3	3
20-34	46	2.8	9	1	1	2	3	6	8	16
35-49	17	2.6	3	1	1	2	3	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	3.0	12	< 1	< 1	1	5	7	7	7
B. Operated										
0-19 YRS	11	4.8	27	1	2	3	6	12	18	19
20-34	300	3.3	2	1	2	3	4	5	6	8
35-49	306	4.1	3	2	3	4	5	6	7	9
50-64	137	5.0	6	3	3	4	7	8	9	14
65 +	112	5.8	17	2	3	5	7	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	1.8	1	< 1	1	1	2	3	4	6
B. Operated	382	3.6	5	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	87	2.5	6	1	1	2	3	5	7	15
B. Operated	866	4.2	6	2	3	4	5	7	8	13
1. SINGLE DX	468	3.3	4	1	2	3	5	6	7	9
2. MULTIPLE DX	953	4.1	6	1	3	4	5	7	8	13
A. Not Operated	173	2.2	4	1	1	2	3	4	6	12
B. Operated	1248	4.0	6	1	3	4	5	7	8	12
TOTAL										
0-19 YRS	66	2.2	6	< 1	1	2	2	3	5	17
20-34	480	3.0	3	1	1	3	4	5	6	8
35-49	496	3.8	3	1	3	4	5	6	7	9
50-64	226	4.8	5	2	3	4	6	8	9	13
65 +	153	5.6	16	2	3	5	7	10	12	21
GRAND TOTAL	**1421**	**3.8**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	19	2.0	2	1	1	1	3	4	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	32	3.3	1	2	2	3	4	5	5	5
20-34	554	3.2	2	1	2	3	4	5	5	7
35-49	107	3.3	2	1	2	4	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	1.7		1	1	2	2	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	4.0	2	2	3	4	5	5	6	7
20-34	631	3.9	4	2	3	4	5	6	7	9
35-49	182	4.0	4	2	3	4	5	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	1.9	2	1	1	1	3	4	5	5
B. Operated	693	3.2	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	12	1.9	1	1	1	2	2	3	4	4
B. Operated	857	4.0	4	2	3	4	5	6	7	10
1. SINGLE DX	716	3.2	2	1	2	3	4	5	5	7
2. MULTIPLE DX	869	3.9	4	2	3	4	5	6	7	10
A. Not Operated	35	1.9	1	1	1	2	2	4	4	5
B. Operated	1550	3.6	3	1	3	4	5	5	6	9
TOTAL										
0-19 YRS	80	3.6	2	2	3	4	4	5	6	7
20-34	1214	3.6	3	1	2	4	4	5	6	9
35-49	291	3.8	3	1	3	4	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**1585**	**3.6**	**3**	**1**	**3**	**4**	**4**	**5**	**6**	**9**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.0		< 1	1	1	1	1	1	1
20-34	11	1.3		< 1	1	1	1	2	3	3
35-49	5	3.0	7	< 1	1	2	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.5		1	1	1	2	2	3	3
20-34	45	1.5		< 1	< 1	1	2	2	3	4
35-49	7	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.9	5	1	1	1	2	5	8	9
20-34	52	1.8	2	< 1	1	1	2	3	4	10
35-49	16	1.6	1	< 1	1	1	2	2	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	1.9	1	< 1	1	2	2	3	4	5
20-34	89	2.6	6	1	1	2	3	5	8	13
35-49	37	1.8	1	< 1	1	1	2	3	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	1.5	2	< 1	1	1	1	3	4	7
B. Operated	69	1.4		< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	80	1.8	2	< 1	1	1	2	3	4	10
B. Operated	146	2.3	4	1	1	2	3	5	6	13
1. SINGLE DX	96	1.4	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE DX	226	2.1	4	< 1	1	1	2	4	5	11
A. Not Operated	107	1.7	2	< 1	1	1	2	3	4	9
B. Operated	215	2.0	3	< 1	1	1	2	4	5	11
TOTAL										
0-19 YRS	60	1.6	2	1	1	1	2	3	3	9
20-34	197	2.1	4	< 1	1	1	2	4	5	12
35-49	65	1.7	2	< 1	1	1	2	3	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**322**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**	**10**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOTAL										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**1**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.4	1	< 1	1	1	1	3	3	4
20-34	136	1.5	1	< 1	1	1	2	3	4	6
35-49	23	1.3		< 1	< 1	1	1	2	3	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	189	1.2		< 1	< 1	1	1	2	3	4
20-34	1557	1.1		< 1	< 1	1	1	1	2	3
35-49	438	1.1		< 1	< 1	1	1	1	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	< 1	1	1	2	3	4	4
20-34	52	2.2	3	< 1	1	2	3	5	6	8
35-49	13	2.8	4	< 1	1	2	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	1.5	1	< 1	1	1	2	3	4	5
20-34	385	1.7	2	< 1	1	1	2	3	4	8
35-49	138	1.7	2	< 1	1	1	2	3	4	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	1.4	1	< 1	< 1	1	2	3	3	5
B. Operated	2185	1.1		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	76	2.3	3	< 1	1	2	3	5	6	8
B. Operated	566	1.7	2	< 1	1	1	2	3	4	8
1. SINGLE DX	2369	1.1		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX	642	1.7	2	< 1	1	1	2	3	5	8
A. Not Operated	260	1.7	2	< 1	1	1	2	3	5	7
B. Operated	2751	1.2	1	< 1	< 1	1	1	2	3	5
TOTAL										
0-19 YRS	267	1.3	1	< 1	< 1	1	1	2	3	4
20-34	2130	1.3	1	< 1	< 1	1	1	2	3	5
35-49	612	1.3	1	< 1	< 1	1	1	2	3	6
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
GRAND TOTAL	**3011**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**5**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.6	2	1	2	2	3	5	5	6
20-34	88	1.8	2	1	1	1	3	4	4	7
35-49	17	2.0	3	< 1	1	1	2	5	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	1.2		< 1	1	1	1	2	3	4
20-34	397	1.2	1	< 1	< 1	1	1	2	2	5
35-49	119	1.3	2	< 1	< 1	1	1	2	2	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.9	4	< 1	1	2	5	6	6	6
20-34	60	3.2	8	1	1	2	4	7	10	14
35-49	7	2.4	4	1	1	1	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	2.7	3	1	1	2	4	5	6	7
20-34	167	2.1	4	< 1	1	1	3	4	5	12
35-49	64	1.8	3	< 1	< 1	1	2	3	5	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	2.0	2	1	1	1	3	4	5	7
B. Operated	549	1.2	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	78	3.1	7	1	1	2	4	7	9	13
B. Operated	251	2.1	4	< 1	1	1	2	4	5	13
1. SINGLE DX	679	1.4	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	329	2.3	5	< 1	1	1	3	5	6	13
A. Not Operated	208	2.4	4	1	1	2	3	5	6	10
B. Operated	800	1.5	2	< 1	< 1	1	1	3	4	7
TOTAL										
0-19 YRS	89	2.2	2	< 1	1	2	3	5	6	7
20-34	712	1.7	3	< 1	< 1	1	2	3	4	9
35-49	207	1.5	2	< 1	< 1	1	1	2	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**1008**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.5	1	< 1	1	1	2	3	3	4
20-34	166	1.6	1	< 1	1	1	2	3	4	5
35-49	25	2.0	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	8	3.0	11	< 1	< 1	2	3	9	11	11
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.8	2	< 1	1	3	4	5	5	5
20-34	53	2.1	3	< 1	1	1	3	4	5	11
35-49	14	2.2	2	1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	5.0	24	1	2	3	9	13	13	13
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	1.6	1	< 1	1	1	2	3	4	5
B. Operated	12	2.8	9	< 1	< 1	1	3	7	10	11
2. MULTIPLE DX										
A. Not Operated	75	2.2	3	1	1	2	3	4	5	10
B. Operated	7	4.4	22	< 1	1	2	7	12	13	13
1. SINGLE DX	230	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	82	2.4	5	< 1	1	2	3	4	6	12
A. Not Operated	293	1.8	1	< 1	1	1	2	3	4	6
B. Operated	19	3.4	14	< 1	1	2	3	10	12	13
TOTAL										
0-19 YRS	37	1.9	2	< 1	1	1	2	4	5	6
20-34	233	1.9	3	< 1	1	1	2	3	4	11
35-49	42	2.0	1	< 1	1	2	3	4	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**312**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**	**10**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	34	1.6	1	< 1	1	1	2	3	4	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	2.3	3	1	1	2	3	5	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	1.3		1	1	1	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	1.7	1	< 1	1	1	2	3	4	5
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	13	2.6	5	1	1	2	3	7	8	8
B. Operated	5	2.4	7	1	1	1	3	7	7	7
1. SINGLE DX	43	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	18	2.6	5	1	1	2	3	7	8	8
A. Not Operated	54	1.9	2	< 1	1	1	2	4	5	8
B. Operated	7	2.0	5	< 1	1	1	2	6	7	7
TOTAL										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	50	1.7	2	< 1	1	1	2	3	4	7
35-49	5	4.4	9	1	2	4	7	8	8	8
50-64	0									
65 +	0									
GRAND TOTAL	**61**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**6**	**8**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.4	3	1	1	2	3	4	5	10
20-34	347	2.6	3	1	2	2	3	5	6	9
35-49	50	2.9	6	1	2	2	3	6	7	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.0	2	< 1	< 1	< 1	3	4	4	4
20-34	59	2.5	4	< 1	< 1	2	3	5	7	11
35-49	10	2.5	2	< 1	1	2	3	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.4	4	< 1	1	2	2	5	8	8
20-34	120	2.8	4	1	1	2	3	6	7	10
35-49	34	3.1	6	< 1	2	2	3	8	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	3	3
20-34	55	3.2	8	< 1	< 1	2	4	6	8	14
35-49	11	3.5	31	< 1	< 1	1	4	11	19	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	2.6	3	1	2	2	3	5	6	10
B. Operated	74	2.5	4	< 1	< 1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	176	2.8	4	1	1	2	3	6	8	10
B. Operated	74	3.1	10	< 1	< 1	2	4	6	8	19
1. SINGLE DX	519	2.6	3	< 1	1	2	3	5	6	10
2. MULTIPLE DX	250	2.9	6	< 1	1	2	3	6	8	13
A. Not Operated	621	2.7	4	1	1	2	3	5	7	10
B. Operated	148	2.8	7	< 1	< 1	2	3	5	8	14
TOTAL										
0-19 YRS	83	2.3	3	< 1	1	2	3	4	6	9
20-34	581	2.7	4	< 1	1	2	3	5	7	10
35-49	105	3.0	8	< 1	1	2	3	6	8	17
50-64	0									
65 +	0									
GRAND TOTAL	**769**	**2.7**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**	**11**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.7	1	1	2	3	3	4	5	6
20-34	629	3.5	6	1	2	3	4	6	8	13
35-49	37	5.1	25	1	2	4	6	9	17	25
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	4.9	56	< 1	< 1	1	8	17	24	24
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	3.0	3	1	2	3	4	5	6	10
20-34	337	3.8	15	1	2	3	4	7	9	21
35-49	29	4.1	9	1	2	3	5	9	11	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	7.0	72	< 1	< 1	6	13	13	13	13
20-34	13	4.6	17	1	2	3	6	12	14	14
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	755	3.5	6	1	2	3	4	6	8	14
B. Operated	10	4.9	56	< 1	< 1	1	8	17	24	24
2. MULTIPLE DX										
A. Not Operated	429	3.7	13	1	2	3	4	7	9	16
B. Operated	17	4.9	19	1	2	3	7	13	14	14
1. SINGLE DX	765	3.5	7	1	2	3	4	6	8	14
2. MULTIPLE DX	446	3.7	13	1	2	3	4	7	9	15
A. Not Operated	1184	3.6	9	1	2	3	4	6	8	14
B. Operated	27	4.9	31	< 1	1	2	8	13	15	24
TOTAL										
0-19 YRS	154	2.8	3	1	2	3	3	5	5	11
20-34	989	3.6	10	1	2	3	4	7	9	15
35-49	68	4.6	17	1	2	4	6	9	11	24
50-64	0									
65 +	0									
GRAND TOTAL	**1211**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**9**	**14**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	1.1		<1	<1	<1	1	1	1	3
20-34	965	1.1		<1	<1	<1	1	1	1	3
35-49	96	1.3	2	<1	<1	<1	1	1	3	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	99	1.0		<1	<1	<1	1	1	1	2
20-34	460	1.1	1	<1	<1	<1	<1	1	1	3
35-49	41	1.1		<1	<1	<1	<1	1	1	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	1.0		<1	<1	<1	1	1	1	2
20-34	183	1.2	1	<1	<1	<1	1	2	2	7
35-49	22	2.2	11	<1	<1	1	1	5	11	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	59	1.6	2	<1	<1	1	2	3	4	8
35-49	8	2.3	10	<1	<1	1	2	8	10	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1275	1.1		<1	<1	<1	1	1	1	3
B. Operated	600	1.1	1	<1	<1	<1	<1	1	1	3
2. MULTIPLE DX										
A. Not Operated	256	1.3	2	<1	<1	<1	1	2	2	8
B. Operated	77	1.6	3	<1	<1	1	2	3	4	10
1. SINGLE DX	1875	1.1	1	<1	<1	<1	1	1	1	3
2. MULTIPLE DX	333	1.4	2	<1	<1	<1	1	2	3	8
A. Not Operated	1531	1.1	1	<1	<1	<1	1	1	1	4
B. Operated	677	1.1	1	<1	<1	<1	1	1	2	4
TOTAL										
0-19 YRS	374	1.1		<1	<1	<1	1	1	1	3
20-34	1667	1.1	1	<1	<1	<1	1	1	1	3
35-49	167	1.4	3	<1	<1	<1	1	1	3	14
50-64	0									
65 +	0									
GRAND TOTAL	**2208**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**1**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	113	2.9	8	1	1	2	3	6	7	17
35-49	20	2.4	3	1	1	2	3	5	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	19	2.4	3	<1	1	1	4	5	6	7
35-49	5	2.8	3	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	58	4.1	13	1	2	3	6	9	12	16
35-49	17	7.8	90	1	2	4	9	25	32	34
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	14	5.7	21	1	2	4	9	13	15	16
35-49	4	5.0	29	2	2	3	8	13	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.8	7	1	1	2	3	6	7	15
B. Operated	24	2.5	3	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	77	4.8	31	1	2	3	6	11	14	32
B. Operated	18	5.6	21	2	2	4	9	13	15	16
1. SINGLE DX	162	2.8	7	1	1	2	3	5	7	14
2. MULTIPLE DX	95	5.0	29	1	2	3	6	11	15	31
A. Not Operated	215	3.5	17	1	1	2	4	7	11	23
B. Operated	42	3.8	13	1	1	3	5	9	13	16
TOTAL										
0-19 YRS	7	1.9		<1	1	2	2	3	3	3
20-34	204	3.4	11	1	1	2	4	7	10	16
35-49	46	4.7	42	1	1	3	5	11	16	34
50-64	0									
65 +	0									
GRAND TOTAL	**257**	**3.6**	**16**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	1.2		< 1	< 1	1	1	2	3	3
20-34	177	1.9	2	< 1	1	1	2	4	5	8
35-49	17	1.6	1	< 1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	32	1.4	1	< 1	< 1	1	2	3	3	4
35-49	5	2.2	1	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	1.6	1	< 1	< 1	1	2	3	4	6
20-34	130	3.8	30	< 1	1	2	4	8	12	31
35-49	18	3.4	5	< 1	2	3	4	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.0	3	< 1	< 1	< 1	3	4	4	4
20-34	17	4.5	27	< 1	1	3	6	11	17	20
35-49	3	3.7	9	< 1	1	3	6	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	217	1.8	2	< 1	1	1	2	3	5	8
B. Operated	40	1.5	1	< 1	< 1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	175	3.4	23	< 1	1	2	4	7	10	29
B. Operated	23	4.1	22	< 1	1	3	5	11	14	20
1. SINGLE DX	257	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	198	3.5	23	< 1	1	2	4	7	11	29
A. Not Operated	392	2.5	12	< 1	1	1	3	5	7	20
B. Operated	63	2.5	10	< 1	< 1	1	3	4	9	19
TOTAL										
0-19 YRS	56	1.5	1	< 1	< 1	1	2	3	4	6
20-34	356	2.7	14	< 1	1	1	3	5	8	21
35-49	43	2.6	4	< 1	1	2	4	6	7	7
50-64	0									
65 +	0									
GRAND TOTAL	**455**	**2.5**	**12**	**< 1**	**1**	**1**	**3**	**5**	**7**	**20**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.8	3	1	1	2	4	5	6	9
20-34	105	2.8	4	1	1	2	4	5	6	10
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	2.0	2	< 1	1	2	3	4	4	4
20-34	25	1.8	1	< 1	< 1	2	2	3	4	4
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	188	2.4	4	< 1	< 1	1	4	5	6	8
20-34	428	2.6	4	< 1	< 1	2	4	5	6	9
35-49	30	3.7	9	< 1	1	3	5	7	11	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.1	3	< 1	< 1	1	3	4	6	7
20-34	50	3.6	9	< 1	1	3	5	7	10	15
35-49	6	3.7	3	2	2	3	5	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.8	3	1	1	2	4	5	6	9
B. Operated	33	1.9	1	< 1	1	2	2	4	4	5
2. MULTIPLE DX										
A. Not Operated	646	2.6	4	< 1	< 1	2	4	5	6	9
B. Operated	72	3.3	7	< 1	1	3	4	6	8	14
1. SINGLE DX	186	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	718	2.7	4	< 1	< 1	2	4	5	6	10
A. Not Operated	799	2.6	4	< 1	< 1	2	4	5	6	9
B. Operated	105	2.8	6	< 1	1	2	4	5	7	13
TOTAL										
0-19 YRS	254	2.4	3	< 1	< 1	1	4	5	6	8
20-34	608	2.7	4	< 1	1	2	4	5	6	10
35-49	42	3.6	7	1	2	3	5	6	9	13
50-64	0									
65 +	0									
GRAND TOTAL	**904**	**2.7**	**4**	**< 1**	**< 1**	**2**	**4**	**5**	**6**	**9**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.4	4	< 1	< 1	2	3	4	7	8
20-34	181	3.0	5	1	2	2	4	6	8	12
35-49	39	4.1	10	1	2	3	5	8	11	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	< 1	2	3	3	3
20-34	28	1.4	2	< 1	< 1	< 1	1	3	5	6
35-49	5	1.6		< 1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	218	2.3	12	< 1	< 1	1	3	5	6	13
20-34	1041	2.7	9	< 1	1	2	3	6	7	15
35-49	126	3.8	18	< 1	1	3	4	7	9	24
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	32	3.7	18	< 1	1	3	4	6	11	23
20-34	157	3.2	7	< 1	1	2	4	6	9	13
35-49	20	3.1	13	< 1	1	2	4	6	11	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	235	3.1	6	1	2	2	4	6	8	12
B. Operated	36	1.5	1	< 1	< 1	< 1	1	3	4	6
2. MULTIPLE DX										
A. Not Operated	1385	2.7	10	< 1	1	2	3	6	7	16
B. Operated	209	3.3	9	< 1	1	2	4	6	9	15
1. SINGLE DX	271	2.9	6	< 1	1	2	4	6	8	12
2. MULTIPLE DX	1594	2.8	10	< 1	1	2	3	6	7	16
A. Not Operated	1620	2.8	10	< 1	1	2	3	6	7	15
B. Operated	245	3.0	8	< 1	1	2	4	6	9	14
TOTAL										
0-19 YRS	268	2.4	12	< 1	< 1	1	3	5	6	15
20-34	1407	2.8	8	< 1	1	2	3	6	7	14
35-49	190	3.7	15	< 1	1	3	5	7	10	23
50-64	0									
65 +	0									
GRAND TOTAL	**1865**	**2.8**	**9**	**< 1**	**1**	**2**	**3**	**6**	**7**	**15**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	316	1.8	4	< 1	< 1	1	2	3	4	12
20-34	1642	2.2	10	< 1	< 1	1	2	4	6	14
35-49	150	3.1	40	< 1	< 1	1	3	6	9	23
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	90	1.8	2	< 1	< 1	1	2	4	4	7
20-34	796	2.0	11	< 1	< 1	1	2	3	5	18
35-49	134	2.0	4	< 1	< 1	1	2	4	6	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	204	2.9	12	< 1	1	2	3	6	8	18
20-34	1254	3.4	30	< 1	1	2	4	7	11	23
35-49	161	4.6	42	< 1	1	2	5	11	17	34
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	85	2.9	23	< 1	< 1	1	3	6	10	31
20-34	618	3.0	23	< 1	< 1	1	3	5	10	26
35-49	145	4.0	43	< 1	1	2	4	8	12	41
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2108	2.2	12	< 1	< 1	1	2	4	6	15
B. Operated	1020	2.0	9	< 1	< 1	1	2	3	5	15
2. MULTIPLE DX										
A. Not Operated	1619	3.4	29	< 1	1	2	4	7	11	25
B. Operated	848	3.2	26	< 1	< 1	2	3	6	10	26
1. SINGLE DX	3128	2.1	11	< 1	< 1	1	2	4	6	15
2. MULTIPLE DX	2467	3.3	28	< 1	1	2	4	7	11	26
A. Not Operated	3727	2.7	19	< 1	< 1	1	3	5	9	21
B. Operated	1868	2.5	17	< 1	< 1	1	2	5	8	23
TOTAL										
0-19 YRS	695	2.3	9	< 1	< 1	1	2	4	7	15
20-34	4310	2.6	18	< 1	< 1	1	3	5	8	21
35-49	590	3.5	34	< 1	1	2	4	7	12	26
50-64	0									
65 +	0									
GRAND TOTAL	**5595**	**2.7**	**19**	**< 1**	**< 1**	**1**	**3**	**5**	**8**	**21**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.6	3	1	2	2	3	3	5	11
20-34	285	2.4		2	2	2	3	3	3	4
35-49	47	2.5	1	2	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	3.0	3	2	2	3	3	5	8	9
20-34	239	2.8	1	2	2	3	3	4	5	6
35-49	44	3.0	1	2	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	2.5	1	2	2	2	3	3	4	5
20-34	543	2.6	1	2	2	2	3	4	4	8
35-49	80	3.3	10	2	2	3	3	4	5	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	105	3.4	11	2	2	2	4	6	7	22
20-34	1347	3.5	10	2	2	3	4	5	6	13
35-49	242	4.1	25	2	2	3	5	6	7	32
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	2.4	1	2	2	2	3	3	4	4
B. Operated	306	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	709	2.7	2	2	2	3	3	4	4	8
B. Operated	1694	3.6	13	2	2	3	4	5	6	17
1. SINGLE DX	681	2.6	1	2	2	2	3	4	4	7
2. MULTIPLE DX	2403	3.3	10	2	2	3	4	5	6	13
A. Not Operated	1084	2.6	2	2	2	2	3	4	4	7
B. Operated	2000	3.5	11	2	2	3	4	5	6	14
TOTAL										
0-19 YRS	257	3.0	6	2	2	2	3	4	6	11
20-34	2414	3.1	6	2	2	3	3	5	6	10
35-49	413	3.7	17	2	2	3	4	5	6	23
50-64	0									
65 +	0									
GRAND TOTAL	**3084**	**3.2**	**8**	**2**	**2**	**3**	**3**	**5**	**6**	**12**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	924	2.2		1	2	2	3	3	3	4
20-34	9311	2.3	1	1	2	2	3	3	3	4
35-49	1009	2.3		2	2	2	3	3	3	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	377	2.4	1	2	2	2	3	3	4	4
20-34	3754	2.4	1	2	2	2	3	3	3	4
35-49	401	2.4	1	2	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	2.3	1	2	2	2	3	3	3	5
20-34	533	2.3	1	1	2	2	3	3	3	4
35-49	49	2.6	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	2.5		2	2	2	3	3	4	5
20-34	962	2.6	1	2	2	3	3	4	4	5
35-49	162	2.9	1	2	2	3	3	4	4	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11245	2.3	1	1	2	2	3	3	3	4
B. Operated	4532	2.4	1	2	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	661	2.3	1	2	2	2	3	3	4	4
B. Operated	1168	2.7	1	2	2	3	3	4	4	5
1. SINGLE DX	15777	2.3	1	2	2	2	3	3	3	4
2. MULTIPLE DX	1829	2.5	1	2	2	2	3	3	4	5
A. Not Operated	11906	2.3	1	1	2	2	3	3	3	4
B. Operated	5700	2.4	1	2	2	2	3	3	4	4
TOTAL										
0-19 YRS	1423	2.3	1	2	2	2	3	3	3	4
20-34	14560	2.3	1	2	2	2	3	3	3	4
35-49	1621	2.4	1	2	2	2	3	3	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
GRAND TOTAL	**17606**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.4		2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	38	6.9	109	2	3	4	5	9	37	50
35-49	6	6.5	38	3	4	4	5	18	19	19
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.8	2	1	2	3	3	5	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	16.5	221	6	6	16	27	27	27	27
20-34	175	9.1	125	3	4	5	8	19	29	66
35-49	64	11.2	123	4	5	5	17	28	39	45
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5		2	2	2	3	3	3	3
B. Operated	45	6.8	96	2	3	4	5	10	27	50
2. MULTIPLE DX										
A. Not Operated	10	2.6	2	1	2	2	3	5	6	6
B. Operated	241	9.7	125	4	4	5	9	22	35	65
1. SINGLE DX	51	6.3	87	2	3	4	5	9	21	50
2. MULTIPLE DX	251	9.4	122	3	4	5	9	21	32	65
A. Not Operated	16	2.6	1	1	2	2	3	3	5	6
B. Operated	286	9.3	121	3	4	5	8	21	33	62
TOTAL										
0-19 YRS	4	9.3	144	1	2	4	16	27	27	27
20-34	227	8.3	117	3	4	5	6	18	28	65
35-49	71	10.7	116	3	5	5	16	26	39	45
50-64	0									
65 +	0									
GRAND TOTAL	**302**	**8.9**	**117**	**3**	**4**	**5**	**7**	**20**	**31**	**61**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	25	1.9		1	2	2	2	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.0	2	1	2	3	4	4	4	4
20-34	48	3.6	5	2	2	3	5	5	6	16
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.2	2	1	1	2	3	5	5	5
20-34	43	2.8	11	1	2	2	3	4	5	23
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	3.8	4	2	3	4	4	5	9	11
20-34	274	5.7	65	2	3	4	5	7	15	50
35-49	60	5.6	27	2	4	5	6	9	13	37
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.9		1	1	2	2	3	3	3
B. Operated	57	3.4	5	2	2	3	4	5	6	15
2. MULTIPLE DX										
A. Not Operated	56	2.7	9	1	1	2	3	4	5	22
B. Operated	367	5.5	54	2	3	4	5	7	12	46
1. SINGLE DX	85	2.9	4	1	2	2	4	5	5	13
2. MULTIPLE DX	423	5.1	48	2	3	4	5	7	11	45
A. Not Operated	84	2.4	6	1	1	2	3	3	4	17
B. Operated	424	5.2	47	2	3	4	5	7	11	45
TOTAL										
0-19 YRS	49	3.4	4	1	2	3	4	5	6	11
20-34	390	4.9	49	2	2	3	5	7	10	46
35-49	69	5.1	25	1	3	4	6	8	11	34
50-64	0									
65 +	0									
GRAND TOTAL	**508**	**4.8**	**42**	**2**	**2**	**4**	**5**	**7**	**10**	**43**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.6	1	2	2	2	3	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	2.1	1	< 1	1	2	3	3	3	3
20-34	114	2.3	1	1	2	2	3	3	4	5
35-49	13	2.2		1	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	3.0	4	2	2	2	3	6	8	8
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.9	2	1	2	3	3	5	5	5
20-34	133	2.8	2	2	2	2	3	4	5	11
35-49	19	2.7	1	2	2	3	3	3	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.4	1	1	2	2	3	4	4	4
B. Operated	136	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	11	2.9	3	2	2	2	3	6	8	8
B. Operated	167	2.8	2	2	2	3	3	4	5	10
1. SINGLE DX	144	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX	178	2.8	2	2	2	2	3	4	5	10
A. Not Operated	19	2.7	2	2	2	2	3	4	6	8
B. Operated	303	2.6	1	2	2	2	3	4	5	7
TOTAL										
0-19 YRS	25	2.5	1	1	2	2	3	5	5	5
20-34	263	2.6	2	2	2	2	3	4	5	8
35-49	34	2.5	1	2	2	2	3	3	3	6
50-64	0									
65 +	0									
GRAND TOTAL	**322**	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**5**	**7**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	1	1	2	2	3	4	4	4
20-34	73	2.3		2	2	2	3	3	3	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	28	2.1	1	1	2	2	3	3	3	4
35-49	8	2.5		2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.2	2	2	2	3	3	6	7	7
20-34	63	2.5	1	2	2	2	3	4	4	5
35-49	5	2.8	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	3.0	2	2	2	2	4	5	6	6
20-34	85	3.0	1	2	2	3	3	4	5	7
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.4		2	2	2	3	3	3	4
B. Operated	38	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	77	2.6	1	2	2	2	3	4	5	7
B. Operated	100	2.9	1	2	2	3	4	4	5	7
1. SINGLE DX	124	2.3		2	2	2	3	3	3	4
2. MULTIPLE DX	177	2.8	1	2	2	3	3	4	5	7
A. Not Operated	163	2.5	1	2	2	2	3	3	4	5
B. Operated	138	2.7	1	2	2	3	3	4	4	7
TOTAL										
0-19 YRS	30	2.9	2	2	2	3	3	4	6	7
20-34	249	2.6	1	2	2	2	3	4	4	5
35-49	22	2.5	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**301**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**	**6**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	2.7	1	2	2	3	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	32	3.5	1	2	3	3	4	5	5	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	30	3.1	4	2	2	3	3	4	5	13
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	7.3	104	2	3	5	5	21	36	36
20-34	296	4.8	9	3	3	4	5	7	8	19
35-49	59	4.9	8	3	3	5	5	7	8	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.8	1	2	2	3	3	4	4	4
B. Operated	35	3.5	1	2	3	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	33	3.4	6	2	2	3	3	4	11	13
B. Operated	365	4.9	12	3	3	4	5	7	8	21
1. SINGLE DX	60	3.2	1	2	2	3	4	5	5	6
2. MULTIPLE DX	398	4.7	11	2	3	4	5	7	8	21
A. Not Operated	58	3.1	4	2	2	3	3	4	5	13
B. Operated	400	4.7	11	3	3	4	5	6	8	20
TOTAL										
0-19 YRS	14	6.9	77	2	3	5	5	14	31	36
20-34	381	4.4	8	2	3	4	5	6	8	17
35-49	63	4.8	8	3	3	5	5	6	8	20
50-64	0									
65 +	0									
GRAND TOTAL	**458**	**4.5**	**10**	**2**	**3**	**4**	**5**	**6**	**8**	**20**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	26	3.0	1	2	2	3	4	4	4	4
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	4.2	1	3	4	4	5	5	6	7
20-34	650	4.0	1	3	4	4	4	5	5	6
35-49	60	4.1	1	2	4	4	5	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	3.2	1	2	3	3	4	5	5	5
35-49	4	4.5	11	1	2	4	7	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	4.3	3	3	3	4	5	6	8	10
20-34	1050	4.3	3	3	4	4	5	5	6	11
35-49	178	4.7	3	3	4	5	5	6	7	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.8	1	2	2	3	4	4	4	4
B. Operated	772	4.0	1	3	4	4	5	5	5	6
2. MULTIPLE DX										
A. Not Operated	27	3.3	2	2	2	3	4	5	6	9
B. Operated	1298	4.4	3	3	4	4	5	6	7	11
1. SINGLE DX	803	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX	1325	4.4	3	3	4	4	5	6	6	11
A. Not Operated	58	3.1	2	2	2	3	4	4	5	9
B. Operated	2070	4.2	2	3	4	4	5	5	6	10
TOTAL										
0-19 YRS	133	4.2	2	3	3	4	5	6	7	9
20-34	1748	4.2	2	3	4	4	5	5	6	9
35-49	247	4.5	3	3	4	4	5	6	7	12
50-64	0									
65 +	0									
GRAND TOTAL	**2128**	**4.2**	**2**	**3**	**4**	**4**	**5**	**5**	**6**	**10**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.2	1	1	2	2	3	3	3	3
20-34	177	2.2	1	1	2	2	3	3	3	4
35-49	9	2.1		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.9	2	1	2	2	4	5	6	6
20-34	243	3.4	2	2	2	3	4	5	5	7
35-49	33	3.3	1	2	2	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.3		1	2	2	3	3	3	3
20-34	125	2.5	4	1	2	2	3	3	4	10
35-49	13	2.4	2	1	1	2	3	4	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	114	4.3	4	2	3	4	5	6	7	14
20-34	1355	4.0	4	2	3	4	5	5	6	10
35-49	218	4.4	7	2	3	4	5	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	2.2	1	1	2	2	3	3	3	4
B. Operated	291	3.4	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	155	2.5	3	1	2	2	3	3	4	7
B. Operated	1687	4.1	4	2	3	4	5	6	6	10
1. SINGLE DX	495	2.9	2	2	2	3	4	5	5	6
2. MULTIPLE DX	1842	3.9	4	2	3	4	5	6	6	10
A. Not Operated	359	2.3	2	1	2	2	3	3	4	5
B. Operated	1978	4.0	4	2	3	4	5	5	6	10
TOTAL										
0-19 YRS	163	3.7	4	2	2	3	5	6	7	13
20-34	1900	3.7	4	2	2	4	5	5	6	9
35-49	273	4.1	7	2	3	4	5	6	6	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**2337**	**3.7**	**4**	**2**	**2**	**4**	**5**	**5**	**6**	**9**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	8	2.3		2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	4.6		4	4	5	5	6	6	6
20-34	253	4.5	1	3	4	4	5	6	6	7
35-49	28	4.3	1	3	4	4	5	6	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	20	4.2	3	2	3	4	5	7	8	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	143	4.9	3	3	4	5	6	7	8	13
20-34	1828	4.8	2	4	4	5	5	6	7	11
35-49	234	4.7	1	3	4	5	5	6	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.3	1	1	2	2	3	4	4	4
B. Operated	302	4.5	1	4	4	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	23	4.0	3	2	3	4	5	6	8	9
B. Operated	2205	4.8	2	4	4	5	5	6	7	11
1. SINGLE DX	313	4.4	1	3	4	4	5	6	6	7
2. MULTIPLE DX	2228	4.8	2	4	4	5	5	6	7	11
A. Not Operated	34	3.5	3	2	2	3	4	6	7	9
B. Operated	2507	4.8	2	4	4	5	5	6	7	10
TOTAL										
0-19 YRS	168	4.8	3	3	4	5	5	7	8	13
20-34	2109	4.8	2	4	4	5	5	6	6	10
35-49	264	4.7	1	3	4	5	5	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	**2541**	**4.8**	**2**	**4**	**4**	**5**	**5**	**6**	**7**	**10**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.8	1	2	2	3	3	4	5	5
20-34	329	2.5	1	2	2	2	3	3	4	4
35-49	36	2.5	1	2	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	3.2	2	2	2	3	4	5	6	7
20-34	612	3.4	2	2	2	3	4	5	6	7
35-49	61	3.4	1	2	3	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.9	1	2	2	3	3	4	5	6
20-34	333	2.7	1	2	2	3	3	4	4	6
35-49	37	2.3	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	252	4.1	4	2	3	4	5	6	9	12
20-34	2522	3.9	3	2	3	4	5	6	6	8
35-49	397	4.2	3	2	3	4	5	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	2.5	1	2	2	3	3	3	4	5
B. Operated	735	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	405	2.7	1	2	2	3	3	4	4	6
B. Operated	3171	4.0	3	2	3	4	5	6	6	9
1. SINGLE DX	1137	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX	3576	3.8	3	2	3	4	5	6	6	9
A. Not Operated	807	2.6	1	2	2	3	3	4	4	5
B. Operated	3906	3.9	3	2	3	4	5	6	6	9
TOTAL										
0-19 YRS	386	3.8	4	2	2	3	5	6	7	11
20-34	3796	3.6	2	2	3	3	5	5	6	8
35-49	531	3.9	3	2	3	4	5	6	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**4713**	**3.7**	**3**	**2**	**3**	**3**	**5**	**6**	**6**	**8**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	49	2.6	1	2	2	3	3	4	4	5
35-49	13	2.6	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	4.1	1	2	3	4	5	5	5	5
20-34	85	3.3	2	2	2	3	4	5	5	7
35-49	25	3.1	2	2	2	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	65	3.0	2	2	2	3	4	5	5	7
35-49	10	2.9	3	1	2	2	4	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	3.7	3	2	2	3	5	6	7	7
20-34	357	3.9	4	2	3	4	5	6	6	9
35-49	96	5.9	85	3	3	4	5	6	13	65
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.6	1	2	2	3	3	4	4	5
B. Operated	118	3.3	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	77	3.1	2	2	2	3	4	5	6	7
B. Operated	477	4.3	21	2	3	4	5	6	6	13
1. SINGLE DX	182	3.0	1	2	2	3	4	5	5	6
2. MULTIPLE DX	554	4.1	18	2	3	4	5	6	6	13
A. Not Operated	141	2.8	2	2	2	3	3	5	5	6
B. Operated	595	4.1	17	2	3	4	5	6	6	13
TOTAL										
0-19 YRS	36	3.8	3	2	2	4	5	6	7	7
20-34	556	3.6	3	2	2	3	5	5	6	8
35-49	144	4.9	59	2	3	4	5	6	8	44
50-64	0									
65 +	0									
GRAND TOTAL	**736**	**3.9**	**14**	**2**	**2**	**4**	**5**	**6**	**6**	**12**

295: Previous cesarean section (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.1	1	1	2	2	3	3	3	3
20-34	304	2.5	1	2	2	2	3	3	4	5
35-49	34	2.6	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	3.7	1	2	3	4	4	5	5	6
20-34	1739	3.9	1	3	3	4	4	5	5	6
35-49	258	4.1	1	3	4	4	5	5	5	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.9	3	< 1	1	3	4	5	6	6
20-34	195	2.6	1	2	2	2	3	4	4	7
35-49	26	2.5	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	66	3.9	2	2	3	4	4	5	7	7
20-34	3643	4.1	2	3	3	4	5	5	6	8
35-49	882	4.4	2	3	4	4	5	6	6	8
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	2.5	1	2	2	2	3	3	4	5
B. Operated	2041	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	229	2.6	1	2	2	2	3	4	4	6
B. Operated	4592	4.1	2	3	3	4	5	5	6	8
1. SINGLE DX	2388	3.7	1	2	3	4	4	5	5	6
2. MULTIPLE DX	4821	4.1	2	3	3	4	5	5	6	8
A. Not Operated	576	2.5	1	2	2	2	3	4	4	5
B. Operated	6633	4.1	2	3	3	4	5	5	6	7
TOTAL										
0-19 YRS	126	3.6	2	2	3	4	4	5	6	7
20-34	5881	3.9	2	2	3	4	4	5	6	7
35-49	1200	4.2	2	3	4	4	5	5	6	7
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	0									
GRAND TOTAL	**7209**	**3.9**	**2**	**2**	**3**	**4**	**5**	**5**	**6**	**7**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.5	1	2	2	2	3	3	4	5
20-34	506	2.6	1	2	2	3	3	4	4	5
35-49	62	2.6	1	1	2	3	3	3	4	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	3.0	10	2	2	2	3	4	6	23
20-34	535	2.6	1	2	2	3	3	4	4	6
35-49	78	2.6	2	1	2	2	3	4	4	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	3.6	6	2	2	3	4	5	10	14
20-34	624	3.0	5	2	2	3	3	4	5	11
35-49	95	3.3	9	2	2	3	3	5	7	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	160	4.4	18	2	3	3	5	6	10	30
20-34	2504	3.9	9	2	2	3	5	6	7	16
35-49	450	4.1	11	2	3	4	5	6	7	17
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	606	2.6	1	2	2	3	3	3	4	5
B. Operated	660	2.7	2	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	779	3.1	6	2	2	3	3	4	5	12
B. Operated	3114	3.9	10	2	2	3	5	6	7	16
1. SINGLE DX	1266	2.6	1	2	2	3	3	4	4	6
2. MULTIPLE DX	3893	3.8	9	2	2	3	4	6	7	15
A. Not Operated	1385	2.9	4	2	2	3	3	4	5	11
B. Operated	3774	3.7	9	2	2	3	4	6	7	15
TOTAL										
0-19 YRS	305	3.8	13	2	2	3	4	6	9	20
20-34	4169	3.4	7	2	2	3	4	5	6	12
35-49	685	3.7	9	2	2	3	4	6	6	15
50-64	0									
65 +	0									
GRAND TOTAL	**5159**	**3.5**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**14**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	2.2		1	2	2	3	3	3	4
20-34	1737	2.3	1	1	2	2	3	3	3	4
35-49	193	2.5	4	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	71	2.3		2	2	2	3	3	3	4
20-34	1163	2.4		2	2	2	3	3	3	4
35-49	155	2.6	1	2	2	3	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	2.4	1	1	2	2	3	4	4	7
20-34	604	2.4	4	1	2	2	3	3	4	5
35-49	94	2.3	1	1	2	2	3	3	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	112	2.5	1	1	2	2	3	4	4	7
20-34	1460	2.6	1	2	2	2	3	4	4	6
35-49	192	2.8	2	2	2	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2085	2.3	1	1	2	2	3	3	3	4
B. Operated	1389	2.4	1	2	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	757	2.4	4	1	2	2	3	3	4	5
B. Operated	1764	2.6	1	2	2	2	3	4	4	6
1. SINGLE DX	3474	2.3	1	2	2	2	3	3	3	4
2. MULTIPLE DX	2521	2.6	2	2	2	2	3	4	4	6
A. Not Operated	2842	2.3	2	1	2	2	3	3	3	4
B. Operated	3153	2.5	1	2	2	2	3	4	4	6
TOTAL										
0-19 YRS	396	2.3	1	1	2	2	3	3	4	6
20-34	4964	2.4	1	2	2	2	3	3	4	5
35-49	634	2.6	2	2	2	2	3	3	4	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**5995**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.0	1	1	2	2	2	3	3	4
20-34	363	2.1		1	2	2	2	3	3	3
35-49	41	2.2	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	321	2.3	2	1	2	2	3	3	3	5
20-34	3853	2.2		1	2	2	3	3	3	4
35-49	594	2.2		1	2	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.3	1	1	2	2	3	4	4	5
20-34	224	2.1	1	1	2	2	3	3	3	5
35-49	23	2.6	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	260	2.5	1	2	2	2	3	3	4	6
20-34	3397	2.4	1	2	2	2	3	3	4	5
35-49	597	2.6	1	2	2	3	3	3	4	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	447	2.1		1	2	2	2	3	3	4
B. Operated	4769	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	270	2.2	1	1	2	2	3	3	3	5
B. Operated	4255	2.5	1	2	2	2	3	3	4	5
1. SINGLE DX	5216	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX	4525	2.4	1	2	2	2	3	3	4	5
A. Not Operated	717	2.1	1	1	2	2	2	3	3	4
B. Operated	9024	2.3	1	1	2	2	3	3	3	4
TOTAL										
0-19 YRS	647	2.4	1	1	2	2	3	3	4	5
20-34	7837	2.3	1	1	2	2	3	3	3	4
35-49	1255	2.4	1	1	2	2	3	3	4	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**9741**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8		1	2	2	2	2	2	2
20-34	44	2.3		2	2	2	3	3	3	4
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	104	2.4		2	2	2	3	3	4	4
20-34	982	2.5		2	2	2	3	3	3	4
35-49	67	2.7	1	2	2	3	3	3	4	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	26	2.5		2	2	2	3	3	4	4
35-49	6	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	125	2.6	1	2	2	2	3	4	4	7
20-34	1112	2.7	1	2	2	3	3	4	4	6
35-49	123	2.8	1	2	2	3	3	4	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.2		1	2	2	3	3	3	4
B. Operated	1153	2.5	1	2	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	36	2.5		2	2	2	3	3	3	4
B. Operated	1360	2.7	1	2	2	3	3	4	4	6
1. SINGLE DX	1205	2.5	1	2	2	2	3	3	4	4
2. MULTIPLE DX	1396	2.7	1	2	2	3	3	4	4	6
A. Not Operated	88	2.3		2	2	2	3	3	3	4
B. Operated	2513	2.6	1	2	2	3	3	3	4	5
TOTAL										
0-19 YRS	239	2.5	1	2	2	2	3	3	4	5
20-34	2164	2.6	1	2	2	3	3	3	4	5
35-49	198	2.7	1	2	2	3	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**2601**	**2.6**	**1**	**2**	**2**	**3**	**3**	**3**	**4**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.1		1	2	2	2	3	3	3
20-34	79	2.0		1	2	2	2	3	3	4
35-49	7	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	61	2.3	1	1	2	2	3	3	4	4
20-34	359	2.2	1	1	2	2	3	3	3	4
35-49	28	2.4		2	2	2	3	3	3	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.4	1	2	2	2	3	4	4	4
20-34	60	2.3	3	1	2	2	3	4	5	12
35-49	3	2.3	1	< 1	1	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	2.7	1	2	2	3	3	4	4	8
20-34	532	2.5	1	2	2	2	3	3	4	7
35-49	57	2.8	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	2.0		1	2	2	2	3	3	4
B. Operated	449	2.3	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	70	2.3	3	1	2	2	3	4	4	12
B. Operated	651	2.6	1	2	2	2	3	4	4	7
1. SINGLE DX	545	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX	721	2.6	1	2	2	2	3	4	4	7
A. Not Operated	166	2.1	1	1	2	2	2	3	4	7
B. Operated	1100	2.5	1	2	2	2	3	3	4	6
TOTAL										
0-19 YRS	140	2.5	1	2	2	2	3	3	4	7
20-34	1030	2.4	1	1	2	2	3	3	4	6
35-49	95	2.6	1	2	2	3	3	4	4	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**1266**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	226	2.4	2	1	2	2	3	3	4	7
20-34	1653	2.3	1	1	2	2	3	3	4	5
35-49	211	2.5	3	1	2	2	3	3	4	10
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	311	2.7	1	2	2	2	3	4	5	6
20-34	2661	2.8	2	2	2	3	3	4	5	8
35-49	329	3.0	2	2	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	256	2.8	7	1	2	2	3	4	5	12
20-34	1838	2.7	5	1	2	2	3	4	5	13
35-49	248	3.0	9	1	2	2	3	4	6	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	899	3.9	7	2	2	3	5	6	8	15
20-34	8827	3.9	11	2	2	3	5	6	8	17
35-49	1526	4.3	15	2	3	4	5	6	8	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2091	2.3	2	1	2	2	3	3	4	5
B. Operated	3301	2.8	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	2342	2.8	5	1	2	2	3	4	5	13
B. Operated	11252	3.9	12	2	2	3	5	6	8	17
1. SINGLE DX	5392	2.6	2	2	2	2	3	4	5	7
2. MULTIPLE DX	13594	3.7	11	2	2	3	4	6	7	17
A. Not Operated	4433	2.6	4	1	2	2	3	4	4	9
B. Operated	14553	3.7	10	2	2	3	4	6	7	15
TOTAL										
0-19 YRS	1692	3.3	5	2	2	3	4	6	7	13
20-34	14979	3.4	8	2	2	3	4	5	7	14
35-49	2314	3.8	12	2	2	3	5	6	7	18
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**18986**	**3.4**	**8**	**2**	**2**	**3**	**4**	**5**	**7**	**14**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.0	1	2	3	4	5	5	5	5
20-34	55	3.2	3	1	2	3	4	5	6	12
35-49	7	3.4	3	2	2	3	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	4.7		4	4	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.1	3	2	3	4	5	7	8	9
20-34	73	3.8	3	2	3	4	4	6	[illegible]	10
35-49	9	6.2	4	4	5	6	7	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	10	4.5	6	2	3	4	6	8	10	10
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	3.4	3	2	2	3	4	5	6	11
B. Operated	4	3.8	4	1	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	99	4.1	4	2	3	4	5	7	8	10
B. Operated	14	4.0	6	1	2	3	6	7	9	10
1. SINGLE DX	78	3.4	3	2	2	3	4	5	6	11
2. MULTIPLE DX	113	4.1	4	2	3	4	5	7	9	10
A. Not Operated	173	3.8	3	2	3	3	4	6	7	10
B. Operated	18	3.9	6	1	2	4	5	7	9	10
TOTAL										
0-19 YRS	32	4.0	3	2	3	4	5	6	7	9
20-34	141	3.7	3	2	2	3	4	6	7	10
35-49	18	4.6	6	1	3	4	6	8	9	9
50-64	0									
65 +	0									
GRAND TOTAL	**191**	**3.8**	**4**	**2**	**3**	**3**	**5**	**6**	**7**	**10**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	15	1.2		< 1	1	1	1	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	41	1.2		< 1	< 1	1	1	2	3	3
35-49	5	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	1.8	1	< 1	1	2	2	3	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	42	2.5	5	1	1	2	3	5	6	13
35-49	7	3.7	4	1	2	4	5	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.2		< 1	1	1	1	2	2	2
B. Operated	49	1.2		< 1	< 1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	14	1.8	1	1	1	2	2	3	4	4
B. Operated	55	2.6	4	1	1	2	3	5	6	13
1. SINGLE DX	69	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX	69	2.4	4	1	1	2	3	5	5	12
A. Not Operated	34	1.4		< 1	1	1	2	2	3	4
B. Operated	104	1.9	3	< 1	1	1	2	4	5	9
TOTAL										
0-19 YRS	15	1.3		1	1	1	2	2	2	2
20-34	111	1.8	2	< 1	1	1	2	3	4	9
35-49	12	2.6	4	< 1	1	1	4	5	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**138**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**	**7**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	33	3.1	4	1	2	3	4	6	7	9
35-49	4	4.3	7	2	2	4	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	48	2.7	7	1	1	2	3	4	8	15
35-49	6	2.5	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	40	4.3	9	1	2	3	6	8	10	14
35-49	7	7.0	55	< 1	2	3	13	18	19	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	4.4	8	2	2	3	6	9	10	10
20-34	52	3.7	8	1	2	3	5	8	10	14
35-49	6	2.2	4	1	1	2	2	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.4	5	1	2	3	4	7	8	11
B. Operated	60	2.6	6	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. Not Operated	50	4.5	15	1	2	3	6	9	14	19
B. Operated	69	3.7	7	1	2	3	5	8	10	13
1. SINGLE DX	100	2.9	6	1	1	2	3	6	8	14
2. MULTIPLE DX	119	4.0	11	1	2	3	5	8	10	17
A. Not Operated	90	4.0	11	1	2	3	5	8	10	18
B. Operated	129	3.2	7	1	2	2	4	7	8	14
TOTAL										
0-19 YRS	23	3.5	8	1	2	2	4	8	10	11
20-34	173	3.4	7	1	2	3	4	7	9	14
35-49	23	4.1	21	1	2	2	5	9	17	19
50-64	0									
65 +	0									
GRAND TOTAL	**219**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	228	3.4	5	1	2	3	4	6	7	14
20-34	190	3.9	5	2	2	3	5	6	8	10
35-49	139	4.5	7	2	3	4	6	9	10	14
50-64	90	5.2	10	2	3	5	6	9	12	16
65 +	69	5.8	12	2	4	5	7	10	13	20
B. Operated										
0-19 YRS	74	3.8	8	1	2	3	4	7	10	15
20-34	73	4.8	14	2	2	4	6	11	12	20
35-49	48	5.8	14	2	3	5	7	11	14	18
50-64	31	4.6	6	2	3	5	6	7	9	11
65 +	19	6.1	35	2	3	4	7	11	21	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	375	4.4	11	2	2	4	5	9	10	20
20-34	323	5.4	17	2	3	4	7	10	13	25
35-49	494	6.1	18	2	4	5	7	11	13	25
50-64	724	7.6	31	3	4	6	9	13	16	31
65 +	1549	9.4	67	4	5	7	11	17	24	58
B. Operated										
0-19 YRS	169	5.9	19	2	3	5	7	12	15	23
20-34	172	8.1	88	2	4	6	8	16	20	54
35-49	294	9.3	52	2	4	7	13	19	23	32
50-64	297	11.9	107	4	6	9	15	23	33	92
65 +	557	14.7	163	4	7	11	19	29	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	716	4.2	7	2	2	3	5	7	9	14
B. Operated	245	4.8	13	2	2	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	3465	7.6	45	3	4	6	9	14	19	41
B. Operated	1489	11.3	115	3	5	8	15	23	32	74
1. SINGLE DX	961	4.3	9	2	2	4	5	8	10	15
2. MULTIPLE DX	4954	8.7	69	3	4	7	10	17	23	52
A. Not Operated	4181	7.1	41	2	4	5	9	13	17	35
B. Operated	1734	10.4	105	3	4	7	13	21	29	67
TOTAL										
0-19 YRS	846	4.4	12	2	2	3	5	8	11	19
20-34	758	5.6	32	2	3	4	6	10	14	34
35-49	975	6.8	29	2	3	5	8	13	17	28
50-64	1142	8.4	53	3	4	7	10	16	21	43
65 +	2194	10.6	96	4	5	8	13	20	29	74
GRAND TOTAL	**5915**	**8.0**	**62**	**2**	**4**	**6**	**10**	**16**	**22**	**47**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	3.8	5	2	2	3	5	7	8	13
20-34	18	3.4	2	2	2	3	4	5	6	6
35-49	20	3.3	3	1	2	3	4	6	7	7
50-64	4	3.8	1	3	3	4	4	5	5	5
65 +	8	5.0	7	3	3	4	6	9	10	10
B. Operated										
0-19 YRS	46	3.9	13	< 1	1	3	5	11	12	13
20-34	25	3.5	8	1	2	3	4	8	10	12
35-49	18	2.5	3	< 1	1	2	4	5	6	7
50-64	9	3.3	5	1	1	4	5	6	7	7
65 +	4	6.3	63	1	1	3	11	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	4.2	7	2	3	3	5	8	10	13
20-34	40	5.1	19	2	3	4	6	8	10	28
35-49	47	4.6	11	1	3	4	6	9	11	16
50-64	60	5.8	12	2	3	5	7	10	13	18
65 +	100	9.0	62	3	5	7	9	14	24	47
B. Operated										
0-19 YRS	77	5.9	57	1	2	4	8	10	13	50
20-34	43	6.1	31	2	3	5	8	12	13	34
35-49	45	8.8	57	2	3	7	11	15	26	36
50-64	65	8.4	47	1	4	6	11	18	23	31
65 +	100	11.6	166	3	5	7	13	22	35	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	3.7	4	2	2	3	5	6	8	11
B. Operated	102	3.6	11	< 1	1	3	5	8	11	15
2. MULTIPLE DX										
A. Not Operated	408	5.7	26	2	3	4	7	10	13	30
B. Operated	330	8.5	89	2	3	6	11	16	24	44
1. SINGLE DX	224	3.7	7	1	2	3	5	7	9	13
2. MULTIPLE DX	738	7.0	56	2	3	5	8	13	18	37
A. Not Operated	530	5.3	22	2	3	4	7	9	12	26
B. Operated	432	7.4	75	1	2	5	9	15	21	39
TOTAL										
0-19 YRS	356	4.5	19	1	2	3	6	9	10	15
20-34	126	4.9	19	2	2	4	6	9	12	29
35-49	130	5.5	30	1	2	4	7	12	15	34
50-64	138	6.8	30	2	3	5	8	14	18	29
65 +	212	10.0	111	3	5	7	11	20	29	58
GRAND TOTAL	**962**	**6.2**	**47**	**2**	**3**	**4**	**8**	**12**	**16**	**36**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	114	1.8	2	1	1	1	2	3	4	8
20-34	238	1.7	2	1	1	1	2	3	4	6
35-49	42	1.5	1	1	1	1	2	3	4	4
50-64	12	1.8		1	1	2	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7	1	< 1	< 1	< 1	2	3	3	3
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	17	2.4	5	1	1	1	3	5	8	9
20-34	33	2.9	8	1	1	2	4	5	10	13
35-49	16	1.8	1	1	1	2	2	3	4	5
50-64	6	5.2	43	1	1	2	6	17	18	18
65 +	5	1.6	2	1	1	1	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	407	1.7	2	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	6	1.3	1	< 1	< 1	< 1	< 1	3	3	3
B. Operated	77	2.6	8	1	1	2	3	5	8	17
1. SINGLE DX	409	1.7	2	1	1	1	2	3	4	6
2. MULTIPLE DX	83	2.5	8	1	1	1	3	5	7	16
A. Not Operated	8	1.4	1	< 1	< 1	< 1	1	3	3	3
B. Operated	484	1.8	3	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	132	1.8	3	1	1	1	2	4	5	10
20-34	275	1.8	3	1	1	1	2	3	4	10
35-49	60	1.6	1	1	1	1	2	3	4	5
50-64	18	2.9	16	1	1	2	2	5	13	18
65 +	7	1.4	1	< 1	1	1	1	3	4	4
GRAND TOTAL	**492**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	17	1.3		< 1	< 1	< 1	1	3	3	3
20-34	7	1.7	4	< 1	< 1	< 1	1	5	6	6
35-49	8	1.4	1	< 1	< 1	1	2	3	3	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	4	2.8	6	1	1	2	4	6	6	6
35-49	5	3.8	23	< 1	< 1	1	6	12	12	12
50-64	5	2.4	4	< 1	1	1	4	5	5	5
65 +	10	3.2	6	< 1	1	2	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	34	1.4	1	< 1	< 1	< 1	1	3	3	6
2. MULTIPLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	28	2.8	7	< 1	< 1	2	4	6	7	12
1. SINGLE DX	36	1.5	1	< 1	< 1	< 1	1	3	4	6
2. MULTIPLE DX	31	2.8	7	< 1	1	2	4	6	7	12
A. Not Operated	5	2.6	2	1	2	2	4	4	4	4
B. Operated	62	2.0	4	< 1	< 1	1	2	5	6	11
TOTAL										
0-19 YRS	21	1.3		< 1	< 1	< 1	1	2	3	3
20-34	11	2.1	4	< 1	< 1	1	3	6	6	6
35-49	15	2.3	8	< 1	< 1	1	2	4	10	12
50-64	8	2.3	3	< 1	< 1	1	4	5	5	5
65 +	12	3.1	5	< 1	1	2	5	6	7	7
GRAND TOTAL	**67**	**2.1**	**4**	**< 1**	**< 1**	**1**	**2**	**5**	**6**	**11**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	17.0		17	17	17	17	17	17	17
65 +	9	11.6	60	3	6	10	15	24	27	27
B. Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	5	8.0	39	4	5	6	9	19	19	19
35-49	10	4.4	8	1	2	4	6	9	9	9
50-64	11	7.4	24	1	3	9	12	13	13	13
65 +	14	7.5	104	1	1	2	10	22	33	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	9.2	197	2	4	6	8	59	91	99 +
20-34	22	12.4	157	1	4	8	16	33	40	51
35-49	31	12.8	161	4	6	8	15	25	52	56
50-64	72	11.7	142	4	5	8	13	23	35	65
65 +	306	14.0	208	4	6	10	17	30	55	99 +
B. Operated										
0-19 YRS	25	23.6	380	6	9	18	42	59	78	99 +
20-34	72	24.5	364	4	9	22	46	81	99 +	99 +
35-49	102	21.3	369	4	8	17	30	50	85	99 +
50-64	155	20.3	342	4	7	15	30	52	71	99 +
65 +	490	20.2	304	5	9	16	30	58	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	10.3	54	3	5	9	15	21	26	27
B. Operated	45	6.1	47	1	1	4	9	13	19	36
2. MULTIPLE DX										
A. Not Operated	444	13.3	191	4	6	9	16	30	51	99 +
B. Operated	844	20.8	326	4	8	16	31	56	88	99 +
1. SINGLE DX	58	7.1	50	1	2	5	10	17	20	35
2. MULTIPLE DX	1288	18.3	292	4	7	13	26	50	78	99 +
A. Not Operated	457	13.3	187	4	6	9	16	29	51	99 +
B. Operated	889	20.1	322	4	8	15	30	53	87	99 +
TOTAL										
0-19 YRS	44	16.4	343	1	4	9	27	55	78	99 +
20-34	100	20.8	333	3	7	16	35	57	99 +	99 +
35-49	144	18.2	323	3	6	12	25	42	58	99 +
50-64	239	17.1	285	4	6	11	23	41	61	99 +
65 +	819	17.6	272	4	7	13	23	46	81	99 +
GRAND TOTAL	**1346**	**17.8**	**287**	**4**	**7**	**13**	**25**	**48**	**76**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.6	11	1	2	3	4	8	10	17
20-34	36	5.4	23	1	2	3	9	14	15	16
35-49	18	4.1	14	1	2	3	4	10	13	15
50-64	24	3.5	4	1	2	3	4	6	8	8
65 +	9	5.9	34	1	2	5	8	15	19	19
B. Operated										
0-19 YRS	45	2.9	7	< 1	1	1	5	7	8	12
20-34	44	2.0	3	< 1	1	1	2	5	6	9
35-49	51	2.7	9	< 1	1	1	2	7	9	13
50-64	45	1.8	5	1	1	1	2	3	5	15
65 +	28	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	142	4.5	16	1	2	3	6	9	12	20
20-34	95	7.2	28	2	3	7	11	14	17	23
35-49	127	8.2	51	2	3	6	11	17	23	30
50-64	118	9.6	40	2	4	8	14	18	21	28
65 +	199	9.7	60	3	4	7	14	21	24	39
B. Operated										
0-19 YRS	53	5.1	35	1	1	2	7	14	18	24
20-34	76	5.8	61	1	1	3	8	14	21	44
35-49	92	4.7	34	1	1	2	5	12	20	27
50-64	144	6.3	117	1	1	2	7	17	21	59
65 +	117	8.5	63	1	1	7	14	20	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	4.2	14	1	2	3	5	9	14	18
B. Operated	213	2.3	6	< 1	1	1	2	6	7	13
2. MULTIPLE DX										
A. Not Operated	681	8.0	45	2	3	6	11	17	22	27
B. Operated	482	6.3	72	1	1	2	9	17	22	30
1. SINGLE DX	367	3.1	10	1	1	2	4	7	10	16
2. MULTIPLE DX	1163	7.3	57	1	2	5	10	17	22	29
A. Not Operated	835	7.3	41	2	3	5	10	16	21	26
B. Operated	695	5.1	55	1	1	2	6	14	19	29
TOTAL										
0-19 YRS	307	4.2	17	1	1	3	5	9	13	21
20-34	251	5.6	36	1	1	3	9	13	16	25
35-49	288	5.9	40	1	2	3	8	15	20	24
50-64	331	6.6	73	1	1	3	9	17	20	34
65 +	353	8.5	60	1	2	6	12	20	23	30
GRAND TOTAL	**1530**	**6.3**	**49**	**1**	**2**	**4**	**9**	**15**	**20**	**27**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	1.7	3	< 1	1	1	2	3	5	11
20-34	7	4.4	10	1	1	4	8	8	8	8
35-49	5	3.0	9	1	1	2	4	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	6	6.0	36	1	1	3	13	14	14	14
35-49	5	6.0	54	1	1	2	10	18	18	18
50-64	3	2.3		2	2	2	3	3	3	3
65 +	2	14.0	338	1	1	14	27	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	4.1	59	< 1	1	2	3	10	12	52
20-34	48	8.1	86	2	3	5	9	15	29	53
35-49	43	5.7	28	1	2	5	8	13	17	24
50-64	35	9.8	139	1	4	6	11	23	27	63
65 +	37	13.8	279	2	4	7	14	36	52	77
B. Operated										
0-19 YRS	24	7.5	33	2	3	7	11	20	43	99 +
20-34	22	6.7	58	1	2	4	7	16	25	33
35-49	35	8.5	53	1	2	6	13	19	22	29
50-64	21	13.5	112	1	7	10	18	33	35	37
65 +	29	20.1	219	5	9	16	29	40	42	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	2.0	4	< 1	1	1	2	4	8	11
B. Operated	22	5.0	48	1	1	2	5	15	22	27
2. MULTIPLE DX										
A. Not Operated	225	7.7	116	1	2	5	9	17	28	58
B. Operated	131	11.4	120	2	4	8	15	28	36	72
1. SINGLE DX	119	2.6	13	< 1	1	1	2	6	9	21
2. MULTIPLE DX	356	9.1	120	1	2	6	11	22	33	63
A. Not Operated	322	6.0	89	1	1	3	7	13	23	56
B. Operated	153	10.4	114	1	2	7	14	27	34	65
TOTAL										
0-19 YRS	173	3.4	31	< 1	1	1	3	9	12	49
20-34	83	7.3	68	1	2	5	9	14	23	46
35-49	88	6.7	40	1	2	5	9	17	19	27
50-64	61	10.4	125	1	4	6	13	24	33	60
65 +	70	16.1	254	3	5	10	23	39	46	75
GRAND TOTAL	**475**	**7.4**	**101**	**1**	**1**	**4**	**9**	**19**	**28**	**56**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	3.5	14	< 1	1	1	5	9	11	20
20-34	3	5.0	48	< 1	< 1	1	10	13	13	13
35-49	8	4.6	6	2	2	4	7	8	8	8
50-64	5	3.2	6	1	1	3	5	7	7	7
65 +	5	3.8	3	2	2	5	5	5	5	5
B. Operated										
0-19 YRS	9	5.6	36	< 1	1	3	10	15	17	17
20-34	8	7.3	18	1	4	7	10	12	13	13
35-49	25	5.6	42	1	2	2	7	15	20	28
50-64	55	5.5	20	1	2	3	10	11	14	20
65 +	40	7.0	24	2	3	7	10	13	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	5.6	21	1	2	4	8	13	17	93
20-34	11	4.5	6	1	2	5	6	8	10	10
35-49	24	8.0	71	3	3	5	8	20	28	36
50-64	32	9.5	155	2	4	6	11	19	64	99 +
65 +	101	8.3	52	3	4	6	11	17	27	99 +
B. Operated										
0-19 YRS	13	13.2	178	2	5	11	15	24	48	54
20-34	15	5.9	23	1	3	4	8	16	16	16
35-49	40	7.3	31	2	3	5	10	15	18	24
50-64	120	8.2	54	1	3	7	11	16	19	41
65 +	195	10.4	49	2	5	10	14	19	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	3.7	13	< 1	1	2	5	8	10	19
B. Operated	137	6.0	26	1	2	4	10	12	15	23
2. MULTIPLE DX										
A. Not Operated	225	7.6	60	2	3	5	10	17	24	99 +
B. Operated	383	9.3	54	2	4	9	13	17	22	45
1. SINGLE DX	217	5.2	22	1	2	3	8	11	14	21
2. MULTIPLE DX	608	8.7	57	2	3	7	12	17	22	60
A. Not Operated	305	6.6	50	1	2	5	8	15	20	99 +
B. Operated	520	8.5	48	1	3	8	12	17	20	35
TOTAL										
0-19 YRS	138	5.4	40	< 1	1	4	8	13	16	59
20-34	37	5.7	18	1	3	5	8	12	15	16
35-49	97	6.8	42	2	3	4	9	16	20	32
50-64	212	7.6	61	1	3	6	10	15	19	59
65 +	341	9.3	48	2	4	8	13	18	23	52
GRAND TOTAL	**825**	**7.8**	**50**	**1**	**3**	**6**	**11**	**16**	**20**	**50**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	0									
50-64	0									
65 +	11	3.4	8	< 1	1	3	4	8	9	9
B. Operated										
0-19 YRS	0									
20-34	17	6.1	15	2	3	4	9	11	14	15
35-49	61	6.8	15	2	3	7	10	12	13	15
50-64	265	8.4	12	4	7	8	10	12	15	19
65 +	431	10.3	12	7	8	10	12	15	16	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	3.4	13	< 1	< 1	1	6	9	9	9
50-64	34	6.7	29	< 1	1	7	11	12	17	24
65 +	167	7.9	66	1	2	6	11	16	22	44
B. Operated										
0-19 YRS	3	11.0	73	2	4	12	17	19	19	19
20-34	25	9.2	104	1	4	6	9	21	38	41
35-49	119	8.4	40	2	4	8	11	14	17	36
50-64	862	10.4	39	6	8	9	12	16	18	30
65 +	2445	12.4	45	7	9	11	14	19	23	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.4	7	1	1	3	4	8	9	9
B. Operated	774	9.3	14	5	7	9	11	14	15	20
2. MULTIPLE DX										
A. Not Operated	208	7.6	59	1	2	6	11	15	21	42
B. Operated	3454	11.8	45	7	8	10	14	17	22	40
1. SINGLE DX	787	9.2	14	4	7	9	11	14	15	20
2. MULTIPLE DX	3662	11.5	46	6	8	10	13	17	22	40
A. Not Operated	221	7.3	57	1	2	6	10	15	21	41
B. Operated	4228	11.3	40	6	8	10	13	17	21	37
TOTAL										
0-19 YRS	4	9.8	55	2	4	9	15	19	19	19
20-34	45	7.6	66	2	3	5	8	15	25	41
35-49	185	7.8	32	2	4	7	10	13	15	27
50-64	1161	9.8	33	5	7	9	11	15	17	28
65 +	3054	11.8	43	7	8	11	14	17	22	40
GRAND TOTAL	**4449**	**11.1**	**41**	**6**	**8**	**10**	**13**	**17**	**21**	**37**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	23	1.7	1	< 1	1	1	2	3	4	5
35-49	54	2.3	4	1	1	2	3	4	5	13
50-64	68	3.3	10	1	1	2	4	8	11	15
65 +	40	7.3	35	1	2	6	12	16	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	5.2	9	3	3	4	7	10	10	10
65 +	54	8.4	66	2	4	5	9	18	22	47
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	2.8	3	1	2	2	4	5	7	8
35-49	41	2.9	8	1	1	2	3	6	10	13
50-64	68	5.5	22	1	2	3	9	12	15	19
65 +	124	9.1	54	1	4	8	12	17	21	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	9	1	2	4	6	7	7	7
B. Operated	187	3.6	16	1	1	2	4	10	13	18
2. MULTIPLE DX										
A. Not Operated	61	8.0	61	2	4	5	9	18	21	46
B. Operated	256	6.6	40	1	2	4	10	14	18	36
1. SINGLE DX	190	3.6	16	1	1	2	4	10	13	18
2. MULTIPLE DX	317	6.9	44	1	2	5	9	15	19	37
A. Not Operated	64	7.8	59	2	4	5	9	18	21	45
B. Operated	443	5.4	32	1	1	3	8	13	17	23
TOTAL										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	46	2.2	2	1	1	2	3	4	5	8
35-49	96	2.6	6	1	1	2	3	5	8	13
50-64	142	4.4	17	1	1	3	7	11	13	19
65 +	220	8.6	53	1	4	7	12	18	21	39
GRAND TOTAL	**507**	**5.7**	**36**	**1**	**2**	**3**	**8**	**13**	**17**	**26**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	5.4	11	2	3	5	7	10	12	14
20-34	10	5.3	19	1	2	4	5	13	14	14
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	9.0	4	7	7	9	10	11	11	11
65 +	7	4.3	3	2	3	4	6	7	7	7
B. Operated										
0-19 YRS	25	6.4	12	1	4	7	9	11	13	13
20-34	53	2.9	6	1	1	2	4	6	8	12
35-49	64	3.5	10	1	1	2	5	10	10	14
50-64	33	4.7	13	1	2	3	8	10	12	13
65 +	20	7.4	32	1	2	5	11	15	18	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	8.6	45	3	4	7	10	16	20	42
20-34	18	5.9	19	2	3	4	7	14	15	16
35-49	29	7.9	48	2	3	6	10	16	28	28
50-64	29	8.5	46	2	3	8	13	17	21	30
65 +	92	11.8	168	3	4	8	14	28	44	99 +
B. Operated										
0-19 YRS	69	10.9	39	4	6	11	14	21	24	86
20-34	63	8.1	110	1	2	5	8	18	31	59
35-49	82	6.7	48	2	3	4	8	13	25	32
50-64	101	9.1	83	1	2	6	12	24	31	38
65 +	130	15.8	225	3	7	11	21	37	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	5.3	12	1	3	5	7	11	12	14
B. Operated	195	4.3	14	1	1	3	6	10	12	15
2. MULTIPLE DX										
A. Not Operated	224	9.6	97	2	4	7	12	20	29	93
B. Operated	445	10.8	126	2	3	8	13	26	34	77
1. SINGLE DX	240	4.5	14	1	2	3	7	10	12	15
2. MULTIPLE DX	669	10.4	117	2	3	8	13	24	32	84
A. Not Operated	269	8.9	85	2	4	6	11	17	28	83
B. Operated	640	8.8	101	1	2	6	11	21	30	62
TOTAL										
0-19 YRS	173	8.8	37	3	5	7	11	16	21	40
20-34	144	5.7	59	1	2	3	6	13	16	38
35-49	177	5.7	36	1	2	3	7	12	16	31
50-64	166	8.1	64	1	2	6	11	16	28	37
65 +	249	13.3	190	2	5	9	16	30	47	99 +
GRAND TOTAL	**909**	**8.8**	**96**	**1**	**3**	**6**	**11**	**19**	**29**	**65**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	8.2	23	3	4	7	12	15	15	15
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	77	2.4	1	1	1	2	3	4	4	6
20-34	191	2.8	2	1	2	3	4	4	5	6
35-49	70	2.3	2	< 1	1	2	3	4	5	6
50-64	14	1.9	2	< 1	< 1	1	3	4	6	6
65 +	5	2.0	2	< 1	< 1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	0									
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	3	7.0	9	4	5	7	9	10	10	10
B. Operated										
0-19 YRS	120	2.7	2	1	2	2	4	5	6	7
20-34	279	2.6	2	1	1	2	3	4	5	8
35-49	121	2.4	3	1	1	2	3	5	6	10
50-64	60	2.2	3	< 1	1	2	2	5	6	9
65 +	24	2.4	2	< 1	1	2	4	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	8.2	23	3	4	7	12	15	15	15
B. Operated	357	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	11	3.2	9	< 1	< 1	2	4	8	10	10
B. Operated	604	2.5	3	1	1	2	3	4	5	8
1. SINGLE DX	362	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	615	2.6	3	1	1	2	3	4	6	8
A. Not Operated	16	4.8	18	< 1	1	3	7	11	14	15
B. Operated	961	2.5	2	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	200	2.6	2	1	1	2	3	4	5	7
20-34	478	2.7	2	1	2	3	3	4	5	8
35-49	191	2.4	3	< 1	1	2	3	5	5	8
50-64	76	2.2	3	< 1	1	1	3	5	6	9
65 +	32	2.8	4	< 1	1	2	4	5	7	10
GRAND TOTAL	**977**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.7	3	1	1	3	4	5	6	8
20-34	14	2.8	4	1	2	2	3	5	8	9
35-49	8	3.4	3	1	2	3	4	6	7	7
50-64	3	3.3	4	< 1	1	4	5	5	5	5
65 +	5	2.8	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	304	2.1	1	1	1	2	3	4	4	6
20-34	449	2.1	1	1	1	2	3	4	4	6
35-49	146	2.3	2	1	1	2	3	4	5	7
50-64	33	3.2	6	1	1	2	4	7	9	10
65 +	13	2.0	3	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	3.0	12	1	1	2	4	6	8	23
20-34	13	4.9	30	1	1	3	6	13	19	20
35-49	19	3.9	9	< 1	1	4	5	9	11	11
50-64	34	6.6	130	1	2	4	5	12	24	64
65 +	101	7.1	44	2	3	5	9	14	18	39
B. Operated										
0-19 YRS	311	3.5	22	1	2	3	4	6	8	17
20-34	261	3.1	38	1	1	2	4	5	6	12
35-49	126	3.6	24	1	1	2	4	8	11	27
50-64	69	5.6	54	1	1	3	7	16	17	38
65 +	67	7.0	57	1	1	5	9	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.9	3	1	1	3	4	5	6	9
B. Operated	945	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	220	5.6	48	1	2	4	7	11	17	36
B. Operated	834	3.8	34	1	1	2	4	8	11	23
1. SINGLE DX	1009	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1054	4.2	37	1	2	3	5	8	11	29
A. Not Operated	284	5.0	39	1	2	3	6	10	15	29
B. Operated	1779	3.0	18	1	1	2	3	5	8	16
TOTAL										
0-19 YRS	702	2.8	12	1	1	2	3	5	7	11
20-34	737	2.5	15	1	1	2	3	4	5	9
35-49	299	3.0	12	1	1	2	4	6	8	15
50-64	139	5.2	61	1	1	3	5	11	17	41
65 +	186	6.6	46	1	2	5	9	14	18	37
GRAND TOTAL	**2063**	**3.2**	**21**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	20.3	22	15	17	22	23	24	24	24
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	6.3	30	1	2	6	10	12	12	12
50-64	0									
65 +	2	40.0	2450	5	5	40	75	75	75	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	5	14.4	78	4	6	15	22	24	24	24
B. Operated	6	17.2	816	1	4	5	12	69	75	75
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	11	15.9	441	3	4	7	20	44	72	75
A. Not Operated	5	14.4	78	4	6	15	22	24	24	24
B. Operated	7	15.7	695	2	4	6	11	62	75	75
TOTAL										
0-19 YRS	0									
20-34	3	6.0	3	4	5	7	7	7	7	7
35-49	3	6.3	30	1	2	6	10	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	5	28.2	740	5	12	22	37	75	75	75
GRAND TOTAL	**12**	**15.2**	**408**	**3**	**5**	**7**	**18**	**39**	**70**	**75**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	2.7	1	1	2	3	4	4	4	4
50-64	9	5.9	11	2	3	5	8	11	11	11
65 +	12	5.7	26	1	2	4	8	13	17	18
B. Operated										
0-19 YRS	0									
20-34	10	3.3	4	1	2	3	4	6	7	7
35-49	78	3.7	11	1	1	3	5	6	7	21
50-64	64	4.0	41	1	1	3	5	6	8	45
65 +	30	3.6	11	1	1	2	5	9	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	3	4.0	7	1	2	5	6	6	6	6
35-49	24	7.5	41	2	4	6	10	19	45	99 +
50-64	58	5.7	29	1	2	5	7	11	16	31
65 +	258	8.1	43	3	4	6	11	16	22	47
B. Operated										
0-19 YRS	2	50.5	2381	16	16	50	85	85	85	85
20-34	18	4.2	6	2	3	4	5	7	9	11
35-49	99	5.2	33	1	2	4	6	9	19	33
50-64	123	6.1	35	1	3	5	7	11	19	32
65 +	157	11.4	121	1	5	9	15	22	34	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.2	16	1	2	4	7	11	12	18
B. Operated	182	3.8	21	1	1	3	5	7	9	20
2. MULTIPLE DX										
A. Not Operated	345	7.6	41	2	4	6	10	16	21	49
B. Operated	399	8.1	90	1	3	6	10	17	25	59
1. SINGLE DX	210	3.9	20	1	1	3	5	8	9	20
2. MULTIPLE DX	744	7.9	67	1	3	6	10	16	23	59
A. Not Operated	373	7.4	39	2	3	6	10	16	20	47
B. Operated	581	6.7	72	1	2	5	8	14	20	52
TOTAL										
0-19 YRS	4	30.0	1354	9	9	13	50	85	85	85
20-34	32	4.0	5	1	2	4	5	7	8	11
35-49	207	4.8	26	1	2	4	6	9	16	32
50-64	254	5.4	35	1	2	4	7	10	13	32
65 +	457	8.9	72	2	4	7	12	17	26	60
GRAND TOTAL	**954**	**7.0**	**59**	**1**	**3**	**5**	**9**	**15**	**20**	**51**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.5	6	< 1	2	3	4	8	8	8
20-34	127	4.9	10	1	3	4	7	9	10	15
35-49	209	5.5	14	1	3	5	7	11	12	16
50-64	65	6.3	36	2	3	5	8	10	16	39
65 +	18	7.6	18	2	4	7	11	14	15	15
B. Operated										
0-19 YRS	41	2.9	3	1	2	3	4	5	6	9
20-34	1076	3.7	8	1	2	3	5	6	8	15
35-49	1377	3.9	9	1	2	3	5	7	9	16
50-64	465	4.1	16	1	2	3	5	8	10	20
65 +	105	5.5	22	1	2	4	7	11	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.7	40	5	5	5	13	16	16	16
20-34	82	7.6	70	1	3	6	8	15	19	50
35-49	190	6.9	31	1	3	6	9	13	16	28
50-64	187	7.2	24	2	4	6	9	13	16	25
65 +	227	9.0	38	3	5	8	12	16	20	30
B. Operated										
0-19 YRS	18	5.1	26	1	3	4	5	8	18	24
20-34	390	5.5	21	1	3	5	7	10	14	26
35-49	763	5.8	21	2	3	5	7	11	15	23
50-64	508	6.5	30	1	3	5	8	14	18	28
65 +	411	9.4	91	1	4	7	11	18	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	5.5	16	1	3	5	7	10	13	17
B. Operated	3064	3.9	10	1	2	3	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	689	7.7	37	2	4	7	10	15	18	32
B. Operated	2090	6.6	39	1	3	5	8	13	18	30
1. SINGLE DX	3489	4.1	11	1	2	3	5	7	10	16
2. MULTIPLE DX	2779	6.9	39	1	3	5	8	14	18	30
A. Not Operated	1114	6.9	30	2	3	6	9	13	16	28
B. Operated	5154	5.0	24	1	2	4	6	9	13	24
TOTAL										
0-19 YRS	68	3.8	12	1	2	3	4	7	8	23
20-34	1675	4.4	15	1	2	4	5	8	11	18
35-49	2539	4.8	16	1	2	4	6	9	12	21
50-64	1225	5.7	25	1	3	4	7	11	16	26
65 +	761	8.7	66	2	4	7	11	17	22	38
GRAND TOTAL	**6268**	**5.3**	**25**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	12	5.1	4	3	3	5	6	8	9	9
35-49	15	4.0	11	1	1	3	5	10	11	11
50-64	8	2.3	2	1	1	2	3	4	4	4
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	114	3.4	5	1	2	3	5	6	7	11
35-49	309	3.4	6	1	2	3	4	6	8	13
50-64	74	3.2	10	1	1	3	4	6	8	20
65 +	6	5.2	9	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	5.3	7	3	3	4	7	9	10	10
35-49	33	5.9	23	< 1	2	5	7	15	17	18
50-64	18	5.9	24	< 1	2	5	7	13	17	20
65 +	18	5.9	9	2	4	5	8	10	12	12
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	53	5.2	37	1	2	3	7	9	11	42
35-49	215	4.8	25	1	2	4	6	9	13	26
50-64	115	5.7	34	1	2	5	7	11	15	32
65 +	40	10.7	145	1	4	6	13	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.9	7	1	2	3	6	8	10	11
B. Operated	503	3.4	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	76	5.9	18	1	3	5	7	12	16	19
B. Operated	424	5.6	42	1	2	4	7	10	15	41
1. SINGLE DX	542	3.4	6	1	2	3	4	6	8	13
2. MULTIPLE DX	500	5.7	39	1	2	4	7	11	16	36
A. Not Operated	115	5.2	15	1	2	4	7	10	13	19
B. Operated	927	4.4	24	1	2	3	5	8	11	26
TOTAL										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	186	4.1	15	1	2	3	5	7	9	14
35-49	572	4.1	15	1	2	3	5	7	10	19
50-64	215	4.7	25	1	2	3	6	9	12	22
65 +	66	8.7	96	2	4	6	8	24	29	53
GRAND TOTAL	**1042**	**4.5**	**23**	**1**	**2**	**3**	**6**	**8**	**12**	**25**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	5.0	7	2	3	5	7	8	8	8
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	2.9	2	1	2	3	4	5	5	5
35-49	3	4.3	9	1	2	5	6	7	7	7
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64	3	6.7	2	5	5	7	8	8	8	8
65 +	3	9.3	22	4	6	11	12	13	13	13
B. Operated										
0-19 YRS	0									
20-34	6	6.5	4	5	5	6	7	10	10	10
35-49	12	8.0	21	3	5	8	10	16	17	17
50-64	7	14.4	229	5	6	6	19	41	46	46
65 +	5	8.4	26	1	5	9	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.4	9	1	2	4	7	9	9	9
B. Operated	13	3.8	6	1	2	3	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	15	5.5	10	2	3	4	7	11	12	13
B. Operated	30	9.3	68	4	5	7	10	16	22	46
1. SINGLE DX	22	4.1	7	1	2	4	7	8	9	9
2. MULTIPLE DX	45	8.0	52	3	5	6	9	13	18	46
A. Not Operated	24	5.1	10	2	3	4	7	9	12	13
B. Operated	43	7.6	55	1	4	6	9	14	19	46
TOTAL										
0-19 YRS	3	5.0	12	1	2	7	7	7	7	7
20-34	19	3.9	5	1	2	4	5	7	9	10
35-49	24	6.3	15	2	4	5	8	11	16	17
50-64	12	10.9	146	4	5	7	9	29	44	46
65 +	9	8.8	19	2	5	9	13	13	13	13
GRAND TOTAL	**67**	**6.7**	**40**	**1**	**3**	**5**	**8**	**12**	**15**	**42**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	7.3	26	2	3	5	12	14	15	15
35-49	16	6.3	32	1	2	4	9	14	20	22
50-64	16	5.4	13	2	3	5	6	10	14	16
65 +	8	4.8	14	2	2	3	6	11	13	13
B. Operated										
0-19 YRS	0									
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	7	5.7	117	< 1	1	1	4	25	30	30
50-64	8	1.8	1	1	1	2	2	3	4	4
65 +	5	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	5.5	9	2	3	5	7	10	12	12
35-49	23	6.6	9	3	4	6	9	11	12	13
50-64	33	6.8	12	3	4	6	8	11	15	17
65 +	61	6.7	29	2	4	5	8	12	16	34
B. Operated										
0-19 YRS	0									
20-34	7	3.9	10	1	1	3	5	9	10	10
35-49	12	7.4	39	1	1	7	13	15	16	16
50-64	8	8.3	52	1	1	8	14	18	18	18
65 +	9	12.9	165	2	4	10	17	35	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	5.9	21	2	2	5	8	13	15	22
B. Operated	25	2.8	34	1	1	1	2	5	12	30
2. MULTIPLE DX										
A. Not Operated	129	6.6	19	3	4	6	8	11	13	23
B. Operated	36	8.3	72	1	1	6	12	18	26	39
1. SINGLE DX	73	4.8	27	1	1	3	6	11	15	28
2. MULTIPLE DX	165	7.0	31	2	4	6	9	13	16	35
A. Not Operated	177	6.4	20	2	4	5	8	12	14	21
B. Operated	61	6.0	63	1	1	2	10	15	23	38
TOTAL										
0-19 YRS	0									
20-34	32	5.1	15	1	2	4	7	11	13	15
35-49	58	6.6	32	1	2	5	10	14	16	29
50-64	65	6.0	18	1	3	5	8	11	16	18
65 +	83	6.8	45	2	3	5	8	13	18	38
GRAND TOTAL	**238**	**6.3**	**31**	**1**	**3**	**5**	**8**	**13**	**16**	**31**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.7	12	1	1	2	6	10	10	10
20-34	90	4.2	12	1	2	3	6	9	12	17
35-49	139	4.1	14	1	2	4	5	7	9	16
50-64	65	4.6	10	1	2	4	6	9	10	15
65 +	37	6.0	21	1	2	5	8	11	16	20
B. Operated										
0-19 YRS	8	3.1	24	1	1	1	2	11	15	15
20-34	142	2.3	5	1	1	1	3	5	7	10
35-49	174	2.4	5	1	1	1	3	5	7	11
50-64	140	3.1	7	1	1	2	4	7	8	13
65 +	133	4.6	15	1	1	5	7	9	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.8	21	1	1	2	4	9	15	21
20-34	117	5.1	23	1	2	4	6	8	14	26
35-49	235	5.9	27	1	3	4	8	12	18	25
50-64	218	6.4	48	1	3	5	8	12	16	29
65 +	425	8.1	55	2	4	6	10	17	23	41
B. Operated										
0-19 YRS	7	4.6	12	< 1	< 1	6	8	9	9	9
20-34	92	4.2	17	1	1	3	7	10	13	66
35-49	218	5.2	54	1	1	3	6	11	14	32
50-64	296	6.5	35	1	3	5	8	12	17	34
65 +	576	9.0	82	1	4	7	11	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	346	4.4	13	1	2	4	6	9	11	18
B. Operated	597	3.0	9	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	1019	6.8	44	2	3	5	8	14	20	32
B. Operated	1189	7.2	63	1	3	6	9	14	20	40
1. SINGLE DX	943	3.5	11	1	1	2	5	8	9	15
2. MULTIPLE DX	2208	7.0	54	1	3	5	9	14	20	35
A. Not Operated	1365	6.2	37	1	3	4	8	12	18	31
B. Operated	1786	5.8	49	1	1	4	7	12	17	33
TOTAL										
0-19 YRS	54	3.7	17	1	1	2	5	9	12	21
20-34	441	3.8	15	1	1	3	5	8	10	20
35-49	766	4.6	29	1	1	3	5	9	13	23
50-64	719	5.6	33	1	2	4	7	11	15	28
65 +	1171	8.1	65	1	4	6	10	16	22	43
GRAND TOTAL	**3151**	**6.0**	**44**	**1**	**2**	**4**	**8**	**12**	**17**	**31**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.7	3	1	2	2	3	4	7	8
20-34	17	5.3	52	1	2	4	6	8	24	32
35-49	29	2.1	2	< 1	1	2	2	4	5	7
50-64	8	3.5	3	1	2	3	5	6	6	6
65 +	8	4.0	6	1	2	3	5	8	9	9
B. Operated										
0-19 YRS	37	2.0	2	< 1	1	2	3	4	5	6
20-34	128	1.8	2	< 1	1	1	2	3	4	8
35-49	245	1.9	3	1	1	1	2	3	4	8
50-64	139	2.0	3	1	1	2	2	4	6	8
65 +	30	3.0	7	1	1	2	4	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.4	7	1	2	3	4	7	9	14
20-34	24	4.0	5	< 1	2	4	5	6	8	10
35-49	39	3.9	4	2	3	4	5	7	8	10
50-64	42	4.7	12	1	2	4	6	10	11	17
65 +	63	6.8	64	2	3	5	8	13	16	55
B. Operated										
0-19 YRS	31	4.9	20	1	2	3	7	11	15	20
20-34	105	3.2	23	1	1	2	3	7	10	31
35-49	259	2.5	5	1	1	2	3	5	7	12
50-64	209	2.9	7	1	1	2	3	6	8	14
65 +	127	4.0	24	1	1	2	5	9	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	3.1	11	1	2	2	4	6	7	19
B. Operated	579	2.0	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	216	4.8	25	1	2	4	6	9	11	20
B. Operated	731	3.1	12	1	1	2	3	6	10	18
1. SINGLE DX	687	2.1	4	1	1	2	2	4	6	9
2. MULTIPLE DX	947	3.5	16	1	1	2	4	7	10	17
A. Not Operated	324	4.2	21	1	2	3	5	8	10	19
B. Operated	1310	2.6	8	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	162	3.2	8	1	1	2	4	7	8	15
20-34	274	2.7	14	1	1	2	3	5	7	23
35-49	572	2.3	4	1	1	2	3	4	6	11
50-64	398	2.8	6	1	1	2	3	6	8	13
65 +	228	4.7	34	1	2	3	6	10	14	26
GRAND TOTAL	**1634**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	1.9	2	< 1	1	2	2	3	5	7
20-34	75	1.6	1	< 1	< 1	1	2	3	4	6
35-49	89	1.4	1	< 1	< 1	1	2	3	3	4
50-64	70	1.6	1	< 1	< 1	1	2	3	3	5
65 +	19	2.4	4	< 1	1	1	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	1.2		< 1	< 1	< 1	< 1	2	2	2
35-49	5	1.6	2	< 1	< 1	< 1	1	4	4	4
50-64	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	5	2.6	3	< 1	< 1	2	4	5	5	5
B. Operated										
0-19 YRS	61	1.8	1	< 1	1	1	2	4	5	5
20-34	155	1.6	1	< 1	< 1	1	2	3	4	5
35-49	232	1.7	2	< 1	< 1	1	2	3	4	7
50-64	244	2.0	3	< 1	< 1	1	2	4	5	11
65 +	209	2.4	7	< 1	1	2	3	4	6	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	286	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	21	1.6	1	< 1	< 1	< 1	1	4	5	5
B. Operated	901	1.9	3	< 1	< 1	1	2	4	5	10
1. SINGLE DX	288	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	922	1.9	3	< 1	< 1	1	2	4	5	10
A. Not Operated	23	1.7	2	< 1	< 1	< 1	2	4	5	5
B. Operated	1187	1.9	3	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	96	1.8	1	< 1	1	1	2	4	5	6
20-34	237	1.6	1	< 1	< 1	1	2	3	4	5
35-49	326	1.6	1	< 1	< 1	1	2	3	4	6
50-64	318	1.9	3	< 1	< 1	1	2	3	5	10
65 +	233	2.4	7	< 1	1	2	3	5	6	15
GRAND TOTAL	**1210**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	16	1.1		< 1	< 1	< 1	1	2	2	2
20-34	21	1.4	1	< 1	< 1	< 1	1	3	4	4
35-49	20	1.3		< 1	< 1	1	2	2	3	3
50-64	17	1.6	2	1	1	1	2	2	5	6
65 +	6	4.3	52	< 1	1	1	3	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	6	4.5	10	1	2	4	5	10	10	10
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	11	1.5	1	< 1	< 1	1	2	3	3	3
35-49	19	2.5	5	< 1	< 1	1	3	6	8	9
50-64	21	2.7	5	< 1	1	2	4	6	7	9
65 +	24	2.4	3	< 1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	3	1	1	2	4	5	5	5
B. Operated	80	1.6	5	< 1	< 1	1	1	2	3	15
2. MULTIPLE DX										
A. Not Operated	9	3.9	7	1	2	3	5	8	10	10
B. Operated	78	2.3	4	< 1	1	1	3	5	6	9
1. SINGLE DX	84	1.6	5	< 1	< 1	1	2	2	4	15
2. MULTIPLE DX	87	2.5	4	< 1	1	2	3	5	7	10
A. Not Operated	13	3.5	6	1	2	3	5	6	9	10
B. Operated	158	1.9	4	< 1	< 1	1	2	4	6	9
TOTAL										
0-19 YRS	19	1.1		< 1	< 1	< 1	1	2	2	2
20-34	34	1.6	1	< 1	< 1	1	2	3	4	5
35-49	41	1.9	3	< 1	< 1	1	2	4	6	9
50-64	41	2.2	3	< 1	1	1	2	5	6	9
65 +	36	3.1	12	< 1	1	2	4	5	9	19
GRAND TOTAL	**171**	**2.1**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**10**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	8.1	24	2	5	7	11	14	19	20
20-34	4	7.3	6	4	5	7	9	10	10	10
35-49	3	5.3	9	2	3	6	7	8	8	8
50-64	3	11.7	100	2	4	11	19	22	22	22
65 +	7	8.0	14	3	6	8	10	13	14	14
B. Operated										
0-19 YRS	42	6.7	29	1	2	6	9	12	18	23
20-34	10	7.6	27	2	3	6	11	16	16	16
35-49	13	10.2	166	2	3	4	13	26	45	49
50-64	13	4.6	13	1	2	3	8	10	11	11
65 +	11	8.8	96	1	3	6	14	54	93	99 +
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	10.7	41	3	7	10	13	19	25	33
20-34	16	13.8	147	2	5	9	21	28	42	47
35-49	34	12.3	82	4	6	9	17	22	33	43
50-64	41	12.4	60	4	6	11	17	22	25	38
65 +	100	16.4	164	5	7	12	21	40	49	78
B. Operated										
0-19 YRS	85	16.5	200	4	8	13	20	32	44	78
20-34	63	17.6	294	3	5	10	23	48	50	61
35-49	106	18.1	288	4	7	11	21	44	64	70
50-64	200	18.6	245	5	8	15	23	41	49	83
65 +	247	21.6	317	5	9	15	30	48	61	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	8.1	23	2	5	8	10	14	19	22
B. Operated	89	7.3	55	1	2	6	9	15	22	80
2. MULTIPLE DX										
A. Not Operated	254	13.6	109	4	7	11	17	28	39	52
B. Operated	701	19.2	278	4	8	14	24	45	55	76
1. SINGLE DX	143	7.6	43	2	3	7	10	14	20	52
2. MULTIPLE DX	955	17.7	239	4	7	13	22	43	50	74
A. Not Operated	308	12.7	98	4	7	10	16	25	34	52
B. Operated	790	17.9	267	4	7	12	23	43	52	76
TOTAL										
0-19 YRS	227	11.7	110	2	6	9	14	23	29	54
20-34	93	15.4	239	3	5	9	20	45	48	59
35-49	156	15.9	237	4	6	10	19	40	49	70
50-64	257	16.8	215	4	7	13	21	35	45	80
65 +	365	19.5	273	5	8	13	27	46	56	82
GRAND TOTAL	**1098**	**16.4**	**225**	**4**	**7**	**11**	**20**	**41**	**49**	**73**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	5.7	38	< 1	2	4	7	14	19	30
20-34	20	1.9	2	< 1	1	2	2	3	5	7
35-49	22	2.9	3	1	2	2	4	5	6	6
50-64	20	3.7	22	1	1	2	4	7	15	22
65 +	30	8.5	125	2	3	6	11	13	25	61
B. Operated										
0-19 YRS	357	3.4	13	1	1	3	4	6	9	21
20-34	177	2.7	6	1	1	2	3	5	8	14
35-49	120	3.9	13	1	2	3	5	8	11	17
50-64	59	4.3	9	1	2	3	7	9	10	12
65 +	35	6.8	17	2	3	5	10	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	5.7	33	1	1	4	9	11	20	24
20-34	38	3.7	12	1	2	3	4	7	13	16
35-49	79	3.4	6	1	2	3	5	7	9	12
50-64	148	6.2	36	1	2	5	8	13	18	30
65 +	978	11.8	121	3	5	9	15	24	34	67
B. Operated										
0-19 YRS	216	4.9	41	1	2	3	6	9	12	30
20-34	186	5.0	38	1	1	3	6	10	14	34
35-49	202	6.8	94	1	2	4	8	13	21	55
50-64	215	11.1	104	1	4	9	15	25	32	47
65 +	467	16.0	220	4	8	12	19	34	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	5.0	48	1	2	3	6	11	15	34
B. Operated	748	3.6	12	1	1	3	4	8	10	18
2. MULTIPLE DX										
A. Not Operated	1276	10.2	107	2	4	7	13	21	31	62
B. Operated	1286	10.3	147	1	3	7	13	24	35	80
1. SINGLE DX	884	3.8	18	1	1	3	5	8	11	21
2. MULTIPLE DX	2562	10.2	127	2	3	7	13	22	32	66
A. Not Operated	1412	9.7	103	2	3	7	12	20	30	61
B. Operated	2034	7.8	108	1	2	4	10	18	27	60
TOTAL										
0-19 YRS	650	4.2	26	1	1	3	5	8	12	25
20-34	421	3.7	22	1	1	2	4	8	11	25
35-49	423	5.1	52	1	2	3	6	10	13	46
50-64	442	8.2	73	1	3	6	11	17	26	45
65 +	1510	12.9	154	3	6	10	16	27	38	88
GRAND TOTAL	**3446**	**8.6**	**107**	**1**	**2**	**5**	**11**	**19**	**28**	**60**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	59	2.4	3	1	1	2	3	4	5	11
20-34	9	1.8	1	< 1	1	2	2	3	4	4
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	6	2.0	2	< 1	1	1	2	5	5	5
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	325	3.8	7	1	2	3	5	8	9	11
20-34	52	4.5	11	1	2	4	6	9	12	15
35-49	21	3.7	6	1	1	3	6	7	7	8
50-64	28	4.8	21	1	2	3	6	9	12	23
65 +	20	6.7	69	1	2	4	8	13	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	81	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	13	2.8	12	< 1	< 1	< 1	3	10	11	11
B. Operated	446	4.1	11	1	2	3	5	8	9	15
1. SINGLE DX	83	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX	459	4.0	11	1	2	3	5	8	9	15
A. Not Operated	15	2.5	11	< 1	< 1	1	2	10	11	11
B. Operated	527	3.8	10	1	2	3	5	8	9	15
TOTAL										
0-19 YRS	394	3.5	6	1	1	3	5	7	9	11
20-34	62	4.1	10	1	2	3	5	8	11	15
35-49	27	3.7	7	1	1	3	6	7	8	11
50-64	35	4.2	18	1	2	3	5	9	11	23
65 +	24	6.3	60	1	2	4	8	12	22	38
GRAND TOTAL	**542**	**3.7**	**10**	**1**	**1**	**3**	**5**	**8**	**9**	**15**

176 Hospitals, Northeastern Region, January-December 1990, by Diagnosis

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	2.0	6	< 1	< 1	< 1	2	5	7	14
20-34	36	3.3	13	1	1	2	4	8	13	15
35-49	25	3.7	10	1	1	2	5	9	10	12
50-64	14	2.9	3	1	1	3	4	5	6	7
65 +	14	2.5	4	1	1	2	3	5	7	8
B. Operated										
0-19 YRS	176	5.7	12	1	2	6	8	9	10	17
20-34	89	2.8	6	1	1	2	4	7	8	12
35-49	94	2.6	8	< 1	1	2	3	5	9	15
50-64	84	2.6	7	1	1	2	3	6	9	12
65 +	56	2.1	4	1	1	1	3	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	4.4	24	< 1	1	3	5	14	16	21
20-34	38	3.8	11	1	1	3	6	8	11	15
35-49	70	4.4	16	1	2	3	6	8	14	19
50-64	104	5.3	59	1	2	3	7	9	12	50
65 +	208	7.3	47	1	3	5	10	15	21	38
B. Operated										
0-19 YRS	471	7.1	51	1	2	6	9	12	18	35
20-34	180	4.5	29	1	1	2	6	10	15	26
35-49	170	4.2	21	1	1	3	5	10	15	22
50-64	156	5.6	65	1	1	3	7	13	18	44
65 +	179	7.2	73	1	2	4	10	20	30	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	2.8	8	< 1	1.	2	3	7	9	15
B. Operated	499	3.7	11	1	1	2	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	484	5.8	41	1	2	4	7	13	17	36
B. Operated	1156	6.1	50	1	2	4	8	13	19	39
1. SINGLE DX	642	3.5	10	1	1	2	6	8	9	13
2. MULTIPLE DX	1640	6.0	47	1	2	4	8	13	19	38
A. Not Operated	627	5.1	35	1	2	3	6	12	15	30
B. Operated	1655	5.3	39	1	1	3	8	11	16	33
TOTAL										
0-19 YRS	765	6.2	39	1	2	6	8	11	15	28
20-34	343	3.9	20	1	1	2	5	9	12	24
35-49	359	3.8	16	1	1	2	5	8	13	20
50-64	358	4.7	49	1	1	3	6	9	14	38
65 +	457	6.5	54	1	2	4	8	15	22	44
GRAND TOTAL	**2282**	**5.3**	**36**	**1**	**1**	**3**	**7**	**11**	**15**	**32**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.5	13	< 1	1	1	3	8	13	13
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	43	5.3	12	2	3	5	7	9	11	20
20-34	3	5.7	4	4	4	5	7	8	8	8
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.0	8	1	2	3	6	9	9	11
20-34	6	3.7	6	1	2	3	6	7	7	7
35-49	0									
50-64	0									
65 +	4	5.8	13	1	3	6	8	9	9	9
B. Operated										
0-19 YRS	169	8.0	50	3	4	6	9	16	29	99 +
20-34	14	13.4	125	3	5	9	22	31	36	37
35-49	6	7.8	26	3	4	6	13	15	15	15
50-64	2	27.5	685	9	9	27	46	46	46	46
65 +	3	9.0	79	2	3	6	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.4	12	< 1	1	1	2	7	12	13
B. Operated	48	5.4	11	2	3	5	7	10	11	20
2. MULTIPLE DX										
A. Not Operated	51	4.1	8	1	2	3	6	9	9	11
B. Operated	194	8.6	63	3	4	6	10	18	31	99 +
1. SINGLE DX	60	4.8	13	1	2	4	6	9	11	19
2. MULTIPLE DX	245	7.6	55	2	4	6	9	16	25	99 +
A. Not Operated	63	3.7	9	1	1	3	6	9	9	13
B. Operated	242	8.0	54	3	4	6	9	17	26	99 +
TOTAL										
0-19 YRS	264	6.7	39	2	3	5	8	13	19	92
20-34	23	9.9	96	2	4	6	11	24	32	37
35-49	8	7.9	20	3	4	7	11	14	15	15
50-64	3	18.7	576	1	3	9	37	46	46	46
65 +	7	7.1	36	1	3	6	9	17	19	19
GRAND TOTAL	**305**	**7.1**	**47**	**2**	**3**	**5**	**8**	**14**	**22**	**72**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.0	8	< 1	< 1	< 1	1	4	10	13
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	145	1.6	2	< 1	1	1	2	3	5	7
20-34	18	1.7	1	< 1	1	1	2	4	4	4
35-49	12	1.4		< 1	< 1	1	2	3	3	3
50-64	7	1.3		< 1	1	1	2	2	2	2
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.6	3	< 1	< 1	1	1	3	6	7
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	109	2.4	10	1	1	1	3	5	6	22
20-34	5	1.0		< 1	< 1	1	1	1	1	1
35-49	8	2.3	4	< 1	1	2	3	6	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	3	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	1.9	8	< 1	< 1	< 1	1	4	9	13
B. Operated	185	1.5	2	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	13	2.0	5	< 1	< 1	1	2	7	7	7
B. Operated	127	2.3	9	1	1	1	3	5	6	21
1. SINGLE DX	207	1.6	2	< 1	1	1	2	3	5	9
2. MULTIPLE DX	140	2.3	9	< 1	1	1	3	5	7	20
A. Not Operated	35	1.9	7	< 1	< 1	< 1	1	7	7	13
B. Operated	312	1.9	5	< 1	1	1	2	4	5	10
TOTAL										
0-19 YRS	287	1.9	6	< 1	1	1	2	4	5	12
20-34	23	1.5	1	< 1	1	1	2	3	4	4
35-49	22	2.0	3	< 1	1	1	2	4	7	7
50-64	9	1.4	1	< 1	1	1	2	3	3	3
65 +	6	1.2		1	1	1	1	2	2	2
GRAND TOTAL	**347**	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.9	2	< 1	1	1	2	4	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	443	3.3	7	1	1	2	5	7	8	13
20-34	23	2.7	7	1	1	2	3	8	9	9
35-49	15	3.0	7	1	1	2	5	7	8	8
50-64	4	5.5	10	2	3	5	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	172	3.1	17	< 1	1	2	4	6	10	18
20-34	20	3.5	12	< 1	1	2	5	7	12	15
35-49	6	5.5	5	2	4	6	7	8	8	8
50-64	2	9.5	61	4	4	9	15	15	15	15
65 +	8	5.4	8	2	4	5	6	10	11	11
B. Operated										
0-19 YRS	2329	8.8	123	1	2	6	11	20	30	74
20-34	102	6.9	148	1	2	3	8	13	21	77
35-49	45	5.7	20	1	2	5	9	12	14	17
50-64	21	7.0	32	1	1	8	10	13	18	23
65 +	31	8.5	58	1	4	7	11	17	28	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.9	2	1	1	1	2	4	5	5
B. Operated	485	3.3	7	1	1	2	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	208	3.3	16	< 1	1	2	4	7	11	17
B. Operated	2528	8.6	121	1	2	6	10	19	30	73
1. SINGLE DX	499	3.2	7	1	1	2	5	7	8	13
2. MULTIPLE DX	2736	8.2	115	1	2	6	10	18	28	71
A. Not Operated	222	3.2	15	< 1	1	2	4	6	10	17
B. Operated	3013	7.8	107	1	2	5	9	17	26	67
TOTAL										
0-19 YRS	2957	7.6	104	1	2	5	9	17	26	66
20-34	146	5.7	109	1	1	2	7	10	15	63
35-49	66	5.0	17	1	1	4	8	10	13	17
50-64	27	7.0	29	1	2	7	10	14	16	23
65 +	39	7.8	49	1	4	6	11	14	24	34
GRAND TOTAL	**3235**	**7.5**	**102**	**1**	**2**	**5**	**9**	**16**	**25**	**64**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	277	2.1	1	1	1	2	3	4	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.8	1	< 1	1	1	2	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	398	2.5	6	1	1	2	3	5	5	16
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	278	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	9	1.8	1	< 1	1	1	2	4	4	4
B. Operated	404	2.5	6	1	1	2	3	5	5	15
1. SINGLE DX	280	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX	413	2.4	6	1	1	2	3	5	5	15
A. Not Operated	11	1.6	1	< 1	1	1	2	3	4	4
B. Operated	682	2.3	4	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	686	2.3	4	1	1	2	3	4	5	12
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	**693**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	261	3.1	1	2	2	3	4	5	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	4	< 1	1	1	3	5	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	113	4.3	4	2	3	4	5	7	8	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	1	1	1	2	2	4	4	4
B. Operated	262	3.1	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	7	2.3	4	< 1	1	1	3	5	6	6
B. Operated	113	4.3	4	2	3	4	5	7	8	13
1. SINGLE DX	268	3.1	1	2	2	3	4	4	5	7
2. MULTIPLE DX	120	4.2	4	2	3	4	5	7	8	13
A. Not Operated	13	2.2	2	< 1	1	2	3	4	6	6
B. Operated	375	3.5	2	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	387	3.4	3	2	2	3	4	5	6	9
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**388**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.8	7	< 1	1	2	3	5	7	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	182	4.7	20	1	1	3	6	10	12	25
20-34	9	3.3	11	< 1	1	1	6	9	9	9
35-49	6	6.2	4	3	5	6	7	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	5.1	33	1	2	3	6	11	16	33
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	8	5.1	6	2	3	4	8	8	8	8
B. Operated										
0-19 YRS	511	12.2	283	1	3	6	14	35	57	99 +
20-34	18	4.8	13	1	2	3	8	10	11	11
35-49	13	7.0	33	2	3	6	10	13	21	23
50-64	19	6.1	19	2	3	6	7	14	17	17
65 +	13	11.5	116	1	7	9	13	22	40	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.7	7	< 1	1	2	3	5	7	14
B. Operated	199	4.6	19	1	1	3	7	10	12	25
2. MULTIPLE DX										
A. Not Operated	90	4.9	29	1	2	4	6	10	13	33
B. Operated	574	11.6	259	1	3	6	13	33	56	99 +
1. SINGLE DX	229	4.4	18	1	1	3	6	10	12	24
2. MULTIPLE DX	664	10.7	233	1	2	6	11	29	53	99 +
A. Not Operated	120	4.4	24	1	2	3	5	9	12	31
B. Operated	773	9.8	206	1	2	5	10	25	49	99 +
TOTAL										
0-19 YRS	799	9.4	202	1	2	5	10	25	46	99 +
20-34	30	4.1	12	1	1	2	7	9	10	11
35-49	21	6.3	23	2	3	6	8	11	16	23
50-64	21	5.7	18	2	2	4	7	12	16	17
65 +	22	8.7	81	1	3	8	10	16	28	44
GRAND TOTAL	**893**	**9.1**	**185**	**1**	**2**	**5**	**10**	**23**	**43**	**98**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	108	1.3		< 1	< 1	1	1	2	2	4
20-34	6	1.5	1	< 1	< 1	1	2	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	122	1.6	1	< 1	1	1	2	3	4	6
20-34	6	1.5		1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	116	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	132	1.6	1	< 1	1	1	2	3	4	6
1. SINGLE DX	116	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	134	1.6	1	< 1	1	1	2	3	4	6
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	248	1.4	1	< 1	1	1	2	3	3	6
TOTAL										
0-19 YRS	232	1.4	1	< 1	1	1	2	3	3	6
20-34	12	1.5		< 1	1	1	2	3	3	3
35-49	4	1.3		1	1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**250**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	369	3.1	9	1	1	2	4	8	9	13
20-34	32	4.1	9	1	2	4	6	8	11	13
35-49	12	4.1	6	1	2	4	5	8	9	9
50-64	0									
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	3.6	18	< 1	1	2	4	8	15	19
20-34	5	3.6	6	1	2	3	5	7	7	7
35-49	5	5.4	9	3	3	4	8	10	10	10
50-64	1	7.0		7	7	7	7	7	7	7
65 +	3	8.7	134	1	1	3	17	22	22	22
B. Operated										
0-19 YRS	378	5.5	23	1	2	4	8	12	15	24
20-34	29	6.2	28	2	3	4	7	16	17	23
35-49	32	7.5	93	2	3	6	8	10	16	57
50-64	24	6.8	19	2	4	6	9	12	16	20
65 +	12	8.1	30	3	5	6	10	17	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.7	1	< 1	1	1	3	3	3	3
B. Operated	415	3.2	9	1	1	2	4	8	9	13
2. MULTIPLE DX										
A. Not Operated	42	4.3	22	< 1	1	3	5	9	17	22
B. Operated	475	5.8	28	1	2	4	8	12	15	25
1. SINGLE DX	421	3.2	9	1	1	2	4	8	9	13
2. MULTIPLE DX	517	5.7	27	1	2	4	8	12	15	24
A. Not Operated	48	4.0	20	< 1	1	3	4	8	15	22
B. Operated	890	4.6	21	1	1	3	6	10	13	22
TOTAL										
0-19 YRS	779	4.2	17	1	1	3	6	10	13	22
20-34	67	4.9	18	1	2	4	6	10	15	22
35-49	50	6.4	63	2	3	5	8	9	11	57
50-64	25	6.8	18	2	4	6	8	12	15	20
65 +	17	7.8	39	1	4	6	9	20	22	22
GRAND TOTAL	**938**	**4.5**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	196	2.4	3	1	1	2	3	4	5	8
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.0		< 1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	176	3.4	31	1	1	2	4	5	7	38
20-34	15	2.2	1	1	1	2	3	3	5	5
35-49	7	1.6	1	< 1	1	1	2	3	3	3
50-64	8	2.5	1	1	2	2	3	4	4	4
65 +	3	5.3	4	3	4	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	200	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	9	1.0		< 1	1	1	1	1	1	1
B. Operated	209	3.2	26	1	1	2	3	5	7	31
1. SINGLE DX	203	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	218	3.1	25	1	1	2	3	5	7	29
A. Not Operated	12	1.1		< 1	< 1	1	1	2	2	2
B. Operated	409	2.8	15	1	1	2	3	5	6	12
TOTAL										
0-19 YRS	384	2.8	16	1	1	2	3	4	6	12
20-34	17	2.2	1	1	2	2	3	3	4	5
35-49	8	1.6	1	< 1	1	1	2	3	3	3
50-64	9	2.4	1	1	2	2	3	4	4	4
65 +	3	5.3	4	3	4	6	7	7	7	7
GRAND TOTAL	**421**	**2.8**	**14**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	1.5	2	< 1	1	1	1	3	4	8
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	3	2.3	5	< 1	< 1	1	4	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	674	2.8	9	1	1	2	4	6	8	16
20-34	63	2.6	7	1	1	1	4	7	10	11
35-49	41	2.2	5	1	1	1	2	6	8	9
50-64	16	3.7	26	1	1	2	5	7	17	21
65 +	7	2.3	3	1	1	2	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	4.4	32	< 1	1	2	5	12	16	27
20-34	11	5.1	29	< 1	1	2	10	13	15	15
35-49	8	6.3	11	1	4	6	8	11	12	12
50-64	2	9.0	8	7	7	9	11	11	11	11
65 +	17	9.7	44	2	5	7	14	21	23	23
B. Operated										
0-19 YRS	672	5.6	55	1	2	4	6	12	23	99 +
20-34	103	4.2	24	1	1	2	7	9	12	27
35-49	60	3.5	9	1	1	2	5	8	9	12
50-64	37	3.7	10	1	1	2	6	8	10	11
65 +	13	5.3	19	1	2	4	8	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	1.6	2	< 1	1	1	2	3	5	8
B. Operated	801	2.8	9	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	164	5.2	34	< 1	1	2	7	14	17	27
B. Operated	885	5.2	46	1	2	4	6	11	17	99 +
1. SINGLE DX	884	2.7	8	1	1	1	3	6	8	16
2. MULTIPLE DX	1049	5.2	44	1	1	4	7	11	17	99 +
A. Not Operated	247	4.0	26	< 1	1	2	5	11	14	25
B. Operated	1686	4.1	30	1	1	2	5	8	12	49
TOTAL										
0-19 YRS	1548	4.1	32	1	1	2	5	9	14	51
20-34	180	3.7	19	1	1	2	5	9	11	18
35-49	112	3.2	8	1	1	2	5	8	9	12
50-64	56	3.9	15	1	1	2	6	8	11	20
65 +	37	6.8	35	1	2	5	10	14	21	23
GRAND TOTAL	**1933**	**4.1**	**29**	**1**	**1**	**2**	**5**	**9**	**13**	**39**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	12.9	75	4	7	11	17	23	32	41
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	231	16.1	166	4	7	12	24	37	53	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	29.6	566	7	27	99 +	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	12.9	75	4	7	11	17	23	32	41
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	231	16.1	166	4	7	12	24	37	53	99 +
B. Operated	17	29.6	566	7	27	99 +	99 +	99 +	99 +	99 +
1. SINGLE DX	75	12.9	75	4	7	11	17	23	32	41
2. MULTIPLE DX	248	17.0	203	4	7	14	29	74	99 +	99 +
A. Not Operated	306	15.3	145	4	7	11	22	33	42	99 +
B. Operated	17	29.6	566	7	27	99 +	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	323	16.0	176	4	7	13	27	52	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**323**	**16.0**	**176**	**4**	**7**	**13**	**27**	**52**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	584	2.1	1	1	2	2	2	3	4	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	7.0	36	4	4	4	10	16	16	16
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	2.7	3	1	2	2	3	4	6	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	5.4	9	3	3	4	7	10	11	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	584	2.1	1	1	2	2	2	3	4	5
B. Operated	4	7.0	36	4	4	4	10	16	16	16
2. MULTIPLE DX										
A. Not Operated	195	2.7	3	1	2	2	3	4	6	9
B. Operated	7	5.4	9	3	3	4	7	10	11	11
1. SINGLE DX	588	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX	202	2.8	3	1	2	2	3	5	6	10
A. Not Operated	779	2.3	1	1	2	2	3	3	4	7
B. Operated	11	6.0	17	3	4	4	7	13	16	16
TOTAL										
0-19 YRS	790	2.3	2	1	2	2	3	3	4	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**790**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**8**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	280	3.2	7	1	2	2	4	6	8	15
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	4.5	38	1	1	3	4	9	17	30
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	585	7.4	126	2	2	4	8	17	40	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	127	18.7	529	3	6	13	75	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	281	3.2	7	1	2	2	4	6	8	15
B. Operated	23	4.5	38	1	1	3	4	9	17	30
2. MULTIPLE DX										
A. Not Operated	585	7.4	126	2	2	4	8	17	40	99 +
B. Operated	127	18.7	529	3	6	13	75	99 +	99 +	99 +
1. SINGLE DX	304	3.3	9	1	2	3	4	6	9	16
2. MULTIPLE DX	712	9.4	216	2	3	5	11	49	99 +	99 +
A. Not Operated	866	6.0	91	1	2	3	6	13	22	99 +
B. Operated	150	16.6	479	1	4	10	64	99 +	99 +	99 +
TOTAL										
0-19 YRS	1015	7.6	162	1	2	4	8	23	82	99 +
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**1016**	**7.6**	**162**	**1**	**2**	**4**	**8**	**23**	**81**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	424	2.1	3	1	1	2	3	4	5	9
20-34	102	2.5	2	1	1	2	3	4	6	8
35-49	59	2.9	5	1	1	2	4	5	8	11
50-64	31	2.5	3	< 1	1	2	3	5	6	8
65 +	36	3.4	3	1	2	3	4	7	7	8
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1105	3.2	20	1	1	2	4	5	7	15
20-34	196	3.9	19	1	2	3	5	7	9	14
35-49	232	4.7	24	1	2	3	5	9	13	30
50-64	289	5.1	19	2	2	4	6	10	14	26
65 +	606	8.0	89	2	3	5	8	16	24	69
B. Operated										
0-19 YRS	32	5.3	21	1	2	4	7	10	15	23
20-34	11	11.5	95	2	5	7	14	29	31	31
35-49	21	12.0	231	2	2	6	21	50	74	99 +
50-64	21	9.6	60	4	5	7	14	29	59	99 +
65 +	51	17.3	279	4	7	11	23	40	46	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	652	2.3	3	1	1	2	3	4	5	9
B. Operated	4	2.8	6	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	2428	4.8	41	1	2	3	5	9	14	34
B. Operated	136	12.0	181	2	4	7	15	29	46	99 +
1. SINGLE DX	656	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX	2564	5.2	51	1	2	3	6	10	15	43
A. Not Operated	3080	4.3	34	1	2	3	5	8	12	32
B. Operated	140	11.8	178	2	4	7	15	29	45	99 +
TOTAL										
0-19 YRS	1563	2.9	16	1	1	2	3	5	6	15
20-34	311	3.7	18	1	2	3	5	7	9	20
35-49	312	4.8	38	1	2	3	5	10	13	40
50-64	341	5.2	22	2	2	4	6	10	15	31
65 +	693	8.5	106	2	3	5	9	19	29	73
GRAND TOTAL	**3220**	**4.6**	**43**	**1**	**2**	**3**	**5**	**8**	**14**	**36**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	3.0	2	1	2	3	4	4	5	9
20-34	15	3.4	4	1	2	3	5	6	8	8
35-49	12	3.8	3	2	3	3	4	6	8	8
50-64	8	4.4	9	1	2	3	6	9	10	10
65 +	5	2.0	2	< 1	1	2	3	4	4	4
B. Operated										
0-19 YRS	6	3.0	4	1	1	3	4	6	6	6
20-34	0									
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	624	3.5	8	1	2	3	4	6	8	16
20-34	115	4.9	11	2	3	4	6	8	11	18
35-49	135	5.5	15	2	3	4	7	11	13	20
50-64	143	6.8	26	3	4	5	9	13	16	29
65 +	427	8.2	81	3	4	6	10	15	20	55
B. Operated										
0-19 YRS	43	8.5	69	2	4	6	10	18	29	41
20-34	28	11.6	63	3	6	10	15	23	28	35
35-49	37	9.1	42	3	5	7	11	19	22	32
50-64	31	11.6	55	3	6	10	16	20	22	35
65 +	83	16.2	130	5	8	13	22	33	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	3.1	3	1	2	3	4	5	6	10
B. Operated	7	3.7	7	1	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	1444	5.5	36	2	2	4	7	11	15	26
B. Operated	222	12.3	94	3	6	10	16	25	33	68
1. SINGLE DX	188	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX	1666	6.4	49	2	3	4	8	13	18	35
A. Not Operated	1625	5.2	33	2	2	4	6	10	14	23
B. Operated	229	12.0	93	3	6	10	16	25	33	65
TOTAL										
0-19 YRS	814	3.7	11	1	2	3	4	6	9	18
20-34	156	5.9	27	2	3	5	8	12	16	27
35-49	184	6.1	22	2	3	5	8	12	15	23
50-64	183	7.5	34	3	4	6	10	15	19	33
65 +	515	9.4	97	3	4	7	11	19	26	72
GRAND TOTAL	**1854**	**6.1**	**45**	**2**	**3**	**4**	**7**	**13**	**17**	**34**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.1	3	1	1	2	2	5	6	6
20-34	27	3.4	14	1	1	3	4	5	9	20
35-49	16	2.1	1	1	1	2	3	3	4	4
50-64	5	2.4	2	< 1	1	3	3	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	5	5.8	41	< 1	1	3	10	16	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	3.5	11	< 1	< 1	2	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.8	16	< 1	1	2	3	5	8	27
20-34	69	3.7	9	1	2	3	5	8	9	15
35-49	77	3.7	6	1	2	3	4	7	9	12
50-64	54	3.6	12	1	2	3	4	7	8	23
65 +	62	4.6	11	1	2	4	6	9	10	19
B. Operated										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	10	10.8	457	< 1	2	4	9	40	71	71
35-49	10	5.5	32	1	2	3	8	15	16	16
50-64	9	7.7	17	3	4	8	10	14	15	15
65 +	13	5.4	13	< 1	2	5	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.7	7	1	1	2	3	4	6	19
B. Operated	13	3.8	20	< 1	1	2	5	10	15	16
2. MULTIPLE DX										
A. Not Operated	315	3.7	10	1	2	3	5	7	9	17
B. Operated	45	7.0	112	1	2	4	8	12	15	71
1. SINGLE DX	72	2.9	9	1	1	2	4	5	8	19
2. MULTIPLE DX	360	4.1	24	1	2	3	5	8	10	20
A. Not Operated	374	3.5	10	1	2	3	4	7	9	19
B. Operated	58	6.3	93	1	2	4	8	12	16	67
TOTAL										
0-19 YRS	66	2.8	14	1	1	2	3	6	7	25
20-34	109	4.2	52	1	1	3	4	8	10	41
35-49	108	3.7	9	1	2	3	4	8	10	16
50-64	69	4.0	13	1	2	3	5	8	11	21
65 +	80	4.7	11	1	2	4	6	9	11	18
GRAND TOTAL	**432**	**3.9**	**22**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	3.5	3	1	2	4	5	5	5	5
35-49	5	4.2	5	1	2	5	6	6	6	6
50-64	9	1.8	2	< 1	1	1	2	4	5	5
65 +	12	3.1	6	1	1	2	4	6	9	9
B. Operated										
0-19 YRS	5	5.8	23	1	2	4	9	13	13	13
20-34	8	3.1	2	1	2	3	4	5	6	6
35-49	15	4.2	6	2	3	4	5	5	10	12
50-64	13	3.5	2	2	2	4	4	5	6	6
65 +	25	3.6	2	2	3	3	5	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.8	4	< 1	1	2	4	6	6	6
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	20	3.4	3	1	2	3	5	6	7	7
50-64	39	3.8	6	1	2	4	5	7	9	9
65 +	108	4.8	62	1	2	3	5	8	10	44
B. Operated										
0-19 YRS	6	3.7	7	1	1	4	6	6	6	6
20-34	12	5.3	9	2	3	4	8	10	11	11
35-49	38	4.9	7	2	3	5	7	8	9	14
50-64	82	4.9	9	2	3	4	6	8	11	16
65 +	142	5.7	17	2	3	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.9	4	1	1	2	4	6	6	9
B. Operated	66	3.8	5	2	3	4	5	6	7	13
2. MULTIPLE DX										
A. Not Operated	179	4.3	40	1	2	3	5	7	9	17
B. Operated	280	5.3	13	2	3	5	7	9	11	19
1. SINGLE DX	98	3.5	5	1	2	3	5	6	7	13
2. MULTIPLE DX	459	4.9	23	1	2	4	6	9	10	18
A. Not Operated	211	4.1	35	1	2	3	5	7	9	15
B. Operated	346	5.0	12	2	3	4	6	9	11	18
TOTAL										
0-19 YRS	21	3.7	9	1	1	3	6	7	10	13
20-34	28	4.1	6	1	2	4	5	8	9	11
35-49	78	4.3	6	1	3	4	6	7	8	13
50-64	143	4.3	8	1	2	4	6	7	9	16
65 +	287	5.1	33	1	2	4	6	9	11	21
GRAND TOTAL	**557**	**4.7**	**20**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	6.0	4	3	5	6	7	9	9	9
20-34	4	2.3	2	< 1	1	2	3	4	4	4
35-49	6	2.5	1	1	2	2	3	4	4	4
50-64	5	1.6	2	1	1	1	2	4	4	4
65 +	5	3.2	5	1	2	2	5	6	6	6
B. Operated										
0-19 YRS	16	1.9	4	< 1	1	1	2	6	7	7
20-34	18	1.9	2	< 1	1	1	2	5	6	6
35-49	10	1.2		< 1	1	1	1	2	3	3
50-64	6	1.8	3	1	1	1	2	5	5	5
65 +	4	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	5.1	16	1	2	4	7	11	13	15
20-34	10	6.5	35	1	3	4	9	15	21	21
35-49	32	3.9	26	1	1	3	4	6	15	27
50-64	51	4.9	48	1	2	3	6	10	12	43
65 +	99	7.3	44	2	2	5	10	15	18	36
B. Operated										
0-19 YRS	16	7.3	119	1	1	6	9	38	80	99 +
20-34	13	7.1	49	1	2	4	10	20	21	21
35-49	22	7.1	71	1	1	3	10	17	25	35
50-64	32	7.2	88	1	2	4	9	21	40	99 +
65 +	39	12.8	234	1	2	10	16	31	34	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.2	5	1	1	3	5	6	7	9
B. Operated	54	1.7	2	< 1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated	215	6.0	40	1	2	4	9	12	17	33
B. Operated	122	9.0	135	1	1	5	12	29	35	99 +
1. SINGLE DX	80	2.2	4	< 1	1	1	3	5	7	8
2. MULTIPLE DX	337	7.1	76	1	2	4	10	17	25	50
A. Not Operated	241	5.7	37	1	2	3	8	12	16	28
B. Operated	176	6.8	105	1	1	2	8	19	32	94
TOTAL										
0-19 YRS	61	4.9	41	1	1	3	7	11	17	93
20-34	45	4.4	28	1	1	2	5	10	20	21
35-49	70	4.4	38	1	1	2	4	11	17	33
50-64	94	5.3	58	1	1	2	7	12	23	74
65 +	147	8.5	99	1	2	5	11	18	29	47
GRAND TOTAL	**417**	**6.1**	**66**	**1**	**1**	**3**	**8**	**15**	**21**	**44**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	4	20.5	683	2	4	10	36	59	59	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	25	10.6	160	3	4	7	12	41	63	99 +
B. Operated										
0-19 YRS	6	13.0	171	1	6	9	15	36	38	38
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	18	15.9	115	3	7	15	24	32	34	35
50-64	64	16.2	118	5	8	13	21	34	41	45
65 +	193	19.0	279	5	8	14	24	49	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	8	11.0	396	1	1	2	10	45	59	59
2. MULTIPLE DX										
A. Not Operated	32	9.4	132	2	4	6	10	30	52	99 +
B. Operated	284	17.9	230	5	8	14	23	40	55	98
1. SINGLE DX	10	9.2	323	1	1	2	7	36	59	59
2. MULTIPLE DX	316	17.1	226	4	7	12	22	39	55	99 +
A. Not Operated	34	8.9	127	2	3	6	10	27	51	99 +
B. Operated	292	17.7	234	5	8	13	23	40	56	97
TOTAL										
0-19 YRS	11	8.5	118	1	1	6	10	24	37	38
20-34	5	5.4	7	2	3	5	7	9	9	9
35-49	20	14.7	118	2	5	13	21	32	34	35
50-64	67	15.6	121	4	7	13	20	33	41	45
65 +	223	18.0	276	4	7	12	23	49	62	99 +
GRAND TOTAL	**326**	**16.8**	**230**	**4**	**7**	**12**	**21**	**39**	**55**	**99 +**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.8	2	< 1	1	1	2	4	5	5
20-34	177	2.1	2	1	1	2	3	3	5	8
35-49	744	2.1	2	1	1	2	3	4	4	7
50-64	570	2.3	2	1	1	2	3	4	5	7
65 +	235	2.4	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	2.3	4	1	1	2	3	4	7	9
35-49	116	1.7	2	1	1	1	2	3	4	7
50-64	161	1.6	1	1	1	1	2	3	4	6
65 +	52	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	1.9	1	< 1	1	1	3	4	4	4
20-34	372	2.5	3	1	1	2	3	5	5	10
35-49	1894	2.7	4	1	2	2	3	5	6	10
50-64	2493	3.2	8	1	2	3	4	6	7	12
65 +	2565	3.6	10	1	2	3	4	6	8	14
B. Operated										
0-19 YRS	3	4.3	8	1	2	6	6	6	6	6
20-34	38	3.5	18	1	1	2	4	8	15	20
35-49	297	3.4	14	1	1	2	4	7	9	21
50-64	542	3.2	12	1	1	2	4	7	9	17
65 +	407	4.7	30	1	1	3	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1736	2.2	2	1	1	2	3	4	5	7
B. Operated	346	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	7361	3.2	7	1	2	3	4	6	7	12
B. Operated	1287	3.7	19	1	1	2	5	8	11	22
1. SINGLE DX	2082	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	8648	3.3	9	1	2	3	4	6	8	13
A. Not Operated	9097	3.0	6	1	2	2	4	5	7	11
B. Operated	1633	3.3	16	1	1	2	4	7	9	20
TOTAL										
0-19 YRS	51	2.0	2	< 1	1	1	3	4	5	6
20-34	603	2.4	4	1	1	2	3	4	5	10
35-49	3051	2.6	4	1	1	2	3	5	6	9
50-64	3766	3.0	7	1	2	2	4	5	7	12
65 +	3259	3.7	12	1	2	3	4	7	9	16
GRAND TOTAL	**10730**	**3.0**	**8**	**1**	**2**	**2**	**4**	**6**	**7**	**12**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	2.3	2	1	1	2	3	4	6	7
20-34	6	1.5	2	< 1	< 1	1	1	4	4	4
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	6	1.2		< 1	1	1	1	2	2	2
65 +	8	3.0	4	1	1	2	4	6	7	7
B. Operated										
0-19 YRS	28	1.5	1	1	1	1	2	3	3	5
20-34	4	2.5	9	< 1	< 1	1	4	7	7	7
35-49	6	2.5	8	1	1	2	2	7	8	8
50-64	6	1.3	1	< 1	1	1	1	3	3	3
65 +	10	2.7	2	< 1	2	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	356	4.4	27	1	2	3	5	9	14	25
20-34	24	4.5	24	1	2	3	5	13	16	21
35-49	38	4.0	8	1	1	4	6	8	9	12
50-64	69	4.0	14	1	2	3	5	7	11	21
65 +	162	5.2	27	2	2	4	7	10	13	42
B. Operated										
0-19 YRS	89	5.7	65	1	1	3	7	15	27	99 +
20-34	16	6.3	32	1	2	5	9	16	18	19
35-49	27	4.8	22	1	1	3	7	11	17	18
50-64	50	7.0	96	1	1	3	7	18	30	50
65 +	88	5.9	31	1	2	4	7	15	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	2.2	2	1	1	2	3	4	6	7
B. Operated	54	1.9	2	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	649	4.6	25	1	2	3	5	9	13	27
B. Operated	270	5.9	53	1	1	4	7	15	22	52
1. SINGLE DX	212	2.1	2	1	1	2	3	4	6	7
2. MULTIPLE DX	919	5.0	33	1	2	3	6	11	16	32
A. Not Operated	807	4.1	21	1	2	3	5	8	12	24
B. Operated	324	5.3	47	1	1	3	6	13	19	51
TOTAL										
0-19 YRS	606	4.0	27	1	1	2	4	9	13	28
20-34	50	4.5	24	1	1	2	6	13	16	21
35-49	76	4.1	13	1	1	3	6	8	11	18
50-64	131	4.9	47	1	1	3	5	9	19	38
65 +	268	5.3	27	1	2	4	6	11	15	31
GRAND TOTAL	**1131**	**4.4**	**29**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.6	4	1	1	2	4	5	7	8
20-34	74	2.0	2	1	1	2	2	3	4	10
35-49	78	1.9	1	1	1	2	2	4	4	7
50-64	45	1.9	1	1	1	1	2	4	4	6
65 +	23	2.2	2	< 1	1	2	3	4	5	6
B. Operated										
0-19 YRS	9	1.4	1	< 1	< 1	< 1	1	3	3	3
20-34	6	4.0	3	2	2	4	5	6	6	6
35-49	12	3.8	6	1	2	3	5	8	9	9
50-64	3	5.7	2	4	4	6	7	7	7	7
65 +	5	3.6	1	2	3	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.2	2	< 1	1	1	3	4	5	6
20-34	64	2.8	3	1	1	2	4	5	6	9
35-49	92	2.4	3	1	1	2	3	5	7	8
50-64	97	3.1	8	1	1	2	3	6	10	14
65 +	148	5.0	19	1	2	4	6	11	15	22
B. Operated										
0-19 YRS	21	14.8	110	< 1	4	14	24	27	30	32
20-34	19	5.9	41	1	2	3	8	18	22	22
35-49	35	4.8	19	1	2	4	6	9	13	23
50-64	47	6.1	25	1	3	5	9	13	15	24
65 +	125	8.5	90	1	3	6	10	19	26	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	238	2.0	2	1	1	2	2	4	4	7
B. Operated	35	3.3	5	< 1	1	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	420	3.6	11	1	1	3	4	7	10	16
B. Operated	247	7.9	71	1	3	5	9	20	25	56
1. SINGLE DX	273	2.2	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX	667	5.2	37	1	2	3	6	12	17	28
A. Not Operated	658	3.0	8	1	1	2	4	6	8	15
B. Operated	282	7.3	65	1	2	5	9	19	24	51
TOTAL										
0-19 YRS	67	6.1	70	< 1	1	3	6	23	26	31
20-34	163	2.9	8	1	1	2	3	5	7	21
35-49	217	2.7	6	1	1	2	3	5	7	11
50-64	192	3.6	13	1	1	2	4	8	11	18
65 +	301	6.2	51	1	2	4	7	14	19	48
GRAND TOTAL	**940**	**4.3**	**29**	**1**	**1**	**3**	**5**	**9**	**14**	**27**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	504	1.8	2	1	1	1	2	3	4	7
20-34	500	2.1	2	1	1	2	3	4	5	8
35-49	271	2.6	4	1	1	2	3	5	6	9
50-64	129	2.5	3	1	1	2	3	5	6	10
65 +	76	2.9	3	1	2	2	4	6	7	8
B. Operated										
0-19 YRS	58	3.1	4	1	2	3	4	5	7	12
20-34	72	3.5	7	1	2	3	4	6	9	14
35-49	30	2.8	3	< 1	1	2	4	5	5	9
50-64	17	3.7	5	< 1	2	4	5	7	8	9
65 +	4	6.3	26	< 1	2	5	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	366	2.2	5	1	1	2	3	4	5	11
20-34	523	2.9	5	1	1	2	4	6	7	10
35-49	415	3.5	10	1	2	3	4	7	9	14
50-64	350	4.3	12	1	2	3	5	8	11	16
65 +	688	5.0	20	2	2	4	6	9	12	18
B. Operated										
0-19 YRS	41	4.3	13	1	2	3	5	10	12	19
20-34	125	4.6	19	1	2	3	6	9	14	24
35-49	97	6.2	35	1	3	4	8	14	18	31
50-64	73	5.8	17	1	3	5	9	11	13	20
65 +	124	8.1	62	2	3	6	10	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1480	2.2	2	1	1	2	3	4	5	8
B. Operated	181	3.4	5	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	2342	3.7	12	1	2	3	5	7	10	15
B. Operated	460	6.1	35	1	2	4	8	13	17	28
1. SINGLE DX	1661	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX	2802	4.1	17	1	2	3	5	8	11	19
A. Not Operated	3822	3.1	9	1	1	2	4	6	8	14
B. Operated	641	5.3	28	1	2	4	6	11	15	26
TOTAL										
0-19 YRS	969	2.2	4	1	1	2	3	4	5	10
20-34	1220	2.8	6	1	1	2	3	5	7	13
35-49	813	3.5	12	1	2	3	4	7	9	16
50-64	569	4.1	11	1	2	3	5	8	11	15
65 +	892	5.3	26	2	2	4	7	10	13	25
GRAND TOTAL	**4463**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.8	3	< 1	1	1	2	3	7	8
20-34	9	2.9	3	1	2	3	3	6	7	7
35-49	11	2.0	2	< 1	1	1	3	4	6	6
50-64	5	1.6		1	1	2	2	2	2	2
65 +	3	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	5	3.4	14	< 1	1	2	5	10	10	10
35-49	5	4.0	9	< 1	< 1	5	6	8	8	8
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	166	3.4	52	1	1	2	3	6	11	31
20-34	64	3.4	7	1	2	2	4	7	10	13
35-49	97	4.5	15	1	2	4	6	9	10	23
50-64	126	5.0	24	1	2	3	6	11	17	23
65 +	343	6.2	24	2	3	5	8	13	16	25
B. Operated										
0-19 YRS	69	3.7	43	1	1	1	3	9	17	37
20-34	65	3.0	24	1	1	1	3	6	10	29
35-49	56	5.1	87	1	1	2	5	11	21	57
50-64	53	8.2	112	1	1	5	11	17	22	60
65 +	119	9.8	101	1	2	7	13	25	33	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	1.9	3	1	1	1	2	4	6	8
B. Operated	20	3.4	8	< 1	1	2	4	8	9	10
2. MULTIPLE DX										
A. Not Operated	796	5.0	29	1	2	3	6	11	15	25
B. Operated	362	6.5	83	1	1	3	8	17	26	47
1. SINGLE DX	78	2.3	4	< 1	1	2	3	5	8	10
2. MULTIPLE DX	1158	5.4	46	1	1	3	7	12	18	33
A. Not Operated	854	4.8	28	1	2	3	6	10	14	25
B. Operated	382	6.3	79	1	1	3	7	17	25	47
TOTAL										
0-19 YRS	270	3.3	44	1	1	2	3	7	11	32
20-34	143	3.2	15	1	1	2	4	7	9	22
35-49	169	4.5	38	1	1	3	6	9	11	32
50-64	186	5.8	50	1	2	4	7	13	18	37
65 +	468	7.1	46	1	3	5	9	16	22	41
GRAND TOTAL	**1236**	**5.2**	**44**	**1**	**1**	**3**	**6**	**11**	**17**	**33**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0- 780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790- 799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	241	3.2	9	1	1	2	4	7	9	16
20-34	62	2.7	6	1	1	2	4	5	7	14
35-49	108	2.1	2	1	1	2	3	4	5	8
50-64	147	2.6	3	1	1	2	3	5	6	8
65 +	181	3.4	7	1	2	3	4	6	7	17
B. Operated										
0-19 YRS	33	2.3	5	< 1	1	1	2	5	9	10
20-34	23	1.2		< 1	1	1	1	2	3	3
35-49	36	1.6	1	1	1	1	2	3	4	5
50-64	25	1.3		1	1	1	2	2	3	3
65 +	18	3.3	12	1	1	2	3	7	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	671	5.3	37	1	2	3	7	12	16	35
20-34	234	3.5	20	1	1	2	4	7	9	24
35-49	421	3.9	23	1	2	3	4	7	10	24
50-64	902	4.1	16	1	2	3	5	8	10	18
65 +	3430	5.9	45	2	3	4	7	11	16	36
B. Operated										
0-19 YRS	171	8.5	157	1	2	5	8	23	34	91
20-34	67	3.6	17	1	1	2	4	9	13	22
35-49	99	3.9	41	< 1	1	2	4	9	12	39
50-64	142	5.2	37	1	1	3	7	12	18	31
65 +	483	10.1	158	2	4	7	11	21	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	739	2.9	6	1	1	2	4	6	8	15
B. Operated	135	1.9	4	< 1	1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	5658	5.3	38	1	2	4	6	10	14	33
B. Operated	962	8.0	125	1	2	5	10	18	31	99
1. SINGLE DX	874	2.8	6	1	1	2	3	5	7	15
2. MULTIPLE DX	6620	5.7	51	1	2	4	7	11	17	41
A. Not Operated	6397	5.0	34	1	2	3	6	10	14	32
B. Operated	1097	7.3	114	1	1	4	9	17	29	96
TOTAL										
0-19 YRS	1116	5.3	51	1	2	3	6	12	17	38
20-34	386	3.3	17	1	1	2	4	7	9	19
35-49	664	3.5	22	1	1	2	4	7	9	22
50-64	1216	4.0	17	1	2	3	5	8	11	18
65 +	4112	6.3	59	2	3	4	7	12	18	48
GRAND TOTAL	**7494**	**5.4**	**47**	**1**	**2**	**3**	**6**	**11**	**15**	**38**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	33.5	615	5	14	33	52	63	63	63
20-34	2	40.0	1682	11	11	40	69	69	69	69
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	22.0		22	22	22	22	22	22	22
B. Operated										
0-19 YRS	11	32.3	375	17	19	23	49	82	97	99 +
20-34	14	32.9	235	15	19	37	50	96	99 +	99 +
35-49	4	26.8	327	3	15	28	38	47	47	47
50-64	3	29.7	444	17	17	18	45	54	54	54
65 +	3	48.0	331	37	37	38	61	69	69	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	29.6	669	2	8	23	52	67	69	69
B. Operated	35	33.0	300	16	19	31	47	73	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	43	32.4	356	15	19	28	47	69	99 +	99 +
A. Not Operated	8	29.6	669	2	8	23	52	67	69	69
B. Operated	35	33.0	300	16	19	31	47	73	99 +	99 +
TOTAL										
0-19 YRS	15	32.6	400	16	19	24	49	74	92	99 +
20-34	16	33.8	321	15	19	37	53	90	99 +	99 +
35-49	5	21.6	378	1	2	28	33	47	47	47
50-64	3	29.7	444	17	17	18	45	54	54	54
65 +	4	41.5	390	22	29	37	53	69	69	69
GRAND TOTAL	**43**	**32.4**	**356**	**15**	**19**	**28**	**47**	**69**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	1.7	2	1	1	1	2	4	4	7
20-34	4	8.3	64	<1	1	7	15	17	17	17
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	21	4.4	7	1	2	4	6	8	9	9
20-34	3	5.3	16	1	2	6	8	9	9	9
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	2.8	9	1	1	2	3	6	10	15
20-34	20	6.7	29	2	3	5	10	13	18	22
35-49	5	4.2	8	1	2	3	6	8	8	8
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	5	6.4	18	3	3	5	9	13	13	13
B. Operated										
0-19 YRS	51	9.0	66	2	4	6	11	19	24	44
20-34	44	12.6	165	2	3	8	17	34	41	55
35-49	21	19.4	302	1	7	13	33	46	54	58
50-64	7	25.1	508	4	11	33	72	99+	99+	99+
65+	13	20.5	182	8	14	17	25	37	53	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	1.9	4	<1	1	1	2	4	5	13
B. Operated	27	4.4	7	1	2	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	151	3.5	13	1	1	2	5	8	12	18
B. Operated	136	13.7	186	2	4	9	18	37	48	99+
1. SINGLE DX	180	2.3	5	1	1	1	3	5	7	12
2. MULTIPLE DX	287	8.3	120	1	2	4	11	21	36	61
A. Not Operated	304	2.7	9	1	1	2	3	6	9	15
B. Operated	163	12.1	168	2	4	8	16	33	45	94
TOTAL										
0-19 YRS	336	3.4	20	1	1	2	4	8	11	23
20-34	71	10.4	120	2	3	7	14	21	37	53
35-49	29	15.1	269	1	3	9	24	42	50	58
50-64	11	17.2	428	2	4	12	49	99+	99+	99+
65+	20	15.2	174	2	4	14	18	30	44	57
GRAND TOTAL	**467**	**6.0**	**85**	**1**	**1**	**2**	**6**	**15**	**24**	**57**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	1.9	2	1	1	1	2	4	4	8
20-34	11	2.3	2	<1	1	2	3	4	4	4
35-49	4	2.5	6	1	1	2	4	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	7	3.7	4	1	2	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	4.1	12	1	2	3	6	9	11	17
20-34	35	6.1	86	1	2	3	6	12	20	53
35-49	27	5.6	14	2	3	4	8	10	12	17
50-64	12	7.1	33	2	4	6	8	15	22	23
65+	21	17.3	378	3	5	12	19	49	70	72
B. Operated										
0-19 YRS	29	10.2	136	2	3	7	12	26	40	50
20-34	54	9.9	106	2	4	7	13	19	22	67
35-49	34	12.4	99	3	5	11	17	25	30	48
50-64	6	24.5	351	4	16	22	25	56	59	59
65+	15	25.8	386	6	10	23	40	57	62	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.0	2	1	1	1	2	4	4	8
B. Operated	8	3.9	3	1	3	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	201	6.2	78	1	2	4	7	12	18	61
B. Operated	138	12.9	174	2	4	9	16	27	45	65
1. SINGLE DX	103	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	339	8.9	128	1	3	5	11	20	29	65
A. Not Operated	296	4.9	57	1	1	3	6	9	15	45
B. Operated	146	12.4	169	2	4	8	15	26	42	64
TOTAL										
0-19 YRS	218	4.1	31	1	1	2	5	9	12	33
20-34	101	7.7	93	1	2	5	10	16	21	61
35-49	65	9.0	70	2	3	6	12	20	25	45
50-64	20	11.9	186	2	3	7	17	25	42	59
65+	38	19.9	384	3	6	13	24	54	67	72
GRAND TOTAL	**442**	**7.4**	**107**	**1**	**2**	**4**	**9**	**17**	**24**	**59**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.3		< 1	1	1	2	2	2	2
20-34	11	1.6	1	< 1	< 1	1	2	3	4	4
35-49	6	1.7	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	86	1.4	1	< 1	1	1	2	3	3	4
20-34	146	2.3	4	1	1	2	3	4	5	11
35-49	31	1.9	2	< 1	1	1	2	3	6	7
50-64	10	2.0	3	1	1	1	2	5	6	6
65 +	3	3.3	5	2	2	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.3	2	1	1	2	3	4	5	6
20-34	34	2.4	3	< 1	1	2	3	5	5	8
35-49	16	4.4	16	< 1	2	3	6	8	14	17
50-64	10	2.8	2	< 1	1	3	4	5	5	5
65 +	20	6.4	157	1	2	4	5	7	33	59
B. Operated										
0-19 YRS	173	3.3	13	1	1	2	4	7	9	21
20-34	321	3.8	17	1	1	3	5	8	10	20
35-49	133	5.2	39	1	1	4	7	10	17	54
50-64	52	6.8	119	1	1	3	8	16	23	64
65 +	55	7.6	39	2	3	6	10	15	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.5	1	< 1	1	1	2	3	3	4
B. Operated	276	2.0	3	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	109	3.4	34	1	1	2	4	6	7	34
B. Operated	734	4.5	30	1	1	3	5	9	13	30
1. SINGLE DX	305	1.9	3	< 1	1	1	2	4	5	7
2. MULTIPLE DX	843	4.3	31	1	1	3	5	9	12	30
A. Not Operated	138	3.0	27	< 1	1	2	4	5	7	22
B. Operated	1010	3.8	24	1	1	2	4	8	11	28
TOTAL										
0-19 YRS	300	2.6	9	1	1	2	3	5	8	14
20-34	512	3.2	13	1	1	2	4	7	9	18
35-49	186	4.5	31	1	1	3	6	9	14	39
50-64	72	5.6	90	1	1	2	5	13	21	59
65 +	78	7.1	67	2	3	5	8	15	17	53
GRAND TOTAL	**1148**	**3.7**	**25**	**1**	**1**	**2**	**4**	**8**	**10**	**28**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	3.9	22	1	1	3	5	7	9	31
20-34	90	4.5	29	1	2	3	6	8	10	35
35-49	60	5.7	83	1	2	3	6	10	15	63
50-64	47	4.5	12	1	2	4	6	9	10	17
65 +	45	7.1	20	2	4	6	10	15	18	18
B. Operated										
0-19 YRS	14	7.8	22	3	5	7	8	15	19	20
20-34	16	8.8	68	2	4	7	10	16	29	35
35-49	5	12.2	29	7	8	11	16	20	20	20
50-64	1	14.0		14	14	14	14	14	14	14
65 +	2	12.5	85	6	6	12	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	5.8	60	1	3	4	6	10	12	48
20-34	129	5.4	15	2	3	4	6	11	13	20
35-49	93	6.9	37	2	3	6	8	11	17	38
50-64	103	7.6	49	2	4	6	9	15	20	43
65 +	531	11.4	128	4	6	9	13	23	33	97
B. Operated										
0-19 YRS	34	10.5	110	2	4	8	11	22	32	53
20-34	79	12.7	110	3	6	10	15	28	40	86
35-49	43	15.6	192	4	7	14	18	31	52	65
50-64	30	17.3	287	3	7	14	22	44	80	99 +
65 +	80	19.6	259	4	9	16	26	52	68	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	5.1	36	1	2	4	6	10	13	29
B. Operated	38	9.2	44	3	5	7	11	18	20	35
2. MULTIPLE DX										
A. Not Operated	905	9.4	96	2	4	7	11	18	26	72
B. Operated	266	15.5	196	3	6	12	20	38	56	99 +
1. SINGLE DX	328	5.5	38	1	2	4	7	10	15	32
2. MULTIPLE DX	1171	10.8	125	3	4	8	13	22	33	89
A. Not Operated	1195	8.3	85	2	3	6	10	17	23	55
B. Operated	304	14.7	181	3	6	11	19	34	53	99 +
TOTAL										
0-19 YRS	145	6.5	61	1	2	4	8	11	20	48
20-34	314	7.2	56	2	3	5	9	14	22	46
35-49	201	8.5	97	2	3	6	10	17	23	63
50-64	181	8.4	95	2	3	6	10	17	24	74
65 +	658	12.1	145	4	6	9	14	25	39	99
GRAND TOTAL	**1499**	**9.6**	**111**	**2**	**4**	**7**	**11**	**20**	**30**	**76**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	1	40.0		40	40	40	40	40	40	40
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	3	14.0	7	12	12	13	16	17	17	17
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	7.5	22	3	3	7	11	12	12	12
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	9.5	25	6	6	9	13	13	13	13
65 +	9	15.0	144	2	7	9	24	34	35	35
B. Operated										
0-19 YRS	12	22.8	428	8	12	18	32	86	97	99 +
20-34	30	27.2	518	9	16	24	50	99 +	99 +	99 +
35-49	16	33.7	524	10	17	40	75	99 +	99 +	99 +
50-64	2	29.0	512	13	13	29	45	45	45	45
65 +	5	25.0	261	12	16	24	88	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	10.6	278	< 1	1	2	16	40	40	40
B. Operated	7	12.1	21	5	8	13	16	17	17	17
2. MULTIPLE DX										
A. Not Operated	16	11.8	98	3	5	9	14	31	34	35
B. Operated	65	27.9	470	9	15	24	54	99 +	99 +	99 +
1. SINGLE DX	12	11.5	113	1	4	10	15	24	38	40
2. MULTIPLE DX	81	24.7	435	6	13	21	45	99 +	99 +	99 +
A. Not Operated	21	11.5	129	1	4	9	13	33	37	40
B. Operated	72	26.3	447	9	13	22	49	99 +	99 +	99 +
TOTAL										
0-19 YRS	15	20.3	367	7	9	16	25	77	95	99 +
20-34	39	22.8	467	4	12	18	29	99 +	99 +	99 +
35-49	20	30.2	508	6	15	34	62	99 +	99 +	99 +
50-64	5	15.8	289	2	5	13	21	45	45	45
65 +	14	18.6	194	4	9	18	33	95	99 +	99 +
GRAND TOTAL	**93**	**23.0**	**412**	**5**	**12**	**18**	**41**	**99 +**	**99 +**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.5	1	< 1	1	1	2	3	3	3
20-34	23	2.2	2	1	1	2	3	4	5	7
35-49	21	2.6	3	1	1	2	4	4	6	8
50-64	19	2.5	3	1	1	2	3	5	6	6
65 +	12	2.8	3	1	2	2	3	5	7	7
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.9	4	1	2	2	3	6	7	9
20-34	86	3.6	10	1	1	3	5	7	8	18
35-49	113	4.0	6	1	2	4	6	7	8	12
50-64	134	5.3	16	1	3	4	7	11	14	19
65 +	389	8.7	93	2	3	6	11	17	27	70
B. Operated										
0-19 YRS	12	8.8	246	1	2	4	6	24	53	58
20-34	31	6.4	25	2	3	5	8	14	19	19
35-49	58	7.9	42	2	3	6	11	16	24	94
50-64	46	11.6	153	2	6	8	13	24	32	73
65 +	81	15.0	200	4	6	11	19	31	43	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.4	2	1	1	2	3	4	6	8
B. Operated	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	751	6.6	58	1	2	5	8	14	18	52
B. Operated	228	11.0	138	2	4	8	14	24	33	91
1. SINGLE DX	87	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX	979	7.6	80	2	3	5	9	16	23	68
A. Not Operated	836	6.2	54	1	2	4	7	13	17	49
B. Operated	230	11.0	137	2	4	8	14	24	33	91
TOTAL										
0-19 YRS	51	4.0	64	1	1	2	4	6	9	57
20-34	141	4.0	14	1	1	3	5	8	12	19
35-49	192	5.0	20	1	2	4	6	10	14	32
50-64	199	6.5	55	1	2	5	8	13	17	36
65 +	483	9.6	115	2	3	6	12	21	31	82
GRAND TOTAL	**1066**	**7.2**	**76**	**1**	**2**	**5**	**8**	**15**	**22**	**65**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	4.0	9	1	2	3	5	7	11	13
20-34	27	7.9	150	1	2	4	6	34	41	42
35-49	16	5.6	18	1	3	5	6	12	16	18
50-64	20	5.7	10	2	3	5	7	8	12	16
65 +	59	10.1	114	3	5	8	12	17	20	75
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	5.0	7	2	3	6	7	7	7	7
35-49	2	11.5	1	11	11	11	12	12	12	12
50-64	1	17.0		17	17	17	17	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	6.4	29	2	3	4	7	15	19	23
20-34	70	9.8	137	2	4	7	11	19	35	71
35-49	56	10.5	107	3	5	7	13	19	32	56
50-64	62	12.9	143	4	6	8	14	29	39	61
65 +	573	14.7	164	4	7	11	18	31	44	96
B. Operated										
0-19 YRS	25	19.3	209	4	10	13	23	42	55	55
20-34	66	19.6	327	5	8	14	26	49	59	95
35-49	28	21.8	374	7	9	16	31	47	95	99 +
50-64	29	24.7	212	9	14	24	37	49	58	99 +
65 +	92	24.1	312	7	11	20	30	55	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	7.8	87	2	3	6	8	16	19	47
B. Operated	7	8.4	27	2	4	7	12	16	17	17
2. MULTIPLE DX										
A. Not Operated	808	13.4	153	4	6	10	17	27	38	81
B. Operated	240	22.2	301	6	10	17	29	51	59	99 +
1. SINGLE DX	144	7.9	83	2	3	6	9	16	19	44
2. MULTIPLE DX	1048	15.4	200	4	6	11	20	33	50	99
A. Not Operated	945	12.6	147	3	5	9	15	26	37	77
B. Operated	247	21.8	298	6	10	17	29	50	58	99 +
TOTAL										
0-19 YRS	88	9.6	112	2	3	5	13	22	31	55
20-34	166	13.3	237	2	5	8	16	29	47	76
35-49	102	12.9	195	3	5	8	15	31	46	97
50-64	112	14.7	177	4	6	8	22	37	45	77
65 +	724	15.5	190	4	7	11	20	32	50	99 +
GRAND TOTAL	**1192**	**14.5**	**192**	**3**	**6**	**10**	**18**	**32**	**46**	**97**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.0	4	1	1	1	2	4	6	11
20-34	7	1.9	2	< 1	1	1	2	4	5	5
35-49	6	2.8	7	1	1	2	5	7	7	7
50-64	4	1.8		1	1	2	2	2	2	2
65 +	15	5.2	60	1	2	3	5	10	26	32
B. Operated										
0-19 YRS	400	2.1	4	1	1	2	2	4	6	13
20-34	44	2.9	4	1	1	2	4	6	7	10
35-49	40	4.7	53	1	2	3	5	8	14	45
50-64	44	4.3	17	2	2	3	5	7	11	25
65 +	52	4.7	19	1	2	4	5	9	13	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.4	7	1	2	2	5	7	9	11
20-34	10	4.6	14	< 1	3	4	5	11	13	13
35-49	9	8.7	75	1	3	5	12	23	29	29
50-64	26	5.1	21	1	2	4	7	11	16	19
65 +	169	10.3	154	2	3	7	13	23	30	69
B. Operated										
0-19 YRS	110	3.9	21	1	1	2	4	10	14	23
20-34	61	8.4	131	1	2	4	11	22	36	56
35-49	43	5.2	29	1	2	4	7	10	16	30
50-64	87	8.4	139	2	3	5	8	14	26	69
65 +	300	10.7	129	2	4	7	13	28	37	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	2.7	16	1	1	2	3	5	7	27
B. Operated	580	2.8	11	1	1	2	3	5	8	16
2. MULTIPLE DX										
A. Not Operated	234	8.8	123	1	2	5	11	18	27	64
B. Operated	601	8.5	110	1	3	5	10	21	32	73
1. SINGLE DX	656	2.8	12	1	1	2	3	5	8	16
2. MULTIPLE DX	835	8.6	114	1	2	5	10	19	30	69
A. Not Operated	310	7.3	104	1	2	4	9	16	26	60
B. Operated	1181	5.7	70	1	1	3	6	13	21	57
TOTAL										
0-19 YRS	574	2.5	8	1	1	2	3	5	8	16
20-34	122	5.8	75	1	1	3	6	11	22	51
35-49	98	5.2	42	1	2	3	6	9	17	38
50-64	161	6.6	87	2	3	4	7	11	20	67
65 +	536	9.8	128	2	3	6	12	25	33	88
GRAND TOTAL	**1491**	**6.0**	**77**	**1**	**2**	**3**	**7**	**14**	**23**	**58**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.1		1	1	1	1	2	2	2
20-34	10	1.6	1	< 1	1	1	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	4	2.8	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	495	1.6	3	1	1	1	2	3	4	6
20-34	147	2.3	4	1	1	2	3	4	5	11
35-49	139	1.9	1	1	1	1	3	3	4	5
50-64	120	1.9	1	1	1	2	2	3	4	6
65 +	99	2.3	4	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	17	1	1	2	4	10	14	14
20-34	14	3.0	8	1	2	2	3	7	11	12
35-49	12	4.6	14	1	1	4	7	10	12	12
50-64	8	5.3	9	2	3	5	6	10	11	11
65 +	44	8.0	91	1	3	7	9	14	31	99 +
B. Operated										
0-19 YRS	143	2.8	8	1	1	2	4	5	9	15
20-34	140	5.6	35	1	2	4	7	12	19	29
35-49	140	5.0	46	1	2	3	6	9	13	35
50-64	104	4.0	12	1	2	3	5	8	12	18
65 +	224	7.7	126	1	2	4	9	18	27	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	1.6	1	1	1	1	2	3	4	4
B. Operated	1000	1.8	3	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	89	6.0	55	1	2	4	8	13	14	85
B. Operated	751	5.4	59	1	2	3	6	11	18	48
1. SINGLE DX	1038	1.8	3	1	1	1	2	3	4	7
2. MULTIPLE DX	840	5.4	58	1	2	3	6	11	18	48
A. Not Operated	127	4.6	43	1	1	3	6	10	14	70
B. Operated	1751	3.4	30	1	1	2	3	7	10	28
TOTAL										
0-19 YRS	667	1.9	5	1	1	1	2	4	5	9
20-34	311	3.8	20	1	1	2	4	9	12	25
35-49	294	3.5	25	1	1	2	4	7	9	30
50-64	235	2.9	8	1	1	2	4	5	8	17
65 +	371	6.3	94	1	2	3	7	14	22	67
GRAND TOTAL	**1878**	**3.4**	**31**	**1**	**1**	**2**	**3**	**7**	**11**	**28**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	8	2.9	2	1	2	3	4	4	4	4
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	109	1.6	2	< 1	1	1	2	3	4	11
20-34	142	1.7	2	1	1	1	2	3	4	8
35-49	58	1.8	1	< 1	1	1	2	3	4	5
50-64	22	1.6	1	1	1	1	2	3	4	4
65 +	12	2.7	4	< 1	1	2	4	5	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.5	205	< 1	1	2	9	34	37	37
20-34	11	1.8	2	< 1	1	1	2	4	5	5
35-49	8	4.3	13	1	1	3	7	10	10	10
50-64	8	4.0	10	1	1	3	6	8	9	9
65 +	7	10.9	46	5	6	9	14	22	24	24
B. Operated										
0-19 YRS	70	3.3	40	1	1	2	3	6	8	42
20-34	116	3.1	9	1	1	2	4	6	8	18
35-49	74	2.2	3	1	1	2	3	4	6	9
50-64	44	3.5	20	1	1	2	4	6	10	27
65 +	40	5.7	70	1	1	3	5	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.7	2	1	1	3	4	4	5	5
B. Operated	343	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	40	5.3	49	1	1	2	7	10	19	37
B. Operated	344	3.3	23	1	1	2	3	6	9	27
1. SINGLE DX	363	1.8	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	384	3.5	26	1	1	2	4	6	10	28
A. Not Operated	60	4.5	35	1	1	2	5	9	13	36
B. Operated	687	2.5	13	1	1	2	3	4	6	19
TOTAL										
0-19 YRS	192	2.5	23	1	1	1	2	4	8	33
20-34	277	2.3	6	1	1	2	3	4	6	16
35-49	144	2.2	3	1	1	2	3	4	5	9
50-64	75	3.0	13	1	1	2	4	6	8	24
65 +	59	5.7	58	1	1	3	6	15	22	41
GRAND TOTAL	**747**	**2.7**	**15**	**1**	**1**	**2**	**3**	**5**	**7**	**20**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	6.4	65	1	2	3	9	16	27	31
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	6.7		6	6	7	7	7	7	7
65 +	30	8.6	27	3	5	8	11	14	18	26
B. Operated										
0-19 YRS	43	5.2	18	2	2	4	8	9	14	20
20-34	14	5.8	8	3	3	5	8	10	11	11
35-49	41	6.4	9	3	4	6	8	10	12	16
50-64	83	8.4	20	4	5	7	10	15	17	24
65 +	357	12.4	37	6	8	11	15	21	25	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	16.1	178	2	6	13	22	35	45	48
20-34	3	36.3	836	5	14	42	57	62	62	62
35-49	3	15.0	7	12	13	16	17	17	17	17
50-64	22	15.3	327	2	6	10	16	33	57	84
65 +	289	15.8	209	4	7	13	19	38	60	99 +
B. Operated										
0-19 YRS	44	9.7	29	3	6	9	12	17	21	25
20-34	41	15.1	170	5	7	10	21	38	54	99 +
35-49	74	15.6	177	5	7	11	17	36	41	72
50-64	299	14.1	104	7	8	11	16	26	36	99 +
65 +	4268	17.9	158	8	10	14	21	34	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	7.5	36	2	3	6	10	14	18	31
B. Operated	538	10.6	37	4	7	10	13	18	23	33
2. MULTIPLE DX										
A. Not Operated	331	16.0	219	3	7	13	19	39	59	99 +
B. Operated	4726	17.5	155	7	10	14	21	33	47	99 +
1. SINGLE DX	590	10.3	38	3	6	9	13	18	23	32
2. MULTIPLE DX	5057	17.4	160	7	10	14	21	33	47	99 +
A. Not Operated	383	14.8	202	3	6	11	18	33	50	99 +
B. Operated	5264	16.8	148	7	10	13	20	32	44	99 +
TOTAL										
0-19 YRS	117	8.4	58	2	3	7	10	19	22	39
20-34	59	13.8	192	4	5	8	15	38	54	96
35-49	120	12.2	132	4	6	9	14	22	38	66
50-64	407	12.9	103	5	7	11	15	24	34	90
65 +	4944	17.3	154	7	10	14	20	33	46	99 +
GRAND TOTAL	**5647**	**16.7**	**152**	**7**	**9**	**13**	**20**	**32**	**44**	**99 +**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	11.9	105	1	2	13	20	23	29	44
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	4	19.3	113	4	12	23	26	27	27	27
B. Operated										
0-19 YRS	159	7.6	81	1	2	4	9	21	26	37
20-34	31	9.4	99	2	4	7	12	15	17	57
35-49	7	8.1	21	4	5	6	12	15	16	16
50-64	7	22.1	931	7	8	12	14	76	91	91
65 +	15	12.5	33	5	9	11	16	21	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	13.3	140	2	3	11	20	27	41	48
20-34	6	19.3	1111	2	2	7	11	79	87	87
35-49	4	10.0	217	1	2	3	18	32	32	32
50-64	11	28.4	1159	3	5	14	58	83	91	92
65 +	108	18.4	380	2	5	11	26	50	68	99 +
B. Operated										
0-19 YRS	194	13.3	148	3	5	10	19	28	37	86
20-34	133	13.9	103	4	7	11	17	26	32	52
35-49	60	21.4	344	6	10	13	26	54	67	79
50-64	48	19.8	381	6	10	14	23	69	99 +	99 +
65 +	238	21.6	339	7	10	16	28	53	79	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	12.0	106	1	2	13	20	26	28	43
B. Operated	219	8.7	108	1	2	5	12	19	26	58
2. MULTIPLE DX										
A. Not Operated	209	16.8	348	2	4	11	23	45	64	96
B. Operated	673	17.5	255	4	8	13	21	38	65	99 +
1. SINGLE DX	321	9.8	110	1	2	6	15	22	27	56
2. MULTIPLE DX	882	17.4	277	3	7	12	22	41	65	99 +
A. Not Operated	311	15.3	273	2	3	11	21	33	51	92
B. Operated	892	15.4	233	3	6	11	19	33	55	99 +
TOTAL										
0-19 YRS	529	11.3	124	1	3	8	18	24	31	61
20-34	172	13.1	135	3	6	11	16	25	32	61
35-49	71	19.5	322	5	9	12	24	47	65	79
50-64	66	21.4	550	5	9	13	22	75	99	99 +
65 +	365	20.3	340	5	9	15	26	49	74	99 +
GRAND TOTAL	**1203**	**15.3**	**243**	**2**	**5**	**11**	**20**	**33**	**54**	**99 +**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.2	5	1	1	2	2	4	5	16
20-34	18	3.3	12	< 1	1	2	5	6	12	15
35-49	20	3.2	6	1	1	2	4	7	9	9
50-64	15	4.5	29	1	2	3	4	10	19	22
65 +	10	6.2	10	1	3	7	9	10	10	10
B. Operated										
0-19 YRS	206	2.9	6	1	1	2	4	5	7	13
20-34	210	4.4	10	1	2	4	6	9	12	15
35-49	162	4.8	16	1	2	4	6	10	12	22
50-64	68	5.4	15	2	3	5	7	10	12	22
65 +	41	8.1	43	2	3	7	10	17	22	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.3	11	1	1	3	4	6	8	19
20-34	20	7.6	40	2	3	5	11	17	21	24
35-49	28	7.3	86	1	2	4	8	14	35	40
50-64	27	8.8	114	2	3	6	8	21	32	52
65 +	121	11.6	110	3	5	8	14	26	32	50
B. Operated										
0-19 YRS	155	6.5	50	1	2	4	7	15	19	35
20-34	247	12.1	171	2	4	8	15	29	38	68
35-49	179	8.9	69	2	4	7	11	20	22	62
50-64	150	13.8	196	3	5	9	17	37	44	99 +
65 +	200	16.6	203	3	8	14	20	32	40	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	3.1	11	1	1	2	4	7	9	18
B. Operated	687	4.4	14	1	2	3	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	229	9.2	95	2	3	6	11	22	29	43
B. Operated	931	11.8	153	2	4	8	15	26	38	81
1. SINGLE DX	814	4.2	14	1	2	3	5	9	12	19
2. MULTIPLE DX	1160	11.3	143	2	4	8	14	25	36	76
A. Not Operated	356	7.0	73	1	2	4	8	16	25	39
B. Operated	1618	8.7	108	1	3	5	11	20	29	59
TOTAL										
0-19 YRS	458	4.1	24	1	1	3	4	8	14	29
20-34	495	8.4	106	1	3	5	10	17	29	52
35-49	389	6.8	49	2	3	5	8	14	20	39
50-64	260	10.6	145	2	4	7	12	26	39	89
65 +	372	13.7	160	3	6	10	18	27	36	80
GRAND TOTAL	**1974**	**8.4**	**102**	**1**	**2**	**5**	**10**	**19**	**28**	**52**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.5	10	1	1	2	3	4	7	17
20-34	45	2.4	2	< 1	1	2	3	4	6	6
35-49	30	4.3	11	1	3	3	5	8	9	17
50-64	23	2.5	3	< 1	1	2	3	5	6	7
65 +	18	3.3	3	1	2	3	4	6	7	8
B. Operated										
0-19 YRS	314	2.7	5	1	1	2	3	5	6	12
20-34	487	3.3	7	1	2	3	4	5	8	12
35-49	432	3.6	5	1	2	3	4	6	8	12
50-64	308	4.3	6	2	3	4	5	8	9	12
65 +	160	5.4	23	2	3	4	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.4	3	< 1	1	2	3	5	6	8
20-34	52	3.8	9	1	2	3	5	7	9	18
35-49	41	5.0	12	1	3	4	6	9	12	17
50-64	39	5.5	22	1	2	5	7	10	16	22
65 +	107	9.3	101	2	4	6	11	21	30	54
B. Operated										
0-19 YRS	143	4.7	26	1	2	3	6	10	11	19
20-34	332	6.2	47	2	3	4	7	13	19	50
35-49	347	6.7	59	2	3	4	7	14	20	52
50-64	337	7.2	82	2	3	5	8	14	19	62
65 +	434	9.9	81	3	5	8	12	20	25	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	3.0	6	1	1	2	4	5	7	17
B. Operated	1701	3.6	8	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	264	6.4	54	1	2	4	7	13	20	40
B. Operated	1593	7.4	67	2	3	5	9	15	21	56
1. SINGLE DX	1843	3.6	8	1	2	3	4	7	8	15
2. MULTIPLE DX	1857	7.2	65	2	3	5	9	15	21	52
A. Not Operated	406	5.2	40	1	2	3	6	10	17	31
B. Operated	3294	5.4	40	1	2	4	6	10	16	32
TOTAL										
0-19 YRS	508	3.2	12	1	1	2	4	6	9	15
20-34	916	4.3	23	1	2	3	5	8	12	26
35-49	850	4.9	30	1	2	4	6	9	13	29
50-64	707	5.7	45	2	3	4	7	10	14	26
65 +	719	8.7	73	2	4	6	10	18	24	66
GRAND TOTAL	**3700**	**5.4**	**40**	**1**	**2**	**4**	**6**	**10**	**16**	**32**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	4	4.0	4	1	3	5	5	5	5	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	6	2.5	4	< 1	1	2	4	6	6	6
20-34	11	2.5	4	< 1	1	2	3	6	7	7
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.1	8	1	1	2	3	7	10	11
20-34	38	3.1	6	1	2	3	3	6	9	12
35-49	14	4.1	10	1	2	3	7	9	10	10
50-64	22	4.9	16	1	2	4	7	9	13	18
65 +	29	14.8	311	3	5	7	14	39	55	77
B. Operated										
0-19 YRS	9	3.1	7	1	1	2	4	7	9	9
20-34	12	2.9	4	1	1	2	4	6	8	8
35-49	19	3.8	5	2	2	3	5	8	9	9
50-64	4	3.5	10	1	1	2	5	8	8	8
65 +	11	9.1	53	3	4	5	14	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.5	4	1	1	2	5	5	6	6
B. Operated	24	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	118	6.4	104	1	2	3	7	11	22	61
B. Operated	55	4.5	19	1	2	3	5	9	14	22
1. SINGLE DX	38	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX	173	5.8	78	1	2	3	7	10	18	51
A. Not Operated	132	6.0	95	1	2	3	7	10	18	58
B. Operated	79	3.9	15	1	2	3	4	8	10	22
TOTAL										
0-19 YRS	33	3.0	6	1	1	2	4	6	9	11
20-34	65	3.0	5	1	2	2	4	5	7	12
35-49	41	3.6	6	1	2	3	4	8	9	10
50-64	31	4.2	14	1	1	3	7	8	9	18
65 +	41	12.9	241	3	4	7	14	36	46	77
GRAND TOTAL	**211**	**5.2**	**66**	**1**	**2**	**3**	**6**	**9**	**15**	**45**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	2	12.0	200	2	2	12	22	22	22	22
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	4	1	2	3	4	6	6	6
20-34	5	4.6	6	1	2	6	6	7	7	7
35-49	4	5.8	31	2	2	3	9	14	14	14
50-64	0									
65 +	2	17.0	333	4	4	17	30	30	30	30
B. Operated										
0-19 YRS	12	16.0	131	5	8	11	23	31	42	44
20-34	20	22.9	601	6	8	13	34	77	99	99 +
35-49	9	21.6	198	6	10	17	30	42	47	47
50-64	5	17.0	130	3	8	16	26	32	32	32
65 +	2	9.5	113	2	6	17	79	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.0	57	1	1	2	4	18	22	22
B. Operated	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	16	6.0	51	1	2	4	6	13	25	30
B. Operated	48	19.8	335	5	8	14	29	52	98	99 +
1. SINGLE DX	9	5.4	46	1	2	3	6	17	22	22
2. MULTIPLE DX	64	16.3	298	3	6	11	24	46	70	99 +
A. Not Operated	23	5.7	50	1	2	3	6	16	25	30
B. Operated	50	19.2	328	4	8	13	27	50	94	99 +
TOTAL										
0-19 YRS	22	10.0	116	1	3	6	12	24	33	44
20-34	28	18.2	493	3	6	12	20	60	98	99 +
35-49	13	16.7	197	3	4	14	29	37	45	47
50-64	5	17.0	130	3	8	16	26	32	32	32
65 +	5	12.6	129	2	4	13	30	93	99 +	99 +
GRAND TOTAL	**73**	**15.0**	**279**	**2**	**4**	**10**	**21**	**44**	**61**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	1.5		1	1	1	2	2	3	3
20-34	59	1.8	1	1	1	1	2	4	4	5
35-49	18	1.7	1	< 1	1	1	2	3	4	4
50-64	11	1.6	1	< 1	1	1	2	3	4	4
65 +	8	2.8	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	4	4.3	6	1	2	5	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	9.6	109	1	2	8	14	27	27	27
B. Operated										
0-19 YRS	5	3.6	22	1	1	2	5	12	12	12
20-34	25	2.5	3	< 1	1	2	3	4	6	9
35-49	11	4.3	10	< 1	1	4	7	9	9	9
50-64	8	2.6	3	< 1	1	2	4	5	5	5
65 +	29	5.3	29	1	1	4	7	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0		1	2	2	2	3	3	3
B. Operated	119	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	16	4.9	43	1	1	2	6	10	22	27
B. Operated	78	3.9	16	1	1	3	4	9	12	22
1. SINGLE DX	125	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX	94	4.1	20	1	1	3	4	9	12	26
A. Not Operated	22	4.1	32	1	1	2	5	9	17	27
B. Operated	197	2.6	8	1	1	2	3	4	9	14
TOTAL										
0-19 YRS	31	1.9	4	1	1	1	2	3	3	12
20-34	91	2.0	2	1	1	1	2	4	4	7
35-49	35	2.8	5	1	1	2	4	6	9	9
50-64	20	2.1	2	< 1	1	2	3	4	5	5
65 +	42	5.4	35	1	1	3	7	12	19	27
GRAND TOTAL	**219**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**9**	**18**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	69	1.9	1	< 1	1	1	3	3	3	5
20-34	101	1.7	1	< 1	< 1	1	2	3	4	7
35-49	45	1.6	1	< 1	< 1	1	2	3	4	5
50-64	17	1.4		< 1	1	1	2	2	3	3
65 +	5	3.2	11	< 1	1	2	4	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	4	2.5	1	< 1	1	3	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	8.3	5	7	7	7	10	11	11	11
65 +	2	19.5	365	6	6	19	33	33	33	33
B. Operated										
0-19 YRS	85	2.5	3	1	1	2	3	5	5	9
20-34	129	2.9	13	< 1	1	2	3	5	9	21
35-49	84	2.0	2	< 1	< 1	1	3	4	5	7
50-64	55	1.9	4	< 1	< 1	1	2	3	6	12
65 +	37	3.6	15	< 1	1	2	4	10	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated	237	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	14	6.3	66	2	3	3	7	13	29	33
B. Operated	390	2.5	7	< 1	1	2	3	5	7	15
1. SINGLE DX	242	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	404	2.7	10	< 1	1	2	3	5	7	18
A. Not Operated	19	4.9	53	< 1	1	3	5	9	23	33
B. Operated	627	2.2	5	< 1	1	1	3	4	5	13
TOTAL										
0-19 YRS	159	2.2	2	< 1	1	2	3	4	5	7
20-34	236	2.4	8	< 1	1	1	3	4	5	20
35-49	132	1.8	2	< 1	< 1	1	2	4	5	6
50-64	75	2.1	5	< 1	< 1	1	2	3	7	12
65 +	44	4.3	33	< 1	1	2	5	11	14	33
GRAND TOTAL	**646**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**4**	**6**	**14**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.5	1	< 1	1	1	2	3	3	3
20-34	10	2.6	4	< 1	1	2	4	6	7	7
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	43	2.1	8	< 1	1	1	1	6	8	15
20-34	48	2.4	4	1	1	2	3	5	7	10
35-49	25	1.9	1	< 1	1	2	3	3	4	5
50-64	9	2.2	2	1	1	2	3	5	5	5
65 +	3	2.3	1	< 1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.8	46	1	1	3	5	12	23	26
20-34	8	3.8	11	1	1	3	5	9	11	11
35-49	9	4.0	4	2	3	3	6	7	7	7
50-64	3	1.3		1	1	1	2	2	2	2
65 +	8	11.8	100	3	3	10	16	28	32	32
B. Operated										
0-19 YRS	64	6.5	133	1	2	5	7	12	13	82
20-34	52	5.3	25	1	2	4	7	11	14	28
35-49	37	6.9	133	1	2	5	7	11	15	72
50-64	26	10.4	303	1	2	3	11	27	63	69
65 +	30	8.7	92	2	2	5	11	17	21	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.4	3	< 1	1	2	4	5	6	7
B. Operated	128	2.2	4	1	1	1	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	41	5.5	44	1	2	3	6	13	22	32
B. Operated	209	7.1	121	1	2	4	7	13	18	70
1. SINGLE DX	155	2.2	4	1	1	1	3	4	6	10
2. MULTIPLE DX	250	6.8	109	1	2	4	7	13	18	69
A. Not Operated	68	4.3	30	1	1	3	4	8	14	31
B. Operated	337	5.2	82	1	1	3	6	11	15	62
TOTAL										
0-19 YRS	131	4.5	76	1	1	2	6	9	13	38
20-34	118	3.8	15	1	1	3	4	9	11	21
35-49	73	4.8	73	1	1	3	5	8	11	59
50-64	40	7.5	211	1	2	3	5	17	44	69
65 +	43	8.6	86	2	3	5	13	18	25	49
GRAND TOTAL	**405**	**5.1**	**74**	**1**	**1**	**3**	**6**	**11**	**15**	**54**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.7	1	1	1	2	2	3	3	3
20-34	8	1.6	1	< 1	1	1	2	3	3	3
35-49	5	3.4	14	1	1	2	4	10	10	10
50-64	4	1.3		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	123	2.6	1	1	2	3	3	4	5	6
20-34	224	2.8	1	1	2	3	3	4	5	6
35-49	63	2.8	3	1	2	3	4	4	5	10
50-64	14	3.0	3	1	2	3	4	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	< 1	1	2	3	3	3	3
20-34	6	1.7	1	< 1	< 1	1	2	4	4	4
35-49	10	3.7	7	1	2	3	5	7	9	9
50-64	7	4.3	9	1	3	3	5	9	10	10
65 +	30	7.3	58	2	4	5	8	22	35	99 +
B. Operated										
0-19 YRS	130	3.0	4	1	2	3	4	5	5	9
20-34	303	3.5	8	1	2	3	4	5	7	15
35-49	118	3.4	3	1	2	3	4	6	7	9
50-64	21	3.7	6	< 1	2	4	5	7	8	10
65 +	15	9.2	216	1	3	5	8	12	49	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.9	3	1	1	2	2	3	5	10
B. Operated	425	2.7	2	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	57	5.4	37	1	2	4	6	13	23	95
B. Operated	587	3.5	12	1	2	3	4	5	7	13
1. SINGLE DX	450	2.7	2	1	2	3	3	4	5	6
2. MULTIPLE DX	644	3.7	14	1	2	3	4	6	7	22
A. Not Operated	82	4.3	29	1	1	2	5	9	17	79
B. Operated	1012	3.2	8	1	2	3	4	5	6	10
TOTAL										
0-19 YRS	264	2.8	2	1	2	3	4	4	5	6
20-34	541	3.1	5	1	2	3	4	5	6	11
35-49	196	3.2	3	1	2	3	4	5	7	10
50-64	46	3.4	5	1	1	3	5	6	8	10
65 +	47	7.7	105	1	3	5	8	20	38	99 +
GRAND TOTAL	**1094**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	32	3.4	5	1	2	3	4	7	9	9
35-49	60	3.8	7	1	2	3	5	7	8	13
50-64	12	3.3	2	1	2	3	4	5	6	6
65 +	5	5.4	14	2	2	6	7	11	11	11
B. Operated										
0-19 YRS	0									
20-34	3	1.0		1	1	1	1	1	1	1
35-49	4	4.0	13	1	1	4	7	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.8	8	2	2	4	7	8	8	8
20-34	29	4.9	8	2	3	4	6	8	9	15
35-49	66	5.0	7	1	2	5	7	8	9	13
50-64	53	5.5	10	3	4	5	6	9	15	17
65 +	78	7.6	51	2	3	6	9	15	20	43
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	6	7.0	52	1	3	4	8	20	21	21
50-64	6	4.3	12	1	1	4	6	10	10	10
65 +	3	10.7	30	7	7	8	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.6	6	1	2	3	5	7	9	12
B. Operated	7	2.7	9	1	1	1	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	230	6.0	24	2	3	5	7	10	15	26
B. Operated	18	7.0	31	1	3	6	8	16	19	21
1. SINGLE DX	118	3.6	6	1	2	3	5	7	9	12
2. MULTIPLE DX	248	6.0	24	2	3	5	7	11	15	26
A. Not Operated	341	5.2	19	2	3	4	6	9	12	21
B. Operated	25	5.8	28	1	1	5	8	15	18	21
TOTAL										
0-19 YRS	7	5.3	25	1	2	3	7	14	15	15
20-34	66	4.0	7	1	2	3	5	8	9	14
35-49	136	4.5	9	1	2	4	6	8	9	14
50-64	71	5.0	10	2	3	4	6	8	10	17
65 +	86	7.6	48	2	3	6	9	15	20	41
GRAND TOTAL	**366**	**5.2**	**20**	**1**	**3**	**4**	**6**	**9**	**13**	**21**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.7	2	< 1	1	1	2	3	5	6
20-34	54	3.5	6	1	2	3	4	7	9	9
35-49	40	3.3	6	1	2	2	4	7	9	12
50-64	14	2.7	3	1	1	2	4	5	7	7
65 +	5	5.0	6	3	3	4	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.6	3	1	1	2	3	4	5	10
20-34	89	3.6	7	1	2	3	5	7	8	15
35-49	89	4.2	11	1	2	3	5	10	11	18
50-64	55	4.8	12	2	2	4	6	9	12	17
65 +	73	5.8	27	1	2	4	8	15	17	82
B. Operated										
0-19 YRS	0									
20-34	11	6.9	29	3	4	4	8	16	20	20
35-49	7	6.7	27	1	2	6	9	15	16	16
50-64	7	11.6	46	6	7	9	16	23	24	24
65 +	4	9.3	126	3	3	4	15	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	3.1	5	1	1	2	4	7	8	10
B. Operated	7	2.0	2	< 1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	335	4.4	14	1	2	3	5	9	12	20
B. Operated	29	8.3	44	3	4	6	10	19	24	26
1. SINGLE DX	147	3.0	5	1	1	2	4	7	8	9
2. MULTIPLE DX	364	4.7	17	1	2	4	6	10	14	24
A. Not Operated	475	4.0	12	1	2	3	5	8	10	18
B. Operated	36	7.1	42	1	3	5	9	18	23	26
TOTAL										
0-19 YRS	56	2.2	3	< 1	1	2	3	4	5	10
20-34	157	3.8	9	1	2	3	5	7	9	18
35-49	138	4.0	11	1	2	3	5	9	11	17
50-64	77	5.0	18	1	2	4	6	9	15	22
65 +	83	5.9	29	1	2	4	8	15	19	75
GRAND TOTAL	**511**	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.7	1	1	1	1	2	3	5	5
20-34	14	2.4	3	1	1	2	4	4	6	6
35-49	13	2.1	1	1	1	2	3	3	4	4
50-64	9	3.0	4	1	2	2	5	6	6	6
65 +	4	6.3	30	1	1	6	11	11	11	11
B. Operated										
0-19 YRS	28	1.4		1	1	1	2	2	3	3
20-34	145	2.0	2	1	1	2	3	3	5	7
35-49	220	2.1	1	1	1	2	3	3	4	6
50-64	189	2.4	2	1	2	2	3	4	5	7
65 +	71	2.9	2	1	2	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.2	3	1	2	3	5	6	6	6
20-34	19	4.3	24	< 1	1	2	5	13	18	18
35-49	23	3.4	4	1	2	3	5	6	7	8
50-64	19	4.3	14	< 1	2	3	6	10	13	15
65 +	56	6.9	28	1	3	5	10	15	17	95
B. Operated										
0-19 YRS	9	1.9	1	< 1	1	2	2	3	3	3
20-34	40	3.3	18	1	1	2	4	6	7	27
35-49	117	2.9	19	1	1	2	3	5	6	23
50-64	257	3.1	6	1	2	3	3	5	6	12
65 +	211	4.0	10	1	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.5	5	1	1	2	3	5	6	11
B. Operated	653	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	129	5.2	21	1	2	4	6	12	15	43
B. Operated	634	3.3	11	1	2	3	4	6	8	17
1. SINGLE DX	708	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	763	3.6	13	1	2	3	4	7	10	18
A. Not Operated	184	4.4	17	1	2	3	6	10	14	25
B. Operated	1287	2.8	6	1	1	2	3	5	6	12
TOTAL										
0-19 YRS	64	1.9	2	1	1	1	2	3	5	6
20-34	218	2.5	7	1	1	2	3	5	6	17
35-49	373	2.4	7	1	1	2	3	4	5	8
50-64	474	2.9	5	1	2	2	3	5	6	11
65 +	342	4.2	13	1	2	3	5	9	12	18
GRAND TOTAL	**1471**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	322	1.2		< 1	1	1	1	2	2	4
20-34	90	1.5	1	< 1	1	1	2	3	3	5
35-49	30	1.8	2	1	1	2	2	3	4	7
50-64	21	1.8	1	1	1	1	2	3	4	6
65 +	8	1.6	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	484	1.8	5	1	1	1	2	3	4	11
20-34	320	2.3	3	1	1	2	3	4	6	10
35-49	155	2.7	6	1	1	2	3	5	8	12
50-64	75	3.8	62	1	1	2	4	7	10	54
65 +	155	5.4	35	1	2	3	7	14	19	27
B. Operated										
0-19 YRS	119	3.3	31	1	1	2	3	6	11	38
20-34	167	3.6	42	1	1	2	3	6	11	39
35-49	83	4.4	28	1	1	3	5	10	13	32
50-64	42	4.9	27	1	1	3	6	14	17	20
65 +	84	7.8	135	1	2	4	10	18	39	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	471	1.3	1	< 1	1	1	1	2	3	5
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1189	2.6	13	1	1	2	3	5	8	19
B. Operated	495	4.5	54	1	1	2	4	11	15	48
1. SINGLE DX	472	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	1684	3.2	26	1	1	2	3	6	10	24
A. Not Operated	1660	2.3	10	1	1	1	2	4	7	16
B. Operated	496	4.5	54	1	1	2	4	11	15	48
TOTAL										
0-19 YRS	925	1.8	7	1	1	1	2	3	4	11
20-34	578	2.5	15	1	1	2	3	5	6	13
35-49	268	3.1	13	1	1	2	4	7	10	16
50-64	138	3.8	43	1	1	2	4	9	13	27
65 +	247	6.1	70	1	2	3	7	15	20	81
GRAND TOTAL	**2156**	**2.8**	**21**	**1**	**1**	**1**	**3**	**5**	**10**	**20**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	6	16.5	120	5	10	12	27	32	33	33
50-64	2	13.5	145	5	5	13	22	22	22	22
65 +	0									
B. Operated										
0-19 YRS	12	26.3	89	17	18	22	34	40	43	44
20-34	19	42.1	525	16	27	36	61	89	98	99 +
35-49	5	36.8	366	25	25	33	69	97	99 +	99 +
50-64	4	57.5	452	34	42	75	82	99 +	99 +	99 +
65 +	4	35.5	166	24	31	52	99 +	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9	15.6	95	5	9	13	23	31	33	33
B. Operated	44	38.0	401	18	25	36	63	99 +	99 +	99 +
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	53	34.2	419	13	22	32	52	98	99 +	99 +
A. Not Operated	10	14.9	89	5	9	12	22	30	33	33
B. Operated	44	38.0	401	18	25	36	63	99 +	99 +	99 +
TOTAL										
0-19 YRS	14	24.2	106	13	17	21	32	39	43	44
20-34	19	42.1	525	16	27	36	61	89	98	99 +
35-49	11	25.7	319	8	12	25	36	78	97	99 +
50-64	6	42.8	817	8	25	45	76	95	99 +	99 +
65 +	4	35.5	166	24	31	52	99 +	99 +	99 +	99 +
GRAND TOTAL	**54**	**33.7**	**422**	**12**	**21**	**31**	**51**	**98**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	1.7	4	< 1	1	1	2	3	4	11
20-34	38	2.2	5	1	1	1	2	5	7	12
35-49	12	2.5	4	1	1	2	4	6	7	7
50-64	6	6.2	27	1	2	4	12	13	13	13
65 +	10	3.4	13	< 1	1	2	4	9	13	13
B. Operated										
0-19 YRS	11	3.5	3	2	3	3	4	6	7	7
20-34	7	5.3	6	1	3	6	7	8	8	8
35-49	3	10.3	16	6	7	11	13	14	14	14
50-64	4	4.3	4	2	3	4	6	7	7	7
65 +	12	11.1	143	3	7	8	10	23	44	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	367	2.7	13	1	1	1	3	6	10	22
20-34	142	3.0	10	1	1	2	3	6	10	16
35-49	92	5.1	36	1	1	3	6	13	16	31
50-64	55	6.3	45	1	2	4	8	15	21	33
65 +	173	9.6	134	2	3	5	12	25	39	99 +
B. Operated										
0-19 YRS	99	9.1	138	1	2	4	13	22	34	86
20-34	127	9.6	208	1	2	4	12	24	46	97
35-49	67	10.3	119	1	3	6	18	29	44	99 +
50-64	47	11.9	182	1	3	8	14	28	46	67
65 +	134	14.1	183	3	5	10	20	36	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215	2.0	6	< 1	1	1	2	4	7	13
B. Operated	37	6.9	58	2	3	6	8	11	13	48
2. MULTIPLE DX										
A. Not Operated	829	4.7	50	1	1	2	5	11	18	41
B. Operated	474	11.1	174	1	3	7	14	28	44	99 +
1. SINGLE DX	252	2.7	16	< 1	1	1	3	7	9	14
2. MULTIPLE DX	1303	7.0	104	1	1	3	8	19	28	69
A. Not Operated	1044	4.1	42	1	1	2	4	10	15	35
B. Operated	511	10.8	166	1	3	7	14	27	44	99 +
TOTAL										
0-19 YRS	626	3.5	37	1	1	1	3	8	13	31
20-34	314	5.6	100	1	1	2	5	13	21	63
35-49	174	7.0	72	1	2	4	10	19	24	87
50-64	112	8.6	107	1	2	5	11	17	29	55
65 +	329	11.3	156	2	3	7	15	30	42	99 +
GRAND TOTAL	**1555**	**6.3**	**92**	**1**	**1**	**3**	**7**	**16**	**25**	**64**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	< 1	1	2	2	3	3	3
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	5	2.4	4	1	1	2	3	6	6	6
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	6	4.2	2	2	4	4	5	6	6	6
20-34	28	5.8	9	2	3	6	7	10	11	14
35-49	7	7.1	47	3	3	4	8	19	22	22
50-64	4	4.8	5	3	3	4	6	8	8	8
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.0	7	1	1	2	4	7	9	11
20-34	43	3.2	8	1	2	2	4	5	10	14
35-49	32	4.2	7	1	2	4	6	8	8	13
50-64	36	4.4	14	2	2	3	5	9	13	19
65 +	58	8.5	33	3	5	7	11	18	22	27
B. Operated										
0-19 YRS	54	8.2	33	3	4	6	10	17	20	29
20-34	149	9.4	84	3	4	7	12	18	25	54
35-49	70	12.3	174	3	4	8	12	31	40	68
50-64	46	10.7	236	2	3	6	10	21	52	79
65 +	62	13.4	206	3	5	9	16	38	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.8	2	< 1	1	1	2	3	5	6
B. Operated	46	5.6	13	2	3	5	7	10	11	22
2. MULTIPLE DX										
A. Not Operated	193	5.2	21	1	2	4	6	11	14	23
B. Operated	381	10.6	133	3	4	7	12	21	33	76
1. SINGLE DX	65	4.5	13	1	2	4	6	8	10	21
2. MULTIPLE DX	574	8.8	102	2	3	6	10	17	26	68
A. Not Operated	212	4.8	20	1	2	3	6	10	14	23
B. Operated	427	10.0	122	3	4	7	11	19	31	75
TOTAL										
0-19 YRS	89	6.2	28	1	2	5	8	13	17	27
20-34	225	7.6	65	2	3	5	10	14	21	37
35-49	114	9.2	126	2	3	6	11	17	35	63
50-64	89	7.6	137	2	3	4	8	14	21	72
65 +	122	10.9	127	3	5	8	13	23	39	99 +
GRAND TOTAL	**639**	**8.3**	**94**	**2**	**3**	**6**	**10**	**17**	**24**	**64**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	4.6	12	1	2	4	7	10	12	14
20-34	28	3.5	12	1	1	2	4	8	11	16
35-49	7	3.0	4	1	1	2	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	14	7.0	5	4	6	7	9	9	10	10
20-34	29	7.2	10	3	6	7	8	9	16	16
35-49	5	8.2	20	2	4	11	11	12	12	12
50-64	3	7.0	25	2	3	7	11	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	5.1	15	1	2	4	8	11	12	18
20-34	81	4.9	17	1	2	4	7	11	14	20
35-49	38	4.8	18	1	2	3	6	11	14	19
50-64	25	5.8	19	2	3	5	7	13	15	18
65 +	34	7.2	39	2	3	5	8	17	23	24
B. Operated										
0-19 YRS	100	11.6	102	4	6	9	13	24	28	60
20-34	199	13.5	140	5	6	9	15	30	43	88
35-49	66	13.3	146	5	7	9	14	27	41	65
50-64	32	11.4	56	4	7	10	14	27	31	99 +
65 +	36	14.3	121	3	7	12	24	35	80	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	4.1	11	1	2	3	6	9	11	15
B. Operated	51	7.2	10	3	5	7	9	11	12	16
2. MULTIPLE DX										
A. Not Operated	332	5.3	19	1	2	4	7	11	14	20
B. Operated	433	12.9	124	5	6	9	15	28	41	99 +
1. SINGLE DX	140	5.3	13	1	2	4	8	10	12	16
2. MULTIPLE DX	765	9.6	93	2	4	7	12	21	30	64
A. Not Operated	421	5.0	18	1	2	4	7	11	13	19
B. Operated	484	12.3	115	5	6	9	14	26	38	90
TOTAL										
0-19 YRS	320	7.2	50	1	3	6	9	13	18	34
20-34	337	10.0	106	2	4	7	12	23	33	63
35-49	116	9.7	107	2	4	7	11	19	31	61
50-64	61	8.7	46	2	4	7	11	18	28	92
65 +	71	10.7	92	2	4	8	15	25	36	99 +
GRAND TOTAL	**905**	**8.9**	**83**	**2**	**4**	**7**	**11**	**18**	**28**	**59**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	48	1.9	2	< 1	1	1	3	5	5	6
20-34	25	2.8	3	1	1	3	4	5	6	7
35-49	17	3.1	2	1	2	3	4	5	6	6
50-64	0									
65 +	4	4.3	34	1	1	2	7	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	6	< 1	1	2	4	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	11.5	181	2	2	11	21	21	21	21
B. Operated										
0-19 YRS	52	3.4	14	1	1	3	4	6	6	27
20-34	53	3.8	26	1	2	3	4	6	7	37
35-49	18	3.4	6	1	1	3	4	6	9	11
50-64	22	3.4	3	2	2	3	4	6	7	8
65 +	20	4.8	13	1	2	4	6	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	1	< 1	1	2	3	3	3	3
B. Operated	94	2.5	4	1	1	2	4	5	5	10
2. MULTIPLE DX										
A. Not Operated	9	4.6	41	< 1	1	2	4	15	21	21
B. Operated	165	3.7	15	1	2	3	4	6	7	25
1. SINGLE DX	101	2.4	3	< 1	1	2	3	5	5	10
2. MULTIPLE DX	174	3.7	17	1	2	3	4	6	7	26
A. Not Operated	16	3.4	24	< 1	1	2	3	7	17	21
B. Operated	259	3.3	11	1	1	3	4	6	7	14
TOTAL										
0-19 YRS	108	2.7	8	< 1	1	2	4	5	6	16
20-34	83	3.3	18	1	2	2	4	5	7	28
35-49	36	3.2	4	1	1	3	4	6	6	11
50-64	22	3.4	3	2	2	3	4	6	7	8
65 +	26	5.2	25	1	1	4	6	13	15	21
GRAND TOTAL	**275**	**3.3**	**12**	**1**	**1**	**3**	**4**	**6**	**7**	**19**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.3	4	1	1	2	3	4	6	10
20-34	9	1.3	1	< 1	1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	56	1.9	2	< 1	1	1	2	4	5	7
20-34	30	1.5	1	< 1	1	1	2	3	3	3
35-49	6	2.0	2	1	1	2	3	4	4	4
50-64	6	2.0	1	< 1	1	2	3	3	3	3
65 +	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.5	4	< 1	1	2	3	5	6	10
20-34	24	1.5	1	1	1	1	2	3	4	4
35-49	10	2.8	3	1	2	2	3	5	7	7
50-64	11	3.2	5	1	2	3	4	7	8	8
65 +	20	4.4	6	1	2	4	7	8	8	8
B. Operated										
0-19 YRS	128	2.5	6	1	1	2	3	5	8	12
20-34	139	3.6	41	1	1	2	3	7	11	37
35-49	66	3.7	15	1	1	2	5	8	13	19
50-64	36	4.5	36	1	1	2	4	13	14	31
65 +	79	7.4	160	1	2	4	8	16	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.1	3	1	1	1	3	4	5	10
B. Operated	100	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	107	2.7	4	1	1	2	3	6	8	9
B. Operated	448	4.0	50	1	1	2	4	9	13	42
1. SINGLE DX	145	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	555	3.8	41	1	1	2	4	8	12	41
A. Not Operated	152	2.5	4	1	1	2	3	5	7	10
B. Operated	548	3.7	42	1	1	2	4	8	12	41
TOTAL										
0-19 YRS	258	2.4	4	1	1	2	3	5	6	11
20-34	202	2.9	29	1	1	2	3	5	9	30
35-49	84	3.4	12	1	1	2	4	7	11	18
50-64	54	3.9	25	1	1	2	4	9	13	30
65 +	102	6.7	127	1	2	4	7	13	35	99 +
GRAND TOTAL	**700**	**3.4**	**34**	**1**	**1**	**2**	**3**	**7**	**11**	**33**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.4	1	< 1	1	1	2	2	3	4
20-34	41	1.6	1	< 1	1	1	2	3	4	5
35-49	13	1.4	1	< 1	< 1	1	1	3	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	43	1.6	1	< 1	1	1	2	3	4	6
20-34	36	2.6	4	< 1	1	2	4	5	8	8
35-49	6	3.3	5	1	1	3	6	6	6	6
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.6	1	1	1	2	2	3	3	3
20-34	37	3.0	19	1	1	2	3	6	7	27
35-49	7	2.6	6	1	1	2	2	7	8	8
50-64	6	8.2	71	1	2	5	16	20	21	21
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	45	5.9	63	1	2	4	5	11	23	46
20-34	69	5.2	39	1	2	3	7	9	13	35
35-49	28	4.8	15	1	2	4	6	12	14	16
50-64	5	7.4	58	2	2	4	12	20	20	20
65 +	6	11.2	122	4	5	7	11	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	1.5	1	< 1	1	1	2	3	4	5
B. Operated	89	2.1	3	< 1	1	1	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	67	3.1	19	1	1	2	3	7	9	26
B. Operated	153	5.6	45	1	2	4	6	11	19	36
1. SINGLE DX	173	1.8	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	220	4.9	39	1	2	3	5	9	16	34
A. Not Operated	151	2.2	10	< 1	1	1	2	4	6	21
B. Operated	242	4.3	33	1	1	3	5	8	12	33
TOTAL										
0-19 YRS	130	3.1	26	< 1	1	1	3	5	9	29
20-34	183	3.4	22	1	1	2	4	7	8	30
35-49	54	3.5	11	1	1	2	4	7	12	16
50-64	15	6.0	52	1	1	2	8	20	21	21
65 +	11	6.8	86	1	1	4	8	20	32	33
GRAND TOTAL	**393**	**3.5**	**25**	**1**	**1**	**2**	**4**	**7**	**10**	**30**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	2.9	5	1	1	2	4	6	7	12
20-34	67	2.9	3	1	1	3	4	5	7	9
35-49	22	2.7	2	1	2	3	3	5	6	6
50-64	19	3.8	6	1	2	4	5	6	9	11
65 +	7	3.1	2	< 1	2	3	5	5	5	5
B. Operated										
0-19 YRS	123	2.0	6	1	1	1	2	3	6	13
20-34	165	2.1	3	1	1	2	2	4	6	11
35-49	97	2.1	3	1	1	1	3	5	6	9
50-64	36	2.3	3	1	1	2	3	5	5	8
65 +	15	2.8	6	1	1	2	4	5	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.1	6	1	1	2	4	6	8	13
20-34	76	3.4	5	1	2	3	4	6	8	14
35-49	36	5.5	34	2	2	4	6	10	12	35
50-64	24	4.3	6	2	2	4	6	7	9	10
65 +	24	7.9	84	2	3	5	10	14	26	46
B. Operated										
0-19 YRS	157	3.0	12	1	1	2	4	7	8	19
20-34	254	3.6	35	1	1	2	4	8	11	21
35-49	105	3.1	13	1	1	2	4	6	9	20
50-64	68	3.5	22	1	1	2	4	9	12	24
65 +	54	5.3	41	1	2	3	7	11	14	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	3.0	4	1	1	3	4	6	6	11
B. Operated	436	2.1	4	1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	208	4.3	21	1	2	3	5	8	11	25
B. Operated	638	3.5	25	1	1	2	4	8	10	22
1. SINGLE DX	605	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX	846	3.7	24	1	1	2	4	8	10	22
A. Not Operated	377	3.7	14	1	2	3	4	7	10	15
B. Operated	1074	3.0	17	1	1	2	3	6	9	19
TOTAL										
0-19 YRS	382	2.7	8	1	1	2	3	6	8	17
20-34	562	3.1	18	1	1	2	3	6	9	16
35-49	260	3.0	12	1	1	2	4	6	8	19
50-64	147	3.4	13	1	1	2	4	7	10	22
65 +	100	5.4	45	1	2	3	6	11	14	43
GRAND TOTAL	**1451**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.3	6	1	1	3	5	7	8	13
20-34	38	2.9	4	1	1	2	4	6	7	9
35-49	13	3.2	6	1	2	2	5	7	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	6	5.7	11	2	3	5	8	11	11	11
B. Operated										
0-19 YRS	128	3.3	14	1	1	2	4	8	9	21
20-34	106	2.9	8	1	1	2	3	5	10	15
35-49	36	3.1	7	1	1	2	4	7	10	11
50-64	18	4.6	22	1	2	3	5	13	16	17
65 +	8	4.9	18	1	2	4	6	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	3.3	3	1	2	3	4	6	7	8
20-34	32	3.6	3	1	2	3	5	6	7	9
35-49	22	5.8	24	2	3	5	7	10	16	24
50-64	15	8.1	46	2	5	7	10	12	25	30
65 +	21	9.2	60	3	4	7	10	21	26	32
B. Operated										
0-19 YRS	93	6.5	53	1	2	4	8	15	20	38
20-34	81	5.1	19	1	2	4	7	12	15	20
35-49	44	6.0	52	2	2	3	7	12	19	41
50-64	21	10.1	63	3	3	9	14	15	25	38
65 +	49	12.9	142	2	4	10	19	29	38	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	3.3	6	1	1	3	5	6	8	12
B. Operated	296	3.3	12	1	1	2	4	8	10	17
2. MULTIPLE DX										
A. Not Operated	132	5.3	25	2	3	4	6	9	12	30
B. Operated	288	7.4	66	1	2	4	10	16	26	42
1. SINGLE DX	400	3.3	10	1	1	2	4	7	9	16
2. MULTIPLE DX	420	6.7	54	1	2	4	8	14	22	39
A. Not Operated	236	4.4	18	1	2	3	5	8	11	25
B. Operated	584	5.3	43	1	2	3	7	13	16	36
TOTAL										
0-19 YRS	309	4.3	25	1	2	3	5	9	13	29
20-34	257	3.7	11	1	1	3	4	8	11	16
35-49	115	4.7	29	1	2	3	6	9	12	31
50-64	55	7.6	49	1	3	6	11	14	17	38
65 +	84	10.7	107	2	4	7	13	26	32	87
GRAND TOTAL	**820**	**5.0**	**36**	**1**	**2**	**3**	**6**	**11**	**15**	**31**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.0	27	1	1	1	8	10	10	10
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	0									
50-64	0									
65 +	4	12.0	25	5	9	13	15	17	17	17
B. Operated										
0-19 YRS	21	6.0	82	1	1	3	6	32	60	99 +
20-34	28	7.4	69	1	2	5	9	15	23	41
35-49	17	15.6	658	1	2	5	14	62	84	90
50-64	7	8.9	72	< 1	1	10	12	22	25	25
65 +	4	18.3	162	2	10	19	26	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	8	2.3	10	< 1	< 1	1	2	8	10	10
2. MULTIPLE DX										
A. Not Operated	5	11.4	21	5	8	13	14	17	17	17
B. Operated	77	9.5	214	1	2	4	11	24	38	97
1. SINGLE DX	10	2.0	8	< 1	1	1	1	6	10	10
2. MULTIPLE DX	82	9.6	202	1	2	5	11	23	36	97
A. Not Operated	7	8.4	40	1	2	9	13	16	17	17
B. Operated	85	8.8	199	1	1	4	10	23	35	96
TOTAL										
0-19 YRS	25	5.6	72	1	1	2	6	29	46	99 +
20-34	32	6.8	64	1	1	4	9	13	21	41
35-49	19	14.1	606	1	1	4	12	52	82	90
50-64	8	8.0	67	< 1	1	6	11	21	25	25
65 +	8	15.1	91	3	9	15	19	29	33	33
GRAND TOTAL	**92**	**8.8**	**186**	**1**	**1**	**4**	**11**	**21**	**33**	**96**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.6	9	1	1	1	3	8	8	8
20-34	4	2.8	8	< 1	< 1	1	4	7	7	7
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	16.5	365	3	3	16	30	30	30	30
B. Operated										
0-19 YRS	4	3.3	11	1	1	2	5	8	8	8
20-34	8	2.3	4	1	1	1	3	6	6	6
35-49	5	4.8	47	< 1	1	2	6	17	17	17
50-64	3	14.3	456	2	2	2	30	39	39	39
65 +	2	6.5	61	< 1	< 1	6	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	11	2.4	7	< 1	1	1	2	7	8	8
2. MULTIPLE DX										
A. Not Operated	5	8.6	144	2	3	3	11	30	30	30
B. Operated	22	5.0	74	< 1	1	2	5	13	26	39
1. SINGLE DX	12	2.3	6	< 1	1	1	2	7	8	8
2. MULTIPLE DX	27	5.7	84	1	1	2	5	16	31	39
A. Not Operated	6	7.5	123	2	2	3	5	27	30	30
B. Operated	33	4.2	53	< 1	1	1	4	9	16	39
TOTAL										
0-19 YRS	12	2.9	7	1	1	2	4	8	8	8
20-34	12	2.4	5	< 1	1	1	4	6	7	7
35-49	6	4.5	38	< 1	1	2	3	16	17	17
50-64	5	9.0	282	1	1	2	11	39	39	39
65 +	4	11.5	175	< 1	1	7	21	30	30	30
GRAND TOTAL	**39**	**4.7**	**62**	**1**	**1**	**2**	**4**	**10**	**24**	**39**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	4.2	4	2	3	4	5	7	8	10
20-34	6	2.5	3	< 1	1	2	4	5	5	5
35-49	4	3.8	4	1	2	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.1	3	2	3	4	5	6	7	8
20-34	9	2.9	2	1	2	2	4	5	5	5
35-49	9	3.7	3	1	3	4	5	6	6	6
50-64	4	3.8	7	1	1	4	6	6	6	6
65 +	5	3.6	11	1	1	3	5	9	9	9
B. Operated										
0-19 YRS	11	5.2	14	1	2	4	7	10	14	14
20-34	5	3.8	1	2	3	4	4	5	5	5
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	2	23.5	5	22	22	23	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.9	4	1	3	4	5	6	8	10
B. Operated	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	70	3.8	3	1	2	4	5	6	7	9
B. Operated	24	5.9	38	1	2	4	7	15	23	25
1. SINGLE DX	45	3.9	4	1	3	4	5	7	8	10
2. MULTIPLE DX	94	4.4	13	1	2	4	5	7	8	24
A. Not Operated	113	3.8	4	1	2	4	5	6	8	9
B. Operated	26	5.8	36	1	2	4	7	13	23	25
TOTAL										
0-19 YRS	88	4.3	5	2	3	4	5	7	8	12
20-34	20	3.0	2	1	2	3	4	5	5	5
35-49	17	3.3	3	1	2	4	5	5	6	6
50-64	7	3.7	8	1	1	2	6	8	8	8
65 +	7	9.3	102	1	2	4	19	24	25	25
GRAND TOTAL	**139**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**8**	**22**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	1.6	1	< 1	1	1	2	3	4	6
20-34	71	1.7	1	< 1	1	1	2	3	3	5
35-49	42	2.5	3	1	1	2	3	5	7	7
50-64	27	2.7	3	1	1	2	4	5	6	7
65 +	34	5.9	35	1	2	4	7	14	22	22
B. Operated										
0-19 YRS	19	1.6	1	< 1	< 1	1	2	3	4	5
20-34	6	2.2	2	< 1	1	2	3	4	4	4
35-49	11	3.3	4	< 1	1	3	4	6	8	8
50-64	5	3.6	2	2	3	3	5	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	211	2.1	4	1	1	1	2	4	6	11
20-34	180	2.4	4	1	1	2	3	5	6	11
35-49	112	3.2	6	1	2	2	4	7	8	11
50-64	99	4.9	101	1	2	3	5	9	14	58
65 +	433	8.2	106	2	3	5	9	17	24	70
B. Operated										
0-19 YRS	28	4.1	27	< 1	2	3	5	6	9	29
20-34	35	3.1	12	< 1	1	2	4	10	12	15
35-49	25	4.1	14	1	1	3	5	11	13	14
50-64	26	10.0	230	1	2	5	8	21	54	65
65 +	53	15.4	207	3	5	12	20	33	40	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	2.4	8	1	1	2	3	4	7	19
B. Operated	42	2.4	3	< 1	1	2	3	5	5	8
2. MULTIPLE DX										
A. Not Operated	1035	5.1	63	1	1	3	6	11	16	41
B. Operated	167	8.4	136	1	2	4	10	21	32	63
1. SINGLE DX	314	2.4	7	< 1	1	2	3	5	6	16
2. MULTIPLE DX	1202	5.5	75	1	1	3	6	12	17	48
A. Not Operated	1307	4.5	53	1	1	2	5	10	14	31
B. Operated	209	7.2	115	1	1	3	8	17	29	57
TOTAL										
0-19 YRS	356	2.1	5	< 1	1	1	2	4	6	11
20-34	292	2.3	4	1	1	2	3	5	6	12
35-49	190	3.2	6	1	1	2	4	7	8	13
50-64	157	5.4	106	1	2	3	5	10	15	64
65 +	521	8.8	117	2	3	5	10	18	28	70
GRAND TOTAL	**1516**	**4.9**	**62**	**1**	**1**	**3**	**5**	**11**	**16**	**40**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	4	2.8	12	< 1	< 1	1	5	8	8	8
35-49	5	3.4	1	3	3	3	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	7	2.7	7	< 1	1	1	5	7	7	7
20-34	8	3.3	12	< 1	1	2	4	9	11	11
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	4	2.8	2	2	2	2	4	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.8	27	1	1	5	10	12	12	12
20-34	5	3.8	9	< 1	1	2	6	8	8	8
35-49	5	3.2	11	1	1	2	4	9	9	9
50-64	3	4.3	5	3	3	3	6	7	7	7
65 +	3	11.7	200	3	3	4	22	28	28	28
B. Operated										
0-19 YRS	14	8.4	128	1	1	4	8	29	37	39
20-34	17	6.1	44	1	2	3	9	14	21	25
35-49	15	11.8	156	2	3	8	17	28	43	48
50-64	7	5.9	41	< 1	1	3	11	16	17	17
65 +	3	20.3	170	8	11	19	30	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	4	1	1	2	3	5	7	8
B. Operated	24	2.9	6	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	20	5.3	39	1	2	3	7	10	20	28
B. Operated	56	8.9	107	1	2	5	12	24	32	47
1. SINGLE DX	39	2.7	5	1	1	2	3	6	8	11
2. MULTIPLE DX	76	8.0	91	1	2	4	10	19	28	46
A. Not Operated	35	4.1	25	1	1	3	5	8	11	28
B. Operated	80	7.1	84	1	2	3	9	17	28	45
TOTAL										
0-19 YRS	30	5.6	70	1	1	2	7	12	28	39
20-34	34	4.7	28	< 1	1	2	8	11	14	25
35-49	29	7.7	99	2	2	3	9	17	29	48
50-64	15	4.4	22	1	2	3	5	13	16	17
65 +	7	14.0	170	2	3	8	26	33	34	34
GRAND TOTAL	**115**	**6.2**	**67**	**1**	**1**	**3**	**8**	**16**	**27**	**42**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	188	1.2		< 1	< 1	1	1	2	2	3
20-34	30	1.2		< 1	1	1	1	2	2	3
35-49	12	1.3		< 1	1	1	2	2	3	3
50-64	13	1.3	1	< 1	1	1	1	2	4	4
65 +	15	1.2		1	1	1	1	2	2	2
B. Operated										
0-19 YRS	64	1.3	1	< 1	1	1	1	2	3	5
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	5	3.2	5	< 1	1	3	5	6	6	6
50-64	4	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	2.5	15	< 1	1	1	2	4	10	20
20-34	21	2.8	3	1	1	2	4	5	6	7
35-49	23	2.3	5	< 1	< 1	1	3	6	7	8
50-64	41	2.9	10	1	1	2	3	7	10	14
65 +	87	4.0	12	1	1	3	5	8	10	17
B. Operated										
0-19 YRS	64	3.1	13	1	1	1	3	9	11	16
20-34	13	8.5	54	1	2	7	16	18	20	20
35-49	10	4.1	10	1	1	4	8	45	95	99 +
50-64	25	5.4	47	< 1	1	1	8	15	19	29
65 +	40	8.2	71	2	3	6	10	27	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	1.2		< 1	< 1	1	1	2	2	3
B. Operated	78	1.5	1	< 1	1	1	1	3	5	6
2. MULTIPLE DX										
A. Not Operated	253	3.1	11	< 1	1	2	4	6	9	19
B. Operated	152	5.3	41	1	1	3	8	15	24	99 +
1. SINGLE DX	336	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	405	3.9	24	1	1	2	5	9	15	33
A. Not Operated	511	2.1	7	< 1	1	1	2	5	6	16
B. Operated	230	4.0	31	1	1	2	5	11	17	99 +
TOTAL										
0-19 YRS	397	1.8	6	< 1	1	1	1	3	5	16
20-34	68	3.2	18	1	1	1	3	7	16	20
35-49	50	2.5	5	< 1	1	1	4	7	9	99
50-64	83	3.3	21	< 1	1	1	4	8	14	24
65 +	143	4.8	32	1	1	3	6	10	19	99 +
GRAND TOTAL	**741**	**2.7**	**15**	**< 1**	**1**	**1**	**3**	**6**	**10**	**24**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	3.5	8	1	1	2	6	7	9	10
20-34	6	6.0	19	2	4	4	8	13	14	14
35-49	9	6.8	26	1	3	5	11	14	14	14
50-64	2	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.2	22	< 1	1	2	5	11	14	18
20-34	6	5.8	12	2	3	6	6	11	12	12
35-49	11	7.8	67	2	3	5	9	20	29	30
50-64	7	11.1	76	1	4	10	20	23	23	23
65 +	13	17.2	200	3	7	12	28	39	47	49
B. Operated										
0-19 YRS	48	14.6	199	5	7	11	19	24	27	97
20-34	25	22.6	371	6	9	17	32	67	77	99 +
35-49	16	21.1	381	3	7	16	39	66	89	99 +
50-64	16	17.1	226	2	7	15	24	52	84	99 +
65 +	22	26.1	500	6	13	23	30	77	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	1	2	2	2	4	4	4	4
B. Operated	39	4.7	14	1	1	4	6	11	13	14
2. MULTIPLE DX										
A. Not Operated	59	8.7	95	1	2	5	12	23	30	48
B. Operated	127	19.3	320	5	8	15	24	51	74	99 +
1. SINGLE DX	42	4.5	14	1	1	4	6	10	13	14
2. MULTIPLE DX	186	15.9	272	2	6	11	22	39	68	99 +
A. Not Operated	62	8.4	92	1	2	5	11	22	30	47
B. Operated	166	15.9	286	2	6	11	21	43	70	99 +
TOTAL										
0-19 YRS	94	9.3	137	1	2	6	12	19	24	68
20-34	38	16.8	312	3	6	11	21	52	70	99 +
35-49	36	13.5	236	2	3	9	17	40	63	99 +
50-64	25	14.4	176	2	5	12	22	44	63	99 +
65 +	35	22.8	398	4	10	17	29	57	83	99 +
GRAND TOTAL	**228**	**13.8**	**244**	**1**	**4**	**9**	**19**	**31**	**54**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	3.4	9	1	1	2	4	7	12	13
20-34	21	2.6	16	1	1	1	2	6	13	18
35-49	5	2.6	5	1	1	1	5	5	5	5
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	6	6.3	33	1	1	5	9	15	16	16
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	3.6	8	1	1	3	5	7	8	15
20-34	60	4.0	15	1	1	3	5	8	10	20
35-49	38	5.7	23	1	2	4	8	13	15	17
50-64	28	6.3	29	2	3	4	8	15	18	21
65 +	22	8.5	31	3	4	8	12	14	19	25
B. Operated										
0-19 YRS	38	9.2	67	2	3	6	14	24	27	28
20-34	25	12.6	99	3	6	8	17	30	34	41
35-49	16	13.8	128	2	4	12	17	32	38	40
50-64	10	7.6	34	2	3	6	14	50	96	99 +
65 +	11	11.0	32	4	8	11	18	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.0	11	1	1	2	4	6	11	17
B. Operated	11	5.2	25	1	1	4	8	13	16	16
2. MULTIPLE DX										
A. Not Operated	316	4.5	17	1	2	3	6	10	14	20
B. Operated	100	10.8	79	2	4	8	16	26	35	99 +
1. SINGLE DX	78	3.3	13	1	1	2	4	9	12	17
2. MULTIPLE DX	416	6.0	39	1	2	4	8	15	19	40
A. Not Operated	383	4.2	16	1	1	3	5	9	13	20
B. Operated	111	10.2	76	2	3	8	16	26	33	99 +
TOTAL										
0-19 YRS	250	4.5	22	1	2	3	5	9	14	26
20-34	109	5.7	48	1	1	3	7	16	20	36
35-49	60	7.7	62	1	2	5	12	16	22	39
50-64	42	6.1	30	1	2	4	9	16	19	99 +
65 +	33	9.3	32	3	4	9	14	20	81	99 +
GRAND TOTAL	**494**	**5.6**	**36**	**1**	**2**	**3**	**7**	**14**	**18**	**37**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.9	3	1	1	1	2	5	6	6
20-34	5	1.2		< 1	< 1	1	1	2	2	2
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	4	8.5	107	3	3	4	14	24	24	24
65 +	0									
B. Operated										
0-19 YRS	15	2.2	6	1	1	1	2	7	8	9
20-34	14	1.6	1	< 1	1	1	2	3	4	4
35-49	6	1.3		1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.3	17	1	1	2	6	11	13	13
20-34	19	7.1	35	2	3	7	8	17	22	23
35-49	10	6.2	34	1	2	5	8	15	21	21
50-64	6	6.8	8	5	5	6	8	12	12	12
65 +	15	10.2	45	2	4	10	16	19	21	22
B. Operated										
0-19 YRS	50	2.5	16	< 1	1	1	2	4	15	20
20-34	51	3.2	19	< 1	1	2	3	7	10	28
35-49	19	3.7	21	1	1	2	4	12	15	16
50-64	12	3.3	7	< 1	1	2	6	7	8	8
65 +	18	12.0	292	1	1	4	14	35	56	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.9	20	< 1	1	1	3	6	9	24
B. Operated	37	1.8	3	1	1	1	2	3	6	9
2. MULTIPLE DX										
A. Not Operated	65	7.0	33	1	3	5	9	16	21	23
B. Operated	150	4.1	57	1	1	1	3	11	15	40
1. SINGLE DX	64	2.3	10	1	1	1	2	4	6	22
2. MULTIPLE DX	215	5.0	51	1	1	2	6	13	18	32
A. Not Operated	92	5.8	32	1	2	4	8	15	21	24
B. Operated	187	3.6	47	1	1	1	3	9	14	36
TOTAL										
0-19 YRS	96	2.6	13	1	1	1	2	6	12	18
20-34	89	3.7	22	< 1	1	2	5	8	10	26
35-49	37	4.0	22	1	1	2	5	10	15	21
50-64	24	4.9	25	1	2	4	6	9	16	24
65 +	33	11.2	176	1	2	7	15	22	37	66
GRAND TOTAL	**279**	**4.3**	**43**	**1**	**1**	**2**	**5**	**11**	**16**	**27**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.3	3	< 1	1	2	3	5	7	8
20-34	57	2.9	10	1	1	2	3	6	8	20
35-49	29	3.0	11	1	1	2	3	5	10	17
50-64	8	2.6	2	1	1	2	4	5	5	5
65 +	6	5.3	29	1	2	4	5	15	16	16
B. Operated										
0-19 YRS	22	3.0	9	< 1	1	2	4	6	11	13
20-34	13	4.8	27	1	1	3	6	10	18	20
35-49	11	3.7	4	1	2	3	6	7	7	7
50-64	4	7.5	34	2	3	6	12	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	2.9	10	1	1	2	3	6	8	19
20-34	101	3.6	16	< 1	1	2	4	8	14	20
35-49	41	2.7	3	1	1	3	4	5	6	9
50-64	31	4.0	16	1	2	3	5	7	8	23
65 +	81	8.0	137	2	3	6	9	14	19	93
B. Operated										
0-19 YRS	34	5.7	16	2	3	5	8	13	14	15
20-34	39	7.6	72	1	3	4	10	19	28	39
35-49	23	8.5	48	3	5	7	9	18	25	32
50-64	15	14.1	214	2	4	7	21	29	50	57
65 +	31	11.1	117	2	4	8	12	29	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	2.8	8	1	1	2	3	5	7	17
B. Operated	50	4.0	15	1	1	3	5	8	13	20
2. MULTIPLE DX										
A. Not Operated	351	4.4	45	1	1	3	5	9	13	23
B. Operated	142	8.8	84	2	3	6	11	20	29	51
1. SINGLE DX	205	3.1	10	1	1	2	4	6	8	18
2. MULTIPLE DX	493	5.6	60	1	2	3	7	12	18	45
A. Not Operated	506	3.9	34	1	1	2	4	8	12	21
B. Operated	192	7.5	70	1	3	5	9	16	27	45
TOTAL										
0-19 YRS	208	3.2	10	1	1	2	4	7	10	15
20-34	210	4.3	28	1	1	2	5	9	15	28
35-49	104	4.2	20	1	1	3	5	8	11	26
50-64	58	6.7	84	1	2	4	7	18	23	55
65 +	118	8.7	128	2	3	6	10	16	30	85
GRAND TOTAL	**698**	**4.9**	**46**	**1**	**1**	**3**	**6**	**10**	**15**	**33**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	348	1.5	1	< 1	1	1	2	3	3	5
20-34	109	1.4	1	< 1	1	1	2	3	3	5
35-49	34	2.0	2	< 1	1	1	2	4	6	7
50-64	8	3.1	11	1	1	2	3	9	11	11
65 +	5	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	785	2.7	14	1	1	2	3	5	8	21
20-34	866	3.3	22	1	1	2	4	7	11	22
35-49	547	3.6	27	1	1	2	4	7	12	30
50-64	219	5.8	64	1	1	3	6	14	21	43
65 +	286	7.5	68	1	3	5	9	17	21	45
B. Operated										
0-19 YRS	11	3.0	4	< 1	1	3	5	6	6	6
20-34	25	5.8	68	1	1	2	6	18	23	35
35-49	39	8.2	76	2	3	4	13	27	30	99 +
50-64	13	8.0	82	1	3	7	9	16	32	36
65 +	25	19.6	440	4	9	13	25	59	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	504	1.5	1	< 1	1	1	2	3	3	6
B. Operated	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2703	3.8	31	1	1	2	4	8	13	31
B. Operated	113	9.7	175	1	2	5	13	28	36	99 +
1. SINGLE DX	507	1.5	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	2816	4.1	38	1	1	2	4	9	14	34
A. Not Operated	3207	3.5	27	1	1	2	4	7	12	29
B. Operated	116	9.5	172	1	2	5	13	27	36	99 +
TOTAL										
0-19 YRS	1147	2.3	10	< 1	1	1	2	4	6	18
20-34	1000	3.1	21	1	1	2	3	7	10	22
35-49	620	3.8	30	1	1	2	4	8	14	32
50-64	240	5.8	63	1	1	3	6	14	20	41
65 +	316	8.3	107	1	3	5	9	19	26	62
GRAND TOTAL	**3323**	**3.7**	**33**	**1**	**1**	**2**	**4**	**8**	**13**	**31**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	2.8	6	< 1	1	1	5	6	6	13
20-34	32	1.3		< 1	1	1	1	2	3	3
35-49	18	1.6	1	< 1	1	1	2	3	4	4
50-64	11	1.8	1	< 1	1	1	3	3	3	3
65 +	11	2.4	3	1	1	2	3	5	7	7
B. Operated										
0-19 YRS	6	1.5	1	< 1	< 1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	176	3.2	9	1	1	2	5	6	8	15
20-34	98	2.1	4	< 1	1	1	2	4	6	12
35-49	62	2.9	10	< 1	1	2	3	5	9	16
50-64	46	4.7	33	1	2	3	5	11	16	34
65 +	52	6.8	175	1	1	4	7	12	15	93
B. Operated										
0-19 YRS	14	5.6	52	1	1	3	5	14	25	28
20-34	6	5.2	21	2	2	3	11	11	11	11
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	10	10.4	182	< 1	1	4	12	34	42	42
65 +	5	13.8	105	2	4	17	20	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	2.5	5	< 1	1	1	4	6	6	10
B. Operated	9	1.3	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	434	3.5	32	1	1	2	4	7	11	18
B. Operated	37	8.2	89	1	2	4	11	24	28	42
1. SINGLE DX	268	2.5	5	< 1	1	1	4	6	6	10
2. MULTIPLE DX	471	3.9	38	1	1	2	5	8	12	27
A. Not Operated	693	3.1	22	< 1	1	2	4	6	8	16
B. Operated	46	6.9	79	1	1	3	10	18	27	42
TOTAL										
0-19 YRS	383	3.1	9	< 1	1	2	5	6	7	15
20-34	137	2.1	4	< 1	1	1	2	4	6	12
35-49	83	2.8	9	< 1	1	2	3	5	10	16
50-64	68	5.0	53	1	1	3	5	12	19	41
65 +	68	6.6	147	1	1	4	7	15	18	83
GRAND TOTAL	**739**	**3.4**	**27**	**1**	**1**	**2**	**4**	**6**	**10**	**20**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	1.6	1	1	1	1	2	3	4	5
20-34	38	1.8	2	< 1	1	1	2	4	4	7
35-49	28	1.9	3	1	1	1	2	4	5	9
50-64	16	1.8	1	1	1	2	2	3	4	4
65 +	6	2.8	9	1	1	2	2	8	9	9
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	3.2	22	1	1	2	3	6	10	23
20-34	103	3.3	24	1	1	2	3	6	12	31
35-49	98	3.1	7	1	1	2	4	6	8	14
50-64	109	4.6	20	1	2	3	6	10	13	25
65 +	222	6.9	65	2	3	5	8	14	20	44
B. Operated										
0-19 YRS	22	12.8	530	< 1	1	3	16	35	80	87
20-34	15	2.3	6	1	1	1	3	9	73	99 +
35-49	11	8.0	201	1	1	2	29	99 +	99 +	99 +
50-64	17	5.3	16	1	1	5	7	11	13	14
65 +	32	13.1	133	1	4	10	18	28	38	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	1.7	2	1	1	1	2	3	4	9
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	656	4.7	37	1	2	3	6	10	14	36
B. Operated	97	9.4	202	1	1	5	13	25	62	99 +
1. SINGLE DX	150	1.7	2	1	1	1	2	3	4	9
2. MULTIPLE DX	753	5.3	60	1	1	3	6	11	17	47
A. Not Operated	804	4.1	32	1	1	2	5	9	13	30
B. Operated	99	9.2	199	1	1	4	13	24	59	99 +
TOTAL										
0-19 YRS	207	3.7	77	1	1	2	3	7	12	57
20-34	157	2.8	17	1	1	2	3	6	10	35
35-49	137	3.3	23	1	1	2	4	6	10	99 +
50-64	142	4.4	18	1	2	3	6	9	13	19
65 +	260	7.5	76	1	3	5	9	16	23	47
GRAND TOTAL	**903**	**4.7**	**52**	**1**	**1**	**2**	**5**	**10**	**16**	**45**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	8.8	178	< 1	2	4	7	32	41	41
20-34	8	5.8	26	1	2	4	7	14	17	17
35-49	12	2.7	3	1	2	2	3	5	7	7
50-64	11	3.3	3	1	2	3	5	6	6	6
65 +	21	5.5	26	< 1	2	4	8	11	16	22
B. Operated										
0-19 YRS	58	2.3	2	1	1	2	3	5	6	7
20-34	99	3.0	7	1	1	2	4	6	7	16
35-49	107	3.9	18	1	1	2	4	10	14	21
50-64	112	5.6	24	1	2	4	8	12	15	22
65 +	206	5.2	40	1	2	3	8	12	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	279	7.0	44	1	3	5	9	15	19	36
20-34	68	6.3	60	1	2	4	7	15	16	51
35-49	89	8.3	104	1	3	6	10	15	22	66
50-64	103	7.3	45	1	3	5	10	16	18	36
65 +	270	7.9	68	2	3	6	10	16	26	52
B. Operated										
0-19 YRS	1002	7.6	94	1	2	4	9	18	25	59
20-34	366	7.5	91	1	2	4	9	17	25	45
35-49	477	8.2	114	1	2	5	10	18	29	81
50-64	1046	8.7	117	1	2	5	11	19	29	57
65 +	2007	10.2	144	1	3	7	13	23	36	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	5.0	38	1	2	3	6	10	14	39
B. Operated	582	4.4	25	1	1	3	6	10	14	20
2. MULTIPLE DX										
A. Not Operated	809	7.4	60	1	3	5	10	15	21	46
B. Operated	4898	9.0	122	1	2	5	11	20	30	68
1. SINGLE DX	642	4.4	26	1	1	3	6	10	14	21
2. MULTIPLE DX	5707	8.7	114	1	2	5	11	20	29	64
A. Not Operated	869	7.2	59	1	3	5	9	15	21	44
B. Operated	5480	8.5	114	1	2	5	11	19	28	64
TOTAL										
0-19 YRS	1347	7.2	81	1	2	4	9	16	23	52
20-34	541	6.5	74	1	2	4	7	15	22	44
35-49	685	7.5	98	1	2	4	9	16	25	62
50-64	1272	8.3	103	1	2	5	11	18	26	55
65 +	2504	9.5	129	1	2	6	12	22	32	72
GRAND TOTAL	**6349**	**8.3**	**107**	**1**	**2**	**5**	**10**	**19**	**27**	**61**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	1.4	1	< 1	1	1	1	2	4	8
20-34	36	2.3	2	1	1	2	3	4	5	7
35-49	30	2.8	8	1	1	2	3	7	9	12
50-64	19	2.1	2	1	1	2	3	4	5	5
65 +	35	3.2	3	1	2	3	4	5	7	8
B. Operated										
0-19 YRS	75	1.3		< 1	1	1	1	2	3	4
20-34	50	2.4	4	1	1	2	3	5	5	11
35-49	35	2.8	7	1	1	2	4	7	7	13
50-64	19	3.6	7	1	1	4	6	7	8	8
65 +	13	2.6	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	2.0	2	< 1	1	2	2	4	5	6
20-34	37	3.5	13	< 1	1	2	5	8	10	19
35-49	37	3.9	23	1	2	3	4	6	12	28
50-64	64	3.3	6	1	2	3	4	5	8	17
65 +	161	4.0	6	1	2	3	5	7	9	13
B. Operated										
0-19 YRS	107	1.9	4	1	1	1	2	4	6	11
20-34	87	3.3	11	1	1	2	5	8	10	18
35-49	87	4.5	79	1	1	2	5	10	14	57
50-64	117	4.1	27	1	1	3	6	8	10	30
65 +	197	5.2	37	1	1	3	6	12	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	2.2	3	1	1	2	3	4	6	9
B. Operated	192	2.2	4	1	1	1	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	358	3.5	8	1	2	3	4	7	9	14
B. Operated	595	4.0	33	1	1	2	5	9	13	27
1. SINGLE DX	378	2.2	4	1	1	1	3	5	6	9
2. MULTIPLE DX	953	3.8	24	1	1	2	4	8	11	24
A. Not Operated	544	3.1	7	1	1	2	4	6	8	13
B. Operated	787	3.6	26	1	1	2	4	8	11	24
TOTAL										
0-19 YRS	307	1.7	2	< 1	1	1	2	3	4	8
20-34	210	3.0	8	1	1	2	4	6	8	16
35-49	189	3.8	44	1	1	2	4	7	13	25
50-64	219	3.6	17	1	1	3	5	7	9	19
65 +	406	4.5	22	1	2	3	5	9	12	27
GRAND TOTAL	**1331**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.4	9	2	2	4	5	8	10	14
20-34	40	4.4	7	1	2	4	6	8	10	10
35-49	34	5.8	12	2	4	5	7	9	15	17
50-64	19	5.9	20	2	3	3	9	13	15	17
65 +	13	11.3	51	3	6	10	16	22	26	27
B. Operated										
0-19 YRS	23	5.3	16	2	2	4	7	11	14	15
20-34	23	7.7	38	2	4	5	10	15	20	28
35-49	20	5.2	7	2	3	5	7	9	10	10
50-64	18	5.7	29	1	2	4	8	14	18	20
65 +	8	9.4	56	2	5	8	10	21	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	6.7	73	2	3	5	7	11	18	59
20-34	70	5.3	14	2	3	4	7	9	10	24
35-49	99	7.3	31	3	4	6	9	13	19	30
50-64	101	7.7	35	3	4	6	9	14	17	36
65 +	168	9.1	40	3	6	8	11	16	19	33
B. Operated										
0-19 YRS	71	10.3	129	2	4	7	12	28	43	93
20-34	83	9.7	70	3	5	8	12	21	29	84
35-49	102	10.7	81	3	5	8	13	19	27	52
50-64	158	15.1	186	3	5	11	20	35	43	70
65 +	189	17.4	184	5	8	14	24	41	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	5.6	18	2	3	5	7	10	15	22
B. Operated	92	6.3	26	2	3	5	8	13	15	27
2. MULTIPLE DX										
A. Not Operated	497	7.6	39	3	4	6	9	14	18	33
B. Operated	603	13.8	154	3	5	10	18	31	45	99 +
1. SINGLE DX	225	5.9	21	2	3	5	8	11	15	26
2. MULTIPLE DX	1100	11.0	111	3	5	8	13	24	35	67
A. Not Operated	630	7.2	35	2	4	6	9	13	17	31
B. Operated	695	12.8	143	3	5	9	16	28	41	86
TOTAL										
0-19 YRS	180	7.6	83	2	3	5	8	15	26	65
20-34	216	7.1	42	2	3	5	9	14	21	41
35-49	255	8.3	51	2	4	7	11	16	20	36
50-64	296	11.4	130	3	4	8	14	24	37	61
65 +	378	13.3	129	4	6	10	17	28	43	99 +
GRAND TOTAL	**1325**	**10.1**	**100**	**3**	**4**	**7**	**12**	**21**	**31**	**63**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.1	4	1	1	1	2	4	7	8
20-34	26	3.9	11	1	2	3	6	8	10	15
35-49	24	3.7	5	1	2	3	5	7	8	9
50-64	25	5.2	12	1	2	5	8	10	12	13
65 +	18	3.2	9	< 1	1	2	4	7	11	13
B. Operated										
0-19 YRS	15	2.5	3	< 1	< 1	2	4	5	6	6
20-34	25	5.6	15	1	2	5	8	11	13	15
35-49	20	4.5	17	1	2	3	6	9	14	18
50-64	22	6.4	46	2	2	4	8	14	25	28
65 +	15	4.1	12	1	2	2	7	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	3.8	11	1	1	3	5	8	11	17
20-34	99	3.3	7	1	1	3	4	7	9	13
35-49	140	4.5	14	1	2	3	6	8	11	21
50-64	144	5.6	30	1	2	4	8	11	14	27
65 +	311	6.3	37	1	3	5	8	12	14	30
B. Operated										
0-19 YRS	258	3.9	50	1	1	1	3	11	21	42
20-34	383	2.8	21	1	1	1	2	6	11	26
35-49	419	4.1	59	1	1	1	4	10	15	39
50-64	453	6.6	103	1	1	3	8	16	25	53
65 +	744	8.1	118	1	1	4	11	21	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	3.8	9	1	1	3	5	8	9	14
B. Operated	97	4.8	21	1	2	3	7	10	12	26
2. MULTIPLE DX										
A. Not Operated	801	5.2	26	1	2	4	7	10	13	23
B. Operated	2257	5.7	84	1	1	2	7	15	23	49
1. SINGLE DX	203	4.3	15	1	2	3	6	9	11	20
2. MULTIPLE DX	3058	5.5	69	1	1	2	7	13	20	46
A. Not Operated	907	5.0	24	1	2	4	7	10	13	22
B. Operated	2354	5.6	81	1	1	2	7	15	23	48
TOTAL										
0-19 YRS	393	3.7	36	1	1	1	4	9	15	34
20-34	533	3.0	18	1	1	1	3	7	11	21
35-49	603	4.2	45	1	1	2	5	9	14	34
50-64	644	6.3	81	1	1	3	8	15	23	50
65 +	1088	7.5	92	1	2	4	10	17	26	52
GRAND TOTAL	**3261**	**5.5**	**66**	**1**	**1**	**2**	**7**	**13**	**20**	**45**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	3	1	1	2	3	5	6	6
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	6.0	4	4	4	6	7	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.2	10	1	1	2	4	5	13	14
20-34	23	6.1	41	1	2	3	7	19	21	23
35-49	13	5.2	6	2	3	5	7	8	10	10
50-64	14	5.6	18	1	2	5	7	11	15	16
65 +	46	5.8	26	1	2	4	8	12	18	22
B. Operated										
0-19 YRS	6	19.8	750	< 1	3	6	31	67	71	71
20-34	0									
35-49	1	21.0		21	21	21	21	21	21	21
50-64	2	16.5	25	13	13	16	20	20	20	20
65 +	15	6.1	25	1	2	5	9	12	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.2	5	1	1	2	5	6	7	8
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	134	5.0	22	1	2	3	7	12	16	22
B. Operated	24	11.0	222	1	2	7	13	22	43	71
1. SINGLE DX	17	3.1	5	1	2	2	5	6	7	8
2. MULTIPLE DX	158	5.9	56	1	2	4	7	13	19	30
A. Not Operated	150	4.8	20	1	2	3	6	10	14	22
B. Operated	25	10.6	216	1	2	7	12	21	41	71
TOTAL										
0-19 YRS	52	5.0	111	1	1	2	4	10	14	70
20-34	25	5.9	38	1	2	3	7	19	21	23
35-49	18	6.0	19	2	3	5	7	9	17	21
50-64	17	6.8	29	1	3	6	9	15	19	20
65 +	63	5.7	25	1	2	4	9	12	17	22
GRAND TOTAL	**175**	**5.7**	**52**	**1**	**2**	**3**	**7**	**12**	**18**	**29**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	157	1.3		< 1	< 1	1	1	2	3	4
35-49	93	1.3	1	< 1	< 1	1	1	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	91	1.9	2	< 1	1	1	3	4	4	7
35-49	77	1.8	1	< 1	1	1	2	3	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	251	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	169	1.9	1	< 1	1	1	3	3	4	6
1. SINGLE DX	251	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	173	1.8	1	< 1	1	1	3	3	4	6
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	420	1.5	1	< 1	< 1	1	2	3	4	5
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	250	1.5	1	< 1	< 1	1	2	3	3	5
35-49	172	1.3	1	< 1	< 1	1	2	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**424**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**5**

411: Single liveborn, without cesarean section delivery, born in hospital (V30.00; V39.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	309	2.3	1	1	2	2	3	3	4	6
2500 +	31960	2.2	1	1	2	2	3	3	3	4
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	1	5.0		5	5	5	5	5	5	5
2500 +	8	3.6	6	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
1-999 G	9	78.2	314	56	76	89	98	99 +	99 +	99 +
1000-1499	37	42.1	262	24	32	41	50	67	85	99 +
1500-1749	52	28.9	172	16	20	25	36	49	52	70
1750-2499	1244	6.7	49	2	2	3	9	16	21	32
2500 +	18560	2.9	4	2	2	2	3	4	6	10
B. Operated										
1-999 G	13	82.9	139	73	88	99 +	99 +	99 +	99 +	99 +
1000-1499	31	60.2	302	34	52	64	75	95	99 +	99 +
1500-1749	17	34.8	190	21	28	36	38	48	66	75
1750-2499	74	19.6	133	7	12	18	26	40	61	99 +
2500 +	284	8.8	111	2	2	6	10	20	31	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32269	2.2	1	1	2	2	3	3	3	4
B. Operated	9	3.8	5	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	19902	3.3	16	2	2	2	3	5	7	19
B. Operated	419	17.8	464	2	3	10	26	74	99 +	99 +
1. SINGLE DX	32278	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX	20321	3.6	29	2	2	2	3	5	8	30
A. Not Operated	52171	2.6	7	2	2	2	3	3	5	11
B. Operated	428	17.5	458	2	3	10	26	74	99 +	99 +
TOTAL										
1-999 G	22	81.0	204	70	85	96	99 +	99 +	99 +	99 +
1000-1499	68	50.3	359	28	37	50	69	83	99	99 +
1500-1749	69	30.3	180	16	21	27	37	49	53	74
1750-2499	1628	6.5	54	2	2	3	8	16	22	35
2500 +	50812	2.5	3	2	2	2	3	3	4	8
GRAND TOTAL	**52599**	**2.7**	**12**	**2**	**2**	**2**	**3**	**3**	**5**	**14**

412: Twin or multiple liveborn, without cesarean section delivery, born in hospital (V31.00; V32.00; V33.00; V34.00; V35.00; V36.00; V37.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	54	3.3	2	2	2	3	4	5	5	10
2500 +	207	3.0	1	2	2	3	4	4	5	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	81.0	31	76	77	80	85	87	87	87
1000-1499	12	41.0	364	14	29	45	51	85	97	99 +
1500-1749	20	27.2	196	12	15	24	38	49	55	57
1750-2499	158	8.0	33	3	3	6	12	17	18	25
2500 +	155	3.8	4	2	3	3	4	6	8	10
B. Operated										
1-999 G	1	90.0		90	95	99 +	99 +	99 +	99 +	99 +
1000-1499	9	53.7	71	44	47	56	67	99 +	99 +	99 +
1500-1749	12	33.9	126	18	26	35	41	47	53	54
1750-2499	21	17.0	68	7	13	17	21	28	33	36
2500 +	3	6.0	7	4	4	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	3.1	1	2	2	3	4	4	5	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	348	9.0	151	2	3	4	10	19	34	80
B. Operated	46	29.5	387	11	15	27	48	94	99 +	99 +
1. SINGLE DX	261	3.1	1	2	2	3	4	4	5	8
2. MULTIPLE DX	394	11.4	221	2	3	5	14	33	52	99 +
A. Not Operated	609	6.5	95	2	3	3	5	14	20	55
B. Operated	46	29.5	387	11	15	27	48	94	99 +	99 +
TOTAL										
1-999 G	4	83.3	41	77	82	90	99 +	99 +	99 +	99 +
1000-1499	21	46.4	269	27	43	49	60	99 +	99 +	99 +
1500-1749	32	29.7	176	14	19	27	41	47	54	57
1750-2499	233	7.7	41	2	3	5	12	17	20	31
2500 +	365	3.4	3	2	2	3	4	5	6	10
GRAND TOTAL	**655**	**8.1**	**150**	**2**	**3**	**4**	**8**	**19**	**42**	**90**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	4	2.3		2	2	2	3	3	3	3
2500 +	78	2.4	3	1	2	2	3	3	4	13
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	73.0		73	73	73	73	73	73	73
1500-1749	1	31.0		31	31	31	31	31	31	31
1750-2499	12	10.2	49	3	4	10	14	18	25	26
2500 +	61	4.4	23	2	2	3	4	9	14	30
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	1	26.0		26	26	26	26	26	26	26
1750-2499	0									
2500 +	2	27.0	1250	2	2	27	52	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	2.4	3	1	2	2	3	3	4	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	75	6.6	100	2	2	3	6	15	23	63
B. Operated	3	26.7	625	2	14	39	76	99 +	99 +	99 +
1. SINGLE DX	82	2.4	3	1	2	2	3	3	4	12
2. MULTIPLE DX	78	7.4	127	2	2	3	7	16	32	92
A. Not Operated	157	4.4	53	1	2	2	4	9	15	32
B. Operated	3	26.7	625	2	14	39	76	99 +	99 +	99 +
TOTAL										
1-999 G	0									
1000-1499	1	73.0		73	73	73	73	73	73	73
1500-1749	2	28.5	13	26	26	28	31	31	31	31
1750-2499	16	8.2	48	2	3	5	13	15	23	26
2500 +	141	3.6	30	1	2	2	3	5	11	34
GRAND TOTAL	**160**	**4.8**	**69**	**1**	**2**	**2**	**4**	**11**	**16**	**71**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	102	1.4	1	< 1	1	1	2	3	3	4
20-34	123	1.9	12	< 1	1	1	2	3	4	16
35-49	62	1.5	1	1	1	1	2	3	4	5
50-64	38	1.8	2	1	1	1	2	3	6	7
65 +	36	2.6	8	< 1	1	2	3	4	7	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.2	3	< 1	1	2	3	5	5	5
20-34	3	1.7	1	< 1	< 1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	272	1.8	4	< 1	1	1	2	3	4	10
20-34	92	2.2	9	1	1	1	3	4	5	19
35-49	54	1.7	1	1	1	1	2	3	3	7
50-64	31	4.2	43	1	1	2	4	9	10	37
65 +	37	3.8	18	1	2	2	4	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	361	1.8	6	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	10	1.9	2	< 1	1	1	3	4	5	5
B. Operated	486	2.2	8	< 1	1	1	2	4	5	12
1. SINGLE DX	367	1.7	6	< 1	1	1	2	3	4	7
2. MULTIPLE DX	496	2.1	8	< 1	1	1	2	4	5	12
A. Not Operated	16	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	847	2.0	7	< 1	1	1	2	3	4	10
TOTAL										
0-19 YRS	381	1.7	3	< 1	1	1	2	3	4	8
20-34	221	2.0	11	< 1	1	1	2	3	4	15
35-49	116	1.6	1	1	1	1	2	3	3	6
50-64	70	2.8	21	1	1	2	3	5	9	32
65 +	75	3.1	13	1	1	2	4	6	10	22
GRAND TOTAL	**863**	**2.0**	**7**	**< 1**	**1**	**1**	**2**	**3**	**5**	**10**

415: Admission for dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	2.3	3	< 1	< 1	< 1	4	5	6	6
35-49	39	1.9	3	< 1	< 1	< 1	2	5	6	9
50-64	52	2.6	33	< 1	< 1	< 1	1	6	9	39
65 +	69	2.3	26	< 1	< 1	< 1	1	4	10	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	4	3.8	1	3	3	4	4	5	5	5
B. Operated	172	2.3	21	< 1	< 1	< 1	1	5	8	33
1. SINGLE DX	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX	176	2.4	21	< 1	< 1	< 1	1	5	8	32
A. Not Operated	4	3.8	1	3	3	4	4	5	5	5
B. Operated	173	2.3	21	< 1	< 1	< 1	1	5	8	33
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	2.4	3	< 1	< 1	1	4	5	6	6
35-49	40	2.0	3	< 1	< 1	< 1	3	5	6	9
50-64	52	2.6	33	< 1	< 1	< 1	1	6	9	39
65 +	72	2.3	25	< 1	< 1	< 1	1	4	10	33
GRAND TOTAL	**177**	**2.4**	**21**	**< 1**	**< 1**	**< 1**	**1**	**5**	**8**	**32**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.3	3	< 1	2	3	5	6	6	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	7	3.0	3	< 1	2	2	4	6	6	6
65 +	9	1.7	1	< 1	1	1	2	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1407	3.3	7	1	2	3	4	5	6	10
20-34	504	3.4	5	1	2	3	5	6	7	11
35-49	1410	3.2	6	1	1	3	4	6	6	11
50-64	3314	3.1	6	1	2	3	4	5	6	10
65 +	3525	3.3	9	1	2	3	4	6	6	12
B. Operated										
0-19 YRS	106	6.6	38	2	3	5	7	11	20	34
20-34	72	7.1	75	2	4	5	7	10	17	52
35-49	123	5.6	31	1	3	4	6	12	17	36
50-64	266	5.5	29	2	2	4	6	11	17	31
65 +	273	6.1	52	1	2	4	6	12	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.5	3	< 1	1	2	3	5	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10160	3.2	7	1	2	3	4	5	6	11
B. Operated	840	6.0	42	2	3	4	6	11	18	37
1. SINGLE DX	26	2.5	3	< 1	1	2	3	5	6	6
2. MULTIPLE DX	11000	3.4	10	1	2	3	5	6	7	15
A. Not Operated	10186	3.2	7	1	2	3	4	5	6	11
B. Operated	840	6.0	42	2	3	4	6	11	18	37
TOTAL										
0-19 YRS	1519	3.5	10	1	2	3	5	6	7	17
20-34	578	3.8	15	1	2	4	5	6	8	15
35-49	1535	3.4	8	1	2	3	4	6	7	15
50-64	3587	3.3	8	1	2	3	4	6	7	15
65 +	3807	3.5	12	1	2	3	4	6	7	15
GRAND TOTAL	**11026**	**3.4**	**10**	**1**	**2**	**3**	**5**	**6**	**7**	**15**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	358	1.7	4	< 1	1	1	2	3	4	10
20-34	339	1.7	3	< 1	< 1	1	2	3	6	10
35-49	138	1.6	4	< 1	1	1	1	3	3	17
50-64	80	1.7	7	< 1	1	1	2	3	4	18
65 +	91	2.5	15	< 1	1	1	2	8	11	21
B. Operated										
0-19 YRS	113	3.1	10	< 1	< 1	1	5	8	9	14
20-34	184	3.6	9	< 1	1	2	5	9	10	11
35-49	124	3.5	9	< 1	1	2	5	8	9	13
50-64	68	4.3	15	< 1	1	2	7	10	12	13
65 +	58	4.9	11	< 1	1	5	8	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	943	3.8	61	< 1	1	1	3	7	19	52
20-34	533	11.5	236	< 1	1	3	22	29	39	91
35-49	451	13.8	224	1	2	7	24	31	45	99 +
50-64	638	14.2	246	1	3	7	22	36	51	84
65 +	1696	18.6	258	3	5	15	27	42	52	78
B. Operated										
0-19 YRS	424	5.4	82	1	1	2	7	11	18	73
20-34	342	4.4	59	1	1	2	6	10	15	99 +
35-49	474	5.9	109	1	1	2	7	11	21	74
50-64	559	7.7	141	1	1	4	9	19	30	99
65 +	847	10.7	202	1	2	6	12	29	43	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1006	1.8	5	< 1	1	1	2	3	5	11
B. Operated	547	3.7	10	< 1	1	2	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	4261	13.3	238	1	2	6	21	34	47	84
B. Operated	2646	7.6	140	1	1	3	9	18	35	85
1. SINGLE DX	1553	2.5	8	< 1	1	1	3	7	9	12
2. MULTIPLE DX	6907	11.1	208	1	1	5	16	30	44	84
A. Not Operated	5267	11.1	214	1	1	4	18	31	43	76
B. Operated	3193	6.9	120	1	1	3	8	15	29	76
TOTAL										
0-19 YRS	1838	3.7	53	< 1	1	1	3	8	14	52
20-34	1398	6.4	123	< 1	1	2	6	23	28	78
35-49	1187	8.1	151	1	1	3	9	27	32	77
50-64	1345	10.3	192	1	1	5	13	29	44	84
65 +	2692	15.3	249	1	4	10	22	38	49	77
GRAND TOTAL	**8460**	**9.5**	**183**	**1**	**1**	**4**	**12**	**28**	**40**	**76**

418: Single liveborn, with cesarean section delivery, born in hospital (V30.01; V39.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	87	4.3	1	3	4	4	5	6	6	8
2500 +	7642	4.3	1	3	4	4	5	5	6	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	5	4.8	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
1-999 G	12	76.3	291	57	68	90	99 +	99 +	99 +	99 +
1000-1499	50	46.1	315	23	34	46	59	72	87	99 +
1500-1749	58	29.8	171	15	21	27	40	47	55	67
1750-2499	544	9.6	60	4	4	6	13	20	26	40
2500 +	7184	4.7	5	3	4	4	5	6	7	12
B. Operated										
1-999 G	17	73.7	249	61	67	90	99 +	99 +	99 +	99 +
1000-1499	65	56.7	215	37	48	57	68	82	92	99 +
1500-1749	25	37.4	260	19	27	34	50	57	70	81
1750-2499	75	20.4	232	5	11	18	26	49	81	99 +
2500 +	188	10.9	108	4	5	8	13	28	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7729	4.3	1	3	4	4	5	5	6	8
B. Operated	5	4.8	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	7848	5.6	36	3	4	4	5	7	11	38
B. Operated	370	25.6	568	4	7	17	50	75	99 +	99 +
1. SINGLE DX	7734	4.3	1	3	4	4	5	5	6	8
2. MULTIPLE DX	8218	6.5	77	3	4	4	5	9	17	62
A. Not Operated	15577	4.9	19	3	4	4	5	6	8	22
B. Operated	375	25.3	566	4	6	16	49	75	99 +	99 +
TOTAL										
1-999 G	29	74.8	259	61	67	90	99 +	99 +	99 +	99 +
1000-1499	115	52.1	283	29	41	53	63	80	90	99 +
1500-1749	83	32.1	207	16	21	29	40	52	60	76
1750-2499	706	10.1	86	4	4	6	14	22	28	53
2500 +	15019	4.6	5	3	4	4	5	6	7	12
GRAND TOTAL	**15952**	**5.4**	**42**	**3**	**4**	**4**	**5**	**6**	**9**	**44**

419: Twin or multiple liveborn, with cesarean section delivery, born in hospital (V31.01; V32.01; V33.01; V34.01; V35.01; V36.01; V37.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	56	5.0	3	4	4	5	5	6	7	12
2500 +	288	4.8	1	4	4	5	5	6	6	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	4	68.5	188	50	59	70	77	83	83	83
1000-1499	25	41.2	199	24	30	39	50	65	65	65
1500-1749	28	29.8	216	15	19	25	37	46	59	75
1750-2499	234	8.5	27	4	5	6	11	15	18	27
2500 +	205	5.1	3	4	4	5	5	6	8	12
B. Operated										
1-999 G	7	74.0	123	62	74	84	99 +	99 +	99 +	99 +
1000-1499	22	57.4	299	30	49	61	70	90	99 +	99 +
1500-1749	15	41.1	181	27	30	36	48	56	70	75
1750-2499	20	32.5	389	9	21	33	48	92	99 +	99 +
2500 +	4	10.5	49	3	5	10	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	4.8	2	4	4	5	5	6	6	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	496	10.4	147	4	5	5	10	23	38	65
B. Operated	68	45.4	514	17	30	48	71	99 +	99 +	99 +
1. SINGLE DX	344	4.8	2	4	4	5	5	6	6	12
2. MULTIPLE DX	564	14.6	320	4	5	6	16	47	66	99 +
A. Not Operated	840	8.1	95	4	4	5	6	15	25	58
B. Operated	68	45.4	514	17	30	48	71	99 +	99 +	99 +
TOTAL										
1-999 G	11	72.0	138	55	70	82	99 +	99 +	99 +	99 +
1000-1499	47	48.8	307	26	35	50	65	73	90	99 +
1500-1749	43	33.7	229	17	23	34	43	52	63	75
1750-2499	310	9.4	84	4	5	6	12	17	27	67
2500 +	497	5.0	3	4	4	5	5	6	7	13
GRAND TOTAL	**908**	**10.9**	**222**	**4**	**4**	**5**	**8**	**31**	**51**	**92**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24873	2.7	10	1	1	2	3	5	7	15
20-34	52499	2.6	5	1	2	2	3	4	5	10
35-49	19702	3.2	9	1	1	2	4	6	8	14
50-64	10997	3.9	14	1	1	3	5	8	10	17
65 +	9405	5.0	27	1	2	4	7	11	14	24
2. MULTIPLE DX										
0-19 YRS	42497	6.4	100	1	1	3	7	15	25	74
20-34	66556	4.6	33	1	2	3	5	8	12	31
35-49	46381	6.2	57	1	2	4	7	13	19	43
50-64	55714	8.1	83	1	3	6	10	17	24	52
65 +	128664	11.0	129	2	4	8	14	23	34	81
TOTAL SINGLE DX	117476	3.0	10	1	1	2	4	6	8	15
TOTAL MULTIPLE DX	339812	8.0	96	1	3	5	10	18	26	62
TOTAL										
0-19 YRS	67370	5.0	70	1	1	3	5	11	19	57
20-34	119055	3.7	22	1	2	3	4	6	9	24
35-49	66083	5.3	45	1	2	4	6	11	16	37
50-64	66711	7.4	74	1	2	5	9	15	22	48
65 +	138069	10.6	124	2	4	8	13	23	33	77
GRAND TOTAL	**457288**	**6.7**	**78**	**1**	**2**	**4**	**8**	**15**	**22**	**54**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	5.7	28	1	2	5	8	10	15	29
20-34	37	7.5	27	1	4	7	10	16	18	22
35-49	41	8.4	18	2	6	9	10	14	16	19
50-64	49	8.9	55	2	5	7	10	17	22	37
65 +	38	8.5	33	2	3	8	10	18	19	26
2. MULTIPLE DX										
0-19 YRS	334	10.4	102	2	4	8	14	22	29	71
20-34	102	13.2	120	3	6	10	18	32	37	79
35-49	108	15.2	153	5	7	11	19	36	44	75
50-64	159	15.8	217	4	7	10	20	43	50	98
65 +	298	18.7	302	6	9	13	23	46	88	99 +
TOTAL SINGLE DX	232	7.6	34	1	3	7	10	15	19	31
TOTAL MULTIPLE DX	1001	14.5	198	3	6	10	18	34	48	99 +
TOTAL										
0-19 YRS	401	9.6	93	2	4	7	12	22	26	62
20-34	139	11.7	101	3	5	9	15	28	36	64
35-49	149	13.3	125	4	6	10	16	28	43	57
50-64	208	14.2	187	3	6	9	17	36	48	88
65 +	336	17.6	283	5	8	13	20	42	83	99 +
GRAND TOTAL	1233	13.2	175	3	6	9	16	30	43	99 +

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	4.5	5	2	3	4	6	8	10	10
20-34	6	21.8	1245	2	5	6	18	85	93	93
35-49	2	10.0	32	6	6	10	14	14	14	14
50-64	6	9.3	48	2	5	6	17	19	19	19
65 +	5	9.4	12	6	7	8	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	82	9.7	112	3	4	6	12	22	37	48
20-34	39	16.3	167	4	7	14	20	45	51	99 +
35-49	32	17.6	318	5	8	13	18	61	96	99 +
50-64	37	22.7	410	5	8	13	40	57	71	99 +
65 +	39	24.7	480	7	11	19	39	99	99 +	99 +
TOTAL SINGLE DX	52	7.8	163	2	3	5	8	14	18	91
TOTAL MULTIPLE DX	229	16.6	290	3	6	12	21	49	76	99 +
TOTAL										
0-19 YRS	115	8.2	87	2	3	5	8	19	30	46
20-34	45	17.0	290	3	7	13	20	46	63	99 +
35-49	34	17.1	304	5	7	13	17	59	94	99 +
50-64	43	20.8	380	5	7	13	34	56	66	99 +
65 +	44	23.0	450	6	10	16	35	94	99 +	99 +
GRAND TOTAL	281	15.0	278	3	6	9	19	46	69	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	3.6	4	1	2	3	5	6	8	11
20-34	10	4.3	4	2	3	4	5	7	9	9
35-49	5	3.6	1	2	3	4	4	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	125	6.4	57	2	4	5	7	11	14	43
20-34	33	9.9	104	2	3	7	14	22	32	46
35-49	15	13.7	249	2	3	9	16	40	53	58
50-64	4	6.3	11	3	3	6	9	10	10	10
65 +	8	16.9	420	3	4	11	20	51	64	64
TOTAL SINGLE DX	121	3.7	4	1	2	3	5	6	8	11
TOTAL MULTIPLE DX	185	8.1	101	2	3	5	9	16	23	62
TOTAL										
0-19 YRS	229	5.1	36	2	3	4	6	9	12	26
20-34	43	8.6	86	2	3	5	11	20	27	46
35-49	20	11.2	204	2	3	6	12	30	49	58
50-64	5	6.6	9	3	4	8	9	10	10	10
65 +	9	15.4	386	3	4	5	18	47	64	64
GRAND TOTAL	306	6.3	67	2	3	4	7	12	18	51

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	4.2	4	2	3	4	5	7	9	11
20-34	4	4.0	4	2	2	3	5	7	7	7
35-49	7	6.4	14	2	3	5	10	11	11	11
50-64	5	2.8		2	2	3	3	4	4	4
65 +	5	8.4	63	1	3	5	13	21	21	21
2. MULTIPLE DX										
0-19 YRS	192	13.6	298	2	4	7	18	55	85	99 +
20-34	23	16.6	463	3	4	10	38	99	99 +	99 +
35-49	25	24.9	546	4	7	21	40	90	99 +	99 +
50-64	38	15.3	308	3	4	10	19	38	77	99 +
65 +	71	21.5	328	5	8	18	32	61	95	99 +
TOTAL SINGLE DX	63	4.7	11	2	3	4	5	9	11	20
TOTAL MULTIPLE DX	349	16.4	344	3	4	10	25	60	99 +	99 +
TOTAL										
0-19 YRS	234	11.9	258	2	3	6	14	38	75	99 +
20-34	27	14.7	413	3	4	7	35	96	99 +	99 +
35-49	32	20.9	486	4	5	12	37	67	99	99 +
50-64	43	13.8	288	2	4	8	17	37	75	99 +
65 +	76	20.6	320	5	8	17	30	59	91	99 +
GRAND TOTAL	412	14.6	311	3	4	8	20	54	91	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	4.9	68	1	2	2	4	8	17	50
20-34	7	10.7	100	3	4	8	12	28	32	32
35-49	5	12.8	210	1	3	7	20	37	37	37
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	532	6.4	53	1	2	4	8	15	20	36
20-34	59	9.1	190	2	3	5	10	20	35	99 +
35-49	17	15.1	256	3	4	11	33	81	99 +	99 +
50-64	13	13.8	135	4	6	10	16	36	38	39
65 +	16	10.1	108	3	4	8	26	99 +	99 +	99 +
TOTAL SINGLE DX	54	6.6	87	1	2	3	7	13	30	49
TOTAL MULTIPLE DX	637	7.1	77	1	2	4	8	17	25	96
TOTAL										
0-19 YRS	572	6.3	54	1	2	3	7	15	20	37
20-34	66	9.3	179	2	3	6	11	21	34	99
35-49	22	14.6	237	3	4	9	29	59	99 +	99 +
50-64	14	13.4	126	5	6	9	13	35	38	39
65 +	17	10.2	102	3	4	8	23	99 +	99 +	99 +
GRAND TOTAL	**691**	**7.1**	**78**	**1**	**2**	**4**	**8**	**17**	**25**	**81**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	5.5	2	4	4	6	7	7	7	7
20-34	48	4.9	6	2	3	4	6	7	9	15
35-49	115	4.8	11	2	3	4	5	8	10	22
50-64	85	5.7	32	2	3	4	6	9	10	40
65 +	80	6.6	9	3	5	6	8	10	13	17
2. MULTIPLE DX										
0-19 YRS	53	10.2	152	3	5	8	11	16	17	85
20-34	60	6.9	27	3	4	5	8	13	19	29
35-49	160	7.4	88	2	3	5	8	13	20	86
50-64	219	8.8	61	3	5	7	10	17	23	54
65 +	453	10.9	102	4	6	8	12	21	32	77
TOTAL SINGLE DX	333	5.5	16	2	3	5	7	9	11	20
TOTAL MULTIPLE DX	945	9.5	90	3	5	7	11	18	27	70
TOTAL										
0-19 YRS	58	9.8	141	3	5	7	10	16	17	82
20-34	108	6.0	19	3	4	5	7	10	15	24
35-49	275	6.3	58	2	3	5	7	11	15	47
50-64	304	7.9	55	3	4	6	8	14	22	49
65 +	533	10.3	91	4	5	8	12	19	29	71
GRAND TOTAL	**1278**	**8.5**	**74**	**3**	**4**	**6**	**9**	**16**	**23**	**60**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	9.6	43	4	7	7	11	22	26	29
20-34	22	6.0	18	2	2	5	9	12	15	17
35-49	32	6.2	31	1	2	5	7	12	17	29
50-64	5	4.6	7	1	2	5	6	8	8	8
65 +	4	11.8	119	1	5	9	18	27	27	27
2. MULTIPLE DX										
0-19 YRS	189	10.3	63	4	5	8	12	21	30	48
20-34	57	9.9	179	1	3	8	13	23	66	99 +
35-49	45	15.4	277	3	6	11	16	36	56	87
50-64	46	18.3	294	7	8	12	21	44	65	99 +
65 +	50	20.8	232	6	9	16	31	44	52	71
TOTAL SINGLE DX	113	7.8	38	2	4	7	9	15	23	29
TOTAL MULTIPLE DX	387	13.1	169	3	6	9	15	30	44	98
TOTAL										
0-19 YRS	239	10.1	59	4	5	8	12	22	29	45
20-34	79	8.8	137	1	3	6	11	19	29	99 +
35-49	77	11.6	195	2	4	7	14	21	42	79
50-64	51	17.0	283	5	8	11	20	42	59	99 +
65 +	54	20.1	228	6	9	15	30	42	51	70
GRAND TOTAL	**500**	**11.9**	**145**	**3**	**5**	**8**	**14**	**27**	**36**	**94**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.0	1	< 1	< 1	1	3	4	4	4
20-34	11	2.3	7	< 1	< 1	1	2	6	10	10
35-49	13	2.8	4	< 1	1	1	5	6	7	7
50-64	24	4.5	65	< 1	< 1	1	5	11	23	38
65 +	16	2.7	7	1	1	2	3	8	8	8
2. MULTIPLE DX										
0-19 YRS	13	4.8	37	< 1	1	3	5	13	21	23
20-34	16	5.1	27	< 1	1	3	7	14	17	18
35-49	35	6.9	66	< 1	1	5	9	12	22	43
50-64	28	7.8	162	< 1	1	3	9	13	33	65
65 +	45	8.2	152	1	2	4	9	17	33	67
TOTAL SINGLE DX	70	3.2	26	< 1	1	1	4	7	10	34
TOTAL MULTIPLE DX	137	7.1	106	< 1	1	4	9	14	24	65
TOTAL										
0-19 YRS	19	3.9	27	< 1	1	2	4	9	17	23
20-34	27	4.0	21	< 1	1	2	5	12	15	18
35-49	48	5.8	53	< 1	1	4	7	11	19	43
50-64	52	6.3	118	< 1	1	2	7	13	28	64
65 +	61	6.7	120	1	1	3	8	14	27	65
GRAND TOTAL	**207**	**5.8**	**82**	**< 1**	**1**	**3**	**7**	**12**	**20**	**54**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	2.0	2	1	1	1	2	5	6	7
20-34	65	1.4		< 1	< 1	1	2	2	3	5
35-49	77	1.5	3	< 1	< 1	1	1	3	3	13
50-64	55	1.5	1	< 1	1	1	1	2	3	9
65 +	30	1.4		< 1	1	1	1	2	3	5
2. MULTIPLE DX										
0-19 YRS	53	1.7	2	1	1	1	2	3	5	8
20-34	76	2.8	15	1	1	1	3	6	9	25
35-49	85	3.2	61	1	1	1	3	6	9	51
50-64	74	2.7	29	< 1	1	1	2	4	8	35
65 +	101	2.4	7	< 1	1	1	3	5	7	16
TOTAL SINGLE DX	252	1.5	2	< 1	< 1	1	2	2	3	7
TOTAL MULTIPLE DX	389	2.6	24	< 1	1	1	2	5	8	23
TOTAL										
0-19 YRS	78	1.8	2	1	1	1	2	3	6	8
20-34	141	2.1	9	< 1	1	1	2	4	6	16
35-49	162	2.4	34	< 1	1	1	2	4	7	17
50-64	129	2.2	18	< 1	1	1	2	3	7	27
65 +	131	2.2	6	< 1	1	1	2	5	6	13
GRAND TOTAL	**641**	**2.2**	**16**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.3	1	2	2	3	4	5	5	5
50-64	3	2.3		2	2	2	3	3	3	3
65 +	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	3.5		3	3	3	4	4	4	4
35-49	5	8.6	55	1	3	5	16	18	18	18
50-64	11	5.5	5	2	4	6	7	9	10	10
65 +	16	10.2	18	5	7	9	13	16	18	19
TOTAL SINGLE DX	11	4.7	16	2	2	3	5	12	14	14
TOTAL MULTIPLE DX	37	7.8	22	3	4	6	11	15	17	19
TOTAL										
0-19 YRS	2	12.0	8	10	10	12	14	14	14	14
20-34	5	3.2	1	2	3	3	4	4	4	4
35-49	9	6.2	36	1	3	4	8	17	18	18
50-64	14	4.8	6	2	2	5	6	8	10	10
65 +	18	9.9	18	5	6	9	13	15	18	19
GRAND TOTAL	**48**	**7.1**	**22**	**2**	**3**	**6**	**10**	**14**	**16**	**19**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	3	5.7	25	1	2	5	9	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	5	15.2	271	2	3	5	29	39	39	39
35-49	10	4.4	15	< 1	1	3	6	11	13	13
50-64	9	7.6	28	1	3	6	13	14	14	14
65 +	19	12.2	226	1	3	9	17	24	48	66
TOTAL SINGLE DX	12	4.1	12	1	1	3	6	10	11	11
TOTAL MULTIPLE DX	45	9.6	140	1	2	5	13	21	29	66
TOTAL										
0-19 YRS	4	5.0	9	1	3	5	7	8	8	8
20-34	8	11.4	189	2	3	4	18	35	39	39
35-49	13	4.7	16	1	1	4	7	11	13	13
50-64	10	7.0	29	1	2	5	13	14	14	14
65 +	22	10.9	206	1	2	5	13	22	42	66
GRAND TOTAL	**57**	**8.4**	**117**	**1**	**2**	**5**	**11**	**20**	**26**	**64**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	1.7		1	1	2	2	3	3	4
20-34	115	2.3	1	1	2	2	3	4	4	7
35-49	221	2.2		1	2	2	3	3	4	5
50-64	112	2.4	1	1	2	2	3	4	4	7
65 +	49	2.6	1	1	2	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	13	3.3	5	1	2	3	4	6	8	9
20-34	67	3.3	3	2	2	3	4	6	8	10
35-49	142	2.8	2	2	2	3	3	4	6	9
50-64	141	3.8	22	2	2	3	4	6	8	34
65 +	145	6.6	106	2	3	3	5	13	21	63
TOTAL SINGLE DX	523	2.3	1	1	2	2	3	4	4	6
TOTAL MULTIPLE DX	508	4.2	40	2	2	3	4	7	11	37
TOTAL										
0-19 YRS	39	2.3	3	1	1	2	3	4	5	9
20-34	182	2.7	3	1	2	2	3	5	6	10
35-49	363	2.5	1	1	2	2	3	4	5	7
50-64	253	3.1	14	1	2	2	3	4	6	30
65 +	194	5.6	83	2	2	3	5	11	17	55
GRAND TOTAL	**1031**	**3.2**	**21**	**1**	**2**	**2**	**3**	**5**	**7**	**21**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	1.5	1	1	1	1	2	2	4	7
20-34	22	1.7	1	1	1	1	2	4	5	5
35-49	25	2.2	1	1	1	2	3	4	4	4
50-64	25	3.0	5	1	2	3	3	5	7	12
65 +	12	3.7	7	1	2	3	5	8	11	11
2. MULTIPLE DX										
0-19 YRS	31	3.6	13	1	1	2	5	9	13	15
20-34	22	4.8	15	1	2	4	7	10	14	15
35-49	39	5.4	106	1	2	3	5	7	18	64
50-64	65	4.0	22	1	2	3	4	8	9	30
65 +	64	9.2	106	2	3	4	13	22	36	46
TOTAL SINGLE DX	174	2.0	3	1	1	1	2	4	5	11
TOTAL MULTIPLE DX	221	5.8	64	1	2	3	6	14	20	43
TOTAL										
0-19 YRS	121	2.0	5	1	1	1	2	4	6	14
20-34	44	3.3	11	1	1	2	4	7	10	15
35-49	64	4.2	68	1	1	3	4	6	10	58
50-64	90	3.7	18	1	2	3	4	7	8	28
65 +	76	8.3	95	2	3	4	10	21	33	45
GRAND TOTAL	**395**	**4.1**	**40**	**1**	**1**	**2**	**4**	**8**	**15**	**38**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	5.8	1	4	5	6	7	7	8	8
20-34	7	5.6	3	4	4	5	6	8	9	9
35-49	8	5.5	4	3	4	5	7	8	9	9
50-64	7	7.0	1	5	6	7	8	8	8	8
65 +	4	7.3	7	5	5	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	36	11.2	88	5	6	8	11	22	27	53
20-34	16	6.6	5	4	5	6	8	10	11	12
35-49	34	10.5	35	5	6	9	14	16	23	32
50-64	47	11.1	60	5	7	9	13	21	32	99 +
65 +	37	10.1	34	3	6	9	12	19	23	25
TOTAL SINGLE DX	38	6.1	3	4	5	6	7	9	9	10
TOTAL MULTIPLE DX	170	10.4	51	5	6	9	12	20	24	52
TOTAL										
0-19 YRS	48	9.9	72	5	5	7	11	20	26	53
20-34	23	6.3	5	4	5	6	7	9	11	12
35-49	42	9.5	33	4	6	8	12	15	21	32
50-64	54	10.6	55	5	7	8	12	20	28	97
65 +	41	9.8	32	4	6	9	11	18	23	25
GRAND TOTAL	**208**	**9.6**	**45**	**4**	**6**	**8**	**11**	**19**	**22**	**49**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	1.0		<1	<1	<1	<1	1	1	1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	1.0		<1	<1	<1	<1	1	1	1
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	0									
50-64	6	7.5	253	<1	<1	1	1	36	40	40
65 +	30	4.7	34	<1	1	2	6	13	22	22
TOTAL SINGLE DX	35	1.1		<1	<1	<1	1	1	2	2
TOTAL MULTIPLE DX	47	4.3	53	<1	<1	1	3	10	22	40
TOTAL										
0-19 YRS	36	1.0		<1	<1	<1	<1	1	1	1
20-34	5	2.2	3	<1	<1	2	3	5	5	5
35-49	0									
50-64	7	6.6	217	<1	<1	1	1	32	40	40
65 +	34	4.3	32	<1	1	2	5	11	20	22
GRAND TOTAL	82	2.9	33	<1	<1	1	2	6	12	34

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	1.1		<1	<1	<1	1	1	2	2
20-34	6	1.7		1	1	2	2	3	3	3
35-49	11	1.2		<1	<1	1	1	2	2	2
50-64	17	1.1		<1	1	1	1	1	2	2
65 +	8	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	70	2.9	14	1	1	2	3	5	11	20
20-34	76	3.7	14	1	1	2	4	9	12	19
35-49	63	3.1	10	1	1	1	5	8	10	15
50-64	91	2.8	9	1	1	1	4	8	10	65
65 +	103	7.9	171	1	1	3	8	26	39	99 +
TOTAL SINGLE DX	90	1.1		<1	<1	1	1	2	2	3
TOTAL MULTIPLE DX	403	4.3	57	1	1	2	5	10	18	69
TOTAL										
0-19 YRS	118	2.1	9	<1	<1	1	2	4	6	20
20-34	82	3.5	14	1	1	2	4	8	12	19
35-49	74	2.8	9	1	1	1	3	8	10	14
50-64	108	2.5	8	1	1	1	3	7	9	50
65 +	111	7.4	162	<1	1	2	7	25	39	99 +
GRAND TOTAL	493	3.7	48	<1	1	1	4	8	15	44

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.1		1	1	1	1	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	6	1.0		1	1	1	1	1	1	1
65 +	6	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	8	1.6	2	<1	1	1	2	4	5	5
20-34	5	1.8		1	1	2	2	2	2	2
35-49	7	1.3		1	1	1	2	2	2	2
50-64	8	1.6		1	1	2	2	3	3	3
65 +	42	1.6	1	1	1	1	2	3	4	9
TOTAL SINGLE DX	25	1.0		1	1	1	1	1	2	2
TOTAL MULTIPLE DX	70	1.6	1	1	1	1	2	2	3	8
TOTAL										
0-19 YRS	15	1.4	1	1	1	1	1	2	4	5
20-34	8	1.5		1	1	1	2	2	2	2
35-49	10	1.2		1	1	1	1	2	2	2
50-64	14	1.4		1	1	1	2	2	3	3
65 +	48	1.6	2	1	1	1	2	2	3	9
GRAND TOTAL	95	1.5	1	1	1	1	2	2	3	7

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65 +	7	2.6	4	1	1	2	3	6	7	7
TOTAL SINGLE DX	5	1.2		<1	<1	1	1	2	2	2
TOTAL MULTIPLE DX	12	2.8	6	<1	1	2	4	7	8	8
TOTAL										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	0									
35-49	4	2.3	2	<1	1	2	3	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65 +	7	2.6	5	1	1	2	3	6	7	7
GRAND TOTAL	17	2.4	5	<1	1	1	3	6	8	8

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	6	2.0	1	1	1	2	3	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65 +	10	1.7	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	5	13.0	662	1	1	1	17	59	59	59
50-64	18	4.4	66	1	1	2	5	7	24	36
65 +	98	3.1	14	1	1	2	3	6	9	23
TOTAL SINGLE DX	24	1.9	1	1	1	1	3	4	4	5
TOTAL MULTIPLE DX	126	3.7	45	1	1	2	3	6	10	41
TOTAL										
0-19 YRS	6	2.5	2	1	2	2	3	5	5	5
20-34	9	2.3	2	1	1	2	3	5	5	5
35-49	7	9.9	470	1	1	1	3	48	59	59
50-64	20	4.1	60	1	1	2	4	7	22	36
65 +	108	3.0	14	1	1	2	3	5	8	22
GRAND TOTAL	150	3.4	39	1	1	2	3	5	8	36

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.5	2	<1	1	2	4	5	5	5
20-34	13	2.8	3	<1	1	3	5	5	5	5
35-49	9	2.7	1	<1	<1	3	4	4	4	4
50-64	3	1.7		<1	<1	2	2	2	2	2
65 +	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	20	4.0	7	1	3	3	4	6	10	14
20-34	14	3.4	2	1	2	3	4	6	7	7
35-49	12	3.0	8	<1	1	2	4	7	10	11
50-64	11	3.1	3	<1	1	3	5	6	6	6
65 +	13	4.8	21	1	1	3	6	13	14	14
TOTAL SINGLE DX	44	2.5	2	<1	1	2	4	5	5	5
TOTAL MULTIPLE DX	70	3.7	9	1	2	3	4	7	11	14
TOTAL										
0-19 YRS	36	3.3	6	<1	1	3	4	5	7	14
20-34	27	3.1	3	<1	2	3	5	5	6	7
35-49	21	2.9	5	<1	1	3	4	5	8	11
50-64	14	2.8	3	<1	1	2	5	5	6	6
65 +	16	4.2	19	<1	1	3	5	13	14	14
GRAND TOTAL	114	3.3	6	<1	1	3	4	5	7	14

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.2		<1	<1	1	1	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	2.6	4	<1	<1	<1	4	6	6	6
50-64	12	1.8	1	<1	<1	<1	2	4	4	4
65 +	43	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
0-19 YRS	11	1.7	4	<1	<1	1	1	4	8	8
20-34	0									
35-49	13	5.2	11	1	2	5	8	10	11	11
50-64	13	6.4	42	2	2	3	9	13	23	25
65 +	92	5.4	91	1	2	3	6	10	14	66
TOTAL SINGLE DX	83	1.5	1	<1	<1	<1	2	2	4	6
TOTAL MULTIPLE DX	129	5.2	72	1	2	3	6	10	13	59
TOTAL										
0-19 YRS	30	1.4	2	<1	<1	1	1	2	2	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	20	4.3	11	<1	1	4	6	9	10	11
50-64	25	4.2	27	<1	<1	2	5	9	14	25
65 +	135	4.1	66	<1	1	2	4	8	12	58
GRAND TOTAL	212	3.7	47	<1	1	2	4	8	10	36

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	3.0	7	<1	1	2	5	7	8	8
20-34	8	2.9	3	1	1	2	4	6	7	7
35-49	10	3.2	3	<1	1	3	4	5	6	6
50-64	4	7.0	24	3	3	6	11	13	13	13
65 +	8	2.9	11	<1	1	2	3	9	11	11
2. MULTIPLE DX										
0-19 YRS	14	4.6	10	<1	2	4	7	13	78	99 +
20-34	5	3.8	4	1	2	5	5	6	6	6
35-49	9	13.0	1018	1	1	2	4	61	98	98
50-64	19	5.5	40	1	2	3	7	10	20	29
65 +	43	5.0	21	1	2	4	7	11	16	21
TOTAL SINGLE DX	38	3.4	9	1	1	3	4	8	10	13
TOTAL MULTIPLE DX	90	5.8	118	1	2	4	6	10	19	99
TOTAL										
0-19 YRS	22	4.0	10	<1	1	4	6	9	43	99 +
20-34	13	3.2	4	1	2	3	5	6	7	7
35-49	19	7.8	480	1	1	3	4	6	57	98
50-64	23	5.7	37	1	2	3	8	11	19	29
65 +	51	4.7	20	1	1	3	6	11	14	21
GRAND TOTAL	128	5.1	86	1	1	3	6	9	13	98

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.3		<1	<1	<1	1	2	3	4
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	11	1.5	2	<1	<1	1	1	4	6	6
20-34	3	2.3		2	2	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65 +	16	3.9	15	1	1	2	5	9	13	15
TOTAL SINGLE DX	17	1.2	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	35	2.6	9	<1	1	2	2	7	9	15
TOTAL										
0-19 YRS	26	1.4	1	<1	<1	1	1	2	4	6
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65 +	17	3.7	15	1	1	2	5	9	13	15
GRAND TOTAL	52	2.2	7	<1	1	1	2	5	8	15

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.2		<1	1	1	1	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	19	1.2		<1	<1	<1	1	2	3	3
65 +	80	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	14	1.3		<1	1	1	1	2	4	4
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	17	3.1	25	<1	1	2	2	5	16	22
50-64	101	2.2	7	<1	1	1	2	5	7	57
65 +	765	2.9	44	<1	1	1	2	5	10	44
TOTAL SINGLE DX	112	1.2		<1	<1	<1	1	2	2	3
TOTAL MULTIPLE DX	901	2.8	39	<1	1	1	2	5	10	41
TOTAL										
0-19 YRS	23	1.3		<1	1	1	1	2	3	4
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	19	2.9	23	<1	<1	2	2	5	15	22
50-64	120	2.1	6	<1	<1	1	2	4	6	42
65 +	845	2.8	40	<1	<1	1	2	4	9	38
GRAND TOTAL	1013	2.6	35	<1	<1	1	2	4	9	37

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	1.4		<1	1	1	2	2	2	2
65 +	26	5.2	135	<1	1	2	2	30	59	99 +
TOTAL SINGLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	35	4.1	103	<1	1	1	2	8	47	99 +
TOTAL										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	1.4		<1	1	1	2	2	2	2
65 +	28	4.9	127	<1	1	2	2	25	54	99 +
GRAND TOTAL	37	4.0	98	<1	1	1	2	7	45	99 +

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	2.3		1	2	2	3	3	4	4
20-34	33	2.3	2	1	1	2	3	4	7	9
35-49	41	2.4	2	1	1	2	3	4	5	8
50-64	66	2.3	2	1	1	2	3	4	5	9
65 +	74	2.6	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	21	3.0	8	1	2	2	3	5	9	15
20-34	42	3.3	32	1	2	2	3	5	8	38
35-49	69	2.7	2	1	2	2	3	5	6	8
50-64	188	3.5	10	1	2	2	4	7	10	20
65 +	297	3.3	9	2	2	2	3	6	10	18
TOTAL SINGLE DX	229	2.4	2	1	2	2	3	4	5	8
TOTAL MULTIPLE DX	617	3.3	11	1	2	2	3	6	9	19
TOTAL										
0-19 YRS	36	2.7	5	1	2	2	3	4	5	15
20-34	75	2.9	20	1	2	2	3	4	7	31
35-49	110	2.6	2	1	2	2	3	4	5	8
50-64	254	3.2	9	1	2	2	3	5	8	19
65 +	371	3.2	8	1	2	2	3	5	8	16
GRAND TOTAL	846	3.0	8	1	2	2	3	5	7	16

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.6		1	1	1	2	3	3	3
20-34	10	1.7	1	<1	1	1	2	3	4	4
35-49	9	2.3	2	1	2	2	2	5	6	6
50-64	23	1.2		<1	<1	<1	1	2	2	2
65 +	20	1.8	2	<1	<1	1	2	2	5	8
2. MULTIPLE DX										
0-19 YRS	21	4.3	23	1	2	3	5	37	99 +	99 +
20-34	68	3.8	48	1	2	2	3	5	9	48
35-49	52	4.8	154	1	2	2	2	7	9	81
50-64	104	2.9	9	2	2	2	3	4	5	22
65 +	197	2.9	6	1	2	2	3	6	7	15
TOTAL SINGLE DX	71	1.6	1	<1	<1	1	2	2	3	8
TOTAL MULTIPLE DX	442	3.3	32	1	2	2	3	5	8	44
TOTAL										
0-19 YRS	30	3.5	18	1	1	2	4	17	92	99 +
20-34	78	3.5	43	1	2	2	3	5	8	46
35-49	61	4.4	132	1	2	2	2	6	9	74
50-64	127	2.6	9	<1	2	2	3	4	5	19
65 +	217	2.8	6	1	2	2	3	5	7	14
GRAND TOTAL	513	3.1	28	1	2	2	3	5	7	34

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	230	1.1		<1	<1	<1	<1	1	1	6
20-34	11	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	1.1		<1	<1	<1	<1	2	2	2
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	139	1.3	6	<1	<1	<1	<1	1	2	6
20-34	13	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	7	1.6		<1	<1	1	2	3	3	3
65 +	5	1.4		<1	1	1	2	2	2	2
TOTAL SINGLE DX	253	1.1	1	<1	<1	<1	<1	1	1	5
TOTAL MULTIPLE DX	170	1.3	6	<1	<1	<1	1	1	2	3
TOTAL										
0-19 YRS	369	1.2	3	<1	<1	<1	<1	1	1	5
20-34	24	1.0		<1	<1	<1	<1	1	1	1
35-49	14	1.1		<1	<1	<1	<1	1	2	2
50-64	10	1.6	1	<1	<1	1	2	3	3	3
65 +	6	1.3		<1	1	1	2	2	2	2
GRAND TOTAL	423	1.2	3	<1	<1	<1	<1	1	2	5

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	2.3	3	<1	1	2	4	5	6	6
20-34	9	3.3	9	1	2	2	4	8	11	11
35-49	5	2.0		1	1	2	2	3	3	3
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	10	2.5	14	1	1	1	2	8	13	13
2. MULTIPLE DX										
0-19 YRS	40	7.1	166	1	2	3	6	12	32	70
20-34	27	7.8	259	1	2	3	6	12	31	85
35-49	9	1.8		1	1	2	2	3	3	3
50-64	17	4.8	49	1	2	2	3	13	24	29
65 +	36	5.0	54	1	1	2	5	16	26	31
TOTAL SINGLE DX	54	2.4	6	1	1	2	3	5	6	13
TOTAL MULTIPLE DX	129	6.0	127	1	1	3	5	12	22	73
TOTAL										
0-19 YRS	66	5.2	106	1	1	2	5	10	14	66
20-34	36	6.7	198	1	2	3	6	11	18	85
35-49	14	1.9	1	1	1	2	2	3	3	3
50-64	21	4.2	41	1	2	2	3	10	21	29
65 +	46	4.5	47	1	1	2	4	12	23	31
GRAND TOTAL	183	4.9	94	1	1	2	5	11	16	63

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	75	1.8	2	<1	1	1	2	4	6	7
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	10	3.1	8	<1	1	2	7	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	104	3.1	9	1	1	2	4	7	10	15
20-34	31	4.9	99	<1	1	2	4	9	15	56
35-49	19	7.2	175	1	1	2	4	30	43	48
50-64	10	2.7	4	<1	1	2	4	6	7	7
65+	43	7.4	50	1	1	5	12	16	21	32
TOTAL SINGLE DX	98	1.9	3	<1	1	1	2	4	6	8
TOTAL MULTIPLE DX	207	4.6	48	1	1	2	5	12	15	42
TOTAL										
0-19 YRS	179	2.6	7	1	1	1	3	6	7	14
20-34	37	4.3	85	<1	1	2	4	8	13	56
35-49	29	5.8	120	1	1	2	5	13	38	48
50-64	12	2.4	4	<1	1	2	4	5	7	7
65+	48	6.7	49	1	1	4	12	15	20	32
GRAND TOTAL	305	3.7	35	1	1	2	4	8	13	35

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	34	1.3		1	1	1	1	2	2	3
35-49	50	1.3		1	1	1	1	2	2	5
50-64	27	1.2		1	1	1	1	2	2	2
65+	20	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	11	1.1		<1	1	1	1	2	2	2
20-34	15	1.2		1	1	1	1	2	2	2
35-49	31	1.1		<1	1	1	1	2	2	2
50-64	21	1.2		1	1	1	2	2	2	2
65+	16	1.1		1	1	1	1	1	2	2
TOTAL SINGLE DX	136	1.2		1	1	1	1	2	2	4
TOTAL MULTIPLE DX	94	1.1		1	1	1	1	2	2	2
TOTAL										
0-19 YRS	16	1.2		<1	1	1	1	2	3	3
20-34	49	1.2		1	1	1	1	2	2	3
35-49	81	1.2		1	1	1	1	2	2	4
50-64	48	1.2		1	1	1	1	2	2	2
65+	36	1.1		1	1	1	1	1	2	2
GRAND TOTAL	230	1.2		1	1	1	1	2	2	3

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	139	1.0		1	1	1	1	1	1	2
20-34	32	1.2		1	1	1	1	2	2	2
35-49	25	1.1		<1	1	1	1	1	2	2
50-64	15	1.0		1	1	1	1	1	1	1
65+	12	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	149	1.2	1	1	1	1	1	1	2	9
20-34	61	1.2		1	1	1	1	2	2	6
35-49	30	1.1		<1	1	1	1	2	2	2
50-64	42	1.2		1	1	1	1	2	3	3
65+	18	1.2		1	1	1	1	2	3	4
TOTAL SINGLE DX	223	1.1		1	1	1	1	1	2	2
TOTAL MULTIPLE DX	300	1.2	1	1	1	1	1	2	2	6
TOTAL										
0-19 YRS	288	1.1	1	1	1	1	1	1	2	5
20-34	93	1.2		1	1	1	1	2	2	5
35-49	55	1.1		<1	1	1	1	1	2	2
50-64	57	1.2		1	1	1	1	2	2	3
65+	30	1.1		1	1	1	1	1	2	4
GRAND TOTAL	523	1.1		1	1	1	1	1	2	4

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	1.3	1	<1	<1	<1	1	2	5	6
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	583	2.0	16	<1	1	1	1	4	6	19
20-34	13	2.5	12	<1	<1	1	2	7	12	13
35-49	17	1.9	5	1	1	1	2	6	8	9
50-64	10	6.4	49	<1	2	3	8	18	22	22
65+	20	8.2	56	<1	1	7	12	20	23	25
TOTAL SINGLE DX	126	1.3	1	<1	<1	<1	1	1	4	6
TOTAL MULTIPLE DX	643	2.3	19	<1	1	1	1	5	8	20
TOTAL										
0-19 YRS	693	1.9	14	<1	1	1	1	4	6	18
20-34	18	2.1	9	<1	<1	1	1	5	10	13
35-49	21	1.8	4	<1	1	1	1	4	8	9
50-64	15	4.6	39	<1	1	2	6	15	20	22
65+	22	7.5	55	<1	1	5	12	20	22	25
GRAND TOTAL	769	2.1	16	<1	1	1	1	4	7	20

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	1.3		1	1	1	1	2	3	4
20-34	22	1.4		< 1	1	1	2	2	3	3
35-49	20	1.3		1	1	1	1	2	3	4
50-64	9	1.4		1	1	1	2	3	3	3
65 +	7	1.3		1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	122	2.3	10	1	1	1	2	5	11	17
20-34	63	1.4		1	1	1	1	2	4	6
35-49	60	1.5		1	1	1	2	2	3	5
50-64	39	1.9	3	1	1	1	2	3	5	12
65 +	36	4.1	48	1	1	1	3	8	25	29
TOTAL SINGLE DX	139	1.3		1	1	1	1	2	3	4
TOTAL MULTIPLE DX	320	2.1	11	1	1	1	2	4	7	20
TOTAL										
0-19 YRS	203	1.9	7	1	1	1	1	3	7	15
20-34	85	1.4	1	1	1	1	2	2	3	6
35-49	80	1.4	1	1	1	1	2	2	3	5
50-64	48	1.9	3	1	1	1	2	3	4	12
65 +	43	3.6	42	1	1	1	3	8	24	29
GRAND TOTAL	**459**	**1.9**	**8**	**1**	**1**	**1**	**2**	**3**	**5**	**16**

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	2.2	8	1	1	1	1	6	10	15
20-34	18	1.4		1	1	1	2	2	3	3
35-49	24	2.2	13	1	1	1	2	4	9	19
50-64	9	1.8		1	1	2	2	3	3	3
65 +	6	2.8	5	1	1	2	3	7	7	7
2. MULTIPLE DX										
0-19 YRS	88	2.7	12	1	1	1	2	10	13	14
20-34	32	1.3		1	1	1	2	2	3	3
35-49	21	1.8	1	1	1	1	2	4	4	5
50-64	28	2.6	6	1	1	2	3	6	10	10
65 +	26	3.9	74	1	1	1	2	10	21	43
TOTAL SINGLE DX	113	2.1	7	1	1	1	2	4	7	16
TOTAL MULTIPLE DX	195	2.5	17	1	1	1	2	5	10	15
TOTAL										
0-19 YRS	144	2.5	11	1	1	1	2	9	11	14
20-34	50	1.4		1	1	1	2	2	3	3
35-49	45	2.0	8	1	1	1	2	4	4	19
50-64	37	2.4	5	1	1	2	2	5	9	10
65 +	32	3.7	61	1	1	1	3	8	15	43
GRAND TOTAL	**308**	**2.4**	**13**	**1**	**1**	**1**	**2**	**5**	**10**	**15**

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.0		1	1	1	1	1	2	2
20-34	76	1.1		1	1	1	1	2	2	2
35-49	40	1.1		1	1	1	1	2	2	2
50-64	10	1.1		1	1	1	1	2	2	2
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	74	1.2		1	1	1	1	2	3	5
20-34	285	1.2		1	1	1	1	2	2	3
35-49	197	1.2		1	1	1	1	2	2	4
50-64	108	1.3		1	1	1	1	2	2	3
65 +	22	1.8	2	1	1	1	2	3	5	7
TOTAL SINGLE DX	151	1.1		1	1	1	1	2	2	2
TOTAL MULTIPLE DX	686	1.2	1	1	1	1	1	2	2	4
TOTAL										
0-19 YRS	96	1.2		1	1	1	1	2	2	5
20-34	361	1.2		1	1	1	1	2	2	3
35-49	237	1.2	1	1	1	1	1	2	2	4
50-64	118	1.3		1	1	1	1	2	2	3
65 +	25	1.7	2	1	1	1	2	3	5	7
GRAND TOTAL	**837**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	1.3		1	1	1	1	2	3	5
20-34	95	1.1		1	1	1	1	1	2	4
35-49	53	1.2		<1	1	1	1	2	2	4
50-64	19	1.6	2	<1	1	1	2	3	5	7
65 +	7	1.4		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	181	1.8	33	1	1	1	1	3	4	7
20-34	315	1.3		1	1	1	1	2	3	6
35-49	218	1.4	2	1	1	1	1	2	3	9
50-64	95	1.8	4	1	1	1	2	3	5	13
65 +	54	5.1	119	1	1	1	4	10	27	67
TOTAL SINGLE DX	250	1.2	1	1	1	1	1	2	2	5
TOTAL MULTIPLE DX	863	1.7	16	1	1	1	1	2	4	12
TOTAL										
0-19 YRS	257	1.7	24	1	1	1	1	2	4	6
20-34	410	1.3	1	1	1	1	1	2	3	5
35-49	271	1.4	2	1	1	1	1	2	3	7
50-64	114	1.8	4	1	1	1	2	3	5	12
65 +	61	4.7	107	1	1	1	3	8	25	64
GRAND TOTAL	**1113**	**1.6**	**13**	**1**	**1**	**1**	**1**	**2**	**4**	**8**

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.2		<1	1	1	1	2	2	3
20-34	20	1.6	1	<1	1	1	2	3	5	6
35-49	10	1.6	2	<1	1	1	1	4	6	6
50-64	13	1.2		<1	<1	1	1	2	3	3
65 +	16	1.6	1	<1	<1	1	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	58	3.4	30	1	1	1	4	7	12	33
20-34	65	1.3		1	1	1	1	2	2	5
35-49	61	1.9	2	<1	1	1	2	4	5	7
50-64	69	3.0	41	1	1	1	2	6	9	42
65 +	60	7.2	102	1	1	3	11	19	28	96
TOTAL SINGLE DX	79	1.4	1	<1	1	1	1	3	3	6
TOTAL MULTIPLE DX	313	3.3	39	1	1	1	2	8	16	38
TOTAL										
0-19 YRS	78	2.8	24	1	1	1	2	6	10	31
20-34	85	1.4	1	1	1	1	2	2	3	6
35-49	71	1.8	2	<1	1	1	2	4	6	7
50-64	82	2.7	35	<1	1	1	2	5	9	39
65 +	76	6.0	86	1	1	2	8	18	25	89
GRAND TOTAL	**392**	**2.9**	**32**	**1**	**1**	**1**	**2**	**6**	**13**	**33**

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	1.3		<1	<1	1	1	2	3	4
20-34	36	1.8	1	<1	<1	1	2	4	5	6
35-49	26	3.4	6	1	1	3	5	6	8	12
50-64	16	3.8	4	1	2	4	5	7	8	8
65 +	25	3.7	2	2	3	3	5	6	6	7
2. MULTIPLE DX										
0-19 YRS	49	3.2	36	<1	1	1	5	6	8	99 +
20-34	95	3.1	13	1	1	1	4	7	11	19
35-49	74	5.4	76	1	2	4	6	8	13	58
50-64	101	4.7	9	2	3	4	7	9	11	56
65 +	179	6.2	21	2	3	5	8	12	15	27
TOTAL SINGLE DX	145	2.5	4	<1	1	2	4	5	6	8
TOTAL MULTIPLE DX	498	4.9	29	1	2	4	6	10	13	36
TOTAL										
0-19 YRS	91	2.4	21	<1	1	1	2	5	6	76
20-34	131	2.8	11	<1	1	1	3	7	9	15
35-49	100	4.9	58	1	1	4	5	8	11	54
50-64	117	4.6	9	1	3	4	6	8	11	43
65 +	204	5.9	20	2	3	5	7	11	15	25
GRAND TOTAL	**643**	**4.4**	**24**	**1**	**1**	**3**	**6**	**8**	**12**	**29**

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.5	8	1	1	1	4	7	8	8
20-34	14	1.4		<1	1	1	1	3	4	4
35-49	19	1.4		<1	1	1	2	3	3	3
50-64	14	1.7	1	1	1	1	2	4	4	4
65 +	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	22	7.0	144	1	1	2	6	19	34	54
20-34	49	3.1	27	1	1	1	3	7	10	34
35-49	56	1.9	1	1	1	2	2	3	4	7
50-64	43	1.8	3	<1	1	1	2	3	5	11
65 +	26	4.8	28	1	2	3	5	11	15	26
TOTAL SINGLE DX	61	1.6	2	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	196	3.1	30	1	1	2	3	6	11	30
TOTAL										
0-19 YRS	30	5.8	111	1	1	2	6	16	20	54
20-34	63	2.8	22	1	1	1	3	6	9	31
35-49	75	1.8	1	1	1	1	2	3	4	6
50-64	57	1.8	3	1	1	1	2	3	4	11
65 +	32	4.1	25	1	1	3	4	11	12	26
GRAND TOTAL	**257**	**2.8**	**24**	**1**	**1**	**1**	**2**	**5**	**10**	**26**

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	2.3	6	<1	1	1	3	5	7	13
20-34	32	1.6	2	<1	1	1	1	3	6	9
35-49	37	1.8	1	1	1	1	2	4	5	7
50-64	18	2.5	9	<1	1	2	3	4	10	14
65+	14	2.1	3	1	1	1	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	95	3.9	21	1	1	2	5	10	15	21
20-34	178	3.0	34	1	1	1	2	7	13	37
35-49	227	2.0	13	1	1	1	2	3	4	18
50-64	176	3.0	24	1	1	1	3	6	12	23
65+	126	3.7	40	1	1	1	3	9	13	29
TOTAL SINGLE DX	130	2.0	4	1	1	1	2	4	6	13
TOTAL MULTIPLE DX	802	2.9	26	1	1	1	2	7	12	23
TOTAL										
0-19 YRS	124	3.6	18	1	1	1	5	10	13	20
20-34	210	2.7	30	1	1	1	2	5	10	33
35-49	264	2.0	12	1	1	1	2	3	4	17
50-64	194	2.9	24	1	1	1	3	6	13	23
65+	140	3.5	37	1	1	1	3	9	12	24
GRAND TOTAL	932	2.8	23	1	1	1	2	6	11	21

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	1.3		<1	<1	<1	1	2	3	5
20-34	32	1.5	2	<1	<1	<1	1	2	5	10
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	144	2.5	9	<1	1	1	3	4	8	25
20-34	92	4.0	48	<1	1	2	3	10	25	73
35-49	60	6.7	122	<1	1	2	8	23	52	99+
50-64	43	7.3	291	1	1	2	4	19	68	99+
65+	95	7.4	95	1	1	3	11	18	29	79
TOTAL SINGLE DX	87	1.5	3	<1	<1	<1	1	2	4	13
TOTAL MULTIPLE DX	434	4.9	84	<1	1	2	4	14	25	99+
TOTAL										
0-19 YRS	191	2.2	8	<1	1	1	2	4	6	20
20-34	124	3.3	38	<1	<1	1	2	7	17	53
35-49	62	6.8	120	<1	1	2	9	22	51	99+
50-64	46	7.0	274	1	1	2	4	17	62	99+
65+	98	7.3	93	1	1	3	11	18	28	77
GRAND TOTAL	521	4.4	72	<1	1	1	3	13	21	99+

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.1		<1	<1	<1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0			–						
2. MULTIPLE DX										
0-19 YRS	78	2.1	14	<1	<1	1	1	4	9	78
20-34	14	1.5	1	<1	<1	1	1	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65+	1	20.0		20	20	20	20	20	20	20
TOTAL SINGLE DX	14	1.2		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	94	2.2	16	<1	<1	1	1	4	9	66
TOTAL										
0-19 YRS	89	1.9	13	<1	<1	1	1	3	9	70
20-34	15	1.5	1	<1	<1	1	2	4	4	4
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	108	2.0	14	<1	<1	1	1	3	9	56

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.1	1	<1	1	2	3	4	4	4
20-34	7	1.7	1	1	1	1	2	4	4	4
35-49	4	1.3		1	1	1	2	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	6	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	110	1.6	1	<1	<1	<1	2	3	4	7
20-34	20	5.9	85	<1	1	2	5	21	31	32
35-49	10	3.4	21	<1	1	1	2	11	15	15
50-64	20	4.9	64	1	1	2	5	15	27	31
65+	16	6.7	50	1	1	3	15	16	19	20
TOTAL SINGLE DX	28	1.8	1	1	1	1	2	4	4	4
TOTAL MULTIPLE DX	176	3.0	26	<1	<1	1	2	6	15	31
TOTAL										
0-19 YRS	118	1.6	2	<1	<1	1	2	3	4	7
20-34	27	4.8	66	1	1	2	4	11	31	32
35-49	14	2.8	16	<1	1	1	2	9	14	15
50-64	23	4.3	58	1	1	1	4	10	26	31
65+	22	5.5	40	1	1	3	6	16	18	20
GRAND TOTAL	204	2.9	23	<1	<1	1	2	5	12	31

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	2.2	2	1	1	2	3	5	5	9
20-34	66	1.9		1	1	2	2	3	4	5
35-49	101	2.0		1	1	2	3	3	4	5
50-64	95	2.2	2	1	1	2	3	4	5	8
65 +	61	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	25	2.8	22	1	1	2	2	3	11	25
20-34	31	4.2	62	1	1	2	3	9	17	43
35-49	52	2.8	9	1	1	2	3	5	5	22
50-64	97	3.4	12	1	2	2	3	7	12	20
65 +	136	4.5	24	1	2	3	5	11	13	31
TOTAL SINGLE DX	369	2.0	2	1	1	2	3	3	4	7
TOTAL MULTIPLE DX	341	3.8	22	1	2	2	4	8	13	25
TOTAL										
0-19 YRS	71	2.5	10	1	1	2	3	4	6	22
20-34	97	2.6	21	1	1	2	3	4	5	31
35-49	153	2.3	4	1	1	2	3	4	5	10
50-64	192	2.8	8	1	1	2	3	5	7	16
65 +	197	3.7	18	1	2	2	4	8	12	25
GRAND TOTAL	710	2.9	12	1	1	2	3	5	8	18

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	135	2.1	1	1	1	2	2	3	4	6
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	280	2.7	11	1	1	2	3	5	6	24
20-34	4	2.3	1	1	1	2	3	4	4	4
35-49	12	1.7		1	1	2	2	3	3	3
50-64	6	1.5		1	1	1	2	3	3	3
65 +	1	11.0		11	11	11	11	11	11	11
TOTAL SINGLE DX	137	2.1	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	303	2.6	11	1	1	2	3	5	6	23
TOTAL										
0-19 YRS	415	2.5	8	1	1	2	3	4	5	17
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	14	1.6	1	1	1	1	2	3	3	3
50-64	6	1.5	1	1	1	1	2	3	3	3
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	440	2.5	8	1	1	2	3	4	5	15

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	179	2.1	1	1	1	1	3	4	5	5
20-34	23	2.7	3	1	1	2	4	4	6	9
35-49	14	2.7	5	1	1	2	4	6	8	9
50-64	29	3.7	12	<1	1	2	5	9	13	14
65 +	27	2.5	7	1	1	2	3	5	10	12
2. MULTIPLE DX										
0-19 YRS	245	3.4	29	1	1	2	4	6	11	25
20-34	101	5.1	52	1	1	3	6	10	15	44
35-49	74	5.7	67	1	1	3	7	13	19	51
50-64	99	6.1	46	1	2	4	8	13	22	35
65 +	140	10.0	184	1	2	5	14	24	35	88
TOTAL SINGLE DX	272	2.4	4	1	1	2	3	4	5	12
TOTAL MULTIPLE DX	659	5.7	78	1	1	3	6	14	21	41
TOTAL										
0-19 YRS	424	2.9	18	1	1	2	4	5	7	21
20-34	124	4.6	44	1	1	3	5	9	13	39
35-49	88	5.2	59	1	1	3	6	11	16	47
50-64	128	5.5	40	1	2	3	7	13	20	31
65 +	167	8.8	163	1	1	4	12	21	31	81
GRAND TOTAL	931	4.8	59	1	1	2	5	11	18	40

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	818	1.1		1	1	1	1	1	1	3
20-34	528	1.1		1	1	1	1	1	2	3
35-49	65	1.2		<1	1	1	1	2	3	5
50-64	7	1.3		1	1	1	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	398	1.3		1	1	1	1	2	3	7
20-34	197	1.4		1	1	1	2	2	3	4
35-49	46	1.3		1	1	1	2	2	3	4
50-64	13	2.9	10	1	1	2	3	6	12	13
65 +	8	1.8		1	1	2	2	3	3	3
TOTAL SINGLE DX	1420	1.1		1	1	1	1	1	2	3
TOTAL MULTIPLE DX	662	1.3	1	1	1	1	1	2	3	6
TOTAL										
0-19 YRS	1216	1.1		1	1	1	1	1	2	4
20-34	725	1.2	1	1	1	1	1	2	2	3
35-49	111	1.3		1	1	1	1	2	3	5
50-64	20	2.4	7	1	1	2	3	4	9	13
65 +	10	1.7	1	1	1	2	2	3	3	3
GRAND TOTAL	2082	1.2	1	1	1	1	1	2	2	4

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1730	1.0		1	1	1	1	1	1	2
20-34	60	1.0		<1	1	1	1	1	1	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	2904	1.2	1	1	1	1	1	1	2	5
20-34	20	1.1		<1	1	1	1	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	1792	1.0		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	2928	1.2	1	1	1	1	1	1	2	5
TOTAL										
0-19 YRS	4634	1.1	1	1	1	1	1	1	2	3
20-34	80	1.0		<1	1	1	1	1	1	2
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	4720	1.1	1	1	1	1	1	1	2	3

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	1.0		<1	1	1	1	1	1	1
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	244	1.2	1	<1	1	1	1	1	2	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
TOTAL SINGLE DX	70	1.0		<1	1	1	1	1	1	2
TOTAL MULTIPLE DX	246	1.2	1	<1	1	1	1	1	2	8
TOTAL										
0-19 YRS	309	1.2	1	<1	1	1	1	1	2	7
20-34	7	1.1		<1	<1	1	1	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
GRAND TOTAL	318	1.2	1	<1	1	1	1	1	2	7

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	248	1.7	1	1	1	1	2	3	4	8
20-34	96	2.2	1	1	1	2	3	4	5	6
35-49	43	2.0	1	1	1	1	3	4	5	5
50-64	21	2.0	1	<1	1	1	3	4	5	6
65+	9	1.2		<1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	221	3.0	45	1	1	1	3	6	9	32
20-34	76	3.4	18	1	1	2	4	6	9	25
35-49	42	3.7	34	1	1	2	4	8	10	37
50-64	37	4.5	40	1	1	2	5	9	13	37
65+	35	7.1	49	1	2	4	12	16	20	31
TOTAL SINGLE DX	417	1.8	2	1	1	1	2	4	4	7
TOTAL MULTIPLE DX	411	3.6	40	1	1	2	3	8	11	33
TOTAL										
0-19 YRS	469	2.3	23	1	1	1	2	4	6	13
20-34	172	2.7	9	1	1	2	3	5	6	23
35-49	85	2.8	18	1	1	2	3	5	8	28
50-64	58	3.6	27	1	1	2	4	8	10	35
65+	44	5.9	45	1	1	3	10	14	19	31
GRAND TOTAL	828	2.7	22	1	1	1	3	5	8	21

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.3	5	<1	<1	1	3	7	8	8
20-34	5	1.8	3	<1	<1	1	2	5	5	5
35-49	4	4.0	4	1	2	4	5	6	6	6
50-64	7	1.4		<1	1	1	2	2	2	2
65+	9	3.4	6	1	2	2	5	7	9	9
2. MULTIPLE DX										
0-19 YRS	35	4.7	44	1	1	3	5	8	12	39
20-34	11	4.0	3	1	3	4	5	6	7	7
35-49	35	4.8	20	1	2	3	6	10	16	21
50-64	29	6.1	59	1	2	4	7	12	14	42
65+	90	6.2	95	1	2	4	7	11	18	66
TOTAL SINGLE DX	37	2.5	5	<1	1	1	4	6	7	9
TOTAL MULTIPLE DX	200	5.6	63	1	2	4	6	10	13	43
TOTAL										
0-19 YRS	47	4.1	35	1	1	2	5	8	11	39
20-34	16	3.3	4	1	1	3	5	6	7	7
35-49	39	4.7	19	1	2	3	6	9	15	21
50-64	36	5.2	51	1	2	3	6	11	13	42
65+	99	6.0	88	1	2	4	6	10	16	63
GRAND TOTAL	237	5.1	55	1	2	3	6	10	13	42

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	1.7	3	<1	1	1	2	3	5	11
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	13	1.0		<1	<1	1	1	1	1	1
50-64	12	2.6	12	<1	1	1	2	7	12	13
65 +	23	1.7	3	<1	1	1	1	4	7	7
2. MULTIPLE DX										
0-19 YRS	69	4.0	36	1	1	2	4	11	14	33
20-34	6	1.0		<1	1	1	1	1	1	1
35-49	17	2.5	10	1	1	1	2	8	11	12
50-64	41	4.2	39	<1	1	1	4	12	19	30
65 +	66	5.0	39	1	1	2	7	13	20	89
TOTAL SINGLE DX	132	1.7	3	<1	1	1	1	3	6	13
TOTAL MULTIPLE DX	199	4.2	35	1	1	2	5	12	16	34
TOTAL										
0-19 YRS	147	2.8	20	1	1	1	2	6	11	30
20-34	12	1.1		<1	<1	1	1	2	2	2
35-49	30	1.9	2	<1	1	1	1	4	9	12
50-64	53	3.9	33	<1	1	1	4	12	16	30
65 +	89	4.2	32	<1	1	2	5	11	19	74
GRAND TOTAL	331	3.2	24	<1	1	1	3	8	13	31

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.3	2	1	1	2	3	5	5	5
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	0									
50-64	3	10.0	1	9	9	10	11	11	11	11
65 +	0									
2. MULTIPLE DX										
0-19 YRS	33	6.5	107	1	1	2	5	21	37	43
20-34	5	4.2	21	1	1	1	8	11	11	11
35-49	6	4.7	39	1	1	2	5	16	17	17
50-64	15	11.5	123	1	1	10	15	31	35	37
65 +	16	10.6	42	2	5	10	16	19	22	23
TOTAL SINGLE DX	14	4.6	16	1	1	3	9	11	11	11
TOTAL MULTIPLE DX	75	8.1	89	1	1	4	12	20	29	42
TOTAL										
0-19 YRS	42	5.6	87	1	1	2	5	16	29	43
20-34	7	4.9	22	1	1	2	10	11	11	11
35-49	6	4.7	39	1	1	2	5	16	17	17
50-64	18	11.2	102	1	2	10	15	28	35	37
65 +	16	10.6	42	2	5	10	16	19	22	23
GRAND TOTAL	89	7.5	79	1	1	4	11	19	24	41

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	11.0		11	11	11	11	11	11	11
50-64	7	13.3	27	8	9	11	17	21	22	22
65 +	6	13.3	15	9	11	12	17	19	19	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	10	36.3	685	11	14	25	59	73	78	78
50-64	55	19.3	93	11	13	16	23	31	39	51
65 +	57	19.5	115	10	12	14	27	33	39	59
TOTAL SINGLE DX	15	13.0	18	9	10	11	16	19	21	22
TOTAL MULTIPLE DX	122	20.8	168	10	13	15	27	36	50	72
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	12	32.1	657	11	12	18	57	72	77	78
50-64	62	18.6	89	10	12	15	22	30	39	51
65 +	63	18.9	109	10	12	14	25	32	38	58
GRAND TOTAL	137	19.9	157	10	12	15	24	33	48	70

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	13.0	76	7	7	9	19	23	23	23
50-64	4	9.8	17	7	7	8	12	16	16	16
65 +	4	21.3	406	<1	6	18	36	48	48	48
2. MULTIPLE DX										
0-19 YRS	52	29.3	536	7	14	43	99 +	99 +	99 +	99 +
20-34	47	38.4	674	9	16	33	68	87	99 +	99 +
35-49	47	28.4	421	6	14	29	55	99 +	99 +	99 +
50-64	105	36.1	603	8	19	40	69	99 +	99 +	99 +
65 +	156	41.2	608	11	25	51	88	99 +	99 +	99 +
TOTAL SINGLE DX	14	13.1	148	3	7	9	16	26	43	48
TOTAL MULTIPLE DX	407	36.5	602	9	19	44	81	99 +	99 +	99 +
TOTAL										
0-19 YRS	54	28.6	532	7	13	41	99 +	99 +	99 +	99 +
20-34	48	37.6	686	9	15	32	68	87	99 +	99 +
35-49	50	27.5	413	6	13	27	54	99 +	99 +	99 +
50-64	109	35.1	607	8	17	37	69	99 +	99 +	99 +
65 +	160	40.7	610	11	24	50	88	99 +	99 +	99 +
GRAND TOTAL	421	35.8	604	8	17	42	77	99 +	99 +	99 +

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.2	4	< 1	1	1	2	5	8	9
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	84	10.2	135	1	2	5	17	30	48	99 +
20-34	3	3.7	5	1	3	5	53	99 +	99 +	99 +
35-49	7	14.0	660	< 1	1	3	13	60	71	71
50-64	16	8.4	311	1	1	2	7	14	55	73
65 +	29	12.3	176	2	2	8	18	37	52	99 +
TOTAL SINGLE DX	24	1.9	4	1	1	1	2	5	6	9
TOTAL MULTIPLE DX	139	10.5	183	1	2	5	16	32	60	99 +
TOTAL										
0-19 YRS	101	8.9	123	1	1	4	15	28	45	99 +
20-34	5	2.6	5	1	1	3	5	90	99 +	99 +
35-49	8	12.4	587	< 1	1	2	10	54	71	71
50-64	19	7.3	268	1	1	2	7	12	46	73
65 +	30	12.0	174	2	2	7	18	37	51	99 +
GRAND TOTAL	163	9.2	166	1	1	4	14	30	52	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	6.8	11	1	4	7	8	11	13	13
35-49	9	11.7	169	< 1	2	8	18	34	39	39
50-64	13	8.8	72	< 1	3	7	9	22	30	32
65 +	13	6.4	77	< 1	1	4	7	23	28	29
2. MULTIPLE DX										
0-19 YRS	20	9.4	100	1	3	6	10	25	33	38
20-34	83	14.5	112	4	6	11	21	25	37	51
35-49	150	14.1	101	3	7	12	20	27	32	54
50-64	292	12.3	101	2	5	10	16	25	32	67
65 +	664	13.6	112	3	7	12	17	26	36	55
TOTAL SINGLE DX	46	8.1	77	< 1	1	6	9	21	30	39
TOTAL MULTIPLE DX	1209	13.3	109	3	6	11	18	26	35	55
TOTAL										
0-19 YRS	21	9.0	99	1	3	6	10	25	32	38
20-34	93	13.6	107	4	6	10	19	24	37	51
35-49	159	14.0	104	3	7	12	20	27	32	54
50-64	305	12.2	101	2	5	10	16	25	32	65
65 +	677	13.5	112	3	7	11	17	26	35	55
GRAND TOTAL	1255	13.2	108	3	6	11	17	26	34	55

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	13.0	50	8	8	13	18	18	18	18
20-34	0									
35-49	0									
50-64	4	12.0	76	4	4	11	19	21	21	21
65 +	0									
TOTAL SINGLE DX	4	1.8	2	1	1	1	3	4	4	4
TOTAL MULTIPLE DX	6	12.3	56	4	5	13	18	21	21	21
TOTAL										
0-19 YRS	6	5.5	45	1	1	3	8	17	18	18
20-34	0									
35-49	0									
50-64	4	12.0	77	4	4	11	19	21	21	21
65 +	0									
GRAND TOTAL	10	8.1	62	1	1	5	18	20	21	21

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	6.6	15	3	5	6	7	11	16	18
20-34	29	8.7	24	3	5	7	13	16	17	20
35-49	29	7.8	112	1	2	6	9	16	21	57
50-64	42	6.5	23	< 1	2	6	9	14	16	18
65 +	45	6.0	30	1	1	5	8	11	15	28
2. MULTIPLE DX										
0-19 YRS	52	15.8	233	4	5	11	20	42	62	99
20-34	148	14.4	127	3	7	13	19	28	46	99 +
35-49	244	15.2	185	4	6	11	20	30	42	72
50-64	483	12.1	119	2	5	9	16	24	32	62
65 +	839	13.4	137	3	6	11	17	26	36	66
TOTAL SINGLE DX	159	7.0	41	1	3	6	9	14	17	28
TOTAL MULTIPLE DX	1766	13.5	142	3	6	10	17	27	38	70
TOTAL										
0-19 YRS	66	13.9	200	4	5	9	16	33	57	94
20-34	177	13.5	115	3	6	12	18	26	41	99 +
35-49	273	14.4	183	3	5	10	19	30	41	70
50-64	525	11.7	114	2	5	9	15	24	31	60
65 +	884	13.0	135	2	6	10	17	26	35	64
GRAND TOTAL	1925	12.9	137	2	5	10	17	26	36	66

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	12.0	72	6	6	12	18	18	18	18
35-49	8	7.6	2	6	6	7	9	10	10	10
50-64	17	9.5	7	7	7	10	10	12	16	18
65 +	18	9.2	20	6	7	8	9	17	19	21
2. MULTIPLE DX										
0-19 YRS	10	12.9	24	7	10	13	19	52	96	99 +
20-34	9	8.4	17	4	5	7	11	15	15	15
35-49	47	11.9	54	7	8	10	12	19	26	49
50-64	212	12.6	59	7	8	10	14	23	32	47
65 +	307	15.4	100	7	9	12	18	30	36	65
TOTAL SINGLE DX	46	9.2	13	6	7	8	10	16	18	21
TOTAL MULTIPLE DX	585	14.0	82	7	8	11	16	27	34	59
TOTAL										
0-19 YRS	11	12.6	22	7	10	12	18	44	92	99 +
20-34	11	9.1	23	4	5	7	14	16	18	18
35-49	55	11.3	49	6	8	9	12	17	25	48
50-64	229	12.4	56	7	8	10	14	22	30	45
65 +	325	15.1	98	7	9	12	18	29	35	64
GRAND TOTAL	631	13.6	78	7	8	11	16	27	34	55

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	2.4	6	< 1	1	2	3	5	6	15
20-34	4	6.5	57	1	1	4	12	17	17	17
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	6	3.2	7	1	1	2	6	7	7	7
65 +	8	4.1	13	1	2	2	6	10	11	11
2. MULTIPLE DX										
0-19 YRS	205	8.4	117	1	1	4	12	21	37	81
20-34	81	13.5	70	3	8	12	18	26	28	42
35-49	126	13.6	102	4	6	11	19	24	28	57
50-64	122	12.8	117	3	5	10	16	26	29	58
65 +	282	14.1	142	3	7	11	19	27	35	72
TOTAL SINGLE DX	60	3.1	11	1	1	2	4	7	10	17
TOTAL MULTIPLE DX	816	12.3	124	2	5	10	17	25	32	66
TOTAL										
0-19 YRS	245	7.4	104	1	1	3	10	19	30	68
20-34	85	13.2	71	3	7	12	17	26	28	42
35-49	128	13.5	102	4	6	11	19	24	28	57
50-64	128	12.4	116	3	5	10	16	25	28	57
65 +	290	13.8	142	3	7	11	19	26	35	71
GRAND TOTAL	876	11.7	122	1	4	9	16	24	32	64

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	4.9	12	2	3	4	6	10	13	14
35-49	8	6.0	11	2	3	6	8	10	11	11
50-64	0									
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	8	13.4	44	8	8	11	18	24	24	24
20-34	12	11.9	92	4	5	8	17	27	31	32
35-49	11	13.7	103	4	7	11	17	32	33	33
50-64	14	14.9	153	2	4	12	21	36	41	43
65 +	16	18.9	347	5	7	12	21	53	64	68
TOTAL SINGLE DX	25	5.1	11	2	3	4	7	9	12	14
TOTAL MULTIPLE DX	61	15.0	166	4	7	11	19	33	39	67
TOTAL										
0-19 YRS	9	12.3	49	5	8	9	16	24	24	24
20-34	26	8.2	60	3	3	5	10	23	26	32
35-49	19	10.5	77	2	6	8	11	26	33	33
50-64	14	14.9	153	2	4	12	21	36	41	43
65 +	18	17.2	332	4	6	11	19	49	63	68
GRAND TOTAL	86	12.1	141	3	4	9	13	25	35	63

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	5.1	8	2	3	5	6	9	11	15
20-34	186	5.1	9	2	3	4	6	9	11	16
35-49	69	4.9	12	2	3	4	5	8	10	23
50-64	22	5.2	20	2	3	4	6	12	16	20
65 +	12	4.2	6	1	2	4	6	8	10	10
2. MULTIPLE DX										
0-19 YRS	116	13.5	186	3	5	11	17	31	42	89
20-34	218	8.7	64	3	4	7	10	16	21	63
35-49	195	11.4	118	3	5	8	13	25	39	60
50-64	286	11.0	103	3	5	8	14	23	27	70
65 +	498	12.9	118	4	6	10	17	26	37	99 +
TOTAL SINGLE DX	342	5.0	10	2	3	4	6	8	11	19
TOTAL MULTIPLE DX	1313	11.6	115	3	5	8	14	24	34	81
TOTAL										
0-19 YRS	169	10.9	145	3	4	7	14	23	34	83
20-34	404	7.0	42	3	4	5	8	13	17	36
35-49	264	9.7	99	3	4	7	11	20	33	58
50-64	308	10.6	100	3	5	8	13	22	27	70
65 +	510	12.7	118	3	6	10	17	26	37	99 +
GRAND TOTAL	1655	10.3	100	3	4	7	13	21	30	71

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	4.5	5	2	3	4	5	7	8	15
20-34	38	3.6	10	1	1	1	6	9	10	12
35-49	48	3.9	22	1	1	1	6	9	14	22
50-64	34	4.2	10	1	2	3	6	8	12	14
65 +	22	2.8	7	1	1	2	3	7	9	10
2. MULTIPLE DX										
0-19 YRS	104	8.2	31	3	4	6	10	16	20	26
20-34	66	11.0	93	2	5	10	16	20	25	55
35-49	101	12.6	173	1	3	8	17	29	43	84
50-64	199	10.9	134	1	2	7	16	25	35	56
65 +	289	14.4	184	1	4	11	20	33	46	81
TOTAL SINGLE DX	209	4.0	11	1	1	3	5	8	10	17
TOTAL MULTIPLE DX	759	12.1	145	1	4	9	17	26	39	62
TOTAL										
0-19 YRS	171	6.7	25	2	4	5	8	14	17	24
20-34	104	8.3	76	1	2	6	11	17	23	49
35-49	149	9.8	141	1	2	6	14	26	36	70
50-64	233	9.9	122	1	2	6	13	23	34	55
65 +	311	13.6	181	1	4	10	19	32	44	81
GRAND TOTAL	968	10.3	127	1	3	7	14	24	34	57

570: Open heart operations (33.6; 35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	131	5.3	7	2	4	5	6	8	9	18
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	11	7.5	4	5	7	7	8	10	12	12
50-64	7	9.3	2	7	8	9	11	11	11	11
65 +	6	11.2	8	8	9	11	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	1100	13.3	145	5	7	9	15	27	41	97
20-34	54	12.0	72	6	7	9	15	23	31	45
35-49	81	12.2	53	6	7	9	16	22	25	36
50-64	223	14.4	74	8	9	12	17	23	33	58
65 +	489	17.5	157	8	10	14	22	32	39	86
TOTAL SINGLE DX	157	5.8	9	2	4	6	7	9	12	18
TOTAL MULTIPLE DX	1947	14.4	138	6	8	11	17	28	38	90
TOTAL										
0-19 YRS	1231	12.4	137	4	6	9	14	25	39	94
20-34	56	11.8	71	6	7	9	14	22	30	45
35-49	92	11.6	50	6	7	9	15	22	25	36
50-64	230	14.2	73	8	9	11	17	23	32	55
65 +	495	17.4	157	8	10	14	22	32	38	86
GRAND TOTAL	2104	13.8	133	5	7	10	16	26	37	86

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	4.0	8	1	2	3	6	8	8	8
35-49	72	3.4	5	1	2	3	4	6	8	13
50-64	103	3.4	3	2	2	3	4	6	7	9
65 +	53	3.1	5	2	2	3	3	4	7	17
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	30	4.6	9	1	2	4	7	9	10	12
35-49	618	4.7	14	2	2	3	6	10	12	17
50-64	1505	5.3	20	2	2	4	7	10	13	21
65 +	1377	6.8	42	2	3	5	9	13	18	35
TOTAL SINGLE DX	234	3.3	5	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	3531	5.8	28	2	3	4	7	11	15	26
TOTAL										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	34	4.5	9	1	2	4	7	9	10	12
35-49	690	4.6	13	2	2	3	6	9	12	16
50-64	1608	5.2	19	2	2	4	7	10	13	21
65 +	1430	6.7	42	2	3	5	9	13	18	34
GRAND TOTAL	3765	5.6	27	2	3	4	7	11	15	26

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	6	8.5	3	6	7	8	10	11	11	11
50-64	29	8.3	3	6	7	8	9	10	12	14
65 +	18	10.6	17	7	8	9	12	15	20	24
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	7.8	3	6	7	7	9	11	11	11
35-49	369	11.2	34	7	8	9	13	19	24	37
50-64	1482	12.3	49	7	8	10	15	20	24	44
65 +	1922	15.3	86	8	9	12	18	27	34	65
TOTAL SINGLE DX	53	9.1	9	7	8	8	10	13	14	24
TOTAL MULTIPLE DX	3780	13.7	69	7	8	11	16	23	30	57
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	7.8	3	6	7	7	9	11	11	11
35-49	375	11.2	34	7	8	9	13	19	24	36
50-64	1511	12.2	49	7	8	10	14	19	24	44
65 +	1940	15.2	86	8	9	12	18	27	34	65
GRAND TOTAL	3833	13.6	69	7	8	11	16	23	29	57

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	191	1.7	2	<1	1	1	2	2	4	10
20-34	45	2.2	4	1	1	1	2	4	7	10
35-49	349	2.1	5	1	1	1	2	5	7	11
50-64	569	2.0	4	1	1	1	2	4	7	11
65 +	372	2.0	4	1	1	1	2	4	7	12
2. MULTIPLE DX										
0-19 YRS	875	3.0	23	1	1	2	2	5	12	29
20-34	153	4.2	25	1	1	2	5	11	14	31
35-49	1332	3.9	18	1	1	2	6	9	12	19
50-64	3775	3.9	20	1	1	2	6	10	12	19
65 +	4346	5.0	35	1	1	2	7	12	16	27
TOTAL SINGLE DX	1526	2.0	5	1	1	1	2	4	7	11
TOTAL MULTIPLE DX	10481	4.3	27	1	1	2	6	10	13	23
TOTAL										
0-19 YRS	1066	2.8	20	1	1	2	2	5	10	28
20-34	198	3.8	21	1	1	2	4	10	13	25
35-49	1681	3.6	16	1	1	2	5	9	11	19
50-64	4344	3.7	19	1	1	2	5	9	11	18
65 +	4718	4.8	34	1	1	2	7	11	15	26
GRAND TOTAL	12007	4.0	25	1	1	2	6	10	13	22

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	4.9	15	2	3	4	4	12	14	14
20-34	5	4.2	7	1	2	3	6	8	8	8
35-49	8	2.6	7	1	1	2	3	7	9	9
50-64	27	3.9	14	1	2	3	4	8	15	16
65 +	145	3.5	6	1	2	3	5	6	7	16
2. MULTIPLE DX										
0-19 YRS	66	8.7	108	2	3	6	9	19	26	66
20-34	30	6.9	61	2	3	4	7	15	24	39
35-49	50	8.2	32	2	4	7	13	15	20	25
50-64	320	9.7	121	2	4	6	11	22	31	66
65 +	2133	10.5	101	2	4	8	13	22	28	56
TOTAL SINGLE DX	195	3.6	8	1	2	3	4	7	9	16
TOTAL MULTIPLE DX	2599	10.2	102	2	4	7	13	22	28	56
TOTAL										
0-19 YRS	76	8.2	98	2	3	5	9	14	24	62
20-34	35	6.5	54	2	3	4	7	14	22	39
35-49	58	7.5	33	2	3	6	10	15	19	25
50-64	347	9.3	115	2	3	6	10	20	30	62
65 +	2278	10.0	98	2	4	7	13	21	27	54
GRAND TOTAL	2794	9.8	99	2	4	7	12	21	27	54

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	2.7	5	<1	<1	2	3	7	9	9
20-34	9	1.8	2	<1	1	1	2	4	5	5
35-49	6	3.0	2	1	2	3	4	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	4.0	7	<1	1	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	149	6.3	74	1	2	3	8	16	20	85
20-34	31	12.2	258	1	2	8	18	26	35	82
35-49	48	14.3	187	4	6	10	15	34	40	66
50-64	85	14.2	121	5	7	10	18	28	44	84
65 +	94	16.1	146	5	8	14	22	27	36	72
TOTAL SINGLE DX	64	2.7	5	<1	<1	2	3	6	8	9
TOTAL MULTIPLE DX	407	11.6	144	2	3	8	16	25	35	83
TOTAL										
0-19 YRS	194	5.5	60	1	2	3	7	13	18	59
20-34	40	9.9	218	1	1	3	15	25	31	82
35-49	54	13.1	179	2	5	9	15	33	37	66
50-64	86	14.1	121	5	7	10	18	28	44	83
65 +	97	15.8	147	5	8	13	22	27	36	70
GRAND TOTAL	471	10.4	134	1	2	7	14	24	32	78

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	496	2.3	1	1	2	2	3	4	5	8
20-34	26	2.9	4	<1	1	2	4	6	7	7
35-49	25	3.4	7	1	1	3	5	6	10	11
50-64	24	3.7	15	1	1	3	4	9	12	18
65 +	27	5.1	34	1	1	3	6	14	17	25
2. MULTIPLE DX										
0-19 YRS	656	5.6	82	1	2	3	5	12	19	65
20-34	114	8.4	73	1	2	6	12	21	27	66
35-49	201	10.0	87	2	3	8	13	21	32	53
50-64	467	10.0	78	2	4	8	14	20	26	60
65 +	1385	12.9	128	3	6	10	17	26	36	69
TOTAL SINGLE DX	598	2.6	5	1	1	2	3	4	6	11
TOTAL MULTIPLE DX	2823	10.4	113	2	3	7	14	22	31	65
TOTAL										
0-19 YRS	1152	4.2	50	1	2	2	4	8	13	43
20-34	140	7.4	65	1	2	5	9	18	26	53
35-49	226	9.3	82	2	3	7	12	20	30	49
50-64	491	9.7	77	2	4	8	13	19	25	56
65 +	1412	12.8	128	3	5	10	17	25	36	69
GRAND TOTAL	3421	9.0	103	1	2	6	12	20	29	63

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	122	1.6	1	1	1	1	2	3	4	7
35-49	197	1.8	1	1	1	1	2	3	4	6
50-64	96	2.1	3	1	1	2	2	3	5	12
65 +	41	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	42	2.5	25	1	1	1	2	4	5	34
35-49	68	2.4	4	1	1	2	3	4	6	13
50-64	73	3.6	20	1	1	2	4	8	14	27
65 +	65	6.4	86	1	1	3	8	17	30	43
TOTAL SINGLE DX	459	1.8	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	249	3.8	37	1	1	2	3	8	14	35
TOTAL										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	164	1.9	8	1	1	1	2	3	4	10
35-49	265	1.9	3	1	1	1	2	4	5	10
50-64	169	2.8	12	1	1	2	3	6	8	16
65 +	106	4.8	58	1	1	2	4	11	19	42
GRAND TOTAL	708	2.5	15	1	1	2	2	4	7	20

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	9.0	4	7	7	9	10	11	11	11
20-34	1	13.0		13	13	13	13	13	13	13
35-49	12	7.3	3	5	6	7	8	10	11	11
50-64	52	6.6	15	3	4	6	8	10	16	21
65 +	48	9.8	70	4	6	8	11	14	21	59
2. MULTIPLE DX										
0-19 YRS	107	15.9	217	6	8	11	19	34	70	99 +
20-34	14	16.9	574	2	4	7	17	67	76	78
35-49	112	12.6	129	5	7	9	14	28	42	82
50-64	597	13.1	131	5	7	10	15	26	35	82
65 +	1221	16.9	208	6	8	12	21	35	53	99 +
TOTAL SINGLE DX	116	8.1	39	4	5	7	10	12	17	36
TOTAL MULTIPLE DX	2051	15.5	187	5	8	11	19	32	48	99 +
TOTAL										
0-19 YRS	110	15.7	213	6	8	11	18	34	69	99 +
20-34	15	16.7	535	2	4	8	16	66	75	78
35-49	124	12.1	120	5	7	9	12	24	39	79
50-64	649	12.5	125	4	6	9	15	24	34	79
65 +	1269	16.6	205	6	8	12	21	35	52	99 +
GRAND TOTAL	2167	15.1	182	5	7	11	18	31	47	99 +

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	10.5	41	6	6	10	15	15	15	15
65 +	4	2.3	1	<1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	31	4.8	21	1	2	3	5	14	16	17
20-34	139	6.3	76	1	2	4	8	13	16	91
35-49	225	6.4	55	<1	2	4	8	15	19	49
50-64	403	7.2	61	1	3	5	9	15	24	40
65 +	665	8.1	77	1	3	6	10	17	24	49
TOTAL SINGLE DX	11	3.4	17	<1	1	2	3	10	15	15
TOTAL MULTIPLE DX	1463	7.4	69	1	3	5	9	15	23	45
TOTAL										
0-19 YRS	31	4.8	21	1	2	3	5	14	16	17
20-34	141	6.2	76	1	2	4	8	12	16	91
35-49	228	6.3	55	<1	2	4	8	14	19	49
50-64	405	7.2	61	1	3	5	9	15	24	40
65 +	669	8.1	77	1	3	6	10	17	24	49
GRAND TOTAL	1474	7.3	68	1	2	5	9	15	23	45

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	6	2.8	7	1	1	2	4	8	8	8
35-49	14	2.4	2	1	1	2	3	4	6	6
50-64	28	2.0	1	1	1	2	3	4	4	4
65 +	25	3.4	21	1	1	2	3	5	18	19
2. MULTIPLE DX										
0-19 YRS	32	6.3	45	1	2	3	10	18	27	99 +
20-34	110	9.7	120	1	2	6	13	24	28	59
35-49	132	10.1	134	1	2	6	14	26	40	99 +
50-64	285	10.7	183	1	2	7	14	26	37	95
65 +	440	13.5	205	1	3	9	21	35	47	99 +
TOTAL SINGLE DX	76	2.6	9	1	1	2	3	4	6	19
TOTAL MULTIPLE DX	999	11.6	179	1	2	7	17	29	40	99 +
TOTAL										
0-19 YRS	35	5.8	43	1	2	2	9	18	26	99 +
20-34	116	9.3	117	1	2	5	12	23	28	58
35-49	146	9.4	126	1	2	5	13	23	38	99 +
50-64	313	10.0	174	1	2	5	13	25	35	92
65 +	465	13.0	201	1	2	8	20	34	46	99 +
GRAND TOTAL	1075	11.0	172	1	2	6	16	29	40	99 +

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	4.0		4	4	4	4	4	4	4
50-64	43	4.7	9	2	3	4	5	8	13	15
65 +	42	5.5	10	3	3	5	7	9	11	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	23	5.8	17	2	3	5	6	12	15	19
50-64	246	7.3	58	3	4	5	8	12	17	32
65 +	634	8.4	59	3	4	6	10	16	22	50
TOTAL SINGLE DX	87	5.1	10	2	3	4	6	8	12	18
TOTAL MULTIPLE DX	903	8.0	58	3	4	6	9	15	21	42
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	25	5.6	16	3	3	4	6	12	14	19
50-64	289	6.9	52	3	4	5	7	11	15	31
65 +	676	8.2	57	3	4	6	9	16	21	46
GRAND TOTAL	990	7.8	55	3	4	6	9	14	20	35

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	162	4.4	19	1	2	4	5	8	12	19
20-34	37	3.7	9	<1	1	2	6	9	9	10
35-49	53	3.6	13	1	1	2	5	9	10	21
50-64	88	4.7	17	1	1	3	7	11	13	19
65 +	93	5.0	13	1	1	4	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	966	14.6	332	2	4	8	18	50	76	99 +
20-34	236	8.7	125	1	2	5	11	19	29	59
35-49	389	10.6	178	1	2	7	13	23	35	74
50-64	1025	10.4	147	1	3	7	13	23	35	75
65 +	2336	12.7	141	2	5	10	16	27	37	85
TOTAL SINGLE DX	433	4.4	16	1	1	3	6	9	12	18
TOTAL MULTIPLE DX	4952	12.2	185	2	4	8	15	28	44	99 +
TOTAL										
0-19 YRS	1128	13.1	300	2	3	6	15	44	70	99 +
20-34	273	8.0	112	1	2	5	9	17	26	56
35-49	442	9.7	164	1	2	6	12	21	32	72
50-64	1113	10.0	139	1	2	7	12	22	34	68
65 +	2429	12.4	139	2	5	9	16	26	36	83
GRAND TOTAL	5385	11.6	176	1	3	8	14	27	41	94

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	2.8	7	<1	1	2	4	7	8	12
20-34	46	2.2	3	<1	1	1	3	6	7	9
35-49	40	2.1	4	1	1	1	2	4	7	10
50-64	36	3.0	10	1	1	2	4	6	8	18
65 +	43	3.3	9	1	1	3	5	7	8	17
2. MULTIPLE DX										
0-19 YRS	97	8.0	79	1	2	6	10	17	23	51
20-34	89	9.9	102	1	3	7	15	24	33	85
35-49	124	9.6	103	1	2	7	12	25	34	43
50-64	174	8.3	123	1	2	4	10	18	25	64
65 +	277	10.6	151	1	3	7	14	24	32	78
TOTAL SINGLE DX	246	2.7	7	1	1	2	3	6	8	13
TOTAL MULTIPLE DX	761	9.5	123	1	2	6	12	21	31	62
TOTAL										
0-19 YRS	178	5.6	53	1	1	3	8	11	17	45
20-34	135	7.3	82	1	1	4	10	18	27	67
35-49	164	7.8	89	1	1	4	10	20	32	42
50-64	210	7.4	108	1	2	4	9	18	23	58
65 +	320	9.6	138	1	2	6	13	21	30	77
GRAND TOTAL	1007	7.8	103	1	2	4	10	18	27	55

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	8	3.8	8	1	1	3	6	8	8	8
35-49	26	4.1	15	1	2	3	5	9	12	18
50-64	35	3.1	5	1	2	3	4	6	8	12
65 +	34	5.2	20	2	3	3	7	11	15	22
2. MULTIPLE DX										
0-19 YRS	7	12.0	162	3	5	8	12	35	40	40
20-34	20	5.6	9	1	3	6	8	9	10	11
35-49	61	7.2	52	2	3	6	9	12	20	46
50-64	116	6.4	29	2	3	5	9	15	18	25
65 +	136	8.0	76	2	3	5	8	18	26	59
TOTAL SINGLE DX	105	4.1	13	1	2	3	5	8	11	20
TOTAL MULTIPLE DX	340	7.3	54	2	3	5	8	15	21	49
TOTAL										
0-19 YRS	9	10.3	134	2	4	7	9	29	40	40
20-34	28	5.1	9	1	2	5	8	9	9	11
35-49	87	6.3	43	2	2	5	8	11	18	40
50-64	151	5.7	26	1	2	4	7	12	17	23
65 +	170	7.5	66	2	3	5	8	17	23	53
GRAND TOTAL	445	6.5	46	2	3	5	8	14	18	48

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	18.5	613	1	1	18	36	36	36	36
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	61	43.6	259	29	34	43	53	70	85	99 +
20-34	7	45.1	141	33	39	43	46	65	70	70
35-49	10	48.6	173	36	38	47	52	69	78	78
50-64	2	48.5	421	34	34	48	63	63	63	63
65 +	0									
TOTAL SINGLE DX	5	8.8	232	1	1	3	11	36	36	36
TOTAL MULTIPLE DX	80	44.5	236	31	35	43	52	69	82	99 +
TOTAL										
0-19 YRS	63	42.8	280	28	34	42	52	69	85	99 +
20-34	7	45.1	142	33	39	43	46	65	70	70
35-49	12	40.8	471	2	36	43	51	66	76	78
50-64	2	48.5	421	34	34	48	63	63	63	63
65 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	85	42.4	304	28	34	42	52	69	81	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	163	3.8	12	1	2	3	5	7	9	21
20-34	59	4.9	6	1	3	5	7	8	9	12
35-49	37	4.4	11	< 1	1	4	6	9	11	15
50-64	32	5.7	21	1	2	5	8	10	13	24
65 +	33	5.8	39	< 1	< 1	4	9	14	17	28
2. MULTIPLE DX										
0-19 YRS	344	10.8	138	2	3	6	13	26	36	59
20-34	227	12.5	147	3	5	8	14	30	39	62
35-49	258	12.1	124	3	6	9	15	27	35	65
50-64	335	13.5	138	4	7	10	16	26	38	74
65 +	1110	14.0	153	4	7	10	17	29	39	74
TOTAL SINGLE DX	324	4.5	15	1	2	4	6	8	11	23
TOTAL MULTIPLE DX	2274	13.1	146	3	6	9	16	28	38	65
TOTAL										
0-19 YRS	507	8.5	109	1	2	5	10	22	30	51
20-34	286	10.9	128	2	5	7	13	25	35	60
35-49	295	11.1	117	2	5	8	14	25	33	61
50-64	367	12.8	133	3	6	9	16	24	35	70
65 +	1143	13.7	152	4	6	10	17	29	39	74
GRAND TOTAL	2598	12.0	138	2	5	8	15	26	36	64

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	6.5	55	1	1	4	8	15	23	35
20-34	30	5.7	29	< 1	2	4	9	12	15	24
35-49	16	8.3	57	< 1	3	6	12	21	24	26
50-64	14	4.1	10	1	2	3	6	9	11	11
65 +	10	4.5	66	< 1	< 1	1	5	16	27	27
2. MULTIPLE DX										
0-19 YRS	407	15.8	260	2	5	11	22	37	57	99 +
20-34	254	13.5	152	2	5	10	18	30	41	61
35-49	352	12.9	159	2	4	9	17	29	40	73
50-64	401	11.5	117	2	3	8	16	26	35	49
65 +	658	15.6	209	2	5	12	21	36	48	91
TOTAL SINGLE DX	141	6.2	46	1	1	4	8	14	22	[illegible]
TOTAL MULTIPLE DX	2072	14.1	189	2	5	10	19	33	44	88
TOTAL										
0-19 YRS	478	14.4	240	2	4	9	20	34	53	99 +
20-34	284	12.7	145	2	5	9	17	28	[illegible]	61
35-49	368	12.7	155	2	4	9	17	28	40	72
50-64	415	11.3	115	1	3	8	16	25	35	49
65 +	668	15.5	209	2	5	12	21	36	48	90
GRAND TOTAL	2213	13.6	183	2	4	10	18	32	44	85

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	5.0	37	< 1	< 1	2	9	12	12	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65 +	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	4.8	47	1	1	2	8	15	15	15
35-49	6	6.5	44	1	2	4	8	18	19	19
50-64	17	8.5	17	3	6	7	11	14	17	18
65 +	31	8.6	19	3	5	9	12	15	19	99 +
TOTAL SINGLE DX	12	2.7	12	< 1	< 1	1	2	8	11	12
TOTAL MULTIPLE DX	59	8.0	23	2	4	8	11	15	18	92
TOTAL										
0-19 YRS	4	4.8	25	< 1	1	3	8	12	12	12
20-34	5	4.2	37	1	1	2	5	15	15	15
35-49	9	4.8	34	< 1	1	2	6	15	19	19
50-64	18	8.4	17	4	6	7	11	14	16	18
65 +	35	7.7	23	< 1	4	8	11	15	18	99 +
GRAND TOTAL	71	7.1	25	1	2	7	10	14	18	82

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	1.8	4	<1	1	1	2	4	5	13
20-34	6	6.0	117	1	1	1	4	26	28	28
35-49	14	2.5	14	<1	<1	1	3	5	13	15
50-64	25	3.6	20	<1	1	1	5	9	15	19
65 +	15	2.7	5	1	1	1	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	186	7.2	175	1	1	2	6	22	43	95
20-34	17	10.1	101	1	2	6	15	29	32	33
35-49	117	8.3	65	1	3	6	11	19	28	61
50-64	169	12.5	156	2	5	8	16	29	45	72
65 +	346	13.5	212	2	5	9	16	31	53	99 +
TOTAL SINGLE DX	125	2.6	14	<1	1	1	2	6	9	21
TOTAL MULTIPLE DX	835	11.1	177	1	3	7	14	28	41	94
TOTAL										
0-19 YRS	251	5.8	136	1	1	2	4	17	37	87
20-34	23	9.0	104	1	1	5	13	29	32	33
35-49	131	7.7	63	1	3	5	10	16	27	53
50-64	194	11.4	148	1	4	7	15	26	40	67
65 +	361	13.1	208	2	5	9	16	31	47	99
GRAND TOTAL	960	10.0	164	1	2	6	12	26	38	91

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	271	3.2	1	2	2	3	4	5	5	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	126	4.4	4	3	3	4	5	7	8	14
20-34	2	14.5	13	12	12	14	17	17	17	17
35-49	3	8.3	10	6	6	7	11	12	12	12
50-64	3	13.7	96	8	8	8	21	25	25	25
65 +	11	21.1	263	4	10	17	24	47	59	60
TOTAL SINGLE DX	273	3.2	2	2	2	3	4	5	5	8
TOTAL MULTIPLE DX	145	6.0	46	3	3	4	6	12	17	39
TOTAL										
0-19 YRS	397	3.5	3	2	3	3	4	5	7	9
20-34	3	11.0	43	4	6	12	16	17	17	17
35-49	3	8.3	10	6	6	7	11	12	12	12
50-64	3	13.7	96	8	8	8	21	25	25	25
65 +	12	19.5	270	3	6	17	24	45	58	60
GRAND TOTAL	418	4.2	19	2	3	3	4	6	8	24

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	14.0		14	14	14	14	14	14	14
65 +	4	18.3	683	2	2	7	34	57	57	57
2. MULTIPLE DX										
0-19 YRS	119	14.6	284	3	4	7	20	35	47	95
20-34	7	12.6	106	3	6	13	50	99 +	99 +	99 +
35-49	26	14.3	165	3	6	11	19	49	99 +	99 +
50-64	80	22.9	494	4	9	17	38	96	99 +	99 +
65 +	721	24.5	433	5	10	19	40	75	99 +	99 +
TOTAL SINGLE DX	8	12.5	346	1	2	6	12	44	57	57
TOTAL MULTIPLE DX	953	22.8	423	4	8	18	36	73	99 +	99 +
TOTAL										
0-19 YRS	121	14.3	282	3	4	7	19	35	47	95
20-34	7	12.6	106	3	6	13	50	99 +	99 +	99 +
35-49	27	14.1	160	3	6	10	19	49	99 +	99 +
50-64	81	22.8	489	5	9	17	38	96	99 +	99 +
65 +	725	24.5	434	5	10	19	40	74	99 +	99 +
GRAND TOTAL	961	22.7	423	4	8	18	35	73	99 +	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	4.2	8	< 1	2	3	6	9	9	9
35-49	6	5.7	4	3	4	5	7	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	7	9.3	27	4	6	8	14	17	17	17
2. MULTIPLE DX										
0-19 YRS	3	20.3	1121	1	1	1	45	59	59	59
20-34	18	6.2	30	2	2	5	7	12	20	24
35-49	39	7.1	25	2	3	5	9	14	18	23
50-64	63	7.0	29	3	4	6	9	11	13	38
65 +	282	11.8	125	4	5	9	14	25	34	98
TOTAL SINGLE DX	21	6.2	17	2	3	6	8	12	16	17
TOTAL MULTIPLE DX	405	10.4	107	3	5	7	12	21	31	86
TOTAL										
0-19 YRS	4	16.0	823	1	1	2	31	59	59	59
20-34	24	5.7	25	2	2	5	7	11	16	24
35-49	45	6.9	23	2	3	5	9	13	16	23
50-64	64	6.9	29	3	4	6	9	11	13	38
65 +	289	11.7	123	4	5	9	14	24	34	98
GRAND TOTAL	426	10.2	103	3	5	7	12	21	29	82

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	5	11.2	13	8	8	10	14	16	16	16
50-64	5	7.8	1	6	7	8	8	9	9	9
65 +	6	8.7	3	6	8	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	4	23.5	113	11	16	23	30	37	37	37
20-34	9	11.9	48	5	8	11	13	23	28	28
35-49	63	15.6	155	8	9	12	16	28	38	82
50-64	131	15.8	80	8	10	13	19	28	33	45
65 +	239	23.3	293	9	12	18	29	49	76	99 +
TOTAL SINGLE DX	18	9.0	7	6	8	8	10	13	15	16
TOTAL MULTIPLE DX	446	19.8	219	8	11	14	25	38	56	99 +
TOTAL										
0-19 YRS	4	23.5	114	11	16	23	30	37	37	37
20-34	11	11.1	43	5	8	9	13	20	27	28
35-49	68	15.3	146	8	9	12	16	27	37	80
50-64	136	15.5	80	8	10	13	18	28	33	44
65 +	245	23.0	292	9	12	18	28	49	76	99 +
GRAND TOTAL	464	19.4	216	8	10	14	24	38	53	98

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	2	12.5	41	8	8	12	17	17	17	17
65 +	3	11.7	14	9	9	10	14	16	16	16
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	7	20.4	274	9	12	15	20	50	57	57
50-64	41	22.2	263	9	13	17	23	44	65	77
65 +	66	23.2	194	11	14	18	27	45	65	95
TOTAL SINGLE DX	6	11.0	20	6	8	9	16	17	17	17
TOTAL MULTIPLE DX	114	22.6	220	11	13	17	26	45	62	85
TOTAL										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	7	20.4	275	9	12	15	20	50	57	57
50-64	43	21.7	256	9	13	17	23	42	63	77
65 +	69	22.7	192	11	13	18	27	44	64	94
GRAND TOTAL	120	22.1	217	10	13	17	25	44	60	84

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	3	7.3	4	5	6	8	9	9	9	9
35-49	10	8.0	7	5	5	8	9	12	14	14
50-64	3	9.3	34	5	5	7	14	16	16	16
65 +	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	23.7	698	4	12	19	62	95	99 +	99 +
20-34	10	7.5	10	2	6	7	10	11	11	11
35-49	24	12.9	75	6	7	10	16	23	34	38
50-64	36	17.3	221	6	8	14	22	27	54	76
65 +	73	20.4	310	8	10	15	23	45	65	99
TOTAL SINGLE DX	20	8.1	11	5	5	8	9	13	15	16
TOTAL MULTIPLE DX	149	17.7	255	6	8	14	21	37	65	99 +
TOTAL										
0-19 YRS	8	19.8	559	2	10	13	34	90	99 +	99 +
20-34	13	7.5	8	4	6	8	10	11	11	11
35-49	34	11.5	60	5	7	9	14	22	30	38
50-64	39	16.7	211	6	8	14	21	26	48	76
65 +	75	20.1	307	7	9	15	22	45	65	99
GRAND TOTAL	169	16.6	236	6	8	12	19	34	63	99

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	5.3	10	1	3	5	8	10	11	11
20-34	16	6.3	4	4	5	6	7	8	12	13
35-49	23	5.7	7	3	4	5	8	9	10	12
50-64	12	6.9	9	3	5	7	9	11	12	12
65 +	6	8.5	11	4	6	9	9	14	14	14
2. MULTIPLE DX										
0-19 YRS	186	15.6	238	4	6	10	22	44	78	99 +
20-34	71	8.5	26	4	6	7	10	14	21	30
35-49	123	11.8	183	5	6	8	11	24	40	99
50-64	159	11.9	78	4	6	9	15	23	35	44
65 +	397	17.1	213	5	8	13	23	37	50	99 +
TOTAL SINGLE DX	79	6.1	9	2	4	6	8	10	12	14
TOTAL MULTIPLE DX	936	14.6	185	4	6	10	19	34	48	99 +
TOTAL										
0-19 YRS	208	14.5	224	3	6	9	20	42	75	99 +
20-34	87	8.1	23	4	5	7	9	13	18	29
35-49	146	10.9	161	4	5	7	10	23	35	99
50-64	171	11.5	76	4	6	9	14	23	34	44
65 +	403	17.0	211	4	8	13	23	37	50	99 +
GRAND TOTAL	1015	13.9	176	4	6	9	17	33	45	99 +

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	4.6	13	1	2	4	6	8	12	21
20-34	90	5.2	11	1	3	5	7	10	11	16
35-49	89	4.8	13	< 1	2	4	7	10	14	14
50-64	59	3.8	12	< 1	< 1	2	6	9	11	16
65 +	84	2.9	11	< 1	< 1	1	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	322	8.6	92	2	3	6	10	19	29	58
20-34	446	7.7	69	2	3	6	9	14	20	45
35-49	631	7.8	58	2	4	6	10	16	20	37
50-64	1043	8.0	54	2	4	6	10	15	22	48
65 +	3371	10.3	99	3	5	8	12	20	30	74
TOTAL SINGLE DX	382	4.3	13	< 1	1	3	6	9	11	16
TOTAL MULTIPLE DX	5813	9.3	85	3	4	7	11	18	27	61
TOTAL										
0-19 YRS	382	7.9	82	1	3	5	9	18	27	51
20-34	536	7.3	60	2	3	5	8	13	18	42
35-49	720	7.5	54	2	3	5	9	15	19	35
50-64	1102	7.8	53	2	4	6	9	15	21	44
65 +	3455	10.1	99	3	5	7	12	20	30	73
GRAND TOTAL	6195	9.0	82	2	4	7	11	18	26	59

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	8.6	9	4	7	9	10	13	14	14
20-34	21	8.4	18	5	6	8	9	14	19	23
35-49	13	8.8	22	5	6	7	11	18	20	20
50-64	12	10.1	12	7	8	9	11	17	18	18
65 +	7	7.7	2	5	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	67	25.7	695	6	10	17	91	99 +	99 +	99 +
20-34	53	12.2	46	7	8	10	14	21	23	45
35-49	81	17.7	271	6	8	13	22	39	48	99
50-64	129	21.2	330	8	10	14	26	55	76	99 +
65 +	364	19.1	201	8	10	15	23	37	59	99 +
TOTAL SINGLE DX	62	8.8	15	5	7	8	9	15	17	23
TOTAL MULTIPLE DX	694	19.5	276	7	10	14	24	50	92	99 +
TOTAL										
0-19 YRS	76	23.7	644	6	9	15	83	99 +	99 +	99 +
20-34	74	11.1	41	6	7	9	13	20	22	41
35-49	94	16.5	246	6	8	12	20	39	45	99
50-64	141	20.3	313	8	9	13	23	55	73	99 +
65 +	371	18.9	200	8	10	14	23	37	59	99 +
GRAND TOTAL	756	18.6	263	7	9	13	22	48	85	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	9.0	8	5	7	9	11	13	14	14
20-34	30	9.1	16	5	7	8	10	15	20	20
35-49	56	8.7	10	5	7	8	10	14	16	18
50-64	115	8.9	7	6	7	8	10	12	15	20
65 +	114	9.5	10	6	7	9	10	13	17	21
2. MULTIPLE DX										
0-19 YRS	90	18.1	221	6	8	14	24	48	62	99 +
20-34	158	14.8	92	7	8	12	19	27	37	55
35-49	330	12.7	56	7	8	10	15	23	30	51
50-64	925	13.5	81	7	8	11	15	24	31	60
65 +	2577	16.5	121	8	10	13	20	31	40	82
TOTAL SINGLE DX	327	9.1	10	6	7	8	10	13	16	20
TOTAL MULTIPLE DX	4080	15.5	110	8	9	12	18	29	38	72
TOTAL										
0-19 YRS	102	17.0	205	6	8	12	22	46	59	99 +
20-34	188	13.9	84	6	8	11	16	26	35	55
35-49	386	12.1	51	6	8	10	14	20	28	49
50-64	1040	13.0	75	7	8	10	15	23	29	56
65 +	2691	16.2	118	8	9	13	19	30	40	75
GRAND TOTAL	4407	15.0	106	7	9	12	18	28	36	70

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	6.2	7	3	4	5	8	10	10	10
20-34	3	5.0		5	5	5	5	5	5	5
35-49	4	6.3	3	5	5	6	7	9	9	9
50-64	6	9.0	4	7	7	9	10	12	12	12
65 +	5	10.8	6	9	9	10	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	24	19.0	220	7	9	12	29	48	74	99 +
20-34	10	17.0	217	7	10	15	19	74	98	99 +
35-49	17	13.2	50	7	8	11	17	19	29	35
50-64	43	16.4	138	7	8	13	20	36	43	57
65 +	122	20.3	234	8	11	16	24	35	57	95
TOTAL SINGLE DX	23	7.8	8	5	5	8	10	11	13	15
TOTAL MULTIPLE DX	216	18.7	201	7	10	15	22	35	56	99 +
TOTAL										
0-19 YRS	29	16.8	206	5	8	10	27	41	65	99 +
20-34	13	14.2	191	5	6	11	17	61	91	99 +
35-49	21	11.9	48	6	7	10	16	19	26	35
50-64	49	15.5	128	7	8	12	18	31	40	57
65 +	127	19.9	229	8	11	16	23	35	56	95
GRAND TOTAL	**239**	**17.6**	**192**	**7**	**9**	**14**	**21**	**35**	**54**	**99 +**

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	5.7	10	3	4	5	7	10	12	19
20-34	28	8.1	5	6	6	8	9	11	13	16
35-49	34	6.9	6	3	5	7	8	10	11	12
50-64	34	7.4	11	2	5	7	9	12	13	16
65 +	36	6.4	8	1	4	7	9	10	11	11
2. MULTIPLE DX										
0-19 YRS	222	10.6	132	4	5	8	11	22	48	99 +
20-34	94	10.1	39	5	6	9	12	16	23	38
35-49	114	9.8	37	5	7	8	10	17	21	38
50-64	265	12.6	111	5	7	10	14	22	30	78
65 +	512	13.7	113	5	8	11	16	25	37	64
TOTAL SINGLE DX	194	6.7	10	3	5	7	8	10	12	16
TOTAL MULTIPLE DX	1207	12.2	106	5	7	9	14	22	33	73
TOTAL										
0-19 YRS	284	9.5	110	3	5	7	10	20	32	99 +
20-34	122	9.6	32	5	6	9	11	15	19	35
35-49	148	9.1	32	5	6	8	10	15	21	36
50-64	299	12.0	103	5	7	9	14	21	29	72
65 +	548	13.2	110	5	7	10	15	24	36	64
GRAND TOTAL	**1401**	**11.5**	**96**	**4**	**7**	**9**	**13**	**21**	**31**	**68**

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	6.6	5	4	5	6	8	10	11	11
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	3	8.0	13	4	5	9	10	11	11	11
50-64	4	7.8	25	4	4	6	11	15	15	15
65 +	7	13.1	62	8	8	9	19	26	27	27
2. MULTIPLE DX										
0-19 YRS	43	16.0	127	5	6	14	24	31	38	48
20-34	16	26.3	707	8	9	11	40	76	78	79
35-49	23	22.8	467	7	9	15	24	62	74	86
50-64	79	17.1	66	8	11	16	22	26	38	83
65 +	245	22.1	244	9	11	17	27	48	60	99 +
TOTAL SINGLE DX	27	8.8	28	4	6	8	9	14	23	27
TOTAL MULTIPLE DX	406	20.7	232	8	11	16	25	43	59	99 +
TOTAL										
0-19 YRS	54	14.1	117	4	6	10	19	29	33	48
20-34	18	24.3	658	8	9	11	33	75	78	79
35-49	26	21.1	435	6	8	12	22	59	71	86
50-64	83	16.6	68	7	11	15	22	25	38	81
65 +	252	21.8	241	9	11	17	27	47	60	99 +
GRAND TOTAL	**433**	**19.9**	**228**	**7**	**10**	**16**	**25**	**41**	**58**	**99 +**

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1594	3.6	4	2	2	3	4	6	8	11
20-34	1169	3.6	2	2	3	3	4	6	7	10
35-49	465	4.2	3	2	3	4	5	7	8	11
50-64	159	5.4	6	3	4	5	7	9	11	13
65 +	42	6.0	6	3	4	6	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	739	6.3	28	2	3	5	8	12	15	26
20-34	615	5.4	14	2	3	4	6	10	12	21
35-49	412	6.8	17	3	4	6	9	13	15	23
50-64	242	8.2	29	3	5	7	10	13	18	38
65 +	180	10.4	42	4	6	9	13	19	22	28
TOTAL SINGLE DX	3429	3.8	4	2	3	3	4	6	8	11
TOTAL MULTIPLE DX	2188	6.7	26	3	3	5	8	12	16	26
TOTAL										
0-19 YRS	2333	4.5	13	2	3	3	5	8	11	18
20-34	1784	4.2	8	2	3	3	5	7	9	13
35-49	877	5.5	12	2	3	4	7	10	13	18
50-64	401	7.1	23	3	4	6	9	12	15	33
65 +	222	9.6	39	4	6	8	12	17	21	28
GRAND TOTAL	**5617**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**	**20**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	8.1	13	3	6	8	11	12	13	13
20-34	2	9.5	41	5	5	9	14	14	14	14
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	7	7.0	10	2	4	7	10	11	11	11
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	8.6	11	4	7	8	10	13	14	14
50-64	2	10.5	61	5	5	10	16	16	16	16
65 +	4	19.0	132	9	10	16	28	34	34	34
TOTAL SINGLE DX	16	8.5	12	4	6	8	11	13	14	14
TOTAL MULTIPLE DX	21	10.2	50	4	7	9	11	18	27	34
TOTAL										
0-19 YRS	17	7.6	12	3	5	7	11	12	13	13
20-34	3	9.0	21	5	6	8	12	14	14	14
35-49	9	8.6	10	4	7	8	11	13	14	14
50-64	3	10.0	31	5	6	9	14	16	16	16
65 +	5	17.2	116	9	10	11	25	34	34	34
GRAND TOTAL	**37**	**9.5**	**33**	**4**	**6**	**9**	**11**	**14**	**20**	**34**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.9	1	< 1	1	2	2	4	4	4
20-34	6	2.5	5	< 1	1	1	5	6	6	6
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64	7	1.0		< 1	< 1	1	1	1	1	1
65 +	48	3.2	4	1	2	3	4	5	8	11
2. MULTIPLE DX										
0-19 YRS	38	8.3	114	2	2	6	9	19	49	99 +
20-34	16	4.1	15	1	1	3	5	11	14	15
35-49	23	5.4	91	1	1	2	5	14	26	45
50-64	62	5.8	41	1	2	4	7	12	24	92
65 +	227	7.5	87	1	2	4	9	16	28	51
TOTAL SINGLE DX	85	2.6	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	366	7.0	80	1	2	4	8	15	27	59
TOTAL										
0-19 YRS	55	6.3	87	1	2	3	8	12	31	97
20-34	22	3.7	13	1	1	3	5	8	13	15
35-49	30	4.6	72	1	1	2	4	11	16	45
50-64	69	5.3	39	1	2	3	6	11	24	87
65 +	275	6.8	76	1	2	4	8	14	26	49
GRAND TOTAL	**451**	**6.2**	**68**	**1**	**2**	**4**	**7**	**13**	**23**	**58**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.6	1	1	1	3	4	4	4	4
20-34	29	2.3	2	1	1	2	3	5	6	7
35-49	38	2.5	2	1	1	2	3	5	6	8
50-64	16	3.4	4	1	2	3	5	7	7	7
65 +	7	4.9	4	2	3	6	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	14	6.9	48	1	2	4	11	17	22	23
20-34	44	7.9	173	1	2	4	7	17	34	77
35-49	64	5.6	73	2	2	3	7	10	12	61
50-64	40	6.1	68	1	2	4	7	13	14	51
65 +	38	9.8	62	1	4	8	14	19	27	33
TOTAL SINGLE DX	97	2.8	3	1	1	2	3	6	7	8
TOTAL MULTIPLE DX	200	7.1	92	1	2	4	8	15	21	59
TOTAL										
0-19 YRS	21	5.5	36	1	2	3	6	16	19	23
20-34	73	5.7	112	1	1	3	5	9	24	68
35-49	102	4.5	49	1	2	3	5	8	11	41
50-64	56	5.3	51	1	2	3	6	12	14	49
65 +	45	9.0	56	1	3	7	13	18	26	33
GRAND TOTAL	**297**	**5.7**	**67**	**1**	**2**	**3**	**6**	**12**	**17**	**44**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	8.7	4	6	8	9	10	12	12	12
20-34	4	7.3	1	6	6	7	8	8	8	8
35-49	6	7.7	3	6	6	7	8	11	11	11
50-64	24	9.0	4	7	7	9	11	12	13	14
65 +	27	9.9	17	6	8	10	11	15	17	24
2. MULTIPLE DX										
0-19 YRS	66	9.1	27	4	6	8	11	19	22	87
20-34	12	13.8	58	7	8	10	19	26	29	30
35-49	55	12.1	29	8	8	10	13	20	26	30
50-64	174	13.7	53	8	9	11	15	22	29	43
65 +	506	16.4	131	8	10	13	19	29	41	68
TOTAL SINGLE DX	84	9.0	9	6	7	9	11	12	14	21
TOTAL MULTIPLE DX	813	14.9	103	8	9	12	17	26	33	64
TOTAL										
0-19 YRS	89	9.0	21	4	6	8	10	16	20	70
20-34	16	12.1	52	7	8	9	15	24	28	30
35-49	61	11.6	29	7	8	10	13	19	24	30
50-64	198	13.1	50	8	9	11	14	21	28	42
65 +	533	16.1	128	8	10	13	19	28	39	67
GRAND TOTAL	**897**	**14.4**	**97**	**7**	**9**	**12**	**16**	**25**	**32**	**63**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	3.6	7	1	1	3	5	7	9	12
20-34	105	4.2	12	1	2	3	6	8	10	19
35-49	139	4.0	10	< 1	2	3	5	7	9	16
50-64	101	3.5	9	< 1	< 1	3	5	7	8	17
65 +	133	3.6	17	< 1	< 1	2	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	153	5.7	48	1	2	3	6	12	21	36
20-34	495	5.7	28	2	3	4	7	11	16	28
35-49	920	6.1	25	2	3	5	7	12	15	25
50-64	1439	7.5	73	2	3	5	8	14	19	49
65 +	4319	9.6	97	3	4	7	11	18	27	71
TOTAL SINGLE DX	523	3.8	12	< 1	1	3	5	8	9	16
TOTAL MULTIPLE DX	7326	8.4	80	2	4	6	10	17	23	59
TOTAL										
0-19 YRS	198	5.2	40	1	2	3	6	11	18	36
20-34	600	5.4	26	2	2	4	6	10	15	26
35-49	1059	5.9	24	2	3	4	7	11	15	25
50-64	1540	7.2	70	2	3	5	8	14	19	46
65 +	4452	9.4	96	3	4	7	11	18	27	71
GRAND TOTAL	**7849**	**8.1**	**77**	**2**	**4**	**6**	**9**	**16**	**22**	**56**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.4		< 1	1	1	2	3	3	3
20-34	42	1.6	1	1	1	1	2	3	4	7
35-49	52	1.4		1	1	1	2	2	3	3
50-64	28	1.5	1	1	1	1	2	3	5	6
65 +	9	1.2		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	4	2.5	5	< 1	< 1	1	4	6	6	6
20-34	46	2.5	6	1	1	2	3	5	7	16
35-49	96	2.7	29	1	1	2	2	4	6	35
50-64	52	1.9	1	1	1	1	2	4	4	7
65 +	36	6.9	126	1	1	2	5	26	35	47
TOTAL SINGLE DX	141	1.5	1	1	1	1	2	2	3	6
TOTAL MULTIPLE DX	234	3.1	36	1	1	2	3	5	9	38
TOTAL										
0-19 YRS	14	1.7	2	< 1	1	1	2	3	5	6
20-34	88	2.0	4	1	1	1	2	4	6	13
35-49	148	2.2	20	1	1	1	2	3	4	18
50-64	80	1.8	2	1	1	1	2	4	5	7
65 +	45	5.8	106	1	1	2	4	22	33	47
GRAND TOTAL	**375**	**2.5**	**23**	**1**	**1**	**1**	**2**	**4**	**6**	**31**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	1.5		< 1	1	1	2	3	3	3
35-49	24	1.8	1	1	1	1	3	3	4	4
50-64	12	1.4		< 1	1	1	2	3	4	4
65 +	4	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	6	3.7	27	1	1	1	4	13	14	14
20-34	72	2.0	4	1	1	1	2	3	4	16
35-49	66	2.6	12	1	1	2	3	5	8	23
50-64	48	2.0	1	1	1	2	2	3	4	8
65 +	39	4.6	36	1	2	3	5	12	16	33
TOTAL SINGLE DX	63	1.6	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	231	2.7	13	1	1	2	3	5	8	20
TOTAL										
0-19 YRS	7	3.3	24	1	1	1	3	12	14	14
20-34	94	1.9	4	1	1	1	2	3	4	13
35-49	90	2.4	9	1	1	2	3	4	8	19
50-64	60	1.9	1	1	1	2	2	3	4	8
65 +	43	4.5	34	1	2	2	5	11	15	33
GRAND TOTAL	**294**	**2.4**	**10**	**1**	**1**	**2**	**2**	**4**	**7**	**18**

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	31	2.2	1	1	1	2	3	4	4	5
35-49	53	2.2	1	1	1	2	3	5	5	5
50-64	41	2.3	1	1	1	2	3	4	5	6
65 +	17	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	263	2.0	2	1	1	1	2	4	5	7
35-49	438	2.1	4	1	1	1	3	4	5	8
50-64	348	2.4	3	1	1	2	3	5	7	9
65 +	258	3.9	27	1	1	2	5	8	14	31
TOTAL SINGLE DX	142	2.2	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	1312	2.5	9	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	294	2.0	3	1	1	1	3	4	5	7
35-49	491	2.1	4	1	1	2	3	4	5	7
50-64	389	2.4	4	1	1	2	3	5	7	9
65 +	275	3.8	26	1	1	2	4	8	14	30
GRAND TOTAL	**1454**	**2.5**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	2.8	2	1	2	2	4	5	5	8
20-34	50	2.6	5	1	1	2	3	5	6	12
35-49	53	2.8	4	1	1	2	4	6	6	11
50-64	22	2.0		1	1	2	3	3	4	4
65 +	10	4.7	31	1	2	2	4	14	19	19
2. MULTIPLE DX										
0-19 YRS	74	5.1	11	2	3	4	6	10	13	16
20-34	73	3.5	35	1	1	2	4	7	9	40
35-49	85	2.8	11	1	1	1	3	6	8	21
50-64	78	5.5	53	1	1	4	7	13	17	87
65 +	90	8.4	114	1	2	5	11	18	34	99 +
TOTAL SINGLE DX	165	2.8	5	1	1	2	3	5	6	12
TOTAL MULTIPLE DX	400	5.1	51	1	1	3	6	12	16	67
TOTAL										
0-19 YRS	104	4.4	10	2	2	4	5	8	11	15
20-34	123	3.1	23	1	1	2	4	6	9	22
35-49	138	2.8	9	1	1	2	4	6	7	14
50-64	100	4.8	44	1	1	3	5	11	14	78
65 +	100	8.0	107	1	2	5	11	18	31	99 +
GRAND TOTAL	565	4.4	39	1	1	3	5	10	14	48

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	6	13.8	69	5	8	13	15	28	29	29
35-49	3	9.7	46	2	4	12	14	15	15	15
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	13.5	313	1	1	13	26	26	26	26
2. MULTIPLE DX										
0-19 YRS	4	17.0	138	1	8	19	25	28	28	28
20-34	7	11.9	57	5	7	10	12	25	28	28
35-49	10	16.2	367	2	6	7	22	51	52	52
50-64	13	20.9	199	4	10	19	28	36	51	54
65 +	33	17.0	146	5	10	12	23	38	40	45
TOTAL SINGLE DX	12	12.1	75	2	5	12	15	27	29	29
TOTAL MULTIPLE DX	67	17.1	175	3	8	12	26	38	46	54
TOTAL										
0-19 YRS	4	17.0	138	1	8	19	25	28	28	28
20-34	13	12.8	59	5	8	11	14	28	29	29
35-49	13	14.7	291	2	5	7	17	50	52	52
50-64	14	19.9	200	5	7	19	27	34	50	54
65 +	35	16.8	148	3	9	12	23	38	40	45
GRAND TOTAL	79	16.3	162	3	7	12	23	36	43	53

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	5.4	56	1	1	2	6	19	25	27
20-34	42	1.7	2	1	1	1	1	3	6	8
35-49	62	1.6	2	< 1	1	1	1	3	5	9
50-64	32	1.8	3	1	1	1	1	4	6	9
65 +	26	1.5	2	1	1	1	1	2	6	8
2. MULTIPLE DX										
0-19 YRS	271	16.5	417	1	2	7	24	54	71	99 +
20-34	85	8.5	118	1	1	5	11	25	36	84
35-49	161	6.7	72	1	1	2	9	20	25	39
50-64	223	8.9	151	1	1	6	11	21	33	78
65 +	286	11.5	143	1	3	9	15	25	37	92
TOTAL SINGLE DX	200	2.3	15	1	1	1	2	5	8	24
TOTAL MULTIPLE DX	1026	11.3	216	1	1	7	14	28	48	94
TOTAL										
0-19 YRS	309	15.1	386	1	2	7	21	52	66	99 +
20-34	127	6.2	90	1	1	2	8	17	33	66
35-49	223	5.3	59	1	1	1	7	15	23	35
50-64	255	8.0	139	1	1	4	10	19	27	75
65 +	312	19.6	140	1	2	8	14	24	36	86
GRAND TOTAL	1226	9.8	194	1	1	5	12	25	40	92

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	3.9	4	1	3	4	5	7	8	10
20-34	1090	3.8	3	1	3	4	5	6	7	10
35-49	1005	3.9	4	1	2	4	5	6	8	11
50-64	690	4.3	6	1	3	4	5	7	9	13
65 +	278	5.2	8	2	3	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	97	6.0	14	2	4	5	7	11	15	62
20-34	1069	5.9	19	3	4	5	7	10	12	21
35-49	1561	6.1	20	2	4	5	7	11	13	22
50-64	1823	7.2	29	3	4	6	9	12	16	30
65 +	2442	10.7	73	4	6	9	13	19	25	50
TOTAL SINGLE DX	3146	4.0	5	1	3	4	5	7	8	12
TOTAL MULTIPLE DX	6992	8.0	45	3	4	6	10	14	19	37
TOTAL										
0-19 YRS	180	5.0	11	2	3	4	6	9	12	21
20-34	2159	4.8	13	2	3	4	6	8	10	16
35-49	2566	5.2	16	2	3	4	6	9	11	20
50-64	2513	6.4	25	2	4	5	8	11	14	27
65 +	2720	10.1	70	4	5	8	12	18	23	48
GRAND TOTAL	10138	6.7	36	2	4	5	8	12	16	31

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	3	1.3		1	1	1	2	2	2	2
65 +	9	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	7.5	84	< 1	1	4	12	23	24	24
50-64	14	13.9	139	2	5	12	20	26	41	45
65 +	51	10.6	149	1	5	9	11	19	22	70
TOTAL SINGLE DX	16	2.4	4	1	1	2	3	5	7	8
TOTAL MULTIPLE DX	74	10.8	138	1	4	9	12	21	24	67
TOTAL										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	9	6.2	60	< 1	1	2	9	19	24	24
50-64	17	11.6	138	1	2	9	18	24	38	45
65 +	60	9.4	135	1	3	7	11	17	22	69
GRAND TOTAL	**90**	**9.3**	**124**	**1**	**2**	**7**	**11**	**20**	**24**	**66**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	15	4.8	10	1	2	4	7	8	11	12
35-49	32	4.0	11	< 1	1	2	6	8	12	14
50-64	41	3.7	8	< 1	1	2	6	8	9	11
65 +	68	4.0	20	1	1	2	5	12	15	19
2. MULTIPLE DX										
0-19 YRS	6	18.2	1044	1	2	3	17	76	83	83
20-34	46	9.0	74	1	1	8	13	23	27	35
35-49	163	8.2	66	1	2	7	11	18	26	48
50-64	232	6.8	40	1	2	6	9	14	17	30
65 +	591	9.5	93	1	3	8	12	19	25	46
TOTAL SINGLE DX	159	3.9	14	< 1	1	2	6	8	13	18
TOTAL MULTIPLE DX	1038	8.7	83	1	3	7	12	17	25	46
TOTAL										
0-19 YRS	9	12.8	718	1	2	3	7	57	83	83
20-34	61	8.0	61	1	2	7	10	19	25	35
35-49	195	7.5	60	1	2	6	10	17	25	47
50-64	273	6.4	37	1	2	5	8	13	17	28
65 +	659	8.9	89	1	3	7	12	18	24	44
GRAND TOTAL	**1197**	**8.1**	**76**	**1**	**2**	**6**	**11**	**17**	**24**	**43**

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	11.3	9	6	10	12	13	14	14	14
20-34	5	7.0	2	5	6	7	8	9	9	9
35-49	7	6.7	29	1	2	7	11	14	15	15
50-64	5	10.6	37	6	7	8	13	21	21	21
65 +	16	9.3	56	2	5	8	11	15	28	33
2. MULTIPLE DX										
0-19 YRS	29	17.3	107	6	9	17	23	30	36	47
20-34	23	10.8	28	5	7	9	15	17	21	23
35-49	43	14.1	64	6	8	13	18	22	34	40
50-64	86	14.8	101	7	9	12	17	25	39	54
65 +	299	17.2	148	7	10	14	21	30	41	96
TOTAL SINGLE DX	40	9.1	35	2	5	8	12	14	18	33
TOTAL MULTIPLE DX	480	16.2	127	7	9	13	20	29	38	64
TOTAL										
0-19 YRS	36	16.2	93	6	10	14	21	29	34	47
20-34	28	10.1	26	5	6	9	14	16	20	23
35-49	50	13.1	65	6	8	12	17	21	34	40
50-64	91	14.5	98	7	9	11	17	25	37	53
65 +	315	16.8	147	7	10	14	21	29	40	96
GRAND TOTAL	**520**	**15.6**	**123**	**6**	**9**	**13**	**20**	**28**	**37**	**63**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	8.0	12	5	6	7	10	13	13	13
50-64	8	4.5	13	< 1	1	4	8	9	9	9
65 +	3	5.0	19	2	2	3	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	3	28.3	426	14	15	19	44	52	52	52
20-34	21	28.1	531	6	11	21	42	67	76	79
35-49	42	28.0	522	9	13	18	41	73	89	99 +
50-64	89	23.9	393	6	10	20	30	49	69	98
65 +	112	26.3	384	8	13	20	33	57	73	81
TOTAL SINGLE DX	17	5.6	14	< 1	2	6	9	10	12	13
TOTAL MULTIPLE DX	267	25.9	417	7	12	19	33	57	74	98
TOTAL										
0-19 YRS	4	23.5	378	9	11	16	35	52	52	52
20-34	22	27.0	535	4	11	20	40	66	76	79
35-49	46	26.3	509	7	12	16	40	70	86	99 +
50-64	97	22.3	390	4	9	18	30	47	68	98
65 +	115	25.8	387	7	13	19	32	56	72	80
GRAND TOTAL	**284**	**24.7**	**416**	**5**	**10**	**19**	**32**	**56**	**74**	**97**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	2.6	2	1	1	2	4	5	5	8
20-34	40	4.0	15	1	1	3	5	8	12	19
35-49	35	3.8	6	2	2	3	5	6	10	12
50-64	33	4.2	7	1	2	4	5	8	8	13
65 +	37	4.3	7	1	3	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	131	5.6	34	1	2	4	6	12	17	34
20-34	178	7.2	65	2	3	5	8	12	21	50
35-49	199	6.2	26	2	3	5	8	12	17	29
50-64	293	7.5	35	2	4	6	9	15	20	30
65 +	1209	10.2	97	3	5	8	12	20	29	62
TOTAL SINGLE DX	179	3.8	8	1	2	3	5	8	9	14
TOTAL MULTIPLE DX	2010	8.9	77	2	4	7	10	18	24	52
TOTAL										
0-19 YRS	165	4.9	29	1	2	3	6	10	16	33
20-34	218	6.6	58	2	3	4	8	12	20	46
35-49	234	5.8	24	2	3	5	7	11	16	24
50-64	326	7.2	34	2	3	5	9	14	19	29
65 +	1246	10.1	96	3	4	7	12	20	28	62
GRAND TOTAL	**2189**	**8.5**	**74**	**2**	**4**	**6**	**10**	**18**	**23**	**51**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	237	1.3		<1	1	1	1	2	3	6
20-34	249	1.2		1	1	1	1	2	2	3
35-49	301	1.5		1	1	1	2	3	3	5
50-64	359	1.5		1	1	1	2	3	4	5
65 +	381	1.8	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	287	2.0	22	<1	1	1	2	3	6	52
20-34	182	1.8	2	1	1	1	2	3	5	10
35-49	304	1.9	3	1	1	1	2	4	5	8
50-64	533	2.4	8	1	1	2	3	5	7	10
65 +	1423	4.0	45	1	1	2	4	8	14	29
TOTAL SINGLE DX	1527	1.5	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	2729	3.1	29	1	1	2	3	6	9	23
TOTAL										
0-19 YRS	524	1.7	13	<1	1	1	1	3	4	13
20-34	431	1.5	1	1	1	1	2	2	3	7
35-49	605	1.7	2	1	1	1	2	3	4	6
50-64	892	2.0	5	1	1	1	2	4	6	9
65 +	1804	3.5	37	1	1	2	4	7	11	26
GRAND TOTAL	**4256**	**2.5**	**20**	**1**	**1**	**1**	**3**	**5**	**7**	**18**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	236	1.3		<1	1	1	1	2	2	4
20-34	39	1.7	1	1	1	1	2	3	4	5
35-49	67	1.7		1	1	1	2	3	3	5
50-64	71	1.8	1	1	1	1	2	3	4	5
65 +	38	2.2	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	327	3.5	109	1	1	1	2	5	43	99 +
20-34	38	2.0	2	1	1	2	3	3	5	8
35-49	94	1.9	1	1	1	1	3	4	4	4
50-64	124	2.8	13	1	1	2	3	5	7	22
65 +	171	3.4	19	1	1	2	4	7	11	24
TOTAL SINGLE DX	451	1.5	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	754	3.1	55	1	1	1	3	5	9	99 +
TOTAL										
0-19 YRS	563	2.6	65	1	1	1	2	3	7	99 +
20-34	77	1.9	2	1	1	1	2	3	4	7
35-49	161	1.8	1	1	1	1	2	3	4	4
50-64	195	2.5	9	1	1	2	3	4	5	15
65 +	209	3.2	17	1	1	2	3	6	9	23
GRAND TOTAL	**1205**	**2.5**	**35**	**1**	**1**	**1**	**2**	**4**	**6**	**68**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	1.9		1	1	2	2	3	3	3
35-49	30	1.8	1	1	1	1	2	3	4	8
50-64	21	2.2	2	1	1	2	3	5	5	5
65 +	42	2.9	4	1	2	3	3	5	6	14
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	23	2.8	4	1	1	2	4	6	7	9
50-64	34	4.0	14	1	1	3	6	7	10	20
65 +	162	6.9	47	1	2	5	10	15	18	42
TOTAL SINGLE DX	102	2.3	3	1	1	2	3	4	5	11
TOTAL MULTIPLE DX	224	5.9	39	1	2	4	7	12	16	41
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	12	2.3	3	1	1	2	3	4	7	7
35-49	53	2.2	3	1	1	2	3	5	6	9
50-64	55	3.3	10	1	1	2	5	7	9	19
65 +	204	6.1	41	1	2	4	7	14	16	41
GRAND TOTAL	**326**	**4.8**	**31**	**1**	**1**	**3**	**6**	**11**	**16**	**38**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.2		<1	<1	1	1	2	3	3
20-34	34	1.7	2	<1	1	1	2	3	5	8
35-49	60	2.1	1	<1	1	2	3	4	5	7
50-64	54	2.0	2	1	1	1	2	4	5	8
65+	27	3.0	5	1	1	2	4	7	8	10
2. MULTIPLE DX										
0-19 YRS	23	10.3	368	1	1	5	9	44	92	99+
20-34	29	1.7	1	1	1	1	2	3	4	5
35-49	88	3.0	6	1	1	2	4	6	8	12
50-64	118	3.7	9	1	1	3	5	8	10	15
65+	142	7.0	108	1	2	4	8	14	24	53
TOTAL SINGLE DX	198	2.0	3	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	400	5.0	68	1	1	3	5	10	14	44
TOTAL										
0-19 YRS	46	5.8	201	<1	1	1	5	16	46	99+
20-34	63	1.7	2	<1	1	1	2	3	4	8
35-49	148	2.6	5	1	1	2	4	5	7	11
50-64	172	3.2	8	1	1	2	4	7	8	14
65+	169	6.3	94	1	2	4	7	14	23	46
GRAND TOTAL	**598**	**4.0**	**48**	**1**	**1**	**2**	**4**	**8**	**12**	**31**

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.8	1	<1	<1	1	2	4	5	5
20-34	56	2.6	3	1	1	2	3	5	6	10
35-49	171	2.9	2	1	1	2	4	5	6	8
50-64	145	3.4	5	1	2	3	4	6	8	12
65+	104	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	9	2.9	3	<1	2	3	3	6	7	7
20-34	75	3.8	14	1	1	3	5	7	9	24
35-49	206	4.9	21	1	2	4	6	9	12	30
50-64	372	5.4	19	1	3	4	7	11	15	22
65+	539	6.9	43	2	3	5	8	13	19	36
TOTAL SINGLE DX	494	3.1	4	1	1	3	4	6	7	11
TOTAL MULTIPLE DX	1201	5.9	31	1	3	4	7	11	16	28
TOTAL										
0-19 YRS	27	2.1	2	<1	1	1	3	4	5	7
20-34	131	3.3	10	1	1	3	4	6	8	19
35-49	377	4.0	14	1	2	3	5	7	10	24
50-64	517	4.8	16	1	2	4	6	10	12	21
65+	643	6.4	38	2	3	5	8	12	17	34
GRAND TOTAL	**1695**	**5.1**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	6.7	2	5	5	7	8	8	8	8
35-49	6	5.0	11	1	2	4	9	9	9	9
50-64	8	6.5	14	2	4	6	9	12	13	13
65+	5	8.4	14	5	5	8	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	29	15.3	246	5	6	11	34	99+	99+	99+
20-34	10	7.5	8	4	5	7	9	12	13	13
35-49	20	9.3	40	4	6	8	10	15	24	32
50-64	25	8.9	10	6	7	8	11	12	14	20
65+	74	15.5	189	6	8	11	20	36	63	99+
TOTAL SINGLE DX	23	6.7	12	2	4	7	9	11	13	14
TOTAL MULTIPLE DX	158	13.1	149	5	7	9	16	34	73	99+
TOTAL										
0-19 YRS	30	15.1	239	5	6	10	32	99+	99+	99+
20-34	13	7.3	7	4	5	7	8	11	13	13
35-49	26	8.3	36	2	5	7	9	14	19	32
50-64	33	8.3	12	4	6	8	10	12	13	20
65+	79	15.1	181	5	8	11	19	34	60	99+
GRAND TOTAL	**181**	**12.3**	**136**	**5**	**6**	**9**	**14**	**31**	**66**	**99+**

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	4.1	9	1	2	3	6	7	10	15
20-34	42	3.5	6	1	1	3	5	7	8	11
35-49	41	4.2	11	1	2	3	6	9	10	17
50-64	27	5.0	15	1	2	4	7	11	15	15
65+	13	7.6	31	2	3	7	10	17	17	17
2. MULTIPLE DX										
0-19 YRS	100	10.5	168	1	4	7	12	22	30	78
20-34	131	8.9	119	2	3	5	12	18	26	57
35-49	226	10.3	87	2	4	8	13	22	28	56
50-64	435	11.3	111	2	5	8	15	23	31	53
65+	603	13.1	108	4	6	10	17	26	34	50
TOTAL SINGLE DX	157	4.4	13	1	2	3	6	9	11	17
TOTAL MULTIPLE DX	1495	11.6	113	2	5	9	15	24	32	52
TOTAL										
0-19 YRS	134	8.9	135	1	3	6	11	18	25	67
20-34	173	7.6	98	1	2	5	9	16	22	48
35-49	267	9.3	80	2	4	7	12	21	27	48
50-64	462	11.0	108	2	5	8	15	22	31	52
65+	616	13.0	107	3	6	10	17	26	33	50
GRAND TOTAL	**1652**	**10.9**	**108**	**2**	**4**	**8**	**14**	**23**	**30**	**50**

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	5.0	8	2	3	3	6	10	11	12
20-34	63	4.9	6	2	3	4	6	8	10	14
35-49	33	4.6	5	2	3	4	6	7	10	12
50-64	15	6.3	27	2	4	5	7	13	20	22
65 +	7	12.0	57	5	7	11	15	25	27	27
2. MULTIPLE DX										
0-19 YRS	92	10.5	97	4	4	7	13	26	47	99 +
20-34	179	8.3	66	3	4	6	9	17	25	57
35-49	146	8.9	43	3	4	7	11	17	22	36
50-64	147	14.0	114	6	7	10	18	27	35	60
65 +	223	18.7	205	6	9	15	25	39	54	99 +
TOTAL SINGLE DX	149	5.3	13	2	3	4	6	10	11	22
TOTAL MULTIPLE DX	787	12.7	132	4	5	9	17	27	38	78
TOTAL										
0-19 YRS	123	9.1	80	3	4	6	11	22	39	99 +
20-34	242	7.4	53	3	4	5	8	15	23	48
35-49	179	8.1	39	3	4	6	10	17	20	35
50-64	162	13.3	111	5	7	10	17	26	33	59
65 +	230	18.5	202	6	8	14	25	38	53	99 +
GRAND TOTAL	**936**	**11.5**	**120**	**3**	**5**	**8**	**14**	**26**	**35**	**76**

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	2.3	2	1	1	2	3	5	5	8
20-34	223	2.2	2	<1	1	2	3	4	5	9
35-49	78	2.4	4	<1	1	1	3	5	6	10
50-64	6	1.5		<1	1	1	2	3	3	3
65 +	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	51	3.1	4	1	1	3	5	5	7	9
20-34	375	2.8	10	<1	1	2	4	5	8	12
35-49	128	3.0	6	<1	1	2	4	6	7	14
50-64	24	8.1	400	<1	1	1	7	17	46	98
65 +	17	8.0	49	1	2	6	12	25	71	99 +
TOTAL SINGLE DX	377	2.2	3	<1	1	2	3	5	5	9
TOTAL MULTIPLE DX	595	3.2	27	<1	1	2	4	6	9	22
TOTAL										
0-19 YRS	116	2.6	3	1	1	2	4	5	6	9
20-34	598	2.6	8	<1	1	2	3	5	7	11
35-49	206	2.8	6	<1	1	2	4	6	7	12
50-64	30	6.8	325	<1	1	1	5	13	24	98
65 +	22	6.5	47	<1	1	5	11	21	52	99 +
GRAND TOTAL	**972**	**2.8**	**18**	**<1**	**1**	**2**	**4**	**5**	**8**	**15**

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	6.0	9	3	4	6	7	11	12	15
20-34	59	4.3	11	1	2	4	6	8	12	18
35-49	63	6.7	22	1	3	6	9	12	16	26
50-64	47	6.5	16	1	4	7	9	11	13	17
65 +	39	7.8	21	2	4	8	10	14	17	20
2. MULTIPLE DX										
0-19 YRS	137	15.8	245	4	5	9	22	44	50	99 +
20-34	228	6.7	36	1	3	5	8	15	22	28
35-49	306	8.9	86	2	4	6	12	19	25	56
50-64	311	11.6	100	3	6	10	15	23	33	53
65 +	548	16.4	173	5	8	13	20	33	42	83
TOTAL SINGLE DX	235	6.1	18	1	3	6	8	11	14	19
TOTAL MULTIPLE DX	1530	12.4	141	3	5	9	16	26	37	69
TOTAL										
0-19 YRS	164	14.2	219	3	5	8	18	41	48	98
20-34	287	6.2	33	1	3	4	7	13	21	28
35-49	369	8.5	76	1	3	6	11	18	24	54
50-64	358	11.0	92	2	5	9	14	21	31	52
65 +	587	15.8	168	5	8	12	20	32	40	83
GRAND TOTAL	**1765**	**11.6**	**129**	**2**	**5**	**8**	**15**	**25**	**35**	**57**

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	5.1	11	2	2	4	8	10	10	12
20-34	13	7.1	1	5	6	7	8	9	9	9
35-49	21	7.7	4	5	7	8	8	10	12	14
50-64	28	7.7	2	6	7	8	9	10	10	12
65 +	24	9.7	8	7	8	9	11	14	15	18
2. MULTIPLE DX										
0-19 YRS	89	6.4	15	2	4	5	8	11	13	70
20-34	39	9.2	28	5	6	7	10	17	23	26
35-49	68	9.8	21	6	7	9	10	14	21	28
50-64	148	10.8	62	6	7	9	12	18	28	64
65 +	273	13.1	75	6	8	10	16	23	31	47
TOTAL SINGLE DX	115	7.4	9	3	6	8	9	10	12	16
TOTAL MULTIPLE DX	617	11.0	60	5	7	9	12	20	26	46
TOTAL										
0-19 YRS	118	6.1	14	2	3	5	8	11	13	48
20-34	52	8.6	23	5	6	7	9	16	21	26
35-49	89	9.3	18	6	7	8	10	13	21	28
50-64	176	10.3	54	6	7	8	11	17	23	59
65 +	297	12.8	71	6	8	10	15	22	30	46
GRAND TOTAL	732	10.4	54	5	7	9	12	18	24	44

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.2	3	1	2	3	4	6	7	7
20-34	16	3.2	1	1	2	3	4	5	6	6
35-49	13	4.3	7	2	3	4	5	9	11	11
50-64	19	4.6	9	1	2	5	6	8	11	14
65 +	8	6.9	10	3	4	6	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	19	8.3	74	1	4	6	10	14	29	40
20-34	20	9.5	130	1	3	6	12	14	34	54
35-49	34	8.5	100	2	3	6	10	14	28	55
50-64	65	11.0	114	3	4	8	12	23	34	55
65 +	150	13.2	179	3	5	9	15	31	41	75
TOTAL SINGLE DX	65	4.3	7	1	3	4	5	8	11	14
TOTAL MULTIPLE DX	288	11.5	147	2	4	8	13	28	39	59
TOTAL										
0-19 YRS	28	6.6	56	1	3	4	8	12	17	40
20-34	36	6.7	81	1	2	4	7	13	14	54
35-49	47	7.3	77	2	3	5	8	13	19	55
50-64	84	9.5	97	2	4	6	11	19	30	52
65 +	158	12.8	173	3	5	9	15	29	40	74
GRAND TOTAL	353	10.2	129	2	4	7	12	20	36	57

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	20.0	8	18	18	20	22	22	22	22
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	46	24.3	133	11	17	24	27	37	55	63
20-34	20	16.2	54	8	10	14	23	26	28	30
35-49	25	16.3	23	11	12	14	22	23	24	24
50-64	13	23.5	314	11	15	20	22	42	72	79
65 +	1	14.0		14	14	14	14	14	14	14
TOTAL SINGLE DX	2	20.0	8	18	18	20	22	22	22	22
TOTAL MULTIPLE DX	105	20.7	125	10	13	19	24	31	37	70
TOTAL										
0-19 YRS	48	24.1	129	11	17	23	27	37	55	63
20-34	20	16.2	54	8	10	14	23	26	28	30
35-49	25	16.3	23	11	12	14	22	23	24	24
50-64	13	23.5	314	11	15	20	22	42	72	79
65 +	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	107	20.6	123	10	13	19	24	31	37	70

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	125	3.5	4	1	2	3	5	6	8	10
20-34	49	3.6	8	1	1	2	6	8	9	11
35-49	30	3.3	7	1	1	2	5	7	9	12
50-64	21	3.5	11	1	1	2	6	9	11	12
65 +	17	2.7	7	1	1	2	3	7	9	10
2. MULTIPLE DX										
0-19 YRS	261	6.1	32	2	3	5	8	12	15	33
20-34	86	7.5	96	1	2	5	8	17	22	60
35-49	120	6.6	61	1	1	4	9	15	23	37
50-64	137	9.1	106	1	2	7	12	19	26	47
65 +	152	11.0	134	1	4	9	13	21	29	63
TOTAL SINGLE DX	242	3.4	7	1	1	3	5	7	8	11
TOTAL MULTIPLE DX	756	7.9	81	1	2	6	10	16	23	57
TOTAL										
0-19 YRS	386	5.3	25	1	2	4	7	10	13	27
20-34	135	6.1	68	1	1	4	7	13	19	39
35-49	150	6.0	52	1	1	3	8	13	20	29
50-64	158	8.3	97	1	2	6	11	19	25	39
65 +	169	10.2	128	1	2	8	12	20	28	63
GRAND TOTAL	998	6.8	67	1	2	5	9	14	20	44

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	13	5.2	15	1	2	4	8	11	13	13
35-49	11	5.2	7	2	3	5	7	9	9	9
50-64	14	4.7	17	1	2	3	7	12	13	13
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	5.0	17	1	2	4	7	11	12	12
20-34	8	7.9	38	2	4	5	12	18	18	18
35-49	20	8.4	20	2	4	9	12	14	15	15
50-64	16	7.7	59	1	3	7	9	10	27	34
65 +	33	14.4	220	5	7	11	17	26	56	72
TOTAL SINGLE DX	44	4.8	12	1	2	4	7	10	12	13
TOTAL MULTIPLE DX	83	10.3	118	2	5	8	12	17	26	68
TOTAL										
0-19 YRS	11	4.0	11	1	1	3	6	9	12	12
20-34	21	6.2	25	1	3	4	8	15	17	18
35-49	31	7.3	18	2	3	6	11	13	15	15
50-64	30	6.3	41	1	2	5	9	11	13	34
65 +	34	14.2	215	5	7	10	17	26	54	72
GRAND TOTAL	127	8.4	88	1	3	7	11	15	20	64

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	165	5.1	3	3	4	5	7	7	9	10
20-34	5	6.8	3	5	5	7	8	9	9	9
35-49	0									
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
0-19 YRS	249	8.0	52	3	4	5	9	16	23	38
20-34	14	11.9	36	5	8	10	15	22	22	22
35-49	15	13.2	51	6	8	11	18	20	29	32
50-64	23	14.5	75	8	9	12	16	30	35	40
65 +	30	14.7	78	3	9	14	20	29	38	99 +
TOTAL SINGLE DX	171	5.2	4	3	4	5	7	8	9	11
TOTAL MULTIPLE DX	331	9.5	61	3	4	7	12	20	25	43
TOTAL										
0-19 YRS	414	6.9	35	3	4	5	7	11	18	29
20-34	19	10.5	32	5	6	9	14	21	22	22
35-49	15	13.2	51	6	8	11	18	20	29	32
50-64	24	14.5	72	8	9	12	16	29	35	40
65 +	30	14.7	79	3	9	14	20	29	38	99 +
GRAND TOTAL	502	8.0	46	3	4	6	9	16	22	38

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	105	2.8	3	1	1	2	4	5	6	7
35-49	144	2.8	4	1	1	2	4	6	7	10
50-64	74	2.8	3	1	1	2	4	5	6	9
65 +	43	3.2	6	1	1	2	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	16	2.8	3	1	1	2	4	6	6	6
20-34	97	4.2	7	1	2	4	5	7	8	17
35-49	159	4.0	9	1	2	3	5	7	10	17
50-64	145	4.1	6	1	2	4	6	7	10	12
65 +	154	5.6	29	1	2	4	7	12	17	28
TOTAL SINGLE DX	376	2.8	4	1	1	2	4	6	7	10
TOTAL MULTIPLE DX	571	4.5	14	1	2	4	6	8	11	20
TOTAL										
0-19 YRS	26	2.7	3	1	1	2	4	6	6	6
20-34	202	3.5	6	1	2	3	5	7	7	12
35-49	303	3.4	8	1	1	3	4	7	9	14
50-64	219	3.7	6	1	2	3	5	7	8	12
65 +	197	5.1	25	1	2	4	6	10	15	27
GRAND TOTAL	947	3.8	11	1	2	3	5	7	9	17

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	5.7	18	1	1	5	8	13	13	13
20-34	5	3.8	3	1	2	4	5	6	6	6
35-49	5	5.2	5	3	4	5	6	9	9	9
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	7	4.1	9	1	2	3	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	60	7.6	14	3	5	7	9	12	15	20
20-34	10	5.4	24	1	2	3	9	13	14	14
35-49	14	5.4	19	1	2	4	9	13	14	14
50-64	15	7.1	43	1	2	6	10	16	22	24
65 +	50	11.2	102	2	4	9	13	24	39	43
TOTAL SINGLE DX	34	4.8	12	1	1	5	7	9	12	13
TOTAL MULTIPLE DX	149	8.4	51	2	4	7	11	15	21	41
TOTAL										
0-19 YRS	75	7.2	16	2	4	7	9	12	14	19
20-34	15	4.9	17	1	2	4	6	13	14	14
35-49	19	5.4	15	1	3	4	8	12	14	14
50-64	17	6.4	42	< 1	2	4	9	15	21	24
65 +	57	10.3	96	1	3	8	12	23	37	43
GRAND TOTAL	183	7.7	46	1	3	7	10	13	20	40

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.9	2	< 1	< 1	1	3	4	5	8
20-34	92	2.9	4	< 1	1	2	4	6	7	10
35-49	139	2.4	3	1	1	2	3	5	6	8
50-64	102	3.1	8	1	1	2	4	6	7	16
65 +	72	3.4	12	1	1	2	4	8	10	18
2. MULTIPLE DX										
0-19 YRS	80	4.7	32	< 1	1	2	7	10	14	31
20-34	175	5.6	26	1	2	4	7	12	17	25
35-49	258	5.9	43	1	2	4	7	11	19	31
50-64	437	7.6	75	1	2	5	9	16	26	50
65 +	1206	11.0	118	2	4	8	14	25	35	56
TOTAL SINGLE DX	454	2.8	6	< 1	1	2	4	6	7	15
TOTAL MULTIPLE DX	2156	9.0	95	1	3	6	11	20	29	54
TOTAL										
0-19 YRS	129	3.6	23	< 1	< 1	1	5	8	11	27
20-34	267	4.6	21	1	2	3	6	10	14	24
35-49	397	4.7	32	1	1	3	6	9	13	25
50-64	539	6.7	65	1	2	4	8	15	24	49
65 +	1278	10.6	115	2	4	8	13	24	33	56
GRAND TOTAL	**2610**	**7.9**	**85**	**1**	**2**	**5**	**10**	**18**	**26**	**52**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	7	2.1	2	1	1	2	3	5	5	5
35-49	42	1.8	1	1	1	1	3	3	4	4
50-64	108	2.3	2	1	1	2	3	4	5	8
65 +	268	2.7	4	1	1	2	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	6	9.2	189	1	3	4	7	34	37	37
20-34	22	9.2	268	1	2	3	5	29	58	60
35-49	97	3.4	22	1	1	2	4	6	11	29
50-64	432	3.6	14	1	1	2	4	7	10	18
65 +	1786	5.8	60	1	2	3	7	13	19	43
TOTAL SINGLE DX	428	2.5	4	1	1	2	3	5	5	9
TOTAL MULTIPLE DX	2343	5.3	54	1	2	3	6	12	17	40
TOTAL										
0-19 YRS	9	6.8	132	< 1	1	3	5	25	37	37
20-34	29	7.5	211	1	1	3	5	16	56	60
35-49	139	2.9	16	1	1	2	3	5	9	26
50-64	540	3.3	12	1	1	2	4	7	9	17
65 +	2054	5.4	54	1	2	3	6	12	17	41
GRAND TOTAL	**2771**	**4.9**	**47**	**1**	**2**	**3**	**5**	**10**	**16**	**38**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	3.7		3	3	4	4	4	4	4
35-49	7	2.1		< 1	1	2	3	3	3	3
50-64	8	2.0	1	1	1	2	3	4	4	4
65 +	9	2.9	9	1	1	1	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	4	2.3	1	1	1	2	3	4	4	4
20-34	4	10.3	162	< 1	3	7	47	99 +	99 +	99 +
35-49	11	5.2	25	1	1	3	7	14	16	16
50-64	50	4.3	27	1	1	3	5	9	10	35
65 +	124	9.0	194	1	2	4	9	19	38	73
TOTAL SINGLE DX	27	2.5	4	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	193	7.5	140	1	2	4	7	16	31	83
TOTAL										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	7	7.4	94	1	3	4	18	79	99 +	99 +
35-49	18	4.0	18	< 1	1	3	4	11	15	16
50-64	58	4.0	24	1	1	3	4	9	10	33
65 +	133	8.6	184	1	2	4	9	17	35	70
GRAND TOTAL	**220**	**6.9**	**126**	**1**	**2**	**4**	**7**	**14**	**31**	**74**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	3.1	3	1	1	3	5	6	6	6
20-34	7	4.4	7	< 1	2	4	7	8	8	8
35-49	19	3.5	4	1	2	3	4	5	9	11
50-64	20	5.1	16	1	2	4	6	13	14	14
65 +	22	6.3	29	1	2	4	9	14	17	21
2. MULTIPLE DX										
0-19 YRS	120	9.1	72	2	3	7	13	21	24	69
20-34	27	16.1	207	3	5	12	24	37	46	59
35-49	60	10.4	228	2	4	7	10	17	22	93
50-64	123	12.9	173	2	5	9	15	26	37	76
65 +	440	12.8	157	2	5	10	16	27	41	84
TOTAL SINGLE DX	83	4.6	15	1	2	3	6	11	13	19
TOTAL MULTIPLE DX	770	12.2	156	2	4	9	15	24	38	82
TOTAL										
0-19 YRS	135	8.4	69	1	3	6	11	21	23	63
20-34	34	13.7	188	2	4	7	23	32	43	59
35-49	79	8.8	183	2	3	6	9	15	20	90
50-64	143	11.8	159	2	4	9	14	24	35	71
65 +	462	12.5	153	2	4	10	15	25	40	80
GRAND TOTAL	**853**	**11.4**	**147**	**2**	**4**	**8**	**14**	**23**	**36**	**77**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	1.3		<1	<1	1	1	3	3	3
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	4	4.5	11	1	2	4	7	9	9	9
50-64	4	4.8	9	2	2	4	7	9	9	9
65 +	7	9.0	192	1	2	4	7	33	40	40
TOTAL SINGLE DX	5	1.2		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	26	4.5	59	<1	1	2	5	9	15	40
TOTAL										
0-19 YRS	13	1.2		<1	<1	<1	1	2	3	3
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	4	4.5	12	1	2	4	7	9	9	9
50-64	4	4.8	10	2	2	4	7	9	9	9
65 +	7	9.0	193	1	2	4	7	33	40	40
GRAND TOTAL	31	4.0	50	<1	1	2	4	8	9	40

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	268	2.6	7	<1	1	1	3	8	9	13
20-34	15	3.3	3	1	2	3	4	7	7	7
35-49	13	2.7	4	<1	1	2	4	6	7	7
50-64	10	1.9	1	1	1	2	2	3	4	4
65 +	9	3.0	9	1	1	1	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	165	4.1	19	<1	1	2	6	11	13	20
20-34	9	8.0	62	1	2	3	16	19	21	21
35-49	20	3.6	7	1	2	3	5	6	9	13
50-64	13	4.2	7	1	2	4	5	8	10	11
65 +	46	4.3	16	1	2	3	5	9	11	24
TOTAL SINGLE DX	315	2.6	7	<1	1	1	3	7	9	12
TOTAL MULTIPLE DX	253	4.3	19	1	1	2	6	10	13	21
TOTAL										
0-19 YRS	433	3.2	13	<1	1	2	4	8	11	15
20-34	24	5.0	29	1	2	3	6	16	18	21
35-49	33	3.2	6	1	1	3	4	6	7	13
50-64	23	3.2	6	1	1	3	4	7	9	11
65 +	55	4.1	16	1	1	3	5	9	10	23
GRAND TOTAL	568	3.4	13	<1	1	2	4	8	11	18

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.0	4	<1	<1	<1	2	6	7	7
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	6	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	13	4.0	55	<1	<1	1	3	11	25	28
20-34	13	9.7	158	2	4	5	9	26	44	48
35-49	16	7.0	28	1	3	6	11	12	18	20
50-64	46	6.5	43	1	2	5	9	14	19	36
65 +	155	12.8	203	2	5	8	15	31	44	90
TOTAL SINGLE DX	21	2.2	3	<1	<1	1	3	5	6	7
TOTAL MULTIPLE DX	243	10.6	160	1	4	7	12	24	37	88
TOTAL										
0-19 YRS	21	3.2	36	<1	<1	1	3	7	17	28
20-34	15	8.9	141	2	3	5	9	21	41	48
35-49	18	6.7	26	1	2	6	11	12	17	20
50-64	49	6.2	43	1	2	4	8	14	18	36
65 +	161	12.4	200	1	4	8	15	31	44	90
GRAND TOTAL	264	10.0	152	1	3	6	11	22	35	85

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	20	2.1	2	1	1	2	2	5	5	6
35-49	20	3.0	4	1	1	2	4	6	7	8
50-64	8	2.5	9	<1	<1	1	2	8	10	10
65 +	15	3.7	2	2	3	4	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	26	6.2	28	1	2	5	9	15	17	21
20-34	24	5.3	25	1	2	3	10	15	38	99 +
35-49	20	5.4	155	1	1	2	3	10	34	57
50-64	55	3.9	12	1	1	3	5	9	12	17
65 +	161	5.9	69	1	2	4	7	13	19	74
TOTAL SINGLE DX	68	2.7	4	1	1	2	4	5	7	10
TOTAL MULTIPLE DX	286	5.5	57	1	2	3	6	13	17	71
TOTAL										
0-19 YRS	31	5.5	27	1	2	4	7	14	16	21
20-34	44	3.8	17	1	1	2	5	11	16	99 +
35-49	40	4.2	79	1	1	2	4	7	10	57
50-64	63	3.7	12	1	1	3	5	9	11	17
65 +	176	5.7	64	1	2	4	6	13	18	68
GRAND TOTAL	354	4.9	48	1	2	3	5	11	16	56

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	56	4.4	3	2	3	4	5	7	8	9
50-64	37	5.6	1	4	5	5	6	7	8	10
65 +	10	7.6	5	4	6	8	9	10	11	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	13	4.5	1	3	4	4	5	6	7	7
35-49	33	5.6	3	4	5	5	7	8	9	11
50-64	50	6.5	5	4	5	6	8	10	12	14
65 +	48	7.6	23	4	5	6	8	11	20	29
TOTAL SINGLE DX	105	5.1	4	3	4	5	6	7	9	11
TOTAL MULTIPLE DX	144	6.5	12	4	5	6	8	9	12	21
TOTAL										
0-19 YRS	0									
20-34	15	4.6	1	3	4	5	5	6	7	7
35-49	89	4.8	4	2	4	5	6	7	8	10
50-64	87	6.1	4	4	5	6	7	8	11	13
65 +	58	7.6	20	4	5	7	9	11	18	28
GRAND TOTAL	**249**	**5.9**	**9**	**3**	**4**	**5**	**7**	**9**	**11**	**20**

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	9	3.2	2	1	2	3	4	5	5	5
35-49	56	3.4	2	1	2	3	4	5	7	9
50-64	46	3.7	2	2	3	4	5	5	6	9
65 +	19	3.8	2	1	2	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	4.0	4	2	2	3	5	7	8	8
35-49	69	4.1	3	2	3	4	5	7	7	10
50-64	68	5.1	13	2	3	4	6	9	9	25
65 +	73	6.3	81	1	2	4	7	11	25	58
TOTAL SINGLE DX	130	3.6	2	1	3	4	4	5	6	9
TOTAL MULTIPLE DX	219	5.1	33	2	3	4	6	8	10	29
TOTAL										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	17	3.6	3	1	3	3	4	6	7	8
35-49	125	3.8	3	2	3	4	5	6	7	9
50-64	114	4.5	10	2	3	4	5	7	9	20
65 +	92	5.8	66	1	2	4	6	9	13	51
GRAND TOTAL	**349**	**4.6**	**22**	**2**	**3**	**4**	**5**	**7**	**9**	**27**

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.4	1	1	2	2	3	4	5	5
20-34	48	3.4	6	1	2	3	4	7	9	12
35-49	51	3.1	3	1	2	3	4	6	8	8
50-64	31	2.3	1	1	2	2	3	4	5	5
65 +	8	3.1	5	1	1	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	19	3.8	5	1	1	4	6	7	7	7
20-34	72	4.8	23	1	2	4	6	9	12	31
35-49	123	4.9	23	1	2	4	6	10	15	49
50-64	137	5.3	28	1	2	4	7	10	16	32
65 +	219	8.3	54	1	3	6	10	18	25	36
TOTAL SINGLE DX	152	3.0	4	1	2	2	4	5	8	11
TOTAL MULTIPLE DX	570	6.2	39	1	2	4	8	13	20	34
TOTAL										
0-19 YRS	33	3.2	4	1	1	3	5	6	7	7
20-34	120	4.2	17	1	2	3	5	8	11	22
35-49	174	4.4	18	1	2	3	5	9	12	30
50-64	168	4.7	25	1	2	3	6	9	13	30
65 +	227	8.1	54	1	3	6	10	18	24	35
GRAND TOTAL	**722**	**5.6**	**33**	**1**	**2**	**4**	**7**	**12**	**18**	**31**

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	8	2.3	5	1	1	2	2	6	8	8
35-49	9	1.4		1	1	1	2	3	3	3
50-64	15	1.5		< 1	1	1	2	3	3	3
65 +	12	1.7	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	3	6.0	27	3	3	3	10	12	12	12
20-34	14	2.0	3	1	1	1	2	4	7	8
35-49	12	2.3	3	1	1	2	3	6	7	7
50-64	22	3.8	39	1	1	1	4	9	19	29
65 +	51	3.4	22	1	1	1	4	8	15	22
TOTAL SINGLE DX	48	1.6	1	< 1	1	1	2	3	3	8
TOTAL MULTIPLE DX	102	3.3	21	1	1	1	3	7	13	25
TOTAL										
0-19 YRS	7	3.1	16	1	1	1	3	10	12	12
20-34	22	2.1	4	1	1	1	2	5	8	8
35-49	21	2.0	2	1	1	1	2	4	6	7
50-64	37	2.9	25	1	1	1	3	6	11	29
65 +	63	3.1	18	1	1	1	3	6	14	22
GRAND TOTAL	**150**	**2.7**	**15**	**1**	**1**	**1**	**3**	**6**	**9**	**22**

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	5.2	4	2	3	6	7	7	7	7
35-49	8	12.1	85	5	6	9	15	28	32	32
50-64	7	13.6	69	4	7	15	20	25	26	26
65 +	26	15.1	227	2	6	10	26	38	71	99 +
TOTAL SINGLE DX	5	5.2	9	1	3	5	7	9	9	9
TOTAL MULTIPLE DX	46	13.3	159	3	6	8	16	33	43	99 +
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	5.0	4	2	4	5	7	7	7	7
35-49	9	11.3	81	4	6	7	13	27	32	32
50-64	8	13.0	62	4	7	12	18	24	26	26
65 +	27	14.8	221	3	6	9	22	38	69	99 +
GRAND TOTAL	51	12.5	149	3	6	8	15	32	39	99

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	4	5.5	20	2	2	4	8	12	12	12
50-64	246	3.8	1	2	3	4	5	6	6	8
65 +	579	4.5	13	3	3	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	0									
35-49	24	5.0	9	2	3	4	5	7	13	16
50-64	1102	5.6	24	3	3	4	6	10	13	22
65 +	4799	7.5	64	3	4	5	8	15	22	47
TOTAL SINGLE DX	832	4.3	10	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	5929	7.1	57	3	4	5	7	14	20	42
TOTAL										
0-19 YRS	5	5.0	8	2	3	5	7	9	9	9
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	28	5.0	11	2	3	4	5	10	13	16
50-64	1348	5.3	21	3	3	4	6	9	12	21
65 +	5378	7.2	60	3	4	5	7	14	21	44
GRAND TOTAL	6761	6.8	52	3	3	5	7	13	19	41

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	46	8.7	7	6	7	8	10	12	13	20
65 +	51	9.2	5	6	7	9	11	13	14	17
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	3	8.3	8	5	6	10	10	10	10	10
50-64	150	10.8	24	7	8	9	13	16	21	30
65 +	466	11.7	46	7	8	10	13	18	23	41
TOTAL SINGLE DX	99	8.9	7	6	7	8	10	12	14	19
TOTAL MULTIPLE DX	620	11.5	41	7	8	10	13	17	23	38
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	5	8.0	5	5	6	8	10	10	10	10
50-64	196	10.3	21	7	8	9	12	15	20	30
65 +	517	11.5	43	7	8	10	13	17	23	40
GRAND TOTAL	719	11.1	37	7	8	9	13	17	21	37

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	4.8	31	1	2	3	4	15	16	16
50-64	13	1.6	1	1	1	1	2	4	5	5
65 +	14	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	5.3	66	1	1	1	6	20	24	24
50-64	52	7.4	72	1	2	4	11	21	27	39
65 +	228	7.7	74	1	2	5	11	17	26	49
TOTAL SINGLE DX	34	2.5	8	1	1	2	3	4	7	16
TOTAL MULTIPLE DX	291	7.6	73	1	2	4	11	18	26	44
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	15	5.1	49	1	1	2	4	16	22	24
50-64	65	6.2	63	1	1	3	7	18	24	37
65 +	242	7.4	72	1	2	4	10	17	25	47
GRAND TOTAL	325	7.0	69	1	1	4	9	17	24	42

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.7	2	<1	1	1	2	3	4	8
20-34	16	2.7	3	1	1	2	4	4	7	8
35-49	12	1.6	1	1	1	1	2	3	4	4
50-64	12	1.6	2	<1	<1	1	1	4	6	6
65 +	11	1.7	1	<1	1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	20	2.4	9	<1	1	1	2	5	10	14
20-34	17	3.4	12	1	1	2	4	8	12	14
35-49	24	5.8	40	1	2	4	7	23	44	99 +
50-64	21	6.5	33	1	2	4	9	16	19	21
65 +	33	5.7	44	1	2	3	8	16	23	28
TOTAL SINGLE DX	76	1.9	2	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	115	4.9	32	1	1	3	7	13	21	52
TOTAL										
0-19 YRS	45	2.0	5	<1	1	1	2	3	6	14
20-34	33	3.1	8	1	1	2	4	8	8	14
35-49	36	4.4	31	1	1	3	5	10	25	99 +
50-64	33	4.7	28	<1	1	3	7	12	18	21
65 +	44	4.7	37	1	1	2	5	10	21	28
GRAND TOTAL	191	3.7	22	1	1	2	4	9	15	27

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	2.5	9	<1	1	1	2	5	8	18
20-34	61	1.7	1	1	1	1	2	3	4	9
35-49	27	1.7	1	1	1	1	2	3	4	4
50-64	11	1.3		<1	1	1	2	2	2	2
65 +	62	2.1	3	1	1	1	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	45	2.1	3	1	1	1	3	3	5	10
20-34	43	2.8	8	1	1	2	3	8	10	14
35-49	27	7.3	118	1	1	3	9	19	30	50
50-64	61	5.0	23	1	1	3	8	12	15	20
65 +	354	6.7	120	1	1	3	8	16	25	82
TOTAL SINGLE DX	210	2.0	4	1	1	1	2	4	5	11
TOTAL MULTIPLE DX	530	5.8	92	1	1	2	7	15	20	56
TOTAL										
0-19 YRS	94	2.3	6	1	1	1	3	5	6	15
20-34	104	2.2	5	1	1	1	2	3	8	12
35-49	54	4.5	67	1	1	2	3	11	19	49
50-64	72	4.4	22	1	1	2	7	11	15	19
65 +	416	6.0	105	1	1	2	7	15	22	72
GRAND TOTAL	740	4.7	70	1	1	2	4	11	17	38

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	204	1.2		<1	1	1	1	2	2	4
20-34	18	1.9	3	1	1	1	3	4	6	8
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	164	1.6	1	<1	1	1	2	3	4	7
20-34	4	3.3	7	1	1	2	5	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	226	1.3	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	171	1.7	2	<1	1	1	2	3	4	7
TOTAL										
0-19 YRS	368	1.4	1	<1	1	1	1	2	3	6
20-34	22	2.2	4	1	1	1	3	5	7	8
35-49	6	2.3	3	1	1	2	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	397	1.5	1	<1	1	1	2	3	3	7

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	1.2		<1	1	1	1	2	3	5
20-34	16	1.8	1	1	1	2	2	3	4	5
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	31	1.5	1	<1	1	1	2	3	3	6
20-34	7	2.0	5	1	1	1	4	72	99+	99+
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	5	13.0	528	1	1	4	17	54	54	54
65+	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	91	1.3	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	48	2.8	59	<1	1	1	2	5	9	99+
TOTAL										
0-19 YRS	101	1.3	1	<1	1	1	1	2	3	5
20-34	23	1.8	2	1	1	1	2	5	35	99+
35-49	8	1.4	1	<1	1	1	2	3	3	3
50-64	6	11.0	447	1	1	3	5	49	54	54
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	139	1.8	21	<1	1	1	2	3	5	59

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	20	1.0		<1	<1	<1	<1	<1	1	1
35-49	13	1.2		<1	<1	<1	<1	1	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	0									
65+	0									
TOTAL SINGLE DX	33	1.1		<1	<1	<1	<1	1	1	3
TOTAL MULTIPLE DX	7	1.6	1	<1	1	1	2	4	4	4
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	1.0		<1	<1	<1	<1	1	1	1
35-49	18	1.3	1	<1	<1	<1	1	3	4	4
50-64	0									
65+	0									
GRAND TOTAL	40	1.2		<1	<1	<1	<1	1	2	4

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.1	6	<1	<1	1	2	6	9	9
20-34	16	1.3		<1	1	1	2	2	3	3
35-49	26	1.3		1	1	1	2	2	3	3
50-64	11	1.2		<1	1	1	1	2	2	2
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	10	1.3		<1	1	1	1	2	3	3
35-49	18	1.4		<1	1	1	1	3	4	4
50-64	17	2.1	3	1	1	1	2	4	7	9
65+	13	4.9	31	1	1	3	6	13	18	19
TOTAL SINGLE DX	68	1.5	1	<1	1	1	2	2	3	8
TOTAL MULTIPLE DX	61	2.3	10	1	1	1	2	4	10	18
TOTAL										
0-19 YRS	15	1.9	5	<1	<1	1	1	5	8	9
20-34	26	1.3		<1	1	1	1	2	3	3
35-49	44	1.4		1	1	1	2	2	3	4
50-64	28	1.7	3	1	1	1	2	3	4	9
65+	16	4.3	27	1	1	2	4	12	17	19
GRAND TOTAL	129	1.9	5	<1	1	1	2	3	5	13

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	1.0		<1	<1	<1	<1	1	1	1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	43	4.7	52	<1	<1	1	5	14	25	29
20-34	4	6.3	110	<1	<1	1	12	22	22	22
35-49	4	7.8	17	3	5	7	10	13	13	13
50-64	12	5.0	43	1	1	2	7	15	21	22
65+	37	7.0	100	1	1	3	8	14	29	51
TOTAL SINGLE DX	33	1.1		<1	<1	<1	1	1	2	3
TOTAL MULTIPLE DX	100	5.7	69	<1	1	2	8	14	23	43
TOTAL										
0-19 YRS	69	3.3	36	<1	<1	1	2	10	18	29
20-34	6	4.7	72	<1	<1	1	2	20	22	22
35-49	6	5.8	19	<1	3	5	8	12	13	13
50-64	13	4.7	41	<1	1	2	6	14	20	22
65+	39	6.7	97	1	1	2	8	14	27	51
GRAND TOTAL	133	4.6	56	<1	<1	1	5	12	21	39

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	11	2.3	1	1	1	2	3	4	4	4
50-64	28	2.4	1	1	1	2	3	4	5	6
65 +	13	2.7		1	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	0									
20-34	7	4.3	24	1	2	2	4	13	15	15
35-49	35	2.9	1	1	2	3	4	5	5	5
50-64	85	2.8	3	1	1	2	4	5	7	9
65 +	39	3.1	5	1	1	3	4	7	9	10
TOTAL SINGLE DX	54	2.5	1	1	1	3	3	4	4	6
TOTAL MULTIPLE DX	166	3.0	4	1	1	3	4	5	7	10
TOTAL										
0-19 YRS	0									
20-34	9	4.0	19	1	2	2	5	11	15	15
35-49	46	2.7	2	1	2	3	4	5	5	5
50-64	113	2.7	3	1	1	2	4	5	6	9
65 +	52	3.0	4	1	1	3	4	5	8	10
GRAND TOTAL	**220**	**2.8**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.2		<1	<1	<1	1	2	3	3
20-34	6	3.0	3	1	2	3	4	6	6	6
35-49	13	2.5	1	1	2	2	3	4	5	5
50-64	9	2.4	3	1	1	2	3	6	6	6
65 +	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	28	3.2	8	<1	1	2	5	8	9	12
20-34	7	7.4	60	1	3	3	11	21	23	23
35-49	14	5.9	19	1	3	6	7	11	16	18
50-64	24	9.7	112	1	3	7	11	22	36	47
65 +	23	9.6	73	3	4	7	13	20	30	36
TOTAL SINGLE DX	59	1.9	2	<1	<1	1	3	4	5	6
TOTAL MULTIPLE DX	96	7.1	61	1	2	5	8	17	22	42
TOTAL										
0-19 YRS	55	2.2	6	<1	<1	1	3	6	8	12
20-34	13	5.4	37	1	2	3	6	14	21	23
35-49	27	4.3	13	1	2	3	6	8	11	18
50-64	33	7.7	92	1	2	5	9	18	29	47
65 +	27	8.5	70	2	3	5	11	18	28	36
GRAND TOTAL	**155**	**5.1**	**45**	**<1**	**1**	**3**	**6**	**12**	**18**	**36**

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	3.7	3	2	3	4	4	6	7	13
20-34	222	3.7	2	2	3	4	4	5	6	7
35-49	65	3.7	1	2	3	4	5	5	6	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	3.7	1	3	3	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	67	5.3	10	2	3	4	6	9	11	20
20-34	542	4.3	5	2	3	4	5	6	8	14
35-49	214	4.6	6	2	3	4	5	6	9	16
50-64	12	8.1	22	3	4	7	12	14	17	17
65 +	14	10.6	28	5	6	9	13	19	21	22
TOTAL SINGLE DX	358	3.7	2	2	3	4	4	5	6	8
TOTAL MULTIPLE DX	849	4.6	7	2	3	4	5	7	9	15
TOTAL										
0-19 YRS	134	4.5	8	2	3	4	5	8	10	15
20-34	764	4.1	4	2	3	4	5	6	7	13
35-49	279	4.4	5	2	3	4	5	6	8	14
50-64	13	7.6	23	2	4	5	11	14	16	17
65 +	17	9.4	30	3	5	8	13	18	21	22
GRAND TOTAL	**1207**	**4.3**	**6**	**2**	**3**	**4**	**5**	**6**	**8**	**14**

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	4.1	1	2	3	4	5	6	7	7
20-34	121	4.1	2	3	3	4	5	6	7	9
35-49	108	3.9	2	2	3	4	5	6	6	10
50-64	18	4.3	2	2	3	4	6	7	8	8
65 +	8	3.9	4	1	2	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	48	6.1	16	3	4	5	6	12	13	26
20-34	407	4.6	5	3	3	4	5	7	8	16
35-49	389	4.8	6	3	4	4	5	7	10	16
50-64	40	6.9	20	4	4	6	8	11	14	29
65 +	54	13.6	216	5	6	9	13	46	55	98
TOTAL SINGLE DX	274	4.0	2	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	938	5.4	23	3	4	4	6	8	11	22
TOTAL										
0-19 YRS	67	5.5	13	3	4	4	6	7	13	24
20-34	528	4.5	5	3	3	4	5	7	8	14
35-49	497	4.6	6	3	3	4	5	7	9	15
50-64	58	6.1	17	3	4	5	7	10	12	28
65 +	62	12.3	199	4	5	7	11	43	53	96
GRAND TOTAL	**1212**	**5.1**	**19**	**3**	**3**	**4**	**5**	**8**	**10**	**21**

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	4.5	25	< 1	1	3	5	13	18	18
35-49	14	4.6	6	1	3	4	6	9	9	9
50-64	12	5.3	1	3	4	5	6	7	7	7
65 +	9	6.9	24	3	4	5	7	15	19	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	54	4.7	8	2	3	4	5	10	13	96
35-49	190	5.5	11	3	4	5	6	9	13	21
50-64	88	6.9	14	4	4	5	8	13	14	20
65 +	106	11.2	93	4	5	8	14	26	31	52
TOTAL SINGLE DX	47	5.1	13	1	3	4	6	9	11	19
TOTAL MULTIPLE DX	438	7.1	37	3	4	5	8	14	19	34
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	65	4.7	11	2	3	4	5	10	14	87
35-49	204	5.4	11	3	4	4	6	9	12	21
50-64	100	6.7	14	4	4	5	8	13	14	20
65 +	115	10.9	90	4	5	7	13	25	30	50
GRAND TOTAL	**485**	**6.9**	**35**	**3**	**4**	**5**	**7**	**13**	**18**	**33**

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.9	3	1	2	2	4	6	7	7
20-34	46	1.9	1	1	1	1	3	3	4	8
35-49	12	2.1	1	1	1	2	3	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	19	4.0	9	1	2	3	5	9	12	12
20-34	203	3.3	4	1	2	3	4	5	6	10
35-49	87	4.0	13	1	2	4	5	6	10	22
50-64	3	6.7	9	4	4	6	9	10	10	10
65 +	3	8.3	161	< 1	< 1	12	61	99 +	99 +	99 +
TOTAL SINGLE DX	72	2.1	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	315	3.6	8	1	2	3	4	6	8	20
TOTAL										
0-19 YRS	33	3.5	7	1	2	3	4	6	10	12
20-34	249	3.0	4	1	1	3	4	5	6	10
35-49	99	3.8	12	1	2	4	4	6	9	22
50-64	3	6.7	9	4	4	6	9	10	10	10
65 +	3	8.3	161	< 1	< 1	12	61	99 +	99 +	99 +
GRAND TOTAL	**387**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**18**

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	23	1.5	1	< 1	< 1	1	1	3	4	5
35-49	16	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	51	2.0	2	< 1	1	1	3	4	4	10
35-49	41	1.9	2	< 1	1	1	3	4	5	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	39	1.3	1	< 1	< 1	< 1	1	2	4	5
TOTAL MULTIPLE DX	92	2.0	2	< 1	1	1	3	4	4	10
TOTAL										
0-19 YRS	0									
20-34	74	1.9	2	< 1	1	1	3	3	4	9
35-49	57	1.7	2	< 1	< 1	1	2	3	4	9
50-64	0									
65 +	0									
GRAND TOTAL	**131**	**1.8**	**2**	**< 1**	**< 1**	**1**	**3**	**3**	**4**	**9**

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	132	1.5		<1	1	1	2	3	3	4
35-49	71	1.7	1	<1	1	1	2	3	4	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	680	2.8	1	2	2	3	3	4	4	6
35-49	210	2.9	1	1	2	3	3	4	5	7
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
TOTAL SINGLE DX	205	1.6	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	893	2.8	2	1	2	3	3	4	4	7
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	812	2.6	2	1	2	3	3	4	4	6
35-49	281	2.6	2	1	1	3	3	4	5	7
50-64	3	5.7	25	1	2	5	9	11	11	11
65 +	0									
GRAND TOTAL	**1098**	**2.6**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	3.2	1	2	2	3	4	5	5	5
20-34	467	3.3	2	1	2	3	4	5	6	7
35-49	125	3.4	2	1	2	3	4	5	6	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	38	4.3	1	3	4	4	5	6	6	7
20-34	656	3.8	3	2	3	4	5	6	6	9
35-49	235	4.1	4	2	3	4	5	6	8	11
50-64	3	4.7	4	3	3	4	6	7	7	7
65 +	0									
TOTAL SINGLE DX	619	3.3	2	1	2	3	4	5	6	7
TOTAL MULTIPLE DX	932	3.9	4	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	64	3.8	1	2	3	4	5	5	6	7
20-34	1123	3.6	3	2	3	4	4	5	6	9
35-49	360	3.9	4	2	3	4	5	6	7	11
50-64	4	3.8	6	<1	1	3	5	7	7	7
65 +	0									
GRAND TOTAL	**1551**	**3.7**	**3**	**2**	**3**	**4**	**5**	**5**	**6**	**9**

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	23	1.0		<1	<1	1	1	1	2	2
35-49	15	1.3		<1	1	1	1	3	3	3
50-64	7	1.0		<1	1	1	1	1	1	1
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	30	1.4	1	<1	1	1	1	2	3	8
35-49	33	1.9	3	<1	1	1	2	5	7	8
50-64	6	1.2		1	1	1	1	2	2	2
65 +	11	2.0	4	1	1	1	2	6	7	7
TOTAL SINGLE DX	47	1.2		<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	82	1.7	3	<1	1	1	1	4	6	8
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	53	1.3	1	<1	1	1	1	2	3	8
35-49	48	1.8	3	<1	1	1	2	4	6	8
50-64	13	1.1		<1	1	1	1	2	2	2
65 +	13	2.1	4	1	1	1	2	5	7	7
GRAND TOTAL	**129**	**1.5**	**2**	**<1**	**1**	**1**	**1**	**3**	**5**	**8**

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64	6	1.8	1	1	1	1	3	4	4	4
65 +	8	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	0									
20-34	33	1.8	1	<1	1	1	3	4	5	5
35-49	42	2.6	8	<1	1	1	3	6	11	13
50-64	28	2.9	10	<1	1	2	3	7	8	17
65 +	37	7.1	38	1	2	4	12	17	18	21
TOTAL SINGLE DX	28	1.7	2	<1	<1	1	2	4	5	5
TOTAL MULTIPLE DX	140	3.7	20	<1	1	2	4	11	15	18
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	38	1.7	2	<1	<1	1	2	4	5	5
35-49	50	2.5	8	<1	1	1	3	5	11	13
50-64	34	2.7	9	<1	1	2	3	6	7	17
65 +	45	6.2	36	1	2	3	11	16	17	21
GRAND TOTAL	**168**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**11**	**13**	**18**

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.7	1	1	1	1	2	4	4	4
20-34	175	1.8	2	1	1	1	2	3	4	9
35-49	54	1.8	1	1	1	2	2	3	4	6
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	117	2.8	9	1	1	2	3	5	8	17
35-49	53	2.9	3	1	2	2	4	6	7	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	237	1.8	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	172	2.8	7	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	9	2.0	2	1	1	2	3	4	4	4
20-34	292	2.2	5	1	1	2	2	4	5	13
35-49	107	2.4	3	1	1	2	3	4	6	8
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**409**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	70	3.6	2	1	3	4	5	6	6	6
35-49	82	4.3	9	3	3	4	5	6	7	22
50-64	5	3.4	3	< 1	2	3	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	5.8	23	1	2	5	9	12	12	12
20-34	226	4.4	6	1	3	4	5	6	7	11
35-49	361	4.5	7	2	3	4	5	7	8	12
50-64	20	7.1	121	1	2	3	5	21	37	46
65 +	24	12.5	166	1	2	8	23	30	39	48
TOTAL SINGLE DX	158	3.9	6	1	3	4	5	6	6	9
TOTAL MULTIPLE DX	635	4.8	19	1	3	4	6	7	9	28
TOTAL										
0-19 YRS	4	5.8	24	1	2	5	9	12	12	12
20-34	296	4.2	6	1	3	4	5	6	7	9
35-49	443	4.5	7	2	3	4	5	7	8	12
50-64	25	6.3	99	1	2	3	5	14	32	46
65 +	25	12.0	165	1	2	7	23	30	38	48
GRAND TOTAL	**793**	**4.7**	**16**	**1**	**3**	**4**	**5**	**7**	**8**	**27**

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	76	4.4	1	3	4	4	5	6	7	9
35-49	335	4.6	2	3	4	4	5	6	7	9
50-64	139	5.2	2	4	4	5	6	7	8	10
65 +	66	5.7	3	4	5	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	736	5.0	8	3	4	5	5	7	9	14
35-49	4024	5.2	5	4	4	5	6	7	8	14
50-64	1181	6.1	11	4	4	5	7	9	13	22
65 +	646	9.0	51	4	5	7	9	16	23	42
TOTAL SINGLE DX	617	4.8	3	3	4	5	5	7	7	10
TOTAL MULTIPLE DX	6588	5.7	13	4	4	5	6	8	11	22
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	812	5.0	8	3	4	5	5	7	8	13
35-49	4359	5.2	5	4	4	5	6	7	8	14
50-64	1320	6.0	11	4	4	5	6	9	12	21
65 +	712	8.7	48	4	5	7	9	15	23	41
GRAND TOTAL	**7205**	**5.7**	**12**	**4**	**4**	**5**	**6**	**8**	**11**	**21**

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	41	3.2	1	2	2	3	4	5	5	9
35-49	102	3.6	1	2	3	3	4	5	6	7
50-64	112	4.7	2	3	3	5	6	7	7	11
65 +	112	5.2	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	140	3.7	1	2	3	4	4	5	6	8
35-49	597	4.2	2	3	3	4	5	6	7	10
50-64	415	5.1	3	3	4	5	6	7	8	13
65 +	505	5.8	7	4	4	5	6	8	10	15
TOTAL SINGLE DX	367	4.4	3	3	3	4	5	7	7	10
TOTAL MULTIPLE DX	1658	4.9	5	3	4	5	6	7	8	13
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	181	3.6	2	2	3	3	4	5	6	9
35-49	699	4.1	3	2	3	4	5	6	7	10
50-64	527	5.0	4	3	4	5	6	7	8	12
65 +	617	5.7	7	4	4	5	6	8	10	14
GRAND TOTAL	**2025**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**8**	**12**

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	8.2		8	8	8	9	9	9	9
35-49	8	8.9	8	6	7	8	11	13	14	14
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	16	10.4	37	5	6	8	14	22	24	24
35-49	36	10.0	29	4	6	8	13	17	22	24
50-64	29	12.3	43	6	7	12	16	19	27	33
65 +	20	17.7	183	6	7	13	26	39	47	49
TOTAL SINGLE DX	15	8.3	5	6	7	8	9	12	13	14
TOTAL MULTIPLE DX	102	12.2	70	5	7	10	15	22	31	47
TOTAL										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	21	9.9	29	5	7	8	11	18	23	24
35-49	44	9.8	25	4	6	8	13	16	21	24
50-64	31	11.9	43	5	7	11	16	19	27	33
65 +	20	17.7	183	6	7	13	26	39	47	49
GRAND TOTAL	**117**	**11.7**	**64**	**5**	**7**	**9**	**14**	**22**	**30**	**46**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	24	1.5	1	<1	<1	1	2	4	4	4
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	7.2	177	<1	1	1	9	31	31	31
20-34	19	4.4	23	1	2	3	5	11	17	21
35-49	6	1.5		<1	1	1	2	2	2	2
50-64	0									
65 +	0									
TOTAL SINGLE DX	31	1.5	1	<1	<1	1	1	4	4	4
TOTAL MULTIPLE DX	30	4.3	42	<1	1	2	4	10	21	31
TOTAL										
0-19 YRS	7	5.4	127	<1	1	1	2	25	31	31
20-34	43	2.8	13	<1	1	1	3	5	9	21
35-49	11	1.5	1	<1	<1	1	2	3	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**61**	**2.9**	**23**	**<1**	**1**	**1**	**3**	**5**	**10**	**30**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	168	1.3		<1	<1	1	1	2	3	5
20-34	1429	1.2		<1	<1	1	1	2	2	5
35-49	430	1.2		<1	<1	1	1	1	2	5
50-64	42	1.3	1	<1	<1	1	1	2	3	7
65 +	11	2.0	3	<1	<1	2	2	4	7	7
2. MULTIPLE DX										
0-19 YRS	66	2.7	28	1	1	2	3	4	5	38
20-34	634	2.3	5	<1	1	1	3	5	6	12
35-49	522	2.3	11	<1	1	1	2	5	7	15
50-64	145	2.8	14	<1	<1	1	3	7	9	22
65 +	163	8.3	129	1	1	3	12	22	40	99 +
TOTAL SINGLE DX	2080	1.2	1	<1	<1	1	1	2	2	5
TOTAL MULTIPLE DX	1530	3.0	26	<1	1	1	3	6	10	28
TOTAL										
0-19 YRS	234	1.7	9	<1	<1	1	2	3	4	6
20-34	2063	1.5	2	<1	<1	1	1	3	4	9
35-49	952	1.8	7	<1	<1	1	1	4	5	11
50-64	187	2.4	12	<1	<1	1	2	6	8	21
65 +	174	7.9	124	1	1	3	11	21	39	99 +
GRAND TOTAL	**3610**	**2.0**	**12**	**<1**	**<1**	**1**	**2**	**4**	**5**	**17**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	56	1.2		<1	<1	<1	1	1	3	4
35-49	19	1.1		<1	<1	<1	1	1	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	3.3	4	1	1	3	5	5	5	5
20-34	49	2.9	10	<1	1	2	4	6	9	18
35-49	15	2.9	19	<1	<1	1	2	12	14	15
50-64	0									
65 +	0									
TOTAL SINGLE DX	81	1.1		<1	<1	<1	1	1	2	4
TOTAL MULTIPLE DX	68	2.9	12	<1	1	2	4	6	12	17
TOTAL										
0-19 YRS	10	2.0	3	<1	1	1	2	5	5	5
20-34	105	2.0	6	<1	<1	1	2	4	5	15
35-49	34	1.9	9	<1	<1	1	1	2	10	15
50-64	0									
65 +	0									
GRAND TOTAL	**149**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**15**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	1.3		<1	<1	1	1	2	3	6
20-34	592	1.1		<1	<1	1	1	1	2	4
35-49	199	1.1		<1	<1	<1	1	1	2	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	25	1.7	1	<1	1	1	2	4	5	6
20-34	202	2.2	5	<1	1	1	2	4	7	13
35-49	72	1.7	1	<1	<1	1	2	3	5	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	5	7.6	28	1	4	6	13	13	13	13
TOTAL SINGLE DX	852	1.1		<1	<1	1	1	1	2	4
TOTAL MULTIPLE DX	305	2.1	5	<1	1	1	2	4	6	13
TOTAL										
0-19 YRS	84	1.4	1	<1	<1	1	1	2	3	6
20-34	794	1.4	2	<1	<1	1	1	2	3	9
35-49	271	1.3	1	<1	<1	1	1	2	3	6
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65 +	5	7.6	28	1	4	6	13	13	13	13
GRAND TOTAL	1157	1.4	2	<1	<1	1	1	2	3	8

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.0		5	5	5	5	5	5	5
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	0									
20-34	11	3.4	2	1	2	4	4	5	6	6
35-49	3	5.3	6	3	3	5	7	8	8	8
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	1	14.0		14	14	14	14	14	14	14
TOTAL SINGLE DX	9	4.0	2	2	3	5	5	5	5	5
TOTAL MULTIPLE DX	18	4.2	9	1	3	4	5	7	12	14
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	3.5	2	1	3	4	4	5	6	6
35-49	4	4.8	6	3	3	4	6	8	8	8
50-64	5	3.8	2	2	3	4	5	5	5	5
65 +	3	6.7	44	1	2	5	12	14	14	14
GRAND TOTAL	27	4.1	6	1	3	4	5	6	9	14

687: Miscellaneous operations on uterus, cervix and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	35	2.4	2	<1	1	2	4	5	5	5
35-49	13	2.1	2	<1	1	1	3	4	6	6
50-64	2	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	57	3.4	17	<1	1	2	4	5	11	23
35-49	33	3.6	7	<1	2	3	4	6	8	15
50-64	12	4.0	21	1	2	3	4	9	17	18
65 +	4	4.3	27	1	1	2	7	12	12	12
TOTAL SINGLE DX	59	2.3	2	<1	1	2	3	5	5	6
TOTAL MULTIPLE DX	110	3.6	14	<1	1	3	4	6	12	22
TOTAL										
0-19 YRS	12	2.6	3	1	1	2	4	5	5	5
20-34	92	3.1	12	<1	1	2	4	5	6	22
35-49	46	3.2	6	<1	1	3	4	6	7	15
50-64	14	3.9	18	1	2	3	4	6	15	18
65 +	5	3.6	23	1	1	1	5	12	12	12
GRAND TOTAL	169	3.1	10	<1	1	3	4	5	7	20

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	4.4	7	1	2	4	6	8	9	9
35-49	25	2.9	1	1	2	3	4	5	5	5
50-64	97	3.7	3	2	3	4	4	6	7	10
65 +	82	4.4	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	23	4.4	5	1	3	5	6	8	9	9
35-49	97	4.2	3	2	3	4	5	6	8	11
50-64	185	4.7	3	2	3	4	6	7	8	11
65 +	282	5.3	6	3	4	5	6	9	11	15
TOTAL SINGLE DX	211	3.9	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	587	4.9	5	2	3	4	6	8	9	13
TOTAL										
0-19 YRS	0									
20-34	30	4.4	5	1	3	4	6	8	9	9
35-49	122	3.9	3	2	3	4	5	6	7	10
50-64	282	4.3	4	2	3	4	5	7	8	11
65 +	364	5.1	6	3	4	5	6	8	10	15
GRAND TOTAL	798	4.6	5	2	3	4	6	7	9	12

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.1	44	<1	1	1	1	7	22	26
20-34	34	2.7	7	1	1	1	3	7	7	13
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	7	4.0	6	1	2	3	6	8	8	8
65 +	4	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	24	5.4	34	1	1	4	7	11	19	26
20-34	28	3.7	7	1	2	3	5	8	10	11
35-49	18	8.6	320	1	1	3	5	19	54	77
50-64	22	6.4	17	2	4	5	10	12	14	17
65 +	26	9.5	135	1	4	6	10	24	43	49
TOTAL SINGLE DX	71	2.9	13	1	1	2	3	6	7	23
TOTAL MULTIPLE DX	118	6.6	92	1	2	4	7	12	19	58
TOTAL										
0-19 YRS	38	4.6	38	<1	1	2	5	10	22	26
20-34	62	3.1	8	1	1	2	4	7	9	13
35-49	30	6.0	198	1	1	2	4	11	20	77
50-64	29	5.8	15	1	3	5	8	11	12	17
65 +	30	8.7	120	2	3	5	8	19	41	49
GRAND TOTAL	189	5.2	65	1	1	3	6	10	16	46

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	4.3	45	1	1	2	2	16	18	18
20-34	20	3.5	9	1	1	2	5	7	10	13
35-49	9	5.7	21	1	2	3	9	12	13	13
50-64	9	2.3	2	<1	1	2	4	4	4	4
65 +	12	4.0	3	2	3	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	24	5.6	35	1	2	3	8	14	20	24
20-34	64	4.5	16	1	2	4	5	9	14	18
35-49	25	4.4	12	1	2	4	6	8	11	17
50-64	33	5.0	14	2	2	4	7	12	15	99 +
65 +	90	6.6	53	2	3	4	7	15	23	41
TOTAL SINGLE DX	56	3.9	12	1	1	3	5	8	12	18
TOTAL MULTIPLE DX	236	5.5	32	1	2	4	6	12	17	35
TOTAL										
0-19 YRS	30	5.4	36	1	2	2	8	15	19	24
20-34	84	4.2	15	1	1	3	5	8	13	18
35-49	34	4.8	14	1	2	4	6	9	13	17
50-64	42	4.4	13	1	2	3	5	11	14	99 +
65 +	102	6.3	48	2	3	4	7	13	21	39
GRAND TOTAL	292	5.2	29	1	2	4	6	11	16	31

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	1.4		<1	1	1	2	2	3	3
20-34	57	1.6		<1	1	1	2	3	4	5
35-49	43	1.3		<1	1	1	1	2	3	4
50-64	11	2.5	6	<1	1	2	3	7	9	9
65 +	10	1.7		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	15	3.1	6	1	1	3	4	6	9	10
20-34	52	2.9	6	1	1	2	3	6	9	12
35-49	28	3.4	12	1	1	2	4	7	14	14
50-64	17	7.0	166	1	2	3	7	42	82	99 +
65 +	28	9.1	156	1	2	6	10	47	99 +	99 +
TOTAL SINGLE DX	147	1.6	1	<1	1	1	2	3	3	5
TOTAL MULTIPLE DX	140	4.8	61	1	1	3	6	10	21	99 +
TOTAL										
0-19 YRS	41	2.0	3	<1	1	1	3	4	5	10
20-34	109	2.2	4	<1	1	1	3	5	6	12
35-49	71	2.2	6	1	1	1	3	4	6	14
50-64	28	5.3	106	<1	1	3	6	10	58	99 +
65 +	38	7.2	125	<1	2	4	8	38	75	99 +
GRAND TOTAL	287	3.1	33	<1	1	2	3	7	10	82

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	3.5		3	3	3	4	4	4	4
50-64	6	4.5	12	1	2	4	5	10	11	11
65 +	4	5.8	13	3	3	4	8	11	11	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	3	6.7	21	4	4	4	10	12	12	12
50-64	9	11.4	31	6	8	10	15	20	23	23
65 +	37	13.4	116	4	6	11	18	27	49	99 +
TOTAL SINGLE DX	16	4.2	9	1	2	4	5	10	11	11
TOTAL MULTIPLE DX	49	12.6	96	4	6	11	16	23	32	99 +
TOTAL										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	4.9	10	3	3	4	4	10	12	12
50-64	15	8.7	35	2	5	8	11	16	21	23
65 +	41	12.6	111	4	5	11	18	25	44	99 +
GRAND TOTAL	65	10.5	88	3	4	9	14	21	30	94

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.4	1	<1	1	1	1	3	5	6
20-34	4	1.8		<1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	2.3	2	<1	1	2	3	5	6	6
20-34	12	2.0	1	<1	1	2	2	4	5	5
35-49	4	4.8	56	1	1	1	9	16	16	16
50-64	0									
65 +	2	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	21	1.5	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	28	2.6	8	<1	1	2	3	5	7	16
TOTAL										
0-19 YRS	26	1.8	2	<1	1	1	2	3	6	6
20-34	16	1.9	1	<1	1	2	2	3	4	5
35-49	5	4.0	45	1	1	1	5	16	16	16
50-64	0									
65 +	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	49	2.1	6	<1	1	1	2	3	6	16

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	7.3	30	1	3	10	11	11	11	11
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	0									
65 +	0									
TOTAL SINGLE DX	4	1.8	1	<1	<1	1	2	3	3	3
TOTAL MULTIPLE DX	9	3.1	18	<1	1	1	4	11	11	11
TOTAL										
0-19 YRS	6	4.3	23	<1	1	2	10	11	11	11
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	13	2.7	12	<1	1	1	2	10	11	11

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	2.5		2	2	2	3	3	4	5
20-34	686	2.7		2	2	3	3	3	4	5
35-49	85	2.8		2	2	3	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	106	3.0	7	2	2	3	3	4	5	17
20-34	1239	3.0	2	2	2	3	3	4	5	7
35-49	211	3.1	2	2	2	3	3	4	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	847	2.7	1	2	2	3	3	3	4	5
TOTAL MULTIPLE DX	1556	3.0	3	2	2	3	3	4	5	7
TOTAL										
0-19 YRS	182	2.8	5	2	2	2	3	4	4	7
20-34	1925	2.9	2	2	2	3	3	4	4	7
35-49	296	3.0	2	2	2	3	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	2403	2.9	2	2	2	3	3	4	4	7

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	2.2		2	2	2	3	3	3	3
35-49	7	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	2.0		<1	1	2	3	3	3	3
20-34	83	3.3	17	1	2	2	3	4	9	29
35-49	19	3.0	4	1	2	3	3	4	8	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	33	2.2		1	2	2	2	3	3	3
TOTAL MULTIPLE DX	106	3.2	15	1	2	2	3	4	8	26
TOTAL										
0-19 YRS	5	2.0	1	<1	1	2	2	3	3	3
20-34	108	3.0	14	1	2	2	3	4	6	25
35-49	26	2.7	4	1	2	2	3	4	6	11
50-64	0									
65 +	0									
GRAND TOTAL	139	2.9	12	1	2	2	3	4	6	21

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	2.6	5	2	2	2	3	3	4	16
20-34	817	2.4		2	2	2	3	3	4	4
35-49	86	2.4		2	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	194	2.9	1	2	2	3	3	4	5	8
20-34	1870	2.7	2	2	2	3	3	4	4	8
35-49	211	3.0	2	2	2	3	3	4	5	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	1004	2.4	1	2	2	2	3	3	4	4
TOTAL MULTIPLE DX	2275	2.8	2	2	2	3	3	4	4	8
TOTAL										
0-19 YRS	295	2.8	3	2	2	3	3	4	5	9
20-34	2687	2.6	2	2	2	2	3	4	4	7
35-49	297	2.8	2	2	2	3	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	3279	2.7	2	2	2	3	3	4	4	7

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2196	2.3		1	2	2	3	3	3	4
20-34	21923	2.3		2	2	2	3	3	3	4
35-49	2554	2.4	1	2	2	2	3	3	3	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1376	2.8	3	2	2	2	3	4	5	9
20-34	13035	2.7	4	2	2	2	3	4	4	9
35-49	1848	2.9	5	2	2	3	3	4	5	13
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
TOTAL SINGLE DX	26676	2.3	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	16261	2.8	4	2	2	2	3	4	5	10
TOTAL										
0-19 YRS	3572	2.5	2	2	2	2	3	3	4	7
20-34	34958	2.5	2	2	2	2	3	3	4	6
35-49	4402	2.6	3	2	2	2	3	4	4	7
50-64	5	2.8	1	2	2	3	3	4	4	4
65 +	0									
GRAND TOTAL	42937	2.5	2	2	2	2	3	3	4	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	4.3		3	4	4	5	6	6	7
20-34	3282	4.3	2	3	4	4	5	5	6	7
35-49	444	4.5	1	4	4	4	5	5	6	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	857	5.3	7	3	4	5	6	7	9	17
20-34	13099	5.0	8	3	4	5	5	6	7	15
35-49	2656	5.3	13	4	4	5	5	6	8	20
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
TOTAL SINGLE DX	3909	4.3	2	3	4	4	5	5	6	7
TOTAL MULTIPLE DX	16613	5.0	9	3	4	5	5	6	8	16
TOTAL										
0-19 YRS	1039	5.1	7	3	4	5	6	7	9	15
20-34	16381	4.8	7	3	4	4	5	6	7	14
35-49	3100	5.2	12	4	4	5	5	6	8	18
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	0									
GRAND TOTAL	20522	4.9	8	3	4	4	5	6	7	15

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	19	4.5		3	4	4	5	6	6	6
35-49	2	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	19	6.4	13	3	4	5	7	11	15	18
20-34	182	7.8	69	4	4	5	7	15	26	48
35-49	63	7.5	49	4	4	5	7	11	23	39
50-64	0									
65 +	0									
TOTAL SINGLE DX	21	4.5	1	3	4	4	5	6	6	6
TOTAL MULTIPLE DX	264	7.6	61	4	4	5	7	14	24	39
TOTAL										
0-19 YRS	19	6.4	14	3	4	5	7	11	15	18
20-34	201	7.4	64	4	4	5	7	14	24	45
35-49	65	7.4	48	4	4	5	7	11	22	39
50-64	0									
65 +	0									
GRAND TOTAL	285	7.4	57	4	4	5	7	12	22	39

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	78	2.5	1	1	2	3	3	4	4	5
35-49	9	2.1	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	4.1	1	2	3	4	5	6	6	6
20-34	92	3.2	3	1	2	3	4	6	6	9
35-49	22	2.9	2	1	1	3	4	5	6	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	91	2.5	1	1	1	3	3	4	4	5
TOTAL MULTIPLE DX	121	3.2	3	1	2	3	4	6	6	9
TOTAL										
0-19 YRS	11	3.8	2	2	3	4	5	6	6	6
20-34	170	2.9	2	1	2	3	4	5	6	8
35-49	31	2.6	2	1	1	3	4	4	6	6
50-64	0									
65 +	0									
GRAND TOTAL	212	2.9	2	1	2	3	4	5	6	7

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.7		1	1	2	2	3	3	3
20-34	17	1.7		1	1	2	2	2	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	1.6		1	1	2	2	3	3	3
20-34	25	1.8	3	1	1	1	2	2	5	10
35-49	10	2.6	3	1	1	2	3	5	6	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	31	1.7		1	1	2	2	2	3	3
TOTAL MULTIPLE DX	47	1.9	2	1	1	2	2	3	5	10
TOTAL										
0-19 YRS	25	1.6		1	1	2	2	2	3	3
20-34	42	1.8	2	1	1	2	2	2	3	10
35-49	11	2.5	3	1	1	2	3	5	6	6
50-64	0									
65 +	0									
GRAND TOTAL	78	1.8	2	1	1	2	2	3	3	9

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.6		1	2	3	3	4	4	4
20-34	41	5.6	84	<1	1	2	5	18	21	51
35-49	3	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	11	6.3	31	1	2	4	10	14	19	19
20-34	65	7.5	71	1	2	4	10	17	28	38
35-49	13	12.5	304	1	2	6	13	44	56	59
50-64	0									
65 +	0									
TOTAL SINGLE DX	53	5.0	67	1	1	2	4	12	20	50
TOTAL MULTIPLE DX	89	8.1	101	1	2	4	10	18	33	52
TOTAL										
0-19 YRS	20	4.6	20	1	2	3	4	11	15	19
20-34	106	6.8	77	1	2	3	8	17	26	44
35-49	16	10.9	256	1	3	4	11	38	53	59
50-64	0									
65 +	0									
GRAND TOTAL	142	6.9	90	1	2	3	8	17	26	52

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	356	1.4	1	<1	<1	<1	1	2	3	6
20-34	2299	1.7	2	<1	<1	1	2	3	3	6
35-49	251	1.9	2	<1	<1	1	2	3	4	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	340	1.9	6	<1	<1	1	2	3	5	10
20-34	1617	2.3	4	<1	<1	2	3	4	5	10
35-49	206	2.3	2	<1	1	2	3	4	5	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	2906	1.7	2	<1	<1	1	2	3	3	7
TOTAL MULTIPLE DX	2164	2.2	5	<1	<1	2	3	4	5	10
TOTAL										
0-19 YRS	696	1.6	4	<1	<1	<1	2	3	4	8
20-34	3916	2.0	3	<1	<1	2	2	3	4	9
35-49	457	2.1	3	<1	<1	2	3	3	4	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	5070	1.9	3	<1	<1	1	2	3	4	9

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	330	2.4	1	1	2	2	3	3	4	5
20-34	3875	2.2		1	2	2	3	3	3	4
35-49	541	2.3		1	2	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	513	2.7	3	2	2	2	3	4	4	7
20-34	5956	2.6	2	2	2	2	3	3	4	7
35-49	973	2.8	8	2	2	2	3	4	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	4747	2.3	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	7442	2.6	3	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	843	2.5	3	2	2	2	3	3	4	7
20-34	9831	2.4	2	2	2	2	3	3	4	5
35-49	1514	2.6	6	1	2	2	3	3	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	12189	2.5	2	2	2	2	3	3	4	6

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.0	1	<1	1	2	3	4	5	5
20-34	4	1.5		1	1	1	2	2	2	2
35-49	8	4.6	23	<1	2	3	6	13	15	15
50-64	0									
65 +	4	3.5	1	2	3	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	18	6.8	46	1	2	4	11	16	22	25
20-34	10	2.8	7	1	1	2	3	7	10	10
35-49	7	6.6	98	<1	1	1	8	24	28	28
50-64	7	16.4	214	3	7	16	17	41	47	47
65 +	17	9.5	70	2	2	7	17	22	24	24
TOTAL SINGLE DX	28	2.9	9	1	1	2	3	5	10	15
TOTAL MULTIPLE DX	59	8.0	81	1	2	3	12	20	25	45
TOTAL										
0-19 YRS	30	4.9	34	1	1	3	5	13	17	25
20-34	14	2.4	5	1	1	2	3	4	9	10
35-49	15	5.5	55	<1	1	2	8	15	25	28
50-64	7	16.4	215	3	7	16	17	41	47	47
65 +	21	8.4	62	2	2	4	16	21	23	24
GRAND TOTAL	87	6.4	63	1	2	3	9	17	23	40

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	2.8	3	1	2	2	4	5	7	9
20-34	158	2.0	1	1	1	2	3	3	4	5
35-49	45	2.1		1	2	2	2	3	4	5
50-64	6	2.5	2	1	2	2	3	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	155	3.4	3	1	2	3	4	5	7	11
20-34	149	2.8	2	1	2	2	3	5	6	9
35-49	60	2.4	1	1	2	2	3	4	4	6
50-64	17	3.3	26	1	1	2	3	4	16	23
65 +	8	3.0	9	1	1	2	4	8	10	10
TOTAL SINGLE DX	272	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	389	3.0	4	1	2	3	4	5	6	11
TOTAL										
0-19 YRS	217	3.3	4	1	2	3	4	5	7	11
20-34	307	2.4	2	1	2	2	3	4	5	8
35-49	105	2.2	1	1	2	2	3	4	4	6
50-64	23	3.1	20	1	1	2	3	4	11	23
65 +	9	2.9	8	1	1	2	3	8	10	10
GRAND TOTAL	661	2.7	3	1	2	2	3	4	6	9

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.5		1	1	1	2	3	3	3
20-34	49	2.6	2	1	1	2	4	5	5	7
35-49	9	3.1	4	<1	2	3	4	7	7	7
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	60	3.1	7	1	1	2	4	6	8	16
20-34	68	4.9	57	1	2	3	5	9	11	53
35-49	21	5.0	11	1	2	4	7	10	11	12
50-64	9	9.3	406	<1	2	3	4	39	63	63
65 +	3	5.7	5	3	4	7	7	7	7	7
TOTAL SINGLE DX	81	2.4	2	1	1	2	3	5	6	7
TOTAL MULTIPLE DX	161	4.5	51	1	2	3	5	8	11	56
TOTAL										
0-19 YRS	82	2.7	6	1	1	2	3	6	7	15
20-34	117	3.9	36	1	2	3	4	7	10	35
35-49	30	4.4	10	1	2	4	6	10	11	12
50-64	9	9.3	407	<1	2	3	4	39	63	63
65 +	4	4.8	7	2	2	5	7	7	7	7
GRAND TOTAL	242	3.8	36	1	1	3	4	7	9	26

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.9	1	1	1	1	3	3	4	4
20-34	70	2.3	5	1	1	2	3	4	4	17
35-49	11	1.6		1	1	1	2	3	3	3
50-64	6	1.2		1	1	1	1	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	80	5.4	25	1	2	4	7	11	15	26
20-34	165	5.5	71	1	2	4	6	11	14	30
35-49	82	7.5	64	1	3	6	9	16	30	82
50-64	22	11.2	147	1	2	7	14	28	43	46
65 +	31	10.8	89	2	4	8	15	21	35	42
TOTAL SINGLE DX	114	2.1	4	1	1	2	3	3	4	14
TOTAL MULTIPLE DX	380	6.7	69	1	2	4	8	14	19	44
TOTAL										
0-19 YRS	107	4.5	21	1	2	3	5	10	13	25
20-34	235	4.6	54	1	2	3	5	9	12	23
35-49	93	6.8	60	1	2	5	9	14	30	76
50-64	28	9.1	132	1	2	4	13	21	41	46
65 +	31	10.8	89	2	4	8	15	21	35	42
GRAND TOTAL	**494**	**5.6**	**58**	**1**	**2**	**3**	**7**	**12**	**17**	**42**

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.2	2	1	1	2	2	4	6	7
20-34	8	1.5	1	1	1	1	2	3	4	4
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	21	2.7	5	1	1	2	3	6	8	9
20-34	13	3.5	7	1	2	3	4	8	10	10
35-49	9	2.4	3	1	1	2	3	6	7	7
50-64	8	1.8	3	1	1	1	2	5	6	6
65 +	12	3.1	9	1	1	2	4	9	10	10
TOTAL SINGLE DX	30	1.8	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	63	2.8	6	1	1	2	3	7	9	10
TOTAL										
0-19 YRS	35	2.5	4	1	1	2	3	5	8	9
20-34	21	2.8	6	1	1	2	3	6	8	10
35-49	12	2.2	3	< 1	1	2	2	5	7	7
50-64	12	1.7	2	1	1	1	2	4	6	6
65 +	13	2.9	9	< 1	1	1	4	8	10	10
GRAND TOTAL	**93**	**2.5**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**10**

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	4.4	5	2	3	4	6	8	10	12
20-34	6	5.3	28	2	2	3	5	15	16	16
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	5.0	7	3	3	4	7	8	8	8
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	206	5.8	7	3	4	5	7	9	10	18
20-34	25	10.3	97	3	5	8	11	15	39	45
35-49	4	14.3	425	1	3	5	25	45	45	45
50-64	5	9.2	44	4	4	5	16	17	17	17
65 +	8	16.1	213	5	8	11	18	41	50	50
TOTAL SINGLE DX	74	4.5	7	2	3	4	5	8	10	15
TOTAL MULTIPLE DX	248	6.8	34	3	4	6	8	10	15	45
TOTAL										
0-19 YRS	269	5.5	8	3	4	5	7	9	10	17
20-34	31	9.4	87	2	4	7	11	15	36	45
35-49	5	12.2	340	1	3	5	16	45	45	45
50-64	8	7.6	32	3	4	5	12	17	17	17
65 +	9	14.8	203	4	7	10	18	38	50	50
GRAND TOTAL	**322**	**6.3**	**29**	**3**	**4**	**5**	**7**	**10**	**12**	**39**

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	3.3	9	1	2	3	4	7	7	19
20-34	40	3.3	11	< 1	1	2	4	8	10	16
35-49	34	3.7	14	1	2	3	4	5	9	23
50-64	24	3.3	3	2	2	3	4	5	8	9
65 +	9	3.8	13	1	2	2	4	10	13	13
2. MULTIPLE DX										
0-19 YRS	174	5.2	34	1	2	4	6	11	16	36
20-34	46	4.0	9	1	2	3	5	8	11	13
35-49	56	6.3	84	1	2	4	7	10	30	46
50-64	76	6.5	46	1	3	4	8	15	21	36
65 +	41	7.1	41	1	2	6	9	13	19	34
TOTAL SINGLE DX	193	3.4	10	1	2	3	4	7	9	20
TOTAL MULTIPLE DX	393	5.7	42	1	2	4	7	11	16	38
TOTAL										
0-19 YRS	260	4.6	27	1	2	3	5	8	14	28
20-34	86	3.7	10	1	1	3	5	8	10	15
35-49	90	5.3	60	1	2	3	5	9	22	45
50-64	100	5.7	38	1	2	4	6	12	17	34
65 +	50	6.5	38	1	2	5	8	13	15	34
GRAND TOTAL	**586**	**4.9**	**33**	**1**	**2**	**3**	**6**	**10**	**14**	**34**

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	1.8	1	<1	1	2	2	3	4	5
20-34	75	1.6	1	<1	<1	1	2	3	4	6
35-49	83	1.4		<1	<1	<1	2	3	3	4
50-64	69	1.7		<1	<1	1	2	3	3	5
65 +	20	2.8	6	<1	1	2	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	63	2.0	9	<1	1	1	2	4	5	22
20-34	164	1.6		<1	<1	1	2	3	4	5
35-49	244	1.6	1	<1	<1	1	2	3	4	7
50-64	258	2.1	7	<1	<1	1	3	4	5	15
65 +	224	2.7	20	<1	1	2	3	5	7	15
TOTAL SINGLE DX	284	1.7	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	953	2.0	8	<1	<1	1	2	4	5	11
TOTAL										
0-19 YRS	100	1.9	6	<1	1	1	2	3	5	15
20-34	239	1.6	1	<1	<1	1	2	3	4	5
35-49	327	1.6	1	<1	<1	1	2	3	4	6
50-64	327	2.0	6	<1	<1	1	2	3	5	11
65 +	244	2.7	20	<1	1	2	3	5	8	15
GRAND TOTAL	1237	1.9	7	<1	<1	1	2	3	5	10

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	2.5	4	1	1	2	3	5	7	10
20-34	14	6.9	221	1	1	2	4	19	49	57
35-49	18	3.9	5	1	2	3	5	7	9	10
50-64	8	2.6	4	1	1	2	3	6	7	7
65 +	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	42	12.2	279	2	3	6	16	28	48	80
20-34	29	10.7	124	1	2	8	15	26	36	43
35-49	25	13.3	428	1	2	6	15	58	89	99+
50-64	20	17.6	206	1	4	16	30	38	39	40
65 +	35	14.7	223	2	6	12	28	99+	99+	99+
TOTAL SINGLE DX	93	3.5	38	1	1	2	3	7	8	39
TOTAL MULTIPLE DX	151	13.4	249	1	3	8	20	40	78	99+
TOTAL										
0-19 YRS	92	6.9	152	1	2	3	7	16	27	77
20-34	43	9.4	154	1	2	3	14	25	38	57
35-49	43	9.3	269	1	2	3	10	21	68	99+
50-64	28	13.3	194	1	2	6	25	37	39	40
65 +	38	13.8	215	1	4	10	27	99+	99+	99+
GRAND TOTAL	244	9.6	191	1	2	4	13	30	57	99+

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	291	2.1	3	1	1	1	3	4	5	11
20-34	208	2.4	4	1	1	2	3	5	6	13
35-49	176	2.8	16	1	1	2	3	6	6	19
50-64	90	2.4	4	1	1	2	3	5	6	11
65 +	63	3.8	16	1	1	2	5	9	12	89
2. MULTIPLE DX										
0-19 YRS	189	6.4	88	1	1	3	7	14	28	49
20-34	241	6.1	110	1	1	3	6	15	27	52
35-49	238	6.6	89	1	1	3	8	17	23	50
50-64	274	9.1	137	1	2	4	12	25	32	50
65 +	295	14.9	265	2	3	9	20	38	50	76
TOTAL SINGLE DX	828	2.5	8	1	1	2	3	5	6	13
TOTAL MULTIPLE DX	1237	9.0	158	1	2	4	10	24	38	57
TOTAL										
0-19 YRS	480	3.8	41	1	1	2	4	8	12	43
20-34	449	4.4	65	1	1	2	4	8	16	50
35-49	414	5.0	62	1	1	2	5	11	19	49
50-64	364	7.4	113	1	1	3	9	21	29	48
65 +	358	13.0	239	1	2	7	17	33	49	82
GRAND TOTAL	2065	6.4	108	1	1	2	6	16	28	51

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	174	4.4	24	1	2	3	5	8	15	28
20-34	8	6.3	25	2	3	5	8	15	17	17
35-49	7	4.6	10	1	2	5	7	9	10	10
50-64	13	6.6	15	3	5	5	7	13	16	17
65 +	19	10.6	19	6	7	10	13	17	19	21
2. MULTIPLE DX										
0-19 YRS	96	7.1	58	1	3	5	8	17	29	37
20-34	27	8.3	23	2	4	8	12	15	18	18
35-49	16	10.8	66	3	6	9	12	19	31	36
50-64	39	13.1	97	5	7	10	14	26	37	47
65 +	206	17.1	198	6	8	13	22	33	56	99+
TOTAL SINGLE DX	221	5.1	26	1	2	4	6	11	17	27
TOTAL MULTIPLE DX	384	13.3	154	3	6	10	17	29	37	85
TOTAL										
0-19 YRS	270	5.3	38	1	2	3	6	11	19	31
20-34	35	7.9	24	2	4	7	11	15	18	18
35-49	23	8.9	57	2	4	8	11	17	25	36
50-64	52	11.4	84	4	6	9	12	24	29	47
65 +	225	16.5	186	6	8	13	21	32	56	99+
GRAND TOTAL	605	10.3	123	2	3	7	13	23	31	72

717: Repair and plastic operation on bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	2.5	4	<1	1	2	3	5	6	12
20-34	67	3.1	9	1	1	2	4	6	9	17
35-49	42	3.0	4	1	1	2	4	6	7	10
50-64	20	2.5	2	1	1	2	3	5	5	6
65 +	11	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	91	4.8	97	1	1	2	4	9	20	61
20-34	65	8.5	178	1	2	4	10	20	33	80
35-49	50	5.3	31	1	2	3	6	12	16	30
50-64	35	7.7	97	1	2	4	9	22	33	42
65 +	44	12.5	240	2	3	6	14	31	49	77
TOTAL SINGLE DX	222	2.7	6	1	1	2	4	5	7	14
TOTAL MULTIPLE DX	285	7.3	132	1	2	3	8	18	28	68
TOTAL										
0-19 YRS	173	3.7	55	1	1	2	4	8	11	28
20-34	132	5.8	100	1	2	2	6	13	20	55
35-49	92	4.2	20	1	2	3	5	9	14	26
50-64	55	5.8	69	1	2	3	5	14	26	42
65 +	55	10.4	208	1	2	4	12	28	46	76
GRAND TOTAL	507	5.3	82	1	1	3	5	11	20	49

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	118	1.6	2	<1	1	1	2	3	3	8
20-34	171	1.8	2	<1	1	1	2	3	5	8
35-49	93	2.0	2	1	1	1	3	4	5	9
50-64	60	2.7	11	1	1	2	3	5	8	22
65 +	60	3.1	9	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	345	2.3	14	<1	1	1	2	4	6	24
20-34	157	4.2	68	1	1	2	3	8	19	48
35-49	96	3.1	21	1	1	2	3	6	14	28
50-64	78	5.7	83	1	1	3	5	13	28	48
65 +	131	8.0	98	1	2	4	10	20	35	99 +
TOTAL SINGLE DX	502	2.1	5	1	1	1	2	4	5	11
TOTAL MULTIPLE DX	807	4.0	50	<1	1	2	3	10	18	45
TOTAL										
0-19 YRS	463	2.2	11	<1	1	1	2	3	5	21
20-34	328	3.0	35	1	1	1	3	5	8	44
35-49	189	2.5	13	1	1	1	3	5	7	18
50-64	138	4.4	54	1	1	2	4	10	14	45
65 +	191	6.5	76	1	2	3	8	17	24	80
GRAND TOTAL	1309	3.3	33	1	1	1	3	6	12	36

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	8.9	63	1	4	6	12	20	23	37
20-34	13	6.5	16	3	3	6	9	13	15	16
35-49	13	6.0	6	3	4	6	7	10	11	11
50-64	11	6.2	11	2	4	5	8	12	13	13
65 +	36	9.9	34	4	6	9	11	17	21	34
2. MULTIPLE DX										
0-19 YRS	40	14.2	185	4	6	10	15	32	45	69
20-34	36	10.1	39	3	5	8	14	20	24	25
35-49	18	16.5	273	5	7	12	19	31	59	75
50-64	38	12.5	103	4	7	10	13	25	37	49
65 +	276	17.5	185	7	9	13	21	36	50	99 +
TOTAL SINGLE DX	102	8.3	36	3	5	7	10	15	19	35
TOTAL MULTIPLE DX	408	16.0	173	6	8	12	19	34	44	96
TOTAL										
0-19 YRS	69	11.9	139	3	5	9	14	25	37	65
20-34	49	9.1	36	3	5	8	13	18	21	25
35-49	31	12.1	185	4	6	8	14	20	34	75
50-64	49	11.1	89	3	5	8	13	24	31	49
65 +	312	16.7	173	6	9	12	20	35	47	99 +
GRAND TOTAL	510	14.5	155	5	7	11	18	32	39	85

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	6.6	25	2	4	5	8	11	17	27
20-34	19	7.3	10	3	4	7	10	11	12	12
35-49	32	6.7	13	3	4	6	8	12	15	16
50-64	58	10.5	130	5	6	8	11	15	18	85
65 +	182	12.4	38	5	8	11	16	21	25	32
2. MULTIPLE DX										
0-19 YRS	82	12.1	94	5	6	11	14	24	39	99 +
20-34	116	14.6	95	6	8	12	17	29	40	99 +
35-49	112	16.7	196	6	8	12	20	35	43	74
50-64	229	15.7	141	7	9	12	18	32	43	99 +
65 +	2531	18.4	173	8	10	15	22	36	50	99 +
TOTAL SINGLE DX	333	10.5	54	4	6	9	13	18	23	31
TOTAL MULTIPLE DX	3070	17.8	169	7	10	14	21	35	49	99 +
TOTAL										
0-19 YRS	124	10.3	78	3	5	9	13	22	27	99 +
20-34	135	13.5	90	5	8	11	16	28	34	99 +
35-49	144	14.5	173	4	7	10	16	29	39	72
50-64	287	14.6	143	6	8	11	17	30	41	99 +
65 +	2713	18.0	167	8	10	14	21	34	48	99 +
GRAND TOTAL	3403	17.1	162	7	10	14	20	33	47	99 +

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	109	5.6	70	1	1	2	6	17	22	44
20-34	4	4.8	38	1	1	2	8	14	14	14
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	6	6.5	9	3	4	6	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	100	10.5	117	2	3	6	14	25	33	51
20-34	11	18.5	152	8	11	13	25	41	42	42
35-49	4	25.8	399	12	13	18	38	55	55	55
50-64	6	12.5	43	7	8	10	14	24	25	25
65 +	55	23.3	577	5	7	14	36	77	92	99 +
TOTAL SINGLE DX	121	5.5	65	1	1	3	6	15	21	41
TOTAL MULTIPLE DX	176	15.4	298	3	5	10	20	41	55	98
TOTAL										
0-19 YRS	209	7.9	99	1	2	4	9	21	26	51
20-34	15	14.9	157	2	7	13	17	40	41	42
35-49	6	17.5	403	1	1	13	22	52	55	55
50-64	6	12.5	44	7	8	10	14	24	25	25
65 +	61	21.6	546	5	7	12	24	73	91	99 +
GRAND TOTAL	297	11.4	226	1	2	6	14	26	46	92

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	165	2.0	2	1	1	1	2	3	5	12
20-34	83	2.5	4	1	1	2	3	5	7	10
35-49	50	3.0	17	<1	1	2	4	5	5	29
50-64	38	2.6	2	1	1	2	4	5	6	7
65 +	33	5.6	91	1	1	1	6	13	25	48
2. MULTIPLE DX										
0-19 YRS	51	4.7	49	1	1	2	5	11	16	46
20-34	58	7.4	89	1	2	4	10	19	38	95
35-49	36	5.6	49	1	2	3	6	12	18	38
50-64	41	4.6	20	1	2	3	6	9	12	25
65 +	73	9.9	141	1	3	7	13	20	28	73
TOTAL SINGLE DX	369	2.6	14	1	1	2	3	5	7	16
TOTAL MULTIPLE DX	259	6.9	83	1	2	4	8	16	23	46
TOTAL										
0-19 YRS	216	2.6	15	1	1	2	3	5	8	16
20-34	141	4.5	44	1	1	2	5	10	16	50
35-49	86	4.1	32	1	1	3	5	9	12	35
50-64	79	3.6	13	1	1	2	5	7	10	22
65 +	106	8.5	129	1	2	5	11	19	28	63
GRAND TOTAL	628	4.4	47	1	1	2	5	10	15	39

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	568	2.6	4	1	1	2	3	5	6	11
20-34	754	3.3	6	1	2	3	4	6	8	12
35-49	598	3.6	7	1	2	3	4	7	9	14
50-64	399	4.1	6	1	2	3	5	8	9	14
65 +	237	5.2	17	1	2	4	7	10	14	20
2. MULTIPLE DX										
0-19 YRS	271	5.4	40	1	2	3	6	11	15	36
20-34	619	7.0	67	1	2	4	8	17	23	46
35-49	538	6.5	50	2	3	4	8	14	21	37
50-64	498	8.0	73	2	3	5	9	17	25	48
65 +	691	11.2	133	3	4	8	14	24	33	99
TOTAL SINGLE DX	2556	3.5	8	1	2	3	4	7	9	15
TOTAL MULTIPLE DX	2617	8.0	84	2	3	5	10	18	25	54
TOTAL										
0-19 YRS	839	3.5	18	1	1	2	4	7	10	20
20-34	1373	4.9	38	1	2	3	5	10	16	34
35-49	1136	5.0	30	1	2	4	6	10	14	29
50-64	897	6.2	48	2	3	4	7	12	18	40
65 +	928	9.6	111	2	4	6	12	21	29	89
GRAND TOTAL	5173	5.8	51	1	2	4	7	12	18	39

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	747	1.9	6	1	1	1	2	3	5	12
20-34	167	2.6	5	1	1	2	3	5	6	12
35-49	141	2.9	8	1	1	2	4	5	7	19
50-64	87	3.1	16	1	1	2	3	6	9	25
65 +	71	2.8	5	1	1	2	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	260	3.5	26	1	1	2	4	7	11	24
20-34	150	8.3	177	1	2	3	9	17	37	72
35-49	124	7.3	106	1	2	4	8	17	28	59
50-64	139	7.8	90	1	2	5	10	17	26	72
65 +	371	10.3	122	2	4	7	13	23	35	74
TOTAL SINGLE DX	1213	2.2	7	1	1	1	2	4	6	14
TOTAL MULTIPLE DX	1044	7.6	107	1	2	4	9	18	26	58
TOTAL										
0-19 YRS	1007	2.3	12	1	1	1	2	4	7	20
20-34	317	5.3	95	1	1	2	5	12	17	53
35-49	265	5.0	59	1	1	3	5	10	18	49
50-64	226	6.0	67	1	1	3	8	14	21	55
65 +	442	9.1	111	1	3	6	11	21	32	68
GRAND TOTAL	2257	4.7	60	1	1	2	5	11	18	45

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	4.5	20	<1	1	3	6	11	15	17
20-34	15	3.2	3	1	2	3	4	6	6	6
35-49	5	2.4	3	<1	1	2	3	5	5	5
50-64	8	3.3	6	1	1	2	5	7	8	8
65 +	23	4.6	18	1	2	3	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	56	6.1	33	1	2	4	7	14	20	28
20-34	17	11.8	104	3	5	8	18	28	33	35
35-49	17	8.8	83	2	4	6	11	14	32	41
50-64	27	5.6	50	1	1	2	7	14	20	34
65 +	74	9.3	132	1	2	5	11	22	37	53
TOTAL SINGLE DX	127	4.2	17	1	1	3	6	10	15	18
TOTAL MULTIPLE DX	191	8.0	87	1	2	5	10	18	28	49
TOTAL										
0-19 YRS	132	5.2	27	1	1	4	6	13	16	23
20-34	32	7.8	74	1	2	5	8	23	28	35
35-49	22	7.4	72	1	3	5	10	12	25	41
50-64	35	5.1	41	1	1	2	6	10	16	34
65 +	97	8.2	109	1	2	4	10	20	32	52
GRAND TOTAL	318	6.5	62	1	2	4	8	15	21	43

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	1.2		<1	1	1	1	2	2	2
20-34	51	2.0	2	<1	1	1	2	4	5	10
35-49	37	1.7	1	<1	1	1	2	3	3	5
50-64	15	2.2	4	1	1	1	2	7	8	8
65 +	9	2.9	4	1	1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	27	3.5	8	1	1	2	5	7	10	13
20-34	45	4.9	25	<1	1	3	6	13	17	22
35-49	30	6.0	166	<1	1	3	6	9	14	72
50-64	19	3.9	9	<1	1	3	6	9	10	11
65 +	66	7.7	123	1	2	4	10	16	26	94
TOTAL SINGLE DX	152	1.8	2	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	187	5.8	80	1	1	3	7	13	17	69
TOTAL										
0-19 YRS	67	2.1	5	1	1	1	2	5	6	12
20-34	96	3.4	15	<1	1	2	4	9	12	20
35-49	67	3.6	78	<1	1	2	3	7	9	62
50-64	34	3.1	8	1	1	2	4	8	9	11
65 +	75	7.1	111	1	2	4	8	16	20	91
GRAND TOTAL	339	4.0	49	<1	1	2	4	9	13	62

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	112	2.8	5	1	1	2	4	5	8	12
20-34	70	2.6	7	1	1	2	3	6	9	15
35-49	58	2.3	4	<1	1	2	3	5	6	13
50-64	18	2.6	3	1	1	2	3	5	7	9
65 +	12	8.1	77	1	2	5	12	20	29	31
2. MULTIPLE DX										
0-19 YRS	171	6.2	51	1	2	4	7	14	20	32
20-34	101	5.0	51	1	1	2	6	11	19	38
35-49	91	4.6	37	1	1	2	6	11	19	32
50-64	65	8.8	108	1	2	5	12	27	33	43
65 +	72	19.3	400	2	5	13	26	49	77	97
TOTAL SINGLE DX	270	2.9	10	1	1	2	3	6	9	16
TOTAL MULTIPLE DX	500	7.9	129	1	1	4	9	21	29	67
TOTAL										
0-19 YRS	283	4.9	36	1	1	3	6	11	15	30
20-34	171	4.0	35	1	1	2	4	8	14	29
35-49	149	3.7	26	1	1	2	4	8	13	29
50-64	83	7.5	92	1	2	4	9	21	31	43
65 +	84	17.7	368	1	4	12	25	44	73	95
GRAND TOTAL	770	6.1	93	1	1	3	6	15	25	52

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	8.7	154	1	1	2	18	23	23	23
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	6	2.0	1	1	1	2	3	3	3	3
TOTAL MULTIPLE DX	3	8.7	154	1	1	2	18	23	23	23
TOTAL										
0-19 YRS	0									
20-34	5	5.8	93	1	1	2	7	23	23	23
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	9	4.2	50	1	1	2	3	15	23	23

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	3.4	5	2	2	3	4	5	8	13
20-34	956	4.1	7	2	2	3	5	7	8	15
35-49	1339	4.2	7	2	2	4	5	7	9	16
50-64	427	4.7	14	2	3	4	5	8	10	22
65 +	93	6.3	17	3	4	5	8	10	15	24
2. MULTIPLE DX										
0-19 YRS	22	6.5	25	3	3	5	8	13	18	24
20-34	346	6.1	24	2	3	5	7	11	13	32
35-49	764	6.2	22	2	3	5	7	11	15	26
50-64	547	7.1	30	3	4	6	8	14	18	30
65 +	431	10.6	98	4	5	7	12	22	30	59
TOTAL SINGLE DX	2853	4.3	9	2	3	4	5	7	9	16
TOTAL MULTIPLE DX	2110	7.3	43	3	4	6	8	14	20	37
TOTAL										
0-19 YRS	60	4.6	14	2	3	3	5	8	13	23
20-34	1302	4.6	13	2	3	4	5	8	10	17
35-49	2103	4.9	14	2	3	4	6	9	11	21
50-64	974	6.0	25	2	3	5	7	11	16	27
65 +	524	9.8	87	3	5	7	11	20	29	56
GRAND TOTAL	4963	5.6	26	2	3	4	6	10	14	28

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	1.3		< 1	< 1	1	1	2	3	3
20-34	80	1.4		< 1	< 1	1	2	3	3	5
35-49	55	1.4		< 1	< 1	1	2	2	3	4
50-64	21	1.5	1	< 1	< 1	1	2	3	4	6
65 +	5	1.8		< 1	< 1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	49	2.2	1	< 1	1	2	3	4	5	5
20-34	166	2.4	5	< 1	1	2	3	4	5	14
35-49	121	2.8	54	< 1	< 1	1	2	4	6	39
50-64	106	2.0	8	< 1	1	1	2	3	5	17
65 +	73	2.4	3	< 1	1	2	3	4	7	10
TOTAL SINGLE DX	193	1.4	1	< 1	< 1	1	2	2	3	5
TOTAL MULTIPLE DX	515	2.4	17	< 1	1	1	3	4	5	14
TOTAL										
0-19 YRS	81	1.8	1	< 1	1	1	3	4	4	5
20-34	246	2.1	4	< 1	< 1	1	3	4	5	14
35-49	176	2.3	38	< 1	< 1	1	2	4	5	20
50-64	127	2.0	7	< 1	1	1	2	3	5	13
65 +	78	2.3	4	< 1	1	2	3	4	7	10
GRAND TOTAL	708	2.1	13	< 1	< 1	1	2	4	5	12

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	2.3	3	< 1	< 1	1	3	5	7	9
20-34	62	2.0	1	< 1	1	2	3	4	4	6
35-49	35	2.2	9	< 1	1	1	2	4	7	18
50-64	18	2.3	6	< 1	1	1	2	5	9	11
65 +	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	54	2.7	6	1	1	2	4	5	7	14
20-34	77	3.2	41	< 1	1	2	3	4	8	45
35-49	57	3.2	19	< 1	1	2	4	7	9	30
50-64	44	4.2	35	1	1	2	4	11	17	29
65 +	29	9.1	176	1	1	3	12	36	42	43
TOTAL SINGLE DX	171	2.1	4	< 1	1	1	3	4	6	11
TOTAL MULTIPLE DX	261	3.9	46	1	1	2	4	8	14	42
TOTAL										
0-19 YRS	104	2.5	5	< 1	1	2	3	5	7	13
20-34	139	2.7	24	< 1	1	2	3	4	6	19
35-49	92	2.8	16	< 1	1	1	3	6	8	26
50-64	62	3.6	28	< 1	1	2	3	10	13	29
65 +	35	7.8	154	1	1	2	7	28	42	43
GRAND TOTAL	432	3.2	30	< 1	1	2	3	6	10	33

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	[illegible]	3.2	10	< 1	1	2	4	8	11	13
20-34	81	1.6	1	< 1	1	1	2	3	4	7
35-49	60	1.6		< 1	1	1	2	3	3	4
50-64	28	2.3	4	< 1	1	1	3	6	7	9
65 +	17	4.5	28	< 1	1	3	4	13	18	20
2. MULTIPLE DX										
0-19 YRS	55	4.1	22	< 1	1	2	4	11	13	22
20-34	94	3.6	28	< 1	1	2	4	7	15	31
35-49	117	2.9	22	< 1	1	1	3	5	11	29
50-64	90	8.4	225	1	1	2	8	27	39	80
65 +	91	12.8	282	1	2	8	17	44	66	99 +
TOTAL SINGLE DX	240	2.3	6	< 1	1	1	2	4	7	13
TOTAL MULTIPLE DX	447	6.3	132	< 1	1	2	6	16	29	78
TOTAL										
0-19 YRS	109	3.6	16	< 1	1	2	4	11	12	19
20-34	175	2.7	17	< 1	1	1	3	5	8	24
35-49	177	2.4	16	< 1	1	1	2	4	6	26
50-64	118	6.9	180	< 1	1	2	6	19	36	79
65 +	108	11.5	251	1	2	6	15	31	50	99 +
GRAND TOTAL	687	4.9	91	< 1	1	2	4	12	21	62

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	7.6	8	5	6	7	8	10	13	20
20-34	55	6.0	9	3	4	5	7	9	13	16
35-49	54	5.8	10	2	4	5	7	10	11	20
50-64	26	6.0	11	3	3	5	7	12	13	14
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	310	11.3	112	6	7	9	11	18	25	83
20-34	108	12.8	167	4	6	9	16	24	27	99
35-49	151	9.8	82	3	5	7	12	17	30	60
50-64	78	11.5	200	4	6	7	13	19	34	88
65 +	64	16.6	266	6	9	12	18	44	78	99 +
TOTAL SINGLE DX	293	6.8	10	3	5	7	8	10	12	19
TOTAL MULTIPLE DX	711	11.7	140	5	6	8	12	20	30	89
TOTAL										
0-19 YRS	467	10.0	80	6	7	8	10	15	20	55
20-34	163	10.5	124	4	5	7	12	21	25	95
35-49	205	8.8	67	3	4	7	10	15	22	58
50-64	104	10.2	158	3	5	7	11	17	25	87
65 +	65	16.5	263	6	9	12	18	43	77	99 +
GRAND TOTAL	1004	10.3	107	4	6	8	11	18	24	85

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.5	2	1	1	2	3	4	6	7
20-34	58	2.8	2	1	1	3	4	5	6	7
35-49	59	2.6	1	1	2	2	3	4	5	6
50-64	49	3.2	11	1	1	2	4	6	8	22
65 +	15	4.9	15	1	2	3	7	10	13	14
2. MULTIPLE DX										
0-19 YRS	70	3.7	7	1	2	3	5	7	8	15
20-34	54	4.3	12	1	2	3	6	9	11	20
35-49	78	3.4	5	1	2	3	4	5	6	15
50-64	67	4.7	21	1	2	4	5	9	15	24
65 +	53	6.2	43	1	2	4	8	20	23	97
TOTAL SINGLE DX	205	3.0	5	1	2	2	4	5	7	12
TOTAL MULTIPLE DX	322	4.4	17	1	2	3	5	8	12	23
TOTAL										
0-19 YRS	94	3.4	6	1	2	3	4	6	8	14
20-34	112	3.5	8	1	2	3	5	7	9	15
35-49	137	3.0	4	1	2	3	4	5	6	11
50-64	116	4.1	17	1	2	3	5	8	10	23
65 +	68	5.9	37	1	2	4	8	16	21	87
GRAND TOTAL	527	3.8	13	1	2	3	5	7	10	22

735: Total hip replacement (81.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	12.0	50	7	7	12	17	17	17	17
20-34	18	9.2	6	6	7	9	11	13	14	15
35-49	41	9.0	7	6	7	8	11	13	14	15
50-64	133	9.3	6	7	7	9	10	12	14	17
65 +	218	10.4	10	7	8	10	12	15	16	21
2. MULTIPLE DX										
0-19 YRS	4	10.5	25	6	7	12	38	99 +	99 +	99 +
20-34	24	8.5	10	6	7	8	10	12	15	21
35-49	108	10.6	52	6	7	9	11	13	21	72
50-64	483	11.5	49	7	8	10	13	17	22	35
65 +	1377	13.9	81	8	9	11	15	22	32	68
TOTAL SINGLE DX	412	9.8	9	7	8	10	11	14	15	19
TOTAL MULTIPLE DX	1996	13.1	73	7	9	11	14	21	29	64
TOTAL										
0-19 YRS	6	11.0	26	6	7	12	17	83	99 +	99 +
20-34	42	8.8	9	6	7	8	10	12	14	21
35-49	149	10.2	40	6	7	9	11	13	17	53
50-64	616	11.0	41	7	8	10	12	16	19	32
65 +	1595	13.4	73	8	9	11	15	22	30	64
GRAND TOTAL	2408	12.5	63	7	8	11	14	19	26	59

736: Other arthroplasty of hip (81.40; 81.52-81.53)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	7.3	17	3	4	6	10	13	13	13
20-34	3	10.0	31	5	6	9	14	16	16	16
35-49	9	7.4	9	4	6	7	9	12	14	14
50-64	29	9.9	25	4	7	8	13	15	20	25
65 +	138	12.8	34	7	9	12	15	21	25	34
2. MULTIPLE DX										
0-19 YRS	7	9.3	39	4	6	8	11	20	22	22
20-34	14	11.1	47	7	8	9	11	15	30	34
35-49	30	14.2	195	6	7	9	16	29	40	74
50-64	151	15.6	155	7	9	13	17	31	44	99
65 +	1625	17.5	142	8	10	14	20	32	46	88
TOTAL SINGLE DX	183	11.9	34	6	8	11	14	20	24	34
TOTAL MULTIPLE DX	1827	17.2	144	8	10	14	20	32	45	88
TOTAL										
0-19 YRS	11	8.5	30	3	6	7	11	17	22	22
20-34	17	10.9	42	6	8	9	11	15	28	34
35-49	39	12.7	159	5	6	8	15	24	36	74
50-64	180	14.7	139	7	8	12	16	26	40	96
65 +	1763	17.2	135	8	10	14	20	31	43	88
GRAND TOTAL	2010	16.8	136	8	10	13	19	30	42	88

737: Total knee replacement (81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	23	10.2	20	7	7	10	11	13	19	28
50-64	145	9.4	9	6	7	9	11	14	15	19
65+	268	11.0	23	7	8	10	13	15	17	23
2. MULTIPLE DX										
0-19 YRS	2	16.5	13	14	14	16	19	19	19	19
20-34	4	7.0	6	4	5	7	9	10	10	10
35-49	31	10.4	13	7	7	9	13	16	17	18
50-64	481	11.2	35	7	8	10	13	16	19	30
65+	1545	12.7	43	7	9	11	15	19	23	43
TOTAL SINGLE DX	437	10.4	19	7	8	10	12	15	17	22
TOTAL MULTIPLE DX	2063	12.3	41	7	9	11	14	18	22	41
TOTAL										
0-19 YRS	2	16.5	13	14	14	16	19	19	19	19
20-34	5	7.2	5	4	5	8	9	10	10	10
35-49	54	10.3	16	7	7	9	11	15	17	28
50-64	626	10.8	30	7	8	10	12	16	18	28
65+	1813	12.5	40	7	9	11	14	18	22	42
GRAND TOTAL	2500	12.0	38	7	9	11	14	17	22	36

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	255	2.7	1	1	2	3	3	4	5	6
20-34	418	2.8	1	2	2	3	3	4	5	6
35-49	93	3.2	5	1	2	3	4	5	6	15
50-64	18	6.7	27	< 1	2	7	8	13	18	21
65+	22	10.2	24	5	7	10	12	16	20	25
2. MULTIPLE DX										
0-19 YRS	257	3.1	4	1	2	3	4	5	6	10
20-34	510	3.3	4	1	2	3	4	5	6	12
35-49	192	3.5	7	1	2	3	4	6	7	16
50-64	59	7.1	33	1	3	5	10	15	17	29
65+	122	12.0	80	5	7	10	14	23	37	71
TOTAL SINGLE DX	806	3.1	5	1	2	3	4	5	6	13
TOTAL MULTIPLE DX	1140	4.4	22	1	2	3	5	9	12	23
TOTAL										
0-19 YRS	512	2.9	3	1	2	3	4	4	5	7
20-34	928	3.1	3	2	2	3	4	5	5	9
35-49	285	3.4	7	1	2	3	4	6	7	15
50-64	77	7.0	32	1	3	6	10	15	17	28
65+	144	11.8	72	5	7	10	14	20	36	62
GRAND TOTAL	1946	3.9	15	1	2	3	4	7	10	20

739: Prosthetic replacement of joint, except hip and knee (81.56-81.59; 81.71; 81.73-81.74; 81.80-81.81; 81.84)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	6	2.3	5	1	1	2	2	7	7	7
35-49	26	3.7	15	1	1	2	4	8	14	17
50-64	51	3.6	6	1	2	3	5	8	9	10
65+	36	4.7	15	1	2	3	6	12	14	15
2. MULTIPLE DX										
0-19 YRS	6	3.8	15	1	1	2	6	10	11	11
20-34	14	3.0	3	1	2	3	4	5	7	8
35-49	23	5.1	12	2	3	4	7	10	13	16
50-64	62	6.3	82	1	2	3	6	15	23	55
65+	127	9.4	119	2	4	6	11	24	34	73
TOTAL SINGLE DX	123	3.8	11	1	2	2	5	8	11	16
TOTAL MULTIPLE DX	232	7.6	93	1	2	4	9	16	31	65
TOTAL										
0-19 YRS	10	2.7	11	1	1	1	2	8	11	11
20-34	20	2.8	4	1	1	2	4	6	7	8
35-49	49	4.3	14	1	2	3	6	9	13	17
50-64	113	5.1	49	1	2	3	5	10	15	42
65+	163	8.4	100	2	3	5	10	18	33	65
GRAND TOTAL	355	6.3	68	1	2	4	7	13	22	57

740: Miscellaneous repair of other joint, except hip and knee (81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	202	1.9		1	1	2	2	3	4	4
20-34	402	2.0		1	1	2	2	3	4	5
35-49	247	2.1	1	1	1	2	3	4	4	6
50-64	152	2.1	1	1	1	2	3	4	5	7
65+	32	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	50	3.2	54	1	1	2	3	4	4	54
20-34	177	2.4	2	1	1	2	3	4	5	10
35-49	177	2.5	8	1	1	2	3	4	6	19
50-64	195	2.7	5	1	1	2	3	5	6	13
65+	124	3.5	12	1	1	2	4	7	11	19
TOTAL SINGLE DX	1035	2.0	1	1	1	2	2	4	4	6
TOTAL MULTIPLE DX	723	2.7	10	1	1	2	3	4	6	14
TOTAL										
0-19 YRS	252	2.1	12	1	1	2	2	3	4	4
20-34	579	2.1	2	1	1	2	3	4	4	6
35-49	424	2.3	5	1	1	2	3	4	5	8
50-64	347	2.4	4	1	1	2	3	4	6	11
65+	156	3.2	10	1	1	2	4	6	10	18
GRAND TOTAL	1758	2.3	5	1	1	2	3	4	5	10

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	3.4	18	<1	1	2	4	7	14	23
20-34	49	3.1	8	<1	1	2	4	7	9	15
35-49	46	2.9	6	1	1	2	3	7	10	11
50-64	22	2.9	4	<1	<1	2	4	6	7	9
65+	13	4.3	16	1	1	2	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	272	4.7	53	1	2	3	5	7	12	48
20-34	74	8.0	84	2	2	5	11	15	25	49
35-49	70	7.6	83	1	2	4	9	21	24	45
50-64	56	8.3	30	1	2	6	11	20	37	96
65+	66	12.6	192	2	4	8	16	26	41	74
TOTAL SINGLE DX	231	3.2	13	<1	1	2	4	7	11	19
TOTAL MULTIPLE DX	538	6.9	89	1	2	4	7	15	23	52
TOTAL										
0-19 YRS	373	4.4	44	1	2	3	5	7	14	40
20-34	123	6.0	60	1	2	3	8	14	17	44
35-49	116	5.7	58	1	2	3	6	13	23	44
50-64	78	6.8	72	<1	1	4	9	16	33	84
65+	79	11.2	173	1	3	7	14	23	39	72
GRAND TOTAL	769	5.8	69	1	2	3	6	13	19	45

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	2.2	7	<1	<1	1	2	6	9	15
20-34	53	4.1	16	<1	<1	2	10	10	10	13
35-49	51	2.2	9	<1	<1	1	2	4	8	18
50-64	44	1.9	1	1	1	1	2	4	5	6
65+	16	4.7	57	<1	1	2	4	19	25	27
2. MULTIPLE DX										
0-19 YRS	68	7.4	191	1	2	3	8	16	39	99+
20-34	32	6.5	256	<1	1	2	5	12	18	91
35-49	56	8.8	207	<1	1	3	10	29	48	99
50-64	61	7.8	53	1	2	5	13	19	22	28
65+	145	11.3	149	1	3	8	14	29	38	60
TOTAL SINGLE DX	236	2.7	13	<1	<1	1	2	8	10	18
TOTAL MULTIPLE DX	362	9.2	161	1	2	5	12	21	37	89
TOTAL										
0-19 YRS	140	4.7	103	<1	1	2	4	10	17	97
20-34	85	5.0	106	<1	1	2	7	10	11	65
35-49	107	5.6	123	<1	1	2	5	14	32	88
50-64	105	5.3	40	1	1	2	7	14	19	27
65+	161	10.7	144	1	2	7	13	28	37	57
GRAND TOTAL	598	6.6	112	<1	1	2	8	16	27	66

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	10	1.6	1	1	1	1	2	3	4	4
35-49	13	1.6	1	<1	1	1	2	3	4	4
50-64	28	1.3		1	1	1	1	2	2	3
65+	28	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
0-19 YRS	5	5.0	35	<1	1	2	8	15	15	15
20-34	5	1.2		1	1	1	2	2	2	2
35-49	15	3.7	46	1	1	2	2	5	22	28
50-64	22	2.3	10	<1	1	1	2	4	9	16
65+	47	3.2	36	1	1	1	2	8	11	39
TOTAL SINGLE DX	87	1.3	1	1	1	1	1	2	3	4
TOTAL MULTIPLE DX	94	3.1	29	1	1	1	2	6	12	34
TOTAL										
0-19 YRS	13	2.6	16	<1	<1	1	2	8	14	15
20-34	15	1.5	1	1	1	1	2	2	4	4
35-49	28	2.7	26	1	1	1	2	4	7	28
50-64	50	1.7	5	1	1	1	2	2	4	16
65+	75	2.5	24	1	1	1	2	4	10	32
GRAND TOTAL	181	2.2	16	1	1	1	2	4	6	24

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	1.3		<1	1	1	1	2	3	5
20-34	65	1.5		<1	1	1	2	3	3	4
35-49	34	1.6	2	1	1	1	2	3	3	9
50-64	16	1.8	7	<1	1	1	1	2	9	12
65+	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	89	1.7	1	1	1	1	2	3	4	7
20-34	95	2.4	7	<1	1	2	3	5	6	17
35-49	28	2.0	2	1	1	1	2	5	5	6
50-64	23	2.0	2	<1	1	2	2	4	6	7
65+	21	3.5	40	1	1	1	2	9	19	29
TOTAL SINGLE DX	186	1.5	1	<1	1	1	2	2	3	8
TOTAL MULTIPLE DX	256	2.1	7	1	1	1	2	4	6	11
TOTAL										
0-19 YRS	156	1.5	1	<1	1	1	2	3	3	6
20-34	160	2.0	5	<1	1	1	2	3	5	11
35-49	62	1.8	2	1	1	1	2	3	5	9
50-64	39	1.9	4	<1	1	1	2	4	6	12
65+	25	3.2	34	1	1	1	3	8	15	29
GRAND TOTAL	442	1.9	5	<1	1	1	2	3	5	10

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.9	1	1	1	2	2	3	5	7
20-34	122	2.3	2	1	1	2	3	4	5	10
35-49	160	2.1	1	1	1	2	3	4	4	6
50-64	136	2.4	1	1	1	2	3	4	5	7
65 +	55	2.9	2	1	2	2	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	39	3.5	18	1	1	1	4	12	14	16
20-34	101	3.7	15	1	1	3	4	8	12	22
35-49	169	4.1	29	1	2	3	4	9	12	31
50-64	249	3.9	25	1	2	3	4	7	10	30
65 +	198	5.2	59	1	2	3	5	11	18	63
TOTAL SINGLE DX	511	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	756	4.2	34	1	2	3	4	8	14	30
TOTAL										
0-19 YRS	77	2.7	10	1	1	1	3	6	12	16
20-34	223	2.9	9	1	1	2	3	5	9	17
35-49	329	3.1	16	1	1	2	3	5	9	23
50-64	385	3.3	17	1	2	2	4	5	8	27
65 +	253	4.7	48	1	2	3	5	8	16	43
GRAND TOTAL	**1267**	**3.4**	**22**	**1**	**1**	**2**	**4**	**6**	**10**	**26**

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	206	2.1	2	1	1	2	3	4	5	8
20-34	71	2.3	2	1	1	2	3	5	5	8
35-49	109	2.5	3	1	1	2	3	5	6	11
50-64	35	2.8	2	1	1	2	4	5	6	8
65 +	17	2.9	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	342	3.1	16	1	1	2	3	5	7	23
20-34	81	5.2	57	1	2	3	5	8	19	48
35-49	55	5.5	61	1	2	3	6	10	21	47
50-64	61	7.4	127	1	2	3	7	18	35	54
65 +	77	9.6	147	2	3	5	9	28	33	60
TOTAL SINGLE DX	438	2.3	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	616	4.8	58	1	2	3	5	8	19	53
TOTAL										
0-19 YRS	548	2.7	11	1	1	2	3	5	6	22
20-34	152	3.8	34	1	1	2	5	6	9	36
35-49	164	3.5	25	1	1	2	4	6	9	29
50-64	96	5.8	87	1	2	3	5	11	25	54
65 +	94	8.4	128	2	2	4	7	23	32	59
GRAND TOTAL	**1054**	**3.8**	**36**	**1**	**1**	**2**	**4**	**6**	**10**	**35**

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.6	1	<1	1	1	2	3	4	4
20-34	15	1.7	1	1	1	1	2	4	4	4
35-49	19	1.8	1	<1	1	1	2	4	5	5
50-64	10	2.1	1	1	1	2	2	4	5	5
65 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	15	2.8	14	<1	1	2	2	4	13	16
20-34	22	2.1		1	1	2	3	4	4	4
35-49	15	5.2	129	<1	1	2	3	6	36	46
50-64	19	7.8	134	1	1	3	8	24	36	46
65 +	25	11.0	503	1	1	3	8	19	81	88
TOTAL SINGLE DX	64	1.7	1	1	1	1	2	4	4	5
TOTAL MULTIPLE DX	96	6.1	187	1	1	2	4	15	24	84
TOTAL										
0-19 YRS	30	2.2	8	<1	1	1	2	4	4	16
20-34	37	1.9	1	1	1	2	3	4	4	4
35-49	34	3.3	59	<1	1	2	3	4	6	46
50-64	29	5.8	95	1	1	2	4	19	25	46
65 +	30	9.4	431	1	1	2	7	17	79	88
GRAND TOTAL	**160**	**4.4**	**117**	**1**	**1**	**2**	**3**	**8**	**16**	**76**

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	3	8.0	31	2	4	9	12	13	13	13
35-49	2	13.5	265	2	2	13	25	25	25	25
50-64	2	13.5	265	2	2	13	25	25	25	25
65 +	3	7.0	52	1	2	5	12	15	15	15
TOTAL SINGLE DX	4	2.8	3	1	1	2	4	5	5	5
TOTAL MULTIPLE DX	14	7.6	75	1	1	3	13	25	25	25
TOTAL										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	4	6.3	33	1	1	5	11	13	13	13
35-49	3	9.7	176	2	2	2	19	25	25	25
50-64	2	13.5	265	2	2	13	25	25	25	25
65 +	4	6.5	36	1	3	5	10	15	15	15
GRAND TOTAL	**18**	**6.5**	**62**	**1**	**1**	**3**	**9**	**22**	**25**	**25**

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.3		<1	1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	5	2.8	4	<1	1	2	4	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	3.5	3	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	13	11.0	678	1	2	2	7	29	84	97
20-34	16	8.3	45	2	4	7	11	14	24	28
35-49	67	15.4	142	3	8	12	21	32	38	55
50-64	157	13.3	122	3	5	11	18	28	38	64
65+	293	16.8	205	4	7	13	22	39	53	92
TOTAL SINGLE DX	18	2.6	3	<1	1	2	4	5	6	6
TOTAL MULTIPLE DX	546	15.3	183	3	6	11	20	34	45	83
TOTAL										
0-19 YRS	19	7.9	474	<1	1	2	5	10	59	97
20-34	18	7.7	42	2	3	6	10	14	22	28
35-49	72	14.5	143	2	6	11	20	31	36	54
50-64	158	13.2	123	3	5	11	18	28	38	64
65+	297	16.7	205	4	7	12	22	39	53	91
GRAND TOTAL	564	14.9	182	3	6	11	19	33	45	81

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	0									
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	4	18.8	53	12	13	17	24	28	28	28
20-34	15	25.1	741	5	8	15	44	95	99	99+
35-49	31	26.5	737	7	10	15	37	93	96	99+
50-64	94	29.1	508	10	15	21	40	70	89	99+
65+	269	27.5	415	9	14	21	38	71	91	99+
TOTAL SINGLE DX	8	7.3	19	2	4	7	10	13	14	14
TOTAL MULTIPLE DX	413	27.6	466	8	13	21	39	71	92	99+
TOTAL										
0-19 YRS	6	13.7	96	1	6	13	21	27	28	28
20-34	17	23.2	679	5	7	14	41	89	99	99+
35-49	31	26.5	737	7	10	15	37	93	96	99+
50-64	96	28.6	509	10	15	20	40	69	89	99+
65+	271	27.4	414	8	13	21	38	71	91	99+
GRAND TOTAL	421	27.3	465	8	13	20	38	71	92	99+

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	12.5	89	4	6	10	18	26	26	26
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	4	6.0	8	3	4	5	8	10	10	10
20-34	4	18.5	571	3	4	8	32	54	54	54
35-49	7	20.3	60	14	15	17	28	32	32	32
50-64	32	19.1	184	7	9	18	25	40	64	99+
65+	287	22.3	337	7	10	16	29	58	76	99+
TOTAL SINGLE DX	4	12.5	90	4	6	10	18	26	26	26
TOTAL MULTIPLE DX	334	21.7	318	7	10	16	29	54	73	99+
TOTAL										
0-19 YRS	8	9.3	54	3	4	7	10	21	26	26
20-34	4	18.5	571	3	4	8	32	54	54	54
35-49	7	20.3	60	14	15	17	28	32	32	32
50-64	32	19.1	185	7	9	18	25	40	64	99+
65+	287	22.3	338	7	10	16	29	58	76	99+
GRAND TOTAL	338	21.6	316	7	10	16	29	54	72	99+

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	17.0		17	17	17	17	17	17	17
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	8	9.9	65	3	4	6	17	22	22	22
20-34	3	20.0	189	8	10	17	30	35	35	35
35-49	29	15.6	144	3	6	12	21	32	41	48
50-64	62	21.2	181	7	11	17	29	39	50	60
65+	116	24.7	293	8	13	21	32	51	59	99
TOTAL SINGLE DX	8	6.6	57	1	1	2	13	18	19	19
TOTAL MULTIPLE DX	218	21.9	244	6	11	18	29	43	55	87
TOTAL										
0-19 YRS	12	7.8	54	2	3	4	10	22	22	22
20-34	4	19.8	126	8	12	18	27	35	35	35
35-49	30	15.1	146	2	6	12	21	32	41	48
50-64	63	21.2	179	7	11	17	29	39	49	60
65+	117	24.5	296	7	13	21	32	50	59	99
GRAND TOTAL	226	21.4	245	6	10	18	28	43	54	86

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.0	12	<1	1	1	4	9	9	9
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	6	3.3	10	1	1	2	5	9	9	9
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	5.8	4	3	5	6	7	9	9	9
20-34	6	6.5	8	3	4	6	9	10	10	10
35-49	5	6.2	54	<1	1	3	9	19	19	19
50-64	2	12.0	200	2	2	12	22	22	22	22
65 +	0									
TOTAL SINGLE DX	14	3.1	8	1	1	2	5	9	9	9
TOTAL MULTIPLE DX	19	6.8	30	2	3	5	9	15	21	22
TOTAL										
0-19 YRS	11	4.5	9	<1	2	5	7	9	9	9
20-34	8	5.4	11	2	3	4	8	10	10	10
35-49	11	4.6	29	<1	1	2	6	13	18	19
50-64	2	12.0	200	2	2	12	22	22	22	22
65 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	33	5.2	24	1	2	4	7	9	18	22

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	6	5.0	19	1	2	3	9	12	12	12
35-49	6	5.3	26	1	2	3	7	14	15	15
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	14	2.1	1	1	1	2	3	4	5	5
20-34	8	4.5	33	<1	<1	2	5	14	18	18
35-49	14	14.7	445	2	5	7	11	63	65	65
50-64	32	13.0	217	2	4	8	14	36	46	66
65 +	46	13.8	121	2	7	11	18	24	32	61
TOTAL SINGLE DX	18	4.3	16	1	2	3	5	11	14	15
TOTAL MULTIPLE DX	114	11.6	180	1	3	8	13	24	44	65
TOTAL										
0-19 YRS	16	2.1	2	1	1	2	3	4	5	5
20-34	14	4.7	26	<1	1	3	6	13	17	18
35-49	20	11.9	331	1	3	7	10	39	64	65
50-64	34	12.4	209	2	4	8	13	33	46	66
65 +	48	13.3	122	2	7	11	17	24	31	61
GRAND TOTAL	132	10.6	164	1	3	7	13	23	41	65

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	0									
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL MULTIPLE DX	1	50.0		50	50	50	50	50	50	50
TOTAL										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	2	27.0	1058	4	4	27	50	50	50	50

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34	29	2.1	2	<1	1	1	3	5	6	6
35-49	148	2.0	1	<1	<1	1	3	4	4	7
50-64	156	2.1	1	<1	1	2	3	4	5	6
65 +	137	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	5	1.8	1	1	1	1	2	4	4	4
20-34	31	3.4	17	<1	1	1	4	8	16	18
35-49	196	3.2	24	<1	1	2	3	7	10	26
50-64	276	4.2	32	<1	1	2	4	9	15	32
65 +	448	7.2	112	1	2	3	8	19	28	77
TOTAL SINGLE DX	478	2.1	2	<1	1	2	3	4	5	7
TOTAL MULTIPLE DX	956	5.4	71	<1	1	3	6	14	21	48
TOTAL										
0-19 YRS	13	1.3	1	<1	1	1	1	2	4	4
20-34	60	2.8	11	<1	1	1	4	6	8	18
35-49	344	2.7	15	<1	1	1	3	5	8	15
50-64	432	3.4	22	<1	1	2	4	7	11	30
65 +	585	6.1	91	1	1	3	6	16	25	65
GRAND TOTAL	1434	4.3	50	<1	1	2	4	9	16	39

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	1	<1	1	1	2	4	4	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49	25	4.0	3	2	3	4	5	7	8	9
50-64	35	3.6	5	1	2	3	5	6	8	11
65 +	32	2.7	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	2	18.0	450	3	3	18	33	33	33	33
20-34	5	5.4	12	2	3	4	7	11	11	11
35-49	42	3.9	5	1	2	3	5	7	9	11
50-64	36	3.8	8	1	2	3	4	7	10	16
65 +	117	6.4	68	1	3	4	6	18	30	99 +
TOTAL SINGLE DX	100	3.3	4	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	202	5.5	48	1	3	4	6	11	21	99 +
TOTAL										
0-19 YRS	7	6.4	139	<1	1	2	4	27	33	33
20-34	8	4.3	9	2	2	3	5	9	11	11
35-49	67	3.9	5	2	3	3	5	7	9	11
50-64	71	3.7	7	1	2	3	4	7	9	15
65 +	149	5.6	56	1	2	4	5	12	24	99 +
GRAND TOTAL	302	4.7	34	1	2	3	5	9	16	76

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	13	3.4	2	2	2	3	4	5	6	6
35-49	147	4.0	2	2	3	4	5	6	7	9
50-64	217	3.9	2	2	3	4	5	6	7	9
65 +	245	4.6	4	2	3	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	28	4.3	2	3	3	4	5	7	7	9
35-49	269	4.9	7	2	3	4	6	8	9	17
50-64	472	5.6	11	3	4	5	6	9	11	19
65 +	934	6.2	35	3	4	5	7	9	13	29
TOTAL SINGLE DX	625	4.2	4	2	3	4	5	7	8	11
TOTAL MULTIPLE DX	1704	5.8	24	3	4	5	6	9	12	23
TOTAL										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	41	4.0	3	2	3	4	5	6	7	9
35-49	416	4.6	6	2	3	4	5	7	8	15
50-64	689	5.0	9	2	3	4	6	8	10	17
65 +	1179	5.9	29	3	4	5	6	9	12	27
GRAND TOTAL	2329	5.4	19	3	3	5	6	8	11	20

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	113	1.7	1	1	1	1	2	3	3	6
20-34	215	1.9	1	1	1	2	2	3	4	6
35-49	125	2.4	4	1	1	2	3	4	6	12
50-64	39	2.0	1	1	1	2	2	4	5	7
65 +	11	2.3	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	50	2.2	2	1	1	2	3	4	6	9
20-34	177	2.3	3	1	1	2	3	3	5	13
35-49	255	2.9	6	1	1	2	3	6	8	13
50-64	154	3.3	13	1	1	2	4	7	10	22
65 +	42	3.9	21	1	1	2	4	10	15	22
TOTAL SINGLE DX	503	2.0	2	1	1	2	2	3	4	8
TOTAL MULTIPLE DX	678	2.8	8	1	1	2	3	6	8	17
TOTAL										
0-19 YRS	163	1.9	2	1	1	2	2	3	4	8
20-34	392	2.1	2	1	1	2	3	3	5	8
35-49	380	2.7	6	1	1	2	3	6	8	13
50-64	193	3.0	12	1	1	2	3	6	8	22
65 +	53	3.6	18	1	1	2	4	7	12	22
GRAND TOTAL	1181	2.5	6	1	1	2	3	4	7	14

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	1.8	2	1	1	1	2	3	4	9
20-34	235	1.6		1	1	1	2	3	3	6
35-49	40	1.5		1	1	1	2	3	4	4
50-64	12	1.8		1	1	2	2	3	3	3
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	17	2.0	2	1	1	1	2	5	6	6
20-34	41	3.0	15	1	1	2	4	5	12	22
35-49	16	1.7	1	1	1	1	2	3	4	5
50-64	7	4.6	38	1	1	2	5	16	18	18
65 +	6	4.5	52	1	1	1	4	17	19	19
TOTAL SINGLE DX	400	1.6	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	87	2.8	15	1	1	1	3	5	11	21
TOTAL										
0-19 YRS	128	1.8	2	1	1	1	2	4	5	8
20-34	276	1.8	3	1	1	1	2	3	4	10
35-49	56	1.6	1	1	1	1	2	3	4	5
50-64	19	2.8	15	1	1	2	2	5	13	18
65 +	8	4.1	39	1	1	1	4	15	19	19
GRAND TOTAL	487	1.9	4	1	1	1	2	3	4	12

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	1.9	10	<1	1	1	2	3	5	23
20-34	71	2.3	8	<1	<1	1	2	6	7	16
35-49	54	2.4	6	<1	1	1	3	7	8	13
50-64	44	2.0	6	<1	1	1	3	3	5	15
65 +	42	1.8	3	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
0-19 YRS	128	6.1	72	1	1	3	7	15	28	68
20-34	97	9.6	144	1	2	5	11	27	41	51
35-49	125	7.7	111	1	1	4	11	19	27	82
50-64	152	9.6	116	1	3	7	11	19	26	65
65 +	318	13.0	215	1	4	8	16	31	45	86
TOTAL SINGLE DX	353	2.1	8	<1	<1	1	2	4	7	15
TOTAL MULTIPLE DX	820	10.1	157	1	2	6	12	23	36	77
TOTAL										
0-19 YRS	270	3.9	44	<1	1	1	4	9	18	38
20-34	168	6.5	100	<1	1	2	7	17	29	50
35-49	179	6.1	86	<1	1	2	8	16	22	68
50-64	196	7.9	102	<1	1	5	10	18	23	63
65 +	360	11.7	204	1	3	7	14	29	44	85
GRAND TOTAL	1173	7.7	126	<1	1	3	9	20	30	65

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	3.3	15	1	1	2	3	8	11	21
20-34	106	4.0	20	1	1	3	5	10	12	26
35-49	45	5.3	53	1	2	3	6	9	12	49
50-64	38	7.9	52	1	2	5	11	19	25	29
65 +	22	11.2	144	2	4	8	14	24	44	51
2. MULTIPLE DX										
0-19 YRS	258	11.8	174	1	3	7	16	28	45	72
20-34	319	12.4	227	1	3	7	16	41	56	99 +
35-49	349	16.0	288	2	5	11	21	40	64	99 +
50-64	567	18.4	310	3	7	13	24	43	68	99 +
65 +	1104	22.0	350	6	10	17	31	62	99	99 +
TOTAL SINGLE DX	298	5.0	41	1	1	3	6	11	15	34
TOTAL MULTIPLE DX	2597	18.2	315	3	6	13	25	48	75	99 +
TOTAL										
0-19 YRS	345	9.7	148	1	2	5	13	25	39	67
20-34	425	10.3	189	1	2	5	12	27	49	99 +
35-49	394	14.8	273	2	4	9	19	39	60	99 +
50-64	605	17.7	301	3	6	13	23	42	63	99 +
65 +	1126	21.8	348	5	9	17	31	61	98	99 +
GRAND TOTAL	2895	16.8	303	2	5	11	23	46	71	99 +

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	209	3.1	7	<1	1	2	4	6	8	14
20-34	183	3.3	8	1	1	3	4	6	9	15
35-49	118	3.7	12	1	1	3	5	8	12	17
50-64	71	3.7	6	1	1	3	6	8	9	10
65 +	59	5.0	29	1	1	4	7	9	14	33
2. MULTIPLE DX										
0-19 YRS	554	5.0	40	1	2	3	6	11	14	32
20-34	662	5.5	64	1	1	3	6	12	19	45
35-49	548	6.3	41	1	2	4	8	14	19	35
50-64	515	8.6	107	1	2	6	10	18	26	59
65 +	941	10.8	154	2	3	7	13	26	42	99 +
TOTAL SINGLE DX	640	3.5	11	1	1	3	5	7	9	16
TOTAL MULTIPLE DX	3220	7.6	95	1	2	4	9	17	26	65
TOTAL										
0-19 YRS	763	4.5	32	1	1	3	5	10	12	30
20-34	845	5.0	53	1	1	3	5	11	17	43
35-49	666	5.8	37	1	2	4	7	13	17	31
50-64	586	8.0	97	1	2	5	9	17	25	55
65 +	1000	10.5	149	2	3	7	13	25	40	99 +
GRAND TOTAL	3860	6.9	83	1	2	4	8	15	23	55

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	4.0	15	1	1	2	6	9	11	20
20-34	20	7.1	89	<1	1	3	11	17	29	39
35-49	18	5.6	25	1	2	4	9	13	16	18
50-64	13	6.8	47	1	2	4	11	15	23	25
65+	16	10.3	121	1	2	6	14	29	34	36
2. MULTIPLE DX										
0-19 YRS	62	11.6	97	1	4	9	19	25	33	39
20-34	69	16.1	312	1	3	10	23	45	54	98
35-49	53	15.8	234	2	5	11	21	40	60	99
50-64	78	20.2	346	3	6	15	29	49	62	99
65+	198	18.8	272	3	7	14	27	42	60	99+
TOTAL SINGLE DX	122	5.9	49	1	1	3	7	14	20	37
TOTAL MULTIPLE DX	460	17.3	268	2	6	13	25	40	55	99+
TOTAL										
0-19 YRS	117	8.0	73	1	2	6	11	20	25	38
20-34	89	14.1	275	1	2	8	19	38	53	95
35-49	71	13.2	200	2	4	8	18	33	49	93
50-64	91	18.3	325	3	5	14	26	46	58	98
65+	214	18.1	266	3	7	14	26	41	56	99+
GRAND TOTAL	**582**	**14.9**	**244**	**1**	**4**	**10**	**21**	**37**	**50**	**98**

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	3.6	16	<1	1	2	5	9	14	15
20-34	14	2.6	6	<1	1	2	3	5	9	10
35-49	15	2.7	3	1	1	2	4	5	7	7
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	5	7.0	44	<1	<1	5	13	15	15	15
2. MULTIPLE DX										
0-19 YRS	22	6.9	128	1	1	3	8	19	32	51
20-34	29	9.3	179	1	2	3	11	24	45	58
35-49	32	12.3	280	1	2	4	14	33	55	70
50-64	24	7.1	43	1	2	6	12	19	41	99+
65+	37	22.8	604	2	3	14	38	72	88	99+
TOTAL SINGLE DX	52	3.3	12	<1	1	2	4	7	13	15
TOTAL MULTIPLE DX	144	12.7	313	1	2	6	17	40	60	99+
TOTAL										
0-19 YRS	35	5.7	88	1	1	2	6	15	20	51
20-34	43	7.1	132	1	1	2	8	17	34	58
35-49	47	9.3	211	1	1	3	10	27	42	70
50-64	29	6.3	39	1	1	5	9	19	22	99+
65+	42	20.9	562	1	2	13	35	68	86	99+
GRAND TOTAL	**196**	**10.2**	**250**	**1**	**1**	**3**	**12**	**31**	**50**	**95**

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	2.0	4	1	1	1	2	5	7	10
20-34	63	2.3	4	1	1	1	3	5	6	11
35-49	68	2.4	5	1	1	1	3	5	7	11
50-64	49	1.8	2	1	1	1	2	3	4	11
65+	30	3.5	22	1	1	1	3	10	14	21
2. MULTIPLE DX										
0-19 YRS	182	3.5	17	1	1	2	4	8	12	22
20-34	123	5.2	38	1	2	3	6	11	17	34
35-49	158	5.4	40	1	2	3	7	12	17	34
50-64	214	6.7	86	1	1	3	9	16	23	59
65+	308	13.9	231	1	5	10	17	35	52	99+
TOTAL SINGLE DX	346	2.2	6	1	1	1	2	5	7	11
TOTAL MULTIPLE DX	985	8.0	122	1	2	4	10	19	30	83
TOTAL										
0-19 YRS	318	2.9	12	1	1	1	3	6	10	19
20-34	186	4.2	29	1	1	3	5	9	14	33
35-49	226	4.5	32	1	1	2	6	10	14	31
50-64	263	5.8	75	1	1	2	7	15	21	46
65+	338	13.0	222	1	3	9	17	34	49	99+
GRAND TOTAL	**1331**	**6.5**	**98**	**1**	**1**	**3**	**8**	**16**	**24**	**75**

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
2. MULTIPLE DX										
0-19 YRS	5	2.6	2	1	2	2	4	4	4	4
20-34	2	5.5	41	1	1	5	10	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	12	14.0	216	3	5	8	17	39	49	51
TOTAL SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
TOTAL MULTIPLE DX	20	9.8	157	1	3	5	11	27	42	51
TOTAL										
0-19 YRS	5	2.6	2	1	2	2	4	4	4	4
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	12	14.0	216	3	5	8	17	39	49	51
GRAND TOTAL	**22**	**9.1**	**146**	**2**	**2**	**4**	**10**	**25**	**41**	**51**

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.9	3	<1	1	1	2	5	7	7
20-34	353	1.7	3	1	1	1	1	3	6	12
35-49	486	1.7	5	1	1	1	1	3	6	12
50-64	245	1.4	2	1	1	1	1	2	4	10
65+	115	2.0	9	1	1	1	1	3	7	21
2. MULTIPLE DX										
0-19 YRS	22	2.8	24	1	1	1	2	5	13	24
20-34	183	2.9	9	1	1	1	4	7	10	15
35-49	368	3.4	25	1	1	1	3	8	13	24
50-64	320	3.7	32	1	1	1	4	9	15	31
65+	299	6.2	91	1	1	2	9	15	24	54
TOTAL SINGLE DX	1219	1.7	5	1	1	1	1	3	5	12
TOTAL MULTIPLE DX	1192	4.1	43	1	1	1	4	10	15	33
TOTAL										
0-19 YRS	42	2.3	14	1	1	1	2	5	7	24
20-34	536	2.1	6	1	1	1	2	5	8	14
35-49	854	2.4	14	1	1	1	2	5	9	18
50-64	565	2.7	21	1	1	1	2	6	11	22
65+	414	5.0	72	1	1	1	6	14	21	49
GRAND TOTAL	**2411**	**2.9**	**25**	**1**	**1**	**1**	**2**	**7**	**11**	**24**

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	2.8	8	1	1	2	3	6	10	13
20-34	30	2.4	4	<1	1	2	3	6	8	9
35-49	36	2.4	5	<1	1	1	3	6	9	9
50-64	46	2.9	9	<1	1	2	3	7	10	15
65+	38	2.5	7	<1	1	1	3	6	10	12
2. MULTIPLE DX										
0-19 YRS	39	4.9	38	1	1	2	6	13	16	32
20-34	45	4.4	17	<1	1	3	7	10	14	99+
35-49	101	7.0	47	1	2	5	9	16	18	36
50-64	217	6.6	52	1	2	5	9	14	21	35
65+	354	7.0	65	1	2	5	9	14	19	40
TOTAL SINGLE DX	171	2.6	7	<1	1	1	3	6	9	13
TOTAL MULTIPLE DX	756	6.6	55	1	2	5	9	14	19	38
TOTAL										
0-19 YRS	60	4.2	29	1	1	2	5	11	14	30
20-34	75	3.6	14	<1	1	2	6	9	11	79
35-49	137	5.8	40	1	1	4	7	15	17	35
50-64	263	6.0	47	1	1	4	8	13	20	28
65+	392	6.5	61	1	1	4	9	14	18	39
GRAND TOTAL	**927**	**5.9**	**49**	**1**	**1**	**4**	**8**	**13**	**17**	**36**

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	10	4.5	16	1	2	3	6	11	12	12
50-64	16	5.8	17	1	2	5	9	12	13	14
65+	16	7.3	20	2	3	7	9	15	15	15
TOTAL SINGLE DX	7	2.9	5	1	2	2	3	7	8	8
TOTAL MULTIPLE DX	43	5.9	19	1	2	5	9	13	15	15
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	11	4.3	15	1	2	2	6	11	12	12
50-64	19	5.5	16	1	2	5	9	11	13	14
65+	17	6.9	21	2	3	7	9	15	15	15
GRAND TOTAL	**50**	**5.5**	**18**	**1**	**2**	**4**	**8**	**12**	**15**	**15**

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	3.2	26	1	1	2	3	7	8	32
20-34	76	4.9	12	1	2	4	7	9	12	15
35-49	107	4.6	12	1	1	4	7	9	11	14
50-64	108	4.0	11	1	1	2	6	9	10	12
65 +	106	3.5	8	1	1	2	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	67	5.4	61	1	1	2	7	14	23	38
20-34	135	6.2	24	1	2	5	9	13	16	23
35-49	281	7.1	58	1	2	5	9	14	18	47
50-64	683	6.7	57	1	2	5	9	14	17	36
65 +	1429	7.7	58	1	2	6	10	15	21	41
TOTAL SINGLE DX	437	4.1	13	1	1	3	6	9	11	14
TOTAL MULTIPLE DX	2595	7.2	57	1	2	6	10	15	19	40
TOTAL										
0-19 YRS	107	4.6	49	1	1	2	5	10	18	37
20-34	211	5.8	20	1	2	5	8	11	14	21
35-49	388	6.4	47	1	2	5	9	13	16	33
50-64	791	6.4	52	1	2	5	9	13	16	33
65 +	1535	7.4	57	1	2	6	10	15	20	40
GRAND TOTAL	3032	6.8	52	1	2	5	9	14	18	38

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	543	3.3	45	1	1	2	3	6	10	52
20-34	397	6.3	88	1	2	3	6	15	25	45
35-49	289	6.0	85	1	2	3	6	11	19	51
50-64	237	5.3	33	1	2	4	6	11	16	45
65 +	294	7.6	80	2	3	5	8	16	23	50
2. MULTIPLE DX										
0-19 YRS	1429	6.2	105	1	1	3	7	13	25	70
20-34	1241	7.7	106	1	2	5	9	16	27	56
35-49	1552	8.3	76	2	3	6	10	18	26	52
50-64	2387	8.8	86	2	4	6	10	18	25	52
65 +	9043	12.2	153	3	5	8	15	28	42	99 +
TOTAL SINGLE DX	1760	5.4	68	1	1	3	6	11	20	48
TOTAL MULTIPLE DX	15652	10.4	132	2	4	7	12	23	35	86
TOTAL										
0-19 YRS	1972	5.4	90	1	1	2	6	11	22	67
20-34	1638	7.4	102	1	2	4	8	16	26	57
35-49	1841	8.0	78	2	3	5	9	17	25	52
50-64	2624	8.5	83	2	3	6	10	18	24	52
65 +	9337	12.1	151	3	5	8	15	27	41	99 +
GRAND TOTAL	17412	9.9	128	2	3	7	12	22	34	81

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1390	3.0	10	1	1	2	4	6	8	14
20-34	1894	3.1	10	1	1	2	4	6	8	14
35-49	1127	3.5	12	1	1	2	4	7	9	14
50-64	626	4.2	19	1	2	3	5	8	10	20
65 +	448	5.6	35	1	2	4	7	10	13	25
2. MULTIPLE DX										
0-19 YRS	3529	5.6	49	1	2	4	6	11	17	36
20-34	3359	5.4	47	1	2	4	6	10	15	39
35-49	3559	6.4	41	2	3	5	8	13	17	36
50-64	4986	7.2	42	2	3	6	9	14	18	34
65 +	14247	9.5	75	3	5	7	11	18	25	54
TOTAL SINGLE DX	5485	3.5	15	1	1	2	4	7	9	17
TOTAL MULTIPLE DX	29680	7.8	63	2	3	6	10	15	22	45
TOTAL										
0-19 YRS	4919	4.8	40	1	2	3	5	9	14	34
20-34	5253	4.6	35	1	2	3	5	9	12	31
35-49	4686	5.7	36	1	2	4	7	11	16	31
50-64	5612	6.9	41	2	3	5	9	13	18	32
65 +	14695	9.4	75	3	5	7	11	18	25	54
GRAND TOTAL	35165	7.2	58	2	3	5	9	14	20	42

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	5.3	20	2	3	4	6	11	17	18
20-34	3	5.7	41	<1	1	3	10	13	13	13
35-49	5	4.4	5	1	3	5	6	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	5	3.6	5	1	2	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	558	23.6	498	3	7	17	41	72	99 +	99 +
20-34	81	11.0	113	2	4	8	14	26	37	86
35-49	145	15.1	196	3	5	11	19	31	40	77
50-64	300	17.4	159	6	10	14	21	33	51	75
65 +	1017	18.4	216	6	9	14	23	38	57	99 +
TOTAL SINGLE DX	26	4.7	14	1	3	4	6	7	14	18
TOTAL MULTIPLE DX	2101	19.1	287	5	8	14	25	48	69	99 +
TOTAL										
0-19 YRS	569	23.3	496	3	7	16	41	72	99 +	99 +
20-34	84	10.8	111	2	4	8	14	25	36	85
35-49	150	14.7	194	3	5	11	19	31	39	77
50-64	302	17.3	160	5	9	14	21	33	51	74
65 +	1022	18.4	216	6	9	14	23	38	57	99 +
GRAND TOTAL	2127	19.0	287	4	8	14	25	48	69	99 +

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1761	3.8	19	1	2	3	4	6	13	23
20-34	290	4.6	27	1	2	3	5	9	12	32
35-49	307	5.1	16	1	2	4	7	10	12	21
50-64	228	5.4	29	2	2	4	7	10	14	36
65 +	198	6.4	28	2	3	5	8	13	17	30
2. MULTIPLE DX										
0-19 YRS	3511	5.4	44	2	2	3	6	11	17	34
20-34	620	9.5	131	2	3	6	12	21	27	80
35-49	874	9.1	125	2	3	6	10	19	34	74
50-64	1439	10.1	142	3	4	6	11	20	31	73
65 +	5067	12.6	154	3	5	9	15	28	41	80
TOTAL SINGLE DX	2784	4.3	22	1	2	3	5	8	13	26
TOTAL MULTIPLE DX	11511	9.7	125	2	3	6	11	21	32	65
TOTAL										
0-19 YRS	5272	4.8	36	1	2	3	5	10	16	31
20-34	910	8.0	104	2	3	4	10	19	25	70
35-49	1181	8.1	100	2	3	5	9	16	27	64
50-64	1667	9.4	130	2	4	6	10	19	30	71
65 +	5265	12.4	151	3	5	8	15	27	41	76
GRAND TOTAL	14295	8.6	110	2	3	5	10	19	29	61

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	241	3.4	8	1	2	3	4	6	7	16
20-34	111	3.9	8	1	2	3	5	8	11	14
35-49	113	4.5	7	1	2	4	6	8	10	13
50-64	73	4.2	5	1	3	4	6	7	8	10
65 +	89	5.3	10	2	3	4	6	10	12	17
2. MULTIPLE DX										
0-19 YRS	655	5.5	36	2	3	4	6	10	15	32
20-34	447	6.8	49	1	3	5	8	14	19	37
35-49	663	7.3	36	2	3	6	9	15	21	30
50-64	1193	7.8	42	2	4	6	10	14	20	39
65 +	4312	9.8	85	3	5	7	12	18	26	66
TOTAL SINGLE DX	627	4.1	8	1	2	3	5	7	9	15
TOTAL MULTIPLE DX	7270	8.7	69	2	4	7	11	17	23	51
TOTAL										
0-19 YRS	896	4.9	30	2	2	4	6	9	14	30
20-34	558	6.2	43	1	2	4	8	13	17	28
35-49	776	6.9	33	2	3	5	9	14	20	28
50-64	1266	7.6	41	2	4	6	9	14	20	36
65 +	4401	9.7	84	3	5	7	12	18	26	65
GRAND TOTAL	7897	8.3	66	2	4	6	10	16	22	48

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1167	3.4	37	1	1	2	3	6	9	33
20-34	457	3.6	28	< 1	1	2	4	8	12	27
35-49	551	3.5	28	1	1	2	4	7	10	24
50-64	533	3.8	17	1	2	3	5	7	10	20
65 +	471	5.3	57	1	2	3	6	9	13	41
2. MULTIPLE DX										
0-19 YRS	3680	7.8	147	1	2	4	8	19	35	93
20-34	1321	5.5	60	1	1	3	6	13	19	41
35-49	2287	5.5	58	1	2	3	6	11	17	45
50-64	4249	6.1	47	1	2	4	7	12	16	36
65 +	11894	8.2	84	2	3	6	10	16	24	61
TOTAL SINGLE DX	3179	3.8	35	1	1	2	4	7	10	28
TOTAL MULTIPLE DX	23431	7.3	85	1	3	5	8	15	23	60
TOTAL										
0-19 YRS	4847	6.7	125	1	2	3	6	16	29	84
20-34	1778	5.0	53	1	1	3	5	12	18	38
35-49	2838	5.1	53	1	2	3	6	10	16	41
50-64	4782	5.8	45	1	2	4	7	11	15	34
65 +	12365	8.1	84	2	3	6	9	16	24	59
GRAND TOTAL	26610	6.9	81	1	2	4	8	14	22	56

APPENDIX A

1990 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	380	44	11.6
25-49	1,125	148	13.2
50-99	1,148	160	13.9
100-199	1,130	188	16.6
200-299	694	110	15.9
300-399	389	86	22.1
400-499	204	40	19.6
500+	262	56	21.4
Unknown	5	0	
Total	**5,337**	**832**	**15.6**
Region and Census Division			
Northeast	760	176	23.2
New England	226	72	31.9
Middle Atlantic	534	104	19.5
North Central	1,554	230	14.8
East North Central	811	198	24.4
West North Central	743	32	4.3
South	2,020	154	7.6
South Atlantic	792	87	11.0
East South Central	467	32	6.9
West South Central	761	35	4.6
West	1,003	272	27.1
Mountain	353	149	42.2
Pacific	650	123	18.9
Location			
Urban	2,812	497	17.7
Rural	2,525	335	13.3
Teaching Intensity			
Low	4,362	613	14.1
Medium	691	155	22.4
High	284	60	21.1
Unknown	0	4	

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 sample is compared to the universe of hospitals in 1989.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by American Medical Association (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 717, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12: 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
717	Repair and plastic operation on bone, except facial and femur	78.00-78.04; 78.06-78.14; 78.16-78.23; 78.27-78.34; 78.37-78.44; 78.46-78.54; 78.56-78.59; 78.70-78.74; 78.76-78.84; 78.86-78.94; 78.96-78.99; 79.90-79.94; 79.96-79.99
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85 92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.98; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1990 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
	Angiodysplasia
224	intestine
206	stomach
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	bone marrow transplant
405	cardiac pacemaker
	drugs-see *Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough

Group No.	Title
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
340	kidney disease
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional

DIAGNOSIS INDEX (continued)

Group No.	Title
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic

Group No.	Title
	Dependence **(continued)**
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
134	Dermatochalasis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy

DIAGNOSIS INDEX (continued)

Group No.	Title
	Diabetic complications **(continued)**
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's

Group No.	Title
	Disease **(continued)**
80	Cushing's
340	cystic kidney
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica

Group No.	Title
	Disease **(continued)**
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disorder **(continued)**
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy

Group No.	Title
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial

DIAGNOSIS INDEX (continued)

Group No.	Title
	Enteritis, except bacterial, regional, and viral **(continued)**
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow

Group No.	Title
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in ~~body~~ orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*

Group No.	Title
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
176	Goodpasture's syndrome
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No. Title

- 357 Hyperbilirubinemia, unspecified
  - 84 constitutional
  - 344 neonatal
- 84 Hypercalcemia
- 276 Hyperemesis gravidarum
- 80 Hyperinsulinism
- 84 Hyperlipoproteinemia
- 80 Hyperparathyroidism
- 249 Hyperplasia of prostate
- 86 Hyperpotassemia
- 176 Hypersensitivity angiitis
- 143 Hypertension, except renal and of pregnancy
  - 275 of pregnancy
  - 301 with delivery
  - 145 renal
  - 146 renovascular
- 134 Hypertensive retinopathy
- 74 Hyperthyroidism
- 185 Hypertrophy of tonsils and adenoids
- 84 Hypogammaglobulinemia
- 80 Hypoparathyroidism
- 86 Hypopotassemia
- 180 Hypotension
- 74 Hypothyroidism
- 86 Hypovolemia

- 222 Ileitis, regional
- 217 Ileus, paralytic or adynamic
- 357 Ill-defined conditions
- 343 Immaturity of newborn
- 84 Immunodeficiency disorder, except AIDS
  - 13 AIDS
- 167 Impending CVA
- 306 Impetigo
- 271 Incomplete abortion
- 354 Incontinence
- 147 Infarction, acute myocardial

Group No. Title

- Infection
  - 245 bladder
  - 328 bone
  - 260 cervix
  - 240 kidney, except nephritis, nephrosis, and acute pyelonephritis
  - 7 meningococcal
  - 407 postoperative wound
  - 302 puerperal, major
  - 306 skin and subcutaneous tissue, except cellulitis and abscess
  - 181 upper respiratory, except streptococcal
  - 247 urinary tract
    - 280 in pregnancy
  - 261 uterine, except cervix
  - 261 vaginal
  - 261 vulvar
  - 407 wound, postoperative
- 11 Infectious mononucleosis
- Infertility
  - 266 female
  - 254 male
- Inflammation
  - 120 central nervous system
  - 135 eye, except lacrimal tract
    - 133 lacrimal tract
- 189 Influenza
- 189 Influenzal pneumonia
- Inguinal hernia
  - 210 without complication
  - 211 with complication
- Injury
  - 345 birth
  - 392 blood vessel
  - 396 crush, except abdomen and chest
    - 386 abdomen
    - 385 chest
  - 384 head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury **(continued)**
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*

Group No.	Title
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No. Title
196 Lung disease, except pneumonia and obstructive
188 pneumonia, except bacterial
187 bacterial
193 obstructive
14 Lyme
93 Lymphadenitis, except acute and mesenteric
306 acute
92 mesenteric
350 Lymphadenopathy
13 in HIV infection (disease) (syndrome)
58 Lymphangioma
180 Lymphedema
53 Lymphosarcoma

134 Macular degeneration, retina
234 Malabsorption syndrome
14 Malaria
32 Malignant melanoma, skin
105 Manic-depressive psychosis
342 Marfan syndrome
256 Mastitis, except puerperal
304 puerperal
9 Measles
20 late effect
126 Median nerve entrapment
32 Melanoma, malignant
138 Meniere's disease
120 Meningitis, except tuberculous and viral
4 tuberculous
8 viral
20 late effect
265 Menopause
264 Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119 Mental deficiency or retardation
224 Mesenteric artery syndrome
92 Mesenteric lymphadenitis

Group No. Title
261 Metritis
263 Metrorrhagia
125 Migraine
4 Miliary tuberculosis
Mitral valve disease-*see Valvular disease*
342 Mongolism
16 Moniliasis
11 Mononucleosis
221 Mucous colitis
Multiparity
282 without delivery
410 without pregnancy
282 Multiple pregnancy
289 with delivery
122 Multiple sclerosis
13 Mumps
124 Muscular dystrophy
16 Mycosis
147 Myocardial infarction, acute

184 Nasal polyp
356 Nausea
Neoplasm, benign
65 bladder
57 bone
67 brain
59 breast
56 bronchus
54 buccal cavity
61 cervix
57 connective tissue
55 digestive
69 endocrine, except thyroid
66 eye
genitalia
63 female, except uterus and ovary
64 male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
72	Neurofibromatosis
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple, except by cesarean delivery
419	by cesarean delivery
411	single, except by cesarean delivery
418	by cesarean delivery
412	twin, except by cesarean delivery
419	by cesarean delivery
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis

DIAGNOSIS INDEX (continued)

Group No.	Title
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine

Group No.	Title
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis

DIAGNOSIS INDEX (continued)

Group No.	Title
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No. Title

Ureteral
243 disease, except calculus
242 calculus
Urethral
248 disease, except calculus and stricture
244 calculus
246 stenosis, except congenital
340 congenital
246 stricture, except congenital
340 congenital
248 Urethritis
280 in pregnancy
181 URI (upper respiratory infection)
247 Urinary tract infection
280 in pregnancy
Uterine
60 fibroid
262 prolapse
134 Uveitis

261 Vaginitis, except atrophic and senile
265 atrophic or senile
330 Valgus deformity, limb
Valvular disease
158 nonrheumatic
142 rheumatic
180 Varices, esophagus
178 Varicose veins of lower extremities
330 Varus deformity, limb
Venereal
15 disease
12 wart

Group No. Title

324 Vertebrogenic pain syndrome
357 Vertigo
Viral
13 encephalitis
20 late effect
1 gastroenteritis
10 hepatitis
8 meningitis
20 late effect
12 wart
Vitreous
134 abscess
134 prolapse
269 Voluntary abortion
217 Volvulus
356 Vomiting
276 of pregnancy
261 Vulvar infection
261 Vulvitis

12 Warts, viral
7 Whooping cough
Withdrawal
98 alcohol
99 drug
Wound
408 dehiscence
infection
407 postoperative
401 posttraumatic
open-*see Laceration*

13 Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	Title
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy **(continued)**
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt **(continued)**
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No. **Title**

Debridement **(continued)**
715 fracture, except of femur and skull
714 femur
502 skull
768 nail, nail bed, nail fold
763 skin (infection) (wound), except nonexcisional
764 nonexcisional
Decompression
509 carpal tunnel
502 cranial
506 laminectomy
506 spinal
Delivery
698 artificial rupture of membranes
696 breech extraction
700 cesarean section, except low cervical
699 low cervical
697 forceps, except low forceps
695 low forceps
697 internal and combined version
767 Dermabrasion
602 Derotation, intestine
779 Detoxification (alcohol) (drug)
579 Dialysis, except peritoneal
631 peritoneal
Dilation
644 bladder (neck)
602 large intestine
640 ureteral meatus
651 ureterovesical orifice
647 urethra, urethrovesical junction
683 Dilation and curettage (D and C), uterus, except for termination of pregnancy
682 termination of pregnancy
726 Dislocation-reduction, except hip and temporomandibular
725 hip
710 temporomandibular (joint)

Group No. **Title**

Division
adhesions-*see Lysis, adhesions*
613 anal sphincter
741 fascia, except of hand
743 hand
508 peripheral nerve
511 sympathetic nerve or ganglion
667 Dorsal or lateral slit of prepuce
Drainage-*see also Incision (and drainage)*
654 bladder, except surgical approach
644 surgical approach (suprapubic)
568 chest
536 middle ear
781 Drug therapy
599 Duodenectomy

783 ECG (electrocardiogram)
582 ECMO (extracorporeal membrane oxygenation)
775 Echoencephalography
783 EEG (electroencephalogram)
609 EGD (esophagogastroduodenoscopy), except with biopsy
598 with biopsy
783 EKG (electrocardiogram)
783 Electrocardiogram (ECG) (EKG)
783 Electroencephalogram (EEG)
768 Electrolysis, skin
769 Encephalography
Endoscopy
618 biliary tract
641 bladder
566 bronchus
621 colon, except surgical approach
609 surgical approach (transabdominal)
690 cul-de-sac, except for tubal ligation
672 tubal ligation
590 esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. **Title**

- Excision **(continued)**
  - hydrocele (continued)
    - 663 spermatic cord
    - 658 tunica vaginalis
  - 729 intervertebral disc or cartilage, except chemonucleolysis
    - 728 chemonucleolysis
  - 732 joint, except intervertebral disc and cartilage of knee
    - 729 intervertebral disc, except chemonucleolysis
      - 728 chemonucleolysis
    - 730 knee cartilage
  - 633 kidney, except partial
    - 636 partial
  - 730 knee cartilage (semilunar)
  - 583 lymph nodes, except radical
    - 584 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 670 bilateral
    - 669 unilateral
  - 549 parotid gland
  - 761 pilonidal cyst or sinus
  - 515 pituitary gland
  - 656 prostate, except transurethral approach
    - 655 transurethral approach
  - 522 pterygium
  - 762 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 730 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 767 toenail
  - 551 tongue
  - 552 tonsil, except with adenoids
    - 553 with adenoids
  - 555 tonsil tag

Group No. **Title**

- Excision **(continued)**
  - tubes and ovaries
    - 670 bilateral
    - 669 unilateral
  - 678 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 663 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 628 abdominal wall
  - 611 anus
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 501 brain
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix, except by conization
    - 675 conization
  - 598 colon
  - 520 conjunctiva
  - 522 cornea
  - 598 duodenum
  - 533 ear, external
  - 589 esophagus
  - 531 eye
  - 517 eyelid
  - 674 fallopian tube
  - 548 gingiva, gums
  - 598 intestine
  - 524 iris
  - 636 kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach

Group No.	Title
	Excision of lesion **(continued)**
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
764	infusion pump
755	limb prosthesis
764	vascular access device
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)

OPERATION INDEX (continued)

Group No. Title

- Incision (and drainage) **(continued)**
  - 522 cornea
  - 502 cranial sinus
  - 533 ear, external
  - 518 eyelid
  - 551 floor of mouth
  - 619 gallbladder
  - 548 gingiva, gums
  - 601 intestine
  - 727 joint
  - 519 lacrimal gland or sac
  - 614 liver
  - 583 lymph nodes
  - 538 mastoid
  - meninges
    - 501 cerebral
    - 506 spinal
  - 536 middle ear
  - 741 muscle
  - nasal sinus-*see Sinusotomy*
  - 741 palmar space (hand)
  - 620 pancreas
  - 613 perianal tissue
  - perineum
    - 691 female
    - 764 male
  - 607 perirectal tissue
  - 629 peritoneum, except via cul-de-sac
    - 690 via cul-de-sac
  - 761 pilonidal cyst or sinus
  - 568 pleura
  - 607 rectovaginal septum
  - 607 rectum
  - 628 retroperitoneal abscess
  - 658 scrotum
  - sinus (nasal)-*see Sinusotomy*

Group No. Title

- Incision (and drainage) **(continued)**
  - 764 skin, except pilonidal cyst or sinus
    - 761 pilonidal cyst or sinus
  - 506 spinal meninges
  - 741 tendon
  - 568 thorax
  - 637 ureter
  - 690 vagina
  - 691 vulva
- 698 Induction of labor (medical or surgical) for delivery
- Infusion
  - concentrated nutritional substances
  - 783 enteral
  - 781 parenteral (PPN) (TPN)
- Injection
  - 702 intra-amniotic, for termination of pregnancy
  - sclerosing agent
    - 589 esophageal varices
    - 597 gastric varices
    - 621 hemorrhoids
    - 588 peripheral vein
  - 781 therapeutic agent (drugs)
    - 760 breast
    - 756 bursa
    - 756 joint
    - 756 tendon
- 694 Insemination, artificial
- Insertion
  - 717 bone growth stimulator, except femur
    - 716 femur
  - 574 cardiac pacemaker (electrode) (pulse generator)
  - 512 catheter, spinal canal
  - 596 gastric balloon
  - 764 infusion pump
  - 694 intrauterine contraceptive device
  - 687 laminaria, uterus
  - 665 penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Insertion **(continued)**
767	tissue expander, except breast
760	breast
651	ureteral stent, except by incision
637	by incision
764	vascular access device
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids

Group No.	Title
	Ligation **(continued)**
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy

OPERATION INDEX (continued)

Group No.	Title
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral

Group No.	Title
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis

OPERATION INDEX (continued)

Group No.	Title
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
	Puncture **(continued)**
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible

OPERATION INDEX (continued)

Group No.	Title
	Reconstruction **(continued)**
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*

Group No.	Title
	Release **(continued)**
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis

OPERATION INDEX (continued)

Group No. **Title**

- Removal **(continued)**
  - 705 retained placenta, manually
  - 783 sutures
  - 783 t-tube, gallbladder
  - 783 therapeutic device, nonoperatively
  - 764 tissue expander, except breast
    - 760 breast
  - 529 vitreous
- 579 Renal dialysis
- Repair
  - 632 abdominal wall
  - 613 anal fistula, except by excision
    - 610 excision
  - 582 aneurysm (arteriovenous)
  - 644 bladder, except obstetric laceration
    - 705 obstetric laceration
  - 518 blepharoptosis
  - 582 blood vessel
  - 717 bone, except facial and femur
    - 707 facial
    - 716 femur
  - 760 breast
  - 563 bronchial fistula
  - 713 bunion
  - 570 cardiac septal defect and other anomalies
  - 677 cervix, except obstetric laceration
    - 705 obstetric laceration
  - 569 chest wall
  - 713 claw toe
  - 550 cleft palate
  - 520 conjunctiva
  - 522 cornea, except transplant
    - 521 transplant
  - 688 cystocele, vagina
  - 745 diastasis recti
  - 533 ear, external
  - 518 ectropion or entropion, eyelid

Group No. **Title**

- Repair **(continued)**
  - 705 episiotomy
  - 518 eyelid
  - fistula-*see Fistulectomy*
  - 713 hallux valgus
  - 713 hammer toe
  - 744 hand
  - hernia-*see Herniorrhaphy*
  - 736 hip, except total replacement
    - 735 total replacement
  - 504 hydrocephalus, by ventricular shunt
  - 602 intestine
  - 740 joint, except hip, knee and prosthetic replacement
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee, except total replacement
      - 737 total replacement
    - 739 total replacement, except hip and knee
  - 738 knee (joint), except total replacement
    - 737 total replacement
  - laceration-*see also Repair, by site*
    - 705 obstetric
  - 561 larynx
  - 551 lip
  - 615 liver
  - 567 lung
  - 746 muscle, except extraocular and of hand
    - 530 extraocular
    - 744 hand
  - 555 nasopharyngeal atresia
  - 541 nose
  - 671 ovary
  - 550 palate
  - 666 penis
  - 693 perineum, female, except obstetric laceration
    - 705 obstetric laceration
  - 509 peripheral nerve

OPERATION INDEX (continued)

Group No. Title

- **Repair (continued)**
  - 596 pylorus, stomach
  - 688 rectocele, vagina
  - 609 rectum
  - 528 retinal detachment or tear
  - 745 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 597 stomach, except pylorus
    - 596 pylorus
  - 650 stress incontinence, except urethral suspension
    - 649 urethral suspension
  - 746 tendon, except of hand
    - 744 hand
  - 661 testis
  - 713 toe(s)
  - 561 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterus, except obstetric laceration and supporting structures
    - 705 obstetric laceration
    - 686 supporting structures
  - 689 vagina, except for cystocele and rectocele, and obstetric laceration
    - 688 cystocele and rectocele
    - 705 obstetric laceration
  - 551 vestibular arch (mouth)
  - 693 vulva, except obstetric laceration
    - 705 obstetric laceration
- Replacement
  - 574 cardiac pacemaker
  - 570 heart valve
  - 739 joint, except hip and knee
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee

Group No. Title

- **Replacement (continued)**
  - 665 penile prosthesis
  - 654 urinary catheter
- Resection
  - 644 bladder
  - 582 blood vessel
  - 563 bronchus
  - 600 large intestine
  - 745 muscle, except of hand
    - 743 hand
  - 540 nasal septum, submucous
  - 530 ocular muscle
  - 668 ovary
  - 608 rectum (abdominoperineal) (pull-through)
  - 548 root of tooth
  - 599 small intestine
  - 745 tendon, except of hand
    - 743 hand
- 547 Restoration, tooth
- 775 Retrograde pyelogram
- Revision
  - 754 amputation stump
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. Title

- Salpingectomy
  - 673 bilateral
  - 674 unilateral
- Salpingo-oophorectomy
  - 670 bilateral
  - 669 unilateral
- 745 Scalenectomy
- 741 Scalenotomy
- Scan
  - 774 C.A.T. (computerized axial tomography)
  - 775 radioisotope
- 528 Sclera buckling, for retinal detachment
- Sclerotherapy (injection)
  - 589 esophageal varices
  - 597 gastric varices
  - 621 hemorrhoids
  - 588 peripheral vein
- 717 Shortening, bone, except femur
  - 716 femur
- Shunt-*see also Bypass*
  - 504 cerebral ventricles, except revision
    - 505 revision
  - 578 peripheral vessels, except for renal dialysis
    - 580 for renal dialysis
  - 632 peritoneovenous
  - 578 systemic vessels
- 549 Sialoadenectomy
- 621 Sigmoidoscopy
- 600 Sigmoidectomy
- 545 Sinusectomy, nasal
- 545 Sinusotomy, except radical maxillary
  - 544 radical maxillary
- 767 Size-reduction, skin tissue except breast
  - 760 breast
- 783 Sleep disorder function tests
- Sphincterotomy
  - 619 ampullary (of Vater) (pancreas), except by ERCP

Group No. Title

- Sphincterotomy **(continued)**
    - 618 by ERCP
  - 613 anus
  - 644 bladder neck
- Spinal
  - 733 fusion
  - 512 tap or puncture
- 586 Splenectomy
- 734 Stabilization of joint, except foot and knee
  - 740 foot
  - 738 knee
- 534 Stapedectomy
- 534 Stapes mobilization
- 650 Stress incontinence repair, except by urethral suspension
  - 649 urethral suspension
- Stress test
  - 783 cardiac
  - 704 fetal
  - 783 uterine
- 540 Submucous nasal resection
- 698 Surgical induction of labor for delivery
- Suspension
  - 649 urethra, except with bladder neck
    - 650 with bladder neck
  - 650 urethrovesical
- Suture-*see also Repair, by site*
  - 745 muscle, except of hand
    - 744 hand
  - 764 skin
  - 745 tendon, except of hand
    - 744 hand
- 510 Sympathectomy
- 732 Synovectomy

- 553 T and A
- Takedown-*see Closure*

OPERATION INDEX (continued)

Group No. Title
745 Tenosynovectomy, except of hand
743   hand
741 Tenotomy, except of hand
743   hand
Termination of pregnancy
684   aspiration curettage
682   dilation and curettage
700   hysterotomy
702   intra-amniotic injection
783 Thallium stress test
Therapy
779   behavior
781   cancer (chemical)
779   electroconvulsive (ECT)
778   occupational
778   physical
779   psychiatric
776   radiation
779   shock (EST)
778   speech
777   ventilation
775 Thermography
576 Thoracentesis
569 Thoracoscopy, transpleural
568 Thoracotomy
515 Thymectomy
513 Thyroidectomy
582 Thromboendarterectomy, except carotid
581   carotid
551 Tongue-tie operation
552 Tonsillectomy, except with adenoidectomy
553   with adenoidectomy
547 Tooth restoration
781 TPN (total parenteral nutrition)
560 Tracheostomy
778 Traction, skeletal, except with fracture-reduction
  with fracture-reduction-*see Reduction, fracture*

Group No. Title
Transfer-*see Transplant*
Transfusion
781   blood, except intrauterine exchange
704   intrauterine
585   bone marrow
781   coagulation factor
781   gamma globulin
781   plasma
Transplant, transplantation
585   bone marrow
521   corneal
570   heart
570   and lung
635   kidney
615   liver
567   lung
746   muscle, except of hand
744   hand
620   pancreas
746   tendon, except of hand
744   hand
655 TUR of prostate
542 Turbinectomy, nasal
535 Tympanoplasty, except revision
538   revision
536 Tympanotomy

Ultrasonic fragmentation of calculus
652   biliary
652   urinary, except by percutaneous nephrostomy
634   percutaneous nephrostomy
775 Ultrasound, diagnostic
640 Ureterectomy
638 Ureterostomy
637 Ureterotomy
641 Urethroscopy

OPERATION INDEX (continued)

Group No.	Title
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
Southern Region, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1991

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1990
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1990
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1990
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1990
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi
  Source of the Data
  Data Quality
  Hospital Characteristics

Organization of the Tables viii
  Classification System
  Patient Data Assignment
  Definition of Multiple Diagnosis Patients
  Definition of Operated Patients

Explanation of the Statistics x
  Total Number of Patients
  Average Length of Stay
  Variance
  Percentiles
  Subtotal and Grand Total

Using the Tables xi

Ten Year Length of Stay Comparison xii

Length of Stay Tables 1
  Length of Stay Diagnosis Groups 1
  Summary of All Patients in Diagnosis Groups 2
  Summary of All Patients Except Newborn 3
  Diagnosis Groups 1-419 4
  Length of Stay Operation Groups 215
  Summary of All Patients in Operation Groups 216
  Operation Groups 501-783 217

Appendix A
  1990 Hospital Characteristics 289

Appendix B
  Description of Hospital Characteristics 290

Appendix C
  State Inclusions By Region 291

Appendix D
  Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293
  Index
    Part I: Diagnosis Index 298
    Part II: Operation Index 321

ACKNOWLEDGEMENTS

1990 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda Vanek, Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA).
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.
Michele Archer, Staff Nosologist, CPHA.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Sally Smith, and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1990 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, The National Association of Children's Hospitals and Related Institutions (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The system was designed to group together patients with the same or closely related diagnoses (or procedures) to permit the development of detailed guidelines of care.

The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, and 418-419, which pertain exclusively to newborns, age is replaced by birth weight in grams. Two new groups were added in 1990 to the List A Diagnosis Groups to separate newborns delivered by cesarean section from unassisted deliveries:

418 - Single liveborn, with cesarean section delivery, born in hospital
419 - Twin or multiple liveborn, with cesarean section delivery, born in hospital

The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. A significant procedure is defined as one that is surgical (invasive) in nature, or carries a procedural risk, or carries an anesthetic risk, or requires specialized training. Surgery generally includes incision, excision, amputation, introduction (of devices), endoscopy, repair, suture, and manipulation. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis

- Not Operated or Operated (for Diagnosis groups only)

- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

TEN YEAR LENGTH OF STAY COMPARISON

The Length of Stay publications present statistical data which describe hospital stay in the United States. Companion volumes display data for census regions and the pediatric and geriatric populations. The 1990 LOS series, published by Healthcare Knowledge Resources, is derived from the database developed and maintained by the Commission on Professional and Hospital Activities (CPHA) and is drawn from over four million hospital discharge records.

Hospital stay data provide a valuable perspective for healthcare professionals who make decisions based on hospital utilization. Length of Stay has been published since 1963 and can be used to track trends, examine patterns of care, and conduct comparisons between years.

The following graphs illustrate changes in hospital stay over a 10 year period.

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS EXCEPT NEWBORNS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

There is a steady decline in length of stay over the time period studied, with a 12% drop observed from 1980 to 1985 for all patients in the U.S. From 1985 to 1990 the decline continued, but slowed to a 5% decrease.

Traditionally, hospital stays are highest in the Northeast and North Central, and lowest in the South and West. This regional pattern remains consistent until 1990, when the North Central and Southern regions display an almost equivalent length of stay.

A variety of factors can be looked at to explain the decline in hospital stay. Studies show that the prospective payment system implemented by the federal government had an impact on reducing hospital stays by reimbursing at a fixed rate for inpatient care. The introduction of utilization review to monitor costs and resource consumption helped shorten hospital stays by assuring medical necessity of admissions.

Other factors that affect hospital stay include introducing new medical technology and techniques that require shorter hospitalization and recovery time, discharging patients as soon as medically feasible to less acute care settings, providing more home-based services as an alternative to inpatient care, and managing catastrophic cases.

The growth of HMOs and PPOs provides yet another explanation for the decrease in hospital stays. Because services are prepaid, all medical care is closely monitored to control costs and utilization.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75201	2.7	9	1	2	2	3	4	6	14
20-34	36230	2.7	10	1	1	2	3	5	7	16
35-49	11838	4.0	23	1	1	2	4	8	12	26
50-64	5953	4.4	27	1	2	3	5	9	13	28
65 +	4278	5.2	32	1	2	4	6	11	15	29
B. Operated										
0-19 YRS	26450	2.8	10	< 1	1	2	3	6	8	16
20-34	35653	2.7	5	1	2	2	3	4	6	10
35-49	18084	3.2	8	1	1	3	4	6	8	13
50-64	12086	3.7	12	1	1	3	5	8	10	16
65 +	8060	4.4	18	< 1	1	3	6	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97215	4.7	41	1	2	3	5	9	14	35
20-34	42092	4.9	39	1	2	3	5	10	16	33
35-49	40875	5.7	42	1	2	4	7	12	17	32
50-64	52539	6.0	38	2	3	4	7	12	16	32
65 +	120224	7.5	48	2	3	6	9	14	20	37
B. Operated										
0-19 YRS	38886	7.3	127	1	2	4	8	18	31	91
20-34	73580	4.5	33	2	2	3	5	8	12	33
35-49	52548	6.1	55	1	3	4	7	12	18	43
50-64	57330	7.9	72	1	3	6	10	16	23	47
65 +	95830	9.9	95	2	4	7	12	20	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133500	3.0	12	1	2	2	3	5	7	19
B. Operated	100333	3.1	9	< 1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	352945	6.0	44	2	2	4	7	12	17	35
B. Operated	318174	7.4	78	1	3	4	9	16	23	52
1. SINGLE DX	233833	3.0	11	1	1	2	3	5	8	16
2. MULTIPLE DX	671119	6.6	61	1	2	4	8	14	20	43
A. Not Operated	486445	5.2	37	1	2	3	6	11	15	31
B. Operated	418507	6.3	65	1	2	4	8	14	20	45
TOTAL										
0-19 YRS	237752	4.3	44	1	2	2	4	8	13	39
20-34	187555	3.9	26	1	2	3	4	7	11	28
35-49	123345	5.4	42	1	2	4	6	11	16	34
50-64	127908	6.6	52	1	2	5	8	13	19	38
65 +	228392	8.4	69	2	4	6	10	17	23	45
GRAND TOTAL	**904952**	**5.7**	**50**	**1**	**2**	**4**	**7**	**12**	**18**	**38**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37035	3.1	17	1	1	2	3	5	8	22
20-34	36230	2.7	10	1	1	2	3	5	7	16
35-49	11838	4.0	23	1	1	2	4	8	12	26
50-64	5953	4.4	27	1	2	3	5	9	13	28
65 +	4278	5.2	32	1	2	4	6	11	15	29
B. Operated										
0-19 YRS	26429	2.8	10	< 1	1	2	3	6	8	16
20-34	35653	2.7	5	1	2	2	3	4	6	10
35-49	18084	3.2	8	1	1	3	4	6	8	13
50-64	12086	3.7	12	1	1	3	5	8	10	16
65 +	8060	4.4	18	< 1	1	3	6	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72243	4.8	43	1	2	3	5	9	15	35
20-34	42092	4.9	39	1	2	3	5	10	16	33
35-49	40875	5.7	42	1	2	4	7	12	17	32
50-64	52539	6.0	38	2	3	4	7	12	16	32
65 +	120224	7.5	48	2	3	6	9	14	20	37
B. Operated										
0-19 YRS	37321	6.6	96	1	2	3	7	16	26	71
20-34	73580	4.5	33	2	2	3	5	8	12	33
35-49	52548	6.1	55	1	3	4	7	12	18	43
50-64	57330	7.9	72	1	3	6	10	16	23	47
65 +	95830	9.9	95	2	4	7	12	20	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95334	3.2	17	1	1	2	3	6	9	22
B. Operated	100312	3.1	9	< 1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	327973	6.1	45	1	2	4	7	12	18	35
B. Operated	316609	7.3	74	1	3	4	9	16	23	49
1. SINGLE DX	195646	3.2	13	1	1	2	4	6	8	18
2. MULTIPLE DX	644582	6.7	59	1	2	4	8	14	20	42
A. Not Operated	423307	5.5	40	1	2	4	6	11	16	33
B. Operated	416921	6.3	62	1	2	4	7	14	20	43
TOTAL										
0-19 YRS	173028	4.5	45	1	2	3	5	9	15	39
20-34	187555	3.9	26	1	2	3	4	7	11	28
35-49	123345	5.4	42	1	2	4	6	11	16	34
50-64	127908	6.6	52	1	2	5	8	13	19	38
65 +	228392	8.4	69	2	4	6	10	17	23	45
GRAND TOTAL	**840228**	**5.9**	**51**	**1**	**2**	**4**	**7**	**12**	**18**	**38**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	539	2.4	2	1	1	2	3	4	5	7
20-34	110	2.2	2	1	1	2	3	4	5	8
35-49	47	2.0	1	1	1	2	3	3	3	5
50-64	25	3.0	4	1	2	3	3	7	8	8
65 +	8	3.6	3	1	2	4	5	6	6	6
B. Operated										
0-19 YRS	10	3.7	3	2	3	3	5	6	7	7
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1999	2.9	4	1	2	3	4	5	6	10
20-34	324	2.5	3	1	1	2	3	5	6	9
35-49	222	3.0	3	1	2	3	4	5	7	10
50-64	154	3.4	4	1	2	3	4	6	7	12
65 +	294	3.8	6	2	2	3	5	7	8	13
B. Operated										
0-19 YRS	36	10.1	126	2	3	6	11	29	37	46
20-34	16	5.8	41	2	3	4	6	11	23	28
35-49	20	8.2	80	2	3	5	8	22	33	34
50-64	17	5.1	7	2	3	4	7	9	11	12
65 +	29	8.9	38	3	4	7	13	18	20	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	729	2.4	2	1	1	2	3	4	5	7
B. Operated	14	4.4	3	2	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	2993	3.0	4	1	2	3	4	5	6	11
B. Operated	118	8.2	69	2	3	5	9	18	29	41
1. SINGLE DX	743	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	3111	3.2	8	1	2	3	4	5	7	14
A. Not Operated	3722	2.9	4	1	2	2	3	5	6	10
B. Operated	132	7.8	64	2	3	5	8	16	28	39
TOTAL										
0-19 YRS	2584	2.9	6	1	2	2	3	5	6	11
20-34	452	2.6	5	1	1	2	3	5	6	11
35-49	290	3.2	10	1	2	3	4	5	7	12
50-64	197	3.5	5	1	2	3	4	7	8	12
65 +	331	4.3	11	2	2	4	5	8	10	19
GRAND TOTAL	**3854**	**3.0**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	171	4.3	25	2	2	3	5	7	8	35
20-34	52	2.7	2	1	1	3	4	5	6	7
35-49	28	3.6	3	1	2	4	4	6	7	7
50-64	17	5.8	8	3	3	5	8	10	11	12
65 +	5	3.6	7	2	2	2	5	8	8	8
B. Operated										
0-19 YRS	16	4.9	10	2	2	4	7	10	11	12
20-34	11	3.4	1	2	2	3	4	5	5	5
35-49	8	4.5	4	2	3	4	6	8	8	8
50-64	4	4.3	9	< 1	1	4	6	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	485	4.8	20	2	2	3	6	9	12	25
20-34	156	3.6	9	2	2	3	4	7	8	15
35-49	146	4.3	10	1	2	3	5	8	12	15
50-64	114	5.6	13	2	3	5	7	10	13	18
65 +	265	7.5	30	3	4	6	9	13	17	25
B. Operated										
0-19 YRS	46	11.5	123	3	5	8	13	27	34	60
20-34	33	7.1	36	2	3	6	9	15	22	27
35-49	57	8.5	70	3	4	5	9	20	25	42
50-64	51	8.5	55	3	4	6	10	17	23	43
65 +	133	12.0	83	4	6	9	15	23	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	4.0	18	1	2	3	5	7	8	19
B. Operated	39	4.3	6	2	3	3	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	1166	5.3	21	2	3	4	7	10	13	24
B. Operated	320	10.2	80	3	4	7	13	21	27	46
1. SINGLE DX	312	4.1	16	1	2	3	5	7	8	18
2. MULTIPLE DX	1486	6.3	38	2	3	4	8	12	17	32
A. Not Operated	1439	5.0	20	2	2	4	6	9	12	23
B. Operated	359	9.6	75	3	4	7	11	20	27	43
TOTAL										
0-19 YRS	718	5.1	30	2	2	4	6	9	13	30
20-34	252	3.9	12	1	2	3	4	7	9	23
35-49	239	5.2	26	2	3	4	6	10	14	28
50-64	186	6.4	25	2	3	5	8	12	16	26
65 +	403	8.9	52	3	4	7	10	17	23	38
GRAND TOTAL	**1798**	**5.9**	**35**	**2**	**3**	**4**	**7**	**11**	**16**	**31**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	7.5	56	3	3	4	9	21	22	22
20-34	6	6.7	25	2	3	4	12	14	14	14
35-49	8	6.0	9	1	4	7	8	9	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	12.5	5	11	11	12	14	14	14	14
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	4	5.5	8	2	3	5	7	9	9	9
50-64	2	7.0	18	4	4	7	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.6	40	3	5	6	10	19	23	23
20-34	25	12.1	98	5	6	7	17	24	34	46
35-49	37	12.1	87	3	6	11	15	19	36	44
50-64	37	9.3	24	4	6	8	12	16	19	22
65 +	28	10.4	19	3	8	11	12	15	17	21
B. Operated										
0-19 YRS	10	10.3	133	2	4	5	11	30	38	38
20-34	20	11.6	35	4	7	11	15	20	23	24
35-49	20	13.9	100	6	9	10	15	28	38	46
50-64	40	14.8	175	3	7	10	18	37	47	55
65 +	46	15.5	261	3	5	10	20	33	55	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	7.0	26	2	3	6	10	14	17	22
B. Operated	8	4.9	11	1	2	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	137	10.7	55	3	6	9	14	17	23	44
B. Operated	136	14.1	168	3	6	10	17	30	41	66
1. SINGLE DX	31	6.4	22	2	3	5	9	13	14	22
2. MULTIPLE DX	273	12.4	114	3	6	10	15	23	34	55
A. Not Operated	160	10.2	52	3	5	9	13	17	22	44
B. Operated	144	13.6	164	3	5	9	16	29	40	66
TOTAL										
0-19 YRS	28	8.5	73	2	3	5	9	23	25	38
20-34	51	11.3	66	4	5	9	15	22	24	46
35-49	69	11.5	83	3	6	9	14	19	30	46
50-64	80	11.9	107	3	6	8	15	21	37	54
65 +	76	13.5	170	3	6	10	14	29	38	72
GRAND TOTAL	**304**	**11.8**	**108**	**3**	**5**	**9**	**15**	**22**	**33**	**54**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	13.3	146	3	4	10	22	30	30	30
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	11	12.4	77	2	4	14	18	23	29	29
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	6.5	13	4	4	6	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	9.0	40	2	5	9	13	19	20	20
20-34	2	19.5	613	2	2	19	37	37	37	37
35-49	8	12.9	197	2	4	8	16	37	44	44
50-64	5	15.8	33	9	11	18	23	92	99 +	99 +
65 +	3	19.7	134	12	12	14	28	33	33	33
B. Operated										
0-19 YRS	6	12.0	122	1	3	10	16	29	31	31
20-34	3	14.0	147	7	7	18	64	99 +	99 +	99 +
35-49	11	19.6	419	8	12	14	36	99 +	99 +	99 +
50-64	9	21.1	336	3	8	11	36	49	51	51
65 +	10	25.2	359	9	14	19	29	55	72	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	12.7	97	3	6	10	16	29	30	30
B. Operated	14	10.8	71	2	4	8	17	20	27	29
2. MULTIPLE DX										
A. Not Operated	25	13.7	125	2	5	10	20	37	55	99 +
B. Operated	39	19.8	310	6	9	14	29	74	99 +	99 +
1. SINGLE DX	20	11.4	75	2	4	8	17	24	29	30
2. MULTIPLE DX	64	17.4	244	4	8	14	25	50	99 +	99 +
A. Not Operated	31	13.5	116	3	6	10	19	34	43	99 +
B. Operated	53	17.4	261	3	8	14	24	51	94	99 +
TOTAL										
0-19 YRS	28	11.6	79	2	4	9	17	26	30	31
20-34	5	16.2	236	2	7	18	37	94	99 +	99 +
35-49	21	16.0	300	4	8	13	20	84	99 +	99 +
50-64	17	17.0	207	5	8	11	23	50	80	99 +
65 +	13	23.9	298	10	13	16	30	46	67	72
GRAND TOTAL	**84**	**16.0**	**209**	**3**	**7**	**14**	**22**	**42**	**82**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.5	1	1	2	2	3	4	4	7
20-34	19	2.8	2	1	2	3	3	5	6	6
35-49	7	3.6	2	2	2	4	4	6	6	6
50-64	5	2.6	2	1	2	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	14	1.1		< 1	< 1	< 1	1	2	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	263	2.7	3	1	2	2	3	5	6	9
20-34	65	3.0	2	1	2	3	4	5	5	9
35-49	32	3.0	2	1	2	3	4	5	6	6
50-64	17	4.1	5	1	3	4	5	7	9	10
65 +	15	4.4	4	2	3	4	6	7	8	9
B. Operated										
0-19 YRS	22	2.3	5	< 1	< 1	1	2	6	7	8
20-34	0									
35-49	3	5.0	4	3	3	5	6	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	2.6	2	1	2	2	3	4	5	7
B. Operated	15	1.3	1	< 1	< 1	< 1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated	392	2.9	3	1	2	3	4	5	6	10
B. Operated	25	2.6	5	< 1	< 1	1	4	7	7	8
1. SINGLE DX	105	2.4	2	1	2	2	3	4	5	7
2. MULTIPLE DX	417	2.9	3	1	2	2	4	5	6	9
A. Not Operated	482	2.8	3	1	2	2	4	5	6	9
B. Operated	40	2.1	4	< 1	< 1	1	2	6	7	8
TOTAL										
0-19 YRS	358	2.5	3	1	1	2	3	4	6	8
20-34	85	3.0	2	1	2	3	4	5	5	9
35-49	42	3.3	2	2	2	3	4	5	6	7
50-64	22	3.8	5	1	2	4	5	6	8	10
65 +	15	4.4	4	2	3	4	6	7	8	9
GRAND TOTAL	**522**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	324	4.3	8	2	3	3	5	9	10	15
20-34	5	5.8	3	4	4	6	7	8	8	8
35-49	2	4.0		4	4	4	4	4	4	4
50-64	5	5.6	2	4	5	5	7	7	7	7
65 +	8	6.1	5	3	4	6	8	9	9	9
B. Operated										
0-19 YRS	7	6.6	18	2	4	5	10	13	13	13
20-34	0									
35-49	0									
50-64	0									
65 +	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1068	5.6	17	2	3	4	7	11	14	19
20-34	133	8.1	26	4	5	7	9	15	19	43
35-49	223	9.0	44	3	5	8	11	16	20	35
50-64	431	9.6	46	4	6	8	12	16	21	44
65 +	1681	10.8	67	4	6	9	12	18	24	53
B. Operated										
0-19 YRS	115	16.7	247	4	7	12	20	32	46	93
20-34	59	16.6	207	4	8	13	22	31	39	90
35-49	136	16.1	170	5	8	12	21	35	56	99 +
50-64	224	15.1	149	6	8	12	17	31	41	95
65 +	638	19.5	215	7	10	15	25	41	48	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	4.4	8	2	3	3	5	9	10	14
B. Operated	9	7.2	18	2	4	6	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	3536	8.9	51	3	4	7	11	16	20	40
B. Operated	1172	17.8	203	6	9	14	22	37	47	94
1. SINGLE DX	353	4.4	8	2	3	3	5	9	10	14
2. MULTIPLE DX	4708	11.1	104	3	5	8	13	21	31	63
A. Not Operated	3880	8.5	49	3	4	7	10	15	19	39
B. Operated	1181	17.8	202	6	9	14	22	37	47	94
TOTAL										
0-19 YRS	1514	6.1	42	2	3	4	7	12	15	31
20-34	197	10.6	95	4	5	8	13	22	28	72
35-49	361	11.6	103	4	6	9	14	24	34	96
50-64	660	11.4	88	4	6	9	14	21	30	56
65 +	2329	13.2	122	5	7	10	15	25	36	66
GRAND TOTAL	**5061**	**10.6**	**100**	**3**	**5**	**8**	**13**	**20**	**29**	**59**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	5.2	9	2	3	4	7	9	11	15
20-34	11	4.8	9	2	2	4	6	10	10	10
35-49	4	5.3	4	3	3	5	7	7	7	7
50-64	11	3.9	1	2	3	4	5	5	5	5
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	6	4.7	13	1	2	4	9	9	9	9
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	7.2	35	2	4	6	9	13	16	34
20-34	40	5.7	22	2	3	4	7	10	13	29
35-49	39	10.3	100	3	4	7	11	22	31	53
50-64	23	10.2	50	3	5	8	14	19	25	32
65 +	43	8.3	46	4	5	6	10	15	25	37
B. Operated										
0-19 YRS	28	16.3	247	2	6	10	21	45	52	56
20-34	14	22.6	552	4	8	17	27	50	84	94
35-49	21	11.2	34	5	7	10	15	20	22	24
50-64	21	20.1	221	5	9	16	31	44	48	52
65 +	26	17.2	134	6	8	15	23	28	43	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	5.1	8	2	3	4	7	9	11	15
B. Operated	12	5.3	12	1	2	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	332	7.7	45	3	4	6	9	14	19	35
B. Operated	110	17.1	217	4	7	13	21	40	45	71
1. SINGLE DX	194	5.1	8	2	3	4	7	9	10	15
2. MULTIPLE DX	442	10.1	104	3	4	7	12	21	30	52
A. Not Operated	514	6.8	33	2	3	5	8	12	16	33
B. Operated	122	15.9	209	4	7	11	20	34	45	67
TOTAL										
0-19 YRS	375	7.0	47	2	3	5	8	13	16	45
20-34	67	9.1	172	2	3	5	9	18	29	86
35-49	66	10.2	71	4	5	7	13	21	25	50
50-64	57	12.4	141	3	4	8	16	32	42	52
65 +	71	11.5	95	4	5	8	15	26	28	50
GRAND TOTAL	**636**	**8.5**	**80**	**2**	**4**	**6**	**10**	**17**	**26**	**47**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	639	3.3	3	2	2	3	4	5	7	11
20-34	178	3.2	3	2	2	3	4	5	7	10
35-49	29	4.2	13	2	2	3	4	10	13	16
50-64	9	4.1	15	1	2	3	5	11	12	12
65 +	2	6.0	32	2	2	6	10	10	10	10
B. Operated										
0-19 YRS	9	5.0	9	2	3	4	8	9	9	9
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	526	4.0	6	2	2	3	5	7	10	13
20-34	158	4.2	8	2	3	3	5	7	9	17
35-49	59	4.9	8	2	3	5	6	8	10	14
50-64	22	6.1	20	3	4	5	8	10	15	23
65 +	11	8.9	73	3	4	6	9	21	32	33
B. Operated										
0-19 YRS	19	6.0	30	2	3	4	7	12	19	25
20-34	9	6.6	4	4	5	6	8	10	10	10
35-49	5	7.0	22	3	4	4	11	13	13	13
50-64	4	20.0	286	8	10	13	30	45	45	45
65 +	4	16.3	104	6	9	14	23	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	857	3.4	4	2	2	3	4	5	7	12
B. Operated	11	4.7	8	1	2	4	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	776	4.2	8	2	3	3	5	8	10	14
B. Operated	41	8.6	69	3	4	6	11	16	27	45
1. SINGLE DX	868	3.4	4	2	2	3	4	6	7	12
2. MULTIPLE DX	817	4.4	12	2	3	3	5	8	10	16
A. Not Operated	1633	3.8	6	2	2	3	4	7	9	13
B. Operated	52	7.8	58	2	3	6	9	14	24	45
TOTAL										
0-19 YRS	1193	3.7	5	2	2	3	4	7	8	12
20-34	347	3.8	6	2	2	3	5	7	8	13
35-49	93	4.8	10	2	3	4	6	8	13	15
50-64	35	7.2	64	2	3	5	9	12	21	45
65 +	17	10.3	79	3	5	7	12	27	32	33
GRAND TOTAL	**1685**	**3.9**	**8**	**2**	**2**	**3**	**4**	**7**	**9**	**14**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	3.5	6	1	2	3	4	6	8	14
20-34	30	3.7	4	1	2	3	5	7	7	8
35-49	17	3.8	5	< 1	< 1	4	5	7	8	8
50-64	5	9.2	81	2	3	6	14	24	24	24
65 +	16	3.3	5	< 1	< 1	3	5	7	8	8
B. Operated										
0-19 YRS	5	3.6	5	1	2	4	5	7	7	7
20-34	0									
35-49	5	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	555	4.9	11	2	3	4	6	9	12	17
20-34	126	5.4	24	2	3	4	6	9	12	28
35-49	67	5.5	10	2	3	5	7	9	12	15
50-64	78	7.4	56	3	4	6	8	10	17	52
65 +	240	7.6	37	2	4	6	9	14	18	33
B. Operated										
0-19 YRS	40	13.1	157	3	6	10	16	25	44	59
20-34	22	14.5	187	4	6	9	20	36	45	57
35-49	12	13.3	336	5	6	8	11	29	65	71
50-64	7	13.0	115	1	3	13	22	27	28	28
65 +	29	12.8	72	4	7	11	17	27	30	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	3.7	8	1	2	3	5	6	8	14
B. Operated	13	2.6	5	< 1	< 1	1	4	7	7	7
2. MULTIPLE DX										
A. Not Operated	1066	5.8	23	2	3	5	7	10	14	23
B. Operated	110	13.3	151	3	6	10	17	27	35	64
1. SINGLE DX	195	3.6	8	1	2	3	5	6	8	14
2. MULTIPLE DX	1176	6.5	40	2	3	5	7	12	17	33
A. Not Operated	1248	5.5	21	2	3	5	7	10	13	23
B. Operated	123	12.2	147	2	5	8	15	27	34	62
TOTAL										
0-19 YRS	714	5.1	23	2	2	4	6	10	13	22
20-34	178	6.2	50	2	3	4	7	11	18	43
35-49	101	5.9	53	1	3	5	7	10	12	43
50-64	91	7.9	62	3	4	6	8	14	23	49
65 +	287	7.8	42	2	4	6	9	15	19	33
GRAND TOTAL	**1371**	**6.1**	**36**	**2**	**3**	**5**	**7**	**11**	**15**	**30**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	4.3	11	1	2	3	5	10	11	11
20-34	36	5.2	10	2	3	4	7	10	13	13
35-49	15	6.6	12	3	5	6	8	13	14	15
50-64	3	5.3	16	3	3	3	8	10	10	10
65 +	4	4.8	24	< 1	1	3	8	12	12	12
B. Operated										
0-19 YRS	3	5.0	48	1	1	1	10	13	13	13
20-34	4	2.3	6	1	1	1	4	6	6	6
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	3.7	3	1	2	4	5	6	7	7
20-34	80	5.2	11	2	3	5	7	10	12	15
35-49	67	6.3	21	2	3	5	7	12	13	29
50-64	23	7.3	16	2	5	7	9	11	15	20
65 +	34	7.8	22	2	4	7	10	15	17	19
B. Operated										
0-19 YRS	7	10.3	54	1	4	11	16	20	21	21
20-34	13	11.4	333	1	2	5	12	30	61	68
35-49	18	11.6	74	1	6	8	20	23	25	27
50-64	11	17.5	154	3	6	19	27	34	40	41
65 +	11	15.0	179	3	4	10	24	38	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	5.4	11	2	3	5	7	11	13	15
B. Operated	12	2.8	13	1	1	1	3	8	12	13
2. MULTIPLE DX										
A. Not Operated	240	5.8	16	2	3	5	7	11	14	19
B. Operated	60	13.1	158	2	4	9	20	28	38	65
1. SINGLE DX	80	5.0	12	1	2	4	7	11	13	15
2. MULTIPLE DX	300	7.3	52	2	3	5	9	15	20	38
A. Not Operated	308	5.7	15	2	3	5	7	11	13	18
B. Operated	72	11.4	148	1	2	7	19	26	35	62
TOTAL										
0-19 YRS	56	4.7	16	1	2	4	5	11	13	21
20-34	133	5.7	43	2	3	5	7	10	14	29
35-49	103	7.1	32	2	3	5	8	13	21	29
50-64	38	9.9	77	2	3	8	10	20	30	41
65 +	50	9.0	64	2	3	7	11	18	25	40
GRAND TOTAL	**380**	**6.8**	**45**	**2**	**3**	**5**	**8**	**13**	**19**	**35**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	3.1	3	1	2	3	4	6	7	7
20-34	11	4.5	3	2	3	5	6	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	211	3.4	5	1	2	3	4	6	7	11
20-34	48	4.4	24	1	2	3	5	8	10	33
35-49	10	4.9	12	1	2	4	6	10	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	12.8	38	9	9	10	16	22	22	22
B. Operated										
0-19 YRS	9	7.0	16	2	4	6	10	12	14	14
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	4	10.3	12	7	8	9	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.3	3	1	2	3	5	6	7	7
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	274	3.8	10	1	2	3	5	6	9	20
B. Operated	15	8.6	16	3	5	9	12	14	15	15
1. SINGLE DX	77	3.3	3	1	2	3	5	6	7	7
2. MULTIPLE DX	289	4.0	12	1	2	3	5	8	10	19
A. Not Operated	350	3.7	9	1	2	3	5	6	8	12
B. Operated	16	8.2	18	2	4	9	11	14	15	15
TOTAL										
0-19 YRS	283	3.5	5	1	2	3	4	6	7	11
20-34	60	4.5	21	1	2	3	5	8	11	31
35-49	13	5.2	15	1	2	4	7	11	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65 +	9	10.8	25	6	8	10	11	19	22	22
GRAND TOTAL	**366**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	1.0		<1	<1	<1	1	1	1	2
20-34	44	1.1		<1	<1	<1	1	1	2	3
35-49	19	1.1		<1	<1	<1	1	1	2	2
50-64	6	1.0		<1	<1	<1	<1	1	1	1
65 +	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	7	1.4		<1	<1	<1	2	2	2	2
20-34	20	1.7	1	<1	<1	1	2	4	5	5
35-49	9	1.7	1	<1	<1	1	2	3	3	3
50-64	5	4.6	8	<1	1	6	7	7	7	7
65 +	4	3.5	3	2	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	107	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	45	2.1	3	<1	<1	1	2	5	6	7
1. SINGLE DX	107	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	46	2.2	3	<1	<1	1	3	5	6	7
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	152	1.4	1	<1	<1	<1	1	2	3	7
TOTAL										
0-19 YRS	43	1.1		<1	<1	<1	1	1	2	2
20-34	64	1.3	1	<1	<1	<1	1	2	3	5
35-49	28	1.3		<1	<1	<1	1	2	3	3
50-64	12	2.8	6	<1	<1	1	5	7	7	7
65 +	6	2.7	3	<1	1	2	3	6	6	6
GRAND TOTAL	**153**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**7**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1047	2.9	2	1	2	3	3	4	5	7
20-34	90	2.9	4	1	2	2	4	6	8	11
35-49	42	3.0	3	1	2	2	5	5	6	9
50-64	10	3.4	1	2	3	3	4	5	5	5
65 +	12	2.7	1	1	2	2	3	4	5	5
B. Operated										
0-19 YRS	29	3.2	2	1	2	3	4	5	6	7
20-34	4	5.5	8	3	3	5	8	8	8	8
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1910	3.3	6	1	2	3	4	5	7	11
20-34	340	4.6	24	1	2	3	5	8	15	25
35-49	279	4.9	28	1	2	4	6	9	14	27
50-64	149	5.3	28	2	2	4	6	10	13	28
65 +	222	5.7	29	2	3	4	7	10	14	31
B. Operated										
0-19 YRS	103	12.1	272	2	3	6	15	26	46	93
20-34	115	13.1	118	3	6	10	17	25	31	58
35-49	80	14.3	214	3	5	9	21	29	55	94
50-64	34	15.4	181	2	7	11	22	32	46	58
65 +	24	15.7	148	5	8	11	19	32	39	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1201	2.9	2	1	2	3	3	4	5	8
B. Operated	37	3.6	4	1	2	3	4	7	8	10
2. MULTIPLE DX										
A. Not Operated	2900	3.9	14	1	2	3	4	7	9	20
B. Operated	356	13.5	192	3	5	9	18	29	42	81
1. SINGLE DX	1238	2.9	2	1	2	3	3	4	5	8
2. MULTIPLE DX	3256	4.9	43	2	2	3	5	9	15	32
A. Not Operated	4101	3.6	11	1	2	3	4	6	8	17
B. Operated	393	12.6	182	2	4	8	17	27	39	78
TOTAL										
0-19 YRS	3089	3.4	16	1	2	3	4	5	7	16
20-34	549	6.1	54	1	2	3	7	15	20	32
35-49	403	6.6	77	1	2	4	7	15	24	55
50-64	195	7.0	67	2	3	4	8	14	24	45
65 +	258	6.5	48	2	3	5	7	12	19	32
GRAND TOTAL	**4494**	**4.4**	**32**	**1**	**2**	**3**	**4**	**8**	**12**	**29**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.5	3	1	2	3	5	6	7	9
20-34	16	3.9	6	1	2	3	5	7	9	10
35-49	9	3.3	2	< 1	2	4	4	5	5	5
50-64	7	4.1	7	2	3	3	5	9	10	10
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	4.9	8	2	2	4	7	9	10	13
20-34	16	4.9	14	1	2	3	8	11	11	11
35-49	17	5.1	7	2	3	5	6	9	10	11
50-64	19	4.4	11	1	2	3	6	10	12	12
65 +	11	13.9	623	4	5	6	9	41	85	89
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	17.0	242	6	6	17	28	28	28	28
35-49	2	16.5	181	7	7	16	26	26	26	26
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	23.5	221	13	13	23	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.7	4	1	2	3	5	6	8	10
B. Operated	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	97	5.8	82	2	2	4	7	10	11	53
B. Operated	8	15.6	141	4	6	10	27	32	34	34
1. SINGLE DX	66	3.7	4	1	2	3	5	6	8	10
2. MULTIPLE DX	105	6.6	92	2	2	5	8	11	13	59
A. Not Operated	161	5.0	52	2	2	4	6	9	10	13
B. Operated	10	13.4	132	3	5	7	26	31	34	34
TOTAL										
0-19 YRS	68	4.2	6	2	2	4	5	8	9	13
20-34	34	5.1	26	1	2	4	7	10	11	28
35-49	28	5.3	22	2	3	4	6	9	12	26
50-64	27	4.4	10	1	2	3	6	10	11	12
65 +	14	14.6	516	5	5	7	9	39	78	89
GRAND TOTAL	**171**	**5.5**	**60**	**2**	**2**	**4**	**6**	**9**	**11**	**33**

154 Hospitals, Southern Region, January-December 1990, by Diagnosis

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	5.9	10	2	3	5	8	10	11	16
20-34	61	4.5	6	2	3	4	5	8	10	14
35-49	8	4.5	6	3	3	4	5	9	10	10
50-64	2	7.5	41	3	3	7	12	12	12	12
65 +	2	16.5	61	11	11	16	22	22	22	22
B. Operated										
0-19 YRS	4	2.0	4	< 1	< 1	1	3	5	5	5
20-34	14	3.7	19	< 1	< 1	1	5	13	13	13
35-49	9	2.4	5	< 1	< 1	1	4	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	6.9	18	3	4	6	9	11	13	21
20-34	97	5.7	12	3	3	5	7	11	13	18
35-49	31	7.3	26	2	4	5	10	14	18	25
50-64	7	9.1	14	3	7	10	12	13	13	13
65 +	14	12.1	40	3	8	11	16	21	23	23
B. Operated										
0-19 YRS	17	9.6	125	< 1	3	6	10	21	38	47
20-34	26	7.2	35	1	3	6	9	15	22	23
35-49	13	10.5	265	1	3	5	10	28	56	62
50-64	10	12.5	171	2	5	7	14	35	43	43
65 +	10	12.4	201	< 1	3	7	14	36	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	5.4	11	2	3	4	7	10	11	16
B. Operated	27	3.0	12	< 1	< 1	1	4	7	13	13
2. MULTIPLE DX										
A. Not Operated	280	6.8	19	3	4	6	9	12	15	22
B. Operated	76	9.7	130	1	3	6	11	22	38	58
1. SINGLE DX	189	5.1	12	1	3	4	7	10	11	16
2. MULTIPLE DX	356	7.4	44	3	4	6	9	13	18	43
A. Not Operated	442	6.3	17	3	4	5	8	11	14	21
B. Operated	103	8.0	107	< 1	1	5	9	19	26	54
TOTAL										
0-19 YRS	241	6.6	23	2	4	6	9	11	13	22
20-34	198	5.4	14	2	3	4	7	11	13	21
35-49	61	6.9	74	1	3	5	8	13	18	58
50-64	19	10.7	96	2	5	9	12	22	36	43
65 +	26	12.6	97	2	6	11	16	23	29	47
GRAND TOTAL	**545**	**6.6**	**34**	**2**	**3**	**5**	**8**	**12**	**15**	**28**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.1	2	2	2	3	4	5	6	6
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	4	4.8	5	3	3	4	6	8	8	8
50-64	5	2.4	4	< 1	< 1	< 1	4	5	5	5
65 +	3	8.0	49	< 1	2	8	13	15	15	15
B. Operated										
0-19 YRS	7	4.9	18	< 1	1	3	9	10	10	10
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	5	13.6	144	4	5	9	21	33	33	33
50-64	3	5.7	2	4	4	6	7	7	7	7
65 +	3	40.3	2241	13	13	13	74	95	95	95
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	5.0	76	2	2	3	5	8	13	48
20-34	65	9.2	56	2	4	7	11	19	28	33
35-49	48	8.9	126	1	3	6	11	19	29	68
50-64	26	12.4	72	4	6	11	17	22	28	39
65 +	72	10.9	64	4	6	9	12	21	31	40
B. Operated										
0-19 YRS	34	16.6	187	2	6	15	22	32	37	69
20-34	40	18.4	272	4	5	15	29	40	67	99 +
35-49	44	15.6	191	5	7	9	21	39	56	99 +
50-64	29	15.5	180	3	7	12	23	43	55	99 +
65 +	52	18.2	207	5	8	13	24	43	51	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.4	6	1	2	3	4	6	8	15
B. Operated	20	12.9	426	1	4	8	12	25	64	95
2. MULTIPLE DX										
A. Not Operated	336	8.2	82	2	3	5	10	17	26	39
B. Operated	199	17.0	207	4	7	13	23	39	53	99 +
1. SINGLE DX	63	6.4	154	1	2	3	6	11	16	87
2. MULTIPLE DX	535	11.5	147	2	4	7	14	28	38	71
A. Not Operated	379	7.6	76	2	3	5	9	16	25	38
B. Operated	219	16.6	226	4	7	12	23	39	53	99 +
TOTAL										
0-19 YRS	193	6.7	103	2	2	3	6	16	25	56
20-34	111	12.2	152	3	4	8	15	32	38	87
35-49	101	11.9	160	2	4	7	16	29	39	84
50-64	63	12.7	125	2	5	9	17	26	42	94
65 +	130	14.4	182	4	7	10	16	34	42	63
GRAND TOTAL	**598**	**10.9**	**149**	**2**	**3**	**7**	**14**	**26**	**36**	**74**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.6	3	1	3	3	4	6	7	7
20-34	4	7.3	65	2	2	4	12	19	19	19
35-49	3	8.0	3	6	7	9	9	9	9	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	12.0		12	12	12	12	12	12	12
65 +	2	4.5	13	2	2	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0		3	3	3	3	3	3	3
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	19	5.2	16	2	3	4	6	9	15	19
B. Operated	6	7.3	14	2	4	8	10	12	12	12
1. SINGLE DX	4	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX	25	5.7	16	2	3	4	8	10	14	19
A. Not Operated	21	5.0	15	2	3	4	6	9	14	19
B. Operated	8	6.0	16	2	2	5	9	11	12	12
TOTAL										
0-19 YRS	15	3.7	4	2	2	3	4	7	8	9
20-34	5	6.4	52	2	2	3	9	19	19	19
35-49	4	8.5	3	6	7	9	10	10	10	10
50-64	3	7.3	17	4	4	6	10	12	12	12
65 +	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**29**	**5.3**	**15**	**2**	**3**	**4**	**7**	**10**	**12**	**19**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.3	22	3	5	7	11	15	18	18
20-34	54	11.1	99	4	5	8	14	22	35	50
35-49	45	13.1	77	3	6	12	17	23	33	40
50-64	7	11.6	44	4	6	13	13	22	24	24
65 +	8	10.9	54	4	5	9	14	22	26	26
B. Operated										
0-19 YRS	17	19.2	322	5	8	15	25	37	63	77
20-34	106	17.5	101	7	10	15	23	33	37	77
35-49	86	17.3	217	6	8	11	22	32	41	87
50-64	10	22.9	311	7	10	21	26	50	66	66
65 +	3	21.0	271	11	11	12	33	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	32	1	1	5	9	9	9	9
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	125	11.6	78	4	5	9	14	23	32	45
B. Operated	222	17.8	172	7	9	14	23	34	39	82
1. SINGLE DX	3	4.3	17	1	1	3	7	9	9	9
2. MULTIPLE DX	347	15.6	147	5	8	12	21	32	38	74
A. Not Operated	127	11.5	78	4	5	9	14	23	32	45
B. Operated	223	17.8	172	7	9	14	23	34	39	82
TOTAL										
0-19 YRS	28	14.9	228	4	7	10	17	31	42	77
20-34	161	15.3	109	5	7	13	22	32	37	58
35-49	133	15.7	172	5	8	11	21	30	38	78
50-64	17	18.2	224	6	8	13	23	33	55	66
65 +	11	13.6	114	5	6	12	14	32	39	40
GRAND TOTAL	**350**	**15.5**	**147**	**5**	**8**	**12**	**21**	**31**	**38**	**74**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	2	2	3	4	4	4
20-34	7	4.0	1	3	3	4	5	5	5	5
35-49	7	5.3	9	2	3	4	8	9	9	9
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	12	3.2	8	< 1	1	2	5	8	9	9
35-49	19	3.6	34	< 1	1	1	3	10	19	25
50-64	6	3.5	8	1	1	3	6	7	7	7
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.7	25	1	2	4	6	7	17	23
20-34	45	9.4	89	2	3	5	13	21	32	39
35-49	52	7.6	52	2	4	5	10	15	19	42
50-64	15	8.3	23	3	4	7	12	15	17	18
65 +	12	7.3	25	2	3	6	11	14	17	18
B. Operated										
0-19 YRS	5	4.4	8	2	2	4	6	9	9	9
20-34	59	8.3	55	2	3	7	11	18	20	43
35-49	60	12.2	254	2	4	9	12	27	32	96
50-64	22	11.9	119	1	2	9	22	26	31	38
65 +	5	5.4	39	1	2	2	8	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.0	5	2	3	4	5	8	9	9
B. Operated	41	3.5	19	< 1	1	2	4	7	10	25
2. MULTIPLE DX										
A. Not Operated	142	7.9	56	2	3	5	10	17	22	39
B. Operated	151	10.2	144	2	3	7	13	21	28	74
1. SINGLE DX	61	3.6	14	1	1	3	4	8	9	24
2. MULTIPLE DX	293	9.0	102	2	3	6	11	19	27	44
A. Not Operated	162	7.4	51	2	3	5	9	16	20	39
B. Operated	192	8.7	125	1	2	6	11	19	27	62
TOTAL										
0-19 YRS	31	4.2	16	1	2	4	5	7	9	23
20-34	123	8.0	63	2	3	5	10	18	22	41
35-49	138	8.9	144	1	3	6	11	18	28	77
50-64	43	9.5	77	1	3	6	13	23	26	38
65 +	19	6.3	26	2	2	5	10	15	17	18
GRAND TOTAL	**354**	**8.1**	**91**	**1**	**3**	**5**	**10**	**18**	**25**	**42**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	5.7	2	4	4	6	7	7	7	7
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	3	5.7	2	4	4	6	7	7	7	7
A. Not Operated	3	5.7	2	4	4	6	7	7	7	7
B. Operated	0									
TOTAL										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**3**	**5.7**	**2**	**4**	**4**	**6**	**7**	**7**	**7**	**7**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	2	5.0		5	5	5	5	5	5	5
50-64	3	7.0	21	2	3	8	10	11	11	11
65 +	4	4.0	7	1	2	4	6	7	7	7
B. Operated										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	5	5.6	11	2	3	5	7	11	11	11
35-49	32	3.6	14	< 1	1	2	4	10	13	15
50-64	37	3.3	12	< 1	< 1	2	5	8	11	16
65 +	39	3.6	20	1	1	2	4	10	12	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.6	15	< 1	1	1	5	10	12	12
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	8	3.8	1	2	3	4	4	5	5	5
50-64	24	6.2	29	2	3	4	7	14	18	23
65 +	19	6.5	114	1	2	4	5	13	34	48
B. Operated										
0-19 YRS	10	16.1	582	< 1	1	8	19	50	81	81
20-34	8	7.1	12	3	5	6	10	12	12	12
35-49	59	11.5	86	2	5	10	15	28	35	94
50-64	161	11.5	147	2	4	10	14	21	34	82
65 +	208	8.6	107	2	3	6	10	16	24	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.5	10	1	2	5	7	9	11	11
B. Operated	118	3.5	15	< 1	1	2	4	10	11	18
2. MULTIPLE DX										
A. Not Operated	62	5.5	48	1	2	4	5	12	16	45
B. Operated	446	10.1	129	2	4	7	12	20	30	81
1. SINGLE DX	129	3.6	14	< 1	1	2	5	10	11	17
2. MULTIPLE DX	508	9.6	121	2	4	6	12	18	29	80
A. Not Operated	73	5.4	42	1	2	4	5	11	16	42
B. Operated	564	8.8	112	1	3	6	11	17	26	76
TOTAL										
0-19 YRS	26	7.9	258	< 1	1	2	7	19	32	81
20-34	15	6.2	11	2	4	6	8	12	12	12
35-49	101	8.2	69	1	2	6	11	17	31	70
50-64	225	9.5	121	1	3	6	12	18	29	60
65 +	270	7.7	96	1	3	5	9	15	23	47
GRAND TOTAL	**637**	**8.4**	**105**	**1**	**2**	**5**	**11**	**17**	**24**	**55**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	4	8.5	47	3	3	6	13	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	17	11.4	87	2	7	9	13	26	34	38
65 +	6	3.3	19	< 1	< 1	1	4	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	6.7	5	4	5	8	8	8	8	8
50-64	17	9.4	36	3	5	8	14	17	22	24
65 +	26	6.0	32	1	3	4	6	13	22	23
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	17	18.8	490	3	6	13	18	53	77	87
50-64	94	14.5	136	3	6	12	19	30	35	86
65 +	117	16.2	177	5	8	12	18	38	46	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.5	47	3	3	6	13	18	18	18
B. Operated	24	9.1	78	< 1	2	8	12	17	31	38
2. MULTIPLE DX										
A. Not Operated	46	7.3	33	2	4	5	9	16	22	24
B. Operated	229	15.7	181	4	7	12	19	33	44	89
1. SINGLE DX	28	9.0	72	< 1	3	8	12	17	29	38
2. MULTIPLE DX	275	14.3	166	3	6	11	17	31	42	82
A. Not Operated	50	7.4	34	2	4	5	9	16	22	24
B. Operated	253	15.1	175	3	7	12	18	31	42	86
TOTAL										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	21	16.4	418	3	5	9	16	40	72	87
50-64	128	13.4	118	3	6	11	17	29	33	76
65 +	153	13.8	162	3	5	10	17	32	42	69
GRAND TOTAL	**303**	**13.8**	**169**	**3**	**5**	**11**	**17**	**30**	**41**	**78**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	6.8	12	3	4	6	9	11	11	11
65 +	2	6.0	50	< 1	< 1	5	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	4.5	14	1	2	3	5	10	14	14
50-64	16	4.8	10	1	2	4	8	9	10	10
65 +	43	6.9	37	2	3	5	9	16	21	25
B. Operated										
0-19 YRS	0									
20-34	3	19.7	120	11	12	16	28	32	32	32
35-49	35	14.5	103	6	9	13	17	34	47	99 +
50-64	114	14.4	71	6	9	13	18	24	34	43
65 +	251	16.0	130	6	9	13	19	30	41	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	12.0		12	12	12	12	12	12	12
B. Operated	7	6.6	15	1	3	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	70	6.0	28	1	2	4	8	14	17	24
B. Operated	403	15.4	111	6	9	13	18	29	37	60
1. SINGLE DX	8	7.3	16	1	4	7	11	12	12	12
2. MULTIPLE DX	473	14.0	110	4	7	12	17	27	35	54
A. Not Operated	71	6.1	28	1	2	4	8	14	17	24
B. Operated	410	15.3	111	6	9	13	18	29	37	59
TOTAL										
0-19 YRS	0									
20-34	4	15.3	158	2	6	13	24	32	32	32
35-49	46	12.2	98	2	6	10	16	30	37	99 +
50-64	134	13.0	73	4	8	11	17	22	31	41
65 +	297	14.6	126	4	7	12	18	28	37	60
GRAND TOTAL	**481**	**13.9**	**109**	**4**	**7**	**12**	**17**	**27**	**35**	**54**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	7.7	4	6	6	7	9	10	10	10
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	4	22.0	131	8	14	22	29	36	36	36
B. Operated										
0-19 YRS	0									
20-34	1	29.0		29	29	29	29	29	29	29
35-49	9	12.4	59	3	7	8	20	22	23	23
50-64	21	15.0	63	7	9	12	20	26	31	34
65 +	36	17.9	204	8	11	16	20	25	28	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	8.0	3	6	6	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	8	13.9	134	4	6	8	22	32	36	36
B. Operated	67	16.4	141	8	9	16	20	25	28	84
1. SINGLE DX	4	8.0	3	6	6	8	9	10	10	10
2. MULTIPLE DX	75	16.1	139	7	8	15	21	25	29	79
A. Not Operated	8	13.9	134	4	6	8	22	32	36	36
B. Operated	71	15.9	137	7	9	14	20	25	28	81
TOTAL										
0-19 YRS	0									
20-34	2	18.5	221	8	8	18	29	29	29	29
35-49	10	11.5	62	2	7	8	20	22	23	23
50-64	26	13.5	61	6	8	10	20	25	29	34
65 +	41	18.0	192	8	11	16	21	26	32	94
GRAND TOTAL	**79**	**15.7**	**135**	**7**	**8**	**14**	**20**	**25**	**29**	**77**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	35.0		35	35	35	35	35	35	35
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	19.5	181	10	10	19	29	29	29	29
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	8.6	6	7	7	8	9	13	13	13
35-49	20	7.9	9	4	6	8	10	12	13	13
50-64	50	7.9	3	6	7	8	8	10	11	14
65 +	39	7.6	6	6	6	8	9	10	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	8	6.5	52	1	1	3	12	18	19	19
50-64	31	7.8	42	2	4	6	11	18	32	99 +
65 +	92	9.6	79	2	4	7	13	19	26	47
B. Operated										
0-19 YRS	4	16.0	107	2	8	18	23	26	26	26
20-34	28	9.8	20	6	7	9	12	17	18	20
35-49	146	10.0	47	6	7	9	12	15	18	44
50-64	463	11.2	42	6	8	10	13	17	23	36
65 +	1392	13.8	91	7	8	11	16	24	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	18.8	254	1	5	19	32	35	35	35
B. Operated	115	7.8	5	6	7	8	9	10	12	14
2. MULTIPLE DX										
A. Not Operated	133	9.0	68	2	4	7	13	19	25	58
B. Operated	2033	12.9	78	7	8	10	15	22	29	54
1. SINGLE DX	119	8.2	15	6	7	8	9	11	13	31
2. MULTIPLE DX	2166	12.6	78	6	8	10	15	21	29	54
A. Not Operated	137	9.3	74	2	4	7	13	19	29	56
B. Operated	2148	12.6	75	6	8	10	14	21	28	53
TOTAL										
0-19 YRS	5	14.8	88	2	8	15	22	26	26	26
20-34	35	9.7	18	6	7	9	12	16	17	20
35-49	175	9.7	46	4	7	8	12	15	19	41
50-64	545	10.7	40	6	7	9	12	16	22	37
65 +	1525	13.4	90	6	8	11	16	23	30	58
GRAND TOTAL	**2285**	**12.4**	**76**	**6**	**8**	**10**	**14**	**21**	**28**	**52**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	4.3	14	1	2	3	5	11	12	12
65 +	3	5.0	21	1	2	4	8	10	10	10
B. Operated										
0-19 YRS	0									
20-34	3	6.3	6	4	4	6	8	9	9	9
35-49	18	6.8	18	1	2	8	10	12	13	14
50-64	43	7.9	14	2	6	8	9	13	15	16
65 +	32	7.8	35	1	2	8	11	15	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	8.2	52	1	2	7	14	19	20	20
50-64	19	7.2	57	1	3	4	9	15	24	32
65 +	33	7.8	58	2	3	5	10	20	24	33
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	13.5	71	7	9	10	14	28	30	30
35-49	61	10.2	46	4	7	9	12	20	26	93
50-64	230	11.0	32	5	8	10	13	18	23	31
65 +	553	12.2	60	5	8	11	14	20	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.5	13	1	2	4	5	11	12	12
B. Operated	96	7.6	21	1	4	8	10	12	15	23
2. MULTIPLE DX										
A. Not Operated	61	7.7	55	2	3	5	10	18	23	33
B. Operated	851	11.7	52	5	8	10	14	20	25	41
1. SINGLE DX	107	7.3	21	1	3	8	10	12	15	22
2. MULTIPLE DX	912	11.5	53	4	8	10	14	20	25	41
A. Not Operated	72	7.2	50	1	3	4	9	17	23	33
B. Operated	947	11.3	50	4	8	10	14	19	24	41
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	11.1	59	5	7	9	12	24	30	30
35-49	89	9.2	41	2	6	9	11	17	22	77
50-64	299	10.2	33	3	7	9	12	17	21	31
65 +	621	11.7	60	4	8	10	14	20	26	42
GRAND TOTAL	**1019**	**11.0**	**51**	**3**	**7**	**10**	**14**	**19**	**24**	**41**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	5.7	18	1	2	5	8	12	14	14
20-34	3	13.3	186	4	5	7	23	29	29	29
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64	8	5.4	15	< 1	2	5	7	11	13	13
65 +	8	6.0	21	1	3	5	8	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.7	49	< 1	2	5	8	18	24	26
20-34	2	15.5	421	1	1	15	30	30	30	30
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	19	5.9	25	1	2	5	8	13	18	20
65 +	40	10.3	48	2	4	10	15	20	23	28
B. Operated										
0-19 YRS	37	17.2	205	4	8	12	24	45	55	99 +
20-34	6	9.5	128	2	3	5	9	30	32	32
35-49	19	10.3	70	3	4	8	15	22	29	34
50-64	67	12.1	112	2	5	9	15	24	37	49
65 +	159	13.2	88	4	7	11	18	26	33	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	17	1	1	2	6	10	10	10
B. Operated	30	6.5	34	1	2	5	8	13	15	29
2. MULTIPLE DX										
A. Not Operated	80	8.5	50	2	3	6	12	19	23	29
B. Operated	288	13.2	110	3	6	10	17	28	36	83
1. SINGLE DX	34	6.2	32	1	2	5	8	13	15	29
2. MULTIPLE DX	368	12.2	100	2	6	10	16	25	33	57
A. Not Operated	84	8.3	49	2	2	6	12	19	23	29
B. Operated	318	12.6	106	3	6	10	17	27	35	70
TOTAL										
0-19 YRS	65	12.4	161	2	4	8	16	33	48	93
20-34	12	10.8	145	1	2	5	19	31	32	32
35-49	24	9.5	61	2	4	8	13	20	26	34
50-64	94	10.3	94	2	4	7	13	21	32	48
65 +	207	12.3	80	3	7	10	17	24	31	72
GRAND TOTAL	**402**	**11.7**	**97**	**2**	**5**	**9**	**15**	**24**	**33**	**55**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	12.0		12	12	12	12	12	12	12
65 +	5	5.0	23	1	2	4	7	13	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	10.8	21	4	8	11	14	15	16	16
65 +	4	8.0	29	2	3	8	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.8	3	1	1	1	2	5	5	5
20-34	0									
35-49	8	4.0	7	2	2	3	4	8	10	10
50-64	21	5.3	12	2	3	4	7	10	14	15
65 +	78	7.7	75	2	3	5	10	15	20	55
B. Operated										
0-19 YRS	3	13.3	208	5	5	5	24	30	30	30
20-34	0									
35-49	32	15.2	86	5	8	13	20	30	35	36
50-64	96	14.0	94	4	8	12	17	26	35	52
65 +	310	15.4	123	4	8	13	20	30	36	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.1	23	1	2	3	8	13	13	13
B. Operated	13	9.4	24	2	5	9	14	15	16	16
2. MULTIPLE DX										
A. Not Operated	113	6.7	57	1	3	5	8	14	16	42
B. Operated	441	15.0	114	5	8	12	19	29	36	48
1. SINGLE DX	21	7.8	27	1	3	8	13	14	15	16
2. MULTIPLE DX	554	13.3	114	3	6	11	17	27	34	48
A. Not Operated	121	6.6	55	1	3	4	8	14	16	39
B. Operated	454	14.9	112	4	8	12	19	29	35	48
TOTAL										
0-19 YRS	9	5.7	87	1	1	2	5	20	30	30
20-34	0									
35-49	43	12.2	91	3	4	10	18	29	32	36
50-64	126	12.3	85	4	6	10	15	24	29	50
65 +	397	13.7	121	3	6	11	18	29	35	49
GRAND TOTAL	**575**	**13.1**	**111**	**3**	**6**	**11**	**17**	**27**	**34**	**48**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	4.0	11	1	1	4	6	9	9	9
50-64	16	5.9	36	1	2	3	8	17	19	20
65 +	5	14.0	269	2	3	6	24	41	41	41
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	26	6.7	32	1	3	6	9	10	15	30
50-64	115	6.2	23	< 1	2	6	8	11	14	26
65 +	98	5.4	17	< 1	1	5	8	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	49	6.3	21	1	3	5	8	14	17	18
50-64	249	7.4	39	2	3	6	9	15	21	29
65 +	350	8.1	63	2	4	6	10	15	22	44
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	7.4	12	2	5	8	10	12	13	13
35-49	197	11.3	83	3	6	9	13	23	30	51
50-64	943	11.3	75	3	6	9	14	22	27	42
65 +	1548	12.3	99	4	7	10	15	24	30	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	7.1	79	1	2	4	9	18	24	41
B. Operated	240	5.9	22	< 1	1	6	8	11	14	25
2. MULTIPLE DX										
A. Not Operated	652	7.7	51	2	3	6	9	15	21	36
B. Operated	2700	11.9	89	3	6	10	15	23	29	50
1. SINGLE DX	266	6.0	27	< 1	2	6	8	11	14	27
2. MULTIPLE DX	3352	11.1	85	3	5	9	14	22	28	48
A. Not Operated	678	7.7	52	2	3	6	9	15	21	38
B. Operated	2940	11.4	87	3	6	9	14	22	28	48
TOTAL										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	14	6.9	10	2	5	7	9	11	13	13
35-49	277	9.8	71	3	5	8	11	18	27	48
50-64	1323	10.1	67	2	5	8	13	20	25	41
65 +	2001	11.2	93	3	5	9	14	22	29	53
GRAND TOTAL	**3618**	**10.7**	**82**	**3**	**5**	**8**	**13**	**21**	**28**	**47**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
0-19 YRS	8	7.8	23	3	4	6	11	15	16	16
20-34	3	1.0		1	1	1	1	1	1	1
35-49	8	4.6	14	1	2	3	8	10	10	10
50-64	43	6.4	17	1	3	7	9	12	14	16
65 +	27	4.4	21	< 1	< 1	< 1	8	12	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	14	7.2	23	2	3	6	11	16	16	16
65 +	11	14.8	216	2	5	8	20	41	45	45
B. Operated										
0-19 YRS	10	16.6	246	1	5	12	28	40	51	51
20-34	8	14.3	143	5	7	11	15	34	42	42
35-49	30	13.3	64	4	7	12	17	22	26	40
50-64	119	13.4	129	3	8	10	15	28	36	61
65 +	125	13.4	132	2	6	11	17	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.0	9	< 1	1	2	4	8	9	9
B. Operated	89	5.6	19	< 1	1	5	8	12	14	16
2. MULTIPLE DX										
A. Not Operated	31	9.4	101	2	4	6	10	19	38	45
B. Operated	292	13.5	127	3	7	11	17	27	36	60
1. SINGLE DX	96	5.4	19	< 1	1	4	8	12	14	16
2. MULTIPLE DX	323	13.1	125	3	6	10	16	27	37	60
A. Not Operated	38	8.2	89	1	3	6	8	17	32	45
B. Operated	381	11.7	113	2	5	9	15	23	31	58
TOTAL										
0-19 YRS	25	10.0	134	1	3	6	14	28	34	51
20-34	12	9.9	132	1	2	7	13	24	39	42
35-49	40	11.2	64	2	6	10	16	21	24	40
50-64	177	11.2	103	2	5	9	13	23	30	53
65 +	165	11.9	129	< 1	4	9	16	25	36	61
GRAND TOTAL	**419**	**11.4**	**111**	**1**	**4**	**9**	**14**	**23**	**32**	**56**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.5	2	1	1	2	3	5	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	83	6.7	83	2	3	5	8	14	15	59
20-34	15	5.3	19	1	2	4	8	10	15	16
35-49	16	4.8	16	< 1	1	4	6	11	13	14
50-64	16	3.7	7	1	2	3	5	7	9	10
65 +	8	4.8	8	1	2	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	5.0	23	1	2	4	6	11	13	29
20-34	16	4.3	8	1	2	5	6	7	10	11
35-49	5	7.2	39	2	4	5	9	18	18	18
50-64	6	6.7	41	1	2	4	13	16	16	16
65 +	7	7.6	14	1	5	8	10	12	12	12
B. Operated										
0-19 YRS	71	11.1	116	2	4	7	14	27	37	47
20-34	23	9.8	55	2	4	8	15	19	23	30
35-49	28	9.8	178	1	2	6	10	18	37	67
50-64	31	7.2	34	2	3	6	9	19	25	99 +
65 +	72	12.1	95	2	6	9	17	23	29	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.7	3	1	2	2	3	5	6	7
B. Operated	138	5.9	56	1	2	5	7	12	15	24
2. MULTIPLE DX										
A. Not Operated	110	5.3	22	1	2	4	7	11	13	24
B. Operated	225	10.6	100	2	4	8	14	22	34	53
1. SINGLE DX	164	5.4	49	1	2	4	7	10	14	16
2. MULTIPLE DX	335	8.8	81	1	3	6	11	19	28	47
A. Not Operated	136	4.8	19	1	2	4	6	10	13	20
B. Operated	363	8.8	88	1	3	6	11	18	27	48
TOTAL										
0-19 YRS	252	7.0	74	1	2	5	8	15	19	43
20-34	55	6.8	36	1	2	5	9	16	19	29
35-49	51	7.8	109	1	2	5	8	17	18	67
50-64	53	6.1	28	1	3	5	8	15	20	97
65 +	88	10.9	85	2	6	8	14	22	29	47
GRAND TOTAL	**499**	**7.7**	**73**	**1**	**3**	**5**	**9**	**16**	**22**	**46**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	1.3		< 1	< 1	< 1	2	2	2	2
35-49	22	3.1	6	1	1	2	4	7	8	9
50-64	19	2.8	4	< 1	1	2	4	6	8	9
65 +	28	2.3	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	6.0		6	6	6	6	6	6	6
50-64	4	4.0	1	3	3	4	5	5	5	5
65 +	4	4.0	9	< 1	1	3	6	8	8	8
B. Operated										
0-19 YRS	0									
20;34	8	2.9	2	1	2	3	4	5	5	5
35-49	24	4.5	34	1	1	2	6	9	16	28
50-64	28	3.9	12	1	1	3	5	9	10	16
65 +	70	4.4	14	1	2	3	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	77	2.5	4	< 1	1	2	3	6	7	9
2. MULTIPLE DX										
A. Not Operated	10	4.4	4	1	3	4	6	7	8	8
B. Operated	130	4.2	17	1	2	3	5	9	11	20
1. SINGLE DX	79	2.5	4	< 1	1	2	3	6	7	9
2. MULTIPLE DX	140	4.2	16	1	2	3	6	8	10	19
A. Not Operated	12	3.8	5	< 1	2	4	5	7	8	8
B. Operated	207	3.6	12	< 1	1	2	5	8	9	18
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	14	2.2	2	< 1	< 1	2	3	4	5	5
35-49	48	3.9	20	1	1	2	6	8	9	28
50-64	51	3.5	8	1	2	3	4	7	9	16
65 +	103	3.8	12	< 1	1	3	5	8	10	18
GRAND TOTAL	**219**	**3.6**	**12**	**< 1**	**1**	**2**	**5**	**8**	**9**	**18**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	6	2.7	5	< 1	1	2	5	6	6	6
35-49	23	1.5	1	< 1	< 1	< 1	1	3	5	5
50-64	38	1.4	1	< 1	< 1	< 1	1	3	4	5
65 +	78	1.8	4	< 1	< 1	< 1	1	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.3	5	2	2	4	6	7	7	7
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	7	14.3	259	1	2	10	25	40	43	43
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	10	10.2	44	1	6	10	14	19	24	24
35-49	18	5.0	14	1	2	3	9	10	11	11
50-64	46	5.7	59	< 1	1	3	7	14	20	42
65 +	158	4.4	29	< 1	1	3	5	9	13	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	147	1.8	5	< 1	< 1	< 1	1	5	5	13
2. MULTIPLE DX										
A. Not Operated	15	9.1	138	2	3	5	9	30	40	43
B. Operated	233	5.0	35	< 1	1	3	6	11	14	33
1. SINGLE DX	149	1.8	5	< 1	< 1	< 1	1	4	5	13
2. MULTIPLE DX	248	5.2	42	< 1	1	3	7	11	15	37
A. Not Operated	17	8.3	126	1	3	4	8	26	38	43
B. Operated	380	3.8	26	< 1	< 1	2	4	9	13	27
TOTAL										
0-19 YRS	3	7.3	102	< 1	< 1	2	15	19	19	19
20-34	20	6.8	36	< 1	2	5	10	14	19	24
35-49	43	3.1	10	< 1	< 1	1	5	9	10	11
50-64	87	3.8	36	< 1	< 1	1	4	9	14	36
65 +	244	3.9	31	< 1	< 1	2	4	8	12	32
GRAND TOTAL	**397**	**3.9**	**30**	**< 1**	**< 1**	**2**	**5**	**9**	**13**	**31**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	58	3.0	3	1	2	3	4	6	7	8
35-49	358	3.0	3	1	2	3	4	5	6	8
50-64	492	3.0	2	1	2	3	4	5	6	8
65 +	389	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	36	7.4	55	2	3	6	9	14	19	42
50-64	56	8.6	165	2	4	5	7	18	31	69
65 +	40	8.6	69	2	4	6	9	25	28	35
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	55	4.8	31	1	2	3	5	9	15	36
35-49	437	4.4	26	2	2	3	5	7	9	28
50-64	746	4.8	28	2	2	3	5	8	12	33
65 +	1320	4.8	16	2	3	4	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	1	1	2	3	3	3	3	3
B. Operated	1297	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	136	8.1	103	2	4	5	8	17	27	67
B. Operated	2559	4.7	22	2	3	4	5	8	11	25
1. SINGLE DX	1305	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX	2695	4.9	26	2	3	4	5	8	11	28
A. Not Operated	144	7.8	99	2	3	5	8	16	27	67
B. Operated	3856	4.1	16	2	2	3	5	7	9	21
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	118	3.8	17	1	2	3	4	7	9	23
35-49	832	3.9	18	1	2	3	4	7	8	22
50-64	1297	4.3	26	2	2	3	5	7	9	29
65 +	1752	4.5	16	2	3	4	5	8	10	22
GRAND TOTAL	**4000**	**4.3**	**19**	**2**	**2**	**3**	**5**	**7**	**9**	**24**

154 Hospitals, Southern Region, January-December 1990, by Diagnosis

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	23	2.7	1	1	2	2	3	4	5	5
50-64	12	2.3	1	1	1	2	3	4	4	4
65 +	13	3.2	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	32	4.8	7	2	3	4	7	8	9	11
35-49	52	4.1	7	1	2	3	6	8	9	10
50-64	27	3.3	3	2	2	3	4	6	7	7
65 +	24	3.0	4	1	2	3	3	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.7	6	2	2	3	4	8	9	9
35-49	34	4.4	23	2	2	3	4	9	14	26
50-64	36	4.7	29	1	2	3	4	8	17	29
65 +	64	5.0	31	2	2	3	5	8	17	34
B. Operated										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	69	6.6	26	2	4	6	7	12	17	31
35-49	121	5.9	11	2	3	5	7	10	12	17
50-64	69	7.4	53	2	3	5	9	17	18	43
65 +	61	6.9	94	2	3	5	7	13	20	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.6	1	1	2	2	3	4	5	6
B. Operated	135	3.9	6	2	2	3	5	8	9	11
2. MULTIPLE DX										
A. Not Operated	142	4.7	27	2	2	3	5	8	16	29
B. Operated	322	6.6	39	2	3	5	8	12	17	29
1. SINGLE DX	191	3.5	5	1	2	3	4	7	8	10
2. MULTIPLE DX	464	6.0	36	2	3	4	7	11	17	29
A. Not Operated	198	4.1	21	1	2	3	4	7	10	28
B. Operated	457	5.8	31	2	3	4	7	10	15	24
TOTAL										
0-19 YRS	3	9.3	108	1	2	6	17	21	21	21
20-34	116	5.6	19	2	3	5	7	9	13	26
35-49	230	4.9	12	2	2	4	7	9	10	17
50-64	144	5.5	37	2	2	4	6	12	18	30
65 +	162	5.3	50	2	3	3	5	9	16	34
GRAND TOTAL	**655**	**5.3**	**28**	**2**	**2**	**4**	**7**	**9**	**15**	**26**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	2.5		2	2	2	3	3	3	3
50-64	11	2.6	1	1	2	3	3	4	4	4
65 +	18	2.7	1	1	2	3	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	4	5.0		5	5	5	5	5	5	5
35-49	16	3.8	3	< 1	2	4	5	6	6	6
50-64	42	4.3	2	3	4	4	5	6	7	7
65 +	49	4.4	3	3	4	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3	2	< 1	< 1	2	3	4	4	4
50-64	22	3.5	4	1	2	3	5	7	7	8
65 +	43	4.4	49	1	2	3	4	6	12	46
B. Operated										
0-19 YRS	0									
20-34	8	6.1	2	5	5	6	7	8	8	8
35-49	65	5.7	26	3	4	4	6	8	13	35
50-64	213	6.0	9	3	4	5	7	10	11	19
65 +	350	7.5	34	4	5	6	8	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.6	1	2	2	3	3	4	4	4
B. Operated	111	4.3	2	2	4	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	69	4.0	32	1	2	3	4	6	8	40
B. Operated	636	6.8	25	3	4	6	7	11	16	27
1. SINGLE DX	144	3.9	3	2	3	4	5	6	7	8
2. MULTIPLE DX	705	6.5	26	3	4	5	7	10	15	28
A. Not Operated	102	3.5	22	1	2	3	4	5	7	31
B. Operated	747	6.4	22	3	4	5	7	10	14	25
TOTAL										
0-19 YRS	0									
20-34	13	5.4	3	4	5	5	6	8	8	8
35-49	88	5.1	21	2	3	4	6	8	9	31
50-64	288	5.4	8	3	4	5	6	9	11	18
65 +	460	6.7	33	3	4	5	7	11	17	35
GRAND TOTAL	**849**	**6.1**	**23**	**3**	**4**	**5**	**7**	**10**	**14**	**25**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	7	4.3	2	3	3	4	5	7	7	7
35-49	11	4.8	5	3	3	4	7	8	9	9
50-64	21	5.7	15	1	4	5	7	9	14	19
65 +	15	6.8	4	5	5	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	4	4.0	11	2	2	3	6	9	9	9
50-64	19	4.3	18	1	1	2	6	12	14	14
65 +	41	7.4	42	2	3	6	9	17	24	27
B. Operated										
0-19 YRS	7	7.4	11	3	6	7	9	12	13	13
20-34	21	7.4	61	3	4	4	9	12	25	39
35-49	76	8.3	43	4	5	7	9	14	22	41
50-64	138	9.4	44	4	6	8	10	15	25	39
65 +	177	12.7	128	5	7	10	15	25	33	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.3	5	1	1	1	4	6	6	6
B. Operated	57	5.6	8	3	4	5	7	9	10	18
2. MULTIPLE DX										
A. Not Operated	68	6.1	33	1	2	4	8	13	22	27
B. Operated	419	10.5	83	4	6	8	12	19	27	44
1. SINGLE DX	63	5.3	9	1	3	5	7	9	10	18
2. MULTIPLE DX	487	9.9	78	4	5	8	11	19	26	42
A. Not Operated	74	5.8	32	1	2	4	8	12	20	27
B. Operated	476	9.9	77	4	5	8	11	18	26	42
TOTAL										
0-19 YRS	12	6.3	9	3	4	6	8	10	13	13
20-34	31	6.4	44	3	4	4	7	11	13	39
35-49	94	7.5	38	3	4	6	8	14	20	37
50-64	180	8.4	41	2	5	7	10	14	19	37
65 +	233	11.4	110	4	6	9	13	23	27	88
GRAND TOTAL	**550**	**9.4**	**73**	**3**	**5**	**7**	**11**	**17**	**26**	**41**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	5	2.2	3	1	1	2	3	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	6	4.7	9	2	2	4	6	10	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	3.2	3	2	2	2	5	5	5	5
50-64	3	3.0	3	< 1	1	4	4	4	4	4
65 +	13	4.2	11	< 1	< 1	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.8	9	< 1	1	4	6	8	8	8
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	4.7	7	1	3	5	7	9	9	9
65 +	5	5.8	27	3	3	4	7	15	15	15
B. Operated										
0-19 YRS	3	4.7	10	1	2	6	7	7	7	7
20-34	4	5.0	8	1	3	6	7	7	7	7
35-49	6	7.8	91	< 1	1	3	13	24	25	25
50-64	16	7.3	31	2	4	5	9	17	20	21
65 +	58	9.7	62	2	4	8	11	23	27	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.2	7	1	2	2	4	7	9	10
B. Operated	21	3.8	7	< 1	1	3	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	19	4.5	12	1	3	4	5	9	12	15
B. Operated	87	8.7	55	1	4	7	11	21	25	34
1. SINGLE DX	34	3.6	7	< 1	2	2	5	7	10	10
2. MULTIPLE DX	106	8.0	50	1	3	6	11	17	25	32
A. Not Operated	32	4.0	10	1	2	3	5	8	10	15
B. Operated	108	7.8	49	1	3	6	10	16	25	32
TOTAL										
0-19 YRS	9	3.9	8	< 1	1	4	6	8	8	8
20-34	4	5.0	8	1	3	6	7	7	7	7
35-49	18	4.3	35	1	1	2	5	11	20	25
50-64	27	5.9	23	1	3	5	7	13	18	21
65 +	82	8.2	53	1	3	6	11	17	25	34
GRAND TOTAL	**140**	**6.9**	**43**	**1**	**2**	**5**	**10**	**14**	**22**	**29**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	15	1.9	1	1	1	2	3	3	5	5
B. Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	10	6.5	6	3	5	6	8	10	11	11
50-64	113	6.3	8	3	4	6	8	10	11	15
65 +	214	4.8	9	1	2	5	7	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	13.0	32	9	9	13	17	17	17	17
20-34	0									
35-49	0									
50-64	14	8.4	31	3	4	6	11	17	19	20
65 +	103	8.0	58	2	3	5	11	17	23	37
B. Operated										
0-19 YRS	3	15.3	34	11	11	13	20	22	22	22
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	4.9	7	1	3	5	7	8	9	9
50-64	402	7.0	19	3	4	6	8	12	15	25
65 +	1936	6.8	25	3	4	6	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.8	1	1	1	1	2	3	4	5
B. Operated	339	5.3	9	1	3	5	7	8	10	14
2. MULTIPLE DX										
A. Not Operated	119	8.1	54	2	3	5	11	17	21	37
B. Operated	2352	6.8	24	3	4	6	8	12	15	25
1. SINGLE DX	356	5.2	9	1	3	5	7	8	10	14
2. MULTIPLE DX	2471	6.9	25	3	4	6	8	13	16	26
A. Not Operated	136	7.3	52	1	3	5	10	17	19	37
B. Operated	2691	6.6	22	2	4	6	8	12	15	24
TOTAL										
0-19 YRS	7	12.0	35	6	7	11	16	21	22	22
20-34	1	2.0		2	2	2	2	2	2	2
35-49	20	5.7	7	2	4	6	7	9	10	11
50-64	531	6.9	17	3	4	6	8	11	15	23
65 +	2268	6.6	25	2	4	5	8	12	15	26
GRAND TOTAL	**2827**	**6.7**	**23**	**2**	**4**	**6**	**8**	**12**	**15**	**25**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.8	11	1	1	2	7	9	9	9
20-34	21	3.3	13	1	1	2	4	10	12	13
35-49	10	2.4	4	< 1	1	2	2	6	7	7
50-64	3	9.0	52	1	3	11	14	15	15	15
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	6.4	5	4	4	7	7	10	11	11
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	4	6.8	19	1	3	7	10	11	11	11
20-34	16	6.1	28	1	1	6	9	15	16	17
35-49	9	3.4	5	1	2	3	5	7	7	7
50-64	10	15.6	558	2	4	8	16	49	81	81
65 +	13	3.8	7	1	2	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated	42	3.5	14	1	1	2	5	10	12	15
2. MULTIPLE DX										
A. Not Operated	11	6.5	5	4	4	7	8	9	11	11
B. Operated	52	6.9	130	1	2	4	8	13	17	80
1. SINGLE DX	45	3.4	13	1	1	2	4	9	12	15
2. MULTIPLE DX	63	6.9	108	1	2	5	8	12	16	73
A. Not Operated	14	5.6	7	2	4	5	7	9	10	11
B. Operated	94	5.4	80	1	1	3	7	12	15	53
TOTAL										
0-19 YRS	11	4.7	14	1	1	3	8	10	11	11
20-34	47	4.9	18	1	1	4	7	12	13	17
35-49	20	2.8	4	< 1	1	2	4	6	7	7
50-64	14	13.4	408	1	4	8	15	23	68	81
65 +	16	3.8	7	1	2	3	6	8	8	8
GRAND TOTAL	**108**	**5.4**	**71**	**1**	**1**	**3**	**7**	**11**	**15**	**44**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	8.0	50	3	3	8	13	13	13	13
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	23	2.4	6	1	1	2	3	4	7	13
50-64	69	4.1	34	< 1	1	2	4	11	16	35
65 +	107	3.3	16	< 1	1	2	4	9	10	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	7	3.7	11	1	2	3	4	10	11	11
65 +	32	5.9	29	1	2	4	8	14	17	22
B. Operated										
0-19 YRS	7	25.9	268	11	14	20	39	51	53	53
20-34	1	15.0		15	15	15	15	15	15	15
35-49	27	6.3	43	1	1	4	10	12	23	27
50-64	198	7.1	65	1	2	4	9	16	24	44
65 +	860	6.4	46	1	2	4	8	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	8.0	25	3	4	8	12	13	13	13
B. Operated	202	3.5	21	< 1	1	2	4	9	11	24
2. MULTIPLE DX										
A. Not Operated	41	5.8	26	1	2	4	8	13	16	22
B. Operated	1093	6.7	53	1	2	4	9	15	19	37
1. SINGLE DX	205	3.6	21	< 1	1	2	4	9	12	24
2. MULTIPLE DX	1134	6.7	52	1	2	4	9	15	19	37
A. Not Operated	44	5.9	26	1	2	4	8	13	16	22
B. Operated	1295	6.2	49	1	2	4	8	14	18	37
TOTAL										
0-19 YRS	10	19.9	275	4	9	14	25	48	53	53
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	51	4.7	30	1	1	2	6	12	13	27
50-64	276	6.3	57	1	2	3	9	14	19	41
65 +	1000	6.1	43	1	2	4	8	14	18	32
GRAND TOTAL	**1339**	**6.2**	**49**	**1**	**2**	**4**	**8**	**14**	**18**	**37**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.3	60	< 1	< 1	2	11	19	22	22
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	34	8.5	18	4	7	8	11	12	12	26
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	17	6.0	6	3	5	6	7	8	11	12
50-64	37	7.9	20	5	5	7	9	13	20	22
65 +	20	6.8	11	2	5	7	9	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	4.7	17	< 1	1	4	6	10	12	19
20-34	0									
35-49	4	14.3	201	1	3	11	25	33	33	33
50-64	21	5.6	17	1	2	4	9	11	13	16
65 +	28	6.8	17	2	4	6	9	10	15	21
B. Operated										
0-19 YRS	44	12.1	94	5	7	10	13	20	40	44
20-34	11	9.5	23	5	7	8	12	17	21	21
35-49	47	8.8	14	6	7	8	10	12	14	28
50-64	155	10.1	48	5	7	8	11	19	25	43
65 +	319	10.6	36	5	7	9	13	18	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.1	42	< 1	1	2	8	14	21	22
B. Operated	110	7.5	16	4	5	7	9	12	13	24
2. MULTIPLE DX										
A. Not Operated	84	6.1	27	1	2	5	8	10	16	29
B. Operated	576	10.4	42	5	7	8	13	18	24	38
1. SINGLE DX	122	7.3	19	2	5	7	9	12	13	23
2. MULTIPLE DX	660	9.9	42	4	6	8	12	17	22	36
A. Not Operated	96	6.0	29	1	2	5	8	11	17	28
B. Operated	686	9.9	39	5	7	8	12	17	22	36
TOTAL										
0-19 YRS	117	8.7	57	1	5	8	11	14	21	43
20-34	14	8.6	24	3	6	8	10	15	20	21
35-49	69	8.3	24	4	6	8	9	12	15	32
50-64	214	9.2	43	4	6	8	10	18	22	37
65 +	368	10.1	35	4	7	9	13	17	21	28
GRAND TOTAL	**782**	**9.5**	**39**	**4**	**6**	**8**	**11**	**16**	**21**	**35**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	2.2	2	< 1	1	2	3	4	6	6
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	5	5.0	30	1	1	3	8	14	14	14
20-34	0									
35-49	3	9.0	28	5	5	7	13	15	15	15
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	10	4.7	14	1	2	3	7	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	17	2.2	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	4	2.3	4	1	1	2	3	5	5	5
B. Operated	20	5.2	19	1	2	4	7	13	14	15
1. SINGLE DX	19	2.3	3	1	1	2	3	6	6	6
2. MULTIPLE DX	24	4.7	18	1	2	3	6	13	14	15
A. Not Operated	6	2.7	5	1	1	2	5	6	6	6
B. Operated	37	3.8	14	1	1	3	5	9	14	15
TOTAL										
0-19 YRS	20	2.9	10	1	1	2	3	6	10	14
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	4	7.0	35	1	3	6	11	15	15	15
50-64	5	2.6	3	1	1	2	4	5	5	5
65 +	12	4.3	13	1	2	3	5	10	13	13
GRAND TOTAL	**43**	**3.7**	**13**	**1**	**1**	**2**	**5**	**8**	**13**	**15**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	5.0	78	1	1	3	4	9	18	48
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	12	6.1	22	2	3	5	7	14	17	18
50-64	5	3.8	7	1	2	4	5	8	8	8
65 +	4	3.8	3	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	80	5.4	15	1	2	5	7	10	12	17
20-34	21	8.9	26	4	5	7	12	17	19	21
35-49	26	6.6	20	1	3	6	9	14	15	17
50-64	35	8.8	26	4	5	7	12	16	18	23
65 +	18	10.2	48	1	6	10	12	22	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	82	6.4	64	1	2	4	9	14	19	45
20-34	16	5.1	12	1	3	4	7	11	12	13
35-49	35	7.7	49	1	2	5	11	16	23	30
50-64	47	9.5	120	2	3	6	10	26	33	53
65 +	70	9.2	72	2	4	6	12	19	30	42
B. Operated										
0-19 YRS	162	13.3	160	3	6	9	16	30	41	99 +
20-34	35	11.8	102	4	6	8	15	23	38	43
35-49	57	13.4	251	3	5	8	13	30	47	92
50-64	90	13.5	170	4	7	10	15	24	48	93
65 +	112	16.7	167	4	8	13	23	32	43	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	5.1	50	1	2	3	5	11	16	47
B. Operated	180	7.1	25	1	4	6	10	14	17	24
2. MULTIPLE DX										
A. Not Operated	250	7.9	73	1	3	5	10	16	28	44
B. Operated	456	14.0	172	4	6	10	17	30	42	93
1. SINGLE DX	232	6.7	31	1	3	6	9	13	17	25
2. MULTIPLE DX	706	11.9	145	2	4	8	14	28	37	74
A. Not Operated	302	7.4	70	1	2	4	9	15	25	46
B. Operated	636	12.1	140	3	5	9	14	26	36	79
TOTAL										
0-19 YRS	353	9.2	112	1	3	6	11	20	33	79
20-34	74	9.4	65	2	4	7	12	19	23	42
35-49	130	9.8	138	2	4	7	12	18	30	66
50-64	177	11.2	129	2	5	8	13	22	33	78
65 +	204	13.3	135	3	5	10	17	29	36	61
GRAND TOTAL	**938**	**10.6**	**122**	**2**	**4**	**8**	**13**	**23**	**32**	**64**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	14	7.8	16	4	5	6	11	15	16	16
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	2	5.0		5	5	5	5	5	5	5
50-64	4	9.5	9	7	7	9	12	13	13	13
65 +	3	9.0	7	6	7	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	8.0	42	1	2	9	13	16	16	16
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	3	6.0	9	3	4	6	8	9	9	9
65 +	2	10.0	2	9	9	10	11	11	11	11
B. Operated										
0-19 YRS	17	10.9	127	3	4	7	10	34	38	39
20-34	1	33.0		33	33	33	33	33	33	33
35-49	5	7.8	53	1	3	7	10	20	20	20
50-64	7	11.0	25	5	7	11	15	18	18	18
65 +	11	24.2	383	9	10	18	37	54	69	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	1	1	1	3	3	3	3	3
B. Operated	25	7.9	13	4	5	7	11	13	15	16
2. MULTIPLE DX										
A. Not Operated	13	6.3	25	1	2	6	10	13	15	16
B. Operated	41	14.7	203	4	6	9	18	38	43	70
1. SINGLE DX	28	7.3	15	3	5	6	10	13	15	16
2. MULTIPLE DX	54	12.6	172	2	4	9	16	33	42	69
A. Not Operated	16	5.6	23	1	2	3	9	12	15	16
B. Operated	66	12.1	141	4	5	8	13	23	40	66
TOTAL										
0-19 YRS	37	9.1	71	2	4	6	11	16	32	39
20-34	7	7.6	135	1	1	3	8	28	33	33
35-49	7	7.0	37	2	4	5	7	17	20	20
50-64	15	9.1	21	3	6	8	12	16	17	18
65 +	16	19.6	306	8	9	12	19	43	62	70
GRAND TOTAL	**82**	**10.8**	**124**	**2**	**5**	**8**	**12**	**20**	**38**	**61**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.4	12	<1	1	1	6	9	11	11
20-34	10	2.0	1	1	1	2	2	4	5	5
35-49	6	1.5		1	1	1	2	2	2	2
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	15	7.3	71	1	3	6	8	9	29	36
20-34	28	2.6	2	1	2	2	3	4	5	8
35-49	30	2.3	2	1	2	2	2	4	6	7
50-64	19	3.3	6	1	2	2	4	7	9	11
65 +	13	4.2	31	1	2	2	3	10	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	7.2	234	2	2	3	5	11	30	80
20-34	7	1.9		1	1	2	2	3	3	3
35-49	5	3.0	5	2	2	2	4	7	7	7
50-64	9	2.7	3	1	2	2	3	5	7	7
65 +	9	3.4	20	1	1	2	3	11	15	15
B. Operated										
0-19 YRS	67	12.3	137	2	5	8	15	29	41	55
20-34	35	3.6	12	2	2	2	4	7	9	20
35-49	46	3.9	10	2	2	3	5	9	12	15
50-64	48	4.9	22	2	2	3	6	11	15	25
65 +	58	7.7	165	2	3	4	9	12	21	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.3	5	1	1	2	2	5	7	11
B. Operated	105	3.5	18	1	2	2	4	7	8	28
2. MULTIPLE DX										
A. Not Operated	56	4.8	115	1	2	2	4	7	14	76
B. Operated	254	7.1	92	2	2	4	8	15	22	46
1. SINGLE DX	139	3.2	15	1	2	2	3	7	8	24
2. MULTIPLE DX	310	6.7	97	2	2	3	8	14	20	50
A. Not Operated	90	3.9	74	1	2	2	3	6	11	55
B. Operated	359	6.1	73	2	2	3	7	13	20	44
TOTAL										
0-19 YRS	119	9.7	145	1	3	6	12	23	35	64
20-34	80	2.9	6	1	2	2	3	5	7	17
35-49	87	3.1	7	1	2	2	3	6	9	15
50-64	80	4.1	16	1	2	3	4	9	12	22
65 +	83	6.5	125	2	2	3	7	12	20	72
GRAND TOTAL	**449**	**5.6**	**74**	**1**	**2**	**3**	**6**	**12**	**16**	**44**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.2	4	< 1	1	3	5	6	6	6
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	0									
50-64	8	6.3	35	1	2	4	10	16	17	17
65 +	10	5.9	10	3	4	5	6	11	12	12
B. Operated										
0-19 YRS	17	7.1	101	< 1	1	4	7	23	34	38
20-34	3	10.0	21	6	7	9	13	15	15	15
35-49	5	6.2	23	2	2	5	10	13	13	13
50-64	20	5.1	18	1	2	3	7	12	15	16
65 +	31	3.6	6	< 1	1	3	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	7.0	83	1	2	4	7	17	23	52
20-34	47	7.2	70	2	3	5	8	13	25	50
35-49	258	7.0	38	2	3	5	8	13	17	31
50-64	781	7.9	55	2	3	6	10	17	22	40
65 +	1362	8.7	52	2	4	7	11	17	22	38
B. Operated										
0-19 YRS	92	11.5	181	2	4	7	14	25	46	89
20-34	83	9.1	58	2	4	7	12	21	24	37
35-49	416	10.2	111	2	4	8	12	19	32	63
50-64	1059	11.1	105	2	5	8	14	22	29	50
65 +	1693	11.4	98	2	5	9	14	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	5.2	16	1	2	4	6	12	14	17
B. Operated	76	5.2	33	1	2	4	7	10	15	35
2. MULTIPLE DX										
A. Not Operated	2497	8.2	53	2	3	6	10	17	22	38
B. Operated	3343	11.1	103	2	5	8	14	23	30	53
1. SINGLE DX	102	5.2	29	1	2	4	6	11	15	32
2. MULTIPLE DX	5840	9.9	84	2	4	7	12	20	27	47
A. Not Operated	2523	8.2	52	2	3	6	10	17	22	38
B. Operated	3419	11.0	102	2	5	8	14	23	30	51
TOTAL										
0-19 YRS	164	9.4	142	1	3	6	10	23	37	75
20-34	135	8.4	61	2	4	6	11	19	24	43
35-49	679	9.0	85	2	4	7	11	17	26	46
50-64	1868	9.7	86	2	4	7	12	20	26	46
65 +	3096	10.1	78	2	4	8	13	21	27	46
GRAND TOTAL	**5942**	**9.8**	**83**	**2**	**4**	**7**	**12**	**20**	**27**	**47**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	33	7.2	100	1	3	6	8	10	11	60
20-34	34	4.1	33	< 1	1	2	5	8	11	33
35-49	12	4.1	10	< 1	1	3	5	9	12	12
50-64	7	3.6	6	< 1	1	3	6	6	6	6
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.5	14	1	1	2	5	8	13	14
20-34	7	8.6	25	2	5	10	12	15	16	16
35-49	5	4.4	7	1	2	6	6	7	7	7
50-64	4	7.8	22	2	4	8	11	12	12	12
65 +	4	5.3	27	2	2	3	8	13	13	13
B. Operated										
0-19 YRS	30	9.6	43	2	5	8	14	20	22	22
20-34	54	9.4	144	3	4	6	10	15	29	79
35-49	19	8.9	88	2	5	7	9	15	31	44
50-64	11	11.8	93	4	5	6	18	27	32	32
65 +	14	13.0	122	2	3	10	18	28	35	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.9	3	1	1	1	2	5	6	6
B. Operated	87	5.2	54	< 1	1	4	6	9	11	50
2. MULTIPLE DX										
A. Not Operated	32	5.5	20	1	2	4	8	12	14	16
B. Operated	128	10.0	104	2	4	7	12	21	27	52
1. SINGLE DX	94	4.9	51	< 1	1	4	6	9	11	48
2. MULTIPLE DX	160	9.1	90	2	4	6	11	19	25	43
A. Not Operated	39	4.8	19	1	1	3	7	12	14	16
B. Operated	215	8.1	89	1	3	5	9	18	24	50
TOTAL										
0-19 YRS	78	7.4	65	1	2	6	9	16	20	49
20-34	98	7.3	99	1	2	5	8	13	24	59
35-49	36	6.7	55	1	3	5	7	13	15	44
50-64	23	8.1	62	1	3	6	11	20	27	32
65 +	19	10.7	109	1	2	9	17	26	32	37
GRAND TOTAL	**254**	**7.6**	**79**	**1**	**2**	**5**	**9**	**16**	**23**	**44**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.8	4	< 1	1	2	3	5	7	12
20-34	2	22.0	648	4	4	22	40	40	40	40
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	95	7.4	53	1	4	6	9	12	27	39
20-34	0									
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	5.4	19	1	3	4	7	11	13	23
20-34	5	14.2	191	1	6	9	21	37	37	37
35-49	5	29.0	736	2	6	30	44	70	70	70
50-64	4	16.8	123	4	9	16	24	31	31	31
65 +	17	11.4	174	1	4	6	15	30	45	52
B. Operated										
0-19 YRS	157	14.5	225	4	6	9	18	28	43	81
20-34	7	34.4	529	4	15	49	55	87	99 +	99 +
35-49	6	26.3	429	6	7	23	37	59	61	61
50-64	8	17.1	254	4	5	7	33	40	41	41
65 +	4	25.3	243	5	15	26	35	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	3.2	21	< 1	1	2	3	5	7	31
B. Operated	99	7.4	51	1	4	6	9	12	27	39
2. MULTIPLE DX										
A. Not Operated	206	6.9	68	1	3	5	8	14	18	44
B. Operated	182	16.0	258	5	6	10	20	37	55	90
1. SINGLE DX	182	5.5	42	1	2	4	7	10	14	39
2. MULTIPLE DX	388	11.2	177	2	4	7	12	27	37	76
A. Not Operated	289	5.8	57	1	2	4	7	11	17	39
B. Operated	281	13.0	202	3	5	8	15	29	44	80
TOTAL										
0-19 YRS	506	8.2	106	1	3	5	9	18	25	60
20-34	14	25.4	446	2	8	20	49	56	89	99 +
35-49	13	24.4	485	5	7	20	36	63	69	70
50-64	14	14.7	199	1	4	7	30	37	40	41
65 +	23	13.4	195	1	4	7	17	35	46	52
GRAND TOTAL	**570**	**9.4**	**141**	**1**	**3**	**6**	**10**	**22**	**33**	**68**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.6	29	1	3	4	6	14	19	19
20-34	0									
35-49	11	7.3	30	2	3	6	10	16	17	17
50-64	13	7.9	37	1	4	6	12	17	20	21
65 +	35	9.6	165	2	4	7	10	16	29	75
B. Operated										
0-19 YRS	5	12.2	135	2	5	10	16	32	32	32
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	18	14.1	138	4	6	9	18	32	39	43
65 +	34	12.6	151	4	6	9	14	27	48	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	2	< 1	1	2	3	4	4	4
B. Operated	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	68	8.4	100	2	3	6	10	16	19	67
B. Operated	58	12.9	139	4	6	9	15	31	39	54
1. SINGLE DX	8	2.8	8	< 1	1	2	3	7	9	9
2. MULTIPLE DX	126	10.5	122	2	4	7	12	19	32	59
A. Not Operated	74	7.9	95	1	3	6	9	16	19	65
B. Operated	60	12.7	137	4	6	9	15	30	38	54
TOTAL										
0-19 YRS	17	7.2	62	1	2	5	9	17	27	32
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	7.3	27	2	3	6	10	16	17	17
50-64	35	10.5	99	1	4	6	14	27	32	43
65 +	69	11.1	158	3	5	8	12	19	34	71
GRAND TOTAL	**134**	**10.0**	**119**	**2**	**4**	**7**	**12**	**19**	**32**	**57**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.0	11	1	1	1	4	9	10	10
20-34	0									
35-49	0									
50-64	3	4.3	1	3	3	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	14	9.5	226	1	1	3	12	20	50	58
20-34	5	12.0	409	< 1	1	3	16	48	48	48
35-49	3	12.0	363	< 1	< 1	1	26	34	34	34
50-64	4	16.3	242	2	3	14	29	35	35	35
65 +	5	11.4	248	1	2	6	16	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	6.1	46	< 1	1	2	11	15	21	25
20-34	1	14.0		14	14	14	14	14	14	14
35-49	5	11.4	51	3	6	12	15	22	22	22
50-64	20	6.6	33	1	1	5	11	15	17	19
65 +	23	9.4	123	3	3	5	10	23	35	51
B. Operated										
0-19 YRS	56	30.6	537	4	12	28	44	69	82	99
20-34	14	34.1	502	9	22	27	37	75	79	80
35-49	19	35.1	360	5	26	35	45	64	68	69
50-64	30	30.0	273	12	20	29	34	49	64	86
65 +	59	22.7	224	4	10	23	31	44	48	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.2	8	1	1	2	5	7	10	10
B. Operated	31	11.3	239	< 1	1	5	14	37	48	58
2. MULTIPLE DX										
A. Not Operated	71	7.8	68	1	2	5	12	17	22	46
B. Operated	178	28.7	379	5	13	28	38	60	70	86
1. SINGLE DX	43	9.0	187	1	1	3	10	34	42	58
2. MULTIPLE DX	249	22.7	379	2	6	19	32	49	65	85
A. Not Operated	83	7.1	62	1	2	5	11	16	22	43
B. Operated	209	26.1	395	2	10	25	36	57	67	85
TOTAL										
0-19 YRS	100	20.1	485	1	2	12	29	58	71	92
20-34	20	27.6	534	2	8	24	36	67	77	80
35-49	27	28.1	405	2	8	29	41	58	66	69
50-64	57	19.5	297	1	5	16	30	36	52	84
65 +	88	18.4	232	3	5	14	29	40	48	61
GRAND TOTAL	**292**	**20.7**	**373**	**1**	**5**	**14**	**31**	**48**	**63**	**85**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.6	3	< 1	2	3	5	6	6	6
20-34	3	7.0	61	2	2	3	13	16	16	16
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.0		< 1	< 1	1	1	1	1	1
65 +	2	9.0	128	< 1	< 1	8	17	17	17	17
B. Operated										
0-19 YRS	4	14.3	298	1	1	9	27	38	38	38
20-34	3	11.0	37	4	6	14	15	15	15	15
35-49	6	8.7	125	1	3	4	8	29	31	31
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.7	8	< 1	1	4	5	9	9	9
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	6	19.0	186	3	6	19	31	35	36	36
50-64	9	7.0	22	1	2	7	10	13	15	15
65 +	27	9.4	143	2	3	6	10	18	34	61
B. Operated										
0-19 YRS	23	14.3	144	5	8	11	16	47	65	99 +
20-34	3	7.3	22	2	4	9	10	11	11	11
35-49	9	38.4	459	11	25	37	48	70	76	76
50-64	18	22.8	322	3	4	19	34	51	57	59
65 +	36	12.1	120	3	5	9	15	27	34	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.1	25	< 1	1	2	5	14	17	17
B. Operated	16	9.9	116	1	3	5	14	29	36	38
2. MULTIPLE DX										
A. Not Operated	57	8.6	106	1	3	5	10	18	30	59
B. Operated	89	17.4	257	3	6	12	26	44	56	90
1. SINGLE DX	33	6.9	76	1	1	4	7	16	29	38
2. MULTIPLE DX	146	14.0	215	2	4	9	16	36	50	77
A. Not Operated	74	7.6	91	1	2	5	9	16	28	55
B. Operated	105	16.2	241	3	5	11	21	42	54	87
TOTAL										
0-19 YRS	47	9.8	119	1	3	6	13	24	47	99 +
20-34	11	8.0	29	2	3	8	13	15	16	16
35-49	22	23.3	437	2	4	24	36	49	68	76
50-64	32	15.1	264	1	3	10	24	39	52	59
65 +	67	10.7	125	2	4	8	13	21	31	60
GRAND TOTAL	**179**	**12.6**	**196**	**2**	**4**	**8**	**15**	**34**	**46**	**72**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	6.1	37	1	2	5	7	10	21	27
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	26	3.5	47	1	1	1	2	9	15	35
50-64	30	3.1	42	1	1	1	1	8	10	35
65 +	13	4.2	12	1	1	4	6	8	12	13
B. Operated										
0-19 YRS	42	6.0	38	1	2	4	8	11	22	30
20-34	14	5.4	25	1	1	3	9	13	15	16
35-49	35	3.9	22	< 1	< 1	2	5	10	16	20
50-64	49	4.6	29	< 1	1	3	6	11	18	25
65 +	35	4.6	11	< 1	2	4	7	10	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.9	32	1	2	4	9	14	17	24
20-34	9	11.8	79	3	6	7	19	26	26	26
35-49	64	7.9	166	1	2	4	8	15	30	82
50-64	130	7.4	66	1	2	5	10	16	21	36
65 +	246	8.9	80	1	3	6	11	22	28	36
B. Operated										
0-19 YRS	53	15.4	281	2	6	8	24	33	44	80
20-34	29	15.0	223	3	5	10	17	40	49	62
35-49	80	14.0	195	3	6	9	18	32	44	71
50-64	208	13.9	165	3	6	9	17	33	44	66
65 +	402	13.9	139	4	7	11	17	28	39	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	3.9	37	1	1	1	5	9	10	35
B. Operated	175	4.9	26	< 1	1	3	7	10	15	24
2. MULTIPLE DX										
A. Not Operated	484	8.2	84	1	2	5	11	19	26	39
B. Operated	772	14.1	164	3	6	10	17	31	43	70
1. SINGLE DX	265	4.5	30	< 1	1	2	6	10	13	30
2. MULTIPLE DX	1256	11.8	141	2	4	8	15	26	37	63
A. Not Operated	574	7.5	79	1	1	5	10	18	25	36
B. Operated	947	12.4	151	2	5	9	15	27	39	63
TOTAL										
0-19 YRS	147	9.4	143	1	2	6	10	25	30	76
20-34	56	11.1	154	1	3	8	14	26	41	61
35-49	205	9.1	155	1	1	5	10	22	35	67
50-64	417	10.0	125	1	3	7	13	23	34	59
65 +	696	11.5	118	1	5	8	15	25	34	54
GRAND TOTAL	**1521**	**10.5**	**129**	**1**	**3**	**7**	**13**	**24**	**34**	**60**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	2.5	5	< 1	1	2	2	6	8	10
20-34	25	2.0	1	< 1	1	2	2	3	4	6
35-49	47	1.9	1	1	1	2	2	3	4	5
50-64	37	1.5		1	1	1	2	2	3	3
65 +	32	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	4.2	18	1	1	2	7	11	13	13
20-34	12	1.9	1	1	1	2	3	3	4	4
35-49	15	2.5	3	1	1	2	3	5	7	8
50-64	30	3.3	30	1	1	2	3	4	8	31
65 +	52	3.8	17	1	2	3	4	8	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	160	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	118	3.3	17	1	1	2	3	7	10	25
1. SINGLE DX	160	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	118	3.3	17	1	1	2	3	7	10	25
A. Not Operated	0									
B. Operated	278	2.5	8	1	1	2	3	4	7	17
TOTAL										
0-19 YRS	28	3.0	9	1	1	2	3	8	10	13
20-34	37	2.0	1	1	1	2	2	3	4	6
35-49	62	2.0	2	1	1	2	2	3	5	8
50-64	67	2.3	14	1	1	2	2	3	4	27
65 +	84	3.1	12	1	2	2	3	5	9	21
GRAND TOTAL	**278**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**7**	**17**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	21	4.0	11	1	1	4	6	9	10	12
20-34	8	4.0	9	< 1	< 1	3	6	8	9	9
35-49	36	2.8	14	< 1	< 1	< 1	2	9	9	17
50-64	88	1.9	4	< 1	< 1	< 1	1	6	7	8
65 +	71	1.9	5	< 1	< 1	< 1	< 1	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.3	5	3	3	3	6	7	7	7
50-64	7	3.9	8	< 1	1	4	5	8	9	9
65 +	24	4.0	6	1	2	4	6	8	8	9
B. Operated										
0-19 YRS	23	6.0	26	< 1	2	5	10	16	43	99 +
20-34	24	6.0	11	1	4	6	8	10	11	13
35-49	83	5.3	33	< 1	< 1	3	8	11	18	29
50-64	222	5.5	32	< 1	< 1	5	7	11	15	29
65 +	427	6.4	47	< 1	< 1	5	9	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		< 1	< 1	1	1	2	2	2
B. Operated	224	2.3	7	< 1	< 1	< 1	2	7	8	11
2. MULTIPLE DX										
A. Not Operated	38	4.0	5	< 1	2	4	5	8	9	9
B. Operated	779	6.0	40	< 1	< 1	5	8	12	17	29
1. SINGLE DX	230	2.3	7	< 1	< 1	< 1	2	7	8	10
2. MULTIPLE DX	817	5.9	38	< 1	< 1	5	8	12	17	29
A. Not Operated	44	3.6	6	< 1	1	3	5	7	8	9
B. Operated	1003	5.2	35	< 1	< 1	3	8	11	15	28
TOTAL										
0-19 YRS	50	4.7	18	< 1	1	4	7	11	16	99
20-34	33	5.5	11	< 1	3	6	8	10	10	13
35-49	123	4.5	27	< 1	< 1	2	7	9	16	24
50-64	319	4.4	26	< 1	< 1	2	7	9	12	27
65 +	522	5.7	42	< 1	< 1	4	8	12	16	28
GRAND TOTAL	**1047**	**5.1**	**34**	**<1**	**<1**	**3**	**8**	**11**	**15**	**28**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	123	1.3	2	< 1	< 1	1	1	2	2	10
20-34	6	4.8	7	1	4	5	6	9	9	9
35-49	9	4.0	8	< 1	1	5	5	8	9	9
50-64	7	5.0	7	1	3	6	6	8	9	9
65 +	9	3.7	5	1	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	41	4.1	25	1	1	2	5	10	12	27
20-34	5	6.6	21	3	3	5	9	14	14	14
35-49	16	8.4	31	1	4	8	11	17	18	19
50-64	20	7.5	43	2	3	6	8	16	23	29
65 +	23	8.3	120	2	3	4	8	17	30	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	154	1.9	4	< 1	1	1	2	5	6	9
2. MULTIPLE DX										
A. Not Operated	6	4.0	5	1	2	4	6	7	7	7
B. Operated	105	6.4	52	1	2	4	8	15	18	40
1. SINGLE DX	156	1.9	4	< 1	1	1	2	5	6	9
2. MULTIPLE DX	111	6.3	49	1	2	4	8	15	17	38
A. Not Operated	8	3.3	6	< 1	1	3	5	7	7	7
B. Operated	259	3.8	28	< 1	1	2	5	9	13	26
TOTAL										
0-19 YRS	168	2.1	9	< 1	1	1	2	4	8	14
20-34	12	5.3	13	2	3	4	7	10	13	14
35-49	25	6.8	27	1	3	6	9	17	18	19
50-64	29	6.6	33	1	3	6	7	13	18	29
65 +	33	6.9	89	2	2	4	7	17	18	53
GRAND TOTAL	**267**	**3.7**	**27**	**<1**	**1**	**2**	**5**	**9**	**12**	**26**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
B. Operated										
0-19 YRS	173	2.4	9	<1	1	1	3	5	7	19
20-34	67	2.2	4	<1	<1	1	3	5	7	11
35-49	86	2.2	9	<1	<1	1	3	4	5	21
50-64	58	2.0	3	<1	<1	1	2	5	6	7
65 +	34	1.8	3	<1	<1	<1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	13.0		13	13	13	13	13	13	13
65 +	3	3.3	16	1	1	1	6	8	8	8
B. Operated										
0-19 YRS	47	4.7	25	1	1	3	6	10	16	26
20-34	21	4.0	16	1	1	3	4	12	13	13
35-49	53	3.6	10	<1	1	2	5	7	9	17
50-64	53	4.5	16	1	2	3	6	11	14	15
65 +	59	5.7	30	<1	2	4	7	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.5		<1	1	1	2	2	2	2
B. Operated	418	2.2	7	<1	<1	1	2	5	6	14
2. MULTIPLE DX										
A. Not Operated	9	3.7	17	<1	1	2	4	11	13	13
B. Operated	233	4.6	20	1	1	3	6	10	14	24
1. SINGLE DX	424	2.2	7	<1	<1	1	2	5	6	14
2. MULTIPLE DX	242	4.6	20	1	1	3	6	10	14	23
A. Not Operated	15	2.8	11	<1	1	2	3	8	12	13
B. Operated	651	3.1	13	<1	1	2	4	7	10	19
TOTAL										
0-19 YRS	226	2.8	13	<1	1	1	3	6	8	21
20-34	90	2.6	7	<1	<1	1	3	6	8	13
35-49	141	2.8	10	<1	<1	1	4	6	8	18
50-64	113	3.2	11	<1	1	2	4	8	12	15
65 +	96	4.3	23	<1	<1	2	6	10	14	26
GRAND TOTAL	**666**	**3.1**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.6	7	<1	1	2	3	6	9	12
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	274	2.0	9	<1	<1	1	2	4	6	13
20-34	21	3.0	6	<1	1	2	5	7	8	8
35-49	29	2.9	19	<1	<1	1	3	8	11	22
50-64	13	3.1	10	<1	<1	1	5	8	10	10
65 +	8	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	6.1	38	1	2	6	7	10	14	33
20-34	5	3.8	7	1	1	5	6	7	7	7
35-49	4	5.0	15	1	2	4	8	10	10	10
50-64	4	4.0	6	1	2	4	6	6	6	6
65 +	7	5.0	13	2	2	4	6	11	12	12
B. Operated										
0-19 YRS	111	5.5	75	<1	1	2	6	15	23	75
20-34	14	6.0	51	1	1	3	8	13	24	27
35-49	29	3.8	14	<1	1	2	5	10	12	15
50-64	16	5.9	18	<1	2	5	9	13	14	14
65 +	36	10.5	128	1	3	7	14	24	35	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.5	6	1	1	2	3	6	8	12
B. Operated	345	2.1	9	<1	<1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated	47	5.4	26	1	2	5	7	10	11	33
B. Operated	206	6.2	73	<1	1	3	8	15	23	56
1. SINGLE DX	370	2.2	9	<1	<1	1	2	5	7	14
2. MULTIPLE DX	253	6.1	64	<1	1	4	7	14	20	53
A. Not Operated	72	4.4	21	1	1	3	6	9	11	28
B. Operated	551	3.7	37	<1	<1	1	4	8	14	37
TOTAL										
0-19 YRS	432	3.2	30	<1	<1	1	3	7	11	37
20-34	40	4.2	22	<1	1	3	6	8	11	27
35-49	64	3.5	16	<1	1	2	4	9	11	21
50-64	36	4.3	14	<1	1	3	7	10	12	14
65 +	51	8.3	105	<1	1	5	11	19	31	53
GRAND TOTAL	**623**	**3.8**	**35**	**<1**	**<1**	**1**	**4**	**8**	**13**	**37**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	28	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	45	1.0		< 1	< 1	< 1	< 1	1	1	2
50-64	13	1.2		< 1	< 1	< 1	1	2	2	2
65 +	4	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	10	1.3		< 1	< 1	< 1	< 1	2	3	3
35-49	24	1.8	1	< 1	< 1	1	3	4	4	4
50-64	17	1.5	1	< 1	< 1	1	2	3	4	4
65 +	13	1.6	4	< 1	< 1	1	1	3	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	100	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	66	1.6	2	< 1	< 1	1	2	3	4	7
1. SINGLE DX	101	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	67	1.6	1	< 1	< 1	1	2	3	4	7
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	166	1.3	1	< 1	< 1	< 1	1	2	3	4
TOTAL										
0-19 YRS	12	1.1		< 1	< 1	< 1	1	1	2	2
20-34	38	1.1		< 1	< 1	< 1	< 1	< 1	1	3
35-49	70	1.3	1	< 1	< 1	< 1	1	2	4	4
50-64	30	1.3	1	< 1	< 1	1	1	2	3	4
65 +	18	1.4	3	< 1	< 1	1	1	2	6	8
GRAND TOTAL	**168**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.8	4	1	1	3	4	5	5	5
35-49	7	3.0	3	1	2	3	4	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	133	3.5	1	2	3	4	4	5	5	6
35-49	367	3.8	1	3	3	4	4	5	6	8
50-64	40	3.8	1	3	3	4	4	5	6	6
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	17	2.5	3	< 1	1	2	3	5	6	7
35-49	53	3.0	3	1	1	3	4	5	6	7
50-64	6	2.0	2	< 1	1	1	2	5	5	5
65 +	4	5.5	20	2	2	4	8	12	12	12
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	777	4.2	3	3	3	4	5	6	7	11
35-49	3870	4.3	3	3	3	4	5	6	7	12
50-64	553	4.5	3	3	4	4	5	6	8	13
65 +	102	5.8	14	3	4	5	6	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.0	3	1	2	3	4	5	6	6
B. Operated	542	3.7	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	82	3.0	5	1	1	3	4	5	7	12
B. Operated	5305	4.3	3	3	3	4	5	6	7	12
1. SINGLE DX	554	3.7	1	2	3	4	4	5	5	7
2. MULTIPLE DX	5387	4.3	4	3	3	4	5	6	7	12
A. Not Operated	94	3.0	4	1	1	3	4	5	6	12
B. Operated	5847	4.3	3	3	3	4	5	6	7	12
TOTAL										
0-19 YRS	5	5.2	11	3	3	4	6	11	11	11
20-34	931	4.1	3	3	3	4	5	6	7	10
35-49	4297	4.2	3	3	3	4	5	6	7	11
50-64	600	4.4	3	3	4	4	5	6	7	12
65 +	108	5.7	14	3	4	5	6	8	13	23
GRAND TOTAL	**5941**	**4.3**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**12**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	2.5	1	< 1	1	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	8	3.3	1	1	3	3	4	5	5	5
35-49	30	4.6	7	3	3	4	5	8	10	15
50-64	5	4.2	1	3	3	4	5	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	3.2	2	< 1	3	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	44	4.3	5	3	3	4	4	6	9	15
1. SINGLE DX	6	3.2	2	< 1	3	3	4	5	5	5
2. MULTIPLE DX	44	4.3	5	3	3	4	4	6	9	15
A. Not Operated	0									
B. Operated	50	4.1	5	3	3	4	4	6	8	15
TOTAL										
0-19 YRS	0									
20-34	9	3.4	2	1	3	3	4	5	5	5
35-49	34	4.3	7	3	3	4	4	8	10	15
50-64	6	4.2	1	3	4	4	4	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	50	4.1	5	3	3	4	4	6	8	15

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	47	3.7	2	2	3	4	4	5	6	8
20-34	97	3.0	1	2	3	3	4	4	4	6
35-49	40	4.4	5	3	3	4	5	7	9	13
50-64	29	3.9	2	3	3	4	4	6	7	7
65 +	8	5.1	3	3	4	5	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	1	71.0		71	71	71	71	71	71	71
B. Operated										
0-19 YRS	37	4.6	12	3	3	4	5	7	9	23
20-34	203	4.0	2	3	3	4	4	5	6	10
35-49	236	4.3	2	3	3	4	5	6	7	9
50-64	146	5.5	7	3	4	5	6	9	10	15
65 +	147	6.6	12	4	4	6	8	12	14	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.7	2	3	3	5	6	6	6	6
B. Operated	221	3.6	2	2	3	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	4	19.8	1168	2	2	3	37	71	71	71
B. Operated	769	4.9	6	3	4	4	5	7	9	16
1. SINGLE DX	224	3.6	2	2	3	3	4	5	6	10
2. MULTIPLE DX	773	5.0	12	3	4	4	5	7	10	17
A. Not Operated	7	13.3	650	2	2	4	6	58	71	71
B. Operated	990	4.6	6	3	3	4	5	7	9	15
TOTAL										
0-19 YRS	86	4.1	6	2	3	4	4	6	7	18
20-34	301	3.7	2	2	3	3	4	5	6	9
35-49	278	4.3	2	3	3	4	5	6	7	10
50-64	176	5.2	7	3	4	4	6	8	10	14
65 +	156	6.9	38	4	4	6	8	12	15	68
GRAND TOTAL	997	4.7	10	3	3	4	5	7	9	15

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	2.3	2	< 1	< 1	2	3	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	9	4.2	5	1	3	4	5	8	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	1.5	1	< 1	< 1	< 1	< 1	3	4	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	12	4.0	5	< 1	2	4	5	7	8	8
1. SINGLE DX	10	1.5	1	< 1	< 1	< 1	< 1	3	4	4
2. MULTIPLE DX	13	3.8	5	< 1	2	4	5	7	8	8
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	22	2.9	5	< 1	< 1	2	4	6	7	8
TOTAL										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	3.0	3	< 1	< 1	3	4	5	5	5
35-49	11	3.6	6	< 1	1	4	5	7	8	8
50-64	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
GRAND TOTAL	23	2.8	4	< 1	< 1	2	4	6	7	8

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	10.0	98	3	3	10	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	6	4.2	40	1	1	2	3	16	17	17
1. SINGLE DX	9	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX	6	4.2	40	1	1	2	3	16	17	17
A. Not Operated	0									
B. Operated	15	2.4	17	< 1	1	1	2	3	13	17
TOTAL										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	5.5	60	1	1	2	10	17	17	17
GRAND TOTAL	15	2.4	17	< 1	1	1	2	3	13	17

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	6.6	14	2	4	6	9	12	12	12
50-64	3	1.3		1	1	1	2	2	2	2
65 +	9	3.3	12	1	1	1	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	7	7.1	8	3	5	8	9	11	11	11
50-64	20	9.8	213	2	5	6	9	13	42	70
65 +	26	5.0	14	1	3	4	7	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	19	4.0	12	1	1	2	6	9	11	12
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	55	7.0	88	1	3	5	9	11	14	67
1. SINGLE DX	19	4.0	12	1	1	2	6	9	11	12
2. MULTIPLE DX	56	7.0	86	1	3	5	8	11	14	67
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	74	6.2	69	1	2	5	8	10	13	57
TOTAL										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	12	6.9	10	2	5	7	9	11	12	12
50-64	23	8.7	193	1	2	5	9	13	34	70
65 +	36	4.7	13	1	1	4	7	10	11	15
GRAND TOTAL	**75**	**6.2**	**68**	**1**	**2**	**5**	**8**	**10**	**13**	**56**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.4	1	< 1	< 1	< 1	1	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	2.0	6	< 1	< 1	1	2	6	8	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	1.3		< 1	< 1	1	2	2	2	2
1. SINGLE DX	9	2.0	6	< 1	< 1	1	2	6	8	8
2. MULTIPLE DX	3	1.3		< 1	< 1	1	2	2	2	2
A. Not Operated	0									
B. Operated	12	1.8	4	< 1	< 1	1	2	4	7	8
TOTAL										
0-19 YRS	6	1.3	1	< 1	< 1	1	1	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	2	5.0	18	2	2	5	8	8	8	8
GRAND TOTAL	**12**	**1.8**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**7**	**8**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	10	8.9	52	3	5	7	10	19	28	28
20-34	16	8.0	15	3	5	7	11	13	15	16
35-49	22	7.9	23	4	6	7	9	13	18	25
50-64	33	6.3	15	2	3	6	8	11	12	20
65+	17	8.1	23	2	4	6	13	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	10.3	186	1	2	4	20	26	26	26
20-34	4	4.5	20	<1	1	3	7	11	11	11
35-49	3	6.3	37	<1	1	5	11	13	13	13
50-64	8	9.0	151	2	2	4	10	30	38	38
65+	34	13.2	392	2	3	6	13	38	56	97
B. Operated										
0-19 YRS	24	8.5	79	3	4	7	9	13	28	46
20-34	22	12.5	305	3	6	7	11	25	51	85
35-49	52	10.7	73	4	7	9	12	20	25	52
50-64	102	12.7	165	5	7	10	15	22	43	99+
65+	106	15.4	172	6	8	12	18	41	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.0	6	1	1	1	2	6	8	8
B. Operated	98	7.5	22	3	4	7	10	13	15	27
2. MULTIPLE DX										
A. Not Operated	52	11.3	293	2	3	5	12	36	42	96
B. Operated	306	13.0	158	5	7	9	15	26	45	99+
1. SINGLE DX	106	7.1	23	2	4	6	9	13	15	26
2. MULTIPLE DX	358	12.7	177	3	6	9	14	26	44	99+
A. Not Operated	60	10.1	264	1	2	4	9	30	40	93
B. Operated	404	11.6	130	4	6	9	13	23	35	99+
TOTAL										
0-19 YRS	39	8.5	72	2	4	7	10	17	27	46
20-34	42	10.0	171	3	5	7	11	15	26	85
35-49	80	9.4	59	2	6	8	11	17	24	47
50-64	144	11.0	135	3	6	8	13	20	28	99+
65+	159	14.0	206	4	6	10	16	36	59	99+
GRAND TOTAL	**464**	**11.4**	**147**	**3**	**6**	**8**	**13**	**23**	**38**	**99+**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	11	1.9	1	1	1	2	2	3	4	4
20-34	68	1.8		1	1	2	2	3	3	3
35-49	86	1.8	1	1	1	2	2	3	3	4
50-64	39	1.7	1	1	1	2	2	3	4	4
65+	17	2.4	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	17	2.2		1	2	2	3	3	3	3
35-49	50	2.1	1	1	2	2	3	3	4	5
50-64	38	2.6	3	1	2	2	3	5	6	10
65+	50	4.4	18	2	2	3	5	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	221	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	4	3.0	6	1	1	3	5	6	6	6
B. Operated	160	3.0	7	1	2	2	3	5	8	18
1. SINGLE DX	222	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	164	3.0	7	1	2	2	3	5	8	18
A. Not Operated	5	2.8	5	1	1	2	4	6	6	6
B. Operated	381	2.3	4	1	1	2	3	3	5	11
TOTAL										
0-19 YRS	16	1.9	1	1	1	2	2	3	4	4
20-34	87	1.8		1	1	2	2	3	3	3
35-49	137	1.9	1	1	1	2	2	3	3	5
50-64	77	2.2	2	1	1	2	3	4	5	9
65+	69	3.9	14	2	2	3	4	8	11	20
GRAND TOTAL	**386**	**2.3**	**4**	**1**	**1**	**2**	**3**	**3**	**5**	**11**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	3	7.3	6	5	5	7	9	10	10	10
35-49	16	7.7	31	3	4	6	9	17	21	23
50-64	15	4.6	8	2	2	5	6	8	10	10
65 +	11	5.5	24	1	2	4	8	13	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	3.7	1	2	3	4	4	5	5	5
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	5	10.0	67	1	3	11	14	22	22	22
B. Operated										
0-19 YRS	8	16.5	316	5	7	9	19	48	57	57
20-34	30	6.3	9	3	4	6	7	10	13	16
35-49	53	6.2	12	2	3	6	8	11	13	16
50-64	69	7.0	97	2	2	5	8	13	19	67
65 +	80	7.5	67	2	3	5	8	17	21	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	49	6.1	19	2	3	5	8	10	17	23
2. MULTIPLE DX										
A. Not Operated	15	6.5	39	1	3	4	9	17	21	22
B. Operated	240	7.2	66	2	3	5	8	13	19	57
1. SINGLE DX	51	5.9	19	2	3	5	8	10	17	23
2. MULTIPLE DX	255	7.2	64	2	3	5	8	13	19	56
A. Not Operated	17	5.8	37	1	2	4	6	16	20	22
B. Operated	289	7.0	58	2	3	5	8	13	18	46
TOTAL										
0-19 YRS	14	12.4	205	4	5	8	11	30	51	57
20-34	34	6.2	9	3	4	6	7	10	12	16
35-49	76	6.2	15	2	3	6	8	11	14	22
50-64	86	6.5	80	2	2	4	8	11	17	59
65 +	96	7.4	62	2	3	5	9	17	22	45
GRAND TOTAL	**306**	**7.0**	**57**	**2**	**3**	**5**	**8**	**13**	**18**	**41**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	142	2.5	2	< 1	< 1	3	3	4	5	6
35-49	60	2.5	2	< 1	< 1	3	4	4	4	6
50-64	17	3.4	3	1	2	3	4	6	7	7
65 +	6	4.0	7	< 1	< 1	4	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
20-34	177	3.4	3	< 1	3	3	4	5	6	10
35-49	197	4.0	5	3	3	4	5	6	6	12
50-64	37	4.5	8	1	3	4	5	8	10	15
65 +	49	5.5	12	2	4	5	6	10	15	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	228	2.6	2	< 1	< 1	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	463	4.0	6	2	3	4	5	6	7	15
1. SINGLE DX	230	2.6	2	< 1	< 1	3	4	4	5	7
2. MULTIPLE DX	464	4.0	6	2	3	4	5	6	7	15
A. Not Operated	3	1.7	1	< 1	< 1	< 1	2	3	3	3
B. Operated	691	3.5	5	< 1	3	3	4	5	7	12
TOTAL										
0-19 YRS	6	1.7	1	< 1	< 1	< 1	2	4	4	4
20-34	322	3.0	2	< 1	2	3	4	5	5	8
35-49	257	3.7	5	1	3	3	4	5	6	10
50-64	54	4.2	7	1	3	4	5	7	9	15
65 +	55	5.3	12	2	3	5	6	8	14	17
GRAND TOTAL	**694**	**3.5**	**5**	**< 1**	**3**	**3**	**4**	**5**	**7**	**12**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	2.8	4	< 1	< 1	2	4	6	7	7
35-49	36	2.2	2	< 1	1	2	3	5	6	7
50-64	30	2.4	3	< 1	1	2	3	4	4	10
65 +	27	2.7	3	< 1	2	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	30.0		30	30	30	30	30	30	30
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	10	3.5	8	< 1	1	3	5	8	9	9
35-49	42	3.9	6	1	2	3	5	8	9	11
50-64	80	4.7	13	2	2	4	6	9	11	21
65 +	151	6.1	49	1	2	4	8	14	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	104	2.4	3	< 1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	4	9.0	198	1	1	3	17	30	30	30
B. Operated	285	5.3	32	1	2	4	7	11	15	24
1. SINGLE DX	104	2.4	3	< 1	1	2	3	4	6	10
2. MULTIPLE DX	289	5.3	33	1	2	4	7	11	16	26
A. Not Operated	4	9.0	198	1	1	3	17	30	30	30
B. Operated	389	4.5	26	1	2	3	5	10	12	21
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	21	3.0	6	< 1	1	3	4	7	8	9
35-49	79	3.1	5	< 1	2	2	4	6	8	10
50-64	111	4.0	12	1	2	3	5	9	10	17
65 +	179	5.8	46	1	2	3	7	13	17	29
GRAND TOTAL	**393**	**4.6**	**27**	**1**	**2**	**3**	**5**	**10**	**12**	**23**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	6.5	59	1	2	4	9	15	27	31
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	6	3.3	3	1	2	3	5	6	6	6
50-64	7	1.7	1	< 1	1	1	3	3	3	3
65 +	3	2.7	2	< 1	1	3	4	4	4	4
B. Operated										
0-19 YRS	69	4.8	18	1	1	4	7	11	14	17
20-34	41	4.7	13	1	2	4	6	10	13	16
35-49	56	4.3	14	1	2	3	6	9	11	20
50-64	47	3.6	8	< 1	1	3	6	7	9	12
65 +	33	3.4	9	< 1	< 1	2	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.4	8	1	1	3	4	7	8	14
20-34	11	5.2	32	1	2	3	7	14	19	20
35-49	34	4.7	15	1	2	4	5	11	14	16
50-64	35	5.8	18	1	3	4	8	13	14	17
65 +	80	6.0	63	1	2	4	7	11	16	51
B. Operated										
0-19 YRS	71	10.8	212	1	2	7	13	25	41	97
20-34	58	6.3	23	1	4	5	8	13	16	24
35-49	93	6.1	18	3	4	5	7	12	15	23
50-64	117	7.2	35	1	3	6	9	13	19	61
65 +	240	9.2	76	2	4	7	10	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	4.6	36	1	1	2	5	10	17	31
B. Operated	246	4.3	13	1	1	3	6	9	12	17
2. MULTIPLE DX										
A. Not Operated	190	5.3	36	1	2	4	7	11	15	20
B. Operated	579	8.2	72	2	4	6	10	15	23	54
1. SINGLE DX	289	4.3	17	1	1	3	6	9	12	20
2. MULTIPLE DX	769	7.5	64	1	3	5	9	14	20	46
A. Not Operated	233	5.2	36	1	2	4	6	11	15	26
B. Operated	825	7.0	57	1	3	5	9	14	20	43
TOTAL										
0-19 YRS	193	7.0	101	1	2	4	9	14	24	80
20-34	114	5.5	20	1	2	4	7	12	14	23
35-49	189	5.2	16	1	3	4	7	10	14	19
50-64	206	5.9	27	1	2	5	8	12	14	33
65 +	356	7.9	70	1	3	6	10	15	23	46
GRAND TOTAL	**1058**	**6.6**	**53**	**1**	**2**	**5**	**8**	**13**	**17**	**41**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.9	1	1	1	2	2	3	3	3
20-34	63	1.9	2	1	1	2	2	3	3	10
35-49	105	2.0	1	1	2	2	2	3	3	6
50-64	78	2.1	1	1	1	2	2	3	4	5
65 +	32	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	5	2.8	3	1	2	2	4	5	5	5
65 +	7	7.1	41	2	3	4	9	18	20	20
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	2.2	1	1	2	2	3	3	4	5
35-49	75	2.8	4	1	2	2	3	5	7	12
50-64	67	3.8	10	1	2	3	5	8	12	16
65 +	88	4.0	10	2	2	3	5	7	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	292	2.0	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	14	5.0	25	1	2	3	5	11	18	20
B. Operated	256	3.4	8	1	2	2	4	6	9	16
1. SINGLE DX	293	2.0	1	1	1	2	2	3	3	6
2. MULTIPLE DX	270	3.5	9	1	2	2	4	6	10	16
A. Not Operated	15	4.7	25	< 1	2	3	5	10	17	20
B. Operated	548	2.7	5	1	2	2	3	4	6	14
TOTAL										
0-19 YRS	15	1.9	1	1	1	2	2	3	3	3
20-34	90	2.0	2	1	1	2	2	3	3	9
35-49	181	2.3	2	1	2	2	3	4	5	10
50-64	150	2.9	6	1	2	2	3	5	6	14
65 +	127	3.7	10	2	2	3	4	7	10	18
GRAND TOTAL	563	2.7	5	1	2	2	3	5	6	14

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.7	6	4	5	7	8	9	9	9
20-34	6	2.2	1	1	1	2	3	4	4	4
35-49	8	3.3	5	1	1	3	5	6	7	7
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	16	2.9	2	2	2	3	3	6	6	6
20-34	39	2.3	1	1	1	2	3	3	4	4
35-49	51	2.1	1	1	1	2	3	3	4	8
50-64	31	2.4	1	1	2	2	3	4	5	5
65 +	7	2.4	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.5	35	1	2	5	8	15	21	22
20-34	31	6.5	56	1	2	4	7	16	18	39
35-49	47	6.2	18	2	4	5	8	11	16	21
50-64	40	7.6	76	2	3	5	8	13	31	42
65 +	91	8.5	37	3	4	6	12	18	21	26
B. Operated										
0-19 YRS	8	11.3	443	1	3	4	7	47	63	63
20-34	25	3.1	2	2	2	3	4	6	6	6
35-49	47	4.2	15	2	2	3	5	9	15	18
50-64	28	5.0	24	2	2	3	4	12	17	22
65 +	28	6.5	50	1	2	4	9	15	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.5	6	1	1	3	5	7	8	9
B. Operated	144	2.3	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	220	7.5	43	2	4	5	9	16	20	39
B. Operated	136	5.0	47	2	2	3	5	11	16	35
1. SINGLE DX	163	2.5	2	1	2	2	3	4	5	8
2. MULTIPLE DX	356	6.5	46	2	3	4	8	15	19	39
A. Not Operated	239	7.2	41	2	3	5	8	16	19	39
B. Operated	280	3.6	25	1	2	2	4	6	11	23
TOTAL										
0-19 YRS	38	6.0	105	2	2	3	6	9	17	63
20-34	101	3.8	21	1	2	3	4	6	9	28
35-49	153	4.1	13	1	2	3	5	8	13	18
50-64	101	5.2	41	2	2	3	5	11	15	41
65 +	126	7.7	40	2	3	6	10	17	21	27
GRAND TOTAL	519	6.3	35	1	2	3	6	11	17	28

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	5.1	3	3	4	5	6	7	8	10
20-34	9	2.6	2	<1	1	2	4	5	5	5
35-49	12	2.8	1	1	2	3	4	4	4	4
50-64	4	3.8	2	2	2	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	8	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	5.0	6	2	3	5	6	8	9	12
20-34	27	3.7	4	2	2	3	4	6	8	9
35-49	50	4.3	4	2	3	4	6	7	9	10
50-64	41	6.3	30	3	3	5	7	9	19	31
65 +	23	6.3	6	4	4	6	8	11	38	99 +
B. Operated										
0-19 YRS	3	8.0	31	3	4	7	12	14	14	14
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	8.0	61	1	3	4	14	20	21	21
50-64	3	14.3	224	2	4	10	26	31	31	31
65 +	7	9.6	29	5	6	7	12	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	4.8	3	2	4	5	6	7	8	10
B. Operated	9	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	235	5.1	10	2	3	4	6	9	10	23
B. Operated	20	9.4	57	2	4	7	13	20	26	31
1. SINGLE DX	163	4.5	4	1	3	5	6	7	8	10
2. MULTIPLE DX	255	5.4	15	2	3	5	6	9	11	30
A. Not Operated	389	4.9	7	2	3	5	6	8	9	15
B. Operated	29	6.8	55	1	1	5	10	18	21	31
TOTAL										
0-19 YRS	234	5.0	5	2	4	5	6	8	9	11
20-34	37	3.5	4	1	2	3	4	6	7	9
35-49	68	4.4	9	2	3	4	5	7	9	20
50-64	48	6.6	40	3	3	5	7	10	23	31
65 +	31	6.8	13	3	5	6	9	12	19	99 +
GRAND TOTAL	**418**	**5.1**	**11**	**2**	**3**	**5**	**6**	**8**	**10**	**21**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	384	3.5	5	1	2	3	5	6	7	11
20-34	104	3.8	4	2	2	3	5	7	8	9
35-49	48	4.3	4	2	3	4	6	7	8	9
50-64	11	3.7	3	2	2	3	5	6	7	7
65 +	7	10.3	106	1	2	6	20	25	26	26
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	524	4.3	17	2	2	4	5	7	9	17
20-34	454	4.5	8	2	3	4	6	8	9	12
35-49	372	5.8	19	2	3	5	7	9	12	26
50-64	254	7.3	49	3	4	6	9	12	13	27
65 +	290	8.7	33	3	5	7	11	16	21	27
B. Operated										
0-19 YRS	24	9.0	73	3	4	6	9	24	33	34
20-34	60	8.5	40	3	5	7	10	14	23	36
35-49	93	11.8	174	4	6	8	14	22	35	98
50-64	47	16.8	175	6	8	11	24	44	54	99 +
65 +	51	19.8	277	5	9	15	26	59	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	554	3.7	6	1	2	3	5	6	7	13
B. Operated	8	6.3	31	2	3	4	7	16	19	19
2. MULTIPLE DX										
A. Not Operated	1894	5.7	24	2	3	5	7	10	13	25
B. Operated	275	13.2	171	4	6	9	16	32	49	99 +
1. SINGLE DX	562	3.8	7	1	2	3	5	7	8	13
2. MULTIPLE DX	2169	6.7	49	2	3	5	8	12	17	40
A. Not Operated	2448	5.3	21	2	3	4	6	9	12	22
B. Operated	283	13.0	168	4	6	9	15	32	47	99 +
TOTAL										
0-19 YRS	933	4.1	14	2	2	3	5	7	9	17
20-34	620	4.8	11	2	3	4	6	8	10	17
35-49	515	6.7	51	2	4	5	8	11	16	41
50-64	314	8.6	77	3	4	7	10	14	22	68
65 +	349	10.4	85	4	5	8	12	21	27	67
GRAND TOTAL	**2731**	**6.1**	**42**	**2**	**3**	**5**	**7**	**11**	**15**	**37**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	8.3	5	7	7	7	10	11	11	11
65 +	8	17.0	181	5	7	11	27	38	40	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	9	5.6	14	2	3	4	7	12	14	14
50-64	35	7.4	43	3	4	6	9	11	14	41
65 +	75	9.5	51	3	5	8	11	16	25	41
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	11	18.1	319	2	6	14	19	50	57	58
35-49	97	15.1	161	5	8	13	18	25	30	80
50-64	252	15.4	146	4	7	13	20	31	39	79
65 +	432	15.3	161	4	7	12	19	29	37	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	11	14.6	144	6	7	11	19	36	40	40
2. MULTIPLE DX										
A. Not Operated	121	8.6	47	3	4	7	11	14	17	42
B. Operated	793	15.3	157	4	7	13	19	29	38	74
1. SINGLE DX	12	13.9	137	5	7	9	16	36	39	40
2. MULTIPLE DX	914	14.4	148	4	7	11	18	28	37	66
A. Not Operated	122	8.6	46	3	4	7	11	14	17	42
B. Operated	804	15.3	157	4	7	12	19	29	38	74
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	13	16.6	280	2	6	11	18	48	56	58
35-49	106	14.3	155	4	7	12	18	24	30	79
50-64	290	14.3	139	4	6	11	19	29	39	73
65 +	516	14.5	149	4	7	11	18	29	37	62
GRAND TOTAL	**926**	**14.4**	**147**	**4**	**7**	**11**	**18**	**29**	**37**	**65**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	166	4.1	3	2	3	4	5	6	7	10
20-34	100	3.9	4	2	2	4	5	6	7	10
35-49	102	4.3	3	2	3	4	5	7	8	10
50-64	95	4.7	5	2	3	4	6	7	10	12
65 +	59	5.0	8	2	3	4	6	10	11	14
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	3	2.7	2	< 1	1	3	4	4	4	4
35-49	3	7.3	120	1	1	1	15	20	20	20
50-64	13	6.8	112	< 1	1	3	5	24	35	37
65 +	7	5.3	19	1	2	5	8	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	5.3	35	2	3	4	6	8	10	23
20-34	362	4.9	11	2	3	4	6	9	11	16
35-49	860	5.6	17	2	3	5	7	10	12	23
50-64	1193	5.8	16	3	3	5	7	10	12	22
65 +	1705	6.7	21	3	4	6	8	12	15	26
B. Operated										
0-19 YRS	17	5.4	15	1	3	4	7	11	14	15
20-34	140	7.6	61	2	3	6	9	13	25	37
35-49	343	8.8	66	2	3	7	11	19	22	40
50-64	527	10.1	76	2	4	8	14	22	30	50
65 +	542	12.1	138	3	5	9	15	24	33	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	522	4.3	4	2	3	4	5	7	8	11
B. Operated	29	5.5	65	< 1	1	2	5	17	22	37
2. MULTIPLE DX										
A. Not Operated	4313	6.0	19	3	4	5	7	10	13	24
B. Operated	1569	10.2	96	2	4	8	13	21	30	58
1. SINGLE DX	551	4.4	7	2	3	4	5	7	9	13
2. MULTIPLE DX	5882	7.1	43	2	4	5	8	13	19	35
A. Not Operated	4835	5.8	18	2	3	5	7	10	13	23
B. Operated	1598	10.1	95	2	4	8	13	21	30	57
TOTAL										
0-19 YRS	379	4.7	20	2	3	4	6	8	9	17
20-34	605	5.3	23	2	3	4	6	10	12	29
35-49	1308	6.3	31	2	3	5	7	12	17	29
50-64	1828	7.0	37	2	4	5	8	13	19	37
65 +	2313	7.9	54	3	4	6	9	15	21	39
GRAND TOTAL	**6433**	**6.9**	**40**	**2**	**3**	**5**	**8**	**13**	**18**	**34**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	4	3.3	2	< 1	2	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	23	4.3	13	1	2	3	5	10	13	14
35-49	10	3.9	1	2	3	4	4	5	6	6
50-64	0									
65 +	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	8	3.0	1	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	37	4.2	9	2	2	3	5	8	12	14
1. SINGLE DX	11	2.5	2	< 1	1	3	4	4	4	4
2. MULTIPLE DX	39	4.1	8	2	2	3	5	8	11	14
A. Not Operated	5	1.6	1	< 1	1	1	2	3	3	3
B. Operated	45	4.0	7	2	2	3	4	7	10	14
TOTAL										
0-19 YRS	7	2.1	1	< 1	1	2	3	3	3	3
20-34	29	4.0	11	< 1	2	3	4	9	13	14
35-49	11	3.8	1	2	3	4	4	5	6	6
50-64	0									
65 +	3	5.0	4	3	3	5	6	7	7	7
GRAND TOTAL	**50**	**3.7**	**7**	**1**	**2**	**3**	**4**	**7**	**9**	**14**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	2.0	5	1	1	1	2	3	5	15
20-34	12	3.8	28	1	1	2	4	9	18	20
35-49	12	3.2	3	1	2	3	4	5	6	6
50-64	8	4.4	5	1	2	4	6	7	8	8
65 +	7	3.4	4	1	2	4	4	6	7	7
B. Operated										
0-19 YRS	14	4.1	7	1	3	4	5	7	11	12
20-34	3	1.3		1	1	1	2	2	2	2
35-49	6	2.3	3	< 1	1	2	2	6	6	6
50-64	9	3.6	20	< 1	1	2	3	11	15	15
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	4.0	31	1	1	2	5	8	11	32
20-34	76	3.4	5	1	2	3	4	7	8	10
35-49	144	4.7	24	1	2	4	6	9	13	51
50-64	267	5.8	49	2	2	4	7	11	15	30
65 +	708	6.4	31	2	3	5	8	13	16	28
B. Operated										
0-19 YRS	18	11.6	148	2	4	8	17	42	75	99 +
20-34	29	11.3	142	2	4	7	15	23	30	60
35-49	56	7.7	52	2	3	6	9	18	26	34
50-64	78	11.1	121	3	5	8	12	21	38	58
65 +	156	11.3	103	2	4	8	14	23	35	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	2.6	8	1	1	2	3	5	6	18
B. Operated	34	3.3	9	1	1	3	4	6	11	15
2. MULTIPLE DX										
A. Not Operated	1392	5.6	33	1	2	4	7	11	15	30
B. Operated	337	10.7	105	2	4	8	13	22	35	60
1. SINGLE DX	138	2.8	8	1	1	2	3	5	6	17
2. MULTIPLE DX	1729	6.6	51	1	3	5	8	13	19	39
A. Not Operated	1496	5.4	32	1	2	4	7	11	15	30
B. Operated	371	10.0	101	2	4	7	12	21	34	57
TOTAL										
0-19 YRS	294	4.0	35	1	1	2	5	8	12	42
20-34	120	5.3	51	1	2	3	6	10	19	38
35-49	218	5.3	31	1	2	4	7	11	16	38
50-64	362	6.9	68	2	3	5	8	13	18	48
65 +	873	7.3	47	2	3	5	9	14	19	37
GRAND TOTAL	**1867**	**6.3**	**49**	**1**	**2**	**4**	**8**	**13**	**18**	**39**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	0									
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	17.0	380	3	5	8	21	44	57	93
20-34	5	17.0	733	2	3	7	65	96	99 +	99 +
35-49	9	7.8	29	2	5	6	9	17	20	20
50-64	23	9.0	36	2	4	8	13	18	20	23
65 +	109	10.3	82	3	5	9	13	19	27	85
B. Operated										
0-19 YRS	25	16.3	164	6	9	11	19	28	52	54
20-34	5	11.4	302	2	2	2	17	42	42	42
35-49	13	18.1	97	7	10	15	25	32	34	34
50-64	25	19.9	378	2	8	14	27	61	79	99 +
65 +	133	10.8	85	3	5	8	14	25	31	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.0	22	1	1	5	9	10	10	10
B. Operated	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	216	12.4	193	3	5	8	14	28	45	97
B. Operated	201	13.1	145	3	5	9	17	29	39	68
1. SINGLE DX	6	5.0	20	1	1	5	9	10	10	10
2. MULTIPLE DX	417	12.7	170	3	5	9	16	29	41	86
A. Not Operated	220	12.3	191	3	5	8	14	28	44	97
B. Operated	203	13.0	145	2	5	9	17	28	39	68
TOTAL										
0-19 YRS	97	16.6	317	4	6	10	20	42	53	89
20-34	10	14.2	468	2	2	4	34	79	98	99 +
35-49	24	13.1	94	3	6	10	20	31	33	34
50-64	49	14.4	239	2	5	9	18	40	62	99 +
65 +	243	10.6	83	3	5	8	14	21	29	51
GRAND TOTAL	**423**	**12.6**	**169**	**3**	**5**	**9**	**16**	**28**	**41**	**85**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	9.8	24	2	6	10	13	15	17	24
20-34	49	11.3	19	7	10	10	14	16	18	25
35-49	3	7.7	34	1	3	10	11	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	10.3	33	1	5	12	15	16	18	18
20-34	10	9.2	35	1	1	11	14	15	16	16
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	407	11.1	37	4	7	11	14	18	22	34
20-34	92	11.8	34	4	7	12	15	19	23	29
35-49	3	9.7	20	5	6	10	13	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	96	16.3	182	4	8	14	21	29	41	90
20-34	23	15.0	113	6	9	13	17	26	43	50
35-49	1	12.0		12	12	12	12	12	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	10.2	23	2	8	10	13	15	17	25
B. Operated	25	9.8	33	1	3	11	14	16	17	18
2. MULTIPLE DX										
A. Not Operated	502	11.2	37	4	7	11	14	18	22	33
B. Operated	120	16.0	167	4	9	14	20	29	43	85
1. SINGLE DX	203	10.1	24	2	8	10	13	15	17	24
2. MULTIPLE DX	622	12.1	65	4	7	11	14	20	25	45
A. Not Operated	680	10.9	33	4	7	10	14	17	21	30
B. Operated	145	14.9	149	4	8	13	18	27	34	80
TOTAL										
0-19 YRS	644	11.6	60	4	7	11	14	19	24	39
20-34	174	12.0	41	5	9	11	14	18	23	38
35-49	7	9.1	21	2	6	10	12	14	14	14
50-64	0									
65 +	0									
GRAND TOTAL	**825**	**11.6**	**56**	**4**	**7**	**11**	**14**	**19**	**23**	**39**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	5	1	1	1	3	6	6	6
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	16	4.9	2	3	4	5	6	7	8	8
35-49	21	5.6	3	4	4	5	6	8	9	10
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	14.6	288	1	2	4	25	44	45	45
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	7.8	92	< 1	2	4	13	22	22	22
50-64	5	3.4	1	2	3	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	4	16.8	224	4	5	13	28	37	37	37
20-34	30	5.0	1	4	4	5	5	7	7	8
35-49	58	6.9	24	4	4	6	8	12	20	94
50-64	8	8.8	19	5	6	7	10	16	18	18
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	4	1	1	2	4	6	6	6
B. Operated	42	5.2	2	4	4	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	23	9.2	175	1	2	4	9	29	44	45
B. Operated	100	6.9	28	4	4	5	7	11	19	68
1. SINGLE DX	48	4.9	3	3	4	5	6	7	8	10
2. MULTIPLE DX	123	7.3	55	3	4	5	7	17	24	59
A. Not Operated	29	7.8	146	1	1	3	5	25	43	45
B. Operated	142	6.4	21	4	4	5	7	10	17	41
TOTAL										
0-19 YRS	23	11.0	198	1	2	4	17	38	44	45
20-34	48	4.8	2	4	4	5	5	7	7	8
35-49	84	6.6	21	4	4	5	7	10	19	76
50-64	15	6.4	17	3	4	5	8	12	16	18
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**171**	**6.6**	**41**	**3**	**4**	**5**	**6**	**10**	**20**	**45**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	3.3	7	1	2	3	4	6	7	14
20-34	5	9.6	205	1	2	4	13	35	35	35
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	5.3	12	1	2	6	8	8	8	8
65 +	2	6.0	32	2	2	6	10	10	10	10
B. Operated										
0-19 YRS	38	3.6	14	1	1	2	5	9	12	17
20-34	11	1.7	2	< 1	1	1	2	4	5	5
35-49	14	2.1	3	< 1	1	1	2	5	6	6
50-64	11	3.5	8	1	1	2	6	8	9	9
65 +	5	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	160	5.1	43	1	2	3	6	11	13	46
20-34	39	4.2	8	1	2	3	6	9	11	12
35-49	67	6.4	30	2	3	4	9	12	18	29
50-64	82	7.7	35	2	4	6	9	16	20	30
65 +	139	8.2	43	2	4	7	10	16	21	35
B. Operated										
0-19 YRS	78	12.3	196	1	3	7	16	40	49	87
20-34	21	6.7	35	1	2	4	9	16	19	21
35-49	46	5.6	22	1	2	4	9	13	15	17
50-64	48	7.8	38	1	3	6	11	19	22	99 +
65 +	55	12.8	187	2	6	8	14	29	41	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	3.7	17	1	2	3	4	7	9	25
B. Operated	79	2.9	9	< 1	1	1	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	487	6.5	39	1	3	5	8	13	17	32
B. Operated	248	9.8	125	1	3	6	12	22	39	69
1. SINGLE DX	178	3.4	14	1	1	2	4	7	9	16
2. MULTIPLE DX	735	7.6	70	1	3	5	10	16	22	50
A. Not Operated	586	6.0	36	1	2	4	8	12	16	32
B. Operated	327	8.1	106	1	2	5	10	19	34	64
TOTAL										
0-19 YRS	363	6.0	75	1	2	3	6	13	21	52
20-34	76	4.9	29	1	2	3	6	11	15	31
35-49	128	5.6	26	1	2	4	8	12	16	24
50-64	145	7.3	34	2	3	6	10	16	21	36
65 +	201	9.3	87	2	4	7	11	18	24	53
GRAND TOTAL	**913**	**6.8**	**62**	**1**	**2**	**4**	**8**	**14**	**21**	**48**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	3	3.7		3	3	4	4	4	4	4
65 +	4	4.5	14	2	2	3	7	10	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	4.0	12	1	2	3	5	10	12	12
35-49	25	4.4	8	1	2	4	6	9	10	11
50-64	34	4.3	9	2	3	3	5	8	12	14
65 +	79	6.2	45	2	3	4	7	12	18	43
B. Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	8	5.5	33	1	2	3	8	15	17	17
50-64	8	10.4	178	3	4	6	8	33	43	43
65 +	12	10.3	95	2	3	7	14	25	33	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.4	4	2	2	3	4	5	8	10
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	147	5.3	29	2	3	4	6	11	13	22
B. Operated	30	8.6	93	2	3	4	11	19	34	43
1. SINGLE DX	17	3.5	4	2	3	3	4	5	8	10
2. MULTIPLE DX	177	5.8	41	2	3	4	6	12	16	41
A. Not Operated	163	5.1	27	2	3	4	6	10	12	21
B. Operated	31	8.4	91	2	3	4	11	19	33	43
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	3.7	7	2	2	3	4	6	11	12
35-49	38	4.4	12	1	2	3	5	10	12	17
50-64	46	5.3	40	2	3	4	5	9	12	43
65 +	95	6.6	51	2	3	4	8	13	19	44
GRAND TOTAL	**194**	**5.6**	**38**	**2**	**3**	**4**	**6**	**11**	**16**	**39**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	4.0	39	1	1	2	3	7	22	32
20-34	13	2.2	4	< 1	1	1	3	6	6	6
35-49	9	2.9	2	1	2	2	4	5	5	5
50-64	5	5.0	3	3	4	5	6	7	7	7
65 +	14	10.9	241	2	3	5	10	30	53	60
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2406	3.1	8	1	2	2	3	5	7	15
20-34	499	3.3	9	1	2	2	4	7	9	17
35-49	630	4.3	15	1	2	3	5	8	10	22
50-64	1062	5.5	25	2	3	4	7	10	14	22
65 +	4001	7.3	46	2	4	6	9	14	19	35
B. Operated										
0-19 YRS	188	7.6	153	1	1	2	9	21	30	63
20-34	101	7.6	74	1	3	5	8	21	30	71
35-49	131	9.3	104	1	3	6	13	20	28	72
50-64	244	8.5	69	2	4	6	11	16	21	51
65 +	708	15.1	181	4	7	11	20	31	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	4.5	55	1	1	2	4	8	22	40
B. Operated	4	7.8	95	1	1	4	14	22	22	22
2. MULTIPLE DX										
A. Not Operated	8598	5.4	32	2	2	4	7	11	15	28
B. Operated	1372	11.8	154	1	4	8	15	27	37	83
1. SINGLE DX	147	4.6	56	1	1	2	5	9	22	39
2. MULTIPLE DX	9970	6.3	53	2	2	4	7	13	19	39
A. Not Operated	8741	5.4	32	1	2	4	7	11	15	28
B. Operated	1376	11.8	153	1	4	8	15	27	37	83
TOTAL										
0-19 YRS	2696	3.4	21	1	2	2	4	6	9	24
20-34	614	4.0	22	1	2	3	4	8	13	30
35-49	771	5.1	33	1	2	3	6	10	15	29
50-64	1312	6.1	35	2	3	4	7	12	16	30
65 +	4724	8.5	74	2	4	6	10	17	24	48
GRAND TOTAL	**10117**	**6.3**	**53**	**1**	**2**	**4**	**7**	**13**	**19**	**39**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.8	3	1	2	2	4	5	7	8
20-34	7	3.6	1	2	3	4	4	5	5	5
35-49	4	2.5	1	< 1	1	3	3	3	3	3
50-64	5	3.8	12	1	1	2	7	8	8	8
65 +	2	6.0	50	1	1	6	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	3.5	9	1	2	3	4	6	7	21
20-34	27	3.2	4	1	2	2	4	7	7	8
35-49	71	4.0	4	2	2	4	5	7	8	10
50-64	95	4.4	7	2	2	4	6	8	9	13
65 +	311	5.3	15	2	3	4	7	9	12	22
B. Operated										
0-19 YRS	10	5.0	13	1	2	4	8	10	11	11
20-34	14	3.6	7	1	1	3	6	7	9	9
35-49	32	5.5	15	3	3	4	6	11	12	21
50-64	65	7.4	25	2	4	6	9	13	18	27
65 +	187	8.7	66	3	4	7	9	18	27	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.2	5	1	2	3	4	7	8	11
B. Operated	7	3.7	4	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	560	4.7	12	2	2	4	6	8	11	17
B. Operated	308	7.7	49	2	4	6	9	15	21	38
1. SINGLE DX	44	3.3	5	1	2	3	4	7	8	11
2. MULTIPLE DX	868	5.8	27	2	3	4	7	10	14	30
A. Not Operated	597	4.6	12	2	2	4	6	8	11	16
B. Operated	315	7.6	49	2	4	6	9	14	21	38
TOTAL										
0-19 YRS	85	3.5	8	1	2	3	4	7	8	18
20-34	50	3.4	5	1	2	3	5	7	7	9
35-49	109	4.3	8	2	3	4	5	7	10	16
50-64	167	5.6	16	2	3	5	7	10	12	21
65 +	501	6.6	37	2	3	5	8	12	16	32
GRAND TOTAL	**912**	**5.7**	**26**	**2**	**3**	**4**	**7**	**10**	**14**	**29**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	677	3.6	8	1	2	3	5	7	9	14
20-34	387	5.4	16	2	3	5	7	10	14	20
35-49	114	5.8	30	2	3	5	8	10	12	30
50-64	12	6.2	26	1	3	5	8	12	19	20
65 +	0									
B. Operated										
0-19 YRS	10	5.3	10	1	4	5	6	10	11	11
20-34	18	8.8	35	2	7	8	11	16	23	26
35-49	3	5.3	4	3	4	6	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	914	4.9	13	2	3	4	6	9	11	18
20-34	711	7.6	36	2	4	6	9	15	20	30
35-49	245	7.8	42	2	4	6	10	15	19	42
50-64	23	7.9	70	1	2	5	9	21	27	35
65 +	9	3.2	7	1	1	2	4	8	9	9
B. Operated										
0-19 YRS	39	7.9	32	2	4	6	11	14	16	30
20-34	75	15.6	171	5	8	12	21	30	40	98
35-49	19	14.5	209	5	6	10	14	38	53	59
50-64	9	12.9	43	7	8	9	19	23	24	24
65 +	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1190	4.4	14	1	2	4	6	8	11	18
B. Operated	31	7.4	26	2	4	7	10	11	18	26
2. MULTIPLE DX										
A. Not Operated	1902	6.3	28	2	3	5	8	12	16	28
B. Operated	143	13.2	138	4	6	10	15	27	36	92
1. SINGLE DX	1221	4.5	14	1	2	4	6	9	11	18
2. MULTIPLE DX	2045	6.8	39	2	3	5	8	13	17	30
A. Not Operated	3092	5.6	23	1	3	4	7	11	14	26
B. Operated	174	12.1	122	3	6	9	14	26	31	83
TOTAL										
0-19 YRS	1640	4.5	12	1	2	4	6	9	11	17
20-34	1191	7.4	43	2	4	6	9	15	20	31
35-49	381	7.5	49	2	4	6	9	14	18	45
50-64	44	8.5	56	1	3	7	9	21	23	35
65 +	10	4.6	26	1	1	3	6	13	17	17
GRAND TOTAL	**3266**	**5.9**	**31**	**1**	**3**	**4**	**7**	**11**	**15**	**28**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	2.3	5	1	1	1	2	6	7	13
20-34	21	2.7	4	< 1	< 1	2	4	5	7	9
35-49	12	3.6	8	1	2	3	5	8	10	10
50-64	11	5.5	36	1	1	2	8	14	20	21
65 +	42	1.7	2	< 1	1	1	2	4	5	7
B. Operated										
0-19 YRS	55	5.4	28	1	2	4	6	14	16	29
20-34	5	4.0	9	< 1	1	3	6	8	8	8
35-49	7	3.3	3	1	2	4	5	5	5	5
50-64	4	9.0	69	3	3	6	14	21	21	21
65 +	8	7.3	10	4	4	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	3.2	14	1	1	2	4	7	9	19
20-34	72	4.4	24	1	2	3	5	9	12	31
35-49	155	4.5	17	1	2	3	6	9	12	20
50-64	278	4.7	18	1	2	4	6	9	12	21
65 +	687	5.1	29	1	2	4	7	10	14	25
B. Operated										
0-19 YRS	104	9.5	125	1	3	5	12	26	37	47
20-34	31	8.5	41	3	4	6	11	16	22	31
35-49	69	9.0	81	2	3	7	11	17	23	53
50-64	90	9.0	75	3	4	8	11	14	19	58
65 +	223	9.5	98	3	4	7	11	19	22	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	2.4	6	1	1	1	3	6	8	13
B. Operated	79	5.5	25	1	2	4	7	11	16	27
2. MULTIPLE DX										
A. Not Operated	1528	4.5	23	1	2	3	6	9	12	22
B. Operated	517	9.3	93	2	4	7	11	19	26	51
1. SINGLE DX	341	3.1	12	1	1	2	4	7	10	18
2. MULTIPLE DX	2045	5.7	45	1	2	4	7	12	17	33
A. Not Operated	1790	4.2	21	1	1	3	5	9	12	21
B. Operated	596	8.8	86	2	4	6	11	18	24	47
TOTAL										
0-19 YRS	671	4.1	36	1	1	2	4	8	15	36
20-34	129	5.1	28	1	2	4	6	10	16	32
35-49	243	5.7	38	1	2	4	7	12	15	33
50-64	383	5.8	35	1	2	4	8	11	15	23
65 +	960	6.0	48	1	2	4	8	12	17	31
GRAND TOTAL	**2386**	**5.4**	**41**	**1**	**2**	**4**	**7**	**11**	**16**	**31**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	1.8	3	1	1	1	2	4	5	11
20-34	7	1.4	1	1	1	1	1	3	4	4
35-49	7	2.9	5	1	1	2	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	5.0	6	1	4	5	6	8	9	9
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	3.4	8	1	1	3	4	8	9	16
20-34	25	3.8	11	1	2	3	5	8	11	15
35-49	8	4.3	21	1	1	2	6	12	14	14
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	8	8.0	24	2	4	8	12	15	15	15
20-34	6	9.2	44	3	3	8	16	17	17	17
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	19.0		19	19	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	1.8	3	1	1	1	2	4	6	10
B. Operated	11	5.2	5	2	5	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	90	3.6	10	1	2	3	5	8	10	16
B. Operated	16	9.3	33	2	4	9	14	17	18	19
1. SINGLE DX	111	2.2	5	1	1	1	2	5	6	11
2. MULTIPLE DX	106	4.4	17	1	2	3	5	10	15	18
A. Not Operated	190	2.7	7	1	1	2	3	6	8	15
B. Operated	27	7.6	25	2	4	6	10	16	17	19
TOTAL										
0-19 YRS	159	2.8	8	1	1	2	4	6	9	15
20-34	40	4.3	18	1	1	3	5	11	15	17
35-49	15	3.6	13	1	1	2	5	8	12	14
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**217**	**3.3**	**12**	**1**	**1**	**2**	**4**	**8**	**10**	**16**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	246	2.7	7	< 1	1	2	3	5	7	15
20-34	13	3.6	3	1	2	3	5	6	7	7
35-49	13	3.2	14	1	1	2	3	6	13	15
50-64	12	2.9	18	1	1	2	3	8	15	16
65 +	7	4.3	5	< 1	2	5	6	7	7	7
B. Operated										
0-19 YRS	89	4.1	15	1	2	3	5	7	9	24
20-34	18	6.1	16	3	4	5	6	11	17	19
35-49	10	5.2	5	2	3	5	7	8	9	9
50-64	10	2.6	2	1	2	2	4	5	5	5
65 +	5	4.0	6	< 1	1	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	973	5.0	18	2	3	4	6	9	13	21
20-34	101	6.1	24	2	3	4	8	12	18	22
35-49	151	6.2	20	2	3	5	8	11	15	25
50-64	276	5.9	12	2	3	5	8	11	12	18
65 +	438	7.3	35	2	4	6	9	13	18	34
B. Operated										
0-19 YRS	174	9.7	133	2	4	6	11	20	31	73
20-34	74	8.7	141	3	4	7	10	14	15	83
35-49	83	8.7	54	3	5	7	10	15	24	39
50-64	112	11.1	101	3	5	7	12	26	36	46
65 +	214	10.9	90	4	6	9	13	20	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	2.8	7	1	1	2	3	6	7	16
B. Operated	132	4.3	13	1	2	4	5	7	9	21
2. MULTIPLE DX										
A. Not Operated	1939	5.8	22	2	3	4	7	11	14	26
B. Operated	657	10.1	105	3	5	7	12	20	29	48
1. SINGLE DX	423	3.3	10	1	1	2	4	6	8	17
2. MULTIPLE DX	2596	6.9	47	2	3	5	8	13	18	37
A. Not Operated	2230	5.4	21	2	3	4	7	11	14	25
B. Operated	789	9.1	94	2	4	7	11	17	27	43
TOTAL										
0-19 YRS	1482	5.1	33	1	2	4	6	10	14	29
20-34	206	6.8	66	2	3	5	8	12	16	30
35-49	257	6.8	32	2	3	6	8	12	17	37
50-64	410	7.1	43	2	4	5	8	12	18	38
65 +	664	8.4	56	3	4	7	11	15	21	37
GRAND TOTAL	**3019**	**6.4**	**43**	**2**	**3**	**5**	**8**	**12**	**17**	**34**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	1.5	1	1	1	1	2	3	3	4
20-34	20	1.7	1	1	1	2	2	3	3	3
35-49	9	1.8	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	73	2.6	1	1	2	3	3	4	4	5
20-34	36	3.1	1	2	2	3	4	5	5	5
35-49	6	4.5	4	3	3	4	6	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.4	2	1	1	2	4	4	5	6
20-34	16	2.4	1	1	1	3	3	4	5	5
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	43	3.5	2	2	3	3	4	5	6	7
20-34	29	4.0	4	2	3	4	5	6	7	12
35-49	4	3.3	3	1	2	3	4	5	5	5
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	1.6	1	1	1	1	2	3	3	4
B. Operated	115	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	60	2.4	2	1	1	2	3	4	5	7
B. Operated	77	3.7	3	2	3	3	5	6	7	11
1. SINGLE DX	221	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX	137	3.2	3	1	2	3	4	5	6	8
A. Not Operated	166	1.9	1	1	1	1	2	3	4	6
B. Operated	192	3.2	2	2	2	3	4	5	6	8
TOTAL										
0-19 YRS	232	2.4	2	1	1	2	3	4	5	6
20-34	101	3.0	2	1	2	3	4	5	5	9
35-49	23	2.7	3	1	1	3	3	5	7	8
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**358**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	4.7	6	2	3	4	7	8	9	10
20-34	4	3.5	6	1	2	3	5	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	26	3.9	18	< 1	< 1	2	6	11	14	15
20-34	9	2.9	6	< 1	1	2	5	7	7	7
35-49	8	2.3	13	< 1	< 1	1	1	8	11	11
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	4.0	3	2	3	4	5	6	7	10
20-34	10	3.5	5	< 1	1	3	5	6	7	7
35-49	6	4.7	10	2	2	3	7	10	10	10
50-64	0									
65 +	3	10.7	58	4	5	9	16	19	19	19
B. Operated										
0-19 YRS	26	6.5	26	1	3	5	9	12	20	21
20-34	6	2.7	2	< 1	2	2	3	5	5	5
35-49	6	4.0	8	1	1	4	6	8	8	8
50-64	8	3.9	13	< 1	1	2	7	9	9	9
65 +	2	11.0	32	7	7	11	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	4.7	5	2	3	4	7	8	9	10
B. Operated	47	3.3	13	< 1	< 1	1	4	9	12	15
2. MULTIPLE DX										
A. Not Operated	107	4.2	6	2	3	4	5	7	8	14
B. Operated	48	5.5	21	1	2	4	8	10	15	21
1. SINGLE DX	124	4.2	9	< 1	2	3	6	8	10	14
2. MULTIPLE DX	155	4.6	11	2	3	4	6	9	10	20
A. Not Operated	184	4.4	6	2	3	4	6	7	9	10
B. Operated	95	4.4	18	< 1	1	3	7	9	13	21
TOTAL										
0-19 YRS	211	4.6	9	1	3	4	6	8	10	17
20-34	29	3.1	4	< 1	1	3	4	7	7	7
35-49	21	3.7	11	< 1	1	2	6	9	10	11
50-64	11	3.4	10	< 1	1	2	5	9	9	9
65 +	7	9.0	35	3	4	7	13	18	19	19
GRAND TOTAL	**279**	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	7	4.0	13	< 1	1	2	7	9	10	10
35-49	4	5.8	33	1	2	4	9	14	14	14
50-64	8	4.1	11	1	1	3	7	9	9	9
65 +	8	13.0	60	1	6	15	19	21	21	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	16.8	334	1	2	14	24	32	61	71
20-34	27	9.7	103	1	3	7	11	26	31	44
35-49	58	11.0	160	2	4	6	13	25	36	75
50-64	77	9.1	83	2	4	6	12	18	36	86
65 +	265	9.4	85	2	4	7	11	18	27	49
B. Operated										
0-19 YRS	0									
20-34	3	33.3	974	11	13	20	57	69	69	69
35-49	2	46.0	722	27	27	46	65	65	65	65
50-64	7	10.0	31	2	7	10	14	17	18	18
65 +	33	17.5	284	4	6	11	19	43	57	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	6.5	40	1	2	3	10	17	20	21
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	442	9.8	104	2	4	7	12	20	28	60
B. Operated	45	18.6	333	4	7	11	19	49	66	74
1. SINGLE DX	30	6.5	40	1	2	3	10	17	20	21
2. MULTIPLE DX	487	10.6	131	2	4	7	13	22	32	70
A. Not Operated	472	9.6	101	2	4	7	12	19	28	57
B. Operated	45	18.6	333	4	7	11	19	49	66	74
TOTAL										
0-19 YRS	18	14.4	306	1	2	7	24	30	55	71
20-34	37	10.5	183	1	2	7	11	26	39	69
35-49	64	11.8	198	2	4	6	13	27	40	76
50-64	92	8.8	75	2	4	7	11	18	24	78
65 +	306	10.4	111	2	4	8	13	20	29	58
GRAND TOTAL	**517**	**10.4**	**127**	**2**	**4**	**7**	**13**	**21**	**31**	**70**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	19.0	8	17	17	19	21	21	21	21
65 +	10	11.6	62	3	6	10	18	23	27	27
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	21	14.3	134	3	6	11	18	31	40	47
65 +	252	11.7	105	3	5	8	14	25	32	68
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.7	6	2	3	5	6	7	7	7
65 +	27	21.8	342	4	9	15	32	54	63	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	12.8	60	3	6	11	19	23	26	27
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	273	11.9	107	3	5	9	15	26	33	64
B. Operated	30	20.1	334	4	6	14	22	51	62	66
1. SINGLE DX	12	12.8	60	3	6	11	19	23	26	27
2. MULTIPLE DX	303	12.7	135	3	5	9	16	26	39	67
A. Not Operated	285	12.0	105	3	5	9	15	26	32	61
B. Operated	30	20.1	334	4	6	14	22	51	62	66
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	26	13.5	120	3	5	10	18	29	37	47
65 +	289	12.7	133	3	5	9	16	26	38	68
GRAND TOTAL	**315**	**12.7**	**132**	**3**	**5**	**9**	**16**	**26**	**37**	**67**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	5	15.2	142	1	6	12	27	28	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	25	14.0	132	3	5	13	18	26	35	56
65 +	231	12.4	105	3	6	9	16	26	34	49
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	8.0	35	1	5	10	36	99 +	99 +	99 +
65 +	19	18.1	278	6	8	12	20	47	61	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	15.2	142	1	6	12	27	28	28	28
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	256	12.5	107	3	6	10	16	26	34	49
B. Operated	24	16.2	238	6	7	12	19	57	73	99 +
1. SINGLE DX	6	13.3	134	1	4	10	27	28	28	28
2. MULTIPLE DX	280	12.8	119	3	6	10	16	27	35	62
A. Not Operated	261	12.6	108	3	6	10	16	27	33	49
B. Operated	25	15.7	234	5	7	11	19	54	71	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	29	13.2	122	3	5	13	17	27	56	99 +
65 +	256	12.8	119	3	6	10	16	27	34	57
GRAND TOTAL	**286**	**12.8**	**119**	**3**	**6**	**10**	**16**	**27**	**35**	**61**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	4.6	68	< 1	1	1	3	16	28	31
20-34	7	6.4	24	1	3	4	11	14	14	14
35-49	7	7.6	65	3	3	4	9	22	25	25
50-64	8	9.6	68	1	2	9	14	23	25	25
65 +	51	11.4	55	3	6	10	14	23	26	30
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	10.8	153	1	2	5	17	30	39	47
20-34	57	9.9	104	1	3	7	14	20	43	96
35-49	62	9.1	104	2	3	6	11	27	41	99 +
50-64	78	12.9	129	2	4	9	19	32	38	87
65 +	645	12.6	109	3	5	10	16	26	33	70
B. Operated										
0-19 YRS	3	43.7	1310	14	19	33	71	84	84	84
20-34	6	9.5	115	2	4	9	65	99 +	99 +	99 +
35-49	7	10.4	234	1	2	6	28	83	99 +	99 +
50-64	9	11.6	28	5	8	11	14	20	21	21
65 +	80	17.2	190	4	8	14	21	32	45	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	9.2	63	1	3	7	13	23	25	31
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	894	12.1	114	2	5	9	16	27	34	85
B. Operated	105	16.6	220	4	7	12	21	41	61	99 +
1. SINGLE DX	93	9.2	62	1	3	7	13	22	25	31
2. MULTIPLE DX	999	12.6	127	2	5	10	17	28	37	99 +
A. Not Operated	986	11.8	110	2	4	9	16	26	33	72
B. Operated	106	16.5	218	4	7	12	21	40	61	99 +
TOTAL										
0-19 YRS	74	10.5	214	1	1	3	14	31	39	75
20-34	70	9.5	96	1	3	7	14	24	48	99 +
35-49	76	9.1	109	2	3	5	11	28	54	99 +
50-64	95	12.5	114	2	4	9	18	30	34	79
65 +	777	13.0	116	3	6	10	17	26	33	69
GRAND TOTAL	**1092**	**12.3**	**122**	**2**	**5**	**10**	**17**	**27**	**35**	**99 +**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	2.6	2	2	2	2	2	5	5	5
35-49	18	3.1	2	1	2	3	4	5	6	6
50-64	12	4.3	39	2	2	2	3	10	22	24
65 +	2	16.0	32	12	12	16	20	20	20	20
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.0	13	1	2	5	8	8	8	8
20-34	223	5.4	44	1	2	4	6	9	13	36
35-49	461	5.2	21	2	3	4	6	10	13	28
50-64	317	7.1	64	2	3	5	8	16	21	38
65 +	130	9.0	106	2	3	6	10	18	30	59
B. Operated										
0-19 YRS	0									
20-34	9	10.7	235	2	4	7	8	34	51	51
35-49	32	11.3	124	3	5	8	12	25	27	58
50-64	17	8.4	42	3	5	7	9	13	25	31
65 +	11	21.0	174	8	10	16	30	41	48	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.9	20	2	2	2	4	6	15	24
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1135	6.2	49	2	3	4	7	12	19	36
B. Operated	69	12.0	137	3	6	8	13	27	36	57
1. SINGLE DX	42	3.9	20	2	2	2	4	6	15	24
2. MULTIPLE DX	1204	6.5	55	2	3	4	8	12	20	39
A. Not Operated	1177	6.1	48	2	3	4	7	12	19	36
B. Operated	69	12.0	137	3	6	8	13	27	36	57
TOTAL										
0-19 YRS	4	5.0	13	1	2	5	8	8	8	8
20-34	242	5.5	49	1	2	4	6	9	13	51
35-49	511	5.5	29	2	3	4	7	10	15	29
50-64	346	7.1	62	2	3	5	8	16	21	36
65 +	143	10.0	120	2	4	7	12	24	33	58
GRAND TOTAL	**1246**	**6.5**	**54**	**2**	**3**	**4**	**7**	**12**	**20**	**38**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	3	1.3		< 1	< 1	< 1	2	2	2	2
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	4	4.3	2	2	3	5	5	5	5	5
65 +	6	6.0	33	2	2	4	7	16	17	17
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	5.8	115	1	2	3	4	10	35	48
20-34	49	5.7	30	1	2	4	7	10	18	27
35-49	53	7.5	63	2	3	5	8	20	22	40
50-64	57	6.3	31	2	3	5	7	13	15	34
65 +	169	6.9	37	2	3	6	8	13	16	35
B. Operated										
0-19 YRS	0									
20-34	2	12.0	8	10	10	12	14	14	14	14
35-49	3	9.3	17	6	6	8	12	14	14	14
50-64	6	18.3	213	6	6	13	31	40	41	41
65 +	21	12.3	97	4	7	9	17	34	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.3	13	< 1	1	2	5	6	11	17
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	351	6.7	44	2	3	5	8	13	21	36
B. Operated	32	13.2	105	5	7	9	17	34	41	99 +
1. SINGLE DX	22	3.8	17	< 1	1	2	5	9	15	17
2. MULTIPLE DX	383	7.2	52	2	3	5	8	14	23	41
A. Not Operated	372	6.5	43	2	3	5	8	13	20	36
B. Operated	33	13.2	102	5	7	10	17	33	41	99 +
TOTAL										
0-19 YRS	28	5.0	96	< 1	1	2	4	6	30	48
20-34	54	5.7	30	1	2	4	8	11	17	27
35-49	59	7.3	59	1	3	5	8	20	22	39
50-64	67	7.2	55	2	3	5	8	14	22	40
65 +	197	7.5	46	2	3	6	9	14	24	41
GRAND TOTAL	**405**	**7.0**	**51**	**2**	**3**	**5**	**8**	**14**	**22**	**40**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	9.6	87	< 1	2	7	16	24	29	29
20-34	204	12.3	97	3	6	10	15	21	30	52
35-49	171	11.3	85	3	5	10	14	22	25	43
50-64	48	10.9	58	3	5	9	14	18	29	37
65 +	16	16.3	146	6	8	14	17	33	45	50
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	21.4	628	1	2	6	39	60	65	65
20-34	184	13.7	116	4	6	10	19	29	40	83
35-49	233	12.9	147	3	6	9	16	29	33	62
50-64	116	13.8	91	5	7	11	18	25	33	49
65 +	63	18.7	164	5	8	16	25	35	46	59
B. Operated										
0-19 YRS	0									
20-34	4	24.3	177	7	15	25	33	39	39	39
35-49	5	22.4	201	11	13	16	30	46	46	46
50-64	4	19.0	78	9	12	18	25	30	30	30
65 +	6	22.2	56	14	18	21	23	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	448	11.9	90	3	6	10	15	22	29	49
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	603	14.0	136	4	7	10	18	30	36	58
B. Operated	19	22.0	106	10	15	21	27	38	43	46
1. SINGLE DX	448	11.9	90	3	6	10	15	22	29	49
2. MULTIPLE DX	622	14.3	137	4	7	11	19	30	36	57
A. Not Operated	1051	13.1	117	3	6	10	16	27	33	55
B. Operated	19	22.0	106	10	15	21	27	38	43	46
TOTAL										
0-19 YRS	16	14.8	335	1	2	6	23	40	58	65
20-34	392	13.0	108	3	6	10	16	28	38	54
35-49	409	12.4	123	3	6	10	15	24	31	54
50-64	168	13.1	83	4	7	11	17	25	33	48
65 +	85	18.5	152	5	9	16	24	35	45	59
GRAND TOTAL	**1070**	**13.3**	**118**	**3**	**6**	**10**	**17**	**27**	**34**	**55**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	13.5	85	7	7	13	20	20	20	20
35-49	1	26.0		26	26	26	26	26	26	26
50-64	2	4.5	25	< 1	< 1	4	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	24.0	680	3	9	17	26	69	80	80
35-49	5	17.2	489	2	5	8	24	56	56	56
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	13.2	88	1	7	12	20	25	26	26
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	13	20.8	516	2	7	14	23	61	76	80
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	6	13.2	88	1	7	12	20	25	26	26
2. MULTIPLE DX	14	19.5	502	2	6	13	22	58	75	80
A. Not Operated	19	18.4	382	2	7	14	21	44	69	80
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-19 YRS	2	17.0		17	17	17	17	17	17	17
20-34	10	19.7	521	2	7	14	22	53	80	80
35-49	6	18.7	404	2	6	11	26	53	56	56
50-64	2	4.5	25	< 1	< 1	4	8	8	8	8
65 +	0									
GRAND TOTAL	**20**	**17.6**	**375**	**2**	**6**	**13**	**21**	**41**	**68**	**80**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	25.0	386	6	9	21	36	61	83	99 +
20-34	318	11.9	88	3	6	9	15	25	33	48
35-49	251	11.9	82	3	6	10	15	23	28	44
50-64	90	12.7	77	4	6	11	19	24	29	76
65 +	24	13.7	69	5	7	12	19	26	31	35
B. Operated										
0-19 YRS	0									
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	33.0		33	33	33	33	33	33	33
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	18.6	296	4	7	14	22	45	52	78
20-34	434	13.5	128	3	6	11	17	28	39	69
35-49	436	13.9	137	3	6	11	17	26	35	64
50-64	215	15.1	102	5	7	13	20	29	34	48
65 +	132	16.6	185	4	8	14	22	32	49	99 +
B. Operated										
0-19 YRS	0									
20-34	16	17.7	297	4	8	11	21	47	61	66
35-49	21	19.0	243	6	10	15	21	38	60	69
50-64	8	29.3	322	9	17	27	37	57	65	65
65 +	10	23.5	110	12	15	23	33	66	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	713	12.6	102	3	6	10	15	26	34	58
B. Operated	2	26.0	98	19	19	26	33	33	33	33
2. MULTIPLE DX										
A. Not Operated	1266	14.4	140	4	7	11	18	29	39	69
B. Operated	55	20.9	249	6	11	17	26	49	66	98
1. SINGLE DX	715	12.7	103	3	6	10	16	26	34	58
2. MULTIPLE DX	1321	14.7	146	4	7	12	19	29	41	69
A. Not Operated	1979	13.8	127	3	6	11	18	28	36	65
B. Operated	57	21.1	242	6	11	19	27	48	66	97
TOTAL										
0-19 YRS	79	21.1	336	4	8	16	28	49	70	95
20-34	769	13.0	115	3	6	10	16	26	36	65
35-49	709	13.4	123	3	6	11	17	26	34	62
50-64	313	14.8	106	4	7	12	21	29	36	54
65 +	166	16.6	166	5	8	14	22	33	48	99 +
GRAND TOTAL	**2036**	**14.0**	**132**	**4**	**7**	**11**	**18**	**28**	**38**	**66**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	7.7	28	2	2	8	13	14	15	15
20-34	0									
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	17.8	124	3	9	17	28	31	40	99 +
20-34	1	14.0		14	14	14	14	14	14	14
35-49	0									
50-64	0									
65 +	1	25.0		25	25	25	25	25	25	25
B. Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	8.3	28	2	2	10	13	14	15	15
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	46	17.8	120	3	10	17	27	31	40	99 +
B. Operated	2	7.0	8	5	5	7	9	9	9	9
1. SINGLE DX	12	8.8	29	2	3	10	13	14	15	15
2. MULTIPLE DX	48	17.4	120	3	9	16	27	31	40	99 +
A. Not Operated	57	16.0	116	2	8	14	26	31	38	95
B. Operated	3	9.3	20	5	6	9	13	14	14	14
TOTAL										
0-19 YRS	57	15.6	118	2	6	13	26	31	38	95
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	1	25.0		25	25	25	25	25	25	25
GRAND TOTAL	**60**	**15.7**	**113**	**3**	**7**	**14**	**25**	**30**	**37**	**93**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	17.1	224	2	5	14	24	38	52	99 +
20-34	335	10.1	69	2	4	8	14	20	25	45
35-49	326	11.4	70	3	5	10	15	23	27	39
50-64	182	14.3	111	4	7	11	21	28	35	54
65 +	128	16.0	120	4	8	13	22	32	42	45
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	76.0		76	76	76	76	76	76	76
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	591	23.5	263	5	12	21	30	45	58	99 +
20-34	1077	13.0	125	3	5	10	17	28	34	55
35-49	1257	14.3	122	3	7	12	19	28	35	56
50-64	737	16.2	136	5	8	14	22	30	39	62
65 +	918	18.9	163	6	10	16	25	36	46	60
B. Operated										
0-19 YRS	13	29.0	264	13	19	30	52	99 +	99 +	99 +
20-34	36	20.4	319	3	7	17	28	38	42	98
35-49	57	22.9	217	8	12	21	28	48	56	61
50-64	50	16.5	77	6	10	15	22	29	32	42
65 +	72	21.7	192	7	10	18	30	44	50	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1119	12.7	109	2	5	10	17	26	33	52
B. Operated	1	76.0		76	76	76	76	76	76	76
2. MULTIPLE DX										
A. Not Operated	4580	16.4	163	4	7	14	22	32	42	65
B. Operated	228	21.1	202	6	11	18	29	42	52	99 +
1. SINGLE DX	1120	12.8	112	2	5	10	17	26	34	54
2. MULTIPLE DX	4808	16.6	166	4	7	14	22	33	42	66
A. Not Operated	5699	15.7	154	3	7	13	21	31	41	62
B. Operated	229	21.3	215	6	11	19	29	42	52	99 +
TOTAL										
0-19 YRS	752	22.3	262	4	11	21	30	45	58	99 +
20-34	1448	12.5	120	3	5	9	17	27	33	52
35-49	1641	14.1	121	3	7	11	18	27	35	57
50-64	969	15.8	129	4	8	13	21	30	37	59
65 +	1118	18.8	161	6	10	16	25	37	45	60
GRAND TOTAL	**5928**	**15.9**	**158**	**3**	**7**	**13**	**22**	**31**	**41**	**64**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	17.3	196	4	8	14	24	33	53	94
20-34	197	11.6	85	3	6	9	15	23	29	45
35-49	226	12.2	98	3	5	10	17	23	29	48
50-64	99	15.1	100	3	8	13	20	29	31	47
65 +	42	14.0	84	5	8	11	20	28	32	40
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	23.8	256	6	14	22	30	45	59	99
20-34	379	14.0	137	3	6	11	18	30	40	82
35-49	468	14.6	145	4	7	12	18	27	36	77
50-64	347	15.9	115	4	9	14	20	29	38	55
65 +	243	18.6	167	5	10	16	24	35	47	70
B. Operated										
0-19 YRS	2	16.0	128	8	8	16	24	24	24	24
20-34	13	16.5	126	7	9	14	18	37	42	43
35-49	14	27.0	524	10	14	20	37	87	97	99 +
50-64	12	18.4	173	5	8	18	26	58	92	99 +
65 +	12	21.0	217	7	11	17	26	47	50	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	638	13.2	108	3	6	10	18	27	32	55
B. Operated	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated	1600	16.3	159	4	8	14	21	31	41	78
B. Operated	53	20.7	262	6	10	17	25	48	81	99 +
1. SINGLE DX	639	13.2	107	3	6	10	18	27	32	55
2. MULTIPLE DX	1653	16.4	163	4	8	14	21	32	42	80
A. Not Operated	2238	15.4	146	4	7	13	20	30	39	71
B. Operated	54	20.6	257	6	10	17	25	48	80	99 +
TOTAL										
0-19 YRS	239	21.7	245	4	11	19	29	42	57	99 +
20-34	589	13.3	120	3	6	11	17	28	38	69
35-49	708	14.0	141	4	7	11	18	26	36	74
50-64	459	15.8	112	4	9	14	20	29	38	54
65 +	297	18.1	159	5	9	15	24	35	46	67
GRAND TOTAL	**2292**	**15.5**	**150**	**4**	**7**	**13**	**20**	**30**	**40**	**76**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	13.0	104	3	4	12	22	30	62	99 +
20-34	65	8.0	46	2	3	6	11	21	22	29
35-49	77	8.5	41	2	4	7	12	15	23	32
50-64	46	12.0	174	1	3	8	17	25	31	79
65 +	45	13.1	91	1	4	12	21	25	32	36
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	18.6	245	3	6	14	27	39	60	95
20-34	172	10.9	75	3	5	9	14	23	30	44
35-49	195	10.0	70	2	4	7	13	21	27	39
50-64	139	10.6	102	2	4	7	14	25	34	45
65 +	414	11.3	131	2	4	8	14	24	36	67
B. Operated										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	9	19.6	210	4	7	21	28	41	49	49
35-49	2	28.5	841	8	8	28	49	49	49	49
50-64	11	16.2	237	3	6	9	23	41	51	52
65 +	32	19.5	238	4	9	14	28	34	56	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	10.2	84	2	3	8	14	23	26	42
B. Operated	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	983	11.4	116	2	4	8	15	25	34	57
B. Operated	56	18.8	233	4	8	13	28	34	51	67
1. SINGLE DX	256	10.2	84	2	3	8	14	23	26	42
2. MULTIPLE DX	1039	11.8	125	2	4	8	15	27	35	59
A. Not Operated	1238	11.1	109	2	4	8	15	24	33	56
B. Operated	57	18.7	230	4	8	13	28	34	51	67
TOTAL										
0-19 YRS	87	16.9	211	3	5	13	25	38	60	99 +
20-34	246	10.5	76	2	5	8	14	22	29	46
35-49	275	9.7	67	2	4	7	13	21	26	41
50-64	196	11.3	127	2	4	7	15	26	34	55
65 +	491	12.0	138	2	4	8	15	26	36	67
GRAND TOTAL	**1295**	**11.5**	**117**	**2**	**4**	**8**	**15**	**25**	**34**	**58**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	5	1	2	3	4	7	7	7
20-34	30	6.1	45	1	1	4	6	15	18	31
35-49	24	5.3	26	1	2	3	7	15	16	17
50-64	15	4.3	29	1	1	3	4	14	18	20
65 +	6	8.3	77	< 1	1	5	14	22	23	23
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	9.8	71	1	2	8	15	25	25	26
20-34	82	8.9	88	1	2	5	13	21	25	49
35-49	127	6.4	41	1	2	4	9	14	22	31
50-64	97	6.6	39	1	2	5	9	13	20	32
65 +	117	7.4	62	1	2	4	9	18	28	34
B. Operated										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	7	4.7	36	1	1	3	5	15	18	18
35-49	5	6.6	35	2	2	3	12	14	14	14
50-64	8	7.8	31	3	4	6	10	17	19	19
65 +	11	7.5	62	1	2	6	8	21	26	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	5.5	36	1	1	3	6	15	17	29
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	448	7.4	57	1	2	4	10	16	25	34
B. Operated	32	7.3	49	2	2	5	10	18	23	27
1. SINGLE DX	80	5.5	36	1	1	3	6	15	17	29
2. MULTIPLE DX	480	7.4	56	1	2	4	10	17	24	34
A. Not Operated	528	7.1	54	1	2	4	10	16	23	33
B. Operated	32	7.3	49	2	2	5	10	18	23	27
TOTAL										
0-19 YRS	31	9.2	72	1	2	6	13	24	25	26
20-34	119	7.9	76	1	2	5	12	18	25	44
35-49	156	6.3	38	1	2	4	9	14	18	30
50-64	120	6.4	38	1	2	4	9	13	19	30
65 +	134	7.5	61	1	2	4	9	19	28	33
GRAND TOTAL	**560**	**7.1**	**54**	**1**	**2**	**4**	**10**	**16**	**24**	**33**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	15.6	134	2	6	14	22	33	40	43
20-34	70	7.1	51	1	2	4	10	16	20	37
35-49	43	8.0	56	1	2	5	12	20	24	28
50-64	16	6.7	19	1	3	6	9	14	15	15
65 +	10	15.3	130	2	9	13	21	33	41	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	202	19.1	224	3	8	16	27	36	48	78
20-34	187	7.8	50	2	3	6	10	17	20	36
35-49	161	8.6	56	2	4	6	10	21	25	34
50-64	88	8.2	43	2	3	6	12	20	21	24
65 +	104	9.8	61	3	4	8	14	21	24	40
B. Operated										
0-19 YRS	4	17.3	103	3	10	20	24	25	25	25
20-34	8	12.8	69	3	5	12	20	24	25	25
35-49	6	8.0	16	3	5	7	12	13	13	13
50-64	6	19.8	65	7	14	24	25	26	26	26
65 +	4	12.5	46	3	8	14	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	10.8	100	1	3	8	15	25	32	42
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	742	11.4	121	2	4	8	16	25	31	52
B. Operated	28	13.9	67	3	6	13	22	25	25	26
1. SINGLE DX	223	10.8	100	1	3	8	15	25	32	42
2. MULTIPLE DX	770	11.5	119	2	4	8	16	25	31	51
A. Not Operated	965	11.2	116	2	4	8	16	25	31	49
B. Operated	28	13.9	67	3	6	13	22	25	25	26
TOTAL										
0-19 YRS	290	18.1	198	2	7	16	25	35	43	72
20-34	265	7.8	51	1	3	5	11	17	21	37
35-49	210	8.4	54	2	3	6	11	20	25	33
50-64	110	8.6	48	2	3	7	13	20	22	26
65 +	118	10.4	67	3	4	8	14	21	25	42
GRAND TOTAL	**993**	**11.3**	**115**	**2**	**4**	**8**	**16**	**25**	**31**	**48**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	8.9	147	1	2	4	11	26	38	58
20-34	56	5.9	33	1	1	4	8	14	19	25
35-49	36	4.5	25	< 1	2	3	4	12	16	24
50-64	20	7.8	62	< 1	3	5	11	19	27	30
65 +	9	20.7	127	7	13	19	26	37	44	44
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	10.8	149	1	3	6	16	28	35	78
20-34	319	9.9	113	2	3	6	13	25	35	69
35-49	190	10.1	145	2	3	7	13	20	25	81
50-64	101	9.4	75	2	3	6	12	21	28	41
65 +	93	10.0	96	3	4	7	11	21	35	50
B. Operated										
0-19 YRS	6	30.5	965	2	4	25	42	80	84	84
20-34	15	15.4	424	1	4	8	17	42	70	80
35-49	14	12.0	110	5	6	8	11	33	37	38
50-64	10	9.0	145	2	2	5	10	26	42	42
65 +	13	8.7	67	2	3	5	12	18	29	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	7.7	93	1	2	4	10	20	27	48
B. Operated	5	2.8	4	1	2	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	871	10.1	121	2	3	6	13	23	34	60
B. Operated	58	13.5	292	2	4	8	14	38	42	84
1. SINGLE DX	204	7.6	91	1	2	4	10	20	26	48
2. MULTIPLE DX	929	10.3	132	2	3	6	13	24	35	79
A. Not Operated	1070	9.6	116	2	3	6	13	23	32	56
B. Operated	63	12.7	277	2	4	7	12	37	42	83
TOTAL										
0-19 YRS	253	10.7	173	1	2	5	14	28	40	83
20-34	391	9.5	116	1	3	6	12	23	34	72
35-49	243	9.3	128	2	3	6	12	19	25	79
50-64	131	9.1	77	2	3	6	12	21	28	43
65 +	115	10.7	102	2	4	7	13	26	35	48
GRAND TOTAL	**1133**	**9.8**	**125**	**2**	**3**	**6**	**13**	**23**	**33**	**61**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	11.7	113	< 1	1	10	22	28	28	28
20-34	114	10.8	110	1	3	6	21	28	30	35
35-49	153	9.7	95	1	3	5	12	28	30	33
50-64	56	8.4	75	2	3	5	8	27	28	30
65 +	16	7.8	38	3	4	6	9	17	23	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	20.6	142	4	13	21	28	31	41	57
20-34	733	16.0	136	3	5	14	28	30	33	42
35-49	890	13.5	122	2	4	9	25	28	31	39
50-64	424	12.9	111	2	4	8	24	28	30	32
65 +	209	12.5	111	2	4	8	24	28	30	34
B. Operated										
0-19 YRS	2	43.0	392	29	29	43	57	57	57	57
20-34	18	18.3	138	2	7	21	28	29	35	39
35-49	24	19.7	118	3	10	20	29	32	33	34
50-64	26	18.1	163	6	9	12	27	37	41	52
65 +	9	12.0	133	3	4	7	17	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	353	9.9	95	1	3	5	15	28	29	33
B. Operated	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	2410	14.5	128	2	4	11	27	29	31	42
B. Operated	79	18.6	156	3	7	17	28	34	38	56
1. SINGLE DX	354	9.9	95	1	3	5	15	28	29	33
2. MULTIPLE DX	2489	14.6	130	2	4	11	27	29	31	42
A. Not Operated	2763	13.9	127	2	4	10	26	29	31	42
B. Operated	80	18.5	155	3	7	17	28	33	37	55
TOTAL										
0-19 YRS	170	20.1	152	3	9	21	28	31	42	57
20-34	865	15.3	136	2	4	12	28	30	32	42
35-49	1067	13.1	120	2	4	9	25	28	31	38
50-64	507	12.6	112	2	4	8	23	28	30	36
65 +	234	12.2	107	2	4	8	20	28	30	34
GRAND TOTAL	**2843**	**14.0**	**128**	**2**	**4**	**10**	**27**	**29**	**31**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	7.4	41	2	3	7	8	11	24	28
35-49	10	11.9	79	4	6	8	20	26	30	30
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	36.1	508	12	20	26	57	67	71	71
20-34	70	11.6	109	2	4	7	18	27	32	45
35-49	40	16.3	168	3	6	13	28	32	42	49
50-64	18	12.9	136	2	3	7	25	29	33	35
65 +	7	18.1	124	4	7	24	27	30	31	31
B. Operated										
0-19 YRS	0									
20-34	3	21.0	36	15	16	21	25	27	27	27
35-49	2	12.5	181	3	3	12	22	22	22	22
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	9.0	59	3	5	7	9	22	28	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	143	14.8	178	2	4	9	24	31	42	60
B. Operated	6	16.3	77	4	10	18	22	26	27	27
1. SINGLE DX	25	9.0	59	3	5	7	9	22	28	30
2. MULTIPLE DX	149	14.8	173	2	5	10	24	30	42	59
A. Not Operated	168	13.9	164	2	5	8	22	30	36	58
B. Operated	6	16.3	77	4	10	18	22	26	27	27
TOTAL										
0-19 YRS	9	32.3	574	5	16	26	57	66	71	71
20-34	87	11.3	100	2	4	7	16	27	32	45
35-49	52	15.3	149	3	6	10	25	30	41	49
50-64	19	12.7	129	2	3	7	23	29	33	35
65 +	7	18.1	124	4	7	24	27	30	31	31
GRAND TOTAL	**174**	**14.0**	**161**	**3**	**5**	**8**	**22**	**30**	**35**	**58**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	13.3	179	1	6	7	21	35	37	37
20-34	77	10.5	89	1	3	7	15	28	29	32
35-49	21	9.0	58	2	3	5	15	22	24	25
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	29.1	237	10	20	28	35	50	56	79
20-34	333	16.1	156	2	6	12	27	32	40	44
35-49	153	18.9	138	4	8	19	28	33	41	42
50-64	30	17.3	118	4	8	16	27	32	37	42
65 +	12	23.3	481	4	8	15	31	58	75	78
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	12	15.8	82	6	9	14	27	45	90	99 +
35-49	3	18.3	112	7	10	20	26	28	28	28
50-64	3	21.7	120	9	14	28	28	28	28	28
65 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	10.3	86	1	3	7	15	28	28	35
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	600	18.6	181	3	7	17	28	36	42	56
B. Operated	20	16.5	81	7	9	14	28	30	62	99 +
1. SINGLE DX	105	10.3	86	1	3	7	15	28	28	35
2. MULTIPLE DX	620	18.5	178	3	7	17	28	35	42	57
A. Not Operated	705	17.4	176	3	6	15	28	33	42	54
B. Operated	20	16.5	81	7	9	14	28	30	62	99 +
TOTAL										
0-19 YRS	79	27.6	248	6	18	28	34	49	56	77
20-34	422	15.1	146	2	5	11	27	31	38	44
35-49	177	17.7	137	3	7	17	28	32	40	42
50-64	33	17.7	116	5	9	17	28	32	36	42
65 +	14	20.9	442	4	8	12	30	52	72	78
GRAND TOTAL	**725**	**17.3**	**173**	**3**	**6**	**15**	**28**	**33**	**42**	**56**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.3	1	< 1	< 1	1	1	2	3	5
20-34	23	7.8	100	< 1	1	2	14	27	29	31
35-49	14	7.8	112	1	1	2	11	28	28	28
50-64	11	6.5	74	1	1	3	8	21	27	28
65 +	2	8.0	2	7	7	8	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.4	44	< 1	1	1	3	16	20	29
20-34	99	4.1	13	1	2	3	5	10	12	17
35-49	88	4.8	36	1	2	3	5	9	18	37
50-64	44	5.5	81	1	2	4	5	9	13	60
65 +	21	5.6	58	1	2	3	6	11	26	35
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	7.3	68	1	1	4	13	19	19	19
35-49	2	14.0	338	1	1	14	27	27	27	27
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	5.4	68	< 1	1	1	4	20	28	30
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	298	4.6	37	1	1	3	5	10	15	32
B. Operated	10	6.6	83	1	1	2	7	23	27	27
1. SINGLE DX	77	5.4	67	< 1	1	1	4	20	28	30
2. MULTIPLE DX	308	4.7	39	1	1	3	5	10	16	32
A. Not Operated	374	4.8	43	1	1	3	5	11	18	31
B. Operated	11	6.4	75	1	1	2	7	22	27	27
TOTAL										
0-19 YRS	74	3.2	29	< 1	1	1	2	8	17	27
20-34	127	4.8	31	1	1	3	6	11	18	28
35-49	104	5.3	51	1	2	3	5	12	25	35
50-64	57	5.6	76	1	2	4	5	12	16	58
65 +	23	5.8	54	2	2	4	6	11	24	35
GRAND TOTAL	**385**	**4.8**	**44**	**1**	**1**	**3**	**5**	**11**	**18**	**30**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	11.5	122	2	2	4	24	27	29	29
20-34	48	7.8	77	< 1	2	5	8	25	29	34
35-49	18	10.4	104	1	2	8	15	26	33	37
50-64	2	28.5	1	28	28	28	29	29	29	29
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	18.0	138	1	7	18	28	30	32	54
20-34	152	9.7	91	1	3	5	15	28	30	33
35-49	79	10.1	91	1	3	7	16	28	28	36
50-64	15	13.0	67	3	6	13	18	28	28	28
65 +	10	11.5	104	2	4	9	15	29	30	30
B. Operated										
0-19 YRS	2	26.0	1152	2	2	26	50	50	50	50
20-34	3	19.3	212	4	8	21	30	33	33	33
35-49	3	19.3	65	12	13	18	25	28	28	28
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	14.5	265	3	3	14	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	9.5	96	1	2	6	14	28	29	36
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	340	12.0	113	1	3	8	18	28	30	37
B. Operated	11	18.0	242	2	3	18	27	40	49	50
1. SINGLE DX	82	9.5	96	1	2	6	14	28	29	36
2. MULTIPLE DX	351	12.2	118	1	3	8	19	28	30	39
A. Not Operated	422	11.5	111	1	3	7	18	28	30	37
B. Operated	11	18.0	242	2	3	18	27	40	49	50
TOTAL										
0-19 YRS	99	17.3	150	1	5	18	28	30	32	54
20-34	203	9.3	90	1	2	5	14	28	29	34
35-49	100	10.4	94	1	3	7	16	28	28	37
50-64	18	14.1	91	2	5	13	19	28	29	29
65 +	13	11.8	102	2	4	9	18	28	30	30
GRAND TOTAL	**433**	**11.7**	**115**	**1**	**3**	**7**	**18**	**28**	**30**	**38**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.2	16	1	1	2	3	10	14	15
20-34	4	3.0		3	3	3	3	3	3	3
35-49	3	3.3	4	1	2	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	16.1	429	1	2	6	30	65	78	99 +
20-34	37	4.0	13	1	2	3	5	8	12	17
35-49	33	4.5	16	1	2	3	5	11	15	17
50-64	25	6.8	80	2	3	3	6	24	31	34
65 +	32	4.4	7	1	2	4	7	8	9	10
B. Operated										
0-19 YRS	3	23.7	33	17	19	27	27	27	27	27
20-34	4	5.0	13	2	2	5	8	9	9	9
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	5.3	12	1	2	5	8	9	9	9
65 +	8	13.3	89	3	7	10	19	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.2	11	1	1	2	4	6	12	15
B. Operated	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	153	6.7	110	1	2	4	6	15	31	74
B. Operated	21	10.6	86	2	2	8	16	27	29	31
1. SINGLE DX	27	3.3	10	1	1	2	4	6	12	15
2. MULTIPLE DX	174	7.2	108	1	2	4	7	17	31	73
A. Not Operated	177	6.2	98	1	2	3	6	14	30	73
B. Operated	24	9.8	80	2	3	7	14	27	28	31
TOTAL										
0-19 YRS	46	11.8	293	1	1	4	20	34	71	99 +
20-34	46	4.1	11	1	2	3	5	9	10	17
35-49	40	4.2	14	1	2	3	5	9	14	17
50-64	29	6.6	71	1	3	3	6	20	30	34
65 +	40	6.2	35	1	2	5	8	11	19	31
GRAND TOTAL	**201**	**6.6**	**97**	**1**	**2**	**3**	**7**	**16**	**29**	**72**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	164	13.8	206	1	3	8	19	33	42	67
20-34	235	5.6	24	1	2	4	7	13	16	22
35-49	139	7.4	51	1	3	5	10	15	21	36
50-64	44	9.0	43	3	4	7	14	18	23	27
65 +	22	11.3	63	2	7	10	13	24	29	31
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	384	16.8	257	2	4	11	28	39	48	86
20-34	587	6.9	44	1	2	5	9	14	19	36
35-49	370	8.5	61	2	3	6	12	17	23	41
50-64	162	8.6	43	2	4	7	12	17	22	31
65 +	154	11.2	62	3	5	9	15	22	24	35
B. Operated										
0-19 YRS	9	13.0	82	4	6	10	17	28	28	28
20-34	18	8.2	57	1	4	6	10	19	26	30
35-49	11	13.0	70	4	5	13	20	24	25	25
50-64	8	10.6	39	3	6	9	14	20	22	22
65 +	10	11.3	70	3	5	9	16	24	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	604	8.7	93	1	3	5	11	20	29	45
B. Operated	2	13.5	13	11	11	13	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	1657	10.1	114	1	3	7	13	24	32	52
B. Operated	56	10.8	63	3	4	8	15	24	28	30
1. SINGLE DX	606	8.7	93	1	3	5	11	20	29	45
2. MULTIPLE DX	1713	10.1	112	2	3	7	13	24	31	52
A. Not Operated	2261	9.7	109	1	3	6	13	23	31	51
B. Operated	58	10.9	61	3	4	9	15	23	28	30
TOTAL										
0-19 YRS	557	15.9	241	1	4	10	25	37	45	76
20-34	840	6.6	39	1	2	5	9	14	18	30
35-49	521	8.3	59	1	3	6	12	17	23	37
50-64	214	8.8	43	3	4	7	12	18	22	30
65 +	187	11.2	62	3	5	9	15	23	25	34
GRAND TOTAL	**2319**	**9.8**	**107**	**1**	**3**	**6**	**13**	**23**	**31**	**51**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	13.5	163	1	3	10	20	28	41	63
20-34	97	5.7	53	1	2	4	7	11	16	45
35-49	60	4.8	21	1	1	3	6	11	16	20
50-64	12	7.0	36	1	2	5	11	17	18	18
65 +	6	12.0	92	1	7	9	18	27	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	346	15.6	209	2	4	13	23	33	42	67
20-34	326	6.6	46	1	2	4	8	14	21	35
35-49	223	7.4	47	1	2	5	10	17	21	34
50-64	71	5.3	20	1	2	4	8	13	14	17
65 +	46	7.9	42	1	3	5	12	19	22	23
B. Operated										
0-19 YRS	12	27.0	505	1	3	27	48	54	55	55
20-34	12	15.8	672	1	2	6	11	66	78	80
35-49	6	9.7	135	1	2	5	12	30	32	32
50-64	1	14.0		14	14	14	14	14	14	14
65 +	5	9.0	16	5	6	7	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	310	9.1	110	1	2	5	13	22	28	57
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1012	9.8	118	1	3	6	13	23	30	52
B. Operated	36	17.5	444	1	3	7	24	54	58	80
1. SINGLE DX	310	9.1	110	1	2	5	13	22	28	57
2. MULTIPLE DX	1048	10.1	130	1	3	6	14	24	32	55
A. Not Operated	1322	9.6	116	1	3	6	13	23	29	53
B. Operated	36	17.5	444	1	3	7	24	54	58	80
TOTAL										
0-19 YRS	493	15.3	207	2	4	12	22	33	42	65
20-34	435	6.6	66	1	2	4	8	14	20	43
35-49	289	6.9	44	1	2	5	10	16	20	33
50-64	84	5.7	23	1	2	4	9	14	15	18
65 +	57	8.4	45	1	3	7	12	19	22	28
GRAND TOTAL	**1358**	**9.8**	**126**	**1**	**3**	**6**	**14**	**23**	**31**	**55**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	222	15.3	210	1	4	12	22	32	42	68
20-34	21	4.9	53	1	2	3	5	8	22	35
35-49	6	2.3	1	1	2	2	3	3	3	3
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	3	19.3	52	11	14	23	24	24	24	24
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	899	22.9	259	5	11	21	30	43	56	90
20-34	117	13.9	249	2	4	7	19	38	44	97
35-49	67	10.8	171	2	3	6	14	29	36	96
50-64	34	6.5	28	2	2	4	9	14	19	20
65 +	19	5.2	14	1	2	4	8	12	13	13
B. Operated										
0-19 YRS	29	16.7	274	3	6	11	21	42	58	63
20-34	6	13.2	159	3	4	10	14	35	37	37
35-49	9	5.9	36	1	3	4	6	15	21	21
50-64	6	11.2	257	1	1	6	10	40	43	43
65 +	6	6.3	13	2	4	5	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	250	14.1	203	1	3	10	21	31	41	66
B. Operated	3	19.3	52	11	14	23	24	24	24	24
2. MULTIPLE DX										
A. Not Operated	1136	20.5	266	3	7	17	29	42	53	91
B. Operated	56	12.9	204	2	4	8	14	39	43	63
1. SINGLE DX	253	14.2	201	1	3	10	21	30	41	66
2. MULTIPLE DX	1192	20.1	265	3	7	16	29	42	53	90
A. Not Operated	1386	19.3	260	2	7	15	28	41	52	86
B. Operated	59	13.2	198	2	4	9	15	38	43	63
TOTAL										
0-19 YRS	1153	21.3	258	3	9	19	29	42	54	84
20-34	144	12.5	225	2	3	6	15	36	43	96
35-49	82	9.6	150	2	3	5	11	27	33	92
50-64	40	7.2	59	2	2	4	9	15	20	43
65 +	26	5.7	14	2	3	5	9	12	12	13
GRAND TOTAL	**1445**	**19.1**	**259**	**2**	**7**	**15**	**28**	**41**	**51**	**84**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	3	8.3	56	4	4	4	14	17	17	17
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	16.6	262	3	7	10	19	45	56	60
20-34	8	7.9	35	2	3	6	12	17	18	18
35-49	10	11.7	64	3	5	11	15	23	30	30
50-64	1	5.0		5	5	52	99 +	99 +	99 +	99 +
65 +	4	9.5	4	7	8	9	11	12	12	12
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	23.0		23	23	23	23	23	23	23
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	10.4	91	3	4	4	19	24	24	24
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	42	12.8	150	3	5	10	15	31	54	99 +
B. Operated	2	12.5	221	2	2	12	23	23	23	23
1. SINGLE DX	6	9.5	78	3	4	5	17	23	24	24
2. MULTIPLE DX	44	12.8	148	2	5	10	15	30	53	99 +
A. Not Operated	47	12.6	142	3	5	10	15	29	52	99 +
B. Operated	3	10.0	129	2	3	5	18	23	23	23
TOTAL										
0-19 YRS	22	15.7	243	2	5	10	19	40	55	60
20-34	12	9.3	51	2	4	6	15	19	22	23
35-49	11	10.9	65	3	5	11	15	22	29	30
50-64	1	5.0		5	5	52	99 +	99 +	99 +	99 +
65 +	4	9.5	4	7	8	9	11	12	12	12
GRAND TOTAL	**50**	**12.4**	**139**	**3**	**5**	**10**	**16**	**29**	**50**	**99 +**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	180	7.9	17	2	4	9	10	12	14	21
20-34	20	6.1	20	2	3	5	8	10	16	21
35-49	7	2.0	1	< 1	< 1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	17	10.1	27	3	7	10	12	18	20	21
20-34	3	5.7	25	1	2	5	9	11	11	11
35-49	3	8.3	26	4	5	7	12	14	14	14
50-64	3	8.0	76	2	2	4	14	18	18	18
65 +	2	10.0	72	4	4	10	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	359	10.1	22	4	7	10	12	15	19	23
20-34	29	10.6	69	2	5	9	14	24	30	34
35-49	34	9.4	45	2	3	9	13	16	18	35
50-64	32	12.3	91	3	7	11	14	27	31	46
65 +	24	10.4	30	4	6	11	14	19	19	20
B. Operated										
0-19 YRS	87	22.7	243	7	11	19	31	49	55	62
20-34	27	17.1	155	3	8	17	23	43	51	99 +
35-49	28	20.9	235	6	10	16	26	45	53	64
50-64	32	18.7	239	2	8	14	27	48	58	99 +
65 +	28	21.0	390	1	8	14	29	56	68	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	7.5	18	2	3	8	10	11	14	21
B. Operated	28	9.2	30	2	5	9	13	17	19	21
2. MULTIPLE DX										
A. Not Operated	478	10.2	31	3	7	10	13	15	20	31
B. Operated	202	20.9	249	4	10	17	28	46	58	84
1. SINGLE DX	236	7.7	20	2	3	8	10	12	15	21
2. MULTIPLE DX	680	13.4	119	3	8	11	15	25	40	61
A. Not Operated	686	9.4	29	3	6	10	11	15	19	29
B. Operated	230	19.4	237	4	9	15	26	45	55	75
TOTAL										
0-19 YRS	643	11.2	72	3	7	10	13	20	24	52
20-34	79	11.5	102	2	4	8	17	27	38	84
35-49	72	13.1	155	2	4	10	16	30	43	61
50-64	68	15.0	170	2	7	12	19	37	48	92
65 +	54	15.9	242	2	6	11	19	32	57	70
GRAND TOTAL	**916**	**11.9**	**100**	**3**	**6**	**10**	**14**	**21**	**32**	**59**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	7.0	9	4	5	6	9	11	11	11
65 +	7	5.0	12	1	3	4	7	10	11	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	57.0		57	57	57	57	57	57	57
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	23	9.7	109	2	5	6	10	19	36	49
65 +	175	11.1	100	3	5	8	13	23	29	51
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	8	12.3	166	1	2	8	19	33	37	37
65 +	26	15.9	174	4	6	12	18	38	44	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.7	11	2	3	5	8	11	11	11
B. Operated	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	201	11.1	110	3	5	8	13	23	30	55
B. Operated	34	15.0	170	4	5	12	18	37	41	57
1. SINGLE DX	13	6.2	15	2	4	5	9	12	14	14
2. MULTIPLE DX	235	11.7	119	3	5	8	14	24	36	57
A. Not Operated	212	10.9	106	3	5	8	13	22	29	55
B. Operated	36	14.7	163	4	5	12	18	36	40	57
TOTAL										
0-19 YRS	0									
20-34	1	57.0		57	57	57	57	57	57	57
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	36	9.8	106	2	4	6	12	24	35	49
65 +	209	11.5	109	3	5	8	14	23	31	55
GRAND TOTAL	**248**	**11.4**	**115**	**3**	**5**	**8**	**13**	**24**	**34**	**57**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	37	< 1	< 1	2	9	12	12	12
20-34	49	5.3	14	1	3	5	6	10	12	19
35-49	70	5.6	9	3	4	5	7	10	11	18
50-64	10	4.6	6	2	3	4	6	8	9	9
65 +	2	5.0	32	< 1	< 1	4	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	56	7.2	35	2	4	5	9	14	18	36
35-49	122	7.3	30	2	4	6	10	14	16	30
50-64	35	7.6	25	2	4	7	10	14	23	99 +
65 +	4	10.0	2	8	9	10	11	11	11	11
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	9	10.4	71	2	3	8	20	22	22	22
35-49	17	8.2	22	2	6	9	10	18	68	99 +
50-64	10	10.7	40	2	4	14	16	17	17	17
65 +	3	20.7	30	15	16	21	25	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	5.4	11	2	3	5	7	10	11	19
B. Operated	3	3.7	9	< 1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	219	7.4	29	2	4	6	10	14	17	37
B. Operated	40	10.5	46	2	5	9	16	21	24	99 +
1. SINGLE DX	137	5.4	11	2	3	5	7	10	11	19
2. MULTIPLE DX	259	7.9	33	2	4	6	10	15	20	38
A. Not Operated	353	6.6	23	2	4	5	9	12	15	27
B. Operated	43	10.0	46	2	4	9	16	21	23	99 +
TOTAL										
0-19 YRS	6	8.5	41	< 1	2	9	12	17	18	18
20-34	114	6.7	30	2	4	5	8	13	19	27
35-49	211	6.7	23	2	4	5	9	12	15	31
50-64	56	7.6	26	2	4	6	10	16	20	95
65 +	9	12.4	55	3	9	11	16	24	26	26
GRAND TOTAL	**396**	**7.0**	**27**	**2**	**4**	**5**	**9**	**14**	**18**	**32**

154 Hospitals, Southern Region, January-December 1990, by Diagnosis

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	474	3.2	18	1	1	2	4	6	8	14
20-34	96	3.5	7	1	2	3	5	7	9	14
35-49	63	3.0	5	1	2	2	3	6	7	12
50-64	32	2.8	5	1	1	2	4	5	7	12
65 +	13	3.3	2	2	2	3	4	6	7	7
B. Operated										
0-19 YRS	27	10.9	64	2	4	10	17	23	25	31
20-34	3	7.7	42	1	3	8	12	14	14	14
35-49	4	5.5	6	3	4	5	7	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	954	4.4	23	1	2	3	5	9	13	23
20-34	251	4.2	17	1	2	3	5	8	10	22
35-49	294	4.9	26	1	2	4	6	10	13	19
50-64	308	6.4	73	2	3	4	7	10	17	63
65 +	600	7.2	45	2	3	5	9	15	19	40
B. Operated										
0-19 YRS	107	13.7	170	3	5	10	18	30	43	84
20-34	35	14.1	153	3	5	9	23	25	43	49
35-49	49	9.4	72	2	4	7	10	24	29	38
50-64	42	12.7	92	4	6	10	16	27	35	43
65 +	70	20.9	400	5	9	17	31	88	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	678	3.2	14	1	1	2	4	6	8	13
B. Operated	34	10.0	57	2	4	8	14	20	24	31
2. MULTIPLE DX										
A. Not Operated	2407	5.4	36	1	2	4	6	11	15	31
B. Operated	303	14.6	207	3	5	10	20	34	47	99 +
1. SINGLE DX	712	3.5	18	1	1	2	4	7	10	18
2. MULTIPLE DX	2710	6.4	63	1	2	4	7	14	20	44
A. Not Operated	3085	4.9	32	1	2	3	6	10	14	29
B. Operated	337	14.1	194	3	5	10	19	33	44	99 +
TOTAL										
0-19 YRS	1562	4.8	39	1	2	3	5	10	16	33
20-34	385	5.0	35	1	2	3	6	9	14	36
35-49	410	5.1	31	1	2	4	6	10	13	27
50-64	382	6.8	74	2	3	4	7	13	21	57
65 +	683	8.6	97	2	3	5	10	17	26	89
GRAND TOTAL	**3422**	**5.8**	**55**	**1**	**2**	**4**	**7**	**12**	**18**	**42**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	4.1	31	1	1	2	5	9	14	29
20-34	55	3.5	11	1	2	3	4	7	13	14
35-49	45	4.5	40	1	2	3	5	8	11	42
50-64	25	4.4	15	1	2	3	5	11	13	17
65 +	22	8.6	270	1	2	4	5	18	50	76
B. Operated										
0-19 YRS	231	6.8	41	1	2	4	9	15	24	25
20-34	52	5.1	103	1	2	3	5	7	12	73
35-49	52	4.9	49	1	1	3	7	9	10	47
50-64	35	4.7	19	1	1	3	7	9	12	21
65 +	19	8.1	45	3	4	5	10	16	25	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	282	6.7	77	1	2	3	7	18	28	43
20-34	149	7.8	149	1	3	4	7	16	50	99 +
35-49	165	8.0	105	1	3	5	9	17	29	99 +
50-64	211	9.0	76	2	3	6	13	21	32	99 +
65 +	561	10.4	99	3	4	7	13	24	34	64
B. Operated										
0-19 YRS	451	8.3	112	1	2	5	10	19	25	67
20-34	116	10.8	215	2	4	6	13	36	99 +	99 +
35-49	146	9.6	127	2	3	6	13	19	31	99 +
50-64	155	13.6	182	3	5	9	18	34	45	99
65 +	282	15.9	220	4	7	12	21	36	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	4.4	47	1	1	3	5	9	13	35
B. Operated	389	6.2	49	1	2	4	8	14	21	26
2. MULTIPLE DX										
A. Not Operated	1368	8.9	99	2	3	6	11	21	31	99 +
B. Operated	1150	11.3	169	2	4	7	15	26	44	99 +
1. SINGLE DX	656	5.5	49	1	2	3	7	13	17	30
2. MULTIPLE DX	2518	10.0	133	2	3	6	13	24	36	99 +
A. Not Operated	1635	8.1	93	1	3	5	10	19	30	78
B. Operated	1539	10.0	144	2	3	6	13	24	36	99 +
TOTAL										
0-19 YRS	1084	7.1	80	1	2	4	9	16	24	50
20-34	372	7.7	148	1	2	4	8	20	50	99 +
35-49	408	7.8	102	1	2	5	9	16	28	99 +
50-64	426	10.0	115	2	3	7	13	24	37	99 +
65 +	884	12.1	147	3	5	8	15	28	40	99 +
GRAND TOTAL	**3174**	**9.0**	**119**	**1**	**3**	**6**	**11**	**22**	**32**	**99 +**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.1	2	1	1	2	3	4	5	7
20-34	121	2.8	5	1	1	2	3	5	6	13
35-49	129	2.9	4	1	2	2	4	6	6	12
50-64	24	2.2	1	1	1	2	3	4	4	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	5	2.0	5	1	1	1	3	6	6	6
20-34	7	2.3	1	1	2	2	3	3	3	3
35-49	11	2.4	2	1	1	2	3	4	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	2.5	3	1	1	2	3	5	5	8
20-34	222	3.5	6	1	2	3	4	8	9	11
35-49	270	4.0	8	1	2	3	5	7	8	16
50-64	92	3.8	8	1	2	3	5	7	9	17
65 +	47	4.9	20	2	2	4	6	9	15	23
B. Operated										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	23	5.5	19	2	3	4	6	10	18	18
35-49	24	5.0	7	2	3	5	7	8	11	11
50-64	19	5.1	14	2	3	4	6	10	14	16
65 +	6	6.3	20	3	4	5	7	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	2.6	4	1	1	2	3	5	6	11
B. Operated	25	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	724	3.7	8	1	2	3	5	7	9	14
B. Operated	76	5.2	13	2	3	4	6	8	14	18
1. SINGLE DX	380	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	800	3.8	8	1	2	3	5	7	9	16
A. Not Operated	1079	3.3	7	1	2	3	4	6	8	13
B. Operated	101	4.4	12	1	2	4	6	8	12	18
TOTAL										
0-19 YRS	182	2.3	2	1	1	2	3	4	5	8
20-34	373	3.4	7	1	2	3	4	6	8	13
35-49	434	3.7	7	1	2	3	5	7	8	14
50-64	137	3.7	8	1	2	3	5	6	9	16
65 +	54	5.1	20	2	3	4	6	9	15	23
GRAND TOTAL	**1180**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	31	1.1		< 1	< 1	< 1	1	1	1	3
35-49	75	1.1		< 1	< 1	< 1	< 1	1	1	5
50-64	54	1.0		< 1	< 1	< 1	< 1	< 1	1	3
65 +	55	1.1		< 1	< 1	< 1	< 1	< 1	1	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.2	7	< 1	1	2	5	7	7	7
50-64	4	2.3	1	< 1	1	2	3	3	3	3
65 +	8	3.6	4	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	6	4.3	24	1	1	3	4	13	14	14
20-34	20	1.3	1	< 1	< 1	1	1	2	4	5
35-49	50	2.2	5	< 1	< 1	1	3	4	6	13
50-64	41	2.0	4	< 1	< 1	1	2	4	6	12
65 +	28	1.4	1	< 1	< 1	< 1	1	2	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.2	5	1	2	2	5	6	6	6
B. Operated	217	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	19	3.1	4	< 1	2	3	4	6	7	7
B. Operated	145	1.9	5	< 1	< 1	1	2	4	5	13
1. SINGLE DX	222	1.1		< 1	< 1	< 1	< 1	1	1	5
2. MULTIPLE DX	164	2.1	5	< 1	< 1	1	2	4	6	13
A. Not Operated	24	3.1	4	1	2	3	4	6	7	7
B. Operated	362	1.4	2	< 1	< 1	< 1	1	2	4	10
TOTAL										
0-19 YRS	9	3.7	17	1	1	3	4	10	14	14
20-34	53	1.2		< 1	< 1	< 1	1	2	2	5
35-49	133	1.6	3	< 1	< 1	< 1	1	3	6	11
50-64	99	1.5	2	< 1	< 1	< 1	1	3	4	10
65 +	92	1.4	1	< 1	< 1	< 1	1	3	4	7
GRAND TOTAL	**386**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**9**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	6.0	65	1	3	4	7	11	16	55
20-34	45	3.8	19	1	1	3	4	8	10	27
35-49	53	3.0	11	< 1	1	1	4	6	10	16
50-64	20	4.9	11	1	2	4	6	10	12	12
65 +	22	2.5	6	< 1	1	1	4	7	8	9
B. Operated										
0-19 YRS	41	3.7	13	1	2	3	4	6	9	23
20-34	107	4.4	22	1	1	3	5	12	18	20
35-49	143	3.3	14	< 1	1	2	4	7	12	18
50-64	102	2.8	9	< 1	1	1	4	6	8	16
65 +	37	2.6	6	< 1	1	2	3	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	7.8	64	2	3	5	12	18	36	99 +
20-34	56	5.4	20	1	2	4	7	10	14	21
35-49	88	6.1	48	2	2	4	7	10	22	38
50-64	120	5.5	20	2	3	4	7	11	16	99 +
65 +	176	6.4	25	2	3	5	8	11	16	25
B. Operated										
0-19 YRS	68	8.0	125	1	3	4	8	20	37	92
20-34	125	5.8	91	1	2	3	6	9	16	56
35-49	181	6.4	68	1	2	4	8	15	19	49
50-64	145	6.4	64	1	2	4	8	17	25	47
65 +	171	9.7	216	1	2	5	10	23	38	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	4.1	28	< 1	1	3	5	9	12	23
B. Operated	430	3.4	14	< 1	1	2	4	7	12	18
2. MULTIPLE DX										
A. Not Operated	474	6.1	30	2	3	5	8	12	17	40
B. Operated	690	7.3	115	1	2	4	8	17	26	63
1. SINGLE DX	620	3.6	18	< 1	1	2	4	8	12	18
2. MULTIPLE DX	1164	6.8	81	1	2	4	8	14	21	57
A. Not Operated	664	5.5	30	1	2	4	7	11	15	34
B. Operated	1120	5.8	80	1	1	3	6	13	19	51
TOTAL										
0-19 YRS	193	6.5	77	1	3	4	6	15	22	81
20-34	333	5.0	47	1	2	3	6	10	15	37
35-49	465	5.0	43	1	1	3	6	12	17	32
50-64	387	5.1	35	1	1	3	6	12	18	44
65 +	406	7.2	108	1	2	4	8	14	23	51
GRAND TOTAL	**1784**	**5.7**	**61**	**1**	**2**	**3**	**6**	**13**	**18**	**46**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	29	1.7	1	1	1	2	2	2	3	4
20-34	24	1.8	1	1	1	2	2	3	3	4
35-49	39	1.8	1	1	1	2	2	3	4	5
50-64	90	1.8	1	1	1	2	2	3	4	5
65 +	95	2.1	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	3	4.7	30	1	1	2	9	11	11	11
B. Operated										
0-19 YRS	42	1.8	2	1	1	1	2	3	5	6
20-34	52	2.5	5	1	1	2	3	4	6	14
35-49	90	2.4	1	1	1	2	3	4	5	6
50-64	185	2.5	3	1	2	2	3	4	6	10
65 +	268	2.7	4	1	2	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	3	< 1	< 1	1	2	5	5	5
B. Operated	277	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	7	2.6	14	1	1	1	2	9	11	11
B. Operated	637	2.5	4	1	1	2	3	4	6	10
1. SINGLE DX	282	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	644	2.5	4	1	1	2	3	4	6	11
A. Not Operated	12	2.3	9	< 1	1	1	2	7	10	11
B. Operated	914	2.3	3	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	73	1.8	1	1	1	1	2	3	4	6
20-34	78	2.3	4	1	1	2	2	4	5	13
35-49	129	2.2	1	1	1	2	3	4	5	6
50-64	279	2.2	3	1	1	2	3	4	5	9
65 +	367	2.6	4	1	1	2	3	4	6	11
GRAND TOTAL	**926**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	5	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	0									
35-49	5	1.0		< 1	< 1	1	1	1	1	1
50-64	19	1.4	1	< 1	1	1	1	3	4	5
65 +	23	1.5	1	< 1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	9	3.1	4	1	2	2	4	6	8	8
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	6	3.3	11	1	1	2	7	8	8	8
50-64	23	2.9	6	1	1	2	5	7	8	8
65 +	79	2.6	6	1	1	2	3	5	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.8	1	1	1	2	2	3	3	3
B. Operated	50	1.4	1	< 1	1	1	1	3	4	6
2. MULTIPLE DX										
A. Not Operated	11	3.2	4	1	2	3	4	6	8	8
B. Operated	112	2.7	6	1	1	2	3	6	8	11
1. SINGLE DX	58	1.5	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	123	2.7	6	1	1	2	4	6	8	11
A. Not Operated	19	2.6	3	1	2	2	3	4	6	8
B. Operated	162	2.3	5	1	1	1	3	5	8	11
TOTAL										
0-19 YRS	5	2.0	1	< 1	1	2	3	3	3	3
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	12	2.3	6	< 1	1	1	2	7	8	8
50-64	45	2.2	4	1	1	1	3	6	7	8
65 +	116	2.4	5	1	1	1	3	5	8	11
GRAND TOTAL	**181**	**2.3**	**5**	**1**	**1**	**1**	**3**	**5**	**8**	**10**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	12	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	1.8	3	< 1	1	1	2	5	5	5
50-64	12	1.3		< 1	< 1	1	2	2	3	3
65 +	12	1.3	1	< 1	1	1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	5	4.6	5	3	3	3	7	7	7	7
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.3	15	3	3	4	7	11	11	11
35-49	6	2.8	7	1	1	2	3	7	8	8
50-64	27	2.5	5	1	1	2	4	5	7	10
65 +	50	2.8	9	1	1	1	3	6	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.3		< 1	< 1	< 1	< 1	3	3	3
B. Operated	43	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	10	3.9	3	2	3	3	5	7	7	7
B. Operated	88	2.8	8	1	1	2	4	6	10	13
1. SINGLE DX	61	1.3	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX	98	2.9	7	1	1	2	4	7	9	13
A. Not Operated	28	2.2	3	< 1	< 1	< 1	3	5	7	7
B. Operated	131	2.3	6	< 1	1	1	3	5	7	13
TOTAL										
0-19 YRS	29	1.1		< 1	< 1	< 1	< 1	1	2	3
20-34	7	3.9	10	2	2	3	4	10	11	11
35-49	13	2.4	4	< 1	1	2	3	6	8	8
50-64	41	2.3	4	< 1	1	1	3	5	6	10
65 +	69	2.7	7	1	1	1	3	6	8	13
GRAND TOTAL	**159**	**2.3**	**5**	**<1**	**1**	**1**	**3**	**5**	**7**	**13**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	1.0		< 1	< 1	1	1	1	1	1
20-34	5	1.2		< 1	< 1	< 1	1	2	2	2
35-49	15	1.1		< 1	< 1	< 1	1	1	2	2
50-64	68	1.0		< 1	< 1	< 1	< 1	1	1	1
65 +	432	1.0		< 1	< 1	< 1	< 1	< 1	< 1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	3	3.3	10	< 1	< 1	2	6	7	7	7
B. Operated										
0-19 YRS	17	1.5	1	< 1	1	1	2	3	3	3
20-34	12	2.1	4	< 1	< 1	1	2	4	7	8
35-49	12	1.7	2	< 1	< 1	1	2	4	6	6
50-64	46	1.5	3	< 1	< 1	< 1	1	2	5	10
65 +	290	1.4	1	< 1	< 1	< 1	1	2	3	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	546	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated	7	2.3	5	< 1	< 1	1	3	6	7	7
B. Operated	377	1.4	1	< 1	< 1	< 1	1	3	3	8
1. SINGLE DX	547	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX	384	1.4	1	< 1	< 1	< 1	1	3	3	8
A. Not Operated	8	2.5	5	< 1	< 1	1	3	6	7	7
B. Operated	923	1.2	1	< 1	< 1	< 1	< 1	1	2	6
TOTAL										
0-19 YRS	44	1.2		< 1	< 1	1	1	2	3	3
20-34	19	1.8	3	< 1	< 1	1	2	3	6	8
35-49	29	1.4	1	< 1	< 1	< 1	1	3	4	6
50-64	114	1.2	1	< 1	< 1	< 1	< 1	1	2	8
65 +	725	1.2	1	< 1	< 1	< 1	< 1	1	2	5
GRAND TOTAL	**931**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**6**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	3	1	1	2	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	163	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	15	1.3	1	< 1	1	1	1	1	4	5
35-49	5	2.2	1	1	2	2	3	3	3	3
50-64	4	3.5	25	< 1	< 1	< 1	6	11	11	11
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.3	9	1	3	4	5	8	12	12
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	4	4.8	9	2	3	4	7	9	9	9
50-64	10	3.6	6	1	2	3	4	8	9	9
65 +	13	4.1	10	2	2	3	5	7	13	14
B. Operated										
0-19 YRS	80	1.2	1	< 1	< 1	1	1	2	2	9
20-34	6	1.0		1	1	1	1	1	1	1
35-49	7	2.9	5	< 1	1	3	4	6	7	7
50-64	6	4.2	25	< 1	1	1	9	12	12	12
65 +	11	4.4	35	< 1	1	2	6	13	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.4	3	1	1	2	4	5	5	5
B. Operated	188	1.1	1	< 1	< 1	< 1	< 1	1	1	4
2. MULTIPLE DX										
A. Not Operated	40	4.1	8	1	2	3	5	8	11	14
B. Operated	110	1.8	7	< 1	< 1	1	1	3	7	16
1. SINGLE DX	195	1.2	1	< 1	< 1	< 1	1	1	2	5
2. MULTIPLE DX	150	2.4	8	< 1	1	1	3	5	9	14
A. Not Operated	47	3.8	8	1	2	3	5	7	10	14
B. Operated	298	1.4	3	< 1	< 1	< 1	1	1	3	11
TOTAL										
0-19 YRS	260	1.3	1	< 1	< 1	< 1	1	1	3	6
20-34	24	1.4	2	< 1	1	1	1	2	5	6
35-49	16	3.1	5	1	1	3	4	7	8	9
50-64	20	3.8	14	< 1	1	2	5	10	11	12
65 +	25	4.1	20	1	2	3	5	7	16	21
GRAND TOTAL	**345**	**1.7**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**	**12**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	2.2	3	< 1	< 1	1	3	4	6	11
20-34	10	3.7	6	< 1	2	3	6	7	8	8
35-49	6	4.7	7	2	3	4	7	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65 +	6	4.0	4	< 1	3	4	5	7	7	7
B. Operated										
0-19 YRS	67	1.7	4	< 1	< 1	< 1	1	4	8	11
20-34	16	1.9	1	< 1	1	2	2	4	5	5
35-49	16	1.9	2	< 1	1	1	3	4	5	5
50-64	11	1.0		< 1	< 1	< 1	1	1	1	1
65 +	36	1.5	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	3.6	7	1	2	3	5	6	9	13
20-34	9	2.8	3	< 1	1	3	4	6	6	6
35-49	14	7.1	16	2	5	6	11	13	14	14
50-64	10	4.8	12	2	3	4	5	10	14	14
65 +	32	5.4	12	2	3	5	7	11	16	99 +
B. Operated										
0-19 YRS	42	2.5	8	< 1	1	1	3	5	7	17
20-34	21	4.2	38	1	1	2	5	10	19	28
35-49	26	3.7	10	1	1	2	7	8	11	11
50-64	40	3.3	30	1	1	2	3	8	10	33
65 +	139	2.9	6	1	1	2	3	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.7	5	< 1	< 1	2	3	6	7	10
B. Operated	146	1.6	3	< 1	< 1	1	1	3	4	10
2. MULTIPLE DX										
A. Not Operated	155	4.3	10	1	2	3	5	9	12	17
B. Operated	268	3.1	13	1	1	2	3	7	10	16
1. SINGLE DX	247	2.1	4	< 1	< 1	1	3	4	7	10
2. MULTIPLE DX	423	3.5	12	1	1	3	4	7	10	17
A. Not Operated	256	3.7	8	< 1	2	3	5	7	10	14
B. Operated	414	2.6	9	< 1	1	1	3	5	8	13
TOTAL										
0-19 YRS	277	2.6	6	< 1	< 1	2	3	5	7	12
20-34	56	3.2	17	1	1	2	4	6	9	27
35-49	62	4.1	12	1	1	3	6	9	12	14
50-64	62	3.2	22	< 1	1	2	3	7	10	31
65 +	213	3.1	7	< 1	1	2	4	7	9	15
GRAND TOTAL	**670**	**3.0**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**14**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	199	3.1	2	1	2	3	4	5	6	8
20-34	15	3.5	3	2	2	3	5	7	7	7
35-49	13	3.0	2	1	2	3	4	5	5	5
50-64	8	3.6	2	2	2	3	5	6	6	6
65 +	4	3.8	6	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	38	2.3	6	1	1	1	2	6	7	12
20-34	8	1.9	1	< 1	1	2	3	4	4	4
35-49	16	2.1	3	1	1	1	3	4	6	7
50-64	16	2.3	3	< 1	1	1	4	5	6	6
65 +	43	2.7	14	< 1	1	1	3	6	9	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	395	3.9	6	2	2	3	5	7	9	13
20-34	40	4.3	8	1	2	4	6	7	8	17
35-49	34	5.6	48	1	3	4	6	9	27	31
50-64	25	5.5	23	1	2	4	7	14	17	20
65 +	40	5.0	28	1	2	3	5	10	21	22
B. Operated										
0-19 YRS	96	5.5	45	1	1	3	8	11	15	38
20-34	64	4.6	46	1	1	3	6	9	14	45
35-49	77	6.3	174	1	1	2	4	10	37	69
50-64	88	2.9	13	1	1	2	3	5	8	24
65 +	182	3.3	11	1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	3.1	2	2	2	3	4	5	6	8
B. Operated	121	2.4	8	1	1	1	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	534	4.2	11	2	2	3	5	7	9	20
B. Operated	507	4.3	48	1	1	2	5	9	13	47
1. SINGLE DX	360	2.9	4	1	2	3	4	5	6	9
2. MULTIPLE DX	1041	4.2	29	1	2	3	5	8	11	26
A. Not Operated	773	3.9	9	2	2	3	4	7	8	16
B. Operated	628	3.9	41	1	1	2	4	8	11	33
TOTAL										
0-19 YRS	728	3.8	10	1	2	3	4	7	9	15
20-34	127	4.2	26	1	2	3	5	8	10	25
35-49	140	5.4	109	1	1	3	4	9	16	66
50-64	137	3.3	14	1	1	2	4	7	8	21
65 +	269	3.5	14	1	1	2	4	8	10	21
GRAND TOTAL	**1401**	**3.9**	**23**	**1**	**2**	**3**	**4**	**7**	**9**	**21**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	2.7		2	2	3	3	3	3	3
35-49	0									
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	3	< 1	1	2	2	5	6	6
20-34	7	6.6	148	< 1	1	2	4	28	34	34
35-49	5	3.2	5	1	1	4	5	6	6	6
50-64	13	3.5	12	1	2	2	4	8	12	13
65 +	18	5.1	15	2	2	3	6	11	14	15
B. Operated										
0-19 YRS	7	1.7	2	< 1	1	1	2	4	5	5
20-34	6	2.0	4	1	1	1	2	6	6	6
35-49	6	3.5	6	1	2	3	6	7	7	7
50-64	11	5.9	47	1	1	3	8	17	22	23
65 +	10	4.2	23	1	1	2	6	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	1	2	2	2	3	4	4	4
B. Operated	9	1.9	1	< 1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	50	4.3	29	1	2	2	6	9	13	34
B. Operated	40	3.8	22	1	1	2	5	9	14	23
1. SINGLE DX	17	2.2	1	1	2	2	3	3	4	4
2. MULTIPLE DX	90	4.1	25	1	1	2	6	9	13	30
A. Not Operated	58	4.0	25	1	2	2	4	7	13	32
B. Operated	49	3.4	18	1	1	2	4	8	13	23
TOTAL										
0-19 YRS	20	2.1	2	< 1	1	2	2	4	5	6
20-34	17	4.0	62	1	1	2	3	6	24	34
35-49	13	3.2	4	1	1	3	5	6	7	7
50-64	27	4.3	26	1	1	2	6	12	15	23
65 +	30	4.6	16	1	2	3	6	11	15	15
GRAND TOTAL	**107**	**3.8**	**22**	**1**	**1**	**2**	**4**	**7**	**13**	**28**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	242	2.7	2	1	2	3	3	4	5	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1206	1.1		< 1	< 1	< 1	< 1	< 1	1	4
20-34	12	1.0		< 1	< 1	1	1	1	1	1
35-49	10	1.9	6	1	1	1	1	5	9	9
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	853	3.1	4	1	2	3	4	5	7	11
20-34	12	2.7	3	1	2	2	3	5	7	7
35-49	10	3.8	4	1	2	4	5	6	7	7
50-64	11	4.6	7	2	3	3	5	9	10	10
65 +	3	5.0	1	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	625	2.0	7	< 1	< 1	1	1	5	8	12
20-34	17	2.5	26	< 1	1	1	1	4	16	22
35-49	21	2.1	6	1	1	1	2	6	8	10
50-64	11	4.2	17	< 1	1	1	9	10	11	11
65 +	11	1.7	3	< 1	1	1	2	4	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	2.7	2	1	2	3	3	4	5	7
B. Operated	1232	1.1		< 1	< 1	< 1	< 1	< 1	1	4
2. MULTIPLE DX										
A. Not Operated	889	3.1	4	1	2	3	4	5	7	11
B. Operated	685	2.1	8	< 1	< 1	1	1	5	8	13
1. SINGLE DX	1478	1.4	1	< 1	< 1	< 1	< 1	3	3	6
2. MULTIPLE DX	1574	2.7	6	< 1	1	2	3	5	7	12
A. Not Operated	1135	3.1	4	1	2	3	4	5	6	10
B. Operated	1917	1.4	3	< 1	< 1	< 1	1	2	4	10
TOTAL										
0-19 YRS	2926	2.0	4	< 1	< 1	1	3	4	6	10
20-34	43	2.1	11	< 1	1	1	2	3	5	22
35-49	42	2.5	6	1	1	1	4	6	8	10
50-64	26	4.0	11	1	1	3	5	9	10	11
65 +	15	2.3	4	< 1	1	1	4	6	7	7
GRAND TOTAL	**3052**	**2.0**	**4**	**< 1**	**< 1**	**1**	**3**	**4**	**6**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	3.2	3	1	2	3	4	5	7	9
20-34	7	3.7	2	2	3	3	5	6	6	6
35-49	7	3.0	3	< 1	1	4	4	5	5	5
50-64	8	4.9	8	1	2	5	6	9	10	10
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	212	1.5	3	< 1	< 1	< 1	< 1	2	4	12
20-34	6	3.5	9	1	1	3	4	8	9	9
35-49	5	1.2		1	1	1	2	2	2	2
50-64	5	1.2		< 1	< 1	1	1	2	2	2
65 +	4	4.3	15	2	2	3	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	3.9	11	1	2	3	5	7	10	20
20-34	28	7.0	49	3	4	4	7	12	28	32
35-49	20	4.5	7	2	3	4	5	7	10	14
50-64	17	4.0	4	2	2	3	5	6	8	9
65 +	21	5.9	7	3	4	6	7	10	11	11
B. Operated										
0-19 YRS	133	3.9	26	< 1	1	1	5	9	14	24
20-34	21	4.1	13	1	1	3	6	10	11	11
35-49	20	3.8	24	1	1	2	5	7	15	22
50-64	21	4.7	62	< 1	1	2	4	11	23	36
65 +	20	5.6	28	1	1	4	8	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	3.4	4	1	2	3	4	6	7	10
B. Operated	232	1.5	3	< 1	< 1	< 1	< 1	3	4	11
2. MULTIPLE DX										
A. Not Operated	279	4.4	15	2	2	3	5	8	11	24
B. Operated	215	4.2	28	< 1	1	2	5	10	14	26
1. SINGLE DX	309	2.0	4	< 1	< 1	< 1	2	4	6	11
2. MULTIPLE DX	494	4.3	20	1	2	3	5	9	12	24
A. Not Operated	356	4.2	13	2	2	3	5	7	10	21
B. Operated	447	2.8	17	< 1	< 1	1	3	8	11	21
TOTAL										
0-19 YRS	591	3.0	12	< 1	< 1	2	4	6	9	20
20-34	62	5.3	29	1	3	4	6	10	12	32
35-49	52	3.7	13	1	1	3	5	6	8	22
50-64	51	4.2	28	1	1	3	5	8	11	36
65 +	47	5.6	16	1	2	5	8	11	12	20
GRAND TOTAL	**803**	**3.4**	**15**	**< 1**	**< 1**	**2**	**4**	**7**	**10**	**21**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	8	2.0	3	1	1	2	2	5	6	6
35-49	32	2.4	2	1	1	2	3	4	6	7
50-64	40	2.5	3	1	1	2	3	4	6	10
65 +	39	2.4	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	1.8	2	1	1	1	2	4	5	5
35-49	10	2.6	6	1	1	1	4	7	8	8
50-64	7	2.3	3	1	1	1	4	4	4	4
65 +	5	2.0	3	< 1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.6	2	2	2	2	3	4	6	6
20-34	29	2.7	2	1	2	2	3	4	5	8
35-49	72	3.4	5	1	2	3	4	7	9	11
50-64	176	3.2	5	1	2	3	4	6	7	13
65 +	387	4.0	9	1	2	3	5	7	10	16
B. Operated										
0-19 YRS	8	1.3		< 1	< 1	1	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	12	4.3	11	1	2	3	6	10	10	10
50-64	11	5.9	14	1	2	6	9	10	11	11
65 +	36	5.9	14	1	2	6	9	9	14	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	2.4	2	1	1	2	3	4	5	9
B. Operated	33	2.2	3	1	1	1	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	678	3.7	7	1	2	3	5	7	9	15
B. Operated	69	5.0	14	1	2	5	8	10	11	16
1. SINGLE DX	156	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX	747	3.8	8	1	2	3	5	7	9	15
A. Not Operated	801	3.5	7	1	2	3	4	6	8	13
B. Operated	102	4.1	12	1	1	3	6	9	10	16
TOTAL										
0-19 YRS	27	2.1	1	1	1	2	2	4	5	6
20-34	49	2.3	2	1	1	2	3	4	5	8
35-49	126	3.2	5	1	2	3	4	6	8	11
50-64	234	3.2	5	1	2	3	4	6	8	12
65 +	467	4.0	9	1	2	3	5	8	10	16
GRAND TOTAL	**903**	**3.5**	**7**	**1**	**2**	**3**	**4**	**7**	**9**	**14**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	1.1		< 1	1	1	1	2	2	2
35-49	20	1.1		1	1	1	1	2	2	2
50-64	13	1.2		< 1	< 1	1	1	2	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	7	1.3		1	1	1	2	2	2	2
35-49	15	1.1		< 1	1	1	1	2	2	2
50-64	8	1.6	2	1	1	1	2	4	5	5
65 +	9	1.2		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	46	1.1		< 1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	39	1.3	1	1	1	1	1	2	2	5
1. SINGLE DX	46	1.1		< 1	1	1	1	1	2	3
2. MULTIPLE DX	39	1.3	1	1	1	1	1	2	2	5
A. Not Operated	0									
B. Operated	85	1.2		1	1	1	1	2	2	4
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	1.2		1	1	1	1	2	2	2
35-49	35	1.1		< 1	1	1	1	2	2	2
50-64	21	1.3	1	< 1	1	1	1	2	4	5
65 +	10	1.2		1	1	1	1	2	2	2
GRAND TOTAL	**85**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**4**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	6	< 1	1	1	1	6	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0		3	3	3	3	3	3	3
50-64	4	3.3	7	1	1	2	5	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	177	1.2		< 1	< 1	1	1	1	2	5
20-34	35	1.4	1	< 1	< 1	1	1	2	4	6
35-49	29	1.3	1	1	1	1	1	2	3	6
50-64	23	1.2		< 1	1	1	1	2	3	3
65 +	9	2.2	7	< 1	1	1	2	6	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.0	6	1	1	2	4	7	8	10
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	5.8	8	3	3	6	8	9	9	9
50-64	6	4.2	8	1	2	3	7	8	8	8
65 +	11	11.1	192	1	2	5	13	37	42	42
B. Operated										
0-19 YRS	200	1.3	1	< 1	< 1	1	1	2	2	8
20-34	29	1.1		1	1	1	1	2	2	2
35-49	37	2.6	20	< 1	1	1	2	5	16	21
50-64	37	1.8	3	1	1	1	2	3	5	10
65 +	28	2.1	6	< 1	1	1	2	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.4	4	1	1	2	3	7	7	7
B. Operated	273	1.2	1	< 1	< 1	1	1	2	2	6
2. MULTIPLE DX										
A. Not Operated	49	5.2	56	1	1	3	7	10	15	42
B. Operated	331	1.5	4	< 1	1	1	1	2	4	11
1. SINGLE DX	287	1.3	1	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX	380	2.0	12	< 1	1	1	2	3	7	17
A. Not Operated	63	4.6	45	1	1	3	6	8	12	41
B. Operated	604	1.4	2	< 1	1	1	1	2	3	9
TOTAL										
0-19 YRS	408	1.3	1	< 1	< 1	1	1	2	3	8
20-34	67	1.3	1	< 1	1	1	1	2	3	6
35-49	73	2.3	12	1	1	1	2	6	9	20
50-64	70	1.9	3	1	1	1	2	4	7	10
65 +	49	4.1	58	< 1	1	1	3	10	15	42
GRAND TOTAL	**667**	**1.7**	**7**	**< 1**	**1**	**1**	**1**	**3**	**5**	**11**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.5	5	2	2	3	4	6	9	10
20-34	4	5.0	7	1	3	6	7	7	7	7
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	9.5	126	2	3	6	11	19	36	51
20-34	6	3.8	1	2	3	4	5	5	5	5
35-49	2	7.5	41	3	3	7	12	12	12	12
50-64	4	4.5	12	1	2	4	7	9	9	9
65 +	4	9.0	43	1	5	9	13	17	17	17
B. Operated										
0-19 YRS	0									
20-34	3	18.3	246	6	8	13	30	36	36	36
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	7.5	1	7	7	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.2	7	1	2	4	5	8	10	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	36	7.8	80	2	3	5	9	17	20	51
B. Operated	7	11.4	125	4	6	7	12	31	36	36
1. SINGLE DX	21	4.2	7	1	2	4	5	8	10	10
2. MULTIPLE DX	43	8.4	86	2	3	6	9	17	26	51
A. Not Operated	57	6.5	55	2	3	4	9	12	18	49
B. Operated	7	11.4	125	4	6	7	12	31	36	36
TOTAL										
0-19 YRS	34	7.0	83	2	2	4	9	13	20	51
20-34	13	7.5	82	2	4	5	6	18	33	36
35-49	6	6.3	14	3	4	5	10	12	12	12
50-64	5	4.8	9	1	2	5	7	9	9	9
65 +	6	8.5	26	2	7	8	9	16	17	17
GRAND TOTAL	**64**	**7.0**	**64**	**2**	**3**	**5**	**9**	**13**	**19**	**49**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	4	5.3	8	1	3	6	7	7	7	7
35-49	9	5.2	13	1	1	7	8	9	10	10
50-64	8	4.3	14	1	1	3	7	9	10	10
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	10	1	1	2	5	8	8	8
20-34	5	3.6	5	1	2	4	5	7	7	7
35-49	12	7.2	36	1	2	6	11	17	18	18
50-64	27	5.9	18	2	4	5	7	9	18	19
65 +	65	6.5	62	2	3	5	7	10	15	55
B. Operated										
0-19 YRS	12	9.8	292	< 1	1	2	12	30	57	61
20-34	25	9.6	49	1	3	9	14	19	21	26
35-49	63	9.0	86	1	2	8	12	23	34	92
50-64	139	11.5	117	1	5	9	15	24	28	48
65 +	151	12.1	71	2	5	11	17	22	27	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated	26	4.2	11	1	1	3	7	8	10	10
2. MULTIPLE DX										
A. Not Operated	113	6.2	44	2	3	5	7	10	16	38
B. Operated	390	11.2	95	1	4	9	16	23	27	46
1. SINGLE DX	30	3.8	11	1	1	2	7	8	10	10
2. MULTIPLE DX	503	10.0	88	1	3	8	14	21	26	45
A. Not Operated	117	6.0	43	2	3	5	7	10	16	36
B. Operated	416	10.7	93	1	3	9	15	22	27	45
TOTAL										
0-19 YRS	21	6.6	178	< 1	1	2	8	16	37	61
20-34	34	8.2	43	1	3	7	12	18	20	26
35-49	85	8.3	72	1	2	8	11	18	25	81
50-64	175	10.2	103	1	4	8	13	22	26	40
65 +	218	10.4	75	2	4	8	15	21	24	39
GRAND TOTAL	**533**	**9.7**	**86**	**1**	**3**	**8**	**13**	**21**	**25**	**45**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.8	9	1	2	3	4	8	11	12
20-34	9	3.1	3	1	2	3	4	6	6	6
35-49	46	3.1	2	2	2	3	4	5	6	7
50-64	35	2.9	2	1	2	3	4	5	5	6
65 +	30	3.8	15	1	2	3	4	8	15	17
B. Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	12	4.3	14	1	2	3	5	9	14	15
50-64	12	2.2	1	1	1	2	3	4	5	5
65 +	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	4.1	11	1	2	3	5	8	11	18
20-34	93	3.8	5	1	2	3	5	7	9	12
35-49	366	3.9	9	1	2	3	5	7	8	12
50-64	431	4.3	10	2	2	3	5	8	10	16
65 +	465	4.6	12	2	2	4	6	9	10	23
B. Operated										
0-19 YRS	15	4.1	18	1	2	2	4	12	14	15
20-34	20	5.7	12	2	3	5	8	10	12	15
35-49	80	4.6	16	1	2	4	6	8	11	25
50-64	104	6.8	48	1	3	5	9	14	19	36
65 +	104	7.7	55	1	3	6	10	16	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	3.3	6	1	2	3	4	5	7	15
B. Operated	38	2.8	7	1	1	2	3	6	7	15
2. MULTIPLE DX										
A. Not Operated	1419	4.2	10	2	2	3	5	8	10	19
B. Operated	323	6.4	40	1	2	4	8	14	17	33
1. SINGLE DX	171	3.2	6	1	2	3	4	5	7	15
2. MULTIPLE DX	1742	4.6	16	1	2	4	6	9	11	22
A. Not Operated	1552	4.2	10	2	2	3	5	8	10	19
B. Operated	361	6.0	37	1	2	4	7	13	16	32
TOTAL										
0-19 YRS	95	4.0	11	1	2	3	5	8	12	17
20-34	127	4.0	6	1	2	3	5	8	9	13
35-49	504	3.9	9	2	2	3	5	7	8	15
50-64	582	4.6	17	1	2	4	6	9	12	20
65 +	605	5.1	21	1	2	4	6	10	14	27
GRAND TOTAL	**1913**	**4.5**	**15**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	15	4.3	3	2	3	4	6	7	7	7
50-64	19	4.5	7	1	2	4	6	9	10	11
65 +	17	4.7	10	2	3	4	5	9	12	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	3.8	6	1	2	3	5	7	7	7
50-64	7	2.4	3	1	1	2	4	5	5	5
65 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	25	1	2	5	9	11	11	11
20-34	10	4.7	5	2	3	5	6	7	8	8
35-49	133	4.8	18	2	3	4	6	9	12	19
50-64	331	6.4	35	2	3	5	8	12	16	27
65 +	1120	7.3	28	3	4	6	9	13	17	26
B. Operated										
0-19 YRS	0									
20-34	5	8.2	54	2	2	5	15	18	18	18
35-49	48	7.4	124	2	3	4	8	15	25	72
50-64	143	8.0	48	1	3	6	10	16	22	35
65 +	230	11.5	120	2	5	9	14	23	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	4.5	6	2	3	4	6	7	9	14
B. Operated	16	2.4	4	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	1597	6.9	29	2	4	5	9	13	16	26
B. Operated	426	9.8	98	2	4	7	12	21	26	54
1. SINGLE DX	69	4.0	7	1	2	4	5	7	9	13
2. MULTIPLE DX	2023	7.5	45	2	4	6	9	14	18	33
A. Not Operated	1650	6.8	28	2	4	5	8	13	16	26
B. Operated	442	9.5	97	2	3	7	12	20	26	53
TOTAL										
0-19 YRS	3	5.7	25	1	2	5	9	11	11	11
20-34	17	5.8	19	2	3	5	7	13	17	18
35-49	200	5.4	43	2	3	4	6	9	13	34
50-64	500	6.8	38	2	3	5	8	13	17	30
65 +	1372	8.0	46	3	4	6	10	15	19	34
GRAND TOTAL	**2092**	**7.4**	**44**	**2**	**4**	**6**	**9**	**14**	**18**	**32**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.5	2	1	1	3	3	4	5	5
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49	2	12.5	145	4	4	12	21	21	21	21
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	7	4.9	18	1	1	5	7	12	13	13
20-34	8	5.6	13	1	2	7	8	9	9	9
35-49	20	5.4	29	1	2	3	7	12	18	23
50-64	17	4.2	8	1	2	3	7	9	9	9
65 +	9	2.7	3	1	2	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	5.1	28	1	2	3	6	13	19	23
20-34	25	4.1	8	1	2	4	5	9	10	11
35-49	51	5.4	33	1	2	4	7	9	19	28
50-64	65	6.0	19	2	3	4	8	13	15	21
65 +	97	8.3	38	3	5	7	10	16	20	75
B. Operated										
0-19 YRS	61	15.1	219	2	5	11	19	37	60	96
20-34	106	7.8	35	2	3	7	10	16	19	29
35-49	198	8.8	47	2	4	8	12	18	24	39
50-64	215	10.0	116	1	3	8	12	20	26	64
65 +	212	11.5	96	2	5	9	16	24	30	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.2	20	1	2	3	5	7	15	21
B. Operated	61	4.6	16	1	2	3	7	9	12	22
2. MULTIPLE DX										
A. Not Operated	281	6.4	30	2	3	5	8	14	18	27
B. Operated	792	10.2	94	2	4	8	13	20	28	64
1. SINGLE DX	80	4.5	17	1	2	3	6	9	12	22
2. MULTIPLE DX	1073	9.2	80	2	3	7	12	19	25	59
A. Not Operated	300	6.2	30	1	3	5	8	13	18	26
B. Operated	853	9.8	90	2	3	8	13	20	27	61
TOTAL										
0-19 YRS	122	9.9	148	1	2	5	13	25	37	76
20-34	142	6.9	30	2	2	6	9	13	18	26
35-49	271	8.0	45	2	3	6	11	17	23	33
50-64	298	8.8	92	1	3	6	11	18	22	54
65 +	320	10.2	79	2	4	8	14	20	27	82
GRAND TOTAL	**1153**	**8.9**	**77**	**2**	**3**	**7**	**11**	**18**	**25**	**58**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64	0									
65 +	3	15.3	52	7	10	19	20	20	20	20
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.0	12	2	2	2	7	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.1	9	< 1	1	4	7	8	9	9
20-34	7	6.9	11	2	6	7	9	11	12	12
35-49	21	6.7	29	2	4	4	8	14	20	23
50-64	69	7.6	76	2	3	5	9	18	22	55
65 +	215	9.1	61	3	4	7	11	18	22	45
B. Operated										
0-19 YRS	8	6.9	26	2	3	6	9	15	17	17
20-34	18	5.6	17	2	3	5	6	16	63	99 +
35-49	31	8.4	36	1	4	8	12	18	25	99 +
50-64	87	13.6	185	2	4	10	19	33	40	64
65 +	137	15.4	189	3	6	11	19	37	41	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	9.0	66	1	2	7	17	20	20	20
B. Operated	9	2.8	5	1	2	2	3	7	8	8
2. MULTIPLE DX										
A. Not Operated	323	8.4	60	3	4	6	10	17	22	45
B. Operated	281	13.2	164	2	4	10	17	33	40	72
1. SINGLE DX	16	5.5	39	1	1	2	7	18	20	20
2. MULTIPLE DX	604	10.7	114	2	4	7	13	23	34	59
A. Not Operated	330	8.4	60	2	4	6	11	17	22	45
B. Operated	290	12.9	163	2	4	9	17	33	39	71
TOTAL										
0-19 YRS	21	5.0	16	1	2	4	7	10	14	17
20-34	28	5.5	15	1	3	5	7	13	21	99 +
35-49	57	7.5	33	1	3	6	11	16	23	94
50-64	157	10.9	144	2	3	7	14	25	34	62
65 +	357	11.5	119	3	4	8	14	24	37	56
GRAND TOTAL	**620**	**10.5**	**113**	**2**	**4**	**7**	**13**	**23**	**34**	**59**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	5.2	12	< 1	1	7	8	8	8	8
35-49	32	5.8	7	2	4	6	8	9	10	11
50-64	77	5.9	7	2	4	6	8	9	10	12
65 +	69	6.9	16	3	5	6	8	10	14	85
B. Operated										
0-19 YRS	0									
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	54	5.6	7	2	4	6	7	10	10	11
50-64	72	7.4	11	4	5	7	9	12	12	18
65 +	24	7.9	18	3	6	7	10	12	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	20	4.9	8	< 1	2	6	7	8	9	9
35-49	272	6.6	20	2	4	6	8	10	12	23
50-64	816	7.4	15	3	5	7	9	11	13	21
65 +	3004	9.0	28	4	6	8	11	14	18	30
B. Operated										
0-19 YRS	0									
20-34	63	8.4	22	4	5	7	10	13	19	26
35-49	1026	8.3	25	4	6	7	10	13	16	26
50-64	2360	9.8	42	4	6	8	11	16	20	34
65 +	2477	11.9	72	5	7	10	14	21	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	6.2	11	2	5	6	8	9	11	25
B. Operated	153	6.8	11	3	5	7	8	11	12	18
2. MULTIPLE DX										
A. Not Operated	4112	8.5	26	4	6	8	10	13	17	28
B. Operated	5926	10.4	53	5	6	9	12	18	23	39
1. SINGLE DX	336	6.5	11	2	5	6	8	10	12	21
2. MULTIPLE DX	10038	9.6	43	4	6	8	11	16	21	36
A. Not Operated	4295	8.4	25	4	6	8	10	13	17	28
B. Operated	6079	10.3	52	4	6	8	12	18	22	39
TOTAL										
0-19 YRS	0									
20-34	91	7.3	20	2	5	7	9	12	15	25
35-49	1384	7.8	23	3	5	7	9	12	15	24
50-64	3325	9.0	35	4	6	8	11	15	19	32
65 +	5574	10.3	50	5	6	9	12	18	23	39
GRAND TOTAL	**10374**	**9.5**	**42**	**4**	**6**	**8**	**11**	**16**	**21**	**36**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	1.9	1	1	1	1	3	4	4	4
35-49	52	2.2	1	1	1	2	3	4	4	5
50-64	67	2.3	2	1	1	2	3	4	5	6
65 +	77	2.9	2	1	2	3	3	5	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	14	2.4	8	< 1	1	2	3	4	10	12
50-64	35	2.0	5	1	1	1	2	4	7	11
65 +	14	2.4	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	3.0	3	1	2	2	4	5	7	8
35-49	335	3.0	3	1	2	3	4	5	6	10
50-64	864	3.6	7	1	2	3	4	6	8	12
65 +	2015	4.4	11	2	2	4	5	8	10	18
B. Operated										
0-19 YRS	0									
20-34	25	4.4	14	1	2	4	6	11	13	13
35-49	352	3.8	11	1	1	3	5	8	9	15
50-64	918	4.1	23	1	1	3	6	9	11	16
65 +	789	5.3	33	1	2	4	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	203	2.5	2	1	1	2	3	4	5	6
B. Operated	63	2.2	5	1	1	1	2	4	7	12
2. MULTIPLE DX										
A. Not Operated	3239	4.0	9	2	2	3	5	7	9	16
B. Operated	2084	4.5	25	1	2	3	6	10	13	21
1. SINGLE DX	266	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	5323	4.2	15	1	2	3	5	8	11	18
A. Not Operated	3442	3.9	9	1	2	3	5	7	9	15
B. Operated	2147	4.4	25	1	1	3	6	9	12	21
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	56	3.5	9	1	1	2	4	8	10	13
35-49	753	3.3	7	1	2	3	4	6	8	12
50-64	1884	3.8	15	1	2	3	5	8	10	15
65 +	2895	4.6	17	1	2	4	6	9	12	20
GRAND TOTAL	**5589**	**4.1**	**15**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.6	3	< 1	1	2	3	5	6	6
35-49	47	3.0	3	1	2	3	4	5	6	9
50-64	76	2.7	2	1	2	3	3	5	5	6
65 +	128	3.1	4	1	2	3	4	5	7	10
B. Operated										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	36	3.3	9	< 1	1	2	5	8	10	11
50-64	82	4.5	11	1	2	3	6	10	11	12
65 +	57	4.8	13	1	2	3	7	10	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	22	4.1	19	1	1	3	6	7	13	21
35-49	477	3.3	4	1	2	3	4	6	6	10
50-64	1513	3.9	6	2	2	3	5	7	8	14
65 +	4264	4.8	11	2	3	4	6	8	10	17
B. Operated										
0-19 YRS	0									
20-34	35	4.7	12	2	2	4	7	7	10	19
35-49	934	5.8	21	1	3	5	8	11	14	22
50-64	2830	6.5	29	1	3	5	9	13	16	25
65 +	3596	8.0	51	2	4	6	10	16	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	3.0	3	1	2	3	4	5	6	9
B. Operated	177	4.3	11	1	2	3	6	10	11	15
2. MULTIPLE DX										
A. Not Operated	6276	4.5	10	2	3	4	6	8	10	16
B. Operated	7395	7.1	39	2	3	6	9	14	18	31
1. SINGLE DX	435	3.5	7	1	2	3	5	7	10	12
2. MULTIPLE DX	13671	5.9	27	2	3	4	7	12	15	25
A. Not Operated	6534	4.4	9	2	3	4	5	8	10	16
B. Operated	7572	7.1	39	2	3	6	9	14	18	31
TOTAL										
0-19 YRS	0									
20-34	66	4.2	13	1	2	3	6	7	9	21
35-49	1494	4.8	16	1	2	4	6	9	12	20
50-64	4501	5.5	22	1	2	4	7	11	14	22
65 +	8045	6.2	31	2	3	5	8	12	16	29
GRAND TOTAL	**14106**	**5.8**	**27**	**2**	**3**	**4**	**7**	**11**	**15**	**25**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	7	2.9	4	1	1	2	4	6	7	7
50-64	7	3.1	11	1	1	1	4	9	10	10
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	5	2.8	2	1	2	3	4	5	5	5
35-49	137	3.3	14	1	1	2	4	8	11	23
50-64	329	3.2	11	1	1	2	4	8	10	18
65 +	195	4.5	21	1	1	2	7	12	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.5	1	< 1	2	2	3	4	4	4
35-49	53	3.2	6	1	2	2	4	6	9	11
50-64	232	3.3	10	1	2	3	4	6	7	11
65 +	339	4.4	12	1	2	3	6	9	12	18
B. Operated										
0-19 YRS	8	3.9	24	< 1	1	2	6	12	14	14
20-34	34	5.8	36	1	2	4	8	11	20	29
35-49	1298	5.9	27	1	2	5	8	11	14	25
50-64	3934	6.7	35	1	2	6	9	13	16	26
65 +	4196	8.6	68	1	3	7	12	17	22	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.7	6	1	1	2	3	7	9	10
B. Operated	668	3.6	15	1	1	2	5	9	12	18
2. MULTIPLE DX										
A. Not Operated	631	3.8	11	1	2	3	5	8	10	16
B. Operated	9470	7.4	49	1	2	6	10	15	19	34
1. SINGLE DX	685	3.6	15	1	1	2	5	9	11	18
2. MULTIPLE DX	10101	7.2	48	1	2	6	10	15	18	34
A. Not Operated	648	3.8	11	1	2	3	5	8	10	16
B. Operated	10138	7.2	48	1	2	6	10	15	18	34
TOTAL										
0-19 YRS	12	3.5	18	< 1	1	2	5	10	13	14
20-34	45	5.0	29	1	2	3	7	10	15	29
35-49	1495	5.5	25	1	2	4	8	11	14	24
50-64	4502	6.2	33	1	2	5	9	13	16	25
65 +	4732	8.1	64	1	2	7	11	16	21	42
GRAND TOTAL	**10786**	**7.0**	**46**	**1**	**2**	**5**	**10**	**14**	**18**	**33**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	6.2	7	2	4	8	8	9	9	9
35-49	19	8.3	6	5	7	9	10	11	12	12
50-64	12	8.2	33	1	4	8	11	15	21	22
65 +	12	7.2	6	4	5	7	9	11	11	11
B. Operated										
0-19 YRS	0									
20-34	4	10.8	33	6	7	9	14	19	19	19
35-49	4	10.3	5	8	8	10	12	13	13	13
50-64	6	6.2	8	1	6	7	8	9	9	9
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.0	22	3	4	5	9	15	15	15
20-34	41	8.2	12	4	6	8	10	13	14	20
35-49	98	8.8	11	5	7	9	10	12	16	19
50-64	185	10.8	43	6	8	9	12	18	20	36
65 +	415	10.7	39	6	7	9	12	17	20	32
B. Operated										
0-19 YRS	16	9.3	77	2	3	7	12	26	30	31
20-34	21	15.8	336	6	8	10	13	33	60	88
35-49	33	10.6	27	5	6	10	13	17	21	26
50-64	75	13.0	56	6	8	11	16	24	28	38
65 +	177	15.0	103	7	9	12	18	26	33	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	7.6	12	3	5	8	10	11	12	22
B. Operated	15	8.5	16	6	6	8	10	13	17	19
2. MULTIPLE DX										
A. Not Operated	744	10.3	35	6	7	9	12	16	19	31
B. Operated	322	13.8	100	6	8	12	17	25	31	73
1. SINGLE DX	69	7.8	13	3	6	8	10	11	12	21
2. MULTIPLE DX	1066	11.3	57	6	7	10	13	18	25	41
A. Not Operated	798	10.1	34	6	7	9	11	16	19	30
B. Operated	337	13.6	97	6	8	11	16	25	31	72
TOTAL										
0-19 YRS	21	8.7	63	2	4	6	10	20	29	31
20-34	77	10.1	110	4	7	8	11	14	20	74
35-49	154	9.1	14	5	7	9	11	13	16	21
50-64	278	11.1	47	6	7	10	12	19	24	38
65 +	605	11.8	61	6	7	10	14	19	26	49
GRAND TOTAL	**1135**	**11.1**	**55**	**6**	**7**	**9**	**13**	**18**	**24**	**40**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	18.0		18	18	18	18	18	18	18
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	21.4	280	2	8	16	32	46	54	55
20-34	24	18.8	193	3	8	14	31	37	43	45
35-49	22	17.4	148	7	9	13	24	30	43	57
50-64	14	17.5	330	3	6	13	19	47	63	68
65 +	47	19.1	195	5	9	15	27	34	40	76
B. Operated										
0-19 YRS	17	26.4	230	9	14	28	36	48	51	52
20-34	25	26.5	262	9	11	26	36	49	58	62
35-49	36	29.2	372	7	12	28	45	57	73	99 +
50-64	20	28.1	182	7	21	32	41	45	70	99 +
65 +	36	31.5	247	13	17	36	43	46	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	11.5	85	5	5	11	18	18	18	18
B. Operated	3	14.7	185	4	5	10	25	30	30	30
2. MULTIPLE DX										
A. Not Operated	119	18.8	204	5	8	14	28	36	45	70
B. Operated	134	28.8	268	9	15	28	43	50	58	99 +
1. SINGLE DX	5	13.4	117	4	5	10	21	30	30	30
2. MULTIPLE DX	253	24.1	262	7	11	20	35	45	56	99
A. Not Operated	121	18.6	202	5	8	14	28	35	45	70
B. Operated	137	28.5	269	9	14	28	42	50	58	99 +
TOTAL										
0-19 YRS	31	23.3	249	4	9	17	34	46	52	55
20-34	51	22.3	237	4	9	18	33	44	49	62
35-49	58	24.7	316	7	10	17	37	54	58	98
50-64	34	23.7	263	5	11	23	37	45	62	99 +
65 +	84	24.5	250	9	12	21	36	44	53	92
GRAND TOTAL	**258**	**23.9**	**261**	**6**	**11**	**20**	**35**	**45**	**56**	**98**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.4	3	1	1	2	2	5	7	7
20-34	7	1.4	1	<1	1	1	2	3	3	3
35-49	9	2.2	2	<1	1	2	3	5	5	5
50-64	12	1.7	1	<1	1	1	2	4	4	4
65+	6	2.3	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.4	9	1	2	3	4	6	9	16
20-34	23	2.2	2	1	1	2	3	4	5	6
35-49	52	3.8	8	1	2	3	5	7	10	15
50-64	112	3.2	6	1	2	3	4	6	8	14
65+	272	4.7	14	2	2	4	6	8	12	26
B. Operated										
0-19 YRS	4	7.5	58	<1	1	5	13	18	18	18
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	5	7.2	70	1	1	4	12	21	21	21
50-64	29	6.9	46	1	3	5	9	14	22	32
65+	35	12.7	230	3	5	8	13	28	42	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.0	2	1	1	2	2	4	5	7
B. Operated	9	2.0	3	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	489	4.0	11	1	2	3	5	8	10	19
B. Operated	77	9.4	136	1	3	6	11	20	31	72
1. SINGLE DX	54	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX	566	4.8	31	1	2	3	5	9	12	31
A. Not Operated	534	3.9	11	1	2	3	5	8	10	18
B. Operated	86	8.6	127	1	3	5	10	19	29	69
TOTAL										
0-19 YRS	49	3.4	12	1	1	2	4	7	9	18
20-34	35	2.3	2	1	1	2	3	5	5	6
35-49	67	3.8	12	1	2	3	5	8	10	20
50-64	156	3.7	15	1	1	3	4	8	10	21
65+	313	5.5	44	2	2	4	6	10	14	38
GRAND TOTAL	**620**	**4.5**	**29**	**1**	**2**	**3**	**5**	**8**	**12**	**29**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.8	10	<1	1	3	6	9	9	9
20-34	42	2.3	3	1	1	2	2	5	7	8
35-49	46	2.3	2	1	1	2	3	4	6	8
50-64	81	3.0	46	1	1	2	3	4	6	46
65+	92	3.0	5	1	2	2	4	6	7	13
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.7		4	4	5	5	5	5	5
50-64	6	3.8	4	1	3	4	5	7	7	7
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	3.4	11	<1	2	3	4	6	10	17
20-34	89	2.7	4	1	1	2	3	5	7	10
35-49	227	3.3	7	1	2	2	4	7	9	15
50-64	847	3.9	11	1	2	3	5	8	10	15
65+	2785	5.1	16	2	3	4	6	10	12	21
B. Operated										
0-19 YRS	7	8.7	46	5	5	5	10	21	23	23
20-34	3	8.3	2	7	7	8	9	10	10	10
35-49	38	6.1	17	2	3	5	8	12	16	18
50-64	152	6.3	59	2	3	5	8	11	16	32
65+	457	9.0	60	2	4	7	11	17	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	2.8	17	1	1	2	3	5	6	10
B. Operated	13	3.5	3	1	2	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	3971	4.7	15	1	2	4	6	9	12	20
B. Operated	657	8.2	58	2	4	6	10	16	21	37
1. SINGLE DX	283	2.8	16	1	1	2	3	5	7	10
2. MULTIPLE DX	4628	5.2	23	2	2	4	6	10	13	23
A. Not Operated	4241	4.6	15	1	2	4	6	9	11	20
B. Operated	670	8.1	58	2	4	6	10	16	20	37
TOTAL										
0-19 YRS	39	4.5	20	<1	2	3	5	9	15	23
20-34	135	2.7	4	1	1	2	3	6	7	10
35-49	314	3.5	9	1	2	3	4	7	9	17
50-64	1086	4.1	21	1	2	3	5	8	10	17
65+	3337	5.6	24	2	3	4	7	11	14	25
GRAND TOTAL	**4911**	**5.0**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.8	6	1	1	2	3	5	8	14
20-34	28	2.1	2	1	1	2	3	5	5	7
35-49	44	2.4	4	1	1	2	3	5	7	9
50-64	67	2.3	3	1	1	2	3	4	6	9
65 +	58	3.9	15	1	2	3	5	6	7	28
B. Operated										
0-19 YRS	36	3.1	10	< 1	1	2	4	8	9	14
20-34	18	4.2	14	1	2	2	7	10	12	14
35-49	31	3.5	7	1	2	3	5	8	10	11
50-64	48	4.1	9	1	2	3	5	8	9	16
65 +	67	4.2	12	1	2	3	6	8	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	160	4.3	48	1	2	3	5	9	13	97
20-34	131	3.4	12	1	2	2	4	6	8	25
35-49	305	3.3	5	1	2	3	4	6	8	11
50-64	718	4.4	11	1	2	3	5	8	10	18
65 +	2207	5.5	23	2	3	4	7	10	13	24
B. Operated										
0-19 YRS	79	8.0	91	1	2	4	10	22	33	39
20-34	65	7.9	58	2	2	6	10	21	26	34
35-49	168	7.5	63	2	3	5	9	16	22	42
50-64	516	8.8	77	2	3	6	11	20	26	45
65 +	1917	8.2	53	3	4	6	10	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	2.8	7	1	1	2	3	6	7	10
B. Operated	200	3.9	10	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	3521	4.9	21	2	2	4	6	9	12	22
B. Operated	2745	8.3	59	2	4	6	10	17	23	40
1. SINGLE DX	460	3.3	8	1	1	2	4	7	9	14
2. MULTIPLE DX	6266	6.4	40	2	3	5	8	13	18	34
A. Not Operated	3781	4.8	20	1	2	4	6	9	11	22
B. Operated	2945	8.0	57	2	3	6	10	16	22	39
TOTAL										
0-19 YRS	338	4.8	49	1	1	3	5	10	16	43
20-34	242	4.5	28	1	2	3	5	9	14	29
35-49	548	4.5	27	1	2	3	5	9	13	28
50-64	1349	6.0	41	1	2	4	7	13	19	32
65 +	4249	6.7	38	2	3	5	8	13	17	32
GRAND TOTAL	**6726**	**6.2**	**39**	**2**	**3**	**4**	**7**	**12**	**17**	**32**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.0	1	2	2	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	9	7.7	125	2	2	4	6	25	37	37
50-64	21	4.5	12	1	3	4	5	7	12	18
65 +	99	5.5	16	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	7	6.9	114	1	1	2	8	26	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	137	5.1	19	1	3	4	6	10	15	23
20-34	86	6.0	16	2	3	5	8	11	14	21
35-49	584	6.0	19	2	3	5	8	11	14	23
50-64	2190	6.6	27	2	3	5	8	12	15	26
65 +	9694	7.5	33	3	4	6	9	14	18	29
B. Operated										
0-19 YRS	34	17.5	242	5	7	12	22	46	58	99 +
20-34	43	8.4	120	2	4	5	9	15	30	64
35-49	193	9.3	84	2	4	7	11	17	24	42
50-64	669	11.4	105	3	5	9	14	22	29	70
65 +	1602	12.8	102	4	6	10	17	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	5.4	22	2	3	4	6	10	14	25
B. Operated	9	6.1	89	< 1	1	2	7	22	30	30
2. MULTIPLE DX										
A. Not Operated	12691	7.2	31	3	4	6	9	13	17	28
B. Operated	2541	12.1	105	3	6	9	16	23	31	58
1. SINGLE DX	144	5.4	26	2	3	4	6	10	14	30
2. MULTIPLE DX	15232	8.0	47	3	4	6	10	15	20	36
A. Not Operated	12826	7.2	31	3	4	6	9	13	17	28
B. Operated	2550	12.1	105	3	6	9	16	23	31	58
TOTAL										
0-19 YRS	177	7.4	84	2	3	4	8	17	24	58
20-34	130	6.7	51	2	3	5	8	12	16	43
35-49	787	6.8	38	2	3	5	8	12	17	30
50-64	2880	7.7	49	2	4	6	9	15	19	36
65 +	11402	8.2	46	3	4	6	10	15	20	36
GRAND TOTAL	**15376**	**8.0**	**47**	**3**	**4**	**6**	**10**	**15**	**20**	**36**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	1	2	2	2	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.6	2	1	2	2	4	4	4	4
50-64	4	4.3	1	3	3	4	5	5	5	5
65 +	3	4.0	4	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	15	6.4	49	1	2	3	8	17	22	24
20-34	4	2.5	9	1	1	1	4	7	7	7
35-49	11	1.4	1	< 1	1	1	1	3	4	4
50-64	8	1.9	2	1	1	2	2	4	5	5
65 +	5	2.6	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	5.5	21	2	2	4	7	14	16	18
20-34	41	6.0	25	1	3	4	8	12	19	22
35-49	79	5.9	16	2	3	5	7	11	13	23
50-64	178	6.6	34	2	4	5	8	12	15	34
65 +	277	7.6	30	2	4	6	9	14	18	32
B. Operated										
0-19 YRS	43	10.2	145	< 1	1	6	16	30	38	45
20-34	40	8.2	57	1	2	6	12	17	22	36
35-49	100	7.4	73	1	3	5	10	16	23	50
50-64	190	8.2	104	1	2	6	10	19	32	65
65 +	155	9.4	129	1	3	6	11	24	34	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.2	2	2	2	3	4	5	6	6
B. Operated	43	3.5	23	1	1	2	3	7	16	24
2. MULTIPLE DX										
A. Not Operated	607	6.9	29	2	3	6	9	13	17	29
B. Operated	528	8.6	105	1	2	6	11	19	30	55
1. SINGLE DX	61	3.4	16	1	1	2	4	6	12	23
2. MULTIPLE DX	1135	7.7	65	1	3	6	9	16	22	44
A. Not Operated	625	6.8	28	2	3	5	8	13	16	28
B. Operated	571	8.2	101	1	2	5	10	19	29	53
TOTAL										
0-19 YRS	95	7.6	85	< 1	2	3	10	18	30	42
20-34	86	6.8	40	1	2	5	9	16	19	32
35-49	195	6.4	46	1	3	5	7	12	18	35
50-64	380	7.3	69	1	3	5	8	15	23	49
65 +	440	8.2	65	2	4	6	10	15	22	40
GRAND TOTAL	**1196**	**7.4**	**63**	**1**	**3**	**5**	**9**	**15**	**22**	**42**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	4.4	6	2	3	4	5	10	10	10
20-34	35	2.5	2	1	2	2	3	5	5	7
35-49	44	2.7	5	1	1	2	3	5	6	14
50-64	23	2.2	3	1	1	2	3	4	6	8
65 +	13	2.7	3	1	1	2	4	5	6	6
B. Operated										
0-19 YRS	59	2.8	8	< 1	1	1	4	7	9	13
20-34	13	3.5	8	< 1	1	2	7	7	8	8
35-49	31	3.1	7	1	1	2	5	8	8	9
50-64	46	4.0	17	1	1	2	7	9	11	18
65 +	29	5.2	28	1	1	3	7	14	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	5.4	35	1	2	4	6	12	16	35
20-34	99	4.1	12	1	2	3	6	9	10	18
35-49	210	3.8	9	1	2	3	5	7	9	15
50-64	235	4.9	20	1	2	4	6	8	12	29
65 +	411	6.1	24	2	3	5	8	12	16	25
B. Operated										
0-19 YRS	116	7.6	41	1	2	7	11	17	19	33
20-34	69	8.5	74	1	3	6	11	17	25	50
35-49	181	7.9	40	1	3	7	10	16	22	30
50-64	381	9.4	98	1	3	8	12	18	23	57
65 +	680	11.2	114	2	4	9	15	23	29	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.9	4	1	1	2	4	5	7	11
B. Operated	178	3.6	14	1	1	2	6	9	10	18
2. MULTIPLE DX										
A. Not Operated	1022	5.1	20	1	2	4	6	10	14	24
B. Operated	1427	9.9	95	1	3	8	13	20	26	48
1. SINGLE DX	316	3.3	10	1	1	2	4	7	10	16
2. MULTIPLE DX	2449	7.9	69	1	3	6	10	17	22	37
A. Not Operated	1160	4.8	19	1	2	4	6	9	13	24
B. Operated	1605	9.2	90	1	2	8	12	19	25	44
TOTAL										
0-19 YRS	265	5.7	33	1	2	4	8	13	17	31
20-34	216	5.2	35	1	2	3	7	11	16	29
35-49	466	5.3	25	1	2	4	7	11	15	26
50-64	685	7.2	69	1	2	5	9	15	20	37
65 +	1133	9.1	85	2	3	7	12	19	24	43
GRAND TOTAL	**2765**	**7.4**	**64**	**1**	**2**	**5**	**10**	**16**	**21**	**36**

154 Hospitals, Southern Region, January-December 1990, by Diagnosis

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	9	4.3	25	< 1	< 1	1	6	12	16	16
65 +	0									
B. Operated										
0-19 YRS	2	16.5	181	7	7	16	26	26	26	26
20-34	7	11.1	50	3	5	11	14	22	24	24
35-49	9	7.9	25	2	5	6	13	15	15	15
50-64	18	13.1	55	4	8	13	16	23	28	31
65 +	2	12.5	5	11	11	12	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.8	30	< 1	< 1	1	7	12	12	12
35-49	4	7.8	5	5	6	8	9	10	10	10
50-64	6	6.2	47	< 1	1	3	12	16	17	17
65 +	12	17.4	80	7	11	18	24	48	90	99 +
B. Operated										
0-19 YRS	4	8.0	47	< 1	2	7	13	17	17	17
20-34	26	17.4	85	8	11	16	20	33	37	38
35-49	59	20.9	340	4	10	16	27	70	86	99 +
50-64	74	22.4	365	5	12	18	30	60	97	99 +
65 +	49	29.1	408	9	16	26	47	87	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.5	20	< 1	< 1	5	6	11	16	16
B. Operated	38	11.6	49	3	6	11	15	23	25	31
2. MULTIPLE DX										
A. Not Operated	26	11.2	84	1	5	10	18	28	45	99 +
B. Operated	212	22.7	341	5	12	18	30	62	98	99 +
1. SINGLE DX	49	10.0	51	1	5	9	14	20	24	31
2. MULTIPLE DX	238	21.4	326	4	10	17	29	58	97	99 +
A. Not Operated	37	9.2	74	< 1	1	7	16	22	33	99 +
B. Operated	250	21.0	312	5	10	16	28	55	92	99 +
TOTAL										
0-19 YRS	7	10.0	74	1	5	7	15	24	26	26
20-34	37	14.8	91	2	10	13	20	27	36	38
35-49	73	18.4	304	3	8	14	23	58	76	99 +
50-64	107	18.4	306	2	7	14	24	47	91	99 +
65 +	63	26.4	358	9	14	22	37	79	99 +	99 +
GRAND TOTAL	**287**	**19.5**	**297**	**4**	**9**	**16**	**26**	**51**	**88**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	20.0		20	20	20	20	20	20	20
50-64	2	37.0	50	32	32	37	42	42	42	42
65 +	0									
B. Operated										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	41.0	128	33	33	41	49	49	49	49
35-49	7	23.1	117	10	17	23	28	39	42	42
50-64	9	26.6	300	6	18	26	30	53	64	64
65 +	6	44.8	770	24	24	47	84	99	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	31.3	121	20	23	32	39	42	42	42
B. Operated	25	31.1	377	12	23	26	42	63	95	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	28	31.1	345	13	22	26	42	61	94	99 +
A. Not Operated	3	31.3	121	20	23	32	39	42	42	42
B. Operated	25	31.1	377	12	23	26	42	63	95	99 +
TOTAL										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	41.0	128	33	33	41	49	49	49	49
35-49	8	22.8	102	11	17	21	27	38	42	42
50-64	11	28.5	262	7	22	26	36	51	63	64
65 +	6	44.8	770	24	24	47	84	99	99 +	99 +
GRAND TOTAL	**28**	**31.1**	**345**	**13**	**22**	**26**	**42**	**61**	**94**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.0	41	1	1	4	10	15	15	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7		2	2	3	3	3	3	3
50-64	5	3.2	9	< 1	< 1	2	5	8	8	8
65 +	19	4.4	13	< 1	1	4	7	10	11	12
B. Operated										
0-19 YRS	16	8.9	54	2	3	7	12	21	23	24
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	7	6.3	4	4	5	6	8	9	9	9
50-64 -	14	8.8	72	1	5	6	11	16	31	35
65 +	29	9.7	65	4	5	7	11	20	22	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	5.7	23	1	2	5	8	13	17	18
20-34	11	4.8	24	1	2	3	4	14	15	15
35-49	35	12.5	109	3	5	9	16	27	37	41
50-64	72	12.3	109	3	6	9	16	24	35	92
65 +	285	12.0	124	3	6	9	15	22	32	85
B. Operated										
0-19 YRS	34	17.9	347	3	7	11	22	42	58	89
20-34	18	21.7	582	2	6	15	18	60	81	91
35-49	38	22.4	465	6	7	15	35	66	99	99 +
50-64	89	17.9	277	5	8	13	22	49	61	99 +
65 +	210	19.4	255	6	8	14	24	38	52	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.1	14	< 1	1	3	6	10	12	15
B. Operated	68	8.8	55	3	4	7	10	20	22	40
2. MULTIPLE DX										
A. Not Operated	421	11.6	115	3	5	9	14	23	32	79
B. Operated	389	19.3	302	6	8	14	24	43	61	99
1. SINGLE DX	100	7.3	47	1	3	6	9	16	21	38
2. MULTIPLE DX	810	15.3	219	3	7	11	19	33	50	97
A. Not Operated	453	11.1	112	2	5	9	14	22	32	75
B. Operated	457	17.7	279	5	7	13	22	41	58	99
TOTAL										
0-19 YRS	72	12.2	211	2	3	8	15	27	41	83
20-34	32	14.2	403	1	3	6	16	42	64	91
35-49	83	16.2	295	4	6	10	21	42	63	99 +
50-64	180	14.5	198	4	6	10	19	33	56	99 +
65 +	543	14.5	184	3	6	11	18	30	41	78
GRAND TOTAL	**910**	**14.4**	**206**	**3**	**6**	**10**	**18**	**31**	**47**	**93**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	32.0		32	32	32	32	32	32	32
35-49	18	20.9	273	6	8	15	24	46	56	61
50-64	34	15.1	118	4	6	10	25	29	35	39
65 +	126	14.1	121	5	6	11	18	29	37	55
B. Operated										
0-19 YRS	7	18.7	191	6	8	16	25	41	45	45
20-34	6	23.0	124	8	13	25	33	33	33	33
35-49	13	27.3	493	8	11	24	47	99 +	99 +	99 +
50-64	35	25.3	330	8	14	20	39	56	95	99 +
65 +	65	23.3	287	8	11	20	28	50	61	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	179	15.1	139	5	7	11	20	32	40	58
B. Operated	126	24.0	301	8	12	20	32	54	87	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	305	18.8	225	5	8	15	25	42	54	99 +
A. Not Operated	179	15.1	139	5	7	11	20	32	40	58
B. Operated	126	24.0	301	8	12	20	32	54	87	99 +
TOTAL										
0-19 YRS	7	18.7	191	6	8	16	25	41	45	45
20-34	7	24.3	115	9	14	32	33	33	33	33
35-49	31	23.6	362	7	9	20	41	66	98	99 +
50-64	69	20.3	249	5	8	17	28	48	56	99 +
65 +	191	17.2	195	5	8	13	22	37	49	84
GRAND TOTAL	**305**	**18.8**	**225**	**5**	**8**	**15**	**25**	**42**	**54**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	3.3	7	< 1	< 1	3	5	6	6	6
65 +	8	3.1	5	1	1	2	5	6	7	7
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	19	3.6	8	< 1	1	3	5	9	10	11
50-64	91	3.6	6	1	2	3	4	6	9	14
65 +	157	3.6	3	1	3	4	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	5.3	8	2	3	5	6	10	10	10
50-64	39	5.0	24	1	2	3	7	10	17	22
65 +	193	5.6	15	2	3	5	7	10	12	20
B. Operated										
0-19 YRS	0									
20-34	3	5.7	21	3	3	3	9	11	11	11
35-49	61	6.1	22	2	3	4	8	12	17	22
50-64	601	5.5	13	2	3	4	7	10	12	18
65 +	1516	6.0	26	2	3	5	7	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.2	5	< 1	1	2	5	6	7	7
B. Operated	268	3.6	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	238	5.5	16	2	3	5	7	10	12	22
B. Operated	2181	5.8	22	2	3	5	7	11	14	20
1. SINGLE DX	280	3.6	4	1	2	3	5	6	8	11
2. MULTIPLE DX	2419	5.8	22	2	3	5	7	11	14	20
A. Not Operated	250	5.4	16	2	3	5	7	10	12	22
B. Operated	2449	5.6	21	2	3	4	7	10	13	20
TOTAL										
0-19 YRS	0									
20-34	4	4.5	20	< 1	1	3	7	11	11	11
35-49	86	5.5	19	1	3	4	8	10	15	21
50-64	735	5.2	13	2	3	4	6	10	12	18
65 +	1874	5.7	23	2	3	5	7	10	14	20
GRAND TOTAL	**2699**	**5.6**	**20**	**2**	**3**	**4**	**7**	**10**	**13**	**20**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	10	18.4	186	8	10	12	23	42	50	50
65 +	30	9.5	110	3	4	6	10	17	45	46
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	9.4	88	3	3	6	11	26	31	31
50-64	32	8.0	47	2	4	6	9	17	21	35
65 +	71	13.8	244	4	5	9	15	27	50	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	42	11.4	136	3	5	8	12	26	45	50
B. Operated	112	11.8	180	3	4	8	13	25	35	77
1. SINGLE DX	0									
2. MULTIPLE DX	154	11.7	167	3	4	8	13	25	41	76
A. Not Operated	42	11.4	136	3	5	8	12	26	45	50
B. Operated	112	11.8	180	3	4	8	13	25	35	77
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	11	8.4	76	3	3	5	8	23	30	31
50-64	42	10.5	97	3	5	8	12	22	34	50
65 +	101	12.5	206	4	5	8	13	26	45	77
GRAND TOTAL	**154**	**11.7**	**167**	**3**	**4**	**8**	**13**	**25**	**41**	**76**

154 Hospitals, Southern Region, January-December 1990, by Diagnosis

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	11	4.9	9	1	2	5	6	9	11	11
50-64	33	6.6	13	2	4	6	9	12	13	15
65 +	57	6.9	26	2	3	6	10	15	17	24
B. Operated										
0-19 YRS	0									
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	6	4.7	11	1	2	4	8	9	9	9
50-64	3	5.3	2	4	4	5	6	7	7	7
65 +	8	10.9	108	2	3	7	19	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.7	32	4	5	7	13	15	15	15
20-34	15	5.3	16	2	3	5	6	8	15	18
35-49	154	6.9	20	2	4	6	9	13	16	23
50-64	540	8.2	60	3	4	6	9	15	21	35
65 +	2438	9.7	72	3	5	7	12	19	25	48
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	16	9.0	22	4	5	9	12	15	18	19
35-49	58	13.9	281	4	5	8	13	37	58	99 +
50-64	158	14.1	159	4	6	11	17	30	38	78
65 +	459	17.1	206	5	8	13	22	39	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	6.5	19	2	3	5	9	13	15	21
B. Operated	19	7.4	56	1	3	5	8	20	27	27
2. MULTIPLE DX										
A. Not Operated	3150	9.3	68	3	5	7	11	18	23	46
B. Operated	692	15.9	199	5	7	11	20	36	51	99 +
1. SINGLE DX	124	6.6	25	2	3	5	9	13	16	27
2. MULTIPLE DX	3842	10.5	98	3	5	8	12	21	29	63
A. Not Operated	3255	9.2	66	3	4	7	11	17	23	44
B. Operated	711	15.7	197	4	7	11	20	35	51	99 +
TOTAL										
0-19 YRS	5	8.6	26	4	4	7	13	15	15	15
20-34	36	6.7	21	2	4	5	9	15	17	19
35-49	229	8.5	95	2	4	6	9	15	25	76
50-64	734	9.4	85	3	4	7	11	18	26	55
65 +	2962	10.8	99	3	5	8	13	22	29	63
GRAND TOTAL	**3966**	**10.3**	**96**	**3**	**5**	**8**	**12**	**21**	**28**	**62**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	10.3	15	6	8	9	13	16	16	16
35-49	65	11.3	132	4	6	8	13	16	25	78
50-64	290	12.6	158	4	6	9	15	23	45	93
65 +	1174	12.3	106	4	6	9	15	24	33	62
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	12.7	12	8	9	14	14	17	17	17
35-49	23	19.4	535	3	5	9	23	61	76	84
50-64	83	19.5	432	5	8	13	21	61	83	99 +
65 +	223	20.2	236	6	10	15	27	40	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1538	12.3	116	4	6	9	15	24	34	74
B. Operated	336	19.8	299	6	9	14	24	41	71	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1874	13.7	157	4	7	10	16	27	40	84
A. Not Operated	1538	12.3	116	4	6	9	15	24	34	74
B. Operated	336	19.8	299	6	9	14	24	41	71	99 +
TOTAL										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	14	11.3	14	7	9	10	14	16	17	17
35-49	88	13.4	245	3	6	9	14	24	50	84
50-64	373	14.1	227	4	6	9	16	28	54	99 +
65 +	1397	13.6	135	4	7	10	16	27	38	79
GRAND TOTAL	**1874**	**13.7**	**157**	**4**	**7**	**10**	**16**	**27**	**40**	**84**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.0	1	1	1	2	3	4	4	4
35-49	28	2.6	2	1	2	2	3	5	6	7
50-64	51	2.9	2	1	2	3	4	5	6	8
65 +	96	3.3	7	1	2	3	4	6	7	15
B. Operated										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	14	3.9	6	1	2	4	6	7	8	8
50-64	19	3.5	3	1	2	4	4	6	7	8
65 +	17	4.1	11	1	2	3	6	9	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	3.7	9	1	2	3	5	6	8	16
35-49	138	4.3	8	1	2	4	5	8	10	16
50-64	576	4.2	7	2	2	4	5	7	9	13
65 +	2437	5.1	17	2	3	4	6	9	12	21
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	6.6	9	2	4	8	9	10	10	10
35-49	44	5.4	17	2	3	4	6	11	14	19
50-64	147	6.3	20	2	3	5	8	12	16	22
65 +	413	7.4	30	2	4	6	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	3.0	5	1	2	2	4	6	7	9
B. Operated	52	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	3178	4.9	15	2	3	4	6	9	11	19
B. Operated	612	7.0	27	2	4	6	9	13	17	26
1. SINGLE DX	234	3.2	5	1	2	3	4	6	7	10
2. MULTIPLE DX	3790	5.2	18	2	3	4	6	9	13	22
A. Not Operated	3360	4.8	15	2	3	4	6	9	11	19
B. Operated	664	6.7	26	2	3	5	8	13	16	26
TOTAL										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	42	3.9	9	1	2	3	6	8	9	16
35-49	224	4.3	10	1	2	4	5	8	10	16
50-64	793	4.5	10	2	2	4	6	8	11	17
65 +	2963	5.3	20	2	3	4	7	10	13	23
GRAND TOTAL	**4024**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	13	3.4	4	1	2	3	4	7	7	7
50-64	24	5.2	11	1	3	5	7	9	12	14
65 +	60	7.9	37	3	4	6	10	15	17	37
B. Operated										
0-19 YRS	0									
20-34	3	4.3	12	1	2	4	7	8	8	8
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	5	11.6	271	1	2	3	19	40	40	40
65 +	4	12.5	116	2	4	11	21	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.5	85	3	3	9	16	16	16	16
20-34	13	6.6	17	3	3	5	9	13	13	13
35-49	53	6.7	25	2	4	6	8	12	22	97
50-64	317	7.1	42	2	4	6	8	13	19	73
65 +	1482	9.4	73	3	4	7	11	18	25	49
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	16	8.4	26	3	5	7	14	18	71	99 +
50-64	64	12.1	154	3	5	8	14	33	42	96
65 +	193	18.5	237	6	8	13	25	40	50	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	6.5	28	2	3	5	8	14	15	29
B. Operated	14	8.9	131	1	2	4	12	27	37	40
2. MULTIPLE DX										
A. Not Operated	1867	8.9	67	3	4	7	11	17	24	51
B. Operated	276	16.3	215	4	7	11	20	38	48	98
1. SINGLE DX	113	6.8	41	2	3	5	8	14	16	39
2. MULTIPLE DX	2143	9.9	92	3	4	7	12	20	29	60
A. Not Operated	1966	8.8	65	3	4	7	11	17	24	50
B. Operated	290	15.9	213	4	7	11	20	38	47	98
TOTAL										
0-19 YRS	3	7.0	61	2	2	3	13	16	16	16
20-34	20	6.0	19	2	3	4	8	13	14	15
35-49	84	6.4	24	2	3	5	8	15	21	99 +
50-64	410	7.8	63	2	4	6	9	14	22	84
65 +	1739	10.4	98	3	5	7	12	20	30	57
GRAND TOTAL	**2256**	**9.7**	**89**	**3**	**4**	**7**	**12**	**20**	**28**	**60**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	12	7.2	9	4	5	6	9	12	13	13
50-64	105	10.1	128	3	5	7	11	18	23	74
65+	465	11.0	76	4	6	9	13	21	29	50
B. Operated										
0-19 YRS	0									
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	4	8.3	4	6	7	8	10	11	11	11
50-64	18	20.2	403	4	7	16	23	71	89	99+
65+	68	18.4	190	6	8	14	25	38	46	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	584	10.8	84	3	5	8	13	21	28	50
B. Operated	92	18.1	223	5	8	13	24	39	50	90
1. SINGLE DX	0									
2. MULTIPLE DX	676	11.8	109	4	6	9	14	24	33	64
A. Not Operated	584	10.8	84	3	5	8	13	21	28	50
B. Operated	92	18.1	223	5	8	13	24	39	50	90
TOTAL										
0-19 YRS	0									
20-34	4	7.5	7	4	5	8	9	10	10	10
35-49	16	7.4	8	5	5	7	9	11	12	13
50-64	123	11.6	178	3	5	7	13	21	42	89
65+	533	12.0	97	4	6	9	15	25	33	50
GRAND TOTAL	676	11.8	109	4	6	9	14	24	33	64

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	3.7	6	1	2	4	5	6	6	6
35-49	23	2.8	2	1	2	2	4	5	5	6
50-64	16	4.4	26	2	2	3	4	5	18	23
65+	15	3.1	6	1	1	2	4	6	8	9
B. Operated										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	5	2.8	1	1	2	3	3	4	4	4
35-49	14	4.8	24	1	1	4	6	10	17	19
50-64	14	4.7	32	1	1	2	6	11	19	21
65+	4	7.8	5	5	6	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.4	9	2	3	5	7	9	12	13
20-34	14	5.2	18	2	3	4	6	9	16	18
35-49	112	4.3	10	2	2	4	6	8	10	19
50-64	153	4.9	15	2	3	4	6	8	10	26
65+	334	6.6	48	2	3	5	8	12	16	23
B. Operated										
0-19 YRS	19	9.4	96	1	3	7	13	17	31	43
20-34	17	5.8	10	2	3	6	8	10	11	12
35-49	51	8.3	68	2	3	7	11	18	25	99
50-64	87	10.2	104	2	4	7	13	24	31	51
65+	91	11.0	93	3	4	7	16	25	30	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.4	10	1	2	3	4	6	6	22
B. Operated	41	4.6	21	1	1	3	6	9	14	21
2. MULTIPLE DX										
A. Not Operated	626	5.7	32	2	3	4	7	10	13	22
B. Operated	265	9.8	88	2	4	7	12	22	29	51
1. SINGLE DX	99	3.9	15	1	1	3	5	8	10	22
2. MULTIPLE DX	891	6.9	52	2	3	5	8	14	19	40
A. Not Operated	684	5.5	31	2	3	4	7	10	13	23
B. Operated	306	9.1	82	1	3	6	11	20	28	51
TOTAL										
0-19 YRS	37	7.1	57	2	2	5	8	15	17	43
20-34	39	5.1	12	2	3	4	7	9	11	18
35-49	200	5.2	28	1	2	4	6	10	14	38
50-64	270	6.6	51	2	3	5	7	14	21	39
65+	444	7.4	59	2	3	5	9	15	20	35
GRAND TOTAL	990	6.6	49	2	3	5	8	13	19	37

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	6.5	19	< 1	3	6	11	11	11	11
50-64	9	5.8	19	1	3	5	8	13	15	15
65 +	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	5	6.0	10	2	3	6	8	10	10	10
35-49	21	5.6	12	1	3	5	8	11	11	11
50-64	81	4.3	11	1	1	4	6	9	11	15
65 +	37	4.5	12	1	1	4	6	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	1	31.0		31	31	31	31	31	31	31
35-49	10	5.8	24	1	1	5	9	13	15	15
50-64	24	4.7	14	1	2	4	6	10	12	15
65 +	120	8.3	60	2	3	6	10	18	24	41
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	18	12.7	147	1	3	9	15	32	37	39
35-49	151	9.0	90	2	4	6	11	18	24	64
50-64	755	9.4	70	2	5	7	11	19	24	46
65 +	2131	11.3	105	2	5	9	14	22	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	6.0	17	1	3	5	9	11	14	15
B. Operated	144	4.6	12	1	1	4	6	10	11	14
2. MULTIPLE DX										
A. Not Operated	157	7.7	55	2	3	6	9	16	24	38
B. Operated	3057	10.7	96	2	5	8	13	21	29	54
1. SINGLE DX	161	4.8	12	1	2	4	7	10	11	15
2. MULTIPLE DX	3214	10.6	95	2	5	8	13	21	29	52
A. Not Operated	174	7.6	51	2	3	6	9	15	23	37
B. Operated	3201	10.5	94	2	5	8	13	21	29	52
TOTAL										
0-19 YRS	4	6.5	6	3	5	7	8	9	9	9
20-34	24	12.0	134	1	4	8	14	31	35	39
35-49	188	8.3	76	1	3	6	10	17	21	54
50-64	869	8.7	65	2	4	7	11	17	23	44
65 +	2290	11.1	102	2	5	8	14	22	30	54
GRAND TOTAL	**3375**	**10.3**	**92**	**2**	**5**	**8**	**13**	**21**	**28**	**52**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	6	2.3	5	1	1	2	2	7	7	7
65 +	8	1.0		< 1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	6.5	10	3	4	6	9	10	10	10
65 +	10	4.7	8	1	2	5	7	8	9	9
B. Operated										
0-19 YRS	0									
20-34	2	10.0	8	8	8	10	12	12	12	12
35-49	31	6.2	34	1	2	6	9	11	17	29
50-64	108	8.4	64	1	2	8	10	15	19	50
65 +	116	7.0	54	1	2	4	10	16	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	18	1.8	3	1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated	14	5.2	8	2	2	5	7	9	10	10
B. Operated	257	7.5	56	1	2	7	9	15	21	33
1. SINGLE DX	19	1.8	3	1	1	1	2	5	7	7
2. MULTIPLE DX	271	7.4	53	1	2	6	9	15	21	33
A. Not Operated	15	4.9	9	1	2	5	7	9	10	10
B. Operated	275	7.1	54	1	2	6	9	15	21	33
TOTAL										
0-19 YRS	0									
20-34	4	5.8	27	1	1	5	10	12	12	12
35-49	34	5.9	32	1	2	5	9	11	16	29
50-64	118	8.0	61	1	2	7	10	15	18	50
65 +	134	6.5	49	1	2	4	9	15	22	32
GRAND TOTAL	**290**	**7.0**	**52**	**1**	**2**	**6**	**9**	**15**	**19**	**33**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	23	8.7	20	2	7	8	11	14	17	22
65 +	23	8.0	16	1	7	8	10	12	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	9	6.4	44	1	3	4	7	17	23	23
65 +	100	7.7	126	1	2	5	10	16	18	65
B. Operated										
0-19 YRS	0									
20-34	7	8.6	43	< 1	3	8	13	18	19	19
35-49	28	11.3	79	2	7	9	13	18	36	41
50-64	289	12.6	95	6	8	10	14	21	30	54
65 +	964	13.7	104	7	8	11	15	24	35	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.5	1	< 1	1	1	2	3	3	3
B. Operated	48	8.3	18	2	7	8	10	12	15	22
2. MULTIPLE DX										
A. Not Operated	109	7.6	119	1	2	5	9	16	19	59
B. Operated	1288	13.4	101	7	8	11	15	23	34	60
1. SINGLE DX	54	7.5	20	1	6	8	10	12	14	22
2. MULTIPLE DX	1397	12.9	105	5	8	10	15	23	33	60
A. Not Operated	115	7.3	114	1	2	4	9	15	19	55
B. Operated	1336	13.2	99	6	8	10	15	23	33	59
TOTAL										
0-19 YRS	0									
20-34	7	8.6	43	< 1	3	8	13	18	19	19
35-49	31	10.6	76	2	7	9	12	17	35	41
50-64	323	12.1	90	5	7	10	13	21	28	54
65 +	1090	13.0	108	5	8	10	15	23	33	62
GRAND TOTAL	**1451**	**12.7**	**103**	**5**	**8**	**10**	**15**	**22**	**33**	**59**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	1	52.0		52	52	52	52	52	52	52
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	4.4	6	2	2	5	6	8	8	8
35-49	7	5.0	6	1	3	6	7	7	7	7
50-64	18	3.8	4	1	3	4	5	7	8	8
65 +	6	6.2	15	1	4	6	8	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	5.0	7	3	3	4	7	8	8	8
B. Operated										
0-19 YRS	4	5.5	10	1	3	6	7	8	8	8
20-34	6	9.0	36	2	5	8	15	17	17	17
35-49	18	7.8	49	2	3	6	13	23	66	99 +
50-64	73	10.1	64	3	5	7	13	21	26	38
65 +	153	10.8	92	3	5	8	14	23	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	18.3	850	1	1	2	39	52	52	52
B. Operated	37	4.4	7	1	2	4	6	8	8	12
2. MULTIPLE DX										
A. Not Operated	4	5.8	7	3	3	6	8	8	8	8
B. Operated	254	10.2	79	3	5	7	14	22	27	54
1. SINGLE DX	40	5.5	64	1	2	4	6	8	10	52
2. MULTIPLE DX	258	10.2	78	3	5	7	13	21	27	54
A. Not Operated	7	11.1	332	1	2	4	8	43	52	52
B. Operated	291	9.5	73	3	4	7	12	20	27	50
TOTAL										
0-19 YRS	5	4.6	11	< 1	1	6	7	8	8	8
20-34	11	6.9	27	2	3	5	9	16	17	17
35-49	27	6.6	37	1	3	5	8	20	32	99 +
50-64	92	8.8	58	2	4	6	11	19	26	38
65 +	163	10.7	99	3	5	8	13	23	28	55
GRAND TOTAL	**298**	**9.5**	**78**	**3**	**4**	**7**	**12**	**20**	**27**	**54**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	13.0		13	13	13	13	13	13	13
35-49	10	4.4	14	< 1	1	3	6	10	12	12
50-64	21	4.7	11	1	2	4	7	9	11	13
65 +	12	5.3	6	2	4	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	12	6.5	22	3	4	6	7	12	19	20
65 +	25	5.8	14	2	3	5	7	11	14	16
B. Operated										
0-19 YRS	2	23.5	265	12	12	23	35	35	35	35
20-34	14	14.2	174	4	6	10	20	28	47	53
35-49	76	8.5	61	3	5	7	9	12	22	52
50-64	177	9.8	88	3	6	8	11	17	20	60
65 +	246	10.2	95	3	5	8	11	18	28	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	45	5.2	12	1	2	4	8	9	13	13
2. MULTIPLE DX										
A. Not Operated	42	5.9	16	2	3	5	7	11	15	20
B. Operated	515	9.9	91	3	5	8	11	18	25	57
1. SINGLE DX	46	5.1	12	1	2	4	8	9	13	13
2. MULTIPLE DX	557	9.6	86	3	5	8	11	17	24	56
A. Not Operated	43	5.8	16	2	3	5	7	11	15	20
B. Operated	560	9.6	86	3	5	8	11	17	24	56
TOTAL										
0-19 YRS	3	17.7	234	6	7	12	29	35	35	35
20-34	18	13.0	144	3	6	10	15	24	42	53
35-49	89	7.9	56	2	4	7	9	12	19	49
50-64	210	9.1	79	3	5	8	10	16	20	53
65 +	283	9.6	87	3	5	7	11	16	28	58
GRAND TOTAL	**603**	**9.3**	**82**	**3**	**5**	**7**	**10**	**16**	**23**	**55**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	4.1	5	2	3	4	5	7	9	13
20-34	0									
35-49	3	7.0	31	1	3	8	11	12	12	12
50-64	4	3.5	2	2	2	3	4	5	5	5
65 +	5	4.4	23	1	1	1	9	11	11	11
B. Operated										
0-19 YRS	9	6.1	63	1	3	4	5	18	27	27
20-34	10	7.2	64	1	1	4	12	20	25	25
35-49	24	3.5	9	1	2	2	5	9	10	10
50-64	47	3.7	8	1	1	3	5	8	9	11
65 +	46	3.5	13	1	1	2	4	7	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	5.1	8	3	3	4	6	9	11	16
20-34	17	3.8	5	1	2	3	5	7	9	10
35-49	30	7.0	44	1	2	5	8	16	24	28
50-64	55	3.9	10	1	2	3	5	9	10	16
65 +	113	8.0	43	2	3	6	11	17	24	30
B. Operated										
0-19 YRS	16	8.8	169	1	2	5	10	13	42	55
20-34	32	10.6	115	1	3	7	15	23	31	50
35-49	111	8.9	109	1	3	6	11	21	31	78
50-64	338	8.1	83	1	2	6	10	16	25	74
65 +	639	9.2	80	2	4	7	12	18	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	4.2	6	1	3	4	5	7	9	13
B. Operated	136	4.0	18	1	1	3	5	9	11	25
2. MULTIPLE DX										
A. Not Operated	315	6.0	27	2	3	4	7	13	17	27
B. Operated	1136	8.9	86	1	3	7	11	18	26	57
1. SINGLE DX	259	4.1	12	1	2	3	5	8	10	20
2. MULTIPLE DX	1451	8.2	74	1	3	6	10	17	24	51
A. Not Operated	438	5.5	22	2	3	4	7	11	14	26
B. Operated	1272	8.3	81	1	3	6	10	17	24	54
TOTAL										
0-19 YRS	236	4.9	20	2	3	4	5	8	11	19
20-34	59	8.1	82	1	2	4	12	21	24	48
35-49	168	7.7	85	1	2	5	9	18	24	62
50-64	444	7.1	68	1	2	5	9	15	22	45
65 +	803	8.6	72	1	3	7	11	17	24	49
GRAND TOTAL	**1710**	**7.6**	**67**	**1**	**3**	**5**	**9**	**16**	**23**	**49**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	7.4	15	3	4	7	10	13	13	13
20-34	33	5.3	6	2	3	5	7	9	10	11
35-49	65	5.7	8	2	3	6	7	9	11	13
50-64	55	5.6	8	2	4	6	7	9	11	15
65 +	42	7.3	9	4	5	7	10	11	12	14
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	12	4.4	10	1	2	4	6	9	11	11
35-49	22	6.3	16	2	4	6	8	11	15	18
50-64	21	5.7	23	1	2	5	9	10	15	21
65 +	8	6.4	18	3	3	5	8	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	7.7	25	1	5	7	11	15	15	15
20-34	58	7.0	17	2	5	6	8	12	16	22
35-49	137	6.8	16	2	4	6	9	13	14	17
50-64	189	7.1	12	3	5	7	9	11	12	19
65 +	420	8.1	19	4	6	7	10	13	16	26
B. Operated										
0-19 YRS	8	12.9	170	3	5	8	14	35	43	43
20-34	21	8.1	22	1	5	8	11	15	17	18
35-49	44	9.5	78	4	5	7	9	20	28	48
50-64	72	9.8	89	2	4	8	11	19	22	53
65 +	150	10.2	49	4	6	8	13	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	200	6.0	9	2	4	6	8	10	11	14
B. Operated	65	5.7	17	1	2	5	8	10	13	21
2. MULTIPLE DX										
A. Not Operated	810	7.6	17	3	5	7	9	12	15	22
B. Operated	295	9.9	64	3	5	8	12	18	25	46
1. SINGLE DX	265	5.9	11	2	3	6	8	10	11	15
2. MULTIPLE DX	1105	8.2	30	3	5	7	10	14	17	32
A. Not Operated	1010	7.3	15	3	5	7	9	11	14	22
B. Operated	360	9.1	58	2	4	7	11	17	23	43
TOTAL										
0-19 YRS	21	9.2	79	3	4	7	11	16	29	43
20-34	124	6.5	15	2	4	6	8	11	14	19
35-49	268	6.9	25	2	4	6	8	13	15	27
50-64	337	7.3	30	2	4	7	9	11	15	28
65 +	620	8.5	26	4	6	8	10	14	17	32
GRAND TOTAL	**1370**	**7.8**	**27**	**3**	**5**	**7**	**9**	**13**	**16**	**30**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	4.5	16	1	1	3	7	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	7	6.4	10	2	3	8	9	9	9	9
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	62	1.5	1	< 1	1	1	2	3	4	5
35-49	104	2.1	6	< 1	1	1	2	3	5	16
50-64	72	2.5	22	1	1	1	2	4	10	30
65 +	26	4.2	17	1	1	2	5	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	4.4	20	1	2	2	7	12	12	12
35-49	21	9.8	96	2	3	9	12	21	32	43
50-64	45	6.4	14	3	4	6	7	11	16	18
65 +	113	8.6	39	3	4	6	11	16	21	36
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	4.2	23	1	1	2	5	13	14	19
35-49	63	3.4	19	1	1	2	4	7	13	25
50-64	101	6.0	50	1	2	3	8	14	21	36
65 +	157	12.7	141	2	4	9	19	29	35	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.2	12	1	2	5	8	9	10	10
B. Operated	266	2.3	10	< 1	1	1	2	4	7	16
2. MULTIPLE DX										
A. Not Operated	184	8.0	40	3	4	6	11	16	19	36
B. Operated	354	8.3	98	1	2	4	12	21	29	46
1. SINGLE DX	279	2.4	11	< 1	1	1	2	5	9	16
2. MULTIPLE DX	538	8.2	78	1	2	5	11	19	27	42
A. Not Operated	197	7.9	39	3	4	6	10	16	19	36
B. Operated	620	5.8	69	1	1	2	7	16	23	39
TOTAL										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	100	2.5	10	< 1	1	1	2	5	11	17
35-49	192	3.4	25	1	1	2	3	9	14	25
50-64	219	4.9	36	1	1	3	7	11	17	33
65 +	303	10.3	97	2	4	7	14	23	31	46
GRAND TOTAL	**817**	**6.3**	**63**	**1**	**1**	**3**	**8**	**16**	**22**	**38**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	1.5	1	< 1	< 1	1	2	3	3	3
35-49	14	1.4	1	< 1	< 1	< 1	2	2	4	4
50-64	11	1.2		< 1	< 1	< 1	1	2	2	2
65 +	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	55	2.2	3	< 1	1	1	3	5	6	7
35-49	75	1.9	1	1	1	2	2	4	4	7
50-64	40	2.1	1	1	1	2	3	4	4	6
65 +	16	2.6	2	1	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	16	2.5	2	1	1	2	4	4	5	5
35-49	54	3.2	5	1	2	3	4	7	9	10
50-64	50	3.6	12	< 1	2	2	4	8	10	19
65 +	66	4.5	15	1	2	4	5	9	14	20
B. Operated										
0-19 YRS	8	2.6	2	1	2	2	3	5	5	5
20-34	219	2.6	2	1	1	2	3	5	5	8
35-49	441	2.6	4	1	1	2	3	5	6	12
50-64	329	2.9	9	1	1	2	3	5	8	17
65 +	225	3.9	16	1	2	3	4	6	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.4		< 1	< 1	< 1	2	2	3	4
B. Operated	188	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	189	3.7	11	1	2	3	4	8	10	18
B. Operated	1222	2.9	8	1	1	2	4	5	7	15
1. SINGLE DX	230	2.0	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	1411	3.0	8	1	1	2	4	5	8	15
A. Not Operated	231	3.3	10	< 1	1	2	4	7	9	17
B. Operated	1410	2.8	7	1	1	2	3	5	6	14
TOTAL										
0-19 YRS	14	2.2	1	1	1	2	3	4	5	5
20-34	301	2.5	2	1	1	2	3	5	5	8
35-49	584	2.6	4	1	1	2	3	5	6	10
50-64	430	2.9	9	1	1	2	3	5	8	17
65 +	312	3.9	15	1	2	3	4	7	12	21
GRAND TOTAL	**1641**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**7**	**15**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.7	21	1	1	3	6	11	15	17
20-34	49	6.1	10	2	4	6	8	10	11	16
35-49	69	6.1	11	1	4	6	8	11	12	13
50-64	60	6.6	8	3	5	6	8	9	11	18
65 +	77	6.6	12	3	4	6	8	11	14	18
B. Operated										
0-19 YRS	18	2.8	9	< 1	1	1	3	7	10	12
20-34	29	6.1	28	< 1	1	6	9	12	14	24
35-49	36	4.4	14	1	1	4	7	10	12	14
50-64	29	4.7	9	< 1	2	5	7	9	11	12
65 +	27	7.1	21	2	4	7	9	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	4.6	16	1	2	3	6	10	13	19
20-34	152	7.0	24	2	3	6	9	14	17	25
35-49	302	6.2	12	2	4	6	8	11	12	15
50-64	531	7.0	25	2	4	6	9	11	16	27
65 +	1403	6.7	20	2	4	6	8	11	14	20
B. Operated										
0-19 YRS	51	6.8	72	1	1	4	9	20	25	40
20-34	96	8.5	122	1	3	6	10	16	23	68
35-49	174	9.8	70	2	5	8	12	19	23	43
50-64	278	9.3	80	2	4	7	10	16	31	53
65 +	554	10.3	85	3	5	8	12	20	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	6.3	11	2	4	6	8	11	12	18
B. Operated	139	5.2	18	1	1	4	7	11	13	21
2. MULTIPLE DX										
A. Not Operated	2435	6.7	20	2	4	6	8	11	14	21
B. Operated	1153	9.7	85	2	4	8	11	19	27	51
1. SINGLE DX	412	5.9	14	1	3	6	8	11	13	18
2. MULTIPLE DX	3588	7.7	43	2	4	7	9	13	18	36
A. Not Operated	2708	6.7	19	2	4	6	8	11	14	21
B. Operated	1292	9.2	79	2	4	7	11	18	25	50
TOTAL										
0-19 YRS	134	5.2	38	1	1	3	6	12	18	33
20-34	326	7.2	51	1	3	6	9	13	18	31
35-49	581	7.2	32	2	4	6	9	12	15	31
50-64	898	7.6	42	2	4	7	9	13	18	38
65 +	2061	7.7	40	2	4	7	9	13	17	35
GRAND TOTAL	**4000**	**7.5**	**40**	**2**	**4**	**7**	**9**	**13**	**17**	**35**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	716	2.3	2	1	1	2	3	4	5	8
20-34	83	2.6	2	1	2	2	3	4	5	8
35-49	37	2.8	3	1	2	2	4	5	7	8
50-64	8	3.1	5	1	1	2	5	6	6	6
65 +	4	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	33	2.2	13	< 1	1	1	2	4	4	21
20-34	24	2.3	3	1	1	1	3	5	6	6
35-49	7	2.1	3	1	1	2	2	5	6	6
50-64	5	4.8	12	< 1	1	7	7	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1876	3.0	4	1	2	3	4	5	7	11
20-34	277	3.4	3	2	2	3	4	6	7	9
35-49	196	3.6	5	1	2	3	4	6	8	12
50-64	152	4.6	7	2	3	4	6	8	9	16
65 +	176	5.4	17	2	3	5	6	9	12	24
B. Operated										
0-19 YRS	165	5.8	43	1	1	3	8	14	20	29
20-34	48	4.1	15	1	1	3	6	8	12	18
35-49	41	6.2	53	2	3	5	7	9	10	49
50-64	36	6.3	19	2	3	6	8	13	14	21
65 +	17	10.5	54	3	6	7	15	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	848	2.4	2	1	1	2	3	4	5	8
B. Operated	69	2.4	8	< 1	1	1	3	5	7	19
2. MULTIPLE DX										
A. Not Operated	2677	3.3	6	1	2	3	4	6	7	12
B. Operated	307	5.9	39	1	1	4	8	13	18	28
1. SINGLE DX	917	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	2984	3.6	10	1	2	3	4	7	9	15
A. Not Operated	3525	3.1	5	1	2	3	4	6	7	11
B. Operated	376	5.3	35	1	1	3	7	11	17	28
TOTAL										
0-19 YRS	2790	3.0	7	1	2	2	4	5	7	13
20-34	432	3.3	4	1	2	3	4	6	7	11
35-49	281	3.8	13	1	2	3	5	7	8	12
50-64	201	4.9	10	2	3	4	6	8	10	17
65 +	197	5.7	22	2	3	5	7	10	14	26
GRAND TOTAL	**3901**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	865	2.9	2	1	2	3	4	5	6	8
20-34	29	3.2	2	1	2	3	4	5	5	7
35-49	43	3.6	4	2	2	3	4	6	8	10
50-64	52	4.6	6	2	3	4	6	8	9	12
65 +	52	5.0	9	2	3	4	7	9	11	15
B. Operated										
0-19 YRS	5	3.6	28	< 1	1	1	5	13	13	13
20-34	0									
35-49	4	4.0	4	< 1	2	5	5	5	5	5
50-64	2	4.0	18	< 1	< 1	3	7	7	7	7
65 +	5	7.0	37	< 1	< 1	8	11	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3290	4.0	8	2	2	3	5	7	9	15
20-34	215	4.6	8	2	3	4	6	8	10	15
35-49	492	5.2	14	2	3	4	6	9	11	18
50-64	1289	6.5	21	3	4	5	8	11	15	22
65 +	3436	7.0	22	3	4	6	8	12	15	25
B. Operated										
0-19 YRS	78	13.5	245	3	5	8	16	27	57	98
20-34	25	10.0	37	4	6	10	12	17	21	31
35-49	52	8.3	34	3	4	6	12	17	21	24
50-64	136	11.0	117	3	5	9	12	20	30	57
65 +	322	12.4	102	4	6	10	16	23	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1041	3.1	3	1	2	3	4	5	7	9
B. Operated	16	4.8	22	< 1	< 1	3	7	13	14	15
2. MULTIPLE DX										
A. Not Operated	8722	5.6	18	2	3	5	7	10	13	21
B. Operated	613	11.8	117	3	6	9	14	22	31	67
1. SINGLE DX	1057	3.2	3	1	2	3	4	5	7	10
2. MULTIPLE DX	9335	6.0	27	2	3	5	7	11	14	25
A. Not Operated	9763	5.4	17	2	3	4	7	10	13	20
B. Operated	629	11.6	115	3	5	9	14	22	31	66
TOTAL										
0-19 YRS	4238	3.9	13	2	2	3	5	7	9	16
20-34	269	5.0	12	2	3	4	6	9	12	17
35-49	591	5.4	16	2	3	4	7	10	12	20
50-64	1479	6.9	31	3	4	6	8	12	16	25
65 +	3815	7.5	31	3	4	6	9	13	17	30
GRAND TOTAL	**10392**	**5.7**	**25**	**2**	**3**	**4**	**7**	**11**	**14**	**24**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.1		< 1	< 1	1	1	2	2	2
20-34	31	1.0		< 1	< 1	1	1	1	1	1
35-49	24	1.0		< 1	< 1	1	1	1	2	2
50-64	4	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	60	1.2		1	1	1	1	2	2	3
20-34	150	1.4	2	1	1	1	1	2	3	10
35-49	145	1.5	1	< 1	1	1	2	3	3	7
50-64	73	1.5	2	1	1	1	1	3	5	7
65 +	33	1.2		1	1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	67	1.0		< 1	< 1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	461	1.4	1	1	1	1	1	2	3	7
1. SINGLE DX	68	1.0		< 1	< 1	1	1	1	2	2
2. MULTIPLE DX	462	1.4	1	1	1	1	1	2	3	7
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	528	1.4	1	< 1	1	1	1	2	3	7
TOTAL										
0-19 YRS	68	1.2		< 1	1	1	1	2	2	3
20-34	181	1.3	2	< 1	1	1	1	2	3	9
35-49	169	1.5	1	< 1	1	1	2	3	3	7
50-64	77	1.5	2	1	1	1	1	3	5	7
65 +	35	1.2		1	1	1	1	2	2	2
GRAND TOTAL	**530**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**	**7**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	22	2.8	9	1	1	1	3	8	9	11
20-34	14	1.4	1	< 1	1	1	2	3	3	3
35-49	26	1.5	1	< 1	1	1	2	3	4	5
50-64	19	1.5	4	< 1	< 1	1	1	2	6	10
65 +	16	1.9	1	< 1	1	2	2	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	3	2.7	4	1	1	2	4	5	5	5
B. Operated	97	1.9	4	< 1	1	1	2	4	6	11
1. SINGLE DX	10	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX	100	1.9	4	< 1	1	1	2	4	6	10
A. Not Operated	3	2.7	4	1	1	2	4	5	5	5
B. Operated	107	1.8	3	< 1	1	1	2	3	5	10
TOTAL										
0-19 YRS	25	2.6	8	1	1	1	3	8	9	11
20-34	17	1.6	1	< 1	1	1	2	3	4	5
35-49	29	1.5	1	< 1	1	1	2	3	4	5
50-64	22	1.5	4	< 1	< 1	1	1	2	5	10
65 +	17	1.8	1	< 1	1	2	2	4	5	5
GRAND TOTAL	**110**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.4		< 1	1	1	2	2	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1365	1.1	1	< 1	1	1	1	1	1	2
20-34	181	1.1		< 1	1	1	1	1	2	2
35-49	29	1.1		< 1	1	1	1	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.5	4	< 1	1	2	3	5	7	9
20-34	5	2.2	2	< 1	1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1832	1.3	2	< 1	1	1	1	2	3	7
20-34	90	1.6	2	1	1	1	2	3	5	9
35-49	30	1.8	2	< 1	1	1	2	4	5	5
50-64	10	3.4	12	1	1	2	4	9	12	12
65 +	6	1.5	2	< 1	1	1	1	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.4		< 1	1	1	2	2	3	3
B. Operated	1580	1.1	1	< 1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	47	2.5	3	< 1	1	2	3	5	6	9
B. Operated	1968	1.4	3	< 1	1	1	1	2	3	7
1. SINGLE DX	1597	1.1	1	< 1	1	1	1	1	2	2
2. MULTIPLE DX	2015	1.4	3	< 1	1	1	1	2	3	8
A. Not Operated	64	2.2	3	< 1	1	2	3	4	5	9
B. Operated	3548	1.2	2	< 1	1	1	1	2	2	6
TOTAL										
0-19 YRS	3253	1.2	2	< 1	1	1	1	2	2	5
20-34	278	1.3	1	< 1	1	1	1	2	3	6
35-49	60	1.5	1	< 1	1	1	2	2	4	5
50-64	13	2.9	10	1	1	1	4	7	11	12
65 +	8	1.4	1	< 1	< 1	1	1	3	4	4
GRAND TOTAL	**3612**	**1.3**	**2**	**< 1**	**1**	**1**	**1**	**2**	**2**	**6**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	173	3.3	9	1	1	2	4	7	9	17
20-34	70	2.6	2	1	2	2	3	5	5	7
35-49	38	2.7	3	1	1	2	4	5	6	8
50-64	14	3.7	7	1	2	3	5	7	9	9
65 +	4	2.8	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	253	2.8	10	< 1	1	2	3	6	10	17
20-34	108	2.3	4	< 1	1	2	3	4	5	12
35-49	93	1.7	3	< 1	1	1	2	3	4	10
50-64	60	2.6	26	< 1	< 1	1	2	4	9	34
65 +	26	2.1	7	< 1	< 1	1	2	6	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	380	3.5	10	1	2	3	4	6	8	14
20-34	114	4.1	22	1	2	3	4	7	9	30
35-49	91	4.0	6	2	2	4	5	7	8	13
50-64	70	4.2	6	2	3	4	5	7	8	14
65 +	61	4.6	11	1	2	4	6	8	10	17
B. Operated										
0-19 YRS	436	4.9	62	1	1	2	6	11	19	46
20-34	202	2.8	7	1	1	2	4	6	7	13
35-49	261	3.3	24	1	1	2	3	7	12	32
50-64	209	2.9	9	1	1	2	3	7	11	15
65 +	150	4.1	33	1	1	2	4	10	14	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	3.0	6	1	2	2	4	6	8	15
B. Operated	540	2.4	9	< 1	1	1	3	5	8	16
2. MULTIPLE DX										
A. Not Operated	716	3.8	11	1	2	3	5	7	8	15
B. Operated	1258	3.8	34	1	1	2	4	8	13	32
1. SINGLE DX	839	2.7	8	< 1	1	2	3	5	8	16
2. MULTIPLE DX	1974	3.8	25	1	1	2	4	8	11	28
A. Not Operated	1015	3.6	10	1	2	3	4	7	8	15
B. Operated	1798	3.4	27	1	1	2	4	8	12	28
TOTAL										
0-19 YRS	1242	3.8	28	1	1	2	4	8	11	27
20-34	494	2.9	9	1	1	2	4	6	7	14
35-49	483	3.1	15	1	1	2	4	6	9	18
50-64	353	3.1	12	1	1	2	4	7	10	16
65 +	241	4.0	25	1	1	2	5	9	13	28
GRAND TOTAL	**2813**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	3.5	5	2	2	3	4	6	7	12
20-34	50	4.4	4	2	3	4	5	8	8	9
35-49	40	4.6	5	2	3	4	6	7	9	11
50-64	37	5.7	6	3	4	5	7	8	11	12
65 +	42	5.6	5	3	4	5	8	9	10	12
B. Operated										
0-19 YRS	4	8.5	10	6	6	7	10	13	13	13
20-34	0									
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	2	7.5	25	4	4	7	11	11	11	11
65 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	480	7.2	35	2	3	6	10	14	16	24
20-34	273	7.7	28	3	4	6	9	15	18	27
35-49	307	7.8	22	3	4	7	10	14	16	24
50-64	691	8.5	32	4	5	7	10	15	19	31
65 +	2417	9.9	49	4	6	8	12	17	22	34
B. Operated										
0-19 YRS	82	16.6	90	7	10	15	22	28	39	45
20-34	64	16.0	153	5	8	12	20	34	47	55
35-49	97	17.9	248	5	8	14	23	44	71	99 +
50-64	201	15.7	104	6	9	12	21	34	43	99 +
65 +	525	19.3	202	7	10	15	24	37	49	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	4.5	5	2	3	4	5	8	9	12
B. Operated	9	9.1	11	5	7	9	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	4168	9.0	42	4	5	7	11	16	20	33
B. Operated	969	17.9	175	7	9	14	23	36	47	98
1. SINGLE DX	282	4.6	6	2	3	4	6	8	10	13
2. MULTIPLE DX	5137	10.7	79	4	5	8	13	20	27	50
A. Not Operated	4441	8.8	41	3	5	7	11	15	20	32
B. Operated	978	17.9	175	6	9	14	23	35	46	97
TOTAL										
0-19 YRS	670	7.8	49	2	3	6	10	15	20	36
20-34	387	8.7	58	3	4	6	10	17	22	45
35-49	446	9.7	89	3	5	7	11	19	27	94
50-64	931	9.9	56	4	5	8	12	19	29	44
65 +	2985	11.5	88	4	6	9	14	21	28	54
GRAND TOTAL	**5419**	**10.4**	**77**	**4**	**5**	**8**	**13**	**19**	**27**	**49**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2203	3.4	4	2	2	3	4	6	7	9
20-34	281	4.2	4	2	3	4	5	7	8	10
35-49	229	4.7	5	2	3	4	6	7	8	11
50-64	149	5.3	7	2	4	5	7	9	11	15
65 +	170	5.7	9	2	4	5	7	9	11	18
B. Operated										
0-19 YRS	20	6.0	15	1	2	7	9	11	12	12
20-34	8	10.4	18	6	7	10	12	17	19	19
35-49	8	7.0	9	2	6	7	9	11	11	11
50-64	16	8.3	36	3	4	7	10	20	22	22
65 +	3	13.0	277	< 1	1	6	25	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6036	4.2	9	2	3	3	5	7	9	15
20-34	807	5.6	15	2	3	5	7	9	12	19
35-49	1119	6.3	15	3	4	5	8	11	13	20
50-64	1927	7.0	19	3	4	6	9	12	15	22
65 +	6581	8.5	32	4	5	7	10	15	18	30
B. Operated										
0-19 YRS	262	14.5	198	3	6	10	18	36	51	98
20-34	122	13.7	154	4	6	9	16	30	38	66
35-49	234	12.6	127	4	6	10	15	23	34	75
50-64	390	13.4	119	4	7	10	16	25	36	64
65 +	935	15.7	148	5	8	12	19	30	38	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3032	3.8	5	2	2	3	5	6	8	11
B. Operated	55	7.8	33	1	4	7	10	12	20	31
2. MULTIPLE DX										
A. Not Operated	16470	6.5	24	2	3	5	8	12	15	25
B. Operated	1943	14.6	148	5	7	11	18	28	40	73
1. SINGLE DX	3087	3.9	6	2	2	3	5	7	8	11
2. MULTIPLE DX	18413	7.3	43	2	4	6	9	14	18	35
A. Not Operated	19502	6.1	22	2	3	5	7	11	14	23
B. Operated	1998	14.4	146	5	7	11	18	28	39	73
TOTAL										
0-19 YRS	8521	4.3	16	2	2	3	5	7	10	19
20-34	1218	6.1	33	2	3	5	7	10	14	31
35-49	1590	7.0	36	3	4	6	8	12	16	34
50-64	2482	7.9	40	3	4	6	9	14	18	35
65 +	7689	9.3	52	4	5	7	11	16	22	39
GRAND TOTAL	**21500**	**6.8**	**39**	**2**	**3**	**5**	**8**	**13**	**17**	**33**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.0	3	1	2	3	4	5	6	10
20-34	11	3.4	2	2	2	3	4	5	6	6
35-49	15	4.1	6	2	2	4	5	6	10	11
50-64	16	4.1	4	2	3	4	5	7	8	9
65 +	17	4.6	6	2	3	4	7	8	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	3.6	7	1	2	3	4	6	8	16
20-34	62	3.4	6	1	2	3	4	7	8	15
35-49	81	4.7	7	2	3	4	6	8	10	15
50-64	140	5.8	20	2	3	5	7	11	16	24
65 +	415	7.1	20	3	4	6	9	12	17	24
B. Operated										
0-19 YRS	7	4.7	27	1	2	3	5	14	16	16
20-34	5	9.2	66	3	4	5	13	23	23	23
35-49	3	8.7	6	6	7	9	10	11	11	11
50-64	10	10.6	25	4	6	10	14	18	19	19
65 +	36	10.7	61	4	6	9	12	24	28	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.6	4	2	2	3	4	6	8	10
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	850	5.8	18	2	3	5	7	11	14	22
B. Operated	61	9.8	51	3	5	8	12	20	25	36
1. SINGLE DX	112	3.7	4	2	2	3	4	6	8	11
2. MULTIPLE DX	911	6.0	21	2	3	5	7	11	16	24
A. Not Operated	961	5.5	17	2	3	4	7	10	13	21
B. Operated	62	9.8	50	3	5	8	12	20	25	36
TOTAL										
0-19 YRS	211	3.5	7	1	2	3	4	6	8	16
20-34	78	3.8	11	1	2	3	4	7	9	21
35-49	99	4.7	8	2	3	4	6	9	10	14
50-64	167	5.9	20	2	3	5	7	11	17	22
65 +	468	7.3	24	3	4	6	9	13	18	27
GRAND TOTAL	**1023**	**5.8**	**20**	**2**	**3**	**5**	**7**	**11**	**15**	**23**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	2.6	2	1	1	2	3	4	6	8
20-34	9	3.0	2	1	2	3	4	5	5	5
35-49	19	4.2	8	1	2	4	6	8	10	12
50-64	23	5.6	11	2	3	4	8	10	12	14
65 +	28	4.5	4	1	3	5	6	7	8	9
B. Operated										
0-19 YRS	5	4.6	21	1	2	2	7	12	12	12
20-34	0									
35-49	3	5.0	28	< 1	1	3	9	11	11	11
50-64	6	2.7	6	< 1	< 1	1	4	7	7	7
65 +	5	2.4	7	< 1	< 1	< 1	3	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	221	3.4	4	1	2	3	4	6	7	11
20-34	71	4.0	9	1	2	3	5	8	10	17
35-49	112	4.7	8	2	3	4	6	9	11	15
50-64	281	6.2	19	2	3	5	7	12	15	24
65 +	626	7.3	36	3	4	6	9	14	16	32
B. Operated										
0-19 YRS	18	4.2	20	1	1	3	4	11	15	17
20-34	12	6.8	23	2	4	6	7	15	18	18
35-49	26	7.4	43	1	2	5	12	16	20	26
50-64	56	9.1	142	1	3	7	12	15	26	99
65 +	72	10.7	200	2	4	7	10	19	44	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	3.5	6	1	2	3	5	7	8	12
B. Operated	19	3.5	12	< 1	< 1	2	5	9	12	12
2. MULTIPLE DX										
A. Not Operated	1311	6.0	26	2	3	5	7	11	15	25
B. Operated	184	8.9	134	1	3	6	10	16	26	79
1. SINGLE DX	186	3.5	6	1	2	3	5	7	9	12
2. MULTIPLE DX	1495	6.4	40	2	3	5	7	12	15	30
A. Not Operated	1478	5.7	24	2	3	5	7	11	14	24
B. Operated	203	8.4	125	1	3	6	10	15	26	76
TOTAL										
0-19 YRS	332	3.2	5	1	2	3	4	6	7	12
20-34	92	4.3	11	1	2	3	5	8	10	18
35-49	160	5.1	15	1	3	4	6	10	12	18
50-64	366	6.5	38	2	3	5	8	13	15	27
65 +	731	7.5	52	3	4	6	9	14	16	40
GRAND TOTAL	**1681**	**6.0**	**37**	**2**	**3**	**5**	**7**	**11**	**15**	**29**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	2	9.0	18	6	6	9	12	12	12	12
50-64	12	4.9	5	2	3	5	6	8	9	9
65 +	20	8.2	103	2	3	6	8	15	34	47
B. Operated										
0-19 YRS	3	6.0	12	2	3	8	8	8	8	8
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	1	12.0		12	12	12	12	12	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	16	3.9	3	2	3	4	5	7	7	7
50-64	104	7.6	55	3	4	7	9	12	15	50
65 +	228	7.4	26	3	4	6	9	13	16	27
B. Operated										
0-19 YRS	4	11.8	55	5	6	10	17	22	22	22
20-34	6	12.2	50	6	7	10	15	24	25	25
35-49	19	15.6	257	5	6	8	17	41	55	64
50-64	20	12.8	163	2	4	8	21	28	41	52
65 +	36	16.6	291	3	8	12	18	36	52	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	7.0	62	2	4	5	8	9	19	47
B. Operated	6	6.5	13	2	4	6	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	350	7.3	34	3	4	6	9	12	16	28
B. Operated	85	14.9	222	3	6	11	18	30	46	82
1. SINGLE DX	41	6.9	55	2	4	5	8	10	17	47
2. MULTIPLE DX	435	8.8	79	3	4	7	10	16	22	53
A. Not Operated	385	7.3	36	3	4	6	9	12	16	33
B. Operated	91	14.4	212	3	6	10	17	28	44	80
TOTAL										
0-19 YRS	8	8.6	39	3	4	8	10	19	22	22
20-34	10	9.5	43	3	5	8	11	20	25	25
35-49	38	10.2	159	3	4	6	12	20	41	64
50-64	136	8.1	69	3	4	6	9	12	22	54
65 +	284	8.7	73	3	4	7	10	15	21	46
GRAND TOTAL	**476**	**8.6**	**77**	**3**	**4**	**7**	**10**	**15**	**22**	**51**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3699	2.6	2	1	2	2	3	4	5	7
20-34	343	3.2	3	1	2	3	4	5	6	8
35-49	351	4.1	6	1	2	4	5	7	9	13
50-64	242	4.9	11	2	3	4	6	7	9	15
65 +	151	5.0	6	2	3	5	6	8	9	13
B. Operated										
0-19 YRS	17	4.8	12	2	3	4	6	10	14	15
20-34	0									
35-49	2	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4736	3.2	4	1	2	3	4	6	7	11
20-34	627	4.0	7	2	2	3	5	7	9	14
35-49	901	5.0	9	2	3	4	6	9	10	15
50-64	1188	6.0	15	3	4	5	7	10	13	19
65 +	1739	6.8	20	3	4	6	8	12	15	23
B. Operated										
0-19 YRS	111	8.2	45	2	4	7	11	16	22	35
20-34	21	7.6	18	3	4	7	10	14	15	17
35-49	58	8.3	23	4	5	7	10	16	19	24
50-64	86	13.2	136	3	6	10	15	30	45	53
65 +	139	13.1	111	5	7	10	17	27	39	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4786	2.9	3	1	2	3	4	5	6	9
B. Operated	19	4.8	11	2	3	4	6	9	13	15
2. MULTIPLE DX										
A. Not Operated	9191	4.5	11	2	2	4	6	8	10	17
B. Operated	415	10.9	87	3	5	8	13	21	30	51
1. SINGLE DX	4805	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX	9606	4.8	16	2	2	4	6	9	11	20
A. Not Operated	13977	3.9	9	1	2	3	5	7	9	15
B. Operated	434	10.6	85	3	5	8	13	21	29	51
TOTAL										
0-19 YRS	8563	3.0	4	1	2	3	4	5	7	10
20-34	991	3.8	6	2	2	3	5	7	8	13
35-49	1312	4.9	9	2	3	4	6	9	10	16
50-64	1516	6.2	24	2	4	5	7	11	14	25
65 +	2029	7.1	28	3	4	6	8	12	16	29
GRAND TOTAL	**14411**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.2	30	2	2	3	6	15	15	15
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	13	4.6	5	2	3	3	6	8	10	10
50-64	69	4.2	4	2	3	4	5	7	8	11
65 +	76	4.9	10	2	3	4	6	8	13	78
B. Operated										
0-19 YRS	3	10.3	4	8	9	11	12	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	3	3.7	21	1	1	1	7	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	7.0	25	2	3	6	10	13	17	19
20-34	15	6.8	19	1	2	6	10	12	13	14
35-49	87	6.2	110	2	3	5	6	9	13	69
50-64	592	6.5	22	2	4	5	8	12	15	26
65 +	1260	7.3	41	3	4	6	9	13	16	34
B. Operated										
0-19 YRS	12	9.4	66	2	5	7	11	20	30	32
20-34	6	8.0	30	1	2	9	13	14	14	14
35-49	20	7.0	53	1	2	4	9	15	24	31
50-64	89	14.2	209	4	6	9	15	31	48	70
65 +	178	12.7	153	3	5	9	16	24	35	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	4.6	8	2	3	4	6	7	11	18
B. Operated	8	6.1	20	1	2	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	1969	7.0	38	3	4	6	8	12	15	28
B. Operated	305	12.5	159	3	5	9	15	26	35	72
1. SINGLE DX	173	4.6	8	2	3	4	6	8	11	17
2. MULTIPLE DX	2274	7.8	58	3	4	6	9	14	19	38
A. Not Operated	2134	6.8	36	3	4	6	8	12	15	28
B. Operated	313	12.4	156	3	5	9	14	25	35	72
TOTAL										
0-19 YRS	35	7.9	38	2	3	7	11	15	18	32
20-34	24	6.5	21	1	2	6	10	13	14	14
35-49	120	6.2	89	2	3	4	7	10	14	51
50-64	753	7.2	49	2	4	5	8	13	18	34
65 +	1515	7.8	56	3	4	6	9	14	19	39
GRAND TOTAL	**2447**	**7.5**	**55**	**3**	**4**	**6**	**9**	**14**	**18**	**37**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.6	1	1	1	2	2	2	3	4
20-34	25	2.4	2	1	1	2	3	5	5	6
35-49	6	3.5	5	1	2	3	5	7	7	7
50-64	4	3.8	6	1	2	3	5	7	7	7
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	65	5.6	9	2	3	5	7	10	12	14
20-34	167	4.8	8	2	3	4	6	9	10	15
35-49	67	5.2	14	2	3	4	6	10	13	18
50-64	17	5.5	14	2	3	4	8	10	14	16
65 +	7	4.0	2	3	3	4	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.1	3	1	2	3	4	6	6	6
20-34	21	4.1	13	1	1	3	6	10	12	14
35-49	10	5.6	20	1	2	5	7	12	16	16
50-64	20	6.1	16	1	3	5	9	11	13	16
65 +	21	4.9	4	2	3	5	6	8	9	10
B. Operated										
0-19 YRS	39	9.9	54	4	4	7	15	20	26	30
20-34	115	7.8	35	3	4	6	10	14	20	34
35-49	95	8.6	37	3	4	7	11	16	23	30
50-64	132	11.2	73	3	5	9	15	21	28	46
65 +	153	12.3	97	4	5	9	17	29	35	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.4	3	1	1	2	3	5	6	9
B. Operated	323	5.1	10	2	3	4	6	9	12	15
2. MULTIPLE DX										
A. Not Operated	79	4.9	12	1	2	4	7	10	11	16
B. Operated	534	10.2	67	3	4	8	13	22	29	40
1. SINGLE DX	385	4.6	10	2	2	4	6	9	11	15
2. MULTIPLE DX	613	9.6	63	3	4	7	12	20	28	38
A. Not Operated	141	3.8	10	1	2	3	5	8	10	16
B. Operated	857	8.3	51	3	4	6	10	17	23	36
TOTAL										
0-19 YRS	137	5.9	28	1	2	4	7	13	17	29
20-34	328	5.6	20	2	3	4	7	11	13	22
35-49	178	7.0	29	2	3	5	9	14	17	29
50-64	173	9.9	65	3	4	8	13	19	26	42
65 +	182	11.1	90	3	4	7	15	26	34	46
GRAND TOTAL	**998**	**7.7**	**48**	**2**	**3**	**5**	**9**	**16**	**22**	**35**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.9	2	< 1	2	3	4	5	5	5
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	12	10.6	37	5	7	9	13	18	25	26
B. Operated										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	0									
35-49	0									
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	8.5	103	2	3	6	11	17	29	92
20-34	44	5.5	18	1	3	5	7	10	14	21
35-49	139	8.3	39	2	4	7	10	16	19	30
50-64	638	10.1	73	3	5	8	12	20	26	44
65 +	1528	9.8	52	4	5	8	12	17	23	40
B. Operated										
0-19 YRS	86	22.8	375	4	11	18	36	69	99 +	99 +
20-34	15	23.6	409	5	11	18	43	70	92	99 +
35-49	40	18.7	188	4	7	19	33	48	99 +	99 +
50-64	186	20.4	276	6	9	17	28	47	74	99 +
65 +	322	20.4	312	6	9	14	26	50	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	7.2	37	1	2	7	10	14	20	26
B. Operated	3	8.3	30	3	4	8	12	14	14	14
2. MULTIPLE DX										
A. Not Operated	2479	9.7	59	3	5	8	12	18	23	41
B. Operated	649	20.7	304	6	9	16	28	51	76	99 +
1. SINGLE DX	24	7.3	35	2	3	7	11	14	18	26
2. MULTIPLE DX	3128	12.0	130	3	6	9	14	24	37	86
A. Not Operated	2500	9.7	59	3	5	8	12	18	23	41
B. Operated	652	20.7	303	6	9	16	28	51	76	99 +
TOTAL										
0-19 YRS	225	13.8	254	2	4	9	18	37	68	99 +
20-34	59	10.1	176	2	4	6	11	21	51	97
35-49	181	10.6	90	3	5	8	14	24	35	99 +
50-64	824	12.4	137	4	6	9	15	27	40	83
65 +	1863	11.7	113	4	6	9	13	22	33	67
GRAND TOTAL	**3152**	**11.9**	**129**	**3**	**6**	**9**	**14**	**24**	**37**	**85**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	447	2.5	2	1	2	2	3	4	5	8
20-34	31	3.4	7	1	2	3	5	7	9	11
35-49	40	3.1	5	1	1	2	5	6	7	9
50-64	22	3.2	3	1	2	3	4	6	6	7
65 +	28	3.8	11	1	1	3	5	6	11	16
B. Operated										
0-19 YRS	66	3.8	17	< 1	1	2	6	8	12	22
20-34	21	5.1	19	1	2	4	8	10	14	18
35-49	35	4.9	11	1	2	5	7	8	11	16
50-64	50	5.0	20	< 1	1	4	7	11	12	24
65 +	31	4.6	14	< 1	< 1	4	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	966	4.7	30	1	2	3	5	10	14	29
20-34	172	5.0	19	1	2	4	6	9	11	25
35-49	255	5.5	24	2	2	4	7	11	14	24
50-64	461	6.2	26	2	3	5	8	12	15	30
65 +	1434	8.9	54	3	4	7	11	17	22	42
B. Operated										
0-19 YRS	351	12.7	235	1	2	8	16	36	53	99 +
20-34	146	13.3	183	2	4	9	19	33	46	99 +
35-49	253	11.3	110	2	5	8	15	24	30	57
50-64	427	12.2	122	2	5	9	16	27	35	69
65 +	868	14.7	161	4	7	12	18	29	42	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	568	2.7	3	1	2	2	3	5	6	9
B. Operated	203	4.6	17	< 1	1	4	7	10	12	20
2. MULTIPLE DX										
A. Not Operated	3288	6.8	42	2	3	5	8	14	18	34
B. Operated	2045	13.3	162	2	5	10	17	29	41	94
1. SINGLE DX	771	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX	5333	9.3	98	2	3	6	12	20	29	57
A. Not Operated	3856	6.2	39	2	2	4	8	13	17	32
B. Operated	2248	12.5	155	2	4	9	16	28	38	87
TOTAL										
0-19 YRS	1830	5.7	75	1	2	3	6	13	21	55
20-34	370	8.2	100	1	3	5	10	20	30	87
35-49	583	7.8	68	2	3	5	9	16	24	38
50-64	960	8.8	78	2	3	6	11	18	27	45
65 +	2361	10.9	101	3	5	8	14	22	30	57
GRAND TOTAL	**6104**	**8.5**	**91**	**2**	**3**	**6**	**11**	**18**	**27**	**55**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.0	2	< 1	2	3	4	5	5	5
20-34	6	3.5	1	2	3	3	4	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	2.3	4	1	1	2	3	5	5	5
65 +	4	3.3	10	1	1	2	5	8	8	8
B. Operated										
0-19 YRS	241	1.7	2	< 1	< 1	1	2	3	4	6
20-34	219	2.0	1	1	1	2	2	3	3	5
35-49	130	2.1	1	1	1	2	2	3	4	6
50-64	36	2.0	1	1	1	2	3	3	4	7
65 +	8	2.3	5	< 1	< 1	1	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.9	19	1	2	3	4	6	7	30
20-34	15	3.9	10	1	2	3	6	8	11	12
35-49	28	4.3	10	1	2	4	5	6	10	17
50-64	9	4.0	5	1	2	3	5	7	8	8
65 +	23	5.2	19	2	3	5	6	7	13	23
B. Operated										
0-19 YRS	416	2.2	4	< 1	1	2	3	4	5	13
20-34	237	3.0	10	1	2	2	3	5	6	17
35-49	195	3.0	5	1	2	2	3	5	8	14
50-64	85	2.9	9	1	1	2	3	6	9	17
65 +	93	3.4	8	1	1	2	4	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.0	3	1	2	3	4	5	6	8
B. Operated	634	1.9	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	120	4.3	14	1	2	4	5	6	8	25
B. Operated	1026	2.7	7	< 1	1	2	3	5	7	15
1. SINGLE DX	663	1.9	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX	1146	2.9	8	1	1	2	3	5	7	16
A. Not Operated	149	4.0	12	1	2	3	5	6	8	23
B. Operated	1660	2.4	5	< 1	1	2	3	4	6	11
TOTAL										
0-19 YRS	715	2.2	4	< 1	< 1	2	3	4	5	11
20-34	477	2.6	6	1	2	2	3	4	5	11
35-49	355	2.7	4	1	2	2	3	5	6	11
50-64	134	2.7	7	1	1	2	3	5	7	16
65 +	128	3.6	10	1	1	3	5	7	8	17
GRAND TOTAL	**1809**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**4**	**6**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	4.1	6	1	2	3	6	8	9	10
20-34	9	3.1	2	1	2	3	4	5	6	6
35-49	10	4.9	4	2	3	5	6	7	8	8
50-64	6	2.3	2	1	2	2	2	5	5	5
65 +	5	3.8	8	1	2	3	6	8	8	8
B. Operated										
0-19 YRS	67	2.2	4	< 1	1	2	2	3	5	15
20-34	24	1.8	2	< 1	1	1	2	3	5	8
35-49	34	2.8	6	1	1	2	4	7	9	11
50-64	34	1.4		1	1	1	2	2	3	4
65 +	15	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	3.7	4	1	2	3	4	7	8	10
20-34	17	4.4	6	1	3	4	6	7	9	10
35-49	34	5.1	8	2	2	5	7	9	10	11
50-64	28	5.6	17	1	2	5	8	11	15	17
65 +	53	7.4	23	3	4	6	10	14	17	22
B. Operated										
0-19 YRS	84	3.0	9	1	1	2	3	6	9	17
20-34	45	3.3	7	1	1	3	4	9	9	11
35-49	46	4.8	49	1	1	2	7	10	12	45
50-64	43	3.7	12	1	1	2	5	9	11	15
65 +	48	3.7	15	1	1	2	4	10	15	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.9	5	1	2	3	6	7	8	10
B. Operated	174	2.1	4	< 1	1	2	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	257	4.9	12	1	3	4	6	9	12	17
B. Operated	266	3.6	17	1	1	2	4	9	11	19
1. SINGLE DX	249	2.6	5	1	1	2	3	6	7	10
2. MULTIPLE DX	523	4.2	15	1	2	3	6	9	11	18
A. Not Operated	332	4.7	11	1	2	4	6	9	11	17
B. Operated	440	3.0	12	1	1	2	3	7	9	16
TOTAL										
0-19 YRS	321	3.2	6	1	2	3	4	7	8	13
20-34	95	3.1	6	1	1	2	4	7	9	11
35-49	124	4.4	23	1	2	3	6	9	11	21
50-64	111	3.4	11	1	1	2	5	8	11	16
65 +	121	5.0	21	1	2	4	6	12	15	44
GRAND TOTAL	**772**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	399	2.6	4	1	1	2	3	5	7	10
20-34	26	2.2	2	< 1	1	2	3	4	5	5
35-49	56	2.2	2	< 1	1	2	3	5	5	6
50-64	34	2.4	2	1	2	2	3	5	5	5
65 +	11	2.5	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	161	3.6	23	< 1	1	2	5	7	10	32
20-34	16	3.8	14	1	2	3	4	8	14	16
35-49	37	3.5	6	1	1	3	5	7	8	11
50-64	36	3.8	14	< 1	1	2	5	9	11	16
65 +	28	2.8	12	< 1	< 1	1	4	6	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	871	4.0	13	1	2	3	5	8	10	17
20-34	187	3.5	10	1	2	3	4	6	10	17
35-49	463	3.4	7	1	2	3	4	6	8	13
50-64	486	4.0	12	1	2	3	5	7	10	17
65 +	699	4.9	17	2	2	4	6	9	11	20
B. Operated										
0-19 YRS	670	9.6	154	1	2	6	10	23	38	67
20-34	120	6.8	58	1	2	4	8	19	29	54
35-49	370	5.8	50	1	2	4	7	12	16	37
50-64	475	5.5	35	1	2	4	6	10	16	40
65 +	746	6 8	56	1	3	5	8	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	526	2.5	3	1	1	2	3	5	6	9
B. Operated	278	3.5	18	< 1	1	2	5	7	10	20
2. MULTIPLE DX										
A. Not Operated	2706	4.1	13	1	2	3	5	8	10	18
B. Operated	2381	7.2	81	1	2	5	8	15	23	56
1. SINGLE DX	804	2.8	9	1	1	2	4	6	7	15
2. MULTIPLE DX	5087	5.5	47	1	2	4	6	11	16	38
A. Not Operated	3232	3.9	12	1	2	3	5	7	10	17
B. Operated	2659	6.8	76	1	2	4	8	14	22	52
TOTAL										
0-19 YRS	2101	5.5	65	1	1	3	6	11	18	48
20-34	349	4.6	28	1	2	3	5	10	14	32
35-49	926	4.3	25	1	2	3	5	8	12	27
50-64	1031	4.7	23	1	2	4	5	9	12	28
65 +	1484	5.8	37	1	2	4	7	11	16	32
GRAND TOTAL	**5891**	**5.2**	**43**	**1**	**2**	**3**	**6**	**10**	**15**	**37**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	2.6	2	2	2	2	2	5	6	6
35-49	22	3.3	4	1	2	3	4	7	8	8
50-64	11	2.3	2	< 1	2	2	2	4	6	6
65 +	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	6	3.8	11	< 1	1	2	8	8	8	8
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	10	3.6	3	< 1	3	4	5	6	7	7
50-64	10	4.7	16	< 1	3	4	5	10	15	15
65 +	6	4.8	13	1	2	4	6	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	28	4.5	6	2	2	4	7	8	8	9
35-49	78	3.8	5	1	2	3	5	7	8	11
50-64	73	3.7	4	1	2	4	5	6	8	9
65 +	116	5.4	18	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	18	3.1	6	< 1	< 1	2	4	6	8	10
20-34	23	5.5	11	2	3	5	7	9	12	15
35-49	88	5.7	23	2	3	4	7	11	15	29
50-64	112	5.4	16	2	3	5	6	9	11	26
65 +	167	7.6	80	2	4	6	9	13	19	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.9	3	1	2	2	3	6	7	8
B. Operated	34	4.2	9	< 1	2	4	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	298	4.5	10	2	2	4	6	8	10	16
B. Operated	408	6.2	44	2	3	5	7	11	15	30
1. SINGLE DX	78	3.4	6	1	2	3	5	7	8	14
2. MULTIPLE DX	706	5.5	31	2	3	4	7	10	13	26
A. Not Operated	342	4.3	10	1	2	4	5	8	9	15
B. Operated	442	6.1	42	2	3	5	7	11	15	30
TOTAL										
0-19 YRS	28	3.6	6	< 1	1	3	5	8	8	10
20-34	60	4.6	8	2	2	4	7	8	9	15
35-49	198	4.5	14	2	2	4	5	8	11	21
50-64	206	4.6	12	2	2	4	6	8	10	20
65 +	292	6.6	54	2	3	5	8	11	15	33
GRAND TOTAL	**784**	**5.3**	**29**	**2**	**3**	**4**	**6**	**9**	**12**	**25**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	7	3.3	6	1	2	2	4	7	8	8
35-49	12	3.3	1	2	2	3	4	5	5	5
50-64	16	3.8	2	2	3	4	5	6	7	7
65 +	6	4.0	9	1	2	3	6	9	9	9
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	12	6.3	6	3	4	6	8	9	10	10
35-49	17	4.4	5	2	3	4	5	6	9	11
50-64	18	4.8	6	2	2	4	7	8	8	8
65 +	6	11.0	16	5	8	11	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.6	2	3	4	4	5	7	7	7
20-34	40	4.2	6	1	3	4	5	7	9	13
35-49	113	4.2	6	2	3	4	5	7	8	14
50-64	193	5.0	11	2	3	4	6	8	13	19
65 +	435	5.9	14	2	4	5	7	10	13	21
B. Operated										
0-19 YRS	9	8.6	44	1	3	7	12	18	22	22
20-34	43	6.3	29	3	3	5	7	10	13	35
35-49	133	7.6	51	3	4	6	9	12	21	40
50-64	276	8.2	82	3	4	6	9	13	22	47
65 +	652	9.3	64	3	4	7	11	17	24	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.7	3	2	2	3	4	6	7	9
B. Operated	55	5.6	10	2	3	5	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	786	5.3	12	2	3	4	7	10	12	19
B. Operated	1113	8.7	66	3	4	6	10	16	23	45
1. SINGLE DX	99	4.7	8	2	3	4	6	8	10	15
2. MULTIPLE DX	1899	7.3	46	3	4	5	9	13	18	41
A. Not Operated	830	5.2	12	2	3	4	6	9	12	18
B. Operated	1168	8.5	64	3	4	6	10	16	22	45
TOTAL										
0-19 YRS	19	6.4	25	2	3	4	7	13	18	22
20-34	102	5.2	17	2	3	4	7	9	11	25
35-49	275	5.8	30	2	3	4	7	10	12	37
50-64	503	6.7	52	2	3	5	7	12	15	37
65 +	1099	7.9	47	3	4	6	10	15	20	43
GRAND TOTAL	**1998**	**7.2**	**45**	**3**	**4**	**5**	**8**	**13**	**18**	**40**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.3	2	1	1	2	3	4	5	5
20-34	32	2.6	3	1	1	2	4	5	6	7
35-49	55	2.7	2	1	2	3	3	5	5	6
50-64	27	3.0	3	1	2	3	4	5	6	8
65 +	6	4.0	5	2	2	3	5	8	8	8
B. Operated										
0-19 YRS	5	4.8	13	< 1	1	6	8	8	8	8
20-34	8	5.3	7	2	3	6	7	8	9	9
35-49	17	6.4	9	4	4	5	8	10	13	15
50-64	10	6.4	29	2	2	5	9	15	19	19
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.7	5	2	2	3	5	7	9	10
20-34	77	3.0	3	1	2	3	4	5	7	9
35-49	169	4.2	11	2	2	3	5	7	12	19
50-64	161	4.2	7	2	2	4	5	7	9	14
65 +	224	5.1	13	2	3	4	6	10	13	18
B. Operated										
0-19 YRS	10	6.9	92	1	1	3	7	22	32	32
20-34	32	5.8	27	2	3	5	6	10	16	28
35-49	67	6.0	28	2	3	5	8	9	13	36
50-64	62	5.7	24	2	3	4	7	10	13	29
65 +	88	8.5	62	3	4	7	9	14	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	2.8	2	1	2	2	4	5	6	8
B. Operated	41	5.9	13	2	3	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	650	4.4	10	2	2	4	5	8	11	17
B. Operated	259	6.8	42	2	3	5	8	12	16	41
1. SINGLE DX	176	3.5	7	1	2	3	4	7	8	14
2. MULTIPLE DX	909	5.1	20	2	3	4	6	9	12	24
A. Not Operated	785	4.1	9	2	2	3	5	7	10	16
B. Operated	300	6.7	38	2	3	5	8	12	15	40
TOTAL										
0-19 YRS	49	4.0	24	1	2	3	5	8	10	32
20-34	149	3.7	10	1	2	3	4	7	8	16
35-49	308	4.4	14	2	2	3	5	8	11	18
50-64	260	4.5	12	2	2	4	6	8	10	20
65 +	319	6.1	29	2	3	5	7	12	15	33
GRAND TOTAL	**1085**	**4.8**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	33	3.7	3	2	3	3	5	5	6	9
35-49	42	3.6	3	2	2	3	4	6	6	11
50-64	33	4.0	3	2	3	3	5	6	8	9
65 +	11	4.1	12	1	1	3	7	9	11	11
B. Operated										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	25	5.5	4	3	4	5	7	8	9	10
35-49	31	6.5	11	4	4	5	8	9	15	18
50-64	25	6.2	11	3	4	5	7	10	15	15
65 +	9	7.7	15	3	5	7	10	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.6	5	1	2	3	4	7	9	10
20-34	89	4.0	4	2	3	4	5	6	8	12
35-49	177	4.1	6	2	3	4	5	7	8	12
50-64	244	4.6	11	2	3	4	5	7	9	17
65 +	490	6.2	16	3	4	5	7	11	13	22
B. Operated										
0-19 YRS	9	6.7	13	3	4	5	8	13	13	13
20-34	76	8.4	70	3	4	6	9	18	25	48
35-49	154	8.4	71	3	4	6	9	15	21	48
50-64	217	8.2	67	3	4	6	9	14	19	58
65 +	448	11.0	97	4	5	8	13	22	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	121	3.8	4	2	3	3	5	6	7	11
B. Operated	94	6.1	10	3	4	5	8	9	14	17
2. MULTIPLE DX										
A. Not Operated	1017	5.2	13	2	3	4	6	9	11	19
B. Operated	904	9.6	84	3	5	7	11	18	28	56
1. SINGLE DX	215	4.8	8	2	3	4	6	8	10	15
2. MULTIPLE DX	1921	7.3	51	3	4	5	8	13	19	40
A. Not Operated	1138	5.1	12	2	3	4	6	9	11	19
B. Operated	998	9.3	78	3	5	7	10	18	26	55
TOTAL										
0-19 YRS	32	4.4	9	2	2	4	5	9	12	13
20-34	223	5.6	30	2	3	4	6	9	13	34
35-49	404	5.8	35	2	3	4	7	9	14	36
50-64	519	6.2	37	3	3	5	7	11	15	33
65 +	958	8.4	60	3	4	6	9	16	22	43
GRAND TOTAL	**2136**	**7.0**	**47**	**3**	**3**	**5**	**8**	**12**	**18**	**38**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	11	3.9	1	2	3	4	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	1	16.0		16	16	16	16	16	16	16
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	8	10.9	12	7	8	10	14	15	16	16
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	15	6.5	11	3	4	5	8	12	13	13
50-64	25	5.2	9	2	3	5	7	9	11	13
65 +	47	7.7	37	3	4	6	9	15	17	38
B. Operated										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	8	15.0	112	5	8	12	18	33	38	38
35-49	31	14.0	64	7	9	12	16	27	42	99 +
50-64	55	14.0	95	5	8	11	18	27	37	44
65 +	93	14.9	94	5	8	13	20	29	34	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.8	4	3	3	4	5	8	10	10
B. Operated	12	10.8	11	7	8	10	14	16	16	16
2. MULTIPLE DX										
A. Not Operated	90	6.7	24	3	4	5	8	12	15	30
B. Operated	189	14.4	89	5	8	12	19	28	38	46
1. SINGLE DX	26	7.6	17	3	4	7	10	14	16	16
2. MULTIPLE DX	279	11.9	81	3	6	9	15	24	31	45
A. Not Operated	104	6.5	22	3	4	5	8	12	14	28
B. Operated	201	14.2	85	6	8	12	18	27	36	46
TOTAL										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	13	12.3	87	4	6	11	15	24	35	38
35-49	59	10.1	55	3	5	9	13	22	27	94
50-64	89	11.1	77	3	5	9	13	24	28	44
65 +	142	12.4	85	4	6	10	16	23	33	45
GRAND TOTAL	**305**	**11.6**	**77**	**3**	**5**	**9**	**14**	**23**	**30**	**45**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	1.9	2	< 1	1	2	2	3	5	8
20-34	90	2.2	1	1	1	2	3	4	4	6
35-49	76	2.7	3	< 1	1	2	3	5	6	9
50-64	43	2.0	1	< 1	1	2	2	4	5	6
65 +	22	2.3	2	< 1	< 1	2	3	5	5	5
B. Operated										
0-19 YRS	45	2.2	2	1	1	2	3	5	5	6
20-34	16	3.3	4	1	2	3	5	7	7	7
35-49	21	3.0	1	1	2	3	4	4	5	5
50-64	22	2.7	4	< 1	< 1	2	4	6	7	7
65 +	7	5.3	30	< 1	< 1	< 1	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	272	2.6	6	1	1	2	3	5	6	14
20-34	386	3.2	4	1	2	3	4	6	6	9
35-49	573	4.0	11	1	2	3	5	7	9	20
50-64	554	4.2	22	1	2	3	5	7	9	18
65 +	778	5.0	15	1	3	4	6	8	11	23
B. Operated										
0-19 YRS	162	4.3	45	1	1	3	5	9	13	20
20-34	118	5.0	18	< 1	2	4	7	9	13	21
35-49	234	5.1	42	< 1	2	4	6	9	12	33
50-64	264	5.4	24	< 1	3	4	7	10	15	26
65 +	440	7.3	88	< 1	3	5	8	13	20	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	2.2	2	< 1	1	2	3	4	5	8
B. Operated	111	2.8	5	< 1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	2563	4.1	14	1	2	3	5	7	9	19
B. Operated	1218	5.8	54	< 1	2	4	7	11	15	35
1. SINGLE DX	415	2.4	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	3781	4.6	27	1	2	4	6	8	11	24
A. Not Operated	2867	3.9	13	1	2	3	5	7	9	18
B. Operated	1329	5.6	50	< 1	2	4	7	10	14	34
TOTAL										
0-19 YRS	552	3.0	17	1	1	2	3	6	8	17
20-34	610	3.4	7	1	2	3	4	6	8	14
35-49	904	4.1	18	1	2	3	5	7	10	20
50-64	883	4.4	22	< 1	2	3	5	8	11	21
65 +	1247	5.8	42	1	3	4	7	10	14	33
GRAND TOTAL	**4196**	**4.4**	**25**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.0	3	1	2	3	4	5	7	7
20-34	13	2.5	1	1	2	3	3	4	5	5
35-49	12	1.9	1	1	1	2	3	4	4	4
50-64	17	2.6	3	< 1	1	2	3	5	7	8
65 +	5	2.4	7	< 1	1	1	3	7	7	7
B. Operated										
0-19 YRS	65	3.0	2	2	2	3	4	5	5	8
20-34	6	4.3	5	< 1	3	4	6	7	7	7
35-49	7	4.6	12	< 1	2	3	7	10	10	10
50-64	7	10.9	80	5	6	7	12	27	30	30
65 +	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	3.2	7	1	2	2	4	6	9	14
20-34	74	4.0	8	1	2	4	6	8	10	14
35-49	104	4.9	17	1	2	4	7	9	11	24
50-64	139	4.3	9	1	2	4	6	9	10	14
65 +	197	6.2	38	2	3	5	7	11	17	29
B. Operated										
0-19 YRS	71	8.2	76	2	3	4	10	19	23	40
20-34	30	8.1	53	1	3	6	11	15	24	34
35-49	65	8.5	39	2	4	7	11	18	20	29
50-64	86	11.3	120	3	5	10	14	21	31	66
65 +	178	11.1	94	3	5	7	14	23	38	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.6	3	1	1	2	3	5	6	8
B. Operated	88	3.9	12	2	2	3	5	6	8	24
2. MULTIPLE DX										
A. Not Operated	637	4.8	20	1	2	4	6	9	11	24
B. Operated	430	10.1	86	2	4	7	13	21	29	49
1. SINGLE DX	167	3.3	8	1	2	3	4	6	7	13
2. MULTIPLE DX	1067	6.9	53	1	3	5	8	15	20	40
A. Not Operated	716	4.5	18	1	2	3	6	9	11	23
B. Operated	518	9.0	79	2	3	6	11	19	26	48
TOTAL										
0-19 YRS	291	4.4	27	1	2	3	4	8	15	32
20-34	123	4.9	21	1	2	4	6	10	13	27
35-49	188	5.9	27	1	2	5	8	11	17	28
50-64	249	6.8	60	1	3	5	9	14	19	42
65 +	383	8.4	69	2	4	6	10	18	25	49
GRAND TOTAL	**1234**	**6.4**	**49**	**1**	**2**	**4**	**8**	**14**	**19**	**39**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.1		< 1	< 1	1	1	2	2	2
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1275	2.7	1	2	2	2	3	4	5	7
20-34	800	2.9	1	2	2	3	3	4	5	7
35-49	296	3.3	2	2	2	3	4	5	6	9
50-64	98	3.4	2	2	3	3	4	5	6	9
65 +	17	4.2	6	2	3	3	5	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	309	4.2	10	2	2	3	5	8	10	16
20-34	284	4.1	6	2	3	3	5	7	9	14
35-49	145	4.2	6	2	3	4	5	7	8	16
50-64	108	5.4	14	2	3	4	7	9	12	22
65 +	51	6.6	17	3	4	6	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.6	1	< 1	1	1	2	3	4	4
B. Operated	2486	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	8	3.3	5	1	1	3	5	6	7	7
B. Operated	897	4.5	9	2	3	4	5	8	10	16
1. SINGLE DX	2504	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	905	4.4	9	2	3	4	5	8	10	16
A. Not Operated	26	2.1	3	1	1	1	3	4	5	7
B. Operated	3383	3.3	4	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	1596	3.0	4	2	2	3	3	4	6	10
20-34	1090	3.2	3	2	2	3	4	5	6	9
35-49	444	3.6	4	2	2	3	4	6	7	10
50-64	208	4.5	9	2	3	4	5	8	9	17
65 +	71	5.9	15	2	3	5	7	11	16	20
GRAND TOTAL	**3409**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.5	14	4	4	5	9	12	12	12
20-34	5	5.0	6	3	3	5	6	9	9	9
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	329	6.7	9	3	5	6	8	10	11	16
20-34	152	5.3	7	3	3	5	7	8	9	16
35-49	111	6.0	9	3	4	6	7	9	11	18
50-64	52	6.5	8	3	4	6	8	10	12	15
65 +	13	7.3	7	4	6	8	9	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.5	7	1	2	5	6	7	7	7
20-34	3	6.3	16	2	3	7	9	10	10	10
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	5	9.6	11	6	6	11	12	13	13	13
B. Operated										
0-19 YRS	341	9.2	29	5	6	8	10	15	19	28
20-34	170	8.4	30	4	6	7	9	13	20	34
35-49	166	8.6	23	4	6	8	10	14	17	26
50-64	160	9.8	70	5	6	8	11	16	21	51
65 +	145	12.8	54	6	8	11	16	22	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.3	7	3	3	5	6	9	11	12
B. Operated	657	6.2	8	3	4	6	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	13	6.9	14	2	5	6	10	12	13	13
B. Operated	982	9.6	40	4	6	8	11	17	21	32
1. SINGLE DX	671	6.2	8	3	4	6	8	10	11	16
2. MULTIPLE DX	995	9.5	40	4	6	8	11	16	21	32
A. Not Operated	27	6.1	11	2	4	5	8	12	12	13
B. Operated	1639	8.2	30	4	5	7	10	13	18	28
TOTAL										
0-19 YRS	678	7.9	21	4	5	7	9	12	15	26
20-34	330	6.9	21	3	4	6	8	11	14	31
35-49	279	7.6	19	3	5	7	9	12	16	23
50-64	216	8.9	56	4	6	7	10	15	19	37
65 +	163	12.2	51	6	8	10	15	21	25	36
GRAND TOTAL	**1666**	**8.2**	**30**	**3**	**5**	**7**	**10**	**13**	**18**	**28**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.1	5	1	1	1	2	4	8	10
20-34	13	2.8	5	1	2	2	3	5	8	9
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	134	2.8	2	1	2	3	3	4	6	8
20-34	78	3.0	2	2	2	3	4	4	6	7
35-49	20	4.2	5	2	3	3	5	7	10	12
50-64	7	3.0	1	2	2	3	3	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.1	3	1	1	2	3	5	6	6
20-34	8	2.0	3	1	1	2	2	5	6	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	7.0	49	2	2	4	12	15	15	15
65 +	4	4.5	6	3	3	4	6	8	8	8
B. Operated										
0-19 YRS	68	4.3	10	2	2	4	6	7	9	20
20-34	64	4.4	10	2	2	3	5	8	10	18
35-49	28	4.6	7	1	2	4	7	9	9	10
50-64	5	5.8	5	4	4	5	7	9	9	9
65 +	13	9.0	44	3	5	8	12	16	26	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.3	4	1	1	2	2	4	8	10
B. Operated	239	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	25	3.0	10	1	1	2	3	6	10	15
B. Operated	178	4.8	13	2	2	4	6	8	11	20
1. SINGLE DX	275	2.9	3	1	2	3	3	5	6	10
2. MULTIPLE DX	203	4.6	13	2	2	4	6	8	11	19
A. Not Operated	61	2.6	6	1	1	2	3	5	8	14
B. Operated	417	3.7	8	2	2	3	4	7	8	15
TOTAL										
0-19 YRS	228	3.2	5	1	2	3	4	6	7	12
20-34	163	3.5	6	2	2	3	4	6	8	14
35-49	55	4.1	6	2	2	3	5	8	9	12
50-64	15	4.7	12	2	3	4	5	9	13	15
65 +	17	7.9	38	3	4	7	9	13	23	28
GRAND TOTAL	**478**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**8**	**15**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.7	7	< 1	1	1	1	2	9	11
20-34	6	1.3		< 1	< 1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.5	1	1	1	1	2	3	3	3
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	742	1.1		< 1	< 1	1	1	1	2	3
20-34	227	1.3		< 1	1	1	1	2	2	4
35-49	279	1.5	1	< 1	1	1	2	3	3	4
50-64	361	1.5	1	< 1	1	1	2	3	3	5
65 +	249	1.5	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.9	7	< 1	1	1	1	3	9	11
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	6	1.2		< 1	< 1	1	1	2	2	2
50-64	9	2.0	1	< 1	1	2	3	4	4	4
65 +	10	3.0	16	< 1	1	2	3	9	14	14
B. Operated										
0-19 YRS	699	1.6	4	< 1	< 1	1	1	2	4	10
20-34	107	2.0	2	1	1	2	2	3	4	10
35-49	219	2.2	7	1	1	2	2	4	5	15
50-64	400	2.3	4	1	1	2	3	5	7	13
65 +	860	2.9	11	1	1	2	3	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.6	4	< 1	1	1	1	2	4	11
B. Operated	1858	1.3	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	43	2.1	6	< 1	1	1	2	4	7	14
B. Operated	2285	2.3	7	< 1	1	1	3	4	7	13
1. SINGLE DX	1886	1.3	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX	2328	2.3	7	< 1	1	1	3	4	7	13
A. Not Operated	71	1.9	5	< 1	1	1	2	3	4	13
B. Operated	4143	1.8	4	< 1	1	1	2	3	5	10
TOTAL										
0-19 YRS	1470	1.4	2	< 1	< 1	1	1	2	3	7
20-34	343	1.5	1	< 1	1	1	2	3	3	5
35-49	505	1.8	4	< 1	1	1	2	3	4	8
50-64	774	1.9	3	1	1	1	2	4	5	9
65 +	1122	2.6	9	1	1	2	3	5	7	13
GRAND TOTAL	**4214**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**10**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	2	< 1	1	1	2	4	4	4
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	127	1.6	1	< 1	1	1	2	3	3	5
20-34	38	2.1	2	1	1	2	2	4	5	8
35-49	24	3.0	4	1	1	3	4	5	7	9
50-64	42	2.3	2	1	1	2	3	4	5	7
65 +	37	2.8	4	1	1	2	3	5	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	1.5	1	< 1	< 1	1	1	3	5	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	2.0	1	< 1	1	2	3	3	3	3
65 +	11	4.9	14	1	2	5	7	10	14	14
B. Operated										
0-19 YRS	189	2.1	5	1	1	2	2	3	5	17
20-34	21	3.3	6	1	2	2	4	7	9	10
35-49	30	3.8	8	1	2	3	5	7	9	14
50-64	50	5.3	35	1	2	3	6	13	17	34
65 +	256	6.8	48	2	3	5	8	14	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	268	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	29	2.8	8	< 1	1	2	4	6	8	14
B. Operated	546	4.7	33	1	2	3	6	10	15	34
1. SINGLE DX	276	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX	575	4.6	32	1	2	3	6	10	15	32
A. Not Operated	37	2.6	7	< 1	1	2	3	6	7	14
B. Operated	814	3.9	24	1	1	2	4	8	12	23
TOTAL										
0-19 YRS	334	1.9	3	1	1	1	2	3	4	8
20-34	60	2.5	4	1	1	2	3	5	7	10
35-49	55	3.4	6	1	2	3	4	6	8	14
50-64	97	3.8	21	1	1	2	4	7	13	26
65 +	305	6.2	43	1	2	4	7	13	18	38
GRAND TOTAL	**851**	**3.8**	**24**	**1**	**1**	**2**	**4**	**8**	**12**	**22**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	82	1.4	1	< 1	< 1	< 1	1	2	4	7
20-34	18	1.9	2	< 1	1	1	2	3	6	7
35-49	31	1.1		< 1	< 1	1	1	2	2	3
50-64	21	1.5		< 1	< 1	1	2	3	3	3
65 +	4	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	34	1.7	1	< 1	< 1	1	2	3	4	5
20-34	18	2.7	4	1	1	2	4	6	8	8
35-49	36	2.9	3	1	2	3	4	5	7	9
50-64	41	3.2	7	1	1	2	5	7	9	11
65 +	38	4.1	8	1	2	3	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	156	1.4	1	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	9	3.0	13	1	1	2	3	9	12	12
B. Operated	167	3.0	6	< 1	1	2	4	7	8	10
1. SINGLE DX	158	1.4	1	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX	176	3.0	6	< 1	1	2	4	7	9	11
A. Not Operated	11	2.6	11	< 1	1	1	3	7	12	12
B. Operated	323	2.2	4	< 1	< 1	1	3	5	7	10
TOTAL										
0-19 YRS	123	1.5	1	< 1	< 1	< 1	1	3	4	6
20-34	37	2.3	3	< 1	1	2	3	4	7	8
35-49	68	2.3	4	< 1	1	1	3	4	6	11
50-64	64	2.6	6	< 1	1	2	3	6	8	11
65 +	42	3.8	8	1	1	3	6	8	10	10
GRAND TOTAL	**334**	**2.2**	**4**	**< 1**	**< 1**	**1**	**3**	**5**	**7**	**10**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	18	1.5	2	< 1	< 1	1	1	3	5	6
20-34	55	2.7	3	1	1	3	4	5	6	7
35-49	157	2.6	3	1	1	2	3	5	5	9
50-64	142	2.9	3	1	1	2	4	5	7	8
65 +	85	3.2	6	1	2	3	4	5	6	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	14	3.4	8	< 1	1	3	6	8	9	9
65 +	18	4.4	24	< 1	2	2	7	9	16	21
B. Operated										
0-19 YRS	18	3.4	6	1	1	3	4	7	9	10
20-34	79	3.7	3	1	2	3	5	6	7	10
35-49	220	4.2	11	1	2	4	5	7	9	21
50-64	287	5.3	23	2	3	4	6	9	12	27
65 +	401	5.1	15	2	3	4	7	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated	457	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	37	3.8	15	< 1	1	2	5	8	9	21
B. Operated	1005	4.8	16	1	3	4	6	9	11	21
1. SINGLE DX	461	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	1042	4.8	16	1	3	4	6	8	11	21
A. Not Operated	41	3.7	14	< 1	1	2	5	8	9	21
B. Operated	1462	4.2	13	1	2	3	5	8	10	18
TOTAL										
0-19 YRS	37	2.4	5	< 1	< 1	1	3	6	7	10
20-34	136	3.3	3	1	2	3	4	6	7	9
35-49	381	3.5	8	1	2	3	5	6	8	12
50-64	443	4.4	18	1	2	4	6	8	11	20
65 +	506	4.8	14	1	2	4	6	9	11	20
GRAND TOTAL	**1503**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	2.3	1	< 1	1	3	3	3	3	3
50-64	7	2.3	1	< 1	1	2	3	4	4	4
65 +	3	4.0	9	1	2	4	6	7	7	7
B. Operated										
0-19 YRS	8	6.3	13	3	4	5	7	12	14	14
20-34	2	3.5	13	< 1	< 1	3	6	6	6	6
35-49	5	4.0	9	1	2	3	5	9	9	9
50-64	9	5.2	2	3	4	6	6	7	7	7
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.0	34	< 1	1	4	7	15	15	15
20-34	27	3.3	4	1	2	3	5	6	7	10
35-49	112	3.3	3	1	2	3	4	6	6	9
50-64	186	3.5	4	1	2	3	4	6	7	11
65 +	225	4.1	5	2	3	4	5	7	8	12
B. Operated										
0-19 YRS	18	11.1	76	4	5	7	18	23	30	34
20-34	25	5.9	10	2	4	5	8	9	13	15
35-49	64	6.3	30	2	4	5	8	9	11	37
50-64	87	4.7	7	2	3	4	6	8	11	14
65 +	88	7.6	33	2	4	7	10	14	20	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.8	3	< 1	1	3	4	4	6	7
B. Operated	26	5.0	8	1	3	5	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	555	3.7	5	1	2	3	5	6	8	12
B. Operated	282	6.5	27	2	4	5	8	11	15	34
1. SINGLE DX	42	4.2	7	1	3	4	6	7	8	14
2. MULTIPLE DX	837	4.6	14	2	2	4	6	8	10	22
A. Not Operated	571	3.6	4	1	2	3	5	6	8	12
B. Operated	308	6.3	26	2	3	5	8	11	15	34
TOTAL										
0-19 YRS	32	8.7	57	3	4	6	9	21	23	34
20-34	56	4.5	9	1	2	4	6	8	10	15
35-49	184	4.3	15	1	2	4	5	8	9	21
50-64	289	3.9	5	1	2	3	5	7	8	12
65 +	318	5.0	15	2	3	4	6	9	12	27
GRAND TOTAL	**879**	**4.6**	**14**	**2**	**2**	**4**	**6**	**8**	**10**	**22**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	9	2.3	5	< 1	1	1	3	6	6	6
50-64	10	2.8	14	< 1	1	2	3	8	13	13
65 +	12	1.4	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	6	5.2	13	< 1	2	5	7	11	11	11
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	5	7.6	3	6	6	7	9	10	10	10
50-64	16	3.6	21	1	2	2	3	6	16	20
65 +	18	4.1	10	1	1	3	7	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	36	2.0	5	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	49	4.3	14	1	2	3	6	9	11	20
1. SINGLE DX	38	1.9	5	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX	51	4.3	13	1	2	3	6	9	11	20
A. Not Operated	4	2.3	6	1	1	1	4	6	6	6
B. Operated	85	3.4	11	< 1	1	2	4	7	10	18
TOTAL										
0-19 YRS	9	3.9	12	< 1	< 1	2	6	9	11	11
20-34	6	2.3	5	< 1	1	1	2	7	7	7
35-49	15	4.0	11	< 1	1	2	6	9	10	10
50-64	27	3.2	17	1	1	2	3	6	14	20
65 +	32	3.1	8	< 1	1	2	4	7	10	11
GRAND TOTAL	**89**	**3.3**	**11**	**< 1**	**1**	**2**	**4**	**7**	**10**	**17**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	3.0	12	< 1	< 1	1	5	7	7	7
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	4	2.3		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	16	3.1	15	< 1	1	1	4	7	13	16
20-34	26	3.0	12	1	1	2	3	5	10	18
35-49	55	3.1	9	1	1	2	4	7	8	18
50-64	62	3.6	8	1	1	3	5	8	10	11
65 +	45	3.5	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	0									
35-49	6	2.8	5	1	1	2	5	6	6	6
50-64	7	4.9	25	2	2	3	5	14	16	16
65 +	37	5.8	17	2	3	5	7	11	15	21
B. Operated										
0-19 YRS	11	7.2	25	1	2	8	11	14	16	16
20-34	34	5.3	16	1	2	4	8	11	14	17
35-49	110	5.5	12	2	3	5	7	10	13	18
50-64	156	7.9	65	2	4	6	10	15	23	45
65 +	330	9.2	77	2	4	7	12	18	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.3	3	< 1	1	2	3	5	7	7
B. Operated	204	3.3	8	1	1	2	4	7	8	17
2. MULTIPLE DX										
A. Not Operated	52	5.2	17	2	2	4	6	10	15	21
B. Operated	641	8.0	61	2	3	6	10	16	20	40
1. SINGLE DX	215	3.3	8	1	1	2	4	7	8	17
2. MULTIPLE DX	693	7.8	58	2	3	6	10	16	20	37
A. Not Operated	63	4.7	16	1	2	4	6	9	14	20
B. Operated	845	6.9	52	1	3	5	9	14	18	31
TOTAL										
0-19 YRS	29	4.6	21	< 1	1	3	7	12	16	16
20-34	61	4.2	15	1	2	3	5	9	13	18
35-49	174	4.6	12	1	2	4	7	9	11	18
50-64	228	6.6	51	1	2	5	9	13	17	31
65 +	416	8.2	67	2	3	6	11	17	22	40
GRAND TOTAL	**908**	**6.7**	**50**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	2.2	9	1	1	2	2	4	5	54
20-34	55	3.8	5	1	2	3	5	6	8	13
35-49	120	3.9	5	1	2	4	5	7	9	10
50-64	127	3.9	8	2	2	3	4	7	8	18
65 +	86	4.1	7	2	2	3	6	7	9	12
B. Operated										
0-19 YRS	112	5.6	11	2	4	5	7	9	12	20
20-34	29	7.4	9	4	5	7	8	13	14	14
35-49	55	8.1	13	4	6	8	10	12	16	20
50-64	52	9.2	28	4	6	8	11	15	20	31
65 +	32	11.4	98	5	7	9	12	21	26	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	4.3	38	1	2	3	5	8	10	32
20-34	135	4.7	15	1	2	4	6	8	10	22
35-49	290	4.8	11	2	3	4	6	9	12	16
50-64	484	5.5	12	2	3	5	7	10	12	17
65 +	1284	6.6	24	2	4	5	8	12	15	29
B. Operated										
0-19 YRS	183	10.1	87	3	5	8	12	22	34	99 +
20-34	122	11.5	103	4	7	9	13	17	23	65
35-49	218	12.8	74	6	7	10	16	24	33	52
50-64	374	14.2	139	6	8	11	16	24	34	70
65 +	895	15.6	120	6	9	12	20	29	38	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	505	3.5	8	1	2	3	5	7	8	14
B. Operated	280	7.6	28	3	5	7	9	13	16	26
2. MULTIPLE DX										
A. Not Operated	2345	5.9	21	2	3	5	7	11	14	22
B. Operated	1792	14.1	117	6	8	11	17	26	35	76
1. SINGLE DX	785	5.0	19	1	2	4	7	9	12	21
2. MULTIPLE DX	4137	9.5	79	3	4	7	12	19	25	55
A. Not Operated	2850	5.5	19	2	3	4	7	10	13	22
B. Operated	2072	13.2	110	5	7	10	16	25	33	69
TOTAL										
0-19 YRS	564	6.0	52	1	2	4	7	12	18	65
20-34	341	7.2	55	2	3	5	9	13	17	52
35-49	683	7.5	45	2	3	6	9	15	20	37
50-64	1037	8.6	76	2	4	6	11	17	22	46
65 +	2297	10.1	81	3	4	8	12	21	27	55
GRAND TOTAL	**4922**	**8.8**	**72**	**2**	**4**	**6**	**11**	**17**	**24**	**50**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	889	2.3	3	1	1	2	3	4	5	8
20-34	255	2.1	2	1	1	2	3	4	4	6
35-49	150	2.5	2	1	1	2	3	4	6	7
50-64	70	2.9	4	1	1	3	3	6	7	9
65 +	36	2.4	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	46	5.2	107	< 1	1	3	5	8	12	71
20-34	39	3.1	5	< 1	2	3	4	5	8	12
35-49	23	3.7	10	< 1	< 1	3	5	8	10	13
50-64	17	2.6	4	< 1	< 1	2	4	6	7	7
65 +	7	2.1	4	< 1	< 1	< 1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2863	2.9	5	1	2	2	3	5	6	10
20-34	640	2.7	3	1	2	2	3	5	6	8
35-49	532	3.5	7	1	2	3	4	6	8	17
50-64	532	4.1	9	1	2	3	5	8	10	15
65 +	973	5.1	15	2	3	4	6	9	12	20
B. Operated										
0-19 YRS	137	7.9	96	1	3	5	8	21	37	99 +
20-34	91	5.5	18	2	3	5	7	10	14	23
35-49	109	5.7	25	1	3	5	7	10	16	30
50-64	118	7.1	54	1	3	5	9	16	26	61
65 +	222	9.8	100	2	4	7	12	19	24	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1400	2.3	2	1	1	2	3	4	5	8
B. Operated	132	3.8	42	< 1	1	3	4	7	9	24
2. MULTIPLE DX										
A. Not Operated	5540	3.4	8	1	2	3	4	6	8	15
B. Operated	677	7.7	70	2	3	5	9	17	23	52
1. SINGLE DX	1532	2.4	6	1	1	2	3	4	5	9
2. MULTIPLE DX	6217	3.9	16	1	2	3	5	7	10	20
A. Not Operated	6940	3.2	7	1	2	3	4	6	8	14
B. Operated	809	7.1	68	1	3	5	8	15	22	51
TOTAL										
0-19 YRS	3935	2.9	10	1	2	2	3	5	6	14
20-34	1025	2.8	5	1	1	2	4	5	7	11
35-49	814	3.6	10	1	2	3	4	6	8	17
50-64	737	4.4	17	1	2	3	5	8	12	24
65 +	1238	5.9	33	2	3	4	7	11	15	28
GRAND TOTAL	**7749**	**3.6**	**15**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	18	4.5	4	2	3	4	5	8	9	9
35-49	152	4.4	4	2	3	4	6	7	8	10
50-64	191	4.3	6	< 1	3	4	6	7	8	12
65 +	145	3.2	5	< 1	< 1	3	5	6	7	9
B. Operated										
0-19 YRS	0									
20-34	10	6.9	3	5	5	7	8	9	10	10
35-49	41	7.6	10	5	6	7	10	12	13	15
50-64	50	7.5	7	4	6	7	9	10	12	15
65 +	14	7.6	2	5	7	8	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	24	4.0	3	2	3	4	5	7	7	7
35-49	214	4.7	5	2	3	5	6	7	8	13
50-64	518	5.1	7	2	3	5	6	9	10	14
65 +	1648	6.1	15	2	4	5	8	10	13	19
B. Operated										
0-19 YRS	3	11.0	48	7	7	7	16	19	19	19
20-34	27	8.0	19	3	5	7	10	16	18	18
35-49	185	9.9	22	6	7	9	11	15	19	33
50-64	395	10.9	57	4	7	9	13	20	25	40
65 +	836	11.9	87	4	6	9	14	22	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	506	4.0	5	< 1	2	4	5	7	8	10
B. Operated	115	7.5	7	5	6	7	9	11	12	15
2. MULTIPLE DX										
A. Not Operated	2404	5.7	12	2	3	5	7	10	12	18
B. Operated	1446	11.3	69	4	7	9	13	20	27	49
1. SINGLE DX	621	4.6	8	< 1	3	4	6	8	10	12
2. MULTIPLE DX	3850	7.8	41	3	4	6	9	14	19	32
A. Not Operated	2910	5.4	12	2	3	5	7	9	12	17
B. Operated	1561	11.0	66	4	7	9	13	20	26	45
TOTAL										
0-19 YRS	3	11.0	48	7	7	7	16	19	19	19
20-34	79	5.8	11	2	4	5	7	10	12	18
35-49	592	6.4	16	2	4	6	8	11	14	22
50-64	1154	7.1	32	2	4	6	9	13	17	28
65 +	2643	7.8	45	2	4	6	9	14	19	35
GRAND TOTAL	**4471**	**7.4**	**38**	**2**	**4**	**6**	**9**	**13**	**18**	**30**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.9	1	< 1	1	2	2	3	4	4
20-34	6	2.3	2	< 1	< 1	2	3	5	5	5
35-49	6	1.8	1	1	1	2	2	3	3	3
50-64	5	2.8	3	< 1	1	2	[illegible]	5	5	5
65 +	0									
B. Operated										
0-19 YRS	54	2.5	5	< 1	1	2	3	5	6	15
20-34	178	2.1	3	1	1	2	2	4	6	9
35-49	175	2.1	3	< 1	1	1	2	4	6	10
50-64	56	1.8	2	< 1	1	1	2	3	5	7
65 +	19	2.2	2	< 1	1	1	4	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.8	12	1	1	3	5	7	12	15
20-34	21	5.4	18	1	2	4	8	12	15	16
35-49	18	2.9	6	1	1	2	4	6	8	10
50-64	15	4.9	12	< 1	1	6	7	8	12	13
65 +	24	6.0	23	1	2	5	8	11	18	20
B. Operated										
0-19 YRS	39	4.7	38	< 1	1	2	6	16	24	99 +
20-34	171	4.0	37	1	1	3	4	9	10	36
35-49	256	3.7	16	1	2	2	4	8	10	23
50-64	207	4.3	38	1	1	2	5	9	14	31
65 +	106	6.0	48	1	2	3	8	14	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.1	1	< 1	1	2	3	4	5	5
B. Operated	482	2.1	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	95	4.7	16	1	2	3	7	10	14	19
B. Operated	779	4.3	32	1	1	2	5	9	14	30
1. SINGLE DX	509	2.1	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	874	4.3	31	1	1	3	5	9	14	29
A. Not Operated	122	4.1	14	1	2	3	6	8	11	18
B. Operated	1261	3.4	22	1	1	2	4	7	10	25
TOTAL										
0-19 YRS	120	3.4	17	< 1	1	2	4	7	15	50
20-34	376	3.1	21	1	1	2	3	6	9	18
35-49	455	3.0	11	1	1	2	4	6	9	18
50-64	283	3.8	30	1	1	2	4	8	12	29
65 +	149	5.5	40	1	2	3	7	12	18	25
GRAND TOTAL	**1383**	**3.5**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.2	3	1	2	3	4	6	6	7
20-34	33	3.0	4	< 1	2	2	4	7	7	8
35-49	24	4.0	4	2	2	4	5	7	8	9
50-64	18	3.8	5	< 1	2	4	5	7	8	8
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	11	2.8	1	1	2	3	4	4	4	4
20-34	4	2.3	4	< 1	< 1	1	3	5	5	5
35-49	5	5.2	11	3	3	4	6	11	11	11
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	3.1	5	1	2	3	4	5	7	12
20-34	68	4.4	8	2	2	4	6	8	9	16
35-49	70	4.2	6	2	3	4	5	8	9	12
50-64	57	4.8	7	2	3	4	6	9	11	14
65 +	75	5.3	19	2	3	4	6	11	13	23
B. Operated										
0-19 YRS	6	2.5	2	1	1	2	4	4	4	4
20-34	18	4.4	6	2	3	4	6	8	10	11
35-49	26	5.5	7	2	4	5	7	9	10	11
50-64	24	5.4	6	3	4	5	7	10	10	10
65 +	28	10.5	77	4	5	8	13	17	23	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	3.4	4	1	2	3	5	7	7	9
B. Operated	21	3.5	6	1	2	3	4	6	9	11
2. MULTIPLE DX										
A. Not Operated	304	4.5	10	2	3	4	5	8	11	18
B. Operated	102	6.5	32	2	4	5	7	11	15	33
1. SINGLE DX	125	3.4	4	1	2	3	4	7	7	9
2. MULTIPLE DX	406	5.0	16	2	3	4	6	9	11	20
A. Not Operated	408	4.2	9	1	2	4	5	8	9	15
B. Operated	123	6.0	28	2	3	5	7	11	14	28
TOTAL										
0-19 YRS	78	3.1	3	1	2	3	4	5	6	11
20-34	123	3.9	7	1	2	3	5	7	9	15
35-49	125	4.5	6	2	3	4	6	8	9	12
50-64	99	4.7	7	2	3	4	6	8	10	13
65 +	106	6.6	39	2	3	5	8	13	18	34
GRAND TOTAL	**531**	**4.6**	**14**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	5.8	19	1	3	5	7	10	13	25
20-34	60	5.1	8	2	3	5	6	9	12	16
35-49	32	4.6	4	2	3	5	6	7	8	10
50-64	14	5.5	11	2	3	5	8	11	12	12
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	57	9.5	106	2	3	6	11	24	29	52
20-34	58	7.2	33	1	4	6	9	11	14	38
35-49	37	6.9	42	2	3	5	8	12	15	39
50-64	11	8.0	39	< 1	1	9	12	16	18	18
65 +	3	5.7	14	3	3	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	6.0	26	2	3	5	7	11	17	29
20-34	152	5.4	9	2	3	5	7	9	12	15
35-49	113	5.8	15	3	4	4	7	11	12	22
50-64	48	4.8	5	2	3	4	6	9	9	11
65 +	64	6.3	14	3	4	6	7	10	13	26
B. Operated										
0-19 YRS	144	14.5	200	3	6	9	21	32	42	66
20-34	194	12.1	83	4	7	10	15	23	31	81
35-49	174	11.2	89	4	6	8	12	22	34	45
50-64	99	10.7	56	3	6	9	14	18	24	43
65 +	104	12.0	107	4	6	9	16	21	38	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	5.2	11	2	3	5	6	9	12	16
B. Operated	166	7.9	61	1	4	6	10	14	21	45
2. MULTIPLE DX										
A. Not Operated	468	5.7	14	2	3	5	7	10	12	19
B. Operated	715	12.2	109	4	6	9	15	24	34	59
1. SINGLE DX	316	6.7	39	1	3	5	8	12	16	39
2. MULTIPLE DX	1183	9.6	81	3	4	7	11	20	27	54
A. Not Operated	618	5.6	13	2	3	5	7	10	12	18
B. Operated	881	11.4	102	3	5	8	14	23	33	56
TOTAL										
0-19 YRS	335	10.2	128	2	4	6	11	25	32	58
20-34	464	8.4	53	3	4	6	10	16	22	50
35-49	356	8.4	60	3	4	6	10	16	24	42
50-64	172	8.5	44	2	4	7	11	16	20	34
65 +	172	9.7	78	3	5	7	11	19	27	55
GRAND TOTAL	**1499**	**9.0**	**74**	**3**	**4**	**7**	**10**	**18**	**25**	**52**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.8	20	1	2	6	9	10	10	10
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	6	9.0	27	2	5	9	11	16	17	17
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	4	7.3	11	4	4	7	10	11	11	11
50-64	2	14.5	25	11	11	14	18	18	18	18
65 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	5.7	13	2	3	5	7	10	13	17
20-34	24	6.6	17	2	4	6	9	11	15	19
35-49	62	6.4	22	2	3	5	9	11	13	30
50-64	43	6.8	25	2	3	6	8	12	19	23
65 +	44	9.1	51	2	5	7	12	17	23	36
B. Operated										
0-19 YRS	54	13.9	110	4	7	12	17	29	33	50
20-34	28	13.6	235	4	6	10	15	21	38	84
35-49	56	12.5	42	6	8	11	17	23	26	95
50-64	48	15.1	107	6	10	12	17	32	46	99 +
65 +	35	21.9	265	7	10	17	31	48	56	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.4	10	1	1	4	7	9	10	10
B. Operated	16	8.7	25	3	4	9	11	17	18	18
2. MULTIPLE DX										
A. Not Operated	244	6.8	25	2	3	6	9	12	16	31
B. Operated	221	15.0	140	5	8	12	18	31	41	88
1. SINGLE DX	27	6.9	23	1	3	5	10	14	17	18
2. MULTIPLE DX	465	10.7	97	3	5	8	14	21	31	56
A. Not Operated	255	6.7	25	2	3	5	9	12	16	30
B. Operated	237	14.6	134	5	8	11	17	30	38	86
TOTAL										
0-19 YRS	135	9.1	67	2	4	7	12	17	25	49
20-34	57	9.9	136	3	5	7	11	19	21	80
35-49	124	9.2	40	3	5	8	12	19	24	52
50-64	94	11.1	84	3	5	10	14	23	32	78
65 +	82	14.4	181	3	6	10	17	32	41	67
GRAND TOTAL	**492**	**10.5**	**93**	**3**	**5**	**8**	**13**	**20**	**31**	**56**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	1.9	1	< 1	1	2	2	3	5	6
20-34	27	2.3	3	< 1	1	2	3	4	6	9
35-49	41	3.3	6	1	2	2	5	6	8	11
50-64	23	2.6	6	< 1	1	1	4	6	8	9
65 +	21	2.8	4	1	2	2	3	6	7	9
B. Operated										
0-19 YRS	76	3.1	6	< 1	1	2	4	6	8	13
20-34	36	3.8	7	< 1	1	3	6	7	8	10
35-49	45	4.3	20	< 1	1	2	6	11	13	23
50-64	35	6.8	61	< 1	1	5	10	14	22	38
65 +	20	6.3	39	1	2	5	8	10	20	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	237	3.5	13	1	1	2	4	7	11	20
20-34	100	4.3	16	1	2	3	5	9	12	21
35-49	123	4.7	14	1	2	4	7	9	12	18
50-64	218	4.2	10	1	2	4	6	8	11	18
65 +	847	5.6	20	2	3	4	7	11	15	23
B. Operated										
0-19 YRS	182	8.9	153	1	2	6	10	20	34	98
20-34	218	7.9	88	1	2	5	9	17	28	54
35-49	361	7.6	83	1	2	5	9	16	28	44
50-64	433	8.7	82	1	3	6	10	21	29	48
65 +	899	11.2	139	2	4	8	14	25	35	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	2.4	3	< 1	1	2	3	5	6	10
B. Operated	212	4.4	23	< 1	1	3	6	9	12	25
2. MULTIPLE DX										
A. Not Operated	1525	4.9	17	1	2	4	6	10	13	20
B. Operated	2093	9.5	116	2	3	6	12	21	33	67
1. SINGLE DX	424	3.4	14	< 1	1	2	4	7	10	21
2. MULTIPLE DX	3618	7.6	79	1	3	5	9	16	25	48
A. Not Operated	1737	4.6	16	1	2	3	6	9	13	20
B. Operated	2305	9.1	110	1	3	6	11	20	31	65
TOTAL										
0-19 YRS	595	4.8	60	1	1	3	5	10	16	43
20-34	381	6.1	59	1	2	4	7	13	18	47
35-49	570	6.4	60	1	2	4	7	13	21	42
50-64	709	7.0	61	1	2	5	8	16	24	44
65 +	1787	8.4	88	2	3	6	10	17	28	52
GRAND TOTAL	**4042**	**7.2**	**74**	**1**	**2**	**5**	**8**	**15**	**23**	**47**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.7	5	1	2	5	5	5	5	5
35-49	5	5.0	8	2	3	4	8	8	8	8
50-64	3	4.0	3	3	3	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	4.8	17	1	1	4	8	10	10	10
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	55	6.1	30	2	3	5	7	11	17	35
35-49	226	8.2	58	2	4	6	10	16	26	38
50-64	192	8.5	54	3	4	6	11	17	21	38
65 +	90	9.9	77	3	4	8	14	18	24	52
B. Operated										
0-19 YRS	0									
20-34	22	8.4	40	1	4	7	11	18	21	25
35-49	105	11.5	97	3	5	8	15	22	32	51
50-64	124	11.3	125	2	5	8	14	24	33	60
65 +	53	9.2	75	1	4	6	12	20	28	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.4	5	2	3	4	6	8	8	8
B. Operated	6	5.2	14	1	2	4	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	563	8.4	58	3	4	6	11	17	22	38
B. Operated	304	10.8	101	2	5	8	13	21	32	51
1. SINGLE DX	17	4.6	8	1	3	4	7	9	10	10
2. MULTIPLE DX	867	9.2	74	2	4	7	12	18	26	49
A. Not Operated	574	8.3	57	3	4	6	10	17	22	38
B. Operated	310	10.7	99	2	5	8	13	21	32	51
TOTAL										
0-19 YRS	0									
20-34	80	6.7	33	2	3	5	8	13	18	33
35-49	337	9.2	72	3	4	7	11	19	26	46
50-64	323	9.5	82	2	4	7	12	18	26	50
65 +	144	9.7	75	3	4	7	13	19	27	44
GRAND TOTAL	**884**	**9.1**	**73**	**2**	**4**	**7**	**12**	**18**	**26**	**49**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	1.8	1	< 1	< 1	1	2	3	3	3
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	2	9.5	1	9	9	9	10	10	10	10
B. Operated										
0-19 YRS	15	3.0	4	1	1	2	4	7	7	7
20-34	22	1.3	2	< 1	1	1	1	2	4	7
35-49	25	1.5	3	1	1	1	1	2	6	9
50-64	21	2.0	12	< 1	1	1	2	3	10	17
65 +	5	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.8	4	2	2	3	5	7	8	8
20-34	16	6.3	20	1	3	5	10	13	14	15
35-49	61	6.5	33	2	3	5	8	13	18	32
50-64	86	6.7	32	2	3	5	10	14	20	26
65 +	112	9.0	42	4	5	7	11	17	25	31
B. Operated										
0-19 YRS	42	7.4	162	1	1	2	7	21	33	70
20-34	26	4.1	17	1	1	3	6	8	15	16
35-49	73	10.9	243	1	1	6	13	27	47	85
50-64	115	9.3	182	1	2	6	10	18	45	99 +
65 +	111	10.3	94	1	3	7	14	24	30	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.7	11	< 1	1	3	5	9	10	10
B. Operated	88	1.8	5	1	1	1	1	4	7	14
2. MULTIPLE DX										
A. Not Operated	288	7.4	36	2	3	6	10	15	19	29
B. Operated	367	9.3	155	1	2	6	11	21	34	83
1. SINGLE DX	101	2.1	6	1	1	1	2	5	8	13
2. MULTIPLE DX	655	8.5	103	1	3	6	10	18	26	70
A. Not Operated	301	7.2	35	2	3	6	9	15	19	28
B. Operated	455	7.9	135	1	1	4	10	18	31	72
TOTAL										
0-19 YRS	73	5.6	98	1	1	2	6	10	21	62
20-34	65	3.8	16	1	1	1	5	9	13	16
35-49	163	7.6	133	1	1	4	9	17	27	67
50-64	225	7.6	111	1	2	5	10	16	24	89
65 +	230	9.4	67	2	4	7	13	20	26	40
GRAND TOTAL	**756**	**7.6**	**95**	**1**	**2**	**5**	**10**	**17**	**25**	**67**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	9.8	427	1	2	4	5	22	61	95
20-34	18	3.8	4	2	2	3	5	7	8	8
35-49	15	3.7	4	1	3	3	4	8	8	8
50-64	10	3.7	3	2	2	4	5	6	6	6
65 +	3	6.3	85	< 1	< 1	1	13	17	17	17
B. Operated										
0-19 YRS	10	2.6	3	< 1	1	2	3	5	6	6
20-34	6	4.2	9	1	1	4	7	8	8	8
35-49	3	1.0		1	1	1	1	1	1	1
50-64	9	1.3		1	1	1	2	2	2	2
65 +	7	4.9	52	1	1	3	4	18	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	5.7	19	1	3	4	8	13	15	18
20-34	51	5.4	21	2	3	4	6	9	12	31
35-49	128	7.3	33	2	3	6	9	14	20	30
50-64	203	7.2	33	2	3	6	10	15	18	30
65 +	198	9.5	80	3	4	7	11	19	26	52
B. Operated										
0-19 YRS	59	13.4	432	1	1	3	14	57	78	99 +
20-34	25	12.8	94	1	5	11	22	24	32	33
35-49	75	16.6	406	1	6	9	19	44	83	99
50-64	68	11.9	76	3	6	9	17	24	27	91
65 +	99	15.0	103	5	8	12	19	28	36	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	5.8	146	1	2	3	5	8	15	85
B. Operated	35	2.9	13	1	1	1	3	6	8	21
2. MULTIPLE DX										
A. Not Operated	619	7.7	48	2	4	6	10	15	21	35
B. Operated	326	14.3	226	2	5	10	18	32	51	99 +
1. SINGLE DX	103	4.8	103	1	1	3	5	7	11	65
2. MULTIPLE DX	945	10.0	119	2	4	7	12	22	30	67
A. Not Operated	687	7.5	58	2	3	5	9	15	20	38
B. Operated	361	13.2	217	1	4	8	17	31	49	99
TOTAL										
0-19 YRS	130	9.7	284	1	2	4	9	33	57	99 +
20-34	100	6.9	47	1	3	5	8	14	23	32
35-49	221	10.1	179	2	3	6	11	20	33	89
50-64	290	8.0	46	2	3	6	10	17	22	33
65 +	307	11.2	94	3	5	8	14	23	29	51
GRAND TOTAL	**1048**	**9.5**	**119**	**2**	**3**	**6**	**11**	**21**	**29**	**67**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.0	1	< 1	1	2	3	4	4	4
20-34	78	2.3	3	1	1	2	3	4	6	9
35-49	72	2.2	2	1	1	2	3	4	5	7
50-64	41	2.7	2	1	2	2	3	4	5	6
65 +	27	3.6	5	1	2	3	6	7	7	8
B. Operated										
0-19 YRS	111	3.5	7	1	2	3	4	6	7	14
20-34	1202	3.2	3	1	2	3	4	5	6	9
35-49	1181	3.1	3	1	2	3	4	5	7	9
50-64	820	3.3	4	1	2	3	4	6	7	10
65 +	288	3.8	5	1	2	3	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.7	17	1	1	3	3	9	15	15
20-34	122	2.9	4	< 1	1	2	4	5	8	10
35-49	155	3.5	6	1	2	3	4	6	7	15
50-64	207	3.5	6	1	2	3	5	7	9	11
65 +	509	5.6	18	2	3	4	7	10	13	24
B. Operated										
0-19 YRS	131	5.4	10	2	4	5	7	9	11	19
20-34	1233	4.8	12	2	3	4	6	8	10	16
35-49	1719	4.7	11	1	3	4	6	8	10	15
50-64	1929	6.0	25	2	3	5	7	11	14	22
65 +	2876	8.1	40	3	4	7	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	230	2.5	3	1	1	2	3	5	6	8
B. Operated	3602	3.2	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	1003	4.5	13	1	2	3	6	9	11	20
B. Operated	7888	6.3	27	2	3	5	8	11	15	27
1. SINGLE DX	3832	3.2	4	1	2	3	4	6	7	9
2. MULTIPLE DX	8891	6.1	26	2	3	5	8	11	15	26
A. Not Operated	1233	4.1	12	1	2	3	5	8	10	17
B. Operated	11490	5.3	22	1	3	4	7	10	13	23
TOTAL										
0-19 YRS	264	4.4	10	1	3	4	6	8	9	17
20-34	2635	3.9	8	1	2	3	5	7	8	13
35-49	3127	4.0	8	1	2	4	5	7	9	14
50-64	2997	5.0	19	1	3	4	6	9	12	20
65 +	3700	7.4	36	2	4	6	9	14	18	32
GRAND TOTAL	**12723**	**5.2**	**21**	**1**	**3**	**4**	**6**	**10**	**13**	**23**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	29	2.8	2	1	2	2	3	5	5	6
35-49	22	2.9	4	1	2	2	4	5	7	9
50-64	17	2.2	3	1	1	1	3	4	6	7
65 +	7	3.1	2	1	2	3	4	6	6	6
B. Operated										
0-19 YRS	11	4.1	7	1	2	4	5	8	9	9
20-34	105	3.6	7	1	2	3	4	7	8	14
35-49	142	3.5	6	1	1	3	4	7	9	12
50-64	53	3.5	5	1	2	3	4	7	8	10
65 +	16	4.2	6	1	2	4	6	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.5	5	1	3	5	6	7	8	8
20-34	37	3.7	5	1	2	3	5	7	9	10
35-49	64	5.0	14	2	3	4	6	10	11	22
50-64	60	5.0	9	1	3	5	6	9	11	14
65 +	118	6.5	16	2	4	6	8	12	14	19
B. Operated										
0-19 YRS	9	4.0	9	1	1	3	6	9	9	9
20-34	131	5.4	20	1	3	4	7	12	14	22
35-49	252	5.4	17	2	3	4	6	9	14	19
50-64	192	6.5	22	2	3	6	8	13	16	29
65 +	232	10.3	70	3	5	8	12	19	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.7	3	1	2	2	3	5	6	8
B. Operated	327	3.6	6	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	289	5.4	13	2	3	4	7	10	13	18
B. Operated	816	7.1	38	2	3	5	9	14	18	35
1. SINGLE DX	406	3.4	6	1	2	3	4	7	8	12
2. MULTIPLE DX	1105	6.6	32	2	3	5	8	13	17	32
A. Not Operated	368	4.8	12	1	2	4	6	10	11	17
B. Operated	1143	6.1	31	1	3	5	8	12	16	32
TOTAL										
0-19 YRS	34	4.0	6	1	2	4	5	8	9	9
20-34	302	4.3	13	1	2	3	5	9	12	20
35-49	480	4.7	14	1	2	4	6	9	11	19
50-64	322	5.5	18	1	3	5	7	10	14	23
65 +	373	8.7	53	2	4	7	10	16	22	43
GRAND TOTAL	**1511**	**5.8**	**27**	**1**	**3**	**4**	**7**	**11**	**15**	**27**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	6	3.8	8	1	2	3	5	9	9	9
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	6	4.5	5	2	2	5	6	7	7	7
20-34	30	5.2	6	2	3	5	7	8	8	12
35-49	23	4.9	14	1	2	4	6	11	14	15
50-64	24	5.9	7	3	4	6	8	9	11	11
65 +	30	4.6	12	1	2	3	6	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	10	4.1	5	1	2	4	6	7	7	7
50-64	16	3.4	3	2	2	3	4	6	7	7
65 +	46	6.3	12	3	4	6	8	12	13	18
B. Operated										
0-19 YRS	7	7.9	7	4	6	9	10	11	11	11
20-34	66	6.5	8	3	5	6	8	10	11	15
35-49	70	7.2	68	2	4	6	8	13	14	58
50-64	105	8.4	23	3	5	8	11	15	18	23
65 +	336	10.7	61	3	6	9	13	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.6	4	1	1	2	3	5	8	9
B. Operated	113	5.1	9	2	3	5	7	8	11	14
2. MULTIPLE DX										
A. Not Operated	77	5.2	10	2	3	5	6	9	12	17
B. Operated	584	9.3	51	3	5	8	11	16	21	40
1. SINGLE DX	129	4.8	9	1	2	5	6	8	11	14
2. MULTIPLE DX	661	8.9	48	3	5	7	11	15	20	38
A. Not Operated	93	4.8	10	2	3	4	6	8	12	16
B. Operated	697	8.6	46	3	5	7	11	15	20	37
TOTAL										
0-19 YRS	14	5.9	10	2	3	6	9	10	11	11
20-34	106	5.8	8	2	4	6	8	9	11	13
35-49	109	6.2	49	1	3	5	7	12	13	40
50-64	148	7.3	21	2	4	7	10	13	16	22
65 +	413	9.7	56	3	5	8	12	17	23	42
GRAND TOTAL	**790**	**8.2**	**44**	**2**	**4**	**7**	**10**	**15**	**19**	**34**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	5.6	19	1	2	4	10	12	12	12
20-34	7	3.6	5	< 1	1	3	6	6	6	6
35-49	6	4.7	5	2	2	5	6	8	8	8
50-64	10	3.2	4	1	2	3	5	6	6	6
65 +	6	3.5	2	2	3	3	4	6	6	6
B. Operated										
0-19 YRS	9	7.3	21	< 1	5	7	9	14	16	16
20-34	7	3.6	10	< 1	< 1	3	6	9	9	9
35-49	10	3.8	9	1	1	3	5	8	10	10
50-64	7	3.6	21	1	1	1	5	12	13	13
65 +	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	10.1	81	2	4	7	13	18	31	43
20-34	8	4.1	11	1	2	3	6	9	10	10
35-49	32	5.3	9	1	3	5	7	9	11	14
50-64	34	4.9	13	2	3	4	7	10	12	18
65 +	92	6.9	29	2	4	5	8	14	18	28
B. Operated										
0-19 YRS	17	17.8	229	2	8	11	26	37	52	59
20-34	25	6.1	22	2	2	4	9	14	15	16
35-49	50	8.9	135	1	4	6	11	19	23	76
50-64	60	10.3	44	3	5	10	14	18	21	34
65 +	126	11.7	75	4	7	10	15	21	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.0	7	1	2	3	6	6	10	12
B. Operated	36	4.5	15	1	1	3	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	197	6.7	33	2	3	5	8	14	16	31
B. Operated	278	10.8	88	2	5	8	14	21	25	55
1. SINGLE DX	72	4.3	11	1	2	3	6	9	11	15
2. MULTIPLE DX	475	9.1	69	2	4	7	12	18	23	42
A. Not Operated	233	6.3	30	2	3	5	7	13	15	30
B. Operated	314	10.1	84	2	4	8	14	20	25	50
TOTAL										
0-19 YRS	64	11.3	119	1	4	8	14	25	34	57
20-34	47	5.0	16	1	2	4	7	12	14	16
35-49	98	7.0	77	1	3	5	8	13	20	54
50-64	111	7.6	38	1	3	6	11	15	18	33
65 +	227	9.4	60	2	4	7	13	20	23	39
GRAND TOTAL	**547**	**8.4**	**64**	**2**	**4**	**6**	**11**	**17**	**22**	**39**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	5.5	20	2	2	4	7	14	16	16
20-34	99	4.4	5	2	3	4	5	8	9	11
35-49	104	4.5	7	1	2	4	6	8	9	15
50-64	53	4.7	9	2	3	4	6	8	10	18
65 +	26	5.5	9	3	3	5	7	10	11	12
B. Operated										
0-19 YRS	4	6.5	35	2	2	4	10	15	15	15
20-34	11	9.7	127	2	4	5	8	29	38	39
35-49	23	8.4	142	1	2	6	8	17	42	52
50-64	12	7.3	30	2	3	7	9	16	19	20
65 +	12	5.5	25	< 1	1	4	9	13	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.4	8	2	3	5	7	10	11	12
20-34	439	5.9	23	2	3	5	7	11	13	31
35-49	861	6.4	21	3	4	5	8	12	14	27
50-64	459	7.1	31	3	4	6	9	12	16	30
65 +	503	7.3	33	3	4	6	9	13	17	28
B. Operated										
0-19 YRS	22	11.0	272	2	5	7	10	16	49	81
20-34	149	16.9	364	4	6	9	20	42	59	96
35-49	303	15.1	162	4	7	11	20	30	40	79
50-64	241	13.5	155	4	7	10	17	27	35	75
65 +	301	13.6	132	5	7	10	16	26	34	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	4.6	7	2	3	4	6	8	10	15
B. Operated	62	7.7	86	1	2	6	8	15	28	50
2. MULTIPLE DX										
A. Not Operated	2297	6.6	26	3	4	5	8	12	15	28
B. Operated	1016	14.4	184	4	7	10	18	29	41	83
1. SINGLE DX	358	5.2	22	2	3	4	6	9	11	23
2. MULTIPLE DX	3313	9.0	87	3	4	6	10	18	26	54
A. Not Operated	2593	6.4	24	2	4	5	8	11	15	27
B. Operated	1078	14.0	181	4	6	10	17	28	40	81
TOTAL										
0-19 YRS	75	7.1	92	2	3	5	8	11	15	67
20-34	698	8.1	116	2	3	5	8	15	24	65
35-49	1291	8.3	69	3	4	6	9	16	24	45
50-64	765	8.9	78	3	4	7	10	17	25	52
65 +	842	9.5	77	3	5	7	11	19	24	46
GRAND TOTAL	**3671**	**8.6**	**82**	**3**	**4**	**6**	**10**	**17**	**24**	**51**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.4	5	< 1	1	2	3	4	5	14
20-34	21	1.7	1	1	1	1	2	3	4	5
35-49	19	3.6	4	1	2	3	5	7	8	8
50-64	23	2.8	5	< 1	1	2	5	7	36	99 +
65 +	19	3.2	5	< 1	1	2	5	7	8	8
B. Operated										
0-19 YRS	9	3.4	8	1	2	3	4	8	10	10
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	3	4.7	16	< 1	1	4	8	9	9	9
50-64	5	14.0	433	< 1	4	6	18	51	51	51
65 +	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	3.6	8	1	2	3	4	7	9	15
20-34	164	3.6	8	1	2	3	4	6	8	13
35-49	260	4.5	10	2	3	4	6	8	10	18
50-64	418	5.4	27	2	3	4	6	9	12	21
65 +	1329	6.0	20	2	3	5	7	11	14	22
B. Operated										
0-19 YRS	52	6.8	90	1	2	4	9	15	30	99
20-34	46	7.2	54	2	3	5	8	17	20	39
35-49	107	8.1	73	2	4	6	9	15	25	49
50-64	212	8.5	83	3	4	6	9	16	23	49
65 +	581	9.9	105	3	4	7	11	19	27	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	2.7	4	< 1	1	2	4	5	7	41
B. Operated	24	5.8	100	1	2	3	6	9	22	51
2. MULTIPLE DX										
A. Not Operated	2292	5.4	19	2	3	4	7	10	13	21
B. Operated	998	9.1	94	3	4	6	10	17	26	59
1. SINGLE DX	142	3.2	21	1	1	2	4	6	8	54
2. MULTIPLE DX	3290	6.6	45	2	3	5	8	12	17	36
A. Not Operated	2410	5.3	19	2	3	4	6	9	13	21
B. Operated	1022	9.1	94	3	4	6	10	17	26	59
TOTAL										
0-19 YRS	218	4.2	29	1	2	3	5	9	13	41
20-34	234	4.1	19	1	2	3	5	7	12	24
35-49	389	5.5	30	2	3	4	6	10	13	32
50-64	658	6.4	49	2	3	5	7	11	16	48
65 +	1933	7.2	48	2	4	5	8	13	18	36
GRAND TOTAL	**3432**	**6.4**	**44**	**2**	**3**	**5**	**7**	**12**	**17**	**36**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	3.1	4	1	2	3	4	5	6	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	8	4.8	9	1	2	5	7	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	12.0	49	5	7	12	17	19	19	19
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	7.1	83	2	3	4	7	13	25	51
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	5.6	7	2	3	6	7	9	9	9
50-64	9	7.0	15	3	4	5	9	13	15	15
65 +	12	6.7	9	3	4	7	9	10	13	13
B. Operated										
0-19 YRS	55	20.8	622	2	5	11	34	95	99 +	99 +
20-34	3	7.3	60	1	2	5	13	16	16	16
35-49	14	18.6	269	3	4	10	31	47	49	49
50-64	15	17.7	383	4	6	15	17	36	70	81
65 +	13	12.6	106	4	4	9	20	29	35	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.1	4	1	2	3	4	5	6	12
B. Operated	12	6.5	26	2	3	5	8	14	18	19
2. MULTIPLE DX										
A. Not Operated	102	7.0	64	2	3	5	8	12	20	48
B. Operated	100	18.6	454	3	5	11	28	70	99	99 +
1. SINGLE DX	51	3.9	11	1	2	3	4	7	12	19
2. MULTIPLE DX	202	12.7	289	2	4	6	15	36	72	99 +
A. Not Operated	141	5.9	50	2	3	4	6	11	15	42
B. Operated	112	17.3	422	2	4	9	25	52	96	99 +
TOTAL										
0-19 YRS	174	10.5	283	2	3	4	9	35	77	99 +
20-34	6	6.3	32	1	2	4	10	15	16	16
35-49	22	14.7	203	3	4	9	24	38	48	49
50-64	25	13.3	259	4	5	9	16	24	47	81
65 +	26	9.5	66	3	4	8	11	20	29	36
GRAND TOTAL	**253**	**10.9**	**246**	**2**	**3**	**5**	**11**	**32**	**52**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	4.2	6	1	2	4	5	8	9	13
20-34	5	4.8	16	1	2	4	7	11	11	11
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	96	2.9	17	1	1	2	2	6	8	28
20-34	12	1.8	2	< 1	1	1	3	4	4	4
35-49	16	2.1	4	1	1	1	3	4	7	9
50-64	7	1.7	2	1	1	1	2	4	5	5
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	5.4	17	2	3	4	7	10	13	18
20-34	21	4.9	6	2	3	4	6	9	10	10
35-49	12	4.5	18	1	1	3	6	11	14	15
50-64	22	5.0	7	1	3	5	7	9	9	9
65 +	28	7.6	28	2	4	6	10	15	16	24
B. Operated										
0-19 YRS	86	7.4	64	1	2	4	10	21	25	36
20-34	39	4.2	24	1	1	2	6	8	12	28
35-49	60	6.0	51	1	1	3	9	14	19	39
50-64	43	5.8	37	1	1	4	8	16	20	26
65 +	48	10.4	62	2	4	9	15	22	26	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	4.2	7	1	2	4	5	8	9	12
B. Operated	132	2.6	13	1	1	2	2	5	8	27
2. MULTIPLE DX										
A. Not Operated	235	5.5	17	2	3	4	7	10	13	19
B. Operated	276	6.9	54	1	2	4	10	17	23	35
1. SINGLE DX	238	3.3	11	1	1	2	4	6	9	15
2. MULTIPLE DX	511	6.3	37	1	2	4	8	14	18	29
A. Not Operated	341	5.1	14	1	3	4	7	10	12	17
B. Operated	408	5.5	45	1	1	2	7	14	21	31
TOTAL										
0-19 YRS	432	5.0	26	1	2	3	6	10	14	28
20-34	77	4.0	16	1	1	3	5	9	10	24
35-49	90	5.0	40	1	1	2	8	13	15	34
50-64	73	5.2	26	1	1	4	7	10	17	25
65 +	77	9.3	51	2	4	8	14	18	23	33
GRAND TOTAL	**749**	**5.3**	**31**	**1**	**2**	**4**	**7**	**11**	**16**	**28**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.4	7	2	2	4	6	9	9	9
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	5.4	9	2	3	5	7	9	10	17
20-34	4	3.5	7	1	1	3	5	7	7	7
35-49	6	7.2	55	2	2	4	10	20	21	21
50-64	4	4.5	4	2	3	4	6	7	7	7
65 +	25	9.2	137	3	4	6	9	17	32	61
B. Operated										
0-19 YRS	16	6.4	29	1	3	5	8	14	19	21
20-34	8	10.6	154	1	3	8	10	31	40	40
35-49	6	5.5	12	1	3	5	9	10	10	10
50-64	6	12.5	106	2	4	10	22	26	27	27
65 +	8	12.9	36	5	7	14	17	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.3	6	2	2	4	6	9	9	9
B. Operated	8	4.8	8	2	2	4	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	84	6.5	52	2	3	5	7	10	17	48
B. Operated	44	9.0	64	1	4	7	12	21	23	40
1. SINGLE DX	31	4.5	6	2	2	4	6	9	9	10
2. MULTIPLE DX	128	7.4	57	2	3	6	9	15	21	45
A. Not Operated	107	6.1	43	2	3	4	7	10	12	39
B. Operated	52	8.4	57	2	3	6	10	20	22	40
TOTAL										
0-19 YRS	83	5.3	12	2	3	4	7	9	11	20
20-34	18	6.6	79	1	2	4	7	11	28	40
35-49	13	6.4	29	2	3	5	9	12	19	21
50-64	12	8.8	67	2	3	5	12	23	26	27
65 +	33	10.1	113	4	5	7	11	19	23	61
GRAND TOTAL	**159**	**6.8**	**48**	**2**	**3**	**5**	**8**	**12**	**20**	**39**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	6.0	213	< 1	1	1	3	8	46	58
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	2	4.0	18	< 1	< 1	3	7	7	7	7
50-64	0									
65 +	4	3.0	8	< 1	< 1	2	5	7	7	7
B. Operated										
0-19 YRS	22	4.1	25	1	1	2	5	10	15	22
20-34	9	3.3	7	< 1	2	3	4	8	9	9
35-49	14	3.7	31	< 1	1	2	3	8	19	22
50-64	10	4.8	44	< 1	1	2	5	16	21	21
65 +	9	3.0	24	< 1	< 1	1	2	11	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	6.5	51	1	1	4	10	15	25	31
20-34	9	3.2	7	< 1	1	3	3	8	10	10
35-49	13	5.0	17	2	3	3	6	11	15	16
50-64	21	5.0	20	1	2	5	6	9	14	21
65 +	76	9.1	45	3	5	7	13	18	25	84
B. Operated										
0-19 YRS	104	15.6	166	3	5	13	21	37	42	61
20-34	77	8.9	68	2	3	8	11	17	21	45
35-49	124	10.6	127	2	3	8	13	21	31	52
50-64	149	11.1	101	2	4	8	15	24	35	51
65 +	207	10.6	109	1	3	7	15	25	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.9	140	< 1	< 1	1	3	8	26	58
B. Operated	64	3.9	25	< 1	1	2	3	10	17	22
2. MULTIPLE DX										
A. Not Operated	169	7.2	42	1	3	6	9	16	21	38
B. Operated	661	11.3	118	2	4	8	15	24	36	53
1. SINGLE DX	87	4.1	55	< 1	1	2	3	10	17	45
2. MULTIPLE DX	830	10.5	105	2	3	8	14	23	31	52
A. Not Operated	192	6.9	54	1	2	5	9	15	21	50
B. Operated	725	10.7	114	1	3	8	14	23	35	52
TOTAL										
0-19 YRS	191	11.1	146	1	2	8	15	26	37	56
20-34	97	7.7	61	1	2	6	10	15	20	43
35-49	153	9.4	113	1	3	6	12	20	29	61
50-64	180	10.1	94	1	3	8	14	23	32	50
65 +	296	9.9	91	1	3	7	13	22	29	50
GRAND TOTAL	**917**	**9.9**	**104**	**1**	**3**	**7**	**13**	**22**	**30**	**52**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	7.5	39	< 1	3	10	36	99 +	99 +	99 +
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	5	4.6	10	2	2	3	7	9	9	9
B. Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	3	2.3	5	< 1	< 1	1	4	5	5	5
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.3	12	2	4	5	8	12	13	13
20-34	23	7.6	54	1	3	6	9	14	23	35
35-49	47	6.1	16	2	4	5	8	12	15	18
50-64	58	7.0	31	2	4	6	8	12	22	28
65 +	293	9.6	55	3	5	8	12	18	23	49
B. Operated										
0-19 YRS	34	18.7	210	4	8	15	24	42	48	59
20-34	28	10.7	29	3	6	12	15	18	18	19
35-49	57	11.9	77	2	6	10	17	28	31	95
50-64	99	15.6	184	5	7	12	18	29	39	81
65 +	208	17.2	167	6	9	14	21	32	39	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.8	20	1	2	5	10	49	96	99 +
B. Operated	7	2.1	3	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	439	8.6	48	3	4	7	11	17	22	40
B. Operated	426	15.8	157	5	8	13	19	30	38	77
1. SINGLE DX	17	4.3	16	< 1	1	3	7	13	66	99 +
2. MULTIPLE DX	865	12.2	114	3	5	9	16	25	33	62
A. Not Operated	449	8.6	47	3	4	7	11	17	22	41
B. Operated	433	15.6	158	4	7	13	19	30	37	77
TOTAL										
0-19 YRS	58	13.5	167	3	5	10	17	37	47	96
20-34	52	9.2	42	2	4	8	13	17	18	35
35-49	105	9.2	56	2	4	7	12	22	28	62
50-64	160	12.3	144	3	5	9	16	26	30	76
65 +	507	12.7	115	4	6	10	16	24	33	64
GRAND TOTAL	**882**	**12.0**	**114**	**3**	**5**	**9**	**15**	**24**	**33**	**65**

154 Hospitals, Southern Region, January-December 1990, by Diagnosis

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	3.5	2	2	2	3	5	6	6	8
20-34	152	3.6	2	2	3	4	4	5	6	7
35-49	50	3.9	2	2	3	4	5	6	6	6
50-64	11	4.1	4	1	2	5	6	7	7	7
65 +	10	4.0	2	2	4	4	4	6	6	6
B. Operated										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	4	6.0	13	3	3	5	8	11	11	11
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	364	4.6	6	2	3	4	6	8	10	13
20-34	439	4.3	4	2	3	4	5	7	8	10
35-49	242	5.2	9	2	3	5	6	8	10	16
50-64	197	5.6	7	3	4	5	7	9	11	15
65 +	395	6.6	12	3	4	6	8	11	13	18
B. Operated										
0-19 YRS	40	5.7	8	3	4	5	8	10	11	13
20-34	40	7.4	38	3	4	5	8	15	18	36
35-49	38	8.8	52	3	5	8	11	14	18	44
50-64	48	8.3	17	4	5	7	11	14	16	21
65 +	83	12.0	65	5	7	9	14	20	33	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	309	3.7	2	2	3	4	5	6	6	7
B. Operated	8	4.8	9	2	3	4	6	10	11	11
2. MULTIPLE DX										
A. Not Operated	1637	5.2	8	2	3	5	6	9	11	15
B. Operated	249	9.0	45	4	5	7	11	16	20	39
1. SINGLE DX	317	3.7	2	2	3	4	5	6	6	8
2. MULTIPLE DX	1886	5.7	15	3	3	5	7	10	12	19
A. Not Operated	1946	5.0	7	2	3	4	6	8	10	15
B. Operated	257	8.9	44	4	5	7	11	16	20	39
TOTAL										
0-19 YRS	493	4.5	5	2	3	4	6	8	10	12
20-34	635	4.3	6	2	3	4	5	7	8	15
35-49	331	5.4	14	2	3	5	6	9	11	17
50-64	256	6.0	10	3	4	5	7	11	13	17
65 +	483	7.5	25	3	4	6	9	12	16	30
GRAND TOTAL	**2203**	**5.4**	**13**	**2**	**3**	**5**	**6**	**9**	**11**	**18**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	3.8	5	2	2	3	5	6	8	12
20-34	101	3.6	3	2	3	3	4	5	7	11
35-49	34	3.8	2	2	3	4	5	6	6	6
50-64	11	3.9	2	2	3	4	5	6	7	7
65 +	4	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	10	5.7	25	1	2	4	7	13	18	18
20-34	7	5.4	2	4	4	5	7	7	7	7
35-49	4	5.0	1	4	4	5	6	6	6	6
50-64	3	7.0	7	5	5	6	9	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	306	4.8	7	2	3	4	6	8	10	14
20-34	346	4.3	7	2	3	4	5	7	8	12
35-49	187	4.9	12	2	3	4	6	8	9	18
50-64	132	5.7	9	3	4	5	7	9	10	18
65 +	244	6.6	14	3	4	6	8	11	14	21
B. Operated										
0-19 YRS	52	7.3	22	4	5	6	9	10	16	27
20-34	39	10.3	74	4	6	7	11	22	28	45
35-49	52	8.6	28	3	5	7	12	16	18	98
50-64	37	12.0	81	5	7	10	14	21	33	47
65 +	71	13.2	170	4	6	10	14	28	47	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	3.7	3	2	3	3	4	6	7	12
B. Operated	24	5.7	11	2	4	5	7	9	12	18
2. MULTIPLE DX										
A. Not Operated	1215	5.1	10	2	3	4	6	9	10	16
B. Operated	251	10.4	86	4	5	8	12	18	29	57
1. SINGLE DX	273	3.9	4	2	3	4	5	6	7	12
2. MULTIPLE DX	1466	6.0	27	2	3	5	7	10	14	29
A. Not Operated	1464	4.9	9	2	3	4	6	8	10	15
B. Operated	275	10.0	81	4	5	7	11	18	28	55
TOTAL										
0-19 YRS	467	4.9	9	2	3	4	6	8	10	17
20-34	493	4.6	14	2	3	4	5	7	9	22
35-49	277	5.4	16	2	3	4	6	9	14	28
50-64	183	6.9	30	3	4	5	8	11	16	33
65 +	319	8.0	56	3	4	6	9	13	17	48
GRAND TOTAL	**1739**	**5.7**	**24**	**2**	**3**	**5**	**7**	**10**	**13**	**27**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.0	1	1	1	2	3	3	4	4
20-34	88	1.5	1	< 1	1	1	2	3	3	4
35-49	172	1.5	1	< 1	< 1	1	2	2	3	5
50-64	97	1.4	1	< 1	< 1	1	2	3	3	5
65 +	51	1.1		< 1	< 1	< 1	1	1	2	4
B. Operated										
0-19 YRS	9	2.7	6	< 1	< 1	1	4	7	8	8
20-34	64	2.5	4	1	1	2	3	6	7	9
35-49	97	2.6	5	1	1	2	4	6	7	11
50-64	54	2.7	6	< 1	1	2	4	6	7	14
65 +	43	2.2	4	< 1	1	1	2	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.3	2	1	1	2	3	4	5	5
20-34	117	2.1	2	1	1	2	3	4	5	9
35-49	175	2.5	14	1	1	2	3	4	6	11
50-64	104	2.4	4	1	1	2	3	5	7	10
65 +	106	2.9	13	1	1	2	3	6	8	22
B. Operated										
0-19 YRS	16	6.4	14	2	4	5	9	12	13	13
20-34	84	3.9	7	1	2	3	5	7	9	13
35-49	144	5.5	23	1	2	4	7	12	15	23
50-64	142	5.2	28	1	2	4	7	11	14	35
65 +	204	6.8	48	1	2	5	9	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	1.5	1	< 1	< 1	1	2	2	3	4
B. Operated	267	2.6	5	< 1	1	2	3	6	7	9
2. MULTIPLE DX										
A. Not Operated	528	2.5	9	1	1	2	3	5	6	10
B. Operated	590	5.7	31	1	2	4	7	12	16	25
1. SINGLE DX	700	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1118	4.2	23	1	1	3	5	9	12	23
A. Not Operated	961	2.0	5	< 1	1	1	2	4	5	9
B. Operated	857	4.7	25	1	1	3	6	11	14	24
TOTAL										
0-19 YRS	76	3.1	7	1	1	2	4	6	10	13
20-34	353	2.5	4	1	1	2	3	5	7	10
35-49	588	3.0	13	< 1	1	2	3	6	9	17
50-64	397	3.2	14	< 1	1	2	4	7	10	19
65 +	404	4.6	33	1	1	2	6	11	15	27
GRAND TOTAL	**1818**	**3.3**	**16**	**< 1**	**1**	**2**	**4**	**7**	**11**	**20**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	1.6	1	1	1	1	2	3	3	4
20-34	467	1.5	1	1	1	1	2	2	3	4
35-49	576	1.6	1	< 1	1	1	2	3	3	5
50-64	255	1.6	1	< 1	1	1	2	2	3	5
65 +	55	1.7	2	< 1	1	1	2	3	4	8
B. Operated										
0-19 YRS	63	2.6	2	1	2	2	3	5	5	6
20-34	432	2.5	3	1	1	2	3	4	5	9
35-49	572	2.4	3	1	1	2	3	4	6	8
50-64	346	2.4	4	1	1	2	3	5	6	10
65 +	79	2.9	7	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	1.9	1	1	1	2	2	3	4	4
20-34	324	1.8	1	1	1	2	2	3	4	6
35-49	411	1.9	2	1	1	2	2	3	5	7
50-64	330	2.2	3	1	1	2	3	4	5	9
65 +	219	2.7	5	1	1	2	3	5	6	18
B. Operated										
0-19 YRS	36	6.1	49	2	2	4	6	12	26	33
20-34	358	3.3	7	1	2	3	4	6	7	12
35-49	538	3.7	9	1	2	3	5	7	9	14
50-64	515	4.2	16	1	2	3	5	8	11	22
65 +	535	5.2	19	1	2	4	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1425	1.6	1	< 1	1	1	2	3	3	5
B. Operated	1492	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	1335	2.1	3	1	1	2	2	4	5	8
B. Operated	1982	4.2	14	1	2	3	5	8	11	20
1. SINGLE DX	2917	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX	3317	3.4	11	1	1	2	4	7	9	16
A. Not Operated	2760	1.8	2	1	1	1	2	3	4	7
B. Operated	3474	3.5	10	1	2	3	4	7	9	16
TOTAL										
0-19 YRS	222	2.7	11	1	1	2	3	5	6	18
20-34	1581	2.3	3	1	1	2	3	4	5	8
35-49	2097	2.4	4	1	1	2	3	5	6	11
50-64	1446	2.8	8	1	1	2	3	5	8	15
65 +	888	4.2	15	1	2	3	5	9	12	21
GRAND TOTAL	**6234**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.0	6	1	1	2	4	5	10	11
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	10	1.6	1	< 1	1	1	2	3	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	292	4.5	5	2	3	4	6	7	8	12
20-34	30	3.8	6	1	1	4	6	7	7	9
35-49	36	4.0	5	1	2	4	5	7	8	10
50-64	28	3.1	8	1	1	2	4	8	9	11
65 +	17	5.5	7	3	4	5	6	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	5.4	60	1	2	3	6	11	17	50
20-34	29	2.7	4	< 1	2	2	3	6	7	9
35-49	25	5.2	38	1	2	4	7	10	15	31
50-64	29	4.9	16	1	2	4	7	10	12	19
65 +	90	7.1	79	2	2	5	8	15	17	56
B. Operated										
0-19 YRS	323	6.5	44	2	4	5	7	11	14	62
20-34	113	6.1	18	2	3	6	9	11	12	22
35-49	141	5.5	20	1	2	5	7	10	14	23
50-64	181	7.0	40	2	3	6	8	14	17	34
65 +	269	8.4	75	1	3	7	10	17	25	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.6	5	1	1	2	3	5	6	11
B. Operated	403	4.3	6	1	3	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	238	5.7	54	1	2	4	7	11	16	34
B. Operated	1027	6.9	46	2	3	6	8	13	17	32
1. SINGLE DX	449	4.2	6	1	3	4	5	7	8	12
2. MULTIPLE DX	1265	6.7	48	1	3	5	8	12	16	31
A. Not Operated	284	5.2	47	1	2	3	6	10	15	29
B. Operated	1430	6.2	36	1	3	5	8	11	15	28
TOTAL										
0-19 YRS	711	5.4	29	2	3	5	6	9	12	27
20-34	175	5.1	15	1	2	4	7	10	11	16
35-49	212	5.0	19	1	2	4	7	9	12	23
50-64	239	6.3	35	1	3	5	8	12	16	27
65 +	377	7.9	73	2	3	6	9	16	22	35
GRAND TOTAL	**1714**	**6.0**	**38**	**1**	**3**	**5**	**7**	**11**	**15**	**29**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.8	27	1	1	2	5	13	13	13
20-34	11	1.6	1	< 1	1	1	2	3	4	4
35-49	14	1.4		< 1	1	1	2	2	3	3
50-64	8	1.4	1	< 1	1	1	1	3	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	9	3.7	5	1	2	3	5	7	7	7
20-34	9	3.2	3	1	2	3	5	5	5	5
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64	4	1.3		1	1	1	2	2	2	2
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	10	2.4	1	1	2	2	3	4	4	4
35-49	17	2.2	1	1	2	2	3	4	4	4
50-64	7	2.0	2	1	1	1	3	5	5	5
65 +	7	5.0	59	< 1	1	2	5	19	22	22
B. Operated										
0-19 YRS	7	3.1	2	1	2	3	4	6	6	6
20-34	15	4.6	11	1	2	4	6	9	12	13
35-49	20	4.8	14	1	2	3	8	10	11	12
50-64	28	2.6	7	< 1	1	2	3	7	10	11
65 +	95	5.1	33	1	2	4	6	8	9	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	1.7	4	< 1	1	1	2	3	4	13
B. Operated	34	2.6	3	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	43	2.9	11	1	2	2	3	5	7	22
B. Operated	165	4.5	24	1	2	3	6	8	10	29
1. SINGLE DX	73	2.1	4	1	1	1	2	5	5	12
2. MULTIPLE DX	208	4.1	21	1	2	3	5	8	10	26
A. Not Operated	82	2.4	8	1	1	2	2	4	6	19
B. Operated	199	4.2	21	1	1	3	5	8	10	24
TOTAL										
0-19 YRS	23	3.8	9	1	2	3	5	8	10	13
20-34	45	3.1	6	1	1	2	4	6	7	13
35-49	60	2.8	7	1	1	2	3	7	9	12
50-64	47	2.2	5	< 1	1	1	2	5	7	11
65 +	106	4.9	34	1	2	4	6	8	10	38
GRAND TOTAL	**281**	**3.6**	**18**	**1**	**1**	**2**	**5**	**7**	**9**	**20**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.9	6	1	1	2	4	7	8	8
20-34	7	2.6	3	1	1	2	3	5	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	3	2.0	3	< 1	< 1	< 1	3	4	4	4
20-34	11	3.1	2	1	2	3	4	5	5	5
35-49	11	3.5	13	< 1	1	2	3	10	12	12
50-64	4	1.5		1	1	1	2	2	2	2
65 +	13	3.3	15	1	1	1	4	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.4	6	1	2	3	4	5	6	13
20-34	24	4.5	6	2	3	4	5	7	11	12
35-49	22	3.9	4	1	3	4	5	6	8	10
50-64	17	5.0	16	1	3	4	5	12	14	15
65 +	64	6.3	37	2	3	5	7	11	15	41
B. Operated										
0-19 YRS	18	4.0	13	1	2	3	5	9	13	15
20-34	30	5.0	21	< 1	2	4	7	10	11	24
35-49	43	5.5	18	1	2	4	8	12	14	16
50-64	57	7.3	120	1	3	5	8	13	18	77
65 +	172	6.0	46	1	2	4	7	13	16	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.9	4	1	1	2	4	6	7	8
B. Operated	42	3.0	8	< 1	1	2	4	8	11	12
2. MULTIPLE DX										
A. Not Operated	157	5.0	21	1	3	4	5	9	13	19
B. Operated	320	6.0	51	1	2	4	7	12	15	35
1. SINGLE DX	62	3.0	7	1	1	2	4	6	9	12
2. MULTIPLE DX	477	5.7	41	1	2	4	7	11	15	32
A. Not Operated	177	4.7	19	1	3	4	5	8	12	18
B. Operated	362	5.6	47	1	2	4	7	11	15	33
TOTAL										
0-19 YRS	61	3.4	8	1	1	3	4	6	9	15
20-34	72	4.3	12	1	2	4	5	7	11	21
35-49	78	4.7	13	1	2	3	7	10	13	15
50-64	78	6.5	93	1	3	4	8	12	16	65
65 +	250	6.0	42	1	2	4	7	12	15	38
GRAND TOTAL	**539**	**5.3**	**38**	**1**	**2**	**4**	**6**	**11**	**14**	**29**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	52	2.1	4	< 1	< 1	1	2	6	7	8
20-34	22	1.9	2	< 1	< 1	1	2	4	5	6
35-49	15	2.2	3	< 1	< 1	1	3	5	6	6
50-64	6	2.0	2	< 1	1	2	3	4	4	4
65 +	10	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.0	7	< 1	< 1	2	5	6	6	6
35-49	0									
50-64	1	11.0		11	11	11	11	11	11	11
65 +	7	2.1	2	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	52	4.0	10	< 1	1	3	6	8	9	12
20-34	34	3.6	6	1	2	3	5	8	8	8
35-49	43	3.6	13	1	1	2	5	8	13	16
50-64	57	2.5	3	1	1	2	3	5	7	8
65 +	176	4.4	15	1	2	4	6	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	105	2.0	3	< 1	< 1	1	2	5	6	8
2. MULTIPLE DX										
A. Not Operated	12	3.2	9	< 1	1	2	4	7	10	11
B. Operated	362	3.9	12	1	1	3	5	8	10	16
1. SINGLE DX	107	2.0	3	< 1	< 1	1	2	5	6	8
2. MULTIPLE DX	374	3.8	12	1	1	3	5	8	10	16
A. Not Operated	14	2.9	8	< 1	< 1	2	3	6	10	11
B. Operated	467	3.4	10	< 1	1	2	5	7	9	15
TOTAL										
0-19 YRS	105	3.1	8	< 1	< 1	1	5	8	8	11
20-34	61	2.9	5	< 1	1	2	4	7	8	8
35-49	58	3.2	11	< 1	1	2	4	6	11	16
50-64	64	2.6	4	1	1	2	3	5	7	11
65 +	193	4.1	14	1	2	3	5	8	11	22
GRAND TOTAL	**481**	**3.4**	**10**	**< 1**	**1**	**2**	**5**	**7**	**9**	**15**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	199	3.5	5	2	2	3	4	6	8	11
20-34	41	2.8	2	1	2	2	4	5	6	7
35-49	14	2.9	4	1	1	2	5	6	7	7
50-64	13	3.5	4	1	2	3	5	6	7	7
65 +	27	4.1	7	1	2	4	5	6	10	13
B. Operated										
0-19 YRS	20	3.2	5	< 1	< 1	3	5	7	7	7
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1015	4.8	10	2	3	4	6	9	10	15
20-34	322	4.6	12	2	3	4	5	8	11	21
35-49	327	5.6	20	2	3	4	7	10	13	22
50-64	473	6.4	18	3	4	5	8	12	14	23
65 +	2953	8.1	53	3	4	6	10	14	20	37
B. Operated										
0-19 YRS	188	7.0	30	3	4	5	9	14	17	28
20-34	47	7.2	51	2	3	5	8	13	15	45
35-49	81	11.2	170	3	4	7	11	29	40	96
50-64	113	13.7	188	4	6	10	14	29	46	93
65 +	547	14.8	182	4	7	11	19	32	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	294	3.4	5	< 1	2	3	4	6	7	11
B. Operated	28	3.4	5	< 1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	5090	6.9	39	2	4	5	8	12	16	31
B. Operated	976	12.5	156	3	5	9	15	27	41	99 +
1. SINGLE DX	322	3.4	5	1	2	3	4	6	7	11
2. MULTIPLE DX	6066	7.8	62	3	4	6	9	14	21	44
A. Not Operated	5384	6.7	37	2	3	5	8	12	16	30
B. Operated	1004	12.3	154	3	5	8	15	26	40	99 +
TOTAL										
0-19 YRS	1422	4.9	13	2	3	4	6	9	10	19
20-34	412	4.7	16	2	2	4	6	8	12	22
35-49	426	6.5	53	2	3	5	7	11	19	41
50-64	600	7.7	58	3	4	6	9	14	19	45
65 +	3528	9.1	78	3	4	7	11	17	25	57
GRAND TOTAL	**6388**	**7.6**	**60**	**2**	**4**	**6**	**9**	**14**	**21**	**43**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.2	2	1	1	2	2	3	6	6
20-34	9	2.4	2	1	1	3	3	4	5	5
35-49	9	2.1	1	< 1	1	2	3	4	4	4
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	8	3.6	3	1	2	4	5	6	6	6
B. Operated										
0-19 YRS	68	1.9	2	< 1	1	2	2	4	5	8
20-34	26	2.5	5	< 1	1	2	3	6	8	11
35-49	33	2.6	10	< 1	1	2	3	5	6	18
50-64	30	2.4	2	< 1	1	2	3	4	5	5
65 +	44	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	3.3	12	1	2	2	4	6	10	23
20-34	37	3.8	10	1	1	3	6	8	11	12
35-49	34	4.6	40	2	2	3	5	6	7	39
50-64	48	3.9	6	1	2	3	5	8	9	13
65 +	140	4.7	10	1	2	4	6	9	11	27
B. Operated										
0-19 YRS	93	4.5	29	1	1	3	5	11	16	29
20-34	57	6.9	105	1	2	4	7	14	20	70
35-49	126	5.3	36	1	2	3	7	12	14	36
50-64	177	5.2	26	1	2	4	7	13	16	34
65 +	539	5.6	30	1	2	4	7	12	18	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.4	2	1	1	2	3	5	6	6
B. Operated	201	2.3	4	< 1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	325	4.2	13	1	2	3	5	8	11	21
B. Operated	992	5.5	34	1	2	4	7	12	17	31
1. SINGLE DX	256	2.3	3	1	1	2	3	4	6	10
2. MULTIPLE DX	1317	5.2	29	1	2	4	6	11	15	30
A. Not Operated	380	3.9	12	1	2	3	5	8	10	18
B. Operated	1193	4.9	31	1	2	3	6	11	16	28
TOTAL										
0-19 YRS	252	3.3	16	1	1	2	4	6	11	23
20-34	129	4.8	54	1	2	3	6	10	13	34
35-49	202	4.6	32	1	2	3	5	9	14	36
50-64	259	4.6	20	1	2	3	5	10	14	23
65 +	731	5.2	25	1	2	4	6	11	16	25
GRAND TOTAL	**1573**	**4.7**	**26**	**1**	**2**	**3**	**6**	**10**	**14**	**25**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	6	2.8	2	1	2	3	4	5	5	5
50-64	209	3.2	3	1	2	3	4	5	5	10
65 +	314	3.5	2	2	3	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0		3	3	3	3	3	3	3
50-64	25	3.5	8	< 1	2	3	4	7	10	12
65 +	75	3.8	9	1	2	3	5	7	10	16
B. Operated										
0-19 YRS	0									
20-34	3	3.0	3	1	2	4	4	4	4	4
35-49	47	3.2	2	1	2	3	4	5	6	7
50-64	1079	4.2	6	2	3	4	5	7	8	14
65 +	3800	5.3	16	3	3	4	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	533	3.4	2	2	3	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	102	3.7	9	1	2	3	5	7	10	16
B. Operated	4929	5.0	14	3	3	4	6	8	11	19
1. SINGLE DX	537	3.4	2	2	3	3	4	5	6	9
2. MULTIPLE DX	5031	5.0	14	2	3	4	6	8	11	19
A. Not Operated	106	3.6	9	1	1	3	4	7	10	16
B. Operated	5462	4.9	13	2	3	4	5	8	11	19
TOTAL										
0-19 YRS	0									
20-34	8	2.0	2	< 1	< 1	1	3	4	4	4
35-49	55	3.1	2	1	2	3	4	5	6	7
50-64	1315	4.0	6	2	3	3	5	6	8	14
65 +	4190	5.1	15	3	3	4	6	9	12	20
GRAND TOTAL	**5568**	**4.8**	**13**	**2**	**3**	**4**	**5**	**8**	**11**	**19**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	16	3.8	1	2	3	4	4	5	6	6
35-49	21	3.0	2	1	2	3	4	5	5	5
50-64	19	3.9	3	2	3	3	5	7	8	8
65 +	6	3.0	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	4.7	2	3	3	5	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	27	4.0	10	2	2	3	4	5	13	16
35-49	56	4.1	6	2	3	4	5	7	9	14
50-64	94	4.5	6	2	3	4	6	7	9	13
65 +	84	4.9	8	3	3	4	6	7	9	20
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	5.3	18	2	2	3	9	12	12	12
35-49	23	4.1	8	1	2	4	6	8	10	11
50-64	38	5.7	18	1	3	4	8	12	15	20
65 +	83	5.8	26	1	3	4	7	10	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.5	2	2	2	3	5	5	6	8
B. Operated	5	3.6	4	1	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	263	4.5	7	2	3	4	5	7	9	14
B. Operated	152	5.5	21	1	2	4	7	10	14	24
1. SINGLE DX	69	3.5	2	2	2	3	5	5	6	8
2. MULTIPLE DX	415	4.9	12	2	3	4	6	9	11	18
A. Not Operated	327	4.3	6	2	3	4	5	7	8	13
B. Operated	157	5.4	21	1	3	4	7	10	14	24
TOTAL										
0-19 YRS	5	4.0	2	2	3	4	5	5	5	5
20-34	50	4.1	8	2	3	3	4	6	12	16
35-49	102	3.8	5	1	2	3	5	7	9	12
50-64	154	4.7	9	2	3	4	6	8	11	15
65 +	173	5.3	17	2	3	4	6	9	12	24
GRAND TOTAL	**484**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**10**	**16**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	38	1.0		< 1	< 1	1	1	1	1	2
20-34	4	1.3		< 1	< 1	1	1	2	2	2
35-49	8	1.0		< 1	< 1	1	1	1	1	1
50-64	19	1.3		< 1	< 1	1	1	3	3	3
65 +	8	1.6	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	40	1.9	7	< 1	< 1	1	1	3	7	15
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	13	1.8	4	< 1	1	1	2	5	7	7
50-64	20	7.1	361	< 1	1	2	4	9	48	87
65 +	31	3.1	9	1	1	2	4	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	77	1.2		< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	7	2.9	9	1	1	1	4	8	9	9
B. Operated	106	3.3	75	< 1	1	1	3	7	9	47
1. SINGLE DX	78	1.2		< 1	< 1	1	1	2	2	5
2. MULTIPLE DX	113	3.2	71	< 1	1	1	3	7	9	42
A. Not Operated	8	2.8	8	1	1	2	4	8	9	9
B. Operated	183	2.4	44	< 1	1	1	2	5	8	14
TOTAL										
0-19 YRS	82	1.5	4	< 1	< 1	1	1	2	5	13
20-34	7	2.9	7	< 1	< 1	2	4	7	8	8
35-49	23	1.5	2	< 1	1	1	1	3	6	7
50-64	40	4.2	185	< 1	1	1	2	6	9	87
65 +	39	2.8	8	1	1	2	4	6	10	13
GRAND TOTAL	**191**	**2.4**	**43**	**<1**	**1**	**1**	**2**	**5**	**8**	**14**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	3.6	4	1	2	4	5	6	6	9
20-34	43	3.0	3	1	2	3	4	5	6	10
35-49	24	4.0	3	2	3	4	5	6	7	7
50-64	12	4.9	4	3	3	5	6	8	9	9
65 +	6	3.7	3	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	14	1.8	1	< 1	1	1	3	4	4	4
20-34	14	3.7	6	1	2	4	5	7	9	9
35-49	10	7.2	106	1	1	3	10	23	34	34
50-64	5	2.0	2	1	1	1	3	4	4	4
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.7	3	1	3	4	5	6	6	6
20-34	27	3.4	2	2	2	3	4	5	6	7
35-49	36	4.1	3	2	3	4	5	6	7	10
50-64	33	4.8	5	2	3	4	6	8	10	10
65 +	53	5.2	5	2	4	5	7	9	9	10
B. Operated										
0-19 YRS	9	4.4	30	1	1	2	5	14	18	18
20-34	16	3.0	7	1	1	2	4	7	9	10
35-49	10	4.3	4	1	2	5	6	7	7	7
50-64	18	7.9	30	1	3	8	11	16	18	19
65 +	28	7.6	48	1	3	6	11	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	3.6	4	1	2	3	5	6	7	10
B. Operated	46	3.6	28	1	1	2	4	7	11	34
2. MULTIPLE DX										
A. Not Operated	166	4.4	5	2	3	4	6	7	9	10
B. Operated	81	6.0	31	1	2	4	8	13	17	29
1. SINGLE DX	160	3.6	10	1	2	3	5	6	7	13
2. MULTIPLE DX	247	4.9	14	2	2	4	6	9	11	18
A. Not Operated	280	4.1	4	2	3	4	5	7	8	10
B. Operated	127	5.1	31	1	1	4	7	12	17	33
TOTAL										
0-19 YRS	69	3.4	7	1	1	3	5	6	6	16
20-34	100	3.2	4	1	2	3	4	5	7	10
35-49	80	4.5	16	2	2	4	6	7	9	28
50-64	68	5.4	14	2	3	4	7	10	12	19
65 +	90	5.8	20	2	3	5	7	10	12	27
GRAND TOTAL	**407**	**4.4**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	85	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	9	1.0		< 1	< 1	< 1	1	1	1	1
35-49	10	1.0		< 1	< 1	< 1	< 1	1	1	1
50-64	7	1.1		< 1	< 1	< 1	1	2	2	2
65 +	4	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.8	26	1	3	6	10	13	13	13
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	30	1.5	2	< 1	< 1	1	1	3	4	7
20-34	3	5.0	48	< 1	< 1	1	10	13	13	13
35-49	12	2.1	7	< 1	< 1	1	2	5	9	10
50-64	16	2.8	10	< 1	< 1	1	3	7	11	13
65 +	8	3.3	14	< 1	< 1	1	5	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	115	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	6	5.5	21	1	1	5	8	12	13	13
B. Operated	69	2.2	8	< 1	< 1	1	2	6	10	13
1. SINGLE DX	117	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	75	2.5	9	< 1	< 1	1	2	7	11	13
A. Not Operated	8	4.5	18	< 1	1	3	7	11	13	13
B. Operated	184	1.5	3	< 1	< 1	< 1	1	2	4	12
TOTAL										
0-19 YRS	120	1.3	2	< 1	< 1	< 1	1	1	3	9
20-34	12	2.0	12	< 1	< 1	< 1	1	5	12	13
35-49	24	1.6	4	< 1	< 1	< 1	1	3	5	10
50-64	23	2.3	8	< 1	< 1	1	2	5	9	13
65 +	13	2.8	10	< 1	< 1	1	3	8	10	11
GRAND TOTAL	**192**	**1.6**	**4**	**< 1**	**< 1**	**< 1**	**1**	**2**	**5**	**13**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	5	1	1	2	3	6	8	8
20-34	6	3.2	5	1	1	3	5	6	6	6
35-49	7	3.6	8	< 1	1	4	4	8	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	208	1.3	1	< 1	1	1	1	2	3	5
20-34	58	1.4	1	1	1	1	2	3	3	4
35-49	40	1.9	2	< 1	< 1	1	3	4	5	5
50-64	53	1.9	1	1	1	2	2	3	4	4
65 +	44	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.7	2	1	2	2	4	5	5	5
20-34	9	4.4	12	< 1	1	5	7	10	10	10
35-49	12	3.7	5	1	2	3	5	7	8	8
50-64	13	3.0	3	1	2	3	4	5	6	6
65 +	14	6.0	9	3	4	5	8	11	12	12
B. Operated										
0-19 YRS	101	1.9	4	< 1	1	1	2	4	6	10
20-34	45	4.7	41	1	1	2	7	10	14	38
35-49	79	4.6	33	1	2	3	5	9	13	36
50-64	163	3.4	17	1	1	3	4	6	8	27
65 +	126	5.4	76	1	2	3	5	10	19	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.8	5	1	1	2	4	6	8	9
B. Operated	403	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	77	3.7	6	1	2	3	5	7	9	12
B. Operated	514	3.9	35	1	1	2	4	8	12	34
1. SINGLE DX	428	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	591	3.9	31	1	1	2	4	8	11	33
A. Not Operated	102	3.5	6	1	2	3	5	7	9	11
B. Operated	917	2.9	21	< 1	1	2	3	5	8	26
TOTAL										
0-19 YRS	348	1.6	2	< 1	1	1	2	3	4	8
20-34	118	3.0	19	1	1	1	3	7	9	25
35-49	138	3.7	21	< 1	1	2	4	7	10	31
50-64	231	3.1	13	1	1	2	3	5	6	25
65 +	184	4.7	55	1	2	3	4	9	13	44
GRAND TOTAL	**1019**	**2.9**	**20**	**< 1**	**1**	**2**	**3**	**5**	**8**	**25**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	21	1.1		< 1	< 1	< 1	1	2	2	2
35-49	133	1.3	1	< 1	< 1	< 1	< 1	2	3	6
50-64	85	1.0		< 1	< 1	< 1	< 1	1	1	3
65 +	53	1.2		< 1	< 1	< 1	< 1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	23	3.1	9	< 1	1	3	4	5	9	15
35-49	101	2.1	3	< 1	< 1	1	3	5	6	8
50-64	93	2.3	3	< 1	< 1	2	3	4	6	8
65 +	65	1.9	3	< 1	< 1	1	2	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	296	1.2	1	< 1	< 1	< 1	< 1	2	2	6
2. MULTIPLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	284	2.2	3	< 1	< 1	1	3	5	6	8
1. SINGLE DX	298	1.2	1	< 1	< 1	< 1	< 1	2	2	6
2. MULTIPLE DX	287	2.2	3	< 1	< 1	1	3	5	6	8
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	580	1.7	2	< 1	< 1	< 1	2	3	5	7
TOTAL										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	44	2.2	6	< 1	< 1	1	3	4	5	15
35-49	236	1.7	2	< 1	< 1	< 1	2	3	5	7
50-64	180	1.7	2	< 1	< 1	< 1	2	4	4	7
65 +	119	1.6	2	< 1	< 1	< 1	2	3	4	7
GRAND TOTAL	**585**	**1.7**	**2**	**<1**	**<1**	**<1**	**2**	**3**	**5**	**7**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	2	1	2	3	4	4	4	4
20-34	4	3.3	1	2	2	3	4	4	4	4
35-49	9	2.9	8	< 1	1	2	3	7	10	10
50-64	5	2.2	1	< 1	< 1	3	3	3	3	3
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	89	2.1	2	1	1	2	2	3	4	10
20-34	160	2.0	1	1	1	2	2	3	4	6
35-49	90	2.1	2	< 1	1	2	3	4	5	8
50-64	54	1.9	1	< 1	1	2	3	3	4	4
65 +	22	1.7	3	< 1	< 1	1	1	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.6	4	1	2	3	5	6	7	7
20-34	8	4.8	19	< 1	2	3	7	12	13	13
35-49	8	3.6	3	< 1	2	4	5	6	6	6
50-64	14	4.1	8	1	2	4	5	8	10	11
65 +	13	4.3	12	1	2	3	5	9	13	14
B. Operated										
0-19 YRS	26	2.7	14	1	1	1	3	4	12	18
20-34	103	2.9	3	1	2	3	3	5	6	10
35-49	114	2.7	2	1	2	2	3	4	5	8
50-64	84	3.6	12	1	1	3	4	7	11	18
65 +	44	3.4	32	< 1	1	2	3	6	9	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.7	4	< 1	1	3	3	4	6	10
B. Operated	415	2.0	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. Not Operated	55	4.1	8	1	2	4	5	7	11	14
B. Operated	371	3.0	9	1	2	2	3	5	8	15
1. SINGLE DX	438	2.1	2	< 1	1	2	3	3	4	8
2. MULTIPLE DX	426	3.1	9	1	2	2	4	5	8	14
A. Not Operated	78	3.7	7	< 1	2	3	4	7	10	14
B. Operated	786	2.5	5	1	1	2	3	4	6	11
TOTAL										
0-19 YRS	131	2.4	5	1	1	2	3	4	6	13
20-34	275	2.4	3	1	1	2	3	4	5	10
35-49	221	2.5	2	1	1	2	3	4	5	9
50-64	157	3.0	8	1	1	2	4	5	8	15
65 +	80	3.0	21	< 1	1	2	3	6	9	30
GRAND TOTAL	**864**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	1.7	2	1	1	1	2	3	4	9
20-34	140	1.8	1	1	1	2	2	3	4	7
35-49	45	2.3	2	1	1	2	3	4	5	7
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	96	3.0	2	1	2	3	4	5	6	7
20-34	253	3.0	3	1	2	3	4	5	6	9
35-49	93	3.5	3	1	2	3	4	6	7	8
50-64	24	3.8	1	3	3	4	4	5	6	6
65 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	2.2	2	1	1	2	3	3	4	7
20-34	128	2.5	3	1	1	2	3	4	5	9
35-49	56	2.8	2	1	2	3	4	5	6	7
50-64	6	4.7	7	2	2	5	5	9	9	9
65 +	0									
B. Operated										
0-19 YRS	118	3.4	4	1	2	3	4	5	7	13
20-34	795	3.9	11	2	3	4	4	6	7	11
4 35-49	655	4.3	17	3	3	4	5	6	8	14
50-64	99	4.2	2	3	3	4	5	6	7	9
65 +	74	6.8	16	4	5	5	8	11	18	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	1.9	2	1	1	2	2	3	4	8
B. Operated	468	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	249	2.5	3	1	1	2	3	4	5	8
B. Operated	1741	4.2	13	2	3	4	5	6	8	13
1. SINGLE DX	741	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1990	3.9	12	1	3	4	5	6	8	13
A. Not Operated	522	2.2	2	1	1	2	3	4	5	8
B. Operated	2209	3.9	11	2	3	4	4	6	7	12
TOTAL										
0-19 YRS	360	2.7	3	1	1	2	3	4	6	8
20-34	1316	3.4	8	1	2	3	4	5	7	10
35-49	849	4.0	14	2	3	4	4	6	7	13
50-64	129	4.1	2	3	3	4	5	6	7	9
65 +	77	6.8	16	4	4	5	8	11	17	22
GRAND TOTAL	**2731**	**3.6**	**10**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	272	3.4	3	2	2	3	4	6	7	10
20-34	580	3.6	3	2	2	3	4	6	7	9
35-49	96	4.0	4	2	3	3	5	7	8	12
50-64	3	2.3		2	2	2	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	34	5.0	20	2	3	4	5	8	17	23
20-34	189	3.7	6	< 1	2	3	5	6	9	12
35-49	77	3.8	3	1	3	4	5	6	7	10
50-64	14	4.8	28	< 1	1	3	4	16	18	18
65 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	371	4.9	7	2	3	4	6	8	10	14
20-34	597	4.3	5	2	3	4	5	7	9	13
35-49	146	5.0	8	3	3	4	6	8	11	15
50-64	12	5.4	10	2	3	4	7	11	12	12
65 +	2	8.0	2	7	7	8	9	9	9	9
B. Operated										
0-19 YRS	108	5.0	13	1	3	4	6	10	12	20
20-34	968	4.2	8	1	3	4	5	7	9	14
35-49	639	4.9	11	2	3	4	6	9	12	17
50-64	79	6.5	46	3	4	4	7	10	17	45
65 +	26	9.2	103	3	4	5	12	22	39	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	953	3.6	3	2	2	3	4	6	7	10
B. Operated	316	3.9	8	< 1	2	4	5	6	9	17
2. MULTIPLE DX										
A. Not Operated	1128	4.6	6	2	3	4	6	7	10	14
B. Operated	1820	4.7	13	2	3	4	5	8	11	17
1. SINGLE DX	1269	3.7	4	2	2	3	4	6	7	11
2. MULTIPLE DX	2948	4.7	10	2	3	4	5	8	10	15
A. Not Operated	2081	4.1	5	2	3	4	5	7	8	12
B. Operated	2136	4.6	12	1	3	4	5	8	11	17
TOTAL										
0-19 YRS	785	4.4	8	2	3	4	5	8	10	14
20-34	2334	4.0	6	2	3	4	5	7	8	13
35-49	958	4.8	9	2	3	4	5	8	11	16
50-64	108	6.0	39	3	3	4	7	10	16	36
65 +	32	8.5	86	3	4	5	9	17	37	40
GRAND TOTAL	**4217**	**4.4**	**9**	**2**	**3**	**4**	**5**	**7**	**10**	**15**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	4	3.0	5	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	138	2.9	4	< 1	< 1	3	4	5	5	11
35-49	92	3.3	2	< 1	3	3	4	5	5	6
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.8	2	3	3	3	4	6	6	6
20-34	15	3.6	12	1	1	3	4	7	12	14
35-49	9	3.6	1	2	3	4	4	5	5	5
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	29	2.4	2	< 1	< 1	3	3	4	5	5
20-34	1089	3.7	3	2	3	4	4	5	6	10
35-49	1616	4.1	5	3	3	4	5	5	7	9
50-64	117	4.4	2	3	4	4	5	6	8	11
65 +	24	5.1	2	3	4	5	6	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.4	2	< 1	1	2	3	5	5	5
B. Operated	238	3.1	3	< 1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	31	3.6	6	1	2	3	4	6	7	14
B. Operated	2875	3.9	4	2	3	4	4	5	6	9
1. SINGLE DX	248	3.1	3	< 1	1	3	4	5	5	8
2. MULTIPLE DX	2906	3.9	4	2	3	4	4	5	6	9
A. Not Operated	41	3.3	5	1	2	3	4	6	7	14
B. Operated	3113	3.9	4	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	40	2.7	2	< 1	1	3	4	4	5	6
20-34	1246	3.6	3	1	3	4	4	5	6	10
35-49	1721	4.0	4	3	3	4	4	5	6	9
50-64	122	4.4	2	3	4	4	5	6	7	11
65 +	25	5.1	2	3	4	5	6	6	7	8
GRAND TOTAL	**3154**	**3.9**	**4**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.3	7	< 1	< 1	3	5	6	6	6
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.2	5	< 1	1	3	4	7	7	7
20-34	6	3.3		3	3	3	4	4	4	4
35-49	3	3.7		3	3	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	73	4.0	3	3	3	4	5	6	7	11
35-49	115	4.1	2	3	3	4	5	6	7	9
50-64	19	4.0	5	< 1	3	4	5	7	9	9
65 +	5	4.6	17	< 1	< 1	4	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4	1	1	2	3	3	3	3	3
B. Operated	5	2.8	6	< 1	< 1	1	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	15	3.3	2	1	3	3	4	4	6	7
B. Operated	214	4.1	3	3	3	4	5	6	7	10
1. SINGLE DX	10	2.6	3	< 1	1	2	3	5	6	6
2. MULTIPLE DX	229	4.0	3	3	3	4	5	6	7	10
A. Not Operated	20	3.1	2	1	3	3	4	4	6	7
B. Operated	219	4.1	3	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	11	3.0	3	< 1	1	3	4	5	7	7
20-34	85	3.9	3	3	3	4	4	6	7	11
35-49	118	4.1	2	3	3	4	5	6	7	9
50-64	20	3.9	5	< 1	2	4	5	7	9	9
65 +	5	4.6	17	< 1	< 1	4	7	11	11	11
GRAND TOTAL	**239**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.6	9	< 1	< 1	3	5	7	10	12
20-34	30	3.1	1	1	2	3	4	4	5	6
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	8	1.8	2	< 1	< 1	1	2	4	5	5
20-34	31	2.1	6	< 1	< 1	1	2	5	7	13
35-49	25	1.8	2	< 1	< 1	1	2	4	5	6
50-64	6	2.0	2	< 1	< 1	1	3	4	4	4
65 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	4.0	9	1	2	3	5	9	10	14
20-34	63	3.9	3	2	3	4	5	6	7	11
35-49	19	5.4	10	2	3	4	7	11	12	12
50-64	9	5.2	8	2	3	5	7	9	10	10
65 +	4	8.0	21	4	4	7	11	14	14	14
B. Operated										
0-19 YRS	7	3.6	3	1	2	4	5	5	5	5
20-34	44	4.8	19	1	2	4	6	9	14	24
35-49	40	5.1	15	1	3	4	7	11	12	18
50-64	14	7.1	43	2	4	5	7	21	23	23
65 +	22	7.5	50	< 1	2	7	10	17	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.3	4	1	2	3	4	6	7	12
B. Operated	73	1.9	4	< 1	< 1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	124	4.4	7	2	3	4	5	8	10	14
B. Operated	127	5.5	26	1	2	4	7	11	15	25
1. SINGLE DX	123	2.5	4	< 1	< 1	2	3	5	6	12
2. MULTIPLE DX	251	5.0	17	1	3	4	6	10	12	23
A. Not Operated	174	4.1	6	2	3	4	5	7	10	13
B. Operated	200	4.2	21	< 1	1	3	5	9	13	24
TOTAL										
0-19 YRS	60	3.6	8	< 1	1	3	5	6	10	14
20-34	168	3.6	8	1	2	3	5	6	8	15
35-49	87	4.1	12	< 1	1	3	6	9	11	16
50-64	30	5.6	26	< 1	3	5	7	9	21	23
65 +	29	7.0	43	< 1	2	5	10	14	23	28
GRAND TOTAL	**374**	**4.1**	**14**	**< 1**	**2**	**3**	**5**	**8**	**11**	**22**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	68	3.3	1	2	3	3	4	4	5	7
35-49	147	3.5	2	2	3	3	4	5	6	8
50-64	243	3.8	2	2	3	4	5	6	6	7
65 +	205	4.0	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	7	3.7	6	< 1	1	4	5	7	8	8
50-64	6	2.7	5	< 1	1	2	3	7	7	7
65 +	15	3.1	7	< 1	1	2	4	8	9	9
B. Operated										
0-19 YRS	4	4.5	2	3	3	4	5	6	6	6
20-34	421	3.7	1	3	3	4	4	5	6	7
35-49	989	4.1	3	3	3	4	5	6	6	10
50-64	928	4.6	8	3	3	4	5	6	8	11
65 +	1277	5.2	7	3	4	5	6	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	663	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	31	3.1	5	< 1	1	3	4	7	8	9
B. Operated	3619	4.6	5	3	3	4	5	7	8	12
1. SINGLE DX	664	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX	3650	4.5	5	3	3	4	5	7	8	12
A. Not Operated	32	3.0	5	< 1	1	3	4	7	8	9
B. Operated	4282	4.4	5	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	5	3.8	4	1	2	4	5	6	6	6
20-34	492	3.7	1	3	3	3	4	5	6	7
35-49	1143	4.0	2	3	3	4	5	6	6	10
50-64	1177	4.4	6	3	3	4	5	6	7	11
65 +	1497	5.0	6	3	4	5	6	7	9	14
GRAND TOTAL	**4314**	**4.4**	**5**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	6	2.2	1	1	1	2	3	3	3	3
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	53	1.4	1	<1	<1	<1	1	3	3	4
35-49	144	1.5	1	<1	<1	<1	1	3	4	5
50-64	15	1.6	1	<1	<1	<1	2	4	4	4
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.3	6	1	2	3	4	6	9	10
20-34	22	2.5	7	1	1	2	3	4	8	13
35-49	13	2.2	2	<1	1	2	3	4	5	5
50-64	4	2.0	1	<1	1	2	3	3	3	3
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	235	3.2	3	<1	2	3	4	5	6	9
35-49	496	3.4	4	<1	2	4	4	5	6	10
50-64	51	3.3	3	<1	2	4	4	5	6	7
65 +	8	2.3	3	<1	<1	1	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.8	1	1	1	1	3	3	3	3
B. Operated	217	1.5	1	<1	<1	<1	1	3	4	5
2. MULTIPLE DX										
A. Not Operated	53	2.7	5	1	1	2	3	4	8	13
B. Operated	797	3.3	3	<1	2	4	4	5	6	9
1. SINGLE DX	230	1.5	1	<1	<1	<1	1	3	4	5
2. MULTIPLE DX	850	3.3	3	<1	2	3	4	5	6	10
A. Not Operated	66	2.5	4	1	1	2	3	4	6	13
B. Operated	1014	2.9	3	<1	<1	3	4	5	6	9
TOTAL										
0-19 YRS	30	2.3	3	<1	1	2	3	4	5	10
20-34	316	2.9	3	<1	1	3	4	5	6	9
35-49	653	3.0	4	<1	<1	3	4	5	5	9
50-64	71	2.9	3	<1	<1	3	4	5	5	7
65 +	10	2.7	6	<1	<1	1	4	6	8	8
GRAND TOTAL	**1080**	**2.9**	**3**	**<1**	**<1**	**3**	**4**	**5**	**6**	**9**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	4	1.5		1	1	1	2	2	2	2
35-49	9	1.6	1	<1	1	1	2	3	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	80	2.1	2	<1	<1	1	3	4	5	6
35-49	142	2.3	2	<1	<1	1	3	4	5	6
50-64	16	1.4	1	<1	<1	<1	<1	3	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	6.8	184	1	2	2	4	18	45	51
20-34	27	2.6	3	<1	1	2	3	5	6	7
35-49	32	1.6	1	<1	1	1	2	3	3	3
50-64	5	1.4	1	<1	<1	1	2	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	12	2.8	3	1	1	3	4	5	6	6
20-34	511	3.7	3	2	3	4	4	5	6	10
35-49	1186	3.8	3	1	3	4	4	5	6	10
50-64	81	3.9	3	1	3	4	5	6	6	10
65 +	3	3.7	4	2	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.6	1	<1	1	1	2	3	4	4
B. Operated	242	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	78	2.8	33	<1	1	2	3	4	7	39
B. Operated	1793	3.7	3	1	3	4	4	5	6	10
1. SINGLE DX	259	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX	1871	3.7	4	1	3	4	4	5	6	10
A. Not Operated	95	2.6	28	<1	1	2	3	4	6	33
B. Operated	2035	3.5	3	<1	3	4	4	5	6	10
TOTAL										
0-19 YRS	32	4.1	78	<1	1	2	3	7	10	51
20-34	622	3.4	3	<1	3	3	4	5	6	9
35-49	1369	3.5	3	<1	3	4	4	5	6	10
50-64	103	3.4	3	<1	1	4	4	6	6	9
65 +	4	3.3	4	2	2	3	4	6	6	6
GRAND TOTAL	**2130**	**3.5**	**4**	**<1**	**3**	**4**	**4**	**5**	**6**	**10**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	2.0	3	< 1	< 1	< 1	3	4	4	4
35-49	6	1.0		< 1	< 1	< 1	< 1	1	1	1
50-64	46	1.4	1	< 1	< 1	< 1	< 1	2	4	7
65 +	23	1.4	1	< 1	< 1	< 1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	13	3.3	3	1	2	4	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	11	3.1	3	< 1	2	3	4	6	6	6
35-49	42	3.2	4	< 1	1	3	5	6	7	8
50-64	135	3.4	6	< 1	1	3	4	6	7	14
65 +	96	4.0	12	< 1	1	3	5	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	78	1.4	1	< 1	< 1	< 1	< 1	3	4	6
2. MULTIPLE DX										
A. Not Operated	15	3.0	3	1	1	3	4	5	6	6
B. Operated	284	3.5	8	< 1	1	3	5	6	8	15
1. SINGLE DX	78	1.4	1	< 1	< 1	< 1	< 1	3	4	6
2. MULTIPLE DX	299	3.5	7	< 1	1	3	5	6	8	15
A. Not Operated	15	3.0	3	1	1	3	4	5	6	6
B. Operated	362	3.1	7	< 1	< 1	3	4	6	7	14
TOTAL										
0-19 YRS	0									
20-34	14	2.9	3	< 1	< 1	3	4	5	6	6
35-49	49	2.9	4	< 1	< 1	3	4	6	6	8
50-64	182	2.9	6	< 1	< 1	2	4	6	7	13
65 +	132	3.5	10	< 1	1	3	5	7	10	18
GRAND TOTAL	**377**	**3.1**	**7**	**< 1**	**< 1**	**3**	**4**	**6**	**7**	**14**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	3	< 1	< 1	1	2	5	5	5
20-34	15	1.6	1	< 1	1	1	2	3	4	4
35-49	7	2.9	1	< 1	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	28	2.5	3	< 1	< 1	2	4	5	6	6
20-34	273	2.0	2	< 1	< 1	1	3	4	5	8
35-49	141	2.4	3	< 1	< 1	2	4	5	5	7
50-64	73	2.3	3	< 1	< 1	1	4	4	5	9
65 +	26	1.5	1	< 1	< 1	< 1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.0	2	1	2	3	4	5	5	5
20-34	21	2.7	4	< 1	1	2	4	6	7	7
35-49	19	3.7	8	1	1	3	5	8	10	11
50-64	14	3.8	9	1	1	3	5	8	10	10
65 +	21	4.9	12	1	2	4	6	10	12	14
B. Operated										
0-19 YRS	53	3.8	17	< 1	1	3	5	8	14	20
20-34	509	3.4	5	< 1	2	3	4	5	6	11
35-49	684	3.9	11	1	3	4	4	6	7	14
50-64	311	4.4	9	< 1	3	4	5	8	10	15
65 +	229	6.0	35	< 1	3	5	7	12	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.1	2	< 1	1	2	3	4	4	5
B. Operated	541	2.2	3	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	85	3.7	8	1	2	3	5	8	10	13
B. Operated	1786	4.1	13	< 1	3	4	5	7	9	19
1. SINGLE DX	572	2.2	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	1871	4.1	13	< 1	3	4	5	7	9	19
A. Not Operated	116	3.3	6	1	1	3	4	6	8	12
B. Operated	2327	3.7	11	< 1	2	3	4	6	8	16
TOTAL										
0-19 YRS	97	3.2	11	< 1	1	3	4	6	9	20
20-34	818	2.9	5	< 1	< 1	3	4	5	6	10
35-49	851	3.6	10	< 1	2	3	4	6	7	12
50-64	399	4.0	9	< 1	2	4	5	8	10	14
65 +	278	5.5	31	< 1	2	4	6	11	16	29
GRAND TOTAL	**2443**	**3.7**	**11**	**< 1**	**1**	**3**	**4**	**6**	**8**	**16**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.7	1	< 1	1	2	2	3	3	4
20-34	47	2.6	2	1	1	2	3	4	5	7
35-49	7	1.9	2	1	1	1	2	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	10	1.6	1	< 1	< 1	< 1	2	3	4	4
20-34	154	2.4	2	< 1	< 1	3	4	4	5	6
35-49	185	3.4	2	2	3	3	4	5	6	7
50-64	142	4.1	3	2	3	4	5	7	8	9
65 +	75	4.4	5	2	3	4	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.9	1	1	1	1	2	4	5	5
20-34	76	2.5	4	< 1	1	2	3	5	7	9
35-49	39	2.9	4	< 1	1	3	4	5	7	11
50-64	7	2.1	1	< 1	< 1	2	3	4	4	4
65 +	10	8.6	95	1	3	5	10	25	32	32
B. Operated										
0-19 YRS	24	2.6	3	< 1	1	2	4	5	5	6
20-34	849	3.7	3	1	3	4	4	5	6	10
35-49	927	4.1	3	3	3	4	5	6	7	10
50-64	328	4.8	5	3	3	4	6	7	8	10
65 +	271	5.7	6	3	4	5	7	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.2	2	1	1	2	3	4	5	7
B. Operated	566	3.4	3	< 1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	153	2.9	11	< 1	1	2	4	5	7	19
B. Operated	2399	4.2	4	2	3	4	5	6	8	11
1. SINGLE DX	651	3.3	3	< 1	2	3	4	5	6	8
2. MULTIPLE DX	2552	4.1	5	2	3	4	5	6	8	11
A. Not Operated	238	2.7	8	< 1	1	2	3	5	6	12
B. Operated	2965	4.0	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	85	2.0	2	< 1	1	2	3	4	4	6
20-34	1126	3.4	3	< 1	2	3	4	5	6	10
35-49	1158	3.9	3	2	3	4	4	6	7	10
50-64	478	4.6	4	3	3	4	6	7	8	9
65 +	356	5.5	9	3	4	5	7	8	11	18
GRAND TOTAL	**3203**	**3.9**	**4**	**1**	**3**	**4**	**5**	**6**	**7**	**11**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	17	2.1	4	< 1	1	1	3	5	7	8
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	2.9	2	1	2	3	4	4	5	7
20-34	611	2.9	2	1	2	3	4	4	5	6
35-49	101	3.3	3	1	2	3	4	5	5	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
20-34	9	3.0	6	1	1	2	4	7	8	8
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	66	3.4	2	1	3	3	4	5	5	7
20-34	932	3.6	3	2	3	3	4	5	6	10
35-49	193	3.9	5	2	3	4	4	6	7	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.1	3	< 1	1	1	3	4	6	8
B. Operated	756	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	14	2.7	4	< 1	1	2	4	5	7	8
B. Operated	1191	3.6	3	2	3	3	4	5	6	11
1. SINGLE DX	777	2.9	2	1	2	3	4	4	5	6
2. MULTIPLE DX	1205	3.6	3	2	3	3	4	5	6	11
A. Not Operated	35	2.3	3	< 1	1	2	3	5	7	8
B. Operated	1947	3.4	3	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	115	3.1	2	1	2	3	4	5	5	7
20-34	1569	3.3	3	1	3	3	4	5	6	9
35-49	298	3.7	4	2	3	4	4	5	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**1982**	**3.4**	**3**	**1**	**3**	**3**	**4**	**5**	**6**	**9**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.3		< 1	1	1	2	2	2	2
20-34	18	1.9	2	1	1	2	2	3	5	6
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	77	1.2		1	1	1	1	2	2	4
20-34	149	1.3		1	1	1	1	2	2	3
35-49	11	1.3		< 1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.3	2	1	1	2	3	5	5	5
20-34	48	1.9	2	1	1	1	2	3	5	7
35-49	8	1.1		< 1	1	1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	2.8	9	1	1	1	4	8	10	12
20-34	130	2.4	5	1	1	2	3	4	6	14
35-49	24	1.5	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	1.7	1	1	1	1	2	3	5	6
B. Operated	237	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	70	1.9	2	1	1	1	2	3	5	7
B. Operated	191	2.4	5	1	1	2	3	5	6	13
1. SINGLE DX	268	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX	261	2.3	4	1	1	2	3	4	6	12
A. Not Operated	101	1.8	2	1	1	1	2	3	5	6
B. Operated	428	1.8	3	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	136	1.8	3	1	1	1	2	3	6	10
20-34	345	1.8	2	1	1	1	2	3	4	7
35-49	48	1.5	1	< 1	1	1	2	3	3	5
50-64	0									
65 +	0									
GRAND TOTAL	**529**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**0**									

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	1.5	1	< 1	1	1	2	3	3	4
20-34	117	1.5	1	< 1	1	1	2	3	3	5
35-49	18	1.5	1	< 1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	253	1.3		< 1	< 1	1	1	2	3	4
20-34	833	1.2	1	< 1	< 1	1	1	2	3	4
35-49	127	1.2		< 1	< 1	1	1	2	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.0	3	< 1	1	1	3	4	6	7
20-34	94	2.3	4	1	1	2	3	5	7	10
35-49	14	2.6	3	1	1	2	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	78	2.0	2	1	1	2	3	4	4	8
20-34	316	2.0	2	1	1	1	3	4	6	7
35-49	54	2.2	6	< 1	1	1	2	4	7	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	1.5	1	< 1	1	1	2	3	3	4
B. Operated	1213	1.2	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	143	2.2	3	1	1	2	3	5	7	10
B. Operated	448	2.1	3	1	1	1	3	4	5	7
1. SINGLE DX	1388	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	591	2.1	3	1	1	1	3	4	6	8
A. Not Operated	318	1.8	2	< 1	1	1	2	3	5	8
B. Operated	1661	1.5	1	< 1	1	1	1	3	4	6
TOTAL										
0-19 YRS	406	1.5	1	< 1	1	1	2	3	4	6
20-34	1360	1.5	1	< 1	1	1	2	3	4	6
35-49	213	1.6	2	< 1	< 1	1	1	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**1979**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**	**6**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.2	1	1	1	2	3	4	4	5
20-34	89	2.0	2	< 1	1	2	2	4	4	8
35-49	16	1.6	2	< 1	1	1	1	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	1.7	2	< 1	< 1	1	2	3	4	9
20-34	310	1.2		< 1	< 1	1	1	2	2	3
35-49	54	1.3		< 1	< 1	1	1	2	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.5	2	1	1	2	4	5	5	5
20-34	58	3.3	6	1	2	3	4	6	7	14
35-49	7	5.3	56	1	1	3	4	18	22	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	2.4	3	< 1	1	2	3	5	6	9
20-34	157	2.3	5	< 1	1	1	3	5	6	11
35-49	46	2.3	3	< 1	1	2	3	5	6	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	2.0	2	1	1	1	3	4	5	7
B. Operated	418	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	96	3.2	8	1	2	3	4	5	6	18
B. Operated	235	2.3	4	< 1	1	2	3	5	6	11
1. SINGLE DX	545	1.5	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX	331	2.6	5	1	1	2	3	5	6	12
A. Not Operated	223	2.5	5	1	1	2	3	4	5	11
B. Operated	653	1.7	2	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	138	2.1	2	< 1	1	2	3	4	5	9
20-34	614	1.8	3	< 1	< 1	1	2	3	5	9
35-49	123	2.0	5	< 1	< 1	1	2	4	5	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**876**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	1.4		< 1	1	1	2	2	3	4
20-34	135	1.7	1	< 1	1	1	2	3	4	6
35-49	11	1.3		< 1	1	1	1	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	1.7	4	< 1	< 1	1	1	5	6	6
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	1.9	2	< 1	1	1	2	4	5	6
20-34	67	2.2	2	1	1	2	3	4	5	7
35-49	6	2.7	6	1	1	2	4	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	11	2.3	3	< 1	1	2	3	5	6	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	1.6	1	< 1	1	1	2	3	4	6
B. Operated	9	1.6	3	< 1	< 1	1	1	4	6	6
2. MULTIPLE DX										
A. Not Operated	91	2.2	2	< 1	1	2	3	4	6	7
B. Operated	16	2.1	2	1	1	2	3	5	6	6
1. SINGLE DX	188	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	107	2.2	2	1	1	2	3	4	6	7
A. Not Operated	270	1.8	1	< 1	1	1	2	3	4	7
B. Operated	25	1.9	2	< 1	1	1	2	5	6	6
TOTAL										
0-19 YRS	55	1.6	1	< 1	1	1	2	3	4	6
20-34	220	1.9	2	< 1	1	1	2	4	4	7
35-49	20	1.7	2	1	1	1	2	3	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**295**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**	**7**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	17	2.2	2	< 1	1	2	3	4	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	12	2.8	1	1	2	3	4	4	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.0	2	< 1	1	2	3	4	5	5
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	17	2.4	1	< 1	1	2	3	4	5	5
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
1. SINGLE DX	28	2.0	2	< 1	1	2	3	4	5	5
2. MULTIPLE DX	19	2.2	2	< 1	1	2	3	4	5	5
A. Not Operated	43	2.2	2	< 1	1	2	3	4	5	5
B. Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
TOTAL										
0-19 YRS	9	1.4	1	< 1	1	1	2	3	3	3
20-34	32	2.3	2	< 1	1	2	3	4	5	5
35-49	6	1.8	1	< 1	1	1	2	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**47**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**4**	**5**	**5**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	2.6	3	1	1	2	4	5	6	8
20-34	483	2.5	3	1	2	2	3	4	5	8
35-49	52	2.5	2	1	2	2	3	4	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	4.0	30	< 1	1	2	4	14	15	15
20-34	35	2.5	2	< 1	1	2	4	4	5	6
35-49	4	4.8	3	3	3	4	6	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	3.4	12	1	1	2	4	7	10	20
20-34	198	3.3	6	1	2	3	4	6	8	15
35-49	30	3.0	3	1	2	2	3	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.6	3	1	1	2	4	5	6	6
20-34	36	3.5	12	< 1	1	2	5	10	13	13
35-49	6	5.3	19	< 1	1	4	10	11	11	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	637	2.5	3	1	2	2	3	4	5	8
B. Operated	45	2.9	6	< 1	1	2	4	5	6	15
2. MULTIPLE DX										
A. Not Operated	267	3.2	7	1	2	3	4	6	8	15
B. Operated	50	3.6	12	< 1	1	2	5	10	12	13
1. SINGLE DX	682	2.6	3	1	2	2	3	4	5	8
2. MULTIPLE DX	317	3.3	8	1	2	2	4	7	9	14
A. Not Operated	904	2.7	4	1	2	2	3	5	6	10
B. Operated	95	3.3	9	< 1	1	2	4	6	11	14
TOTAL										
0-19 YRS	155	2.9	6	1	1	2	4	5	7	15
20-34	752	2.8	4	1	2	2	3	5	6	12
35-49	92	2.9	4	1	2	2	4	6	7	11
50-64	0									
65 +	0									
GRAND TOTAL	**999**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**7**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	153	2.6	3	1	1	2	3	5	6	9
20-34	752	3.2	6	1	2	3	4	6	7	11
35-49	23	2.8	1	1	2	3	4	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	7.2	87	< 1	< 1	4	8	23	25	25
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	3.1	6	1	2	2	4	6	7	13
20-34	517	3.4	8	1	2	3	4	6	8	14
35-49	23	6.0	45	2	3	4	6	9	20	35
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	10.0	27	4	6	13	13	13	13	13
20-34	30	7.9	42	1	3	7	10	19	21	25
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	928	3.1	5	1	2	2	4	5	7	11
B. Operated	8	5.6	70	< 1	< 1	1	7	20	25	25
2. MULTIPLE DX										
A. Not Operated	666	3.5	9	1	2	3	4	6	8	14
B. Operated	35	8.0	39	1	3	7	12	18	21	25
1. SINGLE DX	936	3.1	6	1	2	2	4	5	7	11
2. MULTIPLE DX	701	3.7	11	1	2	3	4	7	9	19
A. Not Operated	1594	3.2	7	1	2	3	4	6	7	13
B. Operated	43	7.6	44	1	2	7	11	18	22	25
TOTAL										
0-19 YRS	283	2.9	5	1	2	2	3	5	7	13
20-34	1305	3.4	8	1	2	3	4	6	8	15
35-49	49	4.4	26	1	2	3	5	7	12	35
50-64	0									
65 +	0									
GRAND TOTAL	**1637**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	308	1.1		<1	<1	<1	1	1	2	4
20-34	885	1.1	1	<1	<1	<1	1	1	2	3
35-49	29	1.1		<1	<1	<1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	1.2		<1	<1	1	1	2	2	2
20-34	58	1.7	3	<1	<1	1	2	3	5	11
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	1.6	1	<1	<1	1	2	3	3	4
20-34	112	2.0	8	<1	<1	1	2	3	4	18
35-49	7	1.9	1	<1	1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.9	8	<1	<1	2	4	8	9	9
20-34	29	1.9	1	<1	1	1	3	3	4	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1222	1.1	1	<1	<1	<1	1	1	2	3
B. Operated	79	1.5	2	<1	<1	1	1	3	3	10
2. MULTIPLE DX										
A. Not Operated	156	1.9	6	<1	<1	1	2	3	4	12
B. Operated	38	2.0	3	<1	<1	1	3	4	5	9
1. SINGLE DX	1301	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	194	1.9	5	<1	<1	1	2	3	4	11
A. Not Operated	1378	1.2	1	<1	<1	<1	1	2	2	4
B. Operated	117	1.7	2	<1	<1	1	2	3	4	10
TOTAL										
0-19 YRS	371	1.2		<1	<1	<1	1	2	2	4
20-34	1084	1.3	2	<1	<1	<1	1	2	3	5
35-49	40	1.2		<1	<1	<1	1	2	3	4
50-64	0									
65 +	0									
GRAND TOTAL	**1495**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.5	23	1	2	3	9	13	14	14
20-34	126	2.8	8	1	1	2	3	5	6	20
35-49	17	2.8	6	1	1	2	3	6	9	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	2.0	1	1	1	2	3	3	4	4
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	2	2	3	4	4	4
20-34	73	4.9	51	1	2	3	5	11	14	47
35-49	12	5.7	22	2	2	3	9	14	15	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	11	3.7	13	1	2	3	4	9	14	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	3.0	9	1	1	2	4	6	8	19
B. Operated	15	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	90	4.8	44	1	2	3	5	11	14	41
B. Operated	15	3.2	10	<1	1	2	4	5	12	14
1. SINGLE DX	170	2.9	9	1	1	2	3	5	7	19
2. MULTIPLE DX	105	4.6	40	1	2	3	5	11	14	35
A. Not Operated	245	3.7	23	1	1	2	4	8	13	20
B. Operated	30	2.6	6	<1	1	2	3	5	5	14
TOTAL										
0-19 YRS	21	4.0	16	<1	2	3	4	13	14	14
20-34	222	3.5	23	1	1	2	4	6	11	20
35-49	32	3.8	13	1	2	3	4	10	13	15
50-64	0									
65 +	0									
GRAND TOTAL	**275**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**13**	**20**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.1	3	< 1	< 1	1	2	5	6	9
20-34	156	2.1	3	< 1	1	2	2	4	6	9
35-49	12	1.3		< 1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	2.7	24	< 1	1	1	2	4	16	20
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.2	9	1	2	2	3	6	11	13
20-34	110	3.3	15	1	1	2	4	6	11	23
35-49	13	3.6	32	< 1	1	2	3	8	19	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	17	2.0	2	< 1	1	2	3	4	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	2.0	3	< 1	1	1	2	4	6	9
B. Operated	17	2.5	21	< 1	1	1	2	4	14	20
2. MULTIPLE DX										
A. Not Operated	138	3.3	15	1	1	2	4	6	12	22
B. Operated	22	2.0	1	< 1	1	2	3	4	4	5
1. SINGLE DX	223	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX	160	3.1	14	1	1	2	3	5	10	22
A. Not Operated	344	2.5	8	< 1	1	2	3	5	7	17
B. Operated	39	2.2	10	< 1	1	1	2	4	5	20
TOTAL										
0-19 YRS	58	2.3	5	< 1	1	2	3	5	7	13
20-34	298	2.6	8	< 1	1	2	3	5	7	19
35-49	27	2.5	16	< 1	1	2	2	4	8	22
50-64	0									
65 +	0									
GRAND TOTAL	**383**	**2.5**	**8**	**< 1**	**1**	**2**	**3**	**5**	**7**	**19**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	2.9	4	1	2	3	4	5	6	10
20-34	238	2.7	2	1	2	3	4	5	5	7
35-49	11	2.9	3	1	2	3	4	5	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.8	8	1	1	3	6	8	8	8
20-34	11	3.2	2	1	2	3	4	5	6	6
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	356	3.3	5	1	2	3	4	5	6	7
20-34	728	3.4	5	1	2	3	4	5	7	11
35-49	17	3.2	2	2	2	3	4	5	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	3.7	5	1	2	3	5	7	8	8
20-34	47	4.4	13	1	2	3	5	8	8	23
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	2.8	3	1	2	3	4	5	6	7
B. Operated	17	3.4	4	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	1101	3.3	5	1	2	3	4	5	7	10
B. Operated	67	4.1	10	1	2	3	5	8	8	21
1. SINGLE DX	391	2.8	3	1	2	3	4	5	6	7
2. MULTIPLE DX	1168	3.4	5	1	2	3	4	5	7	11
A. Not Operated	1475	3.2	4	1	2	3	4	5	6	10
B. Operated	84	4.0	9	1	2	3	5	8	8	18
TOTAL										
0-19 YRS	506	3.2	5	1	2	3	4	5	6	8
20-34	1024	3.3	5	1	2	3	4	5	6	11
35-49	29	3.0	3	1	2	3	4	5	7	7
50-64	0									
65 +	0									
GRAND TOTAL	**1559**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	3.3	5	1	2	3	5	6	7	10
20-34	364	3.2	5	1	2	3	4	6	7	13
35-49	74	3.4	4	1	2	3	5	6	8	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	16	2.3	2	< 1	1	2	3	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	264	3.0	7	1	1	2	4	6	8	13
20-34	1343	3.5	13	1	2	3	4	7	8	18
35-49	126	3.9	11	1	2	3	5	8	10	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	4.3	8	< 1	2	4	7	8	8	10
20-34	151	5.2	46	1	2	3	6	9	17	31
35-49	11	3.9	5	1	2	3	6	7	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	486	3.2	5	1	2	3	4	6	7	12
B. Operated	17	2.2	2	< 1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	1733	3.4	12	1	2	2	4	7	8	18
B. Operated	193	5.0	37	1	2	3	6	9	11	30
1. SINGLE DX	503	3.2	5	1	2	3	4	6	7	12
2. MULTIPLE DX	1926	3.6	14	1	2	3	4	7	9	20
A. Not Operated	2219	3.4	10	1	2	3	4	6	8	16
B. Operated	210	4.7	35	1	2	3	6	9	11	30
TOTAL										
0-19 YRS	344	3.2	7	1	1	2	4	7	8	12
20-34	1874	3.6	14	1	2	3	4	7	8	19
35-49	211	3.7	8	1	2	3	5	7	9	14
50-64	0									
65 +	0									
GRAND TOTAL	**2429**	**3.5**	**13**	**1**	**2**	**3**	**4**	**7**	**8**	**17**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	743	2.0	5	< 1	< 1	1	2	4	5	14
20-34	2262	2.1	4	< 1	1	1	2	4	6	12
35-49	157	3.2	30	< 1	1	2	3	4	12	35
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	105	2.3	9	< 1	< 1	1	3	4	6	20
20-34	455	2.0	5	< 1	1	1	2	4	6	11
35-49	52	1.8	3	< 1	1	1	2	3	5	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	382	3.2	9	1	1	2	4	7	9	18
20-34	1435	3.5	22	1	1	2	4	6	10	25
35-49	124	4.0	70	< 1	1	2	4	7	11	86
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	94	3.4	9	< 1	1	3	4	8	11	12
20-34	403	4.1	39	1	1	3	4	7	12	36
35-49	28	3.2	6	< 1	1	2	4	8	8	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3162	2.1	6	< 1	< 1	1	2	4	5	13
B. Operated	612	2.1	5	< 1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	1941	3.5	23	1	1	2	4	6	10	23
B. Operated	525	3.9	32	1	1	3	4	7	11	33
1. SINGLE DX	3774	2.1	6	< 1	< 1	1	2	4	5	13
2. MULTIPLE DX	2466	3.6	25	1	1	2	4	7	10	25
A. Not Operated	5103	2.6	13	< 1	1	2	3	5	7	18
B. Operated	1137	2.9	18	< 1	1	2	3	6	8	21
TOTAL										
0-19 YRS	1324	2.5	7	< 1	< 1	1	3	5	7	15
20-34	4555	2.7	14	< 1	1	2	3	5	8	19
35-49	361	3.3	38	< 1	1	2	3	5	10	36
50-64	0									
65 +	0									
GRAND TOTAL	**6240**	**2.7**	**14**	**< 1**	**1**	**2**	**3**	**5**	**7**	**19**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	2.2	1	1	2	2	2	3	3	6
20-34	442	2.0	1	1	2	2	2	3	3	4
35-49	46	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	3.3	5	2	2	3	4	4	6	14
20-34	184	2.8	1	2	2	3	4	4	4	5
35-49	11	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	2.3	2	1	2	2	3	3	4	8
20-34	824	2.2	3	1	2	2	2	3	3	6
35-49	62	2.3	1	1	2	2	3	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	251	3.5	23	1	2	2	4	5	7	25
20-34	1673	3.4	11	2	2	3	4	5	7	17
35-49	269	3.8	18	2	2	3	4	5	7	28
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	606	2.0	1	1	2	2	2	3	3	4
B. Operated	222	2.8	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. Not Operated	1105	2.3	3	1	2	2	2	3	4	7
B. Operated	2193	3.5	13	2	2	3	4	5	7	17
1. SINGLE DX	828	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX	3298	3.1	10	2	2	2	3	5	6	14
A. Not Operated	1711	2.2	2	1	2	2	2	3	3	6
B. Operated	2415	3.4	12	2	2	3	4	5	7	17
TOTAL										
0-19 YRS	615	2.8	11	1	2	2	3	4	6	12
20-34	3123	2.9	7	1	2	2	3	4	5	12
35-49	388	3.4	13	2	2	3	4	5	6	21
50-64	0									
65 +	0									
GRAND TOTAL	**4126**	**2.9**	**8**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2901	2.0	1	1	2	2	2	3	3	4
20-34	11507	1.9		1	2	2	2	3	3	3
35-49	741	1.9		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	523	2.1		1	2	2	3	3	3	4
20-34	2234	2.0		1	2	2	2	3	3	4
35-49	143	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	2.0	1	1	2	2	2	3	3	4
20-34	591	2.0	1	1	2	2	2	3	3	4
35-49	47	2.1	1	1	2	2	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	99	2.1	1	1	2	2	2	3	3	6
20-34	2562	2.3	1	2	2	2	3	3	3	4
35-49	256	2.3		2	2	2	3	3	3	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15149	1.9		1	2	2	2	3	3	3
B. Operated	2900	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	834	2.0	1	1	2	2	2	3	3	4
B. Operated	2917	2.3	1	2	2	2	3	3	3	4
1. SINGLE DX	18049	1.9		1	2	2	2	3	3	3
2. MULTIPLE DX	3751	2.2	1	1	2	2	3	3	3	4
A. Not Operated	15983	1.9		1	2	2	2	3	3	3
B. Operated	5817	2.2	1	1	2	2	2	3	3	4
TOTAL										
0-19 YRS	3719	2.0	1	1	2	2	2	3	3	4
20-34	16894	2.0	1	1	2	2	2	3	3	4
35-49	1187	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
GRAND TOTAL	**21800**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	9	2.0	1	< 1	1	2	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	48	6.7	67	3	3	4	5	15	28	46
35-49	8	4.0	1	3	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	20	4.3	34	1	2	2	4	8	18	27
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	7.5	67	2	3	4	7	25	26	26
20-34	242	10.2	192	3	3	5	10	26	46	66
35-49	51	12.5	273	3	4	5	12	37	63	65
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.0	1	1	1	2	2	3	3	3
B. Operated	59	6.2	55	3	3	4	5	13	23	44
2. MULTIPLE DX										
A. Not Operated	23	4.0	30	1	2	2	4	7	16	27
B. Operated	306	10.5	201	3	3	5	10	26	47	65
1. SINGLE DX	72	5.5	48	2	3	4	5	8	17	42
2. MULTIPLE DX	329	10.0	191	3	3	4	9	26	45	65
A. Not Operated	36	3.3	20	1	2	2	3	6	9	27
B. Operated	365	9.8	179	3	3	5	9	26	40	65
TOTAL										
0-19 YRS	21	5.8	46	1	3	4	5	15	25	26
20-34	319	9.1	162	2	3	4	8	23	37	64
35-49	61	11.0	238	3	4	5	9	34	55	65
50-64	0									
65 +	0									
GRAND TOTAL	**401**	**9.2**	**168**	**2**	**3**	**4**	**8**	**23**	**38**	**64**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.0	1	1	1	2	3	3	3	3
20-34	42	1.9		1	2	2	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.5	1	2	3	4	4	5	6	6
20-34	66	3.2	1	2	2	3	4	4	5	7
35-49	3	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.5	45	1	1	2	3	5	7	38
20-34	83	2.6	9	1	2	2	3	5	6	20
35-49	8	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	63	4.3	4	2	3	4	5	8	8	87
20-34	318	4.2	17	2	3	4	5	6	7	22
35-49	44	6.1	96	2	3	4	5	8	25	61
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.9		1	1	2	2	3	3	3
B. Operated	82	3.2	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	121	2.8	17	1	2	2	3	5	6	29
B. Operated	425	4.4	23	2	3	4	5	6	8	27
1. SINGLE DX	137	2.7	1	1	2	2	3	4	5	7
2. MULTIPLE DX	546	4.1	22	1	2	3	4	6	8	26
A. Not Operated	176	2.5	12	1	1	2	2	4	6	22
B. Operated	507	4.2	20	2	3	4	4	6	8	25
TOTAL										
0-19 YRS	118	3.8	14	1	2	3	4	7	8	57
20-34	509	3.6	13	1	2	3	4	5	7	20
35-49	56	5.3	78	2	2	3	5	6	21	59
50-64	0									
65 +	0									
GRAND TOTAL	**683**	**3.8**	**18**	**1**	**2**	**3**	**4**	**6**	**7**	**25**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	7	2.0	1	1	1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	2.2	1	1	2	2	3	3	3	3
20-34	99	2.1	1	1	2	2	2	3	3	6
35-49	12	1.8		1	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	2.4	2	1	2	2	3	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	2.0		1	2	2	2	3	3	3
20-34	114	2.3	1	1	2	2	3	3	4	6
35-49	21	2.9	3	1	2	3	3	4	7	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.9	1	1	1	2	2	3	4	4
B. Operated	128	2.1	1	1	2	2	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	12	2.4	2	1	2	2	3	5	5	5
B. Operated	158	2.4	1	1	2	2	3	3	4	8
1. SINGLE DX	140	2.0	1	1	2	2	2	3	3	6
2. MULTIPLE DX	170	2.4	1	1	2	2	3	3	5	7
A. Not Operated	24	2.2	1	1	1	2	2	4	5	5
B. Operated	286	2.2	1	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	44	2.1		1	2	2	3	3	3	3
20-34	232	2.2	1	1	2	2	2	3	4	6
35-49	34	2.5	2	1	2	2	3	3	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**310**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.0		1	2	2	2	3	3	3
20-34	49	2.0	1	1	1	2	3	3	3	5
35-49	3	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.8		1	1	2	2	3	3	3
20-34	27	2.3		2	2	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.3	1	1	2	2	3	3	3	3
20-34	41	2.5	1	2	2	2	3	4	5	7
35-49	9	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	3.3	8	2	2	2	3	8	10	10
20-34	68	2.7	2	2	2	2	3	4	5	10
35-49	8	5.6	47	2	2	3	6	17	22	22
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	2.0	1	1	1	2	3	3	3	5
B. Operated	38	2.2		1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	69	2.3	1	1	2	2	3	3	4	7
B. Operated	84	3.0	7	2	2	2	3	4	8	18
1. SINGLE DX	104	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX	153	2.7	4	2	2	2	3	4	5	10
A. Not Operated	135	2.2	1	1	2	2	3	3	3	6
B. Operated	122	2.8	5	2	2	2	3	4	5	14
TOTAL										
0-19 YRS	51	2.3	2	1	2	2	3	3	3	10
20-34	185	2.4	1	1	2	2	3	3	4	8
35-49	21	3.3	20	1	2	2	2	6	14	22
50-64	0									
65 +	0									
GRAND TOTAL	**257**	**2.5**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**10**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
20-34	35	2.3		2	2	2	3	3	3	4
35-49	4	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	3.2	1	2	2	3	4	5	5	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.6	4	1	1	2	3	6	7	7
20-34	62	3.2	12	1	2	2	3	5	8	24
35-49	3	10.0	169	2	2	3	19	25	25	25
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	5.3	14	2	3	4	6	9	11	23
20-34	432	5.3	48	2	3	4	5	7	12	39
35-49	68	4.5	20	2	3	4	5	6	8	33
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.3		1	2	2	3	3	3	4
B. Operated	25	3.2	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	73	3.4	17	1	2	2	3	6	10	26
B. Operated	544	5.2	42	2	3	4	5	7	11	38
1. SINGLE DX	67	2.6	1	2	2	2	3	4	5	5
2. MULTIPLE DX	617	5.0	39	2	3	4	5	7	11	36
A. Not Operated	115	3.0	11	1	2	2	3	4	6	25
B. Operated	569	5.1	40	2	3	4	5	7	11	37
TOTAL										
0-19 YRS	56	4.7	13	2	3	4	6	8	10	22
20-34	550	4.8	40	2	3	4	5	7	11	35
35-49	78	4.6	24	2	3	4	5	6	8	35
50-64	0									
65 +	0									
GRAND TOTAL	**684**	**4.7**	**36**	**2**	**3**	**4**	**5**	**7**	**10**	**34**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	24	1.9	1	1	1	2	2	3	4	4
35-49	5	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	111	3.7	1	3	3	3	4	5	5	9
20-34	664	3.5	1	3	3	3	4	4	5	6
35-49	45	3.4	1	2	3	4	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	17	2.1	1	1	2	2	2	2	5	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	159	4.3	5	3	3	4	4	7	9	14
20-34	1139	3.9	4	3	3	4	4	5	6	11
35-49	191	4.3	4	3	3	4	4	6	8	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.0	1	1	1	2	2	3	4	4
B. Operated	820	3.5	1	3	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	23	2.2	2	1	2	2	2	3	6	7
B. Operated	1489	4.0	4	3	3	4	4	5	7	13
1. SINGLE DX	852	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX	1512	4.0	4	3	3	4	4	5	7	12
A. Not Operated	55	2.1	1	1	2	2	2	3	4	7
B. Operated	2309	3.8	3	3	3	4	4	5	6	11
TOTAL										
0-19 YRS	276	4.0	4	3	3	4	4	6	7	12
20-34	1844	3.7	3	3	3	4	4	5	6	10
35-49	244	4.0	4	3	3	4	4	5	7	14
50-64	0									
65 +	0									
GRAND TOTAL	**2364**	**3.8**	**3**	**3**	**3**	**4**	**4**	**5**	**6**	**11**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.6	8	1	2	2	3	3	3	18
20-34	224	2.0		1	2	2	2	3	3	4
35-49	16	2.2		2	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	3.0	1	2	2	3	4	5	5	5
20-34	241	3.0	1	2	2	3	4	4	5	6
35-49	25	2.8	1	2	2	2	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.6	1	2	2	2	3	4	5	5
20-34	167	2.2	1	1	2	2	2	3	4	6
35-49	21	2.8	3	1	2	2	3	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	248	3.6	5	2	2	3	4	5	7	13
20-34	1728	3.4	3	2	2	3	4	5	6	10
35-49	211	3.8	5	2	3	4	4	5	6	14
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	274	2.1	1	1	2	2	2	3	3	4
B. Operated	316	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	220	2.3	1	1	2	2	3	3	4	6
B. Operated	2188	3.5	3	2	2	3	4	5	6	11
1. SINGLE DX	590	2.6	1	2	2	2	3	4	4	5
2. MULTIPLE DX	2408	3.4	3	2	2	3	4	5	6	11
A. Not Operated	494	2.2	1	1	2	2	2	3	3	6
B. Operated	2504	3.4	3	2	2	3	4	5	6	11
TOTAL										
0-19 YRS	364	3.3	4	2	2	3	4	5	6	13
20-34	2360	3.1	3	2	2	3	4	5	5	9
35-49	273	3.5	4	2	2	3	4	5	6	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**2998**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	12	2.2	1	1	2	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	167	3.8	1	3	3	4	4	5	5	6
20-34	641	3.9	1	3	3	4	4	5	5	6
35-49	31	4.2	1	3	3	4	5	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	26	3.2	2	1	2	3	4	5	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	564	4.6	5	3	4	4	5	6	8	13
20-34	2811	4.2	3	3	3	4	5	5	6	9
35-49	246	4.1	2	3	3	4	5	5	6	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.0	1	1	1	2	3	3	3	3
B. Operated	839	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	28	3.1	2	1	2	3	4	5	6	6
B. Operated	3621	4.2	3	3	3	4	5	5	6	11
1. SINGLE DX	855	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX	3649	4.2	3	3	3	4	5	5	6	11
A. Not Operated	44	2.7	2	1	2	2	4	5	5	6
B. Operated	4460	4.2	3	3	3	4	5	5	6	10
TOTAL										
0-19 YRS	734	4.4	4	3	3	4	5	6	8	12
20-34	3490	4.1	3	3	3	4	4	5	6	9
35-49	280	4.1	2	3	3	4	5	5	6	10
50-64	0									
65 +	0									
GRAND TOTAL	**4504**	**4.1**	**3**	**3**	**3**	**4**	**5**	**5**	**6**	**10**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.3	1	1	2	2	3	3	3	9
20-34	233	2.2		1	2	2	3	3	3	4
35-49	16	2.1	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	105	3.3	1	2	2	3	4	5	5	8
20-34	552	3.2	1	2	2	3	4	5	5	6
35-49	36	3.5	4	2	2	3	4	5	6	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	2.5	1	2	2	2	3	4	4	7
20-34	174	2.3	1	2	2	2	3	3	4	4
35-49	10	2.5	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	366	4.0	4	2	3	4	5	6	8	11
20-34	2184	3.6	3	2	3	3	4	5	6	10
35-49	213	3.7	2	2	3	4	4	5	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	2.2	1	1	2	2	3	3	3	4
B. Operated	693	3.2	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	235	2.4	1	2	2	2	3	3	4	5
B. Operated	2763	3.7	3	2	3	3	4	5	6	11
1. SINGLE DX	1012	2.9	1	2	2	3	4	4	5	6
2. MULTIPLE DX	2998	3.6	3	2	2	3	4	5	6	10
A. Not Operated	554	2.3	1	1	2	2	3	3	3	4
B. Operated	3456	3.6	3	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	592	3.5	4	2	2	3	4	6	7	11
20-34	3143	3.4	3	2	2	3	4	5	6	9
35-49	275	3.5	3	2	2	3	4	5	6	10
50-64	0									
65 +	0									
GRAND TOTAL	**4010**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.1		1	2	2	2	3	3	3
20-34	45	2.3	1	1	2	2	3	3	4	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	3.1	1	2	2	3	4	5	5	5
20-34	100	3.2	2	2	2	3	4	5	5	9
35-49	8	4.3	2	2	3	4	5	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	1.9		1	2	2	2	3	3	3
20-34	63	2.9	22	1	2	2	3	4	5	35
35-49	4	2.3	2	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	71	3.7	3	2	2	4	4	6	8	11
20-34	564	3.8	14	2	3	4	4	5	6	12
35-49	78	4.2	14	2	3	4	5	6	7	27
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.2	1	1	2	2	3	3	3	6
B. Operated	129	3.3	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	78	2.7	18	1	2	2	3	3	4	30
B. Operated	713	3.9	13	2	3	4	4	5	6	12
1. SINGLE DX	187	2.9	2	2	2	3	4	5	5	7
2. MULTIPLE DX	791	3.8	13	2	3	3	4	5	6	12
A. Not Operated	136	2.5	11	1	2	2	3	3	4	11
B. Operated	842	3.8	11	2	3	4	4	5	6	12
TOTAL										
0-19 YRS	114	3.3	3	2	2	3	4	5	6	10
20-34	772	3.6	13	2	2	3	4	5	6	12
35-49	92	4.0	12	2	3	4	5	6	7	23
50-64	0									
65 +	0									
GRAND TOTAL	**978**	**3.6**	**11**	**2**	**2**	**3**	**4**	**5**	**6**	**12**

295: Previous cesarean section (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.9	1	1	1	2	2	3	3	6
20-34	271	1.9		1	2	2	2	3	3	4
35-49	31	1.9	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	176	3.5	1	3	3	3	4	4	5	6
20-34	1907	3.4	1	3	3	3	4	4	4	5
35-49	178	3.4	1	2	3	3	4	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.0	1	1	2	2	2	3	3	4
20-34	194	2.3	1	1	2	2	3	3	4	7
35-49	16	2.7	2	1	2	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	237	3.8	3	2	3	4	4	5	6	8
20-34	5282	3.6	2	2	3	3	4	5	5	8
35-49	740	3.8	5	3	3	4	4	5	6	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	1.9	1	1	1	2	2	3	3	4
B. Operated	2261	3.4	1	3	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	243	2.3	1	1	2	2	3	3	4	6
B. Operated	6260	3.6	3	3	3	3	4	5	5	8
1. SINGLE DX	2600	3.2	1	2	3	3	4	4	4	5
2. MULTIPLE DX	6503	3.6	3	2	3	3	4	5	5	8
A. Not Operated	582	2.1	1	1	2	2	2	3	4	5
B. Operated	8521	3.6	2	3	3	3	4	5	5	7
TOTAL										
0-19 YRS	483	3.4	2	2	3	3	4	5	5	7
20-34	7654	3.4	2	2	3	3	4	4	5	7
35-49	965	3.7	4	3	3	4	4	5	5	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**9103**	**3.5**	**2**	**2**	**3**	**3**	**4**	**4**	**5**	**7**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	2.3	1	2	2	2	3	3	3	6
20-34	426	2.3	1	2	2	2	3	3	3	6
35-49	35	4.9	172	2	2	2	3	3	17	78
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	2.4	1	1	2	2	3	3	4	4
20-34	254	2.5	1	2	2	2	3	3	4	6
35-49	26	2.9	6	1	2	2	3	4	6	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	179	3.9	29	2	2	3	3	7	9	37
20-34	697	3.3	12	2	2	2	3	5	8	19
35-49	66	3.7	32	1	2	3	3	6	8	40
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	304	4.1	27	2	2	3	4	7	11	27
20-34	1987	3.7	13	2	2	3	4	6	8	19
35-49	266	4.1	18	2	2	3	4	6	11	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	553	2.5	12	2	2	2	3	3	3	6
B. Operated	323	2.5	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	942	3.4	17	2	2	2	3	5	8	20
B. Operated	2557	3.8	15	2	2	3	4	6	8	20
1. SINGLE DX	876	2.5	8	2	2	2	3	3	4	6
2. MULTIPLE DX	3499	3.7	15	2	2	3	4	6	8	20
A. Not Operated	1495	3.1	15	2	2	2	3	5	7	18
B. Operated	2880	3.6	14	2	2	3	4	5	8	20
TOTAL										
0-19 YRS	618	3.7	23	2	2	3	3	6	8	27
20-34	3364	3.3	10	2	2	3	4	5	7	17
35-49	393	4.0	33	2	2	3	4	6	10	29
50-64	0									
65 +	0									
GRAND TOTAL	**4375**	**3.4**	**14**	**2**	**2**	**3**	**4**	**5**	**7**	**20**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	313	2.0		1	2	2	2	3	3	3
20-34	1714	2.0	1	1	2	2	2	3	3	4
35-49	124	1.9		1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	102	2.1	1	1	2	2	2	3	4	4
20-34	558	2.2	1	1	2	2	3	3	4	4
35-49	34	2.2	1	1	2	2	2	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	2.1		1	2	2	2	3	3	4
20-34	729	2.0		1	2	2	2	3	3	4
35-49	76	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	249	2.4	1	1	2	2	3	4	5	7
20-34	1721	2.3	1	1	2	2	3	3	4	6
35-49	195	2.4	1	1	2	2	3	3	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2151	2.0	1	1	2	2	2	3	3	3
B. Operated	694	2.2	1	1	2	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	949	2.0		1	2	2	2	3	3	4
B. Operated	2165	2.3	1	1	2	2	3	3	4	6
1. SINGLE DX	2845	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	3114	2.2	1	1	2	2	3	3	4	5
A. Not Operated	3100	2.0	1	1	2	2	2	3	3	4
B. Operated	2859	2.3	1	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	808	2.1	1	1	2	2	2	3	4	5
20-34	4722	2.1	1	1	2	2	2	3	3	5
35-49	429	2.1	1	1	2	2	2	3	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**5959**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	2.0		1	2	2	2	3	3	4
20-34	460	1.9		1	2	2	2	3	3	3
35-49	32	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	776	2.0		1	2	2	2	3	3	3
20-34	3530	1.9		1	2	2	2	3	3	3
35-49	307	1.9		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	2.3	1	2	2	2	3	3	4	8
20-34	288	2.1	1	1	2	2	2	3	3	4
35-49	25	2.2	1	1	2	2	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	637	2.2	1	1	2	2	2	3	4	7
20-34	3622	2.2	1	1	2	2	2	3	3	4
35-49	402	2.1	1	1	2	2	2	3	3	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	617	2.0		1	2	2	2	3	3	3
B. Operated	4613	1.9		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	405	2.1	1	1	2	2	2	3	4	5
B. Operated	4661	2.2	1	1	2	2	2	3	3	5
1. SINGLE DX	5230	1.9		1	2	2	2	3	3	3
2. MULTIPLE DX	5066	2.2	1	1	2	2	2	3	3	5
A. Not Operated	1022	2.0	1	1	2	2	2	3	3	4
B. Operated	9274	2.0	1	1	2	2	2	3	3	4
TOTAL										
0-19 YRS	1630	2.1	1	1	2	2	2	3	3	5
20-34	7900	2.0	1	1	2	2	2	3	3	4
35-49	766	2.1	1	1	2	2	2	3	3	5
50-64	0									
65 +	0									
GRAND TOTAL	**10296**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.2		2	2	2	2	3	3	3
20-34	180	2.1		1	2	2	2	3	3	4
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	438	2.2		2	2	2	2	3	3	4
20-34	1239	2.1		1	2	2	2	3	3	4
35-49	61	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.5	1	1	2	2	3	4	5	6
20-34	63	2.0	1	1	2	2	2	3	4	4
35-49	6	2.8	3	2	2	2	3	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	360	2.4	1	2	2	2	3	3	4	5
20-34	1440	2.3	1	2	2	2	3	3	4	5
35-49	82	2.2	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	237	2.1		1	2	2	2	3	3	4
B. Operated	1738	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	100	2.2	1	1	2	2	2	3	4	6
B. Operated	1882	2.3	1	2	2	2	3	3	4	5
1. SINGLE DX	1975	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX	1982	2.3	1	2	2	2	3	3	4	5
A. Not Operated	337	2.1	1	1	2	2	2	3	3	5
B. Operated	3620	2.2	1	1	2	2	3	3	3	5
TOTAL										
0-19 YRS	882	2.3	1	2	2	2	3	3	4	4
20-34	2922	2.2	1	1	2	2	3	3	3	5
35-49	153	2.2	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
GRAND TOTAL	**3957**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.0		1	2	2	2	3	3	4
20-34	235	2.0		1	2	2	2	3	3	4
35-49	13	1.5		< 1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	195	2.0		1	2	2	2	3	3	4
20-34	637	2.0	1	1	2	2	2	3	3	4
35-49	36	1.9		1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.6	2	1	2	2	3	4	6	9
20-34	142	2.0		1	2	2	2	3	3	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	213	2.2	1	1	2	2	2	3	3	6
20-34	901	2.3	1	1	2	2	3	3	4	6
35-49	49	2.5	1	1	2	2	3	4	4	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	2.0		1	2	2	2	3	3	4
B. Operated	868	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	210	2.2	1	1	2	2	2	3	4	7
B. Operated	1163	2.3	1	1	2	2	3	3	4	6
1. SINGLE DX	1197	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	1373	2.3	1	1	2	2	3	3	4	6
A. Not Operated	539	2.1	1	1	2	2	2	3	3	5
B. Operated	2031	2.2	1	1	2	2	2	3	4	5
TOTAL										
0-19 YRS	555	2.2	1	1	2	2	2	3	3	6
20-34	1915	2.1	1	1	2	2	2	3	3	5
35-49	100	2.2	1	1	2	2	3	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**2570**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	812	2.3	2	1	2	2	3	3	4	7
20-34	2714	2.1	1	1	2	2	2	3	3	5
35-49	225	2.0	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1189	2.6	2	2	2	2	3	4	5	8
20-34	4876	2.5	1	2	2	2	3	4	4	6
35-49	369	2.5	2	1	2	2	3	4	4	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	977	2.7	5	1	2	2	3	5	6	12
20-34	2903	2.6	8	1	2	2	3	4	5	11
35-49	243	2.8	7	1	2	2	3	4	8	16
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2652	3.6	14	2	2	3	4	6	8	15
20-34	13513	3.4	9	2	2	3	4	5	7	15
35-49	1441	4.0	20	2	2	3	4	6	8	27
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3751	2.2	1	1	2	2	2	3	3	6
B. Operated	6435	2.5	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	4124	2.6	7	1	2	2	3	4	6	12
B. Operated	17606	3.5	11	2	2	3	4	5	7	16
1. SINGLE DX	10186	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX	21730	3.3	10	2	2	3	4	5	7	15
A. Not Operated	7875	2.4	5	1	2	2	3	3	5	9
B. Operated	24041	3.2	8	2	2	3	4	5	7	14
TOTAL										
0-19 YRS	5630	3.1	8	1	2	2	3	5	7	13
20-34	24006	3.0	7	2	2	2	3	5	6	12
35-49	2278	3.4	15	2	2	3	4	5	7	20
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**31916**	**3.0**	**8**	**2**	**2**	**2**	**3**	**5**	**6**	**13**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.2	2	1	3	3	4	5	5	7
20-34	88	2.9	3	1	2	3	3	5	6	11
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.3	1	2	3	3	4	5	5	6
20-34	110	3.5	3	2	2	3	4	6	7	9
35-49	5	3.0	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	25	6.1	17	2	3	5	9	13	14	16
35-49	3	17.7	16	14	15	17	21	22	22	22
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.0	2	1	2	3	4	5	6	10
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	147	3.5	3	2	3	3	4	6	7	9
B. Operated	32	6.9	28	2	3	5	10	15	17	22
1. SINGLE DX	121	3.0	2	1	2	3	4	5	6	10
2. MULTIPLE DX	179	4.1	9	2	3	3	5	7	10	17
A. Not Operated	267	3.3	3	2	2	3	4	5	6	10
B. Operated	33	6.8	27	2	3	5	10	14	17	22
TOTAL										
0-19 YRS	66	3.3	1	2	3	3	4	5	5	7
20-34	224	3.6	5	2	2	3	4	6	8	13
35-49	10	7.1	57	1	2	3	14	19	22	22
50-64	0									
65 +	0									
GRAND TOTAL	**300**	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**15**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	13	1.4		< 1	1	1	2	2	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	28	1.5	1	< 1	1	1	2	2	3	5
35-49	4	1.5		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	1.6		1	1	2	2	2	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	45	2.5	3	1	1	2	3	6	7	8
35-49	8	2.1	2	1	1	2	2	4	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.4		< 1	1	1	2	2	3	3
B. Operated	36	1.5	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	21	1.6		1	1	2	2	2	3	3
B. Operated	60	2.4	3	1	1	2	3	5	6	8
1. SINGLE DX	55	1.5	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX	81	2.2	2	1	1	2	2	3	6	8
A. Not Operated	40	1.5		1	1	1	2	2	3	3
B. Operated	96	2.1	2	1	1	2	2	3	6	8
TOTAL										
0-19 YRS	15	1.6	1	1	1	1	2	3	3	3
20-34	106	1.9	2	1	1	2	2	3	5	8
35-49	15	1.8	1	1	1	2	2	2	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**136**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**5**	**7**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.3	13	1	1	2	3	12	12	12
20-34	58	3.6	8	1	2	3	5	8	10	12
35-49	5	3.2	9	< 1	1	1	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.3	3	1	2	3	4	6	6	6
20-34	54	3.0	11	1	1	2	3	7	11	18
35-49	3	4.0	12	2	2	2	7	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.7	5	1	2	3	5	7	8	8
20-34	66	4.3	9	2	2	3	5	9	11	14
35-49	10	5.4	6	2	4	5	7	9	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	5.8	38	1	2	3	7	17	22	22
20-34	88	4.7	19	1	2	3	6	9	15	22
35-49	9	5.1	17	2	2	3	8	12	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.6	9	1	2	3	4	8	11	12
B. Operated	63	3.1	10	1	1	2	3	7	10	17
2. MULTIPLE DX										
A. Not Operated	91	4.3	8	2	2	4	6	8	11	14
B. Operated	121	4.9	22	1	2	3	6	10	16	23
1. SINGLE DX	141	3.3	9	1	1	2	4	7	11	13
2. MULTIPLE DX	212	4.6	16	2	2	3	6	9	13	22
A. Not Operated	169	4.0	8	1	2	3	5	8	11	12
B. Operated	184	4.3	19	1	2	2	5	9	14	22
TOTAL										
0-19 YRS	60	4.4	21	1	2	3	5	10	14	22
20-34	266	4.0	13	1	2	3	5	9	11	18
35-49	27	4.7	10	1	2	4	7	9	11	13
50-64	0									
65 +	0									
GRAND TOTAL	**353**	**4.1**	**14**	**1**	**2**	**3**	**5**	**9**	**12**	**19**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	362	3.4	5	2	2	3	4	6	7	11
20-34	154	3.6	3	2	2	3	5	6	7	9
35-49	120	4.3	6	2	3	4	6	7	9	13
50-64	69	4.0	7	2	3	3	5	7	8	16
65 +	50	5.2	8	2	3	5	7	9	11	14
B. Operated										
0-19 YRS	177	4.1	10	1	2	3	5	9	10	16
20-34	90	4.8	14	1	2	4	6	9	12	21
35-49	68	4.1	7	1	2	4	6	8	9	11
50-64	31	5.7	10	2	3	5	7	10	12	14
65 +	16	7.3	47	2	4	4	10	15	24	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	588	4.3	7	2	3	4	5	8	10	14
20-34	372	4.9	7	2	3	4	6	8	10	14
35-49	525	5.8	12	3	4	5	7	10	12	18
50-64	627	6.7	22	3	4	6	8	12	15	25
65 +	1102	7.6	26	3	4	6	9	14	17	28
B. Operated										
0-19 YRS	253	6.4	24	2	3	5	8	12	16	27
20-34	259	7.9	75	2	3	5	9	16	23	42
35-49	363	9.7	96	2	4	7	12	18	27	63
50-64	334	11.1	92	3	5	8	14	23	31	53
65 +	450	12.4	116	4	5	9	15	25	36	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	755	3.8	5	2	2	3	5	6	8	11
B. Operated	382	4.5	12	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	3214	6.2	19	2	3	5	8	11	14	24
B. Operated	1659	9.9	91	3	4	7	12	20	29	50
1. SINGLE DX	1137	4.0	8	1	2	3	5	7	9	14
2. MULTIPLE DX	4873	7.5	46	3	4	6	9	14	20	36
A. Not Operated	3969	5.7	17	2	3	5	7	10	14	23
B. Operated	2041	8.9	81	2	4	6	11	18	26	48
TOTAL										
0-19 YRS	1380	4.4	11	2	2	4	5	8	11	17
20-34	875	5.5	30	2	3	4	6	9	13	29
35-49	1076	6.8	44	2	3	5	8	13	17	37
50-64	1061	7.9	48	3	4	6	9	15	21	35
65 +	1618	8.9	55	3	4	7	10	17	23	41
GRAND TOTAL	**6010**	**6.8**	**41**	**2**	**3**	**5**	**8**	**13**	**18**	**35**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684, 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	3.3	4	1	2	3	4	5	7	12
20-34	26	3.0	3	1	2	3	4	4	5	9
35-49	16	3.3	2	1	2	3	4	5	6	7
50-64	9	3.2	4	1	2	3	4	6	7	7
65 +	3	4.7	12	1	2	5	7	8	8	8
B. Operated										
0-19 YRS	56	3.6	10	< 1	1	3	5	8	10	16
20-34	23	4.1	17	1	2	3	5	9	15	17
35-49	13	4.0	7	< 1	2	4	5	8	9	9
50-64	6	5.0	15	< 1	2	4	9	10	10	10
65 +	4	3.8	10	< 1	< 1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	4.4	8	2	3	4	6	8	11	14
20-34	50	4.2	10	2	2	3	6	8	8	18
35-49	61	5.6	13	2	3	5	7	10	12	20
50-64	68	6.0	13	2	3	5	7	12	13	18
65 +	86	7.1	18	3	4	7	9	11	13	28
B. Operated										
0-19 YRS	95	5.5	47	< 1	2	4	7	11	13	42
20-34	54	5.5	21	1	3	4	7	10	14	27
35-49	70	7.3	26	3	4	6	9	16	19	23
50-64	68	9.7	65	2	4	7	13	19	28	36
65 +	85	9.6	60	4	5	8	12	18	26	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	3.3	4	1	2	3	4	5	7	11
B. Operated	102	3.9	11	< 1	1	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	452	5.3	13	2	3	4	7	10	12	18
B. Operated	372	7.5	49	2	3	6	10	16	21	41
1. SINGLE DX	263	3.5	7	1	2	3	4	7	8	14
2. MULTIPLE DX	824	6.3	30	2	3	5	8	12	16	28
A. Not Operated	613	4.8	11	2	3	4	6	9	11	16
B. Operated	474	6.8	43	1	3	5	9	14	18	36
TOTAL										
0-19 YRS	445	4.3	16	1	2	3	5	8	11	16
20-34	153	4.5	14	1	2	3	6	8	13	19
35-49	160	6.0	19	2	3	5	8	10	16	22
50-64	151	7.4	40	2	3	6	10	15	19	35
65 +	178	8.2	40	3	5	7	10	13	21	47
GRAND TOTAL	**1087**	**5.6**	**26**	**2**	**3**	**4**	**7**	**11**	**14**	**27**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	95	1.7	1	< 1	1	1	2	3	4	7
20-34	97	1.8	2	< 1	1	1	2	4	5	8
35-49	20	1.6	1	< 1	1	1	2	3	4	4
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	4	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	16	3.3	6	1	1	2	5	6	8	9
20-34	27	2.9	4	1	1	2	4	6	7	9
35-49	12	3.3	6	1	1	3	4	7	9	9
50-64	4	5.0	22	1	1	5	9	10	10	10
65 +	3	8.3	36	2	4	9	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	2	1	1	2	3	4	4	4
B. Operated	219	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	5	3.6	8	< 1	1	2	6	8	8	8
B. Operated	62	3.5	8	1	1	2	5	8	9	14
1. SINGLE DX	224	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	67	3.5	8	1	1	2	5	8	9	13
A. Not Operated	10	2.9	5	< 1	1	2	4	6	8	8
B. Operated	281	2.1	4	< 1	1	1	2	4	6	9
TOTAL										
0-19 YRS	112	2.0	3	< 1	1	1	3	4	6	8
20-34	129	2.1	3	< 1	1	1	2	4	5	8
35-49	34	2.1	3	1	1	2	2	4	6	9
50-64	9	3.6	12	1	1	2	6	9	10	10
65 +	7	4.3	27	< 1	1	2	7	13	14	14
GRAND TOTAL	**291**	**2.2**	**4**	**< 1**	**1**	**1**	**3**	**4**	**6**	**9**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	12	3.0	36	< 1	< 1	< 1	1	9	20	22
35-49	13	1.1		< 1	< 1	< 1	< 1	1	2	2
50-64	12	1.1		< 1	< 1	< 1	1	2	2	2
65 +	5	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	8	1.1		< 1	< 1	< 1	1	2	2	2
20-34	9	2.0	3	< 1	< 1	< 1	3	5	5	5
35-49	7	3.7	17	< 1	< 1	1	7	10	11	11
50-64	7	1.9	1	< 1	< 1	2	3	3	3	3
65 +	7	4.3	24	< 1	1	3	4	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	67	1.4	7	< 1	< 1	< 1	< 1	1	2	19
2. MULTIPLE DX										
A. Not Operated	5	4.6	2	3	4	4	6	6	6	6
B. Operated	38	2.5	9	< 1	< 1	1	3	5	10	15
1. SINGLE DX	68	1.4	7	< 1	< 1	< 1	< 1	1	2	19
2. MULTIPLE DX	43	2.8	8	< 1	< 1	1	3	6	9	15
A. Not Operated	6	4.2	3	2	3	4	6	6	6	6
B. Operated	105	1.8	8	< 1	< 1	< 1	1	3	5	18
TOTAL										
0-19 YRS	34	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	23	2.7	20	< 1	< 1	< 1	3	5	11	22
35-49	22	2.4	8	< 1	< 1	< 1	2	7	9	11
50-64	19	1.4		< 1	< 1	< 1	2	3	3	3
65 +	13	3.0	15	< 1	< 1	1	3	6	13	15
GRAND TOTAL	**111**	**1.9**	**8**	**< 1**	**< 1**	**< 1**	**1**	**4**	**6**	**18**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	8.8	3	7	7	8	10	11	11	11
50-64	0									
65 +	6	9.5	10	6	6	9	13	13	13	13
B. Operated										
0-19 YRS	7	7.6	72	< 1	1	5	13	21	23	23
20-34	7	9.7	120	1	2	6	15	28	31	31
35-49	9	5.8	10	3	3	5	8	11	11	11
50-64	9	9.0	33	3	4	9	12	18	19	19
65 +	14	6.4	13	2	3	7	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	9.4	142	3	3	5	8	30	41	45
20-34	29	10.6	140	2	4	8	10	25	42	54
35-49	41	10.5	96	4	6	8	12	25	73	99 +
50-64	90	10.1	100	3	4	7	14	18	30	55
65 +	320	13.4	184	4	6	10	16	29	52	99 +
B. Operated										
0-19 YRS	38	11.4	49	3	6	11	16	22	28	99 +
20-34	104	20.8	310	6	9	15	27	51	82	99 +
35-49	152	17.6	199	4	7	14	24	41	50	99 +
50-64	162	17.9	273	4	8	12	24	42	60	99 +
65 +	617	18.9	286	5	8	14	25	47	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	9.3	6	6	7	9	11	13	13	13
B. Operated	46	7.5	39	1	3	6	10	17	20	31
2. MULTIPLE DX										
A. Not Operated	497	12.3	159	3	5	9	15	28	45	99 +
B. Operated	1073	18.5	267	5	8	14	25	46	68	99 +
1. SINGLE DX	58	7.9	33	2	3	7	10	14	19	30
2. MULTIPLE DX	1570	16.5	241	4	7	12	22	41	61	99 +
A. Not Operated	509	12.2	155	3	5	9	15	28	44	99 +
B. Operated	1119	18.1	263	4	7	14	24	45	68	99 +
TOTAL										
0-19 YRS	63	10.4	75	3	4	8	14	22	33	92
20-34	141	18.1	282	4	7	13	25	48	65	99 +
35-49	206	15.5	179	4	6	12	21	38	51	99 +
50-64	261	14.9	219	3	6	10	18	38	53	99 +
65 +	957	16.9	254	4	7	12	22	41	67	99 +
GRAND TOTAL	**1628**	**16.2**	**236**	**4**	**6**	**11**	**21**	**40**	**60**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	2.5	4	1	1	2	3	4	6	11
20-34	24	3.3	5	1	2	3	4	6	9	9
35-49	21	3.1	6	< 1	1	3	4	6	9	11
50-64	18	5.3	32	1	2	3	5	16	20	21
65 +	3	4.7	12	1	2	5	7	8	8	8
B. Operated										
0-19 YRS	143	2.4	9	< 1	< 1	1	2	6	8	14
20-34	59	3.3	21	< 1	1	2	4	8	12	25
35-49	52	2.8	11	< 1	< 1	1	3	9	10	16
50-64	31	1.5	2	< 1	1	1	1	3	5	8
65 +	17	2.0	5	< 1	< 1	1	2	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	210	3.9	14	1	2	3	4	7	10	24
20-34	88	4.5	19	1	2	3	5	10	14	22
35-49	95	5.1	27	1	2	3	6	10	13	31
50-64	89	5.9	21	1	3	5	7	14	17	21
65 +	150	8.7	120	2	3	5	8	19	33	53
B. Operated										
0-19 YRS	139	4.5	89	< 1	1	2	4	8	19	46
20-34	97	5.1	52	< 1	1	3	6	12	22	36
35-49	88	5.2	46	1	1	3	6	12	18	38
50-64	89	5.5	51	< 1	1	3	7	14	18	38
65 +	65	7.0	93	< 1	1	4	9	13	25	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	3.0	8	1	1	2	3	5	8	18
B. Operated	302	2.5	11	< 1	< 1	1	2	6	9	19
2. MULTIPLE DX										
A. Not Operated	632	5.6	46	1	2	4	6	11	18	38
B. Operated	478	5.3	67	< 1	1	3	6	12	19	40
1. SINGLE DX	475	2.7	10	< 1	1	2	3	6	8	18
2. MULTIPLE DX	1110	5.5	55	1	2	3	6	11	18	39
A. Not Operated	805	5.1	39	1	2	3	5	10	16	34
B. Operated	780	4.2	47	< 1	1	2	5	9	15	35
TOTAL										
0-19 YRS	599	3.4	29	< 1	1	2	4	6	9	25
20-34	268	4.4	30	< 1	1	3	5	9	14	32
35-49	256	4.5	30	1	1	3	6	10	13	29
50-64	227	5.1	33	1	1	3	7	12	17	28
65 +	235	7.7	105	1	2	5	8	18	27	54
GRAND TOTAL	**1585**	**4.6**	**43**	**< 1**	**1**	**3**	**5**	**9**	**16**	**34**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	2.1	3	1	1	2	2	4	6	9
20-34	18	2.2	2	1	1	2	3	4	5	6
35-49	29	3.4	26	1	1	2	4	6	8	28
50-64	12	2.4	6	1	1	1	3	7	7	7
65 +	1	24.0		24	24	24	24	24	24	24
B. Operated										
0-19 YRS	20	3.6	7	1	2	3	5	7	9	10
20-34	17	1.1		1	1	1	1	1	2	3
35-49	7	1.9	3	1	1	1	2	5	6	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	5.1	56	1	2	3	7	9	11	49
20-34	82	5.8	51	1	3	4	6	9	16	45
35-49	103	5.9	31	1	3	4	7	12	16	31
50-64	38	7.5	36	2	4	7	9	13	19	34
65 +	44	8.5	29	3	5	7	10	17	20	27
B. Operated										
0-19 YRS	44	13.4	444	2	4	7	12	37	90	99 +
20-34	51	9.7	100	1	3	6	13	23	33	49
35-49	58	15.3	291	2	3	9	21	38	56	78
50-64	33	13.2	186	4	6	9	15	29	38	71
65 +	40	14.7	194	4	7	11	18	25	30	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	2.7	13	1	1	2	3	6	7	26
B. Operated	47	2.4	5	1	1	1	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	350	6.2	43	1	3	4	7	12	17	35
B. Operated	226	13.3	245	2	4	9	15	29	43	90
1. SINGLE DX	157	2.6	11	1	1	2	3	6	7	23
2. MULTIPLE DX	576	9.0	134	2	3	6	10	19	29	75
A. Not Operated	460	5.4	38	1	2	4	7	10	14	34
B. Operated	273	11.4	220	1	3	7	13	25	38	89
TOTAL										
0-19 YRS	197	6.0	139	1	2	3	7	10	17	92
20-34	168	6.1	63	1	2	4	7	13	22	47
35-49	197	8.1	127	1	2	5	8	19	31	65
50-64	85	8.9	103	1	4	7	10	17	29	59
65 +	86	11.5	116	3	6	9	14	23	26	67
GRAND TOTAL	**733**	**7.6**	**114**	**1**	**2**	**4**	**8**	**16**	**25**	**67**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.4	25	2	2	3	5	5	12	28
20-34	7	4.1	5	1	2	5	6	7	7	7
35-49	14	5.4	14	2	3	4	7	13	14	14
50-64	9	4.8	5	2	3	4	6	8	9	9
65 +	8	5.3	5	2	3	5	7	8	8	8
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	13	5.8	37	1	2	3	7	14	21	23
35-49	33	5.8	21	1	2	5	8	10	15	21
50-64	38	5.4	19	1	2	4	9	11	14	18
65 +	50	5.9	19	1	2	5	9	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	7.3	104	2	3	5	7	12	29	63
20-34	11	4.5	12	2	2	3	6	10	13	13
35-49	26	5.2	7	2	3	5	7	8	9	11
50-64	46	6.0	28	2	3	5	7	10	11	36
65 +	113	7.4	23	3	4	6	9	14	16	27
B. Operated										
0-19 YRS	17	12.6	69	3	6	10	19	25	28	29
20-34	14	7.8	14	1	6	8	10	12	14	15
35-49	59	7.5	39	1	3	7	10	14	17	33
50-64	190	7.9	37	2	3	7	10	15	18	34
65 +	204	8.7	30	2	4	8	11	16	18	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	4.8	15	2	3	4	5	7	10	26
B. Operated	136	5.6	21	1	2	4	8	11	15	21
2. MULTIPLE DX										
A. Not Operated	245	6.7	38	2	3	5	8	12	14	36
B. Operated	484	8.4	35	2	4	8	11	16	19	30
1. SINGLE DX	201	5.4	19	1	2	4	7	10	14	22
2. MULTIPLE DX	729	7.8	37	2	4	7	10	15	18	32
A. Not Operated	310	6.3	34	2	3	5	7	11	14	34
B. Operated	620	7.8	33	2	3	7	10	15	18	29
TOTAL										
0-19 YRS	95	7.3	80	2	3	5	7	15	27	51
20-34	45	5.8	20	2	2	5	8	12	13	23
35-49	132	6.4	26	1	3	5	9	12	15	31
50-64	283	7.2	33	2	3	6	9	14	17	34
65 +	375	7.9	27	2	4	7	10	15	17	26
GRAND TOTAL	**930**	**7.3**	**34**	**2**	**3**	**6**	**9**	**14**	**17**	**30**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	2	7.0	18	4	4	7	10	10	10	10
65 +	12	7.6	17	3	4	7	9	15	15	15
B. Operated										
0-19 YRS	0									
20-34	6	5.0	5	3	3	4	6	9	9	9
35-49	77	6.5	10	3	4	7	9	10	12	15
50-64	305	8.3	11	5	6	8	10	13	14	19
65 +	532	9.1	8	6	8	9	10	12	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.8	4	1	2	2	4	6	6	6
50-64	30	4.6	11	1	2	4	7	9	10	14
65 +	149	6.3	24	1	3	5	8	13	16	21
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	19	7.8	7	5	6	8	9	12	13	13
35-49	114	7.8	21	3	5	7	10	13	15	23
50-64	790	9.2	19	5	7	9	11	13	16	23
65 +	2517	10.8	28	7	8	10	12	15	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	6.9	15	3	4	6	9	14	15	15
B. Operated	920	8.6	9	5	7	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated	185	5.9	22	1	2	5	8	12	15	21
B. Operated	3441	10.4	26	6	8	9	12	15	18	30
1. SINGLE DX	937	8.5	10	5	7	8	10	12	14	17
2. MULTIPLE DX	3626	10.1	27	6	7	9	12	15	18	29
A. Not Operated	202	6.0	22	1	2	5	8	12	15	21
B. Operated	4361	10.0	23	6	8	9	12	15	17	28
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	26	6.9	9	3	5	7	9	11	12	13
35-49	199	7.2	17	2	4	7	9	12	14	19
50-64	1127	8.9	17	5	7	8	10	13	15	22
65 +	3210	10.3	26	6	8	9	12	15	17	29
GRAND TOTAL	**4563**	**9.8**	**24**	**5**	**7**	**9**	**11**	**15**	**17**	**28**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	5	4.8	3	3	3	5	6	7	7	7
50-64	3	4.0	3	3	3	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	3.5	4	< 1	2	4	5	6	7	7
35-49	33	2.2	2	1	1	2	3	4	5	5
50-64	50	2.9	8	1	1	2	3	7	9	15
65 +	35	4.8	11	2	2	4	6	8	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	16	3.3	3	2	2	3	4	5	7	8
65 +	53	7.3	128	1	3	5	8	12	14	80
B. Operated										
0-19 YRS	2	11.0	128	3	3	11	19	19	19	19
20-34	28	3.9	8	1	2	3	4	7	9	14
35-49	53	3.2	4	1	2	3	4	6	7	12
50-64	96	4.7	13	1	2	3	7	10	11	17
65 +	119	8.1	55	2	3	7	11	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.9	6	3	3	4	6	8	10	10
B. Operated	131	3.2	8	1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	72	6.3	98	2	2	4	7	11	14	69
B. Operated	298	5.7	32	1	2	4	8	12	15	23
1. SINGLE DX	141	3.4	8	1	1	3	4	7	9	15
2. MULTIPLE DX	370	5.8	45	1	2	4	8	12	15	24
A. Not Operated	82	6.1	87	2	3	4	7	11	13	63
B. Operated	429	5.0	26	1	2	3	7	11	14	21
TOTAL										
0-19 YRS	4	6.3	73	1	1	2	11	19	19	19
20-34	42	4.0	7	1	2	4	5	7	9	14
35-49	93	3.0	4	1	1	3	4	5	7	10
50-64	165	4.0	11	1	2	3	5	9	11	16
65 +	207	7.3	67	2	3	6	9	14	16	44
GRAND TOTAL	**511**	**5.2**	**36**	**1**	**2**	**3**	**7**	**11**	**14**	**22**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	6.7	28	1	3	5	8	15	20	22
20-34	22	3.9	6	2	2	3	4	8	9	10
35-49	17	5.2	19	1	2	4	8	12	15	16
50-64	7	4.6	11	1	2	4	7	10	10	10
65 +	6	3.3	6	1	2	3	4	8	8	8
B. Operated										
0-19 YRS	64	8.2	18	4	6	8	9	13	18	23
20-34	37	3.4	6	1	1	3	5	7	8	10
35-49	48	5.1	9	1	3	5	7	10	10	11
50-64	42	3.7	11	1	1	2	6	9	11	12
65 +	30	6.6	18	1	3	6	9	12	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	9.0	59	2	3	6	12	21	26	35
20-34	29	5.5	20	2	3	5	6	9	12	25
35-49	39	7.1	45	2	3	6	8	12	23	34
50-64	42	4.9	8	1	3	4	7	9	10	11
65 +	70	7.6	46	2	3	5	9	16	21	39
B. Operated										
0-19 YRS	112	13.4	61	6	8	12	17	23	29	65
20-34	74	8.0	76	1	3	6	10	16	24	46
35-49	100	9.1	101	2	4	6	10	17	34	55
50-64	107	8.0	64	1	3	7	10	19	31	99 +
65 +	101	14.7	153	4	8	10	17	37	44	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	5.7	22	1	2	4	8	12	16	21
B. Operated	221	5.6	16	1	2	5	8	10	12	21
2. MULTIPLE DX										
A. Not Operated	255	7.2	42	2	3	5	8	15	21	34
B. Operated	494	10.8	98	2	4	8	13	23	35	57
1. SINGLE DX	343	5.7	18	1	2	5	8	11	13	21
2. MULTIPLE DX	749	9.6	82	2	4	7	11	21	28	48
A. Not Operated	377	6.7	36	2	3	5	8	14	21	30
B. Operated	715	9.2	79	2	4	7	11	20	28	49
TOTAL										
0-19 YRS	321	9.9	52	3	5	8	13	21	23	38
20-34	162	5.9	45	1	2	4	7	12	16	43
35-49	204	7.4	64	2	3	5	9	12	21	42
50-64	198	6.3	42	1	2	5	9	11	19	70
65 +	207	10.8	108	2	5	8	12	23	37	51
GRAND TOTAL	**1092**	**8.4**	**65**	**2**	**3**	**6**	**10**	**17**	**24**	**45**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	2.1	2	< 1	1	2	3	4	4	7
20-34	140	2.4	2	< 1	1	2	3	4	5	8
35-49	73	2.4	2	< 1	< 1	2	3	4	6	8
50-64	16	1.9	1	< 1	< 1	1	3	4	4	4
65 +	4	1.5	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	73	2.5	2	< 1	1	2	3	4	5	8
20-34	173	2.9	3	1	2	3	4	5	6	9
35-49	111	2.5	3	< 1	1	2	3	4	6	9
50-64	64	2.4	5	< 1	1	2	3	6	7	11
65 +	30	3.4	12	< 1	1	2	4	10	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	284	2.3	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	451	2.7	4	< 1	1	2	3	5	7	10
1. SINGLE DX	286	2.3	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX	454	2.7	4	< 1	1	2	3	5	7	10
A. Not Operated	5	2.4	1	1	2	2	3	4	4	4
B. Operated	735	2.6	3	< 1	1	2	3	4	6	9
TOTAL										
0-19 YRS	128	2.3	2	< 1	1	2	3	4	4	7
20-34	313	2.7	3	< 1	1	3	3	4	6	8
35-49	185	2.4	3	< 1	< 1	2	3	4	6	8
50-64	80	2.3	4	< 1	< 1	2	3	4	7	10
65 +	34	3.2	11	< 1	< 1	2	4	9	11	13
GRAND TOTAL	**740**	**2.6**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**	**9**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.6	8	1	1	2	3	4	6	17
20-34	6	4.7	10	1	1	5	8	8	8	8
35-49	12	4.3	7	2	3	4	5	7	11	12
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	5.3	22	1	1	4	9	11	11	11
B. Operated										
0-19 YRS	175	2.2	9	1	1	2	3	3	4	9
20-34	262	2.5	5	1	1	2	3	4	5	8
35-49	97	2.4	2	< 1	1	2	3	4	5	7
50-64	46	3.0	8	1	1	2	3	7	8	16
65 +	17	4.1	8	2	2	3	5	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	3.9	48	1	2	3	4	7	8	47
20-34	31	4.8	24	< 1	2	3	7	13	18	18
35-49	33	4.9	15	1	3	3	6	11	14	18
50-64	35	4.6	8	2	3	4	6	7	9	16
65 +	88	6.5	48	1	2	5	8	13	17	41
B. Operated										
0-19 YRS	249	3.8	26	1	2	3	4	7	10	32
20-34	175	3.0	6	1	1	2	4	6	9	12
35-49	120	4.7	50	1	2	3	5	9	15	36
50-64	79	5.8	32	1	2	4	8	14	16	29
65 +	98	6.5	45	1	3	4	8	16	20	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	3.3	9	1	1	2	4	7	10	16
B. Operated	597	2.5	6	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	266	5.1	37	1	2	3	6	10	14	27
B. Operated	721	4.4	30	1	2	3	5	9	14	28
1. SINGLE DX	657	2.5	6	1	1	2	3	4	6	12
2. MULTIPLE DX	987	4.6	32	1	2	3	5	9	14	28
A. Not Operated	326	4.8	32	1	2	3	6	10	13	24
B. Operated	1318	3.5	20	1	1	2	4	7	10	22
TOTAL										
0-19 YRS	540	3.2	23	1	1	2	3	5	8	22
20-34	474	2.9	7	1	1	2	3	5	7	15
35-49	262	3.8	27	1	2	3	4	7	11	21
50-64	161	4.7	21	1	2	3	6	11	14	23
65 +	207	6.3	43	1	2	4	8	14	19	47
GRAND TOTAL	**1644**	**3.8**	**22**	**1**	**2**	**3**	**4**	**7**	**11**	**22**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	5	7.4	23	3	4	5	12	14	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	7.2	62	2	3	4	10	21	21	21
50-64	6	10.3	17	6	7	9	13	17	17	17
65 +	4	24.3	610	2	7	18	41	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	9	5.6	17	2	3	4	6	13	14	14
B. Operated	15	13.0	206	2	4	8	16	23	50	59
1. SINGLE DX	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX	24	10.2	145	2	3	6	13	21	34	59
A. Not Operated	10	5.1	17	1	3	4	5	12	14	14
B. Operated	17	11.8	191	2	3	7	14	23	46	59
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	6.1	44	2	3	4	6	18	21	21
50-64	8	8.6	23	3	5	7	12	16	17	17
65 +	9	14.9	319	2	4	11	16	45	59	59
GRAND TOTAL	**27**	**9.3**	**134**	**2**	**3**	**5**	**12**	**20**	**28**	**59**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	2.6	7	1	1	1	3	8	9	9
35-49	51	2.5	3	< 1	1	2	3	5	6	8
50-64	41	2.6	6	< 1	1	2	3	6	8	11
65 +	31	3.9	25	< 1	1	2	5	9	10	26
B. Operated										
0-19 YRS	0									
20-34	35	3.5	4	1	2	4	5	6	7	8
35-49	196	3.5	10	1	2	3	5	7	8	12
50-64	188	3.9	10	1	2	3	5	7	8	18
65 +	88	3.8	11	1	1	3	5	7	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	3.1	17	1	1	1	3	9	14	16
35-49	62	4.0	7	1	2	3	6	8	9	13
50-64	112	4.5	12	1	2	4	6	9	13	17
65 +	321	5.9	18	2	3	5	8	10	13	20
B. Operated										
0-19 YRS	0									
20-34	47	4.9	20	1	2	3	7	9	14	25
35-49	285	5.2	48	1	2	4	6	10	13	25
50-64	399	5.5	28	1	2	4	7	10	14	26
65 +	526	7.9	53	1	3	6	9	17	21	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	2.9	9	< 1	1	2	4	6	8	12
B. Operated	507	3.7	10	1	2	3	5	7	8	15
2. MULTIPLE DX										
A. Not Operated	510	5.3	16	1	2	4	7	10	12	17
B. Operated	1257	6.4	44	1	3	5	8	13	18	34
1. SINGLE DX	648	3.5	10	1	1	3	5	7	8	15
2. MULTIPLE DX	1767	6.1	37	1	3	5	8	12	16	28
A. Not Operated	651	4.7	16	1	2	4	7	9	11	17
B. Operated	1764	5.6	36	1	2	4	7	11	16	28
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	114	3.9	13	1	1	3	5	8	9	19
35-49	594	4.3	28	1	2	3	5	8	10	22
50-64	740	4.8	21	1	2	4	6	9	12	23
65 +	966	6.7	39	1	3	5	8	14	18	34
GRAND TOTAL	**2415**	**5.4**	**31**	**1**	**2**	**4**	**7**	**10**	**15**	**26**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.8	4	1	2	2	4	6	6	6
20-34	181	3.5	8	< 1	1	3	5	7	9	13
35-49	317	3.6	15	< 1	1	3	5	7	10	15
50-64	159	3.4	7	< 1	1	2	5	8	9	11
65 +	53	2.8	8	< 1	< 1	1	4	7	9	13
B. Operated										
0-19 YRS	48	3.0	4	1	2	3	4	5	7	11
20-34	1372	3.8	7	1	2	3	5	6	8	14
35-49	2268	3.9	6	1	2	3	5	7	9	13
50-64	991	3.9	8	1	2	3	5	7	9	13
65 +	174	4.5	10	1	2	4	5	8	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.0	11	< 1	2	5	7	9	9	9
20-34	122	4.4	8	1	2	4	6	9	10	13
35-49	278	5.4	16	1	3	5	7	10	11	18
50-64	287	6.0	16	1	3	5	8	10	13	19
65 +	261	6.3	19	2	3	6	8	13	15	21
B. Operated										
0-19 YRS	20	4.2	3	2	3	4	6	7	7	7
20-34	572	5.2	17	1	3	4	6	10	12	21
35-49	1350	5.5	22	1	3	4	7	10	13	23
50-64	1020	5.7	17	2	3	5	7	10	13	22
65 +	798	8.0	49	2	4	6	9	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	715	3.5	11	< 1	1	2	5	7	9	14
B. Operated	4853	3.9	7	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	952	5.7	16	1	3	5	8	10	13	20
B. Operated	3760	6.1	26	2	3	5	7	11	15	26
1. SINGLE DX	5568	3.8	7	1	2	3	5	7	9	13
2. MULTIPLE DX	4712	6.0	24	2	3	5	7	11	14	26
A. Not Operated	1667	4.7	15	< 1	2	4	7	9	11	18
B. Operated	8613	4.8	17	1	2	4	6	9	11	21
TOTAL										
0-19 YRS	77	3.4	5	1	2	3	5	6	7	11
20-34	2247	4.2	10	1	2	4	5	8	10	15
35-49	4213	4.5	13	1	2	4	6	8	10	17
50-64	2457	4.9	13	1	2	4	6	9	11	19
65 +	1286	7.0	38	1	3	6	8	13	18	33
GRAND TOTAL	**10280**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	27	3.7	5	1	2	3	5	7	8	10
35-49	63	3.4	8	1	2	2	4	7	10	15
50-64	22	3.5	16	1	1	2	5	9	14	15
65 +	5	4.8	12	2	2	3	8	9	9	9
B. Operated										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	226	3.4	5	1	2	3	4	6	8	11
35-49	697	3.4	5	1	2	3	4	6	7	12
50-64	249	3.5	4	1	2	3	4	6	7	11
65 +	27	4.2	14	1	2	3	5	9	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	22	4.2	8	1	2	4	6	8	9	9
35-49	102	4.3	7	1	2	4	6	9	10	12
50-64	63	4.7	11	1	2	3	7	10	12	13
65 +	48	6.1	24	2	3	5	7	15	17	23
B. Operated										
0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	112	4.6	13	1	2	3	6	9	13	18
35-49	596	4.3	13	1	2	4	5	7	9	19
50-64	341	4.8	17	1	2	4	6	9	12	22
65 +	141	6.9	60	2	3	5	8	13	19	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	3.6	9	1	2	2	5	8	10	15
B. Operated	1203	3.4	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	237	4.8	12	1	2	4	6	9	11	17
B. Operated	1193	4.8	20	1	2	4	6	9	12	21
1. SINGLE DX	1321	3.4	6	1	2	3	4	6	8	13
2. MULTIPLE DX	1430	4.8	19	1	2	4	6	9	12	21
A. Not Operated	355	4.4	11	1	2	3	6	9	11	16
B. Operated	2396	4.1	13	1	2	3	5	7	10	17
TOTAL										
0-19 YRS	10	3.8	10	1	2	3	4	8	12	12
20-34	387	3.8	8	1	2	3	5	7	9	14
35-49	1458	3.8	9	1	2	3	5	7	9	14
50-64	675	4.3	12	1	2	3	5	8	11	16
65 +	221	6.4	46	1	3	5	8	13	17	30
GRAND TOTAL	**2751**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.0	38	2	2	4	10	15	15	15
20-34	4	4.8	11	1	2	4	7	9	9	9
35-49	7	3.4	2	2	2	3	5	6	6	6
50-64	2	8.5	61	3	3	8	14	14	14	14
65 +	3	3.7	2	2	2	4	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	17	3.6	7	1	1	4	5	7	9	10
35-49	6	3.2	15	1	1	2	3	10	11	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	11	5.1	16	2	3	4	5	12	15	15
35-49	14	4.4	17	1	2	3	5	8	15	17
50-64	13	7.2	20	2	3	6	12	13	14	14
65 +	16	6.8	23	2	3	5	9	13	17	19
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	5.2	7	2	4	4	8	9	9	9
35-49	45	6.7	14	1	5	6	9	12	13	17
50-64	15	5.6	23	1	2	5	8	10	17	19
65 +	8	9.1	33	3	4	8	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.8	15	2	2	4	5	11	14	15
B. Operated	23	3.5	9	1	1	3	5	8	10	11
2. MULTIPLE DX										
A. Not Operated	55	6.0	19	2	3	5	9	13	15	19
B. Operated	80	6.6	17	1	4	6	9	12	15	18
1. SINGLE DX	43	4.1	12	1	1	3	5	9	12	15
2. MULTIPLE DX	135	6.3	18	1	3	5	9	13	15	19
A. Not Operated	75	5.6	18	2	2	4	8	13	15	18
B. Operated	103	5.9	17	1	2	5	8	11	13	18
TOTAL										
0-19 YRS	6	7.5	31	2	2	6	13	15	15	15
20-34	43	4.5	10	1	2	4	5	9	10	15
35-49	72	5.6	15	1	2	5	8	11	13	17
50-64	30	6.5	22	1	3	5	9	13	14	19
65 +	27	7.1	25	2	4	5	9	15	17	19
GRAND TOTAL	**178**	**5.8**	**17**	**1**	**2**	**5**	**8**	**12**	**14**	**18**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	15	3.1	5	1	1	2	5	7	7	7
50-64	7	1.9	2	1	1	1	3	5	5	5
65 +	5	4.0	3	2	3	4	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	5	1.0		1	1	1	1	1	1	1
35-49	9	2.4	13	< 1	1	1	2	8	12	12
50-64	4	2.5	6	1	1	2	4	6	6	6
65 +	3	7.3	86	1	1	3	14	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	3.4	6	< 1	1	3	5	6	8	9
35-49	15	5.1	10	2	2	4	8	9	11	12
50-64	22	5.4	15	2	3	4	7	10	15	18
65 +	41	6.3	16	2	3	6	8	11	14	20
B. Operated										
0-19 YRS	0									
20-34	4	6.0	76	1	1	2	11	19	19	19
35-49	11	5.3	33	1	1	2	9	15	17	17
50-64	9	3.9	18	1	1	2	5	11	14	14
65 +	13	4.6	29	1	1	2	6	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.9	4	1	1	2	5	6	7	7
B. Operated	21	2.8	19	< 1	1	1	2	8	15	18
2. MULTIPLE DX										
A. Not Operated	92	5.4	14	2	3	4	8	10	12	19
B. Operated	37	4.8	30	1	1	2	6	14	18	19
1. SINGLE DX	51	2.9	10	1	1	1	4	6	7	18
2. MULTIPLE DX	129	5.3	18	1	2	4	8	11	14	19
A. Not Operated	122	4.8	13	1	2	4	7	9	11	19
B. Operated	58	4.1	26	1	1	2	5	14	17	19
TOTAL										
0-19 YRS	0									
20-34	26	3.2	15	1	1	2	4	6	11	19
35-49	50	4.1	15	1	1	2	6	9	12	17
50-64	42	4.2	14	1	2	3	5	8	13	18
65 +	62	5.8	20	1	2	5	8	11	17	20
GRAND TOTAL	**180**	**4.6**	**17**	**1**	**2**	**3**	**6**	**10**	**13**	**19**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.8	6	1	1	2	4	6	7	10
20-34	175	3.5	9	1	1	3	5	7	8	14
35-49	309	3.6	10	1	1	3	5	7	10	15
50-64	158	3.5	10	< 1	1	2	5	8	9	18
65 +	48	4.2	13	< 1	1	3	7	10	10	15
B. Operated										
0-19 YRS	9	2.4	5	< 1	1	1	3	6	7	7
20-34	200	2.4	6	1	1	1	3	6	7	11
35-49	341	2.9	9	1	1	2	4	6	8	12
50-64	219	3.3	8	1	1	2	5	7	9	12
65 +	122	4.7	15	1	1	4	7	9	10	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.8	10	1	2	2	5	9	9	14
20-34	285	3.6	9	1	2	3	5	8	10	14
35-49	543	4.3	12	1	2	3	6	9	11	16
50-64	401	4.2	13	1	2	3	5	9	11	17
65 +	450	5.5	23	1	2	4	7	10	15	20
B. Operated										
0-19 YRS	14	4.9	23	1	1	3	8	12	16	17
20-34	207	4.0	22	1	1	2	5	9	11	22
35-49	456	4.6	32	1	1	3	6	10	13	23
50-64	510	5.5	33	1	2	4	7	11	15	26
65 +	751	7.8	40	2	4	6	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	714	3.6	10	1	1	3	5	7	9	16
B. Operated	891	3.1	9	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	1714	4.5	15	1	2	3	6	9	12	19
B. Operated	1938	6.0	36	1	2	5	8	12	16	27
1. SINGLE DX	1605	3.3	9	1	1	2	5	7	9	14
2. MULTIPLE DX	3652	5.3	27	1	2	4	7	11	15	23
A. Not Operated	2428	4.2	13	1	2	3	6	9	11	17
B. Operated	2829	5.1	29	1	1	4	7	11	15	24
TOTAL										
0-19 YRS	82	3.5	10	1	1	2	5	8	10	16
20-34	867	3.4	12	1	1	2	5	7	9	17
35-49	1649	4.0	17	1	1	3	5	8	11	18
50-64	1288	4.5	20	1	2	3	6	9	12	21
65 +	1371	6.6	33	1	3	6	8	13	17	27
GRAND TOTAL	**5257**	**4.7**	**22**	**1**	**2**	**3**	**6**	**10**	**13**	**22**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	3.0	8	1	1	2	4	5	7	18
20-34	12	3.3	4	1	2	3	5	6	7	7
35-49	18	2.9	2	1	2	3	4	5	5	5
50-64	15	3.3	16	1	1	2	3	5	14	17
65 +	7	3.3	2	1	2	3	5	5	5	5
B. Operated										
0-19 YRS	33	2.6	6	< 1	1	2	4	5	8	13
20-34	105	2.0	2	< 1	1	2	3	4	5	6
35-49	195	1.9	1	< 1	1	2	2	3	4	7
50-64	135	1.8	2	< 1	1	1	2	3	4	8
65 +	40	2.2	3	< 1	< 1	1	3	5	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.7	4	2	2	3	5	6	7	9
20-34	26	4.0	3	1	3	4	6	6	7	7
35-49	55	4.4	6	1	3	4	6	8	9	12
50-64	55	5.0	8	2	3	5	6	8	10	17
65 +	72	6.1	18	2	3	5	9	12	14	19
B. Operated										
0-19 YRS	33	5.2	50	1	1	3	6	12	25	32
20-34	116	3.3	7	< 1	1	2	5	8	9	42
35-49	247	3.0	9	< 1	1	2	4	7	9	18
50-64	239	2.7	5	1	1	2	3	5	7	12
65 +	146	5.2	58	< 1	1	3	5	9	21	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	3.0	7	1	1	3	4	5	7	18
B. Operated	508	1.9	2	< 1	1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	248	4.9	10	2	3	4	6	9	11	16
B. Operated	781	3.5	19	< 1	1	2	4	7	9	28
1. SINGLE DX	632	2.2	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX	1029	3.8	17	1	1	3	5	8	10	23
A. Not Operated	372	4.3	10	1	2	4	6	8	10	17
B. Operated	1289	2.9	13	< 1	1	2	3	5	8	19
TOTAL										
0-19 YRS	178	3.5	15	1	1	3	4	6	9	25
20-34	259	2.8	5	< 1	1	2	4	6	8	11
35-49	515	2.7	6	< 1	1	2	3	5	8	11
50-64	444	2.7	6	< 1	1	2	3	6	7	12
65 +	265	5.0	39	< 1	1	3	6	11	15	40
GRAND TOTAL	**1661**	**3.2**	**13**	**< 1**	**1**	**2**	**4**	**6**	**9**	**17**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.6	1	< 1	< 1	1	2	3	3	3
20-34	37	1.5	1	< 1	< 1	1	2	3	3	5
35-49	40	1.4	1	< 1	< 1	1	2	3	3	6
50-64	56	1.7	1	< 1	< 1	1	2	3	3	4
65 +	28	1.8	3	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	4	3.5	4	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	39	1.7	1	< 1	< 1	1	2	3	4	5
20-34	90	1.6	1	< 1	< 1	< 1	2	3	4	5
35-49	200	1.6	1	< 1	< 1	< 1	2	3	4	5
50-64	220	1.9	2	< 1	< 1	1	2	4	4	7
65 +	179	2.4	4	< 1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	177	1.6	1	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	8	3.4	3	1	2	3	5	6	6	6
B. Operated	728	1.9	2	< 1	< 1	1	2	4	4	7
1. SINGLE DX	178	1.6	1	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX	736	1.9	2	< 1	< 1	1	2	4	5	7
A. Not Operated	9	3.2	3	1	2	3	4	6	6	6
B. Operated	905	1.8	2	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	55	1.7	1	< 1	< 1	1	2	3	4	5
20-34	128	1.6	1	< 1	< 1	1	2	3	4	5
35-49	242	1.6	1	< 1	< 1	< 1	2	3	4	5
50-64	278	1.8	1	< 1	< 1	1	2	3	4	7
65 +	211	2.3	4	< 1	1	2	3	4	5	9
GRAND TOTAL	**914**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	25	1.1		< 1	< 1	< 1	1	2	2	2
20-34	30	1.1		< 1	< 1	< 1	< 1	1	2	2
35-49	42	1.2	1	< 1	< 1	< 1	< 1	1	2	6
50-64	18	1.1		< 1	< 1	< 1	1	2	2	2
65 +	10	1.2		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.0	18	< 1	2	4	8	11	11	11
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	12	5.3	12	2	3	4	7	10	13	14
B. Operated										
0-19 YRS	3	4.7	30	< 1	< 1	2	9	11	11	11
20-34	6	2.0	2	< 1	< 1	1	3	4	4	4
35-49	15	3.3	32	< 1	< 1	1	3	6	19	23
50-64	23	2.9	14	< 1	1	2	3	5	11	19
65 +	23	3.6	9	< 1	1	3	5	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	125	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	19	4.7	12	1	2	4	7	10	13	14
B. Operated	70	3.2	15	< 1	1	2	4	7	11	22
1. SINGLE DX	127	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	89	3.5	15	< 1	1	2	4	7	11	21
A. Not Operated	21	4.4	11	1	2	3	6	9	12	14
B. Operated	195	1.9	7	< 1	< 1	< 1	2	4	6	16
TOTAL										
0-19 YRS	28	1.5	4	< 1	< 1	< 1	1	2	3	11
20-34	37	1.3		< 1	< 1	< 1	1	2	3	4
35-49	61	2.0	10	< 1	< 1	< 1	1	4	6	22
50-64	44	2.1	8	< 1	< 1	1	2	3	5	19
65 +	46	3.5	9	< 1	1	2	5	7	10	14
GRAND TOTAL	**216**	**2.1**	**8**	**< 1**	**< 1**	**< 1**	**2**	**4**	**7**	**16**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	9.3	35	4	5	8	11	17	21	28
20-34	6	6.7	26	2	4	5	9	15	16	16
35-49	5	6.6	19	1	4	5	10	12	12	12
50-64	6	9.5	97	2	4	6	9	27	29	29
65 +	4	6.8	17	3	3	6	10	12	12	12
B. Operated										
0-19 YRS	56	12.6	140	4	6	9	14	27	35	69
20-34	21	7.0	43	1	3	4	9	18	23	25
35-49	37	8.2	64	1	3	6	10	16	28	37
50-64	9	9.7	89	1	1	7	18	23	24	24
65 +	10	8.3	83	1	3	6	9	21	33	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	10.1	36	3	7	8	11	21	22	27
20-34	19	9.9	110	2	4	6	10	27	36	41
35-49	24	8.0	50	2	4	5	11	18	26	28
50-64	51	10.7	53	3	6	9	14	19	24	36
65 +	72	13.3	86	4	7	10	17	28	30	44
B. Operated										
0-19 YRS	119	15.1	108	5	8	12	21	31	44	99 +
20-34	106	14.6	212	4	6	9	20	29	47	76
35-49	180	15.7	208	3	6	12	20	35	46	89
50-64	161	13.5	144	3	6	10	17	27	41	98
65 +	241	16.0	161	4	7	13	21	33	43	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	8.8	36	3	5	7	10	17	21	29
B. Operated	133	9.9	99	2	4	7	12	21	32	50
2. MULTIPLE DX										
A. Not Operated	237	11.0	64	3	6	8	14	22	28	38
B. Operated	807	15.1	167	4	7	12	20	31	44	89
1. SINGLE DX	207	9.5	76	2	4	7	12	20	28	41
2. MULTIPLE DX	1044	14.2	147	4	6	11	19	29	39	82
A. Not Operated	311	10.4	58	3	5	8	14	21	28	37
B. Operated	940	14.4	161	3	6	11	19	30	42	86
TOTAL										
0-19 YRS	299	12.4	89	4	7	9	16	26	32	84
20-34	152	12.6	177	3	5	8	17	26	41	67
35-49	246	13.6	178	3	5	10	17	30	40	82
50-64	227	12.6	121	3	6	10	16	25	36	89
65 +	327	15.0	143	4	7	12	20	31	39	63
GRAND TOTAL	**1251**	**13.4**	**138**	**3**	**6**	**10**	**17**	**28**	**37**	**76**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	3.0	4	1	1	2	4	6	7	8
20-34	10	2.0	5	1	1	1	2	5	8	8
35-49	36	2.3	4	1	1	2	2	4	8	9
50-64	13	4.2	10	1	2	3	6	9	11	11
65 +	37	6.3	23	2	4	5	7	13	16	25
B. Operated										
0-19 YRS	390	3.2	10	1	1	2	4	6	8	17
20-34	184	3.3	6	1	2	3	4	6	8	14
35-49	144	4.2	7	1	2	4	6	8	9	11
50-64	78	4.2	11	< 1	1	4	6	9	10	16
65 +	44	5.5	21	1	2	4	7	13	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	5.9	32	1	2	4	7	14	16	30
20-34	49	3.3	12	1	1	2	4	6	14	16
35-49	147	4.0	21	1	2	3	5	7	11	29
50-64	208	5.4	23	1	2	4	6	11	16	23
65 +	964	8.2	39	2	4	7	11	16	21	30
B. Operated										
0-19 YRS	192	6.1	77	1	2	4	7	10	22	56
20-34	271	5.4	40	1	2	4	7	10	14	29
35-49	321	6.3	35	1	3	5	8	11	14	36
50-64	345	8.5	64	2	4	7	11	16	22	45
65 +	583	12.6	106	4	7	10	15	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	3.7	12	1	1	3	5	8	10	17
B. Operated	840	3.6	10	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	1425	7.1	37	2	3	5	9	14	19	29
B. Operated	1712	8.7	79	2	3	7	11	17	25	48
1. SINGLE DX	984	3.6	10	1	1	3	5	7	9	16
2. MULTIPLE DX	3137	8.0	60	2	3	6	10	16	22	42
A. Not Operated	1569	6.8	35	1	3	5	9	14	18	29
B. Operated	2552	7.0	62	1	2	5	9	15	21	43
TOTAL										
0-19 YRS	687	4.2	32	1	1	3	5	8	11	29
20-34	514	4.4	26	1	2	3	5	8	12	23
35-49	648	5.1	26	1	2	4	7	10	12	28
50-64	644	6.9	47	1	3	5	9	14	19	34
65 +	1628	9.7	67	3	4	8	12	18	25	45
GRAND TOTAL	**4121**	**7.0**	**52**	**1**	**3**	**5**	**9**	**14**	**20**	**37**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	104	2.7	4	1	1	2	4	5	6	11
20-34	18	3.6	6	< 1	2	3	6	7	8	8
35-49	7	2.3	3	< 1	< 1	2	4	5	5	5
50-64	7	2.7	4	< 1	1	2	5	5	5	5
65 +	3	1.7		< 1	< 1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	0									
35-49	3	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	53.7	900	24	31	53	76	84	84	84
65 +	9	26.0	742	1	6	22	32	68	90	90
B. Operated										
0-19 YRS	184	3.3	16	1	1	2	4	6	8	16
20-34	43	4.2	23	1	2	3	4	8	9	31
35-49	47	4.6	45	1	1	3	5	9	12	45
50-64	34	4.0	10	1	1	3	6	10	10	11
65 +	45	9.5	34	2	7	9	12	14	17	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	139	2.7	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	18	22.5	787	< 1	1	12	31	75	88	90
B. Operated	353	4.5	26	1	2	3	6	10	12	31
1. SINGLE DX	141	2.8	4	1	1	2	4	5	7	9
2. MULTIPLE DX	371	5.3	76	1	2	3	6	10	14	45
A. Not Operated	20	20.7	736	< 1	2	6	30	68	87	90
B. Operated	492	4.0	20	1	1	3	5	9	10	19
TOTAL										
0-19 YRS	292	3.1	11	1	1	2	4	6	8	14
20-34	61	4.0	18	1	2	3	5	7	9	29
35-49	57	4.1	38	< 1	1	3	4	7	11	43
50-64	44	7.2	212	1	1	3	6	10	33	84
65 +	58	11.6	172	1	6	9	12	22	34	86
GRAND TOTAL	**512**	**4.6**	**57**	**1**	**1**	**3**	**5**	**9**	**12**	**39**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.0	5	< 1	1	2	4	6	9	9
20-34	51	3.0	10	< 1	1	2	4	5	9	19
35-49	39	3.2	15	< 1	1	2	3	5	14	19
50-64	22	3.2	5	1	1	3	5	7	8	8
65 +	14	3.1	18	< 1	1	2	3	6	15	17
B. Operated										
0-19 YRS	283	5.4	10	1	2	6	8	9	10	13
20-34	96	3.2	9	< 1	1	2	5	8	9	13
35-49	101	3.7	16	1	1	2	5	9	11	21
50-64	80	3.0	11	< 1	1	2	4	6	9	19
65 +	42	2.4	5	< 1	< 1	1	2	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.6	22	1	1	2	4	8	11	29
20-34	112	3.7	8	1	2	3	5	7	9	15
35-49	183	4.3	20	1	2	3	5	9	12	23
50-64	152	4.0	19	1	2	3	5	7	10	28
65 +	176	5.6	21	2	3	4	7	10	13	25
B. Operated										
0-19 YRS	456	6.6	62	1	2	4	9	13	18	41
20-34	169	5.9	55	1	1	4	7	14	20	45
35-49	251	6.2	68	1	2	4	8	12	17	53
50-64	187	7.2	106	1	2	4	8	15	25	58
65 +	195	6.9	53	1	2	4	10	16	20	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	3.1	10	1	1	2	4	5	9	19
B. Operated	602	4.3	12	< 1	1	3	7	8	10	16
2. MULTIPLE DX										
A. Not Operated	707	4.4	19	1	2	3	5	9	11	23
B. Operated	1258	6.6	67	1	2	4	8	14	19	47
1. SINGLE DX	760	4.0	12	< 1	1	3	6	8	10	17
2. MULTIPLE DX	1965	5.8	51	1	2	4	7	12	17	39
A. Not Operated	865	4.1	17	1	2	3	5	8	11	20
B. Operated	1860	5.8	51	1	1	4	8	12	16	39
TOTAL										
0-19 YRS	855	5.8	40	1	2	5	8	11	15	35
20-34	428	4.4	28	1	1	3	5	9	13	24
35-49	574	5.0	41	1	2	3	6	10	15	37
50-64	441	5.1	57	1	2	3	6	10	15	40
65 +	427	5.8	35	1	2	4	8	13	16	36
GRAND TOTAL	**2725**	**5.3**	**41**	**1**	**2**	**3**	**7**	**11**	**15**	**36**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	0									
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	6.3	134	< 1	1	2	5	18	38	48
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	129	4.4	10	2	3	4	5	7	8	17
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	4	5.8	14	2	3	5	8	11	11	11
50-64	4	6.0	12	1	4	7	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	5.5	30	1	2	4	8	16	21	99 +
20-34	3	5.3		5	5	5	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	3.4	7	2	2	2	4	8	8	3
65 +	4	5.3	7	3	3	4	7	9	9	9
B. Operated										
0-19 YRS	274	8.4	102	2	4	5	9	19	27	97
20-34	19	10.9	52	4	5	9	13	21	28	32
35-49	18	7.6	14	4	5	7	9	11	16	19
50-64	7	8.7	44	3	4	6	11	20	22	22
65 +	4	9.5	155	1	2	4	16	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	5.8	123	< 1	1	2	5	15	36	48
B. Operated	139	4.6	10	2	3	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	74	5.3	26	1	2	4	8	14	18	99 +
B. Operated	322	8.5	93	2	4	6	9	19	27	93
1. SINGLE DX	160	4.7	25	1	2	4	6	8	9	29
2. MULTIPLE DX	396	7.9	82	2	4	5	9	17	26	99 +
A. Not Operated	95	5.4	46	1	2	3	7	14	23	99 +
B. Operated	461	7.3	71	2	4	5	8	14	23	72
TOTAL										
0-19 YRS	483	6.9	72	1	3	5	7	14	23	96
20-34	25	9.5	47	4	5	8	12	17	25	32
35-49	24	6.8	16	2	4	7	9	11	14	19
50-64	16	6.4	27	2	3	5	8	12	19	22
65 +	8	7.4	75	2	3	4	7	22	28	28
GRAND TOTAL	**556**	**7.0**	**67**	**2**	**3**	**5**	**8**	**14**	**23**	**89**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	1.8	4	< 1	< 1	< 1	1	4	7	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	242	1.7	3	< 1	< 1	1	2	3	5	10
20-34	14	2.3	3	1	1	2	3	5	6	7
35-49	7	2.0	1	1	1	2	3	4	4	4
50-64	6	1.3		< 1	1	1	2	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.3	3	< 1	1	1	4	5	6	6
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	140	2.3	7	1	1	1	3	6	7	14
20-34	3	4.0	13	1	1	3	7	8	8	8
35-49	4	6.3	65	1	1	3	11	18	18	18
50-64	4	3.0	1	2	2	3	4	4	4	4
65 +	3	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.8	4	< 1	< 1	< 1	1	4	7	10
B. Operated	271	1.8	3	< 1	< 1	1	2	4	4	10
2. MULTIPLE DX										
A. Not Operated	20	2.5	4	< 1	1	2	4	6	6	6
B. Operated	154	2.5	8	1	1	1	3	6	8	18
1. SINGLE DX	304	1.8	3	< 1	< 1	1	2	4	5	10
2. MULTIPLE DX	174	2.5	7	1	1	1	3	6	7	17
A. Not Operated	53	2.0	4	< 1	< 1	< 1	2	5	6	10
B. Operated	425	2.0	5	< 1	1	1	2	4	6	11
TOTAL										
0-19 YRS	434	2.0	4	< 1	1	1	2	4	6	10
20-34	17	2.6	5	1	1	2	3	6	8	8
35-49	12	3.8	23	1	1	2	4	10	17	18
50-64	10	2.0	1	< 1	1	2	3	4	4	4
65 +	5	1.2		1	1	1	2	2	2	2
GRAND TOTAL	**478**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**	**11**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	6.4	73	1	2	3	8	25	32	99 +
20-34	6	1.8		1	2	2	2	2	2	2
35-49	4	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	642	3.8	12	1	1	2	6	8	9	16
20-34	17	4.2	8	1	2	4	7	8	9	9
35-49	10	2.6	7	1	1	1	3	7	8	8
50-64	5	1.4		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	282	3.9	23	1	1	2	4	9	13	27
20-34	7	5.4	10	1	3	5	8	9	9	9
35-49	3	5.3	20	< 1	1	5	9	10	10	10
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	10	5.4	33	1	3	4	4	14	21	21
B. Operated										
0-19 YRS	2238	8.1	110	1	1	6	10	19	28	63
20-34	60	8.4	109	1	2	5	10	19	32	57
35-49	58	8.8	66	2	4	7	10	17	31	39
50-64	27	6.9	19	2	3	7	9	14	16	16
65 +	22	8.0	54	1	2	7	10	21	24	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	5.7	66	1	2	3	7	21	31	99 +
B. Operated	675	3.7	12	1	1	2	6	8	9	16
2. MULTIPLE DX										
A. Not Operated	304	4.0	23	1	1	2	5	9	13	27
B. Operated	2405	8.1	107	1	1	6	10	18	28	60
1. SINGLE DX	761	4.0	18	1	1	2	6	8	10	26
2. MULTIPLE DX	2709	7.7	99	1	1	5	9	17	27	57
A. Not Operated	390	4.4	33	1	1	2	5	10	15	33
B. Operated	3080	7.2	90	1	1	5	9	16	24	56
TOTAL										
0-19 YRS	3236	6.8	86	1	1	4	8	15	24	56
20-34	90	6.9	79	1	2	4	8	16	25	49
35-49	75	7.4	59	1	2	6	9	14	22	38
50-64	35	5.7	19	1	2	5	8	13	15	16
65 +	34	6.9	47	1	2	4	9	21	21	27
GRAND TOTAL	**3470**	**6.8**	**84**	**1**	**1**	**4**	**8**	**15**	**24**	**55**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	383	1.9	1	1	1	2	2	3	4	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.8	9	< 1	1	1	2	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	506	2.4	3	1	1	2	3	4	5	9
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	2	1	1	1	3	4	4	4
B. Operated	386	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	14	2.8	9	< 1	1	1	2	9	9	9
B. Operated	511	2.4	3	1	1	2	3	4	5	9
1. SINGLE DX	391	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	525	2.4	3	1	1	2	3	4	5	9
A. Not Operated	19	2.6	7	< 1	1	1	3	8	9	9
B. Operated	897	2.2	2	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	908	2.2	3	1	1	2	3	4	5	8
20-34	5	2.2	2	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**916**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.1	1	1	2	2	2	3	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	441	2.7	1	2	2	2	3	4	5	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.0	24	< 1	1	2	4	14	15	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	190	4.3	9	2	3	3	5	7	9	16
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.1	1	1	2	2	2	3	4	4
B. Operated	441	2.7	1	2	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	13	4.0	24	< 1	1	2	4	14	15	15
B. Operated	190	4.3	9	2	3	3	5	7	9	16
1. SINGLE DX	455	2.7	1	2	2	2	3	4	5	6
2. MULTIPLE DX	203	4.3	9	2	2	3	5	7	10	16
A. Not Operated	27	3.0	12	< 1	1	2	3	6	14	15
B. Operated	631	3.2	4	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	658	3.1	4	2	2	3	4	5	6	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**658**	**3.1**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.4	8	< 1	1	1	2	5	6	19
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	316	4.9	16	1	2	4	7	10	13	17
20-34	6	2.5	3	1	1	2	4	4	4	4
35-49	6	7.2	27	< 1	4	5	13	14	14	14
50-64	4	6.0	21	2	2	5	9	12	12	12
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	4.4	32	1	2	3	5	10	13	59
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	3.8		3	3	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	12	5.3	6	2	4	5	6	8	11	11
B. Operated										
0-19 YRS	553	9.8	160	1	3	6	12	25	55	99 +
20-34	17	5.7	28	1	3	4	7	10	19	23
35-49	11	12.2	194	4	5	6	16	33	49	50
50-64	6	7.5	57	1	2	6	7	21	22	22
65 +	23	9.0	25	2	5	9	12	16	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	2.4	8	< 1	1	1	3	5	7	19
B. Operated	335	4.9	16	1	2	4	6	10	13	17
2. MULTIPLE DX										
A. Not Operated	157	4.4	28	1	2	3	5	9	12	51
B. Operated	610	9.7	151	1	3	6	12	24	50	99 +
1. SINGLE DX	411	4.4	15	1	1	3	6	9	13	17
2. MULTIPLE DX	767	8.6	130	1	2	5	10	21	37	99 +
A. Not Operated	233	3.8	23	1	1	2	4	8	11	27
B. Operated	945	8.0	108	1	2	5	9	18	29	99 +
TOTAL										
0-19 YRS	1080	7.2	98	1	2	4	8	16	27	99 +
20-34	26	4.8	21	1	1	4	6	10	13	23
35-49	23	8.6	109	2	4	5	8	19	31	50
50-64	11	6.5	37	1	2	6	7	16	21	22
65 +	38	7.2	23	1	4	6	11	15	17	18
GRAND TOTAL	**1178**	**7.1**	**94**	**1**	**2**	**4**	**8**	**16**	**26**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	121	1.2		< 1	< 1	1	1	2	3	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	125	1.5	2	< 1	< 1	1	1	3	4	7
20-34	5	1.2		1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	125	1.2		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	134	1.5	2	< 1	< 1	1	1	3	4	11
1. SINGLE DX	125	1.2		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	137	1.5	2	< 1	< 1	1	1	3	4	11
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	259	1.4	1	< 1	< 1	1	1	2	3	6
TOTAL										
0-19 YRS	249	1.3	1	< 1	< 1	1	1	2	3	5
20-34	7	1.6	1	1	1	1	2	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**262**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.6	1	1	1	1	2	3	4	4
20-34	0									
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	504	2.6	5	< 1	1	2	3	5	7	11
20-34	18	3.7	5	< 1	2	3	6	7	8	8
35-49	13	2.9	4	< 1	1	3	4	6	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	4.8	45	1	1	2	5	9	18	38
20-34	9	3.0	6	1	1	2	5	7	8	8
35-49	11	3.3	6	1	1	3	5	7	8	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	3	9.3	32	3	5	11	13	14	14	14
B. Operated										
0-19 YRS	444	5.7	43	1	2	4	7	11	17	42
20-34	37	4.5	11	< 1	3	4	6	8	12	16
35-49	34	5.1	16	< 1	2	4	6	11	15	17
50-64	24	5.3	10	1	3	5	8	9	10	13
65 +	14	7.9	83	2	4	5	7	21	33	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.8	1	1	1	1	2	4	4	4
B. Operated	538	2.6	5	< 1	1	2	3	6	7	11
2. MULTIPLE DX										
A. Not Operated	78	4.5	34	1	1	2	5	9	15	35
B. Operated	553	5.6	39	1	2	4	7	11	16	36
1. SINGLE DX	567	2.6	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX	631	5.5	38	1	2	4	7	11	16	36
A. Not Operated	107	3.8	27	1	1	2	5	8	11	32
B. Operated	1091	4.1	24	1	1	3	5	8	11	30
TOTAL										
0-19 YRS	1028	4.0	26	1	1	3	5	8	11	30
20-34	64	4.0	9	1	2	4	6	7	9	16
35-49	60	4.3	12	< 1	2	4	6	8	11	17
50-64	28	5.0	9	1	3	4	7	9	10	13
65 +	18	7.7	71	2	3	5	8	17	29	36
GRAND TOTAL	**1198**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**30**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	261	1.8	1	1	1	2	2	3	3	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.6	1	< 1	< 1	1	2	3	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	169	2.5	2	1	1	2	3	5	5	7
20-34	10	3.2	4	1	2	3	4	6	7	7
35-49	8	2.8	2	< 1	1	3	4	5	5	5
50-64	7	1.7	1	1	1	2	2	3	3	3
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	1	< 1	< 1	2	2	3	3	3
B. Operated	264	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	10	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	196	2.5	2	1	1	2	3	5	5	7
1. SINGLE DX	269	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE DX	206	2.5	2	1	1	2	3	5	5	7
A. Not Operated	15	1.7	1	< 1	< 1	1	2	3	4	4
B. Operated	460	2.1	2	1	1	2	3	4	5	6
TOTAL										
0-19 YRS	444	2.1	2	1	1	2	3	4	4	6
20-34	12	3.1	3	1	2	3	4	6	7	7
35-49	10	3.1	3	< 1	2	3	4	5	6	6
50-64	7	1.7	1	1	1	2	2	3	3	3
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
GRAND TOTAL	**475**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**6**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.7	20	< 1	1	1	2	5	12	89
20-34	4	3.5	9	< 1	< 1	3	6	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	1.7		1	1	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	735	3.4	9	1	1	3	5	6	8	14
20-34	34	2.9	8	< 1	1	2	4	7	9	13
35-49	27	2.6	6	< 1	1	1	3	8	8	8
50-64	19	3.9	11	1	1	2	7	9	10	10
65 +	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	6.1	72	1	1	3	7	15	22	42
20-34	6	6.3	3	4	5	6	8	8	8	8
35-49	7	4.4	3	2	3	5	5	7	7	7
50-64	5	5.6	15	2	2	6	11	91	99 +	99 +
65 +	6	5.7	26	2	2	3	10	14	14	14
B. Operated										
0-19 YRS	611	6.2	76	1	2	4	7	13	20	48
20-34	45	5.0	16	1	2	5	8	9	11	20
35-49	63	5.0	13	1	2	4	7	10	13	17
50-64	22	8.6	114	1	5	6	8	19	37	48
65 +	23	9.3	51	2	4	7	13	20	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.7	18	< 1	1	1	2	5	8	82
B. Operated	818	3.4	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	181	6.0	64	1	2	3	7	14	21	59
B. Operated	764	6.2	68	1	2	4	7	13	20	47
1. SINGLE DX	891	3.3	10	1	1	2	5	7	8	16
2. MULTIPLE DX	945	6.1	67	1	2	4	7	13	20	48
A. Not Operated	254	5.0	53	1	1	2	6	12	20	65
B. Operated	1582	4.7	40	1	1	3	6	9	13	32
TOTAL										
0-19 YRS	1567	4.7	44	1	1	3	5	9	14	35
20-34	89	4.2	12	< 1	1	3	7	9	11	17
35-49	99	4.3	12	1	1	3	7	8	11	16
50-64	49	6.1	61	1	2	5	8	11	30	99 +
65 +	32	7.8	48	1	3	5	12	17	21	29
GRAND TOTAL	**1836**	**4.8**	**41**	**1**	**1**	**3**	**6**	**9**	**14**	**35**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	8.3	79	1	2	5	13	17	21	51
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	7.3	9	4	5	8	9	10	10	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	428	17.0	254	3	6	13	24	44	63	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	109	35.7	734	8	21	58	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	8.3	79	1	2	5	13	17	21	51
B. Operated	3	7.3	9	4	5	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	428	17.0	254	3	6	13	24	44	63	99 +
B. Operated	109	35.7	734	8	21	58	99 +	99 +	99 +	99 +
1. SINGLE DX	92	8.3	77	1	2	5	13	17	21	50
2. MULTIPLE DX	537	20.8	407	3	7	16	39	99 +	99 +	99 +
A. Not Operated	517	15.5	234	2	5	11	21	41	59	99 +
B. Operated	112	34.9	736	8	21	55	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	629	18.9	378	2	6	14	33	91	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**629**	**18.9**	**378**	**2**	**6**	**14**	**33**	**91**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	597	2.2	1	1	2	2	3	3	4	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.2	3	1	2	3	4	5	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	299	3.3	15	1	2	3	4	5	6	20
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	8.2	85	2	3	6	9	16	29	44
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	597	2.2	1	1	2	2	3	3	4	6
B. Operated	13	3.2	3	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	299	3.3	15	1	2	3	4	5	6	20
B. Operated	22	8.2	85	2	3	6	9	16	29	44
1. SINGLE DX	610	2.2	1	1	2	2	3	3	4	6
2. MULTIPLE DX	321	3.6	21	1	2	3	4	6	8	26
A. Not Operated	896	2.6	6	1	2	2	3	4	5	8
B. Operated	35	6.4	59	1	2	5	7	14	18	44
TOTAL										
0-19 YRS	931	2.7	8	1	2	2	3	4	5	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**931**	**2.7**	**8**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	486	3.3	5	1	2	3	4	5	7	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	3.6	38	1	1	2	4	6	29	99 +
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1357	6.1	57	2	3	4	7	12	20	53
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	228	21.5	481	3	7	21	79	99 +	99 +	99 +
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	486	3.3	5	1	2	3	4	5	7	14
B. Operated	37	3.5	36	1	1	2	4	6	26	99 +
2. MULTIPLE DX										
A. Not Operated	1357	6.1	57	2	3	4	7	12	20	53
B. Operated	229	21.4	480	3	7	21	78	99 +	99 +	99 +
1. SINGLE DX	523	3.3	7	1	2	3	4	5	7	18
2. MULTIPLE DX	1586	8.3	147	2	3	4	9	27	79	99 +
A. Not Operated	1843	5.4	45	2	2	3	6	10	17	43
B. Operated	266	18.9	457	2	5	17	59	99 +	99 +	99 +
TOTAL										
0-19 YRS	2106	7.1	117	2	3	4	7	21	47	99 +
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2109**	**7.1**	**117**	**2**	**3**	**4**	**7**	**21**	**47**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	682	2.3	3	1	1	2	3	4	5	8
20-34	101	2.5	3	1	1	2	3	4	6	8
35-49	66	2.0	2	1	1	2	3	4	4	7
50-64	40	4.3	32	1	2	3	4	6	17	30
65 +	15	3.9	21	1	2	3	4	5	16	20
B. Operated										
0-19 YRS	9	5.1	27	1	2	4	5	14	18	18
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.0		5	5	5	5	5	5	5
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1418	3.3	18	1	2	2	4	6	7	17
20-34	277	3.7	14	1	2	3	5	7	9	15
35-49	345	3.7	9	1	2	3	5	6	8	13
50-64	339	4.9	23	2	2	4	6	8	13	31
65 +	579	6.3	25	2	3	5	8	12	16	26
B. Operated										
0-19 YRS	56	9.0	161	2	3	5	10	15	29	81
20-34	28	7.4	39	2	3	5	11	18	31	99 +
35-49	28	8.4	50	2	4	7	10	14	23	36
50-64	45	11.9	241	2	4	7	13	27	36	95
65 +	67	14.8	198	4	6	10	17	33	44	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	904	2.4	5	1	1	2	3	4	5	9
B. Operated	15	4.3	17	1	2	3	5	7	15	18
2. MULTIPLE DX										
A. Not Operated	2958	4.2	20	1	2	3	5	8	11	22
B. Operated	224	11.0	165	2	4	7	13	25	36	86
1. SINGLE DX	919	2.4	5	1	1	2	3	4	5	9
2. MULTIPLE DX	3182	4.7	33	1	2	3	5	9	13	28
A. Not Operated	3862	3.8	17	1	2	3	4	7	10	20
B. Operated	239	10.6	158	2	4	7	12	24	35	84
TOTAL										
0-19 YRS	2165	3.1	18	1	1	2	4	5	7	17
20-34	407	3.7	14	1	2	3	4	7	10	18
35-49	441	3.8	12	1	2	3	5	7	9	16
50-64	427	5.6	51	2	2	4	6	10	16	36
65 +	661	7.1	49	2	3	5	8	13	19	38
GRAND TOTAL	**4101**	**4.2**	**28**	**1**	**2**	**3**	**5**	**8**	**11**	**26**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	414	2.7	4	1	2	2	3	4	5	10
20-34	22	3.6	6	1	2	3	5	7	9	11
35-49	15	4.3	4	3	3	4	5	6	9	10
50-64	6	5.3	7	2	3	5	7	9	9	9
65 +	6	3.2	6	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	10	4.4	7	1	3	4	6	8	9	9
20-34	1	15.0		15	15	15	15	15	15	15
35-49	0									
50-64	2	11.5	85	5	5	11	18	18	18	18
65 +	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	976	3.5	8	2	2	3	4	6	8	15
20-34	127	4.3	7	1	2	4	6	8	9	13
35-49	167	5.2	17	2	3	4	6	9	11	23
50-64	222	6.0	15	3	3	5	8	10	13	19
65 +	454	7.0	45	3	4	6	8	12	16	35
B. Operated										
0-19 YRS	60	8.0	68	2	3	5	10	17	20	45
20-34	32	9.2	49	3	4	8	11	20	33	99 +
35-49	41	10.4	58	3	5	9	13	22	25	40
50-64	53	10.8	66	3	5	8	14	22	28	42
65 +	100	12.5	88	4	6	10	16	25	33	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	463	2.9	4	1	2	3	3	4	6	10
B. Operated	15	6.7	24	2	3	5	9	15	17	18
2. MULTIPLE DX										
A. Not Operated	1946	4.8	21	2	3	4	6	9	11	20
B. Operated	286	10.6	73	3	5	8	14	22	29	45
1. SINGLE DX	478	3.0	5	1	2	3	3	5	7	11
2. MULTIPLE DX	2232	5.6	31	2	3	4	7	11	15	32
A. Not Operated	2409	4.5	18	2	2	3	5	8	11	19
B. Operated	301	10.4	71	3	4	8	13	21	29	44
TOTAL										
0-19 YRS	1460	3.5	10	1	2	3	4	6	8	17
20-34	182	5.1	18	2	2	4	7	10	13	31
35-49	223	6.1	27	2	3	5	8	11	15	28
50-64	283	7.0	28	3	4	5	9	12	18	29
65 +	562	8.0	57	3	4	6	9	15	20	38
GRAND TOTAL	**2710**	**5.1**	**27**	**2**	**2**	**4**	**6**	**10**	**14**	**29**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.0	2	1	1	1	3	4	5	8
20-34	67	2.3	2	1	1	2	3	4	6	7
35-49	54	3.2	9	1	1	2	3	8	11	15
50-64	7	3.0	7	1	2	2	3	8	9	9
65 +	7	4.0	39	< 1	1	2	3	15	18	18
B. Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	14	2.2	4	1	1	2	2	4	7	8
35-49	15	2.1	1	1	1	2	3	4	4	4
50-64	3	3.0	7	1	1	2	5	6	6	6
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	2.2	3	1	1	2	3	4	5	11
20-34	158	3.7	9	1	2	3	5	7	10	15
35-49	157	3.7	10	1	2	3	5	6	8	12
50-64	80	3.8	6	1	2	3	5	7	9	14
65 +	72	4.5	10	2	2	4	6	8	10	19
B. Operated										
0-19 YRS	4	5.8	24	3	3	4	8	13	13	13
20-34	20	6.6	16	2	4	6	8	12	15	17
35-49	12	7.0	49	2	3	5	8	14	26	28
50-64	25	4.9	14	1	2	4	6	9	12	17
65 +	9	5.3	9	1	3	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	2.6	6	1	1	2	3	5	8	14
B. Operated	37	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	563	3.6	9	1	2	3	5	7	9	14
B. Operated	70	5.8	20	2	3	5	7	11	13	26
1. SINGLE DX	205	2.5	5	1	1	2	3	4	7	13
2. MULTIPLE DX	633	3.8	10	1	2	3	5	7	9	16
A. Not Operated	731	3.4	8	1	2	3	4	6	8	14
B. Operated	107	4.6	17	1	2	3	6	9	12	22
TOTAL										
0-19 YRS	136	2.3	4	1	1	2	3	4	5	13
20-34	259	3.5	9	1	1	3	4	7	9	15
35-49	238	3.7	12	1	2	3	5	7	8	17
50-64	115	4.0	8	1	2	3	5	8	9	16
65 +	90	4.5	12	1	2	4	6	9	10	20
GRAND TOTAL	**838**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	10	2.5	2	< 1	1	2	4	4	4	4
50-64	10	3.9	3	2	3	4	5	7	8	8
65 +	14	2.9	1	2	2	3	3	4	5	5
B. Operated										
0-19 YRS	9	2.2	5	< 1	< 1	< 1	2	6	8	8
20-34	13	4.1	5	1	3	4	5	7	8	8
35-49	19	3.6	2	2	3	3	5	6	6	6
50-64	19	3.8	4	1	2	4	5	6	8	9
65 +	21	3.6	2	1	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	2	< 1	1	2	3	4	5	6
20-34	7	3.6	5	1	2	3	4	7	8	8
35-49	21	2.9	2	1	2	3	4	5	6	6
50-64	52	4.0	6	1	2	4	6	7	8	13
65 +	73	3.8	5	1	2	3	6	7	8	11
B. Operated										
0-19 YRS	10	5.3	32	< 1	2	2	10	14	18	18
20-34	9	9.0	212	1	2	3	9	32	47	47
35-49	27	3.7	7	1	2	3	6	7	10	10
50-64	55	5.1	18	2	3	4	6	9	11	27
65 +	88	6.7	119	2	2	4	6	12	20	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.7	2	1	2	3	4	4	5	8
B. Operated	81	3.6	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	169	3.6	5	1	2	3	5	6	8	11
B. Operated	189	5.8	73	1	2	4	6	10	14	55
1. SINGLE DX	127	3.3	3	1	2	3	4	6	6	8
2. MULTIPLE DX	358	4.8	42	1	2	3	6	8	11	27
A. Not Operated	215	3.4	5	1	2	3	5	6	8	10
B. Operated	270	5.1	53	1	2	4	6	9	11	43
TOTAL										
0-19 YRS	41	2.9	11	< 1	1	2	3	7	10	18
20-34	35	4.8	59	1	2	3	5	8	9	47
35-49	77	3.3	4	1	2	3	4	6	7	10
50-64	136	4.4	11	1	2	4	6	8	9	16
65 +	196	5.0	58	2	2	4	6	8	12	42
GRAND TOTAL	**485**	**4.4**	**32**	**1**	**2**	**3**	**5**	**8**	**9**	**21**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	4.5	26	< 1	1	3	5	10	18	21
20-34	6	1.8	1	1	1	2	2	3	3	3
35-49	3	2.0	3	< 1	< 1	1	3	4	4	4
50-64	6	1.5		< 1	1	1	2	2	2	2
65 +	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	36	2.4	6	< 1	< 1	1	3	5	8	12
20-34	13	1.9	3	< 1	1	1	2	6	6	6
35-49	9	1.6	1	< 1	1	1	2	3	3	3
50-64	9	1.9	4	< 1	< 1	1	2	5	7	7
65 +	4	2.0	4	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	6.8	61	1	2	4	7	17	22	41
20-34	22	2.4	2	< 1	1	2	3	4	5	7
35-49	50	3.5	10	1	1	2	4	8	9	16
50-64	65	4.3	17	1	2	3	5	8	13	23
65 +	78	5.7	37	2	2	4	7	12	15	34
B. Operated										
0-19 YRS	23	9.8	124	1	2	6	13	23	33	49
20-34	19	3.8	8	< 1	1	3	6	9	55	99 +
35-49	20	4.2	14	1	2	3	6	7	12	17
50-64	38	9.3	250	1	2	5	8	16	45	84
65 +	43	9.3	65	1	4	7	12	19	27	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.1	14	< 1	1	2	3	5	9	21
B. Operated	71	2.1	4	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	254	4.8	29	1	2	3	6	10	14	33
B. Operated	143	7.9	112	1	2	5	10	17	27	85
1. SINGLE DX	104	2.4	8	< 1	< 1	1	3	5	7	16
2. MULTIPLE DX	397	5.9	61	1	2	4	7	12	19	45
A. Not Operated	287	4.6	27	1	2	3	5	10	13	31
B. Operated	214	6.0	84	< 1	1	3	7	14	22	61
TOTAL										
0-19 YRS	113	5.7	58	< 1	1	3	7	14	21	44
20-34	60	2.7	5	< 1	1	2	4	6	8	90
35-49	82	3.4	10	1	1	2	4	7	9	17
50-64	118	5.6	96	1	2	3	6	10	16	59
65 +	128	6.7	48	1	2	4	9	14	25	35
GRAND TOTAL	**501**	**5.2**	**52**	**1**	**1**	**3**	**6**	**11**	**17**	**41**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	17.0		17	17	17	17	17	17	17
B. Operated										
0-19 YRS	2	13.5	313	< 1	< 1	13	26	26	26	26
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	7	4.4	14	1	2	3	7	10	11	11
65 +	18	10.9	123	1	3	7	16	32	34	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	3	13.0	219	3	4	6	24	30	30	30
50-64	2	6.0	50	1	3	11	78	99 +	99 +	99 +
65 +	29	10.7	90	2	4	8	12	24	36	39
B. Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	10	9.5	77	4	5	7	8	23	33	33
35-49	37	15.6	141	3	5	13	23	34	40	47
50-64	75	16.2	205	4	7	11	21	37	47	74
65 +	204	14.1	148	4	7	11	16	28	39	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	17.0		17	17	17	17	17	17	17
B. Operated	30	8.7	99	1	2	4	9	27	33	34
2. MULTIPLE DX										
A. Not Operated	35	10.5	91	2	4	8	12	30	38	99 +
B. Operated	328	14.5	158	4	7	11	17	31	40	64
1. SINGLE DX	31	9.0	98	1	2	5	11	27	33	34
2. MULTIPLE DX	363	14.1	153	4	7	10	17	31	40	67
A. Not Operated	36	10.7	89	2	4	8	14	29	38	99 +
B. Operated	358	14.1	155	3	7	10	16	31	39	63
TOTAL										
0-19 YRS	5	9.4	107	< 1	1	7	15	26	26	26
20-34	11	9.0	72	4	5	7	8	22	32	33
35-49	42	14.8	144	2	4	12	23	32	39	47
50-64	84	14.9	197	3	7	10	18	37	49	93
65 +	252	13.5	140	3	7	10	15	28	37	63
GRAND TOTAL	**394**	**13.7**	**150**	**3**	**6**	**10**	**16**	**30**	**39**	**66**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.2	2	< 1	1	2	3	5	5	5
20-34	198	2.0	1	1	1	2	3	4	4	6
35-49	738	2.0	2	1	1	2	2	3	4	5
50-64	443	2.2	2	1	1	2	3	4	5	8
65 +	130	2.4	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	28	2.9	3	< 1	1	3	4	5	6	8
35-49	234	2.2	2	1	1	2	3	4	5	7
50-64	245	1.9	2	1	1	1	2	4	5	7
65 +	78	2.1	2	1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.8	14	1	1	2	3	5	7	27
20-34	521	2.5	3	1	1	2	3	5	5	8
35-49	2636	2.6	3	1	2	2	3	5	6	8
50-64	2959	3.0	4	1	2	3	4	5	6	10
65 +	2651	3.7	9	1	2	3	5	6	8	14
B. Operated										
0-19 YRS	4	2.5	3	< 1	1	2	4	5	5	5
20-34	104	3.3	10	1	1	2	4	6	9	19
35-49	1154	3.1	5	1	1	2	4	6	7	11
50-64	1714	3.3	10	1	1	2	4	6	8	14
65 +	1106	4.4	20	1	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1528	2.1	2	1	1	2	3	4	4	7
B. Operated	590	2.1	2	1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	8832	3.1	5	1	2	3	4	5	7	11
B. Operated	4082	3.5	11	1	1	3	5	7	9	16
1. SINGLE DX	2118	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	12914	3.2	7	1	2	3	4	6	7	13
A. Not Operated	10360	2.9	5	1	2	2	4	5	6	10
B. Operated	4672	3.3	10	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	93	2.6	11	< 1	1	2	3	5	6	21
20-34	851	2.5	3	1	1	2	3	5	5	9
35-49	4762	2.6	3	1	1	2	3	5	6	9
50-64	5361	2.9	5	1	1	2	4	5	7	11
65 +	3965	3.8	12	1	2	3	5	7	9	16
GRAND TOTAL	**15032**	**3.0**	**7**	**1**	**2**	**2**	**4**	**6**	**7**	**12**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	2.6	5	1	1	2	3	5	7	14
20-34	5	1.6	1	< 1	1	1	2	3	3	3
35-49	6	3.0	4	1	1	2	5	6	6	6
50-64	7	1.9	1	< 1	1	1	3	4	4	4
65 +	4	2.8	6	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	20	2.0	2	< 1	1	1	3	4	5	6
20-34	8	3.5	7	1	2	3	4	8	9	9
35-49	21	3.4	7	< 1	1	2	5	8	9	10
50-64	18	3.6	12	< 1	< 1	2	5	10	12	12
65 +	6	2.8	16	< 1	< 1	1	2	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	610	4.1	11	1	2	3	5	8	10	18
20-34	24	3.6	8	1	1	3	5	6	9	13
35-49	68	3.7	12	1	2	3	5	7	9	22
50-64	101	4.4	17	1	2	3	5	8	12	22
65 +	176	5.3	54	2	3	4	6	10	13	19
B. Operated										
0-19 YRS	81	7.5	72	1	1	5	11	21	28	81
20-34	25	6.6	27	2	3	5	10	14	18	20
35-49	43	5.5	18	1	2	4	8	13	15	17
50-64	106	5.4	37	1	2	3	7	12	15	33
65 +	129	6.1	32	2	2	5	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	2.6	5	1	1	2	3	5	6	13
B. Operated	73	3.0	8	< 1	1	2	4	7	10	12
2. MULTIPLE DX										
A. Not Operated	979	4.3	19	1	2	3	5	8	11	19
B. Operated	384	6.2	40	1	2	4	8	14	19	38
1. SINGLE DX	388	2.7	5	1	1	2	3	6	7	13
2. MULTIPLE DX	1363	4.8	26	1	2	3	6	10	13	24
A. Not Operated	1294	3.9	16	1	2	3	5	8	10	18
B. Operated	457	5.7	36	1	2	4	7	13	17	31
TOTAL										
0-19 YRS	1004	3.9	15	1	2	3	5	8	11	23
20-34	62	4.7	18	1	2	3	6	11	14	20
35-49	138	4.2	14	1	2	3	5	8	12	18
50-64	232	4.7	26	1	2	3	6	10	13	25
65 +	315	5.6	44	2	2	4	7	11	14	22
GRAND TOTAL	**1751**	**4.4**	**22**	**1**	**2**	**3**	**5**	**9**	**12**	**23**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.1	2	< 1	1	2	3	4	4	4
20-34	64	1.7	1	1	1	1	2	3	4	5
35-49	54	1.5		< 1	1	1	2	2	3	3
50-64	26	1.8	1	1	1	1	3	3	4	4
65 +	8	3.8	44	1	1	1	2	15	20	20
B. Operated										
0-19 YRS	10	2.4	6	< 1	< 1	1	3	6	9	9
20-34	16	2.9	2	1	2	3	4	4	5	5
35-49	12	2.9	2	1	2	3	4	5	5	5
50-64	13	3.6	1	2	3	4	4	5	5	5
65 +	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.1	2	1	1	1	3	5	5	6
20-34	67	2.3	4	1	1	2	3	4	6	12
35-49	70	3.1	11	1	1	2	3	6	8	22
50-64	68	2.9	5	1	1	2	4	6	8	11
65 +	96	4.0	10	1	2	3	5	7	9	19
B. Operated										
0-19 YRS	24	6.2	28	< 1	2	5	9	16	17	19
20-34	21	3.3	4	1	2	3	4	6	8	9
35-49	36	3.8	20	1	1	3	4	6	12	25
50-64	48	4.6	14	1	2	3	6	10	12	16
65 +	146	5.7	22	2	3	5	7	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	1.8	3	1	1	1	2	3	4	5
B. Operated	55	3.0	2	1	2	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated	330	3.1	8	1	1	2	4	6	8	14
B. Operated	275	5.1	20	1	2	4	6	10	15	21
1. SINGLE DX	218	2.1	3	1	1	2	3	4	4	7
2. MULTIPLE DX	605	4.0	14	1	2	3	5	8	11	19
A. Not Operated	493	2.6	6	1	1	2	3	5	7	13
B. Operated	330	4.8	18	1	2	4	6	10	14	20
TOTAL										
0-19 YRS	74	3.5	14	< 1	1	2	4	8	11	18
20-34	168	2.2	3	1	1	2	3	4	5	9
35-49	172	2.7	9	1	1	2	3	5	7	22
50-64	155	3.3	8	1	1	2	4	7	10	15
65 +	254	5.0	18	1	2	4	6	9	14	20
GRAND TOTAL	**823**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	535	1.8	1	< 1	1	1	2	3	4	6
20-34	417	2.4	2	1	1	2	3	5	6	8
35-49	248	2.6	3	1	1	2	3	5	6	9
50-64	129	2.4	2	1	1	2	3	5	6	7
65 +	47	3.1	27	1	1	2	3	4	5	36
B. Operated										
0-19 YRS	84	2.9	3	1	2	3	4	5	7	9
20-34	81	3.1	3	1	2	3	4	5	6	11
35-49	39	3.4	5	1	2	3	4	7	8	11
50-64	18	3.4	7	< 1	1	3	5	7	9	10
65 +	6	3.7	7	< 1	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	499	2.3	3	1	1	2	3	4	5	8
20-34	594	3.1	11	1	1	2	4	6	8	11
35-49	552	3.5	7	1	2	3	4	6	8	14
50-64	441	3.9	7	1	2	3	5	7	9	14
65 +	619	4.8	15	2	2	4	6	8	12	21
B. Operated										
0-19 YRS	90	4.8	29	1	2	3	5	10	11	34
20-34	163	5.5	43	1	2	4	6	10	16	38
35-49	166	5.7	14	1	3	5	7	11	13	18
50-64	127	6.2	17	2	3	5	9	11	15	19
65 +	177	8.2	39	2	4	7	11	17	22	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1376	2.2	3	1	1	2	3	4	5	8
B. Operated	228	3.1	4	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	2705	3.6	10	1	2	3	4	7	8	16
B. Operated	723	6.2	30	1	3	5	8	12	16	26
1. SINGLE DX	1604	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX	3428	4.1	15	1	2	3	5	8	11	19
A. Not Operated	4081	3.1	8	1	1	2	4	6	8	14
B. Operated	951	5.5	26	1	2	4	7	11	14	25
TOTAL										
0-19 YRS	1208	2.3	5	1	1	2	3	4	5	10
20-34	1255	3.2	13	1	1	2	4	6	8	14
35-49	1005	3.6	8	1	2	3	5	7	9	15
50-64	715	4.1	9	1	2	3	5	8	10	15
65 +	849	5.4	23	2	2	4	7	11	15	25
GRAND TOTAL	**5032**	**3.5**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.5	13	1	1	2	2	4	7	24
20-34	16	2.6	9	< 1	1	1	3	8	10	11
35-49	22	2.6	4	< 1	1	2	3	6	7	8
50-64	15	2.1	7	1	1	1	2	5	9	11
65 +	8	5.1	40	< 1	1	2	7	16	19	19
B. Operated										
0-19 YRS	23	3.0	5	1		2	4	6	8	10
20-34	11	3.5	6	1	1	3	6	7	7	7
35-49	8	4.1	5	2	3	3	5	8	9	9
50-64	7	2.1	2	< 1	< 1	1	3	5	5	5
65 +	8	4.6	23	< 1	1	3	7	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	3.0	10	1	1	2	4	6	8	12
20-34	117	3.4	5	1	2	3	5	6	7	12
35-49	156	3.8	12	1	1	3	5	8	11	18
50-64	203	4.6	15	1	2	4	6	9	11	19
65 +	391	5.8	20	2	3	5	7	11	14	21
B. Operated										
0-19 YRS	103	3.5	17	1	1	1	5	9	15	18
20-34	39	5.1	11	1	3	4	7	10	13	99 +
35-49	82	4.9	17	1	2	4	7	9	12	22
50-64	70	8.0	60	2	3	6	11	19	27	88
65 +	149	8.8	63	2	3	7	10	20	27	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	2.7	12	1	1	2	3	5	8	19
B. Operated	57	3.4	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1155	4.4	15	1	2	3	5	9	11	20
B. Operated	443	6.4	43	1	2	5	8	15	21	37
1. SINGLE DX	207	2.9	11	1	1	2	3	6	9	16
2. MULTIPLE DX	1598	4.9	24	1	2	4	6	10	14	27
A. Not Operated	1305	4.2	15	1	2	3	5	9	11	20
B. Operated	500	6.0	40	1	2	4	8	15	20	37
TOTAL										
0-19 YRS	503	3.0	12	1	1	2	4	6	9	17
20-34	183	3.7	7	1	2	3	5	7	10	14
35-49	268	4.1	13	1	1	3	5	9	11	20
50-64	295	5.2	27	1	2	4	6	10	15	32
65 +	556	6.6	33	2	3	5	8	13	19	31
GRAND TOTAL	**1805**	**4.7**	**23**	**1**	**2**	**3**	**6**	**10**	**13**	**27**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0- 780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790- 799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	531	2.5	6	1	1	2	3	5	7	11
20-34	146	2.1	2	< 1	1	2	2	4	5	7
35-49	154	2.2	1	< 1	1	2	3	4	4	6
50-64	106	2.8	5	< 1	1	2	3	5	8	11
65 +	107	2.4	6	< 1	1	2	3	5	5	55
B. Operated										
0-19 YRS	58	2.8	11	< 1	1	2	3	6	9	20
20-34	33	2.0	4	< 1	1	1	2	4	7	9
35-49	47	1.8	3	1	1	1	2	3	6	10
50-64	44	1.9	2	< 1	1	1	2	3	5	8
65 +	20	2.3	4	< 1	1	1	3	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1123	4.8	28	1	2	3	6	10	14	26
20-34	364	3.2	8	1	2	2	4	6	8	13
35-49	637	3.3	8	1	2	3	4	6	8	14
50-64	980	4.0	17	1	2	3	5	8	10	15
65 +	2713	5.1	24	2	3	4	6	9	12	23
B. Operated										
0-19 YRS	282	8.5	115	1	2	5	10	23	29	61
20-34	70	4.7	21	1	1	3	6	11	15	22
35-49	150	4.2	18	1	1	3	5	10	15	25
50-64	248	5.7	35	1	2	4	7	12	15	37
65 +	532	8.0	64	2	3	6	9	17	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1044	2.4	5	< 1	1	2	3	5	6	10
B. Operated	202	2.2	6	< 1	1	1	2	4	7	11
2. MULTIPLE DX										
A. Not Operated	5817	4.5	21	1	2	3	6	9	11	21
B. Operated	1282	7.0	64	1	2	5	8	15	23	53
1. SINGLE DX	1246	2.4	5	< 1	1	2	3	5	7	10
2. MULTIPLE DX	7099	5.0	30	1	2	4	6	10	13	29
A. Not Operated	6861	4.2	19	1	2	3	5	8	11	20
B. Operated	1484	6.4	59	1	2	4	8	14	22	50
TOTAL										
0-19 YRS	1994	4.6	37	1	1	3	5	10	14	31
20-34	613	3.0	8	1	1	2	3	6	8	15
35-49	988	3.2	8	1	2	2	4	6	8	16
50-64	1378	4.1	19	1	2	3	5	8	11	17
65 +	3372	5.5	31	2	3	4	7	10	14	31
GRAND TOTAL	**8345**	**4.6**	**27**	**1**	**2**	**3**	**6**	**9**	**13**	**28**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	0									
35-49	1	29.0		29	29	29	29	29	29	29
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	17.7	281	1	8	14	20	46	49	49
20-34	3	35.7	1362	6	10	24	64	77	77	77
35-49	0									
50-64	3	11.7	16	7	9	14	14	14	14	14
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	24	33.0	374	9	21	31	47	62	66	76
20-34	21	36.5	686	10	17	31	61	83	95	99 +
35-49	11	21.5	102	8	18	23	33	99 +	99 +	99 +
50-64	7	38.0	497	18	25	37	84	99 +	99 +	99 +
65 +	4	40.3	471	12	25	42	55	64	64	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	28.0	2	27	27	28	29	29	29	29
2. MULTIPLE DX										
A. Not Operated	13	20.2	431	5	8	14	21	55	73	77
B. Operated	67	33.2	452	11	19	30	53	79	99 +	99 +
1. SINGLE DX	2	28.0	2	27	27	28	29	29	29	29
2. MULTIPLE DX	80	31.1	466	8	15	28	49	78	99 +	99 +
A. Not Operated	13	20.2	431	5	8	14	21	55	73	77
B. Operated	69	33.0	439	11	20	30	52	79	99 +	99 +
TOTAL										
0-19 YRS	31	29.9	371	8	15	27	42	59	62	76
20-34	24	36.4	715	7	16	30	64	79	93	99 +
35-49	12	22.2	97	9	18	23	31	99 +	99 +	99 +
50-64	10	30.1	497	12	14	28	67	99 +	99 +	99 +
65 +	5	35.0	491	12	13	38	51	64	64	64
GRAND TOTAL	**82**	**31.0**	**455**	**8**	**16**	**28**	**48**	**78**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	241	1.7	3	< 1	1	1	2	3	4	8
20-34	10	3.8	12	1	2	3	4	9	13	13
35-49	3	6.3	22	1	3	8	9	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	61	3.6	4	1	2	3	5	6	7	9
20-34	15	5.1	9	2	3	4	7	10	11	11
35-49	3	7.3		7	7	7	8	8	8	8
50-64	2	6.5	25	3	3	6	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	3.6	15	1	1	2	4	8	10	21
20-34	36	6.2	81	2	2	3	7	12	18	53
35-49	26	5.4	17	2	3	4	7	9	15	19
50-64	10	8.6	68	1	3	6	10	22	28	28
65 +	12	6.3	23	2	3	4	9	13	17	18
B. Operated										
0-19 YRS	126	10.3	154	2	4	6	12	20	29	70
20-34	86	14.0	178	3	6	9	18	32	46	63
35-49	32	13.0	113	3	6	11	18	25	30	54
50-64	14	22.0	379	6	9	15	34	69	92	99 +
65 +	5	8.6	64	2	3	7	12	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	1.9	4	< 1	1	1	2	3	5	10
B. Operated	81	4.1	6	1	3	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	306	4.3	26	1	1	3	5	9	13	25
B. Operated	263	12.4	173	2	4	8	15	27	41	69
1. SINGLE DX	335	2.4	5	1	1	2	3	5	7	10
2. MULTIPLE DX	569	8.1	110	1	2	5	9	19	27	62
A. Not Operated	560	3.2	17	1	1	2	4	7	10	19
B. Operated	344	10.4	146	2	3	6	12	24	34	69
TOTAL										
0-19 YRS	650	4.2	46	1	1	2	5	9	14	30
20-34	147	10.5	143	2	3	7	12	25	36	60
35-49	64	9.3	77	2	3	7	12	20	25	51
50-64	26	15.7	272	2	6	10	24	51	74	99 +
65 +	17	7.0	33	2	3	5	9	17	21	22
GRAND TOTAL	**904**	**6.0**	**78**	**1**	**1**	**3**	**7**	**14**	**21**	**54**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	2.5	6	< 1	1	2	3	5	8	14
20-34	20	3.8	8	1	2	3	5	8	10	11
35-49	5	4.8	10	1	2	4	7	9	9	9
50-64	5	3.0	1	2	2	3	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	16	4.2	6	2	2	3	6	8	9	9
20-34	9	4.0	11	1	1	2	7	9	9	9
35-49	5	5.2	9	1	3	5	7	9	9	9
50-64	2	14.0	8	12	12	14	16	16	16	16
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	172	4.5	46	1	2	3	6	9	13	24
20-34	77	4.6	12	1	2	3	6	10	12	14
35-49	42	6.6	38	2	2	4	8	18	21	23
50-64	13	4.2	13	1	2	2	5	9	13	14
65 +	17	7.4	32	2	3	4	12	16	19	20
B. Operated										
0-19 YRS	87	13.9	247	2	4	7	16	39	46	70
20-34	102	10.8	115	2	5	7	13	21	28	58
35-49	44	11.2	130	2	4	9	14	18	37	58
50-64	18	20.1	439	2	5	8	38	57	60	61
65 +	18	15.9	72	5	9	16	21	28	30	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	2.8	6	1	1	2	3	6	9	12
B. Operated	33	4.8	13	1	2	3	7	9	12	16
2. MULTIPLE DX										
A. Not Operated	321	4.9	35	1	2	3	6	10	14	22
B. Operated	269	12.8	183	2	5	8	16	28	42	66
1. SINGLE DX	153	3.2	8	1	1	2	4	7	9	16
2. MULTIPLE DX	590	8.5	118	1	2	5	10	18	27	60
A. Not Operated	441	4.4	28	1	2	3	5	10	13	21
B. Operated	302	11.9	170	2	4	7	14	27	41	64
TOTAL										
0-19 YRS	365	6.2	101	1	2	3	7	13	22	66
20-34	208	7.5	72	1	3	5	9	16	21	57
35-49	96	8.5	82	2	3	6	10	18	23	54
50-64	38	12.1	271	2	2	5	14	41	56	61
65 +	36	11.5	71	2	4	10	17	24	28	31
GRAND TOTAL	**743**	**7.4**	**100**	**1**	**2**	**4**	**8**	**16**	**24**	**58**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.4		<1	1	1	2	2	3	3
20-34	15	1.9	1	1	1	2	2	3	4	4
35-49	5	2.2	3	<1	1	1	4	4	4	4
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	138	2.0	3	<1	1	1	2	4	6	9
20-34	207	2.2	2	1	1	2	3	4	5	9
35-49	71	2.5	3	1	1	2	3	5	7	9
50-64	14	2.9	11	1	1	2	3	7	12	13
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.5	3	<1	1	2	3	5	7	7
20-34	48	2.3	3	<1	1	2	3	5	6	7
35-49	36	3.1	3	1	2	3	4	5	7	8
50-64	14	3.9	15	1	1	3	4	12	13	13
65 +	17	3.5	15	1	1	2	4	7	13	17
B. Operated										
0-19 YRS	289	3.9	15	1	2	3	5	8	12	22
20-34	560	4.3	21	1	2	3	5	8	12	22
35-49	279	4.9	26	1	2	3	7	10	12	22
50-64	66	5.3	22	1	2	3	8	11	14	25
65 +	61	6.0	42	1	2	4	7	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	1.9	1	<1	1	1	2	4	4	5
B. Operated	431	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	159	2.8	5	1	1	2	4	5	7	13
B. Operated	1255	4.5	22	1	2	3	5	9	13	24
1. SINGLE DX	468	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1414	4.3	20	1	2	3	5	9	12	23
A. Not Operated	196	2.6	5	1	1	2	3	5	7	13
B. Operated	1686	3.9	18	1	1	3	5	8	11	21
TOTAL										
0-19 YRS	484	3.2	11	1	1	2	4	6	8	19
20-34	830	3.6	16	1	1	2	4	7	10	20
35-49	391	4.3	20	1	2	3	5	9	11	17
50-64	96	4.8	20	1	2	3	6	11	14	22
65 +	81	5.4	36	1	2	4	7	14	17	32
GRAND TOTAL	**1882**	**3.8**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	4.3	20	1	2	3	5	9	15	22
20-34	135	3.8	6	1	2	3	5	7	9	13
35-49	72	3.8	5	1	2	4	5	7	8	11
50-64	67	4.9	7	2	3	4	7	9	10	12
65 +	43	5.1	9	2	3	5	7	9	10	14
B. Operated										
0-19 YRS	11	8.5	67	2	3	7	10	20	30	31
20-34	30	6.9	17	2	4	7	9	12	14	19
35-49	7	10.1	57	3	4	8	12	23	25	25
50-64	10	9.7	36	3	5	8	16	18	19	19
65 +	7	6.4	13	2	3	8	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	4.6	19	1	2	3	6	8	14	26
20-34	154	5.6	43	2	3	4	6	10	14	43
35-49	138	5.5	11	2	3	5	7	10	13	17
50-64	124	6.7	31	2	4	6	8	12	14	35
65 +	615	8.3	34	3	5	7	10	15	19	29
B. Operated										
0-19 YRS	50	12.2	128	3	5	9	16	28	32	64
20-34	143	11.1	145	3	5	8	14	23	37	99 +
35-49	96	12.2	122	3	5	9	18	25	35	84
50-64	50	12.8	115	4	6	9	16	21	38	57
65 +	110	13.9	148	3	6	10	17	29	39	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	380	4.3	9	1	2	4	5	8	9	14
B. Operated	65	7.9	32	3	4	7	10	14	19	30
2. MULTIPLE DX										
A. Not Operated	1090	7.2	33	2	4	6	9	14	17	28
B. Operated	449	12.3	136	3	5	9	16	25	37	84
1. SINGLE DX	445	4.8	14	1	2	4	6	9	11	19
2. MULTIPLE DX	1539	8.7	68	2	4	6	11	17	23	52
A. Not Operated	1470	6.4	28	2	3	5	8	12	16	25
B. Operated	514	11.8	125	3	5	9	15	24	34	79
TOTAL										
0-19 YRS	183	6.8	63	1	2	4	8	16	22	35
20-34	462	6.9	71	2	3	5	8	14	19	60
35-49	313	7.3	56	2	3	5	8	15	23	45
50-64	251	7.6	49	2	4	6	9	14	18	47
65 +	775	8.9	53	3	4	7	11	17	22	39
GRAND TOTAL	**1984**	**7.8**	**59**	**2**	**3**	**6**	**9**	**16**	**21**	**46**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.0	31	2	3	6	11	13	13	13
35-49	3	6.0	3	4	5	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	8	12.3	48	4	7	11	16	23	25	25
20-34	12	10.1	52	3	4	8	15	21	24	24
35-49	3	13.7	37	7	9	15	18	19	19	19
50-64	3	14.0	9	11	12	14	16	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	7	< 1	< 1	2	5	6	6	6
20-34	7	9.9	85	1	2	6	18	22	23	23
35-49	5	9.8	133	< 1	4	6	13	30	30	30
50-64	1	17.0		17	17	17	17	17	17	17
65 +	8	10.5	90	1	2	10	15	25	29	29
B. Operated										
0-19 YRS	23	27.8	409	9	13	22	33	62	71	80
20-34	68	30.9	455	9	15	29	44	76	99	99 +
35-49	26	29.1	489	9	17	25	54	94	99 +	99 +
50-64	15	24.7	282	10	14	22	41	92	99 +	99 +
65 +	10	18.5	49	11	13	19	25	57	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.9	13	2	3	6	8	11	13	13
B. Operated	26	11.6	43	4	4	11	17	20	24	25
2. MULTIPLE DX										
A. Not Operated	24	9.5	82	1	2	6	16	24	29	30
B. Operated	142	28.5	409	9	14	25	41	77	99 +	99 +
1. SINGLE DX	35	10.1	41	3	4	10	15	19	23	25
2. MULTIPLE DX	166	25.8	406	6	12	23	37	74	99 +	99 +
A. Not Operated	33	8.5	65	1	2	6	13	20	28	30
B. Operated	168	25.9	390	8	12	23	37	73	99 +	99 +
TOTAL										
0-19 YRS	35	21.4	362	4	10	17	25	59	65	80
20-34	90	25.7	441	5	10	22	38	70	96	99 +
35-49	37	23.4	439	5	7	21	31	82	99 +	99 +
50-64	20	21.6	247	8	12	17	36	74	99 +	99 +
65 +	19	14.6	77	2	9	13	25	29	65	99 +
GRAND TOTAL	**201**	**23.1**	**378**	**4**	**10**	**19**	**33**	**64**	**97**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.5	1	< 1	1	1	2	3	4	4
20-34	26	2.1	2	1	1	2	2	4	6	7
35-49	30	2.5	6	1	1	2	3	5	6	13
50-64	26	2.6	3	1	2	2	3	5	7	8
65 +	20	2.7	4	1	1	2	3	6	7	8
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.5	19	1	1	3	6	10	15	18
20-34	107	3.5	9	1	2	3	4	6	9	16
35-49	132	4.1	19	1	2	3	5	8	11	22
50-64	170	4.7	10	2	3	4	6	9	10	17
65 +	323	6.2	27	2	3	5	8	13	17	27
B. Operated										
0-19 YRS	22	10.6	136	2	4	7	9	29	39	46
20-34	68	7.0	37	1	3	5	9	17	21	25
35-49	79	8.8	74	2	3	6	11	20	33	83
50-64	49	11.8	227	2	4	6	13	31	45	99 +
65 +	82	15.2	240	4	5	9	20	36	56	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	2.4	4	1	1	2	3	5	6	10
B. Operated	3	3.3	16	< 1	< 1	1	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	755	5.1	20	1	2	4	6	10	14	24
B. Operated	300	10.8	149	2	4	7	13	26	37	93
1. SINGLE DX	116	2.4	4	1	1	2	3	5	7	10
2. MULTIPLE DX	1055	6.7	63	1	3	4	8	15	21	45
A. Not Operated	868	4.7	19	1	2	3	6	10	14	24
B. Operated	303	10.7	148	2	4	7	13	26	36	93
TOTAL										
0-19 YRS	56	6.3	73	1	1	4	7	14	26	45
20-34	202	4.5	21	1	2	3	5	9	15	23
35-49	242	5.4	41	1	2	3	7	13	19	38
50-64	246	5.9	61	2	2	4	7	10	17	46
65 +	425	7.8	80	2	3	5	9	17	25	58
GRAND TOTAL	**1171**	**6.3**	**59**	**1**	**2**	**4**	**7**	**14**	**20**	**44**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	5.1	81	1	1	2	5	11	20	46
20-34	31	5.5	22	1	3	4	7	12	13	24
35-49	17	4.2	8	1	3	4	4	10	11	11
50-64	14	8.9	174	1	3	5	10	16	45	53
65 +	46	5.6	7	2	3	5	8	9	11	12
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	14.0	121	2	6	13	17	31	37	37
35-49	3	12.7	36	7	8	12	17	19	19	19
50-64	3	20.0	73	11	13	21	26	28	28	28
65 +	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	4.9	27	2	2	4	6	8	10	87
20-34	109	8.2	74	2	4	6	9	15	21	51
35-49	53	11.1	181	3	4	6	11	23	39	78
50-64	69	8.1	52	2	3	6	10	14	25	35
65 +	456	10.0	62	4	5	8	12	18	24	43
B. Operated										
0-19 YRS	49	13.4	293	3	5	7	14	25	43	91
20-34	120	15.0	134	4	7	12	20	29	40	58
35-49	68	19.0	264	5	8	13	27	40	48	84
50-64	34	19.3	376	6	8	13	22	40	72	90
65 +	75	18.8	223	6	8	15	21	44	52	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	5.7	42	1	3	4	7	11	12	47
B. Operated	16	15.1	99	3	8	14	20	28	34	37
2. MULTIPLE DX										
A. Not Operated	758	9.1	70	3	4	7	11	17	24	50
B. Operated	346	16.8	227	5	7	12	20	36	46	80
1. SINGLE DX	149	6.7	56	1	3	4	8	12	19	46
2. MULTIPLE DX	1104	11.5	132	3	5	8	14	23	35	61
A. Not Operated	891	8.6	68	2	4	6	10	16	22	50
B. Operated	362	16.7	221	5	7	12	20	35	46	79
TOTAL										
0-19 YRS	146	7.8	140	1	3	5	7	15	29	91
20-34	268	11.1	110	3	4	8	14	23	36	52
35-49	141	14.1	222	3	5	10	19	31	46	80
50-64	120	11.7	180	2	4	8	13	26	34	82
65 +	578	10.8	90	4	5	8	13	20	29	53
GRAND TOTAL	**1253**	**11.0**	**125**	**3**	**5**	**8**	**13**	**22**	**34**	**57**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.1	9	< 1	1	1	2	4	7	17
20-34	8	1.3		< 1	< 1	1	2	2	2	2
35-49	6	3.0	6	1	1	2	5	7	7	7
50-64	8	3.4	1	2	2	3	4	5	5	5
65 +	16	3.5	3	2	2	3	4	7	7	7
B. Operated										
0-19 YRS	655	2.1	4	1	1	1	2	4	5	12
20-34	59	3.3	6	1	2	3	4	6	7	15
35-49	37	2.8	3	1	2	2	4	5	6	9
50-64	31	3.1	3	1	2	3	4	6	6	7
65 +	42	4.9	15	1	2	3	6	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	4.3	114	1	1	2	3	6	12	68
20-34	18	3.2	7	< 1	1	2	5	7	9	10
35-49	15	3.0	3	1	1	3	5	5	6	6
50-64	28	5.5	21	1	2	3	8	12	13	21
65 +	150	6.9	46	1	3	5	8	14	20	35
B. Operated										
0-19 YRS	170	4.7	33	1	1	2	5	11	17	31
20-34	113	8.1	92	1	2	5	10	18	22	52
35-49	85	7.1	70	2	3	4	7	16	22	50
50-64	79	6.8	56	2	3	4	8	12	22	44
65 +	273	8.2	53	2	4	6	9	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.5	7	< 1	1	2	3	5	7	17
B. Operated	824	2.4	5	1	1	2	3	4	7	13
2. MULTIPLE DX										
A. Not Operated	251	5.8	50	1	2	4	7	11	19	35
B. Operated	720	7.1	59	1	3	5	8	16	21	42
1. SINGLE DX	919	2.4	6	1	1	2	3	5	7	14
2. MULTIPLE DX	971	6.7	57	1	2	5	8	15	20	40
A. Not Operated	346	4.9	41	1	1	3	6	10	15	32
B. Operated	1544	4.6	36	1	1	2	5	10	16	32
TOTAL										
0-19 YRS	922	2.6	16	1	1	2	2	5	8	20
20-34	198	5.9	61	1	2	3	7	14	19	47
35-49	143	5.4	47	1	2	4	6	10	17	42
50-64	146	5.6	37	1	3	4	7	10	13	34
65 +	481	7.3	47	2	3	5	9	15	20	38
GRAND TOTAL	**1890**	**4.6**	**37**	**1**	**1**	**3**	**5**	**10**	**16**	**32**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.8	1	1	1	2	2	3	4	4
20-34	16	2.2	6	< 1	1	2	2	3	9	11
35-49	6	1.7	1	< 1	< 1	1	2	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	541	1.7	2	1	1	1	2	3	4	7
20-34	197	2.4	2	1	1	2	3	4	5	7
35-49	133	1.9	1	1	1	2	2	4	4	6
50-64	101	2.1	3	1	1	2	3	4	5	10
65 +	76	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.9	11	1	1	2	3	5	10	17
20-34	21	3.0	5	1	2	2	3	5	8	11
35-49	10	2.3	3	1	1	2	3	5	6	6
50-64	15	5.2	11	2	2	4	8	9	11	11
65 +	28	7.9	86	2	3	5	8	15	34	43
B. Operated										
0-19 YRS	177	3.8	15	1	1	2	5	9	12	23
20-34	191	5.9	36	2	2	4	7	12	14	39
35-49	166	5.4	22	1	2	4	7	11	17	23
50-64	138	4.9	31	1	2	3	6	10	13	35
65 +	246	5.5	29	1	2	4	6	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	1.9	2	< 1	1	1	2	3	4	11
B. Operated	1048	1.9	2	1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	103	4.5	34	1	2	3	5	9	12	38
B. Operated	918	5.1	27	1	2	4	6	11	14	26
1. SINGLE DX	1099	1.9	2	1	1	1	2	4	4	7
2. MULTIPLE DX	1021	5.1	28	1	2	3	6	11	14	28
A. Not Operated	154	3.7	25	1	1	2	4	8	11	32
B. Operated	1966	3.4	16	1	1	2	4	7	11	19
TOTAL										
0-19 YRS	773	2.2	6	1	1	1	2	4	6	13
20-34	425	4.0	21	1	2	3	5	8	11	23
35-49	315	3.8	15	1	1	2	4	9	12	19
50-64	255	3.8	20	1	1	2	4	8	11	28
65 +	352	4.9	30	1	2	3	6	10	13	31
GRAND TOTAL	**2120**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**11**	**20**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.9	1	< 1	1	2	2	4	4	4
20-34	11	1.7	1	< 1	< 1	2	2	3	3	3
35-49	7	1.7	2	< 1	< 1	1	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	85	1.8	2	< 1	1	1	2	3	4	8
20-34	97	1.6	2	< 1	1	1	2	3	4	8
35-49	47	1.6	1	< 1	1	1	2	3	4	5
50-64	24	1.6	1	< 1	1	1	2	3	4	4
65 +	7	1.9	1	< 1	< 1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.1	2	1	1	2	3	4	5	5
20-34	18	2.2	5	1	1	1	2	5	8	10
35-49	8	3.9	8	1	2	3	4	8	10	10
50-64	6	2.7	3	1	1	2	3	6	6	6
65 +	6	3.5	6	1	2	3	6	7	7	7
B. Operated										
0-19 YRS	50	3.1	5	1	1	3	4	6	7	12
20-34	168	3.2	11	1	1	2	4	6	9	17
35-49	83	3.2	12	1	1	2	3	6	12	18
50-64	53	3.2	10	1	1	2	4	8	9	17
65 +	44	3.6	9	1	2	2	5	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.7	1	< 1	< 1	1	2	3	4	4
B. Operated	260	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	53	2.6	5	1	1	2	3	6	7	10
B. Operated	398	3.2	10	1	1	2	4	6	10	17
1. SINGLE DX	289	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	451	3.2	9	1	1	2	4	6	10	17
A. Not Operated	82	2.3	3	< 1	1	2	3	4	6	10
B. Operated	658	2.6	7	1	1	2	3	5	8	16
TOTAL										
0-19 YRS	159	2.2	3	< 1	1	2	3	4	5	9
20-34	294	2.6	8	< 1	1	2	3	5	8	16
35-49	145	2.6	8	1	1	2	3	5	8	16
50-64	85	2.7	7	1	1	2	3	5	9	15
65 +	57	3.4	8	1	2	2	4	8	10	12
GRAND TOTAL	**740**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	11.8	118	1	2	7	21	25	30	33
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	35	10.3	39	3	5	9	15	19	21	24
B. Operated										
0-19 YRS	56	6.3	50	2	3	4	6	11	22	38
20-34	26	7.0	15	2	4	7	8	13	14	16
35-49	44	6.3	5	3	5	7	8	9	9	13
50-64	83	8.8	21	5	6	8	10	14	18	26
65 +	296	10.3	23	6	8	10	12	15	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	14.4	154	1	3	16	22	26	41	46
20-34	3	7.7	69	< 1	1	5	14	17	17	17
35-49	10	9.7	50	2	4	10	11	19	27	27
50-64	26	12.6	341	1	3	6	11	29	66	76
65 +	334	12.9	117	4	6	10	16	25	35	63
B. Operated										
0-19 YRS	72	10.9	92	4	6	8	13	21	37	46
20-34	67	10.8	23	4	7	10	14	17	20	23
35-49	113	11.5	55	4	7	10	15	20	25	41
50-64	391	12.2	71	6	8	10	13	21	27	51
65 +	4343	12.7	52	7	9	11	14	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	10.3	64	1	4	8	17	21	24	32
B. Operated	505	9.1	26	4	6	9	11	14	17	27
2. MULTIPLE DX										
A. Not Operated	388	12.8	131	3	5	10	16	25	35	65
B. Operated	4986	12.6	53	7	8	11	14	20	25	45
1. SINGLE DX	562	9.2	30	4	6	8	11	15	19	27
2. MULTIPLE DX	5374	12.6	59	6	8	11	14	20	26	46
A. Not Operated	445	12.5	123	3	5	10	16	24	33	64
B. Operated	5491	12.3	52	6	8	11	14	19	25	44
TOTAL										
0-19 YRS	161	9.7	91	2	4	6	12	23	32	46
20-34	97	9.6	25	4	6	9	13	17	19	22
35-49	168	10.0	46	4	6	8	12	18	23	39
50-64	502	11.6	77	5	7	9	13	21	27	52
65 +	5008	12.5	54	7	8	11	14	20	25	45
GRAND TOTAL	**5936**	**12.3**	**57**	**6**	**8**	**11**	**14**	**20**	**25**	**46**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	211	10.2	103	1	2	5	19	25	29	39
20-34	3	10.7	142	1	2	7	20	24	24	24
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	2	8.5	1	8	8	8	9	9	9	9
65 +	11	8.5	40	2	3	8	11	19	21	21
B. Operated										
0-19 YRS	309	7.0	56	1	2	4	9	19	25	31
20-34	51	7.3	17	4	5	7	9	12	15	26
35-49	30	8.1	19	3	5	7	10	14	16	21
50-64	8	8.6	10	7	7	7	9	14	16	16
65 +	11	9.1	23	4	5	9	13	15	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	127	12.3	134	1	3	7	22	27	32	99 +
20-34	16	18.9	502	1	2	5	39	54	62	65
35-49	17	11.8	313	1	3	6	9	45	59	63
50-64	19	18.9	245	4	7	12	28	42	50	57
65 +	78	10.7	94	2	4	8	13	28	39	99 +
B. Operated										
0-19 YRS	324	13.4	130	3	5	10	19	29	35	53
20-34	241	13.8	103	5	8	11	17	25	36	70
35-49	108	13.4	116	4	7	11	15	27	40	54
50-64	82	18.8	273	6	9	13	22	37	54	91
65 +	215	15.5	167	7	9	12	18	25	39	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	230	10.0	98	1	2	5	18	25	28	39
B. Operated	409	7.2	47	1	2	5	9	18	23	30
2. MULTIPLE DX										
A. Not Operated	257	12.7	167	2	3	8	20	30	44	99 +
B. Operated	970	14.4	144	4	7	11	18	28	38	74
1. SINGLE DX	639	8.2	67	1	2	5	11	21	26	37
2. MULTIPLE DX	1227	14.1	149	3	6	11	18	29	39	76
A. Not Operated	487	11.4	136	1	3	7	19	27	35	64
B. Operated	1379	12.3	126	2	5	9	16	25	33	58
TOTAL										
0-19 YRS	971	10.5	108	1	3	6	17	25	30	49
20-34	311	13.0	115	4	7	10	16	25	37	66
35-49	158	12.0	121	3	6	9	14	23	38	57
50-64	111	17.9	251	6	8	12	22	37	51	85
65 +	315	13.8	145	4	7	11	17	25	37	92
GRAND TOTAL	**1866**	**12.1**	**128**	**2**	**4**	**9**	**17**	**25**	**34**	**62**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	1.9	2	< 1	1	1	3	3	4	9
20-34	26	3.5	6	< 1	2	3	4	7	9	12
35-49	19	2.8	7	1	1	2	3	8	9	10
50-64	11	6.4	96	< 1	1	3	6	19	34	35
65 +	11	3.7	10	< 1	1	3	5	8	12	12
B. Operated										
0-19 YRS	245	3.3	8	1	1	3	4	7	8	12
20-34	190	4.9	19	2	3	4	5	8	11	27
35-49	129	5.5	15	2	3	5	7	10	15	19
50-64	87	4.9	7	2	3	4	6	8	10	12
65 +	23	8.7	16	3	6	8	12	14	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.7	4	1	1	2	3	5	7	11
20-34	32	5.1	18	1	2	4	6	14	15	15
35-49	51	4.9	42	1	2	3	5	9	15	43
50-64	38	6.6	42	1	3	5	8	12	17	37
65 +	82	8.7	60	2	4	6	11	18	20	44
B. Operated										
0-19 YRS	196	8.0	59	2	3	5	10	19	26	36
20-34	307	9.9	82	2	4	7	13	20	30	60
35-49	226	13.0	209	3	5	8	15	30	43	93
50-64	165	11.6	114	3	5	9	14	24	37	98
65 +	178	11.3	92	4	6	9	13	21	27	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	2.7	11	1	1	2	3	5	8	12
B. Operated	674	4.6	14	1	2	4	6	8	11	18
2. MULTIPLE DX										
A. Not Operated	260	5.9	41	1	2	4	7	14	17	36
B. Operated	1072	10.7	113	3	4	8	13	22	33	88
1. SINGLE DX	833	4.2	14	1	2	3	5	8	10	17
2. MULTIPLE DX	1332	9.7	103	2	4	7	12	21	30	70
A. Not Operated	419	4.7	32	1	2	3	5	10	15	32
B. Operated	1746	8.3	84	2	3	6	10	17	25	49
TOTAL										
0-19 YRS	590	4.6	29	1	1	3	5	10	14	29
20-34	555	7.6	59	2	3	5	9	16	21	47
35-49	425	9.3	137	2	3	6	11	20	32	87
50-64	301	8.8	82	2	4	6	11	18	29	66
65 +	294	10.1	77	3	5	8	13	19	23	47
GRAND TOTAL	**2165**	**7.6**	**76**	**1**	**3**	**5**	**9**	**16**	**22**	**44**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	1.9	1	< 1	1	2	3	3	4	5
20-34	33	2.6	4	1	1	2	3	5	7	8
35-49	28	2.5	3	1	1	2	3	4	6	8
50-64	23	2.8	3	1	1	2	4	5	6	6
65 +	9	2.4	2	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	318	2.4	3	1	1	2	3	4	6	8
20-34	459	3.5	8	1	2	3	4	6	8	17
35-49	452	3.6	5	2	2	3	4	6	7	12
50-64	291	3.8	4	2	2	3	5	6	7	10
65 +	122	4.8	9	2	3	4	6	7	9	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.8	3	1	1	2	3	6	7	8
20-34	66	3.8	11	1	2	3	5	7	8	22
35-49	52	4.0	10	1	2	3	6	8	10	17
50-64	36	4.3	7	1	2	4	6	8	10	11
65 +	83	8.6	81	2	4	6	9	18	24	53
B. Operated										
0-19 YRS	212	5.8	54	2	2	4	6	11	17	51
20-34	453	6.2	40	2	3	4	7	12	18	33
35-49	404	6.9	43	2	3	5	8	14	21	37
50-64	411	6.0	35	2	3	5	7	10	14	24
65 +	451	7.2	27	3	4	6	8	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	2.3	2	1	1	2	3	4	5	8
B. Operated	1642	3.5	6	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	284	5.2	34	1	2	4	6	9	15	28
B. Operated	1931	6.5	38	2	3	5	7	12	17	31
1. SINGLE DX	1798	3.4	6	1	2	3	4	6	7	12
2. MULTIPLE DX	2215	6.3	38	2	3	5	7	12	17	30
A. Not Operated	440	4.1	25	1	2	3	5	8	10	24
B. Operated	3573	5.1	26	2	2	4	6	9	13	27
TOTAL										
0-19 YRS	640	3.5	22	1	1	2	4	6	9	21
20-34	1011	4.7	24	1	2	3	5	9	13	26
35-49	936	5.0	24	2	2	4	6	9	13	28
50-64	761	5.0	22	2	3	4	6	8	11	21
65 +	665	6.9	32	3	4	5	8	13	16	29
GRAND TOTAL	**4013**	**5.0**	**26**	**1**	**2**	**4**	**6**	**9**	**13**	**27**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	7	1.1		< 1	< 1	1	1	2	2	2
20-34	12	2.0	2	1	1	1	3	4	4	4
35-49	10	2.6	2	1	2	2	4	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.6	6	1	1	2	3	6	9	12
20-34	37	2.9	6	1	1	2	3	5	9	12
35-49	31	2.5	2	1	1	2	4	5	5	5
50-64	20	4.0	7	1	2	3	6	7	9	11
65 +	22	5.9	19	2	3	4	8	14	16	17
B. Operated										
0-19 YRS	10	5.1	15	2	3	4	7	11	15	15
20-34	32	4.9	26	1	2	3	6	11	13	26
35-49	19	6.4	27	2	3	4	10	15	18	18
50-64	9	5.9	18	2	3	5	8	13	15	15
65 +	11	5.3	32	1	2	2	7	14	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.4	1	< 1	1	1	2	3	3	3
B. Operated	32	2.0	2	1	1	1	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	151	3.3	8	1	1	2	4	7	10	15
B. Operated	81	5.4	24	1	2	3	7	12	16	24
1. SINGLE DX	41	1.9	1	< 1	1	1	2	4	4	5
2. MULTIPLE DX	232	4.1	15	1	2	3	5	9	12	18
A. Not Operated	160	3.2	8	1	1	2	4	7	9	15
B. Operated	113	4.5	20	1	2	3	5	11	14	22
TOTAL										
0-19 YRS	62	2.8	8	1	1	2	4	7	9	15
20-34	83	3.5	14	1	1	2	4	7	11	22
35-49	62	3.7	12	1	2	3	4	8	11	18
50-64	32	4.3	11	1	2	3	6	8	11	15
65 +	34	5.6	22	2	2	4	7	13	17	20
GRAND TOTAL	**273**	**3.7**	**13**	**1**	**1**	**2**	**4**	**8**	**12**	**18**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.0	1	1	1	2	2	4	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.3	8	1	1	2	5	8	9	9
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	14.8	102	5	6	11	23	30	31	31
20-34	2	42.0	1682	13	13	42	71	71	71	71
35-49	5	12.8	177	4	4	4	22	34	34	34
50-64	0									
65 +	1	38.0		38	38	69	99 +	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.0	1	1	1	2	2	4	5	5
B. Operated	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	19	3.1	7	1	1	2	3	8	9	9
B. Operated	16	19.0	324	4	6	13	32	64	90	99 +
1. SINGLE DX	13	2.2	2	1	1	2	3	5	5	5
2. MULTIPLE DX	35	10.4	211	1	2	5	13	34	61	99 +
A. Not Operated	30	2.7	5	1	1	2	3	7	8	9
B. Operated	18	17.2	313	4	5	13	30	58	87	99 +
TOTAL										
0-19 YRS	37	5.4	49	1	1	2	6	12	25	31
20-34	4	22.0	1094	2	2	8	42	71	71	71
35-49	6	11.2	158	3	4	4	18	32	34	34
50-64	0									
65 +	1	38.0		38	38	69	99 +	99 +	99 +	99 +
GRAND TOTAL	**48**	**8.1**	**167**	**1**	**2**	**3**	**8**	**29**	**40**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	1.9	1	1	1	2	3	4	5	5
20-34	76	2.0	1	1	1	2	2	3	4	6
35-49	30	2.0	1	1	1	2	2	3	4	5
50-64	7	2.0	1	< 1	1	2	2	4	4	4
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.6	1	< 1	1	1	2	3	3	3
35-49	6	6.0	43	< 1	1	3	11	16	17	17
50-64	3	5.7	41	1	1	3	10	13	13	13
65 +	8	4.8	17	1	2	3	7	11	12	12
B. Operated										
0-19 YRS	6	1.7	1	< 1	1	1	2	3	3	3
20-34	21	2.5	7	< 1	1	2	3	5	9	13
35-49	24	3.9	18	1	2	3	4	8	13	21
50-64	13	3.6	10	1	1	3	4	9	11	11
65 +	21	4.4	8	1	2	4	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	140	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	22	4.5	23	< 1	1	2	5	12	15	17
B. Operated	85	3.5	11	1	1	3	4	7	10	18
1. SINGLE DX	142	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX	107	3.7	13	1	1	3	4	10	11	19
A. Not Operated	24	4.3	21	1	1	2	5	12	14	17
B. Operated	225	2.5	5	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	30	1.9	1	1	1	2	2	3	5	5
20-34	104	2.1	2	1	1	2	3	3	4	9
35-49	60	3.2	13	1	1	2	3	6	10	21
50-64	23	3.4	11	1	1	2	4	9	12	13
65 +	32	4.2	10	1	2	4	6	10	11	12
GRAND TOTAL	**249**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	60	2.1	2	< 1	1	2	3	4	5	7
20-34	107	2.3	3	< 1	< 1	2	3	4	5	10
35-49	54	1.7	2	< 1	< 1	1	2	3	5	7
50-64	21	1.3	2	< 1	< 1	< 1	1	2	4	7
65 +	6	1.7	1	< 1	< 1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.5	3	1	2	4	5	5	5	5
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	77	2.8	25	< 1	1	2	3	4	5	35
20-34	142	2.6	3	< 1	1	2	3	4	6	9
35-49	87	3.9	23	< 1	1	3	4	9	12	29
50-64	54	2.4	4	< 1	1	2	3	5	7	9
65 +	44	4.0	24	< 1	1	2	5	9	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	< 1	< 1	1	3	3	3	3
B. Operated	248	2.0	3	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	11	4.8	12	1	2	5	5	10	13	13
B. Operated	404	3.0	14	< 1	1	2	4	5	8	23
1. SINGLE DX	255	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	415	3.1	14	< 1	1	2	4	6	8	23
A. Not Operated	18	3.6	10	< 1	1	3	5	7	11	13
B. Operated	652	2.7	10	< 1	1	2	3	5	7	15
TOTAL										
0-19 YRS	139	2.5	15	< 1	1	2	3	4	5	23
20-34	257	2.5	3	< 1	1	2	3	4	6	8
35-49	144	3.1	16	< 1	< 1	2	4	6	10	26
50-64	77	2.2	4	< 1	< 1	1	2	5	7	9
65 +	53	3.7	21	< 1	1	2	5	8	14	26
GRAND TOTAL	**670**	**2.7**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**	**15**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.4	5	< 1	1	3	5	7	7	7
20-34	6	1.3		1	1	1	2	2	2	2
35-49	6	2.5	4	1	1	2	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	55	2.6	5	1	1	1	4	6	8	9
20-34	70	4.0	22	1	1	3	4	9	18	23
35-49	56	3.2	5	1	2	3	4	6	8	12
50-64	18	3.1	5	< 1	1	2	5	6	7	8
65 +	5	1.6	2	< 1	< 1	< 1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.5	28	1	1	2	6	12	17	21
20-34	15	6.9	50	2	2	3	9	17	24	26
35-49	14	4.4	6	1	3	4	6	8	8	8
50-64	14	5.9	15	2	3	4	10	12	13	13
65 +	16	5.9	32	1	2	5	9	21	73	99 +
B. Operated										
0-19 YRS	67	5.6	49	1	2	4	7	14	16	43
20-34	76	5.7	24	1	2	4	8	14	18	79
35-49	60	6.6	60	1	2	5	8	13	17	50
50-64	26	8.4	45	2	4	5	12	19	22	25
65 +	35	8.8	49	2	4	7	12	16	26	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.3	4	< 1	1	1	4	5	6	7
B. Operated	204	3.3	11	1	1	2	4	7	9	20
2. MULTIPLE DX										
A. Not Operated	79	5.5	26	1	2	4	8	12	19	78
B. Operated	264	6.5	45	1	2	5	8	15	19	44
1. SINGLE DX	227	3.2	11	1	1	2	4	6	9	19
2. MULTIPLE DX	343	6.3	41	1	2	5	8	14	19	47
A. Not Operated	102	4.8	23	1	1	3	6	11	15	61
B. Operated	468	5.1	33	1	1	3	6	12	16	27
TOTAL										
0-19 YRS	150	4.2	30	1	1	3	5	9	14	26
20-34	167	4.9	26	1	2	3	7	11	18	26
35-49	136	4.8	32	1	2	3	6	9	12	27
50-64	59	6.1	30	1	2	5	8	14	19	25
65 +	58	7.1	44	1	2	5	9	16	25	94
GRAND TOTAL	**570**	**5.1**	**31**	**1**	**1**	**3**	**6**	**11**	**16**	**27**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	6	1.7	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	80	2.5	1	1	2	3	3	4	4	6
20-34	120	2.9	2	1	2	3	4	5	6	7
35-49	39	3.1	3	1	2	3	4	5	7	8
50-64	15	3.3	6	< 1	1	2	5	7	8	8
65 +	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	12	3.3	9	< 1	1	2	5	8	9	9
50-64	8	3.9	6	1	2	3	5	7	8	8
65 +	23	5.0	22	2	3	4	5	9	16	24
B. Operated										
0-19 YRS	85	2.7	3	1	1	2	3	6	6	10
20-34	169	3.6	13	1	2	3	4	6	8	12
35-49	50	3.9	8	1	2	3	5	7	9	17
50-64	23	6.3	44	1	2	4	7	17	22	29
65 +	13	7.8	33	1	3	9	10	16	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.2	2	< 1	1	2	3	4	5	5
B. Operated	257	2.9	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	48	4.2	14	1	2	3	5	8	9	24
B. Operated	340	3.8	14	1	2	3	4	7	9	18
1. SINGLE DX	270	2.8	2	1	2	3	4	5	5	8
2. MULTIPLE DX	388	3.8	14	1	2	3	4	7	9	19
A. Not Operated	61	3.8	12	1	2	3	4	7	9	23
B. Operated	597	3.4	9	1	2	3	4	6	8	16
TOTAL										
0-19 YRS	172	2.6	2	1	2	2	3	4	6	7
20-34	294	3.3	8	1	2	3	4	5	7	11
35-49	107	3.4	6	1	2	3	4	7	8	13
50-64	46	4.9	26	1	2	4	6	8	17	29
65 +	39	5.9	25	2	3	4	8	11	18	24
GRAND TOTAL	**658**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	3	2	3	4	5	6	6	6
20-34	64	4.4	9	1	2	4	6	8	10	14
35-49	70	4.5	7	2	3	4	6	8	8	16
50-64	23	4.0	6	1	2	4	6	8	9	9
65 +	7	4.4	12	1	2	4	7	10	10	10
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	3.4	12	1	1	2	5	9	12	13
35-49	21	2.6	2	1	1	2	3	5	6	6
50-64	4	3.5	4	1	2	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.6	2	1	2	2	4	5	5	5
20-34	68	4.5	10	1	2	4	6	9	11	16
35-49	133	5.0	13	2	3	4	6	9	10	24
50-64	79	5.1	11	2	3	4	6	10	13	17
65 +	82	6.0	16	2	3	5	7	11	13	22
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	5.6	38	1	1	2	9	17	19	19
35-49	24	6.3	40	1	2	4	8	14	20	28
50-64	15	4.2	12	1	1	4	6	9	11	11
65 +	8	8.3	55	2	4	5	11	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	4.4	8	1	2	4	6	8	9	14
B. Operated	49	3.0	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	369	5.1	13	2	3	4	6	10	12	18
B. Operated	62	5.8	34	1	1	4	9	15	18	27
1. SINGLE DX	218	4.1	8	1	2	4	5	8	9	13
2. MULTIPLE DX	431	5.2	16	2	3	4	7	10	12	23
A. Not Operated	538	4.9	11	2	3	4	6	9	11	17
B. Operated	111	4.6	24	1	1	3	6	11	16	25
TOTAL										
0-19 YRS	14	3.1	2	2	2	3	4	5	6	6
20-34	169	4.4	12	1	2	3	6	9	12	17
35-49	248	4.8	13	2	2	4	6	8	11	24
50-64	121	4.7	10	1	3	4	6	9	11	16
65 +	97	6.1	19	2	3	5	7	11	15	24
GRAND TOTAL	**649**	**4.8**	**13**	**1**	**2**	**4**	**6**	**9**	**12**	**18**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.7	1	< 1	1	2	2	3	4	5
20-34	91	3.7	5	1	2	3	5	7	8	9
35-49	82	3.7	6	1	2	3	5	7	9	10
50-64	20	5.3	9	2	3	4	7	9	11	13
65 +	8	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	22	2.4	13	1	1	1	2	6	12	16
35-49	28	2.7	7	1	1	2	3	7	8	11
50-64	3	1.3		1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.0	2	1	1	2	2	4	5	7
20-34	168	4.1	8	1	2	3	5	8	10	13
35-49	198	4.4	8	2	2	4	6	8	10	15
50-64	109	5.0	34	1	2	4	6	9	12	40
65 +	111	5.5	12	2	3	5	7	9	12	19
B. Operated										
0-19 YRS	7	4.3	21	1	1	3	5	12	14	14
20-34	41	4.4	22	1	1	3	6	12	16	19
35-49	50	2.8	6	1	1	2	4	7	8	10
50-64	20	4.9	17	1	2	3	8	12	13	13
65 +	12	8.6	57	2	2	6	13	20	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	228	3.6	6	1	2	3	5	7	9	10
B. Operated	57	2.4	8	1	1	1	3	6	9	16
2. MULTIPLE DX										
A. Not Operated	623	4.5	13	1	2	4	6	8	10	16
B. Operated	130	4.2	20	1	1	2	6	10	14	20
1. SINGLE DX	285	3.3	6	1	1	3	4	7	9	11
2. MULTIPLE DX	753	4.4	15	1	2	4	6	8	11	18
A. Not Operated	851	4.2	12	1	2	3	5	8	10	14
B. Operated	187	3.7	17	1	1	2	4	9	13	19
TOTAL										
0-19 YRS	74	2.1	3	1	1	2	2	4	5	12
20-34	322	3.9	9	1	2	3	5	8	9	16
35-49	358	3.9	7	1	2	3	5	7	9	13
50-64	152	5.0	28	1	2	4	6	9	12	33
65 +	132	5.5	16	2	3	5	7	10	14	21
GRAND TOTAL	**1038**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.2	4	1	1	2	2	4	7	8
20-34	11	2.1	2	< 1	1	2	2	5	5	5
35-49	4	3.5	6	< 1	1	3	5	6	6	6
50-64	5	2.8	4	< 1	1	2	4	6	6	6
65 +	5	2.4	4	1	1	1	4	5	5	5
B. Operated										
0-19 YRS	15	1.5	1	< 1	1	1	2	3	4	4
20-34	93	1.9	1	< 1	1	2	2	3	4	5
35-49	186	2.2	2	1	1	2	3	4	5	8
50-64	190	2.6	2	1	2	2	3	4	5	8
65 +	73	3.0	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.2	1	< 1	1	2	3	4	4	4
20-34	27	2.3	2	< 1	1	2	3	4	5	6
35-49	18	3.6	7	< 1	1	3	5	7	9	10
50-64	19	3.5	9	1	1	2	4	7	10	13
65 +	40	4.6	9	1	2	4	6	10	11	11
B. Operated										
0-19 YRS	13	2.2	1	1	1	2	3	4	4	4
20-34	44	2.7	3	1	1	2	4	5	6	8
35-49	92	3.0	6	1	2	3	3	5	7	16
50-64	258	3.1	3	2	2	3	4	5	6	9
65 +	219	3.8	4	2	2	3	5	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.4	3	< 1	1	2	3	5	6	8
B. Operated	557	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	116	3.5	7	1	1	3	4	7	10	12
B. Operated	626	3.3	4	1	2	3	4	5	7	9
1. SINGLE DX	595	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	742	3.3	4	1	2	3	4	6	7	10
A. Not Operated	154	3.2	6	1	1	3	4	6	9	11
B. Operated	1183	2.8	3	1	2	2	3	5	6	9
TOTAL										
0-19 YRS	53	2.0	2	1	1	2	3	3	4	8
20-34	175	2.2	2	< 1	1	2	3	4	5	7
35-49	300	2.5	4	1	1	2	3	4	6	9
50-64	472	2.9	3	1	2	3	3	5	6	9
65 +	337	3.7	4	2	2	3	5	6	8	11
GRAND TOTAL	**1337**	**2.9**	**3**	**1**	**2**	**2**	**4**	**5**	**6**	**9**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	413	1.2		< 1	1	1	1	2	2	4
20-34	57	1.6	2	1	1	1	2	3	4	10
35-49	28	1.5		1	1	1	2	3	3	3
50-64	8	1.8	1	1	1	2	2	3	3	3
65 +	6	1.2		1	1	1	1	2	2	2
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	487	2.0	6	< 1	1	1	2	3	5	16
20-34	216	2.4	8	1	1	2	3	4	6	10
35-49	105	2.6	7	1	1	2	3	6	9	13
50-64	61	2.8	7	1	1	2	3	5	7	15
65 +	90	4.4	11	1	2	4	6	8	13	16
B. Operated										
0-19 YRS	103	3.0	20	1	1	2	3	5	8	27
20-34	109	4.0	54	< 1	1	2	4	9	16	40
35-49	54	3.4	17	1	1	2	4	7	11	23
50-64	23	4.7	52	1	1	3	5	7	20	36
65 +	41	4.4	16	1	2	3	6	9	10	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	512	1.3	1	< 1	1	1	1	2	3	5
B. Operated	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	959	2.4	7	1	1	2	3	5	7	16
B. Operated	330	3.7	33	1	1	2	4	8	11	26
1. SINGLE DX	514	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	1289	2.8	14	1	1	2	3	5	8	17
A. Not Operated	1471	2.0	5	< 1	1	1	2	4	6	11
B. Operated	332	3.7	32	1	1	2	4	8	11	25
TOTAL										
0-19 YRS	1003	1.8	5	< 1	1	1	2	3	4	9
20-34	383	2.7	21	1	1	2	3	5	7	17
35-49	187	2.7	9	1	1	2	3	6	9	17
50-64	92	3.2	18	1	1	2	4	6	7	28
65 +	138	4.3	12	1	2	3	6	8	11	17
GRAND TOTAL	**1803**	**2.3**	**11**	**1**	**1**	**1**	**2**	**4**	**7**	**16**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	12.5	61	7	7	12	18	18	18	18
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	18.5	41	14	14	18	23	23	23	23
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	22.6	432	9	13	20	23	32	75	98
20-34	3	29.7	70	20	23	34	35	35	35	35
35-49	2	24.0	128	16	20	32	83	99 +	99 +	99 +
50-64	2	13.0	8	11	11	13	15	15	15	15
65 +	4	24.3	208	12	12	23	36	40	40	40
B. Operated										
0-19 YRS	47	28.1	263	10	16	27	39	66	99 +	99 +
20-34	40	37.7	509	11	20	41	65	99 +	99 +	99 +
35-49	14	37.4	114	22	31	44	49	99 +	99 +	99 +
50-64	5	37.4	1040	20	22	24	42	95	95	95
65 +	8	34.8	565	16	20	28	74	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	12.5	61	7	7	12	18	18	18	18
B. Operated	2	18.5	41	14	14	18	23	23	23	23
2. MULTIPLE DX										
A. Not Operated	28	23.0	302	10	13	20	32	38	98	99 +
B. Operated	114	33.5	389	12	20	32	50	99 +	99 +	99 +
1. SINGLE DX	4	15.5	46	7	10	16	20	23	23	23
2. MULTIPLE DX	142	31.4	387	11	19	30	47	97	99 +	99 +
A. Not Operated	30	22.3	290	10	12	20	31	37	95	99 +
B. Operated	116	33.2	386	12	20	32	50	99 +	99 +	99 +
TOTAL										
0-19 YRS	68	26.0	298	10	14	23	34	56	97	99 +
20-34	43	37.2	480	12	20	41	61	99 +	99 +	99 +
35-49	16	35.7	128	21	30	43	49	99 +	99 +	99 +
50-64	7	30.4	837	12	16	23	25	81	95	95
65 +	12	31.3	443	12	19	28	71	99 +	99 +	99 +
GRAND TOTAL	**146**	**31.0**	**384**	**11**	**18**	**29**	**47**	**96**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	385	1.6	4	< 1	1	1	2	3	4	11
20-34	64	2.6	8	1	1	2	3	5	7	88
35-49	16	2.4	3	1	1	2	3	5	6	6
50-64	10	2.1	3	1	1	2	3	5	6	6
65 +	7	4.0	8	2	2	4	4	9	10	10
B. Operated										
0-19 YRS	34	7.0	99	2	3	5	6	11	32	52
20-34	17	6.5	52	1	2	4	7	14	25	30
35-49	12	9.0	34	2	5	8	12	18	21	21
50-64	10	8.0	15	4	5	6	12	13	14	14
65 +	17	6.6	8	3	4	7	9	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	671	3.4	42	1	1	1	3	7	12	41
20-34	285	4.6	53	1	1	2	5	10	15	50
35-49	133	5.2	60	1	1	3	6	12	20	45
50-64	73	5.4	52	1	2	3	7	11	13	46
65 +	156	8.3	102	1	3	6	10	16	24	54
B. Operated										
0-19 YRS	254	11.4	261	1	2	5	15	33	62	99 +
20-34	273	12.4	211	1	3	8	17	37	59	99 +
35-49	135	13.9	350	1	3	7	18	51	70	99 +
50-64	79	14.5	235	2	5	10	20	37	66	99 +
65 +	201	16.1	237	3	6	11	20	36	57	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	482	1.8	4	< 1	1	1	2	4	5	13
B. Operated	90	7.2	54	2	3	5	8	13	17	46
2. MULTIPLE DX										
A. Not Operated	1318	4.5	56	1	1	2	5	10	15	49
B. Operated	942	13.3	254	1	3	8	18	38	62	99 +
1. SINGLE DX	572	2.7	16	< 1	1	1	3	6	9	21
2. MULTIPLE DX	2260	8.2	157	1	1	3	10	22	38	98
A. Nct Operated	1800	3.8	44	1	1	2	4	8	13	43
B. Operated	1032	12.8	239	1	3	8	17	35	59	99 +
TOTAL										
0-19 YRS	1344	4.5	86	1	1	1	4	10	20	61
20-34	639	7.8	132	1	1	3	9	23	38	99 +
35-49	296	9.2	207	1	2	4	10	26	51	99 +
50-64	172	9.5	152	1	2	6	12	22	41	95
65 +	381	12.2	183	2	4	8	15	28	43	80
GRAND TOTAL	**2832**	**7.1**	**133**	**1**	**1**	**3**	**8**	**19**	**31**	**81**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.0	2	< 1	1	2	3	4	5	5
20-34	21	3.0	5	1	1	2	5	6	7	7
35-49	10	2.4	3	1	1	2	2	5	7	7
50-64	7	2.6	1	1	2	3	3	4	4	4
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	24	4.2	3	3	3	4	5	7	8	8
20-34	53	4.5	9	2	3	4	5	7	11	18
35-49	18	5.2	44	2	3	4	5	7	22	31
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	3.7	1	3	3	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.0	5	1	2	2	3	6	7	12
20-34	84	4.3	10	1	2	3	6	9	11	15
35-49	52	4.2	15	1	2	3	5	10	12	18
50-64	46	5.7	37	2	3	5	6	11	14	40
65 +	89	7.2	48	2	3	5	9	13	17	43
B. Operated										
0-19 YRS	124	8.5	71	3	4	6	10	17	22	78
20-34	348	9.1	104	3	4	6	10	20	37	94
35-49	170	10.3	116	3	4	6	12	23	37	50
50-64	85	10.1	121	3	4	7	12	23	34	89
65 +	99	15.5	278	4	6	10	18	43	63	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.5	3	1	1	2	3	5	6	7
B. Operated	99	4.5	13	2	3	4	5	7	8	25
2. MULTIPLE DX										
A. Not Operated	320	5.1	27	1	2	4	6	10	13	18
B. Operated	826	10.1	128	3	4	7	12	21	38	75
1. SINGLE DX	162	3.7	10	1	2	3	4	6	8	17
2. MULTIPLE DX	1146	8.7	105	2	3	6	10	18	29	65
A. Not Operated	383	4.7	24	1	2	3	6	9	12	18
B. Operated	925	9.5	118	3	4	6	11	20	36	69
TOTAL										
0-19 YRS	220	6.1	49	1	3	4	8	12	17	50
20-34	506	7.6	80	2	3	5	8	15	22	59
35-49	250	8.3	93	2	3	5	9	18	31	49
50-64	139	8.2	91	2	3	5	9	17	27	72
65 +	193	11.3	183	3	4	7	12	21	45	83
GRAND TOTAL	**1308**	**8.1**	**96**	**2**	**3**	**5**	**9**	**17**	**26**	**64**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	4.1	6	1	2	4	6	7	8	9
20-34	31	3.4	5	1	2	3	5	7	8	9
35-49	9	2.2	1	1	2	2	3	4	5	5
50-64	3	1.3		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	33	5.5	6	3	4	6	7	8	10	13
20-34	58	5.7	5	3	4	6	7	9	10	16
35-49	18	6.5	12	4	4	6	8	9	14	17
50-64	5	5.8	2	5	5	5	6	8	8	8
65 +	4	4.8	19	< 1	< 1	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	5.7	17	1	3	6	7	10	13	21
20-34	108	4.3	13	1	2	3	5	9	12	19
35-49	48	5.1	13	1	2	4	7	10	12	17
50-64	19	5.3	7	3	4	5	7	9	11	13
65 +	25	5.9	18	2	3	5	8	10	16	18
B. Operated										
0-19 YRS	262	10.2	96	4	6	7	11	19	26	75
20-34	503	11.2	97	4	6	8	13	24	34	67
35-49	184	12.7	152	4	6	9	14	26	42	95
50-64	77	13.6	118	6	7	10	16	32	50	99 +
65 +	62	14.9	219	3	6	10	19	33	47	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	3.8	6	1	2	3	6	7	8	9
B. Operated	118	5.8	7	3	4	6	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	375	5.2	15	1	2	4	7	10	12	19
B. Operated	1088	11.6	116	4	6	8	13	24	35	89
1. SINGLE DX	258	4.7	7	1	2	5	6	8	9	13
2. MULTIPLE DX	1463	10.0	98	3	5	7	11	20	30	71
A. Not Operated	515	4.8	13	1	2	4	7	9	12	18
B. Operated	1206	11.0	108	4	6	8	12	22	33	86
TOTAL										
0-19 YRS	566	7.5	57	2	4	6	8	13	19	37
20-34	700	9.4	81	3	5	7	10	19	29	48
35-49	259	10.5	123	3	5	8	12	21	30	84
50-64	104	11.3	103	4	6	8	13	25	43	99 +
65 +	92	11.9	171	2	4	8	16	28	37	97
GRAND TOTAL	**1721**	**9.2**	**88**	**2**	**4**	**7**	**10**	**18**	**27**	**66**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.6	5	< 1	< 1	2	4	6	7	7
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	0									
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	98	2.4	3	< 1	1	2	3	5	5	8
20-34	29	2.5	3	1	1	2	4	5	5	6
35-49	13	2.8	2	1	2	3	4	4	5	5
50-64	6	1.8	1	< 1	1	1	2	4	4	4
65 +	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.6	2	1	2	2	3	4	5	5
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	113	3.1	5	1	1	2	5	6	8	10
20-34	87	3.5	5	1	2	3	5	6	8	11
35-49	54	4.1	13	1	2	4	5	7	9	23
50-64	15	5.1	20	2	2	3	7	8	16	19
65 +	19	5.6	34	1	2	3	8	13	19	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.8	3	< 1	1	2	4	6	7	7
B. Operated	149	2.5	3	< 1	1	2	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	18	3.0	4	1	2	3	4	6	7	7
B. Operated	288	3.7	9	1	2	3	5	7	9	17
1. SINGLE DX	161	2.5	3	< 1	1	2	4	5	6	8
2. MULTIPLE DX	306	3.6	9	1	2	3	5	7	9	16
A. Not Operated	30	2.9	3	1	1	3	4	6	7	7
B. Operated	437	3.3	7	1	1	3	4	6	8	12
TOTAL										
0-19 YRS	230	2.8	4	1	1	2	4	5	7	9
20-34	122	3.3	5	1	1	3	4	6	7	10
35-49	68	3.8	11	1	2	3	5	7	9	21
50-64	25	4.1	15	1	2	3	6	7	11	19
65 +	22	5.6	29	1	3	4	7	12	18	24
GRAND TOTAL	**467**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	1.8	2	< 1	1	1	2	3	4	8
20-34	25	1.3		< 1	1	1	1	2	3	3
35-49	4	4.0	36	< 1	< 1	1	7	13	13	13
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	98	1.9	3	< 1	1	1	2	4	5	10
20-34	57	2.0	3	< 1	1	1	2	5	6	7
35-49	20	1.8	1	1	1	2	2	3	4	4
50-64	8	2.3	2	1	1	2	3	4	4	4
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	2.4	4	1	1	2	3	5	7	11
20-34	79	2.4	3	1	1	2	3	4	5	9
35-49	48	2.4	3	1	1	2	3	5	6	7
50-64	20	3.8	12	1	1	3	5	7	12	16
65 +	17	4.1	12	1	2	3	4	9	13	14
B. Operated										
0-19 YRS	265	2.8	9	1	1	2	3	6	9	16
20-34	317	3.7	36	1	1	2	4	7	10	28
35-49	150	2.9	10	1	1	2	3	5	8	18
50-64	53	4.1	16	1	2	3	5	9	15	18
65 +	91	4.6	24	1	2	4	6	9	10	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	1.7	3	< 1	1	1	2	3	4	11
B. Operated	186	1.9	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	258	2.6	5	1	1	2	3	5	7	12
B. Operated	876	3.4	21	1	1	2	4	7	10	18
1. SINGLE DX	273	1.9	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1134	3.2	18	1	1	2	4	6	9	18
A. Not Operated	345	2.4	4	1	1	2	3	5	6	12
B. Operated	1062	3.1	18	1	1	2	4	6	9	18
TOTAL										
0-19 YRS	509	2.4	6	1	1	1	3	5	7	14
20-34	478	3.1	25	1	1	2	3	6	9	19
35-49	222	2.7	8	1	1	2	3	5	7	17
50-64	83	3.8	13	1	1	3	4	7	14	17
65 +	115	4.4	21	1	2	3	6	9	10	27
GRAND TOTAL	**1407**	**2.9**	**15**	**1**	**1**	**2**	**3**	**6**	**8**	**17**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	1.7	1	1	1	1	2	4	4	5
20-34	94	1.7	1	< 1	1	1	2	3	4	7
35-49	22	1.4	1	< 1	1	1	1	3	3	4
50-64	4	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	91	2.0	3	< 1	1	1	2	4	5	10
20-34	62	2.5	3	< 1	1	2	3	5	5	8
35-49	22	3.1	6	< 1	1	2	4	6	8	10
50-64	7	2.4	1	1	2	2	3	4	4	4
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.5	2	1	1	2	3	5	6	6
20-34	111	2.3	3	< 1	1	2	3	5	6	7
35-49	44	2.8	6	1	1	2	4	6	9	11
50-64	8	3.4	8	1	1	2	5	8	9	9
65 +	12	5.8	59	1	2	3	5	19	26	27
B. Operated										
0-19 YRS	109	4.4	15	1	1	3	6	9	13	20
20-34	207	5.3	64	1	1	4	6	9	15	38
35-49	91	5.9	33	1	2	4	8	14	16	74
50-64	26	9.7	163	2	3	5	10	25	39	59
65 +	18	7.4	74	1	3	4	9	17	29	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	1.6	1	< 1	1	1	2	3	4	6
B. Operated	183	2.3	3	< 1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	218	2.7	7	1	1	2	3	5	6	12
B. Operated	451	5.5	53	1	2	4	7	11	16	38
1. SINGLE DX	351	2.0	2	< 1	1	1	3	4	5	8
2. MULTIPLE DX	669	4.6	40	1	1	3	5	9	14	34
A. Not Operated	386	2.2	5	< 1	1	1	3	4	6	9
B. Operated	634	4.6	41	1	1	3	5	9	14	34
TOTAL										
0-19 YRS	290	2.9	8	< 1	1	2	4	6	8	15
20-34	474	3.5	32	< 1	1	2	4	7	8	21
35-49	179	4.2	22	1	1	2	5	10	14	34
50-64	45	6.6	107	1	2	3	7	15	28	59
65 +	32	6.7	63	1	2	4	7	16	26	36
GRAND TOTAL	**1020**	**3.7**	**28**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.9	4	< 1	1	2	4	6	7	8
20-34	81	2.6	2	1	2	2	3	5	6	8
35-49	32	2.9	6	1	2	2	3	5	8	13
50-64	15	1.9	2	< 1	1	1	3	3	5	5
65 +	5	3.2	3	2	2	3	4	6	6	6
B. Operated										
0-19 YRS	166	2.2	7	< 1	1	1	2	4	7	11
20-34	272	2.3	4	< 1	1	1	3	5	7	11
35-49	112	2.7	6	< 1	1	2	3	5	9	14
50-64	45	2.6	10	< 1	1	2	3	5	7	20
65 +	9	1.8	1	< 1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	2.9	4	1	2	2	3	5	7	12
20-34	114	3.1	8	1	1	2	4	6	8	16
35-49	51	3.6	9	1	2	3	5	8	11	15
50-64	21	4.6	11	1	3	4	5	9	13	13
65 +	29	4.7	8	2	3	4	5	10	11	13
B. Operated										
0-19 YRS	206	3.0	14	1	1	2	3	6	8	19
20-34	422	3.6	12	1	1	2	4	8	11	18
35-49	206	3.9	22	1	1	3	5	7	11	26
50-64	86	4.1	17	1	1	3	5	9	11	23
65 +	59	6.6	38	1	2	4	9	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	2.7	3	1	1	2	3	5	6	9
B. Operated	604	2.3	6	< 1	1	1	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	291	3.4	8	1	2	3	4	7	9	14
B. Operated	979	3.8	17	1	1	2	5	8	11	22
1. SINGLE DX	792	2.4	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX	1270	3.7	15	1	1	2	4	8	11	20
A. Not Operated	479	3.1	6	1	2	3	4	6	8	13
B. Operated	1583	3.2	13	< 1	1	2	4	7	10	19
TOTAL										
0-19 YRS	503	2.7	9	1	1	2	3	5	7	16
20-34	889	3.1	9	< 1	1	2	4	7	9	16
35-49	401	3.5	15	1	1	2	4	7	10	19
50-64	167	3.5	13	1	1	2	4	7	11	21
65 +	102	5.4	27	1	2	4	7	12	15	29
GRAND TOTAL	**2062**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	2.6	5	1	1	2	3	5	7	12
20-34	95	2.5	4	1	1	2	3	5	7	9
35-49	22	2.8	5	< 1	1	2	3	7	8	9
50-64	8	2.9	4	< 1	< 1	2	5	6	6	6
65 +	3	9.7	156	1	2	4	19	24	24	24
B. Operated										
0-19 YRS	189	3.3	12	1	1	2	4	7	10	19
20-34	160	3.2	9	1	1	2	4	6	9	17
35-49	56	2.9	9	1	1	2	3	5	6	19
50-64	16	3.3	10	1	1	2	3	7	11	13
65 +	13	3.7	7	1	2	4	5	6	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.4	7	1	1	3	5	7	8	14
20-34	57	3.4	8	1	1	3	5	7	8	16
35-49	35	5.1	23	1	2	4	6	11	12	26
50-64	36	4.9	7	2	3	5	6	9	9	14
65 +	50	8.0	24	3	4	6	11	15	16	25
B. Operated										
0-19 YRS	179	6.5	53	1	2	4	8	15	18	39
20-34	203	6.3	51	1	2	4	8	14	22	36
35-49	101	7.7	73	1	2	5	9	17	27	40
50-64	60	10.2	81	2	4	7	14	22	28	42
65 +	70	11.0	101	2	4	7	14	24	35	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	2.7	6	< 1	1	2	3	6	7	12
B. Operated	434	3.2	10	1	1	2	4	7	10	18
2. MULTIPLE DX										
A. Not Operated	242	4.8	16	1	2	4	6	10	13	18
B. Operated	613	7.5	66	1	2	4	9	17	24	41
1. SINGLE DX	665	3.0	9	1	1	2	4	6	8	17
2. MULTIPLE DX	855	6.7	53	1	2	4	8	15	22	40
A. Not Operated	473	3.8	12	1	1	3	5	8	11	16
B. Operated	1047	5.7	47	1	2	3	7	14	19	38
TOTAL										
0-19 YRS	535	4.2	26	1	1	3	5	9	14	31
20-34	515	4.3	27	1	1	3	5	9	14	29
35-49	214	5.5	45	1	2	3	6	12	19	38
50-64	120	7.2	53	2	3	5	8	15	22	41
65 +	136	9.2	68	2	4	7	11	20	25	43
GRAND TOTAL	**1520**	**5.1**	**37**	**1**	**2**	**3**	**6**	**12**	**17**	**34**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.6	7	1	1	1	3	6	9	10
20-34	12	4.3	37	< 1	1	2	6	12	21	22
35-49	12	3.9	17	1	1	2	5	9	14	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	0									
50-64	0									
65 +	3	8.0	52	2	3	6	13	16	16	16
B. Operated										
0-19 YRS	49	8.6	112	1	2	5	10	20	36	55
20-34	104	8.1	88	1	3	5	9	17	25	55
35-49	47	10.7	240	1	3	5	11	24	45	86
50-64	10	12.8	224	1	2	5	27	36	44	44
65 +	14	7.1	79	1	2	5	9	36	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	38	3.6	19	1	1	2	5	8	13	22
2. MULTIPLE DX										
A. Not Operated	5	6.6	36	1	2	6	10	16	16	16
B. Operated	224	8.9	130	1	2	5	10	22	36	66
1. SINGLE DX	39	3.5	19	1	1	1	5	8	13	22
2. MULTIPLE DX	229	8.9	128	1	2	5	10	21	36	64
A. Not Operated	6	5.7	34	1	1	4	8	15	16	16
B. Operated	262	8.1	117	1	2	5	9	20	31	58
TOTAL										
0-19 YRS	63	7.3	95	1	1	3	9	16	28	53
20-34	119	7.6	82	1	2	5	9	17	24	54
35-49	59	9.3	201	1	2	5	9	20	41	83
50-64	10	12.8	224	1	2	5	27	36	44	44
65 +	17	7.3	71	1	2	5	10	30	74	99 +
GRAND TOTAL	**268**	**8.1**	**115**	**1**	**2**	**5**	**9**	**19**	**28**	**58**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65 +	2	16.0	72	10	10	16	22	22	22	22
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	6	8.0	82	< 1	1	3	18	21	21	21
35-49	6	1.7	1	< 1	1	1	2	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	21.3	1122	1	2	60	99 +	99 +	99 +	99 +
20-34	4	3.8	3	2	2	3	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	23	20.3	52	12	16	20	25	30	33	35
B. Operated										
0-19 YRS	11	3.7	9	< 1	1	3	6	8	10	10
20-34	17	3.2	6	1	1	3	7	99 +	99 +	99 +
35-49	8	14.3	167	1	2	12	25	32	34	34
50-64	4	4.0	9	1	1	4	6	7	7	7
65 +	5	31.8	477	3	16	35	44	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	7.5	59	2	2	4	10	21	22	22
B. Operated	17	3.9	36	< 1	1	2	3	15	20	21
2. MULTIPLE DX										
A. Not Operated	31	17.7	153	3	8	17	26	40	94	99 +
B. Operated	45	8.6	161	1	2	4	9	37	99 +	99 +
1. SINGLE DX	23	4.9	42	1	1	2	5	19	21	22
2. MULTIPLE DX	76	12.3	176	1	2	7	22	36	99 +	99 +
A. Not Operated	37	16.1	150	2	5	16	24	34	82	99 +
B. Operated	62	7.3	130	1	1	3	7	34	71	99 +
TOTAL										
0-19 YRS	16	6.8	208	1	1	3	7	88	99 +	99 +
20-34	29	4.3	22	1	2	3	6	45	99 +	99 +
35-49	17	7.9	112	< 1	1	2	10	26	32	34
50-64	6	3.3	6	1	2	2	6	7	7	7
65 +	31	21.3	139	8	15	21	27	35	38	62
GRAND TOTAL	**99**	**10.6**	**154**	**1**	**2**	**5**	**20**	**34**	**73**	**99 +**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	3.9	5	1	2	4	5	6	7	12
20-34	9	3.2	2	1	2	3	4	5	5	5
35-49	5	4.8	27	2	2	3	6	14	14	14
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.4	4	1	2	3	5	6	7	8
20-34	19	2.5	2	1	1	2	4	5	6	6
35-49	8	2.5	3	1	1	2	4	5	5	5
50-64	8	4.9	30	< 1	1	3	6	14	17	17
65 +	3	7.3	26	3	4	6	11	13	13	13
B. Operated										
0-19 YRS	9	4.0	7	1	2	4	6	8	8	8
20-34	13	3.8	8	1	2	3	4	7	11	12
35-49	5	3.8	4	1	2	4	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	3.9	6	1	2	4	5	6	8	13
B. Operated	4	3.0	2	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	82	3.4	7	1	2	3	5	6	7	16
B. Operated	30	3.7	6	1	2	3	5	7	8	12
1. SINGLE DX	87	3.9	5	1	2	4	5	6	8	13
2. MULTIPLE DX	112	3.5	7	1	2	3	5	6	8	15
A. Not Operated	165	3.7	6	1	2	3	5	6	7	14
B. Operated	34	3.6	6	1	2	3	5	6	8	12
TOTAL										
0-19 YRS	122	3.8	5	1	2	4	5	6	7	10
20-34	41	3.1	4	1	2	3	4	5	6	12
35-49	19	3.5	9	1	2	3	5	6	10	14
50-64	12	4.3	21	1	1	3	5	11	16	17
65 +	5	5.0	24	1	2	3	8	13	13	13
GRAND TOTAL	**199**	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	199	1.5	1	1	1	1	2	3	4	7
20-34	116	2.1	2	< 1	1	2	3	4	5	8
35-49	66	2.2	2	1	1	2	3	4	6	7
50-64	27	3.1	10	1	1	2	4	8	10	13
65 +	26	2.5	3	1	1	2	4	5	5	6
B. Operated										
0-19 YRS	27	2.4	13	< 1	1	1	2	4	7	20
20-34	27	2.5	3	< 1	< 1	2	4	5	6	7
35-49	15	2.3	7	< 1	< 1	< 1	3	7	9	10
50-64	9	2.2	3	< 1	< 1	1	3	5	5	5
65 +	5	2.4	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	355	2.0	6	1	1	1	2	3	4	8
20-34	359	2.3	3	1	1	2	3	4	6	9
35-49	205	3.0	7	1	1	2	4	6	8	14
50-64	153	3.6	9	1	2	3	4	7	11	15
65 +	361	5.4	24	1	2	4	7	11	14	22
B. Operated										
0-19 YRS	39	4.3	29	1	2	2	4	10	15	29
20-34	55	3.2	6	1	1	2	4	7	8	13
35-49	46	6.2	91	1	2	5	6	10	15	64
50-64	36	5.9	39	2	2	4	7	11	18	33
65 +	54	8.8	47	2	4	7	13	17	27	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	434	1.9	2	1	1	1	2	4	5	8
B. Operated	83	2.4	7	< 1	< 1	2	3	5	6	17
2. MULTIPLE DX										
A. Not Operated	1433	3.2	12	1	1	2	4	7	10	17
B. Operated	230	5.7	45	1	2	4	7	12	17	39
1. SINGLE DX	517	2.0	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	1663	3.6	17	1	1	2	4	8	11	20
A. Not Operated	1867	2.9	10	1	1	2	3	6	9	15
B. Operated	313	4.8	37	1	1	3	6	11	15	32
TOTAL										
0-19 YRS	620	2.0	7	1	1	1	2	3	5	11
20-34	557	2.4	4	1	1	2	3	5	6	9
35-49	332	3.3	19	1	1	2	4	6	8	14
50-64	225	3.8	14	1	2	3	5	8	11	17
65 +	446	5.6	27	1	2	4	7	11	15	28
GRAND TOTAL	**2180**	**3.2**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	6	2.8	13	< 1	1	1	2	9	10	10
20-34	9	3.0	3	1	1	3	4	6	6	6
35-49	3	1.3		< 1	< 1	< 1	2	2	2	2
50-64	1	36.0		36	36	36	36	36	36	36
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.5	2	1	1	2	3	5	5	5
20-34	13	3.0	12	< 1	1	2	3	6	12	14
35-49	9	2.2	1	< 1	1	2	3	4	4	4
50-64	4	6.5	15	3	4	5	9	12	12	12
65 +	2	13.0	8	11	11	13	15	15	15	15
B. Operated										
0-19 YRS	14	8.5	140	1	1	3	10	25	39	43
20-34	30	6.5	149	1	1	3	8	11	13	68
35-49	20	7.4	78	2	3	5	9	12	27	42
50-64	14	7.7	153	1	1	3	5	36	37	37
65 +	4	18.8	509	2	5	10	32	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.9	1	1	1	2	3	3	3	3
B. Operated	19	4.4	64	< 1	1	2	4	8	24	36
2. MULTIPLE DX										
A. Not Operated	39	3.6	12	< 1	1	3	4	9	13	15
B. Operated	82	7.9	144	1	2	3	9	14	39	63
1. SINGLE DX	38	3.2	33	< 1	1	2	3	5	8	36
2. MULTIPLE DX	121	6.5	105	1	2	3	8	12	29	57
A. Not Operated	58	3.0	9	1	1	2	3	5	12	15
B. Operated	101	7.2	130	1	1	3	8	13	37	60
TOTAL										
0-19 YRS	37	4.7	62	1	1	2	4	10	20	43
20-34	58	4.7	83	1	1	3	5	10	13	64
35-49	36	5.0	50	1	2	3	5	11	12	42
50-64	22	8.0	140	1	1	3	6	36	37	37
65 +	6	16.8	316	3	9	11	15	48	52	52
GRAND TOTAL	**159**	**5.7**	**90**	**1**	**1**	**3**	**5**	**12**	**20**	**51**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	365	1.2		< 1	< 1	1	1	2	2	4
20-34	28	1.2		< 1	< 1	1	1	2	3	3
35-49	19	1.3		< 1	1	1	1	3	3	3
50-64	12	1.4	1	< 1	1	1	1	3	5	5
65 +	5	2.2	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	138	1.6	2	< 1	1	1	2	3	5	7
20-34	5	4.0	11	1	1	4	6	9	9	9
35-49	3	4.3	9	< 1	1	5	6	7	7	7
50-64	2	10.0	162	1	1	10	19	19	19	19
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	2.1	4	< 1	1	1	2	4	6	13
20-34	15	2.2	2	1	1	2	3	4	5	5
35-49	18	3.6	24	< 1	1	2	3	10	17	20
50-64	34	2.2	3	< 1	1	2	3	4	6	8
65 +	70	4.5	46	1	1	3	5	8	11	46
B. Operated										
0-19 YRS	92	5.0	57	< 1	1	2	6	11	19	45
20-34	9	7.8	47	< 1	2	7	13	18	20	20
35-49	22	3.2	8	1	1	2	5	8	9	9
50-64	26	5.2	18	1	2	4	9	12	13	13
65 +	61	6.2	47	1	2	3	7	16	24	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	1.2		< 1	< 1	1	1	2	2	4
B. Operated	149	1.9	4	< 1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	273	2.8	17	< 1	1	2	3	6	8	15
B. Operated	210	5.3	44	1	1	3	7	13	19	34
1. SINGLE DX	578	1.4	2	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	483	3.9	30	1	1	2	4	9	13	26
A. Not Operated	702	1.8	7	< 1	1	1	2	3	5	11
B. Operated	359	3.9	30	< 1	1	2	5	9	14	26
TOTAL										
0-19 YRS	731	1.9	10	< 1	1	1	2	3	6	14
20-34	57	2.8	14	< 1	1	1	3	7	12	20
35-49	62	2.8	11	< 1	1	1	3	7	9	19
50-64	74	3.3	14	1	1	2	4	9	12	18
65 +	137	5.2	45	1	1	3	6	11	17	31
GRAND TOTAL	**1061**	**2.5**	**16**	**< 1**	**1**	**1**	**2**	**5**	**9**	**20**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.3	9	2	3	7	9	10	10	10
20-34	5	5.0	9	1	3	5	7	9	9	9
35-49	3	7.0	9	4	5	7	9	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	27	6.4	37	1	2	5	9	15	18	25
20-34	17	7.5	61	2	3	5	8	24	27	27
35-49	20	7.4	54	1	3	5	8	19	25	29
50-64	11	13.2	122	3	4	9	22	30	35	35
65 +	2	17.5	25	14	14	17	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	6.7	53	1	2	4	8	14	25	36
20-34	64	5.9	33	1	2	4	8	12	14	35
35-49	28	8.3	124	1	3	5	11	14	30	57
50-64	20	7.4	76	< 1	2	4	9	15	28	39
65 +	11	6.9	20	3	4	6	9	14	17	17
B. Operated										
0-19 YRS	158	21.9	277	5	10	19	31	46	62	99
20-34	140	17.4	238	3	7	12	28	41	55	99 +
35-49	105	17.7	235	3	6	12	26	42	47	65
50-64	56	18.3	232	4	9	13	24	38	63	98
65 +	54	28.9	295	10	16	27	49	60	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	6.1	12	1	4	6	9	10	12	13
B. Operated	77	8.2	63	1	3	5	11	22	26	33
2. MULTIPLE DX										
A. Not Operated	191	6.7	57	1	2	4	9	13	18	39
B. Operated	513	20.2	265	4	8	15	30	46	60	99 +
1. SINGLE DX	95	7.8	54	1	3	5	10	17	26	32
2. MULTIPLE DX	704	16.5	244	2	5	12	24	40	55	99 +
A. Not Operated	209	6.7	53	1	2	4	9	13	17	38
B. Operated	590	18.6	255	3	7	14	28	43	57	99 +
TOTAL										
0-19 YRS	261	15.9	241	2	4	11	23	36	51	91
20-34	226	13.1	191	2	4	9	16	36	48	99 +
35-49	156	14.5	208	2	4	9	19	37	46	64
50-64	88	15.0	201	2	5	11	22	36	39	90
65 +	68	24.8	306	6	12	21	41	59	96	99 +
GRAND TOTAL	**799**	**15.5**	**230**	**2**	**5**	**10**	**22**	**39**	**53**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	3.7	10	1	1	2	5	7	9	15
20-34	31	4.9	18	1	2	3	6	12	14	16
35-49	19	2.5	1	1	1	2	3	4	5	5
50-64	3	2.7	8	1	1	1	5	6	6	6
65 +	3	4.3	4	2	3	5	6	6	6	6
B. Operated										
0-19 YRS	12	6.6	63	< 1	1	4	7	20	26	27
20-34	10	12.0	395	1	3	5	10	42	67	67
35-49	7	15.6	128	7	8	10	21	35	38	38
50-64	3	5.0	7	3	3	4	7	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	599	6.1	29	1	2	5	8	13	17	23
20-34	160	5.7	32	1	2	4	8	13	18	23
35-49	108	5.7	39	1	2	4	8	15	18	30
50-64	52	7.3	47	1	3	5	9	15	25	31
65 +	45	9.5	61	2	4	7	13	19	26	40
B. Operated										
0-19 YRS	107	15.7	168	2	6	13	21	33	37	86
20-34	59	15.2	226	3	7	11	22	31	79	99 +
35-49	45	14.9	229	4	6	10	19	27	53	74
50-64	21	15.2	110	2	5	15	22	29	35	37
65 +	14	23.1	361	5	10	18	35	64	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	3.8	10	1	1	3	5	8	10	16
B. Operated	32	10.1	177	1	3	6	10	24	37	67
2. MULTIPLE DX										
A. Not Operated	964	6.2	34	1	2	5	8	14	18	27
B. Operated	246	15.8	199	3	6	13	21	33	54	99 +
1. SINGLE DX	193	4.8	43	1	1	3	6	9	14	33
2. MULTIPLE DX	1210	8.2	82	1	2	6	11	19	25	56
A. Not Operated	1125	5.9	31	1	2	4	8	13	17	26
B. Operated	278	15.2	199	3	5	12	21	33	51	99 +
TOTAL										
0-19 YRS	823	7.1	57	1	2	5	9	16	20	37
20-34	260	8.0	103	1	2	5	10	20	24	83
35-49	179	8.1	105	1	2	4	10	19	26	60
50-64	79	9.1	74	1	3	6	14	23	27	36
65 +	62	12.4	157	3	4	8	16	27	47	95
GRAND TOTAL	**1403**	**7.7**	**78**	**1**	**2**	**5**	**10**	**18**	**24**	**51**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.8	1	< 1	1	2	2	3	4	4
20-34	13	3.1	4	1	2	2	3	6	8	8
35-49	9	2.7	1	1	2	3	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	2.3	5	1	1	1	3	6	7	7
20-34	19	3.8	10	1	2	2	5	10	11	11
35-49	9	2.9	4	1	1	3	4	6	7	7
50-64	5	2.4	3	1	1	2	3	5	5	5
65 +	3	20.3	625	3	4	9	39	49	49	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	8.4	494	1	1	2	5	9	64	94
20-34	26	4.3	12	1	2	3	8	12	99 +	99 +
35-49	16	5.9	38	1	2	4	7	14	21	24
50-64	18	12.8	401	2	3	6	11	36	67	83
65 +	14	12.0	197	2	3	7	15	24	48	55
B. Operated										
0-19 YRS	51	6.4	168	1	1	3	5	12	34	75
20-34	95	5.1	70	1	1	2	5	11	22	45
35-49	36	8.7	143	1	2	4	9	36	44	99 +
50-64	18	5.6	23	1	3	4	6	14	18	18
65 +	27	14.5	378	1	4	7	19	26	62	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.5	2	1	2	2	3	4	6	8
B. Operated	48	4.1	51	1	1	2	5	8	10	49
2. MULTIPLE DX										
A. Not Operated	91	8.2	214	1	2	4	9	19	53	99 +
B. Operated	227	7.1	143	1	1	3	6	18	35	79
1. SINGLE DX	83	3.5	31	1	1	2	4	7	9	36
2. MULTIPLE DX	318	7.4	163	1	1	3	7	18	36	96
A. Not Operated	126	6.6	161	1	2	3	7	14	26	99 +
B. Operated	275	6.6	128	1	1	3	6	16	31	70
TOTAL										
0-19 YRS	93	5.6	183	1	1	2	4	8	16	86
20-34	153	4.6	47	1	1	3	5	11	16	97
35-49	70	6.5	88	1	2	3	7	20	37	89
50-64	41	8.3	197	1	3	4	7	17	30	83
65 +	44	14.1	322	1	3	8	18	28	56	91
GRAND TOTAL	**401**	**6.6**	**138**	**1**	**1**	**3**	**6**	**15**	**29**	**92**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	1.7	2	< 1	1	1	2	3	4	10
20-34	49	2.3	3	1	1	2	3	5	5	8
35-49	15	3.7	46	1	1	2	3	5	22	28
50-64	6	4.2	3	1	3	5	5	6	6	6
65 +	7	3.3	3	< 1	2	3	5	6	6	6
B. Operated										
0-19 YRS	25	4.9	35	< 1	1	3	7	9	17	28
20-34	35	3.7	8	1	1	3	5	6	9	14
35-49	15	4.9	18	1	2	4	7	10	15	16
50-64	4	1.8	2	< 1	< 1	1	3	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	2.5	7	1	1	2	3	5	6	15
20-34	119	3.0	8	1	1	2	4	6	8	17
35-49	83	3.9	9	1	2	3	5	7	10	16
50-64	41	5.2	38	1	2	4	6	9	12	39
65 +	76	5.4	20	1	2	4	7	10	14	22
B. Operated										
0-19 YRS	45	7.9	56	1	2	5	11	20	23	32
20-34	88	8.1	71	1	3	6	10	18	24	44
35-49	58	9.2	236	1	2	4	11	19	39	83
50-64	35	11.3	251	2	4	7	11	30	58	70
65 +	45	12.7	114	2	6	9	16	29	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.3	7	< 1	1	1	3	4	5	12
B. Operated	81	4.1	18	1	1	3	6	9	12	24
2. MULTIPLE DX										
A. Not Operated	421	3.7	14	1	1	3	4	7	10	20
B. Operated	271	9.5	135	1	3	6	12	21	30	69
1. SINGLE DX	234	2.9	12	< 1	1	2	3	6	8	18
2. MULTIPLE DX	692	6.0	69	1	2	3	7	13	20	45
A. Not Operated	574	3.3	13	1	1	2	4	7	9	20
B. Operated	352	8.3	113	1	2	5	10	18	29	66
TOTAL										
0-19 YRS	248	3.5	22	1	1	2	4	8	12	28
20-34	291	4.5	32	1	1	3	5	9	16	30
35-49	171	5.7	95	1	2	3	6	12	17	67
50-64	86	7.5	130	1	2	5	7	12	31	69
65 +	130	7.8	64	1	2	5	9	18	25	37
GRAND TOTAL	**926**	**5.2**	**56**	**1**	**1**	**3**	**6**	**11**	**17**	**35**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	578	1.7	5	< 1	1	1	2	3	4	10
20-34	184	1.7	1	< 1	1	1	2	3	4	5
35-49	63	1.7	1	< 1	1	1	2	3	4	6
50-64	14	1.6	1	1	1	1	2	3	3	3
65 +	6	3.0	2	2	2	3	3	6	6	6
B. Operated										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	3	8.7	20	4	5	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	911	3.0	22	1	1	2	3	5	10	25
20-34	1018	3.3	18	1	1	2	3	6	10	23
35-49	633	3.8	34	1	1	2	4	8	12	25
50-64	279	4.7	20	1	2	3	6	11	14	25
65 +	306	5.8	25	2	3	4	7	13	16	22
B. Operated										
0-19 YRS	33	9.4	125	1	2	5	13	25	32	52
20-34	37	7.8	78	1	2	4	10	20	29	37
35-49	30	11.4	103	2	5	8	17	32	35	99 +
50-64	24	15.4	250	3	6	10	22	45	76	99 +
65 +	48	14.1	184	4	6	10	19	27	32	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	845	1.7	3	< 1	1	1	2	3	4	7
B. Operated	9	4.3	17	1	1	4	5	11	13	13
2. MULTIPLE DX										
A. Not Operated	3147	3.7	24	1	1	2	4	8	12	24
B. Operated	172	11.6	149	2	4	8	16	29	35	97
1. SINGLE DX	854	1.7	4	< 1	1	1	2	3	4	9
2. MULTIPLE DX	3319	4.1	34	1	1	2	4	9	14	30
A. Not Operated	3992	3.3	20	1	1	2	3	7	11	22
B. Operated	181	11.2	145	2	3	7	16	28	34	96
TOTAL										
0-19 YRS	1527	2.6	19	1	1	1	2	4	8	24
20-34	1240	3.2	18	1	1	2	3	6	10	24
35-49	726	4.0	36	1	1	2	4	8	12	33
50-64	317	5.4	44	1	2	3	6	12	16	52
65 +	363	6.9	54	2	3	5	8	15	20	32
GRAND TOTAL	**4173**	**3.6**	**28**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	314	2.0	4	1	1	1	2	5	5	9
20-34	66	2.0	2	1	1	1	3	4	4	7
35-49	53	1.9	3	1	1	2	2	3	4	12
50-64	16	1.9	1	1	1	2	3	3	4	4
65 +	5	8.8	91	2	2	2	17	22	22	22
B. Operated										
0-19 YRS	9	4.8	6	1	3	5	6	8	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	0									
50-64	4	2.8	5	1	1	2	4	6	6	6
65 +	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	232	3.5	35	< 1	1	2	4	7	8	38
20-34	128	3.3	28	1	1	2	3	6	10	30
35-49	110	3.0	10	1	1	2	4	6	8	16
50-64	61	3.8	22	1	1	3	4	7	10	32
65 +	65	3.7	10	1	2	3	5	7	10	19
B. Operated										
0-19 YRS	16	10.3	168	1	2	7	12	22	43	52
20-34	17	8.6	47	3	4	7	12	20	24	26
35-49	17	9.3	251	1	2	5	10	13	49	69
50-64	11	11.5	99	3	4	8	14	29	34	34
65 +	11	10.8	94	3	4	8	13	24	36	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	454	2.1	5	1	1	1	2	4	5	12
B. Operated	18	3.9	5	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	596	3.4	25	1	1	2	4	6	9	28
B. Operated	72	9.9	131	2	4	7	12	21	33	65
1. SINGLE DX	472	2.1	5	1	1	1	3	5	5	12
2. MULTIPLE DX	668	4.1	40	1	1	2	5	8	12	35
A. Not Operated	1050	2.8	16	1	1	2	3	5	7	22
B. Operated	90	8.7	111	1	3	5	10	18	26	62
TOTAL										
0-19 YRS	571	2.9	23	1	1	1	3	6	7	22
20-34	213	3.3	23	1	1	2	3	6	11	26
35-49	180	3.3	33	1	1	2	3	6	9	23
50-64	92	4.3	33	1	1	3	5	9	13	34
65 +	84	4.9	31	1	2	3	6	12	15	32
GRAND TOTAL	**1140**	**3.3**	**26**	**1**	**1**	**2**	**4**	**6**	**9**	**27**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	179	1.6	1	1	1	1	2	3	4	7
20-34	53	1.5	1	1	1	1	2	3	4	4
35-49	45	2.0	4	1	1	1	2	4	6	13
50-64	23	2.3	5	1	1	2	2	4	7	11
65 +	22	2.5	5	< 1	1	2	4	6	7	8
B. Operated										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	14.7	6	12	13	15	16	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	3.1	11	1	1	2	4	7	9	23
20-34	123	3.4	19	1	1	2	3	7	12	24
35-49	164	3.7	11	1	1	3	5	8	10	17
50-64	180	4.8	47	1	2	3	5	10	16	34
65 +	282	6.6	57	2	3	5	8	13	17	39
B. Operated										
0-19 YRS	29	11.8	235	2	3	7	16	53	98	99 +
20-34	13	7.5	192	1	2	4	6	17	46	53
35-49	16	9.7	180	1	2	5	12	25	45	53
50-64	25	15.9	257	3	5	10	22	47	54	56
65 +	36	12.7	92	4	5	10	23	31	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	1.7	2	1	1	1	2	3	5	8
B. Operated	7	8.7	44	1	2	11	14	17	17	17
2. MULTIPLE DX										
A. Not Operated	992	4.5	34	1	2	3	5	10	14	27
B. Operated	119	12.2	184	1	4	8	16	35	54	99 +
1. SINGLE DX	329	1.9	4	1	1	1	2	4	5	12
2. MULTIPLE DX	1111	5.4	55	1	2	3	6	12	18	53
A. Not Operated	1314	3.8	27	1	1	2	4	8	12	22
B. Operated	126	12.0	176	1	4	8	16	34	53	99 +
TOTAL										
0-19 YRS	453	3.0	27	1	1	2	3	7	10	41
20-34	189	3.2	27	1	1	2	3	6	10	29
35-49	226	3.8	24	1	1	2	4	8	11	23
50-64	229	5.7	77	1	2	3	6	13	21	54
65 +	343	7.1	62	1	3	5	8	15	22	48
GRAND TOTAL	**1440**	**4.6**	**46**	**1**	**1**	**2**	**5**	**10**	**15**	**43**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	4.0	17	< 1	1	2	5	10	12	22
20-34	11	2.9	2	1	2	3	4	5	6	6
35-49	26	3.4	6	1	1	3	4	7	9	11
50-64	15	6.3	77	2	2	4	7	7	30	37
65 +	20	4.2	14	< 1	1	3	7	10	12	13
B. Operated										
0-19 YRS	449	3.6	15	1	2	3	4	6	10	20
20-34	164	3.3	9	< 1	1	2	5	8	9	13
35-49	185	4.4	22	1	1	3	6	9	12	36
50-64	189	5.1	21	1	2	4	7	10	12	23
65 +	253	5.7	26	1	2	4	9	12	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	387	6.6	35	1	3	5	9	14	19	27
20-34	110	5.6	33	1	2	4	7	10	16	34
35-49	198	6.1	21	2	3	5	8	12	15	21
50-64	197	5.9	30	2	3	4	7	11	13	31
65 +	411	6.9	38	2	3	5	8	14	17	36
B. Operated										
0-19 YRS	1270	8.5	114	2	3	5	10	21	30	58
20-34	609	7.4	61	1	2	5	9	17	22	43
35-49	1113	7.8	81	1	2	5	10	17	24	46
50-64	1822	7.7	68	1	2	6	10	16	22	44
65 +	2901	8.8	90	1	3	7	11	18	25	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	4.0	20	1	1	3	5	9	11	24
B. Operated	1240	4.3	13	1	2	3	6	10	12	20
2. MULTIPLE DX										
A. Not Operated	1303	6.4	33	1	3	5	8	13	16	31
B. Operated	7715	8.3	85	1	3	5	10	18	25	49
1. SINGLE DX	1400	4.3	19	1	1	3	6	10	12	21
2. MULTIPLE DX	9018	8.0	78	1	3	5	10	17	24	48
A. Not Operated	1463	6.2	32	1	3	5	8	12	16	31
B. Operated	8955	7.7	78	1	2	5	10	17	24	48
TOTAL										
0-19 YRS	2194	7.0	80	1	2	4	8	16	24	50
20-34	894	6.4	50	1	2	4	8	14	20	41
35-49	1522	7.1	66	1	2	5	9	15	21	43
50-64	2223	7.3	61	1	2	5	9	15	20	42
65 +	3585	8.4	80	1	3	6	11	17	25	49
GRAND TOTAL	**10418**	**7.5**	**72**	**1**	**2**	**5**	**10**	**16**	**22**	**46**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	1.4		< 1	1	1	2	2	3	4
20-34	26	1.8	1	< 1	1	1	2	3	5	5
35-49	29	2.0	1	1	1	2	2	3	4	7
50-64	28	3.0	5	1	1	3	4	6	7	11
65 +	20	2.1	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	91	1.5	1	1	1	1	2	3	3	6
20-34	69	2.2	3	1	1	2	3	5	6	7
35-49	38	2.4	6	< 1	1	2	3	5	6	14
50-64	22	3.4	10	1	1	3	4	7	12	13
65 +	9	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.5	5	1	1	2	3	6	8	9
20-34	52	2.7	3	1	1	2	4	5	6	7
35-49	64	3.8	10	1	2	3	5	8	10	17
50-64	57	4.1	17	1	2	3	5	9	11	26
65 +	175	4.3	9	2	2	4	5	7	9	18
B. Operated										
0-19 YRS	52	4.6	40	1	1	2	4	14	22	26
20-34	94	3.2	15	1	1	2	4	8	10	22
35-49	100	4.2	24	1	1	3	5	9	15	24
50-64	112	5.6	71	1	2	3	6	12	15	58
65 +	208	5.5	57	1	2	4	7	11	13	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	1.9	2	1	1	1	2	3	4	7
B. Operated	229	2.1	3	1	1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	392	3.8	9	1	2	3	5	7	9	18
B. Operated	566	4.8	46	1	1	3	6	10	14	30
1. SINGLE DX	412	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX	958	4.4	31	1	2	3	5	9	12	25
A. Not Operated	575	3.2	8	1	1	2	4	7	8	15
B. Operated	795	4.0	35	1	1	2	4	8	12	26
TOTAL										
0-19 YRS	267	2.2	10	1	1	1	2	4	6	22
20-34	241	2.7	7	1	1	2	3	6	7	12
35-49	231	3.5	15	1	1	2	4	7	10	23
50-64	219	4.6	43	1	2	3	5	9	13	35
65 +	412	4.7	34	1	2	3	6	9	12	26
GRAND TOTAL	**1370**	**3.7**	**24**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	4.0	9	1	2	4	5	7	9	18
20-34	55	4.0	5	2	3	3	5	7	9	11
35-49	35	5.3	22	2	3	4	6	8	11	28
50-64	33	7.7	76	2	4	5	8	12	27	47
65 +	20	5.2	10	1	3	5	7	10	11	12
B. Operated										
0-19 YRS	37	4.5	10	1	2	3	7	9	10	14
20-34	35	5.4	14	2	3	4	8	10	11	18
35-49	36	5.6	17	2	3	5	7	9	15	21
50-64	33	6.5	42	1	3	5	7	11	26	29
65 +	12	6.9	28	2	3	5	8	16	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	4.7	10	2	2	4	6	9	11	15
20-34	109	5.0	8	2	3	4	6	8	9	16
35-49	140	6.1	20	2	3	5	8	13	16	21
50-64	119	7.2	30	3	4	6	8	13	19	29
65 +	175	8.2	37	3	4	6	10	15	21	29
B. Operated										
0-19 YRS	81	11.5	199	2	4	8	13	21	48	96
20-34	99	9.6	56	3	5	8	12	25	29	99 +
35-49	152	11.8	151	3	5	8	14	24	34	70
50-64	201	15.0	191	3	6	11	20	36	43	99 +
65 +	254	14.9	155	4	7	11	19	30	39	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	5.0	23	2	3	4	6	9	11	29
B. Operated	153	5.6	21	2	3	4	7	10	14	28
2. MULTIPLE DX										
A. Not Operated	616	6.5	25	2	3	5	8	12	16	28
B. Operated	787	13.3	159	3	5	9	17	30	40	89
1. SINGLE DX	342	5.3	22	2	3	4	7	9	12	28
2. MULTIPLE DX	1403	10.3	111	3	4	7	12	22	32	66
A. Not Operated	805	6.2	25	2	3	5	7	11	15	28
B. Operated	940	12.1	144	3	5	8	15	27	38	86
TOTAL										
0-19 YRS	237	6.9	85	2	3	5	8	13	19	71
20-34	298	6.4	29	2	3	5	8	12	19	33
35-49	363	8.3	83	2	4	6	10	17	22	47
50-64	386	11.2	134	3	4	7	13	28	36	91
65 +	461	11.7	113	3	5	8	14	24	32	58
GRAND TOTAL	**1745**	**9.3**	**98**	**2**	**4**	**6**	**11**	**20**	**29**	**60**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.9	23	< 1	1	3	4	9	17	19
20-34	40	2.9	3	1	2	2	4	5	6	8
35-49	50	3.8	8	1	2	3	4	8	9	14
50-64	32	4.7	17	1	2	3	6	10	11	21
65 +	17	3.4	11	< 1	< 1	2	4	10	10	10
B. Operated										
0-19 YRS	52	3.1	9	1	1	2	4	7	10	13
20-34	47	4.7	32	< 1	1	3	5	10	14	31
35-49	56	4.7	22	< 1	2	3	6	9	15	27
50-64	42	4.9	21	< 1	1	3	7	11	14	20
65 +	29	6.1	24	< 1	2	5	9	14	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	3.1	8	1	1	2	4	7	11	13
20-34	189	3.3	13	1	1	2	4	7	8	19
35-49	249	4.2	20	1	2	3	6	8	10	16
50-64	199	4.8	15	1	2	4	7	10	12	18
65 +	357	6.3	39	1	3	5	8	11	16	35
B. Operated										
0-19 YRS	284	4.4	57	1	1	2	5	11	16	29
20-34	286	4.3	38	1	1	2	5	9	14	37
35-49	430	5.9	66	1	1	3	7	14	23	50
50-64	513	7.6	112	1	2	4	9	17	25	55
65 +	897	7.5	79	1	2	4	9	18	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.7	10	1	2	3	4	7	10	19
B. Operated	226	4.5	22	< 1	1	3	6	10	13	25
2. MULTIPLE DX										
A. Not Operated	1145	4.7	24	1	2	3	6	9	12	22
B. Operated	2410	6.5	78	1	1	3	8	16	24	45
1. SINGLE DX	378	4.2	17	1	1	3	6	9	12	21
2. MULTIPLE DX	3555	5.9	61	1	2	3	7	13	20	40
A. Not Operated	1297	4.6	22	1	2	3	6	9	12	21
B. Operated	2636	6.3	73	1	1	3	8	15	23	43
TOTAL										
0-19 YRS	500	3.9	37	1	1	2	4	9	12	27
20-34	562	3.9	26	1	1	2	5	8	12	31
35-49	785	5.1	45	1	1	3	6	11	16	38
50-64	786	6.6	80	1	2	4	8	14	22	42
65 +	1300	7.1	66	1	2	4	9	16	23	44
GRAND TOTAL	**3933**	**5.7**	**57**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.2	2	1	1	2	3	4	5	6
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.6	15	1	1	3	4	6	8	22
20-34	16	4.8	24	1	1	3	7	11	17	19
35-49	25	5.9	19	2	3	5	7	14	15	16
50-64	32	7.5	15	3	5	7	9	12	16	19
65 +	49	5.4	15	1	2	5	8	10	13	17
B. Operated										
0-19 YRS	7	7.3	44	3	4	5	7	19	22	22
20-34	5	12.2	103	1	6	9	18	28	28	28
35-49	14	11.6	194	1	3	6	12	40	44	45
50-64	13	5.5	7	2	3	6	8	18	82	99 +
65 +	11	10.7	97	2	3	7	16	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.3	1	1	1	2	3	4	4	6
B. Operated	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	153	5.5	18	1	2	5	8	11	14	19
B. Operated	50	9.3	94	2	3	6	11	27	39	99
1. SINGLE DX	34	2.4	2	1	2	2	3	4	5	6
2. MULTIPLE DX	203	6.4	39	1	2	5	8	13	18	42
A. Not Operated	185	4.9	16	1	2	4	7	10	14	19
B. Operated	52	9.1	91	2	3	6	11	27	38	98
TOTAL										
0-19 YRS	62	3.5	15	1	2	2	4	6	7	22
20-34	25	5.9	44	1	1	3	8	15	21	28
35-49	42	7.7	81	2	3	5	9	15	26	45
50-64	47	6.8	13	3	4	7	9	11	16	99 +
65 +	61	6.3	33	1	2	5	9	13	17	29
GRAND TOTAL	**237**	**5.8**	**36**	**1**	**2**	**4**	**8**	**12**	**17**	**41**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	321	1.0		< 1	< 1	< 1	< 1	< 1	1	3
35-49	164	1.0		< 1	< 1	< 1	< 1	< 1	1	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	115	2.6	76	< 1	< 1	1	2	4	5	39
35-49	66	1.3		< 1	< 1	< 1	1	2	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	485	1.0		< 1	< 1	< 1	< 1	< 1	1	3
2. MULTIPLE DX										
A. Not Operated	3	3.3	16	< 1	< 1	< 1	6	8	8	8
B. Operated	184	2.1	48	< 1	< 1	1	2	3	4	10
1. SINGLE DX	485	1.0		< 1	< 1	< 1	< 1	< 1	1	3
2. MULTIPLE DX	187	2.1	47	< 1	< 1	1	2	3	4	10
A. Not Operated	3	3.3	16	< 1	< 1	< 1	6	8	8	8
B. Operated	669	1.3	13	< 1	< 1	< 1	< 1	2	2	4
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	438	1.4	20	< 1	< 1	< 1	< 1	2	3	6
35-49	230	1.1		< 1	< 1	< 1	< 1	1	2	3
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	0									
GRAND TOTAL	**672**	**1.3**	**13**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**2**	**5**

411: Single liveborn, without cesarean section delivery, born in hospital (V30.00; V39.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	2	8.5	1	8	8	8	9	9	9	9
1750-2499	726	2.1	1	1	2	2	2	3	4	6
2500 +	29360	1.9		1	2	2	2	3	3	4
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	12	2.6	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	14	63.9	240	44	62	68	84	99 +	99 +	99 +
1000-1499	110	36.4	155	19	28	38	46	53	60	99 +
1500-1749	151	22.5	104	13	17	20	26	35	44	81
1750-2499	1728	6.1	36	2	2	4	8	14	17	29
2500 +	15274	2.6	4	1	2	2	3	4	6	11
B. Operated										
1-999 G	42	75.5	205	64	73	98	99 +	99 +	99 +	99 +
1000-1499	101	47.9	328	31	36	48	66	96	99 +	99 +
1500-1749	57	29.6	160	16	21	28	38	45	56	99
1750-2499	184	17.0	151	5	9	15	22	40	69	99 +
2500 +	410	8.1	64	2	4	6	10	17	26	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30088	1.9		1	2	2	2	3	3	4
B. Operated	12	2.6	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	17277	3.4	24	1	2	2	3	6	9	27
B. Operated	794	20.3	476	3	5	13	36	78	99 +	99 +
1. SINGLE DX	30100	1.9		1	2	2	2	3	3	4
2. MULTIPLE DX	18071	4.1	55	1	2	2	3	7	14	52
A. Not Operated	47365	2.5	9	1	2	2	2	3	5	14
B. Operated	806	20.1	474	3	5	12	35	78	99 +	99 +
TOTAL										
1-999 G	56	72.6	235	62	68	89	99 +	99 +	99 +	99 +
1000-1499	211	41.9	270	22	33	41	53	78	99 +	99 +
1500-1749	210	24.3	130	13	17	21	30	41	46	89
1750-2499	2638	5.8	47	2	2	3	7	14	19	39
2500 +	45056	2.2	3	1	2	2	2	3	4	8
GRAND TOTAL	**48171**	**2.8**	**22**	**1**	**2**	**2**	**2**	**3**	**6**	**24**

412: Twin or multiple liveborn, without cesarean section delivery, born in hospital (V31.00; V32.00; V33.00; V34.00; V35.00; V36.00; V37.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	41	3.3	4	2	2	3	4	6	6	11
2500 +	143	2.6	1	2	2	2	3	3	4	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	30.0		30	30	30	30	30	30	30
1000-1499	17	29.4	162	12	23	27	36	51	52	53
1500-1749	16	22.8	114	9	17	21	28	41	43	44
1750-2499	176	7.8	49	2	3	5	10	17	22	38
2500 +	131	3.4	4	2	2	3	4	6	7	10
B. Operated										
1-999 G	3	63.3	745	54	91	99 +	99 +	99 +	99 +	99 +
1000-1499	18	50.9	380	29	34	46	68	77	82	84
1500-1749	6	40.7	595	24	28	37	94	99 +	99 +	99 +
1750-2499	15	23.5	106	9	15	24	30	38	39	40
2500 +	6	6.0	25	1	3	4	8	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	2.7	2	2	2	3	3	4	5	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	341	7.9	82	2	3	4	9	21	27	45
B. Operated	48	36.2	568	8	24	37	72	99 +	99 +	99 +
1. SINGLE DX	184	2.7	2	2	2	3	3	4	5	9
2. MULTIPLE DX	389	11.4	228	2	3	5	15	36	61	99 +
A. Not Operated	525	6.1	60	2	2	3	6	15	22	43
B. Operated	48	36.2	568	8	24	37	72	99 +	99 +	99 +
TOTAL										
1-999 G	4	55.0	775	33	78	99 +	99 +	99 +	99 +	99 +
1000-1499	35	40.5	386	22	26	34	53	71	77	84
1500-1749	22	27.6	290	9	20	24	37	90	99 +	99 +
1750-2499	232	8.0	64	2	3	5	10	19	24	39
2500 +	280	3.0	3	2	2	3	3	5	6	10
GRAND TOTAL	**573**	**8.6**	**171**	**2**	**2**	**3**	**9**	**26**	**41**	**99 +**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	8	1.9		1	2	2	2	2	2	2
2500 +	118	2.2	1	1	1	2	2	3	4	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	57.0		57	57	57	57	57	57	57
1000-1499	3	35.0	577	8	17	43	51	54	54	54
1500-1749	3	16.0	4	14	14	16	17	18	18	18
1750-2499	25	8.2	114	2	4	5	8	13	27	56
2500 +	68	3.6	32	1	2	2	4	6	10	40
B. Operated										
1-999 G	1	79.0		79	79	79	79	79	79	79
1000-1499	3	41.0	829	21	23	28	62	74	74	74
1500-1749	2	26.0	32	22	22	26	30	30	30	30
1750-2499	0									
2500 +	4	4.8	3	3	3	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	2.1	1	1	2	2	2	3	4	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	100	6.6	120	1	2	3	6	13	31	56
B. Operated	10	27.3	775	3	5	21	30	76	79	79
1. SINGLE DX	126	2.1	1	1	2	2	2	3	4	7
2. MULTIPLE DX	110	8.5	209	2	2	3	7	20	46	76
A. Not Operated	226	4.1	59	1	2	2	3	7	11	54
B. Operated	10	27.3	775	3	5	21	30	76	79	79
TOTAL										
1-999 G	2	68.0	242	57	57	68	79	79	79	79
1000-1499	6	38.0	573	9	21	35	54	72	74	74
1500-1749	5	20.0	40	14	15	18	24	30	30	30
1750-2499	33	6.7	93	2	2	4	7	13	17	56
2500 +	190	2.7	13	1	2	2	3	4	6	11
GRAND TOTAL	**236**	**5.1**	**108**	**1**	**2**	**2**	**4**	**8**	**18**	**59**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	138	1.5	1	< 1	1	1	2	3	3	6
20-34	108	1.5	1	< 1	< 1	1	2	3	4	5
35-49	71	1.7	2	< 1	< 1	1	2	3	4	7
50-64	20	1.5	1	< 1	< 1	1	2	3	4	4
65 +	14	3.6	28	< 1	< 1	1	4	7	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	113	1.9	4	1	1	1	2	3	4	12
20-34	58	3.1	20	1	1	2	3	6	8	31
35-49	38	2.5	3	< 1	1	2	4	5	6	6
50-64	38	3.7	8	1	2	3	5	7	11	12
65 +	29	2.8	10	< 1	1	2	3	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	351	1.6	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	5	2.4	5	< 1	1	1	4	6	6	6
B. Operated	276	2.6	9	1	1	2	3	5	6	15
1. SINGLE DX	362	1.6	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	281	2.6	9	1	1	2	3	5	6	15
A. Not Operated	16	1.4	2	< 1	< 1	< 1	1	3	5	6
B. Operated	627	2.1	5	< 1	1	1	2	4	5	11
TOTAL										
0-19 YRS	259	1.7	2	< 1	1	1	2	3	4	8
20-34	169	2.1	8	< 1	1	1	2	4	5	10
35-49	110	2.0	2	< 1	1	1	2	4	5	7
50-64	60	2.9	7	< 1	1	2	4	6	9	12
65 +	45	3.0	15	< 1	1	2	3	6	11	21
GRAND TOTAL	**643**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

415: Admission for dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	1.5	3	1	1	1	1	2	4	12
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	6	6.0	12	1	4	5	10	10	10	10
20-34	25	5.1	14	1	2	4	7	11	13	15
35-49	50	3.8	8	1	2	3	4	7	11	15
50-64	64	5.3	24	1	2	4	7	10	15	30
65 +	72	6.0	34	2	2	4	8	13	15	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	104	1.5	3	1	1	1	1	2	4	11
B. Operated	217	5.2	22	1	2	4	7	11	14	27
1. SINGLE DX	0									
2. MULTIPLE DX	321	4.0	19	1	1	2	5	9	12	18
A. Not Operated	104	1.5	3	1	1	1	1	2	4	11
B. Operated	217	5.2	22	1	2	4	7	11	14	27
TOTAL										
0-19 YRS	104	1.7	5	1	1	1	1	3	7	12
20-34	28	4.8	14	1	2	4	6	10	13	15
35-49	50	3.8	8	1	2	3	4	7	11	15
50-64	65	5.2	24	1	2	4	7	10	15	30
65 +	74	5.9	33	2	2	4	8	12	15	34
GRAND TOTAL	**321**	**4.0**	**19**	**1**	**1**	**2**	**5**	**9**	**12**	**18**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	3.1	3	1	2	3	4	5	6	10
20-34	6	3.5	3	1	3	3	5	6	6	6
35-49	5	2.6	6	1	1	2	3	7	7	7
50-64	13	1.5	1	1	1	1	2	3	4	4
65 +	3	2.0	3	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	4	4.3		4	4	4	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3358	3.2	5	1	2	3	4	5	6	10
20-34	598	3.2	6	1	1	3	4	5	6	15
35-49	1440	2.9	6	1	1	2	4	5	6	10
50-64	3458	3.0	6	1	2	2	4	5	6	11
65 +	3264	3.2	6	1	2	3	4	5	6	10
B. Operated										
0-19 YRS	241	6.0	92	2	3	4	6	8	16	47
20-34	81	6.4	51	1	2	5	6	14	24	37
35-49	187	5.6	52	1	2	4	6	10	12	46
50-64	320	6.2	42	2	3	5	7	11	22	38
65 +	341	5.4	24	2	3	4	6	8	13	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	2.9	3	1	1	2	4	5	6	9
B. Operated	4	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	12118	3.1	6	1	2	3	4	5	6	11
B. Operated	1170	5.8	49	2	3	4	6	10	18	40
1. SINGLE DX	107	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX	13288	3.4	10	1	2	3	4	6	7	15
A. Not Operated	12221	3.1	6	1	2	3	4	5	6	11
B. Operated	1174	5.8	49	2	3	4	6	9	18	40
TOTAL										
0-19 YRS	3679	3.4	11	1	2	3	4	6	6	14
20-34	685	3.6	12	1	2	3	5	6	7	22
35-49	1632	3.2	12	1	1	2	4	6	7	16
50-64	3791	3.3	10	1	2	3	4	6	7	16
65 +	3608	3.4	8	1	2	3	4	5	7	14
GRAND TOTAL	**13395**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**	**15**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	731	2.4	21	< 1	< 1	1	2	4	5	37
20-34	466	2.5	34	< 1	1	2	2	3	4	40
35-49	201	2.3	29	< 1	< 1	1	2	3	4	37
50-64	85	1.5	1	< 1	< 1	1	2	3	4	6
65 +	70	2.2	10	< 1	< 1	< 1	2	5	14	82
B. Operated										
0-19 YRS	263	2.7	6	< 1	< 1	1	4	7	8	10
20-34	168	4.1	32	1	1	3	6	8	9	10
35-49	161	4.0	9	< 1	1	4	6	8	9	13
50-64	87	4.1	9	< 1	1	3	7	8	9	10
65 +	48	4.3	12	< 1	1	3	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	768	3.3	75	< 1	1	1	3	5	9	82
20-34	426	9.1	232	< 1	1	2	11	29	46	99 +
35-49	484	11.9	244	1	2	5	17	31	43	79
50-64	772	14.4	213	1	3	9	23	36	44	67
65 +	2587	17.6	181	3	7	15	24	36	44	60
B. Operated										
0-19 YRS	567	3.7	23	1	1	2	5	8	11	23
20-34	409	5.2	83	1	1	3	6	10	22	99
35-49	641	5.7	104	1	1	3	6	11	24	80
50-64	725	6.1	105	1	1	2	7	12	27	60
65 +	811	13.0	267	1	2	7	18	37	49	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1553	2.4	24	< 1	< 1	1	2	3	5	37
B. Operated	727	3.6	14	< 1	1	2	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	5037	13.7	207	1	2	9	21	33	43	71
B. Operated	3153	7.3	141	1	1	3	8	18	33	70
1. SINGLE DX	2280	2.8	21	< 1	1	1	3	6	8	22
2. MULTIPLE DX	8190	11.2	191	1	2	5	16	30	40	70
A. Not Operated	6590	11.0	187	< 1	1	4	17	30	39	64
B. Operated	3880	6.6	119	1	1	3	7	14	29	66
TOTAL										
0-19 YRS	2329	3.0	38	< 1	1	1	3	6	9	36
20-34	1469	5.4	111	1	1	2	5	11	27	73
35-49	1487	7.1	142	1	1	3	7	20	32	73
50-64	1669	9.6	165	1	2	4	12	28	38	61
65 +	3516	16.1	205	2	5	13	23	36	44	68
GRAND TOTAL	**10470**	**9.4**	**166**	**1**	**1**	**4**	**12**	**27**	**37**	**65**

418: Single liveborn, with cesarean section delivery, born in hospital (V30.01; V39.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	1	8.0		8	8	8	8	8	8	8
1750-2499	166	3.7	1	3	3	4	4	5	5	6
2500 +	7352	3.6	1	3	3	3	4	4	5	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	9	4.9	4	3	4	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
1-999 G	22	70.3	235	49	62	68	86	93	98	99 +
1000-1499	92	36.8	184	20	27	36	44	55	57	72
1500-1749	90	22.2	119	12	16	20	26	33	37	74
1750-2499	651	8.0	39	3	4	6	11	16	19	28
2500 +	5885	4.2	5	3	3	4	4	6	7	12
B. Operated										
1-999 G	47	76.3	247	53	74	90	99 +	99 +	99 +	99 +
1000-1499	102	47.0	305	27	37	46	62	88	99 +	99 +
1500-1749	40	31.0	206	19	23	28	38	63	89	99 +
1750-2499	132	17.8	180	5	8	15	23	34	47	68
2500 +	286	10.7	133	3	4	7	12	24	36	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7519	3.6	1	3	3	3	4	4	5	7
B. Operated	9	4.9	4	3	4	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	6740	5.4	46	3	3	4	5	8	13	40
B. Operated	607	24.7	581	4	7	16	42	81	99 +	99 +
1. SINGLE DX	7528	3.6	1	3	3	3	4	4	5	7
2. MULTIPLE DX	7347	7.0	119	3	3	4	5	12	27	80
A. Not Operated	14259	4.4	23	3	3	4	4	5	8	24
B. Operated	616	24.5	578	4	7	16	42	81	99 +	99 +
TOTAL										
1-999 G	69	74.4	247	55	68	82	99 +	99 +	99 +	99 +
1000-1499	194	42.2	272	24	30	42	55	72	88	99 +
1500-1749	131	24.8	162	13	17	23	30	39	51	99 +
1750-2499	949	8.6	68	3	4	5	11	18	24	41
2500 +	13532	4.0	7	3	3	4	4	5	7	12
GRAND TOTAL	**14875**	**5.3**	**62**	**3**	**3**	**4**	**4**	**7**	**12**	**56**

419: Twin or multiple liveborn, with cesarean section delivery, born in hospital (V31.01; V32.01; V33.01; V34.01; V35.01; V36.01; V37.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	64	4.4	3	3	4	4	5	6	7	12
2500 +	185	4.0	1	3	3	4	4	5	6	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	8	58.9	132	42	54	58	66	74	76	76
1000-1499	36	36.0	215	18	27	34	47	57	61	71
1500-1749	38	22.7	80	13	16	22	29	33	38	47
1750-2499	254	8.6	44	3	4	6	12	18	20	36
2500 +	178	4.8	13	3	3	4	5	6	8	25
B. Operated										
1-999 G	20	76.1	246	50	70	80	95	99 +	99 +	99 +
1000-1499	32	49.2	421	22	39	50	65	78	88	99 +
1500-1749	17	28.5	246	8	19	29	37	61	86	99 +
1750-2499	32	21.8	213	8	11	22	27	44	56	59
2500 +	5	9.6	8	5	8	10	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	4.1	1	3	3	4	4	6	6	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	514	11.0	154	3	4	5	13	28	38	60
B. Operated	106	40.8	708	9	20	39	67	90	99 +	99 +
1. SINGLE DX	249	4.1	1	3	3	4	4	6	6	7
2. MULTIPLE DX	620	16.1	374	3	4	7	21	48	67	99
A. Not Operated	763	8.8	115	3	4	4	8	20	32	57
B. Operated	106	40.8	708	9	20	39	67	90	99 +	99 +
TOTAL										
1-999 G	28	71.1	270	50	58	76	91	99 +	99 +	99 +
1000-1499	68	42.2	351	19	30	39	55	70	77	98
1500-1749	55	24.5	135	10	16	26	30	40	52	98
1750-2499	350	9.0	71	3	4	5	12	19	25	44
2500 +	368	4.5	7	3	3	4	5	6	7	15
GRAND TOTAL	**869**	**12.7**	**297**	**3**	**4**	**5**	**13**	**37**	**57**	**93**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36721	2.8	12	< 1	1	2	3	5	8	17
20-34	56740	2.5	4	1	2	2	3	4	5	10
35-49	21784	3.2	9	1	1	2	4	6	8	14
50-64	13669	3.8	13	1	1	3	5	8	10	17
65 +	9269	4.5	19	< 1	1	3	6	10	12	19
2. MULTIPLE DX										
0-19 YRS	54030	6.9	111	1	2	3	7	16	28	80
20-34	88101	4.4	32	1	2	3	4	8	12	32
35-49	64389	6.1	52	1	3	4	7	12	18	41
50-64	73456	7.6	66	1	3	5	9	15	22	45
65 +	137523	9.5	85	2	4	7	12	19	26	51
TOTAL SINGLE DX	138183	3.0	9	1	1	2	3	6	8	15
TOTAL MULTIPLE DX	417499	7.2	72	1	3	5	9	15	22	48
TOTAL										
0-19 YRS	90751	5.3	75	1	1	3	5	11	20	59
20-34	144841	3.7	22	1	2	3	4	6	9	24
35-49	86173	5.3	42	1	2	4	6	10	15	36
50-64	87125	7.0	59	1	3	5	9	14	20	42
65 +	146792	9.1	82	2	4	7	11	18	26	50
GRAND TOTAL	**555682**	**6.2**	**60**	**1**	**2**	**4**	**7**	**13**	**19**	**43**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	147	6.5	25	1	3	5	9	13	17	24
20-34	55	7.3	18	3	4	6	10	13	16	18
35-49	54	7.9	28	2	5	7	10	14	20	28
50-64	75	8.5	30	4	5	7	11	15	18	32
65 +	59	9.9	45	3	6	8	12	17	23	40
2. MULTIPLE DX										
0-19 YRS	375	13.7	203	3	5	9	18	33	49	99 +
20-34	162	15.5	198	5	7	11	19	33	44	90
35-49	209	16.5	240	5	7	11	22	42	54	99 +
50-64	332	16.3	236	5	8	12	20	34	57	99 +
65 +	547	17.5	203	6	8	13	22	35	53	99 +
TOTAL SINGLE DX	390	7.7	30	2	4	7	10	14	18	26
TOTAL MULTIPLE DX	1625	16.0	216	4	7	12	20	35	52	99 +
TOTAL										
0-19 YRS	522	11.7	164	2	4	7	15	27	42	89
20-34	217	13.4	165	3	6	9	16	29	41	87
35-49	263	14.7	208	4	6	9	18	35	50	99 +
50-64	407	14.9	207	5	7	10	17	31	48	97
65 +	606	16.7	193	6	8	13	21	34	51	99 +
GRAND TOTAL	2015	14.4	191	4	6	10	18	31	46	99

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	5.7	24	2	3	5	6	8	15	31
20-34	17	6.2	24	1	3	5	8	12	18	21
35-49	23	8.2	41	3	4	6	10	17	22	29
50-64	18	8.5	57	2	4	6	10	20	28	31
65 +	16	7.4	20	3	4	6	9	11	18	21
2. MULTIPLE DX										
0-19 YRS	131	15.0	220	4	6	9	19	41	61	99 +
20-34	64	21.9	385	6	7	15	33	62	78	99 +
35-49	55	17.7	328	5	7	12	26	65	99 +	99 +
50-64	58	21.3	368	6	8	15	29	44	60	91
65 +	54	16.4	176	5	8	12	18	39	43	66
TOTAL SINGLE DX	161	6.6	31	2	3	5	7	12	19	31
TOTAL MULTIPLE DX	362	17.9	288	5	7	12	24	44	63	99 +
TOTAL										
0-19 YRS	218	11.3	163	3	4	7	13	26	49	74
20-34	81	18.6	350	4	7	11	28	46	74	99 +
35-49	78	14.9	262	4	6	9	20	43	99	99 +
50-64	76	18.3	323	4	7	11	24	43	52	91
65 +	70	14.3	155	4	6	10	17	35	42	64
GRAND TOTAL	523	14.4	236	3	5	8	18	39	55	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	202	4.2	6	2	3	4	5	6	8	12
20-34	20	4.9	7	2	3	4	6	9	10	11
35-49	9	5.2	5	2	3	6	7	8	8	8
50-64	5	5.6	13	3	3	3	9	10	10	10
65 +	0									
2. MULTIPLE DX										
0-19 YRS	175	7.9	68	3	4	5	8	15	26	40
20-34	81	9.2	82	3	4	7	10	19	25	53
35-49	38	10.2	121	2	3	5	14	28	33	50
50-64	11	17.4	400	4	5	9	23	50	67	69
65 +	7	10.6	19	7	7	9	13	18	19	19
TOTAL SINGLE DX	236	4.3	7	2	3	4	5	7	8	12
TOTAL MULTIPLE DX	312	8.9	91	3	4	6	10	19	29	54
TOTAL										
0-19 YRS	377	5.9	39	2	3	5	6	10	15	32
20-34	101	8.3	70	2	4	6	9	17	24	48
35-49	47	9.3	103	2	3	5	11	22	31	50
50-64	16	13.7	302	3	4	8	12	36	59	69
65 +	7	10.6	20	7	7	9	13	18	19	19
GRAND TOTAL	548	6.9	60	2	3	5	7	13	22	39

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	161	4.3	9	2	2	4	5	7	10	16
20-34	8	6.6	16	2	4	6	8	13	15	15
35-49	7	17.1	235	5	7	11	23	43	48	48
50-64	6	6.0	7	2	4	6	8	9	9	9
65 +	15	9.1	50	4	4	8	11	18	27	30
2. MULTIPLE DX										
0-19 YRS	338	12.6	252	2	3	7	18	47	99 +	99 +
20-34	46	19.4	460	3	5	11	32	69	99 +	99 +
35-49	37	23.6	651	4	8	13	32	90	99	99 +
50-64	52	20.3	333	4	9	14	32	80	99 +	99 +
65 +	122	19.8	296	5	8	15	25	45	64	99 +
TOTAL SINGLE DX	197	5.3	26	2	2	4	6	9	13	28
TOTAL MULTIPLE DX	595	15.9	322	2	4	10	24	54	99	99 +
TOTAL										
0-19 YRS	499	9.9	189	2	3	5	11	33	58	99 +
20-34	54	17.5	414	2	5	9	28	61	96	99 +
35-49	44	22.6	584	4	8	13	31	83	98	99 +
50-64	58	18.8	319	4	8	14	30	78	99 +	99 +
65 +	137	18.6	280	5	7	14	24	43	57	99 +
GRAND TOTAL	792	13.3	270	2	4	7	19	43	83	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	359	3.6	16	1	2	3	4	6	10	21
20-34	24	4.0	6	2	2	3	4	7	9	13
35-49	8	5.8	18	2	3	4	7	13	15	15
50-64	9	6.1	12	2	4	6	8	11	13	13
65 +	5	6.6	13	3	4	5	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	730	7.9	120	2	3	4	7	19	27	63
20-34	102	16.4	282	4	5	12	24	44	95	99 +
35-49	56	15.1	259	3	5	10	24	51	91	99 +
50-64	31	12.7	85	5	8	10	17	22	49	99 +
65 +	56	13.0	133	4	6	9	19	26	89	99 +
TOTAL SINGLE DX	405	3.8	16	1	2	3	4	6	10	21
TOTAL MULTIPLE DX	975	9.6	154	2	3	5	11	24	39	99 +
TOTAL										
0-19 YRS	1089	6.5	90	2	2	4	6	15	2[illegible]	54
20-34	126	14.0	253	3	4	9	18	41	89	99 +
35-49	64	13.9	238	3	5	9	20	41	83	99 +
50-64	40	11.2	76	4	6	9	14	22	36	99 +
65 +	61	12.5	126	4	6	9	18	25	83	99 +
GRAND TOTAL	1380	7.9	121	2	2	4	8	20	32	95

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	8.7	30	3	4	7	14	15	17	25
20-34	66	5.5	15	2	3	5	7	10	11	23
35-49	159	4.8	6	2	3	4	6	8	9	14
50-64	158	5.0	7	2	3	4	7	8	10	15
65 +	89	6.0	13	3	4	5	7	9	14	23
2. MULTIPLE DX										
0-19 YRS	60	13.6	321	3	5	7	12	28	60	89
20-34	81	10.8	143	3	5	7	11	23	31	71
35-49	268	8.0	43	3	4	6	10	14	19	37
50-64	390	8.7	47	3	5	7	10	16	23	41
65 +	719	9.7	58	4	6	8	11	18	23	49
TOTAL SINGLE DX	507	5.5	12	2	3	5	7	9	12	18
TOTAL MULTIPLE DX	1518	9.4	69	3	5	7	11	17	23	51
TOTAL										
0-19 YRS	95	11.7	219	3	5	7	13	21	45	84
20-34	147	8.5	93	2	3	6	9	17	24	60
35-49	427	6.8	32	3	3	5	8	12	16	34
50-64	548	7.6	39	3	4	6	8	14	20	37
65 +	808	9.3	55	4	5	7	11	17	22	44
GRAND TOTAL	2025	8.4	57	3	4	7	9	15	21	41

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	116	10.1	57	2	5	7	14	24	25	28
20-34	48	5.0	22	1	2	4	7	11	13	24
35-49	72	4.0	15	1	1	3	5	8	13	83
50-64	54	4.4	14	< 1	1	4	6	9	11	18
65 +	16	4.6	14	2	2	3	6	8	14	17
2. MULTIPLE DX										
0-19 YRS	236	11.4	154	3	5	7	13	25	38	69
20-34	113	8.9	61	2	4	7	12	19	24	63
35-49	152	8.7	88	2	3	5	11	21	28	46
50-64	98	8.6	81	2	4	7	11	15	21	82
65 +	120	14.4	163	3	6	11	19	29	40	65
TOTAL SINGLE DX	306	6.6	39	1	2	5	8	15	24	27
TOTAL MULTIPLE DX	719	10.6	121	2	4	7	13	23	35	65
TOTAL										
0-19 YRS	352	11.0	122	3	5	7	14	24	29	63
20-34	161	7.7	53	1	3	5	10	17	23	43
35-49	224	7.2	70	1	2	4	8	17	25	52
50-64	152	7.1	61	1	3	5	9	14	17	63
65 +	136	13.3	156	2	5	9	17	28	36	63
GRAND TOTAL	1025	9.4	100	2	4	6	12	22	27	62

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	2.6	2	1	1	2	4	5	6	7
20-34	23	2.8	6	< 1	< 1	2	4	6	9	10
35-49	43	2.7	7	< 1	< 1	2	3	7	8	13
50-64	26	2.8	8	< 1	< 1	1	4	8	10	11
65 +	15	2.5	5	< 1	1	2	3	4	8	10
2. MULTIPLE DX										
0-19 YRS	31	5.6	39	1	2	3	5	15	23	26
20-34	32	7.0	78	1	2	4	7	19	32	35
35-49	49	4.3	15	< 1	1	3	6	10	12	18
50-64	43	4.9	19	< 1	1	3	7	11	16	17
65 +	69	7.9	124	1	2	5	10	15	24	71
TOTAL SINGLE DX	129	2.7	6	< 1	1	2	3	6	8	11
TOTAL MULTIPLE DX	224	6.1	63	1	2	4	8	14	18	37
TOTAL										
0-19 YRS	53	4.4	26	1	2	3	4	10	16	26
20-34	55	5.2	52	< 1	1	3	5	11	22	35
35-49	92	3.6	12	< 1	1	2	5	8	11	17
50-64	69	4.1	16	< 1	1	3	5	10	14	17
65 +	84	6.9	107	1	2	3	9	14	23	65
GRAND TOTAL	353	4.8	45	< 1	1	3	6	10	15	33

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	2.6	4	1	1	2	4	5	7	9
20-34	80	1.8	3	<1	<1	1	2	4	5	12
35-49	129	1.5	1	<1	<1	1	1	3	5	7
50-64	101	1.7	3	<1	<1	<1	1	4	5	11
65 +	71	1.3	1	<1	<1	<1	<1	1	2	8
2. MULTIPLE DX										
0-19 YRS	71	3.8	15	1	2	3	4	7	13	23
20-34	145	3.1	27	<1	1	2	4	5	7	16
35-49	123	3.4	25	<1	1	2	4	7	11	27
50-64	108	4.2	62	<1	1	2	5	8	12	44
65 +	94	4.4	40	<1	1	2	4	12	17	36
TOTAL SINGLE DX	414	1.6	3	<1	<1	1	1	3	5	8
TOTAL MULTIPLE DX	541	3.7	35	<1	1	2	4	7	12	25
TOTAL										
0-19 YRS	104	3.4	12	1	1	2	4	6	10	20
20-34	225	2.6	19	<1	1	1	3	5	6	14
35-49	252	2.4	14	<1	<1	1	3	5	7	15
50-64	209	3.0	35	<1	<1	1	3	6	9	21
65 +	165	3.0	26	<1	<1	1	3	6	13	24
GRAND TOTAL	**955**	**2.8**	**22**	**<1**	**<1**	**1**	**3**	**6**	**9**	**20**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	13	3.0	3	1	2	2	4	6	7	7
35-49	11	3.7	3	2	3	3	4	6	9	9
50-64	6	3.2	1	1	3	3	4	4	4	4
65 +	3	4.7	8	3	3	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	15	4.1	6	2	3	3	5	7	10	11
35-49	15	8.1	53	2	4	7	9	18	27	30
50-64	18	10.1	48	2	4	11	13	22	23	23
65 +	26	10.5	108	3	6	8	12	17	28	56
TOTAL SINGLE DX	35	3.4	3	1	2	3	4	6	8	9
TOTAL MULTIPLE DX	75	8.7	65	2	4	7	11	17	22	49
TOTAL										
0-19 YRS	3	6.3	26	2	3	5	10	12	12	12
20-34	28	3.6	5	1	2	3	5	7	8	11
35-49	26	6.3	36	2	3	4	7	11	20	30
50-64	24	8.4	46	2	3	5	12	22	22	23
65 +	29	9.9	101	3	5	8	11	16	23	56
GRAND TOTAL	**110**	**7.0**	**51**	**2**	**3**	**4**	**9**	**13**	**21**	**40**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	7.3	71	<1	1	2	15	20	21	21
35-49	17	3.5	19	<1	<1	<1	5	8	14	18
50-64	15	1.1		<1	<1	<1	1	1	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	7.3	65	1	1	5	13	18	18	18
20-34	14	5.9	36	<1	1	4	9	18	18	18
35-49	13	7.5	27	2	4	8	9	15	20	21
50-64	16	9.7	86	1	3	7	15	21	31	35
65 +	11	7.7	27	3	4	5	12	15	17	17
TOTAL SINGLE DX	41	3.4	25	<1	<1	<1	3	10	18	21
TOTAL MULTIPLE DX	58	7.7	47	1	2	6	11	18	20	34
TOTAL										
0-19 YRS	5	6.4	53	1	1	3	11	18	18	18
20-34	22	6.4	47	<1	1	2	9	18	19	21
35-49	30	5.2	26	<1	<1	4	8	11	18	21
50-64	31	5.5	62	<1	<1	1	7	17	21	35
65 +	11	7.7	27	3	4	5	12	15	17	17
GRAND TOTAL	**99**	**5.9**	**42**	**<1**	**1**	**3**	**9**	**17**	**18**	**28**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	2.3	1	1	2	2	3	3	4	6
20-34	198	2.0	1	1	1	2	2	3	3	7
35-49	266	2.0		1	1	2	2	3	3	6
50-64	160	2.1		1	1	2	2	3	4	5
65 +	66	2.3		1	2	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	18	2.5	1	1	2	2	3	4	5	5
20-34	97	2.8	7	1	2	2	3	4	5	18
35-49	206	2.8	5	1	2	2	3	5	6	13
50-64	172	3.8	11	1	2	3	4	8	12	17
65 +	201	5.8	75	2	2	3	6	13	19	36
TOTAL SINGLE DX	736	2.0	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	694	3.9	29	1	2	3	4	7	12	23
TOTAL										
0-19 YRS	64	2.4	1	1	2	2	3	3	5	6
20-34	295	2.3	4	1	2	2	3	3	4	7
35-49	472	2.3	3	1	2	2	3	4	5	11
50-64	332	2.9	7	1	2	2	3	5	8	15
65 +	267	4.9	59	2	2	3	4	10	16	33
GRAND TOTAL	1430	2.9	15	1	2	2	3	5	7	17

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	1.4		1	1	1	1	2	3	6
20-34	13	1.8	2	<1	1	1	2	4	6	7
35-49	19	2.4	2	1	1	2	3	4	6	7
50-64	24	2.7	7	1	2	2	3	3	7	15
65 +	11	3.0	3	1	2	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	25	4.3	41	1	1	2	4	10	23	27
20-34	41	6.4	35	1	2	5	8	13	23	25
35-49	67	5.0	15	2	2	3	6	11	13	21
50-64	94	5.9	47	1	2	3	6	15	21	37
65 +	125	6.1	61	2	3	4	7	12	16	52
TOTAL SINGLE DX	152	1.9	3	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	352	5.7	45	2	2	3	7	12	19	29
TOTAL										
0-19 YRS	110	2.0	11	1	1	1	2	3	5	24
20-34	54	5.3	32	1	1	3	7	12	19	25
35-49	86	4.4	14	2	2	3	5	9	12	20
50-64	118	5.2	41	1	2	3	5	12	20	34
65 +	136	5.9	57	2	2	4	7	12	16	51
GRAND TOTAL	504	4.6	35	1	2	3	5	10	15	28

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	6.2	3	5	5	6	8	8	9	9
20-34	8	5.9	6	2	5	6	7	9	10	10
35-49	18	8.2	23	5	5	7	9	16	21	23
50-64	16	6.4	5	4	5	6	8	10	11	11
65 +	7	11.4	44	4	5	10	16	21	22	22
2. MULTIPLE DX										
0-19 YRS	37	13.1	195	5	6	9	14	24	46	74
20-34	45	8.8	99	4	5	6	9	15	19	69
35-49	62	8.1	18	4	6	7	9	14	16	28
50-64	61	10.4	109	5	6	8	11	20	25	71
65 +	66	12.2	158	4	6	8	14	22	29	78
TOTAL SINGLE DX	64	7.4	16	4	5	6	8	10	17	23
TOTAL MULTIPLE DX	271	10.4	112	4	6	8	11	19	23	73
TOTAL										
0-19 YRS	52	11.1	149	5	5	8	11	21	25	74
20-34	53	8.4	86	4	5	6	8	14	19	67
35-49	80	8.1	20	4	5	7	9	14	17	27
50-64	77	9.6	90	5	6	7	9	17	22	64
65 +	73	12.1	147	4	6	8	14	22	26	77
GRAND TOTAL	335	9.8	95	4	6	7	10	18	22	70

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	1.1		<1	<1	<1	<1	<1	<1	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.0		<1	<1	<1	1	1	1	1
65 +	9	1.7	1	<1	<1	<1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	10	1.7	2	<1	<1	1	2	4	6	6
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	5	21.4	1523	1	1	6	29	91	91	91
50-64	4	7.0	27	3	3	6	11	14	14	14
65 +	17	4.4	22	1	1	3	6	10	16	19
TOTAL SINGLE DX	55	1.2	1	<1	<1	<1	<1	1	2	5
TOTAL MULTIPLE DX	38	6.2	216	<1	1	2	6	10	17	91
TOTAL										
0-19 YRS	44	1.3	1	<1	<1	<1	<1	1	3	6
20-34	3	3.3	16	<1	<1	1	6	8	8	8
35-49	11	10.3	723	<1	<1	1	5	41	87	91
50-64	9	3.7	20	<1	<1	1	4	12	14	14
65 +	26	3.5	17	<1	1	2	5	7	13	19
GRAND TOTAL	93	3.2	93	<1	<1	<1	2	6	8	60

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.4	1	<1	<1	1	1	2	2	8
20-34	4	1.3		1	1	1	2	2	2	2
35-49	5	1.8	1	<1	<1	1	2	4	4	4
50-64	9	1.2		<1	<1	1	1	2	2	2
65 +	14	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	108	2.1	2	<1	1	1	3	4	6	8
20-34	106	4.1	32	1	1	3	4	7	13	34
35-49	71	4.6	65	1	1	2	5	8	13	55
50-64	37	4.9	78	1	2	3	4	9	13	54
65 +	83	7.0	80	1	2	4	7	17	24	45
TOTAL SINGLE DX	103	1.4	1	<1	<1	1	1	2	3	8
TOTAL MULTIPLE DX	405	4.3	47	1	1	2	5	8	13	41
TOTAL										
0-19 YRS	179	1.8	2	<1	1	1	2	4	5	8
20-34	110	4.0	31	1	1	3	4	7	13	33
35-49	76	4.4	62	1	1	2	5	8	12	53
50-64	46	4.2	65	<1	1	2	4	8	12	54
65 +	97	6.2	73	<1	1	3	7	15	22	45
GRAND TOTAL	508	3.7	39	<1	1	2	4	7	11	39

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.0	5	<1	1	1	2	5	9	10
20-34	7	1.6	2	<1	1	1	1	4	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	5	2.0	2	<1	<1	<1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	2.9	8	<1	1	2	3	8	9	9
20-34	8	3.9	15	1	1	2	7	10	10	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	1.2		1	1	1	1	2	2	2
65 +	19	3.0	10	1	1	1	4	8	10	12
TOTAL SINGLE DX	34	1.8	4	<1	1	1	1	4	7	10
TOTAL MULTIPLE DX	44	2.8	9	1	1	1	3	8	10	12
TOTAL										
0-19 YRS	28	2.3	7	<1	1	1	2	7	9	10
20-34	15	2.8	10	1	1	1	4	10	10	10
35-49	3	1.3		1	1	1	2	2	2	2
50-64	8	1.1		1	1	1	1	2	2	2
65 +	24	2.8	9	<1	1	1	4	8	9	12
GRAND TOTAL	78	2.4	7	<1	1	1	2	7	9	12

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	6.1	45	<1	1	3	11	17	17	17
20-34	0									
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	4	3.0	6	1	1	3	5	6	6	6
TOTAL SINGLE DX	4	5.0	45	<1	<1	2	9	15	15	15
TOTAL MULTIPLE DX	16	4.9	27	1	1	3	7	15	17	17
TOTAL										
0-19 YRS	9	7.1	48	<1	1	4	15	17	17	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.8	8	<1	<1	1	4	7	7	7
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	4	3.0	6	1	1	3	5	6	6	6
GRAND TOTAL	20	5.0	28	<1	1	3	7	15	16	17

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.5		<1	1	1	2	3	3	3
20-34	7	2.3		1	1	2	3	3	3	3
35-49	5	2.0	2	1	1	1	3	4	4	4
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	18	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	26	1.3		1	1	1	2	2	3	3
20-34	10	2.7	1	1	2	3	4	5	5	5
35-49	13	2.3	1	<1	1	2	3	4	5	5
50-64	23	3.6	44	1	1	2	3	5	18	33
65+	109	2.6	2	1	2	2	3	4	5	9
TOTAL SINGLE DX	39	1.7	1	1	1	1	2	3	3	4
TOTAL MULTIPLE DX	181	2.5	8	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	32	1.4		1	1	1	2	2	3	3
20-34	17	2.4	1	1	2	2	3	4	5	5
35-49	18	2.2	2	1	1	2	3	4	5	5
50-64	26	3.3	40	1	1	2	3	3	15	33
65+	127	2.4	2	1	1	2	3	4	5	9
GRAND TOTAL	**220**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	3.4	4	1	2	3	5	6	8	11
20-34	16	2.8	2	<1	1	3	4	5	5	5
35-49	10	3.0	7	<1	1	2	4	7	10	10
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	44	4.3	4	2	3	4	6	8	9	10
20-34	25	4.2	7	1	2	4	5	9	10	11
35-49	18	4.3	8	1	2	4	5	8	11	12
50-64	8	6.1	11	1	3	6	9	11	11	11
65+	14	4.6	14	<1	2	3	8	9	13	14
TOTAL SINGLE DX	73	3.1	4	<1	1	3	4	5	7	11
TOTAL MULTIPLE DX	109	4.4	8	1	2	4	5	9	10	13
TOTAL										
0-19 YRS	87	3.8	5	1	2	4	5	7	8	11
20-34	41	3.6	6	1	2	4	5	5	9	11
35-49	28	3.9	8	1	2	3	5	8	10	12
50-64	11	4.8	13	<1	1	4	7	10	11	11
65+	15	4.3	14	<1	1	3	7	9	13	14
GRAND TOTAL	**182**	**3.9**	**7**	**1**	**2**	**4**	**5**	**8**	**9**	**12**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.1		<1	<1	1	1	1	2	3
20-34	0									
35-49	10	1.5	1	<1	<1	1	1	3	5	5
50-64	24	1.4		<1	<1	1	1	3	4	5
65+	34	1.6	2	<1	1	1	1	4	6	8
2. MULTIPLE DX										
0-19 YRS	26	5.6	208	1	1	1	2	8	37	71
20-34	8	4.1	16	1	1	3	5	11	13	13
35-49	12	3.7	10	1	1	2	7	8	9	9
50-64	40	3.2	8	1	1	2	4	9	11	99+
65+	122	2.5	5	1	1	2	3	5	8	12
TOTAL SINGLE DX	106	1.4	1	<1	<1	1	1	2	4	7
TOTAL MULTIPLE DX	208	3.1	32	1	1	2	3	7	10	46
TOTAL										
0-19 YRS	64	2.9	88	<1	<1	1	1	3	7	65
20-34	8	4.1	16	1	1	3	5	11	13	13
35-49	22	2.7	7	<1	1	1	4	7	8	9
50-64	64	2.5	6	<1	1	1	3	6	10	87
65+	156	2.3	5	1	1	1	3	5	8	12
GRAND TOTAL	**314**	**2.5**	**22**	**<1**	**1**	**1**	**3**	**5**	**8**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	3.3	7	1	2	3	3	7	11	11
20-34	6	2.0	1	1	1	2	2	4	4	4
35-49	5	2.2	1	<1	1	2	3	4	4	4
50-64	5	1.0		1	1	1	1	1	1	1
65+	12	1.6	2	<1	<1	1	2	3	6	6
2. MULTIPLE DX										
0-19 YRS	17	2.9	5	1	1	2	4	7	8	8
20-34	20	4.8	9	1	2	4	6	9	11	12
35-49	22	4.1	9	1	2	3	4	8	11	15
50-64	11	4.6	9	1	2	5	7	9	10	10
65+	44	4.1	33	1	1	2	4	7	14	35
TOTAL SINGLE DX	39	2.1	4	<1	1	1	3	4	6	11
TOTAL MULTIPLE DX	114	4.1	18	1	2	3	5	8	11	24
TOTAL										
0-19 YRS	28	3.1	6	1	1	2	4	7	8	11
20-34	26	4.2	9	1	2	3	6	8	11	12
35-49	27	3.7	8	1	2	3	4	7	10	15
50-64	16	3.5	9	1	1	2	6	8	9	10
65+	56	3.6	28	<1	1	2	4	7	11	34
GRAND TOTAL	**153**	**3.6**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.1		<1	1	1	1	1	2	3
20-34	0									
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
2. MULTIPLE DX										
0-19 YRS	11	2.3	6	<1	1	1	3	7	8	8
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	9	5.4	41	<1	1	2	11	16	18	18
TOTAL SINGLE DX	33	1.1		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	28	3.0	18	<1	1	1	2	10	13	18
TOTAL										
0-19 YRS	41	1.4	2	<1	1	1	1	2	4	8
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	9	5.4	42	<1	1	2	11	16	18	18
GRAND TOTAL	61	2.0	9	<1	1	1	1	3	9	17

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.2		<1	<1	1	1	1	3	5
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	11	1.0		<1	<1	<1	1	1	1	1
50-64	72	1.0		<1	<1	<1	<1	1	1	2
65+	427	1.0		<1	<1	<1	<1	<1	<1	2
2. MULTIPLE DX										
0-19 YRS	45	1.9	4	1	1	1	2	4	6	11
20-34	8	2.3	5	<1	<1	1	2	6	8	8
35-49	12	1.7	2	<1	1	1	2	3	6	6
50-64	55	1.6	3	<1	<1	1	1	2	5	13
65+	339	2.5	25	<1	<1	1	2	4	10	25
TOTAL SINGLE DX	546	1.0		<1	<1	<1	<1	<1	1	2
TOTAL MULTIPLE DX	459	2.3	20	<1	<1	1	2	4	8	23
TOTAL										
0-19 YRS	75	1.6	3	<1	1	1	1	3	5	10
20-34	14	1.8	3	<1	<1	1	2	3	7	8
35-49	23	1.3	1	<1	<1	1	1	2	4	6
50-64	127	1.3	2	<1	<1	<1	1	2	2	8
65+	766	1.7	12	<1	<1	<1	1	2	4	17
GRAND TOTAL	1005	1.6	10	<1	<1	<1	1	2	4	15

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	12	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	1.2		<1	1	1	1	2	2	2
65+	19	2.7	11	<1	1	2	3	7	12	14
TOTAL SINGLE DX	16	1.0		<1	<1	<1	<1	1	1	1
TOTAL MULTIPLE DX	27	2.3	8	<1	1	1	2	4	10	14
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	1.1		<1	<1	1	1	2	2	2
65+	31	2.1	7	<1	<1	1	2	4	9	14
GRAND TOTAL	43	1.8	5	<1	<1	1	2	3	6	14

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.8		1	1	2	2	2	3	4
20-34	22	1.8		1	1	2	2	3	4	4
35-49	39	1.8	1	1	1	2	2	3	4	5
50-64	79	1.8	1	1	1	1	2	3	4	5
65+	92	2.2	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	46	5.8	308	1	1	2	3	6	21	99
20-34	52	2.5	2	1	2	2	3	4	5	9
35-49	78	3.2	52	1	2	2	3	4	5	50
50-64	162	2.5	3	1	2	2	3	4	6	11
65+	240	2.9	5	1	2	2	3	5	7	17
TOTAL SINGLE DX	257	1.9	1	1	1	2	2	4	5	6
TOTAL MULTIPLE DX	578	3.0	35	1	2	2	3	4	6	17
TOTAL										
0-19 YRS	71	4.4	202	1	1	2	2	4	6	94
20-34	74	2.3	2	1	2	2	3	4	5	8
35-49	117	2.8	36	1	1	2	3	4	5	28
50-64	241	2.3	3	1	1	2	3	4	5	9
65+	332	2.7	5	1	1	2	3	4	6	14
GRAND TOTAL	835	2.7	25	1	1	2	3	4	5	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.7	1	1	1	1	2	3	3	7
20-34	7	1.6		1	1	1	2	3	3	3
35-49	13	1.6		1	1	1	2	3	3	3
50-64	22	1.9	1	1	1	2	2	4	5	6
65 +	31	2.3	4	<1	1	1	3	5	9	9
2. MULTIPLE DX										
0-19 YRS	52	3.6	125	1	1	1	2	6	14	99 +
20-34	84	3.1	9	1	1	2	4	7	8	19
35-49	111	3.0	8	1	1	2	3	5	9	17
50-64	146	2.3	2	1	1	2	3	4	5	7
65 +	224	2.9	9	1	1	2	3	6	7	15
TOTAL SINGLE DX	109	1.9	2	1	1	1	2	3	4	9
TOTAL MULTIPLE DX	617	2.9	17	1	1	2	3	5	7	15
TOTAL										
0-19 YRS	88	2.8	75	1	1	1	2	3	7	93
20-34	91	3.0	9	1	1	2	4	6	8	19
35-49	124	2.8	8	1	1	2	3	5	8	16
50-64	168	2.2	2	1	1	2	3	4	5	7
65 +	255	2.9	9	1	1	2	3	6	8	15
GRAND TOTAL	726	2.7	15	1	1	2	3	5	7	15

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	163	1.0		<1	<1	<1	<1	1	1	1
20-34	12	1.0		<1	<1	1	1	1	1	1
35-49	2-	1.5	1	1	1	1	2	2	2	2
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	95	1.1		<1	<1	1	1	1	2	3
20-34	7	1.0		1	1	1	1	1	1	1
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	3	1.0		<1	<1	1	1	1	1	1
65 +	4	1.0		<1	<1	1	1	1	1	1
TOTAL SINGLE DX	180	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	114	1.1		<1	1	1	1	1	2	3
TOTAL										
0-19 YRS	258	1.0		<1	<1	<1	1	1	1	2
20-34	19	1.0		<1	1	1	1	1	1	1
35-49	7	1.4	1	<1	1	1	2	3	3	3
50-64	6	1.0		<1	<1	<1	1	1	1	1
65 +	4	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	294	1.0		<1	<1	<1	1	1	1	2

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	2.7	3	<1	1	2	4	6	7	8
20-34	20	2.8	2	1	1	2	4	5	6	6
35-49	16	2.1	3	1	1	1	3	4	7	8
50-64	12	2.1	1	1	1	2	3	4	5	5
65 +	13	4.8	35	1	2	2	6	11	21	23
2. MULTIPLE DX										
0-19 YRS	61	5.3	39	1	1	3	7	11	16	37
20-34	43	3.0	5	1	1	2	4	6	9	10
35-49	39	4.1	31	1	1	3	4	9	26	99 +
50-64	32	4.6	32	1	1	3	6	8	18	29
65 +	48	5.5	44	1	2	3	6	11	15	40
TOTAL SINGLE DX	110	2.8	7	1	1	2	4	6	7	14
TOTAL MULTIPLE DX	223	4.6	32	1	1	3	6	9	15	39
TOTAL										
0-19 YRS	110	4.1	25	1	1	3	5	9	13	28
20-34	63	3.0	5	1	1	2	4	6	8	10
35-49	55	3.5	24	1	1	2	4	8	19	96
50-64	44	3.9	25	1	1	2	4	7	12	29
65 +	61	5.3	42	1	2	3	6	11	18	38
GRAND TOTAL	333	4.0	24	1	1	2	5	8	11	31

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	127	2.1	4	<1	<1	1	3	4	5	14
20-34	15	2.5	3	<1	<1	2	4	6	7	7
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	4	3.8	30	<1	<1	1	6	12	12	12
65+	17	2.2	8	<1	<1	<1	1	8	10	10
2. MULTIPLE DX										
0-19 YRS	101	3.7	16	<1	1	2	5	8	12	21
20-34	39	2.9	5	1	1	2	3	6	9	10
35-49	25	3.8	16	1	1	2	4	11	12	16
50-64	19	4.5	24	<1	1	3	5	14	17	18
65+	56	10.0	236	<1	2	5	12	23	63	99
TOTAL SINGLE DX	167	2.2	5	<1	<1	1	3	4	6	14
TOTAL MULTIPLE DX	240	5.1	73	<1	1	2	6	12	17	74
TOTAL										
0-19 YRS	228	2.8	11	<1	1	1	3	6	9	15
20-34	54	2.8	5	<1	1	2	3	6	8	10
35-49	29	3.5	15	1	1	2	3	10	11	16
50-64	23	4.4	25	<1	1	3	5	13	16	18
65+	73	8.2	193	<1	<1	3	9	21	41	95
GRAND TOTAL	407	3.9	47	<1	1	2	4	9	13	34

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	15	1.1		<1	1	1	1	2	2	2
35-49	22	1.1		1	1	1	1	2	2	2
50-64	16	1.1		<1	1	1	1	1	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	10	1.4		1	1	1	2	2	2	2
35-49	21	1.8	4	<1	1	1	2	3	7	11
50-64	10	1.1		1	1	1	1	2	2	2
65+	13	1.3		<1	1	1	2	2	2	2
TOTAL SINGLE DX	58	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	58	1.4	2	1	1	1	2	2	2	10
TOTAL										
0-19 YRS	8	1.1		<1	1	1	1	2	2	2
20-34	25	1.2		<1	1	1	1	2	2	2
35-49	43	1.4	2	<1	1	1	1	2	3	11
50-64	26	1.1		<1	1	1	1	1	2	3
65+	14	1.3		<1	1	1	2	2	2	2
GRAND TOTAL	116	1.3	1	<1	1	1	1	2	2	6

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	1.0		<1	1	1	1	1	1	2
20-34	18	1.0		<1	<1	1	1	1	1	1
35-49	16	1.3	1	<1	1	1	1	1	5	6
50-64	9	1.0		<1	<1	1	1	1	1	1
65+	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	83	1.2		<1	1	1	1	2	2	7
20-34	16	1.3		<1	1	1	1	2	3	3
35-49	15	1.5	3	<1	1	1	1	7	72	99+
50-64	27	1.6	2	1	1	1	2	3	4	8
65+	22	1.4	1	<1	1	1	1	3	4	5
TOTAL SINGLE DX	111	1.1		<1	1	1	1	1	1	4
TOTAL MULTIPLE DX	163	1.3	1	<1	1	1	1	2	3	9
TOTAL										
0-19 YRS	148	1.1	1	<1	1	1	1	1	2	4
20-34	34	1.1		<1	<1	1	1	2	2	3
35-49	31	1.4	2	<1	1	1	1	3	8	99+
50-64	36	1.5	2	<1	1	1	2	2	3	8
65+	25	1.3	1	<1	1	1	1	2	4	5
GRAND TOTAL	274	1.2	1	<1	1	1	1	2	2	8

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1315	1.1		<1	<1	<1	<1	<1	<1	4
20-34	7	1.3		<1	<1	1	1	3	3	3
35-49	4	3.0	16	1	1	1	5	9	9	9
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	695	2.8	14	<1	<1	1	3	7	10	21
20-34	11	4.3	22	<1	1	2	8	12	15	15
35-49	16	8.4	94	1	1	5	11	22	32	36
50-64	9	9.6	88	1	4	7	11	25	32	32
65+	17	12.2	154	3	5	8	13	30	42	49
TOTAL SINGLE DX	1326	1.1		<1	<1	<1	<1	<1	<1	4
TOTAL MULTIPLE DX	748	3.2	23	<1	<1	1	4	8	11	28
TOTAL										
0-19 YRS	2010	1.7	6	<1	<1	<1	1	3	6	12
20-34	18	3.1	15	<1	<1	1	3	9	13	15
35-49	20	7.3	82	1	1	4	9	19	29	36
50-64	9	9.6	88	1	4	7	11	25	32	32
65+	17	12.2	154	3	5	8	13	30	42	49
GRAND TOTAL	2074	1.9	10	<1	<1	<1	1	4	7	15

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	1.8	6	<1	1	1	1	3	5	16
20-34	14	1.4		<1	1	1	1	3	3	3
35-49	17	1.4		1	1	1	2	3	3	3
50-64	13	1.5		<1	1	1	2	3	3	3
65+	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	107	2.2	11	1	1	1	1	5	8	21
20-34	37	2.3	7	1	1	1	2	7	10	11
35-49	48	2.4	12	1	1	1	2	5	7	24
50-64	34	3.7	47	1	1	2	3	7	11	40
65+	19	2.9	13	1	1	1	3	10	13	13
TOTAL SINGLE DX	105	1.6	4	1	1	1	1	3	4	14
TOTAL MULTIPLE DX	245	2.5	16	1	1	1	2	6	9	22
TOTAL										
0-19 YRS	164	2.1	10	<1	1	1	1	4	8	20
20-34	51	2.1	6	1	1	1	2	5	8	11
35-49	65	2.1	10	1	1	1	2	4	6	22
50-64	47	3.1	36	1	1	1	3	6	11	40
65+	23	2.7	11	1	1	1	3	8	12	13
GRAND TOTAL	**350**	**2.3**	**13**	**1**	**1**	**1**	**2**	**4**	**8**	**21**

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	1.4	1	<1	<1	<1	1	2	4	7
20-34	14	1.6		1	1	1	2	3	4	4
35-49	18	1.9	3	1	1	1	2	4	6	8
50-64	15	1.5	1	1	1	1	1	4	4	4
65+	10	1.9	1	<1	1	2	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	150	2.7	32	<1	<1	<1	1	6	10	33
20-34	14	4.9	27	1	1	2	10	13	15	16
35-49	17	2.6	8	1	1	1	3	8	9	10
50-64	18	4.9	77	1	1	2	4	10	27	38
65+	16	1.9	1	1	1	2	2	4	5	5
TOTAL SINGLE DX	193	1.5	2	<1	<1	1	1	3	4	8
TOTAL MULTIPLE DX	215	2.9	32	<1	<1	1	2	7	11	35
TOTAL										
0-19 YRS	286	2.0	18	<1	<1	<1	1	4	7	18
20-34	28	3.3	16	1	1	2	3	11	13	16
35-49	35	2.3	6	1	1	1	2	6	8	10
50-64	33	3.4	44	1	1	1	3	7	11	38
65+	26	1.9	1	1	1	2	2	4	5	5
GRAND TOTAL	**408**	**2.2**	**18**	**<1**	**<1**	**1**	**2**	**5**	**8**	**18**

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	-									
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	11	1.3		<1	<1	1	1	2	4	4
35-49	8	1.6	3	<1	<1	1	1	5	6	6
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	29	1.6	1	1	1	1	2	3	4	5
20-34	53	1.6	1	1	1	1	2	3	3	7
35-49	59	2.1	6	1	1	1	2	3	7	14
50-64	25	2.0	4	1	1	1	2	4	6	11
65+	17	2.0	5	<1	1	1	2	3	8	11
TOTAL SINGLE DX	22	1.5	2	<1	<1	1	1	4	5	6
TOTAL MULTIPLE DX	183	1.8	4	1	1	1	2	3	4	12
TOTAL										
0-19 YRS	31	1.6	1	1	1	1	2	3	4	5
20-34	64	1.5	1	<1	1	1	2	3	4	7
35-49	67	2.0	6	<1	1	1	2	3	7	14
50-64	25	2.0	5	1	1	1	2	4	6	11
65+	18	1.9	5	<1	1	1	2	3	8	11
GRAND TOTAL	**205**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**12**

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.6	1	< 1	1	1	2	3	3	9
20-34	42	1.3	2	< 1	< 1	1	1	2	3	10
35-49	32	1.2		< 1	< 1	1	1	2	2	3
50-64	6	1.0		1	1	1	1	1	1	1
65 +	6	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	138	1.7	2	1	1	1	2	3	4	9
20-34	175	1.6	2	< 1	1	1	2	3	4	9
35-49	161	2.1	18	1	1	1	2	4	6	12
50-64	95	2.1	6	1	1	1	2	4	9	14
65 +	66	3.2	21	1	1	2	4	7	9	31
TOTAL SINGLE DX	139	1.4	1	< 1	< 1	1	1	2	3	9
TOTAL MULTIPLE DX	635	2.0	9	1	1	1	2	4	6	12
TOTAL										
0-19 YRS	191	1.7	2	< 1	1	1	2	3	4	9
20-34	217	1.5	2	< 1	1	1	1	2	4	10
35-49	193	2.0	16	1	1	1	2	3	5	12
50-64	101	2.1	7	1	1	1	2	4	9	13
65 +	72	3.0	20	1	1	2	3	6	9	30
GRAND TOTAL	774	1.9	8	<1	1	1	2	3	5	11

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	2.1	6	< 1	1	1	2	5	8	11
20-34	9	1.6	1	< 1	1	1	2	4	4	4
35-49	11	1.4		< 1	< 1	1	2	3	3	3
50-64	12	1.5	1	< 1	< 1	1	2	3	4	4
65 +	17	1.8	4	< 1	< 1	< 1	1	5	7	8
2. MULTIPLE DX										
0-19 YRS	49	3.6	15	< 1	1	2	4	9	12	20
20-34	25	2.1	2	< 1	1	2	3	4	5	7
35-49	33	2.0	3	< 1	1	1	2	5	7	9
50-64	27	2.3	4	< 1	1	1	3	4	7	9
65 +	45	4.6	47	< 1	1	2	4	13	23	32
TOTAL SINGLE DX	70	1.7	3	< 1	< 1	1	1	4	6	10
TOTAL MULTIPLE DX	179	3.2	19	< 1	1	2	3	7	11	24
TOTAL										
0-19 YRS	70	3.2	13	< 1	1	2	4	8	11	19
20-34	34	1.9	2	< 1	1	1	3	4	5	7
35-49	44	1.9	3	< 1	< 1	1	2	4	6	9
50-64	39	2.1	3	< 1	1	1	3	4	6	9
65 +	62	3.8	37	< 1	< 1	1	3	10	18	31
GRAND TOTAL	249	2.8	15	<1	1	1	3	6	10	23

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	1.3		< 1	< 1	< 1	1	2	3	3
20-34	34	2.4	3	< 1	< 1	2	3	5	7	8
35-49	19	3.4	2	1	2	3	5	6	6	6
50-64	19	3.8	4	1	2	4	5	6	8	9
65 +	21	3.6	2	1	3	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	50	3.6	18	< 1	1	2	4	8	10	27
20-34	80	3.9	20	1	1	2	5	9	12	23
35-49	59	4.3	7	1	2	4	6	8	9	13
50-64	71	5.2	16	2	3	4	6	10	11	25
65 +	125	6.0	43	2	3	4	7	11	15	40
TOTAL SINGLE DX	133	2.6	3	< 1	< 1	2	4	5	6	8
TOTAL MULTIPLE DX	385	4.8	26	1	2	4	6	9	13	26
TOTAL										
0-19 YRS	90	2.6	12	< 1	< 1	1	3	6	9	20
20-34	114	3.4	16	< 1	1	2	4	8	9	23
35-49	78	4.0	6	1	2	3	5	7	9	12
50-64	90	4.9	14	1	3	4	6	9	11	22
65 +	146	5.7	38	2	3	4	6	10	14	34
GRAND TOTAL	518	4.3	21	<1	2	3	6	8	10	23

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	9	2.0	2	1	1	1	3	5	5	5
35-49	10	1.9	6	1	1	1	1	5	9	9
50-64	7	3.7	30	< 1	< 1	1	3	14	16	16
65 +	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	20	7.9	115	1	1	3	11	20	32	44
20-34	25	3.4	21	1	1	2	3	13	16	18
35-49	39	4.2	122	1	1	2	2	7	11	70
50-64	32	3.4	16	1	1	2	3	11	13	14
65 +	24	4.4	37	1	1	2	4	13	19	27
TOTAL SINGLE DX	30	2.7	12	1	1	1	2	7	11	16
TOTAL MULTIPLE DX	140	4.4	65	1	1	2	4	13	17	47
TOTAL										
0-19 YRS	22	7.4	107	1	1	3	7	19	30	44
20-34	34	3.1	16	1	1	2	2	6	15	18
35-49	49	3.7	99	1	1	2	2	7	10	70
50-64	39	3.5	18	1	1	2	3	12	14	16
65 +	26	4.6	36	1	1	2	5	13	18	27
GRAND TOTAL	170	4.1	56	1	1	2	4	11	16	41

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	2.3	11	<1	1	1	2	4	11	19
20-34	43	2.5	8	<1	1	1	3	6	7	14
35-49	42	2.4	6	<1	1	1	3	6	8	11
50-64	24	3.2	14	<1	1	1	4	8	12	16
65+	7	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	183	6.0	75	1	1	3	8	14	24	64
20-34	110	4.2	23	1	1	3	5	9	13	28
35-49	154	4.1	32	1	1	2	5	9	11	24
50-64	130	3.8	22	1	1	2	5	9	12	25
65+	109	6.9	126	1	1	3	7	18	25	72
TOTAL SINGLE DX	194	2.5	9	<1	1	1	3	6	10	15
TOTAL MULTIPLE DX	686	5.0	57	1	1	2	6	11	17	42
TOTAL										
0-19 YRS	261	4.9	59	1	1	2	6	11	15	48
20-34	153	3.7	19	1	1	2	4	8	11	28
35-49	196	3.8	27	1	1	2	5	8	11	21
50-64	154	3.7	22	1	1	2	5	9	12	24
65+	116	6.6	120	1	1	3	7	17	25	71
GRAND TOTAL	880	4.4	47	1	1	2	5	10	15	31

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.9	4	<1	<1	<1	1	5	7	8
20-34	9	1.2		<1	<1	1	1	2	2	2
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	147	4.1	44	<1	1	2	4	8	18	41
20-34	102	7.5	85	1	2	5	10	16	26	47
35-49	68	6.8	54	1	2	4	8	18	26	87
50-64	53	5.4	47	1	2	3	7	16	19	98
65+	102	6.0	35	1	2	4	8	15	19	65
TOTAL SINGLE DX	35	1.6	2	<1	<1	1	1	4	5	8
TOTAL MULTIPLE DX	472	5.8	54	1	1	3	7	15	21	44
TOTAL										
0-19 YRS	165	3.9	40	<1	1	2	4	7	16	39
20-34	111	7.0	81	1	1	4	9	16	24	47
35-49	70	6.6	54	1	2	4	7	18	26	86
50-64	57	5.1	45	1	2	3	6	15	19	95
65+	104	6.0	36	1	2	4	7	15	19	64
GRAND TOTAL	507	5.5	52	<1	1	3	7	14	21	44

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	96	1.0		<1	<1	<1	<1	<1	<1	2
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	93	2.2	18	<1	<1	<1	2	3	7	26
20-34	8	13.3	735	<1	1	4	7	59	80	80
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	18.0	219	1	7	25	27	28	28	28
TOTAL SINGLE DX	101	1.1	1	<1	<1	<1	<1	<1	1	5
TOTAL MULTIPLE DX	110	3.5	81	<1	<1	1	2	5	21	49
TOTAL										
0-19 YRS	189	1.6	9	<1	<1	<1	<1	2	3	22
20-34	10	11.5	588	<1	1	4	8	44	80	80
35-49	6	2.5	1	1	2	2	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	11.4	191	<1	1	2	26	28	28	28
GRAND TOTAL	211	2.3	44	<1	<1	<1	1	3	6	28

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.4		<1	<1	1	2	2	3	4
20-34	3	1.0		1	1	1	1	1	1	1
35-49	4	4.3	21	1	1	2	7	11	11	11
50-64	6	2.2	5	<1	<1	1	2	6	7	7
65+	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX										
0-19 YRS	61	2.9	33	<1	1	2	2	3	14	93
20-34	18	4.3	46	1	2	3	4	6	21	31
35-49	27	4.7	44	1	1	2	4	16	23	26
50-64	24	4.3	132	1	1	2	2	4	22	58
65+	30	5.4	129	1	1	2	4	9	16	63
TOTAL SINGLE DX	54	1.9	5	<1	<1	1	2	3	6	13
TOTAL MULTIPLE DX	160	4.1	69	1	1	2	3	7	19	62
TOTAL										
0-19 YRS	99	2.3	21	<1	1	1	2	3	5	71
20-34	21	3.9	41	1	1	2	4	6	17	31
35-49	31	4.7	40	1	1	2	4	14	23	26
50-64	30	3.9	107	1	1	2	2	5	7	58
65+	33	5.4	120	1	1	2	4	11	16	63
GRAND TOTAL	214	3.5	53	<1	1	2	3	5	13	60

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	2.6	11	1	1	2	2	5	12	16
20-34	50	1.8		1	1	2	2	3	4	4
35-49	84	2.0	1	1	1	2	2	3	4	6
50-64	72	1.6		1	1	1	2	2	3	4
65 +	56	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	19	2.5	3	1	1	2	3	4	7	9
20-34	42	2.4	4	1	1	2	3	4	9	10
35-49	46	2.6	4	1	1	2	3	6	7	10
50-64	73	3.8	22	1	1	2	4	8	13	29
65 +	117	3.9	23	1	2	2	4	9	11	28
TOTAL SINGLE DX	304	2.0	2	1	1	2	2	3	4	8
TOTAL MULTIPLE DX	297	3.4	17	1	1	2	3	7	10	22
TOTAL										
0-19 YRS	61	2.6	9	1	1	2	3	5	9	16
20-34	92	2.1	3	1	1	2	2	3	4	10
35-49	130	2.2	2	1	1	2	3	3	6	8
50-64	145	2.7	13	1	1	2	3	5	8	22
65 +	173	3.3	17	1	2	2	3	5	10	21
GRAND TOTAL	601	2.7	10	1	1	2	3	5	7	16

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	207	2.1	1	1	1	2	3	3	4	6
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	398	2.9	18	1	2	2	3	4	6	22
20-34	7	2.1	1	1	1	2	3	4	4	4
35-49	15	1.9	1	<1	1	1	3	4	4	4
50-64	14	2.0	2	1	1	1	2	4	6	7
65 +	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	216	2.0	1	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	435	2.8	17	1	2	2	3	4	6	19
TOTAL										
0-19 YRS	605	2.6	13	1	1	2	3	4	5	11
20-34	11	1.9	1	1	1	2	2	3	4	4
35-49	16	1.9	1	<1	1	2	3	4	4	4
50-64	16	1.9	3	1	1	1	2	4	6	7
65 +	3	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	651	2.6	12	1	1	2	3	4	5	10

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	264	1.8	1	<1	1	1	2	3	5	8
20-34	30	2.6	3	<1	<1	2	4	5	6	8
35-49	37	3.1	6	<1	1	2	4	8	9	10
50-64	40	2.6	4	<1	1	2	4	5	7	10
65 +	27	1.5		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	330	3.0	13	1	1	2	3	6	10	20
20-34	120	4.7	15	1	2	4	6	9	12	21
35-49	102	6.2	36	1	2	5	8	13	17	32
50-64	98	8.6	118	1	3	6	11	18	24	67
65 +	142	6.5	65	1	2	4	9	13	17	30
TOTAL SINGLE DX	398	2.1	3	<1	1	1	2	4	5	9
TOTAL MULTIPLE DX	792	5.0	42	1	2	3	6	11	15	27
TOTAL										
0-19 YRS	594	2.5	8	1	1	2	3	5	7	16
20-34	150	4.3	14	1	2	3	6	9	11	20
35-49	139	5.4	30	1	1	4	8	11	16	23
50-64	138	6.9	93	<1	2	4	9	16	19	50
65 +	169	5.7	58	1	2	3	8	13	15	26
GRAND TOTAL	1190	4.0	31	1	1	2	5	9	12	24

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	399	1.1		<1	<1	1	1	1	2	3
20-34	172	1.2		<1	1	1	1	2	2	4
35-49	29	1.2		<1	1	1	1	2	2	2
50-64	5	3.2	3	1	2	3	4	6	6	6
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	362	1.4	1	<1	<1	1	1	2	4	8
20-34	106	2.0	4	1	1	1	2	4	6	11
35-49	49	2.9	29	1	1	1	3	5	7	38
50-64	22	5.8	36	1	1	3	10	15	20	22
65 +	5	2.0	3	1	1	1	3	5	5	5
TOTAL SINGLE DX	607	1.2		<1	1	1	1	2	2	4
TOTAL MULTIPLE DX	544	1.9	7	<1	1	1	2	3	5	13
TOTAL										
0-19 YRS	761	1.3	1	<1	<1	1	1	2	3	6
20-34	278	1.5	2	<1	1	1	1	2	4	9
35-49	78	2.3	10	1	1	1	2	4	5	30
50-64	27	5.3	31	1	1	3	8	14	19	22
65 +	7	2.4	5	1	1	1	4	6	6	6
GRAND TOTAL	1151	1.5	4	<1	1	1	1	2	4	10

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1025	1.1	1	<1	1	1	1	1	1	3
20-34	39	1.1		1	1	1	1	1	2	4
35-49	4	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1801	1.5	5	1	1	1	1	2	4	12
20-34	37	1.5	1	1	1	1	2	3	4	5
35-49	6	1.3		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	1068	1.1	1	<1	1	1	1	1	1	3
TOTAL MULTIPLE DX	1845	1.5	5	1	1	1	1	2	4	11
TOTAL										
0-19 YRS	2826	1.4	4	<1	1	1	1	2	3	9
20-34	76	1.3	1	1	1	1	1	2	3	5
35-49	10	1.2		1	1	1	1	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	2913	1.4	4	<1	1	1	1	2	3	9

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.0		<1	<1	1	1	1	1	2
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	201	2.3	9	<1	<1	1	1	7	10	16
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
TOTAL SINGLE DX	31	1.0		<1	<1	1	1	1	1	2
TOTAL MULTIPLE DX	204	2.3	10	<1	<1	1	1	7	10	16
TOTAL										
0-19 YRS	231	2.1	9	<1	<1	1	1	6	10	16
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
GRAND TOTAL	235	2.2	9	<1	<1	1	1	6	10	16

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	2.1	2	1	1	2	3	4	6	9
20-34	73	2.3	2	1	1	2	3	5	6	7
35-49	36	1.9	1	1	1	2	2	3	4	6
50-64	23	3.4	52	1	1	2	2	5	16	36
65 +	7	3.4	9	1	1	2	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	112	5.0	99	1	1	3	5	9	15	70
20-34	57	3.0	5	1	1	2	4	7	8	12
35-49	73	4.5	73	1	1	2	4	8	14	67
50-64	64	4.9	24	1	2	3	6	12	16	23
65 +	41	8.8	101	1	4	6	10	17	28	57
TOTAL SINGLE DX	337	2.3	6	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	347	5.0	67	1	1	3	5	10	15	57
TOTAL										
0-19 YRS	310	3.1	39	1	1	2	3	5	8	20
20-34	130	2.6	4	1	1	2	3	5	7	10
35-49	109	3.6	51	1	1	2	3	6	10	45
50-64	87	4.5	32	1	1	2	5	12	16	32
65 +	48	8.0	92	1	3	6	9	16	26	57
GRAND TOTAL	684	3.6	39	1	1	2	4	7	11	29

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	2.4	9	<1	1	1	2	8	11	11
20-34	7	3.7	18	1	1	2	4	11	13	13
35-49	7	2.6	7	<1	1	1	3	7	8	8
50-64	8	3.5	6	<1	1	3	6	7	8	8
65 +	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	44	6.4	66	1	2	4	8	14	17	50
20-34	12	5.2	66	1	1	2	4	17	27	29
35-49	19	4.1	21	1	2	2	5	8	16	21
50-64	47	6.4	84	1	2	4	8	11	14	61
65 +	57	4.9	22	1	2	3	6	10	19	21
TOTAL SINGLE DX	54	2.8	9	<1	1	1	4	8	10	13
TOTAL MULTIPLE DX	179	5.6	52	1	2	3	6	11	18	44
TOTAL										
0-19 YRS	72	4.8	47	<1	1	2	6	11	15	44
20-34	19	4.6	47	1	1	2	4	13	22	29
35-49	26	3.7	18	1	1	2	4	8	12	21
50-64	55	6.0	74	1	2	4	8	10	13	59
65 +	61	4.8	21	1	2	3	6	10	18	21
GRAND TOTAL	233	4.9	43	1	1	3	6	11	15	33

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	118	1.5	1	<1	1	1	1	2	4	9
20-34	9	1.3		<1	<1	1	2	2	2	2
35-49	18	1.8	8	<1	<1	<1	1	3	9	13
50-64	27	1.9	8	<1	<1	1	1	2	11	13
65+	29	1.4	1	<1	<1	<1	1	2	3	8
2. MULTIPLE DX										
0-19 YRS	63	5.0	58	1	1	2	6	9	22	41
20-34	10	3.4	9	<1	1	2	5	8	10	10
35-49	28	2.6	8	<1	1	1	3	6	11	13
50-64	40	4.7	41	1	1	3	5	11	15	37
65+	54	7.3	106	1	1	2	10	27	39	97
TOTAL SINGLE DX	201	1.5	3	<1	<1	1	1	2	4	12
TOTAL MULTIPLE DX	195	5.1	60	1	1	2	6	14	25	43
TOTAL										
0-19 YRS	181	2.7	24	<1	1	1	2	7	9	32
20-34	19	2.4	6	<1	1	1	2	6	9	10
35-49	46	2.3	9	<1	<1	1	2	5	11	13
50-64	67	3.6	30	<1	1	1	4	9	14	33
65+	83	5.2	77	<1	<1	1	5	17	29	81
GRAND TOTAL	396	3.3	35	<1	1	1	2	8	14	39

558. Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.8	49	<1	<1	2	10	18	18	18
20-34	0									
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	6	5.8	13	<1	2	7	7	11	11	11
65+	4	8.8	12	7	7	7	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	38	6.7	54	<1	2	4	15	24	99+	99+
20-34	0									
35-49	8	19.9	254	9	11	15	20	47	58	58
50-64	25	10.4	56	3	4	10	13	17	27	35
65+	16	13.9	245	1	5	9	17	27	54	65
TOTAL SINGLE DX	22	6.4	28	<1	1	7	9	15	18	18
TOTAL MULTIPLE DX	87	10.3	120	1	3	8	15	24	58	99+
TOTAL										
0-19 YRS	48	6.5	52	<1	1	4	14	23	96	99+
20-34	0									
35-49	10	17.1	234	6	9	13	19	39	58	58
50-64	31	9.5	51	2	4	9	12	16	24	35
65+	20	12.9	201	2	6	8	15	25	46	65
GRAND TOTAL	109	9.5	103	1	2	7	14	23	34	99+

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	14	10.1	7	8	8	9	11	15	16	16
65+	4	10.8	10	6	9	12	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	30.0	469	17	17	18	46	55	55	55
35-49	10	14.1	37	6	8	15	20	21	22	22
50-64	70	17.5	205	8	10	12	18	38	52	80
65+	56	16.1	129	8	9	13	18	28	41	61
TOTAL SINGLE DX	19	10.5	8	7	8	9	13	15	16	16
TOTAL MULTIPLE DX	139	17.0	168	8	9	13	18	30	48	64
TOTAL										
0-19 YRS	0									
20-34	3	30.0	469	17	17	18	46	55	55	55
35-49	11	14.2	34	6	9	15	19	21	22	22
50-64	84	16.3	179	8	9	12	16	31	44	76
65+	60	15.8	123	7	9	13	17	28	39	61
GRAND TOTAL	158	16.2	153	8	9	12	17	29	42	61

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	20.8	267	2	9	14	37	39	39	39
20-34	3	30.3	1430	8	8	9	58	74	74	74
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	7.4	29	1	5	7	9	16	16	16
65+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	81	30.8	400	11	16	30	59	99+	99+	99+
20-34	63	32.9	355	10	20	38	50	99+	99+	99+
35-49	69	30.4	590	5	12	34	69	99+	99+	99+
50-64	116	33.7	615	6	13	36	64	99+	99+	99+
65+	191	39.4	657	8	18	42	66	98	99+	99+
TOTAL SINGLE DX	16	15.9	358	2	6	9	15	39	63	74
TOTAL MULTIPLE DX	520	34.8	572	7	17	38	63	99+	99+	99+
TOTAL										
0-19 YRS	86	30.2	395	11	15	30	57	99+	99+	99+
20-34	66	32.8	383	9	19	38	51	99+	99+	99+
35-49	70	30.1	589	5	10	34	68	99+	99+	99+
50-64	121	32.6	618	6	11	36	63	99+	99+	99+
65+	193	39.1	661	8	18	42	65	97	99+	99+
GRAND TOTAL	536	34.3	575	7	15	37	62	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	5.1	22	<1	1	4	8	14	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	93	14.0	403	1	2	7	21	87	99+	99+
20-34	12	18.7	934	1	3	6	13	79	90	92
35-49	4	10.0	156	1	1	5	18	28	28	28
50-64	21	10.0	129	•1	2	6	21	49	99+	99+
65+	18	10.1	310	1	3	5	13	89	99+	99+
TOTAL SINGLE DX	34	4.5	21	<1	1	2	6	13	16	16
TOTAL MULTIPLE DX	148	13.2	385	1	2	6	18	81	99+	99+
TOTAL										
0-19 YRS	122	11.9	326	1	2	6	16	62	99+	99+
20-34	13	17.3	880	1	1	6	12	78	89	92
35-49	5	8.2	134	<1	1	2	14	28	28	28
50-64	22	9.5	127	1	2	6	19	43	99+	99+
65+	20	9.2	285	1	2	4	12	85	99+	99+
GRAND TOTAL	182	11.6	328	1	2	5	14	67	99+	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.6	4	<1	1	2	4	6	8	8
20-34	8	7.1	31	2	3	6	9	16	19	19
35-49	25	3.7	9	<1	<1	3	6	8	10	11
50-64	56	4.4	28	<1	<1	2	6	14	16	22
65+	52	2.7	12	<1	<1	<1	1	8	12	14
2. MULTIPLE DX										
0-19 YRS	79	8.5	62	1	2	6	12	21	24	36
20-34	135	11.5	71	3	5	9	15	23	28	41
35-49	202	10.9	106	3	5	9	13	19	29	61
50-64	475	10.0	55	2	5	8	13	19	25	34
65+	804	11.1	75	3	6	9	14	21	28	50
TOTAL SINGLE DX	158	3.7	19	<1	<1	1	5	10	13	21
TOTAL MULTIPLE DX	1695	10.7	73	3	5	9	14	21	27	46
TOTAL										
0-19 YRS	96	7.5	58	1	2	5	10	19	23	35
20-34	143	11.3	70	3	5	9	15	23	27	40
35-49	227	10.1	101	2	4	8	13	19	28	55
50-64	531	9.5	56	2	4	8	13	19	23	34
65+	856	10.6	75	2	5	9	14	21	27	47
GRAND TOTAL	1853	10.1	72	2	4	9	13	20	28	44

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	5	13.2	189	1	2	7	27	30	30	30
20-34	2	16.5	221	6	6	16	27	27	27	27
35-49	0									
50-64	3	17.0	64	9	11	17	23	25	25	25
65+	0									
TOTAL SINGLE DX	1	5.0		5	5	5	5	5	5	5
TOTAL MULTIPLE DX	10	15.0	127	1	6	13	26	28	30	30
TOTAL										
0-19 YRS	5	13.2	190	1	2	7	27	30	30	30
20-34	3	12.7	154	5	5	6	22	27	27	27
35-49	0									
50-64	3	17.0	64	9	11	17	23	25	25	25
65+	0									
GRAND TOTAL	11	14.1	123	2	5	9	26	28	30	30

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	6.2	5	3	5	6	7	9	10	11
20-34	32	7.2	15	3	4	6	9	12	15	18
35-49	47	7.4	25	3	5	6	9	12	17	30
50-64	82	5.9	17	2	3	5	8	10	12	25
65+	46	6.2	29	<1	2	6	8	11	14	32
2. MULTIPLE DX										
0-19 YRS	89	14.5	226	4	6	10	18	37	69	99+
20-34	163	13.3	106	4	6	10	20	27	36	58
35-49	321	12.6	118	4	7	10	15	23	33	70
50-64	726	11.6	85	3	6	9	15	22	30	48
65+	1195	11.9	83	3	6	10	15	23	30	48
TOTAL SINGLE DX	226	6.5	20	2	4	6	8	11	13	26
TOTAL MULTIPLE DX	2494	12.1	95	4	6	9	15	24	32	54
TOTAL										
0-19 YRS	108	13.0	197	4	6	9	16	30	62	99+
20-34	195	12.3	96	4	6	9	16	25	34	54
35-49	368	12.0	110	4	6	9	14	23	32	64
50-64	808	11.0	81	3	5	8	14	21	29	47
65+	1241	11.7	83	3	6	9	15	23	29	47
GRAND TOTAL	2720	11.6	92	3	6	9	15	23	31	53

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	7.5	10	4	5	7	8	13	13	13
20-34	3	8.3	16	6	6	6	11	13	13	13
35-49	12	7.1	4	5	5	7	9	10	11	11
50-64	36	8.6	18	5	7	8	9	12	18	27
65 +	29	8.7	8	5	7	8	10	13	15	16
2. MULTIPLE DX										
0-19 YRS	24	17.3	189	7	8	12	23	49	65	99 +
20-34	8	10.9	113	5	6	7	9	29	37	37
35-49	67	12.2	59	6	7	9	14	25	27	44
50-64	272	12.6	62	6	8	10	15	22	27	41
65 +	417	14.9	99	7	9	12	17	27	33	65
TOTAL SINGLE DX	86	8.3	12	5	6	8	9	13	14	24
TOTAL MULTIPLE DX	788	13.9	87	7	8	11	16	25	31	57
TOTAL										
0-19 YRS	30	15.3	168	6	7	10	20	44	54	99 +
20-34	11	10.2	84	5	6	7	10	23	36	37
35-49	79	11.4	54	6	7	9	13	24	27	42
50-64	308	12.1	59	6	8	10	15	22	25	40
65 +	446	14.5	96	7	9	12	16	26	32	63
GRAND TOTAL	874	13.3	83	7	8	11	15	24	30	54

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	172	2.4	8	< 1	1	1	2	6	8	16
20-34	8	2.4	2	< 1	1	2	4	5	5	5
35-49	15	5.2	10	2	3	4	8	10	11	11
50-64	24	4.8	17	< 1	1	3	8	12	12	12
65 +	14	11.9	593	1	2	5	8	24	79	95
2. MULTIPLE DX										
0-19 YRS	417	9.6	138	1	2	6	12	24	34	95
20-34	118	11.4	104	3	6	9	15	21	31	53
35-49	153	10.1	53	2	5	8	14	20	24	35
50-64	266	10.5	89	2	5	9	14	20	27	53
65 +	433	11.6	103	3	6	9	14	22	31	53
TOTAL SINGLE DX	233	3.4	48	< 1	1	2	4	7	11	17
TOTAL MULTIPLE DX	1387	10.6	106	2	4	8	14	21	30	64
TOTAL										
0-19 YRS	589	7.5	111	1	1	4	10	18	29	77
20-34	126	10.8	103	2	5	8	14	21	30	50
35-49	168	9.7	51	2	4	8	13	20	24	35
50-64	290	10.0	86	2	4	8	13	19	27	52
65 +	447	11.6	118	2	5	9	14	22	31	67
GRAND TOTAL	1620	9.6	104	1	3	7	13	20	28	59

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	6.0	12	3	3	6	7	12	13	13
20-34	12	4.3	4	2	3	4	5	8	8	8
35-49	9	3.9	4	1	3	4	4	7	9	9
50-64	3	8.7	56	1	3	9	14	16	16	16
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	9.3	71	2	4	5	14	23	27	27
20-34	28	10.6	86	3	5	7	11	28	34	35
35-49	23	12.7	201	3	6	7	12	32	47	64
50-64	34	10.5	89	1	5	7	15	31	37	99 +
65 +	18	16.8	133	4	9	16	21	36	42	44
TOTAL SINGLE DX	31	5.0	11	2	3	4	6	9	13	16
TOTAL MULTIPLE DX	113	11.9	118	3	5	8	16	31	37	77
TOTAL										
0-19 YRS	17	7.9	47	2	4	6	10	19	25	27
20-34	40	8.7	70	3	4	6	9	20	32	35
35-49	32	10.3	161	2	4	6	10	24	37	64
50-64	37	10.4	85	1	5	8	16	30	36	99 +
65 +	18	16.8	134	4	9	16	21	36	42	44
GRAND TOTAL	144	10.4	103	3	4	7	12	27	34	66

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	4.5	8	1	2	4	6	9	11	13
20-34	196	4.6	7	2	3	4	5	8	10	15
35-49	77	5.0	16	2	3	4	6	10	12	23
50-64	27	5.1	8	2	3	4	7	9	11	14
65 +	16	4.4	2	3	3	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	218	12.4	268	3	4	7	13	24	44	82
20-34	389	7.6	54	3	4	5	9	14	20	43
35-49	310	9.6	86	3	4	7	12	18	24	59
50-64	366	10.7	63	3	5	8	14	21	27	41
65 +	520	11.7	92	4	6	9	15	23	30	44
TOTAL SINGLE DX	403	4.7	9	2	3	4	6	8	10	15
TOTAL MULTIPLE DX	1803	10.3	101	3	4	7	13	20	28	55
TOTAL										
0-19 YRS	305	10.1	207	2	4	5	10	18	35	77
20-34	585	6.6	41	2	3	5	8	12	18	39
35-49	387	8.7	76	3	4	6	10	17	23	54
50-64	393	10.3	62	3	5	8	13	20	26	41
65 +	536	11.5	92	4	5	9	15	22	30	43
GRAND TOTAL	2206	9.3	89	3	4	6	11	19	26	47

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	128	4.9	6	2	3	4	6	8	9	15
20-34	27	4.6	18	1	1	3	8	11	13	16
35-49	40	3.0	6	<1	1	2	4	7	9	10
50-64	30	4.7	23	1	1	4	6	9	10	25
65 +	13	5.5	17	1	2	5	8	12	14	15
2. MULTIPLE DX										
0-19 YRS	130	9.9	73	3	5	7	12	22	25	45
20-34	122	11.4	97	2	5	9	14	24	36	69
35-49	128	13.3	195	2	4	9	17	32	43	73
50-64	208	10.1	76	1	4	8	13	23	27	49
65 +	298	11.1	113	2	4	8	14	26	36	59
TOTAL SINGLE DX	238	4.6	11	1	2	4	6	8	10	16
TOTAL MULTIPLE DX	886	11.0	109	2	4	8	14	24	34	58
TOTAL										
0-19 YRS	258	7.4	46	3	4	5	8	15	22	32
20-34	149	10.1	90	1	4	8	13	21	34	57
35-49	168	10.9	170	1	2	6	14	27	39	68
50-64	238	9.4	73	1	3	7	13	22	27	45
65 +	311	10.9	111	2	4	8	14	25	35	59
GRAND TOTAL	1124	9.7	95	2	4	7	12	22	29	55

570: Open heart operations (33.6; 35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	6.0	16	1	4	6	8	10	12	18
20-34	14	7.1	1	6	7	7	8	9	9	9
35-49	11	7.8	1	7	7	8	8	9	10	10
50-64	15	9.3	7	7	7	9	10	11	16	18
65 +	10	8.9	15	4	6	9	11	14	16	16
2. MULTIPLE DX										
0-19 YRS	937	12.6	139	5	6	9	15	26	39	79
20-34	67	14.8	150	5	8	11	17	34	40	62
35-49	180	15.0	140	7	9	11	16	30	43	98
50-64	396	15.8	130	8	9	12	19	27	35	98
65 +	596	17.3	166	8	10	14	21	30	42	99 +
TOTAL SINGLE DX	248	6.4	15	1	4	6	8	10	12	18
TOTAL MULTIPLE DX	2176	14.7	149	6	8	11	17	28	40	96
TOTAL										
0-19 YRS	1135	11.5	124	4	6	8	13	23	37	74
20-34	81	13.5	133	5	7	9	16	29	37	61
35-49	191	14.5	135	7	8	11	16	29	41	97
50-64	411	15.6	127	7	9	12	19	27	35	97
65 +	606	17.2	165	8	10	14	21	30	42	99 +
GRAND TOTAL	2424	13.9	142	5	7	10	17	27	38	93

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.6		2	2	3	3	3	3	3
35-49	77	3.4	6	1	1	3	5	7	9	11
50-64	178	3.4	6	1	2	2	4	8	9	12
65 +	102	3.1	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	4	7.0	72	1	1	4	13	19	19	19
20-34	36	7.3	31	2	3	7	9	13	19	29
35-49	1083	5.4	11	2	3	5	7	10	12	16
50-64	2590	5.8	19	2	3	5	8	11	13	22
65 +	2463	7.1	34	2	3	6	9	14	17	28
TOTAL SINGLE DX	364	3.3	6	1	2	2	4	7	9	11
TOTAL MULTIPLE DX	6176	6.3	25	2	3	5	8	12	15	24
TOTAL										
0-19 YRS	6	5.0	53	1	1	1	7	18	19	19
20-34	41	6.8	30	2	3	7	9	12	18	29
35-49	1160	5.3	12	2	3	5	7	10	12	16
50-64	2768	5.6	19	2	3	5	8	11	13	22
65 +	2565	6.9	34	2	3	6	9	13	16	28
GRAND TOTAL	6540	6.1	24	2	3	5	8	11	14	23

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	26	9.8	18	6	8	8	11	12	23	23
50-64	83	9.4	11	7	7	8	11	13	18	21
65 +	64	9.9	16	7	7	9	13	15	16	21
2. MULTIPLE DX										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	16	10.9	31	6	7	9	13	22	23	23
35-49	709	11.1	35	7	8	9	12	16	22	36
50-64	2635	12.1	46	7	8	10	14	18	22	42
65 +	2911	14.7	74	8	9	12	17	24	31	55
TOTAL SINGLE DX	173	9.7	14	6	7	8	11	14	18	23
TOTAL MULTIPLE DX	6272	13.2	60	7	9	11	15	21	27	47
TOTAL										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	16	10.9	32	6	7	9	13	22	23	23
35-49	735	11.0	35	7	8	9	12	16	22	35
50-64	2718	12.0	46	7	8	10	14	18	22	42
65 +	2975	14.6	74	8	9	12	17	24	31	54
GRAND TOTAL	6445	13.1	59	7	9	11	15	21	26	46

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	312	1.5	2	< 1	1	1	2	2	3	9
20-34	54	2.4	2	1	1	2	3	5	6	7
35-49	443	2.4	3	1	1	2	3	5	6	10
50-64	614	2.3	5	1	1	1	3	5	7	11
65 +	246	2.7	9	1	1	1	3	6	10	16
2. MULTIPLE DX										
0-19 YRS	955	2.9	34	< 1	1	1	2	6	11	38
20-34	349	4.2	13	1	2	3	6	9	12	17
35-49	3636	4.2	15	1	2	3	6	8	10	17
50-64	7835	4.5	17	1	1	3	6	9	12	20
65 +	7750	5.7	27	1	2	4	8	12	15	25
TOTAL SINGLE DX	1669	2.2	5	1	1	1	3	5	6	11
TOTAL MULTIPLE DX	20525	4.8	22	1	2	4	7	10	13	22
TOTAL										
0-19 YRS	1267	2.6	27	< 1	1	1	2	5	9	25
20-34	403	4.0	13	1	1	3	5	8	11	17
35-49	4079	4.0	15	1	1	3	5	8	10	17
50-64	8449	4.3	17	1	1	3	6	9	11	19
65 +	7996	5.6	27	1	2	4	7	11	15	24
GRAND TOTAL	**22194**	**4.6**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	3.7	8	1	2	3	5	6	10	14
20-34	8	4.9	16	2	2	3	7	11	13	13
35-49	14	3.0	10	1	1	2	4	6	11	13
50-64	37	4.4	11	1	2	3	6	9	11	16
65 +	122	3.4	8	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	78	6.4	49	2	3	4	7	13	22	39
20-34	29	9.1	101	1	2	4	11	24	35	36
35-49	95	8.5	96	2	3	5	10	20	24	59
50-64	436	8.9	76	2	3	6	11	19	26	44
65 +	2516	8.5	60	2	4	7	11	17	23	39
TOTAL SINGLE DX	208	3.6	10	1	2	3	5	8	10	15
TOTAL MULTIPLE DX	3154	8.5	64	2	3	6	11	17	23	40
TOTAL										
0-19 YRS	105	5.7	40	1	2	4	6	11	15	36
20-34	37	8.2	85	1	2	4	10	23	31	36
35-49	109	7.8	88	1	3	4	10	19	24	58
50-64	473	8.5	73	2	3	6	11	19	25	42
65 +	2638	8.3	59	2	3	6	10	17	22	38
GRAND TOTAL	**3362**	**8.2**	**62**	**2**	**3**	**6**	**10**	**17**	**23**	**39**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	6.5	30	1	2	6	8	12	22	24
20-34	5	8.4	12	5	6	7	10	14	14	14
35-49	13	4.8	10	< 1	1	6	7	9	10	10
50-64	3	3.3	5	2	2	2	5	6	6	6
65 +	2	12.5	113	5	5	12	20	20	20	20
2. MULTIPLE DX										
0-19 YRS	112	8.4	94	1	2	7	11	15	23	57
20-34	72	10.6	74	3	5	9	13	19	34	86
35-49	104	10.8	68	3	6	9	13	23	27	44
50-64	175	12.0	115	2	6	9	15	22	30	57
65 +	165	14.5	100	5	8	12	17	29	35	50
TOTAL SINGLE DX	53	6.3	26	1	2	6	8	11	19	24
TOTAL MULTIPLE DX	628	11.7	99	2	6	9	14	23	32	50
TOTAL										
0-19 YRS	142	8.0	81	1	2	7	10	15	23	47
20-34	77	10.4	71	3	5	9	13	19	32	86
35-49	117	10.1	66	2	6	8	12	22	26	43
50-64	178	11.9	114	2	6	9	15	22	30	57
65 +	167	14.4	100	5	8	12	17	29	35	50
GRAND TOTAL	**681**	**11.2**	**95**	**2**	**5**	**9**	**14**	**22**	**30**	**50**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	194	2.7	19	< 1	1	1	2	6	8	19
20-34	34	2.8	6	1	1	2	4	6	9	11
35-49	38	2.3	3	< 1	1	1	3	5	6	8
50-64	41	3.4	10	< 1	1	2	5	8	9	16
65 +	31	4.0	13	< 1	1	3	6	9	13	14
2. MULTIPLE DX										
0-19 YRS	402	6.9	111	1	2	4	8	14	22	73
20-34	188	8.5	53	2	3	7	11	18	28	40
35-49	284	9.5	74	2	4	7	13	19	25	39
50-64	649	9.4	61	2	4	8	12	19	23	37
65 +	1397	11.2	83	3	6	9	14	21	27	48
TOTAL SINGLE DX	338	2.9	15	< 1	1	2	3	7	8	16
TOTAL MULTIPLE DX	2920	9.9	82	2	4	8	13	20	26	46
TOTAL										
0-19 YRS	596	5.5	85	< 1	1	2	6	12	17	58
20-34	222	7.6	51	1	2	6	10	16	24	37
35-49	322	8.7	72	1	3	6	12	18	24	38
50-64	690	9.1	61	2	4	7	12	19	22	37
65 +	1428	11.1	83	3	5	9	14	21	27	47
GRAND TOTAL	**3258**	**9.1**	**80**	**1**	**3**	**7**	**12**	**19**	**25**	**45**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	65	1.6	1	< 1	1	1	2	3	4	8
35-49	99	1.9	1	< 1	1	1	2	3	4	8
50-64	69	1.6		1	1	1	2	3	4	5
65 +	20	3.0	10	1	1	2	3	8	12	13
2. MULTIPLE DX										
0-19 YRS	3	7.7	37	1	3	9	12	13	13	13
20-34	28	1.9	2	1	1	1	2	5	5	6
35-49	58	2.2	2	1	1	2	2	4	6	9
50-64	77	3.6	21	1	1	2	4	8	13	27
65 +	53	5.6	53	1	2	3	7	11	22	37
TOTAL SINGLE DX	255	1.8	2	< 1	1	1	2	3	4	8
TOTAL MULTIPLE DX	219	3.5	24	1	1	2	4	8	11	30
TOTAL										
0-19 YRS	5	5.2	30	< 1	1	2	10	13	13	13
20-34	93	1.7	2	< 1	1	1	2	3	5	7
35-49	157	2.0	2	1	1	2	2	4	5	8
50-64	146	2.6	13	1	1	2	3	4	8	21
65 +	73	4.8	43	1	2	2	5	10	19	36
GRAND TOTAL	**474**	**2.6**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**21**

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	8.7	23	5	6	8	9	14	22	24
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	22	6.0	8	2	3	6	8	10	11	12
50-64	67	5.7	7	3	4	5	7	9	11	16
65 +	28	8.4	53	4	5	6	9	13	23	40
2. MULTIPLE DX										
0-19 YRS	147	13.9	119	6	7	10	16	29	42	99 +
20-34	27	17.8	318	6	8	10	25	33	54	88
35-49	203	11.0	67	4	6	8	12	21	26	39
50-64	870	11.3	94	5	6	8	12	21	28	55
65 +	1640	12.6	95	5	7	10	15	23	31	55
TOTAL SINGLE DX	133	6.6	20	3	4	6	8	10	13	27
TOTAL MULTIPLE DX	2887	12.2	97	5	7	9	14	23	31	56
TOTAL										
0-19 YRS	160	13.4	114	6	7	10	15	28	41	95
20-34	30	16.4	303	4	7	10	22	33	48	88
35-49	225	10.5	64	4	6	8	12	19	25	39
50-64	937	10.9	90	4	6	8	12	20	26	55
65 +	1668	12.5	95	5	7	10	15	23	31	55
GRAND TOTAL	**3020**	**11.9**	**95**	**5**	**7**	**9**	**14**	**22**	**30**	**55**

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	4.0	6	1	2	4	6	7	7	7
20-34	4	1.3		< 1	< 1	1	2	2	2	2
35-49	7	13.9	757	< 1	2	2	7	62	76	76
50-64	5	14.0	434	1	4	5	19	51	51	51
65 +	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	63	6.9	58	2	2	4	7	16	22	93
20-34	289	6.0	39	2	3	4	7	12	17	38
35-49	491	6.6	56	2	3	5	8	13	17	31
50-64	767	6.6	35	2	3	5	8	13	18	34
65 +	969	7.7	56	2	3	5	9	16	22	42
TOTAL SINGLE DX	23	8.6	320	1	1	3	6	17	60	76
TOTAL MULTIPLE DX	2579	7.0	49	2	3	5	8	14	19	37
TOTAL										
0-19 YRS	67	6.7	55	2	2	4	7	16	21	91
20-34	293	6.0	39	2	3	4	7	12	17	38
35-49	498	6.7	66	2	3	5	8	13	17	34
50-64	772	6.6	38	2	3	5	8	13	18	34
65 +	972	7.7	57	2	3	5	9	16	22	42
GRAND TOTAL	**2602**	**7.0**	**51**	**2**	**3**	**5**	**8**	**14**	**19**	**38**

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.4		< 1	1	1	2	2	2	2
20-34	11	2.8	7	< 1	1	2	3	8	8	8
35-49	20	4.0	24	< 1	1	2	5	8	15	22
50-64	21	4.1	21	< 1	1	3	5	9	15	21
65 +	15	3.5	18	< 1	1	2	4	10	14	16
2. MULTIPLE DX										
0-19 YRS	31	13.4	334	1	2	9	18	28	32	98
20-34	196	7.9	71	1	2	5	11	18	22	41
35-49	392	8.0	63	1	2	5	11	19	26	49
50-64	617	10.0	118	1	3	6	13	22	30	55
65 +	790	11.0	135	2	3	8	15	25	34	64
TOTAL SINGLE DX	74	3.5	17	< 1	1	2	4	8	10	22
TOTAL MULTIPLE DX	2026	9.9	115	1	3	7	13	22	30	60
TOTAL										
0-19 YRS	38	11.2	293	1	2	5	16	26	32	98
20-34	207	7.7	69	1	2	5	10	18	22	40
35-49	412	7.8	62	1	2	5	11	19	25	49
50-64	638	9.8	117	1	3	6	13	22	30	54
65 +	805	10.9	134	2	3	7	14	25	33	63
GRAND TOTAL	**2100**	**9.6**	**113**	**1**	**2**	**6**	**13**	**22**	**30**	**59**

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	8	3.6	3	2	3	3	4	7	8	8
50-64	65	3.8	3	2	3	3	4	5	7	12
65 +	130	4.2	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	54	7.0	26	3	3	5	9	15	18	22
50-64	557	6.4	28	3	4	5	8	12	15	25
65 +	1440	7.1	42	3	4	5	8	14	17	34
TOTAL SINGLE DX	203	4.1	3	2	3	4	5	6	7	11
TOTAL MULTIPLE DX	2053	6.9	38	3	4	5	8	13	17	31
TOTAL										
0-19 YRS	0									
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	62	6.6	24	2	3	5	8	15	18	22
50-64	622	6.1	26	3	3	4	7	12	15	24
65 +	1570	6.9	40	3	4	5	8	13	16	32
GRAND TOTAL	2256	6.7	36	3	4	5	8	12	16	29

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	233	5.6	52	1	3	4	6	9	13	35
20-34	60	4.4	27	1	1	2	6	11	13	26
35-49	86	4.5	14	1	2	3	6	9	14	17
50-64	150	5.4	22	1	1	4	8	12	15	22
65 +	103	5.0	14	1	2	4	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	1493	17.0	355	3	5	10	24	56	88	99 +
20-34	394	10.0	140	1	3	6	13	22	33	69
35-49	677	9.5	117	1	3	6	12	23	36	66
50-64	1588	9.8	103	1	3	7	12	21	29	55
65 +	3102	11.2	113	2	5	9	14	23	31	63
TOTAL SINGLE DX	632	5.2	32	1	2	4	7	10	13	24
TOTAL MULTIPLE DX	7254	11.9	170	2	4	8	14	27	42	99 +
TOTAL										
0-19 YRS	1726	15.4	330	2	5	8	21	51	82	99 +
20-34	454	9.3	129	1	2	6	11	22	32	62
35-49	763	8.9	108	1	2	6	11	21	33	62
50-64	1738	9.4	98	1	3	7	12	20	28	54
65 +	3205	11.0	112	2	4	8	14	22	31	62
GRAND TOTAL	7886	11.3	162	2	4	8	14	26	40	99 +

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	123	2.8	7	< 1	1	2	4	7	9	14
20-34	33	2.2	4	< 1	1	1	2	5	7	11
35-49	43	3.4	21	< 1	1	2	4	8	15	21
50-64	45	3.2	5	< 1	1	2	4	7	8	9
65 +	39	2.8	8	< 1	< 1	1	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	102	7.5	61	1	3	6	9	14	25	72
20-34	88	8.8	73	1	2	7	12	18	24	44
35-49	119	8.0	95	1	2	5	9	16	27	57
50-64	186	8.0	66	1	3	6	10	18	22	42
65 +	284	9.7	100	1	3	7	12	21	27	50
TOTAL SINGLE DX	283	2.9	9	< 1	1	2	4	7	9	15
TOTAL MULTIPLE DX	779	8.6	84	1	3	6	10	18	25	48
TOTAL										
0-19 YRS	225	5.0	37	< 1	1	3	7	10	14	45
20-34	121	7.0	63	< 1	1	4	9	16	22	43
35-49	162	6.8	80	1	2	4	9	15	22	46
50-64	231	7.1	58	1	2	6	9	14	21	36
65 +	323	8.8	94	1	3	6	11	20	25	49
GRAND TOTAL	1062	7.1	70	1	2	5	9	16	23	45

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.2	5	1	2	2	4	7	9	9
20-34	7	4.4	6	1	2	5	7	8	8	8
35-49	25	4.0	16	1	1	2	6	10	12	14
50-64	36	3.2	5	1	1	2	4	7	8	11
65 +	35	4.6	15	2	3	4	5	7	11	23
2. MULTIPLE DX										
0-19 YRS	5	12.2	69	7	8	9	14	27	27	27
20-34	22	5.8	11	1	3	6	8	10	12	13
35-49	58	7.1	77	2	3	4	8	13	29	44
50-64	144	6.7	52	1	3	4	9	13	16	39
65 +	246	6.6	32	2	4	5	8	14	17	33
TOTAL SINGLE DX	112	3.9	11	1	2	3	5	8	10	17
TOTAL MULTIPLE DX	475	6.7	44	2	3	5	8	13	17	40
TOTAL										
0-19 YRS	14	6.4	45	1	2	4	9	12	24	27
20-34	29	5.4	10	1	3	5	8	10	11	13
35-49	83	6.2	61	1	2	3	8	12	19	44
50-64	180	6.0	45	1	2	4	8	12	15	37
65 +	281	6.4	31	2	3	5	7	12	16	31
GRAND TOTAL	587	6.2	39	1	3	5	8	12	15	37

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	40.3	104	31	36	38	40	58	60	60
20-34	2	40.5	113	33	33	40	48	48	48	48
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	40	50.2	394	28	35	46	67	87	97	99 +
20-34	4	46.8	203	31	35	47	58	62	62	62
35-49	11	46.7	118	36	38	44	54	64	69	69
50-64	3	41.7	57	33	36	45	46	47	47	47
65 +	0									
TOTAL SINGLE DX	8	40.4	91	31	34	38	44	56	60	60
TOTAL MULTIPLE DX	58	48.9	308	29	37	45	62	80	95	99 +
TOTAL										
0-19 YRS	46	48.9	365	29	36	43	63	83	96	99 +
20-34	6	44.7	155	31	33	43	55	61	62	62
35-49	11	46.7	118	36	38	44	54	64	69	69
50-64	3	41.7	57	33	36	45	46	47	47	47
65 +	0									
GRAND TOTAL	66	47.8	288	30	36	44	60	79	95	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	236	4.5	12	1	2	4	6	9	11	18
20-34	60	4.7	11	1	2	4	6	9	13	16
35-49	55	3.0	6	< 1	1	2	5	7	8	9
50-64	33	5.9	34	1	2	5	7	12	22	23
65 +	20	6.6	10	3	4	6	9	11	12	13
2. MULTIPLE DX										
0-19 YRS	489	8.8	73	2	4	6	10	20	27	41
20-34	305	11.5	122	4	6	8	13	27	36	77
35-49	324	10.2	88	3	5	7	12	21	27	47
50-64	431	11.8	115	4	6	8	14	25	34	62
65 +	1072	12.0	100	4	6	9	14	24	32	52
TOTAL SINGLE DX	404	4.6	14	1	2	4	6	9	11	21
TOTAL MULTIPLE DX	2621	11.1	100	3	5	8	13	23	31	52
TOTAL										
0-19 YRS	725	7.4	58	2	3	5	9	15	24	38
20-34	365	10.4	111	3	5	7	12	23	34	60
35-49	379	9.2	83	2	4	7	11	19	26	42
50-64	464	11.4	112	3	5	8	13	23	33	61
65 +	1092	11.9	99	4	5	9	14	24	32	51
GRAND TOTAL	3025	10.2	94	3	4	7	12	21	30	51

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	172	7.2	70	1	2	5	9	15	19	49
20-34	48	8.2	42	1	3	7	11	17	24	25
35-49	32	6.8	39	1	3	5	8	13	16	34
50-64	33	5.4	44	< 1	1	3	7	12	15	35
65 +	21	6.0	98	< 1	< 1	2	5	18	34	39
2. MULTIPLE DX										
0-19 YRS	656	15.2	250	2	5	10	21	38	57	99 +
20-34	378	11.8	103	3	5	9	14	25	36	50
35-49	609	11.7	131	2	4	8	15	26	34	81
50-64	802	11.9	118	2	5	9	15	25	34	54
65 +	1192	15.3	178	3	6	12	20	32	42	77
TOTAL SINGLE DX	306	7.0	62	1	2	5	9	15	20	38
TOTAL MULTIPLE DX	3637	13.6	166	3	5	10	18	30	41	81
TOTAL										
0-19 YRS	828	13.5	224	2	4	9	18	33	54	99 +
20-34	426	11.4	98	2	5	9	14	24	35	50
35-49	641	11.5	128	2	4	8	15	26	34	80
50-64	835	11.7	117	2	5	9	15	25	34	53
65 +	1213	15.1	179	3	6	11	20	32	41	77
GRAND TOTAL	3943	13.1	160	2	5	9	17	29	39	78

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.2	5	< 1	< 1	2	6	6	6	6
20-34	2	16.0	162	7	7	16	25	25	25	25
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	35	9.7	132	2	3	5	12	24	41	43
20-34	6	11.7	50	3	10	11	12	23	24	24
35-49	6	7.3	12	4	5	6	8	13	14	14
50-64	15	6.1	8	3	4	6	8	11	11	11
65 +	26	8.6	95	2	4	7	9	11	28	52
TOTAL SINGLE DX	9	5.8	58	< 1	1	3	6	18	25	25
TOTAL MULTIPLE DX	88	8.8	87	2	4	6	10	19	26	49
TOTAL										
0-19 YRS	41	8.8	119	2	3	4	9	23	40	43
20-34	8	12.8	63	3	8	11	18	25	25	25
35-49	6	7.3	13	4	5	6	8	13	14	14
50-64	16	5.8	10	1	4	5	7	11	11	11
65 +	26	8.6	96	2	4	7	9	11	28	52
GRAND TOTAL	97	8.5	84	2	3	6	10	19	25	48

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	2.8	11	<1	1	1	4	6	11	16
20-34	9	3.4	23	1	1	1	3	11	16	16
35-49	14	2.9	8	1	1	1	3	9	9	9
50-64	32	4.9	17	<1	1	4	7	10	12	19
65+	24	3.1	17	<1	<1	1	3	9	13	17
2. MULTIPLE DX										
0-19 YRS	149	8.8	176	1	1	4	12	24	35	99+
20-34	52	8.2	86	1	3	5	9	20	41	98
35-49	161	7.7	65	1	3	5	9	16	27	53
50-64	296	9.3	89	2	4	7	12	20	27	87
65+	445	9.6	95	2	4	7	12	20	29	64
TOTAL SINGLE DX	142	3.4	15	<1	1	1	5	9	12	17
TOTAL MULTIPLE DX	1103	9.1	100	1	3	6	12	20	29	76
TOTAL										
0-19 YRS	212	7.0	135	1	1	2	9	18	28	92
20-34	61	7.5	80	1	3	5	8	17	37	93
35-49	175	7.4	63	1	2	5	9	16	26	51
50-64	328	8.9	84	2	3	7	11	19	25	79
65+	469	9.2	94	1	3	7	12	20	28	62
GRAND TOTAL	**1245**	**8.4**	**94**	**1**	**2**	**6**	**11**	**18**	**27**	**74**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	496	2.7	1	2	2	3	3	4	5	6
20-34	1	9.0		9	9	9	9	9	9	9
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	228	4.8	18	2	3	4	5	8	11	26
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	3	8.0	57	1	2	7	14	16	16	16
50-64	6	10.8	65	5	6	7	14	25	26	26
65+	7	23.9	123	13	15	21	30	42	44	44
TOTAL SINGLE DX	497	2.7	1	2	2	3	3	4	5	6
TOTAL MULTIPLE DX	246	5.6	33	2	3	4	6	10	16	32
TOTAL										
0-19 YRS	724	3.4	8	2	2	3	4	5	7	14
20-34	3	8.7	2	7	7	9	10	10	10	10
35-49	3	8.0	57	1	2	7	14	16	16	16
50-64	6	10.8	66	5	6	7	14	25	26	26
65+	7	23.9	124	13	15	21	30	42	44	44
GRAND TOTAL	**743**	**3.7**	**14**	**2**	**2**	**3**	**4**	**6**	**8**	**25**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	5.9	15	2	3	4	8	12	14	14
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	21.0	722	2	2	21	40	40	40	40
65+	9	12.0	111	1	2	9	21	27	27	27
2. MULTIPLE DX										
0-19 YRS	163	13.9	273	2	4	8	18	39	62	99+
20-34	38	16.6	308	3	5	11	22	58	90	99+
35-49	46	22.2	479	4	7	17	37	90	99+	99+
50-64	162	18.2	239	3	7	15	27	42	73	99+
65+	1240	20.4	284	4	9	16	27	44	61	99+
TOTAL SINGLE DX	23	9.7	102	2	2	6	13	27	32	40
TOTAL MULTIPLE DX	1649	19.5	288	4	8	15	27	45	65	99+
TOTAL										
0-19 YRS	172	13.5	263	2	4	8	17	37	60	99+
20-34	39	16.5	301	3	5	11	22	58	89	99+
35-49	48	21.5	472	3	7	15	36	86	99+	99+
50-64	164	18.2	241	3	7	15	27	42	73	99+
65+	1249	20.3	284	4	9	15	27	44	61	99+
GRAND TOTAL	**1672**	**19.4**	**287**	**4**	**8**	**15**	**27**	**45**	**65**	**99+**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	4.2	13	< 1	< 1	3	7	9	9	9
50-64	8	6.4	23	3	4	5	6	14	18	18
65 +	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	14	5.7	17	1	4	5	6	13	13	13
20-34	16	3.7	8	1	2	3	4	8	10	11
35-49	36	7.2	49	1	3	5	10	15	21	37
50-64	96	7.2	38	3	4	5	9	13	15	38
65 +	216	8.7	38	3	5	7	11	17	20	41
TOTAL SINGLE DX	20	5.3	16	1	2	5	7	10	14	18
TOTAL MULTIPLE DX	378	7.9	39	2	4	6	10	15	19	38
TOTAL										
0-19 YRS	17	5.4	15	1	3	5	6	13	13	13
20-34	18	3.4	8	1	1	3	4	8	10	11
35-49	41	6.8	46	1	3	5	9	13	19	37
50-64	104	7.2	37	3	4	5	9	13	16	38
65 +	218	8.7	39	3	5	7	11	17	20	41
GRAND TOTAL	398	7.7	38	2	4	6	10	15	18	38

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	15	7.5	3	5	7	7	9	10	11	11
50-64	13	11.0	46	6	7	8	11	21	28	30
65 +	6	8.0	13	5	5	6	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	5	15.6	130	6	7	11	24	33	33	33
20-34	23	14.6	122	6	8	10	16	34	40	49
35-49	70	15.1	105	7	9	11	17	30	39	92
50-64	136	16.7	172	7	9	13	18	28	48	79
65 +	239	18.2	151	8	10	14	21	34	44	66
TOTAL SINGLE DX	36	8.8	22	5	6	8	9	14	18	30
TOTAL MULTIPLE DX	473	17.1	149	7	9	13	21	33	42	70
TOTAL										
0-19 YRS	6	14.0	119	6	6	9	21	32	33	33
20-34	24	14.3	120	6	8	10	16	34	39	49
35-49	85	13.7	95	7	8	10	15	28	36	87
50-64	149	16.2	163	7	9	13	18	28	47	76
65 +	245	18.0	150	8	10	14	21	34	43	65
GRAND TOTAL	509	16.5	145	7	9	13	20	31	41	67

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	12.0	2	11	11	12	13	13	13	13
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	12	19.3	203	10	12	14	26	67	94	99 +
50-64	38	21.0	195	9	12	15	30	39	62	99 +
65 +	39	21.3	180	10	12	15	29	39	48	69
TOTAL SINGLE DX	2	12.0	2	11	11	12	13	13	13	13
TOTAL MULTIPLE DX	90	20.8	185	9	12	15	29	39	58	99 +
TOTAL										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	12	19.3	204	10	12	14	26	67	94	99 +
50-64	40	20.6	189	9	12	15	29	38	59	99 +
65 +	39	21.3	180	10	12	15	29	39	48	69
GRAND TOTAL	92	20.6	183	9	12	15	29	39	57	99 +

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.1	5	1	2	4	5	7	8	8
20-34	10	7.0	12	3	5	6	7	12	16	16
35-49	9	6.0	15	2	4	5	7	13	15	15
50-64	14	10.1	16	5	6	10	14	15	16	16
65 +	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	14	12.6	117	2	6	9	18	39	85	99 +
20-34	25	9.5	47	3	6	8	11	13	21	38
35-49	69	10.8	107	5	7	9	12	17	21	73
50-64	58	13.3	157	5	7	9	15	25	32	82
65 +	87	15.4	144	5	8	12	18	33	42	58
TOTAL SINGLE DX	43	7.3	17	3	4	6	9	14	15	16
TOTAL MULTIPLE DX	253	12.9	129	5	7	9	14	26	38	79
TOTAL										
0-19 YRS	22	9.5	92	2	4	7	12	33	60	99 +
20-34	35	8.8	38	3	6	8	11	13	16	38
35-49	78	10.3	99	4	6	8	11	15	21	70
50-64	72	12.7	131	5	7	9	14	24	31	76
65 +	89	15.2	143	5	8	11	18	33	42	58
GRAND TOTAL	296	12.1	116	5	6	9	13	24	34	72

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	69	7.3	66	2	4	5	7	14	33	90
20-34	50	5.8	5	4	4	5	7	9	10	16
35-49	58	6.0	8	3	4	6	7	8	10	19
50-64	25	5.9	7	2	4	5	7	9	11	15
65 +	9	8.9	18	3	5	10	12	14	15	15
2. MULTIPLE DX										
0-19 YRS	467	17.1	275	5	7	10	23	49	68	99 +
20-34	148	8.7	70	4	5	6	9	19	31	99 +
35-49	259	8.5	52	4	5	6	10	17	21	57
50-64	268	10.3	91	4	5	7	12	21	30	48
65 +	523	12.9	116	4	6	9	16	28	43	99 +
TOTAL SINGLE DX	211	6.5	27	3	4	5	7	10	15	42
TOTAL MULTIPLE DX	1665	12.6	153	4	5	8	15	30	45	99 +
TOTAL										
0-19 YRS	536	15.8	259	4	6	9	21	47	65	99 +
20-34	198	7.9	55	4	5	6	8	15	26	79
35-49	317	8.1	45	4	5	6	9	15	20	49
50-64	293	10.0	86	4	5	7	11	20	27	47
65 +	532	12.8	115	4	6	9	16	28	42	99 +
GRAND TOTAL	1876	11.9	143	4	5	8	14	28	43	99 +

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	305	3.0	9	1	1	2	4	6	8	15
20-34	129	4.1	9	< 1	2	4	5	8	10	15
35-49	146	3.5	9	< 1	< 1	3	5	8	11	15
50-64	185	3.0	12	< 1	< 1	< 1	4	7	9	19
65 +	114	2.9	16	< 1	< 1	< 1	3	9	11	21
2. MULTIPLE DX										
0-19 YRS	979	6.0	68	1	1	4	7	14	21	61
20-34	677	6.3	33	2	3	5	8	12	17	32
35-49	1306	6.3	37	1	3	5	8	12	17	32
50-64	1870	6.8	41	1	3	5	8	13	18	35
65 +	4257	8.7	65	2	4	7	11	17	22	44
TOTAL SINGLE DX	879	3.2	11	< 1	< 1	2	4	7	9	16
TOTAL MULTIPLE DX	9089	7.5	56	1	3	6	9	15	21	40
TOTAL										
0-19 YRS	1284	5.3	57	1	1	3	6	12	18	51
20-34	806	5.9	31	1	3	4	7	11	16	29
35-49	1452	6.1	35	1	3	5	7	12	16	32
50-64	2055	6.4	40	< 1	3	5	8	13	17	35
65 +	4371	8.5	65	2	4	6	10	17	22	43
GRAND TOTAL	9968	7.1	54	1	3	5	9	14	20	39

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	7.2	9	4	5	7	9	12	13	13
20-34	11	8.4	17	5	6	7	9	16	18	18
35-49	13	10.2	19	6	6	9	14	17	18	18
50-64	10	11.5	95	4	7	9	12	25	38	38
65 +	6	8.7	3	7	7	8	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	104	22.4	564	6	8	14	77	99 +	99 +	99 +
20-34	108	13.4	149	6	7	9	14	28	36	76
35-49	103	15.2	110	7	8	12	18	35	45	99 +
50-64	177	17.8	189	7	9	13	22	35	46	78
65 +	331	19.6	213	8	10	15	24	38	49	87
TOTAL SINGLE DX	57	9.0	28	5	6	8	11	14	17	37
TOTAL MULTIPLE DX	823	18.2	237	7	9	13	23	45	77	99 +
TOTAL										
0-19 YRS	121	20.3	514	6	8	13	68	99 +	99 +	99 +
20-34	119	12.9	139	6	7	9	13	27	34	74
35-49	116	14.6	102	7	8	11	17	31	43	99 +
50-64	187	17.4	186	7	9	12	21	35	45	77
65 +	337	19.4	212	8	10	15	24	37	49	86
GRAND TOTAL	880	17.6	229	7	8	12	22	42	73	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	9.5	62	5	5	7	10	16	26	46
20-34	44	8.2	28	5	6	7	9	10	13	40
35-49	78	8.7	9	6	6	8	10	13	14	21
50-64	127	8.3	9	6	7	8	9	11	12	23
65 +	72	8.6	13	6	7	8	9	11	12	28
2. MULTIPLE DX										
0-19 YRS	99	18.3	286	6	8	14	33	99 +	99 +	99 +
20-34	191	13.5	99	6	7	10	16	23	38	56
35-49	403	11.9	65	6	7	10	13	21	32	59
50-64	983	12.8	81	7	8	10	14	23	28	63
65 +	2337	14.7	103	7	9	11	17	27	35	67
TOTAL SINGLE DX	359	8.5	18	5	6	8	9	12	14	29
TOTAL MULTIPLE DX	4013	14.0	100	7	8	11	16	26	35	84
TOTAL										
0-19 YRS	137	15.9	239	5	7	10	27	99 +	99 +	99 +
20-34	235	12.5	91	6	7	9	15	22	31	56
35-49	481	11.4	58	6	7	9	12	20	27	52
50-64	1110	12.3	76	7	8	10	14	21	27	59
65 +	2409	14.5	101	7	9	11	17	26	34	66
GRAND TOTAL	4372	13.5	95	7	8	10	15	25	33	78

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	6.7	17	2	3	6	8	14	16	16
20-34	0									
35-49	4	7.5	17	3	4	7	11	12	12	12
50-64	6	8.8	13	6	6	8	9	15	16	16
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	27	18.3	355	6	7	11	48	99 +	99 +	99 +
20-34	8	13.5	43	6	9	14	22	70	99 +	99 +
35-49	24	12.1	76	6	7	9	13	26	34	39
50-64	38	17.1	107	7	9	14	23	35	37	43
65 +	96	15.8	104	8	9	13	19	31	37	57
TOTAL SINGLE DX	34	7.3	16	2	4	7	9	14	16	16
TOTAL MULTIPLE DX	193	15.8	135	6	8	12	21	36	49	99 +
TOTAL										
0-19 YRS	50	13.0	231	3	6	8	16	71	99 +	99 +
20-34	8	13.5	44	6	9	14	22	70	99 +	99 +
35-49	28	11.5	70	5	7	9	12	24	33	39
50-64	44	15.9	102	6	8	13	22	34	36	43
65 +	97	15.7	104	8	9	12	19	31	37	57
GRAND TOTAL	227	14.6	126	6	8	11	18	34	44	99 +

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	5.5	9	2	3	5	7	8	11	17
20-34	52	6.7	3	4	5	6	8	10	10	10
35-49	50	7.3	7	4	5	7	8	11	12	15
50-64	33	6.9	3	5	6	7	8	9	10	10
65 +	29	8.4	35	2	6	8	9	10	26	30
2. MULTIPLE DX										
0-19 YRS	284	11.3	205	4	5	7	11	27	41	99 +
20-34	188	10.3	88	5	6	8	11	17	24	54
35-49	182	11.1	68	5	7	8	12	20	29	46
50-64	206	11.8	68	5	7	10	13	21	31	47
65 +	400	13.5	142	5	7	10	15	24	34	82
TOTAL SINGLE DX	328	6.3	11	3	4	6	8	10	11	17
TOTAL MULTIPLE DX	1260	11.9	127	5	6	9	13	23	33	86
TOTAL										
0-19 YRS	448	9.2	111	3	4	6	9	16	35	99 +
20-34	240	9.5	72	5	6	7	10	15	19	53
35-49	232	10.3	58	5	6	8	12	17	27	44
50-64	239	11.1	63	5	7	9	12	19	29	46
65 +	429	13.2	137	5	7	9	14	24	33	81
GRAND TOTAL	1588	10.7	108	4	6	8	12	19	30	82

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	5.8	12	2	4	5	7	11	13	14
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	5	11.0	38	3	7	10	15	20	20	20
65 +	4	7.0	2	5	6	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	54	14.0	134	4	6	10	19	38	83	99 +
20-34	20	14.9	124	5	7	12	25	37	67	99 +
35-49	43	15.5	111	5	8	13	19	30	36	52
50-64	78	16.8	150	7	10	13	22	31	45	62
65 +	183	19.5	166	8	10	16	25	39	48	59
TOTAL SINGLE DX	28	7.0	18	3	4	6	9	13	15	20
TOTAL MULTIPLE DX	378	17.5	153	6	9	14	23	35	49	90
TOTAL										
0-19 YRS	72	11.9	116	4	5	8	16	37	52	99 +
20-34	20	14.9	124	5	7	12	25	37	67	99 +
35-49	44	15.4	109	5	8	12	18	29	36	52
50-64	83	16.5	145	7	9	13	20	30	41	62
65 +	187	19.3	166	8	10	15	25	38	48	59
GRAND TOTAL	406	16.8	151	5	8	13	22	34	48	82

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1860	3.4	4	2	2	3	4	6	8	11
20-34	1112	3.3	2	2	2	3	4	5	6	9
35-49	439	3.9	4	2	3	3	5	7	8	12
50-64	159	4.4	6	2	3	4	5	8	9	15
65 +	30	5.5	7	2	3	5	8	9	12	12
2. MULTIPLE DX										
0-19 YRS	832	6.1	18	2	3	5	8	11	14	22
20-34	620	5.2	14	2	3	4	6	9	12	20
35-49	364	6.1	18	2	3	5	8	11	14	20
50-64	262	7.4	29	3	4	6	9	12	17	28
65 +	202	10.2	43	4	6	9	13	18	23	29
TOTAL SINGLE DX	3600	3.5	4	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	2280	6.4	23	2	3	5	8	12	15	24
TOTAL										
0-19 YRS	2692	4.2	11	2	2	3	5	8	10	16
20-34	1732	3.9	8	2	2	3	5	7	9	14
35-49	803	4.9	12	2	3	4	6	9	11	18
50-64	421	6.3	23	3	3	5	8	11	14	26
65 +	232	9.6	41	3	5	8	12	18	22	29
GRAND TOTAL	5880	4.6	13	2	2	3	6	9	11	19

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	9.2	15	3	8	9	10	15	15	15
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	4	6.0	28	1	2	5	10	13	13	13
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	9.0	2	7	8	9	10	10	10	10
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	11.5	41	7	7	11	16	16	16	16
50-64	4	12.8	36	7	8	11	17	21	21	21
65 +	4	15.5	43	6	11	17	19	21	21	21
TOTAL SINGLE DX	13	7.5	17	2	3	8	10	13	15	15
TOTAL MULTIPLE DX	16	11.3	32	5	7	10	16	20	21	21
TOTAL										
0-19 YRS	10	9.1	9	5	8	9	10	13	15	15
20-34	4	5.3	7	3	3	4	7	9	9	9
35-49	6	7.8	33	1	3	7	13	16	16	16
50-64	5	11.4	36	6	7	10	15	21	21	21
65 +	4	15.5	43	6	11	17	19	21	21	21
GRAND TOTAL	**29**	**9.6**	**28**	**3**	**6**	**9**	**13**	**18**	**21**	**21**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	3.0	6	< 1	1	2	4	6	9	10
20-34	4	2.5	5	1	1	2	4	6	6	6
35-49	16	1.9	2	< 1	< 1	1	2	4	5	6
50-64	23	2.3	3	< 1	< 1	1	4	4	6	9
65 +	22	2.5	7	< 1	< 1	1	3	6	9	12
2. MULTIPLE DX										
0-19 YRS	87	8.8	148	1	2	6	9	25	32	70
20-34	16	6.7	37	1	2	4	10	16	20	22
35-49	31	5.2	21	1	2	4	7	13	17	17
50-64	71	4.3	22	< 1	1	3	6	9	11	25
65 +	189	6.9	64	1	2	5	8	15	22	50
TOTAL SINGLE DX	108	2.6	5	< 1	< 1	2	3	6	7	11
TOTAL MULTIPLE DX	394	6.7	72	1	2	4	8	14	22	49
TOTAL										
0-19 YRS	130	6.9	109	< 1	2	4	8	13	27	54
20-34	20	5.9	34	1	2	3	9	14	19	22
35-49	47	4.1	17	1	1	3	5	9	15	17
50-64	94	3.8	18	< 1	1	2	5	9	10	24
65 +	211	6.5	60	1	2	4	8	14	18	50
GRAND TOTAL	**502**	**5.8**	**61**	**1**	**2**	**3**	**7**	**12**	**18**	**43**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	3.4	10	1	1	3	4	7	11	15
20-34	83	2.3	2	1	1	2	3	5	6	8
35-49	70	2.5	3	1	1	2	3	5	6	10
50-64	24	2.3	2	< 1	1	2	3	4	6	7
65 +	6	3.7	2	1	3	4	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	18	6.7	64	1	2	3	10	15	26	33
20-34	65	4.9	33	1	2	3	5	9	13	37
35-49	97	4.8	16	1	2	3	7	9	14	20
50-64	66	5.9	62	1	2	4	7	11	15	54
65 +	43	7.0	37	2	2	5	10	15	20	27
TOTAL SINGLE DX	211	2.5	4	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	289	5.5	37	1	2	4	7	11	15	31
TOTAL										
0-19 YRS	46	4.7	33	1	1	3	5	11	15	33
20-34	148	3.4	18	1	1	2	4	7	9	23
35-49	167	3.8	12	1	2	3	5	8	10	18
50-64	90	4.9	49	1	2	3	5	10	14	43
65 +	49	6.6	34	2	3	5	9	14	18	27
GRAND TOTAL	**500**	**4.3**	**25**	**1**	**2**	**3**	**5**	**9**	**13**	**24**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	7.0	6	4	5	7	9	10	11	13
20-34	5	8.0	7	4	6	9	10	11	11	11
35-49	8	13.6	110	7	8	10	13	31	39	39
50-64	26	9.9	11	7	8	9	12	15	16	18
65 +	18	11.4	24	8	8	10	12	17	23	27
2. MULTIPLE DX										
0-19 YRS	53	9.1	94	4	6	7	9	13	18	72
20-34	8	15.5	156	7	8	9	22	37	40	40
35-49	48	11.6	52	7	8	9	12	21	41	99 +
50-64	144	12.6	89	7	8	10	14	19	25	46
65 +	319	14.0	70	8	9	11	16	22	31	51
TOTAL SINGLE DX	104	9.0	22	5	6	9	10	14	16	33
TOTAL MULTIPLE DX	572	13.0	79	7	8	11	14	21	30	52
TOTAL										
0-19 YRS	100	8.1	54	4	5	7	9	11	13	47
20-34	13	12.6	108	6	7	9	12	32	38	40
35-49	56	11.9	59	7	8	10	12	21	40	96
50-64	170	12.2	78	7	8	10	13	18	24	42
65 +	337	13.9	68	8	9	11	16	22	30	50
GRAND TOTAL	**676**	**12.4**	**72**	**7**	**8**	**10**	**14**	**20**	**28**	**49**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	2.4	6	< 1	1	1	3	5	7	14
20-34	205	3.4	8	< 1	2	3	5	7	8	15
35-49	272	3.0	4	< 1	< 1	3	4	6	7	9
50-64	227	2.9	6	< 1	< 1	2	4	7	8	11
65 +	174	2.6	8	< 1	< 1	< 1	3	7	8	15
2. MULTIPLE DX										
0-19 YRS	344	5.8	99	1	2	3	6	11	17	56
20-34	1051	5.8	49	1	2	4	6	12	18	34
35-49	1988	5.8	31	2	3	4	7	11	16	31
50-64	2619	6.4	35	2	3	5	8	12	16	30
65 +	5668	8.1	55	3	4	6	10	15	21	40
TOTAL SINGLE DX	1035	2.9	7	< 1	< 1	2	4	6	8	12
TOTAL MULTIPLE DX	11670	7.1	49	2	3	5	8	14	19	37
TOTAL										
0-19 YRS	501	4.8	73	< 1	1	3	5	9	14	52
20-34	1256	5.4	44	1	2	4	6	11	16	33
35-49	2260	5.5	29	1	3	4	6	10	15	30
50-64	2846	6.1	34	1	3	5	7	12	15	29
65 +	5842	8.0	55	2	4	6	9	15	21	40
GRAND TOTAL	**12705**	**6.7**	**47**	**2**	**3**	**5**	**8**	**13**	**18**	**36**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.4	1	< 1	< 1	1	2	3	4	4
20-34	41	2.0	5	< 1	1	1	2	3	4	15
35-49	42	2.0	4	< 1	1	1	2	4	8	9
50-64	15	1.0		< 1	< 1	1	1	1	1	1
65 +	10	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	50	3.2	11	1	1	2	3	10	12	13
35-49	62	2.9	9	1	1	2	3	6	10	16
50-64	57	2.5	13	1	1	1	2	6	8	22
65 +	29	7.7	140	1	1	2	9	25	28	55
TOTAL SINGLE DX	117	1.7	3	< 1	1	1	2	3	4	11
TOTAL MULTIPLE DX	203	3.5	32	1	1	2	3	8	13	26
TOTAL										
0-19 YRS	14	1.3	1	< 1	< 1	1	1	2	4	4
20-34	91	2.7	9	1	1	2	3	6	10	14
35-49	104	2.5	7	1	1	2	3	5	8	15
50-64	72	2.2	11	< 1	1	1	2	4	7	21
65 +	39	6.0	112	< 1	1	1	6	20	26	55
GRAND TOTAL	**320**	**2.9**	**22**	**<1**	**1**	**1**	**3**	**6**	**11**	**25**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.4	1	< 1	< 1	1	1	3	4	4
20-34	26	1.4		< 1	< 1	1	1	3	3	4
35-49	27	1.3		< 1	< 1	1	2	2	3	3
50-64	12	1.4		< 1	< 1	1	2	3	3	3
65 +	4	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	8	4.3	20	< 1	< 1	1	9	11	11	11
20-34	63	2.1	2	1	1	2	3	4	5	9
35-49	82	2.3	4	1	1	2	3	4	7	12
50-64	50	2.3	3	1	1	2	3	5	7	7
65 +	32	4.5	28	1	1	2	5	15	17	19
TOTAL SINGLE DX	77	1.4	1	< 1	< 1	1	2	3	3	4
TOTAL MULTIPLE DX	235	2.6	8	1	1	2	3	5	9	16
TOTAL										
0-19 YRS	16	2.8	12	< 1	< 1	1	3	10	11	11
20-34	89	1.9	2	< 1	1	1	2	4	4	8
35-49	109	2.1	4	< 1	1	2	2	4	5	11
50-64	62	2.1	3	< 1	1	1	2	5	6	7
65 +	36	4.3	26	1	1	2	4	15	17	19
GRAND TOTAL	**312**	**2.3**	**6**	**<1**	**1**	**2**	**2**	**4**	**7**	**15**

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	52	2.3	2	< 1	1	2	3	5	6	7
35-49	74	2.0	1	1	1	2	2	4	5	8
50-64	39	2.1	1	1	1	2	3	4	4	6
65 +	14	2.6	1	1	2	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	7	2.3	1	1	2	2	3	4	4	4
20-34	238	2.6	3	1	1	2	3	5	6	8
35-49	495	2.6	4	1	1	2	3	5	6	13
50-64	357	3.1	12	1	1	2	3	5	9	19
65 +	258	3.6	13	1	2	3	4	6	10	22
TOTAL SINGLE DX	180	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1355	2.9	8	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	8	2.4	1	1	2	2	3	4	4	4
20-34	290	2.6	3	1	1	2	3	5	6	8
35-49	569	2.5	4	1	1	2	3	5	6	12
50-64	396	3.0	12	1	1	2	3	5	9	19
65 +	272	3.5	13	1	2	3	4	6	10	21
GRAND TOTAL	**1535**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	2.9	6	1	1	2	4	6	8	14
20-34	46	2.1	2	< 1	1	2	2	4	5	9
35-49	48	2.3	3	1	1	2	3	5	6	9
50-64	15	2.3	3	< 1	1	1	3	6	6	6
65 +	8	3.6	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	82	6.1	23	2	3	5	8	11	18	76
20-34	56	4.9	69	1	2	3	4	11	12	58
35-49	75	3.7	15	1	2	2	5	8	10	24
50-64	77	4.7	27	1	2	3	6	12	15	29
65 +	74	4.6	20	1	2	3	5	10	15	22
TOTAL SINGLE DX	169	2.5	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	364	4.8	29	1	2	3	6	10	14	28
TOTAL										
0-19 YRS	134	4.9	19	1	2	4	6	9	14	38
20-34	102	3.6	41	1	1	2	4	6	11	38
35-49	123	3.2	11	1	1	2	4	7	9	16
50-64	92	4.3	25	1	1	2	5	10	14	28
65 +	82	4.5	19	1	2	3	5	10	14	22
GRAND TOTAL	**533**	**4.1**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	0									
50-64	0									
65 +	2	15.0	72	9	9	15	21	21	21	21
2. MULTIPLE DX										
0-19 YRS	7	13.1	228	2	5	9	13	40	46	46
20-34	15	9.5	71	3	4	6	12	15	31	36
35-49	12	15.8	175	5	6	8	25	33	46	48
50-64	17	9.7	21	5	6	9	12	16	19	20
65 +	19	18.2	109	6	11	17	25	30	38	44
TOTAL SINGLE DX	4	11.3	43	7	7	8	15	21	21	21
TOTAL MULTIPLE DX	70	13.3	110	4	6	10	17	28	36	48
TOTAL										
0-19 YRS	7	13.1	228	2	5	9	13	40	46	46
20-34	17	9.3	63	3	5	7	11	15	29	36
35-49	12	15.8	175	5	6	8	25	33	46	48
50-64	17	9.7	22	5	6	9	12	16	19	20
65 +	21	17.9	103	6	10	17	25	30	36	44
GRAND TOTAL	**74**	**13.2**	**105**	**4**	**6**	**10**	**17**	**27**	**35**	**48**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	4.5	36	1	1	2	6	13	16	30
20-34	49	2.7	12	1	1	1	3	6	12	15
35-49	55	1.8	6	1	1	1	1	4	5	17
50-64	44	2.3	10	1	1	1	2	6	9	18
65 +	23	2.7	5	1	1	1	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	254	11.4	207	1	2	6	15	31	43	92
20-34	156	10.2	122	1	3	6	14	25	32	97
35-49	220	11.6	254	1	1	6	15	27	45	80
50-64	279	10.3	155	1	3	8	13	21	35	91
65 +	358	10.0	70	1	5	8	13	18	25	42
TOTAL SINGLE DX	262	3.1	19	1	1	1	3	8	13	26
TOTAL MULTIPLE DX	1267	10.6	155	1	2	7	14	24	35	76
TOTAL										
0-19 YRS	345	9.6	171	1	1	5	12	26	37	68
20-34	205	8.4	106	1	1	5	11	23	29	82
35-49	275	9.6	220	1	1	4	13	23	38	76
50-64	323	9.2	143	1	1	7	12	19	32	88
65 +	381	9.6	70	1	4	8	13	18	24	41
GRAND TOTAL	**1529**	**9.3**	**140**	**1**	**1**	**6**	**12**	**21**	**32**	**69**

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	124	3.7	6	1	2	3	5	7	8	13
20-34	1317	3.2	3	1	2	3	4	6	7	9
35-49	1326	3.2	3	1	2	3	4	6	7	10
50-64	873	3.4	4	1	2	3	4	6	7	10
65 +	309	3.9	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	161	6.8	53	2	4	5	8	11	14	35
20-34	1452	5.2	22	2	3	4	6	9	11	21
35-49	2046	5.1	16	1	3	4	6	9	12	21
50-64	2234	6.3	23	2	3	5	8	12	15	24
65 +	3307	9.1	56	3	5	7	11	17	22	41
TOTAL SINGLE DX	3949	3.3	4	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	9200	6.9	37	2	3	5	8	13	17	32
TOTAL										
0-19 YRS	285	5.5	35	2	3	4	7	9	11	30
20-34	2769	4.3	15	1	2	4	5	7	10	15
35-49	3372	4.4	13	1	2	4	5	8	10	17
50-64	3107	5.5	20	1	3	4	7	10	13	22
65 +	3616	8.6	55	3	4	7	10	16	22	39
GRAND TOTAL	**13149**	**5.8**	**30**	**1**	**3**	**4**	**7**	**11**	**15**	**28**

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	11.0		11	11	11	11	11	11	11
65 +	8	4.9	13	1	2	4	7	10	11	11
2. MULTIPLE DX										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	5	3.6	4	1	2	5	5	5	5	5
35-49	12	8.8	53	1	2	7	13	21	22	22
50-64	13	6.4	31	2	2	5	7	15	20	21
65 +	27	10.6	40	4	6	8	14	22	23	24
TOTAL SINGLE DX	13	5.2	16	1	1	5	9	11	11	11
TOTAL MULTIPLE DX	60	8.4	41	2	4	6	11	20	22	24
TOTAL										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	5	3.6	4	1	2	5	5	5	5	5
35-49	14	7.9	50	1	2	6	12	21	22	22
50-64	15	7.0	29	2	3	6	10	14	19	21
65 +	35	9.3	40	3	5	8	11	20	23	24
GRAND TOTAL	**73**	**7.8**	**38**	**2**	**3**	**6**	**11**	**20**	**22**	**24**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.3	16	2	2	2	7	9	9	9
20-34	32	3.1	5	1	1	3	4	6	7	12
35-49	30	3.5	7	1	1	3	5	8	10	10
50-64	29	4.6	21	1	1	3	6	12	14	20
65 +	33	4.8	18	1	2	3	6	13	14	16
2. MULTIPLE DX										
0-19 YRS	14	8.1	31	2	4	7	12	15	20	22
20-34	88	6.9	42	2	3	5	8	13	19	38
35-49	181	8.4	106	1	3	6	10	16	26	60
50-64	183	8.4	67	1	3	7	10	17	24	46
65 +	500	8.5	46	2	4	7	11	17	20	35
TOTAL SINGLE DX	127	4.0	13	1	1	3	5	10	13	17
TOTAL MULTIPLE DX	966	8.3	61	1	4	7	10	17	21	41
TOTAL										
0-19 YRS	17	7.5	30	2	3	7	11	14	19	22
20-34	120	5.9	35	1	2	4	7	11	16	36
35-49	211	7.7	95	1	2	6	9	15	24	54
50-64	212	7.9	63	1	3	6	10	17	21	44
65 +	533	8.3	46	2	4	7	11	17	20	35
GRAND TOTAL	**1093**	**7.8**	**57**	**1**	**3**	**6**	**10**	**16**	**20**	**38**

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	7.8	26	3	6	7	9	11	19	27
20-34	6	6.8	13	1	5	7	9	12	12	12
35-49	5	3.6	5	1	2	4	5	7	7	7
50-64	7	9.0	25	1	6	9	12	15	16	16
65 +	7	7.1	23	2	4	6	11	14	15	15
2. MULTIPLE DX										
0-19 YRS	23	13.7	55	7	8	11	18	25	29	33
20-34	23	9.3	47	4	6	8	11	18	55	99 +
35-49	59	12.2	143	4	6	9	15	20	27	82
50-64	90	14.2	141	5	8	10	16	26	33	71
65 +	258	15.9	89	7	10	14	20	28	36	51
TOTAL SINGLE DX	45	7.3	22	1	5	7	9	12	15	27
TOTAL MULTIPLE DX	453	14.7	106	6	8	12	18	26	33	54
TOTAL										
0-19 YRS	43	11.0	50	[illegible]	7	8	12	23	27	33
20-34	29	8.8	40	4	6	8	11	16	36	99 +
35-49	64	11.5	138	3	5	9	14	19	24	80
50-64	97	13.9	135	5	8	10	16	26	32	71
65 +	265	15.7	90	7	9	13	19	28	35	51
GRAND TOTAL	**498**	**14.0**	**102**	**5**	**8**	**11**	**17**	**26**	**33**	**54**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	23.0	512	7	7	23	39	39	39	39
35-49	4	20.3	451	8	8	10	32	52	52	52
50-64	12	6.4	29	< 1	1	4	12	14	14	14
65 +	5	4.2	9	< 1	1	5	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	16	19.1	143	7	10	19	28	43	80	99 +
20-34	43	28.0	586	8	10	16	44	69	82	89
35-49	66	21.7	295	7	10	17	25	45	71	98
50-64	88	18.7	262	5	8	13	24	39	63	94
65 +	120	18.1	202	5	9	14	26	35	47	96
TOTAL SINGLE DX	24	9.6	145	< 1	2	6	11	17	43	52
TOTAL MULTIPLE DX	333	20.3	291	6	9	15	27	44	64	99 +
TOTAL										
0-19 YRS	17	18.2	146	6	9	16	28	42	78	99 +
20-34	45	27.8	573	7	10	16	43	68	82	89
35-49	70	21.6	298	7	10	17	25	46	70	98
50-64	100	17.2	250	3	8	13	21	34	59	92
65 +	125	17.5	202	4	8	14	26	34	46	95
GRAND TOTAL	**357**	**19.6**	**288**	**5**	**9**	**14**	**26**	**44**	**62**	**99**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	2.8	7	1	1	2	3	6	9	15
20-34	79	3.1	6	< 1	1	2	4	6	8	14
35-49	70	3.8	7	1	2	3	5	8	10	11
50-64	66	4.4	9	1	2	4	6	7	8	20
65 +	43	4.2	7	< 1	1	4	6	8	9	11
2. MULTIPLE DX										
0-19 YRS	268	5.9	63	1	2	4	7	11	17	56
20-34	270	5.5	35	1	2	4	7	10	14	41
35-49	384	5.8	30	1	3	4	7	11	14	29
50-64	477	6.9	49	2	4	5	8	12	16	34
65 +	1417	8.3	54	3	4	6	10	16	22	38
TOTAL SINGLE DX	362	3.5	8	1	1	3	5	7	9	14
TOTAL MULTIPLE DX	2816	7.2	51	2	3	5	9	14	19	37
TOTAL										
0-19 YRS	372	5.0	50	1	1	3	6	10	15	49
20-34	349	5.0	30	1	2	4	6	9	13	38
35-49	454	5.5	27	1	2	4	7	11	13	27
50-64	543	6.5	45	2	3	5	8	11	15	33
65 +	1460	8.2	53	3	4	6	10	15	21	37
GRAND TOTAL	**3178**	**6.8**	**47**	**2**	**3**	**5**	**8**	**13**	**18**	**35**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	428	1.3		< 1	< 1	1	1	2	3	4
20-34	229	1.4		< 1	1	1	2	2	3	5
35-49	240	1.5	1	< 1	1	1	2	3	4	6
50-64	336	1.5	1	< 1	1	1	2	3	3	5
65 +	249	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	449	2.3	34	< 1	< 1	1	2	4	8	99 +
20-34	134	2.2	3	1	1	2	2	4	6	10
35-49	246	2.6	17	1	1	2	3	4	6	20
50-64	399	2.7	11	1	1	2	3	6	8	16
65 +	1054	3.6	16	1	1	2	4	8	10	21
TOTAL SINGLE DX	1482	1.4	1	< 1	< 1	1	2	2	3	5
TOTAL MULTIPLE DX	2282	3.0	19	1	1	2	3	6	9	24
TOTAL										
0-19 YRS	877	1.8	18	< 1	< 1	1	1	3	4	61
20-34	363	1.7	2	< 1	1	1	2	3	4	9
35-49	486	2.0	10	< 1	1	1	2	4	5	14
50-64	735	2.1	7	1	1	1	2	4	6	13
65 +	1303	3.2	15	1	1	2	4	7	10	19
GRAND TOTAL	**3764**	**2.4**	**13**	**< 1**	**1**	**1**	**2**	**5**	**7**	**18**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	444	1.2		< 1	1	1	1	1	2	3
20-34	36	1.3		1	1	1	2	2	2	3
35-49	63	1.8		1	1	2	2	3	4	4
50-64	69	1.8	1	1	1	1	2	4	4	5
65 +	35	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	547	4.2	157	< 1	1	1	2	10	77	99 +
20-34	17	2.8	8	1	1	2	3	7	11	12
35-49	56	2.0	2	1	1	2	2	4	5	8
50-64	108	2.6	4	1	1	2	3	5	7	11
65 +	174	3.9	25	1	2	2	4	8	11	32
TOTAL SINGLE DX	647	1.3	1	< 1	1	1	1	2	3	4
TOTAL MULTIPLE DX	902	3.8	102	< 1	1	1	3	7	20	99 +
TOTAL										
0-19 YRS	991	2.9	89	< 1	1	1	1	4	15	99 +
20-34	53	1.8	3	1	1	1	2	3	4	12
35-49	119	1.9	1	1	1	2	2	3	4	7
50-64	177	2.3	3	1	1	2	3	4	6	9
65 +	209	3.6	22	1	1	2	4	7	10	27
GRAND TOTAL	**1549**	**2.8**	**61**	**< 1**	**1**	**1**	**2**	**4**	**9**	**99 +**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
20-34	7	1.7	1	< 1	1	1	3	3	3	3
35-49	14	2.1	2	< 1	1	1	3	5	6	6
50-64	13	3.3	14	< 1	1	2	3	11	13	13
65 +	23	2.1	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	13	4.9	14	1	2	3	7	11	13	13
50-64	19	2.9	7	1	2	2	3	6	10	12
65 +	78	8.2	114	1	3	5	9	15	28	67
TOTAL SINGLE DX	60	2.3	5	< 1	1	1	3	5	6	13
TOTAL MULTIPLE DX	113	6.8	87	1	2	4	8	13	20	54
TOTAL										
0-19 YRS	4	2.3	2	< 1	1	2	3	4	4	4
20-34	9	1.7	1	< 1	1	1	2	3	3	3
35-49	27	3.4	10	< 1	1	2	5	8	10	13
50-64	32	3.1	10	< 1	1	2	3	9	12	13
65 +	101	6.8	96	1	2	4	8	14	22	58
GRAND TOTAL	**173**	**5.2**	**63**	**1**	**1**	**3**	**6**	**12**	**14**	**38**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	1.4	1	< 1	< 1	< 1	1	2	4	7
20-34	26	2.0	1	< 1	1	2	3	3	4	7
35-49	53	1.6	1	< 1	1	1	2	3	3	8
50-64	36	1.7		< 1	1	1	2	3	3	5
65 +	11	1.5		< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	55	3.2	41	< 1	< 1	1	3	5	11	44
20-34	29	2.5	3	1	1	2	4	4	6	9
35-49	72	3.2	4	1	2	3	4	7	8	9
50-64	86	4.3	26	1	1	3	6	9	11	32
65 +	98	5.2	29	1	2	4	6	10	14	33
TOTAL SINGLE DX	217	1.6	1	< 1	< 1	1	2	3	3	7
TOTAL MULTIPLE DX	340	4.0	24	1	1	3	5	8	11	28
TOTAL										
0-19 YRS	146	2.1	17	< 1	< 1	1	2	3	5	17
20-34	55	2.3	3	< 1	1	2	3	4	6	9
35-49	125	2.5	4	1	1	2	3	5	8	9
50-64	122	3.5	20	1	1	2	4	7	10	29
65 +	109	4.8	28	1	2	3	6	10	13	31
GRAND TOTAL	557	3.0	16	<1	1	2	4	6	9	19

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.7	1	< 1	< 1	1	2	4	5	6
20-34	65	2.7	2	1	1	2	4	5	6	7
35-49	178	2.7	3	1	1	2	3	5	5	10
50-64	176	3.0	4	1	1	3	4	6	7	10
65 +	107	3.2	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	25	4.3	13	1	1	4	6	10	12	16
20-34	100	4.4	13	1	2	4	5	7	10	24
35-49	285	4.7	12	1	3	4	6	9	11	20
50-64	373	5.9	27	2	3	4	7	12	15	27
65 +	543	6.1	47	2	3	4	7	11	16	29
TOTAL SINGLE DX	548	2.8	3	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	1326	5.6	32	2	3	4	7	10	14	27
TOTAL										
0-19 YRS	47	3.1	9	< 1	1	2	4	7	10	16
20-34	165	3.7	10	1	2	3	5	7	8	16
35-49	463	3.9	10	1	2	3	5	7	9	16
50-64	549	5.0	22	1	2	4	6	10	13	26
65 +	650	5.6	41	1	2	4	7	11	14	28
GRAND TOTAL	1874	4.8	25	1	2	4	6	9	12	24

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	5.8	14	3	4	5	6	12	15	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	5.7	5	2	4	6	7	9	9	9
50-64	10	5.9	5	3	4	6	7	9	11	11
65 +	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	53	12.7	213	4	5	8	14	30	84	99 +
20-34	16	11.1	147	2	4	8	14	19	42	52
35-49	19	8.2	25	4	5	7	8	14	22	25
50-64	27	6.3	15	2	4	6	8	11	13	19
65 +	44	11.8	46	6	8	10	15	22	30	99 +
TOTAL SINGLE DX	38	5.7	9	3	4	6	6	9	13	16
TOTAL MULTIPLE DX	159	10.7	108	4	5	8	12	22	32	99 +
TOTAL										
0-19 YRS	71	11.0	171	4	5	8	12	25	38	99 +
20-34	17	10.5	145	2	4	8	13	19	40	52
35-49	26	7.5	21	4	5	7	8	9	19	25
50-64	37	6.2	12	2	4	6	8	11	12	19
65 +	46	11.5	46	6	7	10	15	22	29	99 +
GRAND TOTAL	197	9.7	93	4	5	7	11	20	28	99 +

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	3.5	7	< 1	1	3	5	8	9	11
20-34	59	3.7	6	< 1	2	3	5	8	10	11
35-49	40	3.9	9	< 1	2	3	5	8	10	14
50-64	24	5.6	13	1	3	5	6	12	13	15
65 +	20	4.4	10	1	2	4	5	8	12	15
2. MULTIPLE DX										
0-19 YRS	128	9.5	196	2	3	6	10	17	31	81
20-34	144	6.9	57	1	3	5	8	15	20	40
35-49	340	9.1	77	2	4	7	11	19	28	43
50-64	415	9.7	68	2	4	7	13	21	29	47
65 +	572	11.5	89	3	5	9	14	24	29	47
TOTAL SINGLE DX	215	3.9	9	< 1	2	3	5	8	10	14
TOTAL MULTIPLE DX	1599	10.0	89	2	4	7	13	21	29	48
TOTAL										
0-19 YRS	200	7.4	136	1	2	4	8	14	24	73
20-34	203	6.0	45	1	2	4	7	12	18	37
35-49	380	8.6	72	2	4	6	10	18	27	40
50-64	439	9.4	66	2	4	7	12	20	26	46
65 +	592	11.3	89	3	5	9	14	23	29	47
GRAND TOTAL	1814	9.2	83	2	4	7	11	20	28	47

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	4.8	10	2	3	4	6	8	12	17
20-34	105	4.7	12	2	3	4	5	8	10	21
35-49	50	5.1	8	2	3	5	7	10	11	13
50-64	27	8.5	55	2	4	8	10	16	21	38
65 +	12	7.7	19	1	5	7	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	166	10.3	120	3	4	8	12	19	34	77
20-34	294	9.0	150	3	4	5	10	17	29	93
35-49	209	10.0	146	3	4	7	11	16	31	83
50-64	220	11.7	98	5	6	8	14	23	31	61
65 +	294	15.8	144	6	8	12	19	30	41	71
TOTAL SINGLE DX	279	5.3	17	2	3	4	6	10	13	18
TOTAL MULTIPLE DX	1183	11.6	141	3	5	8	14	23	34	81
TOTAL										
0-19 YRS	251	8.5	90	2	4	6	9	17	23	60
20-34	399	7.9	118	3	3	5	8	15	25	91
35-49	259	9.1	123	3	4	7	10	15	28	77
50-64	247	11.3	94	4	6	8	14	23	31	61
65 +	306	15.4	142	6	8	12	18	29	40	71
GRAND TOTAL	**1462**	**10.4**	**123**	**3**	**4**	**7**	**12**	**20**	**31**	**72**

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	2.9	7	< 1	1	2	4	6	8	16
20-34	276	2.2	3	< 1	< 1	1	3	4	5	10
35-49	56	1.8	1	< 1	< 1	1	3	4	5	5
50-64	21	3.3	16	< 1	< 1	1	4	8	14	18
65 +	4	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	124	3.4	7	< 1	1	3	4	7	9	15
20-34	549	2.9	7	< 1	1	2	4	6	7	12
35-49	208	3.1	17	< 1	< 1	1	4	7	10	24
50-64	37	6.4	51	1	2	5	8	12	13	42
65 +	34	8.4	40	1	3	7	12	19	20	25
TOTAL SINGLE DX	434	2.3	4	< 1	< 1	1	3	5	6	10
TOTAL MULTIPLE DX	952	3.4	14	< 1	1	2	4	7	10	19
TOTAL										
0-19 YRS	201	3.2	8	< 1	1	2	4	6	8	15
20-34	825	2.7	6	< 1	< 1	2	4	5	7	11
35-49	264	2.8	15	< 1	< 1	1	4	6	8	24
50-64	58	5.2	40	< 1	1	3	7	12	13	40
65 +	38	7.7	41	1	2	7	11	18	20	25
GRAND TOTAL	**1386**	**3.0**	**11**	**<1**	**<1**	**2**	**4**	**6**	**9**	**17**

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	6.8	18	2	4	6	9	13	15	21
20-34	74	4.3	8	< 1	2	4	6	8	9	14
35-49	100	5.1	13	1	3	4	7	9	11	21
50-64	53	7.9	26	2	4	7	10	15	20	22
65 +	31	9.2	98	2	5	7	10	17	19	57
2. MULTIPLE DX										
0-19 YRS	295	14.5	216	4	5	9	18	37	58	99 +
20-34	474	6.6	53	1	3	4	8	14	20	37
35-49	550	8.2	87	2	3	6	10	17	22	56
50-64	523	10.9	113	3	5	8	14	21	30	65
65 +	715	14.1	112	4	7	11	18	28	36	78
TOTAL SINGLE DX	324	6.1	26	1	3	5	8	11	15	22
TOTAL MULTIPLE DX	2557	10.8	117	2	4	8	14	22	33	67
TOTAL										
0-19 YRS	361	13.1	189	3	5	8	17	34	53	99 +
20-34	548	6.3	48	1	3	4	8	13	17	34
35-49	650	7.8	77	2	3	5	9	16	21	55
50-64	576	10.6	106	2	5	8	13	21	28	62
65 +	746	13.8	113	4	7	11	18	28	36	75
GRAND TOTAL	**2881**	**10.3**	**109**	**2**	**4**	**7**	**13**	**21**	**32**	**64**

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	6.4	16	2	4	6	8	11	12	25
20-34	28	6.3	2	5	5	6	7	8	9	10
35-49	44	5.9	2	4	5	6	7	8	8	12
50-64	39	7.9	18	5	5	7	9	12	20	22
65 +	18	7.8	6	4	6	8	9	11	13	14
2. MULTIPLE DX										
0-19 YRS	136	10.0	150	3	4	7	11	17	34	71
20-34	61	11.1	86	5	6	8	11	25	35	46
35-49	122	9.5	29	5	7	8	11	16	22	30
50-64	199	11.1	90	5	7	8	12	18	28	59
65 +	323	11.3	45	6	7	9	14	19	26	36
TOTAL SINGLE DX	185	6.7	11	3	5	6	8	10	12	22
TOTAL MULTIPLE DX	841	10.8	74	5	6	8	12	18	26	47
TOTAL										
0-19 YRS	192	8.9	114	3	4	7	10	14	22	61
20-34	89	9.6	65	5	6	7	9	19	30	43
35-49	166	8.5	25	5	6	7	9	14	19	27
50-64	238	10.6	80	5	6	8	12	18	25	50
65 +	341	11.2	44	6	7	9	13	19	25	36
GRAND TOTAL	1026	10.1	65	5	6	8	11	17	25	46

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	5.3	4	3	4	5	7	8	8	8
20-34	11	4.1	5	1	2	3	6	8	8	8
35-49	16	4.0	11	1	1	3	6	9	11	12
50-64	14	4.7	16	1	2	3	7	11	13	14
65 +	5	5.2	22	1	2	3	8	13	13	13
2. MULTIPLE DX										
0-19 YRS	26	9.8	78	2	4	8	12	16	33	40
20-34	27	10.7	76	3	5	8	14	24	27	36
35-49	64	9.8	95	1	4	7	12	19	30	54
50-64	67	11.1	126	2	4	7	15	25	30	63
65 +	146	12.1	96	3	6	9	16	24	30	45
TOTAL SINGLE DX	50	4.4	11	1	2	3	6	9	12	14
TOTAL MULTIPLE DX	330	11.1	99	2	5	8	15	24	30	46
TOTAL										
0-19 YRS	30	9.2	71	2	4	7	12	15	31	40
20-34	38	8.8	65	2	3	6	9	23	25	36
35-49	80	8.6	83	1	3	6	11	17	27	51
50-64	81	10.0	113	2	3	7	14	23	28	60
65 +	151	11.8	95	3	6	9	16	24	30	44
GRAND TOTAL	380	10.3	93	2	4	7	14	22	29	44

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	7	8.0	1	6	7	8	9	9	9	9
35-49	5	12.0	47	5	7	11	15	23	23	23
50-64	2	8.5	1	8	8	8	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	64	20.2	155	9	12	16	25	37	46	96
20-34	59	12.7	47	7	8	11	15	21	30	37
35-49	93	13.6	62	7	8	10	17	26	31	42
50-64	44	13.8	63	6	9	12	17	23	37	99 +
65 +	6	10.8	35	5	7	10	11	21	22	22
TOTAL SINGLE DX	16	9.6	18	6	7	8	10	13	20	23
TOTAL MULTIPLE DX	266	15.0	89	7	9	12	18	29	36	69
TOTAL										
0-19 YRS	66	19.8	154	9	12	16	25	37	45	95
20-34	66	12.2	44	7	8	10	14	20	30	37
35-49	98	13.5	61	7	8	10	17	25	30	42
50-64	46	13.6	62	6	8	12	17	23	36	99 +
65 +	6	10.8	35	5	7	10	11	21	22	22
GRAND TOTAL	282	14.7	86	7	8	11	18	28	35	67

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	286	3.4	7	1	2	2	4	6	8	12
20-34	42	3.6	4	1	1	4	5	7	7	8
35-49	55	3.3	6	1	1	3	5	7	8	10
50-64	24	3.2	6	1	1	2	5	7	8	10
65 +	11	3.7	6	1	2	2	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	342	7.1	71	1	2	5	9	15	21	36
20-34	172	6.8	44	1	2	5	9	16	20	38
35-49	200	6.9	36	1	2	5	9	15	20	27
50-64	183	8.1	52	1	3	6	11	17	22	35
65 +	204	10.5	84	2	4	8	14	19	27	45
TOTAL SINGLE DX	418	3.4	7	1	1	3	5	7	8	12
TOTAL MULTIPLE DX	1101	7.8	62	1	2	6	10	17	22	36
TOTAL										
0-19 YRS	628	5.4	46	1	2	3	7	11	17	30
20-34	214	6.1	38	1	2	5	8	13	19	34
35-49	255	6.2	32	1	2	5	8	14	17	25
50-64	207	7.5	49	1	2	6	10	17	21	34
65 +	215	10.1	83	2	4	8	14	19	27	45
GRAND TOTAL	1519	6.6	51	1	2	5	8	15	19	34

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	9	3.9	5	1	2	4	6	7	8	8
35-49	14	3.4	4	1	2	3	4	7	7	7
50-64	16	5.4	15	1	2	5	8	10	13	15
65 +	3	5.7	32	1	2	4	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	6	5.8	8	<1	5	6	7	10	10	10
20-34	15	4.9	6	2	2	5	7	8	9	9
35-49	28	6.8	19	2	4	6	10	12	13	21
50-64	26	8.6	20	3	5	8	12	14	18	18
65 +	46	9.6	23	5	7	9	12	15	16	32
TOTAL SINGLE DX	46	4.2	10	1	2	4	6	9	10	15
TOTAL MULTIPLE DX	121	8.0	21	3	5	7	10	13	15	24
TOTAL										
0-19 YRS	10	4.2	10	<1	1	4	6	8	10	10
20-34	24	4.5	6	1	2	4	6	8	9	9
35-49	42	5.7	17	1	3	5	7	11	12	21
50-64	42	7.4	20	2	3	7	10	14	16	18
65 +	49	9.4	24	4	6	9	12	14	15	32
GRAND TOTAL	**167**	**6.9**	**21**	**2**	**4**	**6**	**9**	**13**	**15**	**21**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	203	5.1	6	3	4	5	6	8	10	16
20-34	6	7.2	13	3	5	6	10	13	13	13
35-49	3	9.0	12	7	7	7	12	13	13	13
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	223	7.9	34	4	5	6	10	14	16	45
20-34	20	10.2	86	2	6	8	11	17	32	45
35-49	14	14.5	36	7	9	14	17	25	26	26
50-64	15	14.4	108	6	8	10	26	88	99 +	99 +
65 +	48	13.0	62	6	8	12	16	19	26	47
TOTAL SINGLE DX	215	5.3	7	3	4	5	6	8	10	15
TOTAL MULTIPLE DX	320	9.4	50	4	5	7	11	17	23	66
TOTAL										
0-19 YRS	426	6.6	23	3	4	5	8	11	14	27
20-34	26	9.5	70	3	5	8	11	15	24	45
35-49	17	13.5	36	7	8	14	16	24	26	26
50-64	17	13.6	100	6	8	10	23	75	99 +	99 +
65 +	49	12.9	62	6	9	11	16	19	26	47
GRAND TOTAL	**535**	**7.8**	**37**	**3**	**4**	**6**	**9**	**14**	**18**	**45**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	2.6	1	1	2	3	3	4	5	6
20-34	221	2.5	2	1	2	2	3	4	5	7
35-49	286	2.4	2	1	1	2	3	5	6	8
50-64	156	2.3	2	1	1	2	3	4	5	7
65 +	48	3.0	6	1	1	2	4	6	6	16
2. MULTIPLE DX										
0-19 YRS	16	3.6	7	1	2	3	5	5	10	12
20-34	206	3.2	4	1	2	3	4	5	7	12
35-49	268	3.7	8	1	2	3	5	7	9	15
50-64	271	4.3	19	1	2	3	5	8	11	28
65 +	273	5.6	26	2	2	4	7	11	15	26
TOTAL SINGLE DX	742	2.5	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1034	4.2	16	1	2	3	5	8	11	23
TOTAL										
0-19 YRS	47	3.0	4	1	2	3	4	5	5	12
20-34	427	2.8	3	1	2	2	4	5	6	10
35-49	554	3.1	6	1	2	2	4	6	7	11
50-64	427	3.5	14	1	2	3	4	7	9	23
65 +	321	5.2	24	1	2	4	6	10	14	26
GRAND TOTAL	**1776**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**9**	**18**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.4	3	1	2	3	5	6	6	6
20-34	6	5.7	17	1	2	5	10	11	11	11
35-49	6	3.5	3	2	2	3	4	7	7	7
50-64	6	4.0	5	<1	1	5	6	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	38	7.3	34	3	3	6	9	13	21	30
20-34	15	6.5	12	3	4	6	9	12	13	14
35-49	22	6.8	38	1	2	5	9	16	22	23
50-64	19	7.8	45	1	2	5	14	18	20	21
65 +	43	8.0	43	2	3	6	12	15	21	29
TOTAL SINGLE DX	26	4.0	7	1	2	4	6	7	10	11
TOTAL MULTIPLE DX	137	7.4	36	2	3	6	10	16	20	29
TOTAL										
0-19 YRS	45	6.7	32	2	3	5	8	12	20	30
20-34	21	6.3	13	2	4	6	9	11	13	14
35-49	28	6.1	32	1	2	4	8	14	21	23
50-64	25	6.9	38	1	2	5	9	18	19	21
65 +	44	7.9	43	2	3	6	12	15	21	29
GRAND TOTAL	**163**	**6.9**	**33**	**2**	**3**	**5**	**9**	**14**	**19**	**29**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	100	2.7	4	<1	1	2	4	6	7	9
20-34	222	2.6	2	1	1	2	3	5	5	10
35-49	299	2.5	3	1	1	2	3	5	6	12
50-64	174	2.5	4	1	1	2	3	5	7	10
65 +	53	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	162	4.9	35	<1	2	4	6	9	11	32
20-34	325	4.8	22	1	2	4	6	9	11	30
35-49	507	5.7	54	1	2	4	7	11	15	28
50-64	619	6.5	42	1	3	4	8	14	18	38
65 +	1329	9.2	85	2	4	7	11	19	26	51
TOTAL SINGLE DX	848	2.6	4	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	2942	7.3	65	1	3	5	9	15	21	43
TOTAL										
0-19 YRS	262	4.0	25	<1	1	3	5	8	9	22
20-34	547	3.9	16	1	2	3	5	8	10	24
35-49	806	4.5	38	1	2	3	5	9	13	25
50-64	793	5.6	37	1	2	4	7	12	16	36
65 +	1382	8.9	84	2	3	7	11	19	25	50
GRAND TOTAL	**3790**	**6.2**	**55**	**1**	**2**	**4**	**8**	**13**	**19**	**37**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.0	11	1	1	4	6	9	9	9
20-34	5	4.4	4	2	3	5	6	7	7	7
35-49	30	2.7	6	1	1	2	3	5	9	12
50-64	76	2.3	5	<1	1	2	3	4	5	15
65 +	132	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	17	7.4	79	<1	1	3	10	24	28	29
20-34	23	5.9	33	1	2	4	7	16	20	23
35-49	75	4.2	17	1	2	3	6	10	16	79
50-64	276	4.8	32	1	2	3	5	11	14	38
65 +	1135	5.5	40	1	2	4	6	11	17	32
TOTAL SINGLE DX	248	2.3	4	<1	1	2	3	4	5	11
TOTAL MULTIPLE DX	1526	5.3	38	1	2	3	6	11	16	33
TOTAL										
0-19 YRS	22	6.6	65	<1	1	3	9	20	27	29
20-34	28	5.6	29	1	2	4	7	13	19	23
35-49	105	3.8	14	1	1	2	5	10	14	54
50-64	352	4.3	28	1	1	3	5	10	14	37
65 +	1267	5.1	37	1	2	3	6	11	15	32
GRAND TOTAL	**1774**	**4.9**	**34**	**1**	**2**	**3**	**5**	**11**	**15**	**32**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.7	5	1	1	2	4	6	7	7
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	3	1.3		1	1	1	2	2	2	2
65 +	4	3.0	16	1	1	1	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	8	9.0	119	3	3	5	9	28	35	35
20-34	8	4.8	12	2	3	4	5	11	13	13
35-49	13	7.4	128	1	2	3	8	19	38	43
50-64	37	6.2	170	1	2	3	6	10	13	81
65 +	97	6.4	35	1	3	5	8	14	20	30
TOTAL SINGLE DX	20	2.7	5	1	1	2	4	6	8	9
TOTAL MULTIPLE DX	163	6.5	75	1	2	4	7	12	20	42
TOTAL										
0-19 YRS	15	6.1	72	1	2	3	6	12	29	35
20-34	11	4.0	11	1	2	3	5	8	13	13
35-49	16	6.8	105	1	2	3	7	13	34	43
50-64	40	5.8	159	1	1	3	6	9	13	81
65 +	101	6.2	35	1	2	4	8	13	20	30
GRAND TOTAL	**183**	**6.0**	**69**	**1**	**2**	**4**	**7**	**12**	**19**	**40**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	4.6	12	1	2	4	7	10	11	18
20-34	14	4.9	5	2	3	5	6	8	9	9
35-49	20	3.9	3	1	3	4	5	6	8	9
50-64	29	6.6	58	1	3	4	7	15	18	39
65 +	28	6.1	44	1	1	3	10	12	16	32
2. MULTIPLE DX										
0-19 YRS	213	9.3	69	2	4	7	11	20	29	45
20-34	58	12.1	220	2	5	8	12	24	39	80
35-49	75	8.4	44	2	3	7	12	15	21	35
50-64	146	10.0	86	2	4	8	13	20	27	60
65 +	415	10.1	96	2	3	8	13	20	27	45
TOTAL SINGLE DX	148	5.2	26	1	2	4	7	10	13	32
TOTAL MULTIPLE DX	907	9.9	92	2	4	8	13	20	28	50
TOTAL										
0-19 YRS	270	8.3	61	2	3	6	10	18	26	44
20-34	72	10.7	186	2	5	7	11	23	25	79
35-49	95	7.4	39	2	3	5	10	15	17	34
50-64	175	9.4	83	2	3	7	12	19	25	57
65 +	443	9.9	94	1	3	8	13	20	27	43
GRAND TOTAL	**1055**	**9.2**	**86**	**2**	**3**	**7**	**12**	**19**	**26**	**48**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.0		<1	<1	<1	<1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	3.0	2	<1	1	4	4	5	5	5
20-34	0									
35-49	4	4.0	22	<1	1	2	7	11	11	11
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65 +	4	7.3	65	1	2	4	12	19	19	19
TOTAL SINGLE DX	17	1.0		<1	<1	<1	<1	1	1	1
TOTAL MULTIPLE DX	17	4.3	21	<1	1	3	5	10	16	19
TOTAL										
0-19 YRS	24	1.6	2	<1	<1	<1	1	4	5	5
20-34	0									
35-49	4	4.0	22	<1	1	2	7	11	11	11
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65 +	4	7.3	66	1	2	4	12	19	19	19
GRAND TOTAL	34	2.6	13	<1	<1	<1	3	6	10	19

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	354	2.1	3	<1	1	1	3	4	6	10
20-34	21	2.4	1	1	1	2	3	4	5	6
35-49	18	2.9	2	<1	2	3	3	5	7	8
50-64	14	2.7	5	1	1	2	3	8	8	8
65 +	6	2.2	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	211	3.7	16	<1	1	2	5	8	9	20
20-34	18	5.9	32	1	2	4	7	13	20	24
35-49	27	4.3	17	1	2	4	5	8	11	22
50-64	24	5.9	92	1	2	3	5	11	23	49
65 +	51	5.2	28	1	2	4	7	9	14	28
TOTAL SINGLE DX	413	2.2	3	<1	1	1	3	4	6	10
TOTAL MULTIPLE DX	331	4.2	25	1	1	3	6	8	10	25
TOTAL										
0-19 YRS	565	2.7	9	<1	1	1	3	6	8	13
20-34	39	4.0	19	1	2	3	4	8	13	24
35-49	45	3.7	12	1	2	3	5	7	8	22
50-64	38	4.7	62	1	2	3	5	8	12	49
65 +	57	4.8	26	1	1	3	7	9	13	28
GRAND TOTAL	744	3.1	14	<1	1	2	4	7	8	19

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.5	1	<1	<1	1	1	3	4	4
20-34	5	3.4	18	1	1	2	4	11	11	11
35-49	8	2.9	5	<1	<1	2	5	7	7	7
50-64	4	2.3	1	<1	1	2	3	3	3	3
65 +	8	7.1	23	<1	3	7	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	18	4.7	179	<1	<1	1	1	6	38	58
20-34	21	5.4	18	1	2	4	7	11	15	18
35-49	31	4.7	17	1	2	3	6	10	12	21
50-64	48	6.4	20	1	3	6	9	14	15	19
65 +	174	10.8	99	3	5	8	12	21	33	54
TOTAL SINGLE DX	36	3.4	13	<1	<1	2	4	10	11	15
TOTAL MULTIPLE DX	292	8.7	83	1	3	6	11	18	23	52
TOTAL										
0-19 YRS	29	3.5	112	<1	<1	1	1	4	10	58
20-34	26	5.0	18	1	2	3	7	11	13	18
35-49	39	4.3	16	<1	1	3	6	9	12	21
50-64	52	6.1	20	1	3	5	8	14	15	19
65 +	182	10.6	96	3	5	8	12	21	31	53
GRAND TOTAL	328	8.1	78	1	3	6	10	17	22	49

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.7	2	<1	1	1	2	3	6	7
20-34	17	1.7		<1	1	1	2	3	4	4
35-49	8	1.8	2	<1	1	1	2	4	5	5
50-64	5	2.2	1	1	1	2	3	4	4	4
65 +	6	3.5	18	<1	1	2	3	11	12	12
2. MULTIPLE DX										
0-19 YRS	24	4.9	20	1	2	5	6	8	13	23
20-34	27	4.7	21	1	2	2	6	11	15	21
35-49	39	4.1	11	1	1	3	6	8	11	15
50-64	66	5.6	42	1	2	3	7	12	19	34
65 +	256	6.2	43	1	2	4	7	13	19	36
TOTAL SINGLE DX	53	2.0	3	<1	1	1	2	3	5	12
TOTAL MULTIPLE DX	412	5.7	38	1	2	4	7	12	17	33
TOTAL										
0-19 YRS	41	3.6	15	<1	1	2	5	7	8	23
20-34	44	3.6	16	1	1	2	4	8	12	21
35-49	47	3.7	11	1	1	2	6	8	10	15
50-64	71	5.3	41	1	2	3	6	12	19	33
65 +	262	6.1	43	1	2	4	7	13	18	36
GRAND TOTAL	465	5.3	35	1	2	4	6	12	16	33

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	19	3.6	1	2	3	3	4	5	6	6
35-49	59	3.9	1	2	3	4	5	6	6	6
50-64	64	4.5	2	3	4	4	5	7	7	9
65 +	28	5.0	1	3	4	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	16	5.6	6	3	4	5	6	8	11	13
35-49	109	5.2	29	3	3	4	6	7	8	30
50-64	111	5.4	3	3	4	5	7	8	9	12
65 +	124	6.8	11	4	5	6	8	10	13	20
TOTAL SINGLE DX	170	4.3	2	3	3	4	5	6	7	8
TOTAL MULTIPLE DX	360	5.8	15	3	4	5	7	8	10	15
TOTAL										
0-19 YRS	0									
20-34	35	4.5	4	3	3	4	5	7	8	13
35-49	168	4.7	20	3	3	4	5	7	7	[illegible]
50-64	175	5.1	3	3	4	5	6	7	9	11
65 +	152	6.5	10	4	5	6	7	10	11	17
GRAND TOTAL	530	5.3	11	3	4	5	6	8	9	14

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	18	3.2	1	1	2	3	4	5	5	5
35-49	70	3.2	1	2	2	3	4	5	5	6
50-64	71	3.8	1	2	3	4	4	6	7	8
65 +	40	4.1	6	2	3	4	4	7	8	16
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	4.3	2	3	3	4	6	6	7	8
35-49	126	3.9	2	2	3	4	5	6	7	10
50-64	167	4.5	5	3	3	4	5	7	8	10
65 +	182	5.4	7	3	4	5	7	9	11	18
TOTAL SINGLE DX	200	3.6	3	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	495	4.7	6	3	3	4	6	7	9	12
TOTAL										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	37	3.8	2	2	3	3	5	6	6	8
35-49	196	3.6	2	2	3	3	4	5	6	10
50-64	238	4.3	5	3	3	4	5	7	8	9
65 +	222	5.2	8	3	3	5	6	8	11	17
GRAND TOTAL	695	4.4	5	2	3	4	5	7	8	12

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		< 1	1	1	1	2	2	2
20-34	44	2.8	4	1	1	2	4	6	7	9
35-49	43	2.5	1	1	1	2	3	5	5	5
50-64	28	2.4	3	1	1	2	3	5	7	9
65 +	10	2.4	7	< 1	< 1	1	2	7	9	9
2. MULTIPLE DX										
0-19 YRS	29	6.3	28	2	3	5	8	13	15	24
20-34	88	4.4	9	1	2	4	6	8	11	13
35-49	117	4.5	23	1	2	3	6	10	13	24
50-64	109	5.4	22	1	2	4	7	11	12	26
65 +	150	8.2	89	2	3	5	10	18	29	39
TOTAL SINGLE DX	131	2.5	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	493	5.9	44	1	2	4	8	12	16	34
TOTAL										
0-19 YRS	35	5.4	27	1	2	4	6	13	15	24
20-34	132	3.9	8	1	2	3	5	8	10	12
35-49	160	4.0	18	1	2	3	5	8	11	17
50-64	137	4.8	20	1	2	3	6	11	12	21
65 +	160	7.9	87	1	2	5	9	17	28	39
GRAND TOTAL	624	5.2	37	1	2	3	6	11	14	31

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.3		< 1	< 1	1	1	3	3	3
20-34	67	1.7	1	< 1	< 1	1	2	4	5	7
35-49	137	1.6	2	< 1	< 1	1	2	3	4	7
50-64	105	1.4	1	< 1	< 1	< 1	1	3	4	7
65 +	91	1.5	1	< 1	< 1	1	1	3	5	8
2. MULTIPLE DX										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	45	3.2	7	1	1	2	4	8	10	12
35-49	90	3.2	8	1	1	2	4	6	9	15
50-64	80	4.0	42	< 1	1	2	4	9	11	35
65 +	150	4.0	40	1	1	2	5	8	11	37
TOTAL SINGLE DX	406	1.5	2	< 1	< 1	1	1	3	4	7
TOTAL MULTIPLE DX	369	3.7	29	1	1	2	4	8	11	34
TOTAL										
0-19 YRS	10	1.7	1	< 1	1	1	3	4	4	4
20-34	112	2.3	5	< 1	1	1	3	5	7	11
35-49	227	2.2	5	< 1	< 1	1	2	5	6	14
50-64	185	2.6	21	< 1	< 1	1	2	4	7	34
65 +	241	3.0	27	< 1	1	1	3	7	9	25
GRAND TOTAL	775	2.6	16	< 1	< 1	1	3	5	8	16

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	5.3	1	4	4	6	6	6	6	6
50-64	2	6.5	25	3	3	6	10	10	10	10
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	8	16.3	257	6	8	10	17	44	54	54
35-49	8	8.6	44	3	4	7	9	20	24	24
50-64	10	8.5	24	3	5	7	11	16	18	18
65 +	12	12.3	143	5	7	8	11	28	45	48
TOTAL SINGLE DX	7	7.7	26	3	4	6	9	16	18	18
TOTAL MULTIPLE DX	41	10.7	113	3	5	8	11	21	35	54
TOTAL										
0-19 YRS	4	5.8	68	1	1	2	10	18	18	18
20-34	9	15.2	234	6	8	10	14	41	54	54
35-49	11	7.7	34	3	4	6	8	16	23	24
50-64	12	8.2	23	3	5	7	11	16	18	18
65 +	12	12.3	143	5	7	8	11	28	45	48
GRAND TOTAL	**48**	**10.2**	**101**	**3**	**5**	**8**	**11**	**19**	**26**	**54**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	3.2	1	2	2	3	4	5	5	5
50-64	211	3.3	1	2	3	3	4	5	5	7
65 +	370	3.6	1	2	3	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	4.0		4	4	4	4	4	4	4
35-49	42	3.7	4	2	3	3	4	6	7	14
50-64	1225	4.8	17	2	3	4	5	8	11	22
65 +	5129	6.1	31	3	3	4	7	12	16	30
TOTAL SINGLE DX	589	3.4	2	2	3	3	4	5	5	8
TOTAL MULTIPLE DX	6398	5.9	29	3	3	4	6	11	15	29
TOTAL										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	48	3.7	4	2	3	3	4	6	7	14
50-64	1436	4.6	16	2	3	4	5	7	11	20
65 +	5499	6.0	30	3	3	4	6	11	16	29
GRAND TOTAL	**6987**	**5.7**	**27**	**3**	**3**	**4**	**6**	**10**	**15**	**28**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	9	6.9	5	4	5	6	8	11	11	11
50-64	77	7.6	4	6	6	7	8	11	13	15
65 +	75	7.5	3	6	6	7	8	10	10	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	6.5	3	5	5	6	8	9	9	9
50-64	215	8.3	12	5	6	8	9	12	15	23
65 +	657	9.2	16	6	7	8	10	14	18	25
TOTAL SINGLE DX	161	7.5	4	5	6	7	8	10	12	15
TOTAL MULTIPLE DX	877	9.0	16	6	7	8	10	14	17	24
TOTAL										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	13	6.8	5	5	5	6	8	10	11	11
50-64	292	8.1	11	5	6	8	9	12	14	21
65 +	732	9.0	15	6	7	8	10	14	17	24
GRAND TOTAL	**1038**	**8.7**	**14**	**6**	**6**	**8**	**10**	**14**	**16**	**23**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	8	1.4		< 1	< 1	1	2	2	2	2
65 +	5	5.2	60	1	1	2	7	19	19	19
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.3	1	1	1	2	3	4	4	4
35-49	17	4.8	13	1	1	5	7	10	11	12
50-64	62	5.0	19	1	1	4	7	12	14	18
65 +	201	9.7	85	2	3	7	14	21	26	47
TOTAL SINGLE DX	19	2.6	17	< 1	1	1	2	5	13	19
TOTAL MULTIPLE DX	285	8.2	70	1	2	6	11	18	23	42
TOTAL										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	7	2.0	1	< 1	1	2	2	4	4	4
35-49	19	4.4	13	1	1	3	7	10	11	12
50-64	70	4.6	19	1	1	3	7	11	14	18
65 +	206	9.6	85	1	3	7	14	21	26	47
GRAND TOTAL	**304**	**7.9**	**69**	**1**	**2**	**6**	**10**	**18**	**23**	**41**

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	1.4	1	< 1	< 1	1	1	3	4	6
20-34	17	2.6	10	< 1	1	1	3	7	11	13
35-49	9	1.9	2	< 1	1	1	3	4	5	5
50-64	13	2.1	2	< 1	1	1	4	4	5	5
65 +	4	2.3	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	28	2.6	8	< 1	1	1	4	6	7	15
20-34	13	3.8	11	1	2	3	4	10	12	12
35-49	28	6.2	58	< 1	2	4	7	16	18	38
50-64	26	6.5	60	1	2	4	8	20	46	99 +
65 +	30	7.7	45	1	3	5	9	19	21	25
TOTAL SINGLE DX	84	1.9	3	< 1	1	1	2	4	5	11
TOTAL MULTIPLE DX	125	5.6	42	1	1	3	7	16	19	53
TOTAL										
0-19 YRS	69	1.9	5	< 1	1	1	2	4	6	13
20-34	30	3.1	11	< 1	1	2	3	8	12	13
35-49	37	5.1	48	< 1	1	3	6	14	16	38
50-64	39	5.0	45	< 1	1	3	6	15	28	99 +
65 +	34	7.1	44	1	2	4	9	18	21	25
GRAND TOTAL	**209**	**4.1**	**30**	**<1**	**1**	**2**	**5**	**9**	**16**	**37**

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	1.5	1	< 1	1	1	2	3	4	7
20-34	30	2.4	6	1	1	2	3	5	9	12
35-49	19	4.3	59	< 1	1	2	4	10	25	34
50-64	12	2.6	6	< 1	1	1	4	6	9	9
65 +	49	1.5	3	< 1	1	1	1	2	3	12
2. MULTIPLE DX										
0-19 YRS	46	2.6	54	1	1	1	2	3	4	51
20-34	42	5.2	51	1	1	2	7	13	19	38
35-49	24	3.7	7	1	1	3	5	7	9	12
50-64	59	7.6	119	1	2	5	10	15	16	75
65 +	277	6.5	62	1	1	3	9	16	22	37
TOTAL SINGLE DX	162	2.1	10	< 1	1	1	2	4	6	13
TOTAL MULTIPLE DX	448	6.0	67	1	1	3	8	15	20	38
TOTAL										
0-19 YRS	98	2.0	26	1	1	1	2	3	4	30
20-34	72	4.0	34	1	1	2	4	9	15	35
35-49	43	4.0	30	1	1	2	5	7	12	34
50-64	71	6.8	103	1	1	4	9	14	16	67
65 +	326	5.8	57	1	1	2	8	15	21	36
GRAND TOTAL	**610**	**5.0**	**55**	**1**	**1**	**2**	**6**	**13**	**17**	**36**

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	201	1.2		< 1	< 1	1	1	2	2	4
20-34	30	1.3		1	1	1	1	2	3	4
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	141	1.5	1	< 1	< 1	1	1	3	4	8
20-34	11	1.6	1	1	1	1	2	3	4	4
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
TOTAL SINGLE DX	236	1.2		< 1	1	1	1	2	2	4
TOTAL MULTIPLE DX	156	1.5	2	< 1	< 1	1	1	3	4	7
TOTAL										
0-19 YRS	342	1.3	1	< 1	< 1	1	1	2	3	6
20-34	41	1.4	1	1	1	1	2	3	3	4
35-49	8	1.3		< 1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**392**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.2		<1	1	1	1	2	2	3
20-34	6	3.0	2	1	2	3	4	5	5	5
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	0									
2. MULTIPLE DX										
0-19 YRS	20	3.9	63	<1	<1	1	3	6	22	37
20-34	5	2.0	1	<1	1	2	3	4	4	4
35-49	5	4.6	17	<1	1	5	7	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	15.3	342	6	6	6	25	43	43	43
TOTAL SINGLE DX	57	1.5	1	<1	1	1	1	3	4	7
TOTAL MULTIPLE DX	35	4.9	83	<1	1	2	5	7	30	43
TOTAL										
0-19 YRS	66	2.0	20	<1	1	1	1	3	5	32
20-34	11	2.5	2	<1	1	2	4	5	5	5
35-49	9	3.3	12	<1	1	1	5	9	11	11
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	4	15.3	342	6	6	6	25	43	43	43
GRAND TOTAL	92	2.8	35	<1	1	1	3	5	7	40

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	25	1.1		<1	<1	<1	<1	<1	1	4
35-49	17	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	8.0	137	1	1	1	14	28	28	28
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	42	1.1		<1	<1	<1	<1	<1	<1	4
TOTAL MULTIPLE DX	8	6.4	85	1	1	3	7	22	28	28
TOTAL										
0-19 YRS	0									
20-34	30	2.3	26	<1	<1	<1	<1	3	9	28
35-49	18	1.0		<1	<1	<1	<1	<1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	50	1.9	16	<1	<1	<1	<1	3	6	28

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.5	1	<1	<1	1	1	3	4	5
20-34	13	1.5	1	<1	1	1	1	4	5	5
35-49	13	2.0	6	<1	1	1	2	4	9	10
50-64	12	1.0		<1	<1	1	1	1	1	1
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9	1.9	3	<1	<1	1	2	5	7	7
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	14	2.1	2	<1	1	1	2	4	6	6
50-64	15	3.5	11	1	1	2	7	9	10	10
65+	16	4.5	65	<1	1	2	4	6	26	34
TOTAL SINGLE DX	64	1.5	2	<1	1	1	1	3	4	9
TOTAL MULTIPLE DX	59	3.0	22	<1	1	2	3	7	9	32
TOTAL										
0-19 YRS	32	1.6	2	<1	<1	1	2	3	5	7
20-34	18	1.5	1	<1	1	1	1	4	5	5
35-49	27	2.0	4	<1	1	1	2	4	7	10
50-64	27	2.4	8	<1	1	1	2	8	9	10
65+	19	4.0	56	<1	1	2	4	6	21	34
GRAND TOTAL	123	2.2	12	<1	1	1	2	5	7	17

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	1.2	1	<1	<1	<1	<1	1	1	8
20-34	11	1.0		<1	<1	<1	<1	1	1	1
35-49	15	1.0		<1	<1	<1	<1	1	1	1
50-64	8	1.4		<1	<1	<1	1	3	3	3
65+	5	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	54	3.4	44	<1	<1	1	3	7	10	40
20-34	11	5.4	22	<1	1	5	9	12	13	13
35-49	19	5.0	30	<1	1	3	8	13	17	20
50-64	23	4.3	59	<1	1	2	4	10	21	37
65+	18	8.0	72	<1	1	5	11	20	27	31
TOTAL SINGLE DX	171	1.2	1	<1	<1	<1	<1	1	2	7
TOTAL MULTIPLE DX	125	4.6	48	<1	<1	1	5	12	19	38
TOTAL										
0-19 YRS	186	1.8	15	<1	<1	<1	1	3	6	23
20-34	22	3.2	15	<1	<1	1	5	10	12	13
35-49	34	3.2	20	<1	<1	1	3	11	13	20
50-64	31	3.5	45	<1	<1	1	3	8	12	37
65+	23	6.5	65	<1	<1	3	9	19	24	31
GRAND TOTAL	296	2.6	24	<1	<1	<1	1	7	11	31

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	24	2.5	2	1	1	2	3	5	6	7
50-64	42	2.3		1	2	2	3	4	4	4
65 +	36	2.5	1	1	2	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	0									
20-34	9	3.6	4	1	2	4	5	6	7	7
35-49	68	3.3	4	1	2	3	4	7	8	10
50-64	148	2.5	2	1	1	2	3	5	5	8
65 +	122	2.7	2	1	2	2	3	4	5	9
TOTAL SINGLE DX	104	2.4	2	1	2	2	3	4	5	6
TOTAL MULTIPLE DX	347	2.7	3	1	2	2	3	5	6	8
TOTAL										
0-19 YRS	0									
20-34	11	3.2	4	1	1	3	5	6	7	7
35-49	92	3.1	4	1	2	3	4	6	7	10
50-64	190	2.5	2	1	1	2	3	4	5	8
65 +	158	2.6	2	1	2	2	3	4	5	8
GRAND TOTAL	**451**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	**8**

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	2.6	5	< 1	1	1	3	7	8	10
20-34	21	1.5		< 1	< 1	1	2	3	3	3
35-49	11	3.1	5	< 1	< 1	2	5	7	7	7
50-64	13	3.5	19	< 1	1	2	3	12	14	15
65 +	14	3.9	18	1	1	2	4	10	15	16
2. MULTIPLE DX										
0-19 YRS	47	4.2	25	1	1	2	6	9	12	28
20-34	17	8.4	53	2	3	7	10	18	26	30
35-49	28	10.8	333	1	3	6	11	32	95	99 +
50-64	45	6.4	42	1	2	4	8	16	21	27
65 +	42	6.3	63	1	2	4	7	12	17	49
TOTAL SINGLE DX	101	2.7	8	< 1	1	1	3	7	9	15
TOTAL MULTIPLE DX	179	6.7	92	1	2	4	8	15	19	81
TOTAL										
0-19 YRS	89	3.4	17	< 1	1	2	4	8	10	24
20-34	38	4.6	35	< 1	1	2	6	12	17	30
35-49	39	8.6	251	1	2	5	9	17	67	99 +
50-64	58	5.7	39	1	2	3	6	15	18	27
65 +	56	5.7	53	1	2	3	7	11	16	47
GRAND TOTAL	**280**	**5.2**	**65**	**1**	**1**	**3**	**7**	**12**	**17**	**46**

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	69	3.5	1	2	3	3	4	5	7	8
20-34	170	3.0	1	1	2	3	4	4	5	7
35-49	23	3.4	2	2	2	3	4	5	6	7
50-64	0									
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	81	4.1	8	2	3	3	4	7	9	20
20-34	451	3.7	15	1	3	3	4	5	6	13
35-49	119	4.8	80	1	3	3	5	7	10	42
50-64	14	6.1	14	2	4	5	7	13	15	15
65 +	21	10.3	46	4	6	7	15	21	25	26
TOTAL SINGLE DX	264	3.2	2	2	2	3	4	5	6	7
TOTAL MULTIPLE DX	686	4.2	28	1	3	3	4	6	9	19
TOTAL										
0-19 YRS	150	3.8	5	2	3	3	4	6	8	12
20-34	621	3.5	12	1	3	3	4	5	6	11
35-49	142	4.6	68	1	3	3	5	7	9	24
50-64	14	6.1	15	2	4	5	7	13	15	15
65 +	23	9.8	45	3	5	7	14	20	25	26
GRAND TOTAL	**950**	**3.9**	**21**	**2**	**3**	**3**	**4**	**6**	**7**	**15**

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	4.2	10	2	3	4	4	6	7	23
20-34	160	3.7	2	2	3	3	4	6	7	10
35-49	83	3.9	3	2	3	4	4	6	7	12
50-64	23	3.4	1	1	3	3	4	5	6	7
65 +	4	5.3	1	4	4	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	75	5.1	13	3	3	4	5	9	13	22
20-34	602	4.4	7	3	3	4	5	7	8	14
35-49	420	4.5	7	3	3	4	5	7	9	15
50-64	49	4.9	4	3	3	4	6	8	9	11
65 +	61	10.4	63	4	5	8	13	19	30	40
TOTAL SINGLE DX	319	3.8	4	2	3	3	4	6	7	11
TOTAL MULTIPLE DX	1207	4.8	12	3	3	4	5	8	10	20
TOTAL										
0-19 YRS	124	4.7	12	2	3	4	5	7	11	23
20-34	762	4.3	7	3	3	4	5	6	8	13
35-49	503	4.4	7	2	3	4	5	7	9	14
50-64	72	4.4	4	3	3	4	5	7	9	11
65 +	65	10.1	61	4	5	7	12	19	29	40
GRAND TOTAL	1526	4.6	11	3	3	4	5	7	10	19

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	18	3.9	2	2	3	4	5	6	7	8
35-49	50	4.3	3	3	3	4	5	6	7	12
50-64	26	4.3	3	3	3	4	4	7	9	9
65 +	10	5.7	2	4	5	5	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	6	5.8	18	1	3	5	8	12	13	13
20-34	200	4.5	7	3	3	4	5	7	8	11
35-49	518	4.6	5	3	3	4	5	7	8	14
50-64	192	5.8	14	3	4	4	7	9	15	22
65 +	153	8.6	36	4	5	6	10	17	23	38
TOTAL SINGLE DX	105	4.4	3	3	3	4	5	6	8	11
TOTAL MULTIPLE DX	1069	5.3	14	3	3	4	6	8	12	23
TOTAL										
0-19 YRS	7	5.7	15	1	3	5	7	12	13	13
20-34	218	4.4	7	3	3	4	5	7	8	11
35-49	568	4.5	5	3	3	4	5	7	8	14
50-64	218	5.6	13	3	4	4	6	9	14	21
65 +	163	8.4	35	4	5	6	10	16	23	38
GRAND TOTAL	1174	5.3	13	3	3	4	6	8	12	23

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.5	2	1	1	2	3	5	6	7
20-34	45	2.7	2	<1	1	3	4	5	6	8
35-49	8	1.8	1	<1	<1	1	2	4	4	4
50-64	2	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	25	4.1	14	1	2	3	5	10	11	16
20-34	170	3.2	2	1	2	3	4	5	6	9
35-49	57	4.6	30	<1	1	4	5	9	12	35
50-64	3	6.0	7	3	4	7	8	8	8	8
65 +	3	8.0	67	1	2	6	14	17	17	17
TOTAL SINGLE DX	71	2.6	3	<1	1	2	4	5	6	8
TOTAL MULTIPLE DX	258	3.7	11	1	2	3	4	6	8	17
TOTAL										
0-19 YRS	41	3.5	10	1	1	3	4	7	11	16
20-34	215	3.1	3	1	2	3	4	5	6	8
35-49	65	4.3	27	<1	1	3	5	8	11	34
50-64	5	6.0	4	3	5	6	7	8	8	8
65 +	3	8.0	67	1	2	6	14	17	17	17
GRAND TOTAL	329	3.5	9	<1	2	3	4	6	7	16

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	237	1.0		<1	<1	<1	<1	<1	<1	2
35-49	114	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	100	1.8	2	<1	<1	1	2	3	3	11
35-49	64	1.5	1	<1	<1	<1	1	2	4	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	351	1.0		<1	<1	<1	<1	<1	<1	2
TOTAL MULTIPLE DX	166	1.7	2	<1	<1	1	2	3	3	9
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	337	1.3	1	<1	<1	<1	<1	2	3	4
35-49	178	1.2	1	<1	<1	<1	<1	1	2	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	517	1.2	1	<1	<1	<1	<1	2	3	4

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	111	1.9		< 1	< 1	2	2	3	3	4
35-49	34	1.4		< 1	< 1	< 1	2	2	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14	3.1	5	1	2	3	3	6	9	10
20-34	2059	2.5	6	2	2	2	3	3	4	7
35-49	280	2.6	3	1	2	2	3	4	4	9
50-64	6	4.7	5	2	4	4	5	9	9	9
65 +	0									
TOTAL SINGLE DX	147	1.8	1	< 1	< 1	2	2	3	3	5
TOTAL MULTIPLE DX	2359	2.5	6	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	16	3.3	5	1	2	3	4	6	9	10
20-34	2170	2.4	6	1	2	2	3	3	4	7
35-49	314	2.5	3	1	2	2	3	4	4	8
50-64	6	4.7	5	2	4	4	5	9	9	9
65 +	0									
GRAND TOTAL	2506	2.5	6	1	2	2	3	3	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	2.9	1	1	2	3	4	4	5	5
20-34	513	3.0	1	1	2	3	4	4	5	6
35-49	109	3.0	1	1	2	3	4	5	5	6
50-64	2	8.5	113	1	1	8	16	16	16	16
65 +	0									
2. MULTIPLE DX										
0-19 YRS	64	3.9	5	2	3	4	4	5	8	15
20-34	888	3.5	2	2	3	3	4	5	6	9
35-49	198	3.6	3	2	3	3	4	6	7	10
50-64	4	3.8		3	3	4	4	4	4	4
65 +	5	9.0	70	2	3	8	12	23	23	23
TOTAL SINGLE DX	661	3.0	2	1	2	3	4	4	5	6
TOTAL MULTIPLE DX	1159	3.6	3	2	3	3	4	5	6	10
TOTAL										
0-19 YRS	101	3.5	4	2	2	3	4	5	6	14
20-34	1401	3.3	2	2	3	3	4	5	6	8
35-49	307	3.4	3	1	2	3	4	5	6	9
50-64	6	5.3	29	1	3	4	4	15	16	16
65 +	5	9.0	71	2	3	8	12	23	23	23
GRAND TOTAL	1820	3.4	3	2	3	3	4	5	6	9

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	103	1.0		< 1	< 1	< 1	< 1	1	1	2
35-49	44	1.2		< 1	< 1	< 1	< 1	1	4	4
50-64	13	1.2		< 1	< 1	< 1	1	2	2	2
65 +	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	55	1.8	7	< 1	< 1	< 1	1	4	6	18
35-49	22	1.8	2	< 1	< 1	1	2	4	6	7
50-64	25	2.7	12	< 1	< 1	1	2	7	12	14
65 +	16	3.8	23	< 1	< 1	2	4	9	17	20
TOTAL SINGLE DX	169	1.1		< 1	< 1	< 1	< 1	1	1	4
TOTAL MULTIPLE DX	122	2.2	10	< 1	< 1	< 1	2	5	8	19
TOTAL										
0-19 YRS	10	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	158	1.3	3	< 1	< 1	< 1	< 1	1	2	9
35-49	66	1.4	1	< 1	< 1	< 1	1	3	4	7
50-64	38	2.2	9	< 1	< 1	1	2	6	10	14
65 +	19	3.4	21	< 1	< 1	2	4	8	15	20
GRAND TOTAL	291	1.6	4	< 1	< 1	< 1	1	2	4	13

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.1		< 1	< 1	< 1	1	2	2	2
20-34	88	1.1		< 1	< 1	< 1	< 1	< 1	2	3
35-49	27	1.3		< 1	< 1	< 1	< 1	1	4	5
50-64	11	1.1		< 1	< 1	< 1	1	2	2	2
65 +	4	2.0	4	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	60	1.8	3	< 1	< 1	< 1	2	4	5	13
35-49	49	2.7	5	< 1	< 1	1	4	6	7	11
50-64	35	6.4	81	< 1	< 1	3	8	14	22	48
65 +	37	7.8	86	2	3	5	8	16	28	49
TOTAL SINGLE DX	138	1.2		< 1	< 1	< 1	< 1	1	2	5
TOTAL MULTIPLE DX	185	4.1	41	< 1	< 1	2	5	9	14	43
TOTAL										
0-19 YRS	12	1.3		< 1	< 1	< 1	1	2	2	2
20-34	148	1.4	2	< 1	< 1	< 1	< 1	3	3	5
35-49	76	2.2	4	< 1	< 1	< 1	4	5	7	10
50-64	46	5.2	67	< 1	< 1	2	6	12	19	48
65 +	41	7.2	81	1	2	5	7	15	25	49
GRAND TOTAL	323	2.8	26	< 1	< 1	< 1	3	6	11	26

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.9	1	<1	1	1	3	4	5	5
20-34	168	1.7	1	<1	1	1	2	3	4	7
35-49	29	1.8	3	<1	1	1	2	3	5	11
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	12	4.6	10	<1	1	4	6	10	11	11
20-34	103	5.2	125	1	1	2	5	8	13	74
35-49	17	5.2	61	1	1	3	7	8	25	34
50-64	0									
65+	0									
TOTAL SINGLE DX	213	1.7	2	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	132	5.2	106	1	1	3	5	8	12	71
TOTAL										
0-19 YRS	27	3.1	7	<1	1	2	5	7	9	11
20-34	271	3.0	51	1	1	1	3	5	8	42
35-49	46	3.1	27	<1	1	1	3	7	9	34
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
GRAND TOTAL	345	3.0	44	1	1	1	3	5	8	35

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	106	3.3	1	1	3	3	4	5	5	7
35-49	56	3.3	1	1	3	3	4	5	5	7
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	2	5.5	41	<1	<1	5	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	7	3.3	2	<1	2	4	4	5	5	5
20-34	307	3.6	2	1	3	4	4	6	7	8
35-49	216	4.9	39	2	3	4	5	7	9	63
50-64	29	6.9	43	1	3	5	9	11	25	31
65+	29	10.7	137	<1	3	6	12	27	44	45
TOTAL SINGLE DX	168	3.2	2	1	3	3	4	5	5	7
TOTAL MULTIPLE DX	588	4.6	27	1	3	4	5	7	9	32
TOTAL										
0-19 YRS	7	3.3	2	<1	2	4	4	5	5	5
20-34	413	3.5	2	1	3	3	4	5	6	8
35-49	272	4.5	32	2	3	4	5	7	8	52
50-64	33	6.2	42	1	2	5	8	11	23	31
65+	31	10.3	131	<1	2	6	12	25	43	45
GRAND TOTAL	756	4.3	22	1	3	4	5	7	8	25

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	223	4.0	1	3	3	4	4	5	6	9
35-49	525	4.1	1	3	3	4	4	5	6	8
50-64	144	4.3	1	3	4	4	5	6	7	7
65+	67	4.9	2	3	4	4	5	8	9	11
2. MULTIPLE DX										
0-19 YRS	15	4.7	4	3	3	4	6	6	10	11
20-34	2760	4.4	3	3	4	4	5	6	8	12
35-49	7388	4.5	3	3	4	4	5	6	7	12
50-64	1499	5.2	6	3	4	4	6	8	10	16
65+	843	7.3	36	4	5	6	7	12	17	34
TOTAL SINGLE DX	961	4.2	1	3	3	4	5	5	6	9
TOTAL MULTIPLE DX	12505	4.7	7	3	4	4	5	7	8	15
TOTAL										
0-19 YRS	17	4.7	4	3	4	4	5	6	9	11
20-34	2983	4.4	4	3	3	4	5	6	8	12
35-49	7913	4.4	4	3	4	4	5	6	7	12
50-64	1643	5.1	6	3	4	4	5	7	10	15
65+	910	7.1	34	4	4	6	7	12	16	33
GRAND TOTAL	13466	4.7	6	3	4	4	5	6	8	14

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	207	3.1		2	3	3	4	4	5	6
35-49	176	3.2		2	3	3	3	4	5	7
50-64	95	4.1	1	3	3	4	5	6	6	7
65+	57	4.4	1	3	4	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	5	3.2	2	1	2	4	4	5	5	5
20-34	1002	3.4		2	3	3	4	5	5	7
35-49	1855	3.6	1	2	3	3	4	5	6	8
50-64	520	4.4	10	3	3	4	5	6	6	10
65+	631	5.2	4	3	4	5	6	7	8	13
TOTAL SINGLE DX	535	3.5	1	2	3	3	4	5	5	7
TOTAL MULTIPLE DX	4013	3.9	4	3	3	4	4	6	6	9
TOTAL										
0-19 YRS	5	3.2	3	1	2	4	4	5	5	5
20-34	1209	3.4	1	2	3	3	4	4	5	7
35-49	2031	3.6	2	2	3	3	4	5	6	8
50-64	615	4.4	9	3	3	4	5	6	6	10
65+	688	5.1	5	3	4	5	6	7	8	12
GRAND TOTAL	4548	3.9	3	3	3	4	4	5	6	9

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	11	7.6	3	5	7	8	9	10	11	11
35-49	15	7.0	3	4	6	7	8	9	10	10
50-64	3	7.0		7	7	7	7	7	7	7
65 +	3	10.7		10	10	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	3	21.3	240	6	10	21	33	37	37	37
20-34	35	7.3	26	3	4	7	8	11	13	33
35-49	51	7.4	8	5	6	7	8	10	11	23
50-64	20	11.6	50	5	8	9	15	19	27	35
65 +	24	16.3	320	6	8	10	14	32	71	72
TOTAL SINGLE DX	32	7.6	4	5	6	8	9	10	11	11
TOTAL MULTIPLE DX	133	9.9	92	4	6	8	10	15	26	71
TOTAL										
0-19 YRS	3	21.3	240	6	10	21	33	37	37	37
20-34	46	7.4	21	4	5	7	8	11	12	33
35-49	66	7.3	7	5	6	7	8	9	10	21
50-64	23	11.0	46	6	7	9	13	18	25	35
65 +	27	15.6	287	6	8	10	13	28	71	72
GRAND TOTAL	**165**	**9.4**	**76**	**4**	**6**	**8**	**9**	**14**	**21**	**66**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		< 1	1	1	1	2	2	2
20-34	31	1.6	1	< 1	1	1	2	3	3	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	5.2	20	1	1	4	9	12	14	14
20-34	41	4.1	12	1	2	3	5	10	11	16
35-49	10	2.7	1	< 1	2	3	3	4	5	5
50 64	0									
65 +	0									
TOTAL SINGLE DX	39	1.5	1	< 1	1	1	2	3	3	6
TOTAL MULTIPLE DX	61	4.1	12	1	2	3	5	10	11	16
TOTAL										
0-19 YRS	16	3.7	16	1	1	2	5	10	13	14
20-34	72	3.0	9	1	1	2	4	7	10	15
35-49	12	2.5	2	1	1	2	3	4	5	5
50-64	0									
65 +	0									
GRAND TOTAL	**100**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**10**	**15**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	239	1.4		< 1	< 1	1	2	2	3	5
20-34	1014	1.3		< 1	< 1	1	1	2	3	5
35-49	355	1.2		< 1	< 1	< 1	1	1	2	5
50-64	92	1.2		< 1	< 1	< 1	< 1	1	3	6
65 +	33	1.3	1	< 1	< 1	< 1	1	2	3	8
2. MULTIPLE DX										
0-19 YRS	128	2.2	4	1	1	2	2	4	5	13
20-34	694	2.5	8	< 1	1	2	3	5	6	12
35-49	532	2.3	16	< 1	< 1	1	2	5	6	14
50-64	151	3.1	17	< 1	< 1	1	4	7	10	23
65 +	165	4.3	37	< 1	< 1	2	5	10	15	36
TOTAL SINGLE DX	1733	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	1670	2.6	14	< 1	< 1	1	3	5	7	19
TOTAL										
0-19 YRS	367	1.7	2	< 1	1	1	2	3	4	9
20-34	1708	1.8	4	< 1	< 1	1	2	3	5	9
35-49	887	1.8	10	< 1	< 1	< 1	1	4	5	11
50-64	243	2.4	12	< 1	< 1	< 1	2	5	7	20
65 +	198	3.8	33	< 1	< 1	1	4	10	13	34
GRAND TOTAL	**3403**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
20-34	16	1.2		< 1	< 1	< 1	1	2	3	3
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50 64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	4.2	17	< 1	1	2	6	11	13	13
20-34	25	4.2	44	< 1	1	3	4	6	18	34
35-49	11	4.6	130	< 1	< 1	< 1	2	17	37	39
50-64	0									
65 +	0									
TOTAL SINGLE DX	24	1.2		< 1	< 1	< 1	1	2	2	3
TOTAL MULTIPLE DX	45	4.3	57	< 1	< 1	2	4	7	18	39
TOTAL										
0-19 YRS	15	2.9	13	< 1	< 1	1	5	7	11	13
20-34	41	3.0	29	< 1	< 1	1	3	5	9	34
35-49	13	4.2	110	< 1	< 1	< 1	2	10	33	39
50-64	0									
65 +	0									
GRAND TOTAL	**69**	**3.2**	**39**	**<1**	**<1**	**1**	**3**	**6**	**13**	**38**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	1.2		<1	<1	1	1	2	2	4
20-34	309	1.2		<1	<1	1	1	2	3	5
35-49	52	1.2		<1	<1	<1	1	2	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	31	2.3	3	1	1	2	2	5	7	9
20-34	180	2.3	5	<1	1	1	3	5	6	16
35-49	34	2.3	3	<1	1	2	3	5	7	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	16.2	452	<1	1	6	29	51	51	51
TOTAL SINGLE DX	443	1.2		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	251	2.6	16	<1	1	1	3	5	6	17
TOTAL										
0-19 YRS	113	1.5	2	<1	1	1	2	2	4	8
20-34	489	1.6	3	<1	<1	1	2	3	4	8
35-49	86	1.7	2	<1	<1	1	2	3	4	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	16.2	453	<1	1	6	29	51	51	51
GRAND TOTAL	**694**	**1.7**	**7**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	8	2.6	2	<1	1	3	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	27	3.0	1	2	2	3	4	5	5	6
35-49	5	4.6	1	4	4	4	5	6	6	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	10	2.6	2	<1	1	3	4	4	4	4
TOTAL MULTIPLE DX	37	3.6	3	2	3	3	4	6	6	9
TOTAL										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	35	2.9	1	1	2	3	4	4	5	6
35-49	6	4.3	1	3	4	4	5	6	6	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**47**	**3.4**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.3	2	<1	1	2	3	5	5	5
20-34	35	1.7	1	<1	<1	1	2	3	4	6
35-49	20	1.5		<1	<1	1	2	3	3	3
50-64	4	2.5	1	<1	1	2	3	4	4	4
65+	4	2.8	1	<1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	1.4		<1	1	1	2	3	3	3
20-34	96	2.9	11	<1	<1	2	4	5	6	21
35-49	52	1.7	2	<1	<1	<1	2	3	5	9
50-64	11	2.8	17	1	1	1	2	8	14	15
65+	6	3.2	1	1	3	3	4	4	4	4
TOTAL SINGLE DX	69	1.8	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	174	2.5	8	<1	<1	1	3	4	6	16
TOTAL										
0-19 YRS	15	1.8	1	<1	1	1	2	3	5	5
20-34	131	2.6	9	<1	<1	1	3	4	6	18
35-49	72	1.6	2	<1	<1	<1	2	3	4	8
50-64	15	2.7	13	1	1	2	3	4	12	15
65+	10	3.0	1	<1	3	3	4	4	4	4
GRAND TOTAL	**243**	**2.3**	**6**	**<1**	**<1**	**1**	**3**	**4**	**5**	**15**

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	11	3.0	1	1	2	3	4	5	5	5
35-49	66	3.3	2	2	2	3	4	5	6	8
50-64	134	3.5	2	2	3	4	4	5	6	8
65+	120	3.7	2	2	3	4	5	6	6	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	33	3.8	2	2	3	3	5	6	7	7
35-49	199	3.9	2	2	3	4	5	6	7	10
50-64	357	4.4	4	3	3	4	5	7	9	12
65+	437	4.9	8	3	3	4	6	7	9	14
TOTAL SINGLE DX	331	3.5	2	2	3	3	4	5	6	7
TOTAL MULTIPLE DX	1026	4.5	6	2	3	4	5	7	8	12
TOTAL										
0-19 YRS	0									
20-34	44	3.6	3	1	3	3	5	6	7	7
35-49	265	3.8	2	2	3	4	5	6	6	9
50-64	491	4.2	4	2	3	4	5	6	8	12
65+	557	4.6	7	2	3	4	5	7	8	13
GRAND TOTAL	**1357**	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	2.2	3	<1	<1	1	3	5	6	8
20-34	30	3.4	2	1	2	3	4	6	6	8
35-49	18	3.3	2	1	2	3	5	6	6	6
50-64	16	3.6	4	2	2	3	4	6	9	10
65+	12	4.3	2	2	3	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	37	4.6	17	1	2	3	8	10	12	20
20-34	37	3.5	6	1	1	3	5	7	8	12
35-49	41	5.6	120	1	2	4	5	7	14	71
50-64	40	5.0	4	2	4	5	6	8	9	10
65+	67	6.1	27	2	3	4	7	10	20	28
TOTAL SINGLE DX	104	3.2	4	1	2	3	5	6	6	9
TOTAL MULTIPLE DX	222	5.1	35	1	2	4	6	8	11	25
TOTAL										
0-19 YRS	65	3.6	13	<1	1	2	5	8	11	19
20-34	67	3.4	5	1	2	3	5	6	7	11
35-49	59	4.9	85	1	2	4	5	6	8	66
50-64	56	4.6	5	2	3	4	6	8	9	10
65+	79	5.9	24	2	3	5	6	9	18	27
GRAND TOTAL	**326**	**4.5**	**26**	**1**	**2**	**4**	**5**	**8**	**9**	**22**

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	2.6	5	<1	<1	1	4	5	8	10
20-34	35	2.5	5	<1	<1	2	3	5	5	13
35-49	34	2.5	4	<1	<1	1	4	5	7	8
50-64	13	3.2	12	<1	<1	1	4	8	12	13
65+	24	2.7	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	37	3.6	24	<1	1	2	3	9	14	26
20-34	115	3.7	19	<1	<1	2	4	9	14	25
35-49	87	3.8	12	<1	<1	3	5	9	12	16
50-64	38	4.8	19	1	3	4	5	7	18	20
65+	103	5.1	33	1	3	4	6	8	11	34
TOTAL SINGLE DX	127	2.6	5	<1	<1	2	4	5	7	13
TOTAL MULTIPLE DX	380	4.2	22	<1	1	3	5	8	13	21
TOTAL										
0-19 YRS	58	3.3	18	<1	<1	2	3	8	11	25
20-34	150	3.5	17	<1	<1	2	4	7	13	22
35-49	121	3.4	10	<1	<1	2	5	8	10	15
50-64	51	4.4	18	<1	2	3	5	7	18	20
65+	127	4.7	29	<1	2	4	6	8	10	25
GRAND TOTAL	**507**	**3.8**	**19**	**<1**	**<1**	**3**	**5**	**8**	**11**	**19**

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	1.5	1	<1	<1	<1	2	3	4	5
20-34	57	1.7	2	<1	<1	<1	2	4	6	7
35-49	31	1.5	1	<1	<1	<1	1	3	5	5
50-64	13	1.8	2	<1	<1	<1	2	4	6	6
65+	13	1.5		<1	<1	<1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	38	3.9	34	<1	1	3	4	7	8	37
20-34	76	4.4	43	<1	1	2	4	8	22	35
35-49	42	5.6	37	<1	1	3	8	14	20	26
50-64	17	7.7	57	<1	2	7	8	18	26	30
65+	47	6.7	62	1	2	4	7	14	27	39
TOTAL SINGLE DX	145	1.6	2	<1	<1	<1	2	3	5	7
TOTAL MULTIPLE DX	220	5.3	46	<1	1	3	6	12	22	37
TOTAL										
0-19 YRS	69	2.9	21	<1	<1	1	3	5	7	32
20-34	133	3.2	27	<1	<1	2	3	7	9	31
35-49	73	3.8	26	<1	<1	1	4	10	16	25
50-64	30	5.2	41	<1	<1	3	7	12	19	30
65+	60	5.6	54	<1	1	3	6	12	25	38
GRAND TOTAL	**365**	**3.8**	**32**	**<1**	**<1**	**2**	**4**	**8**	**14**	**30**

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	2.3	2	<1	<1	2	3	5	6	6
50-64	0									
65+	9	5.3	9	2	3	6	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	9	5.8	23	1	2	5	10	13	13	13
50-64	16	7.2	39	2	3	5	7	20	22	22
65+	43	9.7	57	2	4	8	12	21	26	37
TOTAL SINGLE DX	18	3.8	8	<1	2	3	6	8	10	10
TOTAL MULTIPLE DX	71	8.4	49	2	4	6	11	17	23	35
TOTAL										
0-19 YRS	0									
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	17	4.1	16	<1	1	2	6	12	13	13
50-64	16	7.2	40	2	3	5	7	20	22	22
65+	52	9.0	52	2	4	7	11	17	25	37
GRAND TOTAL	**89**	**7.5**	**44**	**1**	**3**	**6**	**10**	**15**	**22**	**33**

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.7	1	<1	1	1	2	3	4	5
20-34	21	2.0	1	<1	1	2	2	4	5	5
35-49	7	3.7	7	2	2	2	6	8	8	8
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	20	3.0	7	<1	1	2	4	7	9	11
20-34	13	3.8	15	1	1	2	4	11	13	14
35-49	7	4.0	5	2	2	3	5	8	8	8
50-64	3	2.3	1	<1	1	3	3	3	3	3
65 +	5	2.8	3	<1	1	3	4	5	5	5
TOTAL SINGLE DX	48	2.2	2	<1	1	2	2	4	5	8
TOTAL MULTIPLE DX	48	3.3	8	<1	1	2	4	7	10	14
TOTAL										
0-19 YRS	38	2.3	5	<1	1	1	3	5	7	11
20-34	34	2.7	7	1	1	2	3	4	9	14
35-49	14	3.9	6	2	2	3	6	8	8	8
50-64	5	2.6	1	<1	1	3	3	4	4	4
65 +	5	2.8	3	<1	1	3	4	5	5	5
GRAND TOTAL	**96**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**8**	**13**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.2		<1	<1	<1	1	2	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	1.3		<1	<1	<1	1	3	3	3
20-34	5	11.2	71	3	5	7	18	23	23	23
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	4	6.8	48	2	2	4	11	17	17	17
TOTAL SINGLE DX	11	1.2		<1	<1	<1	1	2	3	3
TOTAL MULTIPLE DX	21	4.8	40	<1	<1	2	5	17	20	23
TOTAL										
0-19 YRS	19	1.3		<1	<1	<1	1	2	3	3
20-34	5	11.2	71	3	5	7	18	23	23	23
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	4	6.8	48	2	2	4	11	17	17	17
GRAND TOTAL	**32**	**3.5**	**29**	**<1**	**<1**	**1**	**3**	**10**	**17**	**23**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	694	2.3		2	2	2	3	3	3	4
20-34	2659	2.3		2	2	2	3	3	3	4
35-49	172	2.5	1	2	2	2	3	3	4	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	892	2.6	1	2	2	2	3	4	4	9
20-34	4460	2.6	1	2	2	2	3	3	4	7
35-49	335	2.7	2	2	2	2	3	4	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	3525	2.3	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	5687	2.6	2	2	2	2	3	4	4	8
TOTAL										
0-19 YRS	1586	2.4	1	2	2	2	3	3	4	7
20-34	7119	2.5	1	2	2	2	3	3	4	6
35-49	507	2.6	2	2	2	2	3	4	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**9212**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**6**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8		<1	1	2	2	3	3	3
20-34	25	1.8		1	1	2	2	2	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	25	2.8	6	1	1	2	3	7	9	10
20-34	122	2.9	8	1	2	2	3	5	8	16
35-49	16	5.0	20	1	2	3	8	13	14	15
50-64	0									
65 +	0									
TOTAL SINGLE DX	33	1.8		1	1	2	2	3	3	3
TOTAL MULTIPLE DX	163	3.1	9	1	2	2	3	6	9	15
TOTAL										
0-19 YRS	30	2.7	5	1	1	2	3	6	9	10
20-34	147	2.7	7	1	2	2	3	5	7	12
35-49	19	4.5	19	1	1	3	7	12	14	15
50-64	0									
65 +	0									
GRAND TOTAL	**196**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**14**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	331	2.2		1	2	2	3	3	3	5
20-34	1722	2.1		1	2	2	2	3	3	4
35-49	144	2.2		1	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	488	2.8	18	2	2	2	3	4	4	8
20-34	3048	2.5	2	2	2	2	3	3	4	7
35-49	320	2.4	1	2	2	2	3	3	4	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
TOTAL SINGLE DX	2197	2.2	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	3857	2.5	4	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	819	2.6	11	2	2	2	3	3	4	7
20-34	4770	2.4	2	2	2	2	3	3	4	6
35-49	464	2.3	1	1	2	2	3	3	4	6
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
GRAND TOTAL	6054	2.4	3	2	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6049	2.1		1	2	2	2	3	3	4
20-34	24023	2.0		1	2	2	2	3	3	4
35-49	1684	2.0	4	1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3569	2.6	8	1	2	2	3	4	5	10
20-34	16409	2.5	4	1	2	2	3	3	4	9
35-49	1523	2.6	8	1	2	2	3	4	5	13
50-64	0									
65 +	0									
TOTAL SINGLE DX	31756	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	21501	2.5	5	1	2	2	3	3	4	9
TOTAL										
0-19 YRS	9618	2.3	4	1	2	2	2	3	4	7
20-34	40432	2.2	2	1	2	2	2	3	3	6
35-49	3207	2.3	6	1	2	2	2	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	53257	2.2	3	1	2	2	2	3	3	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	680	3.8	1	3	3	4	4	5	5	8
20-34	4327	3.7	1	3	3	4	4	5	5	7
35-49	330	3.7		3	3	4	4	5	5	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2367	5.0	10	3	4	4	5	7	10	19
20-34	17338	4.4	10	3	3	4	5	6	7	16
35-49	2307	4.7	18	3	3	4	5	6	8	27
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
TOTAL SINGLE DX	5338	3.7	2	3	3	4	4	5	5	7
TOTAL MULTIPLE DX	22014	4.5	11	3	3	4	5	6	8	17
TOTAL										
0-19 YRS	3047	4.7	9	3	3	4	5	7	9	16
20-34	21665	4.3	9	3	3	4	4	5	7	14
35-49	2637	4.6	17	3	3	4	5	6	8	24
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	0									
GRAND TOTAL	27352	4.4	10	3	3	4	4	6	7	15

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	3.7	1	2	3	4	4	5	6	9
20-34	104	3.4	1	2	3	3	4	4	5	10
35-49	11	4.1	1	3	3	4	4	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	97	4.9	9	3	3	4	5	7	10	20
20-34	552	5.1	24	3	3	4	5	8	11	23
35-49	96	7.0	78	3	4	5	6	11	21	55
50-64	0									
65 +	0									
TOTAL SINGLE DX	159	3.5	2	2	3	3	4	5	5	9
TOTAL MULTIPLE DX	745	5.3	30	3	3	4	5	8	11	26
TOTAL										
0-19 YRS	141	4.5	7	3	3	4	5	7	8	15
20-34	656	4.9	21	3	3	4	5	7	10	22
35-49	107	6.7	71	3	4	5	6	10	20	53
50-64	0									
65 +	0									
GRAND TOTAL	904	5.0	25	3	3	4	5	7	11	25

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.5	5	2	2	3	5	7	7	7
20-34	51	2.2	1	1	1	2	3	4	4	6
35-49	10	3.0	3	<1	1	3	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	68	3.5	5	1	2	3	4	6	8	13
35-49	9	3.0	3	1	2	3	4	6	6	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	65	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	80	3.4	5	1	2	3	4	6	8	13
TOTAL										
0-19 YRS	7	3.4	3	2	2	3	4	6	7	7
20-34	119	2.9	4	1	1	3	4	5	7	12
35-49	19	3.0	3	1	1	3	4	6	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**145**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	1.4	3	1	1	1	1	2	2	14
20-34	109	1.3		1	1	1	1	2	2	3
35-49	7	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14	2.8	28	1	1	1	2	6	18	21
20-34	49	1.7	1	1	1	1	2	3	4	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	174	1.3	1	1	1	1	1	2	2	3
TOTAL MULTIPLE DX	64	2.0	7	1	1	1	2	3	4	19
TOTAL										
0-19 YRS	72	1.7	8	1	1	1	1	2	2	20
20-34	158	1.4	1	1	1	1	2	2	3	5
35-49	8	1.5	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**238**	**1.5**	**3**	**1**	**1**	**1**	**2**	**2**	**3**	**6**

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	6.3	32	3	3	4	6	15	20	24
20-34	65	4.2	11	1	2	4	5	8	11	19
35-49	3	4.7	6	2	3	5	6	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	33	4.5	7	1	2	4	7	8	9	10
20-34	135	5.5	32	1	2	4	6	11	17	34
35-49	8	8.0	78	1	3	4	10	23	28	28
50-64	0									
65 +	0									
TOTAL SINGLE DX	88	4.7	16	1	2	4	5	8	14	22
TOTAL MULTIPLE DX	176	5.4	30	1	2	4	7	11	16	32
TOTAL										
0-19 YRS	53	5.1	17	1	3	4	7	9	13	24
20-34	200	5.1	26	1	2	4	6	11	15	29
35-49	11	7.1	58	1	3	4	9	18	27	28
50-64	0									
65 +	0									
GRAND TOTAL	**264**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**15**	**28**

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	116	1.6	3	<1	<1	1	1	3	4	11
20-34	470	1.8	2	<1	1	1	2	3	4	9
35-49	41	1.7	1	<1	1	1	2	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	79	2.8	6	<1	1	2	3	6	9	12
20-34	364	2.9	9	<1	1	2	3	5	7	20
35-49	35	2.8	5	1	1	2	3	5	9	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	627	1.8	3	<1	<1	1	2	3	4	8
TOTAL MULTIPLE DX	478	2.9	9	<1	1	2	3	5	8	18
TOTAL										
0-19 YRS	195	2.1	5	<1	<1	1	2	4	6	12
20-34	834	2.3	6	<1	1	2	3	4	5	14
35-49	76	2.2	3	<1	1	2	3	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**1105**	**2.2**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**13**

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	677	2.0		1	2	2	2	3	3	4
20-34	2910	1.9		1	2	2	2	3	3	3
35-49	245	1.9		1	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1105	2.4	2	1	2	2	3	3	4	7
20-34	4921	2.3	4	1	2	2	2	3	4	7
35-49	523	2.5	6	1	2	2	3	3	4	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	3832	1.9		1	2	2	2	3	3	3
TOTAL MULTIPLE DX	6549	2.3	4	1	2	2	2	3	4	7
TOTAL										
0-19 YRS	1782	2.2	2	1	2	2	2	3	4	7
20-34	7831	2.1	3	1	2	2	2	3	3	6
35-49	768	2.3	5	1	2	2	2	3	4	9
50-64	0									
65 +	0									
GRAND TOTAL	10381	2.1	3	1	2	2	2	3	3	6

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	3.5	8	<1	1	3	5	7	10	12
20-34	6	3.2	6	1	2	2	4	8	8	8
35-49	11	3.1	5	1	2	2	4	7	9	9
50-64	8	1.8		<1	<1	1	2	3	3	3
65 +	4	4.8	8	<1	2	5	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	26	4.0	16	<1	2	3	4	7	11	21
20-34	15	7.3	47	1	3	6	9	12	25	29
35-49	18	3.9	13	1	2	2	6	9	12	14
50-64	34	8.4	80	1	2	6	11	18	32	38
65 +	39	9.3	42	2	5	8	12	16	26	29
TOTAL SINGLE DX	49	3.2	6	<1	1	2	4	7	8	12
TOTAL MULTIPLE DX	132	7.1	48	1	2	6	9	15	21	36
TOTAL										
0-19 YRS	46	3.8	12	<1	2	3	4	7	9	21
20-34	21	6.1	39	1	2	4	8	11	20	29
35-49	29	3.6	10	1	2	2	6	8	9	14
50-64	42	7.1	72	1	1	4	10	17	25	38
65 +	43	8.9	41	2	5	8	11	15	24	29
GRAND TOTAL	181	6.0	39	1	2	4	8	13	17	34

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	2.6	3	1	2	2	3	4	6	11
20-34	206	2.0		1	1	2	2	3	3	5
35-49	123	2.2	1	1	1	2	3	3	5	7
50-64	26	2.5	5	1	1	2	3	4	7	13
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	181	3.0	8	1	2	2	3	5	6	20
20-34	175	3.0	5	1	2	2	3	5	7	15
35-49	129	3.5	34	1	2	2	3	5	8	27
50-64	35	4.3	21	1	2	2	5	12	16	20
65 +	14	5.5	24	2	2	4	5	14	18	19
TOTAL SINGLE DX	451	2.2	2	1	1	2	3	3	4	7
TOTAL MULTIPLE DX	534	3.3	15	1	2	2	3	5	8	19
TOTAL										
0-19 YRS	275	2.9	6	1	2	2	3	5	6	15
20-34	381	2.4	3	1	2	2	3	4	5	9
35-49	252	2.8	19	1	2	2	3	4	6	17
50-64	61	3.5	16	1	2	2	4	8	14	20
65 +	16	5.1	23	2	2	4	5	13	17	19
GRAND TOTAL	985	2.8	9	1	2	2	3	4	6	16

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	2.4	2	1	1	2	3	4	5	9
20-34	49	2.0	1	1	1	2	2	4	4	6
35-49	15	2.1	1	1	1	2	3	3	5	5
50-64	3	3.0	7	1	1	2	5	6	6	6
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	69	2.6	3	1	1	2	3	5	7	11
20-34	103	4.0	13	1	2	3	5	7	11	21
35-49	40	4.7	25	1	2	3	6	10	11	30
50-64	8	2.9	2	1	2	3	4	5	6	6
65 +	5	1.6	1	1	1	1	2	3	3	3
TOTAL SINGLE DX	104	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	225	3.6	13	1	2	3	4	7	10	21
TOTAL										
0-19 YRS	105	2.5	3	1	1	2	3	5	6	10
20-34	152	3.3	11	1	1	2	4	6	8	21
35-49	55	4.0	20	1	2	3	5	9	11	29
50-64	11	2.9	3	1	1	3	4	6	6	6
65 +	6	1.5	1	<1	1	1	2	3	3	3
GRAND TOTAL	329	3.1	10	1	1	2	4	6	9	18

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	2.3	4	1	1	2	3	5	8	10
20-34	127	2.4	3	1	1	2	3	5	6	10
35-49	45	2.9	4	1	1	2	4	6	7	9
50-64	9	2.0	1	<1	1	2	3	4	4	4
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	160	6.4	82	1	2	4	7	13	21	65
20-34	386	4.9	23	1	2	3	6	11	14	28
35-49	204	5.8	43	1	2	4	7	11	15	43
50-64	49	6.7	37	2	3	5	9	14	23	28
65 +	42	9.8	222	2	3	5	13	24	56	99 +
TOTAL SINGLE DX	241	2.5	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	841	5.8	51	1	2	4	7	12	16	37
TOTAL										
0-19 YRS	219	5.3	65	1	2	3	6	10	15	50
20-34	513	4.3	20	1	2	3	5	10	13	27
35-49	249	5.3	37	1	2	4	7	10	14	37
50-64	58	6.0	35	1	2	4	8	14	20	28
65 +	43	9.8	217	2	3	6	13	23	54	99 +
GRAND TOTAL	1082	5.0	42	1	2	3	6	10	14	30

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.7	1	1	2	3	3	4	4	4
20-34	9	3.8	10	<1	1	2	7	9	9	9
35-49	7	1.7		<1	1	2	2	3	3	3
50-64	10	1.8	1	<1	<1	1	3	4	4	4
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	21	3.3	2	1	2	3	4	5	6	6
20-34	18	7.8	87	2	2	4	9	19	32	39
35-49	26	3.2	6	1	1	2	4	7	9	11
50-64	10	5.9	43	<1	1	4	6	18	18	18
65 +	11	9.4	182	2	3	4	11	28	46	48
TOTAL SINGLE DX	36	2.5	4	<1	1	2	3	4	8	9
TOTAL MULTIPLE DX	86	5.3	52	1	2	3	6	11	18	45
TOTAL										
0-19 YRS	30	3.1	2	1	2	3	4	5	6	6
20-34	27	6.4	64	1	2	3	9	11	25	39
35-49	33	2.8	5	1	1	2	3	6	8	11
50-64	20	3.9	26	<1	1	2	4	12	18	18
65 +	12	8.7	172	1	2	4	9	25	45	48
GRAND TOTAL	122	4.5	39	1	2	3	4	9	13	42

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	4.9	18	2	2	4	6	8	12	25
20-34	11	3.7	6	1	2	2	6	7	8	8
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	125	5.2	24	2	3	4	5	9	16	28
20-34	19	8.2	126	1	3	4	9	18	37	50
35-49	2	6.0		6	6	6	6	6	6	6
50-64	8	12.1	213	3	4	8	12	37	47	47
65 +	5	14.8	96	8	9	12	18	32	32	32
TOTAL SINGLE DX	72	4.8	16	2	2	4	6	8	9	24
TOTAL MULTIPLE DX	159	6.2	51	2	3	4	6	12	21	46
TOTAL										
0-19 YRS	183	5.1	23	2	3	4	5	8	15	28
20-34	30	6.5	86	1	2	4	6	12	21	50
35-49	4	7.0	2	6	6	7	8	9	9	9
50-64	9	11.2	194	3	4	8	10	34	47	47
65 +	5	14.8	97	8	9	12	18	32	32	32
GRAND TOTAL	231	5.8	41	2	3	4	6	10	20	35

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	117	3.6	43	1	2	3	4	6	7	35
20-34	29	3.8	12	<1	1	3	4	7	10	18
35-49	45	3.2	3	1	2	3	4	6	6	10
50-64	23	3.3	3	1	2	3	5	6	7	7
65 +	7	1.9	10	1	2	5	6	10	11	11
2. MULTIPLE DX										
0-19 YRS	123	7.3	151	1	2	4	7	18	25	74
20-34	47	4.3	12	<1	2	3	5	9	13	16
35-49	71	7.1	77	1	2	5	7	17	35	39
50-64	78	6.4	46	2	3	5	7	13	18	42
65 +	41	7.1	46	2	4	5	7	13	21	39
TOTAL SINGLE DX	221	3.6	26	1	2	3	4	6	7	18
TOTAL MULTIPLE DX	360	6.7	84	1	3	4	7	13	22	44
TOTAL										
0-19 YRS	240	5.5	102	1	2	3	5	9	19	66
20-34	76	4.1	13	<1	2	3	5	8	13	17
35-49	116	5.6	52	1	2	4	6	10	21	39
50-64	101	5.7	38	1	3	4	6	9	17	40
65 +	48	6.8	42	2	4	5	7	11	19	39
GRAND TOTAL	581	5.5	64	1	2	4	6	9	17	42

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.8	1	<1	<1	1	3	3	4	4
20-34	39	1.5		<1	<1	1	2	3	3	5
35-49	40	1.4		<1	<1	1	2	2	3	6
50-64	52	1.7		<1	<1	1	2	3	3	4
65 +	22	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
0-19 YRS	38	1.5		<1	<1	1	2	3	4	5
20-34	110	1.7		<1	<1	1	2	3	4	5
35-49	207	1.7	1	<1	<1	<1	2	3	4	7
50-64	237	1.9	1	<1	<1	1	2	4	5	7
65 +	187	2.6	4	<1	1	2	3	5	6	10
TOTAL SINGLE DX	165	1.6	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	779	2.0	2	<1	<1	1	2	4	5	8
TOTAL										
0-19 YRS	50	1.6	1	<1	<1	1	2	3	4	5
20-34	149	1.6	1	<1	<1	1	2	3	4	5
35-49	247	1.7	1	<1	<1	1	2	3	4	6
50-64	289	1.9	2	<1	<1	1	2	3	4	7
65 +	209	2.5	5	<1	1	2	3	5	6	10
GRAND TOTAL	944	1.9	2	<1	<1	1	2	4	4	8

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	4.8	23	1	2	3	7	12	13	27
20-34	15	3.7	14	1	1	2	4	11	13	14
35-49	11	3.2	9	<1	1	3	3	7	12	12
50-64	8	4.8	23	1	2	3	5	13	16	16
65 +	4	3.8	13	1	1	2	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	41	11.6	106	2	4	8	14	28	33	44
20-34	35	13.1	209	2	3	7	18	29	45	68
35-49	26	10.8	175	1	3	7	13	44	56	99 +
50-64	27	13.4	320	1	2	5	18	46	58	61
65 +	40	14.0	116	4	6	11	21	29	35	48
TOTAL SINGLE DX	103	4.4	20	1	1	3	5	11	13	22
TOTAL MULTIPLE DX	169	12.6	172	2	4	8	17	31	44	67
TOTAL										
0-19 YRS	106	7.4	66	1	2	5	10	15	27	38
20-34	50	10.3	169	1	2	5	17	21	42	68
35-49	37	8.5	137	1	2	4	10	34	46	99 +
50-64	35	11.5	264	1	2	5	13	44	55	61
65 +	44	13.0	115	3	5	10	19	29	35	48
GRAND TOTAL	272	9.5	130	1	2	5	12	23	37	60

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	298	3.5	20	1	1	2	4	7	10	24
20-34	231	3.4	23	1	1	3	4	7	8	13
35-49	194	3.0	7	1	1	2	4	6	8	12
50-64	109	3.1	11	1	1	2	4	6	8	23
65 +	53	4.4	25	1	1	3	5	9	10	32
2. MULTIPLE DX										
0-19 YRS	257	8.1	90	1	2	5	10	20	26	69
20-34	309	8.3	112	1	2	5	10	19	28	66
35-49	349	6.8	79	1	2	4	8	15	23	49
50-64	306	6.9	69	1	2	4	8	17	26	43
65 +	370	10.5	119	2	4	7	13	23	30	55
TOTAL SINGLE DX	885	3.4	18	1	1	2	4	7	9	19
TOTAL MULTIPLE DX	1591	8.2	97	1	2	5	10	19	27	59
TOTAL										
0-19 YRS	555	5.6	58	1	1	3	7	13	20	46
20-34	540	6.3	80	1	2	3	7	15	20	60
35-49	543	5.4	57	1	2	3	6	12	17	40
50-64	415	5.9	57	1	2	3	7	14	22	41
65 +	423	9.7	112	1	3	7	13	22	29	52
GRAND TOTAL	2476	6.5	74	1	2	4	8	15	22	48

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	187	3.7	11	1	2	3	4	7	8	23
20-34	14	6.6	13	2	4	6	8	11	14	15
35-49	9	5.1	5	2	4	4	7	8	8	8
50-64	10	5.6	2	3	4	6	7	8	8	8
65 +	26	7.3	18	2	4	6	11	13	16	16
2. MULTIPLE DX										
0-19 YRS	112	8.7	94	2	3	6	10	22	26	51
20-34	49	9.7	66	4	6	9	12	18	53	99 +
35-49	43	11.5	97	4	5	8	13	22	37	47
50-64	55	8.4	25	3	5	7	11	14	18	26
65 +	300	12.2	41	6	8	11	15	21	25	33
TOTAL SINGLE DX	246	4.4	14	1	2	3	6	8	11	20
TOTAL MULTIPLE DX	559	10.9	59	4	6	9	14	20	26	47
TOTAL										
0-19 YRS	299	5.6	48	1	2	3	6	10	21	40
20-34	63	9.0	56	3	5	8	11	15	37	99 +
35-49	52	10.4	88	4	5	7	13	18	35	47
50-64	65	7.9	21	3	5	6	10	14	17	25
65 +	326	11.8	41	5	8	10	15	20	24	33
GRAND TOTAL	805	8.9	54	2	4	7	11	17	23	42

717: Repair and plastic operation on bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	3.3	17	1	1	2	3	5	8	26
20-34	77	3.7	9	1	2	3	4	7	11	16
35-49	42	3.4	11	1	1	3	4	6	8	21
50-64	28	3.5	7	1	1	2	5	8	10	11
65 +	11	4.7	27	1	1	3	6	12	18	19
2. MULTIPLE DX										
0-19 YRS	90	4.7	31	1	2	3	5	11	15	32
20-34	105	5.8	62	1	2	4	7	12	19	78
35-49	69	8.2	143	1	2	4	8	23	41	95
50-64	62	8.5	56	2	3	5	12	21	24	30
65 +	55	11.3	128	3	4	7	14	22	44	49
TOTAL SINGLE DX	259	3.5	14	1	1	3	4	7	9	22
TOTAL MULTIPLE DX	381	7.2	82	1	2	4	8	17	25	57
TOTAL										
0-19 YRS	191	3.9	24	1	1	2	4	7	13	28
20-34	182	4.9	41	1	2	3	6	10	13	53
35-49	111	6.4	98	1	2	4	7	15	25	85
50-64	90	6.9	46	1	2	4	9	18	22	29
65 +	66	10.2	117	2	4	7	13	21	41	49
GRAND TOTAL	640	5.7	58	1	2	3	6	13	21	46

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	188	1.9	4	<1	1	1	2	3	5	12
20-34	173	1.9	3	<1	<1	1	2	4	5	10
35-49	120	2.1	2	<1	<1	1	3	4	5	9
50-64	52	2.6	10	<1	1	1	3	5	10	18
65 +	36	4.1	18	<1	1	3	5	11	18	99 +
2. MULTIPLE DX										
0-19 YRS	177	3.2	43	1	1	1	3	4	12	23
20-34	147	5.2	68	1	2	3	5	10	27	52
35-49	114	5.0	36	1	1	4	6	11	14	38
50-64	86	6.8	88	1	2	4	7	13	30	48
65 +	151	8.0	104	1	2	4	10	18	29	55
TOTAL SINGLE DX	569	2.1	5	<1	1	1	2	4	6	12
TOTAL MULTIPLE DX	675	5.5	70	1	1	3	5	12	19	48
TOTAL										
0-19 YRS	365	2.5	24	<1	1	1	2	4	8	21
20-34	320	3.4	36	<1	1	2	4	6	10	45
35-49	234	3.5	21	<1	1	2	4	7	10	23
50-64	138	5.2	63	1	1	3	5	11	19	45
65 +	187	7.3	90	1	2	4	9	16	24	57
GRAND TOTAL	1244	3.9	43	<1	1	2	4	9	14	44

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	8.1	57	1	3	5	10	21	25	29
20-34	17	7.6	29	3	5	6	8	13	21	26
35-49	13	6.7	7	4	5	6	8	11	13	13
50-64	10	7.1	3	4	7	7	8	9	9	9
65 +	26	8.3	8	5	6	8	10	11	15	15
2. MULTIPLE DX										
0-19 YRS	77	12.4	79	4	7	10	14	27	34	38
20-34	77	10.9	38	5	7	10	13	20	24	30
35-49	31	12.9	41	6	9	12	15	22	28	30
50-64	53	11.3	52	5	8	9	12	20	27	44
65 +	358	14.0	121	7	9	11	16	23	36	87
TOTAL SINGLE DX	120	7.8	33	2	4	6	9	15	21	28
TOTAL MULTIPLE DX	596	13.1	96	6	8	11	15	23	30	64
TOTAL										
0-19 YRS	131	10.6	75	3	4	8	13	23	31	37
20-34	94	10.4	38	4	6	9	13	26	24	30
35-49	44	11.1	39	4	6	10	13	19	26	30
50-64	63	10.6	47	5	7	9	12	19	26	43
65 +	384	13.6	116	6	8	11	15	23	34	80
GRAND TOTAL	716	12.2	89	5	7	10	14	22	28	63

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	5.5	7	2	3	5	7	9	11	12
20-34	44	7.0	12	3	5	6	8	13	15	17
35-49	45	7.2	9	3	5	7	8	10	14	16
50-64	54	8.4	13	5	7	8	9	13	15	24
65 +	101	10.8	45	5	7	9	13	16	20	44
2. MULTIPLE DX										
0-19 YRS	119	11.5	79	4	6	9	14	21	30	48
20-34	184	14.4	99	6	8	12	18	24	37	56
35-49	146	13.1	120	5	7	10	15	23	36	58
50-64	293	13.5	110	6	7	10	16	26	34	54
65 +	2333	12.8	59	7	8	11	15	20	25	45
TOTAL SINGLE DX	304	8.2	26	3	5	7	10	13	16	25
TOTAL MULTIPLE DX	3075	12.9	71	6	8	11	15	21	27	49
TOTAL										
0-19 YRS	179	9.5	64	3	5	7	12	17	26	43
20-34	228	12.9	91	5	7	10	16	23	28	54
35-49	191	11.7	101	5	6	9	13	21	30	54
50-64	347	12.7	99	5	7	9	14	25	32	48
65 +	2434	12.7	59	7	8	11	15	20	25	45
GRAND TOTAL	3379	12.5	68	6	8	11	14	21	26	48

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	216	5.8	51	1	2	3	6	17	23	33
20-34	4	7.8	11	4	5	7	10	12	12	12
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	117	10.1	113	2	3	6	14	24	33	48
20-34	19	9.1	49	1	3	8	14	19	23	25
35-49	13	13.8	170	4	6	10	17	30	47	51
50-64	8	14.6	224	5	7	10	13	40	51	51
65 +	35	13.7	150	4	6	8	15	36	44	49
TOTAL SINGLE DX	225	5.9	50	1	2	3	7	17	22	33
TOTAL MULTIPLE DX	192	11.1	123	2	4	7	14	24	38	51
TOTAL										
0-19 YRS	333	7.3	78	1	2	4	9	20	25	40
20-34	23	8.8	42	1	4	8	13	17	22	25
35-49	15	13.1	151	4	6	9	15	25	44	51
50-64	9	13.6	207	5	6	9	12	36	51	51
65 +	37	13.3	146	4	6	8	14	35	43	49
GRAND TOTAL	**417**	**8.3**	**90**	**1**	**2**	**6**	**10**	**22**	**27**	**46**

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	287	2.0	5	1	1	1	2	3	5	17
20-34	84	3.2	18	1	1	2	4	6	7	28
35-49	54	2.6	4	1	1	2	3	6	7	9
50-64	30	2.9	5	< 1	1	2	4	6	7	12
65 +	18	2.4	9	< 1	1	1	3	5	10	14
2. MULTIPLE DX										
0-19 YRS	83	5.2	55	1	1	3	6	13	17	45
20-34	66	6.3	42	1	3	6	8	10	16	43
35-49	54	8.1	76	1	2	4	11	23	27	41
50-64	46	6.3	38	1	3	4	7	17	22	25
65 +	90	8.0	68	2	3	6	9	19	25	41
TOTAL SINGLE DX	473	2.4	8	1	1	2	3	5	7	14
TOTAL MULTIPLE DX	339	6.8	58	1	2	4	8	15	23	42
TOTAL										
0-19 YRS	370	2.7	19	1	1	2	2	5	8	21
20-34	150	4.6	31	1	1	3	6	8	11	37
35-49	108	5.3	48	1	1	3	6	12	23	34
50-64	76	5.0	28	1	2	3	5	11	20	25
65 +	108	7.1	63	1	2	5	9	15	25	41
GRAND TOTAL	**812**	**4.2**	**34**	**1**	**1**	**2**	**5**	**9**	**14**	**31**

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	698	2.4	2	1	1	2	3	4	6	9
20-34	684	3.3	7	1	2	3	4	6	7	13
35-49	597	3.8	8	1	2	3	4	6	9	17
50-64	373	3.9	7	1	2	3	5	7	8	14
65 +	170	4.7	10	1	3	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	339	6.0	52	1	2	4	7	12	18	35
20-34	798	7.0	56	2	3	5	8	16	22	45
35-49	679	7.6	70	2	3	5	9	16	23	44
50-64	605	6.8	42	2	3	5	8	14	19	39
65 +	743	7.8	37	3	4	6	9	15	19	34
TOTAL SINGLE DX	2522	3.3	7	1	2	3	4	6	8	14
TOTAL MULTIPLE DX	3164	7.2	52	2	3	5	8	15	21	41
TOTAL										
0-19 YRS	1037	3.6	22	1	1	2	4	7	10	22
20-34	1482	5.3	37	1	2	3	6	11	16	35
35-49	1276	5.8	45	2	2	4	6	11	17	34
50-64	978	5.7	31	2	3	4	6	11	16	36
65 +	913	7.2	34	3	4	6	8	14	18	33
GRAND TOTAL	**5686**	**5.5**	**36**	**1**	**2**	**4**	**6**	**11**	**16**	**33**

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	759	1.8	3	1	1	1	2	3	4	9
20-34	159	2.9	10	1	1	2	4	5	7	19
35-49	107	2.8	6	1	1	2	3	5	8	15
50-64	83	2.5	2	1	1	2	3	5	6	8
65 +	59	3.4	9	1	1	3	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	272	5.2	79	1	1	2	5	11	20	43
20-34	200	5.4	36	1	2	3	7	12	19	34
35-49	177	7.6	135	1	2	4	7	15	26	76
50-64	142	6.3	75	1	2	4	8	12	15	46
65 +	299	7.7	83	1	3	5	9	15	24	47
TOTAL SINGLE DX	1167	2.2	5	1	1	1	2	4	5	11
TOTAL MULTIPLE DX	1090	6.5	82	1	2	4	7	13	20	44
TOTAL										
0-19 YRS	1031	2.7	26	1	1	1	2	5	8	26
20-34	359	4.3	26	1	2	3	5	9	13	30
35-49	284	5.8	92	1	2	3	6	11	17	50
50-64	225	4.9	52	1	2	3	5	10	13	38
65 +	358	7.0	74	1	2	5	8	15	19	45
GRAND TOTAL	**2257**	**4.2**	**47**	**1**	**1**	**2**	**4**	**9**	**14**	**36**

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	98	4.1	17	1	2	3	5	9	11	25
20-34	14	7.8	57	1	2	4	11	21	24	25
35-49	9	3.6	8	<1	1	2	5	8	9	9
50-64	16	2.3	2	<1	1	2	3	5	6	6
65+	20	3.4	11	<1	1	2	3	9	12	12
2. MULTIPLE DX										
0-19 YRS	65	6.3	22	2	4	4	7	15	17	20
20-34	15	7.5	25	1	4	8	10	15	18	19
35-49	19	9.9	52	2	6	8	13	26	65	99+
50-64	16	8.4	193	1	3	4	6	23	47	56
65+	94	7.9	44	2	3	5	13	18	21	25
TOTAL SINGLE DX	157	4.1	20	1	1	3	5	9	12	25
TOTAL MULTIPLE DX	209	7.6	48	2	3	5	10	18	20	41
TOTAL										
0-19 YRS	163	5.0	21	1	2	3	6	11	16	23
20-34	29	7.6	40	1	3	6	10	17	21	25
35-49	28	7.9	47	1	3	7	10	20	34	99+
50-64	32	5.3	105	<1	1	3	5	8	23	56
65+	114	7.1	41	1	2	4	12	18	21	25
GRAND TOTAL	**366**	**6.1**	**39**	**1**	**2**	**4**	**8**	**15**	**20**	**26**

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	1.7	1	<1	1	1	2	3	4	6
20-34	59	2.1	1	1	1	2	3	4	5	6
35-49	27	2.0	1	1	1	1	3	3	4	6
50-64	16	2.2	3	<1	1	2	2	6	6	6
65+	10	1.7	1	<1	1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	31	2.1	2	<1	1	1	3	4	4	9
20-34	41	4.6	25	1	1	3	6	11	14	26
35-49	38	6.6	127	1	2	3	6	14	26	65
50-64	22	5.6	28	1	2	4	9	11	16	24
65+	48	6.1	22	1	3	5	8	13	15	23
TOTAL SINGLE DX	151	1.9	2	1	1	1	3	4	5	6
TOTAL MULTIPLE DX	180	5.1	44	1	2	3	7	11	15	27
TOTAL										
0-19 YRS	70	1.9	2	<1	1	1	3	3	4	8
20-34	100	3.1	13	1	1	2	3	7	10	20
35-49	65	4.7	80	1	1	3	4	8	16	59
50-64	38	4.2	20	<1	1	2	6	9	11	24
65+	58	5.3	21	1	2	4	7	11	15	22
GRAND TOTAL	**331**	**3.7**	**27**	**1**	**1**	**2**	**4**	**8**	**11**	**24**

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	130	4.6	29	1	1	3	6	10	13	27
20-34	54	2.4	3	<1	1	1	3	5	6	8
35-49	50	2.5	4	<1	1	2	3	6	7	10
50-64	30	3.9	25	<1	1	2	4	9	12	26
65+	16	4.9	13	2	3	4	6	9	14	16
2. MULTIPLE DX										
0-19 YRS	200	8.8	88	1	2	6	14	22	28	51
20-34	96	5.3	32	1	2	4	6	10	14	35
35-49	96	6.7	80	1	2	3	8	18	23	52
50-64	71	8.0	95	1	1	4	11	27	33	99+
65+	132	16.2	291	3	5	10	22	41	59	85
TOTAL SINGLE DX	280	3.7	19	<1	1	2	5	8	11	23
TOTAL MULTIPLE DX	595	9.5	138	1	2	5	12	23	33	78
TOTAL										
0-19 YRS	330	7.2	70	1	2	4	9	18	24	47
20-34	150	4.3	24	<1	1	3	5	9	13	24
35-49	146	5.3	58	1	1	3	5	12	20	48
50-64	101	6.8	78	1	1	3	10	22	30	99+
65+	148	15.0	274	3	4	9	19	36	54	82
GRAND TOTAL	**875**	**7.6**	**107**	**1**	**2**	**4**	**9**	**20**	**29**	**63**

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65+	0									
TOTAL SINGLE DX	3	3.7	2	2	2	4	5	5	5	5
TOTAL MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	4	3.0	3	<1	1	3	4	5	5	5
50-64	0									
65+	0									
GRAND TOTAL	**4**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**5**	**5**

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	4.7	13	2	2	3	5	10	12	17
20-34	1317	4.1	6	2	3	4	5	6	9	14
35-49	2514	4.0	5	2	2	3	5	7	8	13
50-64	1062	4.3	7	2	3	4	5	7	9	14
65 +	184	5.6	20	3	3	5	7	8	13	18
2. MULTIPLE DX										
0-19 YRS	39	9.6	58	3	4	8	12	19	28	37
20-34	531	5.9	36	2	3	5	7	10	14	28
35-49	1643	5.5	21	2	3	4	6	9	13	26
50-64	1258	6.2	24	2	3	5	7	11	15	26
65 +	944	8.8	51	3	5	7	10	17	22	38
TOTAL SINGLE DX	5124	4.2	7	2	3	4	5	7	9	14
TOTAL MULTIPLE DX	4415	6.5	32	2	3	5	8	12	16	29
TOTAL										
0-19 YRS	86	6.9	39	2	3	5	10	12	18	35
20-34	1848	4.6	16	2	3	4	5	8	10	18
35-49	4157	4.6	12	2	3	4	5	8	10	18
50-64	2320	5.3	17	2	3	4	6	9	12	23
65 +	1128	8.3	48	3	4	6	9	16	21	37
GRAND TOTAL	**9539**	**5.2**	**20**	**2**	**3**	**4**	**6**	**9**	**12**	**23**

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.7	1	<1	<1	1	3	3	4	4
20-34	73	1.7	2	<1	<1	<1	2	3	4	11
35-49	40	1.3		<1	<1	<1	<1	2	3	4
50-64	27	1.6	5	<1	<1	<1	1	2	4	13
65 +	8	3.6	44	<1	<1	1	2	15	20	20
2. MULTIPLE DX										
0-19 YRS	60	3.0	38	<1	<1	2	3	5	6	44
20-34	139	2.4	2	<1	1	2	3	4	6	7
35-49	85	2.4	4	<1	<1	1	3	4	6	12
50-64	99	2.6	9	<1	1	2	3	6	9	18
65 +	69	3.3	38	<1	1	1	3	7	13	40
TOTAL SINGLE DX	172	1.7	4	<1	<1	<1	2	3	4	13
TOTAL MULTIPLE DX	452	2.7	15	<1	1	2	3	4	7	16
TOTAL										
0-19 YRS	84	2.7	28	<1	<1	1	3	4	5	36
20-34	212	2.2	2	<1	<1	2	3	4	4	8
35-49	125	2.0	4	<1	<1	1	2	4	5	12
50-64	126	2.4	9	<1	<1	1	2	5	8	16
65 +	77	3.3	39	<1	1	1	3	7	15	38
GRAND TOTAL	**624**	**2.4**	**12**	**<1**	**<1**	**1**	**3**	**4**	**6**	**14**

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	2.7	12	<1	1	1	3	6	10	22
20-34	79	2.3	2	<1	1	2	3	5	6	9
35-49	38	2.6	2	<1	1	3	3	5	6	8
50-64	20	2.6	2	1	1	3	3	5	6	7
65 +	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	61	3.7	19	1	1	2	4	9	15	22
20-34	77	3.4	7	1	1	3	4	7	9	15
35-49	65	3.4	18	1	1	2	4	7	15	22
50-64	55	4.9	54	1	1	2	6	12	29	96
65 +	41	7.3	63	1	1	3	11	23	24	25
TOTAL SINGLE DX	202	2.5	6	<1	1	2	3	5	7	12
TOTAL MULTIPLE DX	299	4.3	30	1	1	2	5	10	17	28
TOTAL										
0-19 YRS	123	3.2	16	<1	1	2	3	7	12	23
20-34	156	2.9	5	<1	1	2	4	5	7	12
35-49	103	3.1	13	<1	1	2	3	6	9	20
50-64	75	4.3	41	1	1	2	4	10	24	84
65 +	44	7.0	61	1	2	3	10	23	24	25
GRAND TOTAL	**501**	**3.6**	**21**	**<1**	**1**	**2**	**4**	**7**	**12**	**25**

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	3.2	10	<1	<1	1	5	8	9	16
20-34	76	2.0	3	<1	<1	1	2	5	6	9
35-49	73	2.2	4	<1	<1	1	2	5	8	11
50-64	42	2.5	7	<1	<1	1	3	6	9	12
65 +	32	2.7	8	<1	<1	1	3	6	11	13
2. MULTIPLE DX										
0-19 YRS	65	6.3	35	<1	1	4	9	15	22	88
20-34	106	4.6	34	<1	1	2	6	11	17	29
35-49	117	5.0	48	<1	1	3	5	12	19	38
50-64	107	7.5	135	1	2	3	8	21	29	95
65 +	129	8.9	105	1	2	5	12	22	30	49
TOTAL SINGLE DX	290	2.5	7	<1	<1	1	3	6	8	13
TOTAL MULTIPLE DX	524	6.5	78	<1	1	3	8	18	24	46
TOTAL										
0-19 YRS	132	4.7	25	<1	1	3	7	12	16	37
20-34	182	3.5	23	<1	<1	2	4	8	13	24
35-49	190	3.9	34	<1	1	2	4	9	14	32
50-64	149	6.1	104	<1	1	3	6	16	25	91
65 +	161	7.7	93	<1	1	4	10	21	26	47
GRAND TOTAL	**814**	**5.1**	**57**	**<1**	**1**	**2**	**6**	**13**	**20**	**41**

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	216	7.2	5	5	6	7	8	10	11	17
20-34	92	6.5	9	3	4	6	8	10	12	16
35-49	132	5.7	13	2	3	5	8	10	12	23
50-64	63	5.7	12	3	3	5	7	9	15	19
65 +	13	4.5	11	2	2	3	5	10	12	12
2. MULTIPLE DX										
0-19 YRS	298	12.1	99	5	7	9	13	22	31	62
20-34	143	14.9	276	4	6	9	15	38	53	85
35-49	239	9.8	92	3	5	7	10	20	25	62
50-64	127	10.7	79	4	5	8	12	20	32	46
65 +	94	14.4	116	4	7	11	18	29	38	52
TOTAL SINGLE DX	516	6.4	10	3	4	6	8	10	12	18
TOTAL MULTIPLE DX	901	11.9	127	4	6	8	13	24	34	64
TOTAL										
0-19 YRS	514	10.0	66	5	6	8	10	16	24	50
20-34	235	11.6	188	4	5	8	10	23	40	77
35-49	371	8.3	68	3	4	7	9	14	22	45
50-64	190	9.1	63	3	4	7	10	17	24	46
65 +	107	13.2	114	3	6	10	16	27	36	52
GRAND TOTAL	**1417**	**9.9**	**92**	**4**	**5**	**8**	**10**	**18**	**27**	**53**

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	3.0	1	2	2	3	3	4	5	5
20-34	49	3.2	4	1	1	3	5	6	7	10
35-49	57	3.8	4	1	2	4	5	6	8	11
50-64	34	3.0	3	1	2	3	4	6	7	8
65 +	18	2.7	2	1	2	2	3	6	6	6
2. MULTIPLE DX										
0-19 YRS	54	3.2	2	1	2	3	4	5	6	9
20-34	67	4.1	12	1	2	3	5	7	10	23
35-49	75	5.0	34	2	3	4	5	8	11	40
50-64	87	4.6	14	2	2	3	5	9	11	22
65 +	57	6.4	36	2	3	5	7	10	20	36
TOTAL SINGLE DX	179	3.3	4	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	340	4.7	21	1	2	4	5	8	10	26
TOTAL										
0-19 YRS	75	3.1	2	1	2	3	4	5	6	8
20-34	116	3.7	9	1	2	3	5	7	9	16
35-49	132	4.5	22	1	2	4	5	7	9	30
50-64	121	4.2	12	1	2	3	5	8	10	19
65 +	75	5.5	31	1	2	4	7	9	18	33
GRAND TOTAL	**519**	**4.2**	**16**	**1**	**2**	**3**	**5**	**7**	**9**	**23**

735: Total hip replacement (81.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	17	8.5	23	4	6	8	9	14	20	23
35-49	67	8.4	23	5	7	8	9	11	12	39
50-64	128	8.9	11	6	7	8	10	13	16	24
65 +	218	9.6	8	7	8	9	11	13	15	21
2. MULTIPLE DX										
0-19 YRS	7	7.9	9	6	6	6	9	13	14	14
20-34	58	8.8	20	5	6	8	9	13	18	29
35-49	144	9.9	35	5	7	9	11	15	20	34
50-64	429	10.1	26	6	7	9	11	15	20	31
65 +	1347	11.5	31	7	8	10	13	17	22	36
TOTAL SINGLE DX	431	9.2	13	6	7	9	10	13	15	22
TOTAL MULTIPLE DX	1985	11.0	31	7	8	10	12	16	21	35
TOTAL										
0-19 YRS	8	9.6	33	6	6	7	12	20	22	22
20-34	75	8.7	21	5	6	8	9	13	18	28
35-49	211	9.5	32	5	7	8	10	13	18	37
50-64	557	9.8	24	6	7	9	11	15	19	27
65 +	1565	11.3	28	7	8	10	13	16	21	33
GRAND TOTAL	**2416**	**10.7**	**28**	**6**	**8**	**9**	**12**	**16**	**20**	**33**

736: Other arthroplasty of hip (81.40; 81.52-81.53)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.1	10	1	3	3	4	10	11	11
20-34	10	6.3	6	2	5	6	9	9	9	9
35-49	23	8.6	24	4	5	7	10	15	21	22
50-64	43	9.5	16	5	7	9	11	14	18	24
65 +	104	10.4	10	7	9	10	12	15	16	22
2. MULTIPLE DX										
0-19 YRS	6	6.5	2	4	6	6	7	9	9	9
20-34	24	9.6	28	4	6	7	13	17	22	24
35-49	68	10.5	32	5	7	9	13	18	23	28
50-64	200	12.8	69	7	8	10	14	21	32	50
65 +	1784	13.3	61	7	9	11	15	21	28	47
TOTAL SINGLE DX	277	9.8	14	5	8	9	11	14	16	22
TOTAL MULTIPLE DX	2082	13.1	61	7	9	11	15	21	27	47
TOTAL										
0-19 YRS	13	5.2	8	2	3	4	7	9	11	11
20-34	34	8.6	24	4	6	7	9	15	20	24
35-49	91	10.0	31	5	6	9	12	18	22	28
50-64	243	12.2	61	7	8	10	13	21	25	49
65 +	1978	13.0	57	7	9	11	15	20	26	46
GRAND TOTAL	**2359**	**12.7**	**57**	**7**	**9**	**11**	**14**	**20**	**26**	**45**

737: Total knee replacement (81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	1	7.0		7	7	7	7	7	7	7
35-49	36	8.5	7	5	7	8	10	14	15	15
50-64	200	8.9	8	6	7	8	10	13	14	19
65 +	366	9.1	7	6	7	9	10	13	15	18
2. MULTIPLE DX										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	9	9.4	12	5	8	9	11	14	16	16
35-49	59	9.6	15	6	7	9	11	14	15	29
50-64	547	9.9	19	6	8	9	11	14	16	27
65 +	1660	11.1	22	7	8	10	13	16	18	29
TOTAL SINGLE DX	605	9.0	8	6	7	9	10	13	14	18
TOTAL MULTIPLE DX	2276	10.8	22	7	8	10	12	15	18	29
TOTAL										
0-19 YRS	3	17.3	108	9	10	14	25	29	29	29
20-34	10	9.2	12	5	7	9	11	14	16	16
35-49	95	9.2	13	6	7	8	11	14	15	24
50-64	747	9.6	17	6	7	9	11	14	16	23
65 +	2026	10.7	20	7	8	10	12	16	18	28
GRAND TOTAL	2881	10.4	20	7	8	9	12	15	17	28

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	138	2.7	1	1	2	3	3	4	5	7
20-34	233	2.9	2	1	2	3	4	5	5	7
35-49	85	3.3	3	1	2	3	4	5	8	10
50-64	22	5.2	5	2	4	5	7	9	10	10
65 +	38	7.8	11	4	5	7	9	12	14	19
2. MULTIPLE DX										
0-19 YRS	149	3.1	6	1	2	2	4	6	10	17
20-34	307	3.4	5	1	2	3	4	6	8	13
35-49	120	4.5	13	1	2	3	5	9	11	20
50-64	96	7.3	41	1	3	6	10	14	16	39
65 +	165	11.1	73	5	7	9	12	16	27	49
TOTAL SINGLE DX	516	3.4	5	1	2	3	4	6	8	12
TOTAL MULTIPLE DX	837	5.5	34	1	2	4	7	11	14	34
TOTAL										
0-19 YRS	287	2.9	4	1	2	3	3	5	8	13
20-34	540	3.2	4	1	2	3	4	5	7	12
35-49	205	4.0	10	1	2	3	4	8	10	17
50-64	118	6.9	35	2	3	6	9	13	15	37
65 +	203	10.5	64	4	7	9	12	15	23	47
GRAND TOTAL	1353	4.7	24	1	2	3	5	10	12	24

739: Prosthetic replacement of joint, except hip and knee (81.56-81.59; 81.71; 81.73-81.74; 81.80-81.81; 81.84)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	12	3.0	12	< 1	1	1	4	7	12	13
35-49	18	3.6	9	1	1	2	5	8	10	11
50-64	44	3.3	8	1	1	3	4	6	9	15
65 +	41	4.8	7	2	3	4	6	8	11	12
2. MULTIPLE DX										
0-19 YRS	5	2.8	5	1	1	2	3	7	7	7
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	29	4.6	9	1	2	4	7	9	10	12
50-64	90	5.1	11	1	2	4	7	10	11	15
65 +	127	7.4	42	2	4	6	9	13	16	40
TOTAL SINGLE DX	117	3.8	9	1	2	3	5	8	11	14
TOTAL MULTIPLE DX	255	6.1	28	2	3	5	8	11	14	31
TOTAL										
0-19 YRS	7	2.4	4	1	1	2	2	6	7	7
20-34	16	3.3	10	< 1	1	3	4	6	11	13
35-49	47	4.2	9	1	2	3	6	8	10	12
50-64	134	4.5	11	1	2	3	6	9	11	15
65 +	168	6.8	35	2	3	6	8	12	14	36
GRAND TOTAL	372	5.4	23	1	2	4	7	10	12	23

740: Miscellaneous repair of other joint, except hip and knee (81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	116	1.8		1	1	2	2	3	3	5
20-34	253	2.2	1	1	1	2	3	4	4	6
35-49	145	2.1	1	1	1	2	3	4	4	5
50-64	115	2.1	1	1	1	2	3	4	4	6
65 +	30	3.0	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
0-19 YRS	28	2.4	1	1	1	2	3	4	5	7
20-34	113	2.3	2	1	1	2	3	4	4	8
35-49	169	2.7	2	1	2	2	3	5	6	8
50-64	205	2.8	2	1	2	2	3	5	6	9
65 +	117	4.4	37	1	2	3	4	7	11	33
TOTAL SINGLE DX	659	2.1	1	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	632	2.9	9	1	2	2	3	5	7	11
TOTAL										
0-19 YRS	144	1.9	1	1	1	2	2	3	4	5
20-34	366	2.2	2	1	1	2	3	4	4	6
35-49	314	2.4	2	1	1	2	3	4	5	8
50-64	320	2.5	2	1	2	2	3	4	5	9
65 +	147	4.1	30	1	2	3	4	7	10	20
GRAND TOTAL	1291	2.5	5	1	1	2	3	4	5	9

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	3.4	13	1	1	2	3	8	12	17
20-34	68	3.9	18	< 1	1	3	4	8	14	21
35-49	52	2.5	4	< 1	< 1	2	3	6	7	10
50-64	30	2.3	13	< 1	< 1	< 1	2	4	8	20
65 +	24	3.3	20	< 1	< 1	< 1	3	9	14	20
2. MULTIPLE DX										
0-19 YRS	235	4.8	59	1	2	3	5	10	14	47
20-34	94	7.8	74	2	3	6	9	16	19	84
35-49	86	8.7	167	1	3	5	9	14	37	78
50-64	83	8.9	122	1	3	6	9	18	30	61
65 +	64	8.3	94	< 1	2	5	12	16	21	55
TOTAL SINGLE DX	264	3.2	14	< 1	1	2	4	7	12	20
TOTAL MULTIPLE DX	562	6.9	95	1	2	4	8	14	19	63
TOTAL										
0-19 YRS	325	4.4	47	1	2	3	4	10	13	29
20-34	162	6.1	54	1	2	4	7	14	18	62
35-49	138	6.3	115	< 1	1	3	7	12	17	58
50-64	113	7.2	102	< 1	2	4	8	16	27	58
65 +	88	6.9	79	< 1	1	4	10	16	19	52
GRAND TOTAL	826	5.7	72	< 1	2	3	7	12	17	53

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	105	2.4	8	< 1	< 1	1	3	5	7	18
20-34	59	1.9	5	< 1	< 1	< 1	2	4	6	15
35-49	69	1.9	5	< 1	< 1	< 1	1	4	6	13
50-64	48	1.6	1	< 1	< 1	1	2	3	5	8
65 +	29	2.0	2	< 1	< 1	1	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	81	9.1	204	< 1	1	4	8	26	43	71
20-34	41	9.9	266	< 1	1	4	12	22	31	98
35-49	84	10.3	163	< 1	2	6	13	24	36	68
50-64	104	9.7	160	1	3	6	11	21	44	84
65 +	155	11.8	176	1	3	8	16	25	41	93
TOTAL SINGLE DX	310	2.0	6	< 1	< 1	1	2	4	6	15
TOTAL MULTIPLE DX	465	10.4	183	1	2	6	13	23	40	76
TOTAL										
0-19 YRS	186	5.3	104	< 1	1	2	5	10	22	57
20-34	100	5.2	127	< 1	< 1	1	4	14	20	65
35-49	153	6.5	109	< 1	< 1	2	8	18	28	65
50-64	152	7.2	124	< 1	1	4	8	15	30	71
65 +	184	10.2	161	< 1	2	6	14	23	40	84
GRAND TOTAL	775	7.1	129	< 1	1	3	8	18	29	68

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	6	1.7	1	1	1	1	2	4	4	4
50-64	15	1.1		< 1	1	1	1	1	2	2
65 +	14	1.3		< 1	< 1	1	1	2	4	4
2. MULTIPLE DX										
0-19 YRS	10	2.8	5	< 1	1	2	4	6	8	8
20-34	8	7.4	31	2	3	6	11	16	17	17
35-49	11	14.6	445	1	2	6	16	49	69	71
50-64	9	2.0	1	1	1	2	3	4	4	4
65 +	34	3.3	26	1	1	1	3	7	10	29
TOTAL SINGLE DX	41	1.3	1	< 1	1	1	1	2	3	4
TOTAL MULTIPLE DX	72	5.3	97	1	1	2	5	11	18	63
TOTAL										
0-19 YRS	14	2.4	4	1	1	2	3	5	7	8
20-34	10	6.3	30	1	3	4	8	15	17	17
35-49	17	10.1	320	1	1	2	9	31	58	71
50-64	24	1.4	1	1	1	1	2	3	3	4
65 +	48	2.7	20	< 1	1	1	2	6	9	29
GRAND TOTAL	113	3.8	65	< 1	1	1	3	8	14	48

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	1.5	1	< 1	1	1	2	2	3	9
20-34	82	1.6	1	< 1	< 1	1	2	3	4	8
35-49	28	1.6		< 1	< 1	1	2	3	3	4
50-64	18	1.3		< 1	< 1	1	1	2	3	3
65 +	6	1.3		< 1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	84	2.1	7	1	1	1	2	4	5	17
20-34	92	2.7	20	< 1	1	2	3	4	6	31
35-49	60	3.5	36	< 1	1	2	3	6	13	39
50-64	26	3.1	15	1	1	2	3	8	13	19
65 +	15	6.9	83	1	2	4	7	17	30	35
TOTAL SINGLE DX	202	1.5	1	< 1	< 1	1	2	3	4	8
TOTAL MULTIPLE DX	277	3.0	23	1	1	2	3	4	11	31
TOTAL										
0-19 YRS	152	1.9	5	< 1	1	1	2	3	4	13
20-34	174	2.1	12	< 1	1	1	2	4	5	25
35-49	88	2.9	26	< 1	1	2	3	4	8	33
50-64	44	2.4	10	< 1	1	1	2	4	9	19
65 +	21	5.3	66	1	1	2	5	10	25	35
GRAND TOTAL	479	2.4	15	< 1	1	1	2	4	6	20

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	2.2	2	1	1	2	3	4	5	8
20-34	108	2.3	2	<1	1	2	3	4	5	8
35-49	144	2.4	2	1	1	2	3	4	5	9
50-64	147	2.7	2	1	2	2	3	4	7	8
65+	62	2.7	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	53	2.3	3	1	1	2	3	5	5	12
20-34	120	3.8	18	1	1	3	5	8	12	25
35-49	124	3.8	17	1	2	3	4	7	9	26
50-64	212	3.8	16	1	2	3	4	6	9	23
65+	214	4.4	40	2	2	3	5	7	9	48
TOTAL SINGLE DX	516	2.4	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	723	3.9	23	1	2	3	4	7	9	26
TOTAL										
0-19 YRS	108	2.3	3	1	1	2	3	4	5	10
20-34	228	3.1	11	1	1	2	4	5	8	19
35-49	268	3.0	10	1	2	2	3	5	7	13
50-64	359	3.3	11	1	2	3	4	6	7	20
65+	276	4.1	32	1	2	3	4	6	8	42
GRAND TOTAL	1239	3.3	15	1	2	2	4	5	8	18

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	310	2.0	1	1	1	2	3	3	4	6
20-34	73	2.1	1	1	1	2	3	4	4	7
35-49	92	2.0	1	1	1	2	2	3	4	7
50-64	36	2.8	3	1	1	2	3	5	7	8
65+	12	3.2	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	434	2.8	20	1	1	2	3	5	6	25
20-34	74	4.8	46	1	2	3	5	20	77	99+
35-49	48	4.3	14	1	2	3	5	8	14	21
50-64	44	5.5	62	1	2	3	5	10	22	42
65+	49	9.7	106	2	4	7	11	18	36	49
TOTAL SINGLE DX	523	2.1	2	1	1	2	3	3	4	7
TOTAL MULTIPLE DX	649	3.8	36	1	1	2	4	7	13	46
TOTAL										
0-19 YRS	744	2.5	13	1	1	2	3	4	5	15
20-34	147	3.5	26	1	1	2	4	7	23	99+
35-49	140	2.8	7	1	1	2	3	5	7	15
50-64	80	4.3	37	1	2	3	4	8	10	39
65+	61	8.4	93	1	3	5	9	17	30	49
GRAND TOTAL	1172	3.1	21	1	1	2	3	5	8	33

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.4	9	<1	1	1	2	7	10	11
20-34	28	1.9	1	<1	<1	1	3	4	4	5
35-49	20	2.2	2	<1	1	2	2	5	6	7
50-64	11	4.7	108	<1	1	1	3	16	34	36
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	14	3.4	6	1	2	3	4	6	9	10
20-34	37	5.4	30	1	2	3	8	14	19	21
35-49	34	7.8	101	1	1	3	12	24	31	41
50-64	34	8.3	150	1	2	4	6	32	42	47
65+	25	6.4	79	1	2	3	8	13	26	43
TOTAL SINGLE DX	75	2.5	18	<1	1	1	2	4	7	30
TOTAL MULTIPLE DX	144	6.6	82	1	2	3	7	17	30	43
TOTAL										
0-19 YRS	28	2.9	7	1	1	2	4	7	10	11
20-34	65	3.9	21	<1	1	2	4	10	15	21
35-49	54	5.7	72	1	1	2	5	16	28	41
50-64	45	7.4	140	1	1	3	5	32	38	47
65+	27	6.1	75	1	2	2	8	13	23	43
GRAND TOTAL	219	5.2	64	1	1	2	5	12	21	43

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	8	16.5	258	4	5	14	19	43	53	53
35-49	5	19.8	641	2	5	10	29	64	64	64
50-64	7	11.9	133	3	5	10	11	32	37	37
65+	11	11.5	60	5	6	7	18	24	26	26
TOTAL SINGLE DX	4	2.8	1	2	2	3	3	4	4	4
TOTAL MULTIPLE DX	31	14.2	203	4	6	10	18	30	52	64
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	14.9	250	3	4	12	18	40	53	53
35-49	7	15.0	495	2	3	6	15	55	64	64
50-64	7	11.9	133	3	5	10	11	32	37	37
65+	11	11.5	61	5	6	7	18	24	26	26
GRAND TOTAL	35	12.9	193	3	4	7	17	26	49	64

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.8	16	<1	1	1	2	9	14	14
20-34	3	8.3	120	2	2	2	16	21	21	21
35-49	9	8.7	60	1	2	5	15	20	20	20
50-64	7	5.7	10	2	3	6	8	10	10	10
65 +	11	6.5	89	1	1	4	6	19	33	34
2. MULTIPLE DX										
0-19 YRS	12	6.8	40	1	2	6	9	15	22	23
20-34	29	8.5	123	1	2	5	10	19	23	58
35-49	120	13.2	181	3	5	9	18	24	34	74
50-64	228	13.0	114	3	6	10	17	27	36	57
65 +	366	12.4	111	3	6	10	16	24	35	52
TOTAL SINGLE DX	40	6.1	52	1	1	3	8	17	21	34
TOTAL MULTIPLE DX	755	12.5	123	3	5	9	16	24	35	63
TOTAL										
0-19 YRS	22	5.0	32	<1	1	2	7	13	18	23
20-34	32	8.5	119	1	2	5	10	20	21	58
35-49	129	12.9	174	2	5	9	18	23	31	73
50-64	235	12.7	112	3	5	9	17	26	35	57
65 +	377	12.3	112	3	6	9	15	24	35	52
GRAND TOTAL	795	12.1	122	2	5	9	16	24	36	63

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	5.8	1	4	5	6	7	7	7	7
35-49	5	6.0	11	3	3	5	9	10	10	10
50-64	4	14.5	233	5	5	8	24	37	37	37
65 +	7	10.0	12	5	7	10	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	4	26.3	503	9	10	19	42	58	58	58
20-34	18	15.6	100	7	8	13	23	38	75	99 +
35-49	77	16.8	161	4	8	14	23	31	44	94
50-64	164	17.3	146	7	9	14	21	33	40	65
65 +	421	17.0	153	7	9	14	21	33	44	77
TOTAL SINGLE DX	21	8.9	52	4	5	7	10	14	25	37
TOTAL MULTIPLE DX	684	17.0	152	6	9	14	21	33	44	78
TOTAL										
0-19 YRS	4	26.3	503	9	10	19	42	58	58	58
20-34	23	13.5	95	6	7	10	20	30	61	99 +
35-49	82	16.1	159	4	8	13	22	31	42	93
50-64	168	17.2	147	6	9	14	21	34	39	64
65 +	428	16.9	151	6	9	13	21	33	44	77
GRAND TOTAL	705	16.8	151	6	9	14	21	32	43	78

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.9	3	3	3	5	6	8	9	9
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	0									
65 +	13	10.5	70	3	5	8	11	24	31	33
2. MULTIPLE DX										
0-19 YRS	9	17.4	193	6	7	8	30	39	43	43
20-34	4	24.0	520	4	4	22	43	48	48	48
35-49	28	14.5	190	5	7	11	17	20	57	64
50-64	98	18.7	206	6	9	15	24	45	61	99 +
65 +	563	16.3	152	6	8	13	21	35	48	99 +
TOTAL SINGLE DX	23	8.5	50	3	4	6	10	17	26	33
TOTAL MULTIPLE DX	702	16.7	164	6	8	13	21	37	49	99 +
TOTAL										
0-19 YRS	18	11.2	135	3	5	6	9	31	39	43
20-34	4	24.0	521	4	4	22	43	48	48	48
35-49	29	14.5	184	5	7	11	17	20	56	64
50-64	98	18.7	207	6	9	15	24	45	61	99 +
65 +	576	16.2	151	6	8	13	21	35	47	99 +
GRAND TOTAL	725	16.4	162	6	8	13	21	36	49	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	0									
65 +	2	16.5	313	4	4	16	29	29	29	29
2. MULTIPLE DX										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	8	12.1	85	3	6	8	17	27	30	30
35-49	42	16.1	172	5	7	13	20	33	47	65
50-64	71	18.9	177	5	9	16	24	40	49	92
65 +	90	19.2	245	6	10	15	25	36	52	90
TOTAL SINGLE DX	7	6.6	103	1	1	3	6	25	29	29
TOTAL MULTIPLE DX	213	18.1	202	5	9	15	22	36	48	85
TOTAL										
0-19 YRS	5	3.4	15	1	1	1	5	10	10	10
20-34	8	12.1	85	3	6	8	17	27	30	30
35-49	44	15.6	170	4	7	12	19	32	47	65
50-64	71	18.9	178	5	9	16	24	40	49	92
65 +	92	19.2	244	5	10	15	25	36	51	90
GRAND TOTAL	220	17.8	203	4	8	14	22	36	48	83

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	6.1	44	1	2	4	7	16	23	24
20-34	12	7.1	6	4	5	7	9	10	12	12
35-49	5	6.2	19	3	4	5	7	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	11	6.5	30	2	4	5	7	14	21	22
20-34	8	9.1	43	4	5	6	12	20	22	22
35-49	9	7.2	30	3	4	5	8	17	19	19
50-64	4	11.8	41	7	7	9	16	21	21	21
65 +	1	7.0		7	7	7	7	7	7	7
TOTAL SINGLE DX	28	6.5	22	2	4	5	9	12	15	24
TOTAL MULTIPLE DX	33	8.0	33	3	5	6	8	19	22	22
TOTAL										
0-19 YRS	22	6.3	35	1	3	5	7	14	23	24
20-34	20	7.9	21	4	5	7	9	14	19	22
35-49	14	6.9	25	3	4	5	6	15	18	19
50-64	4	11.8	41	7	7	9	16	21	21	21
65 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	61	7.3	28	3	4	5	8	16	21	24

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.7	1	1	1	1	2	4	4	4
20-34	11	2.3	1	< 1	1	2	4	4	4	4
35-49	12	3.2	9	< 1	< 1	2	5	8	8	8
50-64	5	3.0	4	< 1	1	2	4	6	6	6
65 +	4	4.3	15	< 1	< 1	3	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	10	3.0	18	1	1	1	3	9	15	15
20-34	17	7.9	115	1	2	5	10	37	76	99 +
35-49	22	11.8	119	1	4	9	16	29	38	39
50-64	33	10.8	123	2	4	6	14	29	39	41
65 +	77	11.3	92	2	4	9	16	25	28	89
TOTAL SINGLE DX	39	2.7	6	< 1	1	2	4	7	8	9
TOTAL MULTIPLE DX	159	10.4	103	1	4	7	15	25	37	95
TOTAL										
0-19 YRS	17	2.5	12	1	1	1	2	4	11	15
20-34	28	5.7	77	1	2	3	6	22	44	99 +
35-49	34	8.7	96	1	1	6	11	21	35	39
50-64	38	9.8	115	1	3	5	12	26	37	41
65 +	81	11.0	91	2	4	9	16	24	28	87
GRAND TOTAL	198	8.9	93	1	2	5	13	23	30	80

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	17.0		17	17	17	17	17	17	17
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	2	9.5	113	2	2	9	17	17	17	17
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	17.0		17	17	17	17	17	17	17
GRAND TOTAL	3	6.7	80	1	1	2	13	17	17	17

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.1		<1	<1	<1	1	1	2	2
20-34	73	1.4		<1	<1	<1	1	2	4	6
35-49	264	1.4	1	<1	<1	<1	1	2	3	6
50-64	209	1.4		<1	<1	<1	2	3	3	5
65 +	150	1.5	1	<1	<1	<1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	7	1.3		<1	1	1	1	3	3	3
20-34	51	4.4	33	<1	<1	2	5	13	21	25
35-49	199	3.3	25	<1	<1	2	4	7	10	31
50-64	241	3.8	27	<1	1	2	4	8	14	30
65 +	318	5.5	53	<1	1	3	7	13	18	53
TOTAL SINGLE DX	715	1.4	1	<1	<1	<1	1	2	3	5
TOTAL MULTIPLE DX	816	4.4	38	<1	1	2	5	10	16	32
TOTAL										
0-19 YRS	26	1.1		<1	<1	<1	1	1	2	3
20-34	124	2.6	17	<1	<1	<1	2	5	10	23
35-49	463	2.2	13	<1	<1	<1	2	4	7	18
50-64	450	2.7	16	<1	<1	1	3	5	9	24
65 +	468	4.2	40	<1	<1	2	5	10	15	42
GRAND TOTAL	1531	3.0	23	<1	<1	1	3	7	10	24

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	7	2.9	2	<1	2	2	4	6	6	6
35-49	38	2.9	2	2	2	3	4	5	6	8
50-64	33	2.7		2	2	3	3	4	4	4
65 +	30	2.7	1	1	2	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.2		3	3	3	4	4	4	4
35-49	43	3.4	3	2	2	3	4	6	8	9
50-64	77	3.9	5	2	2	3	5	7	8	12
65 +	101	5.8	62	2	3	4	5	11	16	49
TOTAL SINGLE DX	110	2.8	1	2	2	3	3	4	5	7
TOTAL MULTIPLE DX	227	4.6	32	2	2	3	5	8	11	32
TOTAL										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	12	3.0	2	1	2	3	4	5	6	6
35-49	81	3.2	3	2	2	3	4	6	7	9
50-64	110	3.5	5	2	2	3	4	7	8	11
65 +	131	5.1	50	2	2	3	4	9	14	42
GRAND TOTAL	337	4.0	22	2	2	3	4	7	9	28

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	36	3.3	3	2	2	3	4	6	8	8
35-49	236	3.4	2	2	2	3	4	5	6	8
50-64	347	3.3	2	2	2	3	4	5	7	8
65 +	278	3.5	2	2	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	37	5.0	37	2	3	3	5	8	15	37
35-49	338	4.2	8	2	3	3	5	7	8	14
50-64	591	4.6	15	2	3	4	5	8	10	25
65 +	1125	4.8	11	2	3	4	6	8	11	20
TOTAL SINGLE DX	897	3.4	3	2	2	3	4	5	7	9
TOTAL MULTIPLE DX	2093	4.6	13	2	3	4	5	8	10	20
TOTAL										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	73	4.1	21	2	2	3	4	7	8	32
35-49	574	3.8	6	2	2	3	5	6	7	12
50-64	938	4.1	11	2	2	3	5	7	8	17
65 +	1403	4.5	10	2	3	4	5	8	10	18
GRAND TOTAL	2990	4.3	10	2	3	3	5	7	9	17

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	95	2.0	2	1	1	2	2	3	4	10
20-34	179	1.9	1	1	1	2	2	3	4	6
35-49	123	2.3	2	1	1	2	3	4	6	8
50-64	61	1.9		1	1	2	3	3	4	4
65 +	9	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	39	2.6	9	1	1	1	3	5	11	16
20-34	144	2.8	3	1	1	2	4	5	6	9
35-49	218	2.9	4	1	2	2	3	5	7	13
50-64	146	3.6	32	1	1	3	4	6	8	19
65 +	47	3.5	11	1	2	2	4	7	11	18
TOTAL SINGLE DX	467	2.1	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	594	3.1	12	1	1	2	4	6	7	14
TOTAL										
0-19 YRS	134	2.2	5	1	1	2	2	3	6	12
20-34	323	2.3	2	1	1	2	3	4	5	8
35-49	341	2.7	4	1	1	2	3	5	7	11
50-64	207	3.1	24	1	1	2	4	6	7	15
65 +	56	3.2	10	1	1	2	4	6	11	18
GRAND TOTAL	1061	2.6	8	1	1	2	3	5	6	12

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	1.7	1	<1	1	1	2	3	4	7
20-34	95	1.8	2	<1	1	1	2	4	5	8
35-49	19	1.6		<1	1	1	2	3	4	4
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	13	2.8	3	1	1	2	4	6	6	6
20-34	31	2.7	4	1	1	2	4	6	7	9
35-49	14	4.0	13	1	2	3	5	11	13	13
50-64	6	10.5	254	1	1	5	10	39	42	42
65 +	1	9.0		9	9	9	9	9	9	9
TOTAL SINGLE DX	210	1.7	2	<1	1	1	2	4	4	7
TOTAL MULTIPLE DX	65	3.8	31	1	1	2	4	8	10	38
TOTAL										
0-19 YRS	103	1.8	2	<1	1	1	2	4	5	7
20-34	126	2.1	3	<1	1	1	2	4	6	8
35-49	33	2.6	8	<1	1	2	3	5	10	13
50-64	9	7.6	179	1	1	1	8	29	42	42
65 +	4	3.0	16	<1	<1	1	5	9	9	9
GRAND TOTAL	275	2.2	9	<1	1	1	2	4	6	11

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	271	1.7	3	<1	<1	<1	1	4	6	12
20-34	80	2.6	14	<1	<1	1	3	6	7	25
35-49	99	1.8	4	<1	<1	<1	1	4	7	12
50-64	60	2.0	6	<1	<1	1	2	4	5	17
65 +	47	2.9	29	<1	<1	<1	2	8	10	34
2. MULTIPLE DX										
0-19 YRS	179	6.3	76	<1	1	3	7	16	22	42
20-34	132	8.2	159	1	2	5	8	18	45	99 +
35-49	183	9.0	149	1	2	5	9	26	45	88
50-64	196	7.9	61	1	3	5	10	18	22	40
65 +	348	11.0	139	2	4	8	12	24	35	64
TOTAL SINGLE DX	557	2.0	8	<1	<1	<1	2	4	7	13
TOTAL MULTIPLE DX	1038	8.9	121	1	2	5	11	21	31	62
TOTAL										
0-19 YRS	450	3.5	37	<1	<1	1	3	8	14	37
20-34	212	6.1	112	<1	1	3	6	14	28	91
35-49	282	6.5	110	<1	1	3	7	16	30	64
50-64	256	6.5	55	<1	1	4	8	16	21	35
65 +	395	10.0	133	<1	3	7	12	23	32	63
GRAND TOTAL	1595	6.5	92	<1	1	3	8	16	26	59

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	146	4.2	13	1	2	3	6	10	11	17
20-34	177	4.8	42	1	1	3	6	12	18	54
35-49	109	5.7	42	1	2	4	7	12	22	33
50-64	68	6.8	47	1	1	5	9	17	22	29
65 +	40	7.6	71	1	3	5	10	14	28	43
2. MULTIPLE DX										
0-19 YRS	500	11.4	156	1	3	6	16	29	36	60
20-34	819	11.8	178	2	4	7	15	29	42	82
35-49	682	14.2	201	2	5	10	19	32	45	84
50-64	666	15.3	195	3	7	11	20	37	51	99 +
65 +	1208	18.8	258	5	8	14	25	45	64	99 +
TOTAL SINGLE DX	540	5.3	38	1	2	3	7	11	17	29
TOTAL MULTIPLE DX	3875	14.9	216	3	5	10	20	35	51	99 +
TOTAL										
0-19 YRS	646	9.7	133	1	2	5	12	26	33	52
20-34	996	10.6	161	1	3	6	13	25	39	80
35-49	791	13.0	188	2	4	9	17	31	43	79
50-64	734	14.5	188	3	6	11	18	35	48	99 +
65 +	1248	18.4	256	4	8	14	25	44	63	99 +
GRAND TOTAL	4415	13.8	204	2	4	9	19	33	48	99 +

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	434	3.3	15	<1	1	2	4	7	10	20
20-34	255	3.4	13	<1	1	2	4	7	10	22
35-49	166	3.6	12	<1	1	3	5	7	9	18
50-64	107	3.4	7	<1	1	2	4	8	9	13
65 +	85	3.4	14	<1	1	2	4	6	10	23
2. MULTIPLE DX										
0-19 YRS	970	5.7	50	1	1	3	7	14	19	38
20-34	982	4.7	35	1	1	3	6	10	16	32
35-49	818	6.7	63	1	2	4	8	14	20	45
50-64	592	9.1	144	1	3	6	10	18	33	78
65 +	973	9.7	145	2	3	6	11	21	34	89
TOTAL SINGLE DX	1047	3.4	13	<1	1	2	4	7	10	19
TOTAL MULTIPLE DX	4335	7.0	87	1	2	4	8	15	23	59
TOTAL										
0-19 YRS	1404	5.0	41	1	1	3	6	11	17	34
20-34	1237	4.5	31	1	1	3	5	9	15	30
35-49	984	6.2	56	1	2	4	8	12	19	44
50-64	699	8.2	128	1	2	5	9	16	31	68
65 +	1058	9.2	138	2	3	6	11	20	32	89
GRAND TOTAL	5382	6.3	75	1	2	4	7	14	21	50

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	5.6	41	1	1	3	7	15	23	27
20-34	42	7.0	79	1	2	5	7	20	29	42
35-49	44	5.3	40	< 1	1	3	6	11	16	38
50-64	24	7.0	60	1	2	4	9	15	27	33
65 +	11	7.5	38	1	2	7	11	17	21	21
2. MULTIPLE DX										
0-19 YRS	220	16.4	225	2	6	13	22	35	50	95
20-34	153	13.2	171	2	5	10	18	32	48	99 +
35-49	129	13.9	161	2	5	10	18	30	45	56
50-64	137	13.8	224	2	5	10	18	32	46	99 +
65 +	233	17.1	212	2	6	13	25	35	47	65
TOTAL SINGLE DX	209	6.1	51	1	1	3	7	14	23	35
TOTAL MULTIPLE DX	872	15.2	204	2	5	11	21	34	46	96
TOTAL										
0-19 YRS	308	13.3	197	1	3	10	19	32	39	81
20-34	195	11.9	158	1	4	8	15	30	42	99 +
35-49	173	11.7	144	1	3	8	16	27	41	53
50-64	161	12.8	205	2	4	9	17	30	41	99 +
65 +	244	16.6	208	2	6	13	24	35	46	65
GRAND TOTAL	**1081**	**13.5**	**188**	**1**	**4**	**9**	**19**	**32**	**42**	**83**

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	2.5	4	< 1	1	2	4	6	7	9
20-34	22	2.8	9	< 1	< 1	1	4	8	10	11
35-49	13	3.2	4	< 1	1	3	4	7	7	7
50-64	11	7.2	110	< 1	1	2	9	24	34	35
65 +	6	5.5	32	< 1	< 1	3	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	42	6.5	50	1	1	3	10	18	19	28
20-34	39	14.9	326	1	3	10	21	45	73	99 +
35-49	54	11.2	219	1	2	5	18	27	55	98
50-64	29	16.3	236	2	5	12	27	51	98	99 +
65 +	50	19.7	317	1	5	17	29	58	69	99 +
TOTAL SINGLE DX	93	3.4	21	< 1	1	2	4	7	11	27
TOTAL MULTIPLE DX	214	13.6	248	1	2	8	21	40	61	99 +
TOTAL										
0-19 YRS	83	4.5	31	1	1	2	5	14	18	26
20-34	61	10.5	244	< 1	1	4	14	26	54	98
35-49	67	9.7	187	< 1	2	4	14	24	52	94
50-64	40	13.8	215	1	2	9	25	40	78	99 +
65 +	56	18.1	305	1	5	15	28	55	67	99 +
GRAND TOTAL	**307**	**10.5**	**201**	**< 1**	**1**	**5**	**16**	**30**	**51**	**99 +**

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	192	2.1	4	< 1	< 1	1	2	4	7	10
20-34	47	2.3	4	< 1	1	2	3	4	5	14
35-49	46	2.8	4	1	1	2	3	6	8	9
50-64	28	2.8	14	1	1	1	3	8	12	17
65 +	14	4.6	20	< 1	1	2	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	302	5.8	50	1	1	3	7	13	21	35
20-34	174	5.8	52	1	2	4	6	11	21	39
35-49	173	8.0	91	1	3	4	10	18	28	55
50-64	187	8.5	62	2	4	7	11	17	19	45
65 +	384	13.4	161	4	5	10	16	28	37	96
TOTAL SINGLE DX	327	2.4	6	< 1	1	1	3	5	8	14
TOTAL MULTIPLE DX	1220	8.9	103	1	3	6	11	20	29	62
TOTAL										
0-19 YRS	494	4.4	36	< 1	1	2	5	10	16	32
20-34	221	5.0	44	1	2	3	6	10	15	39
35-49	219	6.9	78	1	2	4	8	16	23	51
50-64	215	7.7	60	1	3	6	11	17	19	43
65 +	398	13.1	159	3	5	10	16	28	37	94
GRAND TOTAL	**1547**	**7.5**	**90**	**1**	**2**	**4**	**10**	**17**	**26**	**51**

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.0	1	1	1	2	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	2	4.5	13	2	2	4	7	7	7	7
65 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	16	3.6	27	1	1	2	4	7	17	22
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	7.0	108	1	1	1	15	19	19	19
50-64	3	6.0	3	4	5	7	7	7	7	7
65 +	11	11.8	201	3	4	7	9	39	43	43
TOTAL SINGLE DX	12	2.5	3	1	1	2	3	5	7	7
TOTAL MULTIPLE DX	34	6.8	94	1	1	4	7	19	34	43
TOTAL										
0-19 YRS	22	3.2	20	1	1	2	3	6	13	22
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	7.0	108	1	1	1	15	19	19	19
50-64	5	5.4	5	2	3	7	7	7	7	7
65 +	14	9.6	173	2	2	5	9	38	42	43
GRAND TOTAL	46	5.7	73	1	1	3	7	9	25	43

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.4	1	< 1	1	1	1	2	3	8
20-34	486	1.9	4	1	1	1	2	4	6	11
35-49	775	2.0	5	1	1	1	2	5	7	12
50-64	392	1.8	4	1	1	1	2	4	6	10
65 +	139	2.1	6	1	1	1	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	50	4.3	31	1	1	2	5	10	18	29
20-34	368	3.1	16	1	1	2	4	7	9	22
35-49	847	3.2	17	1	1	1	4	8	10	23
50-64	651	3.3	20	1	1	1	4	8	12	23
65 +	601	4.5	39	1	1	2	6	10	14	23
TOTAL SINGLE DX	1838	1.9	5	1	1	1	2	4	7	12
TOTAL MULTIPLE DX	2517	3.6	24	1	1	2	4	8	12	23
TOTAL										
0-19 YRS	96	2.9	19	< 1	1	1	3	7	10	26
20-34	854	2.4	10	1	1	1	3	5	8	16
35-49	1622	2.6	12	1	1	1	3	6	9	16
50-64	1043	2.8	15	1	1	1	3	6	9	20
65 +	740	4.1	35	1	1	2	5	10	13	22
GRAND TOTAL	4355	2.9	16	1	1	1	3	7	10	19

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	1.9	3	1	1	1	2	6	6	7
20-34	51	2.6	6	1	1	2	3	6	8	15
35-49	93	2.8	5	1	1	2	4	6	8	12
50-64	91	3.5	13	1	1	2	4	10	12	16
65 +	63	2.5	4	1	1	2	3	6	7	11
2. MULTIPLE DX										
0-19 YRS	51	5.2	61	1	1	2	6	14	16	38
20-34	97	6.3	27	1	2	5	9	13	18	67
35-49	206	6.2	50	1	2	4	8	12	17	32
50-64	457	6.6	42	1	2	5	9	13	18	30
65 +	750	6.4	43	1	2	5	8	12	15	25
TOTAL SINGLE DX	341	2.8	7	1	1	2	3	6	9	13
TOTAL MULTIPLE DX	1561	6.4	44	1	2	5	8	13	17	32
TOTAL										
0-19 YRS	94	3.7	37	1	1	1	3	8	15	38
20-34	148	5.0	23	1	2	3	7	12	15	32
35-49	299	5.2	39	1	2	3	7	11	15	28
50-64	548	6.1	39	1	2	4	8	13	17	29
65 +	813	6.1	42	1	2	5	8	12	15	25
GRAND TOTAL	1902	5.7	39	1	2	4	8	12	15	29

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.4		1	1	1	1	3	4	5
20-34	0									
35-49	3	3.7	6	1	2	4	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	78	2.3	12	1	1	1	2	6	8	20
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	4.4	9	1	2	4	5	9	10	10
50-64	31	4.9	17	1	2	3	6	12	16	16
65 +	21	4.9	15	< 1	1	4	7	11	13	14
TOTAL SINGLE DX	32	1.6	2	1	1	1	1	3	5	6
TOTAL MULTIPLE DX	141	3.4	15	1	1	2	4	8	12	17
TOTAL										
0-19 YRS	105	2.1	9	1	1	1	2	4	7	19
20-34	1	3.0		3	3	3	3	3	3	3
35-49	13	4.2	8	1	2	4	5	9	10	10
50-64	32	4.8	17	1	2	3	6	12	15	16
65 +	22	4.7	15	< 1	1	4	7	11	13	14
GRAND TOTAL	173	3.1	13	1	1	1	4	8	11	16

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	2.5	16	1	1	1	3	5	6	28
20-34	99	3.5	12	< 1	1	2	4	9	11	16
35-49	116	4.0	11	1	1	3	6	8	12	16
50-64	118	3.5	8	1	1	2	5	8	10	13
65 +	83	3.9	18	1	1	2	5	10	13	21
2. MULTIPLE DX										
0-19 YRS	79	5.4	27	1	2	4	8	12	14	28
20-34	212	5.1	23	1	2	3	7	11	13	26
35-49	422	5.8	28	1	2	5	8	11	14	30
50-64	782	5.9	28	1	2	5	8	11	14	24
65 +	1424	7.1	46	1	3	6	9	14	19	34
TOTAL SINGLE DX	464	3.6	13	1	1	2	5	8	10	17
TOTAL MULTIPLE DX	2919	6.4	37	1	2	5	8	12	16	32
TOTAL										
0-19 YRS	127	4.3	25	1	1	2	6	11	13	29
20-34	311	4.6	20	1	1	3	7	10	13	23
35-49	538	5.4	25	1	2	4	7	10	13	26
50-64	900	5.6	26	1	2	4	8	11	14	23
65 +	1507	6.9	46	1	3	5	9	14	19	33
GRAND TOTAL	3383	6.0	35	1	2	5	8	12	15	30

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	925	3.4	36	1	1	2	3	6	10	31
20-34	419	3.7	9	1	2	3	5	7	9	17
35-49	372	4.6	23	1	2	3	6	8	11	26
50-64	274	5.9	34	1	2	4	7	12	19	30
65 +	187	6.1	28	2	3	4	8	13	16	28
2. MULTIPLE DX										
0-19 YRS	2075	5.9	75	1	2	3	6	13	20	50
20-34	1204	6.0	65	1	2	4	7	12	18	51
35-49	1696	6.3	39	2	3	5	8	13	17	30
50-64	2496	7.6	64	2	3	5	9	14	21	49
65 +	7266	9.0	67	3	4	7	11	17	24	47
TOTAL SINGLE DX	2177	4.2	29	1	1	3	5	8	13	28
TOTAL MULTIPLE DX	14737	7.8	67	2	3	6	9	15	22	47
TOTAL										
0-19 YRS	3000	5.1	65	1	1	3	5	11	18	47
20-34	1623	5.4	52	1	2	3	6	11	16	42
35-49	2068	6.0	37	1	3	4	7	12	16	30
50-64	2770	7.4	61	2	3	5	9	14	21	48
65 +	7453	8.9	67	3	4	7	11	17	23	47
GRAND TOTAL	16914	7.3	63	1	3	5	9	15	21	44

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1952	3.5	23	1	1	2	4	6	9	22
20-34	1739	3.3	10	1	1	2	4	6	8	16
35-49	1191	3.7	12	1	2	3	5	7	10	18
50-64	613	4.2	17	1	2	3	5	8	11	21
65 +	437	5.6	26	2	2	4	7	11	15	28
2. MULTIPLE DX										
0-19 YRS	4976	6.1	61	1	2	4	7	12	21	43
20-34	3601	4.9	24	1	2	4	6	9	13	28
35-49	4559	5.6	30	2	3	4	7	10	14	28
50-64	5991	6.3	32	2	3	5	8	11	16	29
65 +	13935	7.7	46	3	4	6	9	14	19	35
TOTAL SINGLE DX	5932	3.7	18	1	2	3	4	7	10	20
TOTAL MULTIPLE DX	33062	6.6	42	2	3	5	8	13	17	34
TOTAL										
0-19 YRS	6928	5.4	52	1	2	3	6	10	17	41
20-34	5340	4.4	21	1	2	3	5	8	12	24
35-49	5750	5.2	27	1	2	4	6	10	13	26
50-64	6604	6.1	31	2	3	5	7	11	15	28
65 +	14372	7.7	46	2	4	6	9	14	19	35
GRAND TOTAL	38994	6.2	40	2	3	4	7	12	16	33

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	4.3	7	1	2	3	7	8	9	10
20-34	4	5.0	2	3	4	5	6	7	7	7
35-49	7	4.1	5	1	3	4	6	8	8	8
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	6	6.7	62	<1	1	4	7	20	22	22
2. MULTIPLE DX										
0-19 YRS	864	20.6	429	3	7	13	31	67	96	99+
20-34	114	10.7	109	2	3	6	17	28	40	99+
35-49	178	13.8	235	2	4	9	17	31	43	92
50-64	397	15.8	167	4	7	12	21	32	40	70
65+	984	15.9	175	5	8	12	19	31	43	86
TOTAL SINGLE DX	57	4.6	12	1	2	4	6	8	9	21
TOTAL MULTIPLE DX	2537	17.1	269	4	7	12	22	41	63	99+
TOTAL										
0-19 YRS	902	19.9	422	3	6	12	30	64	94	99+
20-34	118	10.5	107	2	3	6	17	27	39	99+
35-49	185	13.5	230	2	4	9	16	31	42	91
50-64	399	15.7	167	4	7	12	21	32	40	70
65+	990	15.8	175	5	8	12	19	31	43	86
GRAND TOTAL	**2594**	**16.8**	**267**	**4**	**7**	**12**	**22**	**40**	**62**	**99+**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1186	4.9	38	1	2	3	5	12	20	30
20-34	344	5.7	25	1	2	4	8	13	16	24
35-49	288	5.8	34	1	2	4	7	12	19	30
50-64	203	5.5	32	1	2	4	7	11	15	29
65+	129	5.9	30	1	3	4	7	12	19	27
2. MULTIPLE DX										
0-19 YRS	2164	5.6	51	1	2	4	6	12	19	40
20-34	752	8.5	116	2	3	5	9	19	29	81
35-49	1146	9.0	106	2	3	6	10	21	29	55
50-64	1897	9.7	105	2	4	7	11	22	30	59
65+	5657	11.4	118	3	5	8	14	24	35	58
TOTAL SINGLE DX	2150	5.3	35	1	2	3	6	12	18	29
TOTAL MULTIPLE DX	11616	9.6	107	2	4	6	11	22	30	56
TOTAL										
0-19 YRS	3350	5.4	47	1	2	3	6	12	19	34
20-34	1096	7.7	90	2	3	5	9	17	24	56
35-49	1434	8.4	94	2	3	5	10	19	28	53
50-64	2100	9.3	100	2	4	6	10	20	29	55
65+	5786	11.3	117	3	5	8	14	24	35	58
GRAND TOTAL	**13766**	**9.0**	**99**	**2**	**3**	**6**	**11**	**21**	**29**	**52**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	199	3.1	5	1	2	3	4	5	7	14
20-34	44	4.0	12	1	2	3	5	8	14	17
35-49	47	4.7	12	1	2	4	6	10	11	17
50-64	34	6.5	110	2	3	3	6	11	18	62
65 +	16	4.6	3	3	3	4	6	6	9	10
2. MULTIPLE DX										
0-19 YRS	627	5.3	30	2	2	4	6	11	13	36
20-34	229	5.7	27	1	2	4	7	13	17	26
35-49	372	6.2	40	2	3	4	8	12	17	33
50-64	665	7.5	51	2	3	6	9	14	19	41
65 +	1681	8.7	44	3	4	7	11	16	21	35
TOTAL SINGLE DX	340	3.9	18	1	2	3	4	7	10	17
TOTAL MULTIPLE DX	3574	7.4	44	2	3	6	9	15	19	34
TOTAL										
0-19 YRS	826	4.8	25	1	2	3	5	10	13	32
20-34	273	5.4	25	1	2	4	7	12	16	25
35-49	419	6.0	38	2	2	4	7	11	16	32
50-64	699	7.4	54	2	3	6	9	14	19	42
65 +	1697	8.7	44	3	4	7	11	16	21	35
GRAND TOTAL	3914	7.1	42	2	3	5	9	14	19	34

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1495	3.3	27	< 1	1	2	3	6	10	30
20-34	376	3.6	17	1	1	2	4	8	10	21
35-49	363	3.3	12	1	1	2	4	7	10	18
50-64	274	3.9	16	1	2	3	5	8	10	24
65 +	264	5.2	34	1	2	4	7	10	13	22
2. MULTIPLE DX										
0-19 YRS	3723	9.4	189	1	2	4	10	28	42	91
20-34	1300	5.7	61	1	2	3	6	13	20	46
35-49	2084	5.9	59	1	2	4	7	13	19	45
50-64	3156	6.5	57	2	3	4	8	13	19	40
65 +	8021	7.8	57	2	3	6	9	15	22	40
TOTAL SINGLE DX	2772	3.6	24	1	1	2	4	7	10	25
TOTAL MULTIPLE DX	18284	7.5	87	2	3	5	9	16	25	54
TOTAL										
0-19 YRS	5218	7.6	151	1	2	3	7	21	36	80
20-34	1676	5.3	52	1	2	3	6	11	18	44
35-49	2447	5.5	54	1	2	3	6	12	18	43
50-64	3430	6.3	55	1	2	4	7	13	18	40
65 +	8285	7.7	57	2	3	6	9	15	22	40
GRAND TOTAL	21056	7.0	80	1	2	4	8	15	23	51

APPENDIX A

1990 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

Hospital Category	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL [3]
Bedsize			
6-24	380	44	11.6
25-49	1,125	148	13.2
50-99	1,148	160	13.9
100-199	1,130	188	16.6
200-299	694	110	15.9
300-399	389	86	22.1
400-499	204	40	19.6
500+	262	56	21.4
Unknown	5	0	
Total	**5,337**	**832**	**15.6**
Region and Census Division			
Northeast	760	176	23.2
New England	226	72	31.9
Middle Atlantic	534	104	19.5
North Central	1,554	230	14.8
East North Central	811	198	24.4
West North Central	743	32	4.3
South	2,020	154	7.6
South Atlantic	792	87	11.0
East South Central	467	32	6.9
West South Central	761	35	4.6
West	1,003	272	27.1
Mountain	353	149	42.2
Pacific	650	123	18.9
Location			
Urban	2,812	497	17.7
Rural	2,525	335	13.3
Teaching Intensity			
Low	4,362	613	14.1
Medium	691	155	22.4
High	284	60	21.1
Unknown	0	4	

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 sample is compared to the universe of hospitals in 1989.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by American Medical Association (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip, P.J., and Hai, Abdul. *An Index of Programs for Hospitals*. American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 717, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
717	Repair and plastic operation on bone, except facial and femur	78.00-78.04; 78.06-78.14; 78.16-78.23; 78.27-78.34; 78.37-78.44; 78.46-78.54; 78.56-78.59; 78.70-78.74; 78.76-78.84; 78.86-78.94; 78.96-78.99; 79.90-79.94; 79.96-79.99
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.98; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1990 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia; except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
	Angiodysplasia
224	intestine
206	stomach
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No. Title

- Anomaly, congenital **(continued)**
  - 340 genitourinary system, except undescended testis and urethral stenosis
  - 335 heart
  - 342 musculoskeletal system, except clubfoot
  - 338 respiratory system
- 357 Anorexia, except nervosa
  - 118 nervosa
- 147 Anterior wall infarction
- 107 Anxiety reaction or neurosis, except depression
  - 108 depression
- 173 Aortic aneurysm
- Aortic valve disease-*see Valvular disease*
- 134 Aphakia
- 89 Aplastic anemia
- 209 Appendicitis, except acute
  - 207 acute, without peritonitis
    - 208 with peritonitis
  - 209 recurrent
- 155 Arrhythmia, heart
- 176 Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
- Arteriosclerosis
  - 170 cerebral
  - 150 coronary
  - 171 lower limb
- Arteriosclerotic
  - 150 cardiovascular disease
  - 96 dementia or psychosis
  - 150 heart disease
  - 172 vascular disease, except lower limb
    - 171 lower limb
- 315 Arthritis, except osteo- and rheumatoid
  - 314 osteo- except hip, knee and spine
    - 313 hip
    - 313 knee
    - 319 spine

Group No. Title

- 315 Arthritis, except osteo- and rheumatoid **(continued)**
  - 315 pyogenic
  - 312 rheumatoid, except spine
    - 318 spine
- 356 Ascites
- 150 ASCVD (arteriosclerotic cardiovascular disease)
- 150 ASHD (arteriosclerotic heart disease)
- 192 Asthma
- 192 Asthmatic bronchitis
- Atherosclerosis-*see Arteriosclerosis*
- 154 Atrial fibrillation and flutter
- 81 Avitaminosis

- 152 Bacterial endocarditis
- 247 Bacteriuria, except in pregnancy
  - 280 in pregnancy
    - 301 with delivery
- 327 Baker's cyst
- 249 Benign prostatic hyperplasia (BPH)
- 248 Bladder disease, except calculus and cystitis
- 52 Blast cell leukemia
- Bleeding
  - 265 menopausal
  - 265 postmenopausal
  - 263 uterine, dysfunctional
- 234 Blind loop syndrome
- 135 Blindness
- 155 Block, heart
- 349 Bloody nose
- 329 Bone disease, except osteomyelitis and osteoarthritis
- 130 Borderline glaucoma
- 2 Botulism
- 71 Bowen's disease
- 249 BPH (benign prostatic hyperplasia)
- 256 Breast disease, except fibrocystic
  - 255 fibrocystic
- 192 Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	bone marrow transplant
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough

Group No.	Title
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
340	kidney disease
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional

DIAGNOSIS INDEX (continued)

Group No.	Title
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic

Group No.	Title
	Dependence **(continued)**
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
134	Dermatochalasis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Diabetic complications **(continued)**
  - 78 retinopathy
  - 78 ulcer
- Dialysis
  - 415 peritoneal
  - 415 renal
- 214 Diaphragmatic hernia
- 218 Diarrhea, except infectious and functional
  - 224 functional
  - 2 infectious
- 7 Diphtheria
- Disease
  - 209 appendix, except acute appendicitis
  - 150 arteriosclerotic cardiovascular
  - 176 artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 14 arthropod-borne
  - 84 autoimmune, except AIDS
    - 13 AIDS
  - 7 bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 231 biliary ducts
  - 248 bladder, except calculus and cystitis
  - 329 bone, except osteomyelitis and osteoarthritis
  - 256 breast, except fibrocystic
    - 255 fibrocystic
  - 234 celiac
  - central nervous system
    - 8 enteroviral
    - 120 inflammatory, except enteroviral
    - 124 noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - cerebrovascular-*see Cerebrovascular accident*
  - 142 chronic rheumatic heart
  - 311 connective tissue, diffuse
  - 150 coronary artery
  - 222 Crohn's

Group No. **Title**

- Disease **(continued)**
  - 80 Cushing's
  - 340 cystic kidney
  - 13 cytomegalic inclusion
  - 197 dental
  - 219 diverticular
  - 206 duodenum, except ulcer and inflammatory
  - 140 ear, except inflammatory and otosclerosis
  - 152 endocarditis, bacterial
  - 80 endocrine, except ovary, thyroid, and diabetes mellitus
  - 199 esophagus
  - 135 eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
    - 134 inflammatory, except lacrimal tract
  - 266 fallopian tube, except endometriosis
  - 331 fascia
  - 266 female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
  - 229 gallbladder
  - 266 gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
  - heart
    - 144 hypertensive
      - 146 with renal disease or failure
    - 150 ischemic, except infarction and angina pectoris
    - 142 rheumatic, chronic
    - 158 other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
  - 91 hematopoietic, except anemia, hemophilia, and leukemia
  - 344 hemolytic, newborn
  - 13 HIV infection (AIDS)
  - 48 Hodgkin's
  - 143 hypertensive, except heart and renal
    - 144 heart
      - 146 with renal disease or failure
    - 145 renal
      - 146 with heart disease or failure

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
	Disease (continued)
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disorder **(continued)**
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy

Group No.	Title
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial

DIAGNOSIS INDEX (continued)

Group No.	Title
	Enteritis, except bacterial, regional, and viral **(continued)**
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow

Group No.	Title
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
176	Goodpasture's syndrome
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No. Title

- 357 Hyperbilirubinemia, unspecified
  - 84 constitutional
  - 344 neonatal
- 84 Hypercalcemia
- 276 Hyperemesis gravidarum
- 80 Hyperinsulinism
- 84 Hyperlipoproteinemia
- 80 Hyperparathyroidism
- 249 Hyperplasia of prostate
- 86 Hyperpotassemia
- 176 Hypersensitivity angiitis
- 143 Hypertension, except renal and of pregnancy
  - 275 of pregnancy
  - 301 with delivery
  - 145 renal
  - 146 renovascular
- 134 Hypertensive retinopathy
- 74 Hyperthyroidism
- 185 Hypertrophy of tonsils and adenoids
- 84 Hypogammaglobulinemia
- 80 Hypoparathyroidism
- 86 Hypopotassemia
- 180 Hypotension
- 74 Hypothyroidism
- 86 Hypovolemia

- 222 Ileitis, regional
- 217 Ileus, paralytic or adynamic
- 357 Ill-defined conditions
- 343 Immaturity of newborn
- 84 Immunodeficiency disorder, except AIDS
  - 13 AIDS
- 167 Impending CVA
- 306 Impetigo
- 271 Incomplete abortion
- 354 Incontinence
- 147 Infarction, acute myocardial

Group No. Title

- Infection
  - 245 bladder
  - 328 bone
  - 260 cervix
  - 240 kidney, except nephritis, nephrosis, and acute pyelonephritis
  - 7 meningococcal
  - 407 postoperative wound
  - 302 puerperal, major
  - 306 skin and subcutaneous tissue, except cellulitis and abscess
  - 181 upper respiratory, except streptococcal
  - 247 urinary tract
    - 280 in pregnancy
  - 261 uterine, except cervix
  - 261 vaginal
  - 261 vulvar
  - 407 wound, postoperative
- 11 Infectious mononucleosis
- Infertility
  - 266 female
  - 254 male
- Inflammation
  - 120 central nervous system
  - 135 eye, except lacrimal tract
    - 133 lacrimal tract
- 189 Influenza
- 189 Influenzal pneumonia
- Inguinal hernia
  - 210 without complication
  - 211 with complication
- Injury
  - 345 birth
  - 392 blood vessel
  - 396 crush, except abdomen and chest
    - 386 abdomen
    - 385 chest
  - 384 head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury **(continued)**
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*

Group No.	Title
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No. Title

- 196 Lung disease, except pneumonia and obstructive
  - 188 pneumonia, except bacterial
    - 187 bacterial
  - 193 obstructive
- 14 Lyme
- 93 Lymphadenitis, except acute and mesenteric
  - 306 acute
  - 92 mesenteric
- 350 Lymphadenopathy
  - 13 in HIV infection (disease) (syndrome)
- 58 Lymphangioma
- 180 Lymphedema
- 53 Lymphosarcoma

- 134 Macular degeneration, retina
- 234 Malabsorption syndrome
- 14 Malaria
- 32 Malignant melanoma, skin
- 105 Manic-depressive psychosis
- 342 Marfan syndrome
- 256 Mastitis, except puerperal
  - 304 puerperal
- 9 Measles
  - 20 late effect
- 126 Median nerve entrapment
- 32 Melanoma, malignant
- 138 Meniere's disease
- 120 Meningitis, except tuberculous and viral
  - 4 tuberculous
  - 8 viral
    - 20 late effect
- 265 Menopause
- 264 Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
- 119 Mental deficiency or retardation
- 224 Mesenteric artery syndrome
- 92 Mesenteric lymphadenitis

Group No. Title

- 261 Metritis
- 263 Metrorrhagia
- 125 Migraine
- 4 Miliary tuberculosis
- Mitral valve disease-*see Valvular disease*
- 342 Mongolism
- 16 Moniliasis
- 11 Mononucleosis
- 221 Mucous colitis
- Multiparity
  - 282 without delivery
  - 410 without pregnancy
- 282 Multiple pregnancy
  - 289 with delivery
- 122 Multiple sclerosis
- 13 Mumps
- 124 Muscular dystrophy
- 16 Mycosis
- 147 Myocardial infarction, acute

- 184 Nasal polyp
- 356 Nausea
- Neoplasm, benign
  - 65 bladder
  - 57 bone
  - 67 brain
  - 59 breast
  - 56 bronchus
  - 54 buccal cavity
  - 61 cervix
  - 57 connective tissue
  - 55 digestive
  - 69 endocrine, except thyroid
  - 66 eye
  - genitalia
    - 63 female, except uterus and ovary
    - 64 male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
72	Neurofibromatosis
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple, except by cesarean delivery
419	by cesarean delivery
411	single, except by cesarean delivery
418	by cesarean delivery
412	twin, except by cesarean delivery
419	by cesarean delivery
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery

Group No.	Title
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)

Group No.	Title
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis

DIAGNOSIS INDEX (continued)

Group No.	Title
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy

Group No.	Title
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine

Group No.	Title
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis

DIAGNOSIS INDEX (continued)

Group No.	Title
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy **(continued)**
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
	Bypass, graft or shunt **(continued)**
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement **(continued)**
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. Title

Excision (continued)
  hydrocele (continued)
663   spermatic cord
658   tunica vaginalis
729   intervertebral disc or cartilage, except chemonucleolysis
728   chemonucleolysis
732   joint, except intervertebral disc and cartilage of knee
729   intervertebral disc, except chemonucleolysis
728   chemonucleolysis
730   knee cartilage
633   kidney, except partial
636   partial
730   knee cartilage (semilunar)
583   lymph nodes, except radical
584   radical
508   neuroma, peripheral nerve
  ovary
670   bilateral
669   unilateral
549   parotid gland
761   pilonidal cyst or sinus
515   pituitary gland
656   prostate, except transurethral approach
655   transurethral approach
522   pterygium
762   sebaceous cyst, except of eyelid
517   eyelid, eyebrow
730   semilunar cartilage, knee
586   spleen
514   thyroglossal duct or tract
513   thyroid
767   toenail
551   tongue
552   tonsil, except with adenoids
553   with adenoids
555   tonsil tag

Group No. Title

Excision (continued)
  tubes and ovaries
670   bilateral
669   unilateral
678   uterine fibroid
577   varicocele, except of spermatic cord
663   spermatic cord
Excision of lesion (and destruction of tissue)
628   abdominal wall
611   anus
619   bile duct, except by ERCP
618   by ERCP
644   bladder, except transurethral approach
642   transurethral approach
715   bone, except facial and femur
706   facial
714   femur
501   brain
757   breast
562   bronchus
501   cerebral meninges
676   cervix, except by conization
675   conization
598   colon
520   conjunctiva
522   cornea
598   duodenum
533   ear, external
589   esophagus
531   eye
517   eyelid
674   fallopian tube
548   gingiva, gums
598   intestine
524   iris
636   kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach

Group No.	Title
	Excision of lesion **(continued)**
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
764	infusion pump
755	limb prosthesis
764	vascular access device
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*

Group No.	Title
	Incision (and drainage) **(continued)**
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
	sclerosing agent
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Insertion **(continued)**
767	tissue expander, except breast
760	breast
651	ureteral stent, except by incision
637	by incision
764	vascular access device
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids

Group No.	Title
	Ligation **(continued)**
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy

OPERATION INDEX (continued)

Group No. Title
Mastectomy
758 complete
759 radical
758 simple, except extended
759 extended
757 subtotal
537 Mastoidectomy, except revision
538 revision
760 Mastotomy
Meatotomy
640 ureteral
645 urethral
698 Medical induction of labor
730 Meniscectomy, knee
694 Menstrual extraction or regulation
707 Mentoplasty
782 Monitoring, circulatory (CVP) (PCW)
775 MRI (magnetic resonance imaging)
770 Myelography
678 Myomectomy, uterus
536 Myringotomy

633 Nephrectomy (complete)
636 Nephropexy
775 NMR (nuclear magnetic resonance imaging)
Nutritional infusion
783 enteral
781 parenteral (PPN) (TPN)

690 Obliteration, vagina or vaginal vault
767 Onychectomy
767 Onychoplasty
Oophorectomy
670 bilateral
669 unilateral

Group No. Title
532 Ophthalmoscopy
659 Orchiectomy
660 Orchiopexy
661 Orchioplasty, except suspension
660 suspension
715 Ostectomy, except facial bone and femur
707 facial bone, except partial
706 partial
714 femur
717 Osteoplasty, except facial bone and femur
707 facial bone
714 femur
712 Osteotomy, except facial bone and femur
707 facial bone
711 femur
539 Otoscopy

550 Palatoplasty
620 Pancreatectomy
620 Pancreatotomy
Paracentesis
628 abdominal
524 anterior chamber (eye)
576 thoracic
514 Parathyroidectomy
549 Parotidectomy
592 PEG (percutaneous endoscopic gastrostomy)
603 PEJ (percutaneous endoscopic jejunostomy)
681 Pelvic exenteration
Percutaneous
endoscopic
592 gastrostomy (PEG)
603 jejunostomy (PEJ)
582 transluminal angioplasty, except coronary
571 coronary
575 Pericardiocentesis

OPERATION INDEX (continued)

Group No.	Title
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
	Puncture **(continued)**
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible

OPERATION INDEX (continued)

Group No. **Title**

- Reconstruction **(continued)**
  - 744 thumb
- 688 Rectocele repair
- Reduction
  - 726 dislocation, except hip and temporomandibular
    - 725 hip (closed) (open)
    - 710 temporomandibular (joint)
  - fracture
    - 709 facial bone, except closed reduction
      - 708 closed reduction
    - femur
      - 721 closed, except with internal fixation
        - 719 with internal fixation
      - 721 open, except with internal fixation
        - 720 with internal fixation
    - 709 mandible, except closed reduction
      - 708 closed reduction
    - 709 maxillofacial, except closed reduction
      - 708 closed reduction
    - 543 nose
    - site, other than above
      - 724 closed, except with internal fixation
        - 722 with internal fixation
      - 724 open, except with internal fixation
        - 723 with internal fixation
  - 621 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 783 manual
  - 602 intestinal torsion
  - 602 intussusception, intestine
  - 760 mammoplasty
  - 602 volvulus, intestine
- Rehabilitation
  - 779 alcohol
  - 779 drug
- Release
  - adhesions-*see Lysis, adhesions*

Group No. **Title**

- Release **(continued)**
  - 743 Dupuytren's contracture
  - 767 scar contracture, skin
  - 648 urethral stricture
- Removal
  - 718 bone growth stimulator
  - calculus
    - 619 biliary tract, except by ERCP or percutaneous
      - 618 by ERCP
      - 617 percutaneous
    - 644 bladder, except transurethral approach
      - 643 transurethral approach
    - 636 kidney, except transurethral approach
      - 639 transurethral approach
    - 519 lacrimal tract (by incision)
      - 532 without incision
    - 620 pancreatic duct, except by endoscopic approach
      - 618 endoscopic approach
    - 637 ureter, except transurethral approach
      - 639 transurethral approach
  - 783 catheter, nonoperatively
  - 783 cholecystotomy tube
  - 701 ectopic fetus
  - 718 fixation device, internal
  - foreign body
    - 780 bronchus, except with incision
      - 562 with incision
    - 531 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 760 breast
      - 727 joint
  - 597 gastric balloon
  - 666 penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid

Group No.	Title
	Repair **(continued)**
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve

OPERATION INDEX (continued)

Group No. **Title**

- Repair **(continued)**
  - 596 pylorus, stomach
  - 688 rectocele, vagina
  - 609 rectum
  - 528 retinal detachment or tear
  - 745 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 597 stomach, except pylorus
    - 596 pylorus
  - 650 stress incontinence, except urethral suspension
    - 649 urethral suspension
  - 746 tendon, except of hand
    - 744 hand
  - 661 testis
  - 713 toe(s)
  - 561 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterus, except obstetric laceration and supporting structures
    - 705 obstetric laceration
    - 686 supporting structures
  - 689 vagina, except for cystocele and rectocele, and obstetric laceration
    - 688 cystocele and rectocele
    - 705 obstetric laceration
  - 551 vestibular arch (mouth)
  - 693 vulva, except obstetric laceration
    - 705 obstetric laceration
- Replacement
  - 574 cardiac pacemaker
  - 570 heart valve
  - 739 joint, except hip and knee
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee

Group No. **Title**

- Replacement **(continued)**
  - 665 penile prosthesis
  - 654 urinary catheter
- Resection
  - 644 bladder
  - 582 blood vessel
  - 563 bronchus
  - 600 large intestine
  - 745 muscle, except of hand
    - 743 hand
  - 540 nasal septum, submucous
  - 530 ocular muscle
  - 668 ovary
  - 608 rectum (abdominoperineal) (pull-through)
  - 548 root of tooth
  - 599 small intestine
  - 745 tendon, except of hand
    - 743 hand
- 547 Restoration, tooth
- 775 Retrograde pyelogram
- Revision
  - 754 amputation stump
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
	Sclerotherapy (injection)
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP

Group No.	Title
	Sphincterotomy **(continued)**
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*

OPERATION INDEX (continued)

Group No.	Title
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
783	Thallium stress test
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*

Group No.	Title
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
570	and lung
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy

OPERATION INDEX (continued)

Group
No. Title
648 Urethrotomy
638 Urinary diversion
783 Uroflowmetry, uroflometry

781 Vaccination
697 Vacuum extraction for delivery
694 Vaginoscopy
596 Vagotomy
570 Valvuloplasty, cardiac
577 Varicose vein operation
662 Vasectomy
663 Vasoplasty
662 Vasotomy

Group
No. Title
663 Vasovasostomy
773 Venography
777 Ventilation, mechanical
504 Ventricular shunt, except revision
505   revision
769 Ventriculography
644 Vesicostomy
692 Vulvectomy

X-ray-*see Radiography*

767 Z-plasty, skin



LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
Western Region, 1990

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation
Western Region, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1991

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1990
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1990
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1990
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1990
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi
- Source of the Data
- Data Quality
- Hospital Characteristics

Organization of the Tables viii
- Classification System
- Patient Data Assignment
- Definition of Multiple Diagnosis Patients
- Definition of Operated Patients

Explanation of the Statistics x
- Total Number of Patients
- Average Length of Stay
- Variance
- Percentiles
- Subtotal and Grand Total

Using the Tables xi

Ten Year Length of Stay Comparison xii

Length of Stay Tables 1
- Length of Stay Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-419 4
- Length of Stay Operation Groups 215
- Summary of All Patients in Operation Groups 216
- Operation Groups 501-783 217

Appendix A
- 1990 Hospital Characteristics 289

Appendix B
- Description of Hospital Characteristics 290

Appendix C
- State Inclusions By Region 291

Appendix D
- Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index
- Part I: Diagnosis Index 298
- Part II: Operation Index 321

ACKNOWLEDGEMENTS

1990 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda Vanek, Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Michele Archer, Staff Nosologist, CPHA.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Sally Smith, and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1990 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, The National Association of Children's Hospitals and Related Institutions (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The system was designed to group together patients with the same or closely related diagnoses (or procedures) to permit the development of detailed guidelines of care.

The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, and 418-419, which pertain exclusively to newborns, age is replaced by birth weight in grams. Two new groups were added in 1990 to the List A Diagnosis Groups to separate newborns delivered by cesarean section from unassisted deliveries:

418 - Single liveborn, with cesarean section delivery, born in hospital
419 - Twin or multiple liveborn, with cesarean section delivery, born in hospital

The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. A significant procedure is defined as one that is surgical (invasive) in nature, or carries a procedural risk, or carries an anesthetic risk, or requires specialized training. Surgery generally includes incision, excision, amputation, introduction (of devices), endoscopy, repair, suture, and manipulation. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

– Single or Multiple Diagnosis

– Not Operated or Operated (for Diagnosis groups only)

– Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

TEN YEAR LENGTH OF STAY COMPARISON

The Length of Stay publications present statistical data which describe hospital stay in the United States. Companion volumes display data for census regions and the pediatric and geriatric populations. The 1990 LOS series, published by Healthcare Knowledge Resources, is derived from the database developed and maintained by the Commission on Professional and Hospital Activities (CPHA) and is drawn from over four million hospital discharge records.

Hospital stay data provide a valuable perspective for healthcare professionals who make decisions based on hospital utilization. Length of Stay has been published since 1963 and can be used to track trends, examine patterns of care, and conduct comparisons between years.

The following graphs illustrate changes in hospital stay over a 10 year period.

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS - 1980, 1985, 1990



---

[1] Short term, general nonfederal hospitals

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS EXCEPT NEWBORNS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

There is a steady decline in length of stay over the time period studied, with a 12% drop observed from 1980 to 1985 for all patients in the U.S. From 1985 to 1990 the decline continued, but slowed to a 5% decrease.

Traditionally, hospital stays are highest in the Northeast and North Central, and lowest in the South and West. This regional pattern remains consistent until 1990, when the North Central and Southern regions display an almost equivalent length of stay.

A variety of factors can be looked at to explain the decline in hospital stay. Studies show that the prospective payment system implemented by the federal government had an impact on reducing hospital stays by reimbursing at a fixed rate for inpatient care. The introduction of utilization review to monitor costs and resource consumption helped shorten hospital stays by assuring medical necessity of admissions.

Other factors that affect hospital stay include introducing new medical technology and techniques that require shorter hospitalization and recovery time, discharging patients as soon as medically feasible to less acute care settings, providing more home-based services as an alternative to inpatient care, and managing catastrophic cases.

The growth of HMOs and PPOs provides yet another explanation for the decrease in hospital stays. Because services are prepaid, all medical care is closely monitored to control costs and utilization.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84230	2.1	8	1	1	2	2	3	4	11
20-34	49402	2.4	15	1	1	2	2	4	6	20
35-49	17223	3.7	34	1	1	2	4	7	12	29
50-64	8447	3.7	29	1	1	2	4	7	11	28
65 +	7604	4.1	27	1	2	3	5	8	11	28
B. Operated										
0-19 YRS	28277	2.5	8	< 1	1	2	3	5	7	13
20-34	64330	2.4	4	1	1	2	3	4	6	10
35-49	27541	3.1	7	1	1	2	4	6	8	13
50-64	15887	3.7	10	1	2	3	5	7	9	15
65 +	13854	4.4	13	1	2	3	6	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103600	4.1	44	1	1	2	4	8	13	37
20-34	58613	4.5	39	1	1	2	5	10	16	30
35-49	53236	5.2	41	1	2	3	6	11	17	31
50-64	60243	5.1	32	1	2	4	6	10	14	29
65 +	163239	5.9	29	2	3	4	7	11	15	28
B. Operated										
0-19 YRS	37346	6.0	89	1	2	3	6	14	24	83
20-34	109633	3.9	27	1	2	3	4	7	11	27
35-49	70502	5.5	43	1	2	4	6	11	16	37
50-64	64608	6.9	59	1	3	5	8	14	20	42
65 +	122389	8.0	57	2	3	6	10	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166906	2.5	15	1	1	2	3	4	7	20
B. Operated	149889	2.9	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated	438931	5.1	36	1	2	3	6	10	15	31
B. Operated	404478	6.1	52	1	2	4	7	13	18	40
1. SINGLE DX	316795	2.7	11	1	1	2	3	5	7	16
2. MULTIPLE DX	843409	5.6	44	1	2	4	7	11	17	35
A. Not Operated	605837	4.4	32	1	2	3	5	9	13	29
B. Operated	554367	5.2	42	1	2	3	6	11	16	35
TOTAL										
0-19 YRS	253453	3.6	36	1	1	2	3	7	11	35
20-34	281978	3.4	23	1	1	2	4	6	10	26
35-49	168502	4.8	36	1	2	3	5	9	15	31
50-64	149185	5.6	43	1	2	4	7	11	16	34
65 +	307086	6.6	41	2	3	5	8	13	17	33
GRAND TOTAL	**1160204**	**4.8**	**37**	**1**	**2**	**3**	**6**	**10**	**14**	**31**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32567	2.8	18	1	1	2	3	5	7	22
20-34	49402	2.4	15	1	1	2	2	4	6	20
35-49	17223	3.7	34	1	1	2	4	7	12	29
50-64	8447	3.7	29	1	1	2	4	7	11	28
65 +	7604	4.1	27	1	2	3	5	8	11	28
B. Operated										
0-19 YRS	28265	2.5	8	< 1	1	2	3	5	7	13
20-34	64330	2.4	4	1	1	2	3	4	6	10
35-49	27541	3.1	7	1	1	2	4	6	8	13
50-64	15887	3.7	10	1	2	3	5	7	9	15
65 +	13854	4.4	13	1	2	3	6	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65338	4.8	57	1	2	3	5	10	17	42
20-34	58613	4.5	39	1	1	2	5	10	16	30
35-49	53236	5.2	41	1	2	3	6	11	17	31
50-64	60243	5.1	32	1	2	4	6	10	14	29
65 +	163239	5.9	29	2	3	4	7	11	15	28
B. Operated										
0-19 YRS	36305	5.7	79	1	1	3	6	13	22	78
20-34	109633	3.9	27	1	2	3	4	7	11	27
35-49	70502	5.5	43	1	2	4	6	11	16	37
50-64	64608	6.9	59	1	3	5	8	14	20	42
65 +	122389	8.0	57	2	3	6	10	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115243	2.9	21	1	1	2	3	5	8	24
B. Operated	149877	2.9	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated	400669	5.3	37	1	2	4	6	11	15	31
B. Operated	403437	6.1	51	1	2	4	7	13	18	39
1. SINGLE DX	265120	2.9	13	1	1	2	3	6	8	17
2. MULTIPLE DX	804106	5.7	44	1	2	4	7	12	17	35
A. Not Operated	515912	4.8	35	1	2	3	6	10	14	30
B. Operated	553314	5.2	41	1	2	3	6	11	15	34
TOTAL										
0-19 YRS	162475	4.2	47	1	1	2	4	8	14	42
20-34	281978	3.4	23	1	1	2	4	6	10	26
35-49	168502	4.8	36	1	2	3	5	9	15	31
50-64	149185	5.6	43	1	2	4	7	11	16	34
65 +	307086	6.6	41	2	3	5	8	13	17	33
GRAND TOTAL	**1069226**	**5.0**	**38**	**1**	**2**	**3**	**6**	**10**	**15**	**32**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	317	2.1	1	1	1	2	3	3	4	5
20-34	110	1.9	1	1	1	2	2	3	5	6
35-49	52	1.8	1	1	1	2	2	3	3	4
50-64	17	2.1	2	1	1	2	3	4	5	6
65 +	23	1.9	1	< 1	1	2	3	3	4	4
B. Operated										
0-19 YRS	11	2.6	1	1	2	3	3	4	4	4
20-34	8	3.0	2	1	2	3	4	5	6	6
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1072	2.6	4	1	1	2	3	4	6	9
20-34	237	2.4	7	1	1	2	3	4	5	7
35-49	199	2.8	5	1	2	2	3	5	7	12
50-64	166	3.0	7	1	2	2	3	5	6	14
65 +	389	3.6	6	2	2	3	4	7	8	14
B. Operated										
0-19 YRS	21	9.3	213	2	3	4	9	22	45	67
20-34	16	4.7	7	1	3	4	7	9	9	9
35-49	19	5.2	19	1	3	5	7	8	15	21
50-64	12	2.6	2	1	2	2	4	5	5	5
65 +	24	6.6	13	3	4	6	9	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	519	2.0	1	1	1	2	3	3	4	5
B. Operated	23	3.0	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	2063	2.8	5	1	2	2	3	5	6	12
B. Operated	92	6.1	60	2	3	4	7	10	15	50
1. SINGLE DX	542	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2155	2.9	8	1	2	2	3	5	7	13
A. Not Operated	2582	2.6	4	1	1	2	3	5	6	11
B. Operated	115	5.5	50	2	2	4	6	9	13	41
TOTAL										
0-19 YRS	1421	2.6	7	1	1	2	3	4	5	10
20-34	371	2.4	5	1	1	2	3	4	5	8
35-49	273	2.8	5	1	1	2	3	6	7	12
50-64	196	2.9	7	1	2	2	4	5	6	13
65 +	436	3.6	7	1	2	3	4	7	9	14
GRAND TOTAL	**2697**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	2.9	3	1	2	3	4	5	6	8
20-34	125	3.5	6	1	2	3	4	7	9	13
35-49	57	3.3	3	1	2	3	4	5	7	9
50-64	34	3.4	6	1	2	3	4	6	8	13
65 +	12	4.3	8	1	2	3	6	8	11	11
B. Operated										
0-19 YRS	8	6.1	16	2	3	6	8	12	14	14
20-34	22	5.9	18	2	3	4	7	14	16	17
35-49	17	3.9	7	1	2	4	5	9	10	10
50-64	5	6.0	63	1	2	3	8	20	20	20
65 +	7	4.4	11	2	2	3	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	363	4.1	12	1	2	3	5	8	10	20
20-34	213	4.2	17	1	2	3	5	8	11	19
35-49	230	4.5	27	1	2	3	5	8	11	34
50-64	207	5.0	12	2	2	4	7	9	12	18
65 +	426	5.7	16	2	3	5	7	10	12	21
B. Operated										
0-19 YRS	28	11.8	221	2	4	7	12	25	57	64
20-34	67	7.7	44	2	3	5	9	18	24	30
35-49	68	7.8	61	3	4	5	9	18	23	47
50-64	58	11.6	333	3	4	6	11	21	61	93
65 +	166	9.8	109	3	5	7	11	18	23	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	359	3.3	5	1	2	3	4	6	7	11
B. Operated	59	5.2	17	1	3	4	7	11	15	20
2. MULTIPLE DX										
A. Not Operated	1439	4.8	17	1	2	4	6	9	11	21
B. Operated	387	9.5	132	3	4	6	10	18	24	73
1. SINGLE DX	418	3.5	7	1	2	3	4	7	8	14
2. MULTIPLE DX	1826	5.8	45	2	3	4	7	10	15	30
A. Not Operated	1798	4.5	15	1	2	4	6	8	11	20
B. Operated	446	8.9	118	3	4	6	10	18	24	65
TOTAL										
0-19 YRS	530	4.3	24	1	2	3	5	8	11	25
20-34	427	4.6	20	1	2	3	6	9	13	24
35-49	372	4.9	30	1	2	4	5	9	13	31
50-64	304	6.1	80	2	3	4	7	11	14	55
65 +	611	6.8	45	2	3	5	8	12	17	32
GRAND TOTAL	**2244**	**5.4**	**38**	**2**	**2**	**4**	**6**	**10**	**14**	**28**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	7.8	220	1	1	3	6	23	50	54
20-34	36	5.4	13	1	3	5	7	10	13	16
35-49	28	6.3	16	1	4	6	8	12	14	19
50-64	6	5.5	14	< 1	1	6	8	10	10	10
65 +	4	8.3	38	3	4	6	12	17	17	17
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	11	7.5	12	2	5	9	10	11	12	12
35-49	13	9.2	61	4	6	6	9	18	30	33
50-64	3	5.3	1	4	4	6	6	6	6	6
65 +	3	7.3	32	1	3	9	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	7.3	27	1	3	6	12	15	16	16
20-34	72	7.2	59	2	3	5	9	13	17	50
35-49	73	8.5	141	2	3	5	10	20	24	77
50-64	58	7.5	35	2	3	6	11	17	19	27
65 +	46	9.4	30	4	5	8	12	18	21	23
B. Operated										
0-19 YRS	8	7.6	12	4	5	7	9	13	15	15
20-34	38	11.0	150	4	7	8	11	19	21	78
35-49	36	14.8	107	7	9	11	18	35	46	99 +
50-64	35	12.2	98	3	7	8	16	26	30	49
65 +	31	14.8	107	3	8	13	20	24	43	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	6.2	42	1	3	5	8	11	14	41
B. Operated	31	8.1	32	3	6	6	10	13	14	33
2. MULTIPLE DX										
A. Not Operated	266	8.0	69	2	3	6	11	17	21	30
B. Operated	148	12.8	113	4	7	10	17	24	35	78
1. SINGLE DX	117	6.7	40	1	3	6	8	12	14	40
2. MULTIPLE DX	414	9.7	90	2	4	7	12	19	24	54
A. Not Operated	352	7.6	63	2	3	6	10	16	19	31
B. Operated	179	12.0	102	4	6	9	14	23	33	70
TOTAL										
0-19 YRS	38	7.6	80	1	3	6	10	15	16	54
20-34	157	7.7	70	2	4	6	9	13	18	56
35-49	150	9.7	110	2	4	6	11	21	31	91
50-64	102	8.9	59	2	4	7	11	19	25	39
65 +	84	11.3	65	3	5	10	16	21	23	44
GRAND TOTAL	**531**	**9.1**	**80**	**2**	**4**	**7**	**11**	**18**	**23**	**52**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	8.7	16	5	6	8	12	13	13	13
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	10	3.5	17	< 1	1	2	3	10	14	14
20-34	5	3.8	9	1	2	3	5	9	9	9
35-49	2	16.0	2	15	15	16	17	17	17	17
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.5	117	1	2	5	7	28	30	30
20-34	18	15.1	271	2	4	9	16	46	55	58
35-49	12	7.3	61	< 1	2	5	8	22	25	26
50-64	7	10.9	65	3	5	8	17	23	24	24
65 +	5	9.0	55	1	3	7	15	19	19	19
B. Operated										
0-19 YRS	10	27.8	718	7	12	15	52	93	99 +	99 +
20-34	20	14.9	75	4	7	16	20	27	30	32
35-49	8	30.8	618	8	9	22	55	65	65	65
50-64	14	22.8	420	6	7	13	40	51	67	72
65 +	9	25.0	356	3	12	20	41	53	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.6	15	2	3	4	8	12	13	13
B. Operated	19	5.4	31	1	2	3	8	15	16	17
2. MULTIPLE DX										
A. Not Operated	48	11.1	149	2	4	7	15	25	37	58
B. Operated	61	22.4	376	4	9	16	32	57	68	99
1. SINGLE DX	27	5.5	26	1	2	3	8	15	16	17
2. MULTIPLE DX	109	17.4	306	3	6	12	22	47	58	93
A. Not Operated	56	10.3	133	2	3	7	13	24	33	58
B. Operated	80	18.4	346	2	4	14	24	49	65	97
TOTAL										
0-19 YRS	26	14.0	416	1	2	7	15	53	91	99 +
20-34	46	13.3	150	3	4	10	17	28	38	58
35-49	23	16.1	354	1	4	8	19	49	65	65
50-64	25	16.4	304	3	6	9	21	40	55	72
65 +	16	17.9	278	2	4	15	20	48	54	56
GRAND TOTAL	**136**	**15.0**	**272**	**2**	**4**	**9**	**19**	**40**	**57**	**90**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.0	1	1	1	2	2	3	4	6
20-34	27	2.1	1	1	1	2	3	4	4	4
35-49	7	3.0	3	2	2	2	3	6	7	7
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	5	1.8	3	< 1	< 1	1	2	5	5	5
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	180	2.5	6	1	1	2	3	4	6	8
20-34	98	2.5	2	1	1	2	3	4	5	7
35-49	41	3.7	17	1	2	3	4	6	8	27
50-64	25	2.6	2	1	2	2	3	4	6	8
65 +	8	5.0	6	3	3	4	6	9	10	10
B. Operated										
0-19 YRS	14	1.7	2	1	1	1	2	4	6	6
20-34	3	5.7	4	4	4	5	7	8	8	8
35-49	3	9.3	5	8	8	8	11	12	12	12
50-64	2	8.5	113	1	1	8	16	16	16	16
65 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	2.2	1	1	1	2	3	4	4	7
B. Operated	7	2.1	4	< 1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	352	2.7	6	1	1	2	3	5	6	8
B. Operated	23	4.3	20	1	1	2	7	12	14	16
1. SINGLE DX	85	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	375	2.8	7	1	1	2	3	5	6	12
A. Not Operated	430	2.6	5	1	1	2	3	4	6	8
B. Operated	30	3.8	16	1	1	1	5	10	12	16
TOTAL										
0-19 YRS	241	2.4	5	1	1	2	3	4	6	8
20-34	130	2.5	2	1	1	2	3	4	5	8
35-49	51	3.9	16	2	2	3	4	8	8	27
50-64	29	3.1	8	1	2	2	3	5	8	16
65 +	9	5.8	10	3	3	5	7	11	12	12
GRAND TOTAL	**460**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	228	3.9	9	1	2	3	5	9	10	14
20-34	8	4.6	13	2	2	4	5	11	13	13
35-49	8	6.1	25	1	2	5	11	12	12	12
50-64	7	5.0	14	2	3	4	5	11	13	13
65 +	20	5.8	34	2	3	4	6	9	19	29
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	755	4.9	14	2	2	4	7	10	12	18
20-34	233	7.4	56	2	3	5	9	15	20	32
35-49	354	7.4	32	3	4	6	9	13	19	30
50-64	526	8.2	60	3	4	6	9	15	19	45
65 +	2464	8.0	29	3	5	7	10	14	18	27
B. Operated										
0-19 YRS	71	14.5	194	3	8	11	17	33	67	99 +
20-34	116	13.0	96	4	7	11	17	30	46	99 +
35-49	150	15.9	187	5	7	12	21	42	53	99 +
50-64	242	16.2	247	4	7	11	19	43	60	99 +
65 +	745	15.7	145	6	8	12	18	30	39	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	4.2	12	1	2	3	5	10	10	16
B. Operated	5	5.8	7	3	4	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	4332	7.4	33	3	4	6	9	13	17	28
B. Operated	1324	15.5	167	5	8	12	19	32	46	99 +
1. SINGLE DX	276	4.2	12	1	2	3	5	10	10	15
2. MULTIPLE DX	5656	9.3	76	3	4	7	11	18	25	52
A. Not Operated	4603	7.2	32	2	4	6	9	13	17	28
B. Operated	1329	15.5	167	5	8	12	19	32	46	99 +
TOTAL										
0-19 YRS	1056	5.3	31	2	2	3	7	10	14	27
20-34	357	9.2	75	2	4	7	12	19	28	97
35-49	513	9.9	92	3	5	7	12	21	30	71
50-64	777	10.7	131	3	5	7	12	20	32	94
65 +	3229	9.8	66	4	5	8	12	18	24	44
GRAND TOTAL	**5932**	**9.1**	**74**	**3**	**4**	**7**	**11**	**17**	**24**	**60**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	5.6	17	1	2	5	7	10	14	19
20-34	14	5.6	14	3	4	5	6	11	16	17
35-49	24	3.6	2	2	3	3	4	6	7	8
50-64	11	3.1	2	2	2	3	4	5	5	5
65 +	4	4.3	12	1	2	3	6	9	9	9
B. Operated										
0-19 YRS	10	3.1	5	< 1	1	2	4	7	7	7
20-34	6	4.8	21	2	3	3	4	13	14	14
35-49	3	8.7	10	5	6	10	11	11	11	11
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	277	7.6	49	2	3	7	10	14	17	38
20-34	116	6.1	28	2	3	4	7	13	17	27
35-49	93	5.9	17	2	3	5	7	11	14	21
50-64	75	6.3	21	2	4	5	7	11	17	26
65 +	190	6.7	18	3	4	6	8	13	15	23
B. Operated										
0-19 YRS	44	19.7	423	4	7	11	27	66	83	99 +
20-34	67	10.4	166	2	3	7	13	24	34	97
35-49	58	13.5	181	2	4	10	15	36	45	58
50-64	46	17.5	258	4	7	10	23	40	53	71
65 +	87	13.9	133	5	7	11	17	23	33	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	5.3	15	2	2	5	7	9	12	18
B. Operated	22	4.6	12	1	2	3	7	10	12	14
2. MULTIPLE DX										
A. Not Operated	751	6.8	32	2	3	5	8	13	16	27
B. Operated	312	14.4	216	3	6	10	18	32	52	89
1. SINGLE DX	264	5.2	15	2	2	4	7	10	12	18
2. MULTIPLE DX	1063	9.0	98	2	4	6	10	18	26	63
A. Not Operated	993	6.4	28	2	3	5	8	12	15	26
B. Operated	334	13.3	208	3	5	10	16	31	51	86
TOTAL										
0-19 YRS	520	7.8	82	2	3	6	9	14	21	67
20-34	203	7.5	76	2	3	5	9	16	21	69
35-49	188	8.4	89	2	3	5	10	17	23	53
50-64	134	9.8	130	2	4	6	10	23	31	64
65 +	282	8.8	64	3	4	7	11	16	21	40
GRAND TOTAL	**1327**	**8.3**	**83**	**2**	**3**	**6**	**10**	**16**	**23**	**57**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	476	2.8	3	1	2	3	3	4	5	10
20-34	232	2.7	2	1	2	3	4	4	5	7
35-49	73	3.2	5	1	2	3	4	5	8	13
50-64	8	3.9	9	2	2	3	4	9	11	11
65 +	4	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	408	3.6	10	1	2	3	4	6	9	16
20-34	165	3.7	7	1	2	3	5	6	8	15
35-49	77	4.1	9	2	2	3	6	8	9	17
50-64	23	5.4	8	2	4	5	6	10	11	11
65 +	31	6.4	10	2	5	6	8	10	12	16
B. Operated										
0-19 YRS	9	13.8	514	2	4	5	14	49	73	73
20-34	7	4.7	3	2	4	5	6	7	7	7
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	3	9.0	28	5	5	7	13	15	15	15
65 +	4	17.3	197	2	8	15	26	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	793	2.8	3	1	2	3	3	4	5	10
B. Operated	7	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	704	3.9	10	2	2	3	5	7	10	16
B. Operated	25	10.4	224	2	4	5	14	16	45	73
1. SINGLE DX	800	2.8	3	1	2	3	3	4	5	10
2. MULTIPLE DX	729	4.1	18	2	2	3	5	7	10	17
A. Not Operated	1497	3.3	6	1	2	3	4	6	8	13
B. Operated	32	8.8	184	2	3	5	7	15	34	73
TOTAL										
0-19 YRS	897	3.3	12	1	2	3	4	5	7	14
20-34	407	3.2	4	1	2	3	4	5	6	11
35-49	152	3.7	7	2	2	3	5	7	9	14
50-64	34	5.4	11	2	3	4	6	10	11	15
65 +	39	7.2	37	2	4	6	8	14	16	36
GRAND TOTAL	**1529**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	3.3	6	1	2	3	4	6	7	13
20-34	73	3.4	4	1	2	3	4	6	8	10
35-49	18	4.7	6	2	3	5	6	7	9	11
50-64	15	3.3	8	1	2	3	4	5	10	12
65 +	20	3.4	6	1	2	3	5	7	8	10
B. Operated										
0-19 YRS	7	6.1	16	2	3	6	10	12	12	12
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	11	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	774	4.2	13	2	2	3	5	7	10	17
20-34	208	4.4	10	2	2	4	6	8	9	20
35-49	86	6.0	20	2	3	5	8	12	17	20
50-64	78	6.4	16	2	4	5	8	12	15	20
65 +	308	6.6	33	2	3	5	8	12	15	31
B. Operated										
0-19 YRS	36	16.5	410	4	5	9	18	62	78	99 +
20-34	23	10.1	60	3	4	9	14	21	26	33
35-49	22	16.9	196	4	7	11	25	39	46	53
50-64	8	9.9	116	1	2	4	17	27	31	31
65 +	50	12.2	124	2	6	9	15	26	33	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	3.4	5	1	2	3	4	6	8	12
B. Operated	19	3.3	11	1	1	2	4	9	12	12
2. MULTIPLE DX										
A. Not Operated	1454	5.0	18	2	2	4	6	9	12	20
B. Operated	139	13.6	201	3	5	9	17	32	47	82
1. SINGLE DX	294	3.4	6	1	2	3	4	6	8	12
2. MULTIPLE DX	1593	5.7	40	2	3	4	7	10	15	33
A. Not Operated	1729	4.7	16	2	2	4	6	9	12	20
B. Operated	158	12.3	189	2	4	8	16	30	40	79
TOTAL										
0-19 YRS	966	4.5	32	1	2	3	5	8	10	28
20-34	304	4.6	15	2	2	3	6	8	10	23
35-49	126	7.7	65	2	3	5	8	19	23	45
50-64	102	6.2	24	2	3	5	8	12	16	25
65 +	389	7.0	47	2	3	5	9	13	18	35
GRAND TOTAL	**1887**	**5.4**	**35**	**2**	**2**	**4**	**6**	**10**	**14**	**32**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.4	5	1	2	3	5	6	8	10
20-34	50	3.3	4	1	2	3	4	6	6	12
35-49	24	3.6	5	1	2	3	5	6	8	9
50-64	5	3.0	4	1	2	2	4	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.9	3	1	2	3	4	6	7	8
20-34	94	4.2	6	2	2	4	5	7	10	11
35-49	71	4.0	7	1	2	3	5	8	10	13
50-64	30	4.5	10	1	2	4	5	9	10	15
65 +	26	6.5	25	2	3	5	9	13	17	22
B. Operated										
0-19 YRS	6	9.0	38	1	5	8	13	17	18	18
20-34	14	10.4	129	3	4	6	10	32	39	41
35-49	13	9.8	29	4	5	10	13	18	19	19
50-64	13	6.1	7	3	5	6	7	10	12	12
65 +	10	9.8	93	2	4	6	9	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	3.4	4	1	2	3	4	6	7	11
B. Operated	4	4.3	4	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	259	4.2	9	1	2	4	5	8	10	15
B. Operated	56	9.0	60	3	4	7	11	18	28	40
1. SINGLE DX	109	3.4	4	1	2	3	4	6	7	11
2. MULTIPLE DX	315	5.1	21	1	2	4	6	10	13	27
A. Not Operated	364	4.0	8	1	2	3	5	7	9	13
B. Operated	60	8.7	57	3	4	6	10	18	27	40
TOTAL										
0-19 YRS	70	3.6	9	1	2	3	5	7	10	17
20-34	160	4.5	19	1	2	4	5	8	10	29
35-49	109	4.6	13	1	2	4	6	10	12	18
50-64	48	4.8	9	1	2	4	6	9	10	15
65 +	37	7.3	43	2	3	5	9	15	25	29
GRAND TOTAL	**424**	**4.6**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**23**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.5	3	1	1	2	3	4	5	10
20-34	11	2.5	1	< 1	1	3	3	4	4	4
35-49	0									
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	202	3.0	6	1	2	3	4	5	6	8
20-34	61	3.2	4	1	2	3	4	6	7	10
35-49	3	6.3	26	2	3	5	10	12	12	12
50-64	5	2.4	5	1	1	1	4	6	6	6
65 +	0									
B. Operated										
0-19 YRS	8	5.3	5	3	4	5	7	9	9	9
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.5	2	1	1	2	3	4	5	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	271	3.0	6	1	2	3	4	5	6	10
B. Operated	11	5.6	4	3	4	5	7	8	9	9
1. SINGLE DX	62	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX	282	3.1	6	1	2	3	4	5	6	10
A. Not Operated	333	2.9	5	1	2	2	4	5	6	10
B. Operated	11	5.6	4	3	4	5	7	8	9	9
TOTAL										
0-19 YRS	259	2.9	5	1	2	2	4	5	6	9
20-34	74	3.1	3	1	2	3	4	6	7	9
35-49	3	6.3	26	2	3	5	10	12	12	12
50-64	7	2.6	3	1	1	3	3	5	6	6
65 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**344**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	12	1.7	2	< 1	1	1	2	4	4	4
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.8	4	1	2	2	4	6	6	6
20-34	10	2.4	4	< 1	1	2	3	5	7	7
35-49	12	2.3	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	24	1.4	1	< 1	< 1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	29	2.4	2	1	1	2	3	4	6	7
1. SINGLE DX	25	1.4	1	< 1	< 1	1	1	3	4	4
2. MULTIPLE DX	31	2.3	2	1	1	2	3	4	6	7
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	53	1.9	2	< 1	1	1	3	4	4	7
TOTAL										
0-19 YRS	10	1.9	3	< 1	1	1	2	4	6	6
20-34	23	2.0	3	< 1	1	1	3	4	5	7
35-49	19	1.9	1	< 1	1	2	3	4	4	4
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**56**	**1.9**	**2**	**< 1**	**1**	**1**	**3**	**4**	**4**	**7**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	964	2.5	1	1	2	2	3	4	4	6
20-34	106	2.9	6	1	1	2	4	6	8	13
35-49	65	2.6	2	1	2	2	3	5	6	8
50-64	28	2.9	7	1	1	2	3	8	10	11
65 +	10	3.6	12	1	2	3	4	9	13	13
B. Operated										
0-19 YRS	14	3.3	4	2	2	3	4	5	9	10
20-34	5	6.8	42	2	3	5	9	18	18	18
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	18.0		18	18	18	18	18	18	18
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1390	2.9	5	1	2	3	3	5	6	11
20-34	481	5.4	39	1	2	3	6	12	19	30
35-49	392	5.1	40	1	2	3	6	11	16	29
50-64	223	4.2	20	1	2	3	5	8	12	28
65 +	355	4.1	8	2	2	3	5	7	9	15
B. Operated										
0-19 YRS	59	10.3	273	2	3	5	11	18	50	83
20-34	143	13.7	151	3	5	12	18	27	39	66
35-49	145	14.0	133	4	6	12	18	24	40	49
50-64	45	17.1	231	3	5	13	24	44	46	66
65 +	16	11.8	49	3	6	10	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1173	2.6	2	1	2	2	3	4	5	9
B. Operated	25	5.3	27	2	2	3	5	18	18	18
2. MULTIPLE DX										
A. Not Operated	2841	3.9	18	1	2	3	4	7	10	22
B. Operated	408	13.6	169	3	5	10	17	27	43	69
1. SINGLE DX	1198	2.6	3	1	2	2	3	4	5	10
2. MULTIPLE DX	3249	5.1	48	1	2	3	5	11	17	35
A. Not Operated	4014	3.5	14	1	2	3	4	6	9	20
B. Operated	433	13.1	164	3	4	10	17	26	42	67
TOTAL										
0-19 YRS	2427	2.9	11	1	2	2	3	4	6	12
20-34	735	6.6	69	1	2	4	8	16	22	40
35-49	605	6.9	74	1	2	4	8	16	22	44
50-64	298	6.2	73	1	2	3	6	15	25	45
65 +	382	4.4	12	2	2	3	5	8	10	21
GRAND TOTAL	**4447**	**4.4**	**37**	**1**	**2**	**3**	**4**	**8**	**14**	**30**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	4.8	53	< 1	1	2	3	17	24	24
20-34	15	3.3	6	1	2	3	4	4	9	11
35-49	13	3.0	4	1	1	3	4	6	7	7
50-64	4	3.8	3	2	2	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.2	6	2	3	3	4	9	10	10
20-34	31	3.6	5	2	2	3	5	7	8	9
35-49	19	4.4	10	2	2	3	6	10	11	12
50-64	12	4.9	6	2	3	4	7	9	9	9
65 +	12	4.8	7	2	3	4	6	9	10	10
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	3	11.7	69	5	6	9	18	21	21	21
65 +	2	24.5	61	19	19	24	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.6	15	1	2	3	4	6	10	24
B. Operated	4	7.3	22	3	3	6	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	85	4.2	6	2	2	3	5	8	9	11
B. Operated	8	13.3	83	4	7	9	20	27	30	30
1. SINGLE DX	46	3.9	17	1	2	3	4	9	11	24
2. MULTIPLE DX	93	5.0	19	2	2	4	6	9	10	26
A. Not Operated	127	4.0	9	1	2	3	5	8	10	15
B. Operated	12	11.3	67	4	5	9	16	24	29	30
TOTAL										
0-19 YRS	23	4.7	25	1	2	3	4	10	15	24
20-34	49	3.8	7	2	2	3	5	8	9	13
35-49	34	4.0	8	1	2	3	5	9	10	12
50-64	19	5.7	19	2	3	4	7	9	16	21
65 +	14	7.6	61	2	4	5	8	20	28	30
GRAND TOTAL	**139**	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**11**	**25**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	4.4	10	2	2	3	5	10	12	14
20-34	43	4.4	8	2	3	4	6	7	10	15
35-49	10	5.4	14	2	2	5	6	11	14	14
50-64	3	7.3	34	3	3	5	12	14	14	14
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	3	5.3	20	1	2	5	9	10	10	10
20-34	4	7.3	9	4	5	7	9	11	11	11
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	5.3	9	1	3	5	7	10	11	12
20-34	84	5.3	14	2	3	5	6	10	11	24
35-49	26	6.7	38	2	2	4	9	14	18	28
50-64	8	9.6	46	2	5	9	11	20	24	24
65 +	8	9.9	76	1	3	8	15	23	26	26
B. Operated										
0-19 YRS	4	7.8	58	2	3	5	12	19	19	19
20-34	14	6.4	16	2	3	5	9	11	14	15
35-49	7	4.7	16	1	2	3	7	11	12	12
50-64	3	8.7	41	4	4	6	13	16	16	16
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	4.6	10	2	3	4	6	9	13	15
B. Operated	8	6.9	12	2	4	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	182	5.9	21	2	3	5	7	11	14	27
B. Operated	29	6.6	22	2	3	5	9	14	16	19
1. SINGLE DX	109	4.8	11	2	3	4	6	10	13	15
2. MULTIPLE DX	211	6.0	21	2	3	5	8	11	14	27
A. Not Operated	283	5.4	17	2	3	4	6	10	13	25
B. Operated	37	6.6	20	2	3	5	10	12	16	19
TOTAL										
0-19 YRS	106	5.0	11	2	3	4	6	10	11	16
20-34	145	5.2	13	2	3	4	6	10	11	16
35-49	43	6.0	29	2	2	4	8	13	15	28
50-64	15	9.0	35	3	5	9	12	16	22	24
65 +	11	9.4	57	2	3	10	13	20	25	26
GRAND TOTAL	**320**	**5.6**	**18**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.9	8	2	2	3	4	10	11	11
20-34	0									
35-49	8	11.9	467	1	2	5	7	48	65	65
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	4	9.5	41	5	6	7	13	19	19	19
35-49	0									
50-64	7	6.1	7	3	4	7	7	10	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	3.8	11	2	2	3	4	6	8	21
20-34	66	8.3	103	2	3	6	9	20	32	94
35-49	68	11.2	127	2	4	7	14	30	36	50
50-64	36	8.6	151	3	4	5	8	14	37	66
65 +	90	9.5	64	3	4	8	11	16	25	41
B. Operated										
0-19 YRS	12	16.6	196	3	5	15	24	36	48	50
20-34	50	18.2	219	5	9	12	27	38	50	99 +
35-49	50	13.1	167	4	5	9	14	29	37	67
50-64	42	12.9	198	2	4	9	18	41	52	99 +
65 +	56	13.7	68	5	8	12	17	27	33	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	6.6	155	2	2	4	6	10	24	65
B. Operated	11	7.4	20	3	4	7	7	14	19	19
2. MULTIPLE DX										
A. Not Operated	357	8.0	84	2	3	5	9	16	27	51
B. Operated	210	14.6	162	4	6	11	19	33	44	86
1. SINGLE DX	36	6.8	112	2	3	4	7	11	17	65
2. MULTIPLE DX	567	10.4	123	2	4	7	13	25	35	66
A. Not Operated	382	7.9	89	2	3	5	9	16	26	60
B. Operated	221	14.3	157	4	6	10	18	33	42	83
TOTAL										
0-19 YRS	125	5.0	42	2	2	3	5	9	18	35
20-34	120	12.5	171	3	4	8	14	34	47	99 +
35-49	126	12.0	161	2	4	8	14	30	38	65
50-64	85	10.5	166	2	4	6	11	25	45	88
65 +	147	11.1	69	3	5	9	14	22	33	40
GRAND TOTAL	**603**	**10.2**	**123**	**2**	**4**	**7**	**12**	**24**	**35**	**65**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	11	5.0	19	<1	1	4	7	11	15	15
35-49	6	9.0	40	1	3	9	15	16	16	16
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	8.4	95	1	2	4	13	25	25	25
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.2	6	1	1	3	4	6	8	11
20-34	37	5.1	27	1	2	4	6	14	19	21
35-49	13	6.5	36	2	3	5	8	13	22	24
50-64	8	5.9	21	1	3	5	8	13	15	15
65 +	2	7.0	8	5	5	7	9	9	9	9
B. Operated										
0-19 YRS	3	8.7	10	5	6	10	11	11	11	11
20-34	10	13.8	104	4	5	12	22	28	34	34
35-49	4	6.5	26	2	2	5	10	13	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	6.0	23	1	2	5	7	15	16	16
B. Operated	9	6.4	58	1	1	4	8	19	25	25
2. MULTIPLE DX										
A. Not Operated	80	5.0	22	1	2	4	6	10	16	23
B. Operated	17	11.2	76	3	5	8	16	23	30	34
1. SINGLE DX	31	6.1	31	1	2	5	8	15	16	25
2. MULTIPLE DX	97	6.1	37	1	2	4	7	16	21	29
A. Not Operated	102	5.2	22	1	2	4	6	11	16	22
B. Operated	26	9.5	72	1	3	7	13	23	27	34
TOTAL										
0-19 YRS	29	3.7	9	1	1	3	5	8	11	11
20-34	63	6.7	50	1	2	4	8	18	22	33
35-49	25	7.1	31	2	3	6	10	15	18	24
50-64	9	5.9	18	1	3	5	7	13	15	15
65 +	2	7.0	8	5	5	7	9	9	9	9
GRAND TOTAL	**128**	**6.1**	**35**	**1**	**2**	**4**	**7**	**15**	**20**	**27**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	12.0	8	10	10	12	14	14	14	14
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	9.8	11	6	7	9	13	14	14	14
35-49	4	12.5	27	6	8	13	16	18	18	18
50-64	2	12.5	13	10	10	12	15	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.7	18	2	2	7	10	12	14	14
20-34	118	10.3	67	3	4	9	13	19	29	41
35-49	86	11.5	44	4	6	11	15	22	23	30
50-64	15	8.8	41	2	4	6	13	18	21	22
65 +	9	5.0	3	3	4	5	5	8	9	9
B. Operated										
0-19 YRS	12	18.4	360	3	8	12	21	46	67	71
20-34	218	15.0	122	5	8	13	19	28	35	62
35-49	185	15.0	95	6	8	13	20	25	34	55
50-64	39	17.1	97	7	11	17	20	25	36	58
65 +	15	18.0	204	9	11	12	22	24	55	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.4	25	2	3	8	11	14	14	14
B. Operated	13	11.1	14	6	8	11	14	16	18	18
2. MULTIPLE DX										
A. Not Operated	239	10.3	54	3	5	9	14	20	23	36
B. Operated	469	15.4	117	6	8	13	20	26	35	62
1. SINGLE DX	18	10.1	19	4	7	10	14	15	17	18
2. MULTIPLE DX	708	13.6	102	4	7	12	17	24	32	59
A. Not Operated	244	10.2	53	3	5	9	14	19	23	36
B. Operated	482	15.3	115	6	8	13	19	26	35	62
TOTAL										
0-19 YRS	25	12.3	209	2	4	9	14	24	45	71
20-34	344	13.3	105	4	7	11	16	25	33	62
35-49	277	13.8	80	5	8	12	18	23	28	53
50-64	56	14.7	91	4	7	14	19	22	31	57
65 +	24	13.1	166	4	5	10	17	22	36	65
GRAND TOTAL	**726**	**13.6**	**100**	**4**	**7**	**11**	**17**	**24**	**32**	**59**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	4.7	11	1	2	5	8	9	9	9
35-49	5	3.8	5	1	2	4	6	6	6	6
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	12	3.6	17	1	1	1	5	10	13	14
35-49	10	1.5	2	< 1	1	1	1	3	5	5
50-64	3	2.3	5	1	1	1	4	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.8	4	2	2	3	5	7	8	9
20-34	67	9.1	109	2	4	7	11	15	26	67
35-49	55	7.6	52	2	2	5	10	17	21	35
50-64	25	7.4	76	2	3	5	8	14	24	44
65 +	20	4.3	9	1	2	3	6	9	10	11
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	29	11.2	123	1	3	8	14	27	32	48
35-49	32	10.1	79	2	4	8	12	23	31	37
50-64	11	11.9	192	< 1	2	7	15	37	42	42
65 +	4	3.8	1	3	3	4	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.2	8	1	2	4	6	9	9	9
B. Operated	27	2.8	10	1	1	1	5	5	10	14
2. MULTIPLE DX										
A. Not Operated	183	7.5	70	2	3	5	9	14	21	42
B. Operated	77	10.5	106	1	3	8	13	25	33	46
1. SINGLE DX	43	3.3	9	1	1	2	5	8	9	14
2. MULTIPLE DX	260	8.4	82	2	3	6	10	17	27	44
A. Not Operated	199	7.2	66	2	3	5	9	14	20	41
B. Operated	104	8.5	92	1	1	5	11	22	31	45
TOTAL										
0-19 YRS	21	4.3	11	2	3	3	5	8	12	16
20-34	115	8.8	101	1	3	6	11	17	28	57
35-49	102	7.6	59	1	2	5	10	18	24	36
50-64	41	8.1	101	1	2	5	8	17	38	44
65 +	24	4.2	7	2	2	3	6	8	10	11
GRAND TOTAL	**303**	**7.6**	**75**	**1**	**2**	**5**	**9**	**16**	**24**	**43**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	6.0	13	2	3	7	8	9	9	9
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	15.0		15	15	15	15	15	15	15
50-64	3	14.0	19	11	11	12	17	19	19	19
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	4	5.0	13	2	2	5	8	9	9	9
B. Operated	7	11.0	40	2	5	12	15	18	19	19
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	11	8.8	37	2	2	9	14	17	19	19
A. Not Operated	4	5.0	13	2	2	5	8	9	9	9
B. Operated	8	10.4	38	2	4	11	15	18	19	19
TOTAL										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	15.0		15	15	15	15	15	15	15
50-64	6	10.0	32	2	7	10	12	18	19	19
65 +	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**12**	**8.6**	**34**	**2**	**3**	**8**	**13**	**16**	**19**	**19**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	5.3	10	1	2	6	8	8	8	8
35-49	4	5.8	24	3	3	4	8	13	13	13
50-64	4	6.5	19	4	4	5	9	13	13	13
65 +	6	4.2	25	< 1	1	2	4	13	14	14
B. Operated										
0-19 YRS	2	12.5	265	< 1	< 1	12	24	24	24	24
20-34	16	2.6	4	1	1	2	3	4	8	9
35-49	34	6.7	117	1	1	3	7	13	28	58
50-64	60	5.7	48	1	1	3	7	13	17	37
65 +	39	3.8	27	1	1	3	4	6	12	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	10.0	128	3	3	3	16	29	29	29
20-34	5	15.6	221	6	8	10	19	42	42	42
35-49	18	4.3	6	2	2	4	6	7	9	10
50-64	33	6.9	25	2	3	6	9	14	17	22
65 +	40	6.6	28	2	3	5	7	13	18	28
B. Operated										
0-19 YRS	3	6.3	4	4	5	7	8	8	8	8
20-34	9	9.6	102	2	3	7	11	27	32	32
35-49	56	11.4	112	1	3	8	19	24	34	48
50-64	209	10.7	124	2	4	8	14	22	30	57
65 +	252	9.0	75	1	3	7	12	18	27	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	5.3	17	1	2	4	8	13	14	14
B. Operated	151	5.2	56	1	1	3	5	11	17	38
2. MULTIPLE DX										
A. Not Operated	101	6.9	39	2	3	5	8	13	18	35
B. Operated	529	9.9	99	1	3	7	13	21	29	45
1. SINGLE DX	171	5.2	52	1	1	3	6	12	16	37
2. MULTIPLE DX	630	9.4	90	2	3	7	12	20	28	42
A. Not Operated	121	6.6	36	2	3	5	8	13	17	33
B. Operated	680	8.9	93	1	3	6	12	19	28	43
TOTAL										
0-19 YRS	10	9.4	93	1	3	5	12	26	29	29
20-34	36	6.6	73	1	2	4	8	11	28	42
35-49	112	8.6	100	1	2	5	12	20	28	52
50-64	306	9.2	101	1	3	6	12	19	28	46
65 +	337	8.1	66	1	2	6	11	17	26	39
GRAND TOTAL	**801**	**8.5**	**85**	**1**	**3**	**6**	**11**	**19**	**27**	**41**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	3.7	8	2	2	2	6	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	12.0	83	2	6	11	18	24	24	24
50-64	2	7.0	18	4	4	7	10	10	10	10
65 +	7	9.7	42	1	6	8	12	20	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	5.3	1	4	4	6	6	6	6	6
35-49	2	11.0	200	1	1	11	21	21	21	21
50-64	47	6.7	32	2	4	6	8	11	18	35
65 +	44	8.1	127	1	2	4	7	19	35	57
B. Operated										
0-19 YRS	0									
20-34	1	18.0		18	18	18	18	18	18	18
35-49	14	12.6	52	4	10	11	13	25	30	31
50-64	62	13.5	103	3	5	11	20	24	29	51
65 +	125	12.0	107	3	5	10	14	23	29	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.6	19	1	2	5	8	12	13	13
B. Operated	13	10.0	46	2	5	10	12	22	24	24
2. MULTIPLE DX										
A. Not Operated	96	7.4	76	1	3	5	7	14	29	47
B. Operated	202	12.6	101	3	5	11	15	24	29	55
1. SINGLE DX	20	8.5	40	1	3	8	11	17	23	24
2. MULTIPLE DX	298	10.9	99	2	4	8	14	23	29	54
A. Not Operated	103	7.3	72	1	3	5	7	14	25	45
B. Operated	215	12.4	98	3	5	11	15	24	29	54
TOTAL										
0-19 YRS	0									
20-34	6	8.0	27	4	5	6	9	17	18	18
35-49	21	12.3	56	3	9	12	14	24	27	31
50-64	114	10.4	81	2	4	7	14	23	25	49
65 +	177	10.9	111	2	4	8	14	22	32	59
GRAND TOTAL	**318**	**10.7**	**95**	**2**	**4**	**8**	**14**	**23**	**29**	**53**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	7	5.4	2	3	5	5	7	7	7	7
50-64	14	3.2	4	1	2	2	5	6	7	7
65 +	3	20.7	622	2	4	11	39	49	49	49
B. Operated										
0-19 YRS	0									
20-34	1	19.0		19	19	19	19	19	19	19
35-49	11	17.9	46	10	11	17	24	27	29	29
50-64	22	10.9	48	2	7	11	14	19	24	30
65 +	15	10.4	28	5	8	10	11	14	24	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	5.0	4	2	3	5	7	7	7	7
35-49	24	4.4	9	1	2	4	6	7	10	14
50-64	57	7.0	37	1	3	6	10	15	18	32
65 +	65	6.4	21	2	3	5	10	12	14	23
B. Operated										
0-19 YRS	0									
20-34	17	14.3	55	7	9	12	17	26	30	32
35-49	65	13.8	96	4	7	11	17	26	35	45
50-64	184	13.8	124	5	8	11	15	28	38	75
65 +	353	14.4	139	5	8	12	17	27	34	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	5.8	84	1	2	4	6	7	19	49
B. Operated	49	12.5	49	4	8	11	16	24	27	30
2. MULTIPLE DX										
A. Not Operated	152	6.3	25	1	3	5	8	12	15	25
B. Operated	619	14.2	127	5	8	11	16	27	34	71
1. SINGLE DX	75	10.2	70	2	4	8	12	20	27	44
2. MULTIPLE DX	771	12.6	117	3	7	10	15	25	33	58
A. Not Operated	178	6.2	33	1	3	5	8	12	15	30
B. Operated	668	14.1	122	5	8	11	16	27	33	65
TOTAL										
0-19 YRS	0									
20-34	26	11.5	60	3	6	9	15	24	27	32
35-49	107	11.6	85	3	5	9	16	25	30	44
50-64	277	11.7	105	2	6	10	14	24	31	64
65 +	436	13.1	128	3	7	10	15	25	33	60
GRAND TOTAL	**846**	**12.4**	**113**	**3**	**6**	**10**	**15**	**25**	**32**	**56**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	19.7	654	2	3	8	39	49	49	49
65 +	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.3	24	2	2	3	9	11	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	13.5	80	2	6	15	20	22	22	22
B. Operated										
0-19 YRS	0									
20-34	6	9.8	58	5	5	7	9	23	25	25
35-49	20	9.9	43	2	5	9	12	22	23	23
50-64	41	13.5	253	6	7	8	15	30	34	99
65 +	57	14.7	85	5	8	12	22	27	35	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	15.1	245	3	8	10	16	43	49	49
2. MULTIPLE DX										
A. Not Operated	9	8.1	65	1	2	3	13	21	22	22
B. Operated	124	13.3	133	5	7	9	16	25	33	54
1. SINGLE DX	7	15.1	245	3	8	10	16	43	49	49
2. MULTIPLE DX	133	12.9	130	4	7	9	16	25	33	48
A. Not Operated	9	8.1	65	1	2	3	13	21	22	22
B. Operated	131	13.4	138	5	7	9	16	26	33	58
TOTAL										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	6	9.8	58	5	5	7	9	23	25	25
35-49	24	9.3	40	2	4	9	12	22	23	23
50-64	46	13.4	263	3	6	8	15	32	39	99
65 +	63	14.4	81	5	8	11	21	27	34	38
GRAND TOTAL	**140**	**13.1**	**134**	**4**	**7**	**9**	**16**	**25**	**33**	**54**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	6	1.7	1	< 1	< 1	1	2	4	4	4
65 +	2	8.5	85	2	2	8	15	15	15	15
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	24	7.7	17	5	6	7	8	10	17	25
50-64	77	7.4	3	6	6	7	8	9	10	13
65 +	110	8.1	12	5	6	7	9	11	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	7.5	43	2	3	5	11	17	17	17
35-49	14	2.9	2	2	2	2	4	5	6	6
50-64	40	6.5	14	2	3	6	9	12	13	15
65 +	107	7.0	34	2	3	5	8	13	18	31
B. Operated										
0-19 YRS	2	26.0		26	26	26	26	26	26	26
20-34	23	11.5	95	3	6	9	15	19	30	49
35-49	152	10.9	63	6	7	9	11	20	29	44
50-64	614	9.9	28	6	7	9	11	16	18	31
65 +	2071	11.1	38	6	7	9	13	18	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.6	20	< 1	< 1	2	4	11	15	15
B. Operated	215	7.7	10	5	6	7	9	10	13	22
2. MULTIPLE DX										
A. Not Operated	167	6.5	28	2	3	5	8	13	15	28
B. Operated	2862	10.8	38	6	7	9	12	18	23	35
1. SINGLE DX	225	7.6	11	5	6	7	8	10	13	22
2. MULTIPLE DX	3029	10.6	38	6	7	9	12	18	23	35
A. Not Operated	177	6.4	27	2	3	5	8	13	15	28
B. Operated	3077	10.6	36	6	7	9	12	18	22	34
TOTAL										
0-19 YRS	6	10.8	139	2	3	4	26	26	26	26
20-34	29	10.6	82	3	5	8	14	18	21	49
35-49	192	9.8	57	4	6	8	10	19	25	44
50-64	737	9.4	26	5	7	8	10	15	18	28
65 +	2290	10.8	37	6	7	9	12	18	23	34
GRAND TOTAL	**3254**	**10.4**	**37**	**6**	**7**	**9**	**12**	**17**	**22**	**34**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	6.4	15	4	5	5	6	13	15	15
50-64	5	2.4	1	1	2	2	3	4	4	4
65 +	6	7.3	29	2	4	5	12	16	16	16
B. Operated										
0-19 YRS	0									
20-34	4	7.0	22	1	3	7	10	12	12	12
35-49	28	8.4	28	3	5	7	11	17	19	23
50-64	57	8.4	18	3	6	8	10	14	17	23
65 +	64	7.3	18	2	4	8	9	12	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0	-								
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	31	4.6	15	1	2	4	6	8	11	21
50-64	30	5.9	32	1	2	5	8	11	13	30
65 +	72	5.7	23	2	3	5	7	9	12	27
B. Operated										
0-19 YRS	5	10.0	33	6	7	8	12	20	20	20
20-34	7	9.6	28	5	6	8	12	19	20	20
35-49	85	10.9	72	5	7	9	12	17	23	56
50-64	312	11.2	53	6	8	9	12	20	27	45
65 +	830	11.1	48	5	8	10	13	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.6	18	2	3	5	5	14	16	16
B. Operated	153	7.9	20	2	5	8	10	13	16	23
2. MULTIPLE DX										
A. Not Operated	135	5.5	23	1	3	4	7	9	12	28
B. Operated	1239	11.1	50	5	8	9	13	19	24	39
1. SINGLE DX	171	7.7	20	2	5	8	9	13	16	23
2. MULTIPLE DX	1374	10.6	50	4	7	9	12	18	23	39
A. Not Operated	153	5.5	22	2	3	5	7	10	13	28
B. Operated	1392	10.8	48	5	7	9	12	18	23	39
TOTAL										
0-19 YRS	5	10.0	33	6	7	8	12	20	20	20
20-34	13	8.2	24	2	5	8	10	14	19	20
35-49	151	8.9	55	3	5	8	10	16	20	53
50-64	404	10.3	49	4	7	9	12	18	25	36
65 +	972	10.5	46	3	7	9	12	18	23	38
GRAND TOTAL	**1545**	**10.2**	**48**	**3**	**7**	**9**	**12**	**18**	**23**	**38**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4		< 1	1	1	2	2	2	2
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	2	27.0	1152	3	3	27	51	51	51	51
50-64	5	6.0	26	2	3	3	9	14	14	14
65 +	3	6.3	4	4	5	7	8	8	8	8
B. Operated										
0-19 YRS	10	4.2	7	1	1	5	5	7	9	9
20-34	3	7.7	54	2	3	5	13	16	16	16
35-49	9	6.7	43	1	3	5	7	17	23	23
50-64	19	11.2	94	3	5	7	16	26	32	37
65 +	18	8.4	60	< 1	2	7	13	19	24	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.8	3	1	3	4	5	6	6	6
20-34	5	5.4	6	2	3	6	7	8	8	8
35-49	10	4.7	6	1	3	5	6	8	10	10
50-64	34	5.2	14	1	3	4	8	11	13	15
65 +	63	6.3	35	1	2	6	8	13	17	33
B. Operated										
0-19 YRS	17	13.2	178	4	5	9	17	40	46	46
20-34	18	14.6	311	4	6	8	14	31	60	78
35-49	47	14.9	272	4	7	10	17	32	43	87
50-64	132	12.0	74	3	6	9	16	24	29	40
65 +	225	11.2	87	3	6	9	14	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	7.1	142	1	2	3	8	13	38	51
B. Operated	59	8.3	62	1	3	6	9	21	26	36
2. MULTIPLE DX										
A. Not Operated	121	5.6	24	1	3	4	7	10	14	29
B. Operated	439	12.1	115	4	6	9	15	23	32	64
1. SINGLE DX	76	8.0	78	1	2	5	9	19	26	47
2. MULTIPLE DX	560	10.7	103	2	5	8	13	22	29	46
A. Not Operated	138	5.8	37	1	2	4	7	11	15	36
B. Operated	498	11.6	110	3	5	9	15	23	31	55
TOTAL										
0-19 YRS	41	7.5	98	1	2	5	7	18	31	46
20-34	28	11.5	220	2	5	7	11	23	37	78
35-49	68	12.6	234	3	5	8	13	27	38	85
50-64	190	10.5	71	2	4	8	14	23	29	38
65 +	309	10.0	78	2	5	8	13	20	25	41
GRAND TOTAL	**636**	**10.4**	**100**	**2**	**4**	**8**	**13**	**21**	**29**	**47**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	3.7	9	< 1	1	3	6	7	7	7
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	12.6	86	3	6	10	18	28	30	30
50-64	10	8.9	5	5	7	9	10	11	12	12
65 +	19	8.1	44	1	2	7	13	19	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	6.2	31	1	1	6	8	15	18	18
50-64	41	5.9	49	2	3	4	6	9	22	35
65 +	135	6.9	27	2	4	5	8	14	17	27
B. Operated										
0-19 YRS	0									
20-34	8	12.8	50	7	8	10	15	25	28	28
35-49	50	14.1	133	4	6	11	19	28	38	52
50-64	161	14.3	177	3	7	11	18	28	38	87
65 +	388	13.4	102	4	7	11	17	24	32	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.3	5	< 1	2	5	6	7	7	7
B. Operated	38	9.2	42	1	4	8	12	19	22	30
2. MULTIPLE DX										
A. Not Operated	187	6.6	32	2	3	5	8	13	17	34
B. Operated	607	13.7	123	4	7	11	18	26	34	61
1. SINGLE DX	45	8.4	40	1	4	7	11	16	21	30
2. MULTIPLE DX	794	12.0	111	3	5	9	16	24	32	57
A. Not Operated	194	6.5	31	2	3	5	7	13	17	34
B. Operated	645	13.5	119	4	7	11	17	25	33	61
TOTAL										
0-19 YRS	0									
20-34	11	10.3	54	3	6	8	12	22	27	28
35-49	69	12.7	117	3	5	8	16	27	31	52
50-64	215	12.3	154	2	5	9	16	25	34	85
65 +	544	11.6	89	3	5	9	15	22	30	40
GRAND TOTAL	**839**	**11.8**	**108**	**3**	**5**	**9**	**15**	**24**	**31**	**53**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	4.6	9	2	2	3	8	8	8	8
50-64	39	3.8	13	1	1	2	5	9	13	14
65 +	21	6.1	66	< 1	1	3	7	16	28	33
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	6.8	20	< 1	3	7	10	12	12	12
35-49	23	9.1	166	2	2	5	7	24	46	53
50-64	95	6.1	17	1	4	6	8	9	12	25
65 +	75	6.2	13	1	4	6	8	10	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	80	4.8	15	1	2	3	6	10	14	18
50-64	334	6.1	29	2	3	4	8	12	17	28
65 +	532	6.6	35	2	3	5	8	14	17	30
B. Operated										
0-19 YRS	4	10.3	6	7	8	10	12	13	13	13
20-34	16	9.9	73	3	5	6	13	21	31	35
35-49	207	9.2	42	2	5	8	11	16	20	34
50-64	879	9.6	56	3	5	8	11	17	25	43
65 +	1537	10.2	54	3	6	8	12	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	4.6	29	1	1	2	6	9	13	31
B. Operated	198	6.5	33	1	4	6	8	10	13	36
2. MULTIPLE DX										
A. Not Operated	949	6.2	31	2	3	4	8	13	17	29
B. Operated	2643	9.9	54	3	6	8	12	18	24	38
1. SINGLE DX	265	6.0	33	1	2	5	7	10	13	33
2. MULTIPLE DX	3592	8.9	51	2	4	7	11	17	23	36
A. Not Operated	1016	6.1	31	2	3	4	8	13	17	30
B. Operated	2841	9.7	53	3	5	8	12	18	24	38
TOTAL										
0-19 YRS	5	9.6	7	7	7	10	11	13	13	13
20-34	23	8.4	59	2	4	6	11	18	26	35
35-49	317	8.0	47	2	3	7	10	16	19	40
50-64	1347	8.3	49	2	4	7	10	16	22	35
65 +	2165	9.1	51	3	5	8	11	17	23	35
GRAND TOTAL	**3857**	**8.7**	**50**	**2**	**4**	**7**	**11**	**17**	**22**	**35**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	7	6.4	10	3	5	6	7	12	13	13
65 +	4	6.8	22	2	3	6	10	13	13	13
B. Operated										
0-19 YRS	7	5.9	13	1	3	6	9	11	11	11
20-34	7	5.6	22	1	2	3	10	12	12	12
35-49	14	5.3	11	2	3	4	8	10	10	10
50-64	29	8.3	31	1	3	9	12	17	18	18
65 +	33	6.1	29	1	1	6	9	15	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	10	9.2	36	3	6	7	10	19	23	23
50-64	26	8.6	147	1	2	5	8	16	37	59
65 +	21	7.2	121	1	1	5	7	13	33	52
B. Operated										
0-19 YRS	12	6.7	18	1	4	6	9	12	15	16
20-34	5	20.4	1003	4	5	7	25	77	77	77
35-49	46	12.5	127	4	5	10	14	22	37	60
50-64	141	10.9	77	2	5	9	13	23	25	50
65 +	156	12.0	89	2	6	10	17	22	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	6.1	14	1	4	6	7	13	13	13
B. Operated	90	6.6	26	1	2	6	10	14	17	18
2. MULTIPLE DX										
A. Not Operated	62	7.8	108	1	2	5	8	15	26	58
B. Operated	360	11.6	99	3	6	9	15	22	28	55
1. SINGLE DX	102	6.6	24	1	2	6	10	14	17	18
2. MULTIPLE DX	422	11.0	102	2	5	9	14	22	28	56
A. Not Operated	74	7.5	93	1	2	5	8	15	22	57
B. Operated	450	10.6	88	2	5	9	13	21	25	52
TOTAL										
0-19 YRS	21	5.9	16	1	3	6	9	11	13	16
20-34	15	10.4	352	2	2	6	10	12	61	77
35-49	71	10.4	98	2	5	8	12	20	36	55
50-64	203	10.1	78	2	5	8	13	18	25	54
65 +	214	10.5	87	1	4	8	14	21	26	52
GRAND TOTAL	**524**	**10.2**	**90**	**2**	**4**	**8**	**13**	**20**	**25**	**53**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.9	6	1	1	2	4	5	8	12
20-34	10	4.5	7	< 1	2	6	6	7	8	8
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	3	3.7	1	3	3	3	5	5	5	5
65 +	3	10.7	137	2	3	6	19	24	24	24
B. Operated										
0-19 YRS	108	4.7	12	< 1	1	4	7	10	12	14
20-34	28	5.7	15	2	3	5	8	11	14	16
35-49	30	6.4	60	1	3	4	7	11	15	43
50-64	31	5.3	13	1	2	5	7	10	13	14
65 +	29	3.3	11	1	1	2	4	6	8	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	5.3	20	1	2	4	7	11	15	24
20-34	26	4.9	7	2	3	4	7	8	10	12
35-49	18	7.5	64	2	4	5	7	14	27	36
50-64	11	8.5	16	4	5	7	12	14	15	15
65 +	14	6.3	24	3	3	4	9	13	18	20
B. Operated										
0-19 YRS	83	8.7	54	2	4	7	10	20	26	35
20-34	38	10.5	168	2	4	6	10	25	45	60
35-49	43	7.3	33	2	4	6	9	14	23	99 +
50-64	55	9.5	157	1	3	6	10	21	47	98
65 +	109	9.7	86	2	4	7	11	20	25	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.8	15	1	1	3	5	7	9	24
B. Operated	226	5.0	19	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	141	5.9	24	2	3	5	7	12	15	27
B. Operated	328	9.2	92	2	4	7	10	20	32	62
1. SINGLE DX	274	4.8	18	1	2	4	6	10	12	18
2. MULTIPLE DX	469	8.2	74	2	3	6	10	15	25	53
A. Not Operated	189	5.3	22	1	2	4	7	11	14	25
B. Operated	554	7.5	67	1	3	5	9	14	22	51
TOTAL										
0-19 YRS	292	5.8	29	1	2	4	8	12	15	30
20-34	102	7.2	75	2	3	5	8	12	19	57
35-49	94	6.9	46	2	3	5	9	14	18	74
50-64	100	7.9	95	1	3	6	9	14	26	84
65 +	155	8.2	73	2	3	6	10	18	23	50
GRAND TOTAL	**743**	**6.9**	**56**	**1**	**3**	**5**	**8**	**13**	**20**	**47**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	10	2.0	2	1	1	2	2	4	5	5
35-49	22	2.4	4	< 1	1	2	3	3	6	10
50-64	16	2.9	5	1	1	2	4	6	7	8
65 +	27	2.9	3	1	2	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	8.7	40	5	5	5	13	16	16	16
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	9	3.0	7	1	2	2	4	8	8	8
65 +	15	5.8	23	1	2	4	8	16	16	16
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.4	2	1	1	2	3	5	5	5
35-49	28	3.3	4	1	2	3	5	6	7	8
50-64	38	3.1	7	1	1	2	4	8	9	11
65 +	60	4.7	13	1	2	3	6	10	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.7	25	< 1	1	5	9	11	11	11
B. Operated	77	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	31	4.7	20	1	2	3	7	11	16	16
B. Operated	135	3.8	9	1	2	3	5	8	10	15
1. SINGLE DX	80	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	166	4.0	11	1	2	3	5	8	11	16
A. Not Operated	34	4.8	20	1	2	3	7	11	16	16
B. Operated	212	3.3	7	1	1	3	4	7	9	14
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	21	3.1	11	1	1	2	4	5	10	16
35-49	56	3.0	5	1	1	2	4	6	8	11
50-64	64	3.0	6	1	1	2	4	8	8	11
65 +	102	4.4	13	1	2	3	6	9	13	16
GRAND TOTAL	**246**	**3.5**	**9**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	43.0		43	43	43	43	43	43	43
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.8	2	< 1	1	1	2	4	4	4
35-49	12	2.8	6	< 1	1	2	4	6	9	9
50-64	18	3.6	24	1	1	2	4	6	16	22
65 +	41	2.0	3	< 1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	24	6.2	52	2	2	3	8	14	20	34
35-49	18	6.3	37	1	3	4	8	14	21	25
50-64	7	11.3	411	1	2	3	7	47	57	57
65 +	13	9.6	115	2	4	5	10	25	38	41
B. Operated										
0-19 YRS	0									
20-34	21	7.3	29	1	3	7	10	15	18	21
35-49	20	6.2	23	1	2	5	11	14	53	99 +
50-64	42	6.3	74	1	2	3	6	17	22	45
65 +	142	4.2	15	1	2	3	6	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	22.0	882	1	1	22	43	43	43	43
B. Operated	77	2.5	8	< 1	1	1	3	5	7	19
2. MULTIPLE DX										
A. Not Operated	62	7.5	97	2	2	4	8	14	29	55
B. Operated	225	5.0	29	1	2	3	7	11	16	32
1. SINGLE DX	79	3.0	29	< 1	1	1	3	5	8	37
2. MULTIPLE DX	287	5.6	44	1	2	3	7	13	16	43
A. Not Operated	64	8.0	114	1	2	4	8	15	36	55
B. Operated	302	4.4	25	1	1	3	5	10	15	26
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	50	6.2	39	1	2	4	8	14	16	34
35-49	50	5.4	25	1	1	4	8	14	15	99
50-64	68	6.0	93	1	1	3	5	16	23	55
65 +	197	4.3	29	1	1	3	5	9	11	33
GRAND TOTAL	**366**	**5.0**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**43**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	27.0		27	27	27	27	27	27	27
35-49	4	5.8	12	1	3	6	8	9	9	9
50-64	4	2.3		2	2	2	3	3	3	3
65 +	3	3.7	14	1	1	2	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	54	2.4	2	1	2	2	3	4	5	8
35-49	540	2.6	3	1	2	2	3	4	6	8
50-64	683	2.6	2	1	2	2	3	4	5	9
65 +	705	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	9.0	84	1	2	7	16	19	19	19
35-49	62	6.1	52	1	3	4	7	10	20	43
50-64	92	7.3	50	1	3	6	10	14	25	35
65 +	59	7.3	56	1	2	5	11	15	23	40
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	80	3.4	6	1	2	3	4	6	9	14
35-49	679	3.1	6	1	2	3	4	5	6	16
50-64	1015	3.4	7	2	2	3	4	6	8	13
65 +	1974	3.7	10	2	2	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.8	53	1	2	3	7	14	25	27
B. Operated	1982	2.6	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	216	7.0	52	1	2	5	9	14	22	37
B. Operated	3749	3.5	8	2	2	3	4	6	8	15
1. SINGLE DX	1994	2.6	3	1	2	2	3	4	5	8
2. MULTIPLE DX	3965	3.7	11	2	2	3	4	6	9	18
A. Not Operated	228	6.9	52	1	2	5	9	14	22	37
B. Operated	5731	3.2	6	1	2	3	4	5	7	13
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	138	3.3	11	1	2	2	3	5	9	20
35-49	1285	3.1	8	1	2	2	3	5	7	15
50-64	1794	3.3	8	1	2	3	4	6	8	14
65 +	2741	3.5	9	2	2	3	4	5	7	15
GRAND TOTAL	**5959**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**15**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	2	< 1	1	2	3	4	4	4
35-49	25	2.5	1	2	2	2	3	4	4	4
50-64	16	4.8	37	1	2	3	4	10	21	26
65 +	10	2.0	1	< 1	2	2	2	3	4	4
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	28	4.3	5	1	2	4	6	8	8	8
35-49	40	4.3	12	2	2	3	6	7	9	21
50-64	17	4.4	10	1	2	4	5	8	12	14
65 +	10	2.1	1	1	2	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	22	5.5	32	1	3	4	6	10	18	28
35-49	29	3.3	9	< 1	1	3	4	8	11	12
50-64	37	3.6	10	1	1	2	5	8	11	13
65 +	29	4.2	12	2	2	3	5	10	11	16
B. Operated										
0-19 YRS	0									
20-34	60	5.7	7	3	4	6	7	9	11	14
35-49	148	6.5	27	2	4	6	8	10	15	24
50-64	75	7.4	41	2	4	6	9	12	21	37
65 +	53	7.4	46	2	4	5	9	16	25	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	3.1	12	1	2	2	3	4	5	25
B. Operated	96	4.1	9	1	2	3	6	7	8	18
2. MULTIPLE DX										
A. Not Operated	117	4.1	14	1	2	3	5	9	11	20
B. Operated	336	6.7	29	2	4	6	8	11	16	31
1. SINGLE DX	151	3.7	10	1	2	3	4	7	8	21
2. MULTIPLE DX	453	6.0	27	2	3	5	7	11	15	29
A. Not Operated	172	3.7	14	1	2	3	4	8	11	24
B. Operated	432	6.1	26	2	3	5	7	10	15	29
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	114	5.2	11	2	3	5	7	8	10	19
35-49	242	5.3	22	2	3	4	7	9	12	21
50-64	145	5.8	31	1	2	4	7	11	15	30
65 +	102	5.4	32	2	2	4	6	10	17	31
GRAND TOTAL	**604**	**5.4**	**24**	**2**	**3**	**4**	**7**	**9**	**13**	**27**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	5.3	75	1	1	2	3	21	23	23
50-64	9	2.4		2	2	2	3	3	3	3
65 +	16	2.3	1	1	1	2	3	3	4	4
B. Operated										
0-19 YRS	0									
20-34	3	4.7		4	4	5	5	5	5	5
35-49	21	3.9		3	3	4	4	5	5	5
50-64	56	4.4	4	3	3	4	5	6	8	14
65 +	76	3.9	2	3	3	4	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	11.3	254	1	2	4	20	35	35	35
50-64	8	2.5	2	< 1	2	2	3	5	6	6
65 +	40	3.6	10	1	2	3	4	7	11	16
B. Operated										
0-19 YRS	0									
20-34	11	4.5	1	3	4	4	5	6	6	6
35-49	97	4.6	5	3	3	4	5	8	10	12
50-64	295	5.4	37	3	4	4	5	8	10	26
65 +	618	5.9	12	3	4	5	7	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.8	14	1	2	2	3	3	4	23
B. Operated	156	4.1	2	3	3	4	4	5	6	12
2. MULTIPLE DX										
A. Not Operated	54	3.9	27	1	2	3	4	7	13	34
B. Operated	1021	5.6	19	3	4	5	6	9	12	18
1. SINGLE DX	188	3.9	5	2	3	4	4	5	6	13
2. MULTIPLE DX	1075	5.6	19	3	4	5	6	9	12	19
A. Not Operated	86	3.5	22	1	2	2	3	6	9	31
B. Operated	1177	5.4	17	3	4	4	6	9	11	18
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	4.1	2	1	4	4	5	6	6	6
35-49	128	4.8	14	2	3	4	5	7	10	26
50-64	368	5.1	31	3	4	4	5	7	9	17
65 +	750	5.5	12	3	4	5	6	9	12	18
GRAND TOTAL	**1263**	**5.3**	**17**	**3**	**4**	**4**	**6**	**8**	**11**	**18**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	1.8	1	< 1	1	2	2	3	3	3
50-64	11	1.7	1	1	1	2	2	3	3	3
65 +	7	2.7	9	1	1	1	3	8	9	9
B. Operated										
0-19 YRS	7	6.4	3	4	5	7	8	8	8	8
20-34	13	4.0	2	3	3	4	5	6	7	7
35-49	14	6.9	60	3	4	5	7	11	28	33
50-64	14	5.6	5	3	4	5	7	9	10	10
65 +	13	5.5	5	2	4	5	7	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	19	3.9	26	1	1	2	5	8	16	23
50-64	43	4.1	10	1	1	4	6	8	10	14
65 +	73	6.7	29	2	3	5	8	13	19	27
B. Operated										
0-19 YRS	5	5.0	13	2	3	4	6	11	11	11
20-34	31	6.9	14	4	4	5	8	14	16	17
35-49	132	6.9	14	3	4	6	8	12	14	21
50-64	218	8.3	28	4	5	7	10	14	20	29
65 +	302	11.3	73	5	6	9	13	20	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.0	3	1	1	2	3	3	5	9
B. Operated	61	5.7	17	3	4	5	7	8	9	30
2. MULTIPLE DX										
A. Not Operated	135	5.5	24	1	2	4	7	12	15	25
B. Operated	688	9.3	48	4	5	7	11	16	21	35
1. SINGLE DX	84	4.7	16	1	3	4	6	8	9	25
2. MULTIPLE DX	823	8.7	46	3	5	7	10	16	21	34
A. Not Operated	158	5.0	22	1	2	4	6	11	14	25
B. Operated	749	9.0	46	4	5	7	10	16	21	34
TOTAL										
0-19 YRS	12	5.8	7	3	4	5	8	9	11	11
20-34	44	6.0	12	3	4	5	7	11	15	17
35-49	170	6.4	20	2	4	5	8	11	14	25
50-64	286	7.3	26	2	4	6	9	13	18	28
65 +	395	10.1	66	4	5	8	12	19	25	46
GRAND TOTAL	**907**	**8.3**	**44**	**3**	**4**	**7**	**10**	**15**	**20**	**33**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.5	[illegible]	1	1	4	7	7	7	7
65 +	7	3.6	[illegible]	1	2	5	5	5	5	5
B. Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	6	4.2	3	1	3	4	5	6	6	6
50-64	9	4.3	6	1	2	4	7	7	7	7
65 +	8	3.8	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	10	2.8	5	< 1	1	2	4	6	8	8
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	12	6.3	9	2	4	6	8	10	12	12
50-64	19	5.4	6	3	3	5	7	9	11	12
65 +	80	9.8	70	3	4	7	13	23	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.8	4	1	2	5	5	6	7	7
B. Operated	27	4.2	4	1	3	4	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	15	3.1	4	< 1	1	2	4	6	7	8
B. Operated	114	8.6	54	3	4	6	10	18	25	37
1. SINGLE DX	40	4.1	4	1	2	4	5	7	7	8
2. MULTIPLE DX	129	7.9	51	2	4	6	9	17	-25	33
A. Not Operated	28	3.4	4	1	2	3	5	6	7	8
B. Operated	141	7.7	48	2	4	6	8	15	24	31
TOTAL										
0-19 YRS	8	4.9	2	3	5	5	6	6	6	6
20-34	4	5.8	8	3	3	5	8	9	9	9
35-49	20	5.4	8	2	3	5	7	9	10	12
50-64	32	4.8	7	1	3	5	7	8	9	12
65 +	105	8.2	62	2	4	6	10	21	25	38
GRAND TOTAL	**169**	**7.0**	**43**	**2**	**3**	**5**	**8**	**13**	**21**	**29**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	4	15.5	731	< 1	< 1	2	30	56	56	56
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	7	3.4	3	< 1	2	4	5	5	5	5
50-64	204	5.4	5	3	4	5	7	8	8	15
65 +	386	4.4	5	1	2	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	37	7.9	89	1	2	5	11	15	26	50
65 +	165	6.7	78	1	3	4	8	12	19	51
B. Operated										
0-19 YRS	2	17.0	128	9	9	17	25	25	25	25
20-34	0									
35-49	11	5.0	8	1	3	4	7	9	10	10
50-64	620	5.8	17	2	3	5	7	9	12	24
65 +	2920	5.2	16	2	3	4	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	12.2	468	< 1	1	3	8	51	56	56
B. Operated	597	4.7	6	2	3	5	6	8	8	11
2. MULTIPLE DX										
A. Not Operated	203	6.9	79	1	2	4	8	13	20	51
B. Operated	3553	5.3	16	2	3	4	7	9	12	22
1. SINGLE DX	603	4.8	10	2	3	5	6	8	8	11
2. MULTIPLE DX	3756	5.4	20	2	3	4	7	9	12	24
A. Not Operated	209	7.1	89	1	2	4	8	14	20	53
B. Operated	4150	5.2	15	2	3	4	7	9	11	21
TOTAL										
0-19 YRS	3	12.0	139	2	4	9	21	25	25	25
20-34	0									
35-49	18	4.4	6	< 1	3	4	5	8	10	10
50-64	863	5.8	17	2	3	5	7	9	12	24
65 +	3475	5.2	19	2	3	4	6	9	12	21
GRAND TOTAL	**4359**	**5.3**	**19**	**2**	**3**	**4**	**7**	**9**	**12**	**22**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	2.8	8	< 1	1	2	3	7	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.7	5	1	2	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	2	9.0	128	1	1	9	17	17	17	17
20-34	40	2.2	4	< 1	1	1	3	6	7	8
35-49	25	1.8	4	1	1	1	2	5	7	9
50-64	8	4.0	12	1	1	3	5	9	11	11
65 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.0	7	1	2	4	6	7	7	7
20-34	29	5.9	56	1	2	5	6	10	18	40
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	2.8	5	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	6	9.2	17	3	6	10	13	13	13	13
20-34	37	7.3	29	1	4	6	9	14	20	23
35-49	24	3.7	10	1	1	3	5	10	10	10
50-64	7	2.9	4	1	1	2	4	6	7	7
65 +	10	2.8	5	1	1	2	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.9	7	1	1	2	5	6	9	10
B. Operated	78	2.4	8	1	1	1	3	6	8	15
2. MULTIPLE DX										
A. Not Operated	42	5.3	40	1	2	5	6	9	13	40
B. Operated	84	5.5	22	1	2	4	8	12	13	23
1. SINGLE DX	92	2.5	7	1	1	1	3	6	8	14
2. MULTIPLE DX	126	5.4	28	1	2	4	7	10	13	27
A. Not Operated	56	4.7	33	1	2	3	6	8	10	39
B. Operated	162	4.0	17	1	1	2	6	10	12	22
TOTAL										
0-19 YRS	14	6.9	26	1	2	6	12	14	16	17
20-34	116	4.8	29	1	1	3	6	10	13	29
35-49	52	2.9	8	1	1	1	4	8	10	10
50-64	19	3.6	7	1	1	3	5	7	9	11
65 +	17	2.6	4	1	1	2	4	6	7	7
GRAND TOTAL	**218**	**4.2**	**21**	**1**	**1**	**2**	**6**	**10**	**12**	**23**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65 +	4	1.8		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	6	9.8	332	2	2	3	3	43	47	47
35-49	37	1.8	2	1	1	1	2	5	6	6
50-64	106	2.5	6	1	1	2	3	7	9	12
65 +	214	2.4	12	1	1	2	3	4	6	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	16.0		16	16	16	16	16	16	16
35-49	0									
50-64	21	2.4	2	1	1	2	3	5	6	7
65 +	56	6.6	45	2	2	4	8	15	18	35
B. Operated										
0-19 YRS	6	20.0	660	6	7	10	15	66	72	72
20-34	9	16.9	219	2	5	13	25	41	41	41
35-49	44	6.6	73	1	1	3	10	15	25	42
50-64	304	4.7	36	1	1	2	5	12	15	32
65 +	1343	5.0	35	1	1	3	6	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.8		1	1	2	2	3	3	3
B. Operated	366	2.5	15	1	1	2	3	4	8	15
2. MULTIPLE DX										
A. Not Operated	78	5.6	38	1	2	3	6	15	17	33
B. Operated	1706	5.1	41	1	1	3	6	12	17	33
1. SINGLE DX	375	2.5	14	1	1	2	3	4	8	15
2. MULTIPLE DX	1784	5.1	41	1	1	3	6	12	17	33
A. Not Operated	87	5.2	35	1	2	3	6	14	16	33
B. Operated	2072	4.6	37	1	1	2	5	11	16	32
TOTAL										
0-19 YRS	10	13.8	436	2	4	7	12	43	72	72
20-34	16	14.2	240	2	3	9	18	41	45	47
35-49	82	4.4	45	1	1	2	5	11	17	39
50-64	434	4.0	28	1	1	2	4	10	13	29
65 +	1617	4.7	33	1	1	3	5	12	16	28
GRAND TOTAL	**2159**	**4.6**	**37**	**1**	**1**	**2**	**5**	**12**	**16**	**32**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	19	7.3	1	6	6	8	8	8	9	9
20-34	5	5.2	3	4	4	5	6	8	8	8
35-49	22	5.8	2	4	5	6	7	7	8	10
50-64	48	6.2	7	4	5	6	7	8	10	19
65 +	33	6.8	5	4	5	7	8	9	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	8.0	60	3	3	5	9	19	28	30
20-34	4	3.8	8	2	2	3	5	8	8	8
35-49	8	6.3	35	3	3	3	7	16	20	20
50-64	34	4.2	9	1	2	4	5	9	11	11
65 +	39	6.7	31	1	3	6	9	12	18	28
B. Operated										
0-19 YRS	39	9.2	41	5	6	8	11	14	25	33
20-34	14	10.9	63	5	5	7	15	26	27	27
35-49	80	8.0	34	4	5	6	9	12	19	39
50-64	192	9.3	68	4	6	7	10	15	21	59
65 +	353	9.0	38	4	6	8	10	15	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.2	1	1	3	3	4	4	4	4
B. Operated	127	6.4	5	4	5	6	7	8	10	14
2. MULTIPLE DX										
A. Not Operated	97	5.9	27	1	3	4	8	11	14	29
B. Operated	678	9.0	47	4	6	7	10	15	21	37
1. SINGLE DX	133	6.3	5	4	5	6	7	8	10	14
2. MULTIPLE DX	775	8.6	45	3	5	7	10	14	21	34
A. Not Operated	103	5.7	26	1	3	4	8	11	13	29
B. Operated	805	8.6	41	4	6	7	9	14	20	34
TOTAL										
0-19 YRS	72	8.3	33	4	6	7	9	13	16	33
20-34	24	8.1	49	2	4	6	8	19	26	27
35-49	111	7.4	28	4	5	6	8	11	17	34
50-64	276	8.1	53	3	5	7	9	13	19	47
65 +	425	8.6	36	4	6	7	10	14	20	30
GRAND TOTAL	**908**	**8.3**	**40**	**4**	**5**	**7**	**9**	**14**	**19**	**33**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.2	4	< 1	< 1	< 1	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.2		< 1	1	1	1	2	2	2
20-34	5	1.2		1	1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	8	2.1	6	1	1	1	2	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	< 1	< 1	2	4	5	5	5
20-34	0									
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	2	8.0	2	7	7	8	9	9	9	9
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.6	10	1	2	2	5	9	9	9
50-64	5	2.6	6	1	1	2	3	7	7	7
65 +	14	4.4	23	1	1	2	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.2	4	< 1	< 1	< 1	5	5	5	5
B. Operated	24	1.6	3	1	1	1	1	3	6	8
2. MULTIPLE DX										
A. Not Operated	9	5.3	16	< 1	2	5	7	11	13	13
B. Operated	28	3.8	15	1	1	2	5	11	12	13
1. SINGLE DX	34	1.8	3	< 1	1	1	1	5	5	8
2. MULTIPLE DX	37	4.2	15	1	1	2	7	11	13	13
A. Not Operated	19	3.7	11	< 1	< 1	2	5	8	11	13
B. Operated	52	2.8	11	1	1	1	3	9	12	13
TOTAL										
0-19 YRS	22	2.3	5	< 1	< 1	1	3	5	7	9
20-34	6	1.2		1	1	1	1	2	2	2
35-49	10	3.5	17	1	1	2	4	11	13	13
50-64	9	3.9	10	1	1	2	7	8	9	9
65 +	24	3.7	16	1	1	2	5	12	12	13
GRAND TOTAL	**71**	**3.0**	**11**	**< 1**	**1**	**1**	**4**	**9**	**12**	**13**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.3	3	< 1	2	3	5	6	6	6
20-34	9	3.3	10	< 1	1	2	4	9	11	11
35-49	12	5.1	31	1	2	3	5	14	19	20
50-64	10	4.8	12	1	2	4	6	10	13	13
65 +	8	3.9	7	1	1	4	6	7	7	7
B. Operated										
0-19 YRS	67	7.6	49	1	3	6	10	17	25	30
20-34	48	5.8	14	2	3	5	8	11	11	22
35-49	78	4.7	11	1	3	4	6	9	10	18
50-64	55	7.1	46	2	3	5	9	13	16	45
65 +	37	7.1	15	2	5	7	9	12	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	5.2	83	1	1	3	5	11	17	59
20-34	25	4.5	14	1	2	3	7	9	12	17
35-49	54	6.1	51	1	2	4	6	12	22	43
50-64	53	6.5	56	1	2	4	7	16	22	40
65 +	83	6.8	35	2	3	5	9	14	17	30
B. Operated										
0-19 YRS	127	16.5	265	3	7	12	19	36	51	81
20-34	71	8.6	76	3	3	6	10	17	19	47
35-49	132	9.4	71	2	4	7	13	17	21	52
50-64	116	10.1	68	3	5	7	12	21	34	37
65 +	123	11.6	63	3	6	10	15	21	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.2	14	1	2	3	5	7	12	20
B. Operated	285	6.3	29	1	3	5	8	12	16	28
2. MULTIPLE DX										
A. Not Operated	261	6.1	49	1	2	4	7	13	17	39
B. Operated	569	11.5	120	3	5	8	14	21	34	52
1. SINGLE DX	330	6.0	27	1	3	5	8	12	15	26
2. MULTIPLE DX	830	9.8	104	2	4	7	12	19	30	52
A. Not Operated	306	5.8	44	1	2	4	7	13	17	35
B. Operated	854	9.8	95	2	4	7	12	19	26	50
TOTAL										
0-19 YRS	246	11.6	190	1	3	7	16	24	37	74
20-34	153	6.7	45	2	3	5	8	12	18	45
35-49	276	7.2	53	1	3	5	9	15	19	45
50-64	234	8.3	61	2	3	6	10	16	23	38
65 +	251	9.1	51	2	4	7	12	19	24	30
GRAND TOTAL	**1160**	**8.7**	**85**	**2**	**3**	**6**	**11**	**18**	**24**	**49**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	13	10.1	71	< 1	2	8	17	23	23	23
20-34	4	9.5	8	7	7	9	12	12	12	12
35-49	3	8.3	5	7	7	7	10	11	11	11
50-64	3	10.3	184	2	2	3	20	26	26	26
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.3	1	< 1	2	2	3	4	4	4
20-34	0									
35-49	3	7.0	75	2	2	2	13	17	17	17
50-64	3	6.0	19	1	3	8	9	9	9	9
65 +	9	8.8	87	1	3	5	13	24	30	30
B. Operated										
0-19 YRS	20	14.1	223	2	4	9	17	38	53	53
20-34	7	24.0	793	4	6	10	52	65	65	65
35-49	8	9.4	61	2	4	7	13	22	25	25
50-64	4	9.8	5	8	8	9	11	13	13	13
65 +	5	9.2	32	3	5	9	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.9	2	2	2	2	3	5	6	6
B. Operated	23	9.8	57	1	4	7	16	23	24	26
2. MULTIPLE DX										
A. Not Operated	25	5.6	46	1	2	3	7	15	20	30
B. Operated	44	13.9	247	3	5	9	16	28	57	65
1. SINGLE DX	30	8.2	53	1	2	6	12	20	23	26
2. MULTIPLE DX	69	10.9	188	1	3	7	13	23	53	65
A. Not Operated	32	5.0	37	1	2	3	5	14	17	30
B. Operated	67	12.5	184	2	5	8	16	24	53	65
TOTAL										
0-19 YRS	47	9.5	136	1	2	4	16	22	28	53
20-34	12	17.4	504	3	6	9	12	65	65	65
35-49	15	8.5	44	2	4	7	11	17	23	25
50-64	11	8.2	50	1	2	8	9	18	25	26
65 +	14	8.9	63	2	3	6	13	19	28	30
GRAND TOTAL	**99**	**10.1**	**148**	**1**	**3**	**7**	**13**	**22**	**28**	**65**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	1	2	3	4	4	4	4
20-34	22	3.3	16	1	1	2	4	5	11	20
35-49	16	1.8		1	1	2	2	3	3	3
50-64	12	1.8	1	< 1	1	1	2	4	5	5
65 +	4	2.3		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	20	4.3	18	1	1	3	6	11	15	15
20-34	71	2.2	2	1	1	2	3	4	4	7
35-49	82	2.2	2	1	2	2	3	3	4	9
50-64	36	2.8	3	1	2	2	3	5	7	8
65 +	23	2.5	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	5.3	13	1	2	5	8	11	12	13
20-34	28	2.6	5	1	1	2	3	7	9	9
35-49	32	2.9	11	1	1	2	3	6	12	16
50-64	30	3.7	32	1	1	2	3	6	21	26
65 +	18	4.9	15	1	2	3	7	11	12	13
B. Operated										
0-19 YRS	63	11.6	147	2	3	7	17	25	40	55
20-34	87	4.1	47	1	2	3	4	7	10	47
35-49	102	3.8	16	1	2	3	4	6	11	24
50-64	78	5.3	43	2	2	3	5	10	15	41
65 +	82	5.8	61	2	2	3	7	12	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.5	7	1	1	2	3	4	5	19
B. Operated	232	2.5	3	1	2	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	144	3.8	16	1	1	2	5	9	11	21
B. Operated	412	5.7	63	2	2	3	6	12	21	46
1. SINGLE DX	291	2.5	4	1	1	2	3	4	6	13
2. MULTIPLE DX	556	5.2	51	1	2	3	5	11	18	44
A. Not Operated	203	3.4	14	1	1	2	4	8	11	20
B. Operated	644	4.6	44	1	2	3	4	9	17	39
TOTAL										
0-19 YRS	124	8.2	93	1	2	6	10	18	25	52
20-34	208	3.2	23	1	2	2	3	5	7	24
35-49	232	3.0	10	1	2	2	3	5	8	21
50-64	156	4.1	30	1	2	3	4	8	12	32
65 +	127	5.0	43	2	2	3	4	11	18	37
GRAND TOTAL	**847**	**4.3**	**37**	**1**	**2**	**2**	**4**	**9**	**13**	**34**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	8.2	34	3	3	8	12	17	17	17
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	9	4.6	14	1	2	3	6	11	13	13
50-64	10	3.3	5	1	1	3	5	6	7	7
65 +	13	7.5	58	1	3	5	10	23	23	23
B. Operated										
0-19 YRS	13	3.8	9	1	1	4	4	10	10	10
20-34	3	4.7	12	1	2	5	7	8	8	8
35-49	20	4.9	36	1	2	3	6	9	19	28
50-64	34	6.3	35	2	2	5	7	12	22	28
65 +	26	2.8	5	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	6.1	36	< 1	1	4	8	18	20	20
20-34	77	5.6	21	1	3	4	7	12	16	23
35-49	320	6.4	45	2	3	5	7	12	19	36
50-64	895	6.3	33	2	3	5	8	13	17	28
65 +	1737	7.0	37	2	3	5	8	14	19	30
B. Operated										
0-19 YRS	69	9.4	64	3	5	7	11	22	26	90
20-34	139	8.9	83	3	4	6	11	17	25	41
35-49	580	8.3	66	2	4	6	10	16	23	37
50-64	1251	9.0	55	2	4	7	12	18	23	37
65 +	1976	10.2	86	2	4	8	13	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	5.6	30	1	2	4	7	13	20	23
B. Operated	96	4.7	24	1	2	3	6	9	11	28
2. MULTIPLE DX										
A. Not Operated	3065	6.7	37	2	3	5	8	13	18	30
B. Operated	4015	9.5	73	2	4	7	12	19	25	43
1. SINGLE DX	135	4.9	26	1	2	4	6	10	15	28
2. MULTIPLE DX	7080	8.3	59	2	3	6	10	17	23	38
A. Not Operated	3104	6.7	37	2	3	5	8	13	18	30
B. Operated	4111	9.4	72	2	4	7	12	19	25	42
TOTAL										
0-19 YRS	123	7.8	52	1	3	6	10	18	22	62
20-34	221	7.6	62	2	3	6	9	15	22	33
35-49	929	7.5	58	2	3	6	9	15	21	37
50-64	2190	7.8	47	2	3	6	10	16	21	34
65 +	3752	8.6	65	2	4	6	11	17	24	42
GRAND TOTAL	**7215**	**8.2**	**59**	**2**	**3**	**6**	**10**	**17**	**23**	**38**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	7	6.6	41	1	1	3	13	15	15	15
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	25	3.4	4	1	2	3	4	7	7	8
20-34	43	4.4	14	1	1	4	6	8	9	23
35-49	26	4.3	5	1	3	4	6	8	8	8
50-64	11	4.5	3	2	4	4	6	7	7	7
65 +	4	5.5	15	2	3	4	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.8	10	1	1	3	7	8	9	9
20-34	16	6.9	45	1	3	5	8	15	23	27
35-49	11	6.4	36	1	2	5	9	15	20	21
50-64	6	10.8	197	2	4	6	9	36	39	39
65 +	9	6.7	34	2	3	4	7	17	21	21
B. Operated										
0-19 YRS	17	8.1	20	2	5	8	11	14	16	17
20-34	50	9.3	101	2	4	6	10	13	23	55
35-49	36	11.3	119	5	6	7	11	27	39	49
50-64	29	12.8	153	1	5	8	15	34	40	45
65 +	22	8.5	37	3	5	7	11	13	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.4	32	1	1	3	9	15	15	15
B. Operated	109	4.2	8	1	2	4	6	7	8	16
2. MULTIPLE DX										
A. Not Operated	52	6.6	51	1	2	5	8	14	21	39
B. Operated	154	10.2	97	2	5	7	11	20	35	49
1. SINGLE DX	119	4.3	10	1	2	4	6	8	9	18
2. MULTIPLE DX	206	9.3	88	2	4	7	10	19	33	48
A. Not Operated	62	6.4	47	1	2	5	8	15	21	38
B. Operated	263	7.7	69	1	4	6	8	14	24	47
TOTAL										
0-19 YRS	54	5.0	14	1	2	4	7	11	12	17
20-34	116	7.0	61	1	3	5	8	15	21	50
35-49	73	8.1	76	2	4	6	8	13	27	47
50-64	47	10.4	129	1	4	7	10	33	39	45
65 +	35	7.7	33	2	4	6	10	13	19	31
GRAND TOTAL	**325**	**7.5**	**65**	**1**	**3**	**5**	**8**	**14**	**23**	**45**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.6	11	< 1	1	3	5	8	9	17
20-34	2	13.0	98	6	6	13	20	20	20	20
35-49	2	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	107	4.6	15	< 1	1	4	6	8	12	21
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	3	18.0	259	1	6	20	30	33	33	33
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	5.0	26	< 1	1	3	6	11	14	26
20-34	19	6.6	52	2	3	4	7	14	25	33
35-49	4	15.0	135	5	6	12	23	31	31	31
50-64	6	5.2	5	3	3	5	6	9	9	9
65 +	9	7.3	14	2	4	8	10	12	13	13
B. Operated										
0-19 YRS	164	15.1	192	4	6	10	20	34	40	67
20-34	35	27.8	260	6	13	32	37	50	52	67
35-49	24	29.3	303	10	18	26	39	59	64	71
50-64	11	26.0	391	6	9	30	36	54	65	66
65 +	14	19.9	298	3	4	16	30	40	59	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.0	16	< 1	1	3	5	8	13	20
B. Operated	114	4.9	23	1	1	4	6	8	14	27
2. MULTIPLE DX										
A. Not Operated	148	5.6	33	< 1	2	4	7	12	16	31
B. Operated	248	19.0	256	4	7	14	28	39	52	67
1. SINGLE DX	155	4.7	21	< 1	1	4	6	8	14	23
2. MULTIPLE DX	396	14.0	214	1	4	8	20	35	43	67
A. Not Operated	189	5.3	29	< 1	2	4	6	11	16	31
B. Operated	362	14.6	226	1	5	8	21	36	46	67
TOTAL										
0-19 YRS	416	8.8	113	1	3	5	10	21	29	57
20-34	59	19.3	281	3	5	13	33	41	50	66
35-49	33	25.0	305	4	11	22	34	50	61	71
50-64	18	17.7	348	3	4	9	32	43	58	66
65 +	25	13.9	215	2	3	9	19	33	44	64
GRAND TOTAL	**551**	**11.4**	**178**	**1**	**3**	**6**	**14**	**32**	**39**	**66**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	89.0		89	89	89	89	89	89	89
35-49	0									
50-64	2	6.5	1	6	6	6	7	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.5	10	2	2	3	6	10	10	10
20-34	0									
35-49	4	5.5	12	2	3	5	8	10	10	10
50-64	12	11.4	240	3	4	7	9	30	55	59
65 +	46	7.1	23	2	3	6	10	15	17	19
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	0									
35-49	3	13.3	209	4	4	6	24	30	30	30
50-64	16	7.8	20	4	4	6	11	15	16	17
65 +	38	10.4	55	3	5	8	15	23	27	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	20.8	1461	< 1	1	6	27	89	89	89
B. Operated	5	2.6	9	1	1	1	3	8	8	8
2. MULTIPLE DX										
A. Not Operated	72	7.4	58	2	3	6	9	14	17	50
B. Operated	58	9.9	51	4	5	7	13	18	27	30
1. SINGLE DX	10	11.7	746	< 1	1	2	7	48	89	89
2. MULTIPLE DX	130	8.5	56	2	4	7	10	17	19	36
A. Not Operated	77	8.2	142	2	3	6	9	15	18	81
B. Operated	63	9.3	51	3	4	7	12	18	27	30
TOTAL										
0-19 YRS	12	4.8	15	1	2	3	8	11	12	12
20-34	1	89.0		89	89	89	89	89	89	89
35-49	9	7.2	80	1	2	4	7	22	30	30
50-64	31	9.1	102	3	4	7	9	16	17	59
65 +	87	8.3	41	2	4	7	11	18	20	29
GRAND TOTAL	**140**	**8.7**	**101**	**2**	**4**	**6**	**10**	**17**	**22**	**62**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.0	427	1	1	2	23	43	43	43
20-34	5	3.0	2	2	2	3	4	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	2	6.0	32	2	2	6	10	10	10	10
B. Operated										
0-19 YRS	8	11.9	112	2	4	8	18	29	33	33
20-34	7	22.4	359	1	3	29	39	45	46	46
35-49	3	10.0	243	< 1	< 1	1	21	28	28	28
50-64	5	3.4	5	1	1	5	5	5	5	5
65 +	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	5.1	11	1	2	4	7	10	12	13
20-34	19	7.9	74	1	2	4	10	20	30	34
35-49	13	9.8	199	< 1	4	5	14	59	91	99 +
50-64	24	9.0	69	1	3	5	13	23	26	28
65 +	38	9.3	128	2	3	7	8	23	31	62
B. Operated										
0-19 YRS	34	24.9	585	5	8	13	39	60	70	98
20-34	36	29.9	212	9	17	31	39	50	55	60
35-49	33	33.9	474	6	20	30	48	60	77	87
50-64	39	28.0	240	5	22	28	33	43	60	76
65 +	60	23.0	377	4	7	20	34	43	57	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.7	112	1	2	2	4	10	35	43
B. Operated	24	13.3	200	1	2	6	23	34	43	46
2. MULTIPLE DX										
A. Not Operated	131	7.9	84	1	3	5	9	18	28	69
B. Operated	202	27.3	379	5	9	27	36	53	62	90
1. SINGLE DX	39	10.3	176	1	2	5	16	32	43	46
2. MULTIPLE DX	333	19.7	352	3	5	12	31	45	58	88
A. Not Operated	146	7.7	86	1	3	5	9	17	28	63
B. Operated	226	25.8	378	4	8	26	36	50	60	88
TOTAL										
0-19 YRS	83	14.2	351	2	3	7	13	43	56	89
20-34	67	20.9	283	2	4	16	34	43	50	59
35-49	51	25.1	507	2	5	22	44	58	78	99 +
50-64	70	19.0	260	1	5	19	29	35	44	73
65 +	101	17.5	316	3	5	9	29	40	47	88
GRAND TOTAL	**372**	**18.7**	**342**	**2**	**5**	**10**	**30**	**44**	**57**	**86**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.4	27	< 1	1	2	6	13	16	16
20-34	4	4.8	7	< 1	2	5	6	7	7	7
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	4	3.0	3	1	2	3	4	5	5	5
65 +	3	12.3	161	5	5	5	22	27	27	27
B. Operated										
0-19 YRS	7	3.1	11	< 1	< 1	1	6	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	7.8	19	2	6	7	10	14	14	14
50-64	4	3.8		3	3	4	4	4	4	4
65 +	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.8	10	< 1	1	1	4	9	9	9
20-34	13	7.3	38	2	3	5	11	18	19	19
35-49	12	6.0	15	1	2	6	9	11	12	12
50-64	15	10.9	137	2	4	7	13	38	38	38
65 +	58	6.3	29	1	3	5	8	13	14	32
B. Operated										
0-19 YRS	18	19.8	186	5	11	14	36	38	41	43
20-34	20	23.3	435	2	6	21	30	55	67	76
35-49	23	29.0	523	5	12	26	44	72	86	99 +
50-64	23	16.0	178	4	6	8	26	41	42	43
65 +	45	16.7	214	3	5	9	29	41	42	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	5.2	39	< 1	1	4	6	11	21	27
B. Operated	20	4.6	12	< 1	2	4	7	9	12	14
2. MULTIPLE DX										
A. Not Operated	110	6.7	44	1	2	5	9	13	16	38
B. Operated	129	20.2	306	3	6	14	31	43	58	84
1. SINGLE DX	40	4.9	25	< 1	1	4	6	9	15	27
2. MULTIPLE DX	239	14.0	231	2	4	8	19	38	43	76
A. Not Operated	130	6.4	43	1	2	5	8	13	16	38
B. Operated	149	18.1	295	2	5	11	30	42	52	80
TOTAL										
0-19 YRS	45	10.0	147	< 1	1	6	14	36	37	43
20-34	38	15.4	308	2	4	7	23	39	56	76
35-49	41	19.0	426	2	6	10	31	61	75	99 +
50-64	46	12.2	152	3	4	6	17	37	41	43
65 +	109	10.7	132	2	3	6	12	30	41	44
GRAND TOTAL	**279**	**12.7**	**211**	**1**	**3**	**7**	**15**	**37**	**42**	**74**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.3	12	2	3	5	8	9	9	9
20-34	9	5.7	37	2	3	3	6	16	21	21
35-49	14	5.6	15	1	3	5	6	10	14	15
50-64	16	2.8	2	1	2	3	3	4	6	7
65 +	15	5.0	11	2	3	4	6	9	13	14
B. Operated										
0-19 YRS	26	4.1	7	< 1	2	4	7	7	8	16
20-34	19	6.7	16	2	3	6	9	12	15	17
35-49	47	5.9	38	1	1	4	8	14	21	28
50-64	49	5.0	16	1	2	4	6	10	14	18
65 +	67	4.8	19	1	1	3	7	11	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	6.8	58	1	3	5	8	12	26	38
20-34	21	5.6	39	2	3	4	6	9	19	31
35-49	86	7.6	43	1	3	5	9	20	23	25
50-64	144	6.6	34	1	3	5	9	14	18	31
65 +	295	8.9	56	3	4	7	12	17	22	44
B. Operated										
0-19 YRS	46	15.7	238	2	6	10	24	54	62	99 +
20-34	59	14.0	105	2	5	12	23	29	32	39
35-49	129	12.7	144	2	4	8	18	31	40	99 +
50-64	224	12.7	142	3	5	9	15	32	41	56
65 +	555	10.9	93	3	5	8	13	22	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.6	14	1	2	3	6	9	13	21
B. Operated	208	5.2	21	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. Not Operated	578	7.9	49	2	3	6	10	17	22	37
B. Operated	1013	11.9	119	3	5	9	15	27	36	59
1. SINGLE DX	265	5.1	19	1	2	4	7	10	14	21
2. MULTIPLE DX	1591	10.5	97	2	4	8	13	23	32	51
A. Not Operated	635	7.6	47	2	3	5	10	15	21	36
B. Operated	1221	10.8	108	2	4	8	13	25	33	58
TOTAL										
0-19 YRS	107	10.0	146	2	3	7	11	29	45	99 +
20-34	108	10.4	86	2	3	7	15	26	30	36
35-49	276	9.6	97	1	3	6	13	23	30	62
50-64	433	9.4	98	2	3	6	11	23	32	49
65 +	932	9.8	77	2	4	7	12	20	27	46
GRAND TOTAL	**1856**	**9.7**	**89**	**2**	**4**	**7**	**12**	**22**	**30**	**49**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	27	2.6	6	< 1	1	1	3	6	8	11
20-34	58	1.7	1	1	1	2	2	2	3	7
35-49	76	1.8	1	1	1	2	2	3	5	5
50-64	79	1.9	1	1	1	2	2	3	4	7
65 +	39	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	15	2.9	31	1	1	1	2	3	18	23
35-49	34	2.1	3	1	1	2	2	4	5	8
50-64	61	1.8	1	1	1	2	2	3	4	7
65 +	66	2.1	3	1	1	2	2	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	279	1.9	2	1	1	2	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	178	2.1	5	1	1	2	2	4	5	12
1. SINGLE DX	280	1.9	2	1	1	2	2	3	5	7
2. MULTIPLE DX	181	2.1	5	1	1	2	2	4	5	11
A. Not Operated	4	1.3		1	1	1	2	2	2	2
B. Operated	457	2.0	3	1	1	2	2	3	5	7
TOTAL										
0-19 YRS	30	2.5	6	< 1	1	2	2	6	7	11
20-34	73	2.0	7	1	1	2	2	3	3	19
35-49	110	1.9	2	1	1	2	2	4	5	6
50-64	142	1.9	1	1	1	2	2	3	4	7
65 +	106	2.1	2	1	1	2	2	3	4	10
GRAND TOTAL	**461**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**5**	**7**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	5.4	6	2	4	6	7	8	10	10
20-34	11	5.8	6	3	4	6	7	9	11	11
35-49	21	5.8	9	1	4	6	7	10	11	12
50-64	44	5.5	8	1	4	6	7	9	10	11
65 +	52	5.2	8	<1	2	6	7	9	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	6	3.3	5	1	2	3	6	6	6	6
50-64	12	3.7	5	1	2	4	5	6	9	9
65 +	17	2.7	3	1	1	3	3	6	7	7
B. Operated										
0-19 YRS	21	10.6	332	2	3	6	10	17	50	87
20-34	26	6.5	14	2	3	6	9	12	14	14
35-49	60	6.1	16	1	3	6	8	10	14	19
50-64	141	7.2	28	1	4	6	9	13	21	26
65 +	370	7.3	33	1	4	7	9	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	141	5.5	8	1	4	6	7	9	10	11
2. MULTIPLE DX										
A. Not Operated	39	3.1	4	1	1	3	4	6	7	9
B. Operated	618	7.3	40	1	4	7	9	13	17	28
1. SINGLE DX	144	5.4	8	1	3	6	7	9	10	11
2. MULTIPLE DX	657	7.0	39	1	3	6	9	12	16	27
A. Not Operated	42	3.0	4	1	1	3	4	6	7	9
B. Operated	759	6.9	34	1	4	6	9	12	16	26
TOTAL										
0-19 YRS	34	8.6	210	2	3	6	8	16	18	87
20-34	42	5.8	12	2	3	5	8	11	13	14
35-49	89	5.8	14	1	3	6	8	10	12	18
50-64	197	6.6	23	1	4	6	8	11	15	25
65 +	439	6.9	30	1	3	6	9	12	16	27
GRAND TOTAL	**801**	**6.7**	**33**	**1**	**3**	**6**	**8**	**11**	**15**	**26**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	57	1.5	3	<1	<1	1	1	2	7	9
20-34	9	3.1	3	1	1	4	4	5	6	6
35-49	16	2.6	3	1	1	2	4	5	5	5
50-64	18	4.3	5	1	2	5	6	7	8	9
65 +	16	3.6	7	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	<1	<1	2	4	4	4	4
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	24	3.0	13	1	1	1	5	7	10	16
20-34	6	5.7	18	1	1	6	9	11	11	11
35-49	22	5.5	15	2	2	5	7	10	13	18
50-64	33	5.7	24	1	3	5	7	11	15	26
65 +	51	6.1	23	1	3	5	8	12	16	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		<1	<1	1	1	1	1	1
B. Operated	116	2.5	5	<1	1	1	4	6	8	9
2. MULTIPLE DX										
A. Not Operated	7	3.7	11	<1	<1	4	5	9	10	10
B. Operated	136	5.3	21	1	2	4	7	11	15	23
1. SINGLE DX	119	2.5	5	<1	1	1	4	6	7	9
2. MULTIPLE DX	143	5.3	20	1	2	4	7	10	15	22
A. Not Operated	10	2.9	9	<1	<1	1	4	7	10	10
B. Operated	252	4.0	15	<1	1	3	6	9	11	21
TOTAL										
0-19 YRS	88	1.9	6	<1	<1	1	1	5	7	13
20-34	15	4.1	10	1	1	4	6	9	10	11
35-49	39	4.4	12	1	2	4	6	9	10	18
50-64	52	5.2	17	1	3	5	6	9	12	26
65 +	68	5.4	20	1	2	4	7	11	14	22
GRAND TOTAL	**262**	**4.0**	**15**	**<1**	**1**	**3**	**5**	**9**	**11**	**21**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	177	1.8	2	< 1	1	1	2	4	5	7
20-34	83	2.5	6	1	1	2	3	4	8	14
35-49	81	2.0	2	< 1	1	1	3	4	6	7
50-64	48	2.4	7	< 1	1	1	3	7	8	12
65 +	29	2.1	3	< 1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	13.0	244	3	3	5	24	31	31	31
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	65	5.7	83	1	1	3	5	13	18	60
20-34	32	3.4	11	< 1	1	2	4	8	11	14
35-49	64	3.6	25	< 1	1	2	4	7	12	32
50-64	54	4.2	17	1	1	3	5	9	11	24
65 +	71	4.7	17	1	2	3	7	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	418	2.1	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	7	8.3	109	1	2	5	9	27	31	31
B. Operated	286	4.4	33	1	1	3	5	9	12	28
1. SINGLE DX	420	2.1	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX	293	4.5	35	1	1	3	5	9	13	31
A. Not Operated	9	7.3	87	1	2	5	7	23	31	31
B. Operated	704	3.0	17	< 1	1	2	3	7	8	18
TOTAL										
0-19 YRS	242	2.8	27	< 1	1	1	3	5	8	20
20-34	118	2.8	8	1	1	2	3	6	9	14
35-49	146	2.7	13	< 1	1	1	3	6	7	16
50-64	105	3.6	20	< 1	1	2	4	8	10	28
65 +	102	3.9	14	1	1	3	6	8	10	20
GRAND TOTAL	**713**	**3.1**	**18**	**< 1**	**1**	**2**	**3**	**7**	**9**	**19**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.1	3	< 1	1	1	4	5	5	5
20-34	3	4.3		4	4	4	5	5	5	5
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	205	2.0	6	< 1	< 1	1	2	4	5	15
20-34	35	2.8	7	1	1	2	3	6	7	14
35-49	19	3.7	10	< 1	1	2	6	9	10	10
50-64	6	2.3	4	1	1	2	3	6	6	6
65 +	7	2.9	5	< 1	1	2	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.1	6	1	1	3	4	6	9	11
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	3	2.3	5	< 1	< 1	1	4	5	5	5
50-64	5	6.0	47	1	2	4	8	18	18	18
65 +	3	6.7	41	2	2	4	11	14	14	14
B. Operated										
0-19 YRS	63	4.2	29	< 1	1	2	5	10	13	30
20-34	38	3.8	11	1	1	3	6	8	11	15
35-49	23	5.9	16	2	4	5	7	9	15	20
50-64	37	5.7	21	< 1	2	5	9	11	16	19
65 +	37	8.0	57	1	2	7	12	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.6	4	< 1	1	1	4	5	6	7
B. Operated	272	2.3	6	< 1	1	1	3	5	6	14
2. MULTIPLE DX										
A. Not Operated	51	3.6	11	1	1	3	4	7	11	18
B. Operated	198	5.3	30	< 1	2	4	7	11	16	29
1. SINGLE DX	292	2.3	6	< 1	1	1	3	5	6	13
2. MULTIPLE DX	249	5.0	26	1	2	3	7	11	15	26
A. Not Operated	71	3.3	9	1	1	3	4	6	10	17
B. Operated	470	3.6	18	< 1	1	2	4	8	11	21
TOTAL										
0-19 YRS	319	2.6	11	< 1	< 1	1	3	5	8	20
20-34	79	3.4	8	1	1	3	5	7	9	15
35-49	48	4.6	14	1	2	4	7	8	11	20
50-64	48	5.3	22	1	2	4	8	11	18	19
65 +	47	7.2	51	1	2	5	9	15	22	35
GRAND TOTAL	**541**	**3.5**	**17**	**< 1**	**1**	**2**	**4**	**8**	**11**	**21**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	5	1.6	2	< 1	< 1	1	2	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	12	2.4	2	< 1	1	2	3	4	5	5
50-64	14	3.6	8	1	2	3	4	7	11	12
65 +	10	3.9	9	1	2	3	4	8	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	1.5	1	< 1	< 1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	42	3.0	6	< 1	2	3	4	5	8	12
1. SINGLE DX	13	1.5	1	< 1	< 1	1	2	4	4	4
2. MULTIPLE DX	43	3.0	6	< 1	1	3	4	5	8	12
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	55	2.7	5	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	5	1.4		< 1	1	1	2	2	2	2
20-34	7	1.3		< 1	< 1	1	2	2	2	2
35-49	17	2.2	2	< 1	1	2	3	4	5	5
50-64	15	3.5	8	1	1	3	4	6	10	12
65 +	12	3.7	8	< 1	2	3	4	7	11	12
GRAND TOTAL	**56**	**2.7**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**	**12**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	8	3.0	4	< 1	1	3	5	6	6	6
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	145	3.4	1	2	3	3	4	4	5	6
35-49	474	3.6	1	3	3	4	4	5	5	6
50-64	84	3.7	1	3	3	4	4	5	6	7
65 +	5	3.6		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	36	1.9	2	< 1	< 1	1	3	4	5	5
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	682	3.8	2	3	3	4	4	5	6	9
35-49	4929	3.8	2	3	3	4	4	5	6	8
50-64	848	4.0	2	3	3	4	4	5	6	9
65 +	134	4.8	4	3	4	4	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.4	3	< 1	1	2	4	5	6	6
B. Operated	709	3.5	1	3	3	4	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	42	2.2	3	< 1	1	2	3	5	6	8
B. Operated	6596	3.9	2	3	3	4	4	5	6	9
1. SINGLE DX	721	3.5	1	3	3	4	4	4	5	6
2. MULTIPLE DX	6638	3.8	2	3	3	4	4	5	6	9
A. Not Operated	54	2.3	3	< 1	1	2	3	5	6	8
B. Operated	7305	3.8	2	3	3	4	4	5	6	9
TOTAL										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	831	3.7	2	2	3	4	4	5	6	9
35-49	5447	3.8	2	3	3	4	4	5	6	8
50-64	937	4.0	2	3	3	4	4	5	6	9
65 +	140	4.7	4	3	4	4	5	7	9	13
GRAND TOTAL	**7359**	**3.8**	**2**	**3**	**3**	**4**	**4**	**5**	**6**	**9**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	3.3	1	2	3	3	4	5	5	5
35-49	11	3.1	1	2	3	3	4	4	4	4
50-64	6	3.2	1	< 1	3	3	4	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	17	4.2	3	3	4	4	4	5	8	10
35-49	141	4.0	3	3	3	4	4	5	5	11
50-64	24	4.2	1	3	4	4	5	5	6	7
65 +	10	6.7	7	4	5	6	7	10	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	24	3.3	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	192	4.2	3	3	3	4	4	5	7	12
1. SINGLE DX	24	3.3	1	2	3	3	4	4	5	6
2. MULTIPLE DX	192	4.2	3	3	3	4	4	5	7	12
A. Not Operated	0									
B. Operated	216	4.1	3	3	3	4	4	5	6	11
TOTAL										
0-19 YRS	0									
20-34	23	4.0	2	3	3	4	4	5	7	10
35-49	152	3.9	3	3	3	4	4	5	5	10
50-64	30	4.0	1	3	4	4	4	5	5	7
65 +	11	6.6	6	4	5	6	7	10	13	13
GRAND TOTAL	**216**	**4.1**	**3**	**3**	**3**	**4**	**4**	**5**	**6**	**11**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	49	3.2	1	2	3	3	4	4	4	6
20-34	205	3.1	1	2	3	3	4	4	4	6
35-49	105	3.3	1	2	3	3	4	5	5	6
50-64	42	3.8	3	2	3	3	4	6	7	11
65 +	24	3.9	1	3	3	4	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	59	3.6	2	2	3	3	4	5	6	7
20-34	328	3.7	6	2	3	3	4	5	6	10
35-49	461	3.9	2	3	3	4	4	5	6	10
50-64	248	4.5	5	3	3	4	5	7	9	13
65 +	231	5.8	18	3	4	5	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	425	3.3	1	2	3	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	5	3.0	5	< 1	1	3	4	6	6	6
B. Operated	1327	4.3	7	3	3	4	5	6	7	12
1. SINGLE DX	425	3.3	1	2	3	3	4	4	5	7
2. MULTIPLE DX	1332	4.3	7	3	3	4	5	6	7	12
A. Not Operated	5	3.0	5	< 1	1	3	4	6	6	6
B. Operated	1752	4.0	6	3	3	4	4	6	7	12
TOTAL										
0-19 YRS	108	3.4	1	2	3	3	4	5	5	7
20-34	536	3.5	4	2	3	3	4	5	5	9
35-49	567	3.8	2	3	3	4	4	5	6	9
50-64	291	4.4	5	3	3	4	5	7	8	13
65 +	255	5.6	17	3	4	5	6	9	11	18
GRAND TOTAL	**1757**	**4.0**	**6**	**3**	**3**	**4**	**4**	**6**	**7**	**12**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	5.7	44	1	3	3	4	18	19	19
35-49	4	2.5	3	< 1	< 1	2	4	4	4	4
50-64	3	3.7	6	< 1	1	4	5	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	8	3.3	1	2	3	3	4	4	4	4
35-49	11	4.0	1	3	4	4	4	5	7	7
50-64	7	3.1	2	1	2	3	4	5	5	5
65+	7	4.7	5	1	3	5	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	14	4.1	21	< 1	1	3	4	7	16	19
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	33	3.8	2	2	3	4	4	6	7	7
1. SINGLE DX	14	4.1	21	< 1	1	3	4	7	16	19
2. MULTIPLE DX	34	3.7	2	2	3	4	4	6	7	7
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	47	3.9	7	1	3	4	4	6	7	19
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	4.3	19	2	3	3	4	6	16	19
35-49	16	3.4	2	1	2	4	4	4	6	7
50-64	10	3.3	3	< 1	2	3	4	5	6	6
65+	7	4.7	5	1	3	5	7	7	7	7
GRAND TOTAL	**48**	**3.8**	**7**	**1**	**3**	**4**	**4**	**6**	**7**	**19**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	4.0	13	1	1	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	4	3.5	10	1	1	2	5	8	8	8
1. SINGLE DX	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX	5	3.0	9	1	1	2	4	8	8	8
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	8	2.5	5	1	1	2	3	6	8	8
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65+	3	4.0	13	1	1	3	7	8	8	8
GRAND TOTAL	**9**	**2.3**	**5**	**1**	**1**	**2**	**2**	**6**	**8**	**8**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	6.0	3	4	5	7	7	7	7	7
35-49	4	5.0	14	1	2	4	7	10	10	10
50-64	9	2.6	5	1	1	1	4	6	7	7
65 +	4	5.0	7	1	3	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	4.6	2	3	4	4	5	7	7	7
35-49	6	7.2	9	5	6	6	7	12	13	13
50-64	19	6.6	46	1	1	4	9	16	22	26
65 +	34	6.2	32	1	1	5	10	14	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	20	4.1	8	1	1	4	6	7	9	10
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	65	6.3	31	1	2	5	9	13	19	25
1. SINGLE DX	20	4.1	8	1	1	4	6	7	9	10
2. MULTIPLE DX	65	6.3	31	1	2	5	9	13	19	25
A. Not Operated	0									
B. Operated	85	5.8	26	1	2	5	8	13	16	24
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	5.1	3	3	4	5	7	7	7	7
35-49	10	6.3	11	2	5	6	7	11	13	13
50-64	28	5.3	35	1	1	3	8	13	19	26
65 +	38	6.1	30	1	1	5	9	13	19	21
GRAND TOTAL	**85**	**5.8**	**26**	**1**	**2**	**5**	**8**	**13**	**16**	**24**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	3	3.3	1	2	2	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	8	2.0	2	< 1	1	2	3	4	4	4
1. SINGLE DX	7	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX	8	2.0	2	< 1	1	2	3	4	4	4
A. Not Operated	0									
B. Operated	15	1.5	1	< 1	< 1	1	2	4	4	4
TOTAL										
0-19 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	1.0		1	1	1	1	1	1	1
65 +	3	3.3	1	2	2	4	4	4	4	4
GRAND TOTAL	**15**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**4**	**4**	**4**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.0		3	3	3	3	3	3	3
50-64	7	4.0	4	1	3	4	5	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	16	6.3	6	3	4	6	8	10	10	10
20-34	24	5.8	10	4	5	5	6	7	12	19
35-49	63	6.6	14	2	4	6	8	13	15	17
50-64	40	6.2	6	3	5	6	7	10	11	13
65 +	23	7.5	31	2	4	6	8	17	20	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	2	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	2.4	3	< 1	< 1	2	3	5	5	5
50-64	7	5.6	12	1	2	8	8	9	9	9
65 +	35	6.7	12	3	4	6	9	12	13	15
B. Operated										
0-19 YRS	23	9.1	32	3	5	8	11	18	22	23
20-34	31	7.8	9	4	6	7	10	12	13	13
35-49	88	9.4	79	4	5	7	11	17	25	56
50-64	94	11.1	97	5	6	9	12	21	26	60
65 +	141	11.4	71	5	6	9	14	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.3	3	1	2	3	4	6	7	7
B. Operated	166	6.5	13	3	5	6	8	11	14	19
2. MULTIPLE DX										
A. Not Operated	53	5.7	12	1	3	5	8	11	12	15
B. Operated	377	10.5	73	4	6	8	12	19	24	46
1. SINGLE DX	178	6.3	13	3	4	6	7	11	13	19
2. MULTIPLE DX	430	9.9	68	4	5	8	12	18	24	43
A. Not Operated	65	5.3	11	1	3	5	8	11	12	15
B. Operated	543	9.2	58	4	5	7	11	17	22	42
TOTAL										
0-19 YRS	44	7.3	24	3	4	6	9	13	18	23
20-34	57	6.8	10	4	5	6	9	11	13	19
35-49	159	8.0	53	3	4	6	9	13	18	46
50-64	148	9.2	70	3	5	7	10	16	22	43
65 +	200	10.1	60	4	5	8	12	18	23	42
GRAND TOTAL	**608**	**8.8**	**54**	**3**	**5**	**7**	**10**	**16**	**21**	**42**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.5	2	1	1	2	3	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	19	1.6		1	1	1	2	3	3	3
20-34	97	1.7		1	1	2	2	2	3	4
35-49	156	1.6	1	1	1	1	2	2	3	7
50-64	80	1.6	1	1	1	2	2	2	3	4
65 +	36	1.9		1	2	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	2	5.5	13	3	3	5	8	8	8	8
B. Operated										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	34	1.9	1	1	1	2	2	3	3	4
35-49	99	1.8	1	1	1	2	2	3	3	4
50-64	75	2.8	47	1	1	2	3	3	3	47
65 +	72	2.5	5	1	1	2	3	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.2	2	1	1	2	3	4	5	5
B. Operated	388	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	7	3.0	6	< 1	1	3	3	7	8	8
B. Operated	286	2.3	14	1	1	2	2	3	4	10
1. SINGLE DX	399	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX	293	2.3	14	1	1	2	2	3	4	10
A. Not Operated	18	2.5	3	1	1	2	3	5	7	8
B. Operated	674	1.9	6	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	27	1.6		1	1	1	2	2	3	3
20-34	133	1.7		1	1	2	2	2	3	4
35-49	263	1.7	1	1	1	2	2	3	3	5
50-64	158	2.2	23	1	1	2	2	3	3	5
65 +	111	2.4	4	1	2	2	2	4	5	13
GRAND TOTAL	**692**	**1.9**	**6**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	2.5		2	2	2	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	24	4.5	2	2	4	5	5	6	7	7
35-49	30	3.9	3	2	3	4	5	6	7	8
50-64	33	3.9	4	2	2	3	6	7	8	8
65 +	16	5.4	27	2	2	4	6	12	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.5	4	1	2	3	5	6	6	6
35-49	5	5.8	14	1	3	5	9	10	10	10
50-64	10	4.6	14	1	2	4	5	10	14	14
65 +	6	6.8	27	1	3	6	8	15	16	16
B. Operated										
0-19 YRS	8	10.3	46	2	5	9	16	19	20	20
20-34	54	7.3	42	3	4	6	8	12	21	41
35-49	88	5.0	16	2	2	4	6	9	14	21
50-64	127	4.9	16	2	2	3	6	10	14	21
65 +	130	5.2	33	2	2	3	6	10	15	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.4	6	1	2	3	5	7	8	8
B. Operated	107	4.3	7	2	2	4	5	7	7	17
2. MULTIPLE DX										
A. Not Operated	27	5.1	14	1	2	4	7	10	14	16
B. Operated	407	5.4	26	2	2	4	7	11	14	24
1. SINGLE DX	114	4.2	7	2	2	4	5	7	8	16
2. MULTIPLE DX	434	5.4	26	2	2	4	7	11	14	24
A. Not Operated	34	4.7	13	1	2	4	6	9	13	16
B. Operated	514	5.2	23	2	2	4	6	10	14	23
TOTAL										
0-19 YRS	12	8.4	38	2	4	7	12	19	20	20
20-34	86	6.2	29	2	4	5	7	11	13	35
35-49	127	4.7	13	2	2	4	6	9	11	21
50-64	171	4.7	14	2	2	3	6	9	12	21
65 +	152	5.3	32	2	2	3	6	11	16	30
GRAND TOTAL	**548**	**5.2**	**22**	**2**	**2**	**4**	**6**	**10**	**14**	**23**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	90	3.3	9	2	3	3	4	4	5	20
35-49	71	3.0	1	2	2	3	4	4	5	6
50-64	22	3.0	2	1	2	3	4	5	5	6
65 +	5	4.4	3	2	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	175	3.3	2	2	3	3	4	5	5	8
35-49	181	3.6	3	2	3	3	4	5	5	12
50-64	55	4.4	10	3	3	4	4	7	9	21
65 +	42	3.7	1	2	3	4	5	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	188	3.2	5	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	454	3.6	3	2	3	3	4	5	6	9
1. SINGLE DX	190	3.2	5	2	2	3	4	4	5	6
2. MULTIPLE DX	456	3.6	3	2	3	3	4	5	6	9
A. Not Operated	4	1.8		1	1	2	2	2	2	2
B. Operated	642	3.5	4	2	3	3	4	5	5	9
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	266	3.3	4	2	3	3	4	5	5	8
35-49	253	3.4	2	2	3	3	4	5	5	9
50-64	77	4.0	8	2	3	4	4	6	8	19
65 +	49	3.7	1	2	3	4	5	5	6	6
GRAND TOTAL	**646**	**3.5**	**4**	**2**	**3**	**3**	**4**	**5**	**5**	**9**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.1	4	< 1	2	3	4	6	7	7
35-49	53	2.2	1	1	1	2	3	4	4	4
50-64	72	2.4	2	1	1	2	3	4	6	7
65 +	55	2.9	4	1	1	3	4	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	4.0	6	2	2	3	5	8	9	9
35-49	72	3.3	5	1	2	3	4	5	8	12
50-64	124	4.5	24	2	2	3	5	8	12	31
65 +	225	5.2	17	2	2	4	7	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	190	2.6	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	6	1.8	1	< 1	1	1	2	4	4	4
B. Operated	433	4.7	17	2	2	3	6	10	12	19
1. SINGLE DX	190	2.6	3	1	1	2	3	4	6	8
2. MULTIPLE DX	439	4.6	17	2	2	3	6	10	12	19
A. Not Operated	6	1.8	1	< 1	1	1	2	4	4	4
B. Operated	623	4.0	14	1	2	3	4	8	11	18
TOTAL										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	21	3.4	5	1	2	3	4	7	8	9
35-49	125	2.8	4	1	2	2	3	4	6	12
50-64	198	3.7	17	1	2	3	4	7	10	23
65 +	282	4.8	15	1	2	3	7	10	13	18
GRAND TOTAL	**629**	**4.0**	**14**	**1**	**2**	**3**	**4**	**8**	**11**	**18**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.5	6	< 1	1	2	3	7	9	9
20-34	10	2.5	2	< 1	1	2	4	4	4	4
35-49	16	1.9	2	< 1	1	2	3	4	5	5
50-64	7	3.1	2	1	2	3	4	6	6	6
65 +	14	2.1	7	< 1	< 1	1	2	4	9	11
B. Operated										
0-19 YRS	69	3.3	8	< 1	1	2	5	7	9	14
20-34	85	3.9	13	1	1	3	5	7	11	20
35-49	73	3.7	19	1	1	3	5	6	7	30
50-64	63	3.8	17	1	1	2	5	8	9	26
65 +	56	4.1	7	1	2	3	6	8	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.0	30	1	2	3	4	5	13	29
20-34	26	4.2	9	1	2	4	5	9	10	12
35-49	34	5.1	25	1	2	3	6	12	17	21
50-64	46	6.0	40	1	2	3	10	16	20	26
65 +	127	4.9	25	1	2	3	7	11	13	25
B. Operated										
0-19 YRS	86	12.5	224	2	4	7	15	33	48	89
20-34	84	6.4	26	2	3	4	8	15	16	25
35-49	128	6.4	27	2	3	5	7	12	17	31
50-64	155	7.8	108	2	3	5	9	14	22	69
65 +	306	7.5	49	2	4	6	9	13	17	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.3	4	< 1	1	2	3	4	6	11
B. Operated	346	3.7	13	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	257	4.9	26	1	2	3	6	11	15	26
B. Operated	759	7.8	77	2	3	6	9	15	21	55
1. SINGLE DX	405	3.5	12	1	1	3	5	7	9	15
2. MULTIPLE DX	1016	7.1	66	1	3	5	9	14	19	44
A. Not Operated	316	4.5	23	1	1	3	5	11	14	23
B. Operated	1105	6.5	61	1	3	5	8	13	17	42
TOTAL										
0-19 YRS	191	7.5	128	1	2	4	7	17	33	69
20-34	205	4.9	18	1	2	4	6	11	15	23
35-49	251	5.1	25	1	2	4	6	10	15	30
50-64	271	6.4	75	1	2	4	7	13	20	39
65 +	503	6.3	39	1	3	5	8	12	15	29
GRAND TOTAL	**1421**	**6.1**	**53**	**1**	**2**	**4**	**7**	**12**	**16**	**38**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	9	2.3	9	1	1	1	2	7	10	10
20-34	77	1.7	1	1	1	2	2	3	3	5
35-49	168	1.8	1	1	1	2	2	3	3	5
50-64	96	2.0	2	1	1	2	2	3	3	8
65 +	36	1.9	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	1.9	2	< 1	< 1	1	2	4	5	5
50-64	3	2.7	2	< 1	1	3	4	4	4	4
65 +	6	4.2	11	1	1	3	7	9	9	9
B. Operated										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	36	2.6	7	1	2	2	3	3	6	17
35-49	66	2.2	2	1	2	2	2	3	4	9
50-64	84	2.8	6	1	1	2	3	4	7	16
65 +	92	3.4	13	1	2	2	4	6	10	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	386	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	16	2.9	6	< 1	1	2	4	7	8	9
B. Operated	283	2.8	7	1	2	2	3	4	7	18
1. SINGLE DX	388	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	299	2.8	7	1	2	2	3	4	7	18
A. Not Operated	18	2.7	5	< 1	1	2	4	6	8	9
B. Operated	669	2.3	4	1	1	2	2	3	5	11
TOTAL										
0-19 YRS	14	2.3	5	1	1	2	2	4	9	10
20-34	113	2.0	3	1	1	2	2	3	3	11
35-49	242	1.9	1	1	1	2	2	3	3	5
50-64	184	2.3	4	1	1	2	3	3	5	12
65 +	134	3.0	10	1	2	2	3	5	8	22
GRAND TOTAL	**687**	**2.3**	**4**	**1**	**1**	**2**	**2**	**3**	**5**	**11**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	10	1.5		1	1	1	2	2	2	2
35-49	13	2.5	2	< 1	1	2	3	4	5	5
50-64	5	2.4	2	1	1	3	3	4	4	4
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	15	2.5	2	1	2	2	3	5	5	5
20-34	59	2.2	2	1	1	2	3	4	5	8
35-49	74	2.2	6	1	1	2	2	3	4	18
50-64	33	1.8	1	1	1	2	2	3	3	5
65 +	19	2.0	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.9	6	1	1	2	4	7	8	8
20-34	52	3.3	7	1	2	3	4	6	9	12
35-49	71	4.9	19	1	2	3	6	9	15	22
50-64	71	6.2	81	2	2	4	8	9	10	60
65 +	129	6.8	29	2	3	6	8	12	21	26
B. Operated										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	38	3.0	3	1	2	3	4	6	7	10
35-49	73	4.3	26	1	2	2	4	11	15	27
50-64	40	6.4	82	1	2	3	7	16	22	51
65 +	51	6.3	35	2	2	4	9	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.1	1	1	1	2	3	4	4	5
B. Operated	200	2.2	3	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	331	5.6	35	1	2	4	7	10	15	26
B. Operated	208	4.9	36	1	2	3	5	11	16	29
1. SINGLE DX	233	2.2	3	1	1	2	2	3	4	6
2. MULTIPLE DX	539	5.3	35	1	2	4	7	10	15	28
A. Not Operated	364	5.3	33	1	2	4	7	10	13	26
B. Operated	408	3.6	21	1	2	2	3	7	12	24
TOTAL										
0-19 YRS	32	2.5	3	1	1	2	3	5	5	8
20-34	159	2.7	4	1	2	2	3	5	6	12
35-49	231	3.7	17	1	2	2	4	8	12	23
50-64	149	5.2	64	1	2	3	5	9	13	51
65 +	201	6.2	29	2	3	4	8	12	19	27
GRAND TOTAL	**772**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**12**	**25**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	3.4	3	1	2	3	4	5	6	12
20-34	22	3.2	5	1	2	3	3	5	8	11
35-49	29	3.7	17	1	2	2	4	9	14	18
50-64	15	4.9	16	2	2	4	6	7	15	18
65 +	4	3.3	5	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	5.5	5	4	4	5	7	7	7	7
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	4.4	6	2	3	4	5	8	9	12
20-34	54	3.6	4	1	2	3	4	6	7	9
35-49	76	3.5	6	1	2	3	5	6	8	13
50-64	119	4.5	16	1	2	3	5	9	14	21
65 +	134	5.6	14	2	3	5	7	11	14	21
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	8.6	40	1	4	8	11	18	21	21
35-49	16	6.4	8	3	4	7	8	10	11	11
50-64	43	7.6	29	2	3	8	10	15	19	23
65 +	58	9.3	102	2	4	7	10	17	34	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	3.5	8	1	2	3	4	5	7	18
B. Operated	5	6.2	2	4	5	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	480	4.5	11	1	2	4	5	8	11	18
B. Operated	128	8.3	61	2	4	7	10	16	18	47
1. SINGLE DX	151	3.6	8	1	2	3	4	6	7	18
2. MULTIPLE DX	608	5.3	24	2	2	4	7	10	13	21
A. Not Operated	626	4.3	10	1	2	3	5	8	11	18
B. Operated	133	8.2	59	2	4	7	9	15	18	47
TOTAL										
0-19 YRS	174	3.9	5	2	2	4	5	6	8	12
20-34	87	4.1	11	1	2	3	5	8	10	19
35-49	122	4.0	10	1	2	3	5	8	11	15
50-64	179	5.3	21	1	2	4	7	11	16	22
65 +	197	6.6	43	2	3	5	8	12	16	45
GRAND TOTAL	**759**	**5.0**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	271	2.8	3	1	2	2	4	5	6	8
20-34	113	2.8	4	1	2	2	3	5	6	10
35-49	68	3.2	4	1	2	3	4	6	7	9
50-64	26	3.6	2	2	3	3	5	5	6	7
65 +	11	4.6	11	2	2	3	7	10	11	11
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	2.7	1	2	2	2	3	5	5	5
35-49	5	3.6	5	2	2	2	6	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	656	3.6	13	1	2	3	4	6	8	14
20-34	708	3.7	5	1	2	3	5	6	8	13
35-49	511	4.4	8	2	2	4	6	8	9	15
50-64	253	5.2	10	2	3	5	7	9	11	17
65 +	367	6.2	20	2	3	5	8	11	13	19
B. Operated										
0-19 YRS	25	8.0	48	3	3	7	9	18	24	30
20-34	107	8.3	98	2	3	5	9	19	30	57
35-49	95	8.4	52	3	4	7	10	17	19	43
50-64	80	10.9	77	4	6	8	14	20	25	52
65 +	56	15.8	190	5	7	12	18	35	49	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	489	3.0	3	1	2	2	4	5	7	9
B. Operated	16	3.0	3	2	2	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	2495	4.3	11	2	2	4	5	8	10	15
B. Operated	363	10.0	98	3	4	7	12	20	31	57
1. SINGLE DX	505	3.0	3	1	2	2	4	5	7	9
2. MULTIPLE DX	2858	5.0	26	2	2	4	6	9	13	23
A. Not Operated	2984	4.1	10	1	2	3	5	8	9	14
B. Operated	379	9.7	96	2	4	7	12	19	30	56
TOTAL										
0-19 YRS	953	3.5	12	1	2	3	4	6	8	14
20-34	935	4.1	18	1	2	3	5	7	9	21
35-49	679	4.8	15	2	3	4	6	9	11	18
50-64	361	6.4	30	2	3	5	7	12	16	25
65 +	435	7.4	51	2	4	6	9	13	18	48
GRAND TOTAL	**3363**	**4.7**	**23**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.6	11	1	2	3	8	9	9	9
35-49	24	6.5	27	2	3	5	8	12	17	26
50-64	42	6.8	23	2	3	5	9	14	17	20
65 +	84	7.9	44	2	3	6	10	18	21	34
B. Operated										
0-19 YRS	0									
20-34	29	12.5	178	2	5	10	12	34	52	52
35-49	135	16.1	191	4	7	11	22	35	52	66
50-64	299	13.2	156	3	5	9	16	29	38	73
65 +	523	13.3	126	4	7	10	16	26	35	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	1	1	1	3	3	3	3	3
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	157	7.3	34	2	3	6	9	14	19	29
B. Operated	986	13.6	146	3	6	10	16	28	39	70
1. SINGLE DX	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX	1143	12.7	135	3	6	9	16	27	36	64
A. Not Operated	160	7.2	34	2	3	6	9	14	19	29
B. Operated	987	13.6	146	3	6	10	16	28	39	70
TOTAL										
0-19 YRS	0									
20-34	36	10.9	154	2	3	8	11	25	48	52
35-49	159	14.6	178	3	6	10	21	32	49	61
50-64	343	12.3	144	3	5	9	16	28	36	71
65 +	609	12.5	118	3	6	10	15	24	34	66
GRAND TOTAL	**1147**	**12.7**	**135**	**3**	**6**	**9**	**16**	**27**	**36**	**64**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	3.5	4	2	2	3	4	5	7	12
20-34	74	2.6	2	1	1	2	3	4	6	8
35-49	83	2.7	2	1	2	2	4	5	6	7
50-64	97	3.1	5	1	2	3	4	5	6	13
65 +	70	4.5	53	1	2	3	5	7	8	52
B. Operated										
0-19 YRS	0									
20-34	7	3.1	3	1	2	2	5	5	5	5
35-49	5	15.2	605	2	3	4	21	59	59	59
50-64	9	3.9	23	1	2	2	4	12	16	16
65 +	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	3.5	4	1	2	3	4	6	7	10
20-34	505	3.8	8	1	2	3	5	7	9	14
35-49	750	4.4	12	1	2	4	6	8	11	16
50-64	988	4.8	16	2	2	4	6	9	12	19
65 +	1470	5.5	18	2	3	4	7	10	12	23
B. Operated										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	212	7.9	102	1	2	5	9	17	25	65
35-49	424	8.0	77	1	3	6	11	17	23	52
50-64	576	8.9	91	1	3	6	12	18	26	49
65 +	507	9.9	97	1	3	7	13	21	31	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	440	3.3	12	1	2	3	4	5	7	10
B. Operated	23	6.3	143	1	2	3	5	10	31	59
2. MULTIPLE DX										
A. Not Operated	3906	4.8	15	2	2	4	6	9	11	19
B. Operated	1723	8.8	91	1	3	6	11	19	26	51
1. SINGLE DX	463	3.4	18	1	2	3	4	5	7	13
2. MULTIPLE DX	5629	6.0	42	2	3	4	7	12	16	34
A. Not Operated	4346	4.7	15	2	2	4	6	8	11	18
B. Operated	1746	8.8	92	1	3	6	11	18	26	53
TOTAL										
0-19 YRS	313	3.5	4	1	2	3	4	6	7	10
20-34	798	4.7	36	1	2	3	6	9	12	28
35-49	1262	5.6	39	1	2	4	7	11	16	30
50-64	1670	6.1	46	1	2	4	7	12	17	34
65 +	2049	6.6	43	2	3	5	8	12	17	38
GRAND TOTAL	**6092**	**5.8**	**40**	**1**	**2**	**4**	**7**	**11**	**16**	**33**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	1.4	1	< 1	< 1	1	2	3	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.5	9	2	2	2	5	8	8	8
20-34	9	2.6	1	1	2	3	3	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	6.1	12	2	3	6	8	11	12	12
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	51	3.6	2	2	3	3	4	6	6	8
35-49	24	4.1	2	3	4	4	5	6	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.4	1	< 1	< 1	1	1	3	4	4
B. Operated	15	2.9	3	1	2	3	4	4	7	8
2. MULTIPLE DX										
A. Not Operated	10	6.9	13	2	3	7	9	12	12	12
B. Operated	80	3.7	2	2	3	4	4	6	6	8
1. SINGLE DX	25	2.3	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX	90	4.1	4	2	3	4	5	7	8	12
A. Not Operated	20	4.2	14	< 1	1	2	7	10	12	12
B. Operated	95	3.6	2	2	3	4	4	5	6	8
TOTAL										
0-19 YRS	9	3.2	4	2	2	3	3	6	8	8
20-34	77	3.5	4	1	2	3	4	6	7	11
35-49	29	4.3	5	2	3	4	5	7	8	12
50-64	0									
65 +	0									
GRAND TOTAL	**115**	**3.7**	**4**	**1**	**3**	**3**	**4**	**6**	**8**	**12**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	1.6	2	1	1	1	2	3	5	7
20-34	21	2.3	2	1	1	2	3	4	5	7
35-49	20	2.0	1	1	1	2	3	4	4	4
50-64	7	2.6	4	1	1	1	5	5	5	5
65 +	20	2.3	4	< 1	1	1	3	5	7	8
B. Operated										
0-19 YRS	10	4.0	7	1	2	3	6	8	10	10
20-34	7	3.9	7	< 1	1	4	6	8	8	8
35-49	14	3.1	4	< 1	2	3	4	6	7	7
50-64	9	5.2	15	2	3	4	6	12	14	14
65 +	6	2.8	3	2	2	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	3.4	22	1	1	2	4	8	10	20
20-34	109	3.6	12	1	1	2	5	7	10	18
35-49	179	3.7	11	1	1	3	5	8	11	16
50-64	276	3.8	9	1	2	3	5	8	11	13
65 +	837	4.7	14	1	2	4	6	9	12	19
B. Operated										
0-19 YRS	16	8.8	86	3	3	4	11	27	28	28
20-34	38	9.8	192	2	5	7	10	15	26	86
35-49	68	6.9	98	1	2	4	8	17	28	94
50-64	78	7.7	238	1	3	4	7	15	31	99 +
65 +	124	9.2	80	2	3	7	11	22	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	1.9	2	1	1	1	3	4	5	8
B. Operated	46	3.8	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1576	4.2	14	1	2	3	5	9	12	18
B. Operated	324	8.4	135	2	3	5	10	17	28	94
1. SINGLE DX	190	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1900	4.9	37	1	2	3	6	10	14	28
A. Not Operated	1720	4.0	13	1	2	3	5	8	11	18
B. Operated	370	7.8	121	2	3	5	9	16	27	91
TOTAL										
0-19 YRS	277	3.2	22	1	1	2	3	7	10	26
20-34	175	4.8	56	1	1	3	6	9	13	29
35-49	281	4.3	33	1	2	3	5	9	12	33
50-64	370	4.6	60	1	2	3	5	9	11	32
65 +	987	5.2	24	1	2	4	6	11	14	26
GRAND TOTAL	**2090**	**4.7**	**34**	**1**	**2**	**3**	**6**	**9**	**13**	**27**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	0									
35-49	3	8.7	10	5	6	10	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	7.2	35	2	3	6	9	15	19	96
20-34	25	10.4	90	3	5	9	12	20	28	47
35-49	24	7.9	42	2	3	5	11	20	22	23
50-64	30	7.1	26	2	3	5	10	13	19	20
65 +	145	7.2	25	2	4	6	10	13	18	30
B. Operated										
0-19 YRS	36	7.6	61	2	4	5	7	28	29	99 +
20-34	10	7.7	31	< 1	2	7	12	15	15	15
35-49	18	9.4	68	1	4	7	13	19	28	34
50-64	34	11.2	86	2	4	8	19	21	27	43
65 +	127	10.6	141	1	3	7	14	22	29	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	7.0	11	3	4	8	10	11	11	11
B. Operated	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	279	7.5	35	2	4	6	10	15	20	44
B. Operated	225	10.0	110	1	4	7	13	21	29	62
1. SINGLE DX	8	7.5	11	3	4	8	10	11	11	11
2. MULTIPLE DX	504	8.6	70	2	4	6	11	18	25	57
A. Not Operated	286	7.5	34	2	4	6	10	15	19	43
B. Operated	226	10.0	109	1	4	7	13	21	29	62
TOTAL										
0-19 YRS	94	7.2	44	2	3	6	9	17	29	99 +
20-34	35	9.7	74	2	5	9	12	18	21	47
35-49	46	8.6	48	2	4	7	11	19	22	34
50-64	65	9.3	60	2	3	8	13	20	21	41
65 +	272	8.8	82	2	4	6	11	17	25	57
GRAND TOTAL	**512**	**8.6**	**69**	**2**	**4**	**6**	**11**	**18**	**24**	**57**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	7.6	34	< 1	3	7	11	14	21	24
20-34	17	11.6	14	8	10	11	13	15	20	22
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	9.3	26	5	6	8	11	17	22	23
20-34	15	11.6	17	7	7	14	15	16	17	17
35-49	3	12.3	4	10	11	13	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	291	9.6	26	2	6	10	13	15	19	23
20-34	103	12.4	27	5	9	13	15	19	22	25
35-49	19	13.7	34	7	9	14	17	23	25	27
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
B. Operated										
0-19 YRS	64	16.7	141	4	11	15	20	35	40	66
20-34	68	16.9	74	9	12	15	20	26	32	55
35-49	6	13.3	11	10	10	13	16	18	18	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	8.3	33	< 1	3	9	12	14	21	24
B. Operated	31	10.7	20	6	7	10	14	16	17	23
2. MULTIPLE DX										
A. Not Operated	414	10.5	28	3	7	11	14	17	20	24
B. Operated	138	16.6	102	8	11	15	20	26	36	61
1. SINGLE DX	144	8.8	31	2	3	9	13	15	20	24
2. MULTIPLE DX	552	12.0	54	4	8	12	15	20	23	37
A. Not Operated	527	10.0	30	3	6	10	14	17	20	24
B. Operated	169	15.5	92	7	10	14	18	25	34	59
TOTAL										
0-19 YRS	463	10.2	51	2	5	10	14	17	21	37
20-34	203	13.8	45	7	10	14	16	21	25	34
35-49	29	13.3	25	7	10	13	16	20	23	27
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
GRAND TOTAL	**696**	**11.4**	**51**	**3**	**7**	**11**	**14**	**20**	**22**	**36**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	5.2	5	2	3	5	6	9	10	10
35-49	19	3.9	3	2	2	4	5	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	31.0		31	31	31	31	31	31	31
20-34	3	6.0	21	2	3	5	9	11	11	11
35-49	12	7.3	95	1	2	3	8	25	31	32
50-64	5	2.0	5	1	1	1	3	6	6	6
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	35	5.2	7	2	3	5	6	8	12	14
35-49	69	6.6	20	3	4	6	7	9	11	29
50-64	23	6.3	7	3	5	7	8	10	11	11
65 +	6	8.2	7	6	6	7	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	4	3	3	5	6	7	7	7
B. Operated	40	4.6	4	2	3	5	6	7	9	10
2. MULTIPLE DX										
A. Not Operated	24	7.5	106	1	1	2	8	31	31	32
B. Operated	133	6.2	14	3	4	6	7	9	11	23
1. SINGLE DX	43	4.7	4	2	3	5	6	7	8	10
2. MULTIPLE DX	157	6.4	28	2	3	6	7	9	14	31
A. Not Operated	27	7.2	95	1	2	3	7	29	31	32
B. Operated	173	5.9	12	2	4	6	7	9	11	21
TOTAL										
0-19 YRS	3	23.0	192	7	13	31	31	31	31	31
20-34	58	5.3	7	2	3	5	6	9	11	14
35-49	102	6.1	26	2	3	6	7	9	15	31
50-64	29	5.6	9	1	3	6	8	9	11	11
65 +	8	6.5	15	1	4	7	8	12	13	13
GRAND TOTAL	**200**	**6.1**	**23**	**2**	**3**	**5**	**7**	**9**	**12**	**31**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.6	4	< 1	1	2	3	6	7	9
20-34	37	1.6	2	< 1	< 1	< 1	2	3	5	6
35-49	13	2.1	1	1	1	2	3	4	4	4
50-64	6	2.5	5	1	1	2	2	7	7	7
65 +	8	3.0	4	< 1	1	2	5	6	6	6
B. Operated										
0-19 YRS	22	4.4	20	< 1	1	2	6	13	15	15
20-34	5	1.8	3	1	1	1	2	5	5	5
35-49	20	2.8	6	1	1	2	3	6	9	10
50-64	13	1.8	1	1	1	1	3	3	4	4
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	4.8	32	1	2	3	5	10	15	34
20-34	53	3.8	11	1	2	2	5	8	12	14
35-49	80	5.2	28	1	2	4	7	9	13	33
50-64	117	6.4	31	1	3	5	7	13	17	30
65 +	231	5.6	17	2	3	4	7	11	13	23
B. Operated										
0-19 YRS	37	12.7	320	1	3	5	11	48	57	70
20-34	15	4.7	14	1	2	5	7	9	13	14
35-49	64	6.0	65	1	2	4	6	12	23	47
50-64	80	7.2	70	1	3	4	8	14	29	40
65 +	102	9.7	65	3	5	8	13	17	21	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	2.2	3	< 1	1	2	3	5	6	9
B. Operated	62	3.1	10	1	1	2	3	7	11	15
2. MULTIPLE DX										
A. Not Operated	636	5.3	25	1	2	4	7	11	14	27
B. Operated	298	8.4	99	2	3	5	9	17	28	55
1. SINGLE DX	182	2.5	6	< 1	1	2	3	5	7	14
2. MULTIPLE DX	934	6.3	50	1	2	4	8	12	17	40
A. Not Operated	756	4.8	22	1	2	3	6	10	13	25
B. Operated	360	7.5	88	1	2	5	9	15	26	49
TOTAL										
0-19 YRS	270	5.4	73	1	2	3	6	11	16	48
20-34	110	3.1	9	< 1	1	2	4	7	10	14
35-49	177	5.0	38	1	2	3	6	9	15	36
50-64	216	6.3	45	1	2	4	7	13	21	35
65 +	343	6.7	35	2	3	5	9	13	17	29
GRAND TOTAL	**1116**	**5.7**	**45**	**1**	**2**	**4**	**7**	**11**	**16**	**37**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	2.6	3	1	1	2	4	5	6	6
50-64	5	2.2	1	1	1	2	3	4	4	4
65 +	9	3.3	7	1	1	2	6	7	8	8
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	2	8.0	50	3	3	8	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	8	4.3	7	1	2	4	6	8	9	9
35-49	28	3.5	3	1	2	3	5	6	6	7
50-64	38	3.8	3	2	3	4	4	6	8	9
65 +	116	5.5	25	2	3	4	6	10	12	31
B. Operated										
0-19 YRS	0									
20-34	2	23.0	800	3	3	23	43	43	43	43
35-49	5	6.2	12	3	4	6	8	12	12	12
50-64	16	3.8	10	1	2	3	4	7	12	14
65 +	34	7.4	19	2	4	8	10	14	15	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.8	4	1	1	2	4	6	7	8
B. Operated	9	4.2	14	1	2	3	5	11	13	13
2. MULTIPLE DX										
A. Not Operated	192	4.8	17	2	3	4	6	8	10	27
B. Operated	57	6.8	41	2	3	5	9	14	15	41
1. SINGLE DX	33	3.2	7	1	1	2	4	6	8	13
2. MULTIPLE DX	249	5.3	23	2	3	4	6	9	12	29
A. Not Operated	216	4.6	16	1	2	4	6	8	10	26
B. Operated	66	6.5	38	2	3	5	9	13	14	39
TOTAL										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	12	7.0	133	1	2	3	6	19	40	43
35-49	46	3.6	5	1	2	3	5	6	7	12
50-64	61	3.6	5	1	2	3	4	6	8	13
65 +	161	5.8	23	2	3	4	7	10	13	28
GRAND TOTAL	**282**	**5.0**	**22**	**2**	**3**	**4**	**6**	**9**	**12**	**27**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.3	7	1	1	2	3	4	4	18
20-34	19	2.5	2	< 1	1	2	4	5	6	6
35-49	14	2.4	2	1	1	2	4	4	6	6
50-64	12	2.3	2	1	1	2	3	4	6	6
65 +	31	4.4	54	1	1	2	4	8	22	37
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2312	2.8	14	1	1	2	3	5	7	17
20-34	603	2.9	5	1	1	2	4	5	7	12
35-49	802	3.5	12	1	2	3	4	7	9	17
50-64	1237	4.1	12	1	2	3	5	7	10	16
65 +	5248	5.3	21	2	3	4	6	10	12	21
B. Operated										
0-19 YRS	87	11.6	186	2	4	7	14	29	36	95
20-34	99	5.9	79	1	2	3	6	12	15	60
35-49	149	7.2	83	1	2	5	8	15	31	45
50-64	189	7.8	71	2	3	5	10	17	25	35
65 +	655	9.5	63	3	5	7	12	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	2.7	15	1	1	2	3	4	6	23
B. Operated	4	2.8	6	< 1	< 1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	10202	4.3	18	1	2	3	5	8	11	19
B. Operated	1179	8.8	79	2	4	6	11	18	25	45
1. SINGLE DX	154	2.7	15	1	1	2	3	4	6	23
2. MULTIPLE DX	11381	4.8	26	1	2	3	6	9	13	25
A. Not Operated	10352	4.3	18	1	2	3	5	8	11	20
B. Operated	1183	8.8	79	2	4	6	11	18	25	45
TOTAL										
0-19 YRS	2473	3.1	23	1	1	2	3	5	8	21
20-34	722	3.3	16	1	2	2	4	6	8	16
35-49	967	4.1	24	1	2	3	5	8	10	31
50-64	1439	4.5	21	1	2	3	6	9	11	24
65 +	5934	5.7	28	2	3	4	7	11	14	26
GRAND TOTAL	**11535**	**4.7**	**26**	**1**	**2**	**3**	**6**	**9**	**12**	**25**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.1	1	< 1	1	2	3	4	4	4
20-34	5	4.6	9	1	2	6	7	8	8	8
35-49	7	2.1	2	1	1	2	3	5	5	5
50-64	6	1.7		1	1	2	2	2	2	2
65 +	9	2.1	2	< 1	1	1	3	4	4	4
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.9	5	1	1	2	4	6	7	12
20-34	25	3.4	10	1	2	2	4	8	11	14
35-49	95	3.7	7	1	2	3	5	7	9	15
50-64	82	3.8	9	1	2	3	5	8	10	13
65 +	348	4.1	12	1	2	3	5	8	11	18
B. Operated										
0-19 YRS	8	3.8	4	1	2	3	5	7	7	7
20-34	14	4.9	19	1	2	3	6	12	14	14
35-49	30	4.3	6	2	3	4	5	8	9	11
50-64	38	5.9	10	3	4	5	8	11	12	16
65 +	139	6.7	36	2	3	5	8	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.4	3	1	1	2	3	5	6	8
B. Operated	10	2.6	1	1	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	589	3.9	10	1	2	3	5	7	10	17
B. Operated	229	6.0	26	2	3	5	7	11	15	21
1. SINGLE DX	48	2.4	2	1	1	2	3	4	6	8
2. MULTIPLE DX	818	4.5	16	1	2	3	6	9	11	19
A. Not Operated	627	3.8	10	1	2	3	5	7	10	17
B. Operated	239	5.9	26	2	3	5	7	11	15	21
TOTAL										
0-19 YRS	60	2.9	4	1	1	2	4	6	7	12
20-34	45	4.0	12	1	2	3	5	10	12	14
35-49	137	3.7	6	1	2	3	5	7	9	14
50-64	128	4.3	10	1	2	4	6	9	11	14
65 +	496	4.8	20	1	2	4	6	9	13	20
GRAND TOTAL	**866**	**4.4**	**15**	**1**	**2**	**3**	**5**	**9**	**11**	**19**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	3.2	6	1	1	3	4	6	7	15
20-34	169	4.3	8	2	2	4	5	8	9	14
35-49	49	4.8	11	1	3	4	7	10	12	14
50-64	3	5.7	2	4	4	6	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	3	5.0	3	3	4	6	6	6	6	6
20-34	7	7.0	11	3	4	6	10	11	11	11
35-49	3	9.0	91	3	3	4	16	20	20	20
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	354	4.0	12	< 1	1	3	6	8	10	17
20-34	274	5.4	16	2	3	5	7	10	13	22
35-49	71	6.8	15	3	4	6	9	12	14	18
50-64	17	5.3	18	2	3	4	5	11	17	19
65 +	0									
B. Operated										
0-19 YRS	20	7.8	38	2	4	6	10	13	21	29
20-34	29	16.0	288	2	6	9	23	42	63	63
35-49	7	16.6	107	8	10	14	19	34	38	38
50-64	2	5.5	5	4	4	5	7	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	412	3.8	8	1	2	3	5	7	9	14
B. Operated	13	7.0	23	3	4	6	9	13	19	20
2. MULTIPLE DX										
A. Not Operated	716	4.8	15	< 1	2	4	6	9	12	19
B. Operated	58	12.9	183	2	5	9	14	30	45	63
1. SINGLE DX	425	3.9	9	1	2	3	5	7	9	15
2. MULTIPLE DX	774	5.4	32	< 1	2	4	7	10	14	28
A. Not Operated	1128	4.5	13	1	2	4	6	9	11	18
B. Operated	71	11.8	158	3	5	7	13	26	38	63
TOTAL										
0-19 YRS	568	3.9	12	< 1	1	3	5	8	10	17
20-34	479	5.7	36	2	3	4	7	10	13	29
35-49	130	6.6	25	2	3	5	9	13	16	24
50-64	22	5.4	15	2	4	5	6	9	15	19
65 +	0									
GRAND TOTAL	**1199**	**4.9**	**24**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	2.3	7	< 1	< 1	1	2	5	7	16
20-34	18	1.7	3	< 1	< 1	< 1	1	4	6	7
35-49	16	2.4	4	1	1	2	3	5	6	7
50-64	22	1.9	2	< 1	1	1	3	4	5	7
65 +	24	1.5	1	1	1	1	2	3	4	4
B. Operated										
0-19 YRS	39	3.6	4	2	2	3	4	6	7	13
20-34	7	9.0	201	1	3	5	5	34	41	41
35-49	8	6.5	100	1	2	3	5	23	31	31
50-64	10	7.6	56	1	2	4	13	20	23	23
65 +	10	2.7	3	1	2	2	2	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	448	2.8	14	< 1	< 1	1	3	7	9	21
20-34	190	3.0	13	< 1	< 1	1	3	7	12	20
35-49	190	3.7	17	1	1	3	5	8	11	18
50-64	246	3.9	18	1	1	3	4	9	12	26
65 +	825	4.0	14	1	2	3	5	9	11	19
B. Operated										
0-19 YRS	85	9.0	113	2	3	5	10	22	36	49
20-34	73	6.1	31	1	2	4	7	14	20	25
35-49	98	6.3	42	2	3	5	7	11	12	43
50-64	124	7.3	67	2	4	6	9	13	14	85
65 +	384	8.0	37	2	4	7	10	16	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	2.2	5	< 1	< 1	1	2	5	6	10
B. Operated	74	4.9	40	2	2	3	5	7	16	39
2. MULTIPLE DX										
A. Not Operated	1899	3.6	15	< 1	1	2	4	8	11	20
B. Operated	764	7.6	51	2	4	6	9	15	21	39
1. SINGLE DX	330	2.8	14	< 1	1	2	3	5	7	21
2. MULTIPLE DX	2663	4.7	29	< 1	1	3	6	10	14	27
A. Not Operated	2155	3.4	14	< 1	1	2	4	7	11	20
B. Operated	838	7.4	51	2	3	6	9	14	21	39
TOTAL										
0-19 YRS	748	3.4	27	< 1	< 1	2	4	7	11	27
20-34	288	3.8	24	< 1	1	2	5	8	14	23
35-49	312	4.5	27	1	1	3	6	9	11	27
50-64	402	4.9	36	1	2	3	6	11	13	28
65 +	1243	5.2	25	1	2	4	7	10	15	26
GRAND TOTAL	**2993**	**4.5**	**27**	**< 1**	**1**	**3**	**6**	**10**	**13**	**26**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.8	9	< 1	< 1	1	3	9	9	9
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.1	11	1	2	3	5	6	11	17
20-34	7	4.9	11	< 1	2	4	6	10	11	11
35-49	8	2.9	8	1	2	2	2	8	10	10
50-64	3	9.3	82	1	3	8	16	19	19	19
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	4	8.0	22	1	5	10	11	11	11	11
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	17.0		17	17	17	17	17	17	17
50-64	0									
65 +	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.3	13	< 1	1	2	3	9	12	13
B. Operated	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	41	4.4	16	1	2	3	5	10	14	19
B. Operated	7	11.3	76	1	5	10	15	25	27	27
1. SINGLE DX	20	3.2	11	< 1	1	2	3	9	11	13
2. MULTIPLE DX	48	5.4	30	1	2	3	7	11	17	27
A. Not Operated	58	4.1	15	< 1	2	3	5	10	12	19
B. Operated	10	8.6	70	1	2	6	11	22	27	27
TOTAL										
0-19 YRS	39	4.0	13	< 1	1	3	5	10	11	17
20-34	11	4.0	8	1	2	3	5	8	11	11
35-49	11	4.1	24	1	2	2	3	13	17	17
50-64	4	10.3	58	1	4	10	16	19	19	19
65 +	3	12.7	174	1	3	10	23	27	27	27
GRAND TOTAL	**68**	**4.8**	**25**	**1**	**2**	**3**	**6**	**11**	**17**	**26**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	178	2.2	3	< 1	1	2	2	4	5	11
20-34	23	2.4	1	1	2	2	3	4	5	5
35-49	13	5.1	78	< 1	< 1	2	4	15	30	33
50-64	15	3.5	5	< 1	2	3	5	6	8	9
65 +	16	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	52	4.5	11	1	2	4	5	9	12	18
20-34	38	5.2	10	3	3	4	6	9	13	16
35-49	35	5.6	17	2	3	4	7	9	18	19
50-64	16	3.7	6	1	2	3	5	7	8	9
65 +	11	8.7	56	2	3	6	13	22	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	596	3.8	10	1	2	3	5	7	10	16
20-34	145	5.1	19	1	2	4	6	10	13	21
35-49	170	5.3	24	1	2	4	6	11	14	28
50-64	267	5.4	15	2	3	5	7	10	13	18
65 +	521	5.4	16	2	3	5	7	10	13	21
B. Operated										
0-19 YRS	138	6.4	24	2	3	5	8	13	16	26
20-34	86	8.0	48	2	4	6	10	19	24	78
35-49	99	8.5	61	3	4	6	10	16	21	47
50-64	117	9.8	75	3	5	7	13	21	26	48
65 +	247	9.7	51	3	5	8	13	19	23	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	2.4	7	< 1	1	2	3	4	5	12
B. Operated	152	5.1	16	1	3	4	6	9	14	21
2. MULTIPLE DX										
A. Not Operated	1699	4.8	15	1	2	4	6	10	12	20
B. Operated	687	8.7	52	3	4	7	11	18	22	40
1. SINGLE DX	397	3.5	12	1	1	2	4	7	9	19
2. MULTIPLE DX	2386	5.9	29	1	3	4	7	12	16	27
A. Not Operated	1944	4.5	15	1	2	3	6	9	12	19
B. Operated	839	8.0	47	2	4	6	10	17	21	38
TOTAL										
0-19 YRS	964	3.9	12	1	2	3	5	8	11	18
20-34	292	5.8	28	2	2	4	7	12	17	28
35-49	317	6.3	39	2	3	5	8	13	17	32
50-64	415	6.5	35	2	3	5	8	13	17	31
65 +	795	6.7	31	2	3	5	8	14	18	27
GRAND TOTAL	**2783**	**5.6**	**27**	**1**	**2**	**4**	**7**	**12**	**16**	**26**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	1.5	1	1	1	1	2	3	3	5
20-34	25	1.5		1	1	1	2	2	3	3
35-49	7	1.1		1	1	1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	174	2.5	1	2	2	2	3	4	4	6
20-34	58	3.0	2	2	2	3	4	4	5	11
35-49	9	3.2	1	2	3	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	1.7	1	< 1	1	2	2	3	3	5
20-34	19	2.4	9	1	1	2	2	4	9	14
35-49	5	2.8		2	2	3	3	3	3	3
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	97	3.5	6	2	2	3	4	5	6	16
20-34	50	3.7	4	2	2	3	5	6	7	13
35-49	10	4.7	4	2	3	4	6	7	8	8
50-64	0									
65 +	2	3.5	1	3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	1.5	1	1	1	1	2	3	3	4
B. Operated	241	2.7	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	79	2.0	3	1	1	2	2	3	4	11
B. Operated	159	3.6	5	2	2	3	4	6	7	13
1. SINGLE DX	359	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX	238	3.1	5	1	2	3	4	5	6	13
A. Not Operated	197	1.7	2	1	1	1	2	3	3	5
B. Operated	400	3.0	3	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	408	2.4	2	1	2	2	3	4	5	7
20-34	152	2.9	4	1	2	2	4	5	6	13
35-49	31	3.2	3	1	2	3	4	6	7	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	4	3.0	1	2	2	3	4	4	4	4
GRAND TOTAL	**597**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.4	5	1	2	3	5	7	8	8
20-34	6	5.0	22	1	1	4	8	12	12	12
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	3.0	6	< 1	1	3	5	5	8	10
20-34	5	3.6	8	1	2	2	6	8	8	8
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	4.3	11	2	2	4	5	7	11	18
20-34	3	4.7	6	2	3	5	6	7	7	7
35-49	3	6.7	5	4	5	8	8	8	8	8
50-64	0									
65 +	3	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	23	6.3	15	2	4	6	8	10	16	17
20-34	5	4.4	12	1	2	4	6	10	10	10
35-49	9	1.9	2	< 1	1	1	2	4	5	5
50-64	4	6.0	18	2	2	5	9	11	11	11
65 +	4	4.5	7	1	2	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.6	7	1	2	3	5	7	8	12
B. Operated	27	2.7	6	< 1	1	2	4	5	8	10
2. MULTIPLE DX										
A. Not Operated	61	4.4	10	2	2	4	5	8	11	18
B. Operated	45	5.0	14	1	2	5	7	9	12	17
1. SINGLE DX	77	3.3	6	1	1	2	5	7	8	11
2. MULTIPLE DX	106	4.7	12	1	2	4	6	8	11	17
A. Not Operated	111	4.1	9	1	2	4	5	7	10	17
B. Operated	72	4.2	12	< 1	1	3	6	8	10	17
TOTAL										
0-19 YRS	136	4.2	10	1	2	4	5	8	10	17
20-34	19	4.4	12	1	1	4	7	9	11	12
35-49	16	2.6	6	< 1	1	1	3	7	8	8
50-64	5	5.0	19	< 1	1	3	9	11	11	11
65 +	7	4.3	4	2	4	4	6	7	7	7
GRAND TOTAL	**183**	**4.1**	**10**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.8	64	1	1	1	4	19	21	21
20-34	14	4.4	17	< 1	1	3	7	9	13	14
35-49	10	8.0	89	1	2	5	8	23	32	32
50-64	5	3.6	10	1	1	2	7	7	7	7
65 +	17	5.5	25	1	2	4	8	15	16	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	14.4	372	< 1	3	8	17	37	58	85
20-34	71	7.5	61	1	2	5	9	15	28	37
35-49	84	10.8	180	2	3	6	12	30	35	94
50-64	92	8.3	75	2	3	5	12	18	25	48
65 +	393	6.0	30	2	3	5	7	13	15	29
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	0									
35-49	4	7.3	45	1	1	7	13	14	14	14
50-64	10	14.3	234	1	4	7	22	38	49	49
65 +	22	7.3	22	3	4	6	10	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	5.4	37	1	1	3	7	14	16	32
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	664	7.4	74	2	3	5	8	15	23	46
B. Operated	38	9.0	84	2	4	6	12	18	26	49
1. SINGLE DX	53	5.4	36	1	1	4	7	14	16	32
2. MULTIPLE DX	702	7.5	75	2	3	5	9	16	23	48
A. Not Operated	716	7.3	72	1	3	5	8	15	23	43
B. Operated	39	8.9	82	2	4	6	12	18	25	49
TOTAL										
0-19 YRS	32	12.0	305	< 1	1	6	12	32	46	85
20-34	85	6.9	55	1	2	4	9	14	23	37
35-49	98	10.4	165	2	3	6	12	29	34	92
50-64	107	8.7	89	1	3	5	12	20	26	51
65 +	433	6.1	29	2	3	5	8	13	15	27
GRAND TOTAL	**755**	**7.3**	**72**	**1**	**3**	**5**	**8**	**15**	**23**	**47**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	13.2	333	2	2	5	15	46	49	49
65 +	26	11.1	123	2	6	12	99 +	99 +	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	18.2	332	3	3	11	40	41	41	41
35-49	6	12.7	45	5	8	12	15	23	24	24
50-64	22	7.3	37	2	3	6	12	30	99 +	99 +
65 +	383	10.0	108	2	4	7	13	21	29	59
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	4.0	18	1	2	7	77	99 +	99 +	99 +
65 +	22	12.4	117	3	5	10	15	27	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	11.4	149	2	5	11	53	99 +	99 +	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	417	10.0	107	2	4	7	13	21	31	84
B. Operated	24	11.7	113	3	5	10	15	42	57	99 +
1. SINGLE DX	33	11.4	149	2	5	11	53	99 +	99 +	99 +
2. MULTIPLE DX	441	10.1	107	2	4	7	13	21	33	90
A. Not Operated	450	10.1	110	2	4	7	14	24	40	99 +
B. Operated	24	11.7	113	3	5	10	15	42	57	99 +
TOTAL										
0-19 YRS	0									
20-34	6	18.2	332	3	3	11	40	41	41	41
35-49	7	12.1	39	6	8	10	15	22	24	24
50-64	30	8.3	92	2	3	6	14	59	99 +	99 +
65 +	431	10.2	109	2	4	7	13	23	40	99 +
GRAND TOTAL	**474**	**10.2**	**110**	**2**	**4**	**7**	**14**	**24**	**41**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	0									
65 +	6	8.5	27	1	6	8	13	15	15	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	10.5	49	3	5	10	16	19	19	19
50-64	31	13.2	164	2	4	8	15	39	45	48
65 +	213	9.0	74	3	5	7	11	16	20	64
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	13.0		13	13	13	13	13	13	13
65 +	16	13.1	117	5	7	9	13	31	39	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	7.8	25	1	4	8	11	14	15	15
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	248	9.5	86	3	5	7	11	17	23	50
B. Operated	17	13.1	110	5	7	9	13	30	38	42
1. SINGLE DX	9	8.0	22	1	5	9	11	14	15	15
2. MULTIPLE DX	265	9.8	88	3	5	7	12	18	24	49
A. Not Operated	256	9.5	84	3	5	7	11	17	22	49
B. Operated	18	12.9	104	5	7	10	13	30	38	42
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	6	8.8	41	2	3	8	13	18	19	19
50-64	32	13.2	158	3	5	10	15	38	45	48
65 +	236	9.3	76	3	5	7	11	17	22	54
GRAND TOTAL	**274**	**9.7**	**85**	**3**	**5**	**7**	**12**	**17**	**24**	**49**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.2	27	< 1	1	1	1	3	5	29
20-34	17	11.7	484	1	1	3	9	58	69	70
35-49	11	6.5	47	1	2	6	12	46	92	99 +
50-64	7	4.6	13	1	2	4	9	73	99 +	99 +
65 +	77	8.4	57	1	3	7	11	17	21	43
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	16.2	401	1	2	5	29	48	57	94
20-34	96	10.1	184	1	2	5	14	21	55	84
35-49	93	11.3	204	1	3	7	15	24	42	72
50-64	109	11.3	169	2	4	7	13	26	36	75
65 +	815	9.1	71	2	4	7	12	17	24	46
B. Operated										
0-19 YRS	6	25.0	1300	2	3	6	41	87	92	92
20-34	4	4.3	14	1	1	4	7	8	8	8
35-49	8	20.4	587	2	3	11	31	62	70	70
50-64	6	25.8	536	6	9	21	28	66	70	70
65 +	58	11.8	137	4	6	8	13	19	31	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	7.2	104	1	1	4	10	17	25	99 +
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1201	10.1	126	2	4	7	12	20	35	68
B. Operated	82	14.2	292	3	5	8	16	31	60	86
1. SINGLE DX	142	7.2	104	1	1	4	10	17	24	99 +
2. MULTIPLE DX	1283	10.3	138	2	4	7	13	21	36	72
A. Not Operated	1342	9.8	125	2	3	7	12	20	34	70
B. Operated	83	14.1	290	3	5	8	16	30	59	86
TOTAL										
0-19 YRS	123	13.3	387	1	1	3	18	43	56	94
20-34	117	10.2	220	1	2	5	12	21	59	80
35-49	112	11.5	218	1	3	7	15	25	52	85
50-64	122	11.7	187	2	4	7	14	29	38	92
65 +	951	9.2	74	2	4	7	12	17	23	49
GRAND TOTAL	**1425**	**10.0**	**135**	**2**	**3**	**7**	**12**	**21**	**35**	**74**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	30	2.2	2	1	1	2	3	4	5	5
35-49	40	2.4	2	1	1	2	4	4	5	8
50-64	11	2.9	6	1	1	2	4	7	9	9
65 +	3	10.7	74	3	4	9	17	20	20	20
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	10.0	107	2	3	4	24	62	99 +	99 +
20-34	457	5.6	45	1	2	3	6	14	23	29
35-49	898	4.8	29	1	2	3	5	9	17	28
50-64	448	6.3	45	1	2	4	7	15	23	32
65 +	226	8.3	62	2	3	5	11	18	27	36
B. Operated										
0-19 YRS	0									
20-34	16	7.4	26	1	3	6	13	14	15	15
35-49	25	7.1	21	1	3	7	9	14	15	17
50-64	18	17.5	858	2	4	6	16	96	98	99 +
65 +	16	12.6	93	2	6	10	16	30	34	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.7	7	1	1	2	4	5	6	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2038	5.7	41	1	2	3	6	13	21	29
B. Operated	75	10.8	247	1	4	7	13	17	34	99
1. SINGLE DX	85	2.7	7	1	1	2	4	5	6	16
2. MULTIPLE DX	2113	5.9	49	1	2	4	6	14	21	31
A. Not Operated	2123	5.6	40	1	2	3	6	13	21	29
B. Operated	75	10.8	247	1	4	7	13	17	34	99
TOTAL										
0-19 YRS	10	9.6	96	2	3	5	23	55	96	99 +
20-34	503	5.4	42	1	2	3	6	13	21	29
35-49	963	4.7	28	1	2	3	5	9	16	28
50-64	477	6.6	78	1	2	4	7	15	24	35
65 +	245	8.6	65	2	3	6	12	19	28	35
GRAND TOTAL	**2198**	**5.8**	**48**	**1**	**2**	**3**	**6**	**13**	**21**	**31**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.9	71	1	1	2	4	18	27	27
20-34	28	6.6	52	1	2	4	8	19	22	29
35-49	14	3.9	7	1	2	4	5	8	10	10
50-64	3	1.3		1	1	1	2	2	2	2
65 +	6	1.2		1	1	1	1	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	10.3	124	1	2	4	18	29	33	35
20-34	254	7.8	89	1	2	4	9	22	28	39
35-49	131	6.5	82	1	2	3	6	12	28	48
50-64	68	5.2	23	1	2	4	7	11	15	86
65 +	219	5.5	22	2	3	4	7	12	14	20
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	18.8	134	4	9	21	28	28	28	28
35-49	7	11.6	86	3	7	9	12	27	31	31
50-64	6	5.0	10	3	3	4	5	10	11	11
65 +	17	10.3	70	3	4	8	14	24	30	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	4.9	39	1	1	2	5	11	21	29
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	716	6.8	64	1	2	4	8	17	25	40
B. Operated	36	10.1	78	2	4	7	14	28	30	32
1. SINGLE DX	60	4.9	39	1	1	2	5	11	21	29
2. MULTIPLE DX	752	6.9	65	1	2	4	8	17	26	39
A. Not Operated	776	6.6	63	1	2	4	7	16	24	38
B. Operated	36	10.1	78	2	4	7	14	28	30	32
TOTAL										
0-19 YRS	55	9.0	116	1	1	3	15	28	32	35
20-34	286	7.9	87	1	2	4	9	22	28	36
35-49	152	6.5	77	1	2	4	6	12	27	44
50-64	77	5.0	21	1	2	4	6	11	15	80
65 +	242	5.8	26	2	3	4	7	13	15	26
GRAND TOTAL	**812**	**6.8**	**64**	**1**	**2**	**4**	**8**	**16**	**26**	**36**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	12.2	180	1	2	6	16	35	43	47
20-34	571	12.7	147	2	5	9	16	29	41	79
35-49	396	12.9	196	2	4	8	16	29	41	77
50-64	105	16.2	178	3	7	12	24	38	50	99 +
65 +	32	13.1	123	2	6	10	20	27	36	50
B. Operated										
0-19 YRS	0									
20-34	2	15.0	8	13	13	15	17	17	17	17
35-49	1	19.0		19	19	19	19	19	19	19
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	12.7	176	2	4	8	16	35	47	53
20-34	601	10.9	134	2	4	7	14	25	34	74
35-49	505	11.6	149	2	4	8	14	24	35	75
50-64	167	13.3	157	3	5	9	18	26	36	69
65 +	81	14.5	97	4	7	13	20	27	34	47
B. Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	15	21.0	656	3	5	10	33	84	96	99 +
35-49	19	28.5	675	6	10	20	46	85	98	99 +
50-64	8	19.3	322	6	10	13	19	49	62	62
65 +	1	59.0		59	59	59	59	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1130	13.1	167	2	5	9	17	30	43	81
B. Operated	3	16.3	9	13	14	17	18	19	19	19
2. MULTIPLE DX										
A. Not Operated	1383	11.7	142	2	4	8	15	25	35	71
B. Operated	45	24.0	595	5	6	17	35	73	97	99 +
1. SINGLE DX	1133	13.1	167	2	5	9	17	30	43	80
2. MULTIPLE DX	1428	12.1	160	2	4	8	15	26	38	76
A. Not Operated	2513	12.3	154	2	4	8	16	27	38	75
B. Operated	48	23.5	561	5	7	17	33	72	97	99 +
TOTAL										
0-19 YRS	57	12.2	170	2	3	7	16	35	45	53
20-34	1189	11.9	148	2	4	8	15	27	39	80
35-49	921	12.5	185	2	4	8	15	27	39	81
50-64	280	14.5	170	3	6	11	20	31	47	92
65 +	114	14.5	121	4	7	12	20	28	37	53
GRAND TOTAL	**2561**	**12.5**	**164**	**2**	**4**	**8**	**16**	**28**	**39**	**79**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	13.9	109	3	6	13	17	31	36	36
20-34	31	11.6	81	3	6	10	14	22	29	47
35-49	11	7.5	37	1	2	7	10	18	20	20
50-64	2	10.5	41	6	6	10	15	15	15	15
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	28.3	493	4	8	25	50	60	60	60
20-34	22	14.6	120	4	5	11	24	32	35	37
35-49	16	12.2	281	1	3	8	15	27	56	68
50-64	7	16.4	154	4	7	17	20	36	40	40
65 +	5	7.2	24	3	3	7	10	15	15	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	11.1	76	2	6	10	15	22	28	47
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	62	16.2	256	3	5	10	21	38	56	67
B. Operated	0									
1. SINGLE DX	53	11.1	76	2	6	10	15	22	28	47
2. MULTIPLE DX	62	16.2	256	3	5	10	21	38	56	67
A. Not Operated	115	13.9	178	2	5	10	18	31	45	63
B. Operated	0									
TOTAL										
0-19 YRS	21	22.1	368	4	7	13	34	56	60	60
20-34	53	12.8	98	3	6	10	15	28	33	47
35-49	27	10.3	182	1	2	8	11	20	34	68
50-64	9	15.1	128	4	6	15	20	32	40	40
65 +	5	7.2	24	3	3	7	10	15	15	15
GRAND TOTAL	**115**	**13.9**	**178**	**2**	**5**	**10**	**18**	**31**	**45**	**63**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	16.3	204	3	5	13	20	41	48	94
20-34	562	13.2	202	2	5	8	16	28	42	87
35-49	427	13.1	233	3	4	8	16	26	42	93
50-64	101	14.1	138	2	7	11	20	30	34	59
65 +	20	10.6	94	5	6	9	11	13	32	50
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	14.0	208	3	5	10	19	33	40	79
20-34	754	12.3	144	2	4	8	16	27	38	64
35-49	606	12.0	129	3	5	8	15	27	36	61
50-64	253	12.7	106	3	6	10	16	26	34	43
65 +	122	13.2	145	4	6	10	16	26	34	83
B. Operated										
0-19 YRS	3	37.7	261	19	26	47	47	47	47	47
20-34	14	19.4	125	7	11	20	24	44	86	99 +
35-49	13	23.6	763	1	6	13	36	59	91	98
50-64	6	20.3	298	6	9	17	18	50	54	54
65 +	7	12.0	49	6	9	9	14	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1176	13.3	206	3	5	8	17	29	42	89
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1809	12.4	136	3	5	9	16	27	37	63
B. Operated	43	20.9	348	6	9	16	27	47	67	99 +
1. SINGLE DX	1176	13.3	206	3	5	8	17	29	42	89
2. MULTIPLE DX	1852	12.6	143	3	5	9	16	27	37	67
A. Not Operated	2985	12.8	164	3	5	9	16	28	39	75
B. Operated	43	20.9	348	6	9	16	27	47	67	99 +
TOTAL										
0-19 YRS	143	15.6	215	3	5	11	20	40	46	87
20-34	1330	12.8	169	2	5	8	17	28	40	75
35-49	1046	12.6	180	3	5	8	16	27	37	83
50-64	360	13.2	118	3	6	10	17	28	35	44
65 +	149	12.8	133	4	6	10	15	25	32	77
GRAND TOTAL	**3028**	**12.9**	**167**	**3**	**5**	**9**	**16**	**28**	**39**	**75**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	24.9	353	3	7	29	42	88	99 +	99 +
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	30.8	611	5	16	27	37	73	94	94
20-34	2	11.0	32	7	7	11	15	15	15	15
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	23.7	356	3	5	28	42	85	99 +	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	32	29.6	596	5	14	24	36	69	93	94
B. Operated	0									
1. SINGLE DX	17	23.7	356	3	5	28	42	85	99 +	99 +
2. MULTIPLE DX	32	29.6	596	5	14	24	36	69	93	94
A. Not Operated	49	27.6	512	4	10	28	40	71	94	99 +
B. Operated	0									
TOTAL										
0-19 YRS	46	28.8	519	4	12	28	40	77	95	99 +
20-34	3	8.7	32	4	5	7	13	15	15	15
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**49**	**27.6**	**512**	**4**	**10**	**28**	**40**	**71**	**94**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	13.3	162	2	5	10	20	31	44	99 +
20-34	327	8.9	66	1	3	6	12	20	26	38
35-49	381	9.5	82	1	3	7	13	21	26	39
50-64	156	12.2	169	1	3	8	16	28	35	59
65 +	122	14.1	152	3	6	11	19	26	43	68
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	1	37.0		37	37	37	37	37	37	37
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	993	16.5	192	3	7	13	23	35	45	69
20-34	1639	10.4	101	2	4	7	14	23	29	50
35-49	1818	11.3	102	2	4	8	15	25	30	48
50-64	739	12.4	110	3	6	10	16	24	33	61
65 +	885	15.2	124	4	8	12	20	29	35	59
B. Operated										
0-19 YRS	13	10.8	103	1	3	10	17	25	33	35
20-34	48	15.3	238	2	4	11	18	37	45	77
35-49	51	13.7	152	2	5	10	18	29	44	57
50-64	35	19.1	379	5	8	14	18	55	65	90
65 +	58	23.4	223	7	12	19	34	44	50	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1179	10.8	113	2	4	8	14	24	30	60
B. Operated	2	22.0	450	7	7	22	37	37	37	37
2. MULTIPLE DX										
A. Not Operated	6074	12.6	126	3	5	9	17	27	34	57
B. Operated	205	17.5	242	3	7	14	23	39	47	75
1. SINGLE DX	1181	10.8	113	2	4	8	14	24	31	60
2. MULTIPLE DX	6279	12.8	130	3	5	10	17	28	35	58
A. Not Operated	7253	12.3	124	2	5	9	16	26	34	57
B. Operated	207	17.6	242	3	7	14	23	39	47	75
TOTAL										
0-19 YRS	1200	16.0	188	3	6	12	22	35	45	75
20-34	2014	10.3	99	2	4	7	14	23	29	49
35-49	2250	11.0	100	2	4	8	15	24	30	48
50-64	931	12.7	131	3	5	10	16	25	35	64
65 +	1065	15.5	136	4	8	12	21	30	37	60
GRAND TOTAL	**7460**	**12.5**	**128**	**2**	**5**	**9**	**16**	**27**	**35**	**58**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	16.5	228	3	7	10	26	46	54	99 +
20-34	437	10.8	90	2	4	8	14	23	31	50
35-49	428	10.3	96	2	4	8	13	20	28	55
50-64	164	11.4	113	3	5	9	14	20	26	67
65 +	55	11.6	54	3	7	11	15	21	23	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	18.7	264	3	7	14	26	41	54	78
20-34	736	10.9	83	2	4	8	14	22	29	42
35-49	851	11.8	107	3	5	9	15	24	32	50
50-64	524	13.3	133	3	6	10	18	26	34	57
65 +	325	14.2	93	5	7	12	18	28	34	49
B. Operated										
0-19 YRS	4	25.8	114	16	16	26	35	35	35	35
20-34	17	15.8	179	2	6	14	22	27	46	55
35-49	24	22.8	407	4	10	19	25	60	74	80
50-64	16	18.1	213	4	7	15	27	53	85	99 +
65 +	10	25.2	257	8	11	24	31	48	62	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1148	11.0	103	2	5	8	14	21	32	60
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2606	12.6	118	3	5	10	16	26	34	54
B. Operated	71	20.6	272	4	9	17	26	45	62	96
1. SINGLE DX	1148	11.0	103	2	5	8	14	21	32	60
2. MULTIPLE DX	2677	12.8	123	3	5	10	16	26	34	56
A. Not Operated	3754	12.1	114	3	5	9	15	25	33	54
B. Operated	71	20.6	272	4	9	17	26	45	62	96
TOTAL										
0-19 YRS	238	18.2	252	3	7	13	27	42	53	83
20-34	1190	10.9	87	2	4	8	14	23	30	47
35-49	1303	11.5	111	3	5	9	14	23	31	57
50-64	704	13.0	131	3	6	10	16	26	34	64
65 +	390	14.1	95	5	7	12	18	28	34	50
GRAND TOTAL	**3825**	**12.3**	**118**	**3**	**5**	**9**	**15**	**25**	**34**	**56**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	15.0	220	1	5	10	19	39	51	59
20-34	214	7.8	48	1	3	6	10	16	21	35
35-49	146	7.3	36	1	3	6	10	17	19	33
50-64	45	9.0	112	1	2	5	13	21	25	58
65 +	42	7.4	69	2	2	4	10	14	28	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	16.8	276	2	5	13	24	39	52	92
20-34	346	9.3	84	2	3	6	13	21	29	70
35-49	286	8.0	76	2	3	6	9	16	22	42
50-64	169	9.4	93	2	3	6	13	20	27	73
65 +	477	7.9	47	2	3	6	11	17	22	32
B. Operated										
0-19 YRS	0									
20-34	8	13.1	197	3	4	7	17	37	45	45
35-49	8	11.1	69	3	4	8	19	22	23	23
50-64	10	7.0	26	2	4	6	10	15	19	19
65 +	31	9.6	101	1	3	6	13	19	24	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	487	8.3	70	1	3	6	11	18	25	47
B. Operated	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1366	9.1	87	2	3	6	12	19	28	52
B. Operated	57	9.8	95	2	4	7	13	20	24	52
1. SINGLE DX	489	8.3	70	1	3	6	11	18	25	47
2. MULTIPLE DX	1423	9.1	87	2	3	6	12	20	27	52
A. Not Operated	1853	8.9	83	2	3	6	12	19	26	51
B. Operated	59	9.7	92	2	4	7	13	20	24	51
TOTAL										
0-19 YRS	128	16.2	257	2	5	13	21	39	52	83
20-34	568	8.8	73	2	3	6	12	19	26	45
35-49	442	7.8	63	2	3	6	10	16	21	41
50-64	224	9.2	93	2	3	6	13	20	26	64
65 +	550	8.0	51	2	3	6	11	17	22	34
GRAND TOTAL	**1912**	**8.9**	**83**	**2**	**3**	**6**	**12**	**19**	**26**	**51**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4		< 1	1	1	2	2	2	2
20-34	30	6.5	44	1	2	4	8	16	20	28
35-49	32	3.8	23	1	1	2	4	8	12	26
50-64	11	6.6	40	< 1	1	6	10	16	20	20
65 +	3	4.7	2	3	4	6	99 +	99 +	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	12.9	265	1	2	6	17	28	53	63
20-34	93	6.1	44	1	2	3	8	16	23	28
35-49	121	4.8	41	1	1	2	5	12	22	30
50-64	77	4.6	35	1	1	2	6	10	19	29
65 +	111	5.5	44	1	2	3	7	12	20	36
B. Operated										
0-19 YRS	0									
20-34	4	3.5		3	3	3	4	4	4	4
35-49	4	4.8	4	2	3	5	6	6	6	6
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	5	3.4	3	1	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	5.0	32	1	1	3	6	13	22	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	418	5.6	51	1	1	3	7	14	22	30
B. Operated	15	3.9	3	2	3	4	5	6	6	6
1. SINGLE DX	83	5.0	32	1	1	3	6	13	22	99 +
2. MULTIPLE DX	433	5.5	50	1	1	3	6	14	22	30
A. Not Operated	501	5.5	48	1	1	3	7	14	22	33
B. Operated	15	3.9	3	2	3	4	5	6	6	6
TOTAL										
0-19 YRS	23	9.4	209	1	1	2	14	28	40	63
20-34	127	6.1	42	1	2	4	8	15	22	28
35-49	157	4.6	36	1	1	2	5	12	19	30
50-64	90	4.9	35	1	1	2	6	11	20	29
65 +	119	5.4	41	1	2	3	6	13	25	99 +
GRAND TOTAL	**516**	**5.4**	**47**	**1**	**1**	**3**	**6**	**14**	**22**	**33**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	16.3	256	2	4	12	21	39	55	71
20-34	63	4.1	9	1	2	3	5	8	10	14
35-49	43	5.1	15	1	2	4	7	10	13	17
50-64	10	4.7	23	< 1	1	3	7	13	15	15
65 +	9	4.9	13	1	2	3	7	11	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	623	19.9	278	3	7	15	29	42	53	99 +
20-34	333	7.2	61	1	2	5	9	17	23	40
35-49	299	7.1	42	2	3	5	9	14	19	33
50-64	86	7.3	38	1	3	6	10	16	21	27
65 +	98	8.4	75	2	3	5	9	20	25	49
B. Operated										
0-19 YRS	6	20.2	110	3	16	22	28	31	31	31
20-34	10	13.6	109	2	5	11	19	30	36	36
35-49	3	10.3	26	6	7	9	14	16	16	16
50-64	1	18.0		18	18	18	18	18	18	18
65 +	10	15.9	333	1	2	11	17	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	9.6	150	1	2	5	12	22	36	63
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1439	12.7	189	2	3	8	17	32	42	72
B. Operated	30	15.5	167	2	5	12	19	33	49	49
1. SINGLE DX	219	9.6	150	1	2	5	12	22	36	63
2. MULTIPLE DX	1469	12.8	189	2	3	8	17	32	42	72
A. Not Operated	1658	12.3	185	2	3	7	16	32	42	71
B. Operated	30	15.5	167	2	5	12	19	33	49	49
TOTAL										
0-19 YRS	723	19.4	275	3	7	15	29	42	53	99
20-34	406	6.9	56	1	2	5	8	16	21	38
35-49	345	6.8	39	1	3	5	9	14	17	31
50-64	97	7.1	38	1	3	5	10	16	20	27
65 +	117	8.8	95	2	3	5	10	20	26	50
GRAND TOTAL	**1688**	**12.4**	**185**	**2**	**3**	**7**	**16**	**32**	**42**	**70**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	4.9	41	1	1	3	5	12	19	32
20-34	131	5.2	38	1	2	3	6	13	19	33
35-49	86	5.8	69	< 1	2	3	6	12	27	85
50-64	15	4.7	19	1	1	3	8	10	14	15
65 +	10	5.8	28	1	2	4	6	15	16	16
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	39	7.7	6	4	7	9	9	9	9	9
35-49	67	8.6	29	3	9	9	9	9	9	41
50-64	19	7.2	11	1	5	9	9	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	209	8.7	192	1	2	3	9	32	59	99 +
20-34	608	6.3	79	1	2	3	7	14	24	38
35-49	400	7.4	85	1	2	4	9	19	26	59
50-64	130	6.6	34	1	3	5	9	14	22	42
65 +	106	6.5	54	1	2	4	7	17	21	34
B. Operated										
0-19 YRS	6	5.3	18	1	2	5	6	12	13	13
20-34	52	9.3	96	2	4	9	9	16	18	55
35-49	31	9.7	117	2	4	9	9	14	29	60
50-64	12	4.1	20	< 1	1	2	6	11	14	15
65 +	15	9.7	101	1	2	7	14	19	34	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	5.3	46	1	2	3	6	13	19	33
B. Operated	126	8.1	19	2	9	9	9	9	9	20
2. MULTIPLE DX										
A. Not Operated	1453	7.0	92	1	2	4	8	17	27	67
B. Operated	116	8.7	91	1	3	9	9	16	20	57
1. SINGLE DX	437	6.1	39	1	2	4	9	10	16	33
2. MULTIPLE DX	1569	7.1	92	1	2	4	9	17	27	66
A. Not Operated	1764	6.7	84	1	2	4	7	16	26	66
B. Operated	242	8.4	54	2	4	9	9	10	16	51
TOTAL										
0-19 YRS	285	7.7	154	1	2	3	8	29	48	99 +
20-34	830	6.4	71	1	2	4	8	13	22	38
35-49	584	7.4	78	1	2	5	9	17	25	60
50-64	176	6.3	30	1	2	5	9	14	16	28
65 +	131	6.8	57	1	2	4	8	17	20	36
GRAND TOTAL	**2006**	**6.9**	**80**	**1**	**2**	**4**	**9**	**16**	**25**	**60**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	20.8	278	2	4	24	29	36	41	89
20-34	245	12.5	140	1	2	6	23	29	32	39
35-49	348	11.0	139	1	2	5	20	28	34	42
50-64	117	12.1	131	1	3	8	21	29	30	41
65 +	51	14.1	122	1	3	14	27	28	28	30
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	319	22.9	246	2	8	26	35	43	53	99 +
20-34	1603	13.6	127	1	3	11	24	28	29	36
35-49	1936	10.7	103	1	3	6	20	28	28	32
50-64	948	10.6	96	2	3	6	19	28	28	32
65 +	566	12.1	92	2	4	9	20	28	29	32
B. Operated										
0-19 YRS	3	21.0	325	< 1	6	26	33	36	36	36
20-34	33	10.5	95	1	2	7	19	27	27	28
35-49	40	12.4	111	1	3	8	21	28	32	35
50-64	35	16.3	192	2	2	13	28	34	37	44
65 +	27	15.1	122	3	6	12	22	27	36	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	803	12.3	148	1	2	6	23	29	32	41
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	5372	12.4	125	1	3	7	22	28	30	42
B. Operated	138	13.6	136	1	3	9	23	29	35	44
1. SINGLE DX	805	12.3	148	1	2	6	23	29	32	41
2. MULTIPLE DX	5510	12.5	125	1	3	7	22	28	30	42
A. Not Operated	6175	12.4	128	1	3	7	22	28	30	42
B. Operated	140	13.5	135	1	3	9	23	29	35	44
TOTAL										
0-19 YRS	364	22.6	249	2	7	26	34	42	53	99 +
20-34	1881	13.4	128	1	3	10	24	28	30	36
35-49	2325	10.8	109	1	3	6	20	28	29	35
50-64	1101	10.9	103	2	3	6	20	28	29	35
65 +	644	12.4	96	2	4	9	21	28	29	33
GRAND TOTAL	**6315**	**12.4**	**128**	**1**	**3**	**7**	**22**	**28**	**30**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	26	9.9	100	1	3	5	15	28	28	28
35-49	28	9.1	104	1	3	5	9	28	32	37
50-64	1	25.0		25	25	25	25	25	25	25
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	20.5	236	3	10	17	29	53	88	99 +
20-34	182	11.5	102	2	4	7	20	28	29	39
35-49	195	12.2	91	3	4	8	20	28	29	33
50-64	30	13.6	110	2	5	9	23	29	31	33
65 +	14	8.9	27	4	6	7	13	15	20	21
B. Operated										
0-19 YRS	0									
20-34	8	15.4	133	2	6	13	25	32	34	34
35-49	7	16.1	333	2	4	9	27	47	50	50
50-64	2	10.0	98	3	3	10	17	17	17	17
65 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	9.6	100	1	3	5	13	28	28	37
B. Operated	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	435	12.2	102	3	4	8	20	28	30	40
B. Operated	18	14.9	182	2	5	11	24	34	44	50
1. SINGLE DX	58	9.7	99	1	3	5	14	28	28	37
2. MULTIPLE DX	453	12.3	105	3	4	8	20	28	30	41
A. Not Operated	492	11.9	102	2	4	7	20	28	30	39
B. Operated	19	14.9	172	2	5	12	22	34	43	50
TOTAL										
0-19 YRS	16	18.4	238	3	7	16	28	52	84	99 +
20-34	216	11.5	103	2	4	7	20	28	29	37
35-49	231	12.0	100	3	4	8	19	28	30	37
50-64	33	13.7	108	3	5	10	24	29	31	33
65 +	15	9.1	25	4	6	8	13	14	19	21
GRAND TOTAL	**511**	**12.0**	**104**	**2**	**4**	**8**	**20**	**28**	**30**	**40**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	18.0	191	3	7	16	28	29	40	63
20-34	89	15.0	117	2	4	15	25	29	30	40
35-49	33	16.4	249	2	4	14	28	30	35	78
50-64	4	21.0	55	12	15	22	27	28	28	28
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	273	28.4	299	5	15	28	42	51	60	99 +
20-34	588	16.0	109	3	5	17	26	28	30	38
35-49	240	13.6	105	2	4	11	23	28	30	35
50-64	35	16.5	94	3	9	16	24	28	30	43
65 +	34	15.4	89	8	9	12	23	28	29	47
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	9	18.6	107	4	12	21	27	31	32	32
35-49	3	10.7	86	3	4	8	18	21	21	21
50-64	2	24.5	25	21	21	24	28	28	28	28
65 +	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	16.0	155	2	5	15	27	29	30	63
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1170	18.4	182	3	6	18	28	35	45	63
B. Operated	16	19.0	99	3	11	21	27	30	31	32
1. SINGLE DX	150	16.0	155	2	5	15	27	29	30	63
2. MULTIPLE DX	1186	18.4	181	3	6	18	28	34	44	63
A. Not Operated	1320	18.1	180	3	6	17	28	33	43	63
B. Operated	16	19.0	99	3	11	21	27	30	31	32
TOTAL										
0-19 YRS	298	27.5	296	4	14	28	42	51	59	99 +
20-34	686	15.9	110	2	5	16	26	28	30	38
35-49	276	13.9	122	2	4	11	23	28	30	36
50-64	41	17.3	89	4	11	17	25	28	29	43
65 +	35	15.8	92	8	9	13	24	28	29	47
GRAND TOTAL	**1336**	**18.1**	**179**	**3**	**6**	**17**	**28**	**33**	**43**	**63**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	3.6	75	< 1	< 1	1	2	7	14	50
20-34	46	1.3	1	< 1	< 1	1	1	2	3	6
35-49	35	1.5	1	< 1	< 1	1	2	3	3	7
50-64	10	1.5	1	< 1	< 1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	174	8.4	136	< 1	1	2	13	29	34	50
20-34	215	3.8	40	< 1	1	1	3	8	19	32
35-49	160	3.4	25	< 1	1	2	3	6	14	28
50-64	48	5.2	61	< 1	1	2	4	17	25	36
65 +	32	3.9	14	1	1	2	6	8	13	16
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	14	1.5	1	< 1	< 1	1	2	3	3	3
35-49	7	2.1	2	< 1	1	2	3	4	4	4
50-64	3	4.3	17	1	1	3	7	9	9	9
65 +	3	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	2.4	35	< 1	< 1	1	1	3	6	39
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	629	5.1	67	< 1	1	2	4	16	27	40
B. Operated	31	1.9	3	< 1	1	1	3	4	4	9
1. SINGLE DX	166	2.4	34	< 1	< 1	1	1	3	6	39
2. MULTIPLE DX	660	4.9	65	< 1	1	2	4	15	26	40
A. Not Operated	793	4.5	62	< 1	1	1	3	14	26	40
B. Operated	33	1.9	3	< 1	1	1	2	3	4	9
TOTAL										
0-19 YRS	252	6.9	120	< 1	1	1	6	26	33	51
20-34	276	3.2	32	< 1	1	1	3	6	15	31
35-49	202	3.0	21	< 1	1	2	3	6	8	27
50-64	61	4.6	50	< 1	1	2	4	13	22	35
65 +	35	3.8	13	1	1	2	6	7	13	16
GRAND TOTAL	**826**	**4.4**	**60**	**< 1**	**1**	**1**	**3**	**14**	**25**	**40**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	9.2	125	1	1	3	15	28	30	30
20-34	31	3.0	10	1	1	2	3	8	10	13
35-49	10	3.0	5	< 1	1	2	5	6	7	7
50-64	3	13.0	208	1	3	9	24	29	29	29
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	289	19.3	181	2	7	22	28	34	37	50
20-34	165	6.8	73	1	1	3	7	25	28	29
35-49	84	8.0	89	1	2	4	9	27	29	33
50-64	12	8.8	88	1	2	5	11	26	29	30
65 +	10	7.0	28	1	3	7	7	14	20	20
B. Operated										
0-19 YRS	5	19.0	223	1	4	27	29	34	34	34
20-34	5	9.8	64	3	3	8	15	22	22	22
35-49	7	11.0	182	2	4	5	15	35	39	39
50-64	2	4.0		4	4	4	4	4	4	4
65 +	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	5.9	70	1	1	2	6	25	28	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	560	13.5	166	1	3	7	27	30	34	46
B. Operated	20	12.5	143	2	4	6	21	31	36	39
1. SINGLE DX	73	5.9	70	1	1	2	6	25	28	30
2. MULTIPLE DX	580	13.4	165	1	3	7	27	30	34	46
A. Not Operated	633	12.6	161	1	2	7	26	29	34	44
B. Operated	20	12.5	143	2	4	6	21	31	36	39
TOTAL										
0-19 YRS	323	18.4	183	2	5	20	28	34	36	49
20-34	201	6.3	64	1	1	3	7	21	28	29
35-49	101	7.7	88	1	2	4	7	27	29	36
50-64	17	9.0	92	1	3	4	10	28	30	30
65 +	11	8.3	43	2	4	7	9	20	21	21
GRAND TOTAL	**653**	**12.6**	**160**	**1**	**2**	**7**	**26**	**29**	**34**	**43**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	7	1.7	1	< 1	1	1	2	4	4	4
35-49	10	2.8	4	< 1	1	2	3	6	7	7
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	7.3	105	1	1	2	8	28	30	31
20-34	25	3.8	11	1	2	3	4	9	11	15
35-49	45	3.1	6	1	1	2	4	6	8	11
50-64	23	3.2	7	1	1	2	5	7	9	9
65 +	37	4.0	21	1	2	3	5	7	9	28
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	10.0	8	8	8	10	12	12	12	12
35-49	7	7.4	153	1	1	3	6	29	35	35
50-64	1	4.0		4	4	4	4	4	4	4
65 +	5	3.6	6	1	1	5	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.1	2	< 1	1	2	3	4	5	7
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	146	3.9	22	1	1	3	5	7	10	29
B. Operated	16	6.1	69	1	1	4	6	12	28	35
1. SINGLE DX	26	2.2	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX	162	4.1	27	1	1	3	5	8	11	31
A. Not Operated	171	3.7	20	1	1	2	4	7	9	29
B. Operated	17	6.0	65	1	1	4	6	11	27	35
TOTAL										
0-19 YRS	23	5.5	80	1	1	1	4	23	30	31
20-34	35	3.7	11	1	1	3	5	9	11	15
35-49	62	3.5	22	1	1	2	4	7	8	32
50-64	26	3.2	6	1	1	3	5	6	9	9
65 +	42	4.0	19	1	1	3	5	7	8	28
GRAND TOTAL	**188**	**3.9**	**24**	**1**	**1**	**3**	**5**	**7**	**10**	**30**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	7.2	87	1	1	3	9	19	28	41
20-34	162	3.4	22	< 1	1	2	4	7	9	16
35-49	101	3.7	19	< 1	1	2	4	9	12	24
50-64	38	3.6	10	< 1	1	2	7	8	9	12
65 +	11	5.4	18	1	1	3	9	11	12	12
B. Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	475	10.8	192	1	2	5	13	30	42	76
20-34	762	5.0	37	1	2	3	6	10	15	31
35-49	565	5.3	38	1	2	3	6	12	17	28
50-64	146	5.2	39	1	2	3	6	12	17	25
65 +	147	8.6	132	2	3	5	9	17	34	62
B. Operated										
0-19 YRS	15	14.9	240	3	4	9	23	48	48	48
20-34	29	5.5	83	1	1	3	5	10	29	44
35-49	8	11.6	115	2	3	9	18	28	32	32
50-64	8	11.6	109	1	3	8	20	27	29	29
65 +	12	12.4	148	1	5	10	15	28	43	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	4.7	43	< 1	1	3	6	10	14	35
B. Operated	3	3.3	4	1	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	2095	6.7	85	1	2	3	7	15	25	53
B. Operated	72	10.0	140	1	2	5	13	26	43	48
1. SINGLE DX	454	4.7	42	< 1	1	3	6	10	14	35
2. MULTIPLE DX	2167	6.8	87	1	2	4	7	15	26	52
A. Not Operated	2546	6.3	78	1	2	3	7	14	23	52
B. Operated	75	9.7	136	1	2	5	12	25	41	48
TOTAL										
0-19 YRS	629	10.1	172	1	2	5	12	29	38	68
20-34	955	4.7	36	1	2	3	6	10	14	31
35-49	675	5.1	36	1	2	3	6	11	16	29
50-64	192	5.2	38	1	1	3	7	11	18	27
65 +	170	8.6	127	1	3	5	10	17	34	62
GRAND TOTAL	**2621**	**6.4**	**80**	**1**	**2**	**3**	**7**	**14**	**24**	**49**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	204	9.7	197	1	2	5	10	27	54	99 +
20-34	140	3.3	12	1	1	2	4	6	9	21
35-49	87	5.2	65	< 1	1	2	5	17	23	38
50-64	9	2.6	6	1	1	1	3	6	8	8
65 +	7	5.4	6	2	3	5	7	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	544	11.5	209	1	3	6	14	33	45	99 +
20-34	589	6.2	66	1	2	3	7	14	21	43
35-49	409	7.0	65	1	2	4	9	15	25	40
50-64	86	6.6	53	1	2	4	8	15	21	40
65 +	83	6.7	28	2	3	6	9	12	16	29
B. Operated										
0-19 YRS	6	3.0	3	1	2	4	52	99 +	99 +	99 +
20-34	27	5.7	52	< 1	1	3	8	14	18	35
35-49	10	5.0	10	1	3	4	8	10	10	10
50-64	3	3.0	4	1	1	3	4	5	5	5
65 +	5	6.4	7	3	4	6	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	447	6.6	115	1	1	3	7	18	28	77
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	1711	8.1	114	1	2	4	9	21	32	61
B. Operated	51	5.1	31	< 1	2	4	8	12	32	99 +
1. SINGLE DX	448	6.6	115	1	1	3	7	18	28	77
2. MULTIPLE DX	1762	8.0	112	1	2	4	9	20	32	72
A. Not Operated	2158	7.8	115	1	2	4	9	20	31	66
B. Operated	52	5.2	31	< 1	2	4	8	12	31	99 +
TOTAL										
0-19 YRS	754	10.9	205	1	3	6	13	32	47	99 +
20-34	756	5.7	57	1	2	3	7	13	20	37
35-49	506	6.7	64	1	2	4	8	15	25	40
50-64	98	6.1	49	1	2	4	8	13	21	37
65 +	96	6.6	25	2	3	6	9	12	15	29
GRAND TOTAL	**2210**	**7.8**	**113**	**1**	**2**	**4**	**9**	**20**	**31**	**76**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	234	13.6	236	1	3	8	23	42	64	99 +
20-34	27	4.8	30	1	1	3	6	13	16	25
35-49	16	2.6	5	1	1	2	3	6	8	9
50-64	8	5.3	93	1	1	2	3	21	29	29
65 +	4	6.5	36	1	3	5	10	15	15	15
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	868	21.3	311	3	7	16	33	44	58	99 +
20-34	240	11.3	99	1	3	8	18	28	31	43
35-49	129	8.0	126	1	2	4	9	18	25	52
50-64	38	4.6	15	1	2	3	5	12	13	14
65 +	47	4.9	17	1	2	4	6	11	14	20
B. Operated										
0-19 YRS	17	34.4	418	7	16	38	50	59	66	69
20-34	6	14.5	114	3	3	15	20	30	31	31
35-49	3	21.0	169	8	11	21	31	34	34	34
50-64	1	7.0		7	7	7	7	7	7	7
65 +	3	4.0	27	< 1	< 1	1	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	11.9	210	1	2	7	17	37	61	99 +
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1322	17.1	271	2	4	12	28	41	49	99 +
B. Operated	30	25.1	397	3	8	19	41	56	60	69
1. SINGLE DX	290	11.8	210	1	2	7	17	37	61	99 +
2. MULTIPLE DX	1352	17.3	275	2	4	12	28	42	50	99
A. Not Operated	1611	16.2	264	2	4	10	27	41	50	99 +
B. Operated	31	24.4	401	2	7	19	40	56	60	69
TOTAL										
0-19 YRS	1119	19.9	309	2	6	14	32	45	60	99 +
20-34	274	10.7	96	1	3	7	17	27	31	41
35-49	148	7.7	119	1	2	4	9	18	25	40
50-64	47	4.7	26	1	2	3	5	12	14	29
65 +	54	4.9	18	1	2	4	6	11	15	20
GRAND TOTAL	**1642**	**16.3**	**267**	**2**	**4**	**10**	**27**	**41**	**52**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	5.5	27	< 1	1	4	9	13	14	14
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.8	28	< 1	1	7	11	13	13	13
20-34	26	10.3	80	1	2	7	20	23	24	29
35-49	11	7.6	19	3	4	7	10	15	15	15
50-64	3	34.7	2380	6	6	7	70	91	91	91
65 +	4	19.5	226	7	9	15	29	41	41	41
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	3.7	1	3	3	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.5	22	< 1	1	5	7	13	14	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	49	11.6	207	2	4	7	15	23	30	91
B. Operated	6	2.8	2	1	2	3	3	5	5	5
1. SINGLE DX	10	5.5	22	< 1	1	5	7	13	14	14
2. MULTIPLE DX	55	10.7	192	2	3	7	14	23	28	88
A. Not Operated	59	10.6	180	1	3	7	14	23	26	86
B. Operated	6	2.8	2	1	2	3	3	5	5	5
TOTAL										
0-19 YRS	7	5.9	21	< 1	2	4	10	13	13	13
20-34	34	9.2	71	1	2	6	14	23	23	29
35-49	13	7.1	19	2	4	7	9	15	15	15
50-64	4	26.5	1854	2	4	6	49	91	91	91
65 +	7	12.7	185	3	4	7	16	36	41	41
GRAND TOTAL	**65**	**9.9**	**168**	**1**	**3**	**7**	**13**	**23**	**25**	**83**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	8.8	16	3	5	9	11	14	15	21
20-34	20	5.8	21	1	2	4	9	13	15	16
35-49	11	5.6	14	2	3	4	9	11	13	13
50-64	9	7.1	36	2	4	5	10	17	21	21
65 +	0									
B. Operated										
0-19 YRS	5	4.0	6	1	2	5	6	6	6	6
20-34	6	3.7	5	< 1	2	3	5	7	7	7
35-49	5	3.2	8	< 1	1	3	4	8	8	8
50-64	4	6.0	23	2	3	4	9	13	13	13
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	346	9.8	24	4	7	10	11	15	19	26
20-34	56	9.0	38	3	4	7	12	17	23	30
35-49	46	9.5	62	2	4	7	13	17	28	34
50-64	41	11.0	92	3	5	7	15	20	30	51
65 +	42	13.9	121	5	7	10	16	36	38	47
B. Operated										
0-19 YRS	63	18.9	246	8	11	14	21	52	74	99 +
20-34	34	16.7	152	6	8	14	19	34	51	54
35-49	36	17.5	216	5	7	14	21	40	50	65
50-64	57	19.4	266	5	9	14	23	44	64	68
65 +	60	20.0	293	7	10	15	24	34	60	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	8.2	19	3	4	9	11	14	15	21
B. Operated	22	4.0	8	1	2	3	5	7	10	13
2. MULTIPLE DX										
A. Not Operated	531	10.1	43	3	6	10	11	17	22	36
B. Operated	250	18.8	242	6	9	14	22	41	58	95
1. SINGLE DX	221	7.8	19	2	4	8	10	14	15	21
2. MULTIPLE DX	781	12.9	123	4	7	10	15	23	35	68
A. Not Operated	730	9.6	37	3	6	9	11	16	21	35
B. Operated	272	17.6	239	4	8	14	20	37	55	91
TOTAL										
0-19 YRS	573	10.5	55	3	7	10	12	16	21	54
20-34	116	10.4	84	3	4	8	14	20	26	53
35-49	98	11.7	131	2	4	8	15	26	36	59
50-64	111	14.8	196	3	5	11	18	31	50	68
65 +	104	17.2	229	5	9	12	22	35	43	85
GRAND TOTAL	**1002**	**11.7**	**104**	**3**	**6**	**10**	**14**	**21**	**29**	**66**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	14	3.0	4	1	1	3	4	6	7	7
50-64	15	3.3	1	2	2	3	4	4	6	6
65 +	37	3.8	79	1	1	1	3	6	9	55
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	32.0		32	32	32	32	32	32	32
35-49	5	6.4	88	< 1	1	3	9	23	23	23
50-64	33	6.0	54	1	2	4	6	12	23	38
65 +	208	6.4	22	2	3	5	8	12	17	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	4	6.5	6	4	4	6	8	9	9	9
65 +	29	12.7	53	4	6	13	18	22	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.5	45	1	1	2	4	6	7	48
B. Operated	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	248	6.5	30	2	3	5	8	12	17	29
B. Operated	35	11.6	51	4	5	10	16	21	27	28
1. SINGLE DX	68	3.6	45	1	1	3	4	6	8	47
2. MULTIPLE DX	283	7.1	35	2	3	5	8	15	19	29
A. Not Operated	314	5.9	34	1	3	4	7	11	17	30
B. Operated	37	11.4	49	4	5	10	16	21	26	28
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	32.0		32	32	32	32	32	32	32
35-49	21	4.0	23	1	1	3	5	7	14	23
50-64	53	5.2	36	1	2	4	5	9	12	38
65 +	275	6.8	38	2	3	5	8	15	19	28
GRAND TOTAL	**351**	**6.4**	**39**	**1**	**3**	**5**	**8**	**14**	**19**	**29**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	54	4.2	6	1	3	4	5	6	7	15
35-49	98	4.9	14	< 1	3	4	6	9	12	22
50-64	21	5.1	5	3	3	4	7	8	9	10
65 +	5	8.4	38	3	4	5	13	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	6	3.2	1	2	2	3	4	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	11.0	49	4	6	11	16	18	18	18
20-34	84	5.6	16	2	3	5	7	9	11	24
35-49	158	6.0	16	2	4	5	7	11	14	22
50-64	59	7.7	57	2	3	5	9	17	32	94
65 +	38	7.0	19	3	4	5	9	13	18	19
B. Operated										
0-19 YRS	0									
20-34	8	11.4	45	4	6	11	15	22	24	24
35-49	23	13.7	129	4	6	10	18	32	41	41
50-64	9	10.9	74	2	4	9	15	25	28	28
65 +	3	7.7	10	4	5	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	4.8	11	1	3	4	6	8	11	17
B. Operated	7	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	342	6.4	24	2	4	5	8	11	15	27
B. Operated	43	12.2	93	4	5	10	14	28	33	41
1. SINGLE DX	185	4.7	11	1	3	4	6	8	11	17
2. MULTIPLE DX	385	7.0	35	2	4	5	9	13	19	39
A. Not Operated	520	5.8	20	2	3	5	7	10	14	26
B. Operated	50	11.0	90	3	4	9	13	26	29	41
TOTAL										
0-19 YRS	3	11.0	49	4	6	11	16	18	18	18
20-34	146	5.4	16	2	3	5	6	9	13	24
35-49	285	6.2	29	2	3	5	7	11	14	29
50-64	89	7.4	48	2	3	5	9	14	25	76
65 +	47	7.1	19	3	4	5	9	14	18	19
GRAND TOTAL	**570**	**6.3**	**28**	**2**	**3**	**5**	**7**	**11**	**16**	**29**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	345	2.4	5	1	1	2	3	5	7	11
20-34	179	2.7	6	1	1	2	3	6	8	15
35-49	92	3.0	6	1	1	2	4	6	8	13
50-64	59	3.2	7	1	1	2	4	7	9	13
65 +	37	3.3	8	1	1	2	4	7	8	16
B. Operated										
0-19 YRS	6	5.3	19	1	2	4	7	12	13	13
20-34	22	6.6	23	1	3	8	9	10	15	21
35-49	12	7.0	8	4	4	7	9	10	12	12
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	738	3.7	17	1	1	2	4	8	12	19
20-34	433	3.8	16	1	1	3	5	7	9	21
35-49	481	3.8	13	1	2	3	5	8	10	17
50-64	387	4.4	16	1	2	3	6	9	12	20
65 +	757	5.2	25	2	2	4	6	10	13	32
B. Operated										
0-19 YRS	34	13.7	363	1	3	6	14	35	43	97
20-34	71	9.0	99	2	4	7	10	19	24	64
35-49	48	9.0	86	2	3	6	11	17	30	48
50-64	50	11.0	214	2	3	5	12	27	34	86
65 +	56	12.2	88	4	5	9	16	26	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	712	2.7	6	1	1	2	3	5	8	12
B. Operated	41	6.4	18	1	3	7	9	10	12	21
2. MULTIPLE DX										
A. Not Operated	2796	4.2	19	1	2	3	5	9	12	21
B. Operated	259	10.7	151	2	4	7	12	25	32	72
1. SINGLE DX	753	2.9	7	1	1	2	3	7	9	13
2. MULTIPLE DX	3055	4.8	33	1	2	3	6	10	14	31
A. Not Operated	3508	3.9	16	1	2	3	5	8	11	20
B. Operated	300	10.1	135	2	4	7	12	24	30	62
TOTAL										
0-19 YRS	1123	3.6	27	1	1	2	4	8	11	25
20-34	705	4.1	25	1	1	3	5	8	11	23
35-49	633	4.1	19	1	2	3	5	8	12	25
50-64	497	4.9	39	1	2	3	6	10	13	30
65 +	850	5.6	32	2	2	4	7	11	15	33
GRAND TOTAL	**3808**	**4.4**	**29**	**1**	**2**	**3**	**5**	**9**	**12**	**26**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	3.0	11	1	1	2	3	7	9	20
20-34	56	3.2	5	1	1	3	5	7	8	10
35-49	48	3.2	5	1	1	2	4	7	8	10
50-64	31	3.4	14	< 1	< 1	2	4	9	14	14
65 +	32	4.4	16	1	2	3	7	11	16	99 +
B. Operated										
0-19 YRS	177	4.9	60	< 1	< 1	2	5	12	19	35
20-34	68	4.9	14	1	2	4	6	9	13	19
35-49	43	5.1	21	1	2	4	7	9	14	25
50-64	42	3.4	7	1	1	2	5	7	9	12
65 +	28	5.3	15	2	3	4	6	12	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	211	7.1	139	1	2	3	7	18	32	66
20-34	185	7.5	171	1	2	4	7	18	31	99
35-49	211	5.1	30	1	2	4	6	10	14	75
50-64	209	7.3	83	1	2	4	9	14	22	52
65 +	697	7.0	44	2	3	5	9	14	18	27
B. Operated										
0-19 YRS	439	9.2	131	1	3	5	10	23	30	63
20-34	197	11.2	200	1	3	6	16	29	43	99 +
35-49	220	10.7	166	1	3	7	12	30	41	91
50-64	194	10.0	110	2	3	7	13	23	36	86
65 +	384	10.0	131	1	3	7	12	21	30	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	3.3	10	1	1	2	4	7	10	17
B. Operated	358	4.8	37	< 1	1	3	5	10	16	30
2. MULTIPLE DX										
A. Not Operated	1513	6.8	76	1	2	4	8	14	20	60
B. Operated	1434	10.0	143	1	3	6	12	24	35	80
1. SINGLE DX	603	4.2	26	< 1	1	3	5	9	13	29
2. MULTIPLE DX	2947	8.4	111	1	3	5	10	19	29	67
A. Not Operated	1758	6.4	69	1	2	4	7	13	19	56
B. Operated	1792	9.0	126	1	3	5	11	21	32	70
TOTAL										
0-19 YRS	905	7.3	113	1	2	4	8	18	29	61
20-34	506	8.1	150	1	2	4	9	20	32	98
35-49	522	7.3	93	1	2	4	9	15	30	73
50-64	476	7.8	88	1	2	5	10	18	28	60
65 +	1141	7.9	74	2	3	6	10	16	21	48
GRAND TOTAL	**3550**	**7.7**	**99**	**1**	**2**	**5**	**9**	**17**	**25**	**63**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	1.7	2	1	1	1	2	3	5	8
20-34	136	2.4	2	1	1	2	3	4	6	8
35-49	114	2.7	3	1	1	2	3	5	7	9
50-64	25	1.8	1	1	1	2	2	3	4	6
65 +	7	1.6		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.4	1	1	2	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	2.4	3	1	1	2	3	4	6	10
20-34	193	3.2	7	1	2	3	4	6	7	13
35-49	273	3.2	7	1	1	3	4	6	8	15
50-64	118	3.3	6	1	2	3	4	6	9	13
65 +	64	2.9	3	1	2	2	4	6	6	8
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	8	6.4	18	2	2	6	10	11	12	12
35-49	16	9.3	76	2	4	6	10	19	31	36
50-64	8	3.9		3	3	4	4	5	5	5
65 +	5	4.8	11	1	2	5	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	341	2.3	3	1	1	2	3	4	6	8
B. Operated	7	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	712	3.1	6	1	2	2	4	6	7	13
B. Operated	39	6.6	41	2	3	5	9	12	18	36
1. SINGLE DX	348	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX	751	3.3	9	1	2	3	4	6	8	14
A. Not Operated	1053	2.9	5	1	1	2	4	5	7	12
B. Operated	46	5.9	37	1	3	4	9	11	17	36
TOTAL										
0-19 YRS	126	2.1	2	1	1	2	3	4	5	8
20-34	342	2.9	6	1	1	2	4	5	7	12
35-49	404	3.3	10	1	1	3	4	6	8	17
50-64	151	3.1	5	1	2	2	4	6	8	12
65 +	76	2.9	4	1	2	2	4	6	6	9
GRAND TOTAL	**1099**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	3.0		3		3	3	3	3	3
50-64	0									
65 +	1	36.0		36	36	36	36	36	36	36
B. Operated										
0-19 YRS	0									
20-34	17	1.1		< 1	< 1	< 1	1	1	2	2
35-49	19	1.3	1	< 1	< 1	1	1	2	4	5
50-64	5	1.2		< 1	< 1	1	1	2	2	2
65 +	6	1.3	1	< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	5	6.0	29	1	2	3	10	14	14	14
65 +	5	2.2	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	1.8	1	1	1	1	2	4	4	4
35-49	40	1.7	1	1	1	1	2	3	3	6
50-64	20	2.4	5	< 1	< 1	2	3	5	8	10
65 +	34	2.3	5	< 1	1	1	2	5	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	9.2	225	2	2	3	11	36	36	36
B. Operated	47	1.2		< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	14	3.4	14	1	1	2	3	9	13	14
B. Operated	110	2.0	3	< 1	1	1	2	4	5	10
1. SINGLE DX	52	2.0	24	< 1	< 1	1	1	2	3	35
2. MULTIPLE DX	124	2.2	4	< 1	1	1	3	4	6	11
A. Not Operated	19	4.9	67	1	1	2	3	12	26	36
B. Operated	157	1.8	2	< 1	1	1	2	3	5	10
TOTAL										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	35	1.5	1	< 1	< 1	1	2	3	4	4
35-49	62	1.6	1	< 1	1	1	2	3	3	6
50-64	30	2.8	10	< 1	1	2	3	7	10	14
65 +	46	2.9	29	< 1	1	1	3	5	10	36
GRAND TOTAL	**176**	**2.1**	**10**	**< 1**	**1**	**1**	**2**	**3**	**5**	**13**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	4.5	19	1	1	3	7	12	15	17
20-34	31	5.0	20	1	2	4	6	12	14	19
35-49	47	3.7	16	< 1	1	3	4	7	12	21
50-64	34	3.6	7	1	1	3	5	8	9	10
65 +	16	4.9	28	< 1	1	4	7	8	18	22
B. Operated										
0-19 YRS	18	3.9	28	< 1	1	2	4	13	18	20
20-34	157	2.7	10	1	1	2	3	5	7	22
35-49	200	2.8	7	1	1	2	3	5	8	14
50-64	90	2.6	5	1	1	2	4	6	7	11
65 +	46	2.8	5	1	1	2	4	7	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	12.9	230	2	3	7	18	35	68	99 +
20-34	63	7.4	96	2	3	4	7	17	29	58
35-49	88	5.9	51	1	2	3	6	16	24	33
50-64	125	6.0	65	1	2	3	7	15	17	36
65 +	210	6.6	32	2	3	5	8	14	18	29
B. Operated										
0-19 YRS	35	5.8	72	1	1	3	7	25	80	99 +
20-34	157	3.9	13	1	2	3	4	8	10	17
35-49	251	4.4	20	1	2	3	5	9	13	23
50-64	150	6.1	88	1	2	3	7	15	25	99
65 +	172	8.4	89	1	2	5	11	20	30	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	4.2	17	< 1	1	3	6	9	13	21
B. Operated	511	2.7	8	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	535	7.0	71	1	2	4	8	16	22	43
B. Operated	765	5.6	52	1	2	3	6	13	20	54
1. SINGLE DX	674	3.1	10	1	1	2	4	6	9	18
2. MULTIPLE DX	1300	6.2	61	1	2	4	7	15	20	50
A. Not Operated	698	6.4	60	1	2	4	8	15	20	38
B. Operated	1276	4.5	36	1	1	3	5	10	15	37
TOTAL										
0-19 YRS	137	7.7	123	1	2	4	11	20	38	99 +
20-34	408	4.0	27	1	1	3	4	8	12	28
35-49	586	4.0	21	1	1	3	5	9	13	25
50-64	399	5.1	57	1	1	3	6	13	16	67
65 +	444	6.9	54	1	2	5	8	16	21	38
GRAND TOTAL	**1974**	**5.1**	**46**	**1**	**2**	**3**	**6**	**12**	**17**	**38**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	4	1.8		1	1	2	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	38	1.7	1	1	1	1	2	3	3	3
20-34	94	1.8	1	1	1	2	2	3	4	6
35-49	107	1.5		1	1	1	2	2	3	4
50-64	206	1.7	1	1	1	1	2	3	3	5
65 +	199	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	4	1.8	2	< 1	< 1	1	3	4	4	4
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	4	1.5	1	< 1	< 1	< 1	2	3	3	3
65 +	3	2.0	3	< 1	< 1	< 1	3	4	4	4
B. Operated										
0-19 YRS	45	2.7	45	1	1	1	2	3	6	46
20-34	105	2.2	2	1	1	2	3	5	5	7
35-49	169	1.9	1	1	1	2	2	3	4	6
50-64	400	2.2	2	1	1	2	3	4	5	7
65 +	661	2.4	3	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.9		< 1	1	2	2	3	3	3
B. Operated	644	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	15	1.6	1	< 1	< 1	< 1	2	4	4	4
B. Operated	1380	2.3	3	1	1	2	3	4	5	8
1. SINGLE DX	652	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX	1395	2.3	3	1	1	2	3	4	5	8
A. Not Operated	23	1.7	1	< 1	< 1	1	2	3	4	4
B. Operated	2024	2.1	3	1	1	2	3	3	4	7
TOTAL										
0-19 YRS	86	2.2	24	1	1	1	2	3	4	32
20-34	204	2.0	2	1	1	2	2	4	5	7
35-49	278	1.7	1	1	1	1	2	3	4	5
50-64	614	2.0	2	1	1	2	3	3	4	7
65 +	865	2.3	2	1	1	2	3	4	5	8
GRAND TOTAL	**2047**	**2.1**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	5	1.8	3	< 1	< 1	< 1	2	5	5	5
20-34	6	2.7	3	1	1	2	3	6	6	6
35-49	7	3.7	9	< 1	1	3	4	9	10	10
50-64	18	2.7	1	1	2	3	3	5	5	5
65 +	21	2.2	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	12	3.3	9	1	1	2	4	8	11	11
B. Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	10	3.1	11	1	1	2	4	8	12	12
35-49	14	2.4	1	1	1	3	3	4	4	4
50-64	27	2.3	1	1	2	2	3	3	4	4
65 +	97	2.7	2	1	2	3	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.4		< 1	1	1	2	3	3	3
B. Operated	57	2.6	3	< 1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	20	2.7	6	1	1	2	3	6	9	11
B. Operated	152	2.6	2	1	2	3	3	4	5	9
1. SINGLE DX	67	2.4	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	172	2.6	3	1	1	3	3	4	5	11
A. Not Operated	30	2.3	5	< 1	1	2	3	4	7	11
B. Operated	209	2.6	2	1	1	3	3	4	5	9
TOTAL										
0-19 YRS	16	1.8	2	< 1	< 1	1	2	4	5	5
20-34	18	2.7	7	1	1	2	3	5	10	12
35-49	23	2.7	4	1	1	3	3	4	6	10
50-64	48	2.5	1	1	2	2	3	4	4	5
65 +	134	2.7	3	1	1	3	3	4	6	9
GRAND TOTAL	**239**	**2.6**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**10**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.8		1	1	2	2	2	2	2
35-49	0									
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	4	1.0		1	1	1	1	1	1	1
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	16	2.1	3	1	1	2	3	4	6	7
65 +	18	2.9	6	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	0									
50-64	4	1.5		1	1	1	2	2	2	2
65 +	7	4.4	23	1	2	3	4	13	15	15
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	15	4.3	26	1	1	2	4	15	16	16
35-49	8	4.8	17	1	2	4	6	11	13	13
50-64	30	4.0	17	1	2	3	4	8	15	19
65 +	55	3.4	11	1	1	2	4	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.5		1	1	1	2	2	2	2
B. Operated	49	2.3	4	1	1	1	3	6	7	8
2. MULTIPLE DX										
A. Not Operated	14	3.2	13	1	1	2	3	6	13	15
B. Operated	111	3.7	14	1	1	2	4	9	13	17
1. SINGLE DX	57	2.2	4	1	1	1	3	5	7	8
2. MULTIPLE DX	125	3.7	14	1	1	2	4	9	13	17
A. Not Operated	22	2.6	9	1	1	2	3	4	9	15
B. Operated	160	3.3	11	1	1	2	4	8	11	16
TOTAL										
0-19 YRS	9	1.9	3	1	1	1	2	5	6	6
20-34	26	3.2	17	1	1	2	2	10	15	16
35-49	15	3.5	11	1	1	2	5	8	12	13
50-64	50	3.2	12	1	1	2	4	6	9	19
65 +	82	3.4	10	1	1	2	4	8	11	15
GRAND TOTAL	**182**	**3.2**	**11**	**1**	**1**	**2**	**4**	**8**	**11**	**16**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.1		< 1	< 1	< 1	1	1	3	3
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	8	1.8	1	< 1	< 1	1	2	4	4	4
50-64	22	1.0		< 1	< 1	< 1	1	1	1	1
65 +	94	1.1		< 1	< 1	< 1	< 1	< 1	1	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	8	1.3	1	< 1	< 1	1	1	2	3	3
B. Operated										
0-19 YRS	6	1.3	1	< 1	< 1	1	1	3	3	3
20-34	8	1.5	1	< 1	1	1	2	3	3	3
35-49	9	5.0	39	1	2	2	6	16	16	16
50-64	30	3.2	7	< 1	1	2	4	8	9	9
65 +	172	1.9	2	< 1	< 1	1	2	3	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	144	1.1		< 1	< 1	< 1	< 1	1	1	4
2. MULTIPLE DX										
A. Not Operated	11	1.2		< 1	< 1	1	1	2	3	3
B. Operated	225	2.1	5	< 1	< 1	1	2	4	7	11
1. SINGLE DX	144	1.1		< 1	< 1	< 1	< 1	1	1	4
2. MULTIPLE DX	236	2.1	5	< 1	< 1	1	2	4	7	10
A. Not Operated	11	1.2		< 1	< 1	1	1	2	3	3
B. Operated	369	1.7	3	< 1	< 1	< 1	2	3	6	9
TOTAL										
0-19 YRS	23	1.2		< 1	< 1	< 1	1	2	3	3
20-34	13	1.3		< 1	< 1	1	1	2	3	3
35-49	17	3.5	23	< 1	1	2	3	13	16	16
50-64	53	2.2	5	< 1	< 1	1	2	7	8	9
65 +	274	1.6	2	< 1	< 1	< 1	2	3	4	7
GRAND TOTAL	**380**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**6**	**9**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	5	2.6	2	1	2	2	4	4	4	4
35-49	0									
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	189	1.0		< 1	< 1	< 1	< 1	< 1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	1	2	2	3	3	3	3
20-34	3	2.3		2	2	2	3	3	3	3
35-49	5	2.6	4	< 1	1	2	3	6	6	6
50-64	18	5.2	19	1	3	3	7	13	15	15
65 +	13	4.4	6	2	3	4	5	8	10	10
B. Operated										
0-19 YRS	85	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	7	2.9	5	1	1	2	4	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	6.3	37	1	2	5	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.7	2	1	1	3	4	4	5	5
B. Operated	195	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	44	4.1	11	1	2	3	5	9	11	15
B. Operated	99	1.3	2	< 1	< 1	< 1	1	1	3	10
1. SINGLE DX	208	1.2	1	< 1	< 1	< 1	< 1	1	2	5
2. MULTIPLE DX	143	2.2	6	< 1	< 1	< 1	2	5	7	15
A. Not Operated	57	3.8	9	1	2	3	4	7	10	15
B. Operated	294	1.2	1	< 1	< 1	< 1	< 1	1	1	6
TOTAL										
0-19 YRS	283	1.0		< 1	< 1	< 1	< 1	1	1	3
20-34	12	2.3	1	1	1	2	3	4	4	4
35-49	15	2.5	4	1	1	2	3	6	7	7
50-64	22	5.1	17	2	3	3	7	11	15	15
65 +	19	4.4	9	1	2	4	5	9	12	13
GRAND TOTAL	**351**	**1.6**	**3**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**	**10**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.1	2	< 1	< 1	2	3	4	5	6
20-34	19	4.7	11	1	2	4	7	9	11	13
35-49	5	3.6	10	1	2	3	5	9	9	9
50-64	6	3.5	5	1	2	3	5	7	7	7
65 +	8	3.5	1	2	3	3	4	5	5	5
B. Operated										
0-19 YRS	35	1.3	1	< 1	< 1	< 1	1	2	3	5
20-34	37	2.8	28	1	1	1	2	6	8	32
35-49	48	2.6	9	1	1	2	2	5	9	17
50-64	29	3.7	68	1	1	1	3	8	12	45
65 +	54	2.0	6	1	1	1	2	3	7	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	3.3	3	1	2	3	4	6	6	10
20-34	23	5.2	62	1	2	3	6	7	19	40
35-49	30	5.0	20	1	3	4	5	10	16	21
50-64	12	7.7	86	1	2	6	8	19	33	35
65 +	41	5.9	15	2	3	5	8	11	11	22
B. Operated										
0-19 YRS	54	2.2	8	< 1	< 1	1	2	5	6	17
20-34	41	3.2	14	1	1	2	3	8	13	18
35-49	38	2.7	7	1	1	2	3	6	9	13
50-64	68	2.6	10	1	1	2	3	4	10	18
65 +	267	2.7	8	1	2	2	3	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.1	6	< 1	1	2	4	6	8	12
B. Operated	203	2.4	19	< 1	1	1	2	4	8	24
2. MULTIPLE DX										
A. Not Operated	176	4.8	23	1	2	4	6	9	11	32
B. Operated	468	2.7	9	1	1	2	3	5	8	17
1. SINGLE DX	278	2.6	15	< 1	1	2	3	5	8	16
2. MULTIPLE DX	644	3.3	14	1	1	2	3	6	9	19
A. Not Operated	251	4.3	18	1	2	3	5	8	10	22
B. Operated	671	2.6	12	1	1	2	2	4	8	17
TOTAL										
0-19 YRS	196	2.4	4	< 1	< 1	2	3	5	6	11
20-34	120	3.7	27	1	1	2	4	8	11	34
35-49	121	3.3	12	1	1	2	4	7	11	18
50-64	115	3.4	33	1	1	2	3	7	11	38
65 +	370	3.0	10	1	2	2	3	6	9	16
GRAND TOTAL	**922**	**3.1**	**14**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	171	2.8	2	2	2	2	3	4	5	9
20-34	19	3.6	5	1	2	4	5	7	8	8
35-49	13	3.6	6	1	2	3	4	7	10	11
50-64	9	3.7	5	1	2	4	5	7	7	7
65 +	6	2.8	3	1	2	2	5	5	5	5
B. Operated										
0-19 YRS	27	2.0	3	< 1	1	1	2	5	5	5
20-34	15	2.5	3	< 1	1	2	4	5	6	6
35-49	13	1.9	1	1	1	1	3	4	4	4
50-64	31	1.9	5	1	1	1	2	2	8	12
65 +	45	1.6	1	1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	279	3.3	7	1	2	3	4	6	7	16
20-34	59	5.3	23	2	2	3	7	15	16	21
35-49	49	5.4	35	1	2	3	6	14	16	34
50-64	45	4.9	19	2	3	3	6	9	14	21
65 +	43	4.3	8	1	2	3	7	8	10	11
B. Operated										
0-19 YRS	63	5.6	22	1	2	5	9	15	35	99 +
20-34	75	4.7	49	1	2	2	5	10	15	45
35-49	71	5.0	39	1	1	2	5	13	18	32
50-64	143	3.8	38	1	1	2	4	8	13	40
65 +	278	2.6	7	1	1	2	3	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.9	3	1	2	3	3	5	7	9
B. Operated	131	1.9	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	475	4.0	14	1	2	3	4	7	11	21
B. Operated	630	3.7	25	1	1	2	4	9	14	34
1. SINGLE DX	349	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1105	3.8	20	1	1	2	4	8	12	25
A. Not Operated	693	3.7	10	1	2	3	4	7	9	19
B. Operated	761	3.4	22	1	1	2	4	8	12	27
TOTAL										
0-19 YRS	540	3.3	8	1	2	3	4	6	9	20
20-34	168	4.6	31	1	2	3	5	9	15	21
35-49	146	4.7	32	1	2	3	5	12	16	33
50-64	228	3.8	29	1	1	2	4	8	12	28
65 +	372	2.7	6	1	1	2	3	6	8	14
GRAND TOTAL	**1454**	**3.5**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	5	1.6		1	1	2	2	2	2	2
35-49	5	2.4	1	1	2	2	3	4	4	4
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	12	2.8	7	1	1	2	4	6	9	10
35-49	14	3.4	6	1	2	3	5	8	9	9
50-64	18	4.3	17	1	1	3	6	12	13	13
65 +	16	4.2	12	1	2	3	6	10	11	11
B. Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	5	3.2	11	1	1	2	4	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.0	2	1	1	2	2	4	5	6
B. Operated	10	1.5	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	65	3.6	10	1	1	2	4	10	11	13
B. Operated	22	2.2	3	< 1	1	2	3	4	6	9
1. SINGLE DX	28	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	87	3.3	9	1	1	2	4	9	10	13
A. Not Operated	83	3.3	9	1	1	2	4	9	10	13
B. Operated	32	2.0	3	< 1	1	1	3	4	4	9
TOTAL										
0-19 YRS	18	1.4		< 1	< 1	1	2	3	3	3
20-34	23	2.3	4	1	1	2	2	4	6	10
35-49	24	2.9	4	1	1	2	3	6	8	9
50-64	27	3.7	13	1	1	2	5	11	12	13
65 +	23	3.8	10	1	2	3	5	10	11	11
GRAND TOTAL	**115**	**2.9**	**7**	**1**	**1**	**2**	**3**	**7**	**10**	**12**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	130	2.6	3	1	2	2	3	4	6	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	615	1.0		< 1	< 1	< 1	< 1	< 1	1	2
20-34	13	1.9	6	1	1	1	2	4	9	10
35-49	12	1.1		< 1	1	1	1	2	2	2
50-64	21	1.0		1	1	1	1	1	1	1
65 +	9	1.1		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	451	2.6	3	1	1	2	3	5	6	10
20-34	10	3.4	9	< 1	2	3	4	8	11	11
35-49	7	3.6	3	2	2	3	4	6	7	7
50-64	10	5.2	6	2	4	5	7	8	9	9
65 +	8	3.5	8	1	1	2	5	8	9	9
B. Operated										
0-19 YRS	297	1.9	10	< 1	< 1	1	1	3	5	19
20-34	24	1.3		< 1	1	1	1	2	3	3
35-49	28	2.0	6	1	1	1	2	5	7	12
50-64	24	1.4	1	< 1	1	1	1	2	4	5
65 +	24	1.7	3	1	1	1	1	3	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	2.6	3	1	2	2	3	4	6	11
B. Operated	670	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	486	2.7	3	1	1	2	3	5	7	10
B. Operated	397	1.8	8	< 1	< 1	1	1	3	5	16
1. SINGLE DX	804	1.3	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX	883	2.3	6	< 1	1	2	3	4	6	11
A. Not Operated	620	2.7	3	1	2	2	3	5	7	10
B. Operated	1067	1.3	3	< 1	< 1	< 1	1	1	2	8
TOTAL										
0-19 YRS	1493	1.8	4	< 1	< 1	1	2	3	4	10
20-34	48	1.9	4	1	1	1	2	3	5	11
35-49	49	2.0	4	1	1	1	2	4	7	12
50-64	55	1.9	4	1	1	1	2	5	7	9
65 +	42	2.0	4	1	1	1	2	5	7	9
GRAND TOTAL	**1687**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.8	4	1	2	2	3	5	7	11
20-34	21	5.6	26	1	2	4	6	14	18	20
35-49	11	4.5	5	2	3	3	7	8	8	8
50-64	3	7.0	61	2	2	3	13	16	16	16
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	74	2.7	14	< 1	< 1	1	3	6	11	20
20-34	20	4.4	13	1	1	3	7	9	11	13
35-49	8	2.1	3	1	1	1	3	5	6	6
50-64	6	5.0	27	1	1	2	10	13	13	13
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	159	3.4	7	1	2	3	4	7	10	12
20-34	34	4.3	9	2	2	4	5	10	11	13
35-49	26	4.3	13	1	2	4	5	7	11	19
50-64	16	6.1	29	2	3	4	7	16	19	20
65 +	28	6.6	44	2	3	5	7	12	18	36
B. Operated										
0-19 YRS	99	4.7	32	1	1	3	5	11	14	33
20-34	23	6.7	51	1	1	3	10	16	23	27
35-49	33	4.1	18	1	1	2	6	11	14	17
50-64	29	9.0	127	1	2	5	10	23	31	53
65 +	26	9.5	108	1	2	6	15	19	31	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.6	11	1	2	3	4	7	10	18
B. Operated	110	3.1	14	< 1	< 1	1	3	8	11	18
2. MULTIPLE DX										
A. Not Operated	263	4.1	14	1	2	3	5	8	11	19
B. Operated	210	6.0	57	1	1	3	8	14	19	44
1. SINGLE DX	221	3.4	12	< 1	1	2	4	8	11	18
2. MULTIPLE DX	473	5.0	34	1	2	3	6	11	15	30
A. Not Operated	374	4.0	13	1	2	3	5	8	11	19
B. Operated	320	5.0	44	< 1	1	3	6	13	15	33
TOTAL										
0-19 YRS	406	3.5	14	< 1	1	2	4	7	11	17
20-34	98	5.2	23	1	2	4	7	12	15	24
35-49	78	4.0	13	1	1	3	5	8	11	18
50-64	54	7.6	83	1	2	4	10	16	26	52
65 +	58	7.7	72	1	3	5	9	17	24	47
GRAND TOTAL	**694**	**4.5**	**28**	**1**	**2**	**3**	**5**	**10**	**14**	**27**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.8	24	1	1	6	10	10	10	10
20-34	15	2.5	5	1	1	1	4	7	7	7
35-49	40	2.1	1	1	1	2	3	4	5	5
50-64	58	1.8	1	1	1	2	2	3	4	6
65 +	47	2.2	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	17	1.1		< 1	< 1	1	1	1	2	2
20-34	18	2.4	4	< 1	1	2	3	6	7	7
35-49	35	2.4	4	1	1	2	3	5	6	11
50-64	20	2.0	3	1	1	1	2	5	6	7
65 +	11	2.2	3	1	1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	4	1	2	3	4	6	6	6
20-34	42	2.6	4	1	1	2	3	5	7	11
35-49	79	2.3	2	1	1	2	3	4	6	9
50-64	198	2.7	6	1	1	2	3	6	8	12
65 +	565	2.9	5	1	2	2	4	5	7	12
B. Operated										
0-19 YRS	10	1.6	2	< 1	< 1	1	2	4	5	5
20-34	34	2.5	3	1	2	2	3	4	6	9
35-49	52	2.5	3	1	1	2	4	5	6	7
50-64	20	2.8	3	1	1	2	4	5	7	8
65 +	36	5.1	12	1	3	5	7	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	2.1	2	1	1	2	3	4	5	9
B. Operated	101	2.1	3	1	1	1	2	5	6	9
2. MULTIPLE DX										
A. Not Operated	889	2.8	5	1	1	2	3	5	7	12
B. Operated	152	3.1	6	1	1	2	4	7	7	12
1. SINGLE DX	265	2.1	3	1	1	2	2	4	5	9
2. MULTIPLE DX	1041	2.9	5	1	1	2	3	6	7	12
A. Not Operated	1053	2.7	4	1	1	2	3	5	7	12
B. Operated	253	2.7	5	1	1	2	4	6	7	11
TOTAL										
0-19 YRS	36	2.0	5	< 1	1	1	2	5	9	10
20-34	109	2.5	4	1	1	2	3	5	7	10
35-49	206	2.3	3	1	1	2	3	5	5	9
50-64	296	2.5	5	1	1	2	3	5	7	12
65 +	659	3.0	5	1	2	2	4	6	7	12
GRAND TOTAL	**1306**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	27	1.1		< 1	1	1	1	1	2	3
35-49	27	1.2		1	1	1	1	2	2	3
50-64	28	1.1		1	1	1	1	2	2	2
65 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	1.4		1	1	1	2	2	2	2
35-49	27	1.1		1	1	1	1	1	2	2
50-64	22	1.2		1	1	1	1	2	2	2
65 +	9	1.1		1	1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	86	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	67	1.1		1	1	1	1	2	2	2
1. SINGLE DX	86	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX	68	1.1		1	1	1	1	2	2	2
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	153	1.2		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	36	1.2		< 1	1	1	1	2	2	3
35-49	54	1.1		1	1	1	1	2	2	3
50-64	50	1.1		1	1	1	1	2	2	2
65 +	13	1.2		1	1	1	2	2	2	2
GRAND TOTAL	**154**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	6	1.7	1	< 1	1	1	2	4	4	4
35-49	5	4.0	9	1	1	4	7	7	7	7
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	85	1.3	4	< 1	< 1	1	1	1	2	14
20-34	36	1.1		1	1	1	1	2	2	2
35-49	32	1.7	3	1	1	1	1	3	7	9
50-64	18	1.2		1	1	1	1	2	3	3
65 +	11	1.3		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.3	6	1	2	2	5	7	7	7
20-34	11	2.6	2	1	2	2	4	5	6	6
35-49	11	4.6	12	1	2	3	8	10	10	10
50-64	6	1.8	1	< 1	1	2	3	3	3	3
65 +	14	3.8	7	1	2	3	4	8	10	10
B. Operated										
0-19 YRS	100	1.5	4	< 1	1	1	1	2	3	14
20-34	73	2.7	25	1	1	1	2	6	15	29
35-49	61	1.9	7	1	1	1	1	4	8	16
50-64	43	2.2	11	1	1	1	1	7	10	17
65 +	32	1.7	2	1	1	1	2	4	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.8	3	< 1	< 1	1	1	4	7	7
B. Operated	182	1.3	3	< 1	1	1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated	50	3.4	7	1	2	3	4	8	10	10
B. Operated	309	2.0	10	< 1	1	1	1	3	7	17
1. SINGLE DX	207	1.4	3	< 1	< 1	1	1	2	3	8
2. MULTIPLE DX	359	2.2	10	1	1	1	2	5	8	17
A. Not Operated	75	2.9	6	< 1	1	2	4	7	9	10
B. Operated	491	1.7	8	< 1	1	1	1	2	6	17
TOTAL										
0-19 YRS	206	1.5	4	< 1	< 1	1	1	2	3	14
20-34	126	2.2	15	1	1	1	2	4	6	23
35-49	109	2.2	7	1	1	1	2	7	9	13
50-64	67	1.9	7	1	1	1	1	3	8	16
65 +	58	2.1	4	1	1	1	3	5	6	10
GRAND TOTAL	**566**	**1.9**	**7**	**< 1**	**1**	**1**	**1**	**3**	**7**	**16**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.7	7	1	2	4	5	7	10	10
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	30.0		30	30	30	30	30	30	30
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	7.9	177	2	2	4	6	12	44	55
20-34	13	7.7	33	2	5	6	9	15	22	24
35-49	8	6.1	24	1	2	5	10	13	13	13
50-64	11	5.6	8	2	3	5	8	10	11	11
65 +	5	4.4	1	3	4	4	5	6	6	6
B. Operated										
0-19 YRS	4	11.8	82	5	6	8	17	25	25	25
20-34	2	19.0		19	19	19	19	19	19	19
35-49	6	27.3	139	12	23	26	30	45	47	47
50-64	8	19.1	564	2	4	8	34	58	59	59
65 +	3	17.3	542	1	2	7	35	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.0	6	1	3	4	5	8	9	10
B. Operated	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. Not Operated	52	6.8	63	2	3	5	7	12	13	54
B. Operated	23	19.7	300	3	6	14	28	49	56	59
1. SINGLE DX	17	5.5	45	1	3	4	5	10	23	30
2. MULTIPLE DX	75	10.7	169	2	4	6	11	25	46	58
A. Not Operated	68	6.1	50	2	3	5	7	11	13	49
B. Operated	24	20.2	291	3	6	16	29	48	56	59
TOTAL										
0-19 YRS	30	6.9	104	1	3	4	6	11	25	55
20-34	18	8.5	40	2	5	6	10	19	22	24
35-49	16	15.5	181	1	4	12	26	30	42	47
50-64	19	11.3	271	2	3	6	10	39	57	59
65 +	9	8.6	180	2	3	4	6	29	44	44
GRAND TOTAL	**92**	**9.8**	**149**	**2**	**3**	**5**	**10**	**24**	**43**	**57**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	5	3.2	3	1	2	4	4	5	5	5
65 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	12	3.8	51	< 1	1	1	3	12	24	26
35-49	15	5.3	36	1	1	2	9	12	19	21
50-64	19	4.2	52	< 1	1	1	5	10	22	31
65 +	7	6.3	79	< 1	1	1	12	21	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	17	4.8	21	1	2	3	7	11	16	18
35-49	37	7.2	52	2	3	5	9	19	25	33
50-64	42	6.3	39	1	2	4	9	13	14	36
65 +	140	5.4	13	2	3	4	7	10	11	18
B. Operated										
0-19 YRS	19	7.2	47	< 1	1	6	10	21	61	99 +
20-34	23	9.6	62	2	6	8	10	18	29	36
35-49	109	9.5	69	1	3	8	12	19	25	43
50-64	213	10.3	76	1	6	9	12	20	27	45
65 +	303	11.5	78	1	6	10	15	22	25	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.2	6	1	2	4	6	8	8	8
B. Operated	56	4.5	47	< 1	1	1	5	12	22	31
2. MULTIPLE DX										
A. Not Operated	236	5.8	24	2	3	4	7	10	14	28
B. Operated	667	10.6	75	1	6	9	14	21	26	46
1. SINGLE DX	65	4.5	41	1	1	1	6	12	21	30
2. MULTIPLE DX	903	9.4	66	1	3	8	12	19	24	44
A. Not Operated	245	5.7	24	2	3	4	7	10	14	27
B. Operated	723	10.2	76	1	4	9	13	21	25	45
TOTAL										
0-19 YRS	23	6.4	43	< 1	1	6	9	20	45	99 +
20-34	53	6.7	50	1	2	5	8	15	25	36
35-49	161	8.6	63	1	3	7	11	19	24	41
50-64	279	9.2	72	1	3	8	12	18	25	44
65 +	452	9.5	66	2	4	8	13	19	23	44
GRAND TOTAL	**968**	**9.0**	**66**	**1**	**3**	**8**	**12**	**19**	**24**	**44**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.3	6	2	2	2	5	7	7	7
20-34	13	2.7	3	1	1	2	4	5	5	5
35-49	38	1.9	1	1	1	2	3	3	4	4
50-64	69	2.4	3	1	1	2	3	4	6	9
65 +	37	2.4	2	1	1	2	3	5	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	6	1.7	1	1	1	1	2	4	4	4
50-64	12	3.2	3	1	1	3	5	6	6	6
65 +	3	2.0	3	< 1	< 1	< 1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.2	9	1	1	5	7	8	8	8
20-34	67	3.3	7	1	1	2	4	7	8	13
35-49	292	3.7	17	1	1	2	4	7	10	22
50-64	490	3.3	11	1	2	2	4	6	8	16
65 +	617	3.6	10	1	2	3	4	7	9	14
B. Operated										
0-19 YRS	5	5.2	29	1	1	2	10	12	12	12
20-34	17	8.5	130	2	3	7	8	12	37	51
35-49	54	6.3	69	2	2	4	6	9	24	47
50-64	107	6.4	58	1	2	4	7	15	21	39
65 +	126	4.6	13	1	2	3	6	9	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	2.3	2	1	1	2	3	4	6	8
B. Operated	22	2.5	3	< 1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	1475	3.5	11	1	2	3	4	7	9	16
B. Operated	309	5.7	45	1	2	4	7	11	18	40
1. SINGLE DX	183	2.3	2	1	1	2	3	4	6	8
2. MULTIPLE DX	1784	3.9	18	1	2	3	5	7	10	22
A. Not Operated	1636	3.4	11	1	2	2	4	6	9	15
B. Operated	331	5.5	43	1	2	4	7	10	17	38
TOTAL										
0-19 YRS	19	4.1	12	1	1	2	7	9	11	12
20-34	97	4.1	31	1	2	3	5	8	9	34
35-49	390	3.8	23	1	2	2	4	7	10	28
50-64	678	3.7	19	1	2	3	4	7	10	28
65 +	783	3.7	10	1	2	3	4	7	10	15
GRAND TOTAL	**1967**	**3.8**	**17**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	2.7	2	1	1	2	4	5	5	5
50-64	11	2.5	2	< 1	1	2	4	5	5	5
65 +	32	5.0	49	1	2	3	4	12	22	35
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	5	3.2	5	1	2	3	4	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.9	5	3	4	5	8	9	9	9
20-34	16	5.6	18	2	2	4	8	13	14	15
35-49	86	4.5	23	1	2	3	5	8	11	31
50-64	279	4.7	14	1	2	4	6	9	12	19
65 +	928	5.4	15	2	3	4	7	10	12	22
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.3	11	< 1	< 1	2	5	8	8	8
35-49	27	4.5	11	1	1	4	7	10	10	11
50-64	50	7.1	52	1	3	5	8	14	24	40
65 +	168	9.4	49	2	5	8	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	4.0	30	1	2	2	4	6	12	34
B. Operated	7	2.7	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	1316	5.2	16	2	3	4	6	9	12	22
B. Operated	250	8.3	47	1	3	7	11	17	20	35
1. SINGLE DX	63	3.8	27	1	2	2	4	6	12	33
2. MULTIPLE DX	1566	5.7	22	2	3	4	7	10	15	24
A. Not Operated	1372	5.1	16	2	3	4	6	9	12	22
B. Operated	257	8.1	47	1	3	6	11	17	20	35
TOTAL										
0-19 YRS	8	5.6	5	3	4	5	7	9	9	9
20-34	22	4.8	16	1	2	3	8	11	14	15
35-49	125	4.3	19	1	2	3	5	8	10	21
50-64	345	5.0	20	1	2	4	6	9	13	24
65 +	1129	5.9	23	2	3	5	7	11	16	25
GRAND TOTAL	**1629**	**5.6**	**22**	**2**	**3**	**4**	**7**	**10**	**15**	**24**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	5	3.8	4	< 1	2	4	5	6	6	6
50-64	3	3.3	16	< 1	< 1	1	6	8	8	8
65 +	3	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	14	4.7	23	1	2	3	7	12	17	18
35-49	28	5.3	23	1	1	3	9	12	14	18
50-64	14	4.6	15	1	1	3	8	10	12	12
65 +	10	2.4	4	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.7	31	1	2	3	5	12	17	26
20-34	26	4.6	25	1	2	3	6	11	15	23
35-49	32	4.5	10	1	2	4	6	9	12	14
50-64	56	5.6	28	2	2	4	7	12	19	26
65 +	109	5.5	17	2	3	5	7	10	12	24
B. Operated										
0-19 YRS	37	11.6	238	1	2	8	15	24	26	91
20-34	97	7.5	37	2	3	7	10	15	20	69
35-49	147	8.7	40	2	4	8	11	14	19	38
50-64	148	8.3	65	1	3	6	11	18	22	35
65 +	198	9.2	56	2	4	7	12	20	25	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.2	5	< 1	1	3	5	7	8	8
B. Operated	68	4.6	19	1	1	3	7	11	13	18
2. MULTIPLE DX										
A. Not Operated	247	5.2	20	1	2	4	7	10	13	25
B. Operated	627	8.7	62	2	3	7	11	18	23	37
1. SINGLE DX	84	4.4	17	1	1	3	7	11	12	18
2. MULTIPLE DX	874	7.7	53	1	3	6	10	16	22	35
A. Not Operated	263	5.1	20	1	2	4	7	10	13	25
B. Operated	695	8.3	60	1	3	7	11	17	22	36
TOTAL										
0-19 YRS	65	8.6	158	1	2	4	12	19	25	81
20-34	140	6.6	35	1	2	5	10	13	18	42
35-49	212	7.5	36	1	3	7	10	13	17	31
50-64	221	7.3	53	1	2	5	10	16	22	33
65 +	320	7.7	45	2	3	6	10	16	22	33
GRAND TOTAL	**958**	**7.4**	**51**	**1**	**2**	**6**	**10**	**15**	**21**	**34**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	0									
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	6	3.7	3	2	3	3	4	7	7	7
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	16.0		16	16	16	16	16	16	16
35-49	7	5.0	22	1	1	5	7	13	14	14
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	8	4.4	14	1	2	3	6	11	12	12
35-49	21	4.5	18	2	3	3	5	7	14	21
50-64	56	5.7	10	2	3	5	7	10	13	15
65 +	205	6.4	20	2	3	5	8	13	16	21
B. Operated										
0-19 YRS	6	10.7	60	2	5	10	13	23	24	24
20-34	18	8.6	63	2	3	7	9	22	29	31
35-49	29	7.4	88	1	3	5	8	15	18	51
50-64	71	8.2	99	1	2	5	11	17	21	61
65 +	143	10.3	81	2	3	7	14	22	30	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.8	5	1	2	3	5	8	8	8
B. Operated	12	5.3	26	1	1	4	7	15	16	16
2. MULTIPLE DX										
A. Not Operated	294	6.0	18	2	3	5	8	12	14	21
B. Operated	267	9.3	85	2	3	6	13	21	27	48
1. SINGLE DX	21	4.7	17	1	1	3	7	10	15	16
2. MULTIPLE DX	561	7.6	53	2	3	5	10	16	21	35
A. Not Operated	303	5.9	18	2	3	5	8	12	14	21
B. Operated	279	9.1	83	1	3	6	13	20	27	47
TOTAL										
0-19 YRS	11	7.4	47	1	2	5	11	17	23	24
20-34	28	7.6	49	1	3	6	9	15	26	31
35-49	57	6.0	55	1	3	4	7	13	16	49
50-64	131	6.9	60	1	3	5	8	13	17	51
65 +	355	7.9	48	2	3	6	11	17	22	34
GRAND TOTAL	**582**	**7.5**	**52**	**2**	**3**	**5**	**10**	**16**	**21**	**35**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.0	39	1	1	3	11	15	15	15
35-49	82	4.9	7	1	2	5	7	8	9	13
50-64	195	5.3	7	2	4	5	7	8	9	13
65 +	172	5.4	7	2	4	6	7	8	9	13
B. Operated										
0-19 YRS	0									
20-34	11	6.0	12	1	4	6	8	11	12	12
35-49	110	5.2	6	2	3	5	7	8	9	10
50-64	134	5.6	7	2	4	5	7	9	11	12
65 +	146	6.1	11	2	4	6	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	26	5.0	7	2	3	5	6	8	11	12
35-49	435	5.9	9	2	4	6	7	10	12	16
50-64	1371	6.3	12	3	4	6	8	10	12	19
65 +	4687	7.4	13	4	5	7	9	11	14	20
B. Operated										
0-19 YRS	0									
20-34	67	6.9	11	3	4	7	9	11	14	17
35-49	1105	7.0	26	3	4	6	8	11	13	27
50-64	2564	8.1	36	3	5	7	9	13	17	34
65 +	2998	9.7	44	4	6	8	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	454	5.3	7	1	4	5	7	8	9	13
B. Operated	401	5.7	8	2	4	6	7	9	11	16
2. MULTIPLE DX										
A. Not Operated	6521	7.0	13	3	5	7	8	11	13	20
B. Operated	6734	8.6	39	3	5	7	10	15	19	33
1. SINGLE DX	855	5.5	8	2	4	5	7	9	10	13
2. MULTIPLE DX	13255	7.8	27	3	5	7	9	13	16	27
A. Not Operated	6975	6.9	13	3	5	7	8	11	13	19
B. Operated	7135	8.4	37	3	5	7	10	14	18	32
TOTAL										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	109	6.3	12	2	4	6	8	11	13	16
35-49	1732	6.5	20	3	4	6	8	10	12	22
50-64	4264	7.3	27	3	5	6	9	12	15	27
65 +	8003	8.2	26	4	5	7	10	14	17	27
GRAND TOTAL	**14110**	**7.7**	**26**	**3**	**5**	**7**	**9**	**13**	**16**	**26**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	1.5	1	1	1	1	2	3	3	3
35-49	75	1.7	2	1	1	1	2	3	3	9
50-64	159	1.9	1	1	1	2	2	3	4	6
65 +	151	1.9	1	1	1	2	2	3	4	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	22	2.5	6	< 1	1	2	3	3	7	13
50-64	44	2.1	2	< 1	1	2	2	4	5	8
65 +	64	2.8	11	1	1	2	3	7	10	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	32	2.3	2	1	1	2	3	5	5	6
35-49	418	2.2	3	1	1	2	3	4	6	8
50-64	1258	2.4	3	1	1	2	3	4	6	9
65 +	2902	2.9	5	1	2	2	3	5	7	10
B. Operated										
0-19 YRS	0									
20-34	8	3.8	7	1	2	3	6	8	8	8
35-49	300	3.0	6	1	1	2	4	7	8	12
50-64	891	3.8	15	1	1	2	5	9	11	16
65 +	998	4.6	20	1	2	3	7	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	396	1.8	1	1	1	2	2	3	4	6
B. Operated	130	2.5	7	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. Not Operated	4610	2.7	4	1	1	2	3	5	6	10
B. Operated	2197	4.1	16	1	1	3	6	9	11	17
1. SINGLE DX	526	2.0	3	1	1	2	2	3	4	11
2. MULTIPLE DX	6807	3.1	9	1	1	2	4	6	9	13
A. Not Operated	5006	2.6	4	1	1	2	3	5	6	10
B. Operated	2327	4.0	16	1	1	2	5	9	11	17
TOTAL										
0-19 YRS	0									
20-34	51	2.4	3	1	1	2	3	5	6	8
35-49	815	2.5	4	1	1	2	3	5	7	11
50-64	2352	2.9	8	1	1	2	3	6	8	13
65 +	4115	3.3	9	1	2	2	4	7	9	13
GRAND TOTAL	**7333**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.0	5	1	1	2	5	6	6	6
35-49	77	2.0	3	1	1	1	2	3	6	10
50-64	185	2.0	2	1	1	2	2	3	4	7
65 +	272	2.5	2	1	2	2	3	4	5	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	58	2.8	5	1	1	2	3	6	7	14
50-64	185	3.1	5	1	2	2	4	6	8	10
65 +	299	3.8	8	1	2	3	5	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	31	3.4	9	1	2	2	4	7	11	15
35-49	526	2.7	4	1	1	2	3	5	6	11
50-64	1593	3.0	6	1	2	2	4	5	7	11
65 +	4595	3.4	7	1	2	3	4	6	7	13
B. Operated										
0-19 YRS	0									
20-34	20	7.0	34	2	3	5	9	11	20	28
35-49	855	5.0	19	1	2	4	7	10	12	23
50-64	2792	5.7	26	1	2	4	8	11	14	24
65 +	4156	6.8	36	2	3	5	9	13	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	541	2.3	2	1	1	2	3	4	5	7
B. Operated	542	3.4	7	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	6746	3.3	7	1	2	3	4	6	7	12
B. Operated	7823	6.2	31	1	3	5	9	12	15	28
1. SINGLE DX	1083	2.9	5	1	1	2	3	6	7	11
2. MULTIPLE DX	14569	4.9	22	1	2	3	6	10	13	22
A. Not Operated	7287	3.2	6	1	2	3	4	6	7	12
B. Operated	8365	6.0	30	1	2	4	8	12	15	28
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	58	4.6	20	1	2	3	6	9	11	27
35-49	1516	4.0	14	1	2	3	5	8	10	20
50-64	4755	4.5	19	1	2	3	6	10	12	19
65 +	9322	4.9	23	1	2	3	6	10	13	23
GRAND TOTAL	**15652**	**4.7**	**21**	**1**	**2**	**3**	**6**	**10**	**13**	**21**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.0		5	5	5	5	5	5	5
35-49	7	1.9	2	1	1	1	2	4	5	5
50-64	20	1.7	1	1	1	1	2	3	4	4
65 +	8	1.9	2	1	1	1	2	4	5	5
B. Operated										
0-19 YRS	0									
20-34	7	1.3	1	< 1	< 1	1	1	3	3	3
35-49	128	2.6	5	1	1	2	3	7	7	11
50-64	262	2.8	7	1	1	2	3	8	9	12
65 +	214	4.0	12	1	1	2	7	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	95	3.8	28	1	1	2	5	7	10	34
50-64	286	3.7	12	1	2	3	5	8	9	19
65 +	490	4.4	18	1	2	3	6	9	12	22
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	38	5.7	24	1	2	4	7	13	17	23
35-49	994	5.0	22	1	2	4	7	9	12	26
50-64	3152	5.8	31	1	2	5	8	11	14	27
65 +	3853	7.0	46	1	2	6	9	14	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	1.9	2	1	1	1	2	4	5	5
B. Operated	611	3.2	9	1	1	2	4	8	9	12
2. MULTIPLE DX										
A. Not Operated	873	4.1	17	1	2	3	5	8	11	20
B. Operated	8040	6.3	38	1	2	5	8	12	16	30
1. SINGLE DX	648	3.1	9	1	1	2	4	8	9	12
2. MULTIPLE DX	8913	6.1	36	1	2	5	8	12	15	30
A. Not Operated	910	4.0	16	1	2	3	5	8	11	20
B. Operated	8651	6.0	36	1	2	5	8	12	15	30
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	49	4.9	22	1	2	4	6	10	16	23
35-49	1224	4.6	21	1	2	3	7	9	11	24
50-64	3720	5.4	29	1	2	4	8	11	14	26
65 +	4565	6.6	42	1	2	5	9	13	16	32
GRAND TOTAL	**9561**	**5.9**	**35**	**1**	**2**	**4**	**8**	**12**	**15**	**29**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	9	2	3	5	7	8	8	8
20-34	23	5.6	3	4	4	5	7	8	9	9
35-49	30	6.4	5	3	5	7	8	9	10	10
50-64	38	6.6	3	5	5	7	7	9	10	10
65 +	34	5.6	5	2	4	6	7	8	8	10
B. Operated										
0-19 YRS	0									
20-34	6	7.2	6	5	6	6	7	12	12	12
35-49	9	7.3	6	5	6	6	9	11	11	11
50-64	11	8.9	6	6	7	8	11	12	14	14
65 +	4	6.3	13	1	4	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.3	16	2	5	7	8	13	15	15
20-34	76	7.6	14	4	6	7	9	12	15	23
35-49	170	7.3	6	4	6	7	9	10	11	16
50-64	286	7.8	10	5	6	7	9	11	13	20
65 +	899	8.6	14	5	6	8	10	13	15	22
B. Operated										
0-19 YRS	6	8.7	52	2	3	6	15	19	20	20
20-34	37	9.3	39	5	6	8	9	14	24	36
35-49	66	10.7	23	6	7	10	13	19	21	24
50-64	97	10.0	45	5	6	8	11	17	21	40
65 +	219	11.4	40	6	7	10	14	19	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	6.1	4	3	5	6	8	8	9	10
B. Operated	30	7.7	7	5	6	7	10	11	12	14
2. MULTIPLE DX										
A. Not Operated	1439	8.2	13	5	6	8	10	12	15	21
B. Operated	425	10.7	39	5	7	9	13	19	22	37
1. SINGLE DX	158	6.4	5	4	5	7	8	9	10	12
2. MULTIPLE DX	1864	8.8	20	5	6	8	10	13	17	25
A. Not Operated	1567	8.1	12	5	6	7	9	12	14	21
B. Operated	455	10.5	37	5	7	9	12	18	21	36
TOTAL										
0-19 YRS	17	7.4	26	2	4	7	8	15	18	20
20-34	142	7.7	20	4	5	7	9	12	15	26
35-49	275	8.0	12	4	6	7	9	12	14	21
50-64	432	8.2	18	5	6	7	9	12	15	26
65 +	1156	9.0	20	5	6	8	11	14	17	25
GRAND TOTAL	**2022**	**8.6**	**19**	**5**	**6**	**8**	**10**	**13**	**17**	**24**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	18.0		18	18	18	18	18	18	18
35-49	0									
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	15.0	91	3	4	18	23	25	27	27
20-34	42	13.7	108	3	5	12	19	29	34	42
35-49	51	15.5	149	4	6	12	22	30	45	50
50-64	34	14.1	138	4	6	9	20	35	42	45
65 +	66	14.4	63	6	8	12	19	25	32	35
B. Operated										
0-19 YRS	8	14.8	79	4	7	17	22	72	99 +	99 +
20-34	39	20.3	244	4	7	17	37	44	46	46
35-49	63	24.6	251	7	11	21	38	49	55	95
50-64	43	18.7	126	7	9	17	26	35	40	50
65 +	67	20.9	206	6	10	18	28	42	46	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	8.7	66	3	3	5	15	18	18	18
B. Operated	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. Not Operated	203	14.5	106	4	7	12	20	28	34	46
B. Operated	220	21.2	208	6	9	18	31	43	49	77
1. SINGLE DX	4	13.5	138	3	4	11	23	28	28	28
2. MULTIPLE DX	423	18.0	170	5	8	15	25	40	45	61
A. Not Operated	206	14.4	105	4	6	12	19	28	34	46
B. Operated	221	21.2	208	6	9	18	31	43	49	77
TOTAL										
0-19 YRS	19	15.6	86	4	6	17	23	29	65	99 +
20-34	82	16.9	180	4	6	13	25	42	44	46
35-49	114	20.5	224	6	9	16	29	45	50	79
50-64	79	16.4	135	4	7	13	22	34	42	49
65 +	133	17.7	145	6	9	15	23	35	42	60
GRAND TOTAL	**427**	**17.9**	**170**	**5**	**8**	**15**	**25**	**40**	**45**	**60**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.6	8	<1	1	1	3	8	9	9
20-34	6	1.5		1	1	1	2	2	2	2
35-49	21	1.4		<1	1	1	2	2	3	3
50-64	19	1.3		<1	<1	1	1	2	3	3
65 +	14	1.4		<1	1	1	2	2	3	3
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.4	6	1	2	3	4	7	9	10
20-34	15	2.3	3	1	1	2	3	5	6	6
35-49	58	1.9	2	1	1	1	3	4	5	8
50-64	153	2.3	4	1	1	2	3	5	6	13
65 +	410	3.7	27	1	2	3	4	7	9	16
B. Operated										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	4	8.5	18	4	5	8	11	14	14	14
35-49	5	3.8	13	1	2	3	5	10	10	10
50-64	9	6.2	13	2	4	6	8	12	13	13
65 +	31	6.8	51	2	3	5	8	13	16	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	1.6	2	<1	1	1	2	2	3	9
B. Operated	6	2.0	2	1	1	2	2	5	5	5
2. MULTIPLE DX										
A. Not Operated	653	3.2	18	1	1	2	4	6	8	14
B. Operated	50	7.4	74	2	3	6	8	13	16	50
1. SINGLE DX	82	1.7	2	<1	1	1	2	3	4	9
2. MULTIPLE DX	703	3.5	23	1	1	2	4	7	9	16
A. Not Operated	729	3.0	17	1	1	2	4	6	8	14
B. Operated	56	6.8	69	1	3	5	8	13	16	49
TOTAL										
0-19 YRS	36	4.2	68	1	1	2	3	9	10	50
20-34	27	3.0	9	1	1	2	4	7	10	14
35-49	84	1.9	2	1	1	1	2	3	5	9
50-64	182	2.4	5	1	1	2	3	5	6	13
65 +	456	3.9	28	1	2	3	5	7	10	18
GRAND TOTAL	**785**	**3.3**	**22**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	36	1.7	2	<1	1	1	2	4	5	7
35-49	83	1.5	1	<1	1	1	2	3	3	5
50-64	147	1.8	2	<1	1	1	2	3	4	6
65 +	220	1.9	2	<1	1	2	2	3	4	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	4	1.3		1	1	1	2	2	2	2
65 +	8	3.0	5	<1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.6	7	<1	1	3	5	8	9	9
20-34	77	2.2	6	<1	1	1	2	4	7	14
35-49	292	2.8	7	1	1	2	4	6	7	17
50-64	967	3.0	8	1	1	2	4	6	8	13
65 +	3816	3.7	9	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	7	3.1	1	2	2	3	4	5	5	5
20-34	5	4.2	12	1	2	4	6	10	10	10
35-49	21	5.4	28	1	2	4	7	10	17	24
50-64	94	5.5	27	1	3	4	7	11	14	71
65 +	379	7.0	40	2	3	5	9	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	489	1.8	2	<1	1	1	2	3	4	7
B. Operated	15	2.3	3	1	1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	5172	3.5	9	1	2	3	4	7	9	15
B. Operated	506	6.6	37	2	3	5	8	14	18	35
1. SINGLE DX	504	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	5678	3.8	12	1	2	3	5	8	10	18
A. Not Operated	5661	3.3	8	1	1	2	4	7	9	15
B. Operated	521	6.5	36	1	3	5	8	13	18	35
TOTAL										
0-19 YRS	30	3.2	6	<1	1	3	4	7	9	9
20-34	118	2.1	5	<1	1	1	2	4	7	14
35-49	399	2.7	7	1	1	2	3	6	7	17
50-64	1212	3.1	9	1	1	2	4	6	8	15
65 +	4423	3.9	12	1	2	3	5	8	10	18
GRAND TOTAL	**6182**	**3.6**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.3	5	1	1	1	3	5	6	12
20-34	48	2.6	13	1	1	2	3	5	6	25
35-49	65	1.9	2	1	1	2	2	3	5	9
50-64	84	1.9	2	1	1	1	2	3	6	8
65 +	106	2.1	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	28	3.4	6	1	1	3	5	7	8	10
20-34	36	3.1	9	1	1	2	4	6	10	14
35-49	40	4.1	25	1	1	2	5	9	11	29
50-64	46	2.8	6	1	1	2	3	7	8	10
65 +	153	2.8	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	3.5	19	1	1	2	4	8	10	19
20-34	128	2.8	20	1	1	2	3	6	7	18
35-49	361	2.5	5	1	1	2	3	5	6	12
50-64	834	3.4	12	1	1	2	4	7	10	17
65 +	2981	4.1	12	1	2	3	5	8	10	18
B. Operated										
0-19 YRS	54	5.0	22	1	2	3	6	12	16	20
20-34	72	6.2	67	1	2	4	7	12	26	47
35-49	182	6.6	51	1	2	5	9	13	21	45
50-64	531	7.3	49	2	3	5	10	16	22	35
65 +	2264	6.1	34	1	3	4	7	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	2.1	4	1	1	2	2	4	6	9
B. Operated	303	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	4445	3.8	12	1	2	3	5	7	10	17
B. Operated	3103	6.3	39	1	3	5	8	13	18	32
1. SINGLE DX	661	2.5	6	1	1	2	3	5	7	12
2. MULTIPLE DX	7548	4.8	25	1	2	3	6	10	14	27
A. Not Operated	4803	3.7	12	1	2	3	4	7	10	16
B. Operated	3406	6.0	37	1	2	4	7	13	17	30
TOTAL										
0-19 YRS	278	3.6	16	1	1	2	4	8	11	18
20-34	284	3.7	31	1	1	2	4	7	10	34
35-49	648	3.7	22	1	1	2	4	8	11	27
50-64	1495	4.7	28	1	2	3	6	10	15	30
65 +	5504	4.8	22	1	2	3	6	10	13	24
GRAND TOTAL	**8209**	**4.6**	**24**	**1**	**2**	**3**	**6**	**10**	**13**	**28**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	3.9	9	1	2	3	5	9	10	10
50-64	39	3.3	3	1	2	3	4	6	7	8
65 +	213	3.5	5	1	2	3	5	7	8	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	5.0	7	1	4	5	8	8	8	8
65 +	10	7.0	22	2	4	5	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	5.3	26	1	2	4	7	11	14	28
20-34	65	5.4	16	2	3	4	6	11	13	21
35-49	516	5.0	15	2	3	4	6	10	12	19
50-64	2270	5.2	18	2	3	4	7	10	13	21
65 +	12535	5.6	15	2	3	5	7	10	13	20
B. Operated										
0-19 YRS	20	21.4	179	5	11	21	28	39	49	56
20-34	49	8.1	23	2	5	8	11	14	20	21
35-49	126	9.1	62	2	4	7	13	18	25	40
50-64	462	10.0	87	2	4	8	13	20	27	48
65 +	1500	10.2	63	3	5	8	13	20	26	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	263	3.5	5	1	2	3	5	7	8	12
B. Operated	17	6.0	17	1	3	5	8	13	14	14
2. MULTIPLE DX										
A. Not Operated	15499	5.5	16	2	3	5	7	10	13	20
B. Operated	2157	10.1	70	3	5	8	13	20	26	42
1. SINGLE DX	280	3.6	6	1	2	3	5	7	8	13
2. MULTIPLE DX	17656	6.1	25	2	3	5	8	11	15	25
A. Not Operated	15762	5.5	16	2	3	5	7	10	13	20
B. Operated	2174	10.1	69	3	5	8	13	20	26	42
TOTAL										
0-19 YRS	135	7.6	81	1	2	4	9	19	27	45
20-34	115	6.5	21	2	3	5	9	12	17	21
35-49	651	5.8	26	2	3	4	7	12	16	26
50-64	2777	6.0	33	2	3	4	7	11	15	28
65 +	14258	6.1	22	2	3	5	8	11	15	24
GRAND TOTAL	**17936**	**6.1**	**24**	**2**	**3**	**5**	**8**	**11**	**15**	**25**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	8	< 1	1	6	6	6	6	6
20-34	3	1.7		1	1	2	2	2	2	2
35-49	8	3.6	4	1	2	3	5	6	7	7
50-64	6	3.2	6	< 1	1	2	5	7	7	7
65 +	4	4.5	7	2	2	4	6	8	8	8
B. Operated										
0-19 YRS	6	6.7	77	< 1	< 1	1	18	18	18	18
20-34	1	17.0		17	17	17	17	17	17	17
35-49	7	5.4	25	1	1	3	9	13	14	14
50-64	8	1.4	1	< 1	1	1	2	3	3	3
65 +	8	2.4	10	1	1	1	2	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	8.1	149	1	3	5	10	11	24	64
20-34	45	5.9	30	2	2	4	8	12	18	27
35-49	109	5.6	28	2	3	4	7	11	14	31
50-64	182	5.2	25	1	2	4	6	10	16	24
65 +	305	6.5	29	2	3	5	8	13	17	28
B. Operated										
0-19 YRS	25	12.8	147	< 1	2	10	19	22	32	57
20-34	12	7.3	42	1	2	5	13	17	20	20
35-49	87	8.3	53	1	3	7	12	17	21	37
50-64	118	7.8	124	1	2	5	9	17	22	68
65 +	115	7.0	54	1	2	5	9	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.5	5	< 1	2	3	5	7	7	8
B. Operated	30	4.2	31	< 1	1	1	3	15	18	18
2. MULTIPLE DX										
A. Not Operated	666	6.0	32	2	3	4	7	11	17	29
B. Operated	357	8.0	84	1	2	6	10	17	21	56
1. SINGLE DX	54	3.9	19	< 1	1	2	5	9	16	18
2. MULTIPLE DX	1023	6.7	51	1	3	5	8	14	19	33
A. Not Operated	690	5.9	32	2	3	4	7	11	16	28
B. Operated	387	7.7	81	1	2	5	10	17	21	53
TOTAL										
0-19 YRS	59	9.7	137	< 1	2	6	13	20	23	63
20-34	61	6.1	33	1	2	4	8	16	19	26
35-49	211	6.6	39	1	2	5	9	14	20	31
50-64	314	6.0	63	1	2	4	7	13	18	46
65 +	432	6.6	35	2	3	5	8	13	17	30
GRAND TOTAL	**1077**	**6.6**	**50**	**1**	**2**	**5**	**8**	**14**	**19**	**32**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.9	2	< 1	1	1	3	5	5	5
20-34	44	2.6	3	1	2	2	3	4	5	11
35-49	63	1.8	1	1	1	1	2	3	4	5
50-64	50	2.1	2	1	1	2	2	4	5	8
65 +	28	2.9	8	1	1	2	3	5	8	15
B. Operated										
0-19 YRS	31	1.8	3	< 1	< 1	1	1	5	7	7
20-34	17	4.6	13	1	2	4	6	9	13	15
35-49	29	2.6	6	< 1	1	1	3	7	9	9
50-64	44	5.0	53	1	1	2	7	10	18	40
65 +	46	6.5	22	1	1	7	11	11	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	5.6	43	1	2	3	6	12	22	34
20-34	106	3.5	17	1	1	2	4	7	10	25
35-49	200	3.6	22	1	2	2	4	6	10	27
50-64	350	4.3	19	1	2	3	6	9	11	28
65 +	655	5.2	25	2	2	4	7	9	13	24
B. Operated										
0-19 YRS	95	7.2	74	< 1	1	5	10	19	27	39
20-34	78	8.3	55	1	4	7	10	17	22	38
35-49	202	9.0	85	1	3	7	11	17	32	46
50-64	474	8.7	59	1	3	8	10	17	22	42
65 +	996	10.9	76	2	6	9	13	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	200	2.2	3	1	1	2	3	4	5	9
B. Operated	167	4.4	26	< 1	1	2	7	10	12	26
2. MULTIPLE DX										
A. Not Operated	1365	4.6	23	1	2	3	6	9	12	25
B. Operated	1845	9.8	73	1	4	8	12	19	25	44
1. SINGLE DX	367	3.2	14	1	1	2	3	8	10	15
2. MULTIPLE DX	3210	7.6	58	1	2	6	10	15	21	40
A. Not Operated	1565	4.3	21	1	2	3	5	9	11	24
B. Operated	2012	9.4	71	1	3	8	12	18	25	43
TOTAL										
0-19 YRS	195	5.5	53	< 1	1	2	7	12	23	36
20-34	245	4.9	31	1	2	3	6	10	15	33
35-49	494	5.5	53	1	2	3	7	11	18	42
50-64	918	6.5	46	1	2	5	8	13	19	35
65 +	1725	8.5	62	2	3	7	11	16	22	41
GRAND TOTAL	**3577**	**7.2**	**56**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	5.8	25	2	3	3	9	14	14	14
50-64	0									
65 +	3	5.7	12	2	3	6	8	9	9	9
B. Operated										
0-19 YRS	3	12.3	6	10	10	12	14	15	15	15
20-34	17	8.5	19	2	5	9	12	14	15	16
35-49	28	9.3	37	2	3	9	14	18	19	22
50-64	18	14.6	58	4	8	14	22	25	26	26
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	11.0	19	6	8	13	14	14	14	14
35-49	4	10.0	21	6	6	10	14	14	14	14
50-64	10	8.5	107	< 1	1	4	11	25	34	34
65 +	33	11.2	54	3	5	11	14	22	27	31
B. Operated										
0-19 YRS	8	17.1	364	2	5	9	29	48	49	49
20-34	17	14.2	73	4	7	12	19	27	30	32
35-49	76	21.8	299	7	10	15	28	50	64	94
50-64	79	22.4	306	6	12	16	29	51	72	99 +
65 +	68	18.9	172	5	9	17	24	35	48	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.3	13	2	3	4	7	11	14	14
B. Operated	66	10.7	42	2	5	11	14	21	22	26
2. MULTIPLE DX										
A. Not Operated	51	10.5	57	2	5	10	14	20	28	34
B. Operated	248	20.5	255	5	10	16	27	46	58	99 +
1. SINGLE DX	77	9.9	41	2	4	9	14	18	22	26
2. MULTIPLE DX	299	18.8	235	5	9	14	25	41	54	95
A. Not Operated	62	9.5	53	2	4	8	14	17	26	34
B. Operated	314	18.4	226	4	9	14	24	41	53	93
TOTAL										
0-19 YRS	14	13.5	222	3	5	9	12	46	48	49
20-34	38	11.2	50	3	6	11	14	20	27	32
35-49	113	17.6	248	3	8	13	23	45	55	85
50-64	107	19.8	265	3	10	15	26	42	59	99 +
65 +	104	16.0	145	4	7	14	21	31	37	63
GRAND TOTAL	**376**	**17.0**	**208**	**3**	**8**	**13**	**22**	**37**	**51**	**86**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	0									
50-64	3	4.3		4	4	4	5	5	5	5
65 +	8	17.1	50	8	13	16	22	27	28	28
B. Operated										
0-19 YRS	2	31.0	50	26	28	36	84	99 +	99 +	99 +
20-34	1	13.0		13	13	13	13	13	13	13
35-49	9	20.7	94	9	12	22	30	33	33	33
50-64	6	30.7	702	6	14	19	56	69	71	71
65 +	6	32.2	533	8	16	36	63	94	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	12	13.6	64	4	6	13	18	27	28	28
B. Operated	24	26.6	339	8	14	23	36	71	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	36	22.3	282	5	12	18	32	65	88	99 +
A. Not Operated	12	13.6	64	4	6	13	18	27	28	28
B. Operated	24	26.6	339	8	14	23	36	71	99 +	99 +
TOTAL										
0-19 YRS	2	31.0	50	26	28	36	84	99 +	99 +	99 +
20-34	2	13.0		13	13	13	13	13	13	13
35-49	9	20.7	94	9	12	22	30	33	33	33
50-64	9	21.9	612	4	5	14	31	65	71	71
65 +	14	23.6	292	7	14	19	34	69	92	99 +
GRAND TOTAL	**36**	**22.3**	**282**	**5**	**12**	**18**	**32**	**65**	**88**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	5	5.4	21	2	2	4	8	13	13	13
35-49	6	3.3	3	2	2	3	3	7	7	7
50-64	4	4.5	6	2	3	4	6	8	8	8
65 +	28	5.1	14	1	2	4	7	12	12	14
B. Operated										
0-19 YRS	8	4.5	8	2	3	4	5	9	11	11
20-34	4	6.5	33	3	3	4	10	15	15	15
35-49	5	8.8	36	4	5	6	11	19	19	19
50-64	17	6.8	15	3	3	6	10	13	13	13
65 +	35	7.2	13	4	5	6	8	12	16	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.3	8	3	3	4	7	10	10	10
20-34	16	6.1	31	1	2	4	10	12	18	21
35-49	38	8.2	29	3	5	7	10	17	19	25
50-64	96	9.8	65	2	4	8	13	21	25	39
65 +	457	8.7	66	3	4	7	10	16	20	56
B. Operated										
0-19 YRS	30	11.3	138	2	4	8	14	28	43	45
20-34	18	15.1	192	5	7	10	16	36	50	56
35-49	54	16.1	204	4	6	10	23	43	49	98
50-64	97	21.7	402	5	9	16	29	50	84	99 +
65 +	233	15.2	156	5	7	11	18	32	42	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.8	12	2	2	4	6	11	12	14
B. Operated	69	6.9	16	3	4	6	9	13	15	19
2. MULTIPLE DX										
A. Not Operated	614	8.7	62	3	4	7	11	17	21	49
B. Operated	432	16.5	224	4	7	11	22	38	50	98
1. SINGLE DX	114	6.0	15	2	3	5	8	12	13	19
2. MULTIPLE DX	1046	11.9	144	3	5	8	14	25	38	71
A. Not Operated	659	8.5	60	2	4	7	10	16	21	46
B. Operated	501	15.2	207	4	6	10	19	34	47	98
TOTAL										
0-19 YRS	47	8.9	100	2	3	5	10	22	34	45
20-34	43	9.8	113	2	3	7	12	22	32	56
35-49	103	12.1	137	3	5	8	17	28	43	80
50-64	214	14.9	251	3	5	10	20	32	50	99
65 +	753	10.5	100	3	5	8	12	20	29	58
GRAND TOTAL	**1160**	**11.4**	**134**	**3**	**5**	**8**	**13**	**23**	**36**	**70**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.0	19	3	5	10	11	11	11	11
20-34	3	9.0	37	2	4	12	13	13	13	13
35-49	11	6.8	26	2	3	4	12	14	14	14
50-64	41	10.9	89	3	5	9	13	19	28	53
65 +	200	10.0	77	3	5	8	13	18	24	46
B. Operated										
0-19 YRS	3	29.3	804	11	14	62	99 +	99 +	99 +	99 +
20-34	5	14.0	226	5	5	6	20	40	40	40
35-49	17	18.9	170	7	10	16	22	30	50	61
50-64	26	18.6	72	9	12	17	25	34	49	99 +
65 +	57	14.4	44	6	10	13	18	24	28	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	258	10.0	75	3	5	8	12	17	24	51
B. Operated	108	16.5	98	7	10	15	21	30	40	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	366	11.9	91	4	6	10	15	23	29	79
A. Not Operated	258	10.0	75	3	5	8	12	17	24	51
B. Operated	108	16.5	98	7	10	15	21	30	40	99 +
TOTAL										
0-19 YRS	6	18.7	466	5	10	13	81	99 +	99 +	99 +
20-34	8	12.1	146	3	5	9	13	32	40	40
35-49	28	14.1	147	3	6	12	17	28	34	61
50-64	67	13.9	95	4	7	12	18	28	35	91
65 +	257	11.0	73	4	6	9	14	20	26	32
GRAND TOTAL	**366**	**11.9**	**91**	**4**	**6**	**10**	**15**	**23**	**29**	**79**

272 Hospitals, Western Region, January-December 1990, by Diagnosis

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.0		10	10	10	10	10	10	10
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	5.0		5	5	5	5	5	5	5
65 +	9	2.6	4	< 1	1	2	3	6	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	8	3.8	7	1	2	3	6	8	8	8
50-64	111	3.3	5	1	2	3	4	6	7	13
65 +	322	3.2	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	4.6	3	2	3	5	6	6	6	6
50-64	34	5.1	9	2	3	5	7	9	12	13
65 +	166	4.6	12	1	2	4	6	9	12	16
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	47	5.0	22	2	2	4	6	9	13	30
50-64	449	4.3	13	2	2	3	5	8	10	19
65 +	1606	4.6	13	2	3	4	5	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.9	10	< 1	1	3	5	10	10	10
B. Operated	441	3.2	3	1	2	3	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	206	4.7	11	1	2	4	6	9	12	15
B. Operated	2103	4.6	13	2	3	4	5	8	10	18
1. SINGLE DX	455	3.2	4	1	2	3	4	5	7	12
2. MULTIPLE DX	2309	4.6	13	2	3	4	5	8	11	17
A. Not Operated	220	4.7	11	1	2	4	6	9	12	15
B. Operated	2544	4.3	11	2	3	3	5	8	10	17
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	9.0	3	7	8	10	10	10	10	10
35-49	61	4.7	18	2	2	4	6	8	11	28
50-64	596	4.2	11	2	2	3	5	7	9	18
65 +	2103	4.4	11	2	3	4	5	8	10	16
GRAND TOTAL	**2764**	**4.3**	**11**	**2**	**2**	**3**	**5**	**8**	**10**	**17**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	14.0		14	14	14	14	14	14	14
50-64	8	6.4	17	3	3	5	8	13	15	15
65 +	26	6.6	24	2	4	6	7	14	19	23
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	7.3	38	3	3	5	11	16	16	16
50-64	29	5.6	11	2	3	5	8	11	12	13
65 +	82	7.8	39	3	4	6	10	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	35	6.8	23	3	4	6	8	14	17	23
B. Operated	115	7.2	32	3	3	5	10	15	19	28
1. SINGLE DX	0									
2. MULTIPLE DX	150	7.1	30	3	3	5	9	15	19	25
A. Not Operated	35	6.8	23	3	4	6	8	14	17	23
B. Operated	115	7.2	32	3	3	5	10	15	19	28
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	5	8.6	37	3	3	7	14	16	16	16
50-64	37	5.7	12	2	3	5	8	11	13	15
65 +	108	7.5	35	3	4	6	9	17	20	29
GRAND TOTAL	**150**	**7.1**	**30**	**3**	**3**	**5**	**9**	**15**	**19**	**25**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	5.3	15	2	2	5	7	11	14	14
35-49	19	3.3	5	1	2	3	4	7	9	9
50-64	46	5.9	34	1	2	4	7	13	20	26
65 +	118	5.0	24	2	2	4	6	10	13	28
B. Operated										
0-19 YRS	0									
20-34	2	9.5	85	3	3	9	16	16	16	16
35-49	4	4.3	7	2	2	3	6	8	8	8
50-64	4	8.8	73	1	1	8	16	18	18	18
65 +	6	4.7	11	2	2	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	31	6.5	32	2	4	6	7	10	25	26
35-49	147	6.0	19	2	3	5	8	12	15	18
50-64	630	6.0	22	2	3	5	8	12	14	25
65 +	3458	6.5	25	2	3	5	8	12	14	24
B. Operated										
0-19 YRS	2	16.0	32	12	12	16	20	20	20	20
20-34	15	9.5	47	2	4	8	16	23	77	99 +
35-49	30	8.2	22	3	6	7	11	18	21	99 +
50-64	95	12.2	142	3	6	8	16	26	38	92
65 +	375	12.3	78	4	6	9	17	25	30	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	5.1	24	1	2	4	6	10	14	25
B. Operated	16	6.2	30	2	2	4	9	16	17	18
2. MULTIPLE DX										
A. Not Operated	4267	6.4	24	2	3	5	8	12	14	25
B. Operated	517	12.0	86	3	6	9	16	24	31	51
1. SINGLE DX	209	5.2	24	1	2	4	6	10	15	24
2. MULTIPLE DX	4784	7.0	34	2	4	6	9	13	17	30
A. Not Operated	4460	6.3	24	2	3	5	8	12	14	25
B. Operated	533	11.8	85	3	6	9	16	23	30	50
TOTAL										
0-19 YRS	4	11.0	45	5	6	9	16	20	20	20
20-34	57	7.2	35	2	4	6	8	19	25	94
35-49	200	6.0	19	2	3	5	8	12	15	24
50-64	775	6.7	42	2	3	5	8	13	18	35
65 +	3957	7.0	33	2	4	6	9	13	17	29
GRAND TOTAL	**4993**	**6.9**	**34**	**2**	**3**	**5**	**8**	**13**	**17**	**30**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	6.3	21	2	3	5	10	12	15	16
35-49	62	8.7	139	3	4	6	9	14	22	78
50-64	337	8.9	80	2	4	7	10	17	26	45
65 +	1876	7.8	30	3	5	7	9	13	17	27
B. Operated										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	7	9.3	6	6	7	9	12	12	12	12
35-49	19	15.3	146	4	6	12	25	41	72	99 +
50-64	53	17.5	265	5	7	13	18	45	52	78
65 +	209	13.8	94	5	7	12	17	24	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2288	8.0	40	3	4	7	10	14	18	34
B. Operated	290	14.5	127	5	7	12	18	27	40	68
1. SINGLE DX	0									
2. MULTIPLE DX	2578	8.7	54	3	5	7	10	15	20	42
A. Not Operated	2288	8.0	40	3	4	7	10	14	18	34
B. Operated	290	14.5	127	5	7	12	18	27	40	68
TOTAL										
0-19 YRS	3	7.3	32	1	3	9	11	12	12	12
20-34	19	7.4	17	2	4	8	11	12	14	16
35-49	81	10.2	147	3	4	6	12	24	41	94
50-64	390	10.1	114	3	4	7	12	19	31	67
65 +	2085	8.4	40	3	5	7	10	15	19	35
GRAND TOTAL	**2578**	**8.7**	**54**	**3**	**5**	**7**	**10**	**15**	**20**	**42**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	23	2.0	2	< 1	1	1	2	4	5	7
50-64	73	2.5	4	1	1	2	3	5	6	10
65 +	157	2.4	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64	12	3.8	10	1	1	3	6	9	11	11
65 +	21	2.7	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	4	2	3	5	6	6	6	6
20-34	27	3.1	3	1	2	2	4	6	7	7
35-49	114	3.2	5	1	2	3	4	6	8	13
50-64	498	3.1	8	1	2	2	4	6	7	14
65 +	2615	3.6	8	1	2	3	5	6	8	13
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	28	4.1	9	1	3	3	5	7	12	14
50-64	92	4.4	8	2	2	4	6	8	10	15
65 +	265	6.5	35	2	3	5	8	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	2.4	3	1	1	2	3	5	6	9
B. Operated	35	3.5	9	1	1	3	4	8	10	14
2. MULTIPLE DX										
A. Not Operated	3257	3.5	8	1	2	3	4	6	8	13
B. Operated	391	5.8	27	2	3	4	7	11	14	28
1. SINGLE DX	294	2.5	4	1	1	2	3	5	7	10
2. MULTIPLE DX	3648	3.7	10	1	2	3	5	7	9	14
A. Not Operated	3516	3.4	7	1	2	3	4	6	8	13
B. Operated	426	5.6	26	2	3	4	7	11	14	27
TOTAL										
0-19 YRS	5	5.0	4	2	4	5	6	7	7	7
20-34	38	3.4	6	1	2	3	4	6	7	14
35-49	166	3.2	6	1	2	3	4	6	8	13
50-64	675	3.2	8	1	2	2	4	6	8	14
65 +	3058	3.8	10	1	2	3	5	7	9	15
GRAND TOTAL	**3942**	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	5	4.4	8	1	2	5	6	8	8	8
50-64	35	3.2	12	1	1	2	4	7	13	15
65 +	104	5.3	37	2	2	4	7	10	16	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	4	2.8	2	1	1	3	4	4	4	4
65 +	5	4.6	4	2	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	4.0	4	2	2	4	5	7	8	8
35-49	29	6.2	30	1	2	4	9	14	15	24
50-64	251	5.3	16	2	3	4	7	10	12	22
65 +	1653	6.1	20	2	3	5	8	11	14	24
B. Operated										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	4	6.8	7	3	5	7	8	9	9	9
35-49	13	6.5	8	4	5	7	8	9	13	14
50-64	29	8.6	67	4	4	7	10	15	47	99 +
65 +	140	12.1	105	3	5	9	15	22	32	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	4.8	31	1	2	3	6	10	14	99 +
B. Operated	11	4.5	13	1	2	4	6	10	14	14
2. MULTIPLE DX										
A. Not Operated	1944	6.0	20	2	3	5	7	10	14	24
B. Operated	188	11.0	93	3	5	8	14	21	31	62
1. SINGLE DX	157	4.8	29	1	2	3	6	10	14	95
2. MULTIPLE DX	2132	6.4	28	2	3	5	8	12	16	27
A. Not Operated	2090	5.9	20	2	3	5	7	10	14	25
B. Operated	199	10.6	91	3	5	8	14	20	30	61
TOTAL										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	17	4.8	6	2	3	4	7	8	9	9
35-49	49	6.2	22	1	3	5	8	14	14	24
50-64	319	5.3	21	2	2	4	7	10	13	25
65 +	1902	6.5	30	2	3	5	8	12	16	29
GRAND TOTAL	**2289**	**6.3**	**28**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	15	5.2	7	1	3	5	7	9	10	10
50-64	94	7.6	56	3	4	6	8	14	23	45
65+	654	7.1	30	3	4	6	9	12	16	28
B. Operated										
0-19 YRS	0									
20-34	2	8.5	61	3	3	8	14	14	14	14
35-49	3	35.7	1584	3	8	24	66	80	80	80
50-64	10	9.1	42	3	4	8	10	19	25	25
65+	61	12.8	64	4	7	11	18	24	26	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	765	7.1	33	3	4	6	9	12	16	31
B. Operated	76	13.1	123	4	7	11	17	24	27	70
1. SINGLE DX	0									
2. MULTIPLE DX	841	7.7	44	3	4	6	9	14	18	35
A. Not Operated	765	7.1	33	3	4	6	9	12	16	31
B. Operated	76	13.1	123	4	7	11	17	24	27	70
TOTAL										
0-19 YRS	0									
20-34	4	6.8	25	3	3	5	10	14	14	14
35-49	18	10.3	329	1	3	5	8	20	58	80
50-64	104	7.8	55	3	4	6	9	14	24	43
65+	715	7.6	36	3	4	6	9	14	18	31
GRAND TOTAL	**841**	**7.7**	**44**	**3**	**4**	**6**	**9**	**14**	**18**	**35**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	3	4.0	9	1	2	4	6	7	7	7
35-49	9	3.1	3	<1	1	3	4	6	6	6
50-64	8	3.5	13	<1	1	2	4	10	12	12
65+	18	3.8	6	1	2	3	6	9	59	99+
B. Operated										
0-19 YRS	4	6.8	18	1	3	8	10	10	10	10
20-34	5	3.8	12	1	1	2	7	8	8	8
35-49	11	9.7	94	2	6	7	10	23	36	37
50-64	16	6.9	24	1	2	7	11	13	14	15
65+	3	4.0	27	1	1	1	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.8	11	4	6	6	10	13	14	14
20-34	29	3.4	7	<1	1	2	5	8	9	10
35-49	61	4.2	21	1	2	3	4	8	12	29
50-64	98	4.0	9	1	2	3	5	8	10	15
65+	382	5.0	19	2	3	4	6	9	11	22
B. Operated										
0-19 YRS	6	8.3	27	3	6	8	16	84	99+	99+
20-34	25	8.6	37	3	4	7	11	18	22	25
35-49	39	7.7	35	1	3	7	11	16	20	27
50-64	57	11.1	108	3	4	7	15	22	31	57
65+	72	8.4	51	2	3	6	12	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.7	6	1	2	3	5	7	11	99+
B. Operated	39	7.1	43	1	2	6	10	13	15	37
2. MULTIPLE DX										
A. Not Operated	578	4.7	17	1	2	4	6	9	11	22
B. Operated	199	9.0	62	2	4	7	12	19	24	50
1. SINGLE DX	79	5.3	27	1	2	4	8	11	13	81
2. MULTIPLE DX	777	5.8	32	2	3	4	7	12	16	30
A. Not Operated	618	4.7	17	1	2	4	6	9	11	22
B. Operated	238	8.7	60	2	4	7	11	18	24	44
TOTAL										
0-19 YRS	20	7.5	15	4	5	6	10	16	55	99+
20-34	62	5.6	25	1	2	4	8	11	17	25
35-49	120	5.8	34	1	2	4	7	11	16	32
50-64	179	6.5	52	1	2	4	8	14	19	38
65+	475	5.5	25	2	3	4	6	10	14	27
GRAND TOTAL	**856**	**5.8**	**32**	**1**	**3**	**4**	**7**	**11**	**16**	**32**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	7.3	2	6	6	7	8	9	9	9
35-49	6	6.0	6	2	4	7	8	8	8	8
50-64	4	3.5	3	2	2	3	5	6	6	6
65 +	6	3.7	1	2	3	4	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	9	4.3	6	< 1	2	5	6	7	8	8
35-49	21	4.5	7	1	2	4	6	8	9	9
50-64	69	4.1	11	1	2	4	5	7	8	19
65 +	135	3.9	24	1	1	3	5	7	9	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	6	6.0	12	2	3	6	7	11	12	12
50-64	39	7.9	81	2	3	6	9	13	26	51
65 +	140	5.9	19	1	3	5	8	11	14	18
B. Operated										
0-19 YRS	3	12.0	67	5	6	10	18	21	21	21
20-34	18	9.4	40	2	5	8	11	19	22	24
35-49	125	8.3	67	2	3	6	9	17	29	40
50-64	622	7.3	54	1	3	5	9	14	21	39
65 +	2067	8.2	45	2	4	7	10	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.9	5	2	3	4	7	8	9	9
B. Operated	234	4.0	18	1	1	3	5	7	9	20
2. MULTIPLE DX										
A. Not Operated	188	6.3	32	1	3	5	8	12	14	31
B. Operated	2835	8.0	48	2	4	6	10	16	21	36
1. SINGLE DX	253	4.1	17	1	2	3	6	7	9	19
2. MULTIPLE DX	3023	7.9	47	2	4	6	10	15	21	36
A. Not Operated	207	6.2	29	2	3	5	8	11	14	31
B. Operated	3069	7.7	47	2	4	6	9	15	21	36
TOTAL										
0-19 YRS	3	12.0	67	5	6	10	18	21	21	21
20-34	33	7.4	30	2	4	6	9	18	19	24
35-49	158	7.6	56	1	3	6	8	15	22	36
50-64	734	7.0	52	1	3	5	8	14	21	39
65 +	2348	7.8	43	2	4	6	10	15	20	33
GRAND TOTAL	**3276**	**7.6**	**46**	**2**	**4**	**6**	**9**	**15**	**20**	**36**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	1.7	1	1	1	1	2	4	4	4
50-64	8	3.1	8	< 1	1	2	6	7	7	7
65 +	6	4.3	33	1	1	1	7	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	7	3.1	12	< 1	1	1	5	9	10	10
65 +	12	4.9	15	1	2	3	7	12	13	13
B. Operated										
0-19 YRS	0									
20-34	5	3.6	8	1	1	3	6	7	7	7
35-49	23	5.1	19	1	1	5	7	9	14	19
50-64	85	8.1	80	1	2	6	9	14	31	47
65 +	143	7.5	103	1	2	6	10	13	19	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	21	3.0	13	1	1	1	4	7	11	15
2. MULTIPLE DX										
A. Not Operated	23	4.0	12	1	1	3	5	10	12	13
B. Operated	256	7.4	86	1	2	6	9	13	19	49
1. SINGLE DX	22	2.9	12	1	1	1	4	7	10	15
2. MULTIPLE DX	279	7.1	81	1	2	6	9	13	19	48
A. Not Operated	24	3.8	12	1	1	3	5	10	12	13
B. Operated	277	7.1	82	1	2	6	9	13	19	48
TOTAL										
0-19 YRS	0									
20-34	6	3.2	7	1	1	2	6	7	7	7
35-49	33	4.2	16	1	1	2	6	8	11	19
50-64	101	7.3	72	1	2	6	8	13	29	46
65 +	161	7.2	94	1	2	5	9	13	18	59
GRAND TOTAL	**301**	**6.8**	**77**	**1**	**2**	**5**	**8**	**12**	**18**	**47**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	0									
50-64	2	7.0	50	2	2	7	12	12	12	12
65 +	3	3.3	16	1	1	1	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	3	3.3	16	1	1	1	6	8	8	8
35-49	0									
50-64	26	7.4	14	2	5	7	10	13	15	16
65 +	52	7.4	14	4	6	7	8	13	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	3	7.0	108	1	1	1	15	19	19	19
50-64	18	4.5	24	< 1	1	2	8	14	15	15
65 +	103	4.9	19	1	2	4	7	11	13	22
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	9	9.1	6	7	7	8	11	13	14	14
35-49	28	9.6	17	5	7	9	11	16	17	22
50-64	282	10.8	106	6	7	8	10	20	24	81
65 +	1147	11.7	77	6	8	9	13	21	27	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.6	20	1	1	2	8	11	12	12
B. Operated	81	7.3	14	2	5	7	8	13	15	18
2. MULTIPLE DX										
A. Not Operated	127	4.9	21	1	1	3	7	12	14	22
B. Operated	1467	11.5	81	6	7	9	13	21	26	62
1. SINGLE DX	88	7.0	15	1	5	7	8	13	15	18
2. MULTIPLE DX	1594	11.0	80	5	7	9	12	20	26	58
A. Not Operated	134	4.8	21	1	1	3	7	12	14	22
B. Operated	1548	11.3	79	6	7	9	12	20	26	58
TOTAL										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	17	6.5	16	1	2	7	9	11	13	14
35-49	31	9.4	23	4	7	8	12	16	19	22
50-64	328	10.2	96	4	6	8	10	18	23	69
65 +	1305	11.0	74	5	7	9	13	20	26	51
GRAND TOTAL	**1682**	**10.8**	**77**	**5**	**7**	**9**	**12**	**19**	**25**	**55**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	8	3.8	17	< 1	1	2	5	11	13	13
35-49	10	4.6	5	1	4	5	6	7	7	7
50-64	19	4.2	10	1	2	4	6	10	10	10
65 +	17	5.4	11	3	3	5	6	9	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	9.5	54	1	5	9	14	19	19	19
65 +	4	7.0	18	3	4	6	10	13	13	13
B. Operated										
0-19 YRS	0									
20-34	11	6.3	29	1	2	5	9	15	19	19
35-49	19	6.5	26	1	2	6	10	16	58	99 +
50-64	81	7.5	44	2	3	5	9	16	22	33
65 +	190	7.1	31	2	4	6	8	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	1	1	1	2	3	3	3
B. Operated	54	4.6	10	1	2	4	6	9	10	16
2. MULTIPLE DX										
A. Not Operated	9	8.2	29	2	5	8	10	17	19	19
B. Operated	301	7.1	34	2	3	6	9	14	19	33
1. SINGLE DX	58	4.4	10	1	2	4	6	9	10	16
2. MULTIPLE DX	310	7.2	34	2	3	6	9	14	19	33
A. Not Operated	13	6.2	30	1	1	6	9	14	18	19
B. Operated	355	6.8	31	2	3	5	8	13	18	32
TOTAL										
0-19 YRS	0									
20-34	20	5.0	24	1	2	3	6	12	16	19
35-49	31	5.7	19	1	2	5	8	15	17	99 +
50-64	106	6.9	39	1	3	5	9	15	19	31
65 +	211	7.0	29	2	4	6	8	12	17	30
GRAND TOTAL	**368**	**6.7**	**31**	**2**	**3**	**5**	**8**	**13**	**18**	**31**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.5	12	1	1	4	7	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	8	5.6	18	2	4	4	6	13	15	15
50-64	29	4.4	8	1	2	4	6	9	9	11
65 +	25	6.9	146	1	3	4	7	8	27	63
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.0	9	2	2	5	7	8	8	8
35-49	7	7.7	20	3	3	9	11	14	14	14
50-64	15	6.8	14	3	5	7	8	10	16	18
65 +	32	6.5	14	2	4	6	8	10	12	20
B. Operated										
0-19 YRS	0									
20-34	16	6.8	12	3	4	6	9	12	13	14
35-49	51	6.7	16	2	4	6	8	11	13	20
50-64	213	8.1	46	2	5	7	10	14	18	44
65 +	358	8.1	52	2	4	7	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.3	11	1	1	2	7	8	8	8
B. Operated	67	5.4	60	1	2	4	6	9	12	55
2. MULTIPLE DX										
A. Not Operated	58	6.6	14	2	4	6	8	10	13	20
B. Operated	638	7.9	46	2	4	7	10	14	18	36
1. SINGLE DX	73	5.2	56	1	2	4	6	8	11	52
2. MULTIPLE DX	696	7.8	43	2	4	7	10	14	18	35
A. Not Operated	64	6.3	14	2	4	6	8	10	13	20
B. Operated	705	7.7	48	2	4	6	9	14	17	37
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	28	5.6	11	2	3	5	8	10	12	14
35-49	67	6.6	17	2	4	6	9	12	14	20
50-64	258	7.6	41	2	4	7	9	13	17	39
65 +	415	7.9	54	2	4	6	10	14	19	38
GRAND TOTAL	**769**	**7.6**	**45**	**2**	**4**	**6**	**9**	**13**	**17**	**35**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	3.2	4	1	2	3	4	5	7	11
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	4	2.8	12	< 1	< 1	1	5	8	8	8
50-64	12	3.4	9	1	1	2	4	9	10	10
65 +	9	4.2	14	< 1	1	3	8	10	10	10
B. Operated										
0-19 YRS	11	5.1	100	1	1	2	3	17	33	35
20-34	14	3.9	4	1	2	4	5	6	8	8
35-49	23	4.3	17	1	1	3	6	10	13	17
50-64	52	3.5	22	1	1	2	3	9	16	21
65 +	60	3.5	21	1	1	2	4	8	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	4.0	6	1	2	4	5	7	8	11
20-34	34	4.1	7	2	2	3	5	7	11	12
35-49	26	4.0	7	1	2	4	5	6	10	13
50-64	47	3.9	7	1	2	3	5	8	10	11
65 +	106	6.1	23	2	3	5	8	12	17	24
B. Operated										
0-19 YRS	22	6.1	35	< 1	2	5	7	14	20	25
20-34	44	7.5	61	1	2	6	10	17	25	38
35-49	80	8.8	80	2	3	6	11	21	33	82
50-64	228	8.3	74	1	3	6	11	17	24	47
65 +	483	8.8	99	1	3	6	11	18	25	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	3.3	5	1	2	3	4	7	9	11
B. Operated	160	3.8	24	1	1	2	4	8	15	26
2. MULTIPLE DX										
A. Not Operated	313	4.7	13	1	2	4	6	9	11	18
B. Operated	857	8.5	87	1	3	6	11	18	26	55
1. SINGLE DX	288	3.6	16	1	1	2	4	7	10	21
2. MULTIPLE DX	1170	7.5	70	1	3	5	9	16	21	45
A. Not Operated	441	4.3	11	1	2	4	5	9	10	17
B. Operated	1017	7.8	80	1	2	5	10	17	24	49
TOTAL										
0-19 YRS	234	3.9	12	1	2	3	5	7	9	18
20-34	94	5.7	35	1	2	4	7	11	17	34
35-49	133	6.9	58	1	2	4	9	17	26	51
50-64	339	6.8	59	1	2	4	8	16	20	43
65 +	658	7.8	82	1	2	5	10	17	22	52
GRAND TOTAL	**1458**	**6.7**	**62**	**1**	**2**	**4**	**8**	**15**	**19**	**42**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	6.8	26	1	2	7	9	14	15	15
20-34	33	4.9	7	2	3	5	6	9	10	11
35-49	77	5.4	5	3	4	5	7	9	10	10
50-64	69	5.4	5	2	4	6	7	8	9	10
65 +	87	5.7	5	3	4	6	7	9	10	11
B. Operated										
0-19 YRS	0									
20-34	11	6.0	13	1	3	6	9	11	11	11
35-49	17	4.3	4	2	3	4	6	7	8	8
50-64	10	4.5	7	1	2	5	6	8	10	10
65 +	17	5.8	9	2	3	6	8	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.6	9	1	4	6	7	9	9	9
20-34	67	6.8	7	3	5	7	8	11	11	14
35-49	185	6.5	24	3	4	6	8	10	14	28
50-64	310	6.9	10	3	5	7	8	11	13	18
65 +	718	7.1	12	4	5	7	8	11	13	18
B. Operated										
0-19 YRS	5	8.4	16	3	6	8	11	14	14	14
20-34	21	8.0	23	2	4	8	10	16	17	18
35-49	62	8.5	30	2	5	7	12	15	18	27
50-64	74	6.5	13	2	3	6	8	12	13	16
65 +	165	9.1	29	4	6	8	11	18	21	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	5.5	6	2	4	5	7	9	10	11
B. Operated	55	5.1	8	1	3	5	7	9	10	12
2. MULTIPLE DX										
A. Not Operated	1285	6.9	13	4	5	7	8	11	13	18
B. Operated	327	8.3	26	3	5	7	10	15	19	25
1. SINGLE DX	327	5.4	6	2	4	5	7	9	10	11
2. MULTIPLE DX	1612	7.2	16	3	5	7	9	11	14	22
A. Not Operated	1557	6.7	12	3	5	6	8	10	12	17
B. Operated	382	7.9	24	2	5	7	10	14	18	25
TOTAL										
0-19 YRS	16	6.9	17	1	4	7	9	14	15	15
20-34	132	6.4	11	3	4	6	8	11	12	17
35-49	341	6.5	21	2	4	6	8	11	14	23
50-64	463	6.6	10	3	4	6	8	11	12	16
65 +	987	7.3	15	4	5	7	9	11	14	23
GRAND TOTAL	**1939**	**6.9**	**14**	**3**	**5**	**6**	**8**	**11**	**13**	**21**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	4	4.0	10	1	1	3	6	8	8	8
50-64	8	3.6	3	2	2	3	5	6	6	6
65 +	8	6.1	6	3	4	6	8	9	9	9
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	113	1.5	1	1	1	1	2	2	3	6
35-49	181	1.7	2	1	1	1	2	3	3	8
50-64	94	2.1	9	1	1	1	2	3	5	21
65 +	50	3.4	11	1	1	2	4	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	8.8	34	1	4	8	13	17	18	18
35-49	22	7.3	34	2	3	5	11	18	20	21
50-64	30	10.4	82	3	4	8	13	23	35	37
65 +	163	7.5	33	3	4	6	9	14	18	32
B. Operated										
0-19 YRS	0									
20-34	18	2.7	14	1	1	2	3	4	12	17
35-49	84	4.3	43	1	1	2	4	10	19	37
50-64	85	5.9	89	1	1	2	5	15	28	48
65 +	118	9.7	74	1	3	7	14	22	26	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	4.6	6	1	2	5	6	8	9	9
B. Operated	441	1.9	5	1	1	1	2	3	5	12
2. MULTIPLE DX										
A. Not Operated	223	7.9	40	3	4	7	9	16	19	36
B. Operated	305	6.7	72	1	1	3	9	18	25	41
1. SINGLE DX	463	2.0	5	1	1	1	2	4	6	12
2. MULTIPLE DX	528	7.2	59	1	2	5	9	17	22	40
A. Not Operated	245	7.6	38	2	4	6	9	15	19	35
B. Operated	746	3.9	37	1	1	2	3	10	16	30
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	141	2.1	7	1	1	1	2	4	7	17
35-49	291	2.9	19	1	1	2	2	6	11	22
50-64	217	4.8	58	1	1	2	5	14	19	40
65 +	339	7.6	47	1	3	6	10	16	21	35
GRAND TOTAL	**991**	**4.8**	**40**	**1**	**1**	**2**	**6**	**12**	**17**	**33**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.8	3	< 1	1	2	5	5	5	5
35-49	6	1.8	2	< 1	1	1	3	4	4	4
50-64	6	2.0	4	< 1	< 1	1	2	6	6	6
65 +	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	32	2.6	4	1	2	2	3	4	8	10
35-49	83	2.1	2	1	1	2	3	3	4	7
50-64	55	2.2	1	1	1	2	3	4	5	6
65 +	14	2.8	3	1	2	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	21	2.6	2	1	1	3	3	5	6	6
35-49	33	3.4	11	1	1	2	4	7	13	15
50-64	35	2.8	4	1	1	2	3	5	7	9
65 +	84	3.9	13	1	2	3	5	7	11	21
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	202	2.6	3	1	1	2	3	5	6	10
35-49	462	2.5	2	1	2	2	3	4	5	8
50-64	367	2.6	3	1	2	2	3	4	6	10
65 +	254	3.6	19	1	2	3	4	6	9	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.0	2	< 1	< 1	1	3	5	6	6
B. Operated	184	2.3	2	1	1	2	3	4	4	9
2. MULTIPLE DX										
A. Not Operated	175	3.4	10	1	2	3	4	6	10	17
B. Operated	1288	2.7	6	1	2	2	3	5	6	11
1. SINGLE DX	207	2.2	2	1	1	2	3	4	4	9
2. MULTIPLE DX	1463	2.8	6	1	2	2	3	5	7	11
A. Not Operated	198	3.2	9	1	1	2	4	6	9	17
B. Operated	1472	2.7	5	1	2	2	3	5	6	10
TOTAL										
0-19 YRS	6	1.5	1	< 1	1	1	2	3	3	3
20-34	261	2.6	3	1	1	2	3	5	6	10
35-49	584	2.5	3	1	1	2	3	4	5	9
50-64	463	2.5	3	1	2	2	3	4	6	9
65 +	356	3.6	17	1	2	3	4	6	9	23
GRAND TOTAL	**1670**	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**6**	**11**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.3	9	< 1	2	4	6	7	11	12
20-34	94	5.7	6	3	4	6	7	9	10	12
35-49	125	5.6	9	2	4	5	7	9	10	16
50-64	112	5.2	9	1	4	5	7	9	10	50
65 +	118	5.8	6	2	4	6	7	9	10	11
B. Operated										
0-19 YRS	20	3.7	19	< 1	< 1	1	6	11	14	14
20-34	51	6.4	23	1	4	6	9	11	12	30
35-49	38	5.4	11	1	3	5	8	9	11	15
50-64	43	5.2	9	1	2	5	7	8	11	14
65 +	23	5.4	5	2	4	6	7	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	6.2	78	1	2	3	8	14	22	56
20-34	214	5.9	16	1	3	5	8	10	11	20
35-49	433	6.1	14	2	3	6	8	10	15	17
50-64	655	6.0	13	2	4	6	8	10	12	17
65 +	2006	6.1	15	2	4	6	8	10	13	22
B. Operated										
0-19 YRS	32	10.0	202	< 1	< 1	4	12	32	49	51
20-34	101	7.1	104	2	3	5	8	12	17	59
35-49	222	7.7	47	2	4	6	10	14	20	33
50-64	298	7.5	31	2	4	6	9	16	20	29
65 +	546	8.4	44	2	5	7	11	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	5.5	8	1	4	6	7	9	10	13
B. Operated	175	5.4	14	1	2	5	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	3362	6.1	15	2	3	6	8	10	13	21
B. Operated	1199	8.0	51	2	4	6	10	15	20	34
1. SINGLE DX	650	5.5	10	1	4	6	7	9	10	15
2. MULTIPLE DX	4561	6.6	25	2	4	6	8	11	15	26
A. Not Operated	3837	6.0	15	2	4	6	8	10	12	20
B. Operated	1374	7.7	47	2	4	6	9	14	19	32
TOTAL										
0-19 YRS	132	6.4	89	< 1	1	3	7	14	24	52
20-34	460	6.1	34	1	3	6	8	10	12	22
35-49	818	6.4	23	2	4	6	8	11	15	30
50-64	1108	6.3	18	2	4	6	8	11	14	24
65 +	2693	6.6	21	2	4	6	8	11	14	23
GRAND TOTAL	**5211**	**6.4**	**24**	**2**	**4**	**6**	**8**	**11**	**14**	**24**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1036	1.8	1	1	1	1	2	3	4	6
20-34	98	2.2	1	1	1	2	3	3	4	7
35-49	49	2.3	2	1	1	2	3	4	5	6
50-64	14	2.2	1	1	1	2	3	4	5	5
65 +	12	2.3	4	1	1	2	3	5	8	8
B. Operated										
0-19 YRS	78	1.9	27	< 1	< 1	1	1	2	4	36
20-34	25	2.7	6	1	1	2	4	5	7	12
35-49	16	3.4	8	1	1	2	5	8	9	9
50-64	5	5.8	2	4	5	6	7	7	7	7
65 +	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1873	2.5	3	1	1	2	3	5	6	9
20-34	279	2.8	5	1	2	2	3	5	6	10
35-49	198	3.4	5	1	2	3	4	6	7	9
50-64	192	3.4	5	1	2	3	4	6	7	14
65 +	277	4.3	8	1	2	4	5	8	10	13
B. Operated										
0-19 YRS	146	4.0	23	< 1	1	2	5	10	14	21
20-34	52	5.5	68	1	2	3	6	14	19	53
35-49	40	5.3	22	1	2	4	8	12	14	22
50-64	26	4.6	17	1	2	3	7	9	15	17
65 +	33	6.7	32	1	3	5	8	15	22	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1209	1.8	1	1	1	1	2	3	4	6
B. Operated	126	2.5	20	< 1	< 1	1	2	5	7	21
2. MULTIPLE DX										
A. Not Operated	2819	2.8	4	1	1	2	3	5	7	10
B. Operated	297	4.8	32	< 1	1	3	6	12	14	23
1. SINGLE DX	1335	1.9	3	< 1	1	1	2	3	4	6
2. MULTIPLE DX	3116	3.0	7	1	1	2	4	6	8	14
A. Not Operated	4028	2.5	4	1	1	2	3	5	6	10
B. Operated	423	4.1	29	< 1	1	2	5	9	14	23
TOTAL										
0-19 YRS	3133	2.3	4	1	1	2	3	4	6	10
20-34	454	3.0	12	1	2	2	3	5	7	14
35-49	303	3.5	8	1	2	3	4	6	8	14
50-64	237	3.5	7	1	2	3	4	7	8	15
65 +	324	4.4	11	1	2	4	6	8	10	19
GRAND TOTAL	**4451**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	865	2.5	3	1	1	2	3	4	6	8
20-34	23	2.5	2	1	1	2	3	4	5	6
35-49	29	2.9	2	1	2	3	4	5	6	6
50-64	18	3.7	11	1	2	3	4	6	12	15
65 +	29	3.5	4	2	2	3	4	6	9	9
B. Operated										
0-19 YRS	6	2.3	5	1	1	1	4	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3430	3.5	6	1	2	3	4	6	8	12
20-34	252	4.4	12	1	2	3	5	9	12	16
35-49	392	4.2	9	1	2	4	5	7	9	14
50-64	1157	5.2	12	2	3	4	7	9	11	19
65 +	3879	5.9	17	2	3	5	7	10	13	22
B. Operated										
0-19 YRS	40	9.7	94	2	3	7	15	23	38	99 +
20-34	25	10.4	64	3	4	10	15	17	23	39
35-49	35	7.5	32	2	3	5	10	16	20	21
50-64	84	10.8	151	2	4	7	11	22	36	64
65 +	220	9.8	51	4	5	8	11	20	26	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	964	2.6	3	1	1	2	3	5	6	9
B. Operated	10	2.5	5	< 1	1	1	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	9110	4.8	13	2	3	4	6	9	11	18
B. Operated	404	9.8	75	3	5	7	11	20	27	53
1. SINGLE DX	974	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	9514	5.0	17	2	3	4	6	9	12	21
A. Not Operated	10074	4.6	13	2	2	4	6	8	11	17
B. Operated	414	9.6	75	3	4	7	11	20	26	53
TOTAL										
0-19 YRS	4341	3.4	7	1	2	3	4	6	8	13
20-34	302	4.7	19	1	2	3	6	10	14	19
35-49	457	4.4	11	1	2	4	5	7	10	20
50-64	1259	5.5	23	2	3	4	7	10	12	22
65 +	4129	6.0	20	2	3	5	7	11	14	24
GRAND TOTAL	**10488**	**4.8**	**16**	**2**	**2**	**4**	**6**	**9**	**11**	**20**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	15	1.1		< 1	1	1	1	1	2	2
35-49	12	1.2		< 1	1	1	1	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	1.2		< 1	1	1	1	2	2	2
20-34	80	1.3	1	1	1	1	2	2	2	5
35-49	115	1.3		1	1	1	2	2	3	4
50-64	63	1.6	1	1	1	1	2	3	3	6
65 +	42	1.6	1	1	1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	34	1.1		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated	325	1.4	1	1	1	1	2	2	3	6
1. SINGLE DX	34	1.1		< 1	1	1	1	2	2	2
2. MULTIPLE DX	329	1.4	1	1	1	1	2	2	3	6
A. Not Operated	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated	359	1.4	1	1	1	1	2	2	3	6
TOTAL										
0-19 YRS	27	1.2		< 1	1	1	1	2	2	2
20-34	96	1.3	1	1	1	1	1	2	2	5
35-49	130	1.3		1	1	1	2	2	2	4
50-64	66	1.6	1	1	1	1	2	3	3	6
65 +	44	1.6	1	1	1	1	2	3	4	7
GRAND TOTAL	**363**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**6**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	6	2.5	2	1	2	2	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	4	1.8	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	15	3.4	8	1	1	2	6	8	8	8
20-34	13	1.5	1	< 1	1	1	2	3	3	3
35-49	36	1.3		1	1	1	1	3	3	3
50-64	27	1.3		1	1	1	1	3	3	3
65 +	23	1.6	2	< 1	1	1	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	14	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	114	1.7	2	1	1	1	2	3	5	8
1. SINGLE DX	15	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX	116	1.7	2	1	1	1	2	3	5	8
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	128	1.7	2	1	1	1	2	3	4	8
TOTAL										
0-19 YRS	19	3.1	7	1	1	2	5	8	8	8
20-34	14	1.5	1	< 1	1	1	2	3	3	3
35-49	42	1.5	1	1	1	1	2	3	4	4
50-64	29	1.4	1	< 1	1	1	2	3	3	4
65 +	27	1.6	2	< 1	1	1	2	3	4	8
GRAND TOTAL	**131**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	697	1.0		< 1	< 1	1	1	1	1	2
20-34	133	1.2		1	1	1	1	2	2	4
35-49	17	1.1		< 1	1	1	1	2	2	2
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.0	3	< 1	< 1	1	3	5	6	8
20-34	4	6.3	16	2	3	6	9	11	11	11
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	881	1.3	2	< 1	1	1	1	2	3	6
20-34	78	1.4	1	1	1	1	1	3	3	5
35-49	22	1.8	5	1	1	1	2	3	6	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	< 1	1	1	2	4	4	4
B. Operated	850	1.1		< 1	< 1	1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	31	2.6	6	< 1	1	1	4	6	8	11
B. Operated	983	1.4	2	< 1	1	1	1	2	3	6
1. SINGLE DX	857	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX	1014	1.4	2	< 1	1	1	1	2	3	7
A. Not Operated	38	2.5	5	< 1	1	1	3	5	8	11
B. Operated	1833	1.2	1	< 1	1	1	1	2	2	5
TOTAL										
0-19 YRS	1609	1.2	1	< 1	< 1	1	1	1	2	5
20-34	217	1.4	1	1	1	1	1	3	3	6
35-49	39	1.5	3	< 1	1	1	1	2	3	11
50-64	5	1.8	2	< 1	1	1	2	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1871**	**1.2**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**	**5**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	163	2.0	2	< 1	1	2	2	4	4	8
20-34	61	2.9	3	1	2	2	4	6	7	8
35-49	40	2.4	1	1	2	2	3	4	4	5
50-64	17	2.6	3	1	1	2	4	5	6	6
65 +	6	1.2		1	1	1	1	2	2	2
B. Operated										
0-19 YRS	232	2.2	32	< 1	< 1	1	2	3	7	16
20-34	125	2.4	4	1	1	2	3	5	7	10
35-49	84	2.4	8	1	1	1	2	5	8	18
50-64	59	1.8	2	1	1	1	2	4	5	6
65 +	26	1.3	1	1	1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	2.9	9	1	1	2	3	5	6	12
20-34	111	3.4	10	1	2	2	4	6	10	18
35-49	104	3.0	8	1	1	2	4	5	7	19
50-64	62	3.0	3	1	2	3	4	5	6	7
65 +	66	4.0	13	1	2	3	4	7	11	19
B. Operated										
0-19 YRS	317	3.6	33	< 1	1	2	4	8	12	32
20-34	284	3.2	20	1	1	2	3	6	10	24
35-49	380	2.7	12	1	1	1	3	5	9	20
50-64	260	2.6	11	1	1	2	3	5	8	18
65 +	215	3.4	15	1	1	2	4	8	10	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	287	2.2	2	1	1	2	3	4	5	8
B. Operated	526	2.2	17	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	581	3.1	9	1	2	2	4	6	7	18
B. Operated	1456	3.1	18	1	1	2	3	6	10	23
1. SINGLE DX	813	2.2	12	< 1	1	1	2	4	6	9
2. MULTIPLE DX	2037	3.1	16	1	1	2	3	6	9	20
A. Not Operated	868	2.8	7	1	1	2	3	5	6	14
B. Operated	1982	2.8	18	1	1	1	3	6	9	21
TOTAL										
0-19 YRS	950	2.8	22	< 1	1	2	3	5	8	22
20-34	581	3.0	13	1	1	2	3	6	9	18
35-49	608	2.7	10	1	1	2	3	5	8	19
50-64	398	2.5	8	1	1	2	3	5	6	15
65 +	313	3.3	14	1	1	2	4	7	9	20
GRAND TOTAL	**2850**	**2.8**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	3.5	6	2	2	3	4	7	8	14
20-34	111	3.5	3	2	2	3	4	6	7	9
35-49	102	4.2	8	2	3	4	5	7	8	18
50-64	66	4.1	4	2	2	4	5	7	8	11
65 +	97	4.7	6	2	3	4	6	8	10	12
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	12.3	42	6	7	12	17	19	19	19
35-49	5	5.4	8	3	3	4	8	9	9	9
50-64	5	6.8	29	2	3	6	9	16	16	16
65 +	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	551	5.8	37	2	3	4	8	11	14	21
20-34	440	5.7	22	2	3	4	7	11	15	24
35-49	617	5.9	19	2	3	5	7	10	13	26
50-64	1000	6.6	20	3	4	6	8	12	15	22
65 +	4804	7.5	22	3	4	6	9	13	16	25
B. Operated										
0-19 YRS	63	15.3	259	4	7	11	18	28	82	99 +
20-34	93	15.4	164	5	7	13	21	34	46	99 +
35-49	154	13.8	121	4	6	10	18	31	40	99 +
50-64	189	14.0	145	5	7	11	16	25	36	72
65 +	721	15.2	123	6	8	12	19	28	38	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	532	3.9	6	2	2	3	5	7	8	12
B. Operated	16	7.3	23	3	4	6	9	16	18	19
2. MULTIPLE DX										
A. Not Operated	7412	7.0	23	3	4	6	9	12	15	24
B. Operated	1220	14.9	136	5	8	12	18	29	39	79
1. SINGLE DX	548	4.0	6	2	2	3	5	7	8	12
2. MULTIPLE DX	8632	8.1	46	3	4	6	10	15	19	38
A. Not Operated	7944	6.8	22	3	4	6	8	12	15	24
B. Operated	1236	14.8	135	5	8	12	18	28	39	78
TOTAL										
0-19 YRS	771	6.1	57	2	2	4	8	12	15	41
20-34	647	6.7	53	2	3	5	7	14	20	50
35-49	878	7.1	45	2	4	5	8	13	19	44
50-64	1260	7.6	45	3	4	6	9	14	18	36
65 +	5624	8.5	41	3	5	7	10	15	20	36
GRAND TOTAL	**9180**	**7.9**	**45**	**3**	**4**	**6**	**10**	**14**	**19**	**37**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1611	3.2	4	1	2	3	4	5	7	10
20-34	296	3.6	4	2	2	3	4	6	6	11
35-49	255	3.9	5	2	2	3	5	6	7	10
50-64	139	3.7	4	2	3	3	5	6	7	12
65 +	253	5.0	8	2	3	4	6	8	11	14
B. Operated										
0-19 YRS	16	5.2	17	< 1	2	4	7	12	13	14
20-34	10	8.3	16	4	5	7	13	14	15	15
35-49	17	7.3	15	3	4	7	10	13	16	17
50-64	9	6.6	13	1	3	7	9	11	12	12
65 +	4	7.5	8	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5161	4.0	12	1	2	3	5	7	10	18
20-34	850	4.6	8	2	3	4	6	8	10	14
35-49	1204	5.0	13	2	3	4	6	9	11	18
50-64	1892	5.7	15	2	3	5	7	10	12	19
65 +	9132	6.7	17	3	4	6	8	11	14	22
B. Operated										
0-19 YRS	182	11.1	150	3	4	8	13	25	58	99 +
20-34	122	11.7	146	3	5	8	15	22	34	70
35-49	213	11.6	107	3	6	9	15	22	26	60
50-64	295	11.2	71	4	6	9	14	20	29	45
65 +	920	12.1	74	5	7	10	14	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2554	3.5	5	1	2	3	4	6	7	12
B. Operated	56	6.8	15	2	4	6	10	13	14	17
2. MULTIPLE DX										
A. Not Operated	18239	5.6	16	2	3	5	7	10	13	20
B. Operated	1732	11.7	90	4	6	9	14	22	30	58
1. SINGLE DX	2610	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX	19971	6.2	25	2	3	5	8	11	15	25
A. Not Operated	20793	5.4	15	2	3	4	7	10	12	20
B. Operated	1788	11.6	89	4	6	9	14	22	29	56
TOTAL										
0-19 YRS	6970	4.0	15	1	2	3	5	7	10	19
20-34	1278	5.0	25	2	3	4	6	9	12	23
35-49	1689	5.7	29	2	3	4	7	10	14	25
50-64	2335	6.2	25	2	3	5	8	11	15	28
65 +	10309	7.2	24	3	4	6	9	12	16	26
GRAND TOTAL	**22581**	**5.9**	**24**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.3	2	1	1	2	2	4	5	7
20-34	20	2.7	3	< 1	1	2	4	5	6	7
35-49	15	4.1	9	1	2	3	6	8	10	11
50-64	14	2.1	2	1	1	2	3	4	5	5
65 +	12	4.3	4	2	3	4	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	2.7	3	1	2	2	3	5	6	9
20-34	75	2.8	4	1	1	2	3	5	7	10
35-49	81	3.4	5	1	2	3	4	6	8	11
50-64	132	4.4	13	2	2	3	5	9	11	18
65 +	499	5.6	18	2	3	5	7	10	14	21
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	4	13.3	164	5	5	8	21	32	32	32
65 +	14	12.9	71	4	8	10	21	25	30	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.9	4	1	2	2	4	6	7	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	908	4.6	14	2	2	4	6	9	12	20
B. Operated	25	10.2	80	2	4	8	13	24	31	32
1. SINGLE DX	93	2.9	4	1	2	2	4	6	7	10
2. MULTIPLE DX	933	4.8	17	2	2	4	6	9	12	21
A. Not Operated	1001	4.5	14	1	2	4	5	8	11	20
B. Operated	25	10.2	80	2	4	8	13	24	31	32
TOTAL										
0-19 YRS	154	2.6	3	1	2	2	3	4	6	8
20-34	99	2.8	4	1	1	2	3	5	7	10
35-49	98	3.6	5	1	2	3	4	7	8	12
50-64	150	4.4	18	1	2	3	5	9	11	30
65 +	525	5.8	20	2	3	5	7	10	14	24
GRAND TOTAL	**1026**	**4.6**	**16**	**1**	**2**	**4**	**6**	**8**	**12**	**21**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.2	2	1	1	2	3	4	5	6
20-34	15	3.7	8	1	2	3	4	9	10	10
35-49	19	2.5	4	1	1	2	3	4	7	10
50-64	25	4.2	7	1	3	3	5	7	11	11
65 +	54	4.0	5	2	2	4	5	7	9	12
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	127	3.3	5	1	2	3	4	6	8	11
20-34	66	3.3	6	1	2	3	3	6	10	13
35-49	114	3.6	7	1	2	3	5	6	8	16
50-64	294	4.8	14	1	2	4	6	9	12	20
65 +	713	5.7	19	2	3	5	7	10	13	20
B. Operated										
0-19 YRS	6	16.0	408	< 1	1	11	17	51	55	55
20-34	11	4.9	19	1	2	3	8	12	13	13
35-49	16	8.0	47	1	3	6	9	18	24	26
50-64	34	9.3	74	3	5	7	11	25	39	99 +
65 +	67	11.3	125	3	5	8	13	22	29	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	3.3	5	1	2	3	4	6	8	11
B. Operated	11	2.9	6	< 1	1	2	4	7	8	8
2. MULTIPLE DX										
A. Not Operated	1314	5.0	15	2	3	4	6	9	12	20
B. Operated	134	10.1	108	3	4	7	12	21	27	66
1. SINGLE DX	173	3.3	5	1	2	3	4	6	8	11
2. MULTIPLE DX	1448	5.5	26	2	3	4	7	10	13	24
A. Not Operated	1476	4.8	15	2	2	4	6	9	12	19
B. Operated	145	9.5	104	2	4	7	12	20	26	62
TOTAL										
0-19 YRS	186	3.4	20	1	2	2	4	6	8	16
20-34	93	3.6	8	1	2	3	4	8	10	13
35-49	150	4.0	13	1	2	3	5	7	9	21
50-64	356	5.2	20	1	3	4	6	10	13	26
65 +	836	6.1	29	2	3	5	7	11	14	22
GRAND TOTAL	**1621**	**5.2**	**24**	**2**	**3**	**4**	**6**	**10**	**13**	**22**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	5	5.4	17	1	1	7	8	10	10	10
50-64	20	3.3	2	1	2	3	4	5	6	6
65 +	41	4.6	6	2	3	4	6	8	10	12
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	5	7.6	22	2	5	7	9	15	15	15
50-64	4	4.8	18	2	2	3	7	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	31	5.6	16	2	3	5	7	10	13	20
50-64	170	5.5	20	1	3	4	7	11	14	22
65 +	398	6.2	26	2	3	5	8	12	15	25
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	9.8	170	4	5	6	8	20	46	52
35-49	13	11.2	203	2	4	9	10	23	51	57
50-64	31	13.3	102	5	9	11	15	28	54	99 +
65 +	60	12.9	140	3	5	11	18	26	28	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	4.2	6	2	2	4	6	7	9	12
B. Operated	12	6.2	24	1	2	5	9	14	15	15
2. MULTIPLE DX										
A. Not Operated	601	6.0	24	2	3	5	8	11	15	22
B. Operated	118	12.4	137	3	5	10	15	25	32	85
1. SINGLE DX	80	4.5	9	2	2	4	6	8	11	15
2. MULTIPLE DX	719	7.0	48	2	3	5	9	14	19	38
A. Not Operated	669	5.8	22	2	3	4	7	11	14	22
B. Operated	130	11.8	130	2	5	9	15	25	30	83
TOTAL										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	18	8.4	131	1	4	5	7	13	37	52
35-49	54	7.1	64	2	3	6	9	12	15	55
50-64	225	6.4	37	2	3	4	8	12	17	39
65 +	499	6.9	43	2	3	5	8	13	18	28
GRAND TOTAL	**799**	**6.8**	**45**	**2**	**3**	**5**	**8**	**13**	**18**	**32**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3105	2.1	1	1	1	2	3	4	4	6
20-34	558	2.5	3	1	1	2	3	5	6	9
35-49	526	2.9	6	1	2	3	4	5	6	10
50-64	348	3.2	4	1	2	3	4	6	8	9
65 +	289	3.8	5	1	2	3	5	7	8	12
B. Operated										
0-19 YRS	16	2.1	2	< 1	1	2	3	4	5	6
20-34	5	4.0	4	2	3	4	5	7	7	7
35-49	4	4.0	6	2	2	4	6	7	7	7
50-64	3	6.7	6	4	5	7	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3751	2.7	4	1	2	2	3	5	6	10
20-34	819	3.3	5	1	2	3	4	6	7	11
35-49	1163	3.9	8	1	2	3	5	7	9	13
50-64	1334	4.5	10	2	2	4	6	8	11	15
65 +	2262	5.4	14	2	3	5	7	10	12	19
B. Operated										
0-19 YRS	67	9.0	75	2	3	6	13	20	23	44
20-34	43	7.8	21	3	4	8	10	16	17	18
35-49	58	6.7	47	2	3	4	8	13	22	38
50-64	71	10.7	77	4	6	8	13	20	26	92
65 +	138	11.8	130	4	5	9	13	23	38	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4826	2.4	3	1	1	2	3	4	5	8
B. Operated	28	3.2	5	< 1	2	2	4	7	7	9
2. MULTIPLE DX										
A. Not Operated	9329	3.8	9	1	2	3	5	7	9	15
B. Operated	377	9.9	88	3	4	8	12	20	27	57
1. SINGLE DX	4854	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	9706	4.1	13	1	2	3	5	8	10	17
A. Not Operated	14155	3.3	7	1	2	3	4	6	8	13
B. Operated	405	9.4	85	2	4	7	11	19	26	56
TOTAL										
0-19 YRS	6939	2.5	4	1	1	2	3	4	5	10
20-34	1425	3.1	6	1	2	3	4	6	7	12
35-49	1751	3.7	9	1	2	3	5	7	9	14
50-64	1756	4.5	13	2	2	4	6	8	11	19
65 +	2689	5.6	21	2	3	5	7	10	13	21
GRAND TOTAL	**14560**	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	19	3.2	5	1	2	2	4	7	8	8
50-64	98	4.2	11	1	2	3	5	8	12	19
65 +	159	4.2	8	2	2	4	5	8	10	13
B. Operated										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	8.7	30	3	4	9	13	14	14	14
50-64	4	10.0	62	2	3	9	16	19	19	19
65 +	4	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.3	18	4	5	7	11	14	14	14
20-34	26	7.7	30	2	4	8	10	13	17	27
35-49	120	6.0	44	2	2	4	7	12	16	38
50-64	770	5.2	17	2	3	4	7	10	12	22
65 +	2194	5.9	21	2	3	5	7	11	14	23
B. Operated										
0-19 YRS	13	8.5	13	4	5	9	12	13	14	14
20-34	9	7.2	16	2	4	7	10	12	13	13
35-49	6	11.3	170	1	5	7	11	34	37	37
50-64	67	10.4	120	2	4	6	14	22	37	52
65 +	173	9.9	53	3	5	8	13	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	279	4.2	9	2	2	3	5	8	10	17
B. Operated	16	6.1	27	2	2	4	8	14	18	19
2. MULTIPLE DX										
A. Not Operated	3114	5.8	21	2	3	5	7	11	14	24
B. Operated	268	9.9	69	3	4	8	13	20	26	45
1. SINGLE DX	295	4.3	10	2	2	4	5	8	10	18
2. MULTIPLE DX	3382	6.1	26	2	3	5	7	11	15	28
A. Not Operated	3393	5.6	20	2	3	4	7	10	14	23
B. Operated	284	9.7	67	2	4	7	13	19	25	45
TOTAL										
0-19 YRS	22	7.4	15	3	4	7	9	13	14	14
20-34	38	7.3	25	2	4	7	10	13	14	27
35-49	148	5.9	45	2	2	4	7	12	15	37
50-64	939	5.5	26	2	3	4	7	10	14	28
65 +	2530	6.1	24	2	3	5	7	11	15	25
GRAND TOTAL	**3677**	**6.0**	**25**	**2**	**3**	**5**	**7**	**11**	**15**	**27**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.6	10	1	1	2	6	9	9	9
20-34	29	2.9	7	1	1	2	4	6	9	12
35-49	4	4.3	7	2	2	4	6	7	7	7
50-64	5	3.4	18	< 1	1	2	4	11	11	11
65 +	0									
B. Operated										
0-19 YRS	60	4.9	10	2	3	4	6	10	11	14
20-34	181	4.8	14	2	3	4	6	9	11	20
35-49	73	4.9	14	2	3	4	6	10	12	21
50-64	20	4.0	5	1	3	3	5	7	9	9
65 +	14	6.9	52	2	3	4	10	12	26	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	8	1	2	2	4	8	8	8
20-34	21	6.3	81	1	1	5	7	10	26	43
35-49	17	3.6	4	2	2	3	5	7	8	8
50-64	19	4.7	9	1	3	4	6	9	12	13
65 +	37	6.2	29	2	3	5	8	10	20	27
B. Operated										
0-19 YRS	33	9.5	66	3	4	6	12	20	24	41
20-34	114	8.0	51	2	4	6	10	14	21	43
35-49	121	7.6	42	2	3	6	9	17	22	31
50-64	124	9.0	66	3	4	7	11	17	20	47
65 +	208	9.3	60	3	4	7	12	19	25	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.2	8	1	1	2	5	8	10	12
B. Operated	348	4.9	15	2	3	4	6	10	11	20
2. MULTIPLE DX										
A. Not Operated	99	5.4	31	1	2	4	7	9	13	35
B. Operated	600	8.6	57	3	4	6	11	17	22	37
1. SINGLE DX	395	4.7	14	2	2	4	6	10	11	20
2. MULTIPLE DX	699	8.2	54	2	4	6	10	17	22	37
A. Not Operated	146	4.7	25	1	2	3	6	9	11	28
B. Operated	948	7.3	44	2	3	5	9	15	20	34
TOTAL										
0-19 YRS	107	6.1	32	2	3	4	8	12	15	31
20-34	345	5.8	32	2	3	4	7	11	14	32
35-49	215	6.3	31	2	3	4	8	13	20	28
50-64	168	7.7	55	2	3	5	10	15	18	40
65 +	259	8.7	57	3	4	6	10	18	25	36
GRAND TOTAL	**1094**	**6.9**	**43**	**2**	**3**	**5**	**9**	**14**	**19**	**33**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.1	5	1	1	3	5	7	7	7
20-34	0									
35-49	3	5.7	6	3	4	6	7	8	8	8
50-64	4	3.0	6	< 1	< 1	2	5	6	6	6
65 +	8	7.4	58	1	1	5	12	19	22	22
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	8.0	115	1	3	4	10	18	36	99 +
20-34	69	5.0	11	1	3	4	7	10	12	16
35-49	121	6.1	30	1	3	5	7	11	18	29
50-64	704	7.9	61	2	4	6	10	14	20	32
65 +	1743	8.0	35	3	4	7	10	14	19	31
B. Operated										
0-19 YRS	29	19.3	347	1	10	16	46	99 +	99 +	99 +
20-34	23	22.6	514	4	9	20	58	99 +	99 +	99 +
35-49	53	19.2	200	5	9	16	27	43	65	99 +
50-64	176	19.4	312	6	9	14	24	48	80	99 +
65 +	368	18.0	212	6	8	13	25	41	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.0	26	1	1	3	7	12	16	22
B. Operated	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated	2772	7.8	45	3	4	6	10	14	19	33
B. Operated	649	18.7	254	6	8	14	26	49	74	99 +
1. SINGLE DX	23	5.5	31	1	1	3	8	13	19	22
2. MULTIPLE DX	3421	9.9	103	3	4	7	12	20	30	84
A. Not Operated	2794	7.8	45	2	4	6	10	14	19	33
B. Operated	650	18.7	253	6	8	14	26	49	74	99 +
TOTAL										
0-19 YRS	171	9.7	168	1	3	6	12	34	87	99 +
20-34	92	9.4	191	2	3	5	11	22	80	99 +
35-49	177	10.0	116	2	4	6	13	26	37	91
50-64	885	10.2	131	3	4	7	12	20	28	86
65 +	2119	9.8	80	3	5	7	11	19	27	56
GRAND TOTAL	**3444**	**9.9**	**102**	**3**	**4**	**7**	**11**	**20**	**30**	**84**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	2.6	6	1	1	2	3	6	7	13
20-34	41	3.2	13	< 1	1	2	4	8	10	20
35-49	56	2.4	6	1	1	1	3	5	8	13
50-64	49	2.7	3	1	1	2	3	6	7	8
65 +	26	5.0	9	2	2	4	7	8	10	12
B. Operated										
0-19 YRS	42	4.7	26	< 1	1	2	7	14	17	17
20-34	28	7.1	61	2	3	5	7	17	21	39
35-49	39	7.1	37	1	3	5	9	17	19	28
50-64	40	4.0	9	1	2	3	5	7	10	16
65 +	26	4.9	13	1	3	4	6	8	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	526	5.0	25	1	2	4	7	10	13	28
20-34	223	5.3	18	1	2	4	7	12	15	20
35-49	371	5.7	28	1	2	4	7	12	16	25
50-64	543	6.0	32	1	2	4	8	12	19	27
65 +	2209	7.1	37	2	3	6	9	14	18	27
B. Operated										
0-19 YRS	214	13.4	212	1	3	9	18	31	52	92
20-34	184	12.8	135	2	6	9	16	33	44	99 +
35-49	282	10.3	95	2	4	8	13	22	35	88
50-64	438	9.9	102	2	4	7	12	20	30	58
65 +	1091	12.6	115	3	6	10	16	25	33	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	276	2.9	7	1	1	2	3	7	8	13
B. Operated	175	5.5	29	1	2	4	6	12	17	26
2. MULTIPLE DX										
A. Not Operated	3872	6.4	33	2	3	5	8	13	17	27
B. Operated	2209	11.8	123	2	5	9	15	25	35	65
1. SINGLE DX	451	3.9	17	1	1	3	5	8	12	19
2. MULTIPLE DX	6081	8.4	72	2	3	6	10	17	24	48
A. Not Operated	4148	6.2	32	1	3	5	8	12	16	26
B. Operated	2384	11.4	119	2	5	8	15	24	34	64
TOTAL										
0-19 YRS	886	6.7	83	1	2	4	8	15	22	53
20-34	476	8.1	80	1	2	5	10	18	28	52
35-49	748	7.2	59	1	3	5	9	15	22	48
50-64	1070	7.4	63	2	3	5	9	15	22	45
65 +	3352	8.9	69	2	4	7	11	18	24	44
GRAND TOTAL	**6532**	**8.1**	**70**	**2**	**3**	**6**	**10**	**17**	**23**	**48**

272 Hospitals, Western Region, January-December 1990, by Diagnosis

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.1	2	< 1	1	2	3	4	6	6
20-34	18	2.7	5	1	1	2	3	5	8	10
35-49	8	2.8	3	1	1	3	4	5	6	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	507	1.5	2	< 1	< 1	1	2	2	3	4
20-34	480	2.0	3	1	1	2	2	3	4	10
35-49	343	2.0	2	1	1	2	2	3	4	8
50-64	70	2.2	2	1	1	2	3	4	5	8
65 +	14	2.1	1	1	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.1	6	1	2	3	4	4	10	13
20-34	40	3.0	6	1	1	3	4	5	7	15
35-49	25	2.5	2	1	1	2	3	4	5	6
50-64	17	3.2	3	1	2	3	4	6	6	6
65 +	18	4.3	9	2	2	3	6	9	11	12
B. Operated										
0-19 YRS	517	2.1	21	< 1	< 1	1	2	4	5	8
20-34	474	2.6	7	1	1	2	3	4	6	14
35-49	330	2.8	8	1	1	2	3	5	7	17
50-64	103	3.1	11	1	1	2	3	8	10	17
65 +	87	3.8	15	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.5	3	1	1	2	3	5	6	10
B. Operated	1414	1.8	3	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	143	3.1	6	1	2	3	4	6	8	13
B. Operated	1511	2.6	13	1	1	2	3	5	7	15
1. SINGLE DX	1457	1.9	3	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1654	2.6	12	1	1	2	3	5	7	15
A. Not Operated	186	3.0	5	1	1	3	4	6	7	13
B. Operated	2925	2.2	8	< 1	1	2	2	4	5	12
TOTAL										
0-19 YRS	1081	1.9	11	< 1	< 1	1	2	3	4	7
20-34	1012	2.4	5	1	1	2	3	4	5	14
35-49	706	2.4	5	1	1	2	3	4	5	13
50-64	192	2.8	7	1	1	2	3	6	9	16
65 +	120	3.6	12	1	2	3	4	7	11	19
GRAND TOTAL	**3111**	**2.3**	**8**	**< 1**	**1**	**2**	**3**	**4**	**5**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.9	4	1	2	2	3	6	8	9
20-34	17	3.9	2	2	3	4	5	6	6	6
35-49	25	3.4	9	1	2	2	4	6	10	15
50-64	9	3.4	3	2	2	3	5	6	6	6
65 +	6	5.5	14	1	3	4	10	10	10	10
B. Operated										
0-19 YRS	60	2.2	3	< 1	1	1	2	5	6	8
20-34	54	2.9	9	1	1	2	4	6	12	12
35-49	48	2.2	5	1	1	1	2	5	8	10
50-64	36	2.0	2	1	1	2	2	3	4	9
65 +	27	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	3.5	7	1	2	3	4	6	7	17
20-34	22	3.6	6	1	2	3	5	6	10	11
35-49	32	4.6	11	2	2	3	7	9	13	15
50-64	33	4.6	8	2	2	4	7	9	9	10
65 +	89	7.1	35	2	3	5	9	15	19	29
B. Operated										
0-19 YRS	113	2.4	4	1	1	2	3	5	7	12
20-34	70	4.9	19	1	2	4	6	11	13	23
35-49	63	3.5	14	1	1	2	4	8	12	20
50-64	54	3.6	23	1	1	2	4	7	13	29
65 +	85	5.0	38	1	1	3	5	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.5	6	1	2	3	4	6	8	13
B. Operated	225	2.3	5	1	1	2	2	4	7	12
2. MULTIPLE DX										
A. Not Operated	276	4.9	19	2	2	4	6	9	14	25
B. Operated	385	3.8	20	1	1	2	4	8	13	23
1. SINGLE DX	316	2.6	5	1	1	2	3	6	7	12
2. MULTIPLE DX	661	4.2	20	1	2	3	5	9	13	24
A. Not Operated	367	4.6	16	2	2	4	6	9	12	23
B. Operated	610	3.2	15	1	1	2	4	7	11	21
TOTAL										
0-19 YRS	307	2.8	5	1	1	2	4	5	7	12
20-34	163	4.0	13	1	1	3	5	8	12	17
35-49	168	3.3	11	1	1	2	4	8	10	15
50-64	132	3.4	13	1	1	2	4	7	9	19
65 +	207	5.4	34	1	2	3	7	13	17	30
GRAND TOTAL	**977**	**3.7**	**15**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	196	1.9	2	1	1	1	3	3	4	9
20-34	46	1.9	2	1	1	1	3	4	4	6
35-49	73	1.7	1	< 1	1	1	2	3	4	5
50-64	59	1.9	3	1	1	2	2	3	3	12
65 +	35	1.7	1	1	1	2	2	2	3	4
B. Operated										
0-19 YRS	85	3.4	7	< 1	1	3	5	7	9	10
20-34	14	4.6	16	1	3	4	5	7	15	17
35-49	55	3.8	5	< 1	2	4	6	7	8	9
50-64	41	5.8	193	1	2	4	5	6	7	92
65 +	40	3.4	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	366	3.5	22	1	1	2	4	7	9	18
20-34	206	3.2	9	1	1	2	4	7	9	14
35-49	449	2.6	5	1	1	2	3	5	7	10
50-64	463	3.0	8	1	1	2	3	6	8	15
65 +	884	3.8	10	1	2	3	4	7	8	18
B. Operated										
0-19 YRS	378	7.6	81	1	3	6	8	14	26	81
20-34	140	7.0	119	2	3	5	7	11	16	83
35-49	263	5.9	42	2	3	4	7	10	14	39
50-64	336	5.9	36	2	2	4	7	12	16	36
65 +	738	6.9	65	2	3	5	8	14	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	409	1.9	2	1	1	1	2	3	4	6
B. Operated	235	4.0	39	< 1	1	3	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	2368	3.3	11	1	2	2	4	7	8	16
B. Operated	1855	6.7	64	1	3	5	8	12	19	44
1. SINGLE DX	644	2.6	16	1	1	2	3	5	6	10
2. MULTIPLE DX	4223	4.8	37	1	2	3	6	9	13	31
A. Not Operated	2777	3.1	10	1	1	2	4	6	8	15
B. Operated	2090	6.4	62	1	3	5	7	12	18	43
TOTAL										
0-19 YRS	1025	4.7	43	1	1	3	6	9	13	40
20-34	406	4.4	50	1	2	3	5	8	11	22
35-49	840	3.7	19	1	1	2	5	7	9	25
50-64	899	4.1	29	1	2	3	5	8	12	25
65 +	1697	5.1	36	1	2	3	6	9	14	32
GRAND TOTAL	**4867**	**4.5**	**35**	**1**	**2**	**3**	**5**	**9**	**12**	**31**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	1.8	1	1	1	2	2	3	4	4
35-49	11	3.2	13	1	2	2	3	8	13	14
50-64	10	2.4	3	1	2	2	2	5	7	7
65 +	9	2.2	1	1	2	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	7	4.7	7	1	3	4	6	8	9	9
35-49	11	6.4	7	4	5	6	8	10	12	12
50-64	11	6.2	17	1	3	6	10	12	13	13
65 +	3	4.7	6	2	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	30	3.7	6	1	2	3	5	6	7	13
35-49	66	3.9	5	2	2	3	5	7	9	12
50-64	78	3.2	3	1	2	3	4	5	7	10
65 +	126	4.3	7	2	2	4	6	8	10	12
B. Operated										
0-19 YRS	4	4.0	6	1	2	4	6	7	7	7
20-34	7	7.1	80	1	3	4	6	23	27	27
35-49	63	5.9	11	2	3	6	8	10	12	16
50-64	86	6.0	54	2	3	5	7	9	12	50
65 +	127	5.9	16	2	3	5	8	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.4	5	1	1	2	3	4	5	14
B. Operated	32	5.8	10	2	3	5	8	10	12	13
2. MULTIPLE DX										
A. Not Operated	303	3.9	5	2	2	3	5	7	9	12
B. Operated	287	6.0	27	2	3	5	7	10	13	24
1. SINGLE DX	73	3.9	10	1	2	3	5	8	11	14
2. MULTIPLE DX	590	4.9	17	2	3	4	6	9	11	17
A. Not Operated	344	3.7	6	1	2	3	5	7	9	12
B. Operated	319	5.9	26	2	3	5	7	10	13	22
TOTAL										
0-19 YRS	9	3.0	4	1	1	3	4	6	7	7
20-34	53	4.0	16	1	2	3	5	7	9	27
35-49	151	4.9	9	2	2	4	6	10	11	14
50-64	185	4.7	30	1	2	4	6	8	10	18
65 +	265	5.0	12	2	3	4	6	10	11	17
GRAND TOTAL	**663**	**4.8**	**16**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	1	1	2	2	3	4	4	4
20-34	9	2.6	2	1	2	2	3	5	6	6
35-49	30	3.2	2	2	2	3	4	5	5	6
50-64	32	2.9	1	2	2	3	4	4	4	5
65 +	24	3.2	5	2	2	3	3	7	8	9
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	16	4.9	6	2	2	5	7	8	8	8
35-49	15	6.5	9	3	4	6	8	9	13	14
50-64	22	5.0	15	1	2	4	7	11	14	14
65 +	33	4.6	8	2	3	4	6	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.0	94	1	1	2	4	11	32	37
20-34	45	3.8	20	1	2	3	4	7	12	23
35-49	191	3.5	3	2	2	3	4	6	7	8
50-64	255	3.8	7	2	2	3	4	6	7	16
65 +	799	4.8	14	2	3	4	6	8	11	21
B. Operated										
0-19 YRS	6	3.2	7	1	1	2	4	8	8	8
20-34	49	9.9	179	2	4	6	11	15	47	75
35-49	168	7.1	56	2	3	5	9	14	23	48
50-64	297	7.4	53	2	3	5	9	15	21	34
65 +	894	8.1	51	3	4	6	10	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	3.0	2	2	2	3	4	5	6	8
B. Operated	88	5.0	10	2	3	4	7	9	12	14
2. MULTIPLE DX										
A. Not Operated	1303	4.4	12	2	3	4	5	7	10	20
B. Operated	1414	7.9	57	2	3	6	10	15	21	42
1. SINGLE DX	189	3.9	7	2	2	3	5	8	9	14
2. MULTIPLE DX	2717	6.2	38	2	3	4	7	12	17	33
A. Not Operated	1404	4.3	11	2	3	3	5	7	9	19
B. Operated	1502	7.7	54	2	3	6	9	15	20	41
TOTAL										
0-19 YRS	27	3.7	47	1	1	2	4	4	12	37
20-34	119	6.4	90	2	2	4	7	12	16	59
35-49	404	5.1	28	2	3	4	6	9	13	36
50-64	606	5.6	33	2	3	4	6	11	15	31
65 +	1750	6.5	36	2	3	5	8	13	17	30
GRAND TOTAL	**2906**	**6.1**	**37**	**2**	**3**	**4**	**7**	**12**	**16**	**32**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.8	1	1	1	2	2	3	4	4
20-34	40	2.3	4	1	1	2	2	4	5	13
35-49	48	2.8	13	1	1	2	3	5	6	26
50-64	22	2.3	2	1	1	2	3	4	5	5
65 +	12	1.8	1	1	1	1	2	4	4	4
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	6	5.5	13	1	3	5	7	11	11	11
35-49	15	4.0	4	1	2	4	5	7	8	8
50-64	9	5.6	11	2	3	5	7	11	11	11
65 +	5	2.2	7	< 1	< 1	< 1	2	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	1	1	1	2	3	4	4	4
20-34	107	2.9	3	1	2	3	3	5	6	9
35-49	138	3.0	4	1	2	2	4	5	6	10
50-64	168	3.2	5	1	2	3	4	6	7	12
65 +	241	3.9	6	2	2	3	5	7	10	12
B. Operated										
0-19 YRS	4	3.3	7	< 1	1	2	5	7	7	7
20-34	16	7.5	65	2	3	4	8	16	28	33
35-49	50	10.2	215	2	4	6	11	16	32	91
50-64	61	5.9	15	2	3	5	7	12	14	19
65 +	64	7.6	38	2	3	6	11	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	2.4	7	1	1	2	3	4	5	15
B. Operated	37	4.4	8	< 1	2	4	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	670	3.3	5	1	2	3	4	6	7	12
B. Operated	195	7.6	80	2	3	6	9	14	18	47
1. SINGLE DX	170	2.8	8	1	1	2	4	5	7	13
2. MULTIPLE DX	865	4.3	25	1	2	3	5	8	11	19
A. Not Operated	803	3.2	5	1	2	3	4	6	7	12
B. Operated	232	7.1	70	1	3	5	8	13	16	38
TOTAL										
0-19 YRS	33	2.3	2	1	1	2	3	4	5	7
20-34	169	3.3	11	1	2	2	4	6	8	16
35-49	251	4.4	55	1	2	3	5	8	11	32
50-64	260	3.8	9	1	2	3	5	7	10	15
65 +	322	4.5	15	1	2	3	6	9	12	18
GRAND TOTAL	**1035**	**4.1**	**22**	**1**	**2**	**3**	**5**	**7**	**11**	**19**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	< 1	1	2	3	3	3	3
20-34	41	2.4	2	1	1	2	3	4	5	8
35-49	59	2.8	7	1	2	2	3	4	5	19
50-64	51	3.0	2	1	2	3	4	5	6	6
65 +	35	3.6	29	1	2	2	3	5	8	33
B. Operated										
0-19 YRS	5	7.2	11	2	6	8	9	11	11	11
20-34	34	6.0	5	3	5	6	7	9	11	12
35-49	38	6.0	12	3	4	5	7	10	13	20
50-64	35	6.3	12	3	4	6	7	12	14	14
65 +	23	6.3	6	3	5	6	9	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.4	5	2	2	3	4	5	9	12
20-34	142	3.2	3	1	2	3	4	6	6	9
35-49	264	3.5	10	2	2	3	4	5	7	18
50-64	336	3.9	7	2	2	3	4	7	9	15
65 +	869	4.9	10	2	3	4	6	9	11	17
B. Operated										
0-19 YRS	8	11.1	56	3	3	12	17	20	21	21
20-34	93	6.5	29	2	3	5	8	10	16	30
35-49	172	6.7	30	2	3	6	8	12	14	22
50-64	248	8.8	71	3	4	6	10	17	25	49
65 +	684	10.5	93	3	5	8	13	19	26	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	2.9	8	1	2	2	3	4	6	15
B. Operated	135	6.2	9	3	4	6	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	1638	4.3	9	2	2	4	5	8	10	16
B. Operated	1205	9.3	76	3	4	7	11	17	22	51
1. SINGLE DX	326	4.3	11	1	2	3	6	8	10	16
2. MULTIPLE DX	2843	6.4	44	2	3	4	8	13	17	34
A. Not Operated	1829	4.1	9	2	2	3	5	7	10	16
B. Operated	1340	9.0	71	3	4	7	11	17	22	49
TOTAL										
0-19 YRS	45	5.1	23	2	2	3	6	12	17	21
20-34	310	4.4	14	1	2	3	6	8	9	25
35-49	533	4.6	18	2	2	3	5	8	12	20
50-64	670	5.7	36	2	3	4	7	11	15	35
65 +	1611	7.3	54	2	3	5	9	14	18	36
GRAND TOTAL	**3169**	**6.2**	**41**	**2**	**3**	**4**	**7**	**12**	**16**	**33**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	5.7	2	4	4	6	7	7	7	7
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	9.3	86	3	4	5	14	23	23	23
35-49	5	9.4	16	5	6	9	13	14	14	14
50-64	6	7.5	15	4	6	6	7	14	15	15
65 +	4	8.8	26	4	5	7	12	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.7	4	1	2	3	6	6	6	6
35-49	20	4.1	2	2	3	4	5	6	7	7
50-64	21	5.7	18	2	3	4	9	10	15	20
65 +	75	6.1	17	2	3	5	7	12	14	21
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	8.6	13	4	6	10	11	13	14	14
35-49	46	11.8	103	4	6	9	15	20	25	64
50-64	59	11.7	74	4	6	9	14	21	29	46
65 +	135	12.2	82	4	6	10	14	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.2	3	2	3	4	5	7	7	7
B. Operated	20	8.3	29	3	5	7	11	15	19	23
2. MULTIPLE DX										
A. Not Operated	123	5.5	15	2	3	4	6	10	13	21
B. Operated	250	11.9	81	4	6	10	14	21	26	51
1. SINGLE DX	29	7.0	24	3	4	6	8	15	16	23
2. MULTIPLE DX	373	9.8	68	3	4	8	13	18	23	47
A. Not Operated	132	5.4	14	2	3	4	6	9	12	20
B. Operated	270	11.6	78	4	6	10	14	21	25	50
TOTAL										
0-19 YRS	4	3.8	18	< 1	< 1	2	6	10	10	10
20-34	21	7.0	25	2	4	6	10	13	18	23
35-49	72	9.3	79	3	4	7	12	19	23	57
50-64	88	9.8	63	3	5	8	13	18	23	45
65 +	217	9.9	66	3	5	7	13	18	23	48
GRAND TOTAL	**402**	**9.6**	**65**	**3**	**4**	**7**	**12**	**18**	**23**	**46**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.2	4	1	1	2	3	4	8	9
20-34	87	2.0	2	< 1	1	2	3	3	4	7
35-49	65	1.7	1	1	1	1	2	3	3	4
50-64	40	2.0	1	1	1	2	2	4	4	5
65 +	22	2.4	3	1	1	2	3	4	6	9
B. Operated										
0-19 YRS	11	3.0	2	1	2	3	4	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	3.0	3	< 1	1	3	4	5	5	5
50-64	8	3.9	8	< 1	1	3	5	8	9	9
65 +	4	3.3	20	< 1	< 1	1	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	2.3	3	1	1	2	3	4	5	8
20-34	346	2.8	4	1	1	2	3	5	7	11
35-49	523	3.2	9	1	2	3	4	6	7	11
50-64	493	3.1	5	1	2	3	4	6	7	12
65 +	821	4.2	9	1	2	3	5	8	10	15
B. Operated										
0-19 YRS	28	4.1	17	1	2	3	5	8	10	22
20-34	73	5.2	36	1	2	4	6	9	13	40
35-49	110	5.0	12	1	2	4	6	9	11	18
50-64	153	5.4	29	2	3	4	7	9	12	28
65 +	336	5.7	24	2	3	5	7	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	2.0	2	1	1	2	2	3	4	9
B. Operated	35	3.2	5	< 1	1	3	4	5	8	10
2. MULTIPLE DX										
A. Not Operated	2321	3.4	7	1	2	3	4	6	8	14
B. Operated	700	5.4	24	2	3	4	7	10	13	27
1. SINGLE DX	281	2.1	2	1	1	2	3	4	5	9
2. MULTIPLE DX	3021	3.9	12	1	2	3	5	7	9	16
A. Not Operated	2567	3.3	7	1	2	3	4	6	8	13
B. Operated	735	5.3	23	2	2	4	7	10	13	26
TOTAL										
0-19 YRS	209	2.6	5	1	1	2	3	5	5	12
20-34	507	3.0	9	1	1	2	4	6	7	14
35-49	709	3.3	10	1	2	3	4	6	8	14
50-64	694	3.5	11	1	2	3	4	7	9	15
65 +	1183	4.6	13	2	2	4	6	8	11	18
GRAND TOTAL	**3302**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.5	4	1	1	2	4	5	6	7
20-34	16	2.9	2	< 1	2	3	4	5	6	7
35-49	24	2.1	4	1	1	1	2	4	6	10
50-64	20	3.3	14	1	1	2	4	6	12	17
65 +	7	1.7	2	< 1	1	1	3	4	4	4
B. Operated										
0-19 YRS	36	3.4	5	1	2	3	4	6	8	11
20-34	4	10.5	228	< 1	1	4	19	33	33	33
35-49	4	9.5	12	6	6	9	12	13	13	13
50-64	7	4.7	8	1	2	5	7	8	8	8
65 +	6	8.2	30	3	3	7	12	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.8	10	1	1	2	3	5	8	20
20-34	79	4.5	24	1	2	3	6	8	12	32
35-49	137	3.4	7	1	2	3	4	7	8	13
50-64	131	4.3	22	1	2	3	6	9	12	29
65 +	262	4.5	20	1	2	3	6	8	10	21
B. Operated										
0-19 YRS	45	7.0	36	3	4	5	8	15	20	32
20-34	23	11.0	193	3	4	7	9	31	46	62
35-49	82	10.3	146	2	5	8	12	19	28	78
50-64	109	11.7	95	3	6	9	15	20	27	59
65 +	190	11.2	104	2	4	8	16	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.6	6	1	1	2	4	5	7	14
B. Operated	57	5.0	26	1	2	3	6	11	13	32
2. MULTIPLE DX										
A. Not Operated	675	4.0	18	1	2	3	5	8	10	21
B. Operated	449	10.7	108	3	4	8	14	21	30	54
1. SINGLE DX	148	3.5	15	1	1	2	4	7	10	18
2. MULTIPLE DX	1124	6.7	64	1	2	4	8	15	21	41
A. Not Operated	766	3.9	16	1	2	3	5	8	10	21
B. Operated	506	10.1	102	2	4	7	13	20	29	53
TOTAL										
0-19 YRS	171	4.0	18	1	1	3	5	8	10	24
20-34	122	5.7	65	1	2	4	6	9	16	45
35-49	247	5.7	64	1	2	3	7	12	16	33
50-64	267	7.2	65	1	2	5	9	15	20	42
65 +	465	7.2	65	1	3	5	8	16	23	42
GRAND TOTAL	**1272**	**6.3**	**60**	**1**	**2**	**4**	**8**	**14**	**20**	**41**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.7		1	1	2	2	3	3	3
20-34	17	2.4	6	1	1	2	2	6	9	10
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	2666	2.6	1	2	2	2	3	4	4	6
20-34	2363	2.8	1	2	2	3	3	4	5	7
35-49	897	2.9	2	2	2	3	3	4	5	8
50-64	218	3.2	1	2	2	3	4	4	5	7
65 +	61	3.9	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	546	3.4	7	2	2	3	4	6	7	13
20-34	640	3.7	9	2	2	3	4	6	8	11
35-49	297	4.1	6	2	3	3	5	7	8	13
50-64	151	4.4	5	2	3	4	5	7	9	12
65 +	101	5.9	23	3	3	5	7	10	12	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.1	3	1	1	2	2	3	6	10
B. Operated	6205	2.7	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	12	2.9	6	< 1	1	2	4	7	9	9
B. Operated	1735	3.8	9	2	2	3	4	7	8	13
1. SINGLE DX	6239	2.7	1	2	2	3	3	4	5	7
2. MULTIPLE DX	1747	3.8	9	2	2	3	4	7	8	13
A. Not Operated	46	2.3	4	1	1	2	2	5	7	10
B. Operated	7940	3.0	3	2	2	3	3	5	6	9
TOTAL										
0-19 YRS	3228	2.7	2	2	2	2	3	4	5	8
20-34	3022	3.0	3	2	2	3	4	5	5	8
35-49	1199	3.2	3	2	2	3	4	5	6	10
50-64	373	3.6	3	2	3	3	4	6	7	11
65 +	164	5.1	16	2	3	4	5	9	11	22
GRAND TOTAL	**7986**	**3.0**	**3**	**2**	**2**	**3**	**3**	**5**	**6**	**9**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	6.3	7	3	4	6	8	10	10	10
20-34	9	5.8	13	2	3	6	8	11	12	12
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	736	5.7	8	3	4	5	7	9	10	13
20-34	481	5.5	6	3	4	5	7	9	10	14
35-49	278	5.8	7	3	4	6	7	9	10	16
50-64	118	5.3	5	3	4	5	6	8	10	11
65 +	45	6.2	5	3	5	6	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.0	8	< 1	< 1	2	5	7	7	7
20-34	3	6.7	54	1	2	4	12	15	15	15
35-49	5	7.8	2	6	7	8	9	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	7	6.3	21	1	2	5	10	13	13	13
B. Operated										
0-19 YRS	653	8.1	21	4	5	7	9	13	17	27
20-34	394	7.9	15	4	5	7	9	13	16	23
35-49	332	8.3	27	4	5	7	10	13	17	34
50-64	256	9.0	53	4	6	7	10	15	17	43
65 +	277	9.6	43	5	6	8	11	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.7	10	2	3	6	7	10	11	12
B. Operated	1658	5.6	7	3	4	5	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	20	6.0	17	< 1	2	6	8	12	14	15
B. Operated	1912	8.4	29	4	5	7	10	14	17	30
1. SINGLE DX	1676	5.6	7	3	4	5	7	9	10	13
2. MULTIPLE DX	1932	8.4	29	4	5	7	10	14	17	30
A. Not Operated	38	5.8	13	1	3	6	8	11	13	15
B. Operated	3570	7.1	21	3	5	6	8	11	15	24
TOTAL										
0-19 YRS	1399	6.8	16	3	4	6	8	11	14	23
20-34	887	6.6	12	3	4	6	8	11	13	18
35-49	617	7.1	19	3	5	6	8	11	14	26
50-64	376	7.8	41	4	5	7	9	13	16	37
65 +	329	9.0	39	4	6	7	11	15	18	34
GRAND TOTAL	**3608**	**7.1**	**21**	**3**	**5**	**6**	**8**	**11**	**14**	**24**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.0	5	1	1	1	2	6	7	7
20-34	17	1.6	1	1	1	1	2	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	171	2.7	2	2	2	2	3	4	5	8
20-34	148	2.9	2	2	2	3	3	4	6	9
35-49	49	2.9	2	1	2	3	3	5	5	7
50-64	6	3.5		3	3	3	4	4	4	4
65 +	6	4.7	3	3	4	4	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.5	21	< 1	1	2	4	12	14	14
20-34	6	2.2	1	1	2	2	3	3	3	3
35-49	6	2.7	4	1	1	2	4	6	6	6
50-64	5	5.2	38	1	2	3	7	16	16	16
65 +	0									
B. Operated										
0-19 YRS	94	3.5	9	2	2	3	4	5	7	21
20-34	115	3.6	4	2	2	3	4	5	7	13
35-49	51	4.5	7	2	3	4	5	8	11	13
50-64	10	5.8	11	1	3	6	9	10	11	11
65 +	13	6.2	11	2	4	6	8	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.8	2	1	1	1	2	4	6	7
B. Operated	380	2.9	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	25	3.3	14	1	1	2	3	6	14	16
B. Operated	283	3.9	7	2	2	3	4	7	10	14
1. SINGLE DX	415	2.8	2	1	2	3	3	4	5	9
2. MULTIPLE DX	308	3.9	8	2	2	3	4	7	10	15
A. Not Operated	60	2.4	8	1	1	1	3	5	7	16
B. Operated	663	3.3	4	2	2	3	4	5	7	12
TOTAL										
0-19 YRS	285	3.0	5	1	2	2	3	5	6	13
20-34	286	3.1	3	2	2	3	4	5	6	11
35-49	109	3.6	5	1	2	3	4	6	8	12
50-64	24	4.7	13	1	3	4	6	9	12	16
65 +	19	5.7	9	3	4	5	7	11	12	12
GRAND TOTAL	**723**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	5	1.4		< 1	1	1	2	2	2	2
35-49	4	1.5		1	1	1	2	2	2	2
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	467	1.1		< 1	< 1	< 1	1	1	1	4
20-34	99	1.8	4	1	1	1	2	3	3	14
35-49	160	1.4	1	< 1	1	1	2	2	3	4
50-64	178	1.3		1	1	1	1	2	2	4
65 +	166	1.5	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	2	2	3	4	4	4
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	5	2.6	9	< 1	< 1	1	3	8	8	8
65 +	9	2.2	3	< 1	1	1	3	5	6	6
B. Operated										
0-19 YRS	458	1.5	19	< 1	< 1	1	1	1	2	5
20-34	92	1.9	2	1	1	1	2	4	4	8
35-49	136	2.3	5	1	1	2	2	4	7	11
50-64	251	2.2	4	1	1	2	2	3	6	13
65 +	669	2.9	12	1	1	2	3	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.5		1	1	1	2	3	3	3
B. Operated	1070	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	25	2.2	3	< 1	1	1	3	4	6	8
B. Operated	1606	2.3	12	< 1	1	1	2	4	6	12
1. SINGLE DX	1089	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	1631	2.3	12	< 1	1	1	2	4	6	12
A. Not Operated	44	1.9	2	< 1	1	1	2	3	5	8
B. Operated	2676	1.9	8	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	935	1.3	10	< 1	< 1	1	1	1	2	5
20-34	200	1.8	3	1	1	1	2	3	4	9
35-49	302	1.8	3	1	1	1	2	3	4	8
50-64	437	1.8	3	1	1	1	2	3	4	10
65 +	846	2.6	10	1	1	2	3	5	7	12
GRAND TOTAL	**2720**	**1.9**	**8**	**< 1**	**1**	**1**	**2**	**3**	**5**	**9**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	111	1.5	1	< 1	1	1	1	3	4	7
20-34	36	1.8	1	1	1	1	2	3	4	5
35-49	28	2.3	3	1	1	2	3	5	6	8
50-64	37	2.1	1	1	1	2	3	3	4	5
65 +	64	2.8	3	1	2	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	1.5		1	1	1	2	2	2	2
65 +	13	3.5	13	1	1	2	5	10	10	10
B. Operated										
0-19 YRS	143	2.1	8	1	1	1	2	3	6	28
20-34	15	3.2	12	1	1	2	4	10	11	12
35-49	40	4.0	16	1	2	2	4	11	14	15
50-64	64	4.6	16	1	2	3	6	11	14	17
65 +	275	5.3	24	1	2	4	6	11	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	276	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	22	2.7	8	1	1	2	3	9	10	10
B. Operated	537	4.2	20	1	1	3	5	10	14	25
1. SINGLE DX	287	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX	559	4.2	20	1	1	3	5	10	14	25
A. Not Operated	33	2.4	6	< 1	1	1	2	5	10	10
B. Operated	813	3.5	15	1	1	2	4	8	11	23
TOTAL										
0-19 YRS	258	1.8	5	< 1	1	1	2	3	5	22
20-34	53	2.2	4	1	1	2	2	4	5	12
35-49	72	3.2	11	1	1	2	3	8	13	15
50-64	108	3.5	11	1	1	3	4	8	11	17
65 +	355	4.8	21	1	2	3	6	10	15	26
GRAND TOTAL	**846**	**3.4**	**15**	**1**	**1**	**2**	**4**	**8**	**11**	**23**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	41	1.3	1	< 1	< 1	< 1	1	2	4	5
20-34	10	1.6	1	< 1	1	1	2	3	3	3
35-49	15	1.4	1	< 1	< 1	1	2	3	3	3
50-64	14	1.8	2	< 1	1	1	3	3	5	5
65 +	7	1.9	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	4	5.3	52	1	1	2	9	16	16	16
50-64	3	1.3		1	1	1	2	2	2	2
65 +	4	4.5	33	< 1	< 1	2	8	13	13	13
B. Operated										
0-19 YRS	20	3.5	16	< 1	1	2	4	9	14	16
20-34	13	2.2	2	1	1	2	3	5	5	5
35-49	38	2.5	4	1	1	2	3	5	8	9
50-64	38	3.2	2	1	2	3	4	5	6	7
65 +	43	2.9	4	1	2	3	4	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	87	1.5	1	< 1	< 1	1	1	3	4	5
2. MULTIPLE DX										
A. Not Operated	12	3.8	26	< 1	1	2	3	14	16	16
B. Operated	152	2.9	5	1	1	2	4	5	6	12
1. SINGLE DX	92	1.5	1	< 1	< 1	1	1	3	3	5
2. MULTIPLE DX	164	3.0	6	1	1	2	4	5	7	15
A. Not Operated	17	3.1	19	< 1	1	1	3	11	15	16
B. Operated	239	2.4	4	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	62	2.0	7	< 1	< 1	< 1	2	5	6	16
20-34	25	1.8	2	1	1	1	2	4	5	5
35-49	59	2.4	6	< 1	1	1	3	4	8	15
50-64	56	2.7	3	1	1	3	4	5	5	7
65 +	54	2.9	5	1	1	2	4	5	6	13
GRAND TOTAL	**256**	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**	**13**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	1.9	2	< 1	< 1	< 1	3	4	4	4
20-34	55	2.4	4	1	1	2	3	4	6	11
35-49	209	2.7	2	1	1	2	4	5	6	8
50-64	189	2.8	3	1	2	2	4	5	6	8
65 +	163	2.9	3	1	2	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	12	1.7	2	< 1	< 1	1	2	4	4	4
50-64	13	2.8	10	< 1	1	2	3	7	11	12
65 +	14	3.1	5	1	2	2	4	7	9	9
B. Operated										
0-19 YRS	15	4.1	58	< 1	< 1	1	4	5	25	31
20-34	66	3.4	8	1	2	3	4	5	6	20
35-49	256	3.7	8	1	2	3	4	6	9	15
50-64	389	4.4	20	1	2	3	5	8	10	25
65 +	632	4.6	14	1	2	4	6	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	637	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	43	2.4	5	< 1	1	2	3	5	8	12
B. Operated	1358	4.3	15	1	2	3	5	8	10	21
1. SINGLE DX	639	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1401	4.2	14	1	2	3	5	8	10	21
A. Not Operated	45	2.4	5	< 1	1	1	3	4	7	12
B. Operated	1995	3.8	11	1	2	3	5	7	9	17
TOTAL										
0-19 YRS	37	2.8	25	< 1	< 1	1	3	5	5	31
20-34	124	2.9	6	1	1	2	4	5	6	14
35-49	479	3.2	6	1	2	3	4	6	7	14
50-64	591	3.8	15	1	2	3	4	7	9	19
65 +	809	4.2	12	1	2	3	5	8	10	18
GRAND TOTAL	**2040**	**3.8**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	4	2.0	2	< 1	< 1	1	3	4	4	4
50-64	7	2.1		1	2	2	3	3	3	3
65 +	6	2.3	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	5	5.4	1	4	5	5	6	7	7	7
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	9	6.0	15	2	3	6	8	12	13	13
50-64	8	5.5	2	3	5	5	6	8	8	8
65 +	4	7.5	24	1	4	8	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.7	3	1	3	4	5	6	6	6
20-34	10	2.0	1	1	1	2	3	4	4	4
35-49	47	2.6	3	1	1	2	3	5	6	9
50-64	68	2.6	3	1	1	2	3	4	5	12
65 +	148	2.9	3	1	2	3	4	5	7	8
B. Operated										
0-19 YRS	18	9.3	46	2	6	7	13	21	25	26
20-34	18	7.2	27	2	4	6	9	14	19	22
35-49	70	5.8	10	3	4	6	7	8	10	22
50-64	78	6.0	8	3	4	6	8	9	10	15
65 +	111	7.3	33	3	5	6	8	11	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.1	1	1	1	2	3	4	4	4
B. Operated	28	6.1	9	2	4	6	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	279	2.8	3	1	2	2	3	5	6	8
B. Operated	295	6.7	22	3	4	6	8	10	15	27
1. SINGLE DX	47	4.5	10	1	2	4	6	8	11	13
2. MULTIPLE DX	574	4.8	17	1	2	4	6	8	11	24
A. Not Operated	298	2.7	3	1	2	2	3	5	6	8
B. Operated	323	6.7	21	3	4	6	8	10	14	26
TOTAL										
0-19 YRS	31	7.1	34	2	3	6	8	14	23	26
20-34	30	5.5	23	1	2	4	7	12	15	22
35-49	130	4.5	10	1	2	4	6	8	9	17
50-64	161	4.4	8	1	2	4	6	8	9	15
65 +	269	4.8	20	1	2	4	6	8	11	27
GRAND TOTAL	**621**	**4.8**	**16**	**1**	**2**	**4**	**6**	**8**	**11**	**24**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	9	2.3	11	1	1	1	2	7	11	11
50-64	12	1.9	1	< 1	1	2	3	3	3	3
65 +	3	3.0	3	1	2	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.6	10	3	4	6	9	11	11	11
35-49	16	2.6	2	1	1	3	3	5	5	5
50-64	13	3.1	4	1	2	2	4	5	8	9
65 +	32	4.5	23	1	1	3	6	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	27	2.1	4	1	1	1	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	4	5.0	6	3	3	5	7	8	8	8
B. Operated	72	4.1	14	1	2	3	5	9	11	22
1. SINGLE DX	28	2.0	4	1	1	1	3	4	5	11
2. MULTIPLE DX	76	4.1	14	1	2	3	5	9	11	21
A. Not Operated	5	4.2	8	1	2	3	6	8	8	8
B. Operated	99	3.5	12	1	1	3	4	8	11	19
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	13	5.3	13	1	2	4	8	11	11	11
35-49	27	2.5	4	1	1	2	3	5	6	11
50-64	26	2.7	4	1	1	2	3	4	8	9
65 +	36	4.4	21	1	1	3	6	9	12	24
GRAND TOTAL	**104**	**3.6**	**12**	**1**	**1**	**3**	**4**	**8**	**11**	**18**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	12	< 1	< 1	1	5	7	7	7
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	6	1.2		< 1	1	1	1	2	2	2
20-34	40	2.4	3	1	1	2	3	5	6	7
35-49	76	2.8	4	1	1	2	4	5	6	9
50-64	67	3.0	4	1	1	3	4	6	7	9
65 +	73	3.4	5	1	2	3	5	7	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	2.0	2	< 1	1	1	3	5	5	5
50-64	9	2.8	3	< 1	1	2	4	5	6	6
65 +	42	3.9	6	1	2	3	6	9	9	99 +
B. Operated										
0-19 YRS	11	4.4	8	1	2	4	7	9	9	9
20-34	41	4.5	18	1	1	3	6	9	11	23
35-49	144	5.8	18	2	3	5	8	11	15	21
50-64	218	6.0	18	2	3	5	8	12	14	19
65 +	514	8.7	53	2	4	7	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.7	5	< 1	1	2	4	6	7	7
B. Operated	262	2.9	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	59	3.5	5	1	2	3	5	7	9	91
B. Operated	928	7.4	39	2	3	6	10	14	19	29
1. SINGLE DX	269	2.9	4	1	1	2	4	6	7	10
2. MULTIPLE DX	987	7.1	38	2	3	6	10	14	19	29
A. Not Operated	66	3.4	5	1	1	3	5	7	9	85
B. Operated	1190	6.4	35	1	2	5	9	13	17	28
TOTAL										
0-19 YRS	17	3.2	8	1	1	2	4	8	9	9
20-34	83	3.5	11	1	1	2	5	7	9	19
35-49	229	4.6	15	1	2	4	6	10	12	20
50-64	297	5.2	16	1	2	4	7	11	13	19
65 +	630	7.7	48	2	3	6	10	15	20	36
GRAND TOTAL	**1256**	**6.2**	**34**	**1**	**2**	**5**	**8**	**13**	**17**	**28**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	1.8	2	1	1	1	2	3	4	7
20-34	132	3.5	10	1	2	3	4	6	9	21
35-49	206	3.1	4	1	2	3	4	6	7	10
50-64	219	3.1	4	1	2	3	4	5	7	10
65 +	235	3.1	3	1	2	3	4	5	7	9
B. Operated										
0-19 YRS	107	5.6	31	2	3	4	7	10	11	32
20-34	71	7.1	12	3	5	7	9	11	15	18
35-49	92	7.5	12	4	5	7	9	12	14	20
50-64	82	7.8	8	5	6	8	9	11	13	17
65 +	69	7.8	7	4	6	7	9	12	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	3.9	13	1	2	3	5	8	11	20
20-34	200	3.8	7	1	2	3	5	8	9	13
35-49	424	4.1	7	1	2	3	5	7	9	14
50-64	699	4.2	14	1	2	3	5	8	9	15
65 +	2174	5.1	15	2	3	4	6	9	12	19
B. Operated										
0-19 YRS	206	9.8	135	4	5	6	9	17	33	91
20-34	177	10.2	38	4	6	9	12	20	23	31
35-49	377	11.9	109	5	7	9	13	21	28	86
50-64	486	12.4	89	6	7	10	14	22	30	52
65 +	1338	13.7	75	6	8	11	16	24	31	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	916	3.0	4	1	2	2	4	5	7	10
B. Operated	421	7.0	16	3	5	7	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	3641	4.7	13	2	2	4	6	8	11	17
B. Operated	2584	12.7	86	5	7	10	15	23	30	52
1. SINGLE DX	1337	4.3	12	1	2	3	6	8	10	15
2. MULTIPLE DX	6225	8.0	59	2	3	6	10	16	21	39
A. Not Operated	4557	4.3	12	1	2	4	5	8	10	17
B. Operated	3005	11.9	80	5	7	9	14	21	29	49
TOTAL										
0-19 YRS	581	5.8	67	1	2	4	7	10	16	53
20-34	580	6.1	27	2	3	4	8	12	17	24
35-49	1099	6.9	56	2	3	5	8	13	18	38
50-64	1486	6.9	52	2	3	5	9	13	19	36
65 +	3816	8.0	53	2	3	6	10	16	21	36
GRAND TOTAL	**7562**	**7.3**	**53**	**2**	**3**	**5**	**9**	**15**	**20**	**36**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	563	1.9	2	1	1	2	2	3	4	6
20-34	329	1.8	1	1	1	2	2	3	4	7
35-49	198	1.9	1	1	1	2	2	3	4	6
50-64	86	2.2	2	1	1	2	3	4	4	8
65 +	47	2.3	2	1	1	2	3	5	6	6
B. Operated										
0-19 YRS	33	3.2	3	1	2	3	4	5	6	9
20-34	47	3.7	-5	2	2	3	4	5	9	13
35-49	29	3.7	3	2	3	3	4	6	7	8
50-64	8	4.1	8	< 1	1	4	7	8	8	8
65 +	6	3.7	3	< 1	3	4	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1790	2.5	5	1	1	2	3	4	6	12
20-34	618	2.4	5	1	1	2	3	4	6	9
35-49	559	2.9	7	1	1	2	3	6	7	14
50-64	521	3.1	6	1	2	2	4	6	8	12
65 +	1324	4.1	16	1	2	3	5	8	10	16
B. Operated										
0-19 YRS	53	7.1	95	2	3	4	6	17	24	61
20-34	72	4.8	15	2	2	4	6	9	14	19
35-49	112	6.6	55	2	3	5	7	10	25	43
50-64	86	6.4	28	1	3	5	9	15	22	72
65 +	239	8.9	77	3	4	7	10	17	23	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1223	1.9	2	1	1	2	2	3	4	7
B. Operated	123	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	4812	3.1	9	1	1	2	4	6	8	14
B. Operated	562	7.4	61	2	3	5	8	15	22	49
1. SINGLE DX	1346	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	5374	3.5	16	1	2	2	4	7	9	19
A. Not Operated	6035	2.8	8	1	1	2	3	5	7	13
B. Operated	685	6.7	52	2	3	5	7	14	20	46
TOTAL										
0-19 YRS	2439	2.5	6	1	1	2	3	4	6	13
20-34	1066	2.4	5	1	1	2	3	4	6	13
35-49	898	3.2	14	1	1	2	4	6	8	19
50-64	701	3.4	10	1	2	3	4	7	9	17
65 +	1616	4.8	28	1	2	3	6	9	12	23
GRAND TOTAL	**6720**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	26	3.8	2	2	3	4	4	6	6	7
35-49	182	4.0	5	2	3	4	5	7	8	10
50-64	212	3.7	4	2	3	3	4	6	7	10
65 +	162	4.2	6	2	2	4	5	7	8	14
B. Operated										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	20	7.0	9	3	5	7	10	11	11	12
35-49	58	7.0	8	3	6	7	8	11	12	15
50-64	61	7.0	8	4	5	6	8	10	13	18
65 +	28	7.8	6	5	6	8	9	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	3.9	5	2	2	3	5	7	9	10
35-49	180	4.7	6	2	3	4	6	9	10	13
50-64	476	4.6	16	2	3	4	5	8	11	14
65 +	1795	4.9	13	2	3	4	6	8	11	16
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	49	8.8	14	5	7	8	10	12	16	25
35-49	232	10.0	66	5	7	8	10	14	24	50
50-64	418	10.4	52	5	7	9	12	17	21	39
65 +	1032	11.5	89	4	6	9	13	21	29	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	582	3.9	5	2	3	4	5	7	8	11
B. Operated	170	7.1	8	4	5	7	9	10	12	15
2. MULTIPLE DX										
A. Not Operated	2472	4.8	13	2	3	4	6	8	11	16
B. Operated	1732	11.0	75	5	7	9	13	19	26	53
1. SINGLE DX	752	4.6	7	2	3	4	6	8	10	14
2. MULTIPLE DX	4204	7.4	48	2	3	6	9	13	17	36
A. Not Operated	3054	4.7	11	2	3	4	6	8	10	15
B. Operated	1902	10.6	70	4	6	9	12	18	25	52
TOTAL										
0-19 YRS	5	7.0	21	4	5	5	8	15	15	15
20-34	115	6.5	14	2	4	6	9	11	12	22
35-49	652	6.6	34	2	3	6	8	11	13	28
50-64	1167	6.7	34	2	3	5	8	12	15	28
65 +	3017	7.1	48	2	3	5	9	13	18	36
GRAND TOTAL	**4956**	**6.9**	**42**	**2**	**3**	**5**	**8**	**13**	**16**	**33**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	3	1	2	2	3	6	6	6
20-34	10	4.6	23	< 1	1	3	4	12	17	17
35-49	5	3.4	3	1	2	4	5	5	5	5
50-64	5	5.4	7	2	3	5	7	9	9	9
65 +	6	3.5	3	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	30	2.5	4	< 1	1	2	3	5	6	10
20-34	169	2.4	5	1	1	2	3	5	5	14
35-49	180	2.3	3	1	1	2	3	5	6	8
50-64	66	2.3	3	1	1	2	3	5	7	8
65 +	37	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	5.6	26	1	2	4	8	14	17	20
20-34	18	3.2	4	1	2	3	5	5	8	9
35-49	15	4.1	7	1	2	4	5	8	9	10
50-64	13	5.3	11	2	3	5	7	11	12	12
65 +	24	5.5	13	3	3	4	6	11	15	16
B. Operated										
0-19 YRS	29	4.7	34	< 1	1	2	5	13	18	26
20-34	161	3.6	30	1	1	2	4	7	10	16
35-49	248	4.0	36	1	1	2	4	7	16	34
50-64	201	3.5	19	1	1	2	3	8	11	22
65 +	136	5.3	35	1	2	3	6	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.0	10	1	2	3	5	7	9	17
B. Operated	482	2.4	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	92	4.8	14	1	2	4	6	10	13	18
B. Operated	775	4.0	30	1	1	2	4	8	13	29
1. SINGLE DX	514	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	867	4.1	29	1	1	2	5	8	13	29
A. Not Operated	124	4.6	13	1	2	4	5	9	12	18
B. Operated	1257	3.4	21	1	1	2	4	7	10	26
TOTAL										
0-19 YRS	87	4.0	21	< 1	1	2	5	10	15	24
20-34	358	3.1	17	1	1	2	4	5	8	15
35-49	448	3.3	22	1	1	2	3	6	8	29
50-64	285	3.3	15	1	1	2	4	7	10	16
65 +	203	4.7	27	1	2	3	5	11	14	28
GRAND TOTAL	**1381**	**3.5**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.0	1	1	1	2	3	3	3	3
20-34	33	2.3	2	1	1	2	3	4	4	7
35-49	25	2.4	1	1	2	2	3	4	4	4
50-64	6	2.0	4	1	1	1	2	6	6	6
65 +	5	2.6	2	< 1	1	2	3	5	5	5
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	3.0	1	2	2	3	3	4	4	4
35-49	4	7.3	14	3	4	7	10	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.8	4	2	2	3	5	7	7	7
20-34	64	4.1	12	1	2	3	5	7	9	22
35-49	66	3.7	3	2	2	3	5	6	7	9
50-64	52	4.1	5	1	2	4	6	8	8	9
65 +	86	4.5	7	2	2	4	6	8	10	12
B. Operated										
0-19 YRS	4	11.8	224	3	3	5	20	34	34	34
20-34	19	4.3	9	2	2	3	6	10	11	11
35-49	25	4.8	11	1	3	4	6	10	11	15
50-64	16	7.1	22	2	4	6	10	15	16	16
65 +	24	8.7	70	3	4	6	10	14	25	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.3	1	1	1	2	3	4	4	7
B. Operated	12	4.5	9	2	3	4	5	9	12	12
2. MULTIPLE DX										
A. Not Operated	282	4.1	7	2	2	4	5	7	9	12
B. Operated	88	6.5	39	2	3	5	8	12	16	40
1. SINGLE DX	92	2.6	3	1	1	2	3	4	6	10
2. MULTIPLE DX	370	4.7	16	2	2	4	6	8	10	17
A. Not Operated	362	3.7	6	1	2	3	5	7	8	12
B. Operated	100	6.3	36	2	3	5	8	12	15	39
TOTAL										
0-19 YRS	31	4.1	34	1	2	3	5	7	7	34
20-34	121	3.6	9	1	2	3	4	7	9	18
35-49	120	3.8	6	1	2	3	5	6	8	13
50-64	75	4.5	10	1	2	4	6	8	11	16
65 +	115	5.3	23	2	3	4	7	10	12	26
GRAND TOTAL	**462**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	4.1	10	1	2	4	6	7	9	16
20-34	70	4.5	9	1	2	4	6	8	9	15
35-49	42	3.5	4	1	2	3	4	7	7	8
50-64	15	4.3	3	2	4	4	5	7	8	8
65 +	5	3.2	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	28	7.0	23	2	3	6	8	14	16	22
20-34	59	6.8	13	3	4	6	8	11	15	17
35-49	63	8.3	25	3	6	7	10	14	20	25
50-64	18	6.3	6	3	6	7	8	9	10	10
65 +	12	8.3	36	3	4	7	13	17	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	5.3	15	2	3	4	7	11	13	19
20-34	150	5.4	20	2	3	4	7	10	13	25
35-49	174	5.4	14	2	3	4	7	10	12	22
50-64	88	5.5	14	2	3	5	7	10	14	21
65 +	90	5.5	10	2	3	5	7	10	11	15
B. Operated										
0-19 YRS	63	13.1	173	3	4	9	17	30	41	69
20-34	228	11.3	102	4	6	8	13	21	26	51
35-49	264	10.7	85	3	6	8	13	21	30	39
50-64	141	10.9	80	3	6	9	14	19	25	81
65 +	185	11.5	70	4	7	9	13	24	30	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	4.1	7	1	2	4	5	7	9	15
B. Operated	180	7.4	19	3	5	7	9	13	16	24
2. MULTIPLE DX										
A. Not Operated	560	5.4	15	2	3	4	7	10	12	21
B. Operated	881	11.2	92	3	6	8	14	22	29	49
1. SINGLE DX	340	5.9	16	2	3	5	7	10	14	22
2. MULTIPLE DX	1441	9.0	70	2	4	7	11	18	24	42
A. Not Operated	720	5.1	14	2	3	4	7	10	12	20
B. Operated	1061	10.6	82	3	6	8	13	20	27	48
TOTAL										
0-19 YRS	177	8.2	85	2	3	5	9	18	25	45
20-34	507	8.1	63	2	4	6	10	15	21	42
35-49	543	8.2	57	2	4	6	10	16	23	36
50-64	262	8.4	56	3	4	7	10	17	20	46
65 +	292	9.4	57	3	4	7	11	20	27	41
GRAND TOTAL	**1781**	**8.4**	**61**	**2**	**4**	**6**	**10**	**17**	**23**	**41**

272 Hospitals, Western Region, January-December 1990, by Diagnosis

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	11.4	67	4	5	8	17	24	24	24
20-34	3	8.7	37	2	4	10	13	14	14	14
35-49	6	3.2	15	1	1	2	3	10	11	11
50-64	4	4.8	3	3	3	4	6	7	7	7
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	11	4.5	5	2	3	4	6	8	8	8
20-34	15	6.6	15	3	5	5	7	11	16	18
35-49	9	11.7	71	2	3	13	19	22	23	23
50-64	6	8.3	22	2	7	7	11	15	16	16
65 +	3	6.7	12	3	4	7	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.1	15	1	2	7	9	11	12	13
20-34	32	6.6	26	2	3	6	8	12	14	27
35-49	58	6.7	19	2	4	6	8	13	15	23
50-64	67	6.1	20	2	3	5	7	13	15	23
65 +	56	6.7	18	3	4	6	9	12	14	24
B. Operated										
0-19 YRS	19	12.6	116	3	4	9	16	33	34	34
20-34	43	14.1	119	5	6	11	20	28	37	51
35-49	62	12.8	95	4	6	11	16	23	33	54
50-64	52	17.4	242	6	8	11	21	45	58	99
65 +	73	15.0	86	5	9	14	18	28	32	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	7.5	43	1	3	5	11	17	24	24
B. Operated	44	7.4	29	2	4	6	9	18	19	23
2. MULTIPLE DX										
A. Not Operated	231	6.5	20	2	3	6	8	12	14	24
B. Operated	249	14.6	130	4	7	12	18	31	41	58
1. SINGLE DX	66	7.4	33	2	3	6	10	17	21	24
2. MULTIPLE DX	480	10.7	93	3	5	8	13	23	32	55
A. Not Operated	253	6.5	21	2	3	6	8	12	14	24
B. Operated	293	13.5	121	4	6	11	16	29	36	58
TOTAL										
0-19 YRS	56	8.8	64	2	3	6	11	22	30	34
20-34	93	10.1	80	3	5	7	12	23	27	46
35-49	135	9.7	67	2	4	7	13	20	23	38
50-64	129	10.7	138	3	4	7	12	23	41	73
65 +	133	11.2	72	3	5	9	14	23	29	46
GRAND TOTAL	**546**	**10.3**	**87**	**3**	**4**	**7**	**13**	**22**	**30**	**51**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	2.2	15	< 1	1	1	2	3	5	28
20-34	56	2.3	5	< 1	1	2	3	4	5	15
35-49	51	2.4	4	1	1	2	3	5	6	13
50-64	28	3.0	11	1	1	2	3	5	14	14
65 +	59	2.6	7	1	1	2	3	5	5	18
B. Operated										
0-19 YRS	60	3.2	12	< 1	1	2	4	7	11	16
20-34	72	3.7	8	1	2	3	5	8	9	15
35-49	79	4.9	40	1	2	3	6	8	10	43
50-64	54	4.7	8	2	3	4	6	9	10	14
65 +	51	4.5	10	1	2	4	7	8	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	2.9	9	1	1	2	3	7	9	17
20-34	116	4.0	27	1	1	3	5	7	13	31
35-49	192	4.0	13	1	2	3	5	8	11	20
50-64	221	4.4	15	1	2	3	5	9	12	17
65 +	1082	4.6	13	1	2	4	6	9	12	18
B. Operated										
0-19 YRS	123	9.3	145	2	3	6	10	21	37	65
20-34	246	7.2	87	2	3	4	8	12	21	66
35-49	342	8.4	67	2	3	6	10	18	24	45
50-64	458	10.5	119	2	4	8	12	21	29	73
65 +	1188	10.7	96	3	5	8	13	21	30	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	292	2.4	9	1	1	2	3	4	5	18
B. Operated	316	4.2	17	1	2	3	6	8	9	16
2. MULTIPLE DX										
A. Not Operated	1795	4.3	14	1	2	3	5	9	11	18
B. Operated	2357	9.9	99	2	4	7	12	21	29	54
1. SINGLE DX	608	3.3	14	1	1	2	4	7	9	16
2. MULTIPLE DX	4152	7.5	70	2	3	5	9	16	22	47
A. Not Operated	2087	4.0	14	1	2	3	5	8	11	18
B. Operated	2673	9.2	93	2	4	7	11	19	27	52
TOTAL										
0-19 YRS	465	4.5	55	1	1	2	5	9	15	47
20-34	490	5.3	55	1	2	3	6	10	16	55
35-49	664	6.3	48	1	2	4	8	13	21	39
50-64	761	8.0	86	2	3	5	10	16	23	60
65 +	2380	7.6	64	2	3	5	10	16	22	42
GRAND TOTAL	**4760**	**6.9**	**65**	**1**	**2**	**4**	**8**	**15**	**21**	**46**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	4.0	5	1	2	4	6	7	7	7
50-64	6	5.3	9	2	3	5	7	10	10	10
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	175	5.3	36	1	3	4	6	9	13	39
35-49	565	5.5	24	2	3	4	7	10	14	27
50-64	389	6.3	26	2	3	5	8	13	17	23
65 +	190	7.3	26	2	4	6	10	14	17	22
B. Operated										
0-19 YRS	0									
20-34	34	8.7	60	2	4	6	10	21	28	32
35-49	171	9.7	94	2	4	6	12	23	30	47
50-64	155	8.9	59	3	4	6	11	21	25	49
65 +	78	9.0	44	2	4	7	12	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.4	7	1	2	4	6	7	9	10
B. Operated	6	3.2	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	1320	6.0	27	2	3	4	8	12	15	25
B. Operated	438	9.2	70	2	4	6	11	21	27	44
1. SINGLE DX	22	4.1	6	1	2	4	6	7	8	10
2. MULTIPLE DX	1758	6.8	39	2	3	5	8	14	19	32
A. Not Operated	1336	6.0	26	2	3	4	7	12	15	25
B. Operated	444	9.1	69	2	4	6	11	20	26	43
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	213	5.8	40	2	3	4	6	10	19	36
35-49	745	6.5	42	2	3	4	8	13	19	32
50-64	550	7.0	37	2	3	5	9	15	20	31
65 +	271	7.8	32	2	4	6	10	15	18	27
GRAND TOTAL	**1780**	**6.8**	**39**	**2**	**3**	**5**	**8**	**14**	**19**	**32**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	3	1	1	2	3	5	5	5
20-34	0									
35-49	7	3.1	5	1	1	3	5	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	7	1.9	5	1	1	1	1	6	7	7
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	17	2.6	10	< 1	1	1	2	9	10	10
50-64	7	4.1	30	< 1	1	2	5	14	16	16
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	5.6	116	1	2	3	4	13	24	55
20-34	14	5.6	22	1	1	5	9	11	14	15
35-49	54	4.5	14	1	2	3	6	9	14	18
50-64	82	5.7	22	1	2	4	7	13	16	21
65 +	160	7.7	36	3	4	6	10	15	22	29
B. Operated										
0-19 YRS	29	4.4	23	1	1	3	6	13	17	17
20-34	21	6.5	54	1	1	4	7	19	25	28
35-49	75	6.4	25	1	3	5	8	14	17	24
50-64	105	9.7	116	2	3	6	11	22	33	55
65 +	120	9.3	67	2	4	8	11	19	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.6	4	1	1	2	4	5	6	7
B. Operated	37	2.6	11	< 1	1	1	2	7	10	16
2. MULTIPLE DX										
A. Not Operated	335	6.5	36	2	3	5	8	13	17	28
B. Operated	350	8.2	71	1	3	6	10	18	23	43
1. SINGLE DX	53	2.6	9	< 1	1	1	3	7	9	16
2. MULTIPLE DX	685	7.4	54	1	3	5	9	15	22	39
A. Not Operated	351	6.3	35	1	3	4	8	13	17	27
B. Operated	387	7.7	68	1	2	5	9	17	22	42
TOTAL										
0-19 YRS	69	4.4	57	1	1	2	4	11	14	48
20-34	38	5.8	38	1	1	4	8	14	20	28
35-49	153	5.2	20	1	2	4	6	11	15	20
50-64	195	7.8	77	1	2	5	9	17	22	47
65 +	283	8.3	50	2	4	7	10	17	22	39
GRAND TOTAL	**738**	**7.0**	**52**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.5	4	1	2	3	4	7	7	7
20-34	15	3.1	4	1	2	3	4	5	7	8
35-49	19	2.3	2	1	1	2	3	4	6	7
50-64	8	2.8	5	< 1	< 1	2	4	6	7	7
65 +	7	3.3	2	1	3	3	4	6	6	6
B. Operated										
0-19 YRS	9	5.1	51	< 1	< 1	1	8	17	21	21
20-34	5	6.2	24	2	3	4	9	14	14	14
35-49	11	6.9	18	1	3	7	11	12	13	13
50-64	12	4.0	8	1	2	3	7	8	8	8
65 +	6	4.7	40	1	1	2	6	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	6.4	93	1	2	4	6	12	29	50
20-34	102	5.6	48	2	2	4	6	11	18	42
35-49	174	5.6	22	2	3	4	7	11	17	22
50-64	241	5.7	28	2	3	4	7	12	15	31
65 +	292	6.5	19	2	4	5	8	12	14	24
B. Operated										
0-19 YRS	21	10.5	423	< 1	1	1	8	46	62	79
20-34	36	9.9	68	3	4	7	14	30	74	99 +
35-49	87	12.6	176	2	4	8	15	26	42	67
50-64	92	13.4	172	3	5	9	18	30	38	67
65 +	102	11.2	110	4	5	8	13	25	31	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.9	3	1	1	3	4	6	7	8
B. Operated	43	5.3	24	< 1	1	3	8	12	15	21
2. MULTIPLE DX										
A. Not Operated	853	6.0	30	2	3	5	7	12	15	29
B. Operated	338	12.0	158	2	4	8	14	27	37	71
1. SINGLE DX	107	3.9	13	1	1	3	5	8	11	19
2. MULTIPLE DX	1191	7.7	73	2	3	5	9	15	23	52
A. Not Operated	917	5.8	28	2	3	4	7	11	15	26
B. Operated	381	11.2	147	2	4	7	14	25	35	69
TOTAL										
0-19 YRS	89	6.7	152	1	1	3	6	12	41	68
20-34	158	6.4	51	2	2	4	7	14	23	95
35-49	291	7.6	78	2	3	5	9	17	24	53
50-64	353	7.6	76	2	3	5	8	16	22	47
65 +	407	7.6	47	2	4	6	9	14	19	34
GRAND TOTAL	**1298**	**7.4**	**69**	**2**	**3**	**5**	**9**	**15**	**22**	**50**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.7	4	< 1	1	2	3	6	8	8
20-34	149	2.0	2	< 1	1	1	2	4	5	8
35-49	151	1.9	2	< 1	1	1	2	4	4	7
50-64	108	2.0	2	1	1	2	3	4	4	8
65 +	52	2.4	2	< 1	1	2	3	4	5	7
B. Operated										
0-19 YRS	159	3.6	4	2	3	3	4	6	7	10
20-34	1827	3.6	4	1	2	3	4	6	8	10
35-49	1756	3.5	4	1	2	3	4	6	7	10
50-64	1267	3.7	5	1	2	3	4	6	7	12
65 +	536	4.0	6	1	3	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.5	4	< 1	1	2	3	5	7	7
20-34	144	2.9	5	1	1	2	4	6	7	11
35-49	179	2.8	7	< 1	1	2	4	6	9	13
50-64	262	2.7	4	1	1	2	4	5	7	10
65 +	590	4.5	16	1	2	3	6	9	12	20
B. Operated										
0-19 YRS	151	5.2	11	2	3	5	6	9	13	17
20-34	1886	4.6	8	2	3	4	5	7	9	15
35-49	2644	4.7	10	2	3	4	5	8	10	17
50-64	2836	5.3	18	2	3	4	6	9	11	19
65 +	3782	6.9	21	3	4	6	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	471	2.0	2	< 1	1	2	3	4	5	8
B. Operated	5545	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	1188	3.6	11	1	1	3	5	7	10	15
B. Operated	11299	5.6	16	2	3	5	7	10	12	21
1. SINGLE DX	6016	3.5	4	1	2	3	4	6	7	11
2. MULTIPLE DX	12487	5.4	16	2	3	4	6	9	12	20
A. Not Operated	1659	3.2	9	1	1	2	4	7	9	14
B. Operated	16844	4.9	13	2	3	4	6	9	11	18
TOTAL										
0-19 YRS	334	4.3	8	2	3	4	5	7	10	16
20-34	4006	4.0	6	1	3	4	5	7	8	12
35-49	4730	4.1	8	1	3	4	5	7	9	15
50-64	4473	4.6	14	1	3	4	5	8	10	16
65 +	4960	6.2	20	2	4	5	8	11	14	23
GRAND TOTAL	**18503**	**4.8**	**13**	**2**	**3**	**4**	**6**	**8**	**11**	**18**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.4	5	1	1	2	2	6	8	8
20-34	46	2.3	2	1	1	2	3	4	5	7
35-49	57	2.0	2	< 1	1	2	2	4	4	9
50-64	22	2.7	3	1	1	2	3	5	6	8
65 +	9	2.3	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	14	4.1	2	2	3	4	5	6	7	7
20-34	169	4.4	7	1	3	4	5	8	9	14
35-49	138	3.7	5	1	3	3	4	6	9	12
50-64	89	5.0	8	2	3	4	6	9	11	14
65 +	34	5.2	15	1	3	4	7	9	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.7	4	1	2	4	5	6	7	7
20-34	40	3.1	7	1	1	2	4	6	8	13
35-49	67	3.5	13	1	1	3	4	6	12	22
50-64	57	3.8	10	1	2	3	5	7	9	19
65 +	156	4.3	10	1	2	4	6	8	11	15
B. Operated										
0-19 YRS	6	4.8	8	1	3	5	6	9	9	9
20-34	205	5.6	14	3	3	5	7	10	12	21
35-49	315	4.7	7	2	3	4	6	8	10	13
50-64	237	6.4	29	3	4	5	8	10	14	33
65 +	346	8.4	48	3	5	7	10	15	19	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	2.2	2	1	1	2	3	4	5	8
B. Operated	444	4.3	7	1	3	4	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	330	3.9	10	1	2	3	5	7	10	16
B. Operated	1109	6.4	28	3	4	5	8	11	14	28
1. SINGLE DX	589	3.8	7	1	2	3	5	7	9	13
2. MULTIPLE DX	1439	5.8	25	2	3	5	7	10	13	27
A. Not Operated	475	3.4	8	1	1	3	4	6	8	15
B. Operated	1553	5.8	23	2	3	5	7	10	13	23
TOTAL										
0-19 YRS	41	3.6	5	1	2	4	5	6	8	9
20-34	460	4.6	11	1	3	4	6	9	10	19
35-49	577	4.1	8	1	2	4	5	8	9	13
50-64	405	5.6	22	2	3	4	7	10	12	28
65 +	545	7.0	38	2	3	6	9	12	16	29
GRAND TOTAL	**2028**	**5.3**	**21**	**1**	**3**	**4**	**7**	**10**	**12**	**21**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	2.0	2	1	1	2	3	4	4	4
35-49	8	3.4	6	< 1	1	2	6	7	7	7
50-64	10	3.0	4	< 1	1	3	4	6	7	7
65 +	8	3.1	4	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	9	4.9	2	3	4	5	6	6	6	6
20-34	83	5.8	10	2	3	5	8	11	11	17
35-49	47	5.0	14	1	2	4	7	8	12	18
50-64	39	4.6	8	2	2	4	6	8	10	14
65 +	31	5.1	19	1	1	4	8	10	10	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	4.3	12	1	2	4	7	8	8	8
35-49	15	2.7	2	1	2	2	4	5	5	5
50-64	20	3.5	6	1	2	3	5	7	9	9
65 +	96	4.5	12	1	2	4	6	9	12	19
B. Operated										
0-19 YRS	10	7.8	22	2	5	8	8	15	16	16
20-34	103	7.3	43	3	4	6	9	12	13	45
35-49	133	6.8	30	3	4	6	8	11	14	38
50-64	177	7.7	24	3	5	7	9	13	17	27
65 +	552	9.4	49	4	5	8	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.9	4	1	1	2	4	6	7	7
B. Operated	209	5.3	12	1	3	5	7	10	11	18
2. MULTIPLE DX										
A. Not Operated	135	4.2	10	1	2	3	5	8	11	17
B. Operated	975	8.5	42	3	5	7	10	15	19	37
1. SINGLE DX	241	4.9	11	1	2	4	7	9	11	18
2. MULTIPLE DX	1110	7.9	40	3	4	7	9	14	18	35
A. Not Operated	167	3.9	9	1	2	3	5	7	9	16
B. Operated	1184	7.9	38	3	4	7	9	14	18	33
TOTAL										
0-19 YRS	20	6.7	14	3	4	6	8	13	15	16
20-34	195	6.4	28	2	4	5	8	11	12	36
35-49	203	5.9	25	2	3	5	8	11	13	28
50-64	246	6.6	22	2	4	6	8	11	15	23
65 +	687	8.4	46	2	4	7	10	15	20	33
GRAND TOTAL	**1351**	**7.4**	**36**	**2**	**4**	**6**	**9**	**13**	**17**	**30**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.1	2	1	2	4	4	4	4	4
20-34	14	3.3	8	1	2	2	3	8	10	11
35-49	9	2.4	3	1	1	2	4	5	5	5
50-64	11	3.5	2	1	2	3	5	6	6	6
65 +	11	3.5	5	< 1	1	3	5	7	7	7
B. Operated										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	10	11.5	103	1	3	8	22	27	31	31
35-49	14	3.6	10	1	1	2	5	9	11	11
50-64	20	6.2	24	1	2	6	9	13	15	17
65 +	12	2.7	3	< 1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.4	7	2	3	5	7	9	11	11
20-34	15	4.3	3	2	3	4	6	7	7	7
35-49	36	3.9	8	1	2	3	6	7	9	13
50-64	54	3.9	6	1	2	4	5	7	8	13
65 +	119	5.5	15	2	3	5	7	10	15	20
B. Operated										
0-19 YRS	11	10.5	49	3	6	9	13	20	27	28
20-34	31	8.5	44	2	3	7	11	19	23	27
35-49	73	12.8	214	1	4	8	15	31	40	80
50-64	92	8.7	65	2	3	7	10	20	26	41
65 +	223	10.1	68	2	5	8	13	21	25	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	3.2	4	1	2	3	4	5	7	11
B. Operated	58	5.9	38	1	2	4	8	14	20	30
2. MULTIPLE DX										
A. Not Operated	259	4.8	11	1	3	4	6	8	11	19
B. Operated	430	10.1	91	2	5	8	12	22	28	47
1. SINGLE DX	113	4.6	23	1	2	3	5	10	14	25
2. MULTIPLE DX	689	8.2	67	2	3	6	10	17	24	39
A. Not Operated	314	4.6	10	1	2	4	6	8	11	18
B. Operated	488	9.6	86	2	4	7	12	22	28	44
TOTAL										
0-19 YRS	58	6.1	20	2	4	5	7	11	14	27
20-34	70	7.0	43	2	2	5	9	16	22	30
35-49	132	8.7	142	1	2	5	9	21	32	63
50-64	177	6.6	44	1	3	5	8	13	22	31
65 +	365	8.2	53	2	4	6	10	17	22	33
GRAND TOTAL	**802**	**7.6**	**63**	**2**	**3**	**5**	**9**	**16**	**23**	**37**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.4	6	2	3	4	6	8	9	10
20-34	136	4.0	6	2	2	4	5	7	9	13
35-49	152	4.2	8	1	2	4	5	7	10	14
50-64	76	4.4	9	2	3	4	6	8	9	19
65 +	58	5.3	14	2	3	4	6	8	13	22
B. Operated										
0-19 YRS	4	6.3	41	1	1	4	11	15	15	15
20-34	25	12.6	134	3	6	9	13	34	44	44
35-49	22	8.7	41	3	4	6	14	16	22	28
50-64	18	7.1	25	1	3	5	9	13	17	20
65 +	18	6.3	19	< 1	3	6	9	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.9	8	1	2	3	5	7	8	16
20-34	639	5.4	17	2	3	4	7	10	12	22
35-49	987	5.6	17	2	3	5	7	10	14	22
50-64	562	5.6	20	2	3	4	7	10	14	25
65 +	663	5.9	16	2	3	5	7	10	12	28
B. Operated										
0-19 YRS	16	13.0	185	3	5	8	13	40	45	47
20-34	175	14.1	180	3	6	10	19	34	46	96
35-49	304	15.6	201	4	7	11	20	34	45	81
50-64	303	14.3	155	4	6	10	17	31	44	60
65 +	372	12.8	162	4	6	9	14	24	38	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	449	4.3	8	2	2	4	5	8	10	16
B. Operated	87	8.9	64	1	4	7	12	16	21	44
2. MULTIPLE DX										
A. Not Operated	2897	5.6	18	2	3	5	7	10	13	23
B. Operated	1170	14.1	174	4	6	10	17	31	42	70
1. SINGLE DX	536	5.1	20	2	3	4	6	9	13	21
2. MULTIPLE DX	4067	8.1	77	2	3	5	9	16	23	48
A. Not Operated	3346	5.4	16	2	3	4	7	10	12	22
B. Operated	1257	13.8	168	4	6	10	16	29	41	69
TOTAL										
0-19 YRS	93	5.7	48	2	3	4	7	10	15	44
20-34	975	7.0	60	2	3	5	8	13	21	45
35-49	1465	7.6	72	2	3	5	8	15	23	45
50-64	959	8.3	79	2	3	5	10	17	25	53
65 +	1111	8.2	76	3	4	6	9	14	21	43
GRAND TOTAL	**4603**	**7.7**	**72**	**2**	**3**	**5**	**9**	**15**	**22**	**46**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.8	1	< 1	1	1	2	4	4	5
20-34	35	2.0	2	< 1	1	2	2	4	5	6
35-49	43	2.1	3	1	1	2	3	3	5	8
50-64	53	2.5	4	1	1	2	4	5	6	11
65 +	77	2.8	3	1	2	2	4	5	5	11
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	5	5.0	19	1	2	3	9	11	11	11
35-49	9	3.7	5	2	2	3	4	7	9	9
50-64	8	3.9	8	< 1	1	3	5	8	9	9
65 +	4	3.8	14	< 1	< 1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	3.1	13	1	1	2	3	6	9	21
20-34	302	3.1	7	1	2	2	4	6	8	12
35-49	564	3.4	9	1	2	3	4	6	8	16
50-64	634	4.0	10	1	2	3	5	7	10	17
65 +	2359	4.7	13	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	26	11.9	380	1	2	5	11	23	53	95
20-34	56	6.5	56	2	3	4	7	16	22	41
35-49	157	5.6	36	2	2	4	6	12	16	40
50-64	254	6.0	30	2	3	4	7	11	14	35
65 +	812	7.0	39	2	3	5	8	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	238	2.4	3	1	1	2	3	4	5	9
B. Operated	28	3.9	8	1	2	3	5	9	9	11
2. MULTIPLE DX										
A. Not Operated	3979	4.2	12	1	2	3	5	8	10	17
B. Operated	1305	6.7	45	2	3	5	8	13	18	36
1. SINGLE DX	266	2.5	4	1	1	2	3	4	6	11
2. MULTIPLE DX	5284	4.8	21	2	2	4	6	9	12	23
A. Not Operated	4217	4.1	11	1	2	3	5	8	10	17
B. Operated	1333	6.6	44	2	3	5	8	13	18	35
TOTAL										
0-19 YRS	178	4.1	73	1	1	2	3	8	14	39
20-34	398	3.5	15	1	2	2	4	7	9	22
35-49	773	3.8	15	1	2	3	4	7	10	18
50-64	949	4.4	16	1	2	3	5	9	12	20
65 +	3252	5.2	20	2	3	4	6	10	13	23
GRAND TOTAL	**5550**	**4.7**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.1	11	< 1	1	2	4	5	11	16
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
B. Operated										
0-19 YRS	7	7.1	20	3	3	7	12	13	13	13
20-34	0									
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	5.4	20	2	3	3	6	14	17	18
20-34	4	6.8	28	2	3	5	10	14	14	14
35-49	11	4.5	10	1	2	4	7	9	9	9
50-64	15	7.9	24	3	4	7	11	15	17	18
65 +	13	10.6	178	2	3	5	12	31	46	49
B. Operated										
0-19 YRS	16	14.6	177	3	5	10	25	45	81	99 +
20-34	6	8.7	56	1	6	7	8	22	23	23
35-49	18	11.7	169	2	6	8	12	24	44	57
50-64	17	17.9	508	4	8	12	15	39	78	97
65 +	26	12.3	109	4	5	9	13	22	42	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.5	16	1	1	2	4	7	15	16
B. Operated	8	7.3	17	3	3	7	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	102	6.4	42	2	3	4	8	14	17	37
B. Operated	83	13.5	210	3	6	9	14	30	45	99
1. SINGLE DX	32	4.4	18	1	1	3	5	13	15	16
2. MULTIPLE DX	185	9.5	129	2	3	6	12	20	31	83
A. Not Operated	126	5.8	38	1	2	4	7	14	16	31
B. Operated	91	12.9	196	3	5	9	14	28	44	99
TOTAL										
0-19 YRS	102	6.5	55	1	3	4	7	16	21	71
20-34	11	7.4	40	1	3	6	8	18	23	23
35-49	31	8.5	114	1	2	6	9	17	24	57
50-64	34	13.1	282	3	5	10	14	19	39	97
65 +	39	11.7	128	3	5	8	13	24	43	49
GRAND TOTAL	**217**	**8.8**	**116**	**2**	**3**	**6**	**11**	**18**	**27**	**70**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	3.6	12	< 1	1	2	5	9	12	15
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	3	5.0	12	< 1	2	7	7	7	7	7
B. Operated										
0-19 YRS	20	1.5	1	1	1	1	2	3	4	5
20-34	19	2.3	5	1	1	1	2	7	8	8
35-49	13	1.6	1	1	1	1	2	4	4	4
50-64	13	2.2	5	1	1	1	2	6	8	8
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	3.2	7	< 1	1	2	5	7	9	14
20-34	18	3.7	5	1	2	3	4	7	8	8
35-49	22	5.5	26	1	2	3	7	14	16	18
50-64	24	6.4	20	2	3	5	9	14	15	16
65 +	42	5.6	14	1	3	5	8	10	12	17
B. Operated										
0-19 YRS	39	5.1	38	1	1	2	7	11	20	28
20-34	58	3.8	20	1	1	2	4	11	15	21
35-49	53	4.6	51	1	1	2	5	10	14	47
50-64	52	4.8	30	1	1	3	5	14	18	22
65 +	48	9.4	78	2	2	6	15	23	28	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	3.5	12	< 1	1	2	5	9	11	15
B. Operated	67	1.9	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	203	4.4	13	1	2	3	6	9	13	16
B. Operated	250	5.4	46	1	1	3	7	14	21	30
1. SINGLE DX	148	2.8	8	< 1	1	1	4	7	9	15
2. MULTIPLE DX	453	5.0	31	1	1	3	7	12	17	28
A. Not Operated	284	4.1	13	< 1	1	3	6	9	12	16
B. Operated	317	4.7	39	1	1	2	6	12	19	29
TOTAL										
0-19 YRS	229	3.5	14	< 1	1	2	5	8	10	17
20-34	97	3.5	14	1	1	2	4	8	12	19
35-49	89	4.3	38	1	1	2	5	11	14	36
50-64	91	4.8	25	1	1	3	6	13	17	21
65 +	95	7.5	49	1	2	5	9	19	23	31
GRAND TOTAL	**601**	**4.4**	**27**	**1**	**1**	**2**	**6**	**10**	**15**	**24**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.9	3	1	1	3	4	5	6	7
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	5.7	16	1	3	8	8	8	8	8
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	4.3	6	2	3	4	5	8	9	11
20-34	5	3.8	3	1	3	4	5	5	5	5
35-49	3	4.0	3	2	3	5	5	5	5	5
50-64	5	5.0	3	3	4	5	6	7	7	7
65 +	15	5.7	9	2	4	5	8	10	12	13
B. Operated										
0-19 YRS	5	7.8	61	1	3	5	11	21	21	21
20-34	7	10.6	162	< 1	2	4	16	32	36	36
35-49	7	10.0	184	< 1	1	3	12	34	39	39
50-64	9	17.6	976	1	3	4	17	67	99	99 +
65 +	20	9.5	49	2	4	7	14	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.7	3	1	1	2	4	5	6	7
B. Operated	5	4.0	14	1	1	2	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	88	4.5	6	2	3	4	6	8	10	12
B. Operated	48	11.0	246	1	3	6	14	23	36	99
1. SINGLE DX	32	2.9	5	1	1	2	4	6	8	8
2. MULTIPLE DX	136	6.8	99	1	3	4	7	13	20	47
A. Not Operated	115	4.1	6	1	2	4	5	7	8	12
B. Operated	53	10.4	228	1	3	6	12	22	34	97
TOTAL										
0-19 YRS	92	4.0	8	1	2	4	5	7	8	17
20-34	17	6.6	77	< 1	1	4	8	16	30	36
35-49	10	8.2	132	< 1	2	4	11	25	39	39
50-64	14	13.1	640	1	4	5	9	27	83	99
65 +	35	7.8	35	2	4	6	10	15	23	24
GRAND TOTAL	**168**	**6.1**	**83**	**1**	**2**	**4**	**7**	**11**	**18**	**38**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	1.4	2	< 1	< 1	< 1	1	2	5	6
35-49	5	16.4	340	< 1	1	6.	36	37	37	37
50-64	17	7.7	228	< 1	< 1	< 1	2	34	46	51
65 +	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	8	3.0	20	< 1	< 1	1	2	11	14	14
20-34	41	5.4	37	< 1	1	2	8	14	17	27
35-49	36	6.1	39	< 1	1	3	11	15	16	26
50-64	24	4.7	35	< 1	1	2	6	12	17	25
65 +	16	2.4	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	5.4	43	< 1	1	3	6	18	21	24
20-34	23	2.8	5	1	1	2	4	5	8	11
35-49	43	2.7	10	< 1	< 1	1	4	6	7	18
50-64	86	3.8	17	< 1	< 1	2	5	8	14	19
65 +	114	5.5	26	1	3	5	7	11	13	35
B. Operated										
0-19 YRS	47	9.5	63	2	4	7	13	21	27	38
20-34	168	8.3	62	1	3	7	10	18	25	49
35-49	207	9.0	99	1	2	7	12	18	26	55
50-64	267	9.7	134	1	3	6	12	21	29	65
65 +	263	8.9	87	1	4	6	12	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	5.9	154	< 1	< 1	< 1	2	31	37	51
B. Operated	125	4.9	33	< 1	1	2	8	14	15	26
2. MULTIPLE DX										
A. Not Operated	288	4.3	21	< 1	1	3	5	9	13	22
B. Operated	952	9.1	97	1	3	7	12	19	26	56
1. SINGLE DX	165	5.2	61	< 1	< 1	2	5	14	21	37
2. MULTIPLE DX	f240	8.0	83	1	2	5	10	17	23	49
A. Not Operated	328	4.5	37	< 1	< 1	3	5	10	13	36
B. Operated	1077	8.6	91	1	2	6	11	18	25	54
TOTAL										
0-19 YRS	77	7.6	58	1	2	6	10	18	23	35
20-34	246	6.9	54	< 1	2	5	9	16	22	40
35-49	291	7.8	87	< 1	2	5	10	17	25	52
50-64	394	8.0	112	< 1	2	5	10	19	25	61
65 +	397	7.6	69	1	3	5	10	15	20	43
GRAND TOTAL	**1405**	**7.6**	**82**	**< 1**	**2**	**5**	**10**	**17**	**23**	**49**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	5	3.0	4	1	2	3	4	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	3	6.3	85	1	1	1	13	17	17	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.0	27	< 1	< 1	< 1	8	10	10	10
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	7.5	49	1	3	4	9	20	23	25
20-34	31	5.7	8	2	4	5	7	10	10	13
35-49	55	5.7	18	2	3	4	8	12	15	19
50-64	83	6.8	16	3	4	6	9	12	14	19
65 +	475	7.5	20	3	5	7	9	13	16	24
B. Operated										
0-19 YRS	18	11.2	96	3	5	8	14	34	72	99 +
20-34	51	8.0	53	1	2	7	11	16	20	40
35-49	75	11.7	76	3	6	10	15	24	28	43
50-64	107	12.5	119	2	5	10	15	26	35	54
65 +	286	14.0	116	5	7	11	17	26	36	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	2	1	2	3	3	4	6	6
B. Operated	8	4.3	36	< 1	< 1	1	6	15	17	17
2. MULTIPLE DX										
A. Not Operated	665	7.1	20	3	4	6	9	13	16	23
B. Operated	537	12.7	107	3	6	10	16	26	35	53
1. SINGLE DX	21	3.4	14	< 1	1	3	3	8	13	17
2. MULTIPLE DX	1202	9.6	66	3	5	8	12	18	25	43
A. Not Operated	678	7.1	20	3	4	6	9	13	16	23
B. Operated	545	12.6	107	3	6	10	16	25	35	53
TOTAL										
0-19 YRS	45	8.6	69	2	3	6	12	24	30	99 +
20-34	88	6.8	36	1	3	5	9	13	17	34
35-49	135	8.9	59	2	4	6	12	20	24	41
50-64	191	10.0	82	2	4	8	13	19	26	52
65 +	764	9.9	66	3	5	8	12	18	24	40
GRAND TOTAL	**1223**	**9.5**	**66**	**3**	**5**	**7**	**12**	**18**	**25**	**43**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	3.0	2	1	2	3	4	5	6	7
20-34	174	3.0	2	2	2	3	4	4	5	7
35-49	45	3.2	2	2	2	3	4	5	6	8
50-64	17	3.1	2	1	2	3	4	5	5	5
65 +	19	2.9	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	8	4.5	4	2	3	4	6	7	8	8
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	450	3.5	3	2	2	3	4	6	7	9
20-34	719	3.7	3	2	3	3	5	6	7	9
35-49	362	4.2	4	2	3	4	5	7	8	12
50-64	298	4.8	6	2	3	4	6	8	9	13
65 +	652	5.3	10	2	3	5	7	9	11	18
B. Operated										
0-19 YRS	41	6.5	14	2	4	6	8	12	14	16
20-34	41	8.1	34	2	4	7	11	19	20	24
35-49	39	9.2	60	3	5	7	12	15	27	41
50-64	48	9.1	52	4	5	7	10	15	28	39
65 +	87	9.5	49	3	5	8	12	15	25	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	395	3.0	2	1	2	3	4	5	5	8
B. Operated	14	4.9	4	3	3	5	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	2481	4.3	6	2	3	4	5	7	8	12
B. Operated	256	8.7	44	3	4	7	11	15	22	39
1. SINGLE DX	409	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	2737	4.7	11	2	3	4	6	8	10	17
A. Not Operated	2876	4.1	6	2	3	4	5	7	8	12
B. Operated	270	8.5	42	3	4	7	10	14	22	38
TOTAL										
0-19 YRS	639	3.6	4	2	2	3	4	6	7	11
20-34	936	3.8	5	2	2	3	4	6	7	12
35-49	448	4.5	11	2	3	4	5	8	9	15
50-64	364	5.3	14	2	3	5	7	9	11	21
65 +	759	5.7	16	2	3	5	7	10	12	23
GRAND TOTAL	**3146**	**4.5**	**10**	**2**	**3**	**4**	**5**	**8**	**10**	**16**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	3.3	3	1	2	3	4	6	7	10
20-34	125	3.0	2	2	2	3	4	5	5	7
35-49	49	3.8	3	2	3	4	5	6	7	8
50-64	17	2.9	2	< 1	2	3	4	5	6	6
65 +	12	2.9	5	< 1	1	2	4	6	8	8
B. Operated										
0-19 YRS	4	6.5	17	2	3	7	10	10	10	10
20-34	4	5.3	7	3	3	4	7	9	9	9
35-49	4	5.0	19	< 1	1	4	8	11	11	11
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	300	3.7	4	2	2	3	5	7	8	10
20-34	353	3.8	4	2	2	3	5	6	8	11
35-49	193	4.8	9	2	3	4	6	8	10	17
50-64	157	5.1	9	2	3	4	7	9	11	15
65 +	250	5.4	10	2	3	5	7	9	10	17
B. Operated										
0-19 YRS	68	6.6	17	3	4	6	8	12	16	86
20-34	44	7.0	24	2	4	6	8	14	16	24
35-49	40	13.1	126	2	6	10	17	35	39	43
50-64	44	9.9	36	3	5	8	14	18	21	27
65 +	47	10.0	45	3	6	8	13	21	25	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	323	3.2	3	1	2	3	4	5	6	8
B. Operated	16	5.1	10	2	3	4	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	1253	4.4	7	2	3	4	6	8	9	13
B. Operated	243	9.0	50	3	4	7	12	17	24	41
1. SINGLE DX	339	3.3	3	1	2	3	4	5	7	10
2. MULTIPLE DX	1496	5.2	17	2	3	4	6	9	12	23
A. Not Operated	1576	4.2	6	2	2	4	5	7	9	13
B. Operated	259	8.8	48	3	4	7	11	17	23	41
TOTAL										
0-19 YRS	492	4.0	7	2	2	3	5	7	9	14
20-34	526	3.9	6	2	2	3	5	7	8	14
35-49	286	5.8	33	2	3	4	7	10	15	37
50-64	220	5.9	18	2	3	5	7	11	15	22
65 +	311	6.0	18	2	3	5	7	10	14	25
GRAND TOTAL	**1835**	**4.8**	**15**	**2**	**3**	**4**	**6**	**8**	**11**	**21**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.7	1	< 1	1	1	2	3	4	5
20-34	93	1.6	1	< 1	1	1	2	3	4	4
35-49	164	1.5	1	< 1	1	1	2	3	3	4
50-64	70	1.6	5	< 1	1	1	2	3	3	16
65 +	24	1.7	1	1	1	1	2	3	4	4
B. Operated										
0-19 YRS	7	5.9	19	2	4	5	6	13	15	15
20-34	49	3.7	11	1	1	3	5	6	8	21
35-49	57	3.5	5	1	2	3	5	7	8	10
50-64	34	4.0	15	1	1	3	5	7	14	18
65 +	17	3.5	11	1	1	2	6	7	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.2	9	1	1	2	3	9	10	11
20-34	129	2.1	2	1	1	2	3	4	5	7
35-49	140	2.3	9	1	1	2	2	4	5	15
50-64	137	2.2	3	1	1	1	3	4	5	10
65 +	108	2.4	3	1	1	2	3	5	6	8
B. Operated										
0-19 YRS	14	5.3	6	3	4	5	7	8	10	11
20-34	78	5.5	27	1	3	4	6	9	15	31
35-49	110	4.8	13	1	2	4	7	9	10	19
50-64	114	4.9	27	1	2	4	6	9	12	29
65 +	130	5.5	54	1	3	4	6	10	13	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	371	1.6	2	< 1	1	1	2	3	3	4
B. Operated	164	3.8	10	1	1	3	5	7	9	18
2. MULTIPLE DX										
A. Not Operated	530	2.3	5	1	1	2	3	4	5	10
B. Operated	446	5.2	31	1	2	4	6	9	12	21
1. SINGLE DX	535	2.2	5	1	1	1	3	5	6	13
2. MULTIPLE DX	976	3.6	19	1	1	2	5	7	9	19
A. Not Operated	901	2.0	4	1	1	1	2	4	5	8
B. Operated	610	4.8	25	1	2	4	6	8	12	20
TOTAL										
0-19 YRS	57	3.5	9	1	1	2	5	7	10	15
20-34	349	3.0	11	1	1	2	4	6	7	21
35-49	471	2.7	8	1	1	2	3	6	8	14
50-64	355	3.1	14	1	1	2	4	6	8	18
65 +	279	3.8	29	1	1	3	5	7	10	17
GRAND TOTAL	**1511**	**3.1**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	1.3	1	1	1	1	1	2	3	4
20-34	437	1.4	1	< 1	1	1	2	2	3	4
35-49	718	1.4	1	< 1	1	1	2	2	3	4
50-64	302	1.4	1	< 1	1	1	2	2	3	5
65 +	97	1.5	1	1	1	1	2	2	3	5
B. Operated										
0-19 YRS	37	2.1	2	1	1	2	3	4	5	6
20-34	311	2.2	3	1	1	2	3	4	5	9
35-49	474	2.1	2	1	1	2	3	4	5	8
50-64	261	2.1	2	1	1	2	3	4	5	7
65 +	90	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	1.6	1	1	1	1	2	3	4	4
20-34	267	1.7	1	1	1	1	2	3	4	7
35-49	504	1.6	1	1	1	1	2	3	4	5
50-64	316	1.8	2	1	1	1	2	3	4	8
65 +	277	2.2	3	1	1	2	3	4	6	9
B. Operated										
0-19 YRS	33	3.7	15	1	2	3	4	5	14	19
20-34	250	3.2	7	1	1	2	4	6	9	16
35-49	421	3.1	8	1	2	2	4	6	8	12
50-64	362	3.4	10	1	2	3	4	6	9	15
65 +	434	4.7	20	1	2	3	6	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1602	1.4	1	< 1	1	1	2	2	3	4
B. Operated	1173	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	1398	1.8	1	1	1	1	2	3	4	7
B. Operated	1500	3.7	12	1	2	3	5	7	10	17
1. SINGLE DX	2775	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX	2898	2.8	8	1	1	2	3	5	8	14
A. Not Operated	3000	1.6	1	1	1	1	2	3	3	6
B. Operated	2673	3.0	8	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	152	2.1	5	1	1	1	2	4	4	16
20-34	1265	2.0	3	1	1	1	2	4	5	10
35-49	2117	2.0	3	1	1	1	2	4	5	8
50-64	1241	2.2	4	1	1	2	3	4	6	10
65 +	898	3.4	13	1	1	2	4	7	10	18
GRAND TOTAL	**5673**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.1	2	< 1	< 1	1	3	4	5	5
20-34	16	2.2	4	< 1	1	1	3	6	7	7
35-49	17	1.7	1	1	1	1	2	3	4	5
50-64	7	1.4		< 1	1	1	2	2	2	2
65 +	4	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-19 YRS	306	3.6	3	< 1	2	4	5	6	7	9
20-34	53	4.4	5	1	3	4	6	7	8	14
35-49	41	4.2	4	2	3	4	5	7	8	10
50-64	33	4.6	15	1	2	4	6	10	15	15
65 +	20	2.9	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	5.6	46	1	1	2	8	18	23	23
20-34	56	2.7	3	1	1	2	4	5	6	8
35-49	49	3.9	24	1	2	3	4	6	12	31
50-64	67	4.0	11	1	1	3	6	9	11	14
65 +	125	4.9	12	1	3	4	6	9	13	17
B. Operated										
0-19 YRS	305	4.7	6	2	3	4	6	8	10	13
20-34	144	6.1	21	2	3	5	8	10	14	26
35-49	161	5.6	20	1	3	5	7	10	14	25
50-64	204	6.7	28	2	3	6	8	12	18	31
65 +	283	7.8	66	2	3	6	10	15	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	1.9	2	< 1	1	1	2	4	5	7
B. Operated	453	3.8	5	< 1	2	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	328	4.3	16	1	2	3	5	9	12	22
B. Operated	1097	6.2	31	2	3	5	7	11	15	30
1. SINGLE DX	509	3.6	5	< 1	2	3	5	6	7	10
2. MULTIPLE DX	1425	5.7	28	1	3	5	7	11	15	28
A. Not Operated	384	3.9	14	1	1	3	5	8	11	22
B. Operated	1550	5.5	25	1	3	4	7	10	14	26
TOTAL										
0-19 YRS	654	4.2	7	1	3	4	5	7	9	13
20-34	269	4.8	16	1	2	4	6	9	11	23
35-49	268	4.9	18	1	2	4	6	9	12	25
50-64	311	5.8	24	1	2	5	8	11	15	25
65 +	432	6.7	50	1	3	5	8	13	19	31
GRAND TOTAL	**1934**	**5.2**	**23**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	1.6	2	< 1	< 1	1	1	4	6	6
35-49	29	1.5	1	< 1	1	1	2	3	4	5
50-64	8	1.1		< 1	< 1	1	1	2	2	2
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.6	1	< 1	1	1	2	3	3	3
35-49	9	1.3	1	< 1	1	1	2	3	3	3
50-64	4	1.3		< 1	< 1	1	2	2	2	2
65 +	4	2.5	3	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	11	2.9	4	< 1	1	2	4	6	6	6
35-49	24	1.8	1	< 1	1	1	2	4	4	5
50-64	18	1.4	1	1	1	1	1	3	4	4
65 +	16	2.8	3	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	6	3.0	6	1	1	2	5	7	7	7
20-34	18	3.2	5	1	2	3	4	7	9	9
35-49	17	3.4	6	1	1	2	5	7	8	8
50-64	52	3.2	8	1	1	2	4	7	10	13
65 +	139	3.3	7	1	2	3	4	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	1.6	1	< 1	1	1	2	3	4	6
B. Operated	25	1.6	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	72	2.0	2	< 1	1	1	3	4	6	6
B. Operated	232	3.3	7	1	2	3	4	7	8	13
1. SINGLE DX	85	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	304	3.0	6	1	1	2	4	6	8	12
A. Not Operated	132	1.8	2	< 1	1	1	2	4	5	6
B. Operated	257	3.1	7	1	1	2	4	7	8	13
TOTAL										
0-19 YRS	11	2.3	4	< 1	1	1	3	6	7	7
20-34	54	2.4	4	< 1	1	2	3	5	6	9
35-49	79	2.0	3	< 1	1	1	2	4	6	8
50-64	82	2.5	6	1	1	1	3	5	8	12
65 +	163	3.2	7	1	2	3	4	6	8	13
GRAND TOTAL	**389**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	5	1.6	1	< 1	< 1	< 1	2	3	3	3
35-49	8	1.6	1	1	1	2	2	3	3	3
50-64	8	1.4		1	1	1	2	2	2	2
65 +	8	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.4	2	1	2	2	3	4	4	9
20-34	23	2.0	2	1	1	2	2	3	5	7
35-49	22	5.0	19	1	2	3	5	12	15	17
50-64	21	4.6	6	2	3	4	6	8	9	10
65 +	104	5.0	10	2	3	4	6	10	11	16
B. Operated										
0-19 YRS	11	3.6	6	< 1	1	5	5	7	7	7
20-34	13	3.3	9	1	1	2	5	8	10	10
35-49	40	4.9	48	1	1	2	5	12	19	36
50-64	50	4.9	30	1	1	2	7	11	17	26
65 +	196	5.4	33	1	2	3	7	11	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.7		1	1	2	2	3	3	3
B. Operated	33	1.5	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	201	4.2	10	1	2	3	5	9	11	16
B. Operated	310	5.1	33	1	1	3	7	11	16	31
1. SINGLE DX	50	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX	511	4.7	24	1	2	3	6	10	13	27
A. Not Operated	218	4.0	9	1	2	3	5	9	11	16
B. Operated	343	4.7	31	1	1	3	6	10	15	29
TOTAL										
0-19 YRS	52	2.5	3	1	1	2	3	5	7	9
20-34	44	2.3	4	1	1	2	2	5	7	10
35-49	73	4.5	33	1	1	2	5	12	13	33
50-64	81	4.4	21	1	1	2	6	10	12	25
65 +	311	5.1	25	1	2	4	6	10	14	28
GRAND TOTAL	**561**	**4.4**	**23**	**1**	**2**	**3**	**5**	**10**	**13**	**26**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	24	1.8	2	< 1	< 1	1	2	4	5	5
20-34	22	1.8	2	< 1	1	1	2	3	5	7
35-49	29	2.0	3	1	1	1	3	5	5	7
50-64	14	2.4	3	1	1	2	4	5	5	5
65 +	22	2.2	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	5	3.4	6	< 1	1	4	5	7	7	7
50-64	4	1.8	2	< 1	< 1	1	3	4	4	4
65 +	5	3.6	5	1	2	4	5	7	7	7
B. Operated										
0-19 YRS	30	4.4	27	< 1	1	2	5	11	15	23
20-34	47	3.9	11	1	1	3	6	8	9	15
35-49	42	2.1	2	1	1	2	3	5	6	7
50-64	64	2.4	6	1	1	1	3	4	9	12
65 +	140	3.0	12	1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	111	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	18	2.9	4	< 1	1	2	4	6	7	7
B. Operated	323	3.0	11	1	1	2	4	7	8	15
1. SINGLE DX	114	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	341	3.0	11	1	1	2	4	7	8	15
A. Not Operated	21	2.8	4	< 1	1	2	4	6	7	7
B. Operated	434	2.8	9	1	1	2	3	6	8	15
TOTAL										
0-19 YRS	54	3.3	17	< 1	< 1	1	4	7	13	23
20-34	74	3.1	8	1	1	2	4	8	9	14
35-49	77	2.2	3	1	1	1	3	5	6	7
50-64	82	2.4	5	1	1	1	3	5	6	12
65 +	168	2.9	11	1	1	2	4	6	8	9
GRAND TOTAL	**455**	**2.8**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	3.9	84	1	2	2	4	6	7	52
20-34	31	2.4	2	1	2	2	3	4	5	7
35-49	17	3.4	6	1	2	2	4	8	8	8
50-64	13	3.7	9	1	2	3	4	7	11	12
65 +	27	3.6	5	1	2	3	5	7	8	9
B. Operated										
0-19 YRS	6	4.2	2	3	3	4	4	7	7	7
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	647	3.9	8	2	2	3	5	7	9	15
20-34	334	4.4	36	1	2	3	5	7	10	18
35-49	329	4.6	13	1	2	4	6	8	11	21
50-64	521	5.2	13	2	3	4	7	9	11	18
65 +	2631	5.9	24	2	3	5	7	10	13	21
B. Operated										
0-19 YRS	76	6.1	23	3	3	5	7	11	13	31
20-34	52	10.4	134	3	4	7	9	34	41	45
35-49	59	11.8	198	3	4	7	12	32	39	76
50-64	69	10.4	159	3	5	7	10	18	27	83
65 +	386	10.6	57	4	6	9	13	19	25	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	3.5	46	1	2	2	4	6	7	12
B. Operated	8	4.5	8	1	3	4	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	4462	5.3	21	2	3	4	6	10	12	19
B. Operated	642	10.2	85	3	5	8	12	18	29	43
1. SINGLE DX	195	3.6	45	1	2	3	4	6	8	12
2. MULTIPLE DX	5104	5.9	32	2	3	5	7	11	14	30
A. Not Operated	4649	5.2	22	2	3	4	6	9	12	19
B. Operated	650	10.1	84	3	5	8	12	18	29	43
TOTAL										
0-19 YRS	828	4.1	18	1	2	3	5	7	10	16
20-34	418	5.0	50	1	2	3	5	8	12	42
35-49	405	5.6	46	2	2	4	6	10	14	39
50-64	603	5.8	33	2	3	5	7	10	12	31
65 +	3045	6.5	30	2	3	5	8	12	15	29
GRAND TOTAL	**5299**	**5.8**	**32**	**2**	**3**	**4**	**7**	**11**	**14**	**30**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.1	1	1	2	2	2	4	4	4
20-34	8	2.3	4	< 1	1	2	3	6	7	7
35-49	3	1.0		1	1	1	1	1	1	1
50-64	6	1.8	3	1	1	1	2	5	5	5
65 +	12	1.5	1	< 1	1	1	2	3	4	4
B. Operated										
0-19 YRS	26	2.1	9	< 1	< 1	1	2	4	7	16
20-34	10	2.3	8	< 1	1	1	2	6	10	10
35-49	33	2.1	2	1	1	1	3	4	6	7
50-64	51	2.4	3	1	1	2	3	4	5	12
65 +	52	2.0	3	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.9	75	1	1	2	3	6	11	50
20-34	41	2.5	3	1	1	2	3	4	5	11
35-49	35	2.9	12	1	2	2	3	4	5	22
50-64	59	3.7	8	1	2	3	5	8	9	14
65 +	210	3.9	8	1	2	3	5	7	10	14
B. Operated										
0-19 YRS	48	5.0	24	< 1	1	4	7	10	12	24
20-34	56	4.3	16	1	1	3	6	10	13	18
35-49	89	4.9	33	1	2	3	5	9	21	30
50-64	225	3.7	13	1	1	3	4	8	11	21
65 +	761	4.7	22	1	2	3	6	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.8	2	< 1	1	1	2	4	5	7
B. Operated	172	2.2	4	< 1	1	1	3	4	5	12
2. MULTIPLE DX										
A. Not Operated	377	3.6	13	1	2	3	4	7	9	15
B. Operated	1179	4.5	21	1	2	3	5	9	13	22
1. SINGLE DX	215	2.1	4	< 1	1	1	3	4	5	11
2. MULTIPLE DX	1556	4.3	19	1	2	3	5	9	12	21
A. Not Operated	420	3.4	13	1	2	2	4	6	9	14
B. Operated	1351	4.2	19	1	2	3	5	9	12	21
TOTAL										
0-19 YRS	120	3.8	33	< 1	1	2	4	8	11	32
20-34	115	3.3	10	1	1	2	4	8	10	17
35-49	160	3.8	23	1	1	2	4	7	14	22
50-64	341	3.5	11	1	1	3	4	7	10	19
65 +	1035	4.3	18	1	2	3	5	9	12	21
GRAND TOTAL	**1771**	**4.0**	**18**	**1**	**2**	**3**	**5**	**9**	**11**	**21**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	1.0		< 1	< 1	1	1	1	1	1
65 +	4	1.3		< 1	< 1	< 1	1	2	2	2
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	19	2.5	1	1	2	3	3	4	5	5
50-64	414	2.7	2	1	2	3	3	4	5	7
65 +	743	2.9	3	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	33	2.6	3	< 1	1	2	4	5	6	7
65 +	141	3.2	8	< 1	1	2	4	7	8	13
B. Operated										
0-19 YRS	0									
20-34	2	4.0		4	4	4	4	4	4	4
35-49	70	2.8	4	1	2	2	3	5	5	13
50-64	1725	3.1	3	2	2	3	4	5	6	9
65 +	6371	3.7	5	2	2	3	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.1		< 1	< 1	1	1	2	2	2
B. Operated	1177	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	175	3.1	7	< 1	1	2	4	6	7	13
B. Operated	8168	3.5	5	2	2	3	4	6	7	12
1. SINGLE DX	1185	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	8343	3.5	5	2	2	3	4	6	7	13
A. Not Operated	183	3.0	7	< 1	1	2	4	6	7	13
B. Operated	9345	3.4	5	2	2	3	4	5	7	12
TOTAL										
0-19 YRS	0									
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	90	2.7	3	1	2	2	3	4	5	11
50-64	2176	3.0	3	2	2	3	3	5	6	9
65 +	7259	3.6	5	2	2	3	4	6	8	13
GRAND TOTAL	**9528**	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**7**	**12**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.3	1	1	2	2	3	4	4	4
35-49	11	3.7	2	2	3	4	4	6	7	7
50-64	8	4.1	4	2	2	4	6	7	7	7
65 +	5	3.0	2	2	2	2	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	5.0	4	3	4	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	24	3.4	4	1	2	3	5	5	7	10
35-49	51	3.3	4	1	2	3	4	7	7	7
50-64	74	3.5	3	2	2	3	5	6	7	10
65 +	97	4.2	6	2	3	4	5	7	9	14
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.6	18	3	3	4	7	13	13	13
35-49	5	4.2	5	2	3	4	5	8	8	8
50-64	26	4.3	12	1	2	3	6	7	13	16
65 +	90	3.9	10	2	2	3	4	6	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.3	3	2	2	3	4	5	7	7
B. Operated	11	3.3	5	1	2	3	4	7	8	8
2. MULTIPLE DX										
A. Not Operated	246	3.7	5	2	2	3	5	7	7	11
B. Operated	127	4.1	10	2	2	3	4	7	12	17
1. SINGLE DX	44	3.3	3	2	2	3	4	6	7	8
2. MULTIPLE DX	373	3.8	6	2	2	3	5	7	8	16
A. Not Operated	279	3.7	4	2	2	3	5	7	7	11
B. Operated	138	4.0	10	2	2	3	4	7	12	17
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	38	3.4	6	1	2	3	4	5	8	13
35-49	71	3.4	3	1	2	3	4	7	7	8
50-64	109	3.8	5	2	2	3	5	7	7	14
65 +	197	4.1	8	2	3	3	4	7	9	17
GRAND TOTAL	**417**	**3.8**	**6**	**2**	**2**	**3**	**4**	**7**	**8**	**16**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	1.0		< 1	< 1	1	1	1	2	2
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	6	1.3		1	1	1	2	2	2	2
50-64	12	1.4		< 1	1	1	2	2	2	2
65 +	8	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	14.0	242	3	3	14	25	25	25	25
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	27	1.4	1	< 1	< 1	1	1	2	4	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	10	3.6	20	< 1	1	2	5	11	15	15
50-64	15	1.7	1	1	1	1	2	3	4	4
65 +	20	2.5	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	1	2	2	2
B. Operated	52	1.3		< 1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	4	8.5	124	1	2	4	15	25	25	25
B. Operated	75	2.0	4	< 1	1	1	2	4	6	13
1. SINGLE DX	56	1.3		< 1	1	1	2	2	2	3
2. MULTIPLE DX	79	2.3	11	< 1	1	1	2	5	6	22
A. Not Operated	8	4.9	68	< 1	< 1	2	4	19	25	25
B. Operated	127	1.7	3	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	53	1.2	1	< 1	< 1	1	1	2	2	5
20-34	8	1.4		< 1	< 1	1	2	2	2	2
35-49	18	4.0	39	1	1	2	3	13	21	25
50-64	27	1.6	1	1	1	1	2	3	3	4
65 +	29	2.3	2	1	1	2	3	5	6	6
GRAND TOTAL	**135**	**1.9**	**7**	**< 1**	**1**	**1**	**2**	**3**	**5**	**16**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.7	4	< 1	1	2	4	5	8	9
20-34	38	3.1	5	1	2	3	3	5	8	13
35-49	26	3.5	3	1	2	3	5	6	7	8
50-64	14	3.3	3	1	2	3	5	6	6	6
65 +	10	3.6	2	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	7	2.0	3	< 1	< 1	1	3	5	5	5
20-34	10	1.8	4	1	1	1	2	5	7	7
35-49	11	3.8	13	1	2	3	4	9	14	14
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	5	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.1	5	1	2	4	6	7	7	7
20-34	32	4.5	56	1	2	3	4	7	8	44
35-49	46	3.4	4	2	2	3	4	7	7	11
50-64	36	5.4	11	2	3	5	6	10	14	15
65 +	70	5.0	11	2	3	4	6	8	9	22
B. Operated										
0-19 YRS	16	2.6	1	1	2	3	3	4	5	5
20-34	6	2.3	4	1	1	2	3	6	6	6
35-49	13	4.8	11	1	1	6	7	9	10	10
50-64	14	3.7	12	1	1	2	6	9	11	12
65 +	22	6.1	20	1	3	5	8	12	15	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	3.2	4	1	2	3	4	6	7	11
B. Operated	38	2.3	6	< 1	1	1	3	5	6	14
2. MULTIPLE DX										
A. Not Operated	198	4.5	16	2	2	4	5	7	9	20
B. Operated	71	4.3	13	1	1	3	6	9	12	17
1. SINGLE DX	145	3.0	5	1	1	3	4	5	7	13
2. MULTIPLE DX	269	4.5	15	1	2	4	6	8	10	17
A. Not Operated	305	4.1	12	1	2	3	5	7	8	15
B. Operated	109	3.6	11	1	1	3	5	8	11	16
TOTAL										
0-19 YRS	56	2.9	4	< 1	1	3	4	6	7	9
20-34	86	3.4	24	1	2	2	4	6	8	33
35-49	96	3.7	6	1	2	3	5	7	8	13
50-64	69	4.3	10	1	2	4	6	8	12	15
65 +	107	4.9	12	1	3	4	6	8	11	21
GRAND TOTAL	**414**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	78	1.0		< 1	< 1	< 1	< 1	< 1	1	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	25	2.0	6	< 1	< 1	< 1	1	7	8	11
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	4	2.8	1	2	2	3	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	78	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated	7	1.7	1	< 1	1	2	2	3	3	3
B. Operated	32	2.2	5	< 1	< 1	1	2	5	7	11
1. SINGLE DX	80	1.0		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	39	2.1	4	< 1	< 1	1	2	4	7	11
A. Not Operated	9	1.8	1	< 1	1	2	2	3	3	3
B. Operated	110	1.3	2	< 1	< 1	< 1	< 1	2	3	9
TOTAL										
0-19 YRS	109	1.3	2	< 1	< 1	< 1	< 1	1	2	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.3		2	2	2	3	3	3	3
65 +	5	2.4	1	1	2	2	3	4	4	4
GRAND TOTAL	**119**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.0	1	1	1	2	3	4	4	4
20-34	7	2.0	2	< 1	1	1	3	5	5	5
35-49	7	2.1	2	1	1	2	3	5	5	5
50-64	0									
65 +	4	2.0	4	1	1	1	3	5	5	5
B. Operated										
0-19 YRS	183	1.2		< 1	1	1	1	2	2	5
20-34	65	2.0	5	< 1	1	1	2	4	6	13
35-49	31	1.9	4	1	1	1	2	4	8	8
50-64	56	1.8	2	1	1	1	2	3	4	9
65 +	37	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.6	3	< 1	2	2	3	4	6	8
20-34	13	5.2	10	3	3	4	6	9	13	14
35-49	15	4.3	7	1	2	4	6	9	9	9
50-64	13	4.6	16	1	1	4	6	12	13	13
65 +	17	4.9	12	1	2	3	8	10	11	12
B. Operated										
0-19 YRS	88	1.5	1	< 1	1	1	2	3	4	5
20-34	53	3.3	11	1	1	2	4	7	13	13
35-49	89	4.3	32	1	1	3	5	9	12	31
50-64	137	3.7	48	1	1	2	3	7	12	43
65 +	136	3.3	55	1	1	1	3	5	9	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.0	2	1	1	1	3	4	5	5
B. Operated	372	1.5	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	77	4.2	9	1	2	3	6	9	11	14
B. Operated	503	3.3	35	1	1	2	3	6	10	42
1. SINGLE DX	405	1.6	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	580	3.4	32	1	1	2	4	7	10	40
A. Not Operated	110	3.6	8	1	1	3	4	8	9	13
B. Operated	875	2.5	22	1	1	1	2	4	7	31
TOTAL										
0-19 YRS	305	1.4	1	< 1	1	1	2	3	3	5
20-34	138	2.8	8	1	1	2	3	6	9	14
35-49	142	3.6	23	1	1	2	4	8	10	31
50-64	206	3.2	34	1	1	2	3	6	10	42
65 +	194	3.1	40	< 1	1	1	3	6	9	56
GRAND TOTAL	**985**	**2.7**	**20**	**1**	**1**	**1**	**3**	**5**	**8**	**29**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	22	2.1	1	< 1	1	2	2	4	5	6
35-49	50	2.1	1	< 1	1	2	3	4	4	6
50-64	21	1.6	1	< 1	< 1	1	2	3	4	4
65 +	12	1.8	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	29	3.2	5	1	2	3	4	5	6	13
35-49	118	2.7	2	1	2	3	3	4	5	8
50-64	63	2.7	1	1	2	3	3	4	4	6
65 +	47	2.2	2	1	1	2	3	3	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	107	2.0	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	259	2.6	2	1	2	3	3	4	5	7
1. SINGLE DX	108	2.0	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX	260	2.6	2	1	2	3	3	4	5	7
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	366	2.4	2	1	2	2	3	4	5	7
TOTAL										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	52	2.7	4	1	2	2	3	5	5	13
35-49	169	2.5	2	1	2	2	3	4	5	7
50-64	84	2.4	1	< 1	2	2	3	4	4	6
65 +	59	2.1	2	< 1	1	2	3	3	5	7
GRAND TOTAL	**368**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	22	2.9	3	1	2	2	3	5	7	8
35-49	5	1.8	1	< 1	< 1	2	2	3	3	3
50-64	3	3.7	6	1	2	4	5	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	116	1.8	1	1	1	2	2	3	3	5
20-34	292	1.9	1	1	1	2	2	3	3	6
35-49	206	2.0	2	1	1	2	2	3	4	9
50-64	96	2.0	1	1	1	2	2	3	4	7
65 +	49	1.9	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.0	1	2	2	3	3	5	5	5
20-34	15	3.1	6	1	1	3	4	5	9	10
35-49	16	5.2	19	< 1	2	4	7	8	15	18
50-64	8	5.4	40	< 1	1	3	6	16	20	20
65 +	8	2.8	3	< 1	1	2	4	5	6	6
B. Operated										
0-19 YRS	39	2.2	2	1	1	2	2	4	4	9
20-34	168	2.4	4	1	1	2	3	4	5	13
35-49	255	2.7	11	1	1	2	3	4	5	19
50-64	154	2.4	3	1	1	2	3	4	6	12
65 +	66	2.9	20	1	2	2	3	4	5	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.7	3	1	2	2	3	4	7	8
B. Operated	759	1.9	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. Not Operated	53	4.0	14	< 1	2	3	5	8	10	20
B. Operated	682	2.5	8	1	1	2	3	4	5	16
1. SINGLE DX	794	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	735	2.6	8	1	1	2	3	4	6	18
A. Not Operated	88	3.5	10	1	2	3	4	7	8	19
B. Operated	1441	2.2	4	1	1	2	2	3	4	11
TOTAL										
0-19 YRS	165	1.9	1	1	1	2	2	3	4	5
20-34	497	2.1	2	1	1	2	2	3	4	9
35-49	482	2.5	8	1	1	2	3	4	5	18
50-64	261	2.4	4	1	1	2	3	4	6	12
65 +	124	2.5	11	1	1	2	3	3	5	16
GRAND TOTAL	**1529**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	1.7	1	1	1	1	2	3	3	5
20-34	146	1.7	1	1	1	1	2	3	4	5
35-49	55	1.7	1	1	1	1	2	3	4	4
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	161	2.7	2	1	2	3	3	4	5	7
20-34	386	2.9	2	1	2	3	4	4	5	7
35-49	142	3.2	2	1	3	3	4	5	6	7
50-64	16	3.7	3	3	3	3	4	4	8	9
65 +	11	4.3	2	2	4	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	1.5		1	1	1	2	2	3	3
20-34	120	1.8	1	1	1	2	2	3	4	5
35-49	55	2.6	6	1	1	2	3	5	6	16
50-64	4	3.0	3	1	1	3	4	5	5	5
65 +	3	3.7	2	2	2	4	5	5	5	5
B. Operated										
0-19 YRS	164	3.4	8	2	2	3	4	5	6	10
20-34	1032	3.5	4	2	3	3	4	5	6	10
35-49	786	3.8	2	2	3	4	4	5	6	10
50-64	135	4.3	5	3	3	4	5	6	8	15
65 +	95	5.7	11	3	4	5	6	11	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	1.7	1	1	1	1	2	3	4	5
B. Operated	716	2.9	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	211	2.0	2	1	1	2	2	4	4	6
B. Operated	2212	3.7	4	2	3	3	4	5	7	12
1. SINGLE DX	1009	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX	2423	3.6	4	2	3	3	4	5	6	12
A. Not Operated	504	1.8	2	1	1	2	2	3	4	6
B. Operated	2928	3.5	4	2	3	3	4	5	6	11
TOTAL										
0-19 YRS	444	2.7	4	1	1	2	3	4	5	7
20-34	1684	3.1	3	1	2	3	4	5	6	9
35-49	1038	3.5	3	2	3	3	4	5	6	10
50-64	157	4.2	5	3	3	4	5	6	8	15
65 +	109	5.5	10	3	4	5	6	10	13	17
GRAND TOTAL	**3432**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	186	3.0	2	1	2	3	4	5	6	7
20-34	460	3.1	2	1	2	3	4	5	6	8
35-49	106	3.5	3	2	2	3	4	6	6	8
50-64	5	3.4	5	< 1	2	3	4	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	36	3.9	5	1	2	4	5	7	9	9
20-34	196	3.6	4	1	3	3	4	6	8	10
35-49	104	3.5	3	2	2	3	5	5	7	9
50-64	11	4.7	7	2	3	4	5	8	12	12
65 +	6	3.7	1	2	3	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	179	3.6	4	2	2	3	4	6	7	11
20-34	493	3.7	4	2	2	3	5	6	7	11
35-49	120	4.2	5	2	3	4	5	7	8	11
50-64	13	3.7	2	2	3	4	4	6	7	7
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	83	5.7	31	2	3	4	6	9	17	32
20-34	1173	4.0	5	2	3	4	4	6	8	13
35-49	808	4.5	9	2	3	4	5	7	10	16
50-64	98	4.7	5	3	3	4	5	8	10	13
65 +	34	6.1	18	3	4	5	7	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	758	3.1	2	1	2	3	4	5	6	8
B. Operated	353	3.7	4	1	3	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	807	3.7	4	2	2	3	5	6	7	11
B. Operated	2196	4.3	8	2	3	4	5	7	9	15
1. SINGLE DX	1111	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	3003	4.1	7	2	3	4	5	7	9	14
A. Not Operated	1565	3.4	3	2	2	3	4	6	7	9
B. Operated	2549	4.2	7	2	3	4	5	7	9	14
TOTAL										
0-19 YRS	484	3.7	9	2	2	3	4	6	8	14
20-34	2322	3.7	4	2	3	3	4	6	7	12
35-49	1138	4.3	8	2	3	4	5	7	9	14
50-64	127	4.5	5	3	3	4	5	8	9	13
65 +	43	5.4	16	2	3	4	6	11	15	19
GRAND TOTAL	**4114**	**3.9**	**6**	**2**	**3**	**3**	**4**	**6**	**8**	**13**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	1.5		< 1	1	1	2	3	3	3
35-49	5	2.8	5	< 1	1	2	4	6	6	6
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	156	2.9	1	1	2	3	4	4	4	5
35-49	158	3.4	1	2	3	3	4	5	5	6
50-64	13	3.1	1	2	3	3	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	2.4	5	< 1	1	2	3	5	8	10
35-49	15	3.1	4	< 1	1	3	4	5	8	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	3.4	3	1	2	3	5	5	6	9
20-34	1501	3.5	2	2	3	4	4	5	5	8
35-49	2534	3.8	2	3	3	4	4	5	6	8
50-64	273	3.9	2	3	3	4	4	5	6	9
65 +	40	4.8	10	3	4	4	5	6	10	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.2	4	< 1	1	1	2	5	7	8
B. Operated	329	3.1	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	34	2.7	5	< 1	1	2	3	5	8	10
B. Operated	4376	3.7	2	2	3	4	4	5	6	8
1. SINGLE DX	347	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX	4410	3.7	2	2	3	4	4	5	6	8
A. Not Operated	52	2.5	4	< 1	1	2	3	5	8	10
B. Operated	4705	3.7	2	2	3	4	4	5	5	8
TOTAL										
0-19 YRS	31	3.4	3	1	2	3	5	5	6	9
20-34	1686	3.4	2	2	3	3	4	5	5	8
35-49	2712	3.8	2	3	3	4	4	5	6	8
50-64	286	3.9	2	3	3	4	4	5	6	9
65 +	42	4.9	10	3	4	4	5	7	10	22
GRAND TOTAL	**4757**	**3.6**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**8**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	2.5		2	2	2	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	3	< 1	< 1	1	3	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	63	3.4	2	2	3	3	4	4	5	9
35-49	113	3.6	1	2	3	3	4	5	5	8
50-64	14	3.9	5	2	3	4	4	5	10	11
65 +	9	3.8	1	2	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	1	< 1	1	2	2	3	3	3
B. Operated	6	3.0	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	6	2.2	3	< 1	< 1	1	4	5	5	5
B. Operated	199	3.6	2	2	3	3	4	5	5	10
1. SINGLE DX	11	2.5	1	1	2	2	3	4	5	5
2. MULTIPLE DX	205	3.5	2	2	3	3	4	5	5	9
A. Not Operated	11	2.0	2	< 1	< 1	1	3	4	5	5
B. Operated	205	3.5	2	2	3	3	4	5	5	9
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	73	3.2	2	2	3	3	4	4	5	9
35-49	117	3.6	1	2	3	3	4	5	5	8
50-64	14	3.9	5	2	3	4	4	5	10	11
65 +	10	3.9	1	2	3	4	5	5	5	5
GRAND TOTAL	**216**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**9**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.4	1	1	1	3	3	4	4	4
20-34	35	2.7	1	1	2	2	3	4	5	6
35-49	5	4.0	2	2	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	14	2.6	5	< 1	1	2	3	6	8	9
35-49	10	1.9	1	< 1	1	2	3	4	4	4
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.4	11	1	2	2	4	7	12	15
20-34	46	3.4	4	2	2	3	4	5	8	12
35-49	15	3.4	2	2	2	3	5	6	6	6
50-64	3	4.0	4	2	2	4	5	6	6	6
65 +	16	6.4	20	3	4	5	8	13	17	19
B. Operated										
0-19 YRS	4	8.5	18	3	5	9	11	13	13	13
20-34	55	3.9	10	1	3	3	5	6	7	23
35-49	47	3.8	3	2	3	4	4	5	8	9
50-64	14	4.7	11	1	1	4	7	9	10	11
65 +	8	3.4	1	1	3	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.8	2	1	2	3	4	4	5	6
B. Operated	28	2.3	3	< 1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	97	3.9	9	2	2	3	4	7	10	17
B. Operated	128	4.1	8	1	3	4	5	7	8	15
1. SINGLE DX	80	2.6	2	1	2	2	3	4	5	8
2. MULTIPLE DX	225	4.0	8	1	2	3	5	7	9	16
A. Not Operated	149	3.5	7	1	2	3	4	6	7	15
B. Operated	156	3.8	7	1	2	3	4	7	8	13
TOTAL										
0-19 YRS	35	3.6	11	1	2	3	4	8	12	15
20-34	150	3.3	6	1	2	3	4	5	7	12
35-49	77	3.5	3	1	3	3	4	5	7	9
50-64	19	4.3	9	< 1	1	4	7	8	10	11
65 +	24	5.4	16	3	3	4	6	11	15	19
GRAND TOTAL	**305**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	85	3.0	1	2	2	3	4	4	5	6
35-49	200	3.0	1	2	2	3	4	4	5	6
50-64	290	3.2	1	2	2	3	4	5	5	6
65 +	330	3.5	2	2	3	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	7	2.4	7	< 1	< 1	1	3	7	8	8
65 +	21	2.2	4	< 1	< 1	1	3	5	7	8
B. Operated										
0-19 YRS	4	2.5	3	< 1	< 1	2	4	4	4	4
20-34	556	3.5	2	2	3	3	4	5	6	7
35-49	1586	3.7	2	2	3	4	4	5	6	8
50-64	1462	3.8	2	2	3	4	4	5	6	9
65 +	1930	4.3	4	3	3	4	5	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	905	3.2	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	35	2.2	4	< 1	< 1	1	3	5	7	8
B. Operated	5538	3.9	3	2	3	4	4	5	6	9
1. SINGLE DX	908	3.2	1	2	2	3	4	5	5	7
2. MULTIPLE DX	5573	3.9	3	2	3	4	4	5	6	9
A. Not Operated	38	2.2	4	< 1	< 1	1	3	5	7	8
B. Operated	6443	3.8	2	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	4	2.5	3	< 1	< 1	2	4	4	4	4
20-34	645	3.4	2	2	3	3	4	5	6	7
35-49	1790	3.6	2	2	3	3	4	5	6	8
50-64	1759	3.7	2	2	3	4	4	5	6	9
65 +	2283	4.1	3	2	3	4	5	6	7	11
GRAND TOTAL	**6481**	**3.8**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	32	2.4	1	1	1	2	3	4	5	5
35-49	49	2.8	2	< 1	1	3	4	5	5	7
50-64	10	2.4	2	< 1	< 1	3	3	4	4	4
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	20	1.9	1	< 1	1	2	2	3	4	5
35-49	15	2.3	3	1	1	2	3	5	6	7
50-64	3	2.3	1	< 1	1	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	222	3.4	2	2	3	3	4	5	6	8
35-49	513	3.5	2	2	3	3	4	5	5	8
50-64	57	3.9	1	3	3	4	4	5	6	7
65 +	6	5.5	6	4	4	5	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.9	1	< 1	1	2	3	4	4	4
B. Operated	96	2.6	2	< 1	1	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	45	2.0	2	< 1	1	2	3	3	5	7
B. Operated	803	3.5	2	2	3	3	4	5	6	8
1. SINGLE DX	104	2.5	2	< 1	1	3	3	4	5	6
2. MULTIPLE DX	848	3.4	2	2	3	3	4	5	6	8
A. Not Operated	53	2.0	2	< 1	1	2	3	4	5	7
B. Operated	899	3.4	2	2	3	3	4	5	5	8
TOTAL										
0-19 YRS	19	1.8	1	1	1	2	2	3	3	3
20-34	277	3.1	2	1	2	3	4	5	5	8
35-49	578	3.4	2	2	3	3	4	5	5	8
50-64	71	3.6	2	2	3	4	4	5	6	7
65 +	7	4.9	7	1	4	4	6	9	10	10
GRAND TOTAL	**952**	**3.3**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**8**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.6		1	1	2	2	2	2	2
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	3.0	1	1	3	3	4	4	5	5
35-49	79	2.7	1	< 1	2	3	3	4	4	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.2	1	1	2	2	3	3	4	4
20-34	26	2.0	5	< 1	1	1	2	3	8	10
35-49	25	1.7	1	< 1	1	1	2	3	4	6
50-64	5	1.6	1	< 1	1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	12	2.2	1	< 1	1	2	3	3	3	3
20-34	427	3.4	1	2	3	3	4	5	5	7
35-49	1303	3.6	3	2	3	3	4	5	5	8
50-64	131	3.6	1	2	3	4	4	5	5	6
65 +	4	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.5		< 1	1	1	2	2	2	2
B. Operated	114	2.7	1	< 1	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	71	1.9	2	< 1	1	1	2	3	4	10
B. Operated	1877	3.6	2	2	3	4	4	5	5	7
1. SINGLE DX	125	2.6	1	< 1	2	3	3	4	4	5
2. MULTIPLE DX	1948	3.5	2	2	3	3	4	5	5	7
A. Not Operated	82	1.9	2	< 1	1	1	2	3	4	9
B. Operated	1991	3.5	2	2	3	3	4	5	5	7
TOTAL										
0-19 YRS	30	2.1	1	1	1	2	3	3	3	4
20-34	489	3.3	2	2	3	3	4	5	5	7
35-49	1411	3.5	3	2	3	3	4	5	5	8
50-64	139	3.5	1	2	3	4	4	5	5	6
65 +	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**2073**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**7**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.1	1	< 1	1	3	3	3	3	3
50-64	8	1.9	1	< 1	1	2	3	4	4	4
65 +	3	1.7	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	6	2.0	3	< 1	1	1	3	5	5	5
65 +	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	41	3.5	4	2	3	3	4	5	5	15
35-49	94	3.3	2	1	3	3	4	5	6	9
50-64	132	3.3	2	1	3	3	4	5	6	9
65 +	80	4.0	5	1	3	4	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	19	2.0	1	< 1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	14	1.8	2	< 1	1	1	3	3	5	5
B. Operated	347	3.5	3	1	3	3	4	5	6	10
1. SINGLE DX	21	1.9	1	< 1	1	1	3	3	4	4
2. MULTIPLE DX	361	3.4	3	1	3	3	4	5	6	10
A. Not Operated	16	1.7	1	< 1	1	1	2	3	4	5
B. Operated	366	3.4	3	1	3	3	4	5	6	10
TOTAL										
0-19 YRS	0									
20-34	44	3.4	4	2	3	3	4	4	5	15
35-49	104	3.2	2	1	3	3	4	5	6	8
50-64	148	3.2	2	1	2	3	4	5	6	9
65 +	86	3.8	5	1	2	4	5	6	8	11
GRAND TOTAL	**382**	**3.4**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.4	1	< 1	1	1	2	3	3	3
20-34	12	3.6	22	< 1	1	1	4	13	14	14
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	41	2.9	1	2	2	3	4	4	4	4
20-34	140	2.9	5	1	2	3	4	4	5	17
35-49	111	2.8	2	1	2	3	4	4	5	8
50-64	39	3.3	4	1	2	3	4	6	7	9
65 +	28	3.0	4	< 1	1	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.9		< 1	1	2	2	3	3	3
20-34	29	2.6	3	< 1	1	2	4	5	6	6
35-49	18	2.3	1	< 1	2	2	3	4	4	4
50-64	11	6.6	174	< 1	1	1	6	25	43	45
65 +	16	5.8	33	2	2	4	6	14	21	23
B. Operated										
0-19 YRS	61	3.4	3	2	3	3	4	5	7	12
20-34	493	3.4	2	2	3	3	4	5	6	9
35-49	866	3.7	3	2	3	3	4	5	6	12
50-64	446	4.3	10	3	3	4	4	6	8	15
65 +	255	5.7	18	3	4	4	6	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.6	10	< 1	1	1	2	6	12	14
B. Operated	359	2.9	3	1	2	3	4	4	5	9
2. MULTIPLE DX										
A. Not Operated	83	3.6	32	< 1	1	2	4	6	9	38
B. Operated	2121	4.0	6	2	3	4	4	6	8	15
1. SINGLE DX	386	2.9	4	1	2	3	4	4	5	11
2. MULTIPLE DX	2204	4.0	7	2	3	4	4	6	8	15
A. Not Operated	110	3.3	26	< 1	1	2	4	6	11	32
B. Operated	2480	3.8	6	2	3	4	4	5	7	15
TOTAL										
0-19 YRS	120	3.0	2	1	2	3	4	4	5	9
20-34	674	3.3	3	1	2	3	4	5	6	9
35-49	999	3.6	3	2	3	3	4	5	6	11
50-64	497	4.3	12	2	3	4	4	6	8	16
65 +	300	5.5	18	2	3	4	6	11	14	23
GRAND TOTAL	**2590**	**3.8**	**7**	**2**	**3**	**3**	**4**	**5**	**7**	**15**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.4		< 1	1	1	2	2	2	3
20-34	54	2.0	1	< 1	1	2	2	4	5	6
35-49	24	2.1	3	1	1	1	3	4	6	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	16	1.8	1	< 1	< 1	1	3	4	4	4
20-34	145	2.7	2	1	2	3	3	4	5	7
35-49	262	3.0	2	2	2	3	4	4	5	8
50-64	290	3.1	2	2	2	3	4	5	5	7
65 +	189	3.3	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.0	2	1	1	2	3	4	5	6
20-34	82	2.4	3	< 1	1	2	3	4	5	11
35-49	28	2.2	2	< 1	1	2	3	4	5	7
50-64	9	3.0	3	< 1	1	3	4	5	5	5
65 +	11	3.5	9	< 1	1	3	4	9	10	10
B. Operated										
0-19 YRS	26	2.7	3	1	1	2	3	5	6	7
20-34	914	3.4	2	2	3	3	4	5	5	9
35-49	1293	3.7	3	2	3	4	4	5	6	10
50-64	534	3.7	2	2	3	4	4	5	6	9
65 +	472	4.2	4	2	3	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	1.8	2	< 1	1	1	2	3	4	7
B. Operated	902	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	162	2.4	3	< 1	1	2	3	4	5	10
B. Operated	3239	3.7	3	2	3	4	4	5	6	10
1. SINGLE DX	1011	2.9	2	1	2	3	4	4	5	7
2. MULTIPLE DX	3401	3.6	3	2	3	3	4	5	6	10
A. Not Operated	271	2.2	3	< 1	1	2	3	4	5	9
B. Operated	4141	3.5	2	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	102	2.0	2	< 1	1	1	3	4	5	7
20-34	1195	3.2	2	1	2	3	4	5	5	9
35-49	1607	3.5	2	2	3	3	4	5	6	9
50-64	835	3.5	2	2	3	3	4	5	6	8
65 +	673	3.9	4	2	3	4	5	6	7	11
GRAND TOTAL	**4412**	**3.5**	**3**	**2**	**3**	**3**	**4**	**5**	**6**	**9**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	19	1.8	1	< 1	1	2	3	3	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	89	2.7	1	1	2	3	3	4	4	5
20-34	1018	2.8	1	1	2	3	3	4	4	6
35-49	183	2.7	1	1	2	3	3	4	4	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	13	2.1	5	< 1	1	1	2	5	8	9
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	79	3.4	3	2	2	3	4	5	6	12
20-34	1319	3.2	2	2	2	3	4	5	5	8
35-49	281	3.2	2	2	2	3	4	4	5	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.8	1	< 1	< 1	1	2	3	4	4
B. Operated	1291	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	18	1.8	4	< 1	1	1	2	4	7	9
B. Operated	1679	3.2	2	2	2	3	4	5	5	8
1. SINGLE DX	1312	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1697	3.2	2	2	2	3	4	5	5	8
A. Not Operated	39	1.8	2	< 1	< 1	1	2	3	4	9
B. Operated	2970	3.0	2	1	2	3	4	4	5	7
TOTAL										
0-19 YRS	173	3.0	2	1	2	3	3	5	5	10
20-34	2369	3.0	2	1	2	3	4	4	5	7
35-49	466	3.0	2	1	2	3	4	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**3009**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	11	1.7	2	< 1	1	1	2	4	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.7	2	< 1	1	1	3	4	4	4
20-34	40	1.9	2	< 1	1	1	2	4	5	7
35-49	6	1.7	3	< 1	< 1	1	1	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	21	2.4	5	< 1	1	2	3	4	7	11
35-49	8	1.1		< 1	1	1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	2.9	3	1	2	3	4	6	6	6
20-34	76	2.7	7	< 1	1	2	3	5	7	16
35-49	27	2.3	3	< 1	1	2	3	4	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.7	2	1	1	1	2	4	5	5
B. Operated	53	1.8	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	31	2.0	4	< 1	1	1	2	4	4	11
B. Operated	123	2.7	5	< 1	1	2	3	5	6	14
1. SINGLE DX	68	1.8	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX	154	2.5	5	< 1	1	2	3	4	6	13
A. Not Operated	46	1.9	3	1	1	1	2	4	4	11
B. Operated	176	2.4	4	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	33	2.5	3	1	1	2	3	5	6	6
20-34	148	2.4	5	< 1	1	2	3	4	5	13
35-49	41	2.0	2	< 1	1	1	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**222**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**	**12**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	2	2.0		2	2	2	2	2	2	2
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.4	1	< 1	1	1	1	2	3	5
20-34	114	1.3	1	< 1	< 1	1	1	2	3	5
35-49	24	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	237	1.1		< 1	< 1	1	1	2	2	3
20-34	1009	1.2	1	< 1	< 1	1	1	2	2	4
35-49	234	1.3	1	< 1	< 1	1	1	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.4		< 1	1	1	2	2	3	3
20-34	66	2.1	4	< 1	1	1	2	5	8	9
35-49	11	1.5		< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	1.9	3	< 1	1	1	2	3	7	10
20-34	311	2.1	6	< 1	1	1	2	4	5	16
35-49	78	1.8	3	< 1	1	1	2	4	5	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	1.3	1	< 1	< 1	1	1	2	3	5
B. Operated	1481	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	91	1.9	3	< 1	1	1	2	4	5	9
B. Operated	444	2.1	5	< 1	1	1	2	4	5	11
1. SINGLE DX	1661	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	535	2.0	5	< 1	1	1	2	4	5	10
A. Not Operated	271	1.5	1	< 1	1	1	2	3	4	8
B. Operated	1925	1.4	2	< 1	< 1	1	1	2	3	7
TOTAL										
0-19 YRS	347	1.3	1	< 1	< 1	1	1	2	2	6
20-34	1500	1.5	2	< 1	< 1	1	1	2	4	8
35-49	347	1.4	1	< 1	< 1	1	1	2	3	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**2196**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**7**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.6	1	1	2	2	3	4	5	6
20-34	105	1.8	1	< 1	1	1	2	3	4	6
35-49	13	2.1	2	< 1	< 1	1	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	53	1.3		< 1	1	1	1	2	2	4
20-34	327	1.3	1	< 1	1	1	1	2	3	4
35-49	73	1.5	2	< 1	1	1	2	2	3	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.6	1	1	1	1	2	3	3	3
20-34	82	2.4	4	1	1	2	3	4	6	11
35-49	17	2.2	6	< 1	1	2	2	4	9	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	46	3.0	7	1	1	2	4	6	7	15
20-34	208	2.3	4	1	1	2	3	5	7	11
35-49	53	2.9	9	1	1	2	3	6	9	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	1.9	2	< 1	1	1	2	4	4	6
B. Operated	453	1.4	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	118	2.2	4	1	1	2	3	4	6	12
B. Operated	307	2.5	6	1	1	2	3	5	7	12
1. SINGLE DX	591	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	425	2.5	5	1	1	2	3	5	7	12
A. Not Operated	256	2.1	2	< 1	1	2	3	4	5	8
B. Operated	760	1.8	3	< 1	1	1	2	3	5	10
TOTAL										
0-19 YRS	138	2.1	3	< 1	1	2	2	4	6	8
20-34	722	1.8	2	< 1	1	1	2	3	4	8
35-49	156	2.1	5	< 1	1	1	2	4	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**1016**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.8	4	< 1	1	1	2	2	5	11
20-34	90	1.5	1	< 1	1	1	2	3	3	7
35-49	9	1.8	3	1	1	1	2	4	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	2.1	8	< 1	< 1	1	2	6	10	10
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.9	15	1	1	2	3	4	13	17
20-34	66	2.0	1	1	1	2	3	3	4	6
35-49	11	3.8	24	1	1	2	4	10	17	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	3.4	40	< 1	< 1	1	3	6	20	27
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	1.6	2	< 1	1	1	2	2	3	10
B. Operated	11	2.1	7	< 1	< 1	1	2	5	10	10
2. MULTIPLE DX										
A. Not Operated	93	2.4	6	1	1	2	3	4	5	18
B. Operated	19	3.2	36	< 1	< 1	1	3	6	18	27
1. SINGLE DX	134	1.6	2	< 1	1	1	2	2	3	10
2. MULTIPLE DX	112	2.5	11	< 1	1	2	3	4	5	21
A. Not Operated	216	1.9	4	< 1	1	1	2	3	4	13
B. Operated	30	2.8	25	< 1	< 1	1	2	5	10	27
TOTAL										
0-19 YRS	42	2.2	8	< 1	1	2	2	3	7	17
20-34	183	1.9	5	< 1	1	1	2	3	4	10
35-49	21	2.8	14	1	1	1	3	5	11	18
50-64	0									
65 +	0									
GRAND TOTAL	**246**	**2.0**	**6**	**< 1**	**1**	**1**	**2**	**3**	**4**	**17**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	21	1.9	2	< 1	< 1	1	2	5	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	1.0		< 1	< 1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.1		< 1	1	1	1	2	2	2
20-34	11	1.8	2	< 1	1	1	2	4	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.7	2	< 1	< 1	1	2	4	5	6
B. Operated	6	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	20	1.6	1	< 1	1	1	2	2	4	6
B. Operated	3	1.0		< 1	< 1	1	1	1	1	1
1. SINGLE DX	34	1.6	2	< 1	1	1	2	3	5	6
2. MULTIPLE DX	23	1.5	1	< 1	1	1	2	2	4	6
A. Not Operated	48	1.6	2	< 1	1	1	2	2	5	6
B. Operated	9	1.1		< 1	< 1	1	1	2	2	2
TOTAL										
0-19 YRS	15	1.2		< 1	1	1	1	2	2	2
20-34	37	1.8	2	< 1	1	1	2	4	6	6
35-49	5	1.2		1	1	1	2	2	2	2
50-64	0									
65 +	0									
GRAND TOTAL	**57**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**2**	**5**	**6**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.2	6	1	1	2	2	3	5	17
20-34	326	2.2	3	1	1	2	2	4	5	8
35-49	45	2.8	9	1	2	2	3	5	7	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	2.8	5	1	1	2	3	6	8	8
20-34	74	2.3	4	1	1	2	3	5	6	11
35-49	7	2.1	2	< 1	1	2	2	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.4	5	1	1	2	2	4	6	15
20-34	226	2.8	7	1	1	2	3	6	8	13
35-49	40	3.1	7	< 1	2	2	3	6	10	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	4.1	67	< 1	< 1	1	2	9	27	32
20-34	96	2.6	5	< 1	1	2	3	5	8	11
35-49	25	3.5	36	< 1	1	2	3	7	16	30
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	2.2	4	1	1	2	2	4	5	11
B. Operated	94	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	308	2.8	6	1	1	2	3	5	8	14
B. Operated	135	2.9	17	< 1	1	2	3	5	9	30
1. SINGLE DX	527	2.3	4	1	1	2	2	4	5	11
2. MULTIPLE DX	443	2.8	10	1	1	2	3	5	8	15
A. Not Operated	741	2.5	5	1	1	2	3	4	6	13
B. Operated	229	2.7	11	< 1	1	2	3	5	8	15
TOTAL										
0-19 YRS	131	2.5	12	< 1	1	2	2	4	6	21
20-34	722	2.4	4	1	1	2	3	5	6	11
35-49	117	3.0	13	< 1	1	2	3	5	10	23
50-64	0									
65 +	0									
GRAND TOTAL	**970**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	2.1	2	1	1	2	3	4	5	6
20-34	561	2.6	3	1	2	2	3	5	6	10
35-49	37	3.0	2	1	2	3	4	5	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	11	4.4	23	< 1	1	2	7	11	16	16
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	2.6	3	1	1	2	3	4	7	9
20-34	534	2.9	3	1	2	2	4	5	6	10
35-49	29	3.2	7	1	2	3	4	5	7	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	4.3	12	1	2	3	6	10	11	11
20-34	45	6.8	29	2	2	5	9	18	18	20
35-49	3	8.3	16	4	5	9	11	12	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	703	2.6	3	1	1	2	3	4	6	9
B. Operated	15	3.7	18	< 1	1	2	5	8	14	16
2. MULTIPLE DX										
A. Not Operated	678	2.8	4	1	2	2	3	5	6	10
B. Operated	57	6.5	26	2	2	5	9	13	18	20
1. SINGLE DX	718	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	735	3.1	6	1	2	2	4	6	8	13
A. Not Operated	1381	2.7	3	1	2	2	3	5	6	10
B. Operated	72	5.9	25	1	2	4	9	13	18	20
TOTAL										
0-19 YRS	232	2.4	3	1	1	2	3	4	6	9
20-34	1151	2.9	5	1	2	2	3	5	7	12
35-49	70	3.3	6	1	2	3	4	5	7	14
50-64	0									
65 +	0									
GRAND TOTAL	**1453**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**7**	**12**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	168	1.1	1	< 1	< 1	1	1	1	2	4
20-34	683	1.1		< 1	< 1	< 1	1	1	2	4
35-49	61	1.1		< 1	< 1	< 1	1	1	1	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	53	1.1		< 1	< 1	< 1	1	1	2	2
20-34	169	1.2	1	< 1	< 1	< 1	1	1	2	5
35-49	16	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.6	3	< 1	< 1	1	1	2	4	10
20-34	157	1.8	8	< 1	< 1	1	1	3	6	15
35-49	13	5.9	284	< 1	1	1	2	14	53	62
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	3	3
20-34	42	2.9	26	< 1	< 1	1	1	8	18	19
35-49	8	1.1		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	912	1.1		< 1	< 1	< 1	1	1	2	4
B. Operated	238	1.1	1	< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	206	2.0	25	< 1	< 1	1	1	3	5	22
B. Operated	58	2.5	19	< 1	< 1	1	1	4	17	19
1. SINGLE DX	1150	1.1	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	264	2.1	23	< 1	< 1	1	1	3	6	19
A. Not Operated	1118	1.3	5	< 1	< 1	< 1	1	1	2	6
B. Operated	296	1.4	5	< 1	< 1	< 1	1	1	2	17
TOTAL										
0-19 YRS	265	1.2	1	< 1	< 1	1	1	1	2	5
20-34	1051	1.3	3	< 1	< 1	< 1	1	1	2	8
35-49	98	1.7	38	< 1	< 1	< 1	1	1	2	35
50-64	0									
65 +	0									
GRAND TOTAL	**1414**	**1.3**	**5**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	**7**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	148	2.7	8	1	1	2	3	5	7	15
35-49	29	2.6	3	< 1	1	2	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	28	3.3	7	1	1	3	5	7	9	11
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	4	1	2	3	4	6	6	6
20-34	117	4.4	36	1	1	3	5	10	14	32
35-49	26	8.6	286	1	1	3	6	14	65	65
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	30	4.5	27	1	1	3	6	9	17	25
35-49	4	13.5	296	1	1	7	25	38	38	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	2.7	7	1	1	2	3	5	7	15
B. Operated	34	3.0	6	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. Not Operated	148	5.1	80	1	1	3	5	10	14	65
B. Operated	34	5.6	60	1	1	3	6	13	23	38
1. SINGLE DX	219	2.7	7	1	1	2	3	5	7	14
2. MULTIPLE DX	182	5.1	76	1	1	3	5	11	16	59
A. Not Operated	333	3.7	41	1	1	2	4	6	13	29
B. Operated	68	4.3	34	1	1	3	5	8	13	36
TOTAL										
0-19 YRS	15	2.5	2	1	1	2	3	4	6	6
20-34	323	3.5	20	1	1	2	4	7	12	24
35-49	63	5.7	144	1	1	2	5	9	22	65
50-64	0									
65 +	0									
GRAND TOTAL	**401**	**3.8**	**39**	**1**	**1**	**2**	**4**	**7**	**13**	**31**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.4	1	<1	1	1	2	3	4	5
20-34	172	2.0	5	<1	1	1	2	4	5	13
35-49	29	2.2	8	1	1	1	2	4	10	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	14	1.6	1	<1	<1	1	3	3	4	4
20-34	31	1.8	2	<1	1	1	2	4	4	7
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.1	3	<1	1	1	2	5	6	6
20-34	119	2.1	3	<1	1	1	3	4	6	9
35-49	13	3.3	6	1	2	3	4	7	9	10
50-64	0									
65+	0									
B. Operated										
0-19 YRS	8	3.0	12	1	1	1	5	9	9	9
20-34	63	4.3	20	1	2	3	5	12	15	22
35-49	6	2.3	3	<1	1	2	2	6	6	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	2.0	5	<1	1	1	2	4	5	14
B. Operated	48	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	167	2.2	3	<1	1	2	3	5	6	9
B. Operated	77	4.0	18	1	1	2	5	10	14	21
1. SINGLE DX	281	1.9	4	<1	1	1	2	4	5	13
2. MULTIPLE DX	244	2.8	8	1	1	2	3	6	8	15
A. Not Operated	400	2.1	4	<1	1	1	2	4	6	10
B. Operated	125	3.1	13	<1	1	2	4	7	12	18
TOTAL										
0-19 YRS	89	1.9	3	<1	1	1	2	5	6	9
20-34	385	2.4	7	<1	1	1	3	5	7	15
35-49	51	2.4	7	1	1	1	3	5	10	14
50-64	0									
65+	0									
GRAND TOTAL	**525**	**2.3**	**6**	**<1**	**1**	**1**	**3**	**5**	**6**	**14**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	2.9	2	1	2	3	4	5	5	7
20-34	294	2.8	2	1	2	3	4	5	5	6
35-49	6	2.5	1	1	2	3	3	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	13	2.8	5	<1	1	3	4	6	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	326	2.8	2	1	2	3	3	5	5	8
20-34	756	3.1	2	1	2	3	4	5	6	8
35-49	52	3.2	5	1	2	3	4	6	7	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	37	3.4	6	1	2	3	4	8	8	11
20-34	95	4.0	17	1	2	3	5	7	10	25
35-49	9	2.6	3	1	2	2	3	5	6	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	431	2.8	2	1	2	3	4	5	5	7
B. Operated	18	2.5	4	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated	1134	3.0	3	1	2	3	4	5	6	8
B. Operated	141	3.8	13	1	2	3	4	7	9	14
1. SINGLE DX	449	2.8	2	1	2	3	4	5	5	7
2. MULTIPLE DX	1275	3.1	4	1	2	3	4	5	6	9
A. Not Operated	1565	2.9	2	1	2	3	4	5	6	8
B. Operated	159	3.6	12	1	2	3	4	7	8	12
TOTAL										
0-19 YRS	498	2.9	3	1	2	3	4	5	6	8
20-34	1158	3.1	4	1	2	3	4	5	6	8
35-49	68	3.0	4	1	2	3	3	5	6	13
50-64	0									
65+	0									
GRAND TOTAL	**1724**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.9	6	1	1	2	4	6	7	12
20-34	317	3.0	5	1	2	2	4	5	7	14
35-49	76	2.8	2	1	2	3	4	5	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	25	2.0	3	1	1	1	2	4	6	9
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	2.8	6	1	1	2	4	6	7	12
20-34	1166	2.8	7	1	1	2	3	5	8	13
35-49	177	3.0	7	1	1	2	4	6	8	15
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	47	5.2	69	< 1	1	3	5	9	32	37
20-34	299	3.8	20	1	1	3	4	7	10	23
35-49	29	3.3	6	1	1	3	4	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	423	3.0	4	1	2	2	4	5	6	12
B. Operated	30	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	1534	2.8	6	1	1	2	3	5	8	13
B. Operated	375	3.9	25	1	1	3	4	7	10	35
1. SINGLE DX	453	2.9	4	1	2	2	4	5	6	12
2. MULTIPLE DX	1909	3.0	10	1	1	2	4	6	8	15
A. Not Operated	1957	2.9	6	1	1	2	3	5	7	13
B. Operated	405	3.8	24	1	1	3	4	7	10	34
TOTAL										
0-19 YRS	270	3.2	17	1	1	2	4	7	9	27
20-34	1807	3.0	9	1	1	2	4	6	8	14
35-49	284	3.0	5	1	1	2	4	5	7	13
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**2362**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	572	2.1	8	< 1	1	1	2	4	5	16
20-34	2248	1.9	4	< 1	1	1	2	3	5	11
35-49	225	1.9	4	< 1	< 1	1	2	4	5	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	198	2.5	8	< 1	1	1	3	6	7	11
20-34	1089	2.1	8	< 1	< 1	1	2	4	6	16
35-49	113	3.0	31	< 1	< 1	1	2	4	17	29
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	398	2.8	9	1	1	2	3	6	8	14
20-34	1720	2.7	13	< 1	1	2	3	5	7	16
35-49	215	3.3	32	< 1	1	2	3	7	10	27
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	177	3.7	23	< 1	1	2	4	8	12	29
20-34	1066	3.6	22	< 1	1	2	4	8	11	23
35-49	158	4.1	56	< 1	1	2	5	8	11	41
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3046	1.9	5	< 1	1	1	2	4	5	11
B. Operated	1400	2.2	10	< 1	< 1	1	2	4	7	19
2. MULTIPLE DX										
A. Not Operated	2333	2.7	14	< 1	1	2	3	6	8	16
B. Operated	1401	3.7	26	< 1	1	2	4	8	11	25
1. SINGLE DX	4446	2.0	7	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX	3734	3.1	19	< 1	1	2	3	6	10	20
A. Not Operated	5379	2.3	9	< 1	1	1	3	4	6	14
B. Operated	2801	3.0	18	< 1	1	1	3	6	10	21
TOTAL										
0-19 YRS	1345	2.6	11	< 1	1	1	3	5	8	16
20-34	6123	2.5	11	< 1	1	1	3	5	7	16
35-49	711	3.0	29	< 1	1	1	3	6	10	26
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**8180**	**2.5**	**13**	**< 1**	**1**	**1**	**3**	**5**	**8**	**17**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	1.8	2	1	1	2	2	3	4	9
20-34	537	1.7	1	1	1	2	2	2	3	4
35-49	70	1.7		1	1	2	2	2	2	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	1.9	1	1	1	2	2	3	3	4
20-34	377	1.9	1	1	1	2	2	3	4	5
35-49	54	2.1	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	221	1.6		1	1	2	2	3	3	4
20-34	1104	1.8	1	1	1	2	2	3	3	6
35-49	150	1.8	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	258	2.9	11	1	2	2	3	5	6	17
20-34	2439	2.8	6	1	2	2	3	4	5	12
35-49	424	3.1	15	1	2	3	4	5	6	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	704	1.7	1	1	1	2	2	2	3	4
B. Operated	485	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	1475	1.8	1	1	1	2	2	3	3	5
B. Operated	3121	2.8	7	1	2	2	3	4	5	14
1. SINGLE DX	1189	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	4596	2.5	6	1	1	2	3	4	5	10
A. Not Operated	2179	1.8	1	1	1	2	2	3	3	4
B. Operated	3606	2.7	7	1	2	2	3	4	5	12
TOTAL										
0-19 YRS	630	2.2	5	1	1	2	2	4	5	9
20-34	4457	2.3	4	1	1	2	3	4	4	9
35-49	698	2.6	9	1	2	2	3	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**5785**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**9**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3160	1.5	1	1	1	1	2	2	2	3
20-34	16681	1.5	1	1	1	1	2	2	2	3
35-49	1509	1.5	1	1	1	1	2	2	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1269	1.5		1	1	1	2	2	2	3
20-34	7806	1.5		1	1	1	2	2	2	3
35-49	706	1.6	1	1	1	1	2	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	1.5		1	1	1	2	2	2	3
20-34	1081	1.6	1	1	1	1	2	2	3	3
35-49	100	1.6	1	1	1	1	2	2	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	106	1.6	1	1	1	2	2	2	3	5
20-34	2085	1.9	1	1	1	2	2	3	3	4
35-49	282	2.1	2	1	2	2	2	3	3	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21351	1.5	1	1	1	1	2	2	2	3
B. Operated	9781	1.5		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	1406	1.6	1	1	1	1	2	2	3	3
B. Operated	2473	1.9	1	1	1	2	2	3	3	4
1. SINGLE DX	31132	1.5	1	1	1	1	2	2	2	3
2. MULTIPLE DX	3879	1.8	1	1	1	2	2	3	3	4
A. Not Operated	22757	1.5	1	1	1	1	2	2	2	3
B. Operated	12254	1.6	1	1	1	1	2	2	3	3
TOTAL										
0-19 YRS	4759	1.5	1	1	1	1	2	2	2	3
20-34	27653	1.5	1	1	1	1	2	2	3	3
35-49	2597	1.6	1	1	1	2	2	2	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**35011**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	1.3		1	1	1	2	2	2	2
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	76	4.5	19	2	3	3	4	8	14	26
35-49	23	4.3	11	2	3	4	4	8	13	16
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	4.8	64	1	2	2	3	12	27	30
35-49	3	6.7	30	1	2	7	11	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	7.3	120	2	3	4	6	11	37	46
20-34	364	7.3	97	3	3	4	5	18	32	54
35-49	95	7.7	83	3	3	4	6	21	30	46
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.6	1	1	1	1	2	3	3	3
B. Operated	102	4.4	17	2	3	3	4	7	13	24
2. MULTIPLE DX										
A. Not Operated	16	4.9	53	1	2	2	4	11	25	30
B. Operated	474	7.4	94	3	3	4	6	18	32	51
1. SINGLE DX	116	4.1	16	1	2	3	4	6	13	23
2. MULTIPLE DX	490	7.3	93	3	3	4	6	17	31	51
A. Not Operated	30	3.3	30	1	1	2	3	6	12	30
B. Operated	576	6.9	82	3	3	4	5	16	28	50
TOTAL										
0-19 YRS	20	6.0	95	1	2	4	5	9	28	46
20-34	462	6.6	83	2	3	4	5	16	28	51
35-49	123	7.0	69	2	3	4	6	16	29	42
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**606**	**6.7**	**80**	**2**	**3**	**4**	**5**	**16**	**28**	**50**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.3		1	1	1	2	2	2	2
20-34	52	1.5		1	1	1	2	2	3	3
35-49	5	1.8		< 1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	2.0	1	1	1	2	3	3	4	4
20-34	79	2.5	2	1	1	2	4	4	5	6
35-49	11	2.8	2	1	2	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.0	2	1	1	2	2	4	5	5
20-34	110	2.1	2	1	1	2	3	3	3	9
35-49	8	2.4	3	< 1	1	2	3	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	79	3.0	4	1	2	3	4	5	7	11
20-34	569	3.8	14	1	2	3	4	6	10	19
35-49	89	5.2	63	1	2	4	5	6	15	49
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	1.5		1	1	1	2	2	3	3
B. Operated	103	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	130	2.1	2	1	1	2	3	3	4	8
B. Operated	737	3.9	19	1	2	3	4	6	10	23
1. SINGLE DX	167	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX	867	3.6	17	1	2	3	4	5	9	19
A. Not Operated	194	1.9	1	1	1	2	2	3	3	7
B. Operated	840	3.7	17	1	2	3	4	5	9	20
TOTAL										
0-19 YRS	111	2.7	3	1	1	2	4	5	6	10
20-34	810	3.3	11	1	2	3	4	5	8	16
35-49	113	4.7	51	1	2	3	5	6	11	46
50-64	0									
65 +	0									
GRAND TOTAL	**1034**	**3.4**	**15**	**1**	**2**	**3**	**4**	**5**	**8**	**18**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	35	1.6	1	1	1	1	2	2	3	4
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	29	1.6		1	1	2	2	2	2	2
20-34	265	1.6		1	1	2	2	2	3	4
35-49	36	1.9	1	1	1	2	2	3	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	29	1.9	1	1	1	2	2	3	3	4
35-49	9	2.0	2	1	1	1	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	1.8	1	1	1	2	2	3	3	4
20-34	334	2.2	3	1	1	2	3	3	5	7
35-49	54	3.0	9	1	2	2	3	6	7	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.5		1	1	1	2	2	3	4
B. Operated	330	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	39	1.9	1	1	1	2	2	3	4	5
B. Operated	432	2.3	4	1	1	2	3	4	5	7
1. SINGLE DX	373	1.6	1	1	1	2	2	2	3	4
2. MULTIPLE DX	471	2.3	4	1	1	2	3	4	5	7
A. Not Operated	82	1.7	1	1	1	2	2	3	4	5
B. Operated	762	2.0	2	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	79	1.7		1	1	2	2	2	3	4
20-34	663	1.9	2	1	1	2	2	3	4	5
35-49	102	2.5	5	1	1	2	3	4	6	14
50-64	0									
65 +	0									
GRAND TOTAL	**844**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	1.6		1	1	2	2	2	3	3
20-34	160	1.7	1	1	1	2	2	3	3	4
35-49	17	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	1.8		1	1	2	2	3	3	3
20-34	118	1.8	1	1	1	2	2	2	3	5
35-49	13	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.0	1	1	2	2	2	3	4	4
20-34	149	1.9	1	1	1	2	2	3	3	4
35-49	19	1.8		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	2.1	1	1	1	2	3	3	4	5
20-34	265	2.2	2	1	2	2	3	3	4	6
35-49	20	3.0	4	1	2	2	3	6	8	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	1.7	1	1	1	2	2	3	3	4
B. Operated	150	1.8	1	1	1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	209	1.9	1	1	1	2	2	3	3	4
B. Operated	332	2.2	2	1	2	2	3	3	4	7
1. SINGLE DX	356	1.7	1	1	1	2	2	2	3	3
2. MULTIPLE DX	541	2.1	2	1	1	2	3	3	4	6
A. Not Operated	415	1.8	1	1	1	2	2	3	3	4
B. Operated	482	2.1	2	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	136	1.9	1	1	1	2	2	3	3	4
20-34	692	1.9	1	1	1	2	2	3	3	5
35-49	69	2.1	2	1	1	2	2	3	4	9
50-64	0									
65 +	0									
GRAND TOTAL	**897**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8		1	2	2	2	2	2	2
20-34	55	2.2	3	1	1	2	2	4	4	13
35-49	7	1.9	1	< 1	1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	58	2.5	1	1	2	2	3	4	4	4
35-49	5	3.6		3	3	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.6		1	1	2	2	2	2	2
20-34	77	3.6	79	1	2	2	3	4	8	61
35-49	16	3.7	23	2	2	2	3	9	17	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	4.5	14	2	3	3	4	10	11	21
20-34	656	4.5	32	2	2	4	4	6	10	35
35-49	127	4.8	28	2	3	4	5	6	15	53
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.1	3	1	1	2	2	4	4	12
B. Operated	66	2.6	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	103	3.4	63	1	2	2	3	4	9	48
B. Operated	833	4.5	30	2	3	4	5	6	10	35
1. SINGLE DX	134	2.4	2	1	2	2	3	4	4	6
2. MULTIPLE DX	936	4.4	34	2	2	3	4	6	10	35
A. Not Operated	171	2.9	39	1	1	2	3	4	5	19
B. Operated	899	4.4	28	2	2	4	4	6	10	34
TOTAL										
0-19 YRS	69	3.8	11	1	2	3	4	8	11	20
20-34	846	4.1	32	2	2	3	4	6	9	34
35-49	155	4.5	26	2	2	4	5	6	14	39
50-64	0									
65 +	0									
GRAND TOTAL	**1070**	**4.1**	**30**	**2**	**2**	**3**	**4**	**6**	**10**	**34**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.4		1	1	1	2	2	2	2
20-34	53	1.7	1	1	1	2	2	3	3	4
35-49	7	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	146	3.3	1	2	3	3	4	4	5	6
20-34	1150	3.3	1	2	3	3	4	4	4	5
35-49	127	3.3	1	2	3	3	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.6	1	< 1	1	1	2	4	4	4
20-34	77	2.2	4	1	1	2	2	3	5	14
35-49	8	3.9	12	1	2	3	4	10	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	212	3.9	5	3	3	3	4	6	8	11
20-34	1832	3.6	4	3	3	3	4	5	5	9
35-49	340	3.9	6	2	3	4	4	5	5	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	1.7	1	1	1	2	2	3	3	4
B. Operated	1423	3.3	1	2	3	3	4	4	4	5
2. MULTIPLE DX										
A. Not Operated	97	2.2	5	1	1	2	2	4	5	14
B. Operated	2384	3.7	5	3	3	3	4	5	5	10
1. SINGLE DX	1491	3.2	1	2	3	3	4	4	4	5
2. MULTIPLE DX	2481	3.6	5	2	3	3	4	5	5	10
A. Not Operated	165	2.0	3	1	1	2	2	3	4	12
B. Operated	3807	3.5	3	3	3	3	4	4	5	8
TOTAL										
0-19 YRS	378	3.5	3	2	3	3	4	5	6	10
20-34	3112	3.4	3	2	3	3	4	4	5	7
35-49	482	3.7	5	2	3	4	4	5	5	11
50-64	0									
65 +	0									
GRAND TOTAL	**3972**	**3.5**	**3**	**2**	**3**	**3**	**4**	**4**	**5**	**9**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	1.7	1	1	1	2	2	2	3	4
20-34	296	1.6		1	1	2	2	2	3	3
35-49	48	1.7	1	1	1	2	2	2	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	2.1	1	1	1	2	3	4	4	6
20-34	573	2.2	3	1	1	2	3	4	4	5
35-49	78	2.6	2	1	2	2	3	4	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.2	7	1	1	2	2	4	5	16
20-34	391	1.8	1	1	1	2	2	3	3	4
35-49	40	1.7	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	379	3.1	4	1	2	3	4	5	5	9
20-34	3168	3.0	2	1	2	3	4	4	5	8
35-49	479	3.3	4	2	2	3	4	5	6	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	384	1.7		1	1	2	2	2	3	4
B. Operated	733	2.2	3	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	468	1.8	1	1	1	2	2	3	3	5
B. Operated	4028	3.0	3	1	2	3	4	5	5	8
1. SINGLE DX	1117	2.0	2	1	1	2	3	3	4	5
2. MULTIPLE DX	4496	2.9	3	1	2	3	4	4	5	8
A. Not Operated	852	1.7	1	1	1	2	2	3	3	4
B. Operated	4761	2.9	3	1	2	3	4	4	5	6
TOTAL										
0-19 YRS	537	2.8	4	1	2	2	4	4	5	9
20-34	4428	2.7	2	1	2	3	3	4	5	7
35-49	645	3.0	3	1	2	3	4	5	5	8
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	0									
GRAND TOTAL	**5613**	**2.7**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	16	2.1	2	< 1	1	1	4	4	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	72	3.7	1	3	3	4	4	5	5	7
20-34	446	3.6	1	3	3	4	4	5	5	6
35-49	52	3.8	1	3	3	4	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	19	2.5	4	< 1	1	2	3	5	8	10
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	490	4.2	4	3	3	4	5	6	7	14
20-34	3741	3.9	1	3	3	4	4	5	6	8
35-49	572	4.1	2	3	3	4	5	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.1	2	< 1	1	2	3	4	5	5
B. Operated	570	3.6	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	24	2.5	4	1	1	2	3	4	6	10
B. Operated	4803	3.9	2	3	3	4	4	5	6	9
1. SINGLE DX	590	3.6	1	3	3	4	4	5	5	6
2. MULTIPLE DX	4827	3.9	2	3	3	4	4	5	6	9
A. Not Operated	44	2.3	3	< 1	1	2	3	4	5	10
B. Operated	5373	3.9	2	3	3	4	4	5	6	8
TOTAL										
0-19 YRS	569	4.1	4	3	3	4	4	5	7	13
20-34	4222	3.8	1	3	3	4	4	5	6	8
35-49	626	4.0	2	3	3	4	5	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**5417**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**	**8**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	1.7		1	1	2	2	2	3	4
20-34	512	1.7		1	1	2	2	3	3	3
35-49	47	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	163	2.8	2	1	2	3	4	4	5	8
20-34	1055	2.6	2	1	2	2	4	4	5	6
35-49	103	2.7	2	1	2	3	3	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	1.8	1	1	1	2	2	3	3	4
20-34	627	1.9	1	1	1	2	2	3	3	4
35-49	76	2.0	1	1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	563	3.3	6	1	2	3	4	5	7	12
20-34	4081	3.1	3	1	2	3	4	5	5	8
35-49	646	3.1	2	2	2	3	4	5	5	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	648	1.7		1	1	2	2	3	3	3
B. Operated	1321	2.6	2	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	808	1.9	1	1	1	2	2	3	3	4
B. Operated	5290	3.1	3	1	2	3	4	5	5	8
1. SINGLE DX	1969	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX	6098	2.9	3	1	2	3	4	5	5	8
A. Not Operated	1456	1.8	1	1	1	2	2	3	3	4
B. Operated	6611	3.0	3	1	2	3	4	5	5	7
TOTAL										
0-19 YRS	920	2.9	5	1	2	2	4	5	6	9
20-34	6275	2.8	2	1	2	2	4	4	5	7
35-49	872	2.9	2	1	2	3	4	5	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**8067**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**5**	**7**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	50	1.6	1	1	1	1	2	2	3	4
35-49	8	2.1	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	3.4	2	1	2	4	4	5	5	8
20-34	229	2.9	2	1	2	3	4	5	5	7
35-49	30	2.9	2	1	2	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.0	25	1	1	3	4	12	16	16
20-34	60	2.5	26	1	1	2	2	3	5	37
35-49	8	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	79	3.8	3	2	3	3	4	6	7	9
20-34	748	3.3	5	2	2	3	4	5	5	9
35-49	143	4.2	50	1	2	3	4	5	6	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	1.6	1	1	1	1	2	3	3	4
B. Operated	296	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	76	2.6	23	1	1	2	2	3	5	34
B. Operated	970	3.5	11	2	2	3	4	5	6	13
1. SINGLE DX	361	2.7	2	1	2	2	4	5	5	6
2. MULTIPLE DX	1046	3.4	12	1	2	3	4	5	6	13
A. Not Operated	141	2.2	13	1	1	2	2	3	4	18
B. Operated	1266	3.4	9	1	2	3	4	5	5	12
TOTAL										
0-19 YRS	131	3.5	4	1	2	3	4	6	7	11
20-34	1087	3.1	5	1	2	3	4	5	5	9
35-49	189	3.8	38	1	2	3	4	5	6	17
50-64	0									
65 +	0									
GRAND TOTAL	**1407**	**3.2**	**10**	**1**	**2**	**3**	**4**	**5**	**5**	**12**

295: Previous cesarean section (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.7	1	1	1	2	2	3	3	3
20-34	437	1.6		1	1	2	2	2	3	3
35-49	55	1.6		1	1	2	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	94	3.0	1	2	3	3	3	4	4	6
20-34	2617	3.0	1	2	3	3	4	4	4	5
35-49	386	3.2	1	2	3	3	4	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.7	1	1	1	2	2	3	3	3
20-34	338	1.8	1	1	1	2	2	3	3	4
35-49	53	1.8	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	157	3.2	3	1	2	3	4	5	5	10
20-34	6169	3.2	2	2	3	3	4	4	5	7
35-49	1197	3.3	1	2	3	3	4	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	512	1.6		1	1	2	2	2	3	3
B. Operated	3097	3.0	1	2	3	3	4	4	4	5
2. MULTIPLE DX										
A. Not Operated	401	1.8	1	1	1	2	2	3	3	4
B. Operated	7524	3.2	2	2	3	3	4	4	5	7
1. SINGLE DX	3609	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	7925	3.2	2	2	3	3	4	4	5	7
A. Not Operated	913	1.7	1	1	1	2	2	3	3	4
B. Operated	10621	3.2	2	2	3	3	4	4	5	7
TOTAL										
0-19 YRS	281	3.0	2	1	2	3	3	4	5	8
20-34	9561	3.1	2	2	2	3	4	4	5	6
35-49	1691	3.2	1	2	3	3	4	4	5	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**11534**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	1.8	1	1	1	2	2	2	3	7
20-34	493	1.8	1	1	1	2	2	3	3	5
35-49	48	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	86	1.8	1	1	1	2	2	3	3	4
20-34	500	1.8	1	1	1	2	2	3	3	5
35-49	53	1.8	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	2.5	5	1	1	2	3	5	6	14
20-34	619	2.4	7	1	1	2	3	3	5	14
35-49	86	2.5	6	1	2	2	3	4	5	17
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	310	3.2	15	1	2	2	4	5	7	15
20-34	2198	3.2	14	1	2	2	3	5	7	18
35-49	368	3.8	36	1	2	3	4	5	7	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	603	1.8	1	1	1	2	2	3	3	5
B. Operated	639	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	824	2.5	6	1	1	2	3	4	5	14
B. Operated	2876	3.2	17	1	2	2	4	5	7	19
1. SINGLE DX	1242	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	3700	3.1	15	1	2	2	3	5	7	18
A. Not Operated	1427	2.2	4	1	1	2	2	3	4	11
B. Operated	3515	3.0	14	1	2	2	3	5	6	17
TOTAL										
0-19 YRS	576	2.7	9	1	2	2	3	5	6	14
20-34	3810	2.7	10	1	2	2	3	4	6	14
35-49	555	3.2	25	1	2	2	3	5	6	23
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**4942**	**2.8**	**11**	**1**	**2**	**2**	**3**	**4**	**6**	**15**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	601	1.5		1	1	1	2	2	3	4
20-34	3805	1.6	1	1	1	1	2	2	2	3
35-49	394	1.7	1	1	1	2	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	400	1.5		1	1	1	2	2	3	3
20-34	2887	1.6	1	1	1	1	2	2	3	4
35-49	321	1.7	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	275	1.7	1	1	1	2	2	3	3	5
20-34	1642	1.7	1	1	1	2	2	3	3	4
35-49	185	1.8	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	426	2.0	5	1	1	2	2	3	4	7
20-34	3926	2.0	2	1	1	2	2	3	4	5
35-49	538	2.1	1	1	2	2	2	3	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4800	1.6	1	1	1	1	2	2	3	3
B. Operated	3608	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	2102	1.7	1	1	1	2	2	3	3	4
B. Operated	4890	2.0	2	1	1	2	2	3	4	5
1. SINGLE DX	8408	1.6	1	1	1	1	2	2	3	3
2. MULTIPLE DX	6992	1.9	2	1	1	2	2	3	3	5
A. Not Operated	6902	1.6	1	1	1	2	2	2	3	4
B. Operated	8498	1.8	2	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	1702	1.7	2	1	1	1	2	2	3	4
20-34	12260	1.7	1	1	1	2	2	3	3	4
35-49	1438	1.9	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
GRAND TOTAL	**15400**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	254	1.5		1	1	1	2	2	3	4
20-34	1305	1.5		1	1	1	2	2	2	3
35-49	123	1.5		1	1	1	2	2	2	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1511	1.5	1	1	1	1	2	2	2	3
20-34	9375	1.5	1	1	1	1	2	2	2	3
35-49	938	1.5		1	1	1	2	2	2	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	1.6	1	1	1	2	2	3	3	3
20-34	800	1.7	1	1	1	2	2	2	3	5
35-49	99	1.8	1	1	1	2	2	3	3	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1206	1.7	1	1	1	2	2	3	3	5
20-34	8554	1.7	2	1	1	2	2	3	3	5
35-49	1051	1.8	1	1	1	2	2	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1682	1.5		1	1	1	2	2	2	3
B. Operated	11826	1.5	1	1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	1062	1.7	1	1	1	2	2	2	3	4
B. Operated	10812	1.8	2	1	1	2	2	3	3	5
1. SINGLE DX	13508	1.5	1	1	1	1	2	2	2	3
2. MULTIPLE DX	11874	1.7	2	1	1	2	2	3	3	5
A. Not Operated	2744	1.6		1	1	1	2	2	3	4
B. Operated	22638	1.6	1	1	1	1	2	2	3	4
TOTAL										
0-19 YRS	3134	1.6	1	1	1	1	2	2	3	4
20-34	20034	1.6	1	1	1	1	2	2	3	4
35-49	2211	1.7	1	1	1	2	2	2	3	4
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**25382**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	1.6		1	1	2	2	2	3	3
20-34	275	1.8	1	1	1	2	2	2	3	3
35-49	28	1.9		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	446	1.7	1	1	1	2	2	2	3	4
20-34	1966	1.7	1	1	1	2	2	2	3	4
35-49	135	1.5		1	1	1	2	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.1	1	1	2	2	2	3	3	6
20-34	202	2.0	1	1	1	2	2	3	3	4
35-49	17	2.2	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	494	2.0	1	1	1	2	2	3	4	5
20-34	2602	2.0	1	1	1	2	2	3	3	5
35-49	219	2.1	1	1	2	2	3	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	360	1.8	1	1	1	2	2	2	3	3
B. Operated	2547	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	263	2.0	1	1	2	2	2	3	3	4
B. Operated	3316	2.0	1	1	1	2	2	3	3	5
1. SINGLE DX	2907	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX	3579	2.0	1	1	1	2	2	3	3	5
A. Not Operated	623	1.9	1	1	1	2	2	3	3	4
B. Operated	5863	1.9	1	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	1041	1.8	1	1	1	2	2	3	3	5
20-34	5045	1.9	1	1	1	2	2	3	3	4
35-49	399	1.9	1	1	1	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**6486**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	1.6		1	1	2	2	2	3	3
20-34	216	1.5		1	1	1	2	2	2	4
35-49	18	1.9	2	1	1	2	2	2	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	223	1.4		1	1	1	2	2	2	3
20-34	928	1.5	1	1	1	1	2	2	3	4
35-49	51	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	1.8	1	1	1	2	2	3	3	5
20-34	166	1.8	1	1	1	2	2	3	3	4
35-49	10	1.6	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	292	1.7	1	1	1	2	2	2	3	4
20-34	1233	1.9	2	1	1	2	2	3	3	7
35-49	119	2.0	1	1	1	2	2	3	4	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	1.6	1	1	1	1	2	2	3	4
B. Operated	1202	1.5	1	1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	209	1.8	1	1	1	2	2	3	3	5
B. Operated	1644	1.9	2	1	1	2	2	3	3	7
1. SINGLE DX	1501	1.5	1	1	1	1	2	2	3	3
2. MULTIPLE DX	1853	1.9	2	1	1	2	2	3	3	6
A. Not Operated	508	1.6	1	1	1	2	2	2	3	4
B. Operated	2846	1.7	1	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	613	1.6	1	1	1	2	2	2	3	4
20-34	2543	1.7	1	1	1	2	2	3	3	5
35-49	198	1.9	1	1	1	2	2	3	3	6
50-64	0									
65 +	0									
GRAND TOTAL	**3354**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	658	1.9	4	1	1	2	2	3	4	9
20-34	3284	1.7	2	1	1	2	2	3	3	5
35-49	363	1.7	1	1	1	2	2	2	3	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1143	2.0	2	1	1	2	2	3	4	7
20-34	6361	1.9	1	1	1	2	2	3	4	5
35-49	692	2.1	3	1	1	2	2	3	4	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	756	2.1	4	1	1	2	2	3	4	9
20-34	3913	2.0	2	1	1	2	2	3	4	7
35-49	509	2.1	3	1	1	2	2	3	5	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3086	2.9	7	1	2	2	3	5	6	15
20-34	19996	2.9	9	1	2	2	3	5	6	13
35-49	2856	3.2	12	1	2	3	4	5	6	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4305	1.8	2	1	1	2	2	3	3	6
B. Operated	8196	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	5178	2.0	3	1	1	2	2	3	4	7
B. Operated	25938	2.9	9	1	2	2	3	5	6	14
1. SINGLE DX	12501	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX	31116	2.8	8	1	2	2	3	5	6	13
A. Not Operated	9483	1.9	2	1	1	2	2	3	3	6
B. Operated	34134	2.7	7	1	2	2	3	4	5	12
TOTAL										
0-19 YRS	5643	2.5	5	1	1	2	3	4	6	12
20-34	33554	2.5	6	1	1	2	3	4	5	10
35-49	4420	2.8	9	1	2	2	3	4	6	12
50-64	0									
65 +	0									
GRAND TOTAL	**43617**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.7	1	1	2	3	3	4	5	6
20-34	113	3.0	3	2	2	3	3	4	6	11
35-49	6	2.7	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	3	< 1	1	4	4	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.3	7	1	2	3	4	5	8	16
20-34	144	3.3	3	2	2	3	4	5	6	10
35-49	20	3.6	3	2	2	3	4	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	42	6.4	39	1	2	4	8	14	18	32
35-49	3	8.7	10	5	6	10	11	11	11	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	2.9	3	2	2	3	3	4	5	9
B. Operated	5	3.2	5	< 1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	202	3.3	4	2	2	3	4	5	7	11
B. Operated	48	6.3	35	1	2	4	9	13	17	32
1. SINGLE DX	156	2.9	3	2	2	3	3	4	6	9
2. MULTIPLE DX	250	3.9	11	2	2	3	4	7	10	17
A. Not Operated	353	3.2	3	2	2	3	4	5	6	10
B. Operated	53	6.0	33	1	2	4	8	12	17	32
TOTAL										
0-19 YRS	74	3.0	4	1	2	3	4	5	6	14
20-34	302	3.6	9	2	2	3	4	6	9	16
35-49	30	4.0	6	2	2	3	5	7	10	11
50-64	0									
65 +	0									
GRAND TOTAL	**406**	**3.5**	**8**	**2**	**2**	**3**	**4**	**6**	**8**	**16**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	1.3	1	< 1	< 1	1	1	2	3	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.3	1	< 1	1	1	1	3	3	3
20-34	38	1.2		< 1	1	1	1	2	2	2
35-49	6	1.5	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	21	1.3		< 1	1	1	2	2	2	2
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.7	1	1	1	1	2	3	4	4
20-34	63	2.3	3	1	1	2	3	5	6	8
35-49	7	1.4	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.4	1	< 1	< 1	1	2	3	3	4
B. Operated	50	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	30	1.6	1	< 1	1	1	2	3	3	5
B. Operated	84	2.1	2	1	1	2	3	4	5	8
1. SINGLE DX	71	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	114	2.0	2	1	1	2	2	4	5	7
A. Not Operated	51	1.5	1	< 1	1	1	2	3	3	5
B. Operated	134	1.8	2	< 1	1	1	2	3	5	7
TOTAL										
0-19 YRS	28	1.7	1	1	1	1	2	3	3	4
20-34	140	1.7	2	< 1	1	1	2	3	5	7
35-49	17	1.8	1	1	1	1	2	3	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**185**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**	**7**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.9	6	1	2	4	5	8	8	8
20-34	76	3.5	8	1	2	3	4	7	9	15
35-49	5	3.4	2	2	2	3	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	2.0	4	< 1	1	1	2	5	8	8
20-34	96	2.1	4	1	1	1	2	5	7	11
35-49	7	1.6	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.4	20	1	1	3	6	11	14	17
20-34	90	4.5	13	1	2	3	7	9	12	19
35-49	17	5.1	17	1	2	4	8	9	14	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	4.1	10	1	2	3	6	9	11	12
20-34	97	3.9	35	1	1	2	4	9	11	36
35-49	9	5.2	53	1	1	2	6	18	23	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	3.5	7	1	2	3	4	7	8	15
B. Operated	114	2.1	4	1	1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	127	4.6	14	1	2	3	7	9	12	18
B. Operated	122	4.0	33	1	1	2	4	9	12	31
1. SINGLE DX	206	2.7	6	1	1	2	3	6	8	12
2. MULTIPLE DX	249	4.3	23	1	1	3	5	9	12	19
A. Not Operated	219	4.1	12	1	2	3	5	8	11	17
B. Operated	236	3.1	20	1	1	2	3	7	10	18
TOTAL										
0-19 YRS	58	3.8	12	1	1	3	5	8	11	17
20-34	359	3.5	16	1	1	2	4	8	10	17
35-49	38	4.2	21	1	1	2	5	9	14	23
50-64	0									
65 +	0									
GRAND TOTAL	**455**	**3.6**	**16**	**1**	**1**	**2**	**4**	**8**	**10**	**17**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	311	3.2	3	2	2	3	4	5	6	9
20-34	312	3.6	4	2	2	3	4	6	7	11
35-49	256	3.6	5	1	2	3	5	6	8	11
50-64	128	4.4	9	2	2	4	5	8	10	17
65 +	84	4.6	12	2	3	4	6	7	9	24
B. Operated										
0-19 YRS	155	3.9	13	< 1	1	3	5	8	12	17
20-34	193	5.3	12	2	3	4	7	9	11	18
35-49	146	5.2	14	2	3	4	7	9	12	19
50-64	46	6.0	25	2	3	4	7	12	19	25
65 +	10	4.1	9	1	2	3	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	533	3.8	9	1	2	3	5	7	9	13
20-34	694	4.5	10	2	3	4	6	8	10	16
35-49	976	5.3	20	2	3	4	6	9	13	20
50-64	866	5.8	19	2	3	5	7	10	13	24
65 +	1568	6.3	23	3	3	5	8	11	15	21
B. Operated										
0-19 YRS	244	5.7	44	2	3	4	7	10	14	58
20-34	528	7.3	42	2	4	6	9	14	19	35
35-49	676	8.4	60	2	4	6	10	17	24	40
50-64	421	9.9	108	3	4	7	12	19	29	57
65 +	449	10.9	81	3	5	8	14	22	28	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1091	3.7	5	2	2	3	4	6	7	11
B. Operated	550	4.9	14	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	4637	5.4	19	2	3	4	7	10	13	20
B. Operated	2318	8.6	70	2	4	6	10	17	24	45
1. SINGLE DX	1641	4.1	9	2	2	3	5	7	9	15
2. MULTIPLE DX	6955	6.5	38	2	3	5	8	12	17	31
A. Not Operated	5728	5.1	17	2	3	4	6	9	12	19
B. Operated	2868	7.9	61	2	3	6	9	16	22	42
TOTAL										
0-19 YRS	1243	4.0	15	1	2	3	5	7	10	16
20-34	1727	5.3	21	2	3	4	6	9	13	24
35-49	2054	6.1	34	2	3	4	7	11	16	29
50-64	1461	6.9	48	2	3	5	8	12	17	42
65 +	2111	7.2	39	3	4	6	9	14	18	30
GRAND TOTAL	**8596**	**6.0**	**33**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	3.3	3	1	2	3	4	5	6	9
20-34	47	4.2	24	1	2	3	5	7	15	29
35-49	21	3.7	10	1	2	3	4	10	11	11
50-64	12	3.1	1	2	2	3	4	5	5	5
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	58	2.7	5	< 1	1	2	4	5	7	11
20-34	34	5.7	22	2	3	5	7	11	18	21
35-49	27	3.8	9	1	2	3	5	9	11	12
50-64	6	3.5	9	1	1	3	6	8	8	8
65 +	8	3.4	5	< 1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	186	3.5	5	1	2	3	4	6	8	14
20-34	95	3.9	7	2	2	3	4	7	8	17
35-49	77	4.6	12	2	3	4	6	8	11	21
50-64	86	6.0	14	2	4	5	8	11	14	19
65 +	94	5.7	9	2	3	5	8	10	11	14
B. Operated										
0-19 YRS	109	4.7	13	1	2	4	6	8	11	19
20-34	80	5.9	17	2	3	5	7	12	15	19
35-49	76	8.7	94	2	3	6	9	20	28	52
50-64	78	8.0	55	2	3	5	9	20	26	33
65 +	71	9.2	42	3	5	7	12	18	22	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.6	8	1	2	3	4	5	7	16
B. Operated	133	3.8	11	1	1	3	5	8	11	20
2. MULTIPLE DX										
A. Not Operated	538	4.5	10	2	2	4	6	8	10	16
B. Operated	414	7.1	44	2	3	5	8	15	20	32
1. SINGLE DX	329	3.6	10	1	2	3	4	6	9	18
2. MULTIPLE DX	952	5.6	26	2	3	4	7	11	15	27
A. Not Operated	734	4.3	10	2	2	3	5	8	10	16
B. Operated	547	6.3	38	1	2	5	7	13	19	29
TOTAL										
0-19 YRS	466	3.6	7	1	2	3	5	6	8	14
20-34	256	4.8	16	2	2	4	6	9	14	20
35-49	201	6.0	47	2	2	4	7	11	17	43
50-64	182	6.6	32	2	3	5	8	14	20	29
65 +	176	7.0	26	2	4	6	9	13	17	28
GRAND TOTAL	**1281**	**5.1**	**23**	**2**	**2**	**4**	**6**	**10**	**14**	**26**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	32	2.1	3	< 1	1	2	3	4	7	9
20-34	60	2.0	2	1	1	2	2	4	4	8
35-49	9	1.4	1	< 1	1	1	2	3	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.0	2	1	2	3	4	4	4	4
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	17	3.1	17	< 1	1	1	3	12	14	14
20-34	23	1.8	1	1	1	2	2	3	4	5
35-49	7	1.7	2	< 1	< 1	1	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	102	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	9	3.8	4	1	3	4	4	7	8	8
B. Operated	50	2.3	7	< 1	1	1	3	4	5	14
1. SINGLE DX	102	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	59	2.5	7	< 1	1	2	3	4	7	14
A. Not Operated	9	3.8	4	1	3	4	4	7	8	8
B. Operated	152	2.1	4	< 1	1	1	2	4	5	14
TOTAL										
0-19 YRS	55	2.5	7	< 1	1	2	3	4	8	14
20-34	85	2.0	2	1	1	2	2	4	5	8
35-49	16	1.6	1	< 1	1	1	2	4	4	4
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**161**	**2.2**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**	**13**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	15	1.2		< 1	< 1	< 1	1	2	2	2
20-34	7	5.7	98	1	1	2	4	23	28	28
35-49	11	1.3		< 1	< 1	1	1	2	3	3
50-64	4	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	8.0	85	1	1	5	14	21	21	21
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	9	3.4	5	1	2	3	5	7	8	8
65 +	3	3.0	1	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	4	1	2	4	5	5	5	5
B. Operated	38	2.0	19	< 1	< 1	1	1	3	4	28
2. MULTIPLE DX										
A. Not Operated	4	2.8	3	1	1	2	4	5	5	5
B. Operated	24	3.6	18	1	1	2	4	8	12	21
1. SINGLE DX	41	2.1	18	< 1	< 1	1	2	3	5	28
2. MULTIPLE DX	28	3.5	16	1	1	2	4	7	10	21
A. Not Operated	7	3.0	3	1	1	3	5	5	5	5
B. Operated	62	2.6	19	< 1	< 1	1	2	4	8	27
TOTAL										
0-19 YRS	22	1.6	2	< 1	< 1	1	2	4	5	5
20-34	13	5.8	75	1	1	2	5	22	27	28
35-49	15	1.7	1	< 1	< 1	1	2	3	4	4
50-64	14	2.7	5	< 1	1	2	4	6	7	8
65 +	5	2.2	2	1	1	2	3	4	4	4
GRAND TOTAL	**69**	**2.7**	**17**	**< 1**	**< 1**	**1**	**3**	**5**	**8**	**27**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	7.7	93	1	2	5	8	24	31	31
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	12.3	160	1	3	10	22	26	26	26
65 +	7	7.1	10	3	5	6	10	11	11	11
B. Operated										
0-19 YRS	6	16.3	267	1	4	9	37	37	37	37
20-34	12	9.6	214	2	3	4	12	25	50	54
35-49	15	7.6	118	1	2	3	7	18	36	42
50-64	16	9.8	162	1	1	5	13	27	42	48
65 +	23	5.8	19	1	2	5	8	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	8.4	72	2	4	5	10	21	30	32
20-34	59	8.5	86	2	3	6	10	17	30	53
35-49	84	8.9	51	2	4	7	12	16	21	37
50-64	84	8.4	73	2	3	6	10	21	24	49
65 +	295	8.4	48	3	4	7	10	16	20	54
B. Operated										
0-19 YRS	41	16.0	358	1	4	10	22	38	58	82
20-34	128	23.0	451	4	8	17	34	66	85	99 +
35-49	169	19.2	343	4	7	13	27	47	73	99 +
50-64	141	19.3	344	4	8	13	25	45	71	99 +
65 +	440	14.8	209	3	6	10	18	31	45	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	7.7	62	1	3	5	10	19	28	31
B. Operated	72	8.6	124	1	2	4	10	18	37	53
2. MULTIPLE DX										
A. Not Operated	534	8.5	57	3	4	6	10	16	22	50
B. Operated	919	17.5	302	4	6	11	23	41	61	99
1. SINGLE DX	93	8.4	109	1	2	5	10	18	36	51
2. MULTIPLE DX	1453	14.2	231	3	5	9	17	34	48	92
A. Not Operated	555	8.4	57	3	4	6	10	16	23	50
B. Operated	991	16.8	294	3	6	11	22	40	58	98
TOTAL										
0-19 YRS	59	14.5	293	1	4	8	17	37	39	82
20-34	208	17.4	365	3	5	10	25	47	70	99 +
35-49	270	15.2	263	3	5	9	19	38	53	99 +
50-64	244	14.8	262	2	5	9	19	35	49	98
65 +	765	12.0	150	3	5	8	14	25	36	69
GRAND TOTAL	**1546**	**13.8**	**225**	**3**	**5**	**9**	**16**	**33**	**47**	**91**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	3.0	7	1	2	2	4	6	7	18
20-34	47	3.0	6	< 1	1	2	4	7	8	13
35-49	33	3.5	7	1	1	3	5	7	9	10
50-64	14	1.4		1	1	1	2	2	3	3
65 +	9	6.1	32	1	2	5	7	15	20	20
B. Operated										
0-19 YRS	51	1.6	2	< 1	< 1	1	2	3	5	8
20-34	43	3.0	6	1	1	2	4	6	8	12
35-49	54	4.9	78	1	1	2	4	9	26	49
50-64	33	3.0	9	< 1	1	2	4	8	10	11
65 +	12	1.8	4	< 1	1	1	2	4	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	3.2	7	1	2	3	3	6	8	13
20-34	89	4.3	17	1	2	3	5	9	14	21
35-49	116	4.4	17	1	2	3	5	8	13	22
50-64	86	4.7	19	1	2	3	6	8	12	25
65 +	168	5.4	21	2	3	5	7	10	11	23
B. Operated										
0-19 YRS	82	4.8	94	< 1	1	2	6	10	17	62
20-34	74	4.5	19	1	2	3	5	10	14	21
35-49	101	4.3	24	1	1	3	5	10	17	62
50-64	74	3.7	10	1	2	3	5	7	10	18
65 +	78	8.0	94	1	2	5	10	19	22	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	3.2	8	1	1	2	4	7	8	18
B. Operated	193	3.1	27	< 1	1	1	3	7	9	32
2. MULTIPLE DX										
A. Not Operated	629	4.4	16	1	2	3	5	8	11	20
B. Operated	409	5.0	50	1	1	3	6	11	18	38
1. SINGLE DX	358	3.1	18	< 1	1	2	3	7	8	20
2. MULTIPLE DX	1038	4.6	29	1	2	3	6	9	13	24
A. Not Operated	794	4.1	15	1	2	3	5	8	11	20
B. Operated	602	4.4	43	< 1	1	2	5	10	15	33
TOTAL										
0-19 YRS	365	3.3	26	< 1	1	2	3	7	9	20
20-34	253	3.9	14	1	1	3	5	8	12	21
35-49	304	4.3	29	1	2	3	5	9	14	32
50-64	207	3.9	14	1	2	3	5	8	10	20
65 +	267	6.0	44	1	2	5	7	12	18	43
GRAND TOTAL	**1396**	**4.2**	**27**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	1.3	1	1	1	1	1	2	3	4
20-34	18	2.6	4	1	1	2	3	6	7	7
35-49	7	2.7	3	1	2	2	3	5	6	6
50-64	5	3.2	4	1	2	3	4	6	6	6
65 +	4	7.5	84	1	2	4	13	21	21	21
B. Operated										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	13	5.9	51	1	1	2	7	18	23	24
35-49	5	1.2		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	3.2	17	1	1	1	4	8	10	24
20-34	137	6.5	48	1	3	4	8	12	19	44
35-49	92	5.3	23	1	2	4	7	12	14	26
50-64	61	6.4	31	2	3	5	7	12	16	31
65 +	61	7.4	20	3	4	6	9	14	16	22
B. Operated										
0-19 YRS	17	6.1	27	1	3	6	8	19	69	99 +
20-34	58	12.5	168	2	4	9	16	32	40	98
35-49	64	10.9	184	2	3	8	16	26	91	99 +
50-64	29	12.7	174	2	4	8	14	34	45	51
65 +	33	16.4	153	4	7	13	20	37	42	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.2	7	1	1	1	2	5	6	17
B. Operated	30	3.6	26	1	1	2	4	9	16	24
2. MULTIPLE DX										
A. Not Operated	427	5.7	32	1	2	4	7	12	16	27
B. Operated	201	12.1	163	2	4	8	16	33	45	99 +
1. SINGLE DX	107	2.6	12	1	1	1	3	6	7	22
2. MULTIPLE DX	628	7.8	83	1	3	5	9	18	25	78
A. Not Operated	504	5.2	30	1	2	4	7	11	15	26
B. Operated	231	11.0	153	1	3	7	15	27	42	99 +
TOTAL										
0-19 YRS	147	2.9	14	1	1	1	4	7	9	27
20-34	226	7.7	83	1	3	5	9	18	24	56
35-49	168	7.2	91	1	2	4	9	17	24	99 +
50-64	96	8.0	81	2	3	5	9	14	26	48
65 +	98	10.4	84	3	5	8	14	20	35	45
GRAND TOTAL	**735**	**7.0**	**76**	**1**	**2**	**4**	**8**	**16**	**24**	**56**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.1	8	1	2	4	5	8	10	11
20-34	4	10.3	61	3	3	10	17	17	17	17
35-49	10	3.2	3	1	2	3	4	6	7	7
50-64	8	2.9	2	1	2	3	4	5	5	5
65 +	12	2.6	1	1	2	2	3	4	5	5
B. Operated										
0-19 YRS	8	2.6	4	1	1	2	3	6	7	7
20-34	25	5.4	21	2	2	4	7	10	14	22
35-49	71	4.2	7	1	2	4	7	8	9	10
50-64	99	4.4	9	1	2	4	7	8	10	14
65 +	117	5.3	12	1	2	5	8	10	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	9.6	93	1	2	7	15	24	31	39
20-34	19	6.5	32	2	3	5	8	11	21	27
35-49	46	4.7	8	2	3	4	6	7	10	16
50-64	50	4.2	4	2	3	4	6	7	8	10
65 +	145	5.9	22	2	3	5	7	12	16	27
B. Operated										
0-19 YRS	16	10.6	269	2	3	6	11	16	54	70
20-34	47	7.3	54	1	2	6	9	13	19	43
35-49	136	5.4	22	1	2	4	8	10	14	21
50-64	240	5.5	18	1	2	5	7	10	13	24
65 +	368	6.6	26	1	3	6	9	12	13	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.9	11	1	2	3	4	7	12	17
B. Operated	320	4.7	11	1	2	4	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	291	5.8	26	2	3	4	7	11	17	28
B. Operated	807	6.2	30	1	2	5	8	11	14	27
1. SINGLE DX	368	4.6	11	1	2	4	7	9	10	15
2. MULTIPLE DX	1098	6.1	29	2	3	5	8	11	14	27
A. Not Operated	339	5.6	25	2	3	4	7	10	16	27
B. Operated	1127	5.8	25	1	2	5	8	11	13	24
TOTAL										
0-19 YRS	69	7.9	112	1	2	4	9	17	25	64
20-34	95	6.8	41	2	2	5	8	13	18	36
35-49	263	4.9	15	1	2	4	7	9	11	18
50-64	397	5.0	14	1	2	4	7	9	11	21
65 +	642	6.1	22	2	3	5	8	11	13	26
GRAND TOTAL	**1466**	**5.7**	**25**	**1**	**2**	**5**	**8**	**11**	**13**	**26**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	7.0	2	6	6	7	8	8	8	8
65 +	34	6.9	36	2	3	5	8	17	21	26
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	4.0	6	1	2	3	5	7	9	11
35-49	191	5.0	6	2	3	4	7	9	10	11
50-64	699	6.7	6	4	5	7	8	10	11	13
65 +	1618	7.7	15	5	6	7	9	11	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.5	113	< 1	< 1	8	16	16	16	16
20-34	4	9.8	168	1	2	4	17	29	29	29
35-49	6	4.0	47	< 1	< 1	1	2	16	18	18
50-64	32	4.7	54	< 1	1	2	6	9	13	41
65 +	225	5.3	23	1	2	4	7	10	13	24
B. Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	55	5.4	8	2	3	5	7	9	10	14
35-49	276	6.1	12	2	4	6	8	10	12	17
50-64	1540	7.6	10	4	6	7	9	11	13	17
65 +	5680	8.4	10	5	7	8	10	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	6.7	33	2	3	5	8	16	21	26
B. Operated	2541	7.2	12	4	5	7	9	10	11	14
2. MULTIPLE DX										
A. Not Operated	269	5.3	29	< 1	2	4	7	10	14	31
B. Operated	7553	8.1	10	5	6	8	9	12	13	20
1. SINGLE DX	2579	7.2	13	4	5	7	9	10	11	14
2. MULTIPLE DX	7822	8.0	11	5	6	8	9	12	13	20
A. Not Operated	307	5.5	30	1	2	4	7	11	15	30
B. Operated	10094	7.9	11	5	6	8	9	11	13	18
TOTAL										
0-19 YRS	6	5.3	30	< 1	2	3	6	15	16	16
20-34	91	5.1	14	2	3	4	7	9	10	23
35-49	474	5.6	11	2	3	5	7	10	11	16
50-64	2273	7.3	9	4	6	7	9	11	12	16
65 +	7557	8.1	12	5	6	8	9	11	13	20
GRAND TOTAL	**10401**	**7.8**	**12**	**4**	**6**	**7**	**9**	**11**	**13**	**19**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	4	3.3	3	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	27	1.4	1	1	1	1	2	2	3	4
35-49	76	2.1	2	1	1	2	3	4	5	7
50-64	114	2.9	6	1	1	2	3	5	8	14
65 +	85	3.6	5	1	2	3	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.3		< 1	< 1	< 1	1	2	2	2
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	13	4.8	58	< 1	< 1	3	5	12	26	29
65 +	64	5.9	26	2	2	5	7	12	19	24
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	44	2.8	4	1	1	2	4	5	6	10
35-49	109	2.4	4	1	1	2	3	4	6	11
50-64	190	3.4	8	1	2	2	4	8	10	13
65 +	312	5.2	12	2	3	5	7	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.4	2	< 1	1	2	3	4	5	5
B. Operated	304	2.7	5	1	1	2	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	84	5.4	29	1	2	4	7	11	19	27
B. Operated	656	4.0	10	1	2	3	6	8	10	15
1. SINGLE DX	315	2.7	5	1	1	2	4	6	7	12
2. MULTIPLE DX	740	4.2	13	1	2	3	6	8	10	16
A. Not Operated	95	5.0	27	1	2	3	6	10	17	27
B. Operated	960	3.6	9	1	1	3	5	7	9	14
TOTAL										
0-19 YRS	4	2.0	1	< 1	< 1	2	3	3	3	3
20-34	76	2.2	3	1	1	1	3	4	6	9
35-49	191	2.3	3	1	1	2	3	4	5	8
50-64	319	3.3	9	1	1	2	4	7	10	14
65 +	465	5.0	13	1	2	4	6	9	11	18
GRAND TOTAL	**1055**	**3.8**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	5.3	12	1	3	5	7	10	13	15
20-34	19	4.4	11	1	2	3	6	9	12	13
35-49	26	5.5	26	1	3	4	6	13	16	22
50-64	12	5.1	8	2	3	5	6	9	12	12
65 +	8	5.8	16	1	2	4	10	11	11	11
B. Operated										
0-19 YRS	65	7.3	20	3	4	6	9	12	19	22
20-34	89	3.8	24	1	1	2	5	7	9	31
35-49	99	4.0	11	1	2	3	5	8	10	18
50-64	102	4.5	19	1	2	3	6	9	11	26
65 +	55	6.3	14	2	3	6	9	12	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	7.0	22	2	4	6	9	14	17	21
20-34	70	6.2	17	2	3	5	8	11	14	22
35-49	51	6.7	47	2	3	6	9	11	14	47
50-64	51	5.4	23	1	2	5	7	9	14	26
65 +	86	7.1	35	2	3	5	9	15	17	33
B. Operated										
0-19 YRS	116	10.6	98	4	5	9	13	20	22	58
20-34	142	6.5	32	2	3	5	8	14	20	25
35-49	256	7.2	83	1	2	4	9	16	22	43
50-64	245	7.0	54	1	2	4	9	16	20	41
65 +	257	9.7	85	3	5	7	11	18	24	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	5.2	15	1	3	5	7	11	13	19
B. Operated	410	4.9	19	1	2	4	7	10	12	22
2. MULTIPLE DX										
A. Not Operated	342	6.6	28	2	3	5	8	13	16	26
B. Operated	1016	8.1	73	2	3	6	10	16	22	43
1. SINGLE DX	511	5.0	18	1	2	4	7	10	12	21
2. MULTIPLE DX	1358	7.7	62	2	3	6	10	15	21	41
A. Not Operated	443	6.3	25	2	3	5	8	12	15	24
B. Operated	1426	7.2	60	1	3	5	9	15	20	41
TOTAL										
0-19 YRS	301	8.3	53	3	4	7	10	15	20	29
20-34	320	5.6	26	1	2	4	7	11	15	24
35-49	432	6.3	61	1	2	4	8	14	19	43
50-64	410	6.1	41	1	2	4	8	14	18	29
65 +	406	8.6	65	2	4	7	10	15	21	46
GRAND TOTAL	**1869**	**7.0**	**52**	**2**	**3**	**5**	**9**	**14**	**19**	**37**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	104	2.3	1	< 1	2	2	3	4	4	5
20-34	343	2.5	1	1	2	2	3	4	4	5
35-49	134	2.4	1	1	2	2	3	4	4	5
50-64	22	2.0	1	< 1	< 1	2	3	4	5	5
65 +	7	2.6	2	< 1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	7.8	280	< 1	< 1	< 1	< 1	38	42	42
35-49	4	1.8	2	< 1	< 1	1	2	4	4	4
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	187	2.4	1	1	2	2	3	3	4	5
20-34	747	2.5	1	1	2	2	3	4	4	7
35-49	414	2.5	2	1	2	2	3	4	5	9
50-64	106	2.1	3	< 1	< 1	2	3	3	4	11
65 +	79	2.5	5	< 1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	610	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	14	4.5	118	< 1	< 1	< 1	3	8	34	42
B. Operated	1533	2.5	2	1	2	2	3	4	4	8
1. SINGLE DX	611	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX	1547	2.5	3	1	2	2	3	4	4	8
A. Not Operated	15	4.5	109	< 1	< 1	< 1	3	4	33	42
B. Operated	2143	2.5	2	1	2	2	3	4	4	7
TOTAL										
0-19 YRS	291	2.4	1	1	2	2	3	4	4	5
20-34	1097	2.5	3	1	2	2	3	4	4	6
35-49	552	2.5	2	1	2	2	3	4	4	8
50-64	130	2.1	3	< 1	< 1	2	3	3	4	10
65 +	88	2.5	5	< 1	1	2	3	5	6	12
GRAND TOTAL	**2158**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.4	4	1	1	1	3	6	6	8
20-34	16	5.8	88	1	1	2	4	21	31	35
35-49	12	2.0	2	< 1	1	1	3	4	5	5
50-64	16	3.4	9	1	2	3	4	6	11	13
65 +	12	3.8	8	1	2	3	6	28	86	99 +
B. Operated										
0-19 YRS	486	1.9	1	1	1	2	2	3	4	5
20-34	765	2.0	2	1	1	2	2	3	4	7
35-49	297	2.2	2	1	1	2	3	4	5	8
50-64	60	3.0	13	1	1	2	3	5	8	21
65 +	29	3.5	6	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	4.3	20	1	2	3	4	13	15	18
20-34	40	5.5	92	1	2	3	5	9	19	59
35-49	46	2.3	3	1	1	2	3	4	6	9
50-64	46	3.9	34	1	1	2	4	7	10	38
65 +	207	5.0	25	1	2	4	6	10	13	36
B. Operated										
0-19 YRS	508	3.0	12	1	1	2	3	5	8	20
20-34	611	2.4	4	1	1	2	3	4	5	11
35-49	396	2.7	7	1	1	2	3	4	7	12
50-64	145	3.3	9	1	2	2	4	7	10	17
65 +	187	5.3	14	1	2	4	7	11	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	3.3	21	1	1	2	4	6	10	74
B. Operated	1637	2.1	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	375	4.5	31	1	2	3	5	9	13	37
B. Operated	1847	3.0	9	1	1	2	3	6	8	15
1. SINGLE DX	1726	2.1	3	1	1	2	3	3	4	9
2. MULTIPLE DX	2222	3.3	13	1	2	2	4	6	9	17
A. Not Operated	464	4.3	29	1	2	3	5	9	13	37
B. Operated	3484	2.6	6	1	1	2	3	4	6	13
TOTAL										
0-19 YRS	1063	2.5	7	1	1	2	3	4	6	14
20-34	1432	2.3	6	1	1	2	3	4	5	10
35-49	751	2.5	5	1	1	2	3	4	6	10
50-64	267	3.3	14	1	1	2	4	7	10	20
65 +	435	5.0	19	1	2	4	7	10	13	32
GRAND TOTAL	**3948**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	5.7	4	4	4	5	7	8	8	8
65 +	5	5.0	2	4	4	5	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	3	7.3	5	6	6	6	9	10	10	10
35-49	6	8.2	14	5	5	7	9	14	15	15
50-64	2	15.0	72	9	9	15	21	21	21	21
65 +	4	8.3		8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	2	1	1	3	4	4	4	4
B. Operated	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	11	5.1	2	4	4	5	5	7	8	8
B. Operated	15	8.9	17	5	6	8	9	15	19	21
1. SINGLE DX	5	3.0	2	1	2	3	4	4	4	4
2. MULTIPLE DX	26	7.3	14	4	5	6	8	10	16	21
A. Not Operated	14	4.6	3	3	4	4	5	7	8	8
B. Operated	17	8.3	18	4	6	8	9	14	19	21
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	5.7	6	3	4	5	6	10	10	10
35-49	9	6.6	16	2	4	5	8	13	15	15
50-64	6	8.3	44	3	4	6	9	20	21	21
65 +	9	6.4	4	4	5	7	8	9	9	9
GRAND TOTAL	**31**	**6.6**	**14**	**3**	**4**	**5**	**8**	**10**	**15**	**21**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	15	3.5	5	1	2	3	4	8	8	8
50-64	14	4.0	10	1	2	3	5	9	11	12
65 +	20	3.9	7	1	2	3	5	8	10	12
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	32	3.3	4	1	2	3	4	6	8	10
35-49	252	3.2	3	1	2	3	4	5	6	8
50-64	199	3.6	5	1	2	3	5	6	7	14
65 +	116	4.1	8	2	3	3	5	8	9	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	6	2.5	1	1	2	2	3	4	4	4
35-49	38	4.4	10	1	2	3	7	10	11	12
50-64	63	4.7	16	1	2	4	6	7	11	90
65 +	277	5.5	15	2	3	5	7	10	13	18
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	44	3.9	5	2	2	3	5	7	8	10
35-49	316	3.9	6	2	2	3	5	7	9	13
50-64	415	5.1	16	2	3	4	6	9	14	21
65 +	527	6.9	23	3	4	6	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	3.8	7	1	2	3	5	8	9	12
B. Operated	600	3.5	5	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	386	5.2	14	2	3	4	7	10	13	22
B. Operated	1303	5.5	18	2	3	4	7	10	13	21
1. SINGLE DX	653	3.5	5	1	2	3	4	6	8	11
2. MULTIPLE DX	1689	5.4	17	2	3	4	7	10	13	21
A. Not Operated	439	5.0	14	1	2	4	6	10	12	19
B. Operated	1903	4.9	14	2	3	4	6	9	12	19
TOTAL										
0-19 YRS	4	4.3	15	2	2	3	6	10	10	10
20-34	86	3.6	4	1	2	3	5	6	8	10
35-49	621	3.6	5	2	2	3	5	7	8	11
50-64	691	4.6	13	2	2	4	6	8	11	21
65 +	940	6.1	20	2	3	5	8	11	14	22
GRAND TOTAL	**2342**	**4.9**	**14**	**2**	**3**	**4**	**6**	**9**	**12**	**19**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	115	3.9	19	1	2	3	5	7	8	23
35-49	219	4.1	8	1	2	3	6	8	9	15
50-64	85	4.7	12	1	2	4	6	9	11	16
65 +	36	5.2	9	1	3	5	7	10	11	12
B. Operated										
0-19 YRS	81	3.0	2	2	2	3	4	4	5	8
20-34	2054	3.5	4	2	2	3	4	6	7	10
35-49	3208	3.4	4	2	2	3	4	5	7	11
50-64	1139	3.5	3	2	2	3	4	6	7	10
65 +	346	4.3	7	2	3	4	5	7	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	97	6.6	105	1	2	4	7	12	16	63
35-49	207	5.1	16	1	2	4	7	9	13	21
50-64	190	5.1	15	1	3	4	7	10	12	17
65 +	314	6.2	18	2	3	5	8	11	15	23
B. Operated										
0-19 YRS	25	3.8	3	2	2	4	4	5	7	9
20-34	902	4.4	9	2	3	4	5	8	9	18
35-49	1972	4.7	11	2	3	4	6	8	10	16
50-64	1275	5.2	16	2	3	4	6	9	12	22
65 +	1159	6.5	23	3	4	5	8	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	455	4.2	12	1	2	3	6	8	10	15
B. Operated	6828	3.5	4	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	810	5.7	28	2	3	5	7	10	14	22
B. Operated	5333	5.2	15	2	3	4	6	9	12	20
1. SINGLE DX	7283	3.5	4	2	2	3	4	6	7	11
2. MULTIPLE DX	6143	5.2	17	2	3	4	6	9	12	20
A. Not Operated	1265	5.2	23	1	2	4	7	9	13	20
B. Operated	12161	4.2	9	2	3	4	5	7	9	16
TOTAL										
0-19 YRS	108	3.3	3	2	2	3	4	5	7	10
20-34	3168	3.9	9	2	2	3	5	6	8	13
35-49	5606	4.0	7	2	2	3	5	7	8	14
50-64	2689	4.5	11	2	3	4	5	8	10	17
65 +	1855	6.0	19	2	3	5	7	11	14	24
GRAND TOTAL	**13426**	**4.3**	**11**	**2**	**3**	**4**	**5**	**8**	**10**	**17**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	3.7	4	1	2	4	5	6	8	8
35-49	35	3.1	3	1	1	3	4	6	6	7
50-64	11	3.9	9	1	2	3	6	9	10	10
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	292	3.0	3	1	2	3	4	5	6	10
35-49	967	3.0	2	1	2	3	4	5	5	9
50-64	336	3.0	4	1	2	3	4	5	6	8
65 +	38	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	4.2	28	< 1	1	2	4	13	18	18
35-49	50	4.1	20	< 1	1	3	5	9	11	26
50-64	47	3.9	11	1	1	3	5	9	11	15
65 +	48	4.3	9	1	2	4	6	8	11	16
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	182	3.4	5	1	2	3	4	6	7	11
35-49	712	3.5	5	1	2	3	4	6	7	12
50-64	409	4.2	22	2	2	3	5	7	9	18
65 +	139	6.3	30	2	3	4	8	13	20	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	3.4	4	1	2	3	4	6	7	10
B. Operated	1637	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	155	4.1	14	1	2	3	5	9	11	18
B. Operated	1443	3.9	13	2	2	3	4	7	9	18
1. SINGLE DX	1697	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	1598	3.9	13	1	2	3	5	7	9	18
A. Not Operated	215	3.9	11	1	2	3	5	8	10	17
B. Operated	3080	3.4	8	1	2	3	4	6	7	14
TOTAL										
0-19 YRS	5	3.4	7	1	1	3	5	7	7	7
20-34	497	3.2	4	1	2	3	4	5	7	11
35-49	1764	3.2	4	1	2	3	4	5	6	11
50-64	803	3.7	14	1	2	3	4	6	8	16
65 +	226	5.3	23	2	2	4	7	10	16	25
GRAND TOTAL	**3295**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	9.3	8	6	7	11	11	11	11	11
20-34	9	5.8	8	3	3	5	8	10	10	10
35-49	4	5.5	2	4	4	5	6	7	7	7
50-64	6	3.0	9	1	1	2	3	8	9	9
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	8	4.3	9	1	1	4	7	8	8	8
35-49	14	5.2	9	1	1	6	8	8	9	9
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	11	3	3	5	8	10	10	10
20-34	10	4.6	7	1	3	4	6	9	10	10
35-49	19	4.2	4	2	2	4	6	7	8	8
50-64	19	4.7	12	1	2	4	6	10	12	13
65 +	20	5.8	22	2	2	4	9	13	15	17
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	5.6	6	2	4	6	7	9	9	9
35-49	23	8.0	21	4	5	7	9	13	17	24
50-64	26	7.2	6	4	6	7	8	12	12	13
65 +	12	9.5	78	2	4	8	11	21	32	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.5	10	2	3	5	7	10	11	11
B. Operated	26	5.0	9	1	1	6	8	8	9	9
2. MULTIPLE DX										
A. Not Operated	72	4.9	12	2	2	4	6	10	12	16
B. Operated	67	7.8	24	4	5	7	9	13	14	32
1. SINGLE DX	48	5.2	9	1	2	5	8	9	10	11
2. MULTIPLE DX	139	6.3	19	2	3	6	8	11	14	25
A. Not Operated	94	5.0	11	2	2	4	7	10	11	16
B. Operated	93	7.0	21	2	5	7	8	11	14	30
TOTAL										
0-19 YRS	8	7.4	11	3	4	8	10	11	11	11
20-34	32	5.0	8	1	3	5	7	9	10	10
35-49	60	6.0	14	2	4	6	8	9	12	23
50-64	53	5.8	10	2	3	6	8	10	12	13
65 +	34	7.0	43	2	2	6	9	14	17	34
GRAND TOTAL	**187**	**6.0**	**17**	**2**	**3**	**6**	**8**	**10**	**13**	**21**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	4.9	6	2	3	5	7	8	9	9
35-49	12	3.6	6	1	1	3	5	7	9	9
50-64	9	3.3	2	1	2	4	4	5	5	5
65 +	8	3.6	4	1	2	3	4	7	8	8
B. Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	5.5	6	2	3	5	8	9	9	9
35-49	32	4.3	5	2	3	4	6	7	8	10
50-64	26	5.7	20	2	2	4	8	11	14	20
65 +	51	5.5	8	2	4	5	7	8	12	13
B. Operated										
0-19 YRS	0									
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	4	6.5	38	1	2	5	11	15	15	15
50-64	9	10.3	53	2	6	8	14	22	22	22
65 +	13	6.8	27	2	3	4	9	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.9	5	1	2	4	5	7	8	9
B. Operated	6	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	121	5.2	10	2	3	4	7	9	11	15
B. Operated	30	7.3	36	2	3	6	9	17	22	22
1. SINGLE DX	48	3.7	5	1	2	4	5	7	8	9
2. MULTIPLE DX	151	5.6	15	2	3	4	7	10	13	22
A. Not Operated	163	4.9	9	2	3	4	7	8	10	13
B. Operated	36	6.5	33	1	2	4	8	17	20	22
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	29	4.7	6	2	2	5	7	8	9	9
35-49	51	4.2	8	1	2	4	6	7	9	15
50-64	45	6.1	27	2	3	4	8	12	20	22
65 +	72	5.5	11	2	3	4	7	9	13	17
GRAND TOTAL	**199**	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**12**	**21**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.1	2	1	1	1	3	5	6	6
20-34	116	3.8	28	1	1	3	5	6	8	32
35-49	183	3.6	8	1	2	3	5	7	9	14
50-64	103	3.2	8	1	1	2	4	7	8	15
65 +	60	5.6	70	< 1	< 1	3	5	18	27	39
B. Operated										
0-19 YRS	10	2.1	8	< 1	1	1	2	6	10	10
20-34	98	3.1	5	1	1	3	4	6	8	9
35-49	290	3.5	9	1	2	3	4	6	7	17
50-64	270	3.6	4	1	2	3	5	6	7	11
65 +	312	4.7	8	2	3	4	6	7	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.8	4	1	1	2	3	6	7	9
20-34	200	4.2	34	1	2	3	5	8	11	30
35-49	343	5.2	41	1	2	4	6	9	14	33
50-64	321	4.7	16	1	2	4	6	9	11	25
65 +	630	5.5	26	1	3	4	7	10	13	26
B. Operated										
0-19 YRS	17	5.7	73	1	1	4	7	10	28	37
20-34	163	4.7	14	1	2	4	6	9	11	21
35-49	450	4.8	22	1	2	4	6	8	13	20
50-64	653	5.7	13	2	3	5	7	10	12	20
65 +	1522	7.0	20	3	4	6	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	481	3.7	21	1	1	3	4	7	9	25
B. Operated	980	3.8	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	1525	5.0	28	1	2	4	6	10	12	27
B. Operated	2805	6.2	20	2	4	5	8	11	14	22
1. SINGLE DX	1461	3.8	12	1	2	3	5	7	8	16
2. MULTIPLE DX	4330	5.8	23	2	3	5	7	10	14	23
A. Not Operated	2006	4.7	27	1	2	3	6	9	12	26
B. Operated	3785	5.6	17	2	3	5	7	10	13	21
TOTAL										
0-19 YRS	77	3.2	21	1	1	2	4	7	8	30
20-34	577	4.1	22	1	2	3	5	8	10	22
35-49	1266	4.4	22	1	2	3	5	8	11	22
50-64	1347	4.9	13	1	3	4	6	9	11	19
65 +	2524	6.3	22	2	3	5	8	11	14	24
GRAND TOTAL	**5791**	**5.3**	**21**	**1**	**3**	**4**	**7**	**10**	**13**	**23**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.2	6	1	1	2	2	4	6	15
20-34	23	3.3	3	1	2	3	5	5	6	8
35-49	24	3.6	8	1	2	3	4	6	10	14
50-64	21	6.5	98	1	2	3	4	24	32	38
65 +	11	4.5	17	1	2	3	5	10	15	16
B. Operated										
0-19 YRS	47	2.2	4	< 1	1	1	3	5	7	9
20-34	210	2.3	5	1	1	2	3	4	7	14
35-49	345	1.9	2	1	1	2	2	3	4	9
50-64	212	2.0	2	1	1	2	2	3	4	8
65 +	98	2.4	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.1	7	1	1	2	4	6	8	15
20-34	33	4.1	7	1	2	3	6	8	9	10
35-49	71	4.6	29	1	2	3	6	9	10	37
50-64	46	3.8	8	1	2	3	6	9	10	11
65 +	101	5.1	17	2	3	4	6	9	12	25
B. Operated										
0-19 YRS	40	3.9	18	1	2	3	5	7	9	26
20-34	264	3.5	12	1	1	2	4	8	11	17
35-49	509	2.7	8	1	1	2	3	5	8	19
50-64	503	2.3	4	1	1	2	3	4	5	10
65 +	300	3.4	9	1	2	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	121	3.7	24	1	1	2	4	6	11	31
B. Operated	912	2.1	3	1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	288	4.4	16	1	2	3	6	8	10	19
B. Operated	1616	2.9	8	1	1	2	3	6	9	16
1. SINGLE DX	1033	2.3	6	1	1	2	3	4	6	13
2. MULTIPLE DX	1904	3.1	10	1	1	2	3	6	9	16
A. Not Operated	409	4.2	19	1	2	3	5	8	10	24
B. Operated	2528	2.6	6	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	166	2.8	9	1	1	2	4	6	7	15
20-34	530	3.1	9	1	1	2	4	7	9	15
35-49	949	2.6	8	1	1	2	3	5	7	13
50-64	782	2.4	7	1	1	2	3	4	6	11
65 +	510	3.6	10	1	2	3	4	7	10	17
GRAND TOTAL	**2937**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	18	1.7	1	< 1	< 1	1	2	4	4	4
20-34	26	1.3		< 1	1	1	2	2	2	2
35-49	44	1.7	1	1	1	2	2	3	3	4
50-64	57	1.5		1	1	1	2	2	3	3
65 +	22	2.2	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	4	5.5	81	< 1	< 1	1	10	19	19	19
B. Operated										
0-19 YRS	58	1.6	1	1	1	1	2	3	3	5
20-34	73	1.7	1	1	1	1	2	3	3	5
35-49	143	2.0	2	1	1	2	2	3	4	7
50-64	241	2.2	3	1	1	2	2	3	4	8
65 +	204	2.5	4	1	1	2	3	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated	167	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	7	3.6	46	< 1	< 1	1	1	15	19	19
B. Operated	719	2.1	2	1	1	2	3	3	4	8
1. SINGLE DX	171	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	726	2.1	3	1	1	2	3	3	4	8
A. Not Operated	11	2.7	29	< 1	< 1	1	1	9	18	19
B. Operated	886	2.0	2	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	76	1.6	1	< 1	1	1	2	3	4	5
20-34	101	1.6	1	1	1	1	2	3	3	5
35-49	189	1.9	1	1	1	2	2	3	4	6
50-64	300	2.0	2	1	1	2	2	3	4	6
65 +	231	2.5	5	1	1	2	3	4	5	16
GRAND TOTAL	**897**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	21	1.0		< 1	< 1	< 1	1	1	1	1
20-34	17	1.5		< 1	< 1	1	2	2	3	3
35-49	30	2.2	4	< 1	1	1	3	4	6	11
50-64	13	1.6	1	< 1	1	1	2	3	5	5
65 +	13	2.6	2	1	2	2	4	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	4.0	10	1	2	3	6	9	9	9
65 +	6	4.5	29	< 1	1	2	5	14	15	15
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	11	1.5	1	1	1	1	2	3	4	4
35-49	15	1.9	1	1	1	1	3	3	4	4
50-64	34	2.5	4	1	1	2	3	4	5	11
65 +	46	4.3	12	1	2	3	5	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	94	1.8	2	< 1	< 1	1	2	4	4	9
2. MULTIPLE DX										
A. Not Operated	13	4.2	15	1	2	3	5	10	14	15
B. Operated	111	3.0	8	1	1	2	4	6	11	13
1. SINGLE DX	96	1.8	2	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	124	3.1	8	1	1	2	4	6	11	15
A. Not Operated	15	4.2	14	1	2	3	5	9	13	15
B. Operated	205	2.5	5	< 1	1	2	3	5	7	12
TOTAL										
0-19 YRS	26	1.0		< 1	< 1	< 1	1	1	1	1
20-34	29	1.6	1	< 1	1	1	2	3	4	4
35-49	46	2.1	3	< 1	1	1	3	4	5	11
50-64	53	2.5	4	1	1	2	3	5	6	11
65 +	66	4.0	11	1	2	3	5	9	12	15
GRAND TOTAL	**220**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**5**	**8**	**13**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	6.5	24	2	3	5	8	13	17	26
20-34	8	7.4	45	< 1	1	5	14	16	17	17
35-49	8	11.4	146	2	3	6	16	31	38	38
50-64	4	7.5	34	2	3	6	12	15	15	15
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	64	6.9	38	1	3	6	8	12	17	36
20-34	41	10.5	102	2	4	7	14	23	32	49
35-49	40	5.8	18	1	2	5	8	11	14	19
50-64	27	7.4	104	1	1	3	7	29	32	37
65 +	26	6.0	24	2	2	6	7	13	16	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	9.4	54	2	4	7	13	18	22	40
20-34	43	10.3	110	1	3	7	14	29	36	42
35-49	49	11.9	112	1	3	7	18	28	31	42
50-64	65	12.0	147	3	5	8	14	30	42	58
65 +	79	10.8	79	4	6	8	12	17	31	48
B. Operated										
0-19 YRS	125	12.0	136	3	5	8	14	28	38	56
20-34	145	13.7	254	2	4	9	14	38	60	83
35-49	236	13.2	160	3	5	9	17	30	42	69
50-64	238	11.8	123	3	4	8	14	26	36	54
65 +	276	13.4	137	4	6	10	16	26	44	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	7.1	37	2	3	5	9	15	18	34
B. Operated	198	7.4	56	1	3	5	9	15	23	37
2. MULTIPLE DX										
A. Not Operated	313	10.8	96	2	4	8	13	25	33	47
B. Operated	1020	12.8	155	3	5	9	15	29	42	64
1. SINGLE DX	281	7.3	50	1	3	5	9	15	22	37
2. MULTIPLE DX	1333	12.4	142	3	5	9	15	28	41	60
A. Not Operated	396	10.0	86	2	4	7	13	21	30	44
B. Operated	1218	12.0	143	2	4	8	14	27	39	61
TOTAL										
0-19 YRS	328	9.4	81	3	4	7	11	19	28	44
20-34	237	12.3	196	2	4	8	14	29	43	76
35-49	333	12.1	140	2	4	8	15	28	38	57
50-64	334	11.4	126	2	4	8	14	26	37	54
65 +	382	12.3	121	3	6	9	15	23	39	55
GRAND TOTAL	**1614**	**11.5**	**130**	**2**	**4**	**8**	**14**	**26**	**37**	**57**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.3	9	1	1	3	4	7	11	12
20-34	19	2.4	3	< 1	1	2	3	6	7	7
35-49	35	3.0	16	1	1	2	3	6	9	23
50-64	20	2.5	12	< 1	1	1	3	4	10	16
65 +	46	4.5	7	1	2	4	6	8	11	11
B. Operated										
0-19 YRS	389	2.4	7	1	1	2	3	4	6	14
20-34	265	3.2	9	1	1	2	4	6	8	20
35-49	259	3.8	11	1	2	3	5	7	9	19
50-64	100	4.1	13	1	1	3	6	8	9	21
65 +	79	6.3	24	1	2	6	8	11	16	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	5.1	65	1	1	2	6	12	15	48
20-34	48	4.2	58	< 1	1	2	4	9	17	48
35-49	158	3.1	10	1	1	2	4	7	9	18
50-64	263	5.1	24	1	2	4	7	11	15	28
65 +	1696	6.3	18	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	238	3.9	25	1	2	3	4	7	10	26
20-34	445	4.5	23	1	2	3	5	9	12	24
35-49	503	5.4	36	1	2	4	7	10	13	31
50-64	457	6.9	44	2	3	6	9	13	17	28
65 +	937	9.2	49	3	5	8	11	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	3.4	10	1	1	2	4	7	10	17
B. Operated	1092	3.4	11	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	2214	5.8	21	2	3	5	8	11	14	21
B. Operated	2580	6.8	43	1	3	5	9	13	18	32
1. SINGLE DX	1225	3.4	11	1	1	2	4	7	9	19
2. MULTIPLE DX	4794	6.3	33	1	3	5	8	12	16	28
A. Not Operated	2347	5.7	21	1	3	5	7	11	14	21
B. Operated	3672	5.8	36	1	2	4	8	12	16	28
TOTAL										
0-19 YRS	689	3.1	18	1	1	2	3	6	9	24
20-34	777	4.0	20	1	2	3	5	8	11	23
35-49	955	4.5	25	1	2	3	6	9	12	26
50-64	840	5.9	35	1	2	4	8	12	15	26
65 +	2758	7.2	31	2	4	6	9	13	17	30
GRAND TOTAL	**6019**	**5.7**	**30**	**1**	**2**	**4**	**8**	**11**	**15**	**26**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	111	1.8	1	1	1	2	2	3	4	5
20-34	15	2.7	4	< 1	1	2	4	5	7	8
35-49	13	2.4	4	< 1	1	2	3	5	7	7
50-64	8	3.0	3	< 1	1	3	4	5	6	6
65 +	11	4.0	11	< 1	2	3	5	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.8	3	< 1	1	1	2	5	5	5
20-34	0									
35-49	2	9.0	18	6	6	9	12	12	12	12
50-64	0									
65 +	8	4.1	6	1	3	3	6	8	8	8
B. Operated										
0-19 YRS	380	2.6	10	1	1	2	3	4	5	10
20-34	53	3.1	7	1	2	3	3	4	9	14
35-49	59	3.8	29	1	1	3	4	6	11	36
50-64	51	3.8	10	1	2	3	5	7	10	20
65 +	43	4.9	11	2	2	4	7	10	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	158	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	16	3.9	10	1	1	3	6	8	11	12
B. Operated	586	3.0	12	1	1	2	3	5	7	14
1. SINGLE DX	159	2.1	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	602	3.1	12	1	1	2	4	5	8	14
A. Not Operated	17	3.7	10	< 1	1	3	5	8	11	12
B. Operated	744	2.9	10	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	497	2.4	8	1	1	2	3	4	5	9
20-34	68	3.0	6	1	1	3	4	4	8	14
35-49	74	3.7	25	1	1	2	4	6	11	33
50-64	59	3.7	9	1	2	3	5	7	9	19
65 +	63	4.6	10	1	2	4	7	10	11	14
GRAND TOTAL	**761**	**2.9**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.1	2	< 1	1	2	3	3	6	7
20-34	34	2.7	3	< 1	1	2	3	4	5	9
35-49	58	2.7	10	< 1	1	2	3	6	7	22
50-64	31	2.4	3	1	1	2	3	5	6	7
65 +	24	4.4	22	1	2	3	5	9	16	21
B. Operated										
0-19 YRS	252	5.6	15	1	2	6	7	9	12	23
20-34	102	3.4	13	1	1	2	4	9	13	15
35-49	116	3.8	21	1	1	3	5	7	8	27
50-64	107	3.3	12	1	1	2	4	7	10	21
65 +	81	2.5	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.3	10	1	1	3	4	7	11	14
20-34	100	3.9	18	1	2	3	5	8	11	24
35-49	163	3.6	11	1	1	2	4	8	10	17
50-64	146	4.6	50	1	1	3	5	10	13	28
65 +	311	4.8	27	1	2	3	6	9	13	22
B. Operated										
0-19 YRS	465	5.4	48	< 1	1	3	7	10	15	34
20-34	241	6.1	67	1	2	4	7	14	17	45
35-49	329	6.8	78	1	2	4	7	16	22	56
50-64	300	5.8	51	1	2	4	7	12	17	34
65 +	358	7.1	64	1	2	5	8	15	20	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	2.8	8	< 1	1	2	3	5	7	20
B. Operated	658	4.2	15	1	1	3	6	8	11	21
2. MULTIPLE DX										
A. Not Operated	755	4.3	26	1	2	3	5	9	12	21
B. Operated	1693	6.2	61	1	2	4	7	13	18	43
1. SINGLE DX	821	3.9	14	1	1	3	6	8	10	21
2. MULTIPLE DX	2448	5.6	51	1	2	4	7	11	17	39
A. Not Operated	918	4.0	23	1	2	3	5	8	11	21
B. Operated	2351	5.6	49	1	2	4	7	11	17	37
TOTAL										
0-19 YRS	768	5.3	35	< 1	1	4	7	10	14	25
20-34	477	4.8	42	1	1	3	6	10	15	34
35-49	666	5.2	49	1	2	3	6	11	17	41
50-64	584	4.9	42	1	2	3	6	10	14	31
65 +	774	5.6	44	1	2	4	7	11	15	41
GRAND TOTAL	**3269**	**5.2**	**42**	**1**	**2**	**3**	**7**	**10**	**15**	**35**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	3	4.3	10	2	2	3	7	8	8	8
B. Operated	0									
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	3	4.3	10	2	2	3	7	8	8	8
A. Not Operated	4	3.8	8	2	2	3	5	8	8	8
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	2	5.0	18	2	2	5	8	8	8	8
GRAND TOTAL	**5**	**3.4**	**7**	**2**	**2**	**2**	**4**	**8**	**8**	**8**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.5	27	1	2	3	4	13	18	19
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	79	6.4	29	2	2	4	9	13	19	27
20-34	12	6.7	48	1	3	5	8	14	25	27
35-49	10	6.4	9	2	5	6	8	10	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	6.0	56	1	2	4	7	16	31	99
20-34	5	3.8	13	< 1	1	2	7	9	9	9
35-49	3	7.3	26	3	4	6	11	13	13	13
50-64	4	11.3	78	4	4	10	18	22	22	22
65 +	2	7.5	5	6	6	7	9	9	9	9
B. Operated										
0-19 YRS	211	7.9	67	2	3	6	9	16	26	48
20-34	13	9.5	6	7	8	9	11	12	14	14
35-49	17	8.6	22	4	5	8	13	14	17	19
50-64	7	11.4	68	5	6	8	15	26	28	28
65 +	4	10.5	70	3	3	9	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.0	23	1	1	3	4	10	17	19
B. Operated	101	6.4	29	1	3	5	9	12	19	28
2. MULTIPLE DX										
A. Not Operated	65	6.2	51	1	2	4	8	15	24	90
B. Operated	252	8.1	60	2	3	6	10	16	24	41
1. SINGLE DX	116	6.1	29	1	2	4	8	12	19	28
2. MULTIPLE DX	317	7.7	59	2	3	6	10	16	24	47
A. Not Operated	80	5.8	46	1	2	4	7	15	21	80
B. Operated	353	7.6	52	2	3	6	9	15	21	41
TOTAL										
0-19 YRS	353	7.1	56	1	3	5	9	16	21	41
20-34	32	7.0	28	1	3	7	9	12	14	27
35-49	31	7.6	18	3	4	6	10	13	14	19
50-64	11	11.4	64	4	5	8	16	24	28	28
65 +	6	9.5	45	3	4	7	15	19	20	20
GRAND TOTAL	**433**	**7.3**	**51**	**2**	**3**	**5**	**9**	**15**	**21**	**41**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.4	1	< 1	< 1	1	1	3	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	129	1.6	3	< 1	1	1	2	3	4	9
20-34	21	3.3	12	1	1	2	3	9	11	14
35-49	16	1.9	1	1	1	2	3	4	4	4
50-64	6	1.5		1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.4	2	< 1	1	2	3	5	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	84	2.2	6	< 1	1	1	2	4	9	14
20-34	16	2.4	5	1	1	2	3	7	8	9
35-49	12	2.0	1	1	1	2	3	3	4	4
50-64	7	2.4	14	1	1	1	1	9	11	11
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	172	1.9	4	< 1	1	1	2	3	5	13
2. MULTIPLE DX										
A. Not Operated	19	2.4	2	< 1	1	2	3	5	6	6
B. Operated	119	2.2	6	< 1	1	1	3	4	9	13
1. SINGLE DX	182	1.8	4	< 1	1	1	2	3	5	12
2. MULTIPLE DX	138	2.2	5	< 1	1	1	3	4	8	12
A. Not Operated	29	2.1	2	< 1	1	2	3	4	5	6
B. Operated	291	2.0	5	< 1	1	1	2	4	7	13
TOTAL										
0-19 YRS	240	1.9	4	< 1	1	1	2	3	5	11
20-34	38	2.9	9	1	1	2	3	8	9	14
35-49	29	2.0	1	1	1	2	3	4	4	4
50-64	13	2.0	8	1	1	1	2	4	10	11
65 +	0									
GRAND TOTAL	**320**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**	**12**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.8	7	1	1	2	3	7	8	12
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	2	9.0	128	1	1	9	17	17	17	17
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	540	4.2	8	< 1	1	4	6	8	9	12
20-34	41	4.4	11	1	2	4	6	8	10	15
35-49	41	3.5	6	1	2	2	6	7	7	9
50-64	15	3.9	7	1	2	3	6	8	9	9
65 +	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	268	5.9	112	< 1	1	3	6	13	20	59
20-34	14	3.1	6	< 1	1	2	4	6	9	10
35-49	15	6.1	48	< 1	1	4	8	14	24	27
50-64	9	4.0	6	2	2	2	6	7	7	7
65 +	13	2.5	3	1	1	2	4	5	6	6
B. Operated										
0-19 YRS	1649	9.3	105	1	4	7	11	21	30	84
20-34	87	9.0	72	1	5	7	10	14	23	52
35-49	69	9.2	86	1	4	7	10	20	28	47
50-64	58	8.4	73	1	4	7	10	14	26	53
65 +	59	6.4	22	1	2	7	9	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.0	11	1	1	2	3	8	9	17
B. Operated	639	4.2	8	1	1	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	319	5.6	97	< 1	1	3	6	11	18	58
B. Operated	1922	9.1	99	1	4	7	11	20	29	76
1. SINGLE DX	683	4.1	8	1	1	4	6	8	9	13
2. MULTIPLE DX	2241	8.6	100	1	2	6	10	19	28	73
A. Not Operated	363	5.3	87	< 1	1	2	5	10	17	57
B. Operated	2561	7.9	81	1	2	6	9	16	25	67
TOTAL										
0-19 YRS	2493	7.7	88	1	2	6	9	16	26	72
20-34	145	7.0	53	1	2	6	8	14	17	35
35-49	127	7.0	61	1	2	6	8	13	22	47
50-64	85	7.0	56	1	2	6	8	12	17	46
65 +	74	5.8	20	1	2	5	9	12	14	20
GRAND TOTAL	**2924**	**7.6**	**82**	**1**	**2**	**6**	**9**	**16**	**25**	**63**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	378	1.7	1	1	1	2	2	3	3	4
20-34	10	2.2	1	< 1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.5	20	< 1	2	4	7	12	16	17
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	457	2.3	20	1	1	2	2	3	4	8
20-34	6	1.8	1	1	1	2	2	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated	390	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	14	5.5	20	< 1	2	4	7	12	16	17
B. Operated	467	2.3	19	1	1	2	2	3	4	8
1. SINGLE DX	394	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	481	2.4	20	1	1	2	2	3	5	13
A. Not Operated	18	4.6	19	< 1	1	3	7	10	15	17
B. Operated	857	2.0	11	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	852	2.1	11	1	1	2	2	3	4	8
20-34	17	2.0	1	< 1	1	2	3	3	4	4
35-49	4	1.5		1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**875**	**2.1**	**11**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.9	1	< 1	1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	378	2.7	1	2	2	3	3	4	4	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.7	12	< 1	2	4	6	10	11	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	180	3.8	4	2	3	3	4	6	7	12
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.9	1	< 1	1	1	3	4	4	4
B. Operated	378	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	7	4.7	12	< 1	2	4	6	10	11	11
B. Operated	181	3.8	4	2	3	3	4	6	7	12
1. SINGLE DX	387	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX	188	3.8	4	2	3	3	4	6	7	12
A. Not Operated	16	3.1	8	< 1	1	2	4	7	10	11
B. Operated	559	3.0	2	2	2	3	3	5	6	9
TOTAL										
0-19 YRS	574	3.0	2	2	2	3	3	5	6	9
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**575**	**3.0**	**2**	**2**	**2**	**3**	**3**	**5**	**6**	**9**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	1.8	1	< 1	1	1	2	3	5	6
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	199	5.2	32	< 1	2	4	7	10	12	35
20-34	7	5.4	2	3	5	6	6	7	7	7
35-49	12	4.3	8	1	2	4	5	8	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	5.6	53	1	2	3	6	14	23	40
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	0									
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	7	3.6	4	1	2	3	6	6	6	6
B. Operated										
0-19 YRS	417	9.8	181	1	3	6	11	31	99	99 +
20-34	34	7.3	238	2	3	5	6	7	8	94
35-49	31	9.3	125	2	4	6	10	16	46	48
50-64	23	9.1	16	6	6	9	10	14	18	23
65 +	23	9.0	35	3	5	7	11	18	21	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.8	1	< 1	1	1	2	3	5	6
B. Operated	220	5.2	29	1	2	4	7	10	12	30
2. MULTIPLE DX										
A. Not Operated	85	5.3	47	1	2	3	6	13	17	38
B. Operated	528	9.5	168	2	4	6	11	26	82	99 +
1. SINGLE DX	275	4.5	25	< 1	1	3	6	9	11	21
2. MULTIPLE DX	613	8.9	153	1	3	6	10	24	59	99 +
A. Not Operated	140	3.9	32	< 1	1	2	4	7	14	30
B. Operated	748	8.2	131	1	3	6	9	20	48	99 +
TOTAL										
0-19 YRS	739	7.6	123	1	2	5	9	19	46	99 +
20-34	47	6.4	174	2	3	5	6	7	8	94
35-49	44	7.8	95	2	4	5	8	14	26	48
50-64	27	8.3	17	4	6	8	10	13	16	23
65 +	31	7.7	32	2	3	7	9	17	20	24
GRAND TOTAL	**888**	**7.6**	**118**	**1**	**2**	**5**	**8**	**17**	**34**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	105	1.1		< 1	< 1	< 1	1	1	2	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.9	82	< 1	1	2	4	16	31	32
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	89	1.2		< 1	< 1	1	1	2	2	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	108	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	11	4.9	82	< 1	1	2	4	16	31	32
B. Operated	91	1.2		< 1	< 1	1	1	2	3	5
1. SINGLE DX	108	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	102	1.6	10	< 1	< 1	1	1	2	3	18
A. Not Operated	11	4.9	82	< 1	1	2	4	16	31	32
B. Operated	199	1.2		< 1	< 1	< 1	1	2	2	4
TOTAL										
0-19 YRS	205	1.4	5	< 1	< 1	< 1	1	2	3	5
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
GRAND TOTAL	**210**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	1	< 1	1	2	3	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.3		< 1	< 1	< 1	2	2	2	2
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	8.0	2	7	7	8	9	9	9	9
B. Operated										
0-19 YRS	375	2.3	4	< 1	1	1	3	5	7	10
20-34	31	3.9	10	< 1	1	3	5	8	10	15
35-49	14	3.2	5	< 1	1	3	5	6	7	8
50-64	6	3.7	5	< 1	2	3	5	7	7	7
65 +	4	4.0	7	1	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.4	59	1	1	3	4	6	19	38
20-34	11	3.2	5	1	2	2	5	7	7	7
35-49	29	2.7	9	< 1	1	2	3	5	7	17
50-64	23	3.0	7	< 1	1	2	4	7	9	9
65 +	15	2.9	6	< 1	1	2	4	7	8	9
B. Operated										
0-19 YRS	315	4.4	31	1	2	3	5	9	11	29
20-34	82	4.5	12	1	3	4	6	8	10	22
35-49	52	4.2	5	1	3	4	5	7	9	11
50-64	39	4.6	8	2	3	4	6	8	10	14
65 +	18	6.2	19	1	3	6	8	12	16	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.5	5	< 1	< 1	2	3	7	8	9
B. Operated	430	2.5	5	< 1	1	2	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	100	3.2	18	< 1	1	2	4	6	8	27
B. Operated	506	4.5	23	1	2	4	6	8	11	26
1. SINGLE DX	446	2.5	5	< 1	1	2	3	6	7	10
2. MULTIPLE DX	606	4.3	23	1	2	3	5	8	10	26
A. Not Operated	116	3.1	17	< 1	1	2	4	6	8	24
B. Operated	936	3.6	16	< 1	1	3	5	7	10	16
TOTAL										
0-19 YRS	720	3.3	19	< 1	1	2	4	7	9	20
20-34	125	4.2	11	1	2	3	6	8	10	18
35-49	98	3.5	7	< 1	2	3	5	7	8	14
50-64	70	3.9	8	< 1	2	4	5	8	9	14
65 +	39	4.8	14	1	2	4	7	9	12	18
GRAND TOTAL	**1052**	**3.5**	**16**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	317	1.7	1	1	1	2	2	3	3	5
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	4	1.3		1	1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.1	1	< 1	< 1	2	3	4	4	4
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	183	1.9	1	1	1	2	2	3	4	6
20-34	26	2.2	1	1	1	2	3	4	4	4
35-49	11	2.5	1	1	2	2	4	4	4	4
50-64	22	2.0	1	< 1	1	2	3	3	3	3
65 +	12	1.9	1	< 1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	328	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	10	2.0	1	< 1	< 1	1	3	4	4	4
B. Operated	254	1.9	1	1	1	2	2	3	4	5
1. SINGLE DX	331	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX	264	2.0	1	1	1	2	2	3	4	5
A. Not Operated	13	1.8	1	< 1	< 1	< 1	3	3	4	4
B. Operated	582	1.8	1	1	1	2	2	3	4	5
TOTAL										
0-19 YRS	512	1.8	1	1	1	2	2	3	3	5
20-34	29	2.4	2	1	1	2	4	4	5	6
35-49	15	2.2	1	1	1	2	3	4	4	4
50-64	25	2.0	1	< 1	1	2	3	3	3	3
65 +	14	1.9	1	< 1	1	2	3	3	3	3
GRAND TOTAL	**595**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	5.0	85	< 1	1	2	3	15	25	43
20-34	9	7.1	104	< 1	1	2	9	25	25	25
35-49	14	3.0	24	< 1	< 1	1	2	8	17	19
50-64	6	6.5	31	< 1	3	5	7	16	17	17
65 +	0									
B. Operated										
0-19 YRS	808	3.2	9	< 1	1	3	4	6	8	18
20-34	71	3.5	10	1	1	2	5	7	10	15
35-49	50	3.8	10	1	1	3	6	8	9	14
50-64	18	4.3	6	1	2	4	7	8	8	8
65 +	5	2.2	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	4.4	27	1	2	2	5	11	17	30
20-34	19	8.2	47	< 1	3	6	10	20	21	21
35-49	9	3.2	5	< 1	1	3	4	7	8	8
50-64	9	4.8	6	1	3	5	7	8	9	9
65 +	19	5.8	23	1	3	4	8	15	17	17
B. Operated										
0-19 YRS	577	6.1	76	1	2	3	6	14	26	81
20-34	90	5.5	14	1	3	5	7	11	12	19
35-49	81	7.6	75	1	4	6	8	12	15	59
50-64	66	7.4	89	2	5	6	8	11	13	69
65 +	40	6.5	35	1	2	5	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	5.0	71	< 1	1	2	4	16	24	43
B. Operated	952	3.3	9	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. Not Operated	270	4.8	27	1	2	3	6	12	17	24
B. Operated	854	6.3	69	1	2	4	7	13	21	51
1. SINGLE DX	1029	3.4	14	< 1	1	3	4	7	8	19
2. MULTIPLE DX	1124	5.9	59	1	2	4	7	12	19	47
A. Not Operated	347	4.8	37	1	1	3	5	12	18	39
B. Operated	1806	4.7	39	1	1	3	6	9	13	38
TOTAL										
0-19 YRS	1647	4.4	39	1	1	3	5	9	15	41
20-34	189	5.1	21	1	2	4	7	11	14	24
35-49	154	5.7	49	1	1	5	7	11	13	45
50-64	99	6.6	64	2	3	6	7	10	13	50
65 +	64	6.0	30	1	2	5	8	13	16	29
GRAND TOTAL	**2153**	**4.7**	**39**	**1**	**1**	**3**	**5**	**9**	**14**	**38**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	11.7	81	2	5	11	17	21	25	54
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	579	17.2	240	3	6	13	23	37	51	85
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	199	38.5	752	9	17	43	87	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	11.7	81	2	5	11	17	21	25	54
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	579	17.2	240	3	6	13	23	37	51	85
B. Operated	199	38.5	752	9	17	43	87	99 +	99 +	99 +
1. SINGLE DX	56	11.7	81	2	5	11	17	21	25	54
2. MULTIPLE DX	778	22.6	457	3	8	17	34	75	99 +	99 +
A. Not Operated	635	16.7	229	3	6	12	22	36	49	83
B. Operated	199	38.5	752	9	17	43	87	99 +	99 +	99 +
TOTAL										
0-19 YRS	834	21.9	439	3	8	16	33	72	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**834**	**21.9**	**439**	**3**	**8**	**16**	**33**	**72**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1872	2.0	1	1	1	2	2	3	3	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	3.0	2	1	2	3	4	5	5	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	611	2.8	5	1	2	2	3	4	6	12
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	5.4	36	1	2	4	6	22	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1872	2.0	1	1	1	2	2	3	3	5
B. Operated	26	3.0	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	611	2.8	5	1	2	2	3	4	6	12
B. Operated	28	5.4	36	1	2	4	6	22	99 +	99 +
1. SINGLE DX	1898	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX	639	2.9	7	1	2	2	3	5	7	16
A. Not Operated	2483	2.2	2	1	1	2	2	3	4	7
B. Operated	54	4.2	20	1	2	3	5	10	26	99 +
TOTAL										
0-19 YRS	2537	2.2	2	1	1	2	3	3	4	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2537**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	538	3.2	14	1	2	2	4	6	8	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	29	5.2	18	1	2	4	10	15	95	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2014	5.5	60	1	2	3	6	12	17	40
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	347	15.1	274	4	6	12	45	99 +	99 +	99 +
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	538	3.2	14	1	2	2	4	6	8	15
B. Operated	29	5.2	18	1	2	4	10	15	95	99 +
2. MULTIPLE DX										
A. Not Operated	2014	5.5	60	1	2	3	6	12	17	40
B. Operated	348	15.1	273	4	6	12	45	99 +	99 +	99 +
1. SINGLE DX	567	3.3	14	1	2	2	4	6	8	19
2. MULTIPLE DX	2362	6.9	102	1	2	4	8	19	45	99 +
A. Not Operated	2552	5.0	51	1	2	3	5	10	15	38
B. Operated	377	14.3	261	3	6	11	40	99 +	99 +	99 +
TOTAL										
0-19 YRS	2928	6.2	87	1	2	3	7	16	36	99 +
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2929**	**6.2**	**87**	**1**	**2**	**3**	**7**	**16**	**36**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	479	1.8	2	1	1	1	2	3	4	6
20-34	113	1.8	2	< 1	1	1	2	3	5	10
35-49	85	1.8	2	1	1	1	2	3	5	7
50-64	35	2.1	2	1	1	2	2	4	5	8
65 +	36	2.4	2	1	1	2	3	4	6	6
B. Operated										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1188	2.4	5	1	1	2	3	4	5	13
20-34	298	2.9	12	1	1	2	3	5	8	16
35-49	360	3.4	19	1	1	2	4	6	8	16
50-64	350	3.5	10	1	2	3	4	7	9	15
65 +	729	4.5	14	1	2	4	6	8	11	20
B. Operated										
0-19 YRS	28	11.0	479	1	2	4	8	15	87	87
20-34	19	7.9	71	1	1	5	10	24	27	28
35-49	41	5.3	26	1	2	4	7	11	16	24
50-64	36	8.1	92	1	2	5	10	18	28	49
65 +	68	9.1	93	2	4	6	9	18	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	748	1.9	2	1	1	1	2	4	4	7
B. Operated	7	3.1	6	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	2925	3.2	11	1	1	2	4	6	9	16
B. Operated	192	8.3	133	1	3	5	9	16	27	73
1. SINGLE DX	755	1.9	2	1	1	1	2	4	4	7
2. MULTIPLE DX	3117	3.5	20	1	1	2	4	7	10	19
A. Not Operated	3673	2.9	9	1	1	2	3	6	8	15
B. Operated	199	8.1	129	1	2	5	9	16	26	70
TOTAL										
0-19 YRS	1699	2.3	13	1	1	2	3	4	5	13
20-34	432	2.8	13	1	1	2	3	5	8	18
35-49	487	3.3	18	1	1	2	4	6	9	17
50-64	421	3.8	18	1	2	3	4	8	10	20
65 +	833	4.7	22	1	2	4	6	9	12	26
GRAND TOTAL	**3872**	**3.2**	**17**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	223	2.6	2	1	2	3	3	4	5	7
20-34	34	3.3	6	1	1	3	5	6	8	12
35-49	25	3.5	4	1	2	3	5	7	7	8
50-64	13	2.6	3	1	1	2	3	6	6	6
65 +	13	2.8	3	1	2	2	3	6	7	7
B. Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	717	3.3	8	1	2	3	4	6	7	14
20-34	191	4.5	14	1	2	3	6	8	10	23
35-49	236	4.6	14	2	2	3	6	9	12	20
50-64	238	4.9	12	2	3	4	6	9	11	15
65 +	630	5.2	11	2	3	4	7	9	12	18
B. Operated										
0-19 YRS	37	9.6	130	3	4	6	12	20	24	66
20-34	39	7.6	27	2	3	6	12	14	18	23
35-49	55	9.2	75	3	4	7	12	18	23	54
50-64	66	10.6	126	3	5	8	13	21	28	71
65 +	101	10.0	45	3	6	8	12	21	26	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	308	2.8	2	1	2	3	3	5	6	8
B. Operated	6	5.0	12	1	2	5	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	2012	4.3	11	2	2	3	5	8	10	18
B. Operated	298	9.7	76	3	4	7	12	19	26	47
1. SINGLE DX	314	2.8	3	1	2	3	3	5	6	9
2. MULTIPLE DX	2310	5.0	23	2	2	4	6	10	13	26
A. Not Operated	2320	4.1	10	2	2	3	5	8	10	16
B. Operated	304	9.6	76	3	4	7	12	19	26	46
TOTAL										
0-19 YRS	980	3.4	12	1	2	3	4	6	7	20
20-34	264	4.8	16	1	2	4	6	10	12	22
35-49	317	5.3	27	2	2	4	6	10	14	25
50-64	317	6.0	41	2	3	4	7	11	14	31
65 +	746	5.8	18	2	3	5	7	11	13	24
GRAND TOTAL	**2624**	**4.8**	**21**	**2**	**2**	**3**	**6**	**9**	**12**	**23**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.7	1	<1	1	1	2	3	4	4
20-34	56	2.3	2	1	1	2	3	5	5	7
35-49	45	1.8	1	1	1	2	2	3	4	6
50-64	9	1.9	1	1	1	2	2	4	4	4
65 +	6	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	3.9	5	1	2	3	6	7	8	8
35-49	5	4.2	12	1	2	4	6	10	10	10
50-64	5	2.4	1	2	2	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	2.2	2	1	1	2	3	4	6	8
20-34	122	3.5	10	1	2	3	4	6	9	19
35-49	130	3.4	5	1	2	3	5	7	7	11
50-64	87	2.8	4	1	1	2	4	5	7	11
65 +	68	3.4	5	1	2	3	5	7	8	11
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	5.9	20	2	2	5	8	12	15	17
35-49	11	2.4	1	1	1	2	3	4	4	4
50-64	13	5.8	12	2	3	5	7	10	13	14
65 +	16	3.5	1	2	3	4	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.0	1	1	1	2	2	3	5	6
B. Operated	21	3.4	6	1	2	2	4	7	9	10
2. MULTIPLE DX										
A. Not Operated	474	3.1	6	1	2	2	4	6	8	12
B. Operated	57	4.4	11	1	2	4	5	9	12	17
1. SINGLE DX	159	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	531	3.3	7	1	2	2	4	6	8	13
A. Not Operated	612	2.9	5	1	1	2	4	5	7	11
B. Operated	78	4.2	9	1	2	4	5	8	11	16
TOTAL										
0-19 YRS	92	2.1	2	1	1	2	3	4	5	8
20-34	203	3.3	9	1	2	2	4	6	9	17
35-49	191	3.0	5	1	1	2	4	6	7	11
50-64	114	3.1	5	1	2	2	4	6	8	13
65 +	90	3.3	5	1	2	3	4	6	8	11
GRAND TOTAL	**690**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	**12**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.1	3	1	1	1	3	5	5	5
35-49	14	2.0	1	1	1	2	3	4	4	4
50-64	11	3.1	4	< 1	1	2	5	6	6	6
65 +	20	2.5	3	1	1	2	4	5	6	6
B. Operated										
0-19 YRS	5	2.4	3	< 1	< 1	2	3	5	5	5
20-34	8	3.4	2	2	2	3	4	5	6	6
35-49	32	2.9	2	1	2	3	4	5	6	6
50-64	41	3.4	3	1	2	3	4	6	7	8
65 +	46	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.1	3	1	1	1	2	5	7	7
20-34	12	2.8	4	1	1	2	4	6	7	7
35-49	28	2.5	2	1	1	2	4	5	5	6
50-64	57	2.9	3	1	2	3	3	5	6	11
65 +	113	3.0	8	1	2	3	3	5	6	18
B. Operated										
0-19 YRS	9	7.1	26	1	3	6	12	14	16	16
20-34	12	3.5	10	1	2	2	5	8	11	11
35-49	41	4.7	17	2	3	4	5	8	10	26
50-64	84	3.8	4	1	2	4	5	7	8	9
65 +	204	4.4	16	1	2	4	6	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.4	3	1	1	2	3	5	6	6
B. Operated	132	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	224	2.8	6	1	1	2	4	5	6	12
B. Operated	350	4.3	14	1	2	4	5	8	10	20
1. SINGLE DX	188	2.8	3	1	2	2	4	5	6	8
2. MULTIPLE DX	574	3.7	11	1	2	3	5	7	9	17
A. Not Operated	280	2.7	5	1	1	2	4	5	6	11
B. Operated	482	4.0	11	1	2	3	5	7	9	17
TOTAL										
0-19 YRS	30	3.6	15	1	1	2	5	9	12	16
20-34	41	3.0	5	1	1	2	4	6	7	11
35-49	115	3.3	8	1	2	3	4	6	7	16
50-64	193	3.4	4	1	2	3	4	6	8	9
65 +	383	3.7	12	1	2	3	4	6	9	19
GRAND TOTAL	**762**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	3	< 1	< 1	1	3	5	5	5
20-34	7	3.0	13	1	1	2	3	9	11	11
35-49	8	1.5	1	< 1	< 1	1	2	3	3	3
50-64	8	2.0	6	< 1	< 1	1	2	6	8	8
65 +	8	1.9	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	16	1.0		< 1	< 1	< 1	1	1	1	1
20-34	11	5.3	19	1	2	4	8	12	15	15
35-49	12	1.8	1	< 1	1	1	2	3	4	4
50-64	9	2.0	3	1	1	1	2	5	6	6
65 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	5.3	67	1	2	2	5	12	20	46
20-34	24	4.9	32	1	1	4	5	10	20	24
35-49	37	2.4	7	1	1	1	2	6	8	13
50-64	50	3.9	11	< 1	1	3	6	9	11	14
65 +	130	4.4	15	1	2	3	6	9	11	19
B. Operated										
0-19 YRS	25	10.3	306	< 1	1	3	6	43	56	56
20-34	20	6.9	37	1	3	5	10	14	20	26
35-49	23	9.6	252	1	1	3	12	25	51	68
50-64	33	6.3	127	1	1	4	5	11	41	51
65 +	35	10.0	53	2	5	8	15	19	24	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.1	4	< 1	1	1	2	4	7	11
B. Operated	52	2.3	7	< 1	< 1	1	2	6	8	15
2. MULTIPLE DX										
A. Not Operated	280	4.2	22	1	1	3	5	9	12	24
B. Operated	136	8.6	147	1	2	4	10	19	41	58
1. SINGLE DX	88	2.2	6	< 1	1	1	2	5	8	13
2. MULTIPLE DX	416	5.7	67	1	1	3	6	12	17	48
A. Not Operated	316	4.0	21	1	1	2	5	9	11	24
B. Operated	188	6.9	116	< 1	1	3	8	15	26	56
TOTAL										
0-19 YRS	85	5.8	129	< 1	1	2	4	10	41	56
20-34	62	5.4	29	1	2	4	6	13	17	26
35-49	80	4.3	85	1	1	2	3	9	14	60
50-64	100	4.4	49	< 1	1	2	5	9	11	48
65 +	177	5.4	27	1	2	4	7	12	17	26
GRAND TOTAL	**504**	**5.1**	**58**	**1**	**1**	**3**	**6**	**11**	**16**	**45**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	8.5	83	3	3	5	14	22	22	22
50-64	5	12.6	157	2	5	9	17	34	34	34
65 +	9	7.2	115	< 1	1	4	7	24	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	10.9	178	2	3	6	12	34	42	42
50-64	7	8.6	15	4	6	10	10	14	15	15
65 +	34	7.5	28	3	5	6	8	14	14	31
B. Operated										
0-19 YRS	7	3.0	4	< 1	1	3	4	6	7	7
20-34	17	18.0	393	2	4	7	30	52	61	65
35-49	28	13.4	195	2	4	9	15	38	49	52
50-64	56	12.1	113	2	5	9	15	26	31	55
65 +	184	12.9	136	3	6	9	16	29	41	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	9	< 1	1	5	6	7	7	7
B. Operated	18	9.0	111	1	3	5	9	30	35	35
2. MULTIPLE DX										
A. Not Operated	49	8.2	49	3	5	7	10	14	16	42
B. Operated	292	12.9	150	3	5	9	16	29	41	58
1. SINGLE DX	21	8.3	98	1	2	5	8	27	34	35
2. MULTIPLE DX	341	12.2	138	3	5	8	15	29	39	56
A. Not Operated	52	8.0	47	2	4	7	10	14	15	42
B. Operated	310	12.6	149	2	5	8	15	29	40	57
TOTAL										
0-19 YRS	7	3.0	4	< 1	1	3	4	6	7	7
20-34	17	18.0	393	2	4	7	30	52	61	65
35-49	41	12.2	173	2	4	8	15	35	45	52
50-64	69	11.6	105	2	5	9	14	26	32	52
65 +	228	11.9	122	3	5	8	14	27	33	57
GRAND TOTAL	**362**	**12.0**	**137**	**2**	**5**	**8**	**14**	**29**	**37**	**56**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.5	1	< 1	1	1	2	2	3	6
20-34	244	1.5	1	< 1	1	1	2	2	3	5
35-49	1102	1.4	1	1	1	1	2	2	3	4
50-64	917	1.7	5	1	1	1	2	3	3	5
65 +	436	1.7	4	1	1	1	2	3	3	5
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	27	2.8	13	1	1	2	2	6	13	17
35-49	162	2.0	2	1	1	2	2	4	5	8
50-64	175	2.0	2	1	1	1	3	4	5	7
65 +	95	2.1	2	1	1	1	3	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.4	6	< 1	1	2	2	4	9	10
20-34	479	1.8	2	1	1	1	2	3	4	7
35-49	2667	1.9	2	1	1	1	2	3	4	7
50-64	3737	2.1	3	1	1	2	3	4	5	8
65 +	4448	2.5	3	1	1	2	3	4	6	9
B. Operated										
0-19 YRS	4	4.0	12	1	1	4	7	7	7	7
20-34	62	2.8	5	1	1	2	4	6	7	11
35-49	553	2.6	6	1	1	2	3	5	6	12
50-64	948	2.7	5	1	1	2	3	5	6	13
65 +	843	3.3	11	1	1	3	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2730	1.6	3	1	1	1	2	3	3	5
B. Operated	460	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	11365	2.2	3	1	1	2	3	4	5	8
B. Operated	2410	2.9	8	1	1	2	4	5	7	14
1. SINGLE DX	3190	1.6	3	1	1	1	2	3	3	5
2. MULTIPLE DX	13775	2.3	4	1	1	2	3	4	5	10
A. Not Operated	14095	2.1	3	1	1	2	2	4	5	8
B. Operated	2870	2.8	7	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	70	2.0	4	< 1	1	1	2	4	7	10
20-34	812	1.8	2	1	1	1	2	3	4	8
35-49	4484	1.9	2	1	1	1	2	3	4	7
50-64	5777	2.1	3	1	1	2	3	4	5	8
65 +	5822	2.6	5	1	1	2	3	5	6	10
GRAND TOTAL	**16965**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	243	1.7	1	1	1	1	2	3	4	5
20-34	5	2.0	3	< 1	1	1	3	5	5	5
35-49	11	2.9	15	< 1	< 1	1	3	9	14	14
50-64	11	1.2		< 1	1	1	1	2	2	2
65 +	10	3.2	4	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	5	4.4	11	2	2	2	8	8	8	8
20-34	7	2.4	2	< 1	1	2	4	4	4	4
35-49	12	3.6	12	< 1	1	2	6	9	10	10
50-64	13	3.2	12	1	1	2	3	8	12	13
65 +	12	2.1	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	521	3.1	11	1	1	2	4	6	9	19
20-34	56	2.8	6	1	1	2	3	6	8	14
35-49	94	3.0	10	1	1	2	3	6	7	19
50-64	129	2.8	6	1	1	2	3	6	8	13
65 +	280	3.6	26	1	2	3	4	6	7	18
B. Operated										
0-19 YRS	46	10.1	198	1	2	6	10	36	70	99 +
20-34	17	4.6	27	1	1	2	7	10	17	21
35-49	42	4.4	17	1	1	3	6	10	13	19
50-64	72	4.3	19	1	2	3	5	9	15	22
65 +	96	4.8	23	1	2	3	6	9	11	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	1.8	2	1	1	1	2	3	4	7
B. Operated	49	3.0	8	1	1	2	4	8	9	13
2. MULTIPLE DX										
A. Not Operated	1080	3.2	14	1	1	2	4	6	8	18
B. Operated	273	5.5	54	1	2	3	6	10	19	64
1. SINGLE DX	329	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX	1353	3.6	23	1	1	2	4	7	10	24
A. Not Operated	1360	2.9	12	1	1	2	3	5	8	16
B. Operated	322	5.1	48	1	2	3	6	10	17	60
TOTAL										
0-19 YRS	815	3.1	21	1	1	2	3	6	9	28
20-34	85	3.1	10	1	1	2	4	7	10	19
35-49	159	3.4	12	1	1	2	4	7	11	19
50-64	225	3.3	11	1	1	2	4	7	9	18
65 +	398	3.8	24	1	2	3	4	7	9	23
GRAND TOTAL	**1682**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**9**	**21**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.2	3	< 1	1	2	3	5	6	6
20-34	21	1.6	1	< 1	1	1	2	3	4	4
35-49	41	1.4		1	1	1	2	3	3	3
50-64	28	1.3		< 1	1	1	1	3	3	3
65 +	14	1.6		< 1	1	1	2	2	3	3
B. Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	3.1	4	< 1	1	2	5	6	6	6
50-64	12	2.1	2	1	1	2	3	4	5	5
65 +	8	2.3	2	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.6	1	1	1	1	2	3	4	4
20-34	49	2.4	12	1	1	2	3	4	4	25
35-49	51	2.3	3	< 1	1	2	3	5	6	9
50-64	47	2.1	3	1	1	2	3	4	5	10
65 +	143	3.8	10	1	1	3	5	8	11	14
B. Operated										
0-19 YRS	17	4.6	10	< 1	2	4	7	10	11	11
20-34	23	3.7	6	1	2	3	5	8	9	10
35-49	23	3.2	9	1	1	2	4	6	10	15
50-64	51	2.7	3	1	1	2	4	5	6	9
65 +	137	4.1	10	1	2	3	5	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	1.5	1	< 1	1	1	2	3	3	5
B. Operated	30	2.4	2	< 1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated	304	3.0	8	1	1	2	4	6	9	14
B. Operated	251	3.7	8	1	2	3	5	7	10	14
1. SINGLE DX	143	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	555	3.3	8	1	1	2	4	7	9	14
A. Not Operated	417	2.6	7	1	1	2	3	5	7	13
B. Operated	281	3.6	8	1	2	3	4	7	9	14
TOTAL										
0-19 YRS	42	3.0	7	< 1	1	2	4	7	9	11
20-34	94	2.5	8	1	1	2	3	4	7	18
35-49	122	2.2	4	1	1	1	3	5	6	11
50-64	138	2.2	3	1	1	2	3	4	6	9
65 +	302	3.8	10	1	2	3	5	7	11	14
GRAND TOTAL	**698**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	573	1.6	1	<1	1	1	2	3	3	7
20-34	686	2.0	3	1	1	1	2	4	5	10
35-49	441	2.2	3	1	1	2	3	4	5	10
50-64	183	2.2	3	1	1	2	3	4	5	10
65 +	121	2.3	3	1	1	2	3	4	5	10
B. Operated										
0-19 YRS	132	2.5	1	1	2	2	3	4	4	5
20-34	143	3.0	3	1	2	3	4	5	7	8
35-49	70	3.3	5	1	2	3	4	5	8	11
50-64	30	3.0	4	<1	1	3	4	6	7	9
65 +	15	3.3	9	1	1	2	5	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	470	2.2	4	1	1	2	3	4	6	10
20-34	735	2.8	6	1	1	2	4	5	7	12
35-49	793	2.9	4	1	1	2	4	6	7	11
50-64	625	3.0	6	1	1	2	4	6	7	11
65 +	1049	3.5	7	1	2	3	4	7	8	13
B. Operated										
0-19 YRS	114	3.7	18	2	2	3	4	6	8	63
20-34	289	4.7	18	1	2	4	5	8	13	21
35-49	206	6.0	34	2	3	4	7	12	16	29
50-64	128	5.4	12	2	3	4	7	10	13	17
65 +	217	6.6	23	2	4	6	8	12	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2004	1.9	3	1	1	1	2	4	5	9
B. Operated	390	2.9	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	3672	3.0	6	1	1	2	4	6	7	11
B. Operated	954	5.4	23	2	3	4	7	10	13	28
1. SINGLE DX	2394	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX	4626	3.5	10	1	2	3	4	7	9	15
A. Not Operated	5676	2.6	5	1	1	2	3	5	7	11
B. Operated	1344	4.7	18	1	2	3	6	9	12	21
TOTAL										
0-19 YRS	1289	2.1	4	1	1	2	3	4	5	8
20-34	1853	2.8	7	1	1	2	3	5	7	14
35-49	1510	3.2	9	1	1	2	4	6	9	13
50-64	966	3.2	7	1	1	2	4	6	8	13
65 +	1402	3.9	10	1	2	3	5	8	9	14
GRAND TOTAL	**7020**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	1.7	1	<1	1	1	2	3	4	4
20-34	18	2.2	2	1	1	2	3	4	5	6
35-49	23	3.2	16	1	1	2	3	10	14	15
50-64	8	3.1	11	1	1	2	3	9	11	11
65 +	13	2.5	4	<1	1	2	4	5	7	7
B. Operated										
0-19 YRS	5	2.2	7	<1	<1	1	3	7	7	7
20-34	10	4.1	3	1	3	4	6	6	6	6
35-49	7	4.1	13	1	1	3	6	10	11	11
50-64	3	7.0	21	3	4	6	10	12	12	12
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	247	2.7	8	1	1	2	3	5	7	17
20-34	163	3.2	7	1	1	3	4	7	8	12
35-49	186	3.4	7	1	2	3	4	6	9	13
50-64	239	3.7	10	1	2	3	4	7	10	18
65 +	649	4.3	10	1	2	3	6	8	10	15
B. Operated										
0-19 YRS	53	3.5	49	1	1	1	3	6	9	44
20-34	62	5.3	70	1	2	3	5	10	14	58
35-49	88	4.9	48	1	1	3	6	8	11	43
50-64	111	6.1	32	1	2	4	8	14	18	27
65 +	195	6.4	49	1	2	4	8	14	16	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	2.3	5	1	1	2	2	4	6	14
B. Operated	26	4.4	12	1	1	4	6	11	12	13
2. MULTIPLE DX										
A. Not Operated	1484	3.7	9	1	2	3	5	7	10	16
B. Operated	509	5.6	48	1	2	4	7	12	17	38
1. SINGLE DX	140	2.7	7	1	1	2	3	6	8	14
2. MULTIPLE DX	1993	4.2	20	1	2	3	5	8	11	20
A. Not Operated	1598	3.6	9	1	2	3	5	7	10	15
B. Operated	535	5.6	46	1	2	4	7	12	16	36
TOTAL										
0-19 YRS	357	2.6	13	1	1	2	3	5	7	17
20-34	253	3.7	22	1	1	3	4	7	9	19
35-49	304	3.8	20	1	1	3	5	7	10	24
50-64	361	4.4	18	1	2	3	5	9	12	24
65 +	858	4.8	20	1	2	4	6	9	12	18
GRAND TOTAL	**2133**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0- 780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790- 799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	386	2.7	8	1	1	2	3	6	9	15
20-34	100	2.3	5	1	1	1	2	5	8	11
35-49	141	1.7	2	< 1	1	1	2	3	4	8
50-64	152	1.6	1	< 1	1	1	2	3	4	5
65 +	239	2.2	10	1	1	2	2	4	5	10
B. Operated										
0-19 YRS	63	2.9	29	< 1	< 1	1	2	5	10	30
20-34	22	3.4	13	< 1	1	2	4	8	13	15
35-49	51	1.7	2	< 1	1	1	2	3	3	9
50-64	49	2.2	5	< 1	1	1	2	6	7	10
65 +	20	1.8	1	1	1	1	2	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	884	4.3	23	1	1	3	5	9	12	25
20-34	385	3.1	15	1	1	2	4	6	9	17
35-49	697	2.7	10	1	1	2	3	5	7	16
50-64	1049	2.8	8	1	1	2	3	6	8	13
65 +	4174	3.5	8	1	2	3	4	7	9	15
B. Operated										
0-19 YRS	174	7.4	158	1	2	4	7	14	22	88
20-34	73	5.0	32	1	1	3	6	12	18	29
35-49	143	4.4	36	1	1	2	5	10	16	44
50-64	159	5.3	70	1	1	3	7	10	15	45
65 +	523	6.2	37	1	2	4	8	13	18	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1018	2.2	6	1	1	1	2	4	6	12
B. Operated	205	2.4	12	< 1	1	1	2	5	7	22
2. MULTIPLE DX										
A. Not Operated	7189	3.4	11	1	2	2	4	7	9	16
B. Operated	1072	5.9	61	1	2	4	7	13	18	41
1. SINGLE DX	1223	2.2	7	1	1	1	2	4	6	13
2. MULTIPLE DX	8261	3.7	18	1	2	3	4	7	10	20
A. Not Operated	8207	3.3	10	1	1	2	4	6	9	16
B. Operated	1277	5.3	55	1	1	3	7	11	16	39
TOTAL										
0-19 YRS	1507	4.2	37	1	1	3	5	8	12	29
20-34	580	3.2	16	1	1	2	4	7	10	19
35-49	1032	2.8	13	1	1	2	3	5	8	17
50-64	1409	3.0	15	1	1	2	3	6	8	15
65 +	4956	3.7	12	1	2	3	4	7	10	17
GRAND TOTAL	**9484**	**3.5**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	20.0		20	20	20	20	20	20	20
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	15.7	179	2	6	14	26	55	92	99 +
20-34	2	17.5	41	13	13	17	22	22	22	22
35-49	5	32.8	1462	3	3	15	62	91	91	91
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	36.0		36	36	36	36	36	36	36
B. Operated										
0-19 YRS	41	30.4	374	10	17	31	43	91	99 +	99 +
20-34	34	28.7	357	7	16	28	37	88	99 +	99 +
35-49	14	34.9	271	18	22	32	45	55	67	70
50-64	7	32.1	677	11	14	19	44	76	83	83
65 +	5	32.8	215	16	24	31	39	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. Not Operated	21	20.6	463	3	6	14	36	64	95	99 +
B. Operated	101	30.7	356	10	17	30	43	79	99 +	99 +
1. SINGLE DX	3	10.0	91	1	3	9	17	20	20	20
2. MULTIPLE DX	122	28.9	385	8	15	28	42	76	99 +	99 +
A. Not Operated	22	20.1	447	3	7	14	33	60	94	99 +
B. Operated	103	30.3	359	10	17	30	43	76	99 +	99 +
TOTAL										
0-19 YRS	54	26.7	363	6	14	27	43	88	99 +	99 +
20-34	37	27.8	336	8	16	27	36	80	99 +	99 +
35-49	19	34.3	521	6	19	30	50	63	82	91
50-64	9	26.2	651	4	10	17	39	68	83	83
65 +	6	33.3	173	17	27	32	36	54	56	56
GRAND TOTAL	**125**	**28.5**	**386**	**7**	**14**	**28**	**42**	**73**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	201	2.1	23	1	1	1	2	3	5	14
20-34	14	3.2	4	1	2	3	4	6	7	7
35-49	6	4.0	21	1	1	2	4	12	13	13
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	58	3.5	3	2	2	3	4	5	7	9
20-34	24	7.0	65	2	3	4	6	16	28	36
35-49	9	3.8	12	< 1	2	3	5	9	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	216	3.5	19	1	1	2	4	6	12	28
20-34	57	4.2	23	1	1	2	5	9	16	25
35-49	11	7.4	58	2	3	5	7	21	26	26
50-64	12	5.3	12	2	3	4	7	10	13	13
65 +	9	8.3	17	3	4	9	11	14	15	15
B. Operated										
0-19 YRS	129	8.2	57	1	3	6	11	22	29	99 +
20-34	109	9.3	80	2	4	6	10	21	31	42
35-49	52	10.2	108	2	3	6	13	23	33	47
50-64	25	8.9	59	3	4	6	11	20	25	36
65 +	10	16.3	323	1	2	11	26	43	58	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	222	2.3	22	1	1	1	2	4	6	14
B. Operated	91	4.5	22	2	2	3	5	7	12	31
2. MULTIPLE DX										
A. Not Operated	305	4.0	22	1	1	2	4	9	14	27
B. Operated	325	9.2	82	2	3	6	11	22	30	67
1. SINGLE DX	313	2.9	23	1	1	2	3	5	7	20
2. MULTIPLE DX	630	6.6	59	1	2	4	8	17	25	44
A. Not Operated	527	3.2	22	1	1	2	3	6	10	26
B. Operated	416	8.1	72	2	3	5	10	20	29	52
TOTAL										
0-19 YRS	604	4.0	32	1	1	2	4	9	15	30
20-34	204	7.2	62	1	2	5	8	16	25	37
35-49	78	8.6	88	1	3	5	10	20	30	46
50-64	37	7.7	46	3	3	5	10	15	21	36
65 +	20	12.2	179	2	3	8	16	27	43	58
GRAND TOTAL	**943**	**5.4**	**50**	**1**	**1**	**3**	**6**	**13**	**20**	**37**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	2.0	2	1	1	2	2	4	5	9
20-34	31	3.2	24	1	1	2	3	7	12	26
35-49	21	5.3	24	2	3	4	6	9	17	24
50-64	4	3.0	6	1	1	3	5	6	6	6
65 +	4	11.8	276	1	1	5	22	36	36	36
B. Operated										
0-19 YRS	21	4.7	6	2	3	5	6	8	9	9
20-34	15	4.7	13	1	2	4	6	10	13	14
35-49	7	6.4	13	2	3	7	9	11	11	11
50-64	3	3.7	6	< 1	1	4	5	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	4.1	22	1	2	3	4	9	10	25
20-34	131	4.8	20	1	2	4	6	11	12	19
35-49	84	6.2	31	1	2	4	9	15	18	24
50-64	35	6.8	45	1	2	4	11	14	19	32
65 +	36	8.0	56	2	3	6	9	19	21	38
B. Operated										
0-19 YRS	129	9.3	90	2	3	6	12	22	26	48
20-34	153	9.8	149	2	3	6	11	19	29	84
35-49	85	9.5	85	2	3	6	14	23	30	80
50-64	35	16.1	165	2	8	13	24	42	46	99 +
65 +	22	15.6	127	5	7	10	22	35	37	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	3.0	18	1	1	2	3	5	8	26
B. Operated	46	4.9	9	1	2	5	6	9	10	14
2. MULTIPLE DX										
A. Not Operated	505	5.1	28	1	2	3	6	11	15	27
B. Operated	424	10.4	122	2	3	7	14	24	35	67
1. SINGLE DX	204	3.4	16	1	1	2	4	7	9	25
2. MULTIPLE DX	929	7.5	78	1	2	4	9	18	24	43
A. Not Operated	663	4.6	27	1	2	3	5	10	14	26
B. Operated	470	9.9	114	2	3	6	12	23	32	60
TOTAL										
0-19 YRS	467	5.1	43	1	2	3	6	10	20	35
20-34	330	7.0	87	1	2	4	9	14	19	43
35-49	197	7.5	56	2	3	5	10	18	23	44
50-64	77	10.7	120	1	3	8	14	27	41	85
65 +	62	10.9	103	2	4	7	16	25	36	38
GRAND TOTAL	**1133**	**6.8**	**69**	**1**	**2**	**4**	**8**	**16**	**23**	**42**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	2	<1	1	1	2	4	5	5
20-34	27	1.7	1	<1	1	1	3	3	4	4
35-49	11	2.4	2	1	1	2	4	4	4	4
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	155	2.3	3	<1	1	2	3	4	7	8
20-34	400	2.9	5	1	1	2	4	6	7	10
35-49	143	3.1	6	1	1	2	4	6	8	12
50-64	17	3.1	11	1	1	2	4	7	11	13
65+	7	3.7	11	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	1.8	1	1	1	1	2	3	4	5
20-34	105	2.3	3	1	1	2	3	5	6	9
35-49	53	4.0	165	1	1	2	3	5	6	92
50-64	18	3.2	7	1	2	2	3	8	10	11
65+	31	4.1	8	1	2	3	6	9	10	10
B. Operated										
0-19 YRS	320	3.6	15	1	1	2	4	8	10	20
20-34	810	4.5	22	1	2	3	6	9	13	24
35-49	350	5.7	58	1	2	4	7	11	14	54
50-64	78	5.3	65	1	2	3	7	10	12	54
65+	64	6.4	84	1	2	4	7	13	17	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	1.9	2	<1	1	1	3	4	4	9
B. Operated	722	2.8	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	260	2.8	37	1	1	2	3	5	7	11
B. Operated	1622	4.7	33	1	2	3	6	9	13	25
1. SINGLE DX	774	2.8	5	1	1	2	3	6	7	11
2. MULTIPLE DX	1882	4.4	34	1	2	3	5	9	12	24
A. Not Operated	312	2.7	31	1	1	2	3	5	7	10
B. Operated	2344	4.1	25	1	1	3	5	8	11	21
TOTAL										
0-19 YRS	539	3.0	10	1	1	2	3	6	8	16
20-34	1342	3.8	16	<1	1	3	5	8	11	20
35-49	557	4.8	55	1	2	3	5	9	12	28
50-64	115	4.6	48	1	2	3	5	9	11	33
65+	103	5.5	56	1	2	4	7	10	16	47
GRAND TOTAL	**2656**	**3.9**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	3.2	6	1	1	2	5	7	8	11
20-34	169	3.6	19	1	2	3	4	6	8	27
35-49	117	3.8	7	1	2	3	5	8	9	13
50-64	68	3.2	3	1	2	3	4	6	7	8
65+	71	3.6	4	1	2	3	5	7	7	8
B. Operated										
0-19 YRS	17	7.3	32	2	4	6	9	18	20	20
20-34	46	6.4	9	3	4	6	9	11	11	12
35-49	24	5.7	11	2	3	5	8	10	12	13
50-64	10	5.7	12	2	3	5	8	11	13	13
65+	9	5.1	6	2	3	4	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	4.0	16	1	2	3	5	7	11	22
20-34	308	5.2	47	1	2	4	6	9	11	44
35-49	220	4.3	11	1	2	3	6	9	11	15
50-64	181	5.4	15	2	3	5	7	10	12	20
65+	984	6.5	19	3	4	5	8	11	14	22
B. Operated										
0-19 YRS	77	10.8	91	2	5	9	14	19	31	47
20-34	193	8.9	62	2	4	7	11	16	24	39
35-49	143	10.5	86	3	5	8	13	19	36	56
50-64	76	11.5	106	4	6	9	14	20	25	62
65+	126	11.8	98	3	6	9	16	25	26	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	504	3.5	10	1	2	3	4	7	8	12
B. Operated	106	6.2	13	2	4	5	8	11	12	20
2. MULTIPLE DX										
A. Not Operated	1824	5.7	23	2	3	5	7	10	13	23
B. Operated	615	10.4	85	3	5	8	13	19	26	54
1. SINGLE DX	610	4.0	11	1	2	3	5	8	10	13
2. MULTIPLE DX	2439	6.9	42	2	3	5	8	13	18	37
A. Not Operated	2328	5.2	21	2	3	4	7	10	12	21
B. Operated	721	9.8	76	3	4	8	13	18	25	53
TOTAL										
0-19 YRS	304	5.7	42	1	2	3	7	13	17	39
20-34	716	5.9	46	1	2	4	7	11	14	39
35-49	504	6.0	39	1	2	4	8	12	16	39
50-64	335	6.3	41	2	3	5	8	13	17	27
65+	1190	6.8	29	3	4	6	8	12	16	26
GRAND TOTAL	**3049**	**6.3**	**38**	**2**	**3**	**5**	**8**	**12**	**16**	**33**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	10	1	2	7	99+	99+	99+	99+
20-34	7	7.0	154	1	1	2	4	29	35	35
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	23.7	385	1	9	35	35	35	35	35
20-34	6	8.5	18	3	4	10	10	14	14	14
35-49	2	12.5	5	11	11	12	14	14	14	14
50-64	2	13.0	242	2	2	13	24	24	24	24
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	20.0	298	<1	2	20	31	44	45	45
20-34	17	7.6	48	2	3	4	10	18	24	27
35-49	7	6.1	17	1	3	6	9	12	13	13
50-64	6	5.2	4	3	3	5	7	8	8	8
65+	13	8.0	36	3	3	7	11	17	22	23
B. Operated										
0-19 YRS	45	17.7	160	6	9	16	22	38	50	99+
20-34	96	21.9	185	8	11	18	31	41	51	82
35-49	44	20.0	173	7	12	17	25	37	47	65
50-64	14	22.1	198	5	11	22	30	37	52	56
65+	10	17.5	104	6	9	16	23	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.1	72	1	2	3	6	87	99+	99+
B. Operated	14	12.8	124	2	4	10	14	35	35	35
2. MULTIPLE DX										
A. Not Operated	49	8.7	78	2	3	6	11	21	27	45
B. Operated	209	20.4	174	7	11	17	28	39	50	82
1. SINGLE DX	29	8.8	109	1	2	4	13	35	96	99+
2. MULTIPLE DX	258	18.2	176	4	9	15	26	38	45	69
A. Not Operated	64	7.9	78	2	3	5	10	26	37	99+
B. Operated	223	19.9	174	6	10	16	27	39	47	77
TOTAL										
0-19 YRS	57	17.5	180	2	8	16	25	42	85	99+
20-34	126	18.5	192	3	9	14	28	39	47	71
35-49	56	17.1	171	4	8	13	23	32	42	65
50-64	23	16.1	192	3	5	11	24	33	42	56
65+	25	11.5	83	3	5	8	16	23	32	34
GRAND TOTAL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	2	1	1	2	3	4	4	4
20-34	32	2.0	1	1	1	2	3	4	4	5
35-49	43	2.0	2	1	1	2	2	4	5	7
50-64	21	1.9	1	1	1	2	2	3	4	4
65+	23	2.4	2	1	1	2	4	4	5	5
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	4	6.0	30	2	2	4	9	14	14	14
35-49	5	2.6	4	1	1	2	3	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.8	7	1	1	2	3	7	9	13
20-34	171	2.8	4	1	1	2	4	6	7	10
35-49	271	3.5	9	1	2	3	4	7	8	17
50-64	215	4.0	9	1	2	3	5	8	10	15
65+	574	5.4	18	2	3	4	7	10	13	21
B. Operated										
0-19 YRS	35	6.0	41	2	2	4	7	13	24	29
20-34	118	5.6	25	1	2	4	8	13	19	99+
35-49	113	7.8	71	2	3	5	10	16	24	71
50-64	94	8.9	74	2	3	5	11	23	26	43
65+	114	12.7	140	2	5	8	14	30	35	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	2.1	2	1	1	2	3	4	5	6
B. Operated	14	3.4	12	1	1	2	4	7	12	14
2. MULTIPLE DX										
A. Not Operated	1273	4.3	13	1	2	3	6	9	11	19
B. Operated	474	8.5	81	2	3	5	10	21	29	59
1. SINGLE DX	141	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1747	5.5	35	1	2	4	7	11	16	32
A. Not Operated	1400	4.1	13	1	2	3	5	8	11	19
B. Operated	488	8.4	80	2	3	5	10	20	29	58
TOTAL										
0-19 YRS	87	4.0	23	1	1	2	5	8	13	28
20-34	325	3.8	14	1	1	3	5	8	12	25
35-49	432	4.5	28	1	2	3	5	9	14	29
50-64	332	5.3	32	1	2	4	6	11	16	28
65+	712	6.4	44	2	3	5	8	12	19	34

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	4.6	49	1	1	2	5	8	14	40
20-34	46	4.6	38	2	2	3	5	7	11	42
35-49	42	5.1	27	1	2	3	6	10	18	24
50-64	29	5.4	10	2	2	5	7	10	11	11
65 +	98	4.7	6	2	3	4	6	8	9	14
B. Operated										
0-19 YRS	10	6.6	59	1	2	4	7	18	27	27
20-34	9	7.2	27	2	3	5	12	14	15	15
35-49	6	10.0	11	6	7	10	12	15	15	15
50-64	3	15.7	200	7	7	8	26	32	32	32
65 +	2	42.0	72	36	36	42	48	48	48	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	4.3	21	1	2	3	5	8	12	25
20-34	149	6.8	42	2	3	5	8	13	20	36
35-49	88	7.3	37	2	3	6	9	13	17	34
50-64	103	7.7	48	2	4	6	10	13	17	42
65 +	970	6.8	21	3	4	6	8	11	14	25
B. Operated										
0-19 YRS	77	11.9	147	2	4	8	16	26	34	68
20-34	129	14.9	227	3	6	10	18	33	41	83
35-49	83	16.0	153	5	8	12	19	36	43	62
50-64	62	16.7	207	4	7	13	20	41	48	73
65 +	105	12.8	74	4	7	10	16	24	28	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	4.8	21	1	2	4	6	9	11	25
B. Operated	30	10.7	124	2	3	7	12	29	36	48
2. MULTIPLE DX										
A. Not Operated	1420	6.7	27	2	4	6	8	12	15	32
B. Operated	456	14.4	163	4	6	11	19	28	41	65
1. SINGLE DX	278	5.5	35	1	2	4	6	10	14	39
2. MULTIPLE DX	1876	8.5	71	3	4	6	10	16	24	43
A. Not Operated	1668	6.4	26	2	3	5	8	11	14	32
B. Operated	486	14.1	161	3	6	10	18	28	41	65
TOTAL										
0-19 YRS	230	7.0	80	1	2	4	8	16	25	42
20-34	333	9.7	130	2	3	6	12	22	33	60
35-49	219	10.2	99	2	4	7	13	21	30	52
50-64	197	10.3	113	2	4	7	12	21	33	49
65 +	1175	7.2	30	3	4	6	9	13	16	30
GRAND TOTAL	**2154**	**8.1**	**67**	**2**	**4**	**6**	**10**	**16**	**23**	**42**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.5	4	< 1	1	1	1	2	3	14
20-34	30	2.2	2	1	1	2	3	4	5	7
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64	11	1.8	1	< 1	1	2	2	3	4	4
65 +	24	2.2	4	1	1	2	2	4	6	10
B. Operated										
0-19 YRS	844	1.6	2	1	1	1	2	2	3	8
20-34	102	2.9	5	1	1	2	4	6	8	12
35-49	68	3.1	6	1	1	2	4	6	8	13
50-64	52	2.5	3	1	1	2	3	4	5	8
65 +	74	4.0	5	2	3	3	5	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.4	3	1	1	2	3	5	6	7
20-34	35	3.1	8	1	1	2	4	6	10	13
35-49	29	4.6	36	1	1	4	5	8	13	33
50-64	42	4.4	16	1	2	3	6	11	11	21
65 +	301	4.8	15	2	2	4	6	9	11	21
B. Operated										
0-19 YRS	243	3.1	12	1	1	2	4	6	11	18
20-34	151	7.5	109	2	2	4	8	17	24	41
35-49	133	5.4	29	1	2	4	6	12	16	26
50-64	114	6.1	34	2	3	4	8	11	18	31
65 +	383	7.0	32	2	3	5	8	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	1.8	3	< 1	1	1	2	3	4	11
B. Operated	1140	2.0	3	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	444	4.4	16	1	2	3	5	8	11	21
B. Operated	1024	5.8	41	1	2	4	7	13	17	30
1. SINGLE DX	1280	2.0	3	1	1	1	2	4	5	10
2. MULTIPLE DX	1468	5.4	34	1	2	4	7	11	16	30
A. Not Operated	584	3.8	14	1	1	3	5	8	10	19
B. Operated	2164	3.8	25	1	1	2	4	8	13	25
TOTAL										
0-19 YRS	1192	1.9	5	1	1	1	2	3	5	13
20-34	318	5.0	60	1	2	3	5	11	17	38
35-49	237	4.5	24	1	2	3	5	10	14	25
50-64	219	4.7	24	1	2	3	6	9	14	26
65 +	782	5.7	24	2	3	4	7	11	15	27
GRAND TOTAL	**2748**	**3.8**	**23**	**1**	**1**	**2**	**5**	**8**	**12**	**24**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.7	2	< 1	1	1	2	3	4	7
20-34	29	1.9	1	< 1	1	1	3	3	4	4
35-49	12	2.4	4	< 1	1	2	3	5	8	8
50-64	7	1.3		1	1	1	2	2	2	2
65 +	4	7.3	72	3	3	3	12	20	20	20
B. Operated										
0-19 YRS	633	1.7	2	< 1	1	1	2	3	4	8
20-34	381	2.8	7	1	1	2	3	5	7	16
35-49	223	2.4	3	1	1	2	3	5	6	10
50-64	158	2.0	2	1	1	2	2	4	6	7
65 +	110	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	1.7	1	< 1	1	2	2	3	3	3
20-34	46	3.0	5	1	1	2	4	6	9	10
35-49	34	3.7	10	1	2	2	5	9	12	13
50-64	22	3.5	6	1	2	3	4	7	9	11
65 +	48	4.5	25	1	2	4	6	7	10	33
B. Operated										
0-19 YRS	257	3.8	30	1	1	2	4	8	11	25
20-34	397	4.5	18	1	2	3	5	8	11	26
35-49	286	4.3	21	1	1	3	5	9	14	24
50-64	215	4.4	27	1	2	3	5	9	12	22
65 +	350	4.4	16	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	2.1	6	< 1	1	1	3	3	4	17
B. Operated	1505	2.1	4	1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	182	3.4	11	1	1	2	4	7	9	14
B. Operated	1505	4.3	21	1	2	3	5	8	11	22
1. SINGLE DX	1583	2.1	4	1	1	1	3	4	6	10
2. MULTIPLE DX	1687	4.2	20	1	2	3	5	8	11	22
A. Not Operated	260	3.0	10	1	1	2	4	6	8	14
B. Operated	3010	3.2	14	1	1	2	4	7	9	17
TOTAL										
0-19 YRS	948	2.3	11	1	1	1	2	4	7	12
20-34	853	3.5	12	1	1	3	4	7	10	19
35-49	555	3.4	14	1	1	2	4	7	10	18
50-64	402	3.3	17	1	1	2	4	7	10	15
65 +	512	3.9	15	1	2	3	5	7	10	21
GRAND TOTAL	**3270**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.8	1	1	1	1	2	4	4	4
20-34	35	2.2	2	1	1	2	3	4	5	6
35-49	8	2.9	4	< 1	1	3	4	5	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	94	1.7	3	< 1	1	1	2	3	5	10
20-34	178	2.1	4	< 1	1	1	2	4	5	12
35-49	86	2.2	3	< 1	1	2	3	4	5	10
50-64	29	2.0	2	< 1	1	1	3	4	5	5
65 +	9	1.3		< 1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	1	1	1	2	3	4	5	5
20-34	29	2.9	3	1	2	2	4	6	7	7
35-49	15	2.3	2	1	1	2	3	3	5	6
50-64	5	2.2	3	1	1	2	3	5	5	5
65 +	9	13.7	662	2	3	5	8	52	82	82
B. Operated										
0-19 YRS	95	3.0	6	1	1	2	4	6	8	11
20-34	255	3.4	9	1	1	3	4	7	9	18
35-49	148	3.2	9	1	1	2	4	6	8	15
50-64	56	3.6	17	1	1	2	4	8	10	25
65 +	43	6.5	215	1	2	2	5	14	25	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.1	2	1	1	2	3	4	5	6
B. Operated	396	2.0	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	74	3.9	88	1	2	2	3	6	8	64
B. Operated	597	3.5	25	1	1	2	4	7	9	18
1. SINGLE DX	459	2.0	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX	671	3.6	32	1	1	2	4	7	9	18
A. Not Operated	137	3.1	49	1	1	2	3	5	6	18
B. Operated	993	2.9	17	1	1	2	3	6	8	17
TOTAL										
0-19 YRS	224	2.3	4	< 1	1	1	3	5	6	10
20-34	497	2.8	7	1	1	2	4	6	7	15
35-49	257	2.8	7	1	1	2	3	6	7	15
50-64	91	3.0	12	1	1	2	3	6	9	20
65 +	61	6.8	250	1	1	2	5	11	27	90
GRAND TOTAL	**1130**	**2.9**	**21**	**1**	**1**	**2**	**3**	**6**	**7**	**16**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	8.2	103	1	1	3	16	25	28	28
20-34	11	2.9	7	< 1	1	2	3	7	10	10
35-49	4	3.8	12	1	1	3	6	8	8	8
50-64	6	5.7	46	1	1	3	6	18	19	19
65 +	70	9.3	104	1	4	6	13	19	22	64
B. Operated										
0-19 YRS	59	5.6	30	2	2	4	7	10	13	32
20-34	53	6.5	12	3	4	5	8	12	13	16
35-49	77	5.4	6	3	4	5	6	8	10	14
50-64	155	6.8	9	3	5	6	8	10	13	16
65 +	620	7.7	10	5	6	7	9	11	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	14.1	107	4	5	9	22	29	33	34
20-34	13	4.6	8	1	2	4	7	9	9	9
35-49	15	5.5	17	2	2	4	7	13	14	14
50-64	35	8.0	53	2	4	6	10	13	28	31
65 +	510	8.4	67	2	4	7	11	16	20	37
B. Operated										
0-19 YRS	80	8.7	54	2	4	7	10	15	23	41
20-34	114	10.2	56	4	5	8	12	19	26	70
35-49	197	9.6	49	4	6	8	11	16	20	42
50-64	550	9.6	46	5	6	8	11	15	21	47
65 +	7263	9.6	25	5	7	9	11	15	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	8.0	89	1	3	5	10	19	23	53
B. Operated	964	7.2	11	4	5	7	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	586	8.4	65	2	4	6	11	16	21	35
B. Operated	8204	9.6	28	5	7	8	11	15	18	31
1. SINGLE DX	1066	7.3	19	3	5	7	9	11	14	22
2. MULTIPLE DX	8790	9.5	30	5	6	8	11	15	18	31
A. Not Operated	688	8.3	69	2	3	6	11	16	21	36
B. Operated	9168	9.3	26	5	6	8	11	14	18	29
TOTAL										
0-19 YRS	163	8.0	57	2	3	6	10	16	27	39
20-34	191	8.4	43	3	4	7	10	15	22	46
35-49	293	8.2	40	3	5	7	10	14	17	32
50-64	746	8.9	40	4	6	8	10	14	19	41
65 +	8463	9.4	27	5	7	8	11	14	18	28
GRAND TOTAL	**9856**	**9.2**	**29**	**5**	**6**	**8**	**11**	**14**	**18**	**30**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	213	9.9	87	1	2	6	17	23	26	35
20-34	11	7.5	201	1	2	3	6	24	48	50
35-49	7	8.4	134	1	2	4	8	29	34	34
50-64	6	13.3	259	1	2	9	15	41	44	44
65 +	26	8.7	91	2	3	5	10	21	36	37
B. Operated										
0-19 YRS	296	6.6	51	1	2	3	8	18	23	30
20-34	110	6.8	12	3	4	6	9	12	13	18
35-49	46	6.3	10	3	4	5	8	10	14	17
50-64	18	7.8	27	4	4	7	9	13	20	25
65 +	24	8.8	72	2	5	7	10	13	24	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	10.9	109	1	2	6	18	25	29	43
20-34	15	6.3	58	< 1	1	4	8	14	25	29
35-49	19	10.7	124	3	4	6	14	23	38	48
50-64	23	8.8	121	2	4	6	8	15	31	56
65 +	184	10.1	139	2	3	6	11	23	36	60
B. Operated										
0-19 YRS	367	11.4	95	2	4	8	17	25	29	46
20-34	346	12.0	113	4	6	9	14	20	30	55
35-49	172	13.3	129	4	6	10	15	28	38	67
50-64	110	13.9	104	5	8	10	15	27	37	51
65 +	435	12.1	85	4	7	9	14	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	263	9.7	95	1	2	6	16	23	27	40
B. Operated	494	6.8	39	1	3	5	8	16	20	29
2. MULTIPLE DX										
A. Not Operated	382	10.2	123	2	3	6	14	24	32	56
B. Operated	1430	12.2	101	3	6	9	15	23	31	54
1. SINGLE DX	757	7.8	60	1	2	5	10	20	24	34
2. MULTIPLE DX	1812	11.8	106	3	5	9	15	23	31	55
A. Not Operated	645	10.0	111	1	2	6	15	23	30	51
B. Operated	1924	10.8	91	3	5	8	14	21	28	51
TOTAL										
0-19 YRS	1017	9.6	86	1	2	6	15	23	27	36
20-34	482	10.5	95	3	5	8	13	19	25	54
35-49	244	11.6	113	4	5	9	14	22	34	65
50-64	157	12.4	107	4	6	9	14	26	36	55
65 +	669	11.3	101	3	5	9	13	22	32	52
GRAND TOTAL	**2569**	**10.6**	**96**	**2**	**4**	**8**	**14**	**22**	**29**	**51**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	1.6	1	1	1	1	2	3	3	5
20-34	79	3.1	9	1	1	2	4	6	8	19
35-49	57	2.8	5	1	1	2	3	5	7	14
50-64	18	5.3	67	1	2	3	5	8	26	37
65 +	27	6.9	238	1	2	3	5	11	26	82
B. Operated										
0-19 YRS	338	2.6	5	1	1	2	3	5	6	12
20-34	444	4.6	17	1	2	3	6	9	12	24
35-49	294	4.4	15	1	2	4	5	8	11	20
50-64	131	4.7	13	2	3	4	6	8	9	16
65 +	42	5.2	8	2	3	5	7	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.6	4	1	1	2	3	6	8	9
20-34	68	3.7	9	1	1	3	5	8	9	16
35-49	73	4.8	43	1	2	3	6	9	11	43
50-64	57	5.1	11	2	2	4	7	11	12	13
65 +	151	6.1	26	2	3	5	7	11	16	29
B. Operated										
0-19 YRS	257	5.3	30	1	2	4	6	12	16	33
20-34	484	8.0	71	2	3	5	10	17	25	48
35-49	434	8.2	73	2	3	6	10	15	21	47
50-64	254	10.0	124	2	4	7	11	20	33	64
65 +	251	8.4	63	3	4	7	10	15	22	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	276	3.0	33	1	1	2	3	5	8	19
B. Operated	1249	4.1	14	1	2	3	5	8	10	19
2. MULTIPLE DX										
A. Not Operated	406	4.8	22	1	2	4	6	9	12	24
B. Operated	1680	8.0	74	2	3	6	10	16	23	49
1. SINGLE DX	1525	3.9	17	1	2	3	5	7	9	19
2. MULTIPLE DX	2086	7.4	65	2	3	5	9	15	21	45
A. Not Operated	682	4.1	28	1	2	3	5	8	11	23
B. Operated	2929	6.3	52	1	3	4	7	13	18	40
TOTAL										
0-19 YRS	747	3.4	15	1	1	2	4	7	10	20
20-34	1075	6.0	44	1	2	4	7	12	18	38
35-49	858	6.3	50	2	3	4	7	12	17	43
50-64	460	7.7	83	2	3	5	9	14	24	50
65 +	471	7.3	57	2	3	6	9	13	18	37
GRAND TOTAL	**3611**	**5.9**	**48**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	1.8	1	1	1	2	3	3	4	4
20-34	101	2.7	6	1	1	2	3	4	7	14
35-49	62	2.8	3	1	1	2	3	5	7	8
50-64	31	2.7	3	1	1	2	4	5	6	6
65 +	23	3.6	14	1	2	3	3	5	11	20
B. Operated										
0-19 YRS	498	2.3	10	1	1	2	3	4	5	8
20-34	1172	3.2	7	1	2	3	4	6	8	14
35-49	964	3.2	6	1	2	3	4	6	7	12
50-64	541	3.4	6	1	2	3	4	6	7	12
65 +	266	3.6	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.4	6	1	1	2	3	4	5	16
20-34	99	3.3	11	1	1	2	4	6	8	21
35-49	74	4.4	24	1	2	3	5	8	12	32
50-64	60	5.8	74	1	2	3	8	10	19	57
65 +	171	4.9	12	2	2	4	6	10	12	19
B. Operated										
0-19 YRS	316	4.1	17	1	2	3	4	8	12	24
20-34	819	4.9	30	1	2	4	6	9	14	26
35-49	723	5.4	35	2	2	4	6	10	15	31
50-64	572	5.2	25	2	3	4	6	10	13	21
65 +	650	5.9	31	2	3	5	7	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	2.6	5	1	1	2	3	4	6	12
B. Operated	3441	3.1	7	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	450	4.3	22	1	2	3	5	9	11	21
B. Operated	3080	5.2	29	2	2	4	6	10	14	27
1. SINGLE DX	3714	3.1	7	1	2	3	4	5	7	12
2. MULTIPLE DX	3530	5.1	28	1	2	4	6	10	13	27
A. Not Operated	723	3.7	16	1	2	3	4	7	10	19
B. Operated	6521	4.1	19	1	2	3	5	8	11	20
TOTAL										
0-19 YRS	916	2.9	12	1	1	2	3	5	7	17
20-34	2191	3.8	16	1	2	3	4	7	10	19
35-49	1823	4.1	19	1	2	3	5	7	10	24
50-64	1204	4.4	19	1	2	3	5	8	11	20
65 +	1110	5.2	22	2	3	4	6	9	11	20
GRAND TOTAL	**7244**	**4.1**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.9	4	1	1	1	2	3	8	9
20-34	13	1.6	1	< 1	1	1	2	3	4	4
35-49	4	2.0	2	< 1	< 1	1	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	18	1.8	1	1	1	1	2	4	5	5
20-34	29	1.6	1	1	1	1	2	3	3	4
35-49	27	2.6	4	1	1	2	3	6	7	7
50-64	5	2.4	1	1	2	2	3	4	4	4
65 +	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	2.1	3	1	1	2	3	3	5	9
20-34	83	2.6	4	1	1	2	3	6	8	10
35-49	52	3.0	8	1	1	2	3	7	8	15
50-64	27	3.8	12	1	1	2	6	9	10	14
65 +	51	4.1	7	1	2	3	6	8	9	12
B. Operated										
0-19 YRS	28	3.1	10	1	1	2	4	7	9	14
20-34	62	4.4	16	1	2	3	6	11	13	16
35-49	35	3.8	7	1	2	3	6	8	11	99 +
50-64	16	3.6	9	1	1	2	5	9	10	10
65 +	13	3.7	5	1	2	3	5	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.8	2	1	1	1	2	3	4	9
B. Operated	83	2.0	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	267	3.0	6	1	1	2	4	7	9	12
B. Operated	154	3.9	11	1	2	3	6	9	12	16
1. SINGLE DX	116	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX	421	3.3	8	1	1	2	4	8	9	14
A. Not Operated	300	2.9	6	1	1	2	3	7	8	11
B. Operated	237	3.2	9	1	1	2	4	7	10	15
TOTAL										
0-19 YRS	114	2.3	4	1	1	2	3	5	7	11
20-34	187	3.0	8	1	1	2	3	7	10	15
35-49	118	3.1	6	1	1	2	4	7	8	41
50-64	49	3.5	10	1	1	2	4	9	9	14
65 +	69	3.9	7	1	2	3	6	7	9	12
GRAND TOTAL	**537**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	9.0	197	1	1	2	16	30	30	30
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	5.7	22	2	2	4	9	11	11	11
B. Operated										
0-19 YRS	8	21.4	435	3	5	17	50	80	99 +	99 +
20-34	10	26.8	496	1	11	19	52	57	61	61
35-49	5	6.6	28	1	2	8	10	14	14	14
50-64	2	27.0	1152	3	3	27	51	51	51	51
65 +	3	12.3	44	8	8	9	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	3	1	1	2	4	5	5	5
B. Operated	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	12	5.8	67	1	2	3	6	17	28	30
B. Operated	28	20.1	389	2	5	12	42	52	63	99 +
1. SINGLE DX	11	3.4	12	1	1	2	4	8	13	13
2. MULTIPLE DX	40	15.8	333	1	3	8	22	51	56	99 +
A. Not Operated	20	4.5	43	1	1	2	4	9	20	30
B. Operated	31	18.7	372	2	4	11	37	52	60	99 +
TOTAL										
0-19 YRS	19	11.5	284	1	2	3	23	50	75	99 +
20-34	16	18.2	431	1	3	9	29	52	58	61
35-49	7	7.0	27	1	2	8	12	14	14	14
50-64	3	18.7	784	2	2	3	39	51	51	51
65 +	6	9.0	40	2	4	8	11	19	20	20
GRAND TOTAL	**51**	**13.1**	**289**	**1**	**2**	**5**	**18**	**51**	**52**	**99**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	21	1.7	2	< 1	1	1	2	3	6	7
20-34	100	1.6	1	1	1	1	2	3	3	4
35-49	45	1.6	1	1	1	1	2	3	4	5
50-64	10	1.7	1	1	1	2	2	3	4	4
65 +	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	17	4.2	79	< 1	1	1	3	7	27	38
35-49	8	2.5	1	1	2	2	3	4	4	4
50-64	5	2.0	1	1	1	2	2	3	3	3
65 +	8	6.3	48	< 1	2	3	9	18	20	20
B. Operated										
0-19 YRS	8	4.5	26	< 1	1	3	5	13	16	16
20-34	56	2.2	4	< 1	1	2	2	5	6	10
35-49	37	2.4	4	1	1	2	3	5	6	11
50-64	20	2.9	3	1	1	3	4	6	7	7
65 +	28	6.7	98	1	2	3	7	13	30	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	12	< 1	1	1	4	9	9	9
B. Operated	182	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	42	3.8	42	< 1	1	2	3	6	16	38
B. Operated	149	3.3	25	1	1	2	3	6	10	28
1. SINGLE DX	187	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX	191	3.4	28	1	1	2	3	6	11	34
A. Not Operated	47	3.7	38	< 1	1	2	3	7	15	38
B. Operated	331	2.4	12	1	1	2	2	4	6	14
TOTAL										
0-19 YRS	34	2.4	8	< 1	1	1	2	5	7	16
20-34	175	2.1	10	1	1	1	2	3	5	10
35-49	91	2.0	2	1	1	2	2	4	5	9
50-64	36	2.4	2	1	1	2	3	4	6	7
65 +	42	5.9	76	1	1	3	6	13	23	48
GRAND TOTAL	**378**	**2.6**	**16**	**1**	**1**	**2**	**3**	**4**	**7**	**19**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	63	1.8	1	< 1	1	1	2	3	4	6
20-34	104	2.3	3	< 1	1	2	3	5	5	9
35-49	55	2.1	2	< 1	1	2	3	4	4	8
50-64	11	1.8	1	< 1	1	1	3	4	4	4
65 +	10	2.4	3	< 1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	4.0	7	1	2	4	7	7	7	7
35-49	4	1.3		< 1	< 1	1	1	2	2	2
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	119	2.3	2	1	1	2	3	4	4	8
20-34	262	2.7	2	1	2	2	3	4	6	8
35-49	152	2.8	3	1	2	2	4	5	7	9
50-64	57	2.5	7	< 1	1	2	3	5	6	17
65 +	41	2.9	6	1	1	2	3	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.6	1	1	1	2	2	3	3	3
B. Operated	243	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	15	3.1	5	< 1	1	2	5	7	7	7
B. Operated	631	2.6	3	1	1	2	3	4	6	9
1. SINGLE DX	251	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	646	2.7	3	1	1	2	3	4	6	9
A. Not Operated	23	2.6	4	< 1	1	2	3	6	7	7
B. Operated	874	2.5	3	1	1	2	3	4	6	9
TOTAL										
0-19 YRS	186	2.1	2	< 1	1	2	3	4	4	7
20-34	375	2.6	2	1	1	2	3	5	5	8
35-49	212	2.6	3	1	1	2	3	4	6	9
50-64	71	2.4	6	< 1	1	2	3	5	6	16
65 +	53	2.9	6	1	1	2	3	7	8	11
GRAND TOTAL	**897**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

272 Hospitals, Western Region, January-December 1990, by Diagnosis

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9	1	<1	<1	2	3	3	3	3
20-34	20	3.0	6	<1	1	2	4	6	9	11
35-49	14	3.2	4	1	1	3	5	6	7	7
50-64	6	2.5	2	1	2	2	3	5	5	5
65 +	0									
B. Operated										
0-19 YRS	73	3.2	14	1	1	2	4	8	11	20
20-34	100	2.9	11	1	1	2	4	6	7	19
35-49	50	2.9	4	1	1	2	4	5	7	10
50-64	25	3.5	18	1	1	2	4	7	13	20
65 +	11	2.5	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.2	23	1	1	3	5	11	17	17
20-34	28	2.9	7	<1	1	2	4	6	10	10
35-49	20	4.2	10	1	2	3	5	8	11	14
50-64	8	2.9	2	1	2	3	4	4	4	4
65 +	12	5.8	25	1	2	4	8	13	17	18
B. Operated										
0-19 YRS	85	3.3	8	1	2	3	4	6	9	70
20-34	111	6.5	74	1	2	4	7	14	20	56
35-49	78	4.9	24	1	2	4	6	10	12	31
50-64	47	5.4	33	1	2	3	6	13	21	24
65 +	52	4.1	10	1	2	3	5	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.8	4	<1	1	2	3	5	7	11
B. Operated	259	3.0	11	1	1	2	4	7	8	20
2. MULTIPLE DX										
A. Not Operated	78	3.8	12	1	2	3	5	8	11	18
B. Operated	373	5.0	35	1	2	3	5	11	15	34
1. SINGLE DX	306	3.0	10	1	1	2	4	6	8	19
2. MULTIPLE DX	451	4.8	32	1	2	3	5	11	14	27
A. Not Operated	125	3.4	9	1	1	2	4	7	10	17
B. Operated	632	4.2	26	1	2	3	5	8	13	25
TOTAL										
0-19 YRS	175	3.3	11	1	1	2	4	7	11	19
20-34	259	4.5	40	1	1	3	5	9	14	29
35-49	162	4.0	15	1	2	3	5	8	10	17
50-64	86	4.4	24	1	2	3	5	11	18	24
65 +	75	4.1	12	1	2	3	5	8	11	17
GRAND TOTAL	**757**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	5	2.4		2	2	2	3	3	3	3
65 +	3	3.3	6	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	225	2.4	1	1	2	2	3	4	4	5
20-34	484	2.6	1	1	2	3	3	4	4	6
35-49	206	2.6	1	1	2	3	3	4	4	5
50-64	17	2.2	1	<1	2	2	3	4	4	4
65 +	10	3.0	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	13	2.7	4	<1	1	2	3	6	8	8
35-49	13	6.5	90	1	2	4	6	15	33	37
50-64	10	11.6	290	2	3	7	11	36	59	59
65 +	43	3.9	4	2	2	3	5	7	8	10
B. Operated										
0-19 YRS	368	2.8	2	1	2	3	3	4	5	8
20-34	966	2.9	2	2	2	3	3	4	5	8
35-49	433	3.1	5	2	2	3	4	4	5	8
50-64	59	4.0	13	2	3	3	4	5	9	21
65 +	25	5.1	6	2	3	5	6	7	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.0	2	<1	1	2	3	3	5	6
B. Operated	942	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	84	4.9	55	1	2	3	5	8	10	54
B. Operated	1851	3.0	3	2	2	3	3	4	5	9
1. SINGLE DX	960	2.6	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1935	3.1	5	2	2	3	4	4	5	10
A. Not Operated	102	4.4	47	1	2	3	4	8	9	48
B. Operated	2793	2.9	2	1	2	3	3	4	5	8
TOTAL										
0-19 YRS	599	2.6	2	1	2	3	3	4	4	6
20-34	1467	2.8	2	2	2	3	3	4	5	8
35-49	657	3.0	5	2	2	3	4	4	5	8
50-64	91	4.4	45	2	2	3	4	7	11	43
65 +	81	4.1	5	2	3	4	5	7	8	11
GRAND TOTAL	**2895**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	53	4.0	5	2	2	4	5	7	9	10
35-49	83	3.2	4	1	2	3	4	5	7	11
50-64	36	3.7	5	2	2	3	4	5	7	14
65 +	24	2.5	2	1	2	2	3	4	5	5
B. Operated										
0-19 YRS	0									
20-34	4	4.3	7	2	2	3	6	8	8	8
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.0	6	1	1	2	5	7	7	7
20-34	78	4.0	7	1	2	3	6	8	9	11
35-49	136	3.9	6	1	2	3	5	8	9	11
50-64	88	4.9	11	2	3	4	6	9	12	18
65 +	150	5.1	11	2	3	4	6	10	12	18
B. Operated										
0-19 YRS	0									
20-34	6	6.2	28	2	2	5	9	14	15	15
35-49	9	7.1	8	5	5	7	7	12	14	14
50-64	4	6.8	50	< 1	2	4	11	17	17	17
65 +	11	11.1	39	3	5	10	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	198	3.4	4	1	2	3	4	6	7	11
B. Operated	6	3.3	6	1	2	3	4	8	8	8
2. MULTIPLE DX										
A. Not Operated	460	4.5	9	2	2	4	6	9	11	16
B. Operated	30	8.3	30	2	5	7	14	17	18	18
1. SINGLE DX	204	3.4	4	1	2	3	4	6	7	11
2. MULTIPLE DX	490	4.7	11	2	2	4	6	9	11	18
A. Not Operated	658	4.2	8	1	2	4	5	8	10	14
B. Operated	36	7.5	30	2	3	6	10	17	18	18
TOTAL										
0-19 YRS	10	2.8	5	1	1	2	3	7	7	7
20-34	141	4.1	7	1	2	3	6	8	9	12
35-49	230	3.8	6	1	2	3	5	7	9	11
50-64	128	4.6	10	2	3	4	6	8	12	18
65 +	185	5.1	14	2	3	4	6	10	13	18
GRAND TOTAL	**694**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.7	1	< 1	1	1	2	3	4	5
20-34	83	2.7	9	1	1	2	3	5	8	20
35-49	102	3.6	6	1	2	3	5	7	8	13
50-64	24	3.1	5	1	1	3	4	7	8	9
65 +	18	2.8	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	6	2.8	4	1	1	2	4	6	6	6
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.2	4	< 1	1	1	3	4	7	10
20-34	174	3.7	22	1	1	3	5	7	8	12
35-49	197	3.7	9	1	2	3	5	7	10	13
50-64	123	4.1	13	1	2	3	5	7	11	20
65 +	200	4.8	13	2	3	4	6	9	11	14
B. Operated										
0-19 YRS	3	10.7	226	1	1	3	22	28	28	28
20-34	16	2.7	3	1	1	2	4	6	6	6
35-49	14	3.8	8	1	2	3	4	8	10	10
50-64	10	3.6	6	1	1	3	7	7	7	7
65 +	11	9.3	35	4	6	8	9	18	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	2.9	6	1	1	2	4	6	7	11
B. Operated	12	2.3	3	< 1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	751	4.0	14	1	2	3	5	7	10	13
B. Operated	54	4.9	27	1	2	3	7	9	13	28
1. SINGLE DX	281	2.9	6	1	1	2	4	6	7	11
2. MULTIPLE DX	805	4.0	15	1	2	3	5	8	10	14
A. Not Operated	1020	3.7	12	1	2	3	5	7	9	13
B. Operated	66	4.4	24	1	1	3	6	9	11	28
TOTAL										
0-19 YRS	102	2.2	9	< 1	1	1	2	4	6	19
20-34	279	3.4	17	1	1	3	4	7	8	12
35-49	317	3.6	8	1	2	3	5	7	9	13
50-64	159	3.9	12	1	2	3	5	7	9	16
65 +	229	4.9	15	2	3	4	6	9	11	16
GRAND TOTAL	**1086**	**3.7**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.3	7	< 1	1	2	4	8	9	9
20-34	14	2.3	3	1	1	2	3	4	6	7
35-49	14	1.7		1	1	2	2	2	3	3
50-64	10	1.9	3	< 1	1	1	2	5	7	7
65 +	14	4.2	20	1	1	2	5	13	15	15
B. Operated										
0-19 YRS	14	1.3		1	1	1	1	2	3	3
20-34	177	1.7	1	1	1	2	2	3	3	5
35-49	450	1.8	1	1	1	2	2	3	3	5
50-64	467	2.1	1	1	1	2	3	3	4	5
65 +	233	2.6	2	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.1	15	< 1	1	1	2	12	12	12
20-34	27	2.3	7	< 1	1	1	3	4	6	14
35-49	36	3.7	80	< 1	1	2	3	5	8	55
50-64	22	4.2	33	1	1	2	6	7	16	28
65 +	115	4.7	56	1	2	4	5	7	10	38
B. Operated										
0-19 YRS	21	2.6	6	1	1	2	3	6	9	9
20-34	95	2.3	3	1	1	2	3	4	4	12
35-49	261	2.0	1	1	1	2	2	3	4	6
50-64	593	2.3	1	1	1	2	3	4	4	6
65 +	520	2.8	3	1	2	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.7	7	1	1	2	3	6	8	15
B. Operated	1341	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	215	4.1	49	1	1	2	5	7	10	37
B. Operated	1490	2.4	2	1	2	2	3	4	5	8
1. SINGLE DX	1401	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX	1705	2.6	8	1	1	2	3	4	6	10
A. Not Operated	275	3.8	40	1	1	2	5	7	10	25
B. Operated	2831	2.2	2	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	58	2.5	7	1	1	1	3	6	9	12
20-34	313	2.0	2	1	1	2	2	3	4	8
35-49	761	2.0	5	1	1	2	2	3	4	6
50-64	1092	2.2	2	1	1	2	3	4	4	6
65 +	882	3.0	10	1	2	3	4	5	6	11
GRAND TOTAL	**3106**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	350	1.2		1	1	1	1	2	2	3
20-34	82	1.7	5	1	1	1	2	2	3	15
35-49	31	1.4	1	1	1	1	2	2	2	5
50-64	12	1.2		1	1	1	1	2	2	2
65 +	5	1.6	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	657	1.7	3	1	1	1	2	3	4	10
20-34	366	1.9	2	1	1	1	2	4	5	8
35-49	201	2.4	5	1	1	2	3	4	5	11
50-64	86	2.5	6	1	1	2	3	5	6	15
65 +	158	3.7	9	1	2	3	5	7	9	16
B. Operated										
0-19 YRS	204	2.9	23	1	1	1	3	4	10	25
20-34	211	3.5	44	1	1	2	4	6	9	39
35-49	101	3.4	12	1	1	2	4	8	11	16
50-64	42	3.6	15	1	1	2	4	11	13	16
65 +	60	5.1	25	1	2	3	7	13	18	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	480	1.3	1	1	1	1	1	2	2	5
B. Operated	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1468	2.1	4	1	1	1	2	4	5	11
B. Operated	618	3.4	28	1	1	2	3	7	11	24
1. SINGLE DX	485	1.3	1	1	1	1	1	2	2	5
2. MULTIPLE DX	2086	2.5	12	1	1	1	3	5	7	17
A. Not Operated	1948	1.9	4	1	1	1	2	4	5	10
B. Operated	623	3.4	28	1	1	2	3	7	11	24
TOTAL										
0-19 YRS	1214	1.7	6	1	1	1	2	3	4	11
20-34	661	2.4	17	1	1	2	2	4	6	19
35-49	333	2.6	7	1	1	2	3	5	8	13
50-64	140	2.7	8	1	1	2	3	5	9	16
65 +	223	4.0	14	1	2	3	5	8	13	19
GRAND TOTAL	**2571**	**2.3**	**10**	**1**	**1**	**1**	**2**	**4**	**6**	**16**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	0									
50-64	1	13.0		13	13	13	13	13	13	13
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	1	15.0		15	15	57	99 +	99 +	99 +	99 +
35-49	0									
50-64	0									
65 +	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	25.2	379	7	11	20	33	64	65	66
20-34	10	19.7	484	4	6	13	23	53	77	77
35-49	9	20.1	264	4	7	14	36	45	45	45
50-64	1	25.0		25	25	62	99 +	99 +	99 +	99 +
65 +	5	11.2	90	5	6	8	13	28	28	28
B. Operated										
0-19 YRS	44	29.2	445	8	14	23	48	69	99 +	99 +
20-34	57	32.1	366	9	18	30	47	72	99 +	99 +
35-49	26	28.2	292	8	16	25	42	60	74	99 +
50-64	12	32.3	370	6	20	26	47	56	66	68
65 +	14	29.0	341	11	11	26	40	58	67	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.0	13	5	5	7	10	13	13	13
B. Operated	2	18.0	18	15	16	21	80	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	40	20.9	331	5	8	15	28	53	71	99 +
B. Operated	153	30.3	367	9	16	27	45	69	99	99 +
1. SINGLE DX	6	11.3	38	5	6	13	19	84	99 +	99 +
2. MULTIPLE DX	193	28.4	373	7	14	25	44	66	87	99 +
A. Not Operated	44	19.8	315	5	7	14	28	45	69	99 +
B. Operated	155	30.2	365	9	16	27	45	70	99 +	99 +
TOTAL										
0-19 YRS	59	28.2	424	7	14	23	42	66	99	99 +
20-34	70	29.3	400	6	15	26	44	73	99 +	99 +
35-49	35	26.1	290	7	13	24	41	51	68	99 +
50-64	14	30.4	342	6	19	25	49	68	92	99 +
65 +	21	23.4	311	7	10	21	28	51	63	70
GRAND TOTAL	**199**	**27.9**	**371**	**7**	**14**	**25**	**43**	**66**	**98**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	300	1.7	5	< 1	1	1	2	3	4	10
20-34	120	3.7	57	1	1	2	3	8	11	40
35-49	37	3.4	20	1	1	2	3	7	12	25
50-64	15	4.9	39	1	1	2	6	14	21	23
65 +	14	2.4	12	1	1	1	2	5	12	14
B. Operated										
0-19 YRS	28	5.4	13	2	3	4	7	9	12	20
20-34	25	8.3	107	2	3	4	10	23	36	42
35-49	9	8.6	31	3	5	6	14	17	17	17
50-64	13	8.2	32	3	5	6	9	20	20	20
65 +	22	9.1	20	5	7	7	10	16	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	636	3.6	57	1	1	1	3	7	15	43
20-34	486	3.4	20	1	1	2	4	7	11	27
35-49	282	4.6	37	1	1	2	5	10	18	42
50-64	110	6.2	54	1	2	4	8	14	19	42
65 +	266	7.2	78	1	2	5	9	15	22	44
B. Operated										
0-19 YRS	293	8.2	132	1	1	4	10	25	35	99 +
20-34	388	7.3	90	1	2	4	9	19	24	43
35-49	200	11.1	155	1	2	7	16	27	37	99 +
50-64	120	10.4	112	1	3	7	15	26	34	51
65 +	253	12.8	173	2	5	9	16	27	38	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	486	2.4	21	1	1	1	2	4	7	20
B. Operated	97	7.6	44	2	4	6	9	16	20	38
2. MULTIPLE DX										
A. Not Operated	1780	4.4	49	1	1	2	5	10	16	42
B. Operated	1254	9.5	133	1	2	6	13	24	34	86
1. SINGLE DX	583	3.3	29	1	1	1	3	7	12	24
2. MULTIPLE DX	3034	6.5	90	1	1	3	8	17	26	57
A. Not Operated	2266	4.0	43	1	1	2	4	9	14	39
B. Operated	1351	9.4	127	1	2	6	12	23	33	73
TOTAL										
0-19 YRS	1257	4.3	66	1	1	2	4	10	18	58
20-34	1019	5.1	57	1	1	2	5	12	19	37
35-49	528	7.0	90	1	2	3	8	19	27	90
50-64	258	8.2	83	1	2	5	11	20	26	43
65 +	555	9.7	126	1	3	7	12	21	31	67
GRAND TOTAL	**3617**	**6.0**	**81**	**1**	**1**	**3**	**7**	**15**	**23**	**53**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.3	1	1	1	2	3	4	5	5
20-34	52	2.4	2	1	1	2	3	4	5	8
35-49	14	1.8	1	< 1	1	2	2	3	4	4
50-64	8	2.1	1	1	1	2	3	4	4	4
65 +	5	3.4	6	1	1	4	5	7	7	7
B. Operated										
0-19 YRS	59	4.3	6	2	2	4	6	8	9	12
20-34	154	4.4	6	2	3	4	5	8	9	12
35-49	35	4.7	21	2	3	4	6	7	9	29
50-64	6	6.2	21	3	4	4	7	14	15	15
65 +	4	4.8		4	4	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.6	11	1	1	3	4	8	11	17
20-34	146	3.4	6	1	2	3	4	7	9	11
35-49	87	3.9	9	1	2	3	5	8	10	15
50-64	57	5.2	31	1	2	3	7	11	12	36
65 +	122	6.4	28	2	3	5	9	13	15	31
B. Operated										
0-19 YRS	194	7.8	60	3	4	6	9	14	21	54
20-34	505	7.8	67	2	4	6	9	15	23	46
35-49	279	8.0	55	2	4	6	10	16	22	41
50-64	116	10.0	175	2	3	5	10	24	32	77
65 +	120	9.9	73	3	4	7	13	20	26	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.3	2	1	1	2	3	4	5	7
B. Operated	258	4.5	8	2	3	4	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	496	4.5	17	1	2	3	6	10	12	19
B. Operated	1214	8.3	75	2	4	6	10	16	25	52
1. SINGLE DX	359	3.9	7	1	2	3	5	7	9	12
2. MULTIPLE DX	1710	7.2	61	2	3	5	9	14	20	43
A. Not Operated	597	4.1	15	1	2	3	5	9	11	18
B. Operated	1472	7.6	65	2	3	5	9	15	22	46
TOTAL										
0-19 YRS	359	5.9	40	1	3	4	7	11	15	45
20-34	857	6.1	46	2	3	4	7	11	16	37
35-49	415	6.7	45	2	3	5	8	13	18	39
50-64	187	8.1	125	2	3	4	9	17	29	64
65 +	251	8.0	52	2	4	6	11	16	22	43
GRAND TOTAL	**2069**	**6.6**	**53**	**2**	**3**	**4**	**8**	**13**	**18**	**41**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	3.6	8	1	2	3	5	7	8	16
20-34	40	4.5	105	1	1	2	4	6	13	65
35-49	20	3.1	10	< 1	1	2	4	6	10	14
50-64	3	3.7	14	1	1	2	6	8	8	8
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	89	5.7	15	2	4	5	7	8	11	27
20-34	128	5.5	9	3	4	5	7	9	9	17
35-49	47	5.8	5	2	5	6	7	8	10	11
50-64	6	5.7	6	2	4	6	7	9	9	9
65 +	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	188	4.2	9	1	2	3	6	8	10	14
20-34	151	3.8	14	1	2	3	5	7	9	20
35-49	75	4.1	8	1	2	4	5	7	8	17
50-64	20	5.6	13	1	3	5	7	10	13	15
65 +	46	4.8	10	1	2	4	7	8	11	15
B. Operated										
0-19 YRS	433	9.7	73	4	5	7	11	19	25	42
20-34	870	9.9	68	4	5	7	11	19	27	45
35-49	330	10.7	77	4	6	8	12	23	28	47
50-64	103	12.3	108	5	6	8	15	27	40	75
65 +	95	14.4	150	5	7	11	18	27	36	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	3.7	31	1	1	3	4	7	8	19
B. Operated	273	5.6	10	2	4	5	7	8	10	17
2. MULTIPLE DX										
A. Not Operated	480	4.2	11	1	2	3	5	8	10	16
B. Operated	1831	10.4	78	4	5	8	11	21	27	47
1. SINGLE DX	441	4.9	19	1	2	5	6	8	9	18
2. MULTIPLE DX	2311	9.1	70	2	5	7	10	18	26	45
A. Not Operated	648	4.1	16	1	2	3	5	8	9	18
B. Operated	2104	9.7	72	4	5	7	11	19	26	46
TOTAL										
0-19 YRS	813	7.2	51	2	3	6	8	13	20	37
20-34	1189	8.5	61	2	4	6	9	16	23	41
35-49	472	8.8	64	3	5	7	10	18	26	45
50-64	132	10.8	95	3	6	8	12	22	35	61
65 +	146	11.0	122	2	5	8	13	22	28	60
GRAND TOTAL	**2752**	**8.4**	**65**	**2**	**4**	**6**	**9**	**16**	**24**	**42**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	1	< 1	1	2	3	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	87	2.5	2	1	1	2	4	4	5	7
20-34	82	3.0	3	1	1	3	4	5	6	8
35-49	19	2.1	4	1	1	1	3	4	7	9
50-64	9	2.9	5	1	1	2	4	6	7	7
65 +	6	2.2	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.2	3	< 1	1	1	3	5	7	7
20-34	19	2.9	5	1	1	3	4	6	8	9
35-49	8	2.1	1	< 1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	17.0		17	17	17	17	17	17	17
B. Operated										
0-19 YRS	121	3.4	9	1	1	3	4	7	11	14
20-34	150	3.6	17	1	1	3	4	7	8	31
35-49	89	4.4	22	1	2	3	5	8	17	27
50-64	22	4.0	12	1	2	3	5	7	12	17
65 +	41	4.4	22	1	2	3	5	7	9	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.9	1	< 1	1	2	3	3	3	3
B. Operated	203	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	42	2.9	8	< 1	1	2	3	5	8	17
B. Operated	423	3.8	16	1	2	3	5	7	10	26
1. SINGLE DX	216	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX	465	3.7	15	1	1	3	4	7	10	24
A. Not Operated	55	2.6	7	1	1	2	3	5	7	17
B. Operated	626	3.4	12	1	1	3	4	6	8	20
TOTAL										
0-19 YRS	229	2.9	6	1	1	2	4	6	8	12
20-34	254	3.4	11	1	1	3	4	6	7	20
35-49	117	3.9	19	1	1	3	4	7	11	26
50-64	33	3.6	10	1	2	3	5	7	8	17
65 +	48	4.4	23	1	2	3	5	7	12	30
GRAND TOTAL	**681**	**3.4**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**19**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.9	3	< 1	1	1	2	4	6	11
20-34	52	2.0	2	1	1	1	2	4	4	7
35-49	21	2.1	2	1	1	1	3	5	5	5
50-64	4	1.5	1	< 1	< 1	1	2	3	3	3
65 +	4	2.0	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	103	1.9	4	< 1	1	1	2	4	8	10
20-34	122	2.5	18	1	1	1	2	5	7	24
35-49	42	2.5	5	1	1	2	3	6	7	11
50-64	8	3.5	23	1	1	2	4	12	15	15
65 +	7	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	2.2	3	1	1	2	3	4	5	11
20-34	178	2.3	21	< 1	1	1	2	4	5	12
35-49	80	2.2	4	< 1	1	1	3	5	6	11
50-64	28	3.7	17	< 1	1	2	4	11	13	18
65 +	41	3.9	55	1	1	2	4	7	8	48
B. Operated										
0-19 YRS	293	2.6	9	1	1	2	3	5	7	17
20-34	490	3.1	13	1	1	2	4	7	9	20
35-49	215	3.5	31	1	1	2	3	8	12	31
50-64	71	2.9	6	1	1	2	4	7	8	12
65 +	95	4.2	18	1	2	3	5	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	2.0	2	< 1	1	1	2	4	5	8
B. Operated	282	2.3	11	1	1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated	431	2.5	17	< 1	1	1	3	5	6	13
B. Operated	1164	3.1	16	1	1	2	4	6	9	20
1. SINGLE DX	417	2.2	8	< 1	1	1	2	4	7	11
2. MULTIPLE DX	1595	3.0	16	1	1	2	3	6	8	19
A. Not Operated	566	2.4	13	< 1	1	1	3	4	6	12
B. Operated	1446	3.0	15	1	1	2	3	6	9	19
TOTAL										
0-19 YRS	554	2.3	7	< 1	1	1	3	5	7	15
20-34	842	2.8	15	1	1	2	3	5	8	19
35-49	358	3.0	21	1	1	2	3	6	9	16
50-64	111	3.1	10	1	1	2	4	7	10	16
65 +	147	4.0	27	1	1	3	5	8	10	31
GRAND TOTAL	**2012**	**2.8**	**14**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	1.4		< 1	1	1	2	2	2	3
20-34	327	1.5	4	< 1	1	1	1	2	3	9
35-49	99	1.4	1	1	1	1	2	2	2	6
50-64	8	1.1		< 1	1	1	1	2	2	2
65 +	3	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	105	2.6	6	< 1	1	2	3	5	6	14
20-34	142	3.0	5	1	1	2	4	6	7	9
35-49	33	2.8	4	1	2	2	3	5	5	12
50-64	7	1.7	1	1	1	1	3	3	3	3
65 +	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	2.1	10	< 1	1	1	2	3	5	21
20-34	245	1.9	6	< 1	1	1	2	4	5	12
35-49	96	2.1	4	1	1	2	2	4	5	12
50-64	16	2.2	2	1	1	2	3	4	5	6
65 +	6	3.0	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	132	4.5	18	1	1	4	6	9	14	40
20-34	374	4.8	37	1	2	3	6	9	14	23
35-49	103	5.6	70	1	1	3	6	10	21	54
50-64	16	2.6	3	1	1	2	4	4	6	7
65 +	12	5.5	34	1	2	3	8	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	557	1.5	3	< 1	1	1	2	2	3	6
B. Operated	293	2.8	5	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	444	2.0	6	< 1	1	1	2	4	5	11
B. Operated	637	4.8	38	1	2	3	6	9	15	28
1. SINGLE DX	850	1.9	4	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1081	3.7	26	1	1	2	4	8	10	23
A. Not Operated	1001	1.7	4	< 1	1	1	2	3	4	9
B. Operated	930	4.2	28	1	1	3	5	8	12	23
TOTAL										
0-19 YRS	438	2.7	10	< 1	1	2	3	6	7	20
20-34	1088	2.9	18	1	1	2	3	6	9	20
35-49	331	3.1	27	1	1	2	3	6	9	23
50-64	47	2.1	2	1	1	2	3	4	5	7
65 +	27	3.6	18	1	1	2	4	10	15	18
GRAND TOTAL	**1931**	**2.9**	**17**	**1**	**1**	**2**	**3**	**6**	**9**	**21**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	2.1	2	< 1	1	2	3	4	5	6
20-34	160	2.6	3	< 1	1	2	3	5	6	9
35-49	70	2.7	2	1	1	2	4	5	5	7
50-64	27	2.6	1	1	2	2	3	4	5	5
65 +	9	2.2	1	1	2	2	3	4	4	4
B. Operated										
0-19 YRS	193	2.6	5	1	1	2	3	6	8	10
20-34	427	3.0	7	1	1	2	4	7	8	13
35-49	177	2.7	6	< 1	1	2	4	6	7	11
50-64	50	2.6	6	< 1	1	1	4	6	7	12
65 +	18	2.3	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	3.0	16	1	1	2	3	5	6	27
20-34	221	2.9	8	1	1	2	3	6	8	14
35-49	91	3.7	7	1	2	3	5	7	8	15
50-64	35	3.7	22	1	2	3	4	5	7	29
65 +	48	5.2	17	2	3	4	6	9	17	21
B. Operated										
0-19 YRS	333	3.4	15	1	1	2	4	8	11	21
20-34	759	4.1	18	1	1	3	5	8	12	22
35-49	368	4.8	31	1	1	3	6	10	13	28
50-64	121	4.7	30	1	1	2	6	12	18	24
65 +	74	4.4	27	1	1	3	6	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	338	2.5	2	< 1	1	2	3	5	5	7
B. Operated	865	2.8	6	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	503	3.3	12	1	1	2	4	6	8	20
B. Operated	1655	4.2	22	1	1	3	5	9	12	25
1. SINGLE DX	1203	2.7	5	1	1	2	4	5	7	10
2. MULTIPLE DX	2158	4.0	20	1	1	3	5	8	12	24
A. Not Operated	841	3.0	8	1	1	2	4	5	7	15
B. Operated	2520	3.7	17	1	1	2	5	8	11	22
TOTAL										
0-19 YRS	706	3.0	12	1	1	2	3	6	9	19
20-34	1567	3.4	12	1	1	2	4	7	9	20
35-49	706	3.9	20	1	1	3	5	8	10	22
50-64	233	3.9	21	1	1	2	4	9	13	24
65 +	149	4.3	20	1	2	3	5	8	12	25
GRAND TOTAL	**3361**	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	2.1	2	< 1	1	2	3	4	5	7
20-34	130	2.2	3	< 1	1	2	3	5	5	7
35-49	33	4.7	179	1	2	2	3	4	6	79
50-64	9	2.6	2	1	2	2	3	5	5	5
65 +	2	6.0	50	1	1	6	11	11	11	11
B. Operated										
0-19 YRS	214	3.0	14	1	1	2	3	5	9	23
20-34	269	3.5	19	1	1	2	4	6	9	26
35-49	95	2.8	5	1	1	2	3	6	7	12
50-64	28	3.1	7	1	1	2	4	7	8	12
65 +	14	3.9	4	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	3.7	10	1	2	3	5	9	11	16
20-34	100	3.2	7	1	1	2	4	7	9	13
35-49	65	4.0	6	1	2	4	6	8	8	11
50-64	41	6.1	55	2	2	4	7	13	18	44
65 +	41	5.7	10	2	3	5	7	9	12	17
B. Operated										
0-19 YRS	174	4.9	35	1	2	3	6	11	18	30
20-34	262	5.4	36	1	2	3	6	12	16	32
35-49	127	8.0	105	1	2	4	10	21	30	55
50-64	51	6.2	31	1	2	5	9	13	16	29
65 +	74	9.5	60	2	3	7	13	22	25	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	276	2.5	24	1	1	2	3	4	5	8
B. Operated	620	3.2	14	1	1	2	4	6	8	21
2. MULTIPLE DX										
A. Not Operated	335	4.2	15	1	2	3	5	8	11	16
B. Operated	688	6.3	53	1	2	4	8	14	22	34
1. SINGLE DX	896	3.0	17	1	1	2	3	5	7	17
2. MULTIPLE DX	1023	5.6	41	1	2	4	7	12	18	32
A. Not Operated	611	3.4	19	1	1	2	4	7	9	15
B. Operated	1308	4.8	37	1	2	3	5	11	16	31
TOTAL										
0-19 YRS	578	3.5	19	1	1	2	4	7	11	24
20-34	761	3.9	22	1	1	3	4	8	11	24
35-49	320	5.3	67	1	2	3	6	11	18	51
50-64	129	5.3	33	1	2	4	6	11	14	32
65 +	131	7.7	42	2	3	5	10	18	23	30
GRAND TOTAL	**1919**	**4.4**	**32**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	50	< 1	< 1	5	11	11	11	11
20-34	6	2.7	2	1	2	2	3	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	16	2.8	4	< 1	1	2	4	6	7	7
20-34	28	2.8	6	1	1	2	5	6	8	8
35-49	5	7.8	23	3	4	6	11	15	15	15
50-64	4	2.8		2	2	3	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	4.3	16	1	1	3	7	10	10	10
35-49	3	8.3		8	8	8	9	9	9	9
50-64	3	5.3		5	5	5	6	6	6	6
65 +	3	6.7	24	1	3	9	10	10	10	10
B. Operated										
0-19 YRS	80	8.2	93	1	3	5	9	17	25	50
20-34	160	6.3	41	1	2	4	8	13	21	36
35-49	62	8.3	89	1	2	5	12	17	32	46
50-64	16	9.1	76	2	4	5	12	27	30	31
65 +	13	5.8	32	1	1	4	8	15	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.3	8	< 1	1	3	4	7	11	11
B. Operated	54	3.3	8	1	1	2	5	6	8	15
2. MULTIPLE DX										
A. Not Operated	14	6.6	15	1	4	7	9	11	13	14
B. Operated	331	7.2	64	1	2	5	9	15	25	45
1. SINGLE DX	65	3.3	8	1	1	2	5	6	9	14
2. MULTIPLE DX	345	7.2	62	1	2	5	9	15	24	44
A. Not Operated	25	5.1	14	1	2	4	8	10	12	14
B. Operated	385	6.7	58	1	2	4	8	14	23	42
TOTAL										
0-19 YRS	99	7.3	80	1	2	5	7	15	23	50
20-34	198	5.6	36	1	2	4	7	11	18	32
35-49	72	8.1	79	1	3	5	10	15	31	45
50-64	23	7.5	59	2	3	5	7	17	29	31
65 +	18	5.7	27	1	1	4	9	13	17	19
GRAND TOTAL	**410**	**6.6**	**56**	**1**	**2**	**4**	**8**	**14**	**22**	**40**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	2.3	1	1	2	2	3	3	3	3
20-34	9	2.9	3	1	1	3	4	5	5	5
35-49	8	2.1	2	1	1	2	3	4	5	5
50-64	3	1.7		1	1	2	2	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	9.0	142	1	2	5	12	30	30	30
20-34	5	5.0	22	1	1	3	10	10	10	10
35-49	8	3.1	3	1	2	3	4	6	6	6
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	4	4.0	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	12	10.5	226	1	1	5	9	42	42	42
20-34	16	5.4	33	1	2	3	7	15	18	19
35-49	11	6.5	17	2	3	6	11	12	12	12
50-64	3	5.7	30	2	2	3	10	12	12	12
65 +	5	8.4	60	1	4	5	13	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	32	2.3	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	25	4.9	34	1	2	3	5	10	15	30
B. Operated	47	7.3	79	1	2	4	10	15	24	42
1. SINGLE DX	35	2.2	2	1	1	2	3	4	5	5
2. MULTIPLE DX	72	6.4	64	1	2	4	8	13	21	42
A. Not Operated	28	4.5	32	1	2	3	5	9	12	30
B. Operated	79	5.3	53	1	1	3	5	12	17	42
TOTAL										
0-19 YRS	27	7.2	132	1	1	3	5	26	42	42
20-34	33	4.2	21	1	1	3	4	11	15	19
35-49	27	4.2	12	1	2	3	6	11	12	12
50-64	9	3.7	11	1	2	2	4	9	12	12
65 +	11	5.5	35	1	1	5	7	14	20	21
GRAND TOTAL	**107**	**5.0**	**48**	**1**	**1**	**3**	**5**	**11**	**16**	**42**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	3.5	2	2	2	4	4	5	6	9
20-34	18	3.2	3	< 1	2	3	5	5	6	6
35-49	5	4.0	6	< 1	2	3	6	7	7	7
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4	6.0	34	1	1	6	11	12	12	12
20-34	5	4.8	13	1	2	5	7	10	10	10
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	3.3	5	1	1	3	4	6	7	11
20-34	29	3.0	5	< 1	1	2	4	7	8	9
35-49	13	2.9	5	1	1	2	4	6	8	8
50-64	6	3.8	3	2	2	4	5	6	6	6
65 +	5	3.6	10	< 1	1	2	6	8	8	8
B. Operated										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	10	3.5	4	1	2	3	5	6	7	7
35-49	5	4.4	12	1	2	3	7	9	9	9
50-64	2	10.5	181	1	1	10	20	20	20	20
65 +	5	2.4	1	1	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	3.4	3	1	2	3	5	5	6	9
B. Operated	11	5.0	17	1	1	5	9	11	12	12
2. MULTIPLE DX										
A. Not Operated	104	3.2	5	1	1	3	4	6	8	10
B. Operated	25	4.1	16	1	2	3	5	7	12	20
1. SINGLE DX	80	3.6	5	1	2	3	5	6	8	11
2. MULTIPLE DX	129	3.4	7	1	2	3	5	7	8	13
A. Not Operated	173	3.3	4	1	2	3	4	6	7	9
B. Operated	36	4.4	16	1	2	3	6	10	11	20
TOTAL										
0-19 YRS	103	3.5	5	1	2	3	5	6	8	11
20-34	62	3.3	5	1	2	3	5	6	8	10
35-49	25	3.5	6	1	1	3	5	7	8	9
50-64	8	5.5	37	1	2	4	5	16	20	20
65 +	11	2.9	5	< 1	1	2	4	7	8	8
GRAND TOTAL	**209**	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**11**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	1.4	1	< 1	1	1	1	3	3	6
20-34	183	1.9	4	1	1	1	2	3	4	11
35-49	88	1.8	2	1	1	1	2	4	5	9
50-64	53	2.3	6	1	1	1	3	4	9	12
65 +	44	3.3	16	1	1	2	4	6	7	26
B. Operated										
0-19 YRS	27	2.3	5	< 1	1	1	3	7	7	7
20-34	21	2.1	4	< 1	1	1	2	4	7	10
35-49	14	2.5	4	1	1	2	3	6	7	7
50-64	2	3.0		3	3	3	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	358	1.6	1	< 1	1	1	2	3	4	5
20-34	509	1.9	4	< 1	1	1	2	4	5	9
35-49	320	2.6	9	1	1	2	3	5	7	16
50-64	239	3.1	11	1	1	2	4	6	9	18
65 +	700	4.3	15	1	2	3	5	8	11	16
B. Operated										
0-19 YRS	51	2.5	7	< 1	1	1	3	6	7	16
20-34	120	3.0	11	1	1	2	3	6	9	21
35-49	56	3.3	11	1	1	3	4	6	8	22
50-64	26	7.2	176	1	1	3	7	9	47	57
65 +	69	8.1	71	2	3	6	9	16	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	507	1.9	4	1	1	1	2	3	5	10
B. Operated	66	2.3	4	< 1	1	1	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	2126	2.9	10	1	1	2	4	6	8	14
B. Operated	322	4.4	41	1	1	2	5	8	13	43
1. SINGLE DX	573	1.9	4	1	1	1	2	4	5	10
2. MULTIPLE DX	2448	3.1	14	1	1	2	4	6	8	16
A. Not Operated	2633	2.7	9	1	1	2	3	6	7	14
B. Operated	388	4.0	35	1	1	2	5	8	11	37
TOTAL										
0-19 YRS	575	1.7	2	< 1	1	1	2	3	4	7
20-34	833	2.1	5	< 1	1	1	2	4	6	10
35-49	478	2.6	8	1	1	2	3	5	7	14
50-64	320	3.3	24	1	1	2	4	7	9	23
65 +	815	4.5	21	1	2	3	6	8	12	21
GRAND TOTAL	**3021**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.1		1	1	1	1	2	2	2
20-34	14	6.3	287	1	1	1	3	10	53	65
35-49	7	1.4	1	1	1	1	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	7	5.1	19	< 1	2	5	6	12	14	14
20-34	20	4.6	21	1	1	3	7	11	14	17
35-49	5	2.6		2	2	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.4	4	< 1	1	2	2	6	7	7
20-34	20	3.1	6	1	1	2	5	7	8	9
35-49	16	3.5	15	1	1	2	4	10	13	15
50-64	14	3.8	11	1	1	3	4	11	11	11
65 +	7	4.4	5	1	3	5	6	8	8	8
B. Operated										
0-19 YRS	24	5.0	22	1	2	4	6	9	16	22
20-34	61	4.7	32	1	2	2	6	11	16	33
35-49	25	5.4	18	1	2	5	7	10	15	18
50-64	9	8.7	59	3	4	5	11	22	25	25
65 +	8	7.9	38	< 1	2	7	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.6	135	1	1	1	2	3	4	65
B. Operated	34	4.4	16	1	2	3	5	11	14	17
2. MULTIPLE DX										
A. Not Operated	68	3.4	9	1	1	2	5	7	10	14
B. Operated	127	5.4	30	1	2	3	7	13	17	27
1. SINGLE DX	64	4.0	71	1	1	2	4	9	13	58
2. MULTIPLE DX	195	4.7	23	1	2	3	6	10	15	24
A. Not Operated	98	3.4	46	1	1	2	4	6	10	41
B. Operated	161	5.1	27	1	2	3	6	12	16	25
TOTAL										
0-19 YRS	49	3.9	16	1	1	2	6	8	13	22
20-34	115	4.6	55	1	1	2	5	9	15	45
35-49	53	4.0	15	1	1	3	5	9	13	18
50-64	26	5.3	31	1	2	4	6	11	19	25
65 +	16	6.0	24	1	2	5	8	15	17	17
GRAND TOTAL	**259**	**4.5**	**35**	**1**	**1**	**3**	**6**	**9**	**15**	**25**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	255	1.2		< 1	< 1	1	1	2	2	3
20-34	34	1.8	2	< 1	1	1	2	4	5	5
35-49	24	1.6	1	1	1	1	2	3	4	4
50-64	12	1.3		< 1	1	1	1	2	3	3
65 +	8	1.5	1	< 1	1	1	2	3	4	4
B. Operated										
0-19 YRS	165	1.4	2	< 1	< 1	1	1	2	3	10
20-34	8	3.1	4	1	1	3	5	6	6	6
35-49	8	2.6	5	< 1	< 1	2	4	6	7	7
50-64	4	5.3	12	2	3	4	7	10	10	10
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	1.8	3	< 1	1	1	2	3	6	9
20-34	30	2.2	6	1	1	1	2	4	8	13
35-49	36	2.2	2	< 1	1	2	3	4	6	7
50-64	34	4.4	70	1	2	2	4	7	10	50
65 +	98	4.4	88	1	1	2	5	9	12	55
B. Operated										
0-19 YRS	74	3.3	50	1	1	2	3	5	8	49
20-34	17	6.2	18	1	2	6	10	12	13	13
35-49	22	6.2	21	1	2	5	11	13	14	15
50-64	31	4.9	14	1	1	4	7	11	11	12
65 +	69	6.4	125	1	2	4	7	12	17	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	333	1.3	1	< 1	< 1	1	1	2	3	4
B. Operated	186	1.6	3	< 1	1	1	1	3	5	10
2. MULTIPLE DX										
A. Not Operated	343	2.9	35	1	1	2	3	6	8	16
B. Operated	213	5.0	64	1	1	3	6	11	13	36
1. SINGLE DX	519	1.4	1	< 1	< 1	1	1	2	4	8
2. MULTIPLE DX	556	3.7	47	1	1	2	4	8	11	21
A. Not Operated	676	2.1	19	< 1	1	1	2	4	6	12
B. Operated	399	3.4	39	< 1	1	1	4	8	11	19
TOTAL										
0-19 YRS	639	1.6	7	< 1	1	1	1	3	4	9
20-34	89	2.9	9	1	1	2	4	8	11	13
35-49	90	3.0	10	1	1	2	4	7	12	15
50-64	81	4.2	36	1	1	2	5	9	11	38
65 +	176	5.1	99	1	1	3	6	9	14	72
GRAND TOTAL	**1075**	**2.6**	**26**	**< 1**	**1**	**1**	**2**	**6**	**8**	**15**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.7	5	1	2	3	5	7	8	8
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	22	4.2	48	< 1	< 1	3	4	7	18	34
20-34	16	4.9	9	2	2	4	8	9	10	10
35-49	8	6.8	13	2	3	8	9	11	12	12
50-64	7	7.6	21	2	4	8	12	13	13	13
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.4	17	1	1	2	7	10	13	15
20-34	29	5.9	31	1	2	3	10	14	17	18
35-49	22	3.4	7	1	2	3	4	9	10	10
50-64	16	5.9	21	1	2	4	9	13	15	16
65 +	26	9.5	68	2	3	6	12	26	29	30
B. Operated										
0-19 YRS	108	11.8	182	< 1	1	8	17	28	41	69
20-34	88	15.3	233	2	5	11	21	37	48	91
35-49	80	15.3	157	3	5	14	20	31	39	61
50-64	38	17.1	351	1	4	14	24	45	76	99 +
65 +	48	21.6	226	5	10	19	28	44	53	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.8	17	1	2	3	7	12	12	12
B. Operated	54	5.4	28	< 1	2	4	8	10	13	33
2. MULTIPLE DX										
A. Not Operated	118	5.9	34	1	2	4	9	14	16	29
B. Operated	362	15.3	219	1	4	12	21	37	45	76
1. SINGLE DX	69	5.3	25	< 1	2	4	8	11	12	30
2. MULTIPLE DX	480	13.0	190	1	3	9	19	30	42	72
A. Not Operated	133	5.8	32	1	2	4	9	13	16	29
B. Operated	416	14.0	205	1	3	10	20	33	44	75
TOTAL										
0-19 YRS	164	9.2	142	< 1	1	4	13	23	31	66
20-34	135	11.9	181	2	3	8	15	32	39	79
35-49	111	12.2	141	2	3	8	18	27	37	56
50-64	62	12.9	249	1	3	9	17	31	48	99
65 +	77	17.1	196	3	6	12	26	39	45	59
GRAND TOTAL	**549**	**12.0**	**176**	**1**	**3**	**8**	**17**	**29**	**41**	**69**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.8	5	< 1	1	2	4	6	8	9
20-34	21	3.4	11	< 1	1	3	4	7	11	15
35-49	16	3.3	10	1	1	2	4	10	11	11
50-64	2	4.0		4	4	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	13	2.6	9	< 1	< 1	< 1	3	8	10	11
20-34	7	7.4	67	1	1	4	14	20	21	21
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	275	3.8	18	1	1	3	4	8	11	21
20-34	164	3.5	11	1	1	2	4	8	10	15
35-49	99	4.5	37	1	1	3	6	9	12	37
50-64	68	5.2	19	1	2	4	8	13	14	19
65 +	44	7.0	16	3	4	6	9	12	15	22
B. Operated										
0-19 YRS	65	10.0	128	< 1	2	7	13	24	42	92
20-34	44	7.9	51	1	2	5	12	19	24	25
35-49	43	9.3	58	1	4	7	15	20	26	29
50-64	25	8.5	46	1	4	7	11	15	25	27
65 +	11	16.6	203	2	5	10	27	39	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.1	7	< 1	1	2	4	7	9	14
B. Operated	23	4.2	29	< 1	< 1	2	5	12	18	21
2. MULTIPLE DX										
A. Not Operated	650	4.2	20	1	1	3	5	9	12	21
B. Operated	188	9.5	89	1	3	7	13	23	29	53
1. SINGLE DX	105	3.3	12	< 1	1	2	4	7	10	19
2. MULTIPLE DX	838	5.4	40	1	2	3	7	12	17	34
A. Not Operated	732	4.1	18	1	1	3	5	9	11	20
B. Operated	211	8.9	85	1	2	6	13	21	27	53
TOTAL										
0-19 YRS	395	4.7	40	1	1	3	5	10	15	39
20-34	236	4.5	23	1	1	3	6	11	15	25
35-49	160	5.7	44	1	1	4	7	13	18	29
50-64	95	6.0	28	1	2	4	9	14	15	26
65 +	57	8.6	66	3	4	6	9	18	27	41
GRAND TOTAL	**943**	**5.2**	**37**	**1**	**1**	**3**	**7**	**12**	**16**	**33**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.2	4	1	1	1	3	4	7	10
20-34	22	5.5	20	1	2	4	8	13	15	17
35-49	9	3.1	8	1	1	2	4	8	9	9
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	10	2.9	11	1	1	1	3	9	10	10
20-34	23	2.7	6	< 1	1	2	3	8	9	9
35-49	13	3.0	13	< 1	1	1	3	10	11	11
50-64	8	1.9	1	< 1	1	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.1	6	1	1	3	4	7	9	10
20-34	53	4.3	16	1	2	3	5	8	14	22
35-49	25	6.6	22	2	3	5	10	14	15	16
50-64	14	4.8	31	2	2	3	6	9	20	23
65 +	21	7.0	14	3	4	6	9	13	14	15
B. Operated										
0-19 YRS	56	7.5	114	1	2	4	7	19	36	47
20-34	144	5.4	61	1	2	3	6	11	16	52
35-49	52	6.8	58	1	2	4	9	18	25	32
50-64	11	2.9	5	1	2	2	3	7	9	9
65 +	20	15.9	317	1	2	9	22	47	53	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	3.7	13	1	1	2	5	9	12	17
B. Operated	55	2.7	7	< 1	1	2	3	8	10	11
2. MULTIPLE DX										
A. Not Operated	132	5.0	18	1	2	4	7	12	14	22
B. Operated	283	6.7	93	1	2	3	7	16	29	50
1. SINGLE DX	110	3.2	10	1	1	2	4	9	10	15
2. MULTIPLE DX	415	6.2	70	1	2	3	7	14	22	47
A. Not Operated	187	4.7	17	1	2	3	6	10	14	20
B. Operated	338	6.1	81	1	1	3	6	14	25	48
TOTAL										
0-19 YRS	104	5.3	70	1	1	3	5	10	23	45
20-34	242	4.9	42	1	2	3	5	10	15	32
35-49	99	5.9	40	1	1	3	8	14	19	31
50-64	37	3.3	14	1	2	2	3	6	8	23
65 +	43	11.0	172	2	3	6	12	31	47	58
GRAND TOTAL	**525**	**5.6**	**59**	**1**	**2**	**3**	**6**	**12**	**17**	**47**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	1.7	2	1	1	1	2	3	4	9
20-34	141	1.6	2	< 1	1	1	2	3	4	8
35-49	67	3.3	113	1	1	1	2	5	7	74
50-64	18	2.2	4	1	1	1	2	5	7	8
65 +	14	7.8	279	1	1	2	5	15	54	65
B. Operated										
0-19 YRS	18	4.2	14	1	2	3	6	9	13	15
20-34	44	3.2	6	1	1	3	4	6	8	12
35-49	21	5.7	27	1	2	5	7	12	18	22
50-64	10	4.8	28	1	1	3	6	14	16	16
65 +	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	1.8	2	1	1	1	2	3	4	8
20-34	230	2.2	8	< 1	1	1	3	4	7	14
35-49	128	3.2	12	1	1	2	4	7	11	20
50-64	70	3.3	6	1	2	3	4	6	7	15
65 +	119	4.9	14	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	49	8.7	122	1	3	7	10	14	24	73
20-34	136	8.9	135	1	2	5	10	24	33	65
35-49	65	8.2	62	1	3	5	12	18	23	39
50-64	32	8.1	54	1	3	4	12	21	25	28
65 +	34	9.1	94	3	4	6	10	16	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	2.2	35	< 1	1	1	2	4	5	10
B. Operated	95	4.2	15	1	1	3	6	10	12	19
2. MULTIPLE DX										
A. Not Operated	661	2.9	9	1	1	2	3	6	8	17
B. Operated	316	8.7	105	1	3	6	11	19	29	57
1. SINGLE DX	442	2.7	32	1	1	1	2	5	8	15
2. MULTIPLE DX	977	4.8	47	1	1	3	5	11	16	33
A. Not Operated	1008	2.7	18	1	1	2	3	5	8	14
B. Operated	411	7.6	88	1	2	5	9	16	25	53
TOTAL										
0-19 YRS	288	3.1	30	1	1	1	3	7	10	22
20-34	551	3.8	46	1	1	2	3	8	13	34
35-49	281	4.6	53	1	1	2	5	11	15	28
50-64	130	4.4	24	1	1	3	5	11	14	26
65 +	169	6.0	53	1	3	4	7	11	16	50
GRAND TOTAL	**1419**	**4.1**	**43**	**1**	**1**	**2**	**5**	**9**	**13**	**31**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	622	1.6	6	< 1	1	1	1	3	3	5
20-34	266	1.6	1	< 1	1	1	2	3	3	6
35-49	106	1.4	1	< 1	1	1	1	3	3	5
50-64	27	2.0	2	< 1	1	2	3	4	5	8
65 +	6	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1297	2.3	13	1	1	1	3	4	6	18
20-34	1830	2.4	10	1	1	2	3	5	6	15
35-49	1340	2.8	12	1	1	2	3	6	8	18
50-64	423	3.6	17	1	1	2	4	7	10	22
65 +	652	4.5	22	1	2	3	5	8	12	26
B. Operated										
0-19 YRS	25	5.8	35	1	2	4	7	15	20	23
20-34	61	8.0	226	1	2	4	7	14	26	83
35-49	58	7.5	75	1	2	4	8	19	25	44
50-64	28	16.2	322	2	5	9	24	44	49	77
65 +	46	10.5	70	2	5	8	14	22	31	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1027	1.6	4	< 1	1	1	2	3	3	6
B. Operated	4	4.0	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	5542	2.8	14	1	1	2	3	6	8	18
B. Operated	218	9.2	150	1	2	5	11	21	32	79
1. SINGLE DX	1031	1.6	4	< 1	1	1	2	3	3	6
2. MULTIPLE DX	5760	3.1	20	1	1	2	3	6	9	21
A. Not Operated	6569	2.6	12	1	1	2	3	5	7	17
B. Operated	222	9.1	148	1	2	5	10	21	32	79
TOTAL										
0-19 YRS	1946	2.1	12	< 1	1	1	2	4	5	16
20-34	2158	2.5	16	< 1	1	1	3	5	6	16
35-49	1505	2.9	15	1	1	2	3	6	9	19
50-64	478	4.3	42	1	1	2	5	8	13	38
65 +	704	4.9	28	1	2	3	6	10	14	30
GRAND TOTAL	**6791**	**2.8**	**18**	**1**	**1**	**2**	**3**	**6**	**8**	**20**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	210	1.4	1	< 1	1	1	1	2	3	6
20-34	97	1.5	1	< 1	1	1	2	3	3	5
35-49	76	1.5	1	< 1	1	1	2	3	4	7
50-64	32	1.3		< 1	< 1	1	1	2	3	3
65 +	12	1.8	2	< 1	1	1	3	4	5	5
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	0									
50-64	3	1.7		1	1	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	2.6	23	1	1	1	2	5	9	20
20-34	239	2.6	13	< 1	1	2	3	5	7	15
35-49	220	2.2	6	< 1	1	1	3	4	6	12
50-64	108	2.8	12	1	1	2	3	7	9	18
65 +	75	3.9	30	1	1	2	4	8	10	29
B. Operated										
0-19 YRS	18	6.2	39	1	2	3	8	18	20	20
20-34	22	7.8	75	1	2	4	9	22	28	30
35-49	13	11.8	175	2	3	9	15	56	90	99 +
50-64	7	15.0	259	1	3	9	29	39	40	40
65 +	7	11.7	51	6	8	10	12	24	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	427	1.4	1	< 1	1	1	2	2	3	6
B. Operated	7	2.7	2	1	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	862	2.6	15	1	1	1	3	5	8	18
B. Operated	67	9.3	102	1	3	6	13	25	36	91
1. SINGLE DX	434	1.5	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	929	3.1	24	1	1	2	3	7	11	28
A. Not Operated	1289	2.2	11	< 1	1	1	2	4	7	15
B. Operated	74	8.7	96	1	2	5	12	21	34	88
TOTAL										
0-19 YRS	449	2.2	14	< 1	1	1	2	3	7	17
20-34	361	2.6	15	< 1	1	1	3	5	8	20
35-49	309	2.5	15	< 1	1	1	3	5	8	22
50-64	150	3.0	27	1	1	1	3	7	9	36
65 +	94	4.3	32	1	1	2	5	9	12	29
GRAND TOTAL	**1363**	**2.6**	**17**	**< 1**	**1**	**1**	**2**	**5**	**8**	**23**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	157	1.3		1	1	1	1	2	3	4
20-34	67	1.5		1	1	1	2	3	3	3
35-49	49	1.9	2	1	1	1	2	4	5	6
50-64	37	1.4	1	< 1	1	1	1	2	3	5
65 +	22	1.6	1	< 1	1	1	2	3	5	5
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	232	2.3	11	1	1	1	2	4	7	12
20-34	156	2.4	5	< 1	1	2	3	5	8	12
35-49	184	3.0	16	1	1	2	3	6	8	26
50-64	185	2.4	5	1	1	2	3	5	6	13
65 +	384	4.0	11	1	2	3	5	8	11	18
B. Operated										
0-19 YRS	30	14.6	373	1	3	5	27	60	97	99 +
20-34	13	7.4	64	1	1	5	10	23	25	25
35-49	22	5.3	55	1	2	3	4	14	23	33
50-64	15	8.9	49	1	3	7	17	19	19	19
65 +	37	9.5	123	1	1	6	13	24	36	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	332	1.4	1	1	1	1	2	2	3	5
B. Operated	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1141	3.0	11	1	1	2	4	6	9	16
B. Operated	117	9.7	165	1	2	5	13	25	50	99 +
1. SINGLE DX	336	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX	1258	3.6	29	1	1	2	4	7	11	31
A. Not Operated	1473	2.7	9	1	1	2	3	6	8	15
B. Operated	121	9.4	161	1	2	5	13	24	49	99 +
TOTAL										
0-19 YRS	420	2.8	43	1	1	1	2	4	8	57
20-34	237	2.4	8	1	1	1	2	5	8	14
35-49	256	2.9	17	1	1	2	3	6	9	29
50-64	237	2.7	9	1	1	2	3	5	7	18
65 +	444	4.4	23	1	2	3	5	9	12	23
GRAND TOTAL	**1594**	**3.2**	**23**	**1**	**1**	**2**	**3**	**6**	**10**	**24**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.0	11	< 1	1	2	3	10	13	13
20-34	27	3.7	8	1	2	3	6	8	9	10
35-49	29	4.3	17	1	2	3	4	12	15	15
50-64	22	5.0	19	1	2	3	7	11	14	17
65 +	45	4.0	12	1	2	3	5	9	13	16
B. Operated										
0-19 YRS	379	3.3	23	1	1	2	3	6	9	23
20-34	235	4.0	14	1	1	3	5	9	12	17
35-49	252	4.2	15	1	2	3	6	9	12	20
50-64	324	4.5	12	1	2	4	7	9	10	17
65 +	517	5.2	20	1	2	4	8	10	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	307	4.8	22	1	2	3	6	11	14	24
20-34	177	5.5	23	1	3	4	6	11	16	24
35-49	192	5.1	18	1	2	4	7	10	13	21
50-64	244	5.2	20	1	2	4	7	11	15	26
65 +	499	6.0	31	1	3	4	7	12	17	27
B. Operated										
0-19 YRS	1089	6.4	66	1	2	3	8	15	21	39
20-34	904	6.7	55	1	2	4	8	14	19	43
35-49	1393	6.5	51	1	2	5	8	14	19	40
50-64	1956	7.0	62	1	2	5	9	14	20	45
65 +	3960	7.4	52	1	3	6	9	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	3.9	13	1	2	2	5	10	13	16
B. Operated	1707	4.3	18	1	2	3	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	1419	5.4	25	1	2	4	7	11	15	26
B. Operated	9302	7.0	56	1	2	5	9	14	19	39
1. SINGLE DX	1874	4.3	18	1	2	3	6	9	12	19
2. MULTIPLE DX	10721	6.8	52	1	2	5	9	14	19	37
A. Not Operated	1586	5.2	24	1	2	4	7	11	15	25
B. Operated	11009	6.6	51	1	2	5	8	13	18	37
TOTAL										
0-19 YRS	1819	5.4	50	1	2	3	6	13	18	33
20-34	1343	6.0	44	1	2	4	7	13	18	35
35-49	1866	6.0	43	1	2	4	8	13	17	34
50-64	2546	6.5	52	1	2	5	8	13	18	39
65 +	5021	7.0	47	1	3	5	9	14	18	35
GRAND TOTAL	**12595**	**6.4**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**35**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	1.5	1	< 1	< 1	1	2	2	5	6
20-34	35	2.2	3	< 1	1	2	2	4	6	8
35-49	23	1.9	1	1	1	2	2	3	4	5
50-64	29	2.0	1	1	1	2	2	3	4	7
65 +	59	2.5	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	75	1.3	1	< 1	1	1	1	2	2	7
20-34	78	1.8	1	< 1	1	1	3	3	4	6
35-49	52	2.2	3	1	1	2	3	4	5	10
50-64	33	2.9	4	1	1	2	4	6	9	99 +
65 +	28	2.4	5	1	1	2	3	4	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.1	2	< 1	1	2	2	4	5	7
20-34	54	2.2	2	1	1	2	3	4	4	9
35-49	41	2.8	3	1	2	2	4	5	6	7
50-64	79	3.3	14	1	2	2	3	6	11	22
65 +	232	3.2	4	1	2	3	4	6	7	11
B. Operated										
0-19 YRS	48	2.3	5	1	1	1	3	5	9	11
20-34	103	3.2	6	1	1	3	4	7	8	12
35-49	123	3.7	19	1	1	2	5	7	9	25
50-64	122	4.0	16	1	2	3	5	8	10	23
65 +	341	4.5	24	1	2	3	5	9	13	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	2.1	2	< 1	1	2	2	4	5	8
B. Operated	266	1.9	2	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	433	3.0	6	1	2	2	4	5	7	14
B. Operated	737	4.0	19	1	1	3	5	8	11	21
1. SINGLE DX	455	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX	1170	3.6	14	1	2	3	4	7	9	20
A. Not Operated	622	2.7	5	1	1	2	3	5	6	11
B. Operated	1003	3.4	15	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	193	1.7	2	< 1	1	1	2	3	5	9
20-34	270	2.4	4	1	1	2	3	5	7	9
35-49	239	3.1	11	1	1	2	4	6	8	17
50-64	263	3.4	13	1	2	2	4	7	9	23
65 +	660	3.8	15	1	2	3	4	8	10	19
GRAND TOTAL	**1625**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	3.6	5	1	2	3	5	7	8	9
20-34	57	3.8	13	1	2	3	4	7	9	24
35-49	65	4.3	8	1	3	4	5	8	10	16
50-64	34	4.2	5	2	3	4	5	8	9	11
65 +	22	5.5	18	2	3	5	6	9	14	21
B. Operated										
0-19 YRS	37	4.5	6	2	2	4	6	8	9	10
20-34	58	6.7	47	2	3	5	8	12	23	38
35-49	67	5.5	21	1	2	4	7	10	14	24
50-64	38	4.9	25	1	2	3	6	11	18	22
65 +	23	8.4	78	2	3	6	10	18	32	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	4.3	11	1	2	3	5	8	13	15
20-34	121	4.4	11	2	2	4	5	8	11	19
35-49	197	5.4	18	2	3	4	7	11	13	22
50-64	204	6.1	23	2	3	5	8	12	15	23
65 +	293	7.2	48	3	4	6	9	12	15	36
B. Operated										
0-19 YRS	97	9.0	54	3	4	7	10	19	24	42
20-34	188	8.6	49	2	4	6	11	16	24	36
35-49	257	10.1	86	3	4	7	13	20	26	51
50-64	285	13.2	186	3	5	9	16	26	41	80
65 +	368	11.7	102	3	5	9	15	24	30	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	4.2	10	1	2	3	5	8	9	18
B. Operated	223	5.8	33	1	2	4	7	11	16	32
2. MULTIPLE DX										
A. Not Operated	890	5.9	28	2	3	4	7	11	14	26
B. Operated	1195	11.0	109	3	4	8	14	23	29	62
1. SINGLE DX	442	5.0	22	1	2	4	6	9	12	26
2. MULTIPLE DX	2085	8.8	81	2	4	6	11	18	25	48
A. Not Operated	1109	5.6	25	2	3	4	7	11	14	24
B. Operated	1418	10.2	100	2	4	7	13	22	28	57
TOTAL										
0-19 YRS	250	6.0	32	2	3	4	8	12	15	27
20-34	424	6.5	37	2	3	4	8	13	19	30
35-49	586	7.4	53	2	3	5	9	16	21	33
50-64	561	9.5	118	2	3	6	11	20	27	64
65 +	706	9.5	81	3	4	7	11	19	26	42
GRAND TOTAL	**2527**	**8.2**	**73**	**2**	**3**	**6**	**10**	**17**	**24**	**41**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE-OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	5	1	1	2	3	4	8	10
20-34	45	2.5	2	1	2	2	3	4	5	7
35-49	61	3.8	6	1	2	3	5	7	8	13
50-64	44	3.3	8	1	1	2	5	7	8	14
65 +	24	4.4	7	2	2	4	6	8	11	11
B. Operated										
0-19 YRS	49	2.3	4	< 1	1	1	3	6	7	10
20-34	46	4.2	9	1	2	3	6	8	11	13
35-49	57	4.4	17	1	2	3	5	10	12	21
50-64	58	5.2	43	1	1	3	6	15	21	32
65 +	42	3.8	11	1	2	3	4	10	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	3.2	12	1	1	2	4	7	9	18
20-34	287	3.8	10	1	2	3	5	8	9	14
35-49	341	4.4	13	1	2	3	6	8	10	19
50-64	399	5.0	23	1	2	4	7	9	11	27
65 +	645	5.6	20	2	3	5	7	10	12	21
B. Operated										
0-19 YRS	301	4.5	41	1	1	2	5	11	17	31
20-34	375	4.8	42	1	1	3	6	10	15	43
35-49	566	6.4	69	1	1	3	8	14	21	45
50-64	646	6.8	63	1	2	4	9	15	22	35
65 +	1198	7.2	73	1	2	4	9	16	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	3.4	6	1	2	3	4	7	8	13
B. Operated	252	4.0	19	1	1	3	5	8	12	22
2. MULTIPLE DX										
A. Not Operated	1816	4.8	18	1	2	4	6	9	11	20
B. Operated	3086	6.4	64	1	2	4	8	15	21	43
1. SINGLE DX	441	3.7	13	1	1	3	5	7	10	19
2. MULTIPLE DX	4902	5.8	48	1	2	4	7	12	17	37
A. Not Operated	2005	4.7	17	1	2	4	6	9	11	20
B. Operated	3338	6.2	61	1	2	4	8	14	21	41
TOTAL										
0-19 YRS	509	3.9	29	1	1	2	4	9	14	25
20-34	753	4.2	26	1	1	3	5	9	11	30
35-49	1025	5.5	45	1	2	3	7	11	17	36
50-64	1147	6.0	47	1	2	4	7	13	17	32
65 +	1909	6.6	54	1	2	4	8	13	20	39
GRAND TOTAL	**5343**	**5.6**	**45**	**1**	**2**	**4**	**7**	**12**	**17**	**35**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.6	1	1	1	2	2	2	4	4
20-34	18	3.2	7	1	1	2	5	8	9	9
35-49	8	3.1	2	1	2	3	4	5	5	5
50-64	21	4.8	55	1	2	3	4	8	21	36
65 +	53	5.6	15	2	3	4	8	10	13	21
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	1.7	4	< 1	< 1	< 1	1	3	5	14
20-34	32	3.0	9	< 1	< 1	2	3	8	10	13
35-49	26	3.5	10	1	1	2	4	9	11	12
50-64	14	3.6	4	1	2	4	5	6	8	8
65 +	30	3.4	4	1	2	3	4	6	8	9
B. Operated										
0-19 YRS	4	7.3	34	1	2	7	12	14	14	14
20-34	10	5.4	16	1	3	4	8	11	13	13
35-49	10	9.7	42	3	5	8	17	19	19	19
50-64	7	10.1	124	4	4	6	9	30	35	35
65 +	15	7.0	37	2	3	5	9	16	22	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	4.4	20	1	2	3	5	9	11	26
B. Operated	3	5.7	17	1	2	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	185	2.6	6	< 1	< 1	2	4	5	8	13
B. Operated	46	7.7	45	2	4	5	10	17	20	35
1. SINGLE DX	119	4.4	20	1	2	3	6	9	11	26
2. MULTIPLE DX	231	3.6	18	< 1	< 1	2	5	8	11	20
A. Not Operated	301	3.3	12	< 1	1	2	4	7	9	16
B. Operated	49	7.6	43	2	4	5	10	17	19	35
TOTAL										
0-19 YRS	104	1.9	6	< 1	< 1	1	2	4	6	15
20-34	61	3.5	10	< 1	1	2	5	9	10	13
35-49	44	4.9	22	1	2	3	6	11	18	19
50-64	42	5.3	52	1	2	3	5	8	20	36
65 +	99	5.2	16	2	3	4	7	9	13	23
GRAND TOTAL	**350**	**3.9**	**19**	**< 1**	**1**	**2**	**5**	**9**	**11**	**21**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	95	1.2	1	< 1	< 1	< 1	1	2	3	5
35-49	37	1.0		< 1	< 1	< 1	< 1	1	1	2
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	58	1.9	2	< 1	1	1	2	4	5	6
35-49	31	1.7	1	< 1	< 1	1	2	4	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	139	1.2		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated	91	1.9	2	< 1	< 1	1	3	4	5	6
1. SINGLE DX	139	1.2		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	94	1.9	2	< 1	< 1	1	3	3	5	6
A. Not Operated	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated	230	1.4	1	< 1	< 1	< 1	1	3	4	6
TOTAL										
0-19 YRS	7	1.6	1	< 1	< 1	< 1	2	3	3	3
20-34	155	1.5	1	< 1	< 1	< 1	1	3	4	6
35-49	69	1.3	1	< 1	< 1	< 1	1	3	3	5
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
GRAND TOTAL	**233**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**	**6**

411: Single liveborn, without cesarean section delivery, born in hospital (V30.00; V39.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	511	1.6	2	1	1	1	2	2	4	8
2500 +	42968	1.4		1	1	1	2	2	2	3
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	9	6.1	112	1	2	2	4	23	34	34
2. MULTIPLE DX										
A. Not Operated										
1-999 G	10	78.7	304	50	76	85	93	96	99 +	99 +
1000-1499	68	39.4	279	21	27	38	50	54	71	97
1500-1749	81	23.5	79	13	18	23	28	33	37	59
1750-2499	1770	5.0	30	1	2	3	7	12	15	25
2500 +	25968	2.1	4	1	1	2	2	3	5	10
B. Operated										
1-999 G	21	74.2	142	62	69	81	99 +	99 +	99 +	99 +
1000-1499	33	47.5	335	28	38	48	73	97	99 +	99 +
1500-1749	25	28.8	191	16	21	25	34	46	58	75
1750-2499	133	14.3	116	3	7	11	19	27	33	54
2500 +	391	7.8	98	1	2	5	9	16	26	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43479	1.4		1	1	1	2	2	2	3
B. Operated	9	6.1	112	1	2	2	4	23	34	34
2. MULTIPLE DX										
A. Not Operated	27897	2.4	13	1	1	2	2	4	6	15
B. Operated	603	14.6	341	1	3	8	19	49	74	99 +
1. SINGLE DX	43488	1.4		1	1	1	2	2	2	3
2. MULTIPLE DX	28500	2.7	23	1	1	2	2	4	7	22
A. Not Operated	71376	1.8	6	1	1	1	2	3	4	10
B. Operated	612	14.4	339	1	3	8	19	48	74	99 +
TOTAL										
1-999 G	31	75.7	190	61	70	85	99 +	99 +	99 +	99 +
1000-1499	101	42.0	309	21	29	44	52	74	92	99 +
1500-1749	106	24.7	109	13	19	23	29	36	44	67
1750-2499	2414	4.8	36	1	1	2	6	12	16	28
2500 +	69336	1.7	2	1	1	1	2	2	3	7
GRAND TOTAL	**71988**	**1.9**	**10**	**1**	**1**	**1**	**2**	**3**	**4**	**11**

412: Twin or multiple liveborn, without cesarean section delivery, born in hospital (V31.00; V32.00; V33.00; V34.00; V35.00; V36.00; V37.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	56	2.3	5	1	1	2	3	3	4	15
2500 +	260	2.0	1	1	1	2	2	3	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	15	37.0	295	15	26	38	44	68	68	68
1500-1749	15	22.5	16	20	22	23	24	27	28	29
1750-2499	241	6.6	35	2	2	4	9	14	17	27
2500 +	180	3.3	12	1	2	2	3	6	10	16
B. Operated										
1-999 G	2	62.5	113	55	55	62	70	70	70	70
1000-1499	7	40.3	237	25	28	38	47	65	69	69
1500-1749	5	38.8	208	27	28	30	54	56	56	56
1750-2499	17	20.8	243	7	10	21	24	36	60	71
2500 +	11	13.2	711	1	3	5	9	44	89	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	316	2.0	2	1	1	2	2	3	4	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	451	6.8	77	1	2	3	8	16	23	46
B. Operated	42	26.2	501	3	9	22	38	60	70	93
1. SINGLE DX	316	2.0	2	1	1	2	2	3	4	5
2. MULTIPLE DX	493	8.4	141	1	2	3	10	22	30	69
A. Not Operated	767	4.8	51	1	2	2	4	12	18	39
B. Operated	42	26.2	501	3	9	22	38	60	70	93
TOTAL										
1-999 G	2	62.5	113	55	59	70	92	99 +	99 +	99 +
1000-1499	22	38.0	267	19	27	38	46	68	69	69
1500-1749	20	26.6	108	20	22	23	28	41	54	56
1750-2499	314	6.6	54	1	2	3	9	15	20	35
2500 +	451	2.8	24	1	1	2	3	4	6	12
GRAND TOTAL	**809**	**5.9**	**96**	**1**	**2**	**2**	**5**	**14**	**24**	**56**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	4	2.3	2	1	1	2	3	4	4	4
2500 +	138	1.4	1	< 1	1	1	2	2	2	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	2	54.5	1741	25	25	54	84	84	84	84
1000-1499	2	35.0	72	29	29	35	41	41	41	41
1500-1749	5	19.2	50	11	12	21	24	28	28	28
1750-2499	27	4.5	16	1	2	3	7	12	13	14
2500 +	111	3.1	8	1	1	2	4	7	8	15
B. Operated										
1-999 G	0									
1000-1499	3	32.7	8	31	31	31	35	36	36	36
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	0									
2500 +	2	7.0	18	4	4	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	1.4	1	< 1	1	1	2	2	2	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	147	5.0	78	1	1	2	5	11	17	42
B. Operated	6	21.2	174	5	11	31	35	87	99 +	99 +
1. SINGLE DX	142	1.4	1	< 1	1	1	2	2	2	7
2. MULTIPLE DX	153	5.6	91	1	1	2	5	13	27	82
A. Not Operated	289	3.2	43	1	1	2	3	7	11	29
B. Operated	6	21.2	174	5	11	31	35	87	99 +	99 +
TOTAL										
1-999 G	2	54.5	1741	25	40	84	96	99 +	99 +	99 +
1000-1499	5	33.6	24	29	30	31	37	41	41	41
1500-1749	6	18.5	43	11	13	18	23	27	28	28
1750-2499	31	4.2	14	1	2	2	5	11	13	14
2500 +	251	2.2	5	1	1	1	2	4	7	11
GRAND TOTAL	**295**	**3.6**	**52**	**1**	**1**	**2**	**3**	**8**	**14**	**39**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	139	1.3		< 1	< 1	1	1	2	3	4
20-34	144	1.8	1	1	1	1	2	3	4	5
35-49	86	1.8	3	1	1	1	2	3	4	11
50-64	48	1.8	2	< 1	1	1	2	3	4	7
65 +	33	1.8	2	< 1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	5	1.4	1	< 1	< 1	< 1	1	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-19 YRS	169	2.1	15	< 1	1	1	2	4	6	8
20-34	101	2.7	6	1	1	2	3	5	8	13
35-49	78	3.4	40	1	1	2	4	5	7	43
50-64	47	2.9	6	1	1	2	4	5	7	14
65 +	41	4.3	14	1	2	3	6	11	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	450	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	14	1.9	5	< 1	< 1	< 1	1	4	8	9
B. Operated	436	2.8	17	< 1	1	2	3	5	8	13
1. SINGLE DX	452	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	450	2.7	16	< 1	1	2	3	5	8	13
A. Not Operated	16	1.8	4	< 1	< 1	< 1	1	3	7	9
B. Operated	886	2.2	9	< 1	1	1	3	4	6	11
TOTAL										
0-19 YRS	316	1.7	8	< 1	1	1	2	3	4	8
20-34	250	2.1	3	1	1	2	3	4	5	12
35-49	165	2.6	21	1	1	2	3	4	6	13
50-64	95	2.3	4	< 1	1	2	3	5	5	11
65 +	76	3.3	10	1	1	2	4	7	11	16
GRAND TOTAL	**902**	**2.2**	**9**	**< 1**	**1**	**1**	**2**	**4**	**6**	**11**

415: Admission for dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	7.3	36	1	3	8	12	13	13	13
B. Operated										
0-19 YRS	10	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	37	2.6	8	< 1	< 1	1	3	5	10	14
35-49	42	2.9	8	< 1	1	2	4	7	8	14
50-64	42	2.7	4	< 1	1	2	3	6	7	10
65 +	65	4.7	16	1	2	4	6	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	7	4.1	21	1	1	2	7	12	13	13
B. Operated	196	3.3	11	< 1	1	2	4	7	10	16
1. SINGLE DX	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX	203	3.3	11	< 1	1	2	4	7	11	16
A. Not Operated	7	4.1	21	1	1	2	7	12	13	13
B. Operated	199	3.3	10	< 1	1	2	4	7	10	16
TOTAL										
0-19 YRS	11	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	38	2.6	8	< 1	< 1	1	3	5	10	14
35-49	44	2.9	8	< 1	1	2	4	7	8	14
50-64	44	2.7	4	< 1	1	2	3	6	7	10
65 +	69	4.8	16	1	2	4	6	11	13	20
GRAND TOTAL	**206**	**3.3**	**11**	**< 1**	**1**	**2**	**4**	**7**	**10**	**16**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.5	2	1	2	4	5	5	5	5
20-34	24	2.4	3	1	1	2	4	5	5	5
35-49	48	2.8	2	1	1	3	4	5	5	6
50-64	92	2.4	2	1	1	2	4	5	5	6
65 +	88	2.6	3	1	1	2	4	5	5	6
B. Operated										
0-19 YRS	0									
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	6	2.8	3	1	1	3	4	5	5	5
65 +	7	4.9	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2878	3.0	4	1	1	2	5	5	6	9
20-34	670	3.7	6	1	2	4	5	5	6	12
35-49	1290	3.2	7	1	1	3	4	5	6	14
50-64	2309	2.8	7	1	1	2	4	5	6	10
65 +	2754	2.8	6	1	1	2	4	5	6	10
B. Operated										
0-19 YRS	180	6.3	52	1	2	5	6	12	22	39
20-34	103	4.3	8	2	2	4	5	6	10	15
35-49	174	6.6	59	1	3	5	7	11	24	46
50-64	298	5.1	26	1	2	4	6	8	14	32
65 +	355	5.9	58	1	2	4	6	10	15	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	2.6	3	1	1	2	4	5	5	6
B. Operated	20	3.6	3	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	9901	3.0	6	1	1	2	4	5	6	10
B. Operated	1110	5.7	45	1	2	4	6	10	16	36
1. SINGLE DX	291	2.7	3	1	1	3	4	5	5	6
2. MULTIPLE DX	11011	3.3	10	1	1	3	4	6	7	16
A. Not Operated	10172	3.0	6	1	1	2	4	5	6	10
B. Operated	1130	5.7	44	1	2	4	6	10	16	36
TOTAL										
0-19 YRS	3077	3.2	8	1	1	3	5	6	6	11
20-34	800	3.7	6	1	2	4	5	5	7	13
35-49	1516	3.6	14	1	1	3	4	6	7	23
50-64	2705	3.0	9	1	1	2	4	5	7	16
65 +	3204	3.2	12	1	1	2	4	6	7	16
GRAND TOTAL	**11302**	**3.2**	**10**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	323	2.1	17	< 1	1	1	2	3	5	23
20-34	644	2.2	17	< 1	< 1	1	2	5	6	25
35-49	372	3.5	47	< 1	1	1	3	6	14	40
50-64	155	3.7	135	< 1	< 1	1	2	4	14	95
65 +	117	7.2	226	< 1	< 1	1	5	21	37	97
B. Operated										
0-19 YRS	164	3.8	8	< 1	1	3	6	8	9	10
20-34	256	4.2	7	1	2	4	6	8	8	11
35-49	206	4.4	9	1	2	4	7	9	9	13
50-64	103	4.3	10	< 1	1	4	7	8	9	13
65 +	73	4.6	10	1	2	5	7	9	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1420	5.6	151	< 1	< 1	1	3	17	33	81
20-34	782	8.7	174	1	1	2	12	30	43	99 +
35-49	906	11.8	194	1	2	6	18	31	43	98
50-64	1287	12.7	175	1	3	8	19	31	38	63
65 +	4610	15.6	136	3	7	14	21	30	37	59
B. Operated										
0-19 YRS	510	6.8	156	< 1	1	3	7	23	66	99 +
20-34	563	6.1	130	1	1	2	7	11	28	89
35-49	720	5.5	69	1	2	3	7	11	19	60
50-64	669	7.3	90	1	2	4	9	18	27	51
65 +	1098	11.5	152	1	3	8	15	28	38	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1611	3.0	52	< 1	< 1	1	2	5	10	43
B. Operated	802	4.2	8	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	9005	12.6	167	1	2	9	19	30	38	67
B. Operated	3560	8.0	126	1	2	4	9	21	34	81
1. SINGLE DX	2413	3.4	38	< 1	1	1	4	7	9	35
2. MULTIPLE DX	12565	11.3	160	1	2	7	17	28	37	70
A. Not Operated	10616	11.2	162	< 1	1	7	17	28	36	66
B. Operated	4362	7.3	107	1	2	4	8	17	29	71
TOTAL										
0-19 YRS	2417	5.3	126	< 1	< 1	1	4	13	31	99 +
20-34	2245	5.7	106	< 1	1	2	6	15	29	81
35-49	2204	7.7	124	1	1	3	9	23	32	64
50-64	2214	10.0	149	1	2	5	14	27	34	60
65 +	5898	14.5	145	2	6	12	20	30	37	59
GRAND TOTAL	**14978**	**10.0**	**149**	**1**	**1**	**5**	**14**	**26**	**35**	**67**

418: Single liveborn, with cesarean section delivery, born in hospital (V30.01; V39.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	92	3.2	1	2	3	3	3	4	5	10
2500 +	7382	3.2	1	2	3	3	4	4	4	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	3	3.7	1	3	3	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	7	68.7	210	50	56	71	80	87	88	88
1000-1499	57	35.3	270	17	22	32	44	58	63	90
1500-1749	63	22.5	65	12	17	21	28	32	36	48
1750-2499	632	6.7	32	3	3	4	8	14	18	30
2500 +	8387	3.7	3	3	3	3	4	5	6	11
B. Operated										
1-999 G	11	67.9	149	57	65	86	99 +	99 +	99 +	99 +
1000-1499	29	45.2	201	28	36	46	62	99 +	99 +	99 +
1500-1749	22	29.4	104	20	21	28	36	41	49	57
1750-2499	68	12.3	74	1	5	12	18	27	30	87
2500 +	228	7.9	77	3	4	6	9	14	21	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7474	3.2	1	2	3	3	4	4	4	6
B. Operated	3	3.7	1	3	3	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	9146	4.3	20	3	3	3	4	6	8	25
B. Operated	358	14.9	296	3	4	8	21	49	74	99 +
1. SINGLE DX	7477	3.2	1	2	3	3	4	4	4	6
2. MULTIPLE DX	9504	4.7	34	3	3	3	4	6	11	35
A. Not Operated	16620	3.8	11	3	3	3	4	5	6	16
B. Operated	361	14.8	294	3	4	8	21	49	74	99 +
TOTAL										
1-999 G	18	68.2	162	54	62	79	99 +	99 +	99 +	99 +
1000-1499	86	38.7	266	18	27	38	50	65	91	99 +
1500-1749	85	24.2	83	13	18	23	30	36	39	54
1750-2499	792	6.8	36	3	3	4	8	14	19	30
2500 +	16000	3.5	4	3	3	3	4	4	5	10
GRAND TOTAL	**16981**	**4.0**	**20**	**3**	**3**	**3**	**4**	**5**	**7**	**25**

419: Twin or multiple liveborn, with cesarean section delivery, born in hospital (V31.01; V32.01; V33.01; V34.01; V35.01; V36.01; V37.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	41	3.7	1	2	3	4	4	5	5	6
2500 +	211	3.6	1	3	3	3	4	5	5	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	2	59.0	2	58	58	59	60	60	60	60
1000-1499	10	37.4	165	23	24	36	48	55	60	60
1500-1749	17	23.6	96	9	17	25	28	39	42	42
1750-2499	270	7.1	28	3	4	5	9	15	18	25
2500 +	322	4.6	32	3	3	4	5	5	8	19
B. Operated										
1-999 G	3	77.0	292	63	82	99 +	99 +	99 +	99 +	99 +
1000-1499	11	45.8	259	26	30	46	57	67	76	77
1500-1749	3	33.0	12	31	31	31	36	37	37	37
1750-2499	10	14.1	54	4	9	13	21	23	25	25
2500 +	5	13.2	321	3	4	5	18	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	252	3.6	1	3	3	3	4	5	5	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	621	6.9	68	3	3	4	6	14	21	44
B. Operated	32	32.5	584	4	13	31	59	99	99 +	99 +
1. SINGLE DX	252	3.6	1	3	3	3	4	5	5	7
2. MULTIPLE DX	653	8.2	123	3	3	4	7	18	32	79
A. Not Operated	873	6.0	51	3	3	4	5	11	16	41
B. Operated	32	32.5	584	4	13	31	59	99	99 +	99 +
TOTAL										
1-999 G	5	69.8	244	58	60	93	99 +	99 +	99 +	99 +
1000-1499	21	41.8	223	24	28	42	50	60	68	77
1500-1749	20	25.1	94	11	18	26	31	39	41	42
1750-2499	321	6.9	28	3	4	4	9	14	18	25
2500 +	538	4.3	23	3	3	4	4	5	6	14
GRAND TOTAL	**905**	**6.9**	**93**	**3**	**3**	**4**	**5**	**14**	**25**	**60**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37708	2.5	8	<1	1	2	3	5	7	14
20-34	89607	2.2	4	1	1	2	3	4	5	10
35-49	32698	3.0	9	1	1	2	4	6	7	14
50-64	18074	3.6	11	1	2	3	5	7	9	16
65 +	15846	4.4	15	1	2	3	6	9	10	16
2. MULTIPLE DX										
0-19 YRS	53311	5.8	84	1	2	3	6	13	23	70
20-34	129514	3.9	26	1	2	3	4	7	11	27
35-49	85929	5.3	42	1	2	4	6	10	15	36
50-64	84531	6.5	53	1	3	4	8	13	18	39
65 +	178542	7.5	49	2	3	6	9	14	20	36
TOTAL SINGLE DX	193933	2.7	8	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	531827	5.9	48	1	2	4	7	12	17	37
TOTAL										
0-19 YRS	91019	4.4	55	1	1	2	4	9	16	49
20-34	219121	3.2	18	1	1	2	4	6	8	21
35-49	118627	4.7	34	1	2	3	5	9	13	31
50-64	102605	6.0	47	1	2	4	7	12	17	36
65 +	194388	7.2	47	2	3	6	9	14	19	35
GRAND TOTAL	**725760**	**5.1**	**39**	**1**	**2**	**3**	**6**	**11**	**15**	**33**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	121	6.7	27	2	3	5	8	13	20	25
20-34	113	7.6	31	3	4	6	9	14	19	30
35-49	106	6.0	14	1	3	6	8	11	13	17
50-64	107	6.8	22	2	4	6	9	13	15	27
65 +	102	7.5	20	2	5	7	9	14	17	22
2. MULTIPLE DX										
0-19 YRS	352	14.2	226	2	5	10	17	35	51	99 +
20-34	221	14.5	186	3	5	9	18	36	45	65
35-49	378	12.8	141	4	6	9	15	28	41	82
50-64	374	12.6	188	3	6	9	15	23	36	93
65 +	634	13.6	97	5	7	11	17	25	33	54
TOTAL SINGLE DX	549	6.9	24	2	4	6	9	13	17	25
TOTAL MULTIPLE DX	1959	13.5	157	4	6	10	17	28	40	83
TOTAL										
0-19 YRS	473	12.2	186	2	4	8	15	30	46	99 +
20-34	334	12.2	145	3	5	8	15	31	38	54
35-49	484	11.3	121	3	5	8	13	24	35	69
50-64	481	11.3	157	3	5	8	13	22	28	87
65 +	736	12.8	92	4	7	10	16	24	31	53
GRAND TOTAL	**2508**	**12.0**	**135**	**3**	**5**	**9**	**15**	**24**	**36**	**71**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	89	4.9	7	3	3	4	6	8	10	17
20-34	32	8.9	75	3	4	5	11	21	25	42
35-49	30	7.4	24	2	3	6	11	15	18	19
50-64	22	9.7	95	4	5	6	10	20	31	47
65 +	15	6.5	14	4	5	6	7	8	16	19
2. MULTIPLE DX										
0-19 YRS	147	14.6	255	3	5	10	20	49	97	99 +
20-34	104	15.0	196	4	6	10	19	35	47	61
35-49	102	13.8	131	4	6	9	19	31	35	53
50-64	88	22.0	357	6	8	18	28	47	68	99
65 +	99	14.6	146	6	8	11	17	28	34	97
TOTAL SINGLE DX	188	6.7	35	3	4	5	7	14	18	36
TOTAL MULTIPLE DX	540	15.7	224	4	6	11	21	36	54	99 +
TOTAL										
0-19 YRS	236	10.9	184	3	4	6	14	27	55	99 +
20-34	136	13.5	174	4	5	9	16	32	43	61
35-49	132	12.4	114	4	5	8	15	26	34	53
50-64	110	19.5	328	5	7	14	25	46	64	98
65 +	114	13.5	136	5	7	11	16	26	32	96
GRAND TOTAL	**728**	**13.4**	**190**	**3**	**5**	**9**	**17**	**30**	**47**	**99 +**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	262	3.7	2	2	3	3	5	5	6	8
20-34	31	3.5	4	1	2	3	4	6	10	10
35-49	17	4.6	15	1	2	3	6	11	14	15
50-64	9	4.4	6	1	3	4	5	8	10	10
65 +	4	4.0	11	2	2	3	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	202	6.3	68	2	3	4	6	13	22	81
20-34	107	8.8	109	2	3	6	10	18	33	81
35-49	53	10.3	156	2	3	6	10	34	42	55
50-64	29	8.4	153	2	4	5	8	15	20	69
65 +	29	6.1	33	1	2	3	10	16	18	22
TOTAL SINGLE DX	323	3.7	4	2	3	3	5	6	7	12
TOTAL MULTIPLE DX	420	7.6	95	2	3	5	8	16	30	68
TOTAL										
0-19 YRS	464	4.8	33	2	3	4	5	7	11	43
20-34	138	7.6	91	2	3	5	9	16	30	71
35-49	70	8.9	127	1	3	5	9	24	38	53
50-64	38	7.4	120	2	4	5	8	13	17	69
65 +	33	5.8	31	2	2	3	9	15	18	22
GRAND TOTAL	**743**	**5.9**	**59**	**2**	**3**	**4**	**6**	**11**	**17**	**55**

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	5.2	39	1	2	3	5	11	22	30
20-34	17	6.[illegible]	9	3	4	6	9	11	12	13
35-49	16	7.3	33	2	4	6	8	14	22	25
50-64	11	3.7	4	1	2	4	5	7	7	7
65 +	20	6.3	16	2	4	5	8	12	15	18
2. MULTIPLE DX										
0-19 YRS	287	11.2	211	2	3	6	14	36	65	99 +
20-34	58	13.2	160	3	5	8	16	38	46	95
35-49	54	13.9	240	3	5	8	17	37	64	98
50-64	81	16.5	184	3	7	13	22	39	49	87
65 +	142	13.7	128	4	6	9	20	32	42	53
TOTAL SINGLE DX	145	5.6	30	2	2	4	6	11	19	30
TOTAL MULTIPLE DX	622	12.9	189	2	4	8	17	36	49	99 +
TOTAL										
0-19 YRS	368	9.8	180	2	3	5	12	30	56	99 +
20-34	75	11.6	134	3	4	7	13	33	44	86
35-49	70	12.4	199	3	4	8	15	29	62	93
50-64	92	15.0	180	2	6	11	21	37	48	83
65 +	162	12.8	120	3	5	8	17	30	39	49
GRAND TOTAL	**767**	**11.5**	**167**	**2**	**4**	**7**	**14**	**31**	**43**	**99 +**

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	295	3.3	25	1	2	2	3	6	8	22
20-34	42	6.2	36	2	3	4	7	10	20	34
35-49	23	6.3	8	3	4	6	8	10	12	13
50-64	20	4.4	9	1	2	3	6	9	10	12
65+	9	4.9	8	2	3	4	6	9	11	11
2. MULTIPLE DX										
0-19 YRS	685	6.1	59	1	2	3	7	14	21	43
20-34	140	9.9	78	2	4	7	12	19	30	41
35-49	81	10.4	175	2	3	5	10	30	43	65
50-64	52	14.3	367	1	3	6	16	33	62	85
65+	44	10.0	53	2	4	8	14	18	26	33
TOTAL SINGLE DX	389	3.9	26	1	2	3	4	7	11	22
TOTAL MULTIPLE DX	1002	7.6	92	1	2	4	9	17	27	53
TOTAL										
0-19 YRS	980	5.3	51	1	2	3	5	12	20	41
20-34	182	9.0	71	2	4	7	10	18	30	40
35-49	104	9.5	141	2	3	6	10	24	37	61
50-64	72	11.6	287	1	2	6	13	29	60	83
65+	53	9.1	50	2	4	7	13	18	25	33
GRAND TOTAL	1391	6.6	76	1	2	3	7	14	23	49

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	5.4	9	2	3	5	8	9	12	15
20-34	128	4.0	7	1	2	3	5	8	10	13
35-49	338	3.8	5	2	3	3	5	6	8	11
50-64	305	4.1	5	2	3	4	5	6	8	12
65+	329	4.9	5	2	3	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	77	9.4	40	4	5	8	12	17	20	36
20-34	198	8.6	80	3	4	6	9	18	24	55
35-49	498	6.7	50	2	3	5	7	12	17	41
50-64	775	6.9	32	3	4	5	8	12	18	29
65+	1594	7.6	37	3	4	6	9	13	17	38
TOTAL SINGLE DX	1122	4.3	6	2	3	4	5	7	8	13
TOTAL MULTIPLE DX	3142	7.4	41	3	4	6	8	13	18	38
TOTAL										
0-19 YRS	99	8.5	36	3	4	7	11	16	19	34
20-34	326	6.8	57	2	3	5	8	15	19	40
35-49	836	5.5	34	2	3	4	6	9	13	36
50-64	1080	6.1	26	3	3	5	7	10	15	27
65+	1923	7.1	33	3	4	6	8	12	16	36
GRAND TOTAL	4264	6.6	34	3	4	5	8	12	16	30

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	10.6	78	3	4	8	13	28	30	35
20-34	66	5.3	22	1	2	5	7	10	13	25
35-49	78	3.6	11	1	2	2	4	8	10	19
50-64	42	3.9	12	1	2	2	5	8	12	17
65+	29	4.4	16	1	2	3	6	11	13	18
2. MULTIPLE DX										
0-19 YRS	231	11.1	118	3	5	7	14	26	31	68
20-34	164	10.6	115	1	3	7	15	23	30	55
35-49	214	9.3	85	1	3	6	12	22	29	45
50-64	164	8.3	95	1	2	5	10	20	30	38
65+	188	10.0	102	1	3	7	12	23	29	54
TOTAL SINGLE DX	280	5.8	37	1	2	4	7	12	18	30
TOTAL MULTIPLE DX	961	9.9	104	1	3	7	12	23	30	56
TOTAL										
0-19 YRS	296	11.0	110	3	5	7	14	27	31	61
20-34	230	9.1	95	1	3	6	11	21	27	49
35-49	292	7.8	72	1	2	5	10	18	25	41
50-64	206	7.4	81	1	2	5	9	18	24	37
65+	217	9.3	95	1	3	7	11	21	29	48
GRAND TOTAL	1241	9.0	92	1	3	6	11	22	29	53

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.8	1	<1	<1	1	3	3	3	3
20-34	23	2.3	4	<1	1	2	3	5	7	8
35-49	58	4.3	11	1	1	4	5	7	10	18
50-64	38	3.6	6	1	1	4	6	7	7	9
65+	19	3.0	5	1	1	2	5	6	7	8
2. MULTIPLE DX										
0-19 YRS	10	10.3	171	1	2	3	11	34	38	38
20-34	26	4.3	8	1	2	4	6	10	10	10
35-49	61	7.0	115	1	1	4	7	12	29	62
50-64	49	7.1	72	1	2	5	8	16	25	47
65+	65	8.3	56	2	3	6	10	18	27	31
TOTAL SINGLE DX	148	3.5	8	1	1	3	5	6	8	17
TOTAL MULTIPLE DX	211	7.2	77	1	2	5	8	15	26	47
TOTAL										
0-19 YRS	20	6.1	101	<1	1	2	4	20	34	38
20-34	49	3.4	7	1	1	2	5	8	10	10
35-49	119	5.7	66	1	1	4	6	9	17	52
50-64	87	5.6	46	1	1	5	7	8	18	41
65+	84	7.1	49	1	2	5	9	16	25	31
GRAND TOTAL	359	5.7	52	1	2	4	7	10	18	38

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	1.3	1	<1	<1	<1	1	2	4	6
20-34	76	1.7	2	<1	1	1	2	3	4	8
35-49	100	1.7	1	<1	1	1	2	4	5	7
50-64	62	2.1	2	1	1	1	3	5	5	6
65+	29	2.3	4	<1	1	1	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	73	3.8	74	<1	1	2	3	6	20	88
20-34	209	3.1	10	1	1	2	4	7	10	17
35-49	171	2.6	6	1	1	2	3	6	7	14
50-64	89	2.7	8	1	1	2	3	7	9	16
65+	105	3.4	14	1	1	2	4	9	11	20
TOTAL SINGLE DX	329	1.7	2	<1	1	1	2	4	5	7
TOTAL MULTIPLE DX	647	3.0	17	1	1	2	3	7	10	20
TOTAL										
0-19 YRS	135	2.7	42	<1	<1	1	2	4	7	59
20-34	285	2.7	9	1	1	2	3	6	8	17
35-49	271	2.2	5	1	1	1	3	5	7	11
50-64	151	2.5	6	1	1	2	3	5	7	16
65+	134	3.2	13	1	1	2	3	8	10	20
GRAND TOTAL	976	2.6	12	<1	1	2	3	5	8	17

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	29	3.6	1	2	2	4	4	5	6	6
35-49	19	3.7	3	2	3	3	5	6	8	9
50-64	8	5.8	5	3	4	5	8	9	9	9
65+	5	4.4	6	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	29	5.4	9	3	4	4	7	8	13	17
35-49	32	4.3	5	1	3	4	6	7	10	10
50-64	18	6.2	18	2	3	5	9	14	15	15
65+	24	5.5	5	2	4	6	7	9	9	10
TOTAL SINGLE DX	62	4.0	3	2	3	4	5	6	8	9
TOTAL MULTIPLE DX	105	5.2	9	2	3	4	7	9	11	16
TOTAL										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	58	4.5	6	2	3	4	5	7	8	17
35-49	51	4.1	4	2	3	4	5	7	9	10
50-64	26	6.1	14	2	3	5	9	13	14	15
65+	29	5.3	5	2	4	5	7	8	9	10
GRAND TOTAL	167	4.7	7	2	3	4	6	8	9	15

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	4.4	19	<1	1	3	7	11	14	15
35-49	10	4.5	12	<1	2	4	5	10	13	13
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	3.2	2	<1	2	3	4	5	5	5
20-34	13	6.2	14	2	4	5	8	11	15	16
35-49	33	8.2	69	1	2	5	11	24	26	29
50-64	14	13.5	160	2	6	9	13	32	42	45
65+	27	10.3	63	1	4	9	13	20	29	33
TOTAL SINGLE DX	27	4.2	13	<1	1	3	5	9	13	15
TOTAL MULTIPLE DX	92	9.1	74	1	3	6	12	21	29	40
TOTAL										
0-19 YRS	6	3.3	2	<1	3	3	4	5	5	5
20-34	25	5.3	17	1	2	5	7	9	15	16
35-49	43	7.3	58	1	2	5	9	21	26	29
50-64	17	11.6	149	1	4	8	13	31	40	45
65+	28	10.1	62	2	4	9	13	19	28	33
GRAND TOTAL	119	8.0	64	1	3	5	10	18	27	37

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	2.3	2	1	1	2	2	5	6	10
20-34	305	1.9		1	1	2	2	3	3	6
35-49	473	1.9	1	1	1	2	2	3	3	5
50-64	242	1.9	1	1	1	2	2	3	4	7
65 +	112	2.1		1	2	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	27	2.4	1	1	2	2	3	4	5	6
20-34	189	3.0	11	1	2	2	3	5	7	15
35-49	312	2.5	3	1	2	2	3	4	5	12
50-64	237	3.1	10	1	2	2	3	5	8	19
65 +	276	4.0	33	1	2	2	4	7	12	33
TOTAL SINGLE DX	1179	1.9	1	1	1	2	2	3	3	6
TOTAL MULTIPLE DX	1041	3.1	15	1	2	2	3	5	7	20
TOTAL										
0-19 YRS	74	2.3	2	1	1	2	3	4	6	9
20-34	494	2.3	5	1	1	2	3	3	5	10
35-49	785	2.1	3	1	1	2	2	3	4	7
50-64	479	2.5	6	1	1	2	3	4	6	14
65 +	388	3.4	25	1	2	2	3	5	10	29
GRAND TOTAL	2220	2.5	8	1	1	2	3	4	5	14

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	1.5	1	< 1	1	1	2	3	4	9
20-34	31	2.3	1	1	1	2	3	4	5	5
35-49	53	2.0	2	1	1	2	3	4	5	8
50-64	35	2.3	1	1	2	2	3	4	4	6
65 +	17	2.1		1	2	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	17	3.8	25	1	1	2	4	9	17	21
20-34	51	4.9	17	1	2	4	7	9	10	27
35-49	117	3.8	17	1	2	2	4	7	11	24
50-64	157	5.0	97	2	2	3	4	8	16	59
65 +	174	5.1	37	2	2	3	6	11	18	25
TOTAL SINGLE DX	202	2.0	2	1	1	2	2	4	4	7
TOTAL MULTIPLE DX	516	4.7	49	1	2	3	5	10	16	27
TOTAL										
0-19 YRS	83	2.0	7	1	1	1	2	4	5	17
20-34	82	3.9	13	1	2	3	5	8	9	22
35-49	170	3.3	13	1	1	2	3	6	9	23
50-64	192	4.5	81	1	2	2	4	7	14	48
65 +	191	4.8	35	1	2	3	5	10	18	25
GRAND TOTAL	718	3.9	37	1	2	2	4	7	11	25

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	9.8	232	3	4	5	8	19	52	60
20-34	34	4.9	2	3	4	5	6	7	8	8
35-49	29	5.0	2	3	4	5	6	7	8	10
50-64	16	6.0	2	4	5	6	7	8	9	9
65 +	14	6.4	27	3	3	5	6	14	20	22
2. MULTIPLE DX										
0-19 YRS	34	11.9	88	4	6	9	18	22	30	47
20-34	64	9.3	47	4	5	7	11	16	25	40
35-49	77	7.9	31	4	5	6	9	13	19	37
50-64	86	7.8	30	3	5	6	9	14	18	78
65 +	57	9.9	52	4	6	8	12	17	26	43
TOTAL SINGLE DX	106	5.9	34	3	4	5	6	8	9	39
TOTAL MULTIPLE DX	318	9.0	45	4	5	7	10	17	21	43
TOTAL										
0-19 YRS	47	11.3	125	4	5	7	12	21	33	60
20-34	98	7.8	36	4	5	6	8	12	20	36
35-49	106	7.1	25	4	5	6	8	11	15	33
50-64	102	7.6	26	3	5	6	9	14	18	69
65 +	71	9.2	49	4	5	7	11	16	22	41
GRAND TOTAL	424	8.2	44	4	5	6	9	14	20	42

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.0		<1	<1	<1	<1	1	1	1
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	2.1	2	<1	<1	1	3	5	5	5
20-34	7	2.7	7	1	1	1	4	7	8	8
35-49	0									
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	10	6.7	34	<1	2	5	9	16	16	16
TOTAL SINGLE DX	22	1.1		<1	<1	<1	1	1	2	4
TOTAL MULTIPLE DX	28	3.9	18	<1	1	2	5	9	16	16
TOTAL										
0-19 YRS	27	1.3	1	<1	<1	<1	1	2	4	5
20-34	7	2.7	8	1	1	1	4	7	8	8
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	10	6.7	34	<1	2	5	9	16	16	16
GRAND TOTAL	50	2.7	12	<1	<1	1	2	8	9	16

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	1.1		<1	<1	<1	1	1	2	3
20-34	12	3.4	7	1	1	2	5	8	9	9
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64	4	2.8	2	1	1	3	4	4	4	4
65 +	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	101	4.2	103	<1	1	1	3	6	17	70
20-34	155	4.4	92	1	1	2	4	9	18	85
35-49	93	3.7	13	1	1	3	5	7	13	18
50-64	60	5.4	109	1	1	2	5	11	23	68
65 +	92	6.1	36	1	2	4	9	13	16	33
TOTAL SINGLE DX	78	1.6	2	<1	<1	1	1	4	5	8
TOTAL MULTIPLE DX	501	4.7	72	1	1	2	5	10	16	68
TOTAL										
0-19 YRS	156	3.1	69	<1	<1	1	2	4	9	66
20-34	167	4.4	86	1	1	2	4	9	18	83
35-49	97	3.7	13	1	1	3	5	7	13	18
50-64	64	5.2	103	1	1	2	4	11	22	66
65 +	95	5.9	36	1	2	3	9	13	16	33
GRAND TOTAL	579	4.3	64	<1	1	2	4	9	15	58

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.3		<1	1	1	2	2	3	3
20-34	7	5.6	136	1	1	1	2	26	32	32
35-49	6	1.2		<1	1	1	1	2	2	2
50-64	8	1.1		<1	1	1	1	2	2	2
65 +	7	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	21	1.5	1	<1	<1	1	1	4	5	5
20-34	6	2.7	7	1	1	2	2	7	8	8
35-49	11	1.2		1	1	1	1	2	2	2
50-64	18	1.8	1	1	1	1	2	3	5	6
65 +	19	2.5	2	1	2	2	3	5	7	8
TOTAL SINGLE DX	41	1.9	23	<1	1	1	1	2	3	32
TOTAL MULTIPLE DX	75	1.9	2	1	1	1	2	3	5	8
TOTAL										
0-19 YRS	34	1.4	1	<1	<1	1	1	3	4	5
20-34	13	4.2	73	1	1	1	2	13	28	32
35-49	17	1.2		1	1	1	1	2	2	2
50-64	26	1.6	1	1	1	1	2	3	4	6
65 +	26	2.1	3	1	1	2	2	4	6	8
GRAND TOTAL	116	1.9	10	<1	1	1	2	3	5	16

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	3.0		3	3	3	3	3	3	3
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	6	2.2	5	<1	<1	1	2	6	7	7
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	11.0		11	11	11	11	11	11	11
65 +	4	6.8	14	3	4	6	9	12	12	12
TOTAL SINGLE DX	8	2.9	14	<1	<1	1	3	9	12	12
TOTAL MULTIPLE DX	15	4.3	13	<1	1	3	6	11	12	12
TOTAL										
0-19 YRS	10	1.7	4	<1	<1	<1	1	4	7	7
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	5.7	21	3	3	3	9	11	11	11
65 +	5	7.8	16	3	5	6	12	12	12	12
GRAND TOTAL	23	3.8	13	<1	<1	2	6	11	12	12

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.0	2	1	1	2	2	4	7	7
20-34	30	1.8	1	1	1	2	2	3	5	5
35-49	41	2.6	9	1	1	2	2	4	10	17
50-64	18	4.4	107	1	1	1	3	8	31	45
65 +	47	2.0	4	1	1	2	2	2	4	15
2. MULTIPLE DX										
0-19 YRS	15	3.8	16	1	2	2	3	8	15	17
20-34	29	2.2	5	1	1	2	2	3	4	14
35-49	25	2.4	4	1	2	2	2	4	6	11
50-64	52	2.3	2	1	1	2	3	3	6	10
65 +	318	2.7	5	1	2	2	3	4	6	16
TOTAL SINGLE DX	148	2.4	18	1	1	2	2	3	7	18
TOTAL MULTIPLE DX	439	2.6	5	1	2	2	3	4	6	16
TOTAL										
0-19 YRS	27	3.0	11	1	1	2	3	7	9	17
20-34	59	2.0	3	1	1	2	2	3	4	13
35-49	66	2.5	7	1	1	2	2	4	9	16
50-64	70	2.9	29	1	1	2	3	3	7	38
65 +	365	2.6	5	1	2	2	3	4	6	16
GRAND TOTAL	587	2.6	8	1	2	2	3	4	6	16

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	2.8	2	<1	1	3	4	5	5	6
20-34	26	2.6	3	<1	1	2	4	5	6	7
35-49	9	2.8	9	<1	1	1	4	8	8	8
50-64	6	3.8	9	<1	1	3	7	8	8	8
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	49	3.2	4	1	2	3	4	6	8	11
20-34	36	3.3	8	1	1	3	4	7	11	13
35-49	25	3.8	4	1	2	3	5	7	7	8
50-64	9	4.9	14	2	3	4	5	11	14	14
65 +	23	4.8	17	1	1	4	6	12	14	15
TOTAL SINGLE DX	81	2.7	4	<1	1	2	4	5	7	8
TOTAL MULTIPLE DX	142	3.7	8	1	2	3	5	7	10	14
TOTAL										
0-19 YRS	86	3.0	4	1	1	3	4	5	7	10
20-34	62	3.0	6	1	1	2	4	6	8	13
35-49	34	3.5	6	1	1	3	5	7	8	8
50-64	15	4.5	12	1	2	4	6	8	12	14
65 +	26	4.4	17	1	1	3	6	12	14	15
GRAND TOTAL	223	3.3	7	1	1	3	4	7	8	14

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.6	1	<1	1	1	1	4	5	6
20-34	10	2.0	2	1	1	1	3	5	6	6
35-49	14	3.0	6	1	1	2	4	5	9	10
50-64	29	2.5	2	1	1	2	3	5	5	7
65 +	29	3.4	16	1	1	2	3	7	9	22
2. MULTIPLE DX										
0-19 YRS	9	2.3	3	1	1	2	3	5	6	6
20-34	20	2.4	4	1	1	2	3	4	7	10
35-49	22	2.8	2	1	1	3	4	5	6	8
50-64	64	3.5	37	1	1	2	3	4	9	43
65 +	173	3.4	16	1	2	3	4	5	8	16
TOTAL SINGLE DX	118	2.4	6	1	1	2	3	5	6	14
TOTAL MULTIPLE DX	288	3.3	19	1	2	3	3	5	8	18
TOTAL										
0-19 YRS	45	1.7	2	<1	1	1	2	5	5	6
20-34	30	2.3	4	1	1	2	3	4	6	10
35-49	36	2.9	4	1	1	3	4	5	7	10
50-64	93	3.2	27	1	1	2	3	4	7	35
65 +	202	3.4	16	1	2	3	4	5	8	19
GRAND TOTAL	406	3.1	15	1	1	2	3	5	7	17

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.5	13	<1	1	2	3	11	12	12
20-34	12	3.3	7	1	1	3	5	7	10	10
35-49	7	2.6	3	<1	1	2	4	6	6	6
50-64	3	4.7	40	1	1	1	9	12	12	12
65 +	9	1.9	1	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	7	3.3	15	1	1	2	3	10	12	12
20-34	19	3.9	8	1	2	3	4	9	11	12
35-49	18	5.3	36	2	2	3	5	11	21	27
50-64	18	4.7	20	1	1	3	8	10	14	17
65 +	59	4.1	11	1	1	3	5	9	11	16
TOTAL SINGLE DX	43	3.0	9	<1	1	2	4	7	11	12
TOTAL MULTIPLE DX	121	4.3	16	1	2	3	5	10	12	20
TOTAL										
0-19 YRS	19	3.4	13	1	1	2	3	11	12	12
20-34	31	3.7	8	1	2	3	5	8	10	12
35-49	25	4.5	28	1	2	3	5	7	16	27
50-64	21	4.7	21	1	1	3	8	11	14	17
65 +	68	3.8	11	1	1	3	5	9	11	16
GRAND TOTAL	164	4.0	14	1	1	3	5	10	12	17

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		<1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	10	2.8	21	<1	<1	1	2	9	16	16
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	10	3.4	9	1	2	2	4	9	10	10
65 +	17	3.0	9	1	1	2	3	8	11	12
TOTAL SINGLE DX	11	2.4	6	<1	1	1	3	7	7	7
TOTAL MULTIPLE DX	40	3.0	11	1	1	2	3	8	11	16
TOTAL										
0-19 YRS	16	2.1	14	<1	<1	1	2	2	12	16
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	10	3.4	10	1	2	2	4	9	10	10
65 +	19	3.4	10	1	1	2	5	8	10	12
GRAND TOTAL	51	2.9	10	1	1	1	3	7	10	16

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.0		<1	<1	<1	1	1	1	1
20-34	4	2.5	5	<1	<1	1	4	6	6	6
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	22	1.0		<1	<1	<1	1	1	1	1
65 +	79	1.0		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
0-19 YRS	12	1.4		1	1	1	2	3	3	3
20-34	10	3.4	20	<1	1	2	3	10	16	16
35-49	16	5.9	47	1	2	2	10	16	20	21
50-64	42	4.2	23	<1	1	3	5	9	15	23
65 +	209	3.2	28	<1	<1	1	3	7	13	32
TOTAL SINGLE DX	124	1.1		<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	289	3.4	28	<1	1	2	3	8	14	28
TOTAL										
0-19 YRS	26	1.2		<1	<1	1	1	2	2	3
20-34	14	3.1	16	<1	1	2	3	7	14	16
35-49	21	5.0	39	<1	2	2	4	16	18	21
50-64	64	3.1	18	<1	<1	1	3	7	9	23
65 +	288	2.6	22	<1	<1	1	2	5	11	26
GRAND TOTAL	413	2.7	21	<1	<1	1	2	6	12	22

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	2.5	9	<1	<1	1	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	15	1.5		1	1	1	2	2	4	4
TOTAL SINGLE DX	7	2.0	5	<1	<1	1	2	6	7	7
TOTAL MULTIPLE DX	23	1.7	1	1	1	1	2	4	4	4
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	1.3		1	1	1	2	2	2	2
65 +	19	1.7	2	<1	1	1	2	3	6	7
GRAND TOTAL	30	1.8	2	1	1	1	2	4	4	7

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.7		1	1	1	2	3	3	3
20-34	89	1.9	1	1	1	2	2	3	4	6
35-49	104	1.4		1	1	1	2	2	3	4
50-64	200	1.7	1	1	1	1	2	3	3	5
65 +	198	1.7		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	49	3.2	46	1	1	2	3	6	45	99 +
20-34	131	2.4	4	1	1	2	3	4	5	9
35-49	192	2.0	4	1	1	2	2	3	4	8
50-64	413	2.2	3	1	1	2	3	4	5	7
65 +	680	2.3	2	1	1	2	3	4	5	7
TOTAL SINGLE DX	629	1.7	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	1465	2.3	4	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	87	2.5	27	1	1	1	2	4	9	99 +
20-34	220	2.2	3	1	1	2	3	4	5	7
35-49	296	1.8	3	1	1	1	2	3	4	7
50-64	613	2.0	3	1	1	2	3	3	4	7
65 +	878	2.2	2	1	1	2	3	4	4	7
GRAND TOTAL	2094	2.1	3	1	1	2	3	3	4	7

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.2		<1	1	1	1	2	3	3
20-34	34	2.4	5	<1	1	1	3	6	7	10
35-49	13	1.8	1	<1	1	1	3	3	4	4
50-64	41	1.9	3	1	1	1	2	3	5	11
65 +	61	1.4	1	<1	1	1	1	2	4	6
2. MULTIPLE DX										
0-19 YRS	44	6.4	250	1	1	2	10	99 +	99 +	99 +
20-34	124	3.1	27	1	1	2	3	6	9	24
35-49	117	3.0	12	1	1	2	3	5	10	22
50-64	220	2.7	13	1	1	2	3	5	8	18
65 +	382	2.9	12	1	1	2	3	6	9	17
TOTAL SINGLE DX	171	1.7	3	<1	1	1	2	3	5	10
TOTAL MULTIPLE DX	887	3.1	27	1	1	2	3	6	10	49
TOTAL										
0-19 YRS	66	4.7	172	1	1	1	3	73	99 +	99 +
20-34	158	3.0	22	1	1	2	3	6	9	14
35-49	130	2.9	12	1	1	2	3	5	8	22
50-64	261	2.5	12	1	1	2	3	4	8	17
65 +	443	2.7	12	1	1	2	3	5	8	16
GRAND TOTAL	1058	2.8	23	1	1	2	3	5	9	38

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	196	1.0		<1	<1	<1	<1	<1	1	1
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	95	1.2		<1	<1	<1	<1	1	1	7
20-34	3	1.0		1	1	1	1	1	1	1
35-49	4	2.5	9	1	1	1	4	7	7	7
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	1.3		<1	<1	1	2	2	2	2
TOTAL SINGLE DX	199	1.0		<1	<1	<1	<1	<1	1	1
TOTAL MULTIPLE DX	108	1.2	1	<1	<1	<1	1	1	2	8
TOTAL										
0-19 YRS	291	1.1		<1	<1	<1	<1	1	1	3
20-34	3	1.0		1	1	1	1	1	1	1
35-49	6	2.0	6	1	1	1	1	6	7	7
50-64	2	1.0		1	1	1	1	1	1	1
65 +	5	1.2		<1	<1	1	1	2	2	2
GRAND TOTAL	307	1.1		<1	<1	<1	<1	1	1	3

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	3.4	12	1	1	3	4	7	11	17
20-34	48	3.2	2	1	2	3	4	5	7	8
35-49	17	2.7	5	1	1	2	3	6	8	9
50-64	15	2.5	4	<1	1	1	4	5	7	7
65 +	13	2.2	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	71	5.6	25	1	3	4	7	12	19	26
20-34	83	5.5	27	1	2	4	7	11	20	26
35-49	53	4.7	29	1	2	3	5	10	18	28
50-64	39	5.9	40	1	2	3	8	16	22	24
65 +	89	4.8	25	1	2	3	6	12	16	26
TOTAL SINGLE DX	141	3.1	7	1	1	2	4	6	7	17
TOTAL MULTIPLE DX	335	5.3	28	1	2	4	6	12	19	26
TOTAL										
0-19 YRS	119	4.7	21	1	1	3	6	10	16	22
20-34	131	4.6	20	1	2	4	6	8	12	25
35-49	70	4.2	24	1	1	3	5	9	16	27
50-64	54	5.0	33	1	1	2	6	14	21	24
65 +	102	4.5	24	1	2	3	5	10	14	25
GRAND TOTAL	476	4.6	23	1	2	3	6	10	16	25

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	1.9	1	<1	<1	1	2	3	4	8
20-34	23	3.0	8	<1	1	2	3	9	10	10
35-49	12	1.9	4	<1	1	1	2	4	7	8
50-64	5	10.0	78	<1	1	10	17	22	22	22
65+	6	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	105	2.3	3	<1	1	2	3	4	5	10
20-34	69	2.9	6	1	1	2	4	6	9	13
35-49	36	6.0	124	1	1	2	5	14	29	59
50-64	39	5.3	41	1	2	3	7	12	15	37
65+	50	5.7	23	1	2	4	7	13	15	22
TOTAL SINGLE DX	111	2.5	9	<1	<1	2	3	4	9	18
TOTAL MULTIPLE DX	299	3.8	29	1	1	2	4	8	12	28
TOTAL										
0-19 YRS	170	2.1	3	<1	1	2	3	4	5	10
20-34	92	2.9	7	<1	1	2	4	6	10	13
35-49	48	5.0	97	<1	1	2	4	11	20	59
50-64	44	5.8	46	1	2	3	8	15	17	37
65+	56	5.3	23	1	2	3	7	13	15	22
GRAND TOTAL	410	3.5	24	<1	1	2	4	8	11	22

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
20-34	29	1.1		<1	1	1	1	1	2	2
35-49	29	1.5	1	1	1	1	2	2	3	8
50-64	26	1.0		1	1	1	1	1	2	2
65+	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	1.1		<1	1	1	1	2	2	2
20-34	17	1.1		1	1	1	1	2	2	2
35-49	40	1.2		1	1	1	1	2	3	3
50-64	23	1.3		1	1	1	1	2	3	4
65+	15	1.5		1	1	1	2	3	3	3
TOTAL SINGLE DX	92	1.3	1	1	1	1	1	2	2	7
TOTAL MULTIPLE DX	103	1.2		1	1	1	1	2	3	4
TOTAL										
0-19 YRS	11	1.5	1	<1	<1	1	1	3	5	5
20-34	46	1.1		1	1	1	1	1	2	2
35-49	69	1.3	1	1	1	1	1	2	3	7
50-64	49	1.2		1	1	1	1	2	2	4
65+	20	1.5	1	1	1	1	2	3	3	3
GRAND TOTAL	195	1.2	1	1	1	1	1	2	3	5

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	1.0		<1	<1	1	1	1	1	2
20-34	16	1.1		1	1	1	1	1	2	2
35-49	14	1.1		<1	1	1	1	2	2	2
50-64	13	1.2		<1	1	1	1	2	2	2
65+	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	72	1.1		<1	<1	1	1	2	2	4
20-34	33	2.5	34	<1	1	1	1	2	13	32
35-49	38	1.1		1	1	1	1	1	2	4
50-64	27	1.7	4	1	1	1	1	3	7	10
65+	22	1.4	1	1	1	1	1	2	4	6
TOTAL SINGLE DX	111	1.1		<1	<1	1	1	1	2	2
TOTAL MULTIPLE DX	192	1.5	7	<1	1	1	1	2	3	13
TOTAL										
0-19 YRS	133	1.1		<1	<1	1	1	1	2	3
20-34	49	2.0	23	1	1	1	1	2	3	32
35-49	52	1.1		1	1	1	1	2	2	4
50-64	40	1.5	3	1	1	1	1	2	5	10
65+	29	1.3	1	<1	1	1	1	2	3	6
GRAND TOTAL	303	1.3	4	<1	1	1	1	2	2	8

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	597	1.1		<1	<1	<1	<1	<1	<1	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	318	2.5	11	<1	<1	1	2	6	9	19
20-34	11	5.7	22	1	2	3	8	14	14	14
35-49	7	3.7	8	1	1	3	6	8	8	8
50-64	10	4.8	22	<1	1	3	10	12	12	12
65+	14	11.1	67	3	6	9	14	27	29	29
TOTAL SINGLE DX	605	1.1		<1	<1	<1	<1	<1	<1	3
TOTAL MULTIPLE DX	360	3.0	17	<1	<1	1	3	8	12	20
TOTAL										
0-19 YRS	915	1.6	5	<1	<1	<1	1	2	5	13
20-34	13	5.1	22	1	2	3	8	14	14	14
35-49	10	2.9	7	<1	1	2	4	7	8	8
50-64	11	4.5	22	<1	1	1	9	12	12	12
65+	16	9.8	71	1	3	7	13	26	28	29
GRAND TOTAL	965	1.8	7	<1	<1	<1	1	3	7	15

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	3.1	19	1	1	1	3	8	15	22
20-34	31	2.8	9	1	1	2	2	8	9	13
35-49	28	1.7	4	1	1	1	1	3	8	9
50-64	28	1.6	5	1	1	1	1	3	5	13
65 +	10	1.5	1	1	1	1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	100	3.9	40	1	1	2	4	10	17	37
20-34	54	3.7	39	1	1	1	2	11	21	27
35-49	40	2.6	13	1	1	1	2	7	11	19
50-64	45	3.8	39	1	1	1	3	11	17	30
65 +	47	5.9	128	1	1	1	6	16	23	60
TOTAL SINGLE DX	161	2.4	12	1	1	1	2	6	10	19
TOTAL MULTIPLE DX	286	4.0	51	1	1	1	3	11	18	38
TOTAL										
0-19 YRS	164	3.6	32	1	1	1	3	10	16	31
20-34	85	3.4	28	1	1	1	2	8	17	26
35-49	68	2.2	10	1	1	1	2	4	9	18
50-64	73	3.0	27	1	1	1	2	7	13	30
65 +	57	5.1	108	1	1	1	4	11	18	59
GRAND TOTAL	447	3.4	37	1	1	1	3	9	15	30

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	1.0		<1	<1	<1	1	1	1	2
20-34	29	1.4		<1	1	1	1	3	3	4
35-49	34	1.6	1	1	1	1	2	3	3	7
50-64	28	1.8	1	1	1	1	2	4	4	4
65 +	12	1.8	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	67	4.5	61	<1	<1	1	4	11	22	44
20-34	44	2.6	9	1	1	2	2	5	10	16
35-49	77	2.7	8	1	1	2	3	6	7	18
50-64	25	2.9	12	1	1	2	3	6	11	17
65 +	31	2.9	8	1	1	2	3	7	7	15
TOTAL SINGLE DX	180	1.3	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	244	3.2	24	<1	1	2	3	7	10	22
TOTAL										
0-19 YRS	144	2.6	31	<1	<1	<1	1	5	10	25
20-34	73	2.1	6	1	1	1	2	3	5	16
35-49	111	2.4	6	1	1	2	3	5	7	14
50-64	53	2.3	7	1	1	1	2	4	6	17
65 +	43	2.6	7	1	1	2	3	6	7	15
GRAND TOTAL	424	2.4	15	<1	1	1	2	5	7	21

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	1.0		1	1	1	1	1	1	1
35-49	6	1.7		1	1	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	1.9	1	<1	1	2	2	4	4	4
20-34	29	1.6		1	1	1	2	3	3	5
35-49	40	1.9	4	1	1	1	2	3	4	14
50-64	32	1.8	1	1	1	1	2	3	5	6
65 +	21	2.4	7	1	1	2	2	4	8	14
TOTAL SINGLE DX	15	1.3		1	1	1	2	2	2	2
TOTAL MULTIPLE DX	130	1.9	3	1	1	1	2	3	4	14
TOTAL										
0-19 YRS	11	1.6	1	<1	1	1	2	3	4	4
20-34	34	1.5	1	1	1	1	2	2	3	5
35-49	46	1.8	4	1	1	1	2	3	4	14
50-64	33	1.8	2	1	1	1	2	3	5	6
65 +	21	2.4	8	1	1	2	2	4	8	14
GRAND TOTAL	145	1.8	3	1	1	1	2	3	4	14

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.4	1	<1	<1	1	1	2	3	8
20-34	30	1.9	4	<1	1	1	2	5	8	8
35-49	20	1.4		<1	1	1	2	3	3	3
50-64	8	1.1		1	1	1	1	2	2	2
65+	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	105	1.9	5	1	1	1	2	3	5	14
20-34	181	2.0	12	<1	1	1	2	3	5	14
35-49	159	2.9	103	1	1	1	2	3	6	84
50-64	101	2.6	47	1	1	2	2	3	4	42
65+	77	3.0	6	1	1	2	4	7	8	10
TOTAL SINGLE DX	93	1.5	2	<1	1	1	1	2	3	8
TOTAL MULTIPLE DX	623	2.4	39	1	1	1	2	4	6	17
TOTAL										
0-19 YRS	135	1.8	5	<1	1	1	2	3	5	10
20-34	211	2.0	11	<1	1	1	2	3	5	12
35-49	179	2.8	92	1	1	1	2	3	5	70
50-64	109	2.5	44	1	1	1	2	3	3	38
65+	82	2.9	6	1	1	2	4	7	8	10
GRAND TOTAL	**716**	**2.3**	**35**	**1**	**1**	**1**	**2**	**4**	**6**	**16**

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.1	5	<1	<1	<1	2	6	8	9
20-34	4	2.5	3	<1	<1	2	4	5	5	5
35-49	9	1.7	1	<1	1	1	2	4	5	5
50-64	8	1.4		1	1	1	2	3	3	3
65+	16	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	32	3.0	8	<1	1	1	5	8	9	10
20-34	25	4.6	42	1	1	2	7	8	23	28
35-49	49	3.5	31	1	1	1	3	9	17	25
50-64	34	2.7	9	1	1	2	3	7	11	14
65+	44	4.3	32	<1	1	2	5	10	12	34
TOTAL SINGLE DX	56	1.8	3	<1	<1	1	2	4	6	9
TOTAL MULTIPLE DX	184	3.6	25	1	1	2	4	8	13	27
TOTAL										
0-19 YRS	51	2.7	8	<1	<1	1	3	8	9	10
20-34	29	4.3	38	1	1	2	5	8	21	28
35-49	58	3.2	27	1	1	1	3	6	17	25
50-64	42	2.5	8	1	1	1	3	6	10	14
65+	60	3.6	25	<1	1	2	4	9	11	32
GRAND TOTAL	**240**	**3.2**	**21**	**<1**	**1**	**1**	**3**	**8**	**11**	**26**

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	1.4		<1	<1	<1	1	3	4	5
20-34	25	2.4	1	1	1	2	3	4	5	6
35-49	35	2.7	1	1	2	3	4	4	5	6
50-64	40	3.2	3	1	2	3	4	6	7	8
65+	44	2.4	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	60	5.7	58	1	1	3	6	13	23	41
20-34	84	4.5	27	1	1	3	6	11	13	31
35-49	90	4.6	40	1	2	4	5	8	10	41
50-64	101	4.1	5	1	2	4	5	8	9	11
65+	265	4.7	17	1	2	4	6	8	11	22
TOTAL SINGLE DX	175	2.5	2	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	600	4.7	25	1	2	4	6	9	11	25
TOTAL										
0-19 YRS	91	4.2	43	<1	<1	2	4	10	16	37
20-34	109	4.0	22	1	1	3	5	9	12	29
35-49	125	4.1	31	1	2	3	5	7	9	25
50-64	141	3.8	5	1	2	4	5	7	9	11
65+	309	4.4	16	1	2	3	5	8	11	22
GRAND TOTAL	**775**	**4.2**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**24**

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.1		1	1	1	1	2	2	2
20-34	13	1.7	1	<1	1	1	2	3	5	6
35-49	18	4.1	27	1	1	2	6	10	17	21
50-64	9	1.4	1	1	1	1	2	3	4	4
65+	10	1.7	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	7	2.1		<1	1	2	3	3	3	3
20-34	34	1.9	1	1	1	2	2	4	4	5
35-49	53	3.1	14	1	1	2	4	7	10	22
50-64	50	2.5	8	1	1	1	3	6	7	17
65+	48	3.9	56	1	1	2	3	9	13	38
TOTAL SINGLE DX	57	2.3	11	1	1	1	2	6	8	20
TOTAL MULTIPLE DX	192	2.9	21	1	1	2	3	5	9	31
TOTAL										
0-19 YRS	14	1.6	1	1	1	1	2	3	3	3
20-34	47	1.9	1	1	1	2	2	4	4	6
35-49	71	3.4	17	1	1	2	4	7	11	22
50-64	59	2.4	7	1	1	1	3	5	7	16
65+	58	3.5	48	1	1	2	2	7	10	38
GRAND TOTAL	**249**	**2.8**	**18**	**1**	**1**	**2**	**3**	**6**	**8**	**22**

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	108	1.5	4	< 1	< 1	< 1	1	2	3	16
20-34	42	3.5	11	1	1	2	4	9	11	16
35-49	51	2.2	3	< 1	1	1	3	5	7	7
50-64	37	3.1	9	< 1	1	1	5	7	8	14
65 +	17	2.6	17	1	1	1	2	5	14	18
2. MULTIPLE DX										
0-19 YRS	210	3.8	38	< 1	1	1	4	9	13	34
20-34	181	5.0	51	1	1	2	6	14	19	34
35-49	240	3.0	18	1	1	1	3	7	11	26
50-64	170	3.7	36	1	1	2	3	10	15	31
65 +	160	4.1	30	1	1	2	5	9	14	32
TOTAL SINGLE DX	255	2.2	8	< 1	< 1	1	2	5	7	16
TOTAL MULTIPLE DX	961	3.9	34	1	1	2	4	9	14	31
TOTAL										
0-19 YRS	318	3.0	28	< 1	< 1	1	3	7	12	27
20-34	223	4.7	44	1	1	2	5	12	19	32
35-49	291	2.9	16	1	1	1	3	6	10	23
50-64	207	3.6	31	1	1	2	3	9	14	30
65 +	177	4.0	29	1	1	2	4	9	14	31
GRAND TOTAL	1216	3.5	29	1	1	1	4	9	13	29

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	1.6	4	< 1	< 1	< 1	< 1	3	4	14
20-34	10	3.2	2	< 1	2	3	5	5	5	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	4	5.3	11	1	3	5	7	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	111	2.4	5	< 1	< 1	1	3	5	7	13
20-34	98	8.7	166	1	2	5	8	23	41	73
35-49	67	11.9	339	1	2	5	13	38	62	99 +
50-64	38	6.9	87	1	2	4	9	16	19	54
65 +	47	6.2	50	1	2	4	7	15	25	31
TOTAL SINGLE DX	75	2.0	5	< 1	< 1	< 1	2	5	6	13
TOTAL MULTIPLE DX	361	6.8	136	< 1	1	3	7	15	27	75
TOTAL										
0-19 YRS	169	2.1	5	< 1	< 1	1	2	5	7	13
20-34	108	8.2	154	1	2	4	8	18	39	73
35-49	70	11.5	330	1	2	5	13	37	59	99 +
50-64	42	6.8	80	1	2	4	9	16	19	54
65 +	47	6.2	50	1	2	4	7	15	25	31
GRAND TOTAL	436	6.0	117	< 1	1	3	6	13	24	71

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	183	1.0		< 1	< 1	< 1	< 1	< 1	< 1	1
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.0	1	< 1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	124	2.8	89	< 1	< 1	< 1	1	1	4	62
20-34	13	4.6	66	< 1	1	2	3	13	28	31
35-49	4	5.8	78	1	1	2	10	19	19	19
50-64	2	19.5	545	3	3	19	36	36	36	36
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	192	1.1		< 1	< 1	< 1	< 1	< 1	1	4
TOTAL MULTIPLE DX	144	3.3	92	< 1	< 1	< 1	1	3	16	61
TOTAL										
0-19 YRS	307	1.8	37	< 1	< 1	< 1	< 1	1	1	39
20-34	16	4.4	55	< 1	1	2	4	8	24	31
35-49	5	4.8	63	1	1	1	6	19	19	19
50-64	7	7.0	165	< 1	1	2	4	30	36	36
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	336	2.0	41	< 1	< 1	< 1	< 1	1	3	37

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	1.6	1	< 1	< 1	< 1	2	3	5	6
20-34	7	3.1	3	1	2	2	5	6	6	6
35-49	5	2.4	7	1	1	1	3	7	7	7
50-64	7	1.3		< 1	1	1	2	2	2	2
65 +	5	2.2		1	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	55	3.5	78	< 1	< 1	1	2	4	7	51
20-34	25	4.2	15	1	1	3	5	11	13	14
35-49	15	3.3	13	1	1	1	4	11	12	12
50-64	19	3.3	12	1	1	2	4	8	12	15
65 +	35	7.8	192	1	1	3	5	12	49	56
TOTAL SINGLE DX	56	1.9	2	< 1	< 1	1	2	4	6	7
TOTAL MULTIPLE DX	149	4.6	81	< 1	1	2	4	9	13	51
TOTAL										
0-19 YRS	87	2.8	50	< 1	< 1	1	2	3	6	49
20-34	32	3.9	13	1	1	3	5	11	13	14
35-49	20	3.1	12	1	1	1	3	9	11	12
50-64	26	2.7	10	1	1	2	3	7	9	15
65 +	40	7.1	171	1	2	3	5	11	49	56
GRAND TOTAL	205	3.8	61	< 1	1	2	3	7	11	50

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	2.1	3	1	1	1	3	4	5	11
20-34	113	1.9	7	1	1	1	2	3	3	17
35-49	130	1.8	2	1	1	1	2	3	5	10
50-64	130	1.8	1	1	1	2	2	3	3	7
65 +	74	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	45	3.3	22	1	1	1	4	7	12	24
20-34	49	2.7	10	1	1	2	3	6	8	17
35-49	81	2.9	22	1	1	2	2	6	10	30
50-64	121	2.6	8	1	1	2	3	5	7	19
65 +	174	3.2	13	1	1	2	3	6	9	20
TOTAL SINGLE DX	492	1.9	3	1	1	2	2	3	4	9
TOTAL MULTIPLE DX	470	3.0	14	1	1	2	3	6	8	21
TOTAL										
0-19 YRS	90	2.7	13	1	1	1	3	5	8	23
20-34	162	2.2	9	1	1	2	2	3	5	17
35-49	211	2.3	10	1	1	1	2	4	6	15
50-64	251	2.2	5	1	1	2	2	4	6	10
65 +	248	2.8	10	1	1	2	3	5	7	19
GRAND TOTAL	962	2.4	9	1	1	2	2	4	6	17

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	187	1.8		1	1	2	2	3	4	4
20-34	7	2.0	1	1	1	1	3	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	349	2.3	12	1	1	2	3	3	4	7
20-34	16	1.7		1	1	2	2	3	3	3
35-49	30	1.8	1	1	1	2	2	3	4	5
50-64	15	2.5	5	1	1	2	3	5	9	10
65 +	2	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	198	1.8	1	1	1	2	2	3	4	4
TOTAL MULTIPLE DX	412	2.3	11	1	1	2	2	3	4	8
TOTAL										
0-19 YRS	536	2.1	8	1	1	2	2	3	4	6
20-34	23	1.8	1	1	1	1	3	3	4	4
35-49	32	1.8	1	1	1	2	2	3	4	5
50-64	16	2.5	5	1	1	2	3	5	8	10
65 +	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	610	2.1	8	1	1	2	2	3	4	6

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	268	1.6	1	<1	1	1	2	3	4	6
20-34	58	5.0	11	2	2	4	7	11	12	15
35-49	55	5.7	77	1	2	3	6	12	15	57
50-64	46	5.0	50	1	1	3	5	10	17	38
65 +	36	3.4	28	1	1	2	3	4	11	32
2. MULTIPLE DX										
0-19 YRS	344	2.9	35	1	1	2	3	5	7	22
20-34	211	4.2	14	1	1	3	5	9	12	19
35-49	129	5.6	42	1	2	4	6	13	23	58
50-64	124	7.1	63	1	2	4	10	16	25	39
65 +	195	6.4	47	1	2	4	9	15	18	37
TOTAL SINGLE DX	463	3.0	21	<1	1	2	3	6	9	29
TOTAL MULTIPLE DX	1003	4.7	40	1	1	3	6	11	15	36
TOTAL										
0-19 YRS	612	2.4	21	<1	1	1	2	4	6	13
20-34	269	4.4	14	1	2	3	6	10	12	16
35-49	184	5.6	53	1	2	3	6	13	21	54
50-64	170	6.5	60	1	1	4	8	15	24	39
65 +	231	5.9	45	1	2	3	8	14	18	36
GRAND TOTAL	1466	4.2	35	1	1	2	5	9	13	32

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	269	1.1		<1	1	1	1	1	2	3
20-34	153	1.3		1	1	1	1	2	3	5
35-49	25	1.4	2	<1	1	1	1	2	4	8
50-64	3	3.7	5	1	2	5	5	5	5	5
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	219	1.6	1	<1	1	1	2	3	4	7
20-34	103	1.7	2	1	1	1	2	3	4	9
35-49	42	2.5	6	1	1	2	3	5	9	12
50-64	11	3.4	9	1	2	2	5	8	11	11
65 +	4	6.8	15	1	4	8	9	10	10	10
TOTAL SINGLE DX	452	1.2	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	379	1.8	3	1	1	1	2	4	5	11
TOTAL										
0-19 YRS	488	1.3	1	<1	1	1	1	2	3	5
20-34	256	1.5	1	1	1	1	1	3	3	5
35-49	67	2.1	5	1	1	1	2	4	7	12
50-64	14	3.4	8	1	2	2	5	7	10	11
65 +	6	5.7	13	1	2	6	8	10	10	10
GRAND TOTAL	831	1.5	2	<1	1	1	1	3	4	8

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	518	1.0		<1	<1	1	1	1	1	3
20-34	16	1.8	1	1	1	1	2	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	782	1.6	6	<1	1	1	1	2	4	16
20-34	18	2.8	21	1	1	1	3	4	14	21
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65+	0									
TOTAL SINGLE DX	537	1.1		<1	<1	1	1	1	1	3
TOTAL MULTIPLE DX	802	1.6	6	<1	1	1	1	3	4	16
TOTAL										
0-19 YRS	1300	1.4	4	<1	1	1	1	2	3	9
20-34	34	2.3	12	1	1	1	2	4	5	21
35-49	4	1.5		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
GRAND TOTAL	1339	1.4	4	<1	1	1	1	2	3	9

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	108	1.6	9	<1	<1	<1	1	1	4	20
20-34	0									
35-49	0									
50-64	0									
65+	0									
TOTAL SINGLE DX	25	1.0		<1	<1	<1	1	1	1	1
TOTAL MULTIPLE DX	108	1.6	9	<1	<1	<1	1	1	4	20
TOTAL										
0-19 YRS	133	1.5	7	<1	<1	<1	1	1	3	17
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	133	1.5	7	<1	<1	<1	1	1	3	17

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	145	2.0	5	<1	1	1	2	4	6	9
20-34	102	2.3	4	1	1	2	3	4	7	12
35-49	47	2.4	3	1	1	2	3	5	6	9
50-64	28	2.2	2	1	1	2	3	5	5	6
65+	22	3.1	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	127	3.2	13	1	1	2	4	6	10	20
20-34	80	3.7	32	1	2	3	4	6	8	39
35-49	98	3.7	36	1	1	2	3	6	15	36
50-64	61	4.7	69	1	1	3	5	10	14	58
65+	64	8.4	104	1	2	4	9	24	36	39
TOTAL SINGLE DX	344	2.2	5	1	1	1	3	5	6	9
TOTAL MULTIPLE DX	430	4.4	46	1	1	2	4	8	16	39
TOTAL										
0-19 YRS	272	2.6	10	1	1	1	3	5	7	18
20-34	182	2.9	17	1	1	2	3	5	8	26
35-49	145	3.3	26	1	1	2	3	5	9	24
50-64	89	3.9	49	1	1	2	4	7	11	44
65+	86	7.0	84	1	2	4	7	19	34	39
GRAND TOTAL	774	3.4	29	1	1	2	4	6	10	34

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.4	10	<1	<1	<1	2	8	8	8
20-34	10	2.8	4	1	1	2	4	6	7	7
35-49	11	1.5		<1	1	1	2	3	3	3
50-64	10	3.4	5	1	1	4	6	6	6	6
65+	9	3.2	2	2	2	2	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	32	3.4	6	1	1	3	5	7	9	11
20-34	21	5.2	52	1	2	3	4	14	26	30
35-49	23	3.1	6	<1	1	2	4	7	9	10
50-64	43	4.0	8	1	2	3	6	8	9	14
65+	81	6.2	57	1	2	3	7	14	27	35
TOTAL SINGLE DX	45	2.6	4	<1	1	2	4	6	6	6
TOTAL MULTIPLE DX	200	4.8	34	1	2	3	6	9	15	34
TOTAL										
0-19 YRS	37	3.3	7	<1	1	3	5	7	9	11
20-34	31	4.4	38	1	1	3	4	8	21	30
35-49	34	2.6	5	<1	1	2	3	5	9	10
50-64	53	3.9	8	1	2	4	6	7	8	14
65+	90	5.9	53	1	2	3	6	13	24	35
GRAND TOTAL	245	4.4	29	1	1	3	5	8	13	33

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	1.7	5	<1	<1	<1	1	4	6	16
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	12	2.6	5	1	1	2	4	6	8	8
50-64	15	3.1	15	1	1	2	2	9	13	15
65 +	10	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	46	4.5	48	1	1	2	5	8	17	35
20-34	6	7.8	192	1	1	4	28	87	99 +	99 +
35-49	22	9.1	120	1	2	4	13	27	35	40
50-64	43	5.7	47	<1	1	2	8	17	20	25
65 +	56	6.0	39	1	1	4	8	16	18	29
TOTAL SINGLE DX	116	2.0	7	<1	<1	1	2	4	7	16
TOTAL MULTIPLE DX	173	6.0	59	1	1	3	7	17	25	39
TOTAL										
0-19 YRS	123	2.8	23	<1	<1	1	2	7	8	33
20-34	8	7.0	141	1	1	4	13	74	99 +	99 +
35-49	34	6.8	88	1	1	3	8	20	30	40
50-64	58	5.0	40	<1	1	2	8	17	19	25
65 +	66	5.3	37	1	1	3	6	16	17	28
GRAND TOTAL	289	4.4	42	<1	1	1	5	13	18	36

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.0	5	<1	1	1	1	6	8	8
20-34	0									
35-49	5	3.2	8	1	1	2	5	8	8	8
50-64	5	9.0	45	2	2	12	13	17	17	17
65 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	23	6.6	47	1	2	4	12	17	50	99 +
20-34	3	11.3	22	6	9	14	57	99 +	99 +	99 +
35-49	11	7.9	41	1	2	5	13	18	20	20
50-64	25	8.0	23	1	5	8	12	13	16	18
65 +	18	8.0	63	1	2	5	14	20	25	27
TOTAL SINGLE DX	22	4.2	21	<1	1	2	7	12	14	17
TOTAL MULTIPLE DX	80	7.7	41	1	2	6	12	17	23	99 +
TOTAL										
0-19 YRS	33	5.2	39	<1	1	3	8	14	26	99 +
20-34	3	11.3	22	6	9	14	57	99 +	99 +	99 +
35-49	16	6.4	35	1	2	4	10	16	19	20
50-64	30	8.2	25	1	4	8	12	14	17	18
65 +	20	7.8	57	1	2	5	11	19	24	27
GRAND TOTAL	102	7.0	38	1	2	5	12	16	20	99 +

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	14	11.5	23	5	9	11	16	18	18	18
65 +	12	10.3	12	7	8	10	12	16	18	18
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	12	17.2	113	7	10	14	21	37	38	38
50-64	60	15.0	102	7	8	12	19	27	31	61
65 +	70	16.2	88	8	10	13	19	27	32	51
TOTAL SINGLE DX	29	10.9	17	6	8	10	13	18	18	18
TOTAL MULTIPLE DX	142	15.7	96	7	9	13	19	27	35	53
TOTAL										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	14	16.0	105	7	9	12	20	37	38	38
50-64	74	14.3	89	7	8	11	18	25	30	58
65 +	82	15.3	82	7	9	13	19	25	30	51
GRAND TOTAL	171	14.9	85	7	9	12	18	25	32	51

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	15.7	652	<1	1	6	15	60	79	79
20-34	5	5.4	5	2	5	6	8	91	99 +	99 +
35-49	9	6.4	24	1	2	7	9	14	16	16
50-64	5	5.2	46	1	1	2	8	17	17	17
65 +	5	4.0	5	2	2	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	77	30.6	703	6	10	43	99 +	99 +	99 +	99 +
20-34	118	29.8	601	6	11	26	58	92	99 +	99 +
35-49	112	27.3	403	5	10	27	46	70	99 +	99 +
50-64	170	31.1	595	5	11	27	50	77	98	99 +
65 +	239	34.6	495	8	17	34	51	69	88	99 +
TOTAL SINGLE DX	33	8.2	198	1	2	5	9	18	69	99 +
TOTAL MULTIPLE DX	716	31.4	548	6	12	30	54	89	99 +	99 +
TOTAL										
0-19 YRS	86	29.1	712	6	9	34	98	99 +	99 +	99 +
20-34	123	28.8	601	5	10	24	57	93	99 +	99 +
35-49	121	25.8	405	4	9	24	44	69	99 +	99 +
50-64	175	30.4	598	4	10	25	49	76	98	99 +
65 +	244	33.9	505	7	16	33	51	68	88	99 +
GRAND TOTAL	749	30.4	555	5	11	29	52	89	99 +	99 +

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	7.3	134	<1	1	2	8	24	35	49
20-34	8	2.9	3	<1	1	3	4	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	7	1.4		1	1	1	2	2	2	2
65+	6	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	87	10.9	157	1	3	10	25	99+	99+	99+
20-34	26	13.1	378	2	2	5	11	46	55	81
35-49	26	14.0	239	1	2	9	20	26	58	61
50-64	25	5.2	29	1	2	4	5	16	18	18
65+	54	7.5	71	1	2	4	11	18	19	48
TOTAL SINGLE DX	46	4.6	74	<1	1	2	4	8	24	49
TOTAL MULTIPLE DX	218	10.1	162	1	2	6	17	48	99+	99+
TOTAL										
0-19 YRS	110	10.2	154	1	2	7	20	99+	99+	99+
20-34	34	10.7	307	1	2	4	7	35	48	81
35-49	28	13.0	234	1	1	6	19	25	57	61
50-64	32	4.4	26	1	1	2	5	16	18	18
65+	60	6.9	68	1	2	4	9	17	19	47
GRAND TOTAL	264	9.1	161	1	2	4	15	33	99+	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	3.1	7	<1	1	2	4	6	10	12
20-34	15	6.7	20	2	4	6	8	13	17	19
35-49	14	7.5	19	2	4	7	11	12	16	17
50-64	23	5.1	22	1	2	2	7	14	15	16
65+	16	4.8	17	<1	1	4	7	11	14	15
2. MULTIPLE DX										
0-19 YRS	59	8.6	61	2	4	6	12	18	21	45
20-34	189	12.9	100	4	6	10	15	27	37	48
35-49	255	12.2	82	4	6	10	15	23	28	55
50-64	355	10.3	67	3	5	8	14	21	26	44
65+	974	10.4	60	3	5	8	13	20	26	40
TOTAL SINGLE DX	88	5.3	19	<1	2	4	8	12	15	18
TOTAL MULTIPLE DX	1832	10.9	70	3	5	9	14	21	27	43
TOTAL										
0-19 YRS	79	7.2	53	1	2	4	10	16	19	41
20-34	204	12.5	98	4	6	9	15	26	37	47
35-49	269	12.0	80	4	6	10	15	23	28	53
50-64	378	10.0	66	2	5	8	14	20	25	43
65+	990	10.4	60	3	5	8	13	20	26	40
GRAND TOTAL	1920	10.6	69	3	5	8	14	21	27	42

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	4	31.8	1065	2	3	32	60	60	60	60
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	4	2.8	3	1	1	2	4	5	5	5
TOTAL SINGLE DX	6	3.3	7	<1	<1	2	6	7	7	7
TOTAL MULTIPLE DX	9	15.6	637	1	2	3	19	60	60	60
TOTAL										
0-19 YRS	7	18.6	803	<1	<1	2	46	60	60	60
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65+	4	2.8	3	1	1	2	4	5	5	5
GRAND TOTAL	15	10.7	405	<1	1	3	6	60	60	60

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	7.2	18	4	4	6	9	15	17	17
20-34	38	8.6	33	3	4	7	12	15	18	32
35-49	42	6.2	40	2	3	5	7	10	13	42
50-64	75	5.3	9	1	3	5	7	9	11	16
65+	43	5.7	19	1	3	5	8	10	13	23
2. MULTIPLE DX										
0-19 YRS	77	10.7	67	3	5	8	15	26	30	82
20-34	215	10.8	68	3	5	9	14	20	26	43
35-49	312	10.6	84	3	5	8	13	19	24	51
50-64	654	10.1	76	3	5	7	13	20	27	46
65+	1236	10.3	58	3	5	8	13	21	26	44
TOTAL SINGLE DX	216	6.3	24	2	4	5	8	11	15	26
TOTAL MULTIPLE DX	2494	10.4	68	3	5	8	13	21	26	44
TOTAL										
0-19 YRS	95	10.1	60	4	5	7	13	24	28	71
20-34	253	10.5	64	3	5	9	13	19	25	37
35-49	354	10.0	81	3	5	8	12	18	24	50
50-64	729	9.6	72	3	5	7	12	19	26	44
65+	1279	10.2	58	3	5	8	13	21	26	43
GRAND TOTAL	2710	10.0	65	3	5	8	13	20	26	44

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	5.5	13	3	4	4	6	12	14	14
20-34	0									
35-49	18	9.8	128	5	6	6	7	17	39	53
50-64	42	8.9	180	4	5	7	8	9	15	92
65+	38	7.1	4	5	6	7	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	24	9.7	68	4	5	8	10	14	32	41
20-34	23	16.5	275	6	7	9	22	34	50	78
35-49	82	10.5	30	5	7	9	12	19	21	30
50-64	343	10.0	36	6	6	8	11	16	21	37
65+	514	11.2	53	6	7	9	13	18	23	49
TOTAL SINGLE DX	106	8.1	95	4	6	6	8	11	14	70
TOTAL MULTIPLE DX	986	10.8	52	6	7	9	12	18	23	42
TOTAL										
0-19 YRS	32	8.6	57	4	4	7	9	13	27	41
20-34	23	16.5	275	6	7	9	22	34	50	78
35-49	100	10.3	47	5	6	9	12	18	21	42
50-64	385	9.8	52	5	6	8	11	16	21	39
65+	552	10.9	51	6	7	9	12	18	22	48
GRAND TOTAL	1092	10.5	57	6	7	8	12	17	22	43

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	187	1.9	5	<1	1	1	2	4	7	14
20-34	18	6.7	35	<1	1	5	11	17	19	19
35-49	19	9.5	59	1	4	8	14	17	26	33
50-64	22	4.5	19	1	1	3	6	11	14	18
65+	9	4.2	7	1	2	4	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	290	8.2	133	<1	1	4	10	25	49	99+
20-34	224	11.8	84	3	6	10	15	23	31	48
35-49	226	11.6	84	3	5	9	15	22	30	49
50-64	287	11.3	135	2	4	8	14	25	34	63
65+	549	11.1	70	3	6	9	14	21	27	42
TOTAL SINGLE DX	255	3.1	18	<1	1	1	3	8	12	18
TOTAL MULTIPLE DX	1576	10.8	99	2	4	8	14	22	31	65
TOTAL										
0-19 YRS	477	5.7	92	<1	1	2	7	17	31	99+
20-34	242	11.5	82	3	6	9	15	22	29	47
35-49	245	11.4	82	3	5	9	15	22	30	48
50-64	309	10.8	130	2	4	8	14	24	33	61
65+	558	11.0	71	3	6	9	14	21	27	42
GRAND TOTAL	1831	9.7	95	1	3	7	13	21	29	60

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	5.3	18	1	2	4	9	12	12	12
20-34	14	4.0	1	3	3	4	5	5	6	6
35-49	10	4.8	18	1	2	3	6	11	16	16
50-64	8	9.1	86	2	3	5	12	25	30	30
65+	7	6.0	9	2	4	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	27	10.4	108	3	5	9	10	18	28	56
20-34	34	10.2	124	2	3	6	11	24	41	48
35-49	34	8.4	85	2	3	5	11	16	24	50
50-64	45	9.6	76	2	4	6	12	23	26	46
65+	53	10.3	98	3	4	7	15	20	27	60
TOTAL SINGLE DX	46	5.6	24	2	3	4	6	11	14	30
TOTAL MULTIPLE DX	193	9.8	95	3	4	7	12	20	26	53
TOTAL										
0-19 YRS	34	9.4	93	2	4	8	10	15	22	56
20-34	48	8.4	96	2	3	5	10	18	27	48
35-49	44	7.6	72	2	3	4	9	16	20	50
50-64	53	9.5	77	2	4	6	12	23	27	46
65+	60	9.8	89	3	4	6	14	19	25	58
GRAND TOTAL	239	9.0	84	2	4	6	11	19	25	51

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	4.4	7	2	2	4	5	9	10	13
20-34	285	4.5	13	2	3	4	5	8	10	18
35-49	106	5.0	15	2	3	4	6	10	14	20
50-64	35	4.7	9	1	3	4	6	9	11	15
65+	20	4.4	3	2	3	4	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	267	9.5	100	3	4	7	11	19	31	67
20-34	548	7.5	54	2	4	5	9	15	19	39
35-49	448	8.2	63	2	4	6	10	16	22	43
50-64	456	8.7	41	3	4	7	11	17	22	34
65+	843	10.0	69	3	5	7	12	21	26	41
TOTAL SINGLE DX	557	4.6	12	2	3	4	5	9	10	19
TOTAL MULTIPLE DX	2562	8.9	64	3	4	7	11	18	24	43
TOTAL										
0-19 YRS	378	8.0	79	2	3	5	9	15	22	64
20-34	833	6.4	42	2	3	5	8	12	17	30
35-49	554	7.6	56	2	3	5	9	15	20	40
50-64	491	8.4	40	3	4	7	11	16	22	34
65+	863	9.9	68	3	5	7	12	21	26	41
GRAND TOTAL	3119	8.1	58	2	4	6	10	16	22	40

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	5.0	10	2	3	4	6	9	12	19
20-34	49	5.2	19	1	3	4	7	10	11	23
35-49	45	4.1	12	1	1	3	6	10	12	14
50-64	22	4.6	15	1	1	4	7	9	13	16
65 +	31	4.9	35	1	1	4	5	11	17	30
2. MULTIPLE DX										
0-19 YRS	90	8.8	30	3	4	7	12	17	19	70
20-34	135	9.6	85	1	4	7	11	22	27	52
35-49	169	11.5	105	2	4	9	16	23	34	51
50-64	236	8.2	100	1	3	6	9	16	22	53
65 +	340	9.3	75	1	3	7	13	19	28	45
TOTAL SINGLE DX	229	4.8	16	1	2	4	6	10	12	21
TOTAL MULTIPLE DX	970	9.4	85	1	4	7	12	19	26	48
TOTAL										
0-19 YRS	172	7.0	24	3	4	5	9	16	17	26
20-34	184	8.5	72	1	4	6	10	19	24	46
35-49	214	9.9	95	1	3	7	13	22	27	49
50-64	258	7.9	94	1	3	6	9	16	21	50
65 +	371	9.0	74	1	3	7	12	18	28	44
GRAND TOTAL	1199	8.5	75	1	3	6	11	18	24	46

570: Open heart operations (33.6; 35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	220	5.6	5	1	4	6	7	8	9	12
20-34	27	6.0	14	1	4	6	8	11	14	17
35-49	25	6.9	45	1	1	6	8	12	23	30
50-64	23	9.4	82	1	6	8	10	17	34	40
65 +	37	9.9	17	6	7	10	11	15	17	22
2. MULTIPLE DX										
0-19 YRS	844	11.5	102	5	6	8	13	23	33	99 +
20-34	91	11.3	68	6	7	8	12	22	35	39
35-49	268	13.5	115	6	7	10	15	27	41	50
50-64	568	12.7	84	7	8	10	14	22	29	55
65 +	1102	14.2	91	7	9	12	16	24	32	56
TOTAL SINGLE DX	332	6.5	18	1	5	6	8	10	12	23
TOTAL MULTIPLE DX	2873	13.0	96	6	8	10	15	24	33	62
TOTAL										
0-19 YRS	1064	10.3	88	5	6	8	11	20	30	98
20-34	118	10.1	61	5	6	8	11	19	31	39
35-49	293	13.0	113	6	7	9	14	25	40	50
50-64	591	12.6	85	7	8	10	14	22	29	55
65 +	1139	14.0	89	7	9	11	16	24	32	55
GRAND TOTAL	3205	12.3	92	6	7	9	14	23	31	59

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	159	2.9	4	1	1	2	4	6	8	9
50-64	278	2.9	4	1	2	2	3	5	7	11
65 +	345	3.2	6	1	2	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	52	5.2	7	2	3	5	7	9	10	13
35-49	1284	4.0	10	1	2	3	5	8	9	13
50-64	3440	4.3	16	1	2	3	6	8	10	17
65 +	3798	4.9	15	1	2	4	6	10	12	19
TOTAL SINGLE DX	786	3.0	5	1	2	2	4	6	7	11
TOTAL MULTIPLE DX	8576	4.5	15	1	2	3	6	9	11	17
TOTAL										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	55	5.1	8	2	3	5	7	9	10	13
35-49	1443	3.9	10	1	2	3	5	8	9	13
50-64	3718	4.2	15	1	2	3	5	8	10	16
65 +	4143	4.7	15	1	2	4	6	9	12	18
GRAND TOTAL	9362	4.4	14	1	2	3	6	9	11	17

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	15	8.1	5	6	6	7	10	11	13	14
50-64	65	7.6	3	6	6	8	9	10	11	12
65 +	141	8.6	5	6	7	8	10	12	13	17
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	27	10.0	17	6	7	9	11	16	18	23
35-49	700	9.2	28	6	7	8	10	13	17	31
50-64	2626	10.3	34	6	7	9	11	15	19	39
65 +	3653	12.1	51	7	8	10	14	19	24	44
TOTAL SINGLE DX	221	8.3	5	6	7	8	9	12	13	16
TOTAL MULTIPLE DX	7007	11.1	44	7	8	9	12	17	22	41
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	27	10.0	17	6	7	9	11	16	18	23
35-49	715	9.1	28	6	7	8	10	13	17	31
50-64	2691	10.2	34	6	7	9	11	15	19	39
65 +	3794	12.0	50	7	8	10	13	18	24	43
GRAND TOTAL	7228	11.0	43	7	8	9	12	17	21	40

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	178	1.8	3	< 1	< 1	1	1	5	7	9
20-34	64	2.8	13	1	1	2	3	5	9	24
35-49	346	2.6	4	1	1	2	3	6	8	11
50-64	504	2.5	6	1	1	2	3	5	7	12
65 +	314	2.7	6	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	504	3.6	61	< 1	< 1	1	2	10	16	46
20-34	196	5.2	27	1	2	4	7	12	15	25
35-49	1918	4.3	20	1	1	3	6	9	11	24
50-64	4693	4.4	20	1	1	3	6	9	12	21
65 +	5733	5.1	23	1	2	4	7	10	13	24
TOTAL SINGLE DX	1406	2.5	6	< 1	1	1	3	6	7	12
TOTAL MULTIPLE DX	13044	4.7	24	1	1	3	6	9	12	23
TOTAL										
0-19 YRS	682	3.1	47	< 1	< 1	1	2	8	13	36
20-34	260	4.6	25	1	1	3	6	11	15	26
35-49	2264	4.1	19	1	1	3	6	8	10	23
50-64	5197	4.2	19	1	1	3	6	9	11	20
65 +	6047	4.9	23	1	2	4	7	10	13	24
GRAND TOTAL	**14450**	**4.4**	**22**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	3.6	5	1	2	3	5	7	8	8
20-34	12	2.9	13	1	1	2	3	7	13	14
35-49	14	4.6	55	1	1	2	3	12	25	29
50-64	47	2.7	4	1	1	2	3	6	8	8
65 +	239	2.4	3	1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	84	6.4	105	1	2	3	6	14	23	55
20-34	37	5.8	45	1	2	3	7	11	14	39
35-49	100	5.7	27	1	2	4	8	12	19	25
50-64	439	6.6	41	1	2	5	9	14	19	36
65 +	2895	6.0	31	1	2	4	8	13	16	27
TOTAL SINGLE DX	322	2.6	7	1	1	2	3	5	8	12
TOTAL MULTIPLE DX	3555	6.1	34	1	2	4	8	13	16	29
TOTAL										
0-19 YRS	94	6.1	96	1	2	3	6	13	22	55
20-34	49	5.1	39	1	2	3	6	11	14	39
35-49	114	5.6	31	1	2	4	8	11	19	28
50-64	486	6.3	39	1	2	5	8	14	18	36
65 +	3134	5.7	30	1	2	4	7	12	15	27
GRAND TOTAL	**3877**	**5.8**	**33**	**1**	**2**	**4**	**7**	**13**	**16**	**29**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	5.6	24	< 1	1	5	8	11	18	18
20-34	22	4.2	9	1	2	3	6	7	11	15
35-49	16	5.1	53	1	1	2	6	13	24	29
50-64	12	4.3	8	1	2	3	6	9	10	10
65 +	5	9.0	28	5	5	8	11	18	18	18
2. MULTIPLE DX										
0-19 YRS	68	7.7	42	< 1	3	6	10	15	20	33
20-34	75	8.8	41	2	4	7	11	18	19	36
35-49	113	9.0	61	2	4	7	11	18	27	37
50-64	168	11.0	81	3	5	9	14	22	27	47
65 +	179	12.2	91	3	7	10	15	23	33	52
TOTAL SINGLE DX	79	5.1	24	1	2	4	7	10	16	26
TOTAL MULTIPLE DX	603	10.3	73	2	5	8	13	19	26	43
TOTAL										
0-19 YRS	92	7.1	39	< 1	2	6	9	15	19	31
20-34	97	7.7	38	2	4	6	10	15	19	35
35-49	129	8.5	61	1	3	6	11	18	27	37
50-64	180	10.6	79	2	5	8	14	21	26	46
65 +	184	12.1	90	3	6	10	15	23	32	52
GRAND TOTAL	**682**	**9.7**	**70**	**2**	**4**	**8**	**12**	**18**	**25**	**42**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	150	2.3	17	< 1	1	1	2	4	7	15
20-34	81	3.9	16	1	1	2	5	9	11	20
35-49	55	3.6	12	1	1	3	5	8	11	19
50-64	53	3.5	9	1	1	2	5	9	10	11
65 +	28	3.9	11	1	2	3	5	8	12	14
2. MULTIPLE DX										
0-19 YRS	360	7.6	121	1	2	5	9	18	34	99 +
20-34	251	7.9	87	1	3	5	10	15	23	56
35-49	415	8.8	60	2	4	7	11	18	25	39
50-64	774	8.1	53	2	3	6	10	17	24	38
65 +	2103	9.2	48	3	4	7	12	18	22	35
TOTAL SINGLE DX	367	3.1	15	< 1	1	2	4	7	10	17
TOTAL MULTIPLE DX	3903	8.7	61	2	4	7	11	18	23	40
TOTAL										
0-19 YRS	510	6.0	97	1	1	3	7	13	22	94
20-34	332	7.0	73	1	2	5	9	14	19	45
35-49	470	8.2	58	1	3	6	10	17	25	38
50-64	827	7.8	52	2	3	6	10	16	23	38
65 +	2131	9.2	48	3	4	7	12	18	22	35
GRAND TOTAL	**4270**	**8.2**	**59**	**1**	**3**	**6**	**11**	**17**	**23**	**40**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	113	1.5		1	1	1	2	2	3	5
35-49	177	1.5		1	1	1	2	2	3	4
50-64	91	1.6	1	1	1	1	2	3	3	6
65 +	34	2.0	3	1	1	2	2	3	5	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	26	2.6	8	1	1	2	3	4	11	14
35-49	78	3.0	26	1	1	2	2	5	11	34
50-64	71	2.2	4	1	1	2	2	4	5	14
65 +	49	3.7	12	1	1	2	4	9	11	15
TOTAL SINGLE DX	418	1.5	1	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	224	2.8	15	1	1	2	3	5	10	15
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	139	1.7	2	1	1	1	2	3	4	10
35-49	255	2.0	9	1	1	1	2	3	4	12
50-64	162	1.8	3	1	1	1	2	3	4	11
65 +	83	3.0	9	1	1	2	3	8	11	15
GRAND TOTAL	**642**	**2.0**	**6**	**1**	**1**	**1**	**2**	**3**	**5**	**12**

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	8.2	59	4	4	7	8	11	29	35
20-34	4	5.3	1	4	4	5	6	7	7	7
35-49	16	6.6	12	3	4	6	8	13	14	14
50-64	68	5.4	8	2	3	5	6	8	11	16
65 +	78	5.5	14	2	3	4	7	8	13	24
2. MULTIPLE DX										
0-19 YRS	144	14.9	156	6	7	10	17	37	45	71
20-34	39	10.2	27	4	6	9	12	18	20	24
35-49	162	10.5	97	3	5	7	11	20	33	53
50-64	784	9.1	55	4	5	7	11	17	22	41
65 +	1721	9.9	64	4	5	8	12	18	25	41
TOTAL SINGLE DX	181	5.8	16	2	4	5	7	9	13	24
TOTAL MULTIPLE DX	2850	10.0	69	4	5	8	12	19	26	44
TOTAL										
0-19 YRS	159	14.3	151	5	7	9	16	35	44	68
20-34	43	9.7	27	4	6	9	12	18	20	24
35-49	178	10.1	91	3	5	7	11	20	32	53
50-64	852	8.8	53	3	5	7	10	16	21	40
65 +	1799	9.7	63	4	5	8	11	18	25	40
GRAND TOTAL	**3031**	**9.7**	**67**	**4**	**5**	**7**	**11**	**18**	**25**	**44**

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
20-34	16	2.4	6	< 1	< 1	1	3	8	9	9
35-49	17	3.1	8	< 1	1	2	4	8	10	11
50-64	11	1.9	1	< 1	< 1	2	3	4	4	4
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	70	6.5	67	< 1	2	4	7	15	28	35
20-34	317	4.8	18	< 1	2	3	6	10	13	23
35-49	462	4.7	24	1	2	3	6	9	14	24
50-64	693	5.8	30	1	2	4	7	12	17	28
65 +	942	6.5	40	2	3	5	8	13	18	31
TOTAL SINGLE DX	51	2.5	5	< 1	< 1	2	3	5	9	11
TOTAL MULTIPLE DX	2484	5.8	33	1	2	4	7	12	17	28
TOTAL										
0-19 YRS	75	6.2	64	< 1	2	3	7	13	28	35
20-34	333	4.7	18	< 1	2	3	6	10	13	23
35-49	479	4.7	24	1	2	3	6	9	14	24
50-64	704	5.7	31	1	2	4	7	12	17	27
65 +	944	6.5	40	2	3	5	8	13	18	31
GRAND TOTAL	**2535**	**5.7**	**33**	**1**	**2**	**4**	**7**	**12**	**17**	**28**

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	6.1	110	1	1	1	3	24	33	33
20-34	18	3.6	14	1	1	2	5	10	13	14
35-49	22	4.4	20	< 1	1	3	5	13	14	15
50-64	16	4.2	15	1	1	2	5	10	13	14
65 +	20	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	38	11.1	225	1	3	7	12	32	65	99 +
20-34	210	8.2	57	2	3	6	11	18	24	36
35-49	298	7.2	58	1	2	5	10	15	22	40
50-64	389	8.4	86	1	3	6	11	17	22	48
65 +	668	9.9	82	1	3	7	14	22	28	38
TOTAL SINGLE DX	86	3.8	24	1	1	2	4	11	14	27
TOTAL MULTIPLE DX	1603	8.9	80	1	3	6	12	20	26	44
TOTAL										
0-19 YRS	48	10.1	203	1	2	7	11	29	49	99 +
20-34	228	7.9	56	1	2	5	10	17	23	36
35-49	320	7.0	56	1	2	4	9	15	22	38
50-64	405	8.3	84	1	2	6	10	17	22	48
65 +	688	9.7	82	1	3	7	13	22	27	37
GRAND TOTAL	**1689**	**8.6**	**78**	**1**	**2**	**6**	**12**	**19**	**26**	**44**

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	6	4.0	7	2	2	3	7	8	8	8
50-64	93	3.4	3	2	2	3	4	5	7	11
65 +	290	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	31	6.0	65	2	3	4	5	11	29	39
50-64	439	4.7	24	2	3	3	5	8	11	25
65 +	1682	5.1	16	2	3	4	6	10	13	20
TOTAL SINGLE DX	389	3.3	2	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	2153	5.0	19	2	3	4	6	9	12	21
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	37	5.7	56	2	3	3	5	8	25	39
50-64	532	4.5	21	2	3	3	5	8	10	20
65 +	1972	4.8	15	2	3	4	5	9	12	19
GRAND TOTAL	**2542**	**4.8**	**17**	**2**	**3**	**4**	**5**	**9**	**12**	**20**

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	239	4.3	11	1	2	4	5	7	9	16
20-34	97	4.3	16	1	1	3	6	9	13	19
35-49	106	5.1	30	1	1	3	6	13	16	27
50-64	197	5.2	27	1	2	3	7	12	16	24
65 +	240	4.6	24	1	1	3	6	9	14	22
2. MULTIPLE DX										
0-19 YRS	1375	14.3	291	3	5	8	18	44	77	99 +
20-34	589	7.4	80	1	2	5	9	16	24	49
35-49	698	9.0	91	1	3	6	11	21	30	56
50-64	1550	8.5	98	1	3	6	10	18	27	58
65 +	3691	9.0	73	2	4	7	11	17	24	46
TOTAL SINGLE DX	879	4.7	22	1	2	3	6	10	14	22
TOTAL MULTIPLE DX	7903	9.7	123	2	4	7	11	21	31	86
TOTAL										
0-19 YRS	1614	12.8	263	2	4	7	15	38	71	99 +
20-34	686	7.0	72	1	2	4	8	15	23	45
35-49	804	8.4	85	1	2	6	11	20	28	48
50-64	1747	8.1	92	1	3	6	9	16	24	58
65 +	3931	8.8	72	2	4	7	11	17	23	45
GRAND TOTAL	**8782**	**9.2**	**115**	**1**	**3**	**6**	**11**	**20**	**30**	**81**

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	2.1	2	< 1	< 1	1	3	4	5	8
20-34	39	3.8	11	1	1	2	5	10	11	14
35-49	49	2.5	23	1	1	1	2	4	6	28
50-64	58	3.5	6	1	2	3	5	7	9	12
65 +	41	2.9	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	105	6.8	53	1	2	5	8	16	23	69
20-34	89	8.8	52	2	4	7	12	21	25	35
35-49	133	8.0	76	1	2	5	10	15	25	50
50-64	205	7.5	96	1	2	5	9	17	22	59
65 +	321	7.5	45	1	3	6	10	16	19	33
TOTAL SINGLE DX	309	2.7	8	< 1	1	2	3	6	7	13
TOTAL MULTIPLE DX	853	7.6	64	1	3	5	9	16	22	42
TOTAL										
0-19 YRS	227	4.3	31	< 1	1	2	5	10	15	42
20-34	128	7.3	45	1	3	5	9	15	23	31
35-49	182	6.5	68	1	1	4	9	14	22	45
50-64	263	6.6	79	1	2	4	8	14	20	41
65 +	362	7.0	43	1	2	5	9	16	18	33
GRAND TOTAL	**1162**	**6.3**	**54**	**1**	**2**	**4**	**8**	**14**	**19**	**38**

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	4.5	26	1	1	2	4	14	14	14
20-34	19	3.2	6	1	1	2	4	7	9	10
35-49	40	2.4	3	1	1	2	3	5	6	9
50-64	55	3.0	9	1	1	2	4	6	7	17
65 +	49	2.9	10	1	1	2	3	5	7	21
2. MULTIPLE DX										
0-19 YRS	16	10.5	183	2	2	5	10	40	42	42
20-34	39	5.4	9	1	3	6	7	9	11	14
35-49	125	4.8	21	1	2	4	6	9	13	27
50-64	206	5.4	21	1	2	4	7	10	14	24
65 +	279	5.9	19	2	3	5	7	11	12	24
TOTAL SINGLE DX	173	2.9	9	1	1	2	3	6	7	17
TOTAL MULTIPLE DX	665	5.6	24	2	3	4	7	11	14	28
TOTAL										
0-19 YRS	26	8.2	128	1	2	3	9	23	42	42
20-34	58	4.7	9	1	2	4	7	8	10	14
35-49	165	4.2	18	1	2	3	5	8	11	25
50-64	261	4.9	20	1	2	4	6	10	14	21
65 +	328	5.4	20	2	3	4	7	11	12	23
GRAND TOTAL	**838**	**5.1**	**22**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	42.0		42	42	42	42	42	42	42
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	25	46.5	260	33	36	43	54	69	73	81
20-34	6	35.3	76	25	28	34	44	47	47	47
35-49	13	31.5	270	19	25	28	40	74	94	99 +
50-64	4	38.0	50	29	32	39	43	45	45	45
65 +	0									
TOTAL SINGLE DX	2	21.5	841	1	1	21	42	42	42	42
TOTAL MULTIPLE DX	48	40.3	259	25	30	38	49	68	72	99 +
TOTAL										
0-19 YRS	26	44.7	330	32	36	42	53	69	73	81
20-34	7	36.3	70	26	29	36	43	46	47	47
35-49	13	31.5	270	19	25	28	40	74	94	99 +
50-64	4	38.0	50	29	32	39	43	45	45	45
65 +	0									
GRAND TOTAL	50	39.6	279	25	30	38	49	68	71	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	192	4.3	8	1	2	4	6	7	10	17
20-34	103	5.5	40	2	3	4	6	8	10	43
35-49	92	6.1	34	2	3	5	7	12	19	32
50-64	50	5.1	17	1	2	4	6	9	13	23
65 +	35	6.1	28	2	2	5	7	14	20	23
2. MULTIPLE DX										
0-19 YRS	429	9.7	103	2	4	6	11	22	32	51
20-34	430	11.5	127	3	5	7	14	27	36	61
35-49	405	10.9	149	3	4	7	12	23	37	68
50-64	469	11.1	100	3	5	8	13	26	32	45
65 +	1181	10.0	86	3	5	8	12	19	26	44
TOTAL SINGLE DX	472	5.1	23	1	3	4	6	9	12	30
TOTAL MULTIPLE DX	2914	10.5	106	3	5	7	12	22	31	57
TOTAL										
0-19 YRS	621	8.0	81	2	3	5	9	17	26	48
20-34	533	10.3	116	3	4	6	11	25	35	57
35-49	497	10.0	131	2	4	6	11	21	32	66
50-64	519	10.5	95	3	5	8	13	24	31	45
65 +	1216	9.9	85	3	5	7	12	19	26	44
GRAND TOTAL	3386	9.7	98	3	4	7	11	21	30	54

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	172	4.8	36	< 1	1	3	6	8	14	30
20-34	54	6.4	38	1	1	5	9	16	19	28
35-49	53	5.6	23	1	2	4	7	13	17	20
50-64	34	4.6	17	< 1	2	4	5	8	16	19
65 +	35	5.0	22	< 1	1	4	7	9	17	22
2. MULTIPLE DX										
0-19 YRS	540	13.1	258	1	4	8	15	35	54	99 +
20-34	545	10.7	115	2	4	8	13	23	34	48
35-49	855	11.1	114	2	4	8	14	25	33	52
50-64	968	10.2	102	2	4	7	13	23	29	51
65 +	1423	11.7	95	3	5	9	15	23	31	52
TOTAL SINGLE DX	348	5.2	32	< 1	1	4	6	11	17	28
TOTAL MULTIPLE DX	4331	11.3	124	2	4	8	14	25	34	62
TOTAL										
0-19 YRS	712	11.1	217	1	3	6	13	29	49	99 +
20-34	599	10.3	110	2	4	7	13	23	31	47
35-49	908	10.8	111	2	4	8	13	24	33	51
50-64	1002	10.0	100	2	4	7	13	23	29	51
65 +	1458	11.5	95	3	5	9	15	23	31	51
GRAND TOTAL	4679	10.9	120	2	4	8	14	24	33	59

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	7.0	37	1	2	4	12	15	19	22
20-34	12	11.9	52	4	7	12	15	21	29	30
35-49	6	7.7	28	2	3	7	13	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	53	11.2	142	2	3	9	16	31	91	99 +
20-34	50	15.7	63	6	11	15	20	25	32	43
35-49	14	7.4	42	1	3	4	12	16	19	19
50-64	43	6.3	25	2	2	5	9	13	18	22
65 +	62	7.7	47	2	4	6	9	13	24	39
TOTAL SINGLE DX	39	8.6	44	2	3	7	14	16	20	30
TOTAL MULTIPLE DX	222	10.0	80	2	4	8	14	22	28	99 +
TOTAL										
0-19 YRS	74	10.0	115	2	2	8	15	23	61	99 +
20-34	62	15.0	63	6	10	14	18	25	31	42
35-49	20	7.5	36	1	3	4	12	17	18	19
50-64	43	6.3	25	2	2	5	9	13	18	22
65 +	62	7.7	48	2	4	6	9	13	24	39
GRAND TOTAL	261	9.8	75	2	4	8	14	21	26	95

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	3.1	12	<1	<1	1	3	10	10	12
20-34	10	4.5	22	<1	1	3	5	11	17	17
35-49	16	4.1	8	1	2	3	6	9	9	9
50-64	14	3.3	5	1	1	2	6	6	7	7
65 +	25	3.8	7	1	2	3	5	8	9	11
2. MULTIPLE DX										
0-19 YRS	100	4.6	36	<1	<1	1	6	15	22	99 +
20-34	79	7.8	108	2	3	5	8	14	26	67
35-49	235	7.7	56	2	3	5	10	15	22	40
50-64	290	8.4	75	2	3	6	11	17	24	50
65 +	477	8.5	75	2	3	6	10	17	25	53
TOTAL SINGLE DX	124	3.5	11	<1	1	2	5	9	10	13
TOTAL MULTIPLE DX	1181	7.9	72	1	3	5	10	16	24	51
TOTAL										
0-19 YRS	159	4.0	28	<1	<1	1	6	11	17	92
20-34	89	7.4	99	1	3	5	8	14	25	62
35-49	251	7.5	54	2	3	5	9	15	20	40
50-64	304	8.1	74	2	3	5	10	16	24	49
65 +	502	8.3	73	2	3	6	10	16	24	53
GRAND TOTAL	**1305**	**7.5**	**68**	**1**	**3**	**5**	**9**	**15**	**23**	**50**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	400	2.7	1	2	2	3	3	4	5	6
20-34	3	5.3		5	5	5	6	6	6	6
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	199	4.4	35	2	3	3	5	6	8	24
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	6	9.5	92	4	5	6	7	27	29	29
50-64	2	37.0	1352	11	11	37	63	63	63	63
65 +	6	8.2	23	2	4	8	11	15	15	15
TOTAL SINGLE DX	408	2.8	1	2	2	3	3	4	5	7
TOTAL MULTIPLE DX	215	5.0	53	2	3	3	5	7	11	42
TOTAL										
0-19 YRS	599	3.3	13	2	2	3	4	5	6	10
20-34	5	6.4	20	2	4	5	8	14	14	14
35-49	8	8.0	74	3	4	5	7	22	29	29
50-64	3	26.7	996	6	7	11	50	63	63	63
65 +	8	7.9	17	3	5	7	10	14	15	15
GRAND TOTAL	**623**	**3.5**	**20**	**2**	**2**	**3**	**4**	**5**	**7**	**15**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.8	3	<1	1	2	4	5	6	7
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	0									
50-64	4	2.3		2	2	2	3	3	3	3
65 +	6	5.8	20	1	1	6	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	218	11.4	200	2	4	6	14	38	54	99 +
20-34	28	11.8	172	2	6	9	14	22	73	99 +
35-49	56	14.7	213	3	5	11	20	33	74	99 +
50-64	145	11.4	91	2	4	11	16	26	33	99 +
65 +	886	14.1	131	3	6	11	19	28	36	56
TOTAL SINGLE DX	29	3.9	13	1	2	2	5	9	12	16
TOTAL MULTIPLE DX	1333	13.3	144	3	5	10	18	28	41	99 +
TOTAL										
0-19 YRS	235	10.8	191	2	4	5	13	35	51	99 +
20-34	30	11.8	163	2	6	9	15	22	69	99 +
35-49	56	14.7	213	3	5	11	20	33	74	99 +
50-64	149	11.2	91	2	4	10	16	26	33	99 +
65 +	892	14.0	131	3	6	11	19	28	36	56
GRAND TOTAL	**1362**	**13.1**	**143**	**3**	**5**	**10**	**18**	**28**	**41**	**99 +**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	7.0	2	5	6	7	8	8	8	8
20-34	6	5.2	7	2	3	5	7	9	9	9
35-49	6	3.8	2	2	3	4	5	6	6	6
50-64	8	4.5	9	< 1	1	4	7	8	9	9
65 +	8	4.8	7	2	3	4	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	10	11.4	281	1	2	4	6	43	43	43
20-34	19	5.8	17	2	3	4	7	13	15	16
35-49	50	6.4	58	2	2	4	7	13	25	43
50-64	87	7.1	50	2	3	5	8	14	19	44
65 +	297	7.3	39	3	4	6	9	13	18	36
TOTAL SINGLE DX	32	4.9	6	2	3	5	7	8	9	10
TOTAL MULTIPLE DX	463	7.2	48	2	4	5	8	13	19	43
TOTAL										
0-19 YRS	14	10.1	199	1	2	6	8	43	43	43
20-34	25	5.7	15	2	3	4	7	11	14	16
35-49	56	6.1	53	2	3	4	6	11	24	42
50-64	95	6.9	47	2	3	5	7	13	18	44
65 +	305	7.2	39	3	4	6	9	12	17	36
GRAND TOTAL	**495**	**7.0**	**45**	**2**	**4**	**5**	**8**	**13**	**19**	**43**

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	10	8.8	18	5	6	7	11	15	19	19
35-49	22	10.4	44	5	6	8	12	23	27	29
50-64	24	11.0	29	6	7	10	14	17	22	30
65 +	25	9.4	6	7	8	9	11	13	14	16
2. MULTIPLE DX										
0-19 YRS	3	12.7	54	7	8	10	18	21	21	21
20-34	35	14.4	190	6	7	10	14	32	43	75
35-49	120	13.3	147	5	7	10	15	23	35	72
50-64	180	13.3	102	6	8	10	14	23	30	64
65 +	333	15.6	124	7	9	12	18	30	41	80
TOTAL SINGLE DX	81	10.1	25	6	7	9	12	16	20	30
TOTAL MULTIPLE DX	671	14.5	126	7	8	11	16	26	40	67
TOTAL										
0-19 YRS	3	12.7	54	7	8	10	18	21	21	21
20-34	45	13.2	157	6	7	9	13	26	36	75
35-49	142	12.9	132	5	7	10	14	23	34	66
50-64	204	13.0	94	6	8	10	14	22	29	63
65 +	358	15.1	119	7	9	12	17	27	40	75
GRAND TOTAL	**752**	**14.0**	**117**	**6**	**8**	**11**	**16**	**25**	**37**	**67**

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	4	15.8	38	11	11	14	20	24	24	24
50-64	5	12.4	18	10	10	11	13	20	20	20
65 +	2	17.0	50	12	12	17	22	22	22	22
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	11.8	7	8	10	12	13	14	14	14
35-49	16	17.4	122	9	11	13	17	41	44	45
50-64	67	16.7	174	9	10	12	16	38	49	97
65 +	75	18.9	220	10	12	14	20	29	58	99
TOTAL SINGLE DX	11	14.5	28	10	11	11	19	23	24	24
TOTAL MULTIPLE DX	162	17.7	186	9	11	14	18	34	48	99
TOTAL										
0-19 YRS	0									
20-34	4	11.8	7	8	10	12	13	14	14	14
35-49	20	17.1	103	10	11	13	18	34	44	45
50-64	72	16.4	165	9	10	12	16	36	48	96
65 +	77	18.9	215	10	12	14	21	29	56	99
GRAND TOTAL	**173**	**17.5**	**177**	**9**	**11**	**13**	**18**	**29**	**47**	**99**

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	5.4	12	2	3	4	8	11	11	11
20-34	19	7.4	17	4	6	7	8	9	17	23
35-49	21	7.5	14	4	5	7	8	13	17	20
50-64	18	7.1	11	3	5	6	9	13	14	14
65 +	7	8.7	2	7	8	8	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	13	10.2	112	4	6	8	9	21	40	44
20-34	34	9.8	91	4	5	7	9	17	29	52
35-49	103	9.1	22	4	6	8	11	14	19	29
50-64	104	12.4	82	6	7	10	14	21	35	50
65 +	175	13.6	96	6	8	11	15	23	29	67
TOTAL SINGLE DX	73	7.3	13	4	5	7	8	11	14	22
TOTAL MULTIPLE DX	429	11.8	78	5	7	9	13	20	27	52
TOTAL										
0-19 YRS	21	8.4	78	3	4	6	9	13	28	44
20-34	53	8.9	65	4	6	7	8	15	26	51
35-49	124	8.8	22	4	6	8	10	14	19	28
50-64	122	11.6	75	5	7	9	13	20	32	50
65 +	182	13.4	94	6	8	11	15	23	29	67
GRAND TOTAL	**502**	**11.1**	**71**	**5**	**7**	**9**	**13**	**19**	**26**	**50**

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	5.1	18	1	3	5	6	9	23	99+
20-34	43	6.2	21	3	5	6	7	8	10	33
35-49	73	5.7	7	3	4	5	7	8	13	15
50-64	42	6.6	56	3	4	5	7	9	16	49
65+	20	6.8	14	3	4	6	8	12	15	17
2. MULTIPLE DX										
0-19 YRS	407	12.5	204	4	5	8	14	31	73	99+
20-34	195	8.6	84	3	5	6	9	14	24	49
35-49	341	8.1	71	3	4	6	9	13	21	51
50-64	335	9.4	60	3	5	7	11	19	24	41
65+	836	12.2	101	4	5	9	15	25	35	52
TOTAL SINGLE DX	234	5.9	22	3	4	5	7	9	13	56
TOTAL MULTIPLE DX	2114	10.8	112	3	5	8	13	22	33	79
TOTAL										
0-19 YRS	463	11.6	187	3	5	7	13	30	72	99+
20-34	238	8.1	74	3	5	6	9	13	22	47
35-49	414	7.6	61	3	4	6	8	12	19	48
50-64	377	9.1	61	3	5	7	10	19	24	44
65+	856	12.1	100	4	5	9	15	24	35	51
GRAND TOTAL	**2348**	**10.3**	**105**	**3**	**5**	**7**	**12**	**21**	**32**	**79**

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	3.3	8	1	1	2	4	7	10	14
20-34	89	4.0	6	2	3	3	5	6	8	15
35-49	118	4.1	13	<1	2	3	5	8	10	24
50-64	92	3.8	8	<1	1	3	6	7	10	14
65+	90	3.5	7	<1	1	3	5	7	7	14
2. MULTIPLE DX										
0-19 YRS	276	6.1	55	1	2	4	7	12	18	41
20-34	592	6.3	42	2	3	4	7	13	17	37
35-49	1008	6.1	39	2	3	4	7	11	16	35
50-64	1408	6.3	46	2	3	4	7	12	16	34
65+	4168	7.2	37	2	3	6	9	14	19	32
TOTAL SINGLE DX	469	3.8	9	<1	2	3	5	7	9	14
TOTAL MULTIPLE DX	7452	6.8	41	2	3	5	8	13	18	33
TOTAL										
0-19 YRS	356	5.5	46	1	2	4	6	11	15	37
20-34	681	6.0	39	2	3	4	7	12	16	35
35-49	1126	5.9	37	2	3	4	7	11	15	34
50-64	1500	6.2	44	2	3	4	7	12	16	33
65+	4258	7.1	38	2	3	5	9	14	19	31
GRAND TOTAL	**7921**	**6.6**	**40**	**2**	**3**	**5**	**8**	**13**	**17**	**32**

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	7.0	11	4	5	7	8	10	14	18
20-34	22	7.8	8	5	6	7	9	10	14	18
35-49	30	10.0	77	5	7	8	10	14	25	51
50-64	14	6.7	3	4	6	7	8	9	9	9
65+	10	7.7	3	5	6	8	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	133	17.2	316	5	7	10	24	65	99+	99+
20-34	155	11.6	99	6	7	9	13	21	26	90
35-49	222	14.8	182	6	7	10	15	33	48	83
50-64	231	14.1	111	7	8	11	15	26	33	67
65+	562	14.9	99	7	9	12	18	25	33	55
TOTAL SINGLE DX	98	8.1	30	5	6	7	9	11	14	38
TOTAL MULTIPLE DX	1303	14.6	139	6	8	11	17	28	42	92
TOTAL										
0-19 YRS	155	15.8	285	5	7	9	21	57	99+	99+
20-34	177	11.1	90	6	7	9	12	20	25	85
35-49	252	14.2	172	6	7	9	14	31	47	80
50-64	245	13.7	108	7	8	10	15	26	33	66
65+	572	14.8	99	7	9	12	18	25	33	55
GRAND TOTAL	**1401**	**14.1**	**134**	**6**	**8**	**10**	**16**	**27**	**40**	**91**

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	7.7	4	5	6	8	9	10	12	14
20-34	60	7.5	4	5	6	8	9	10	11	13
35-49	136	7.9	10	5	6	7	9	11	14	24
50-64	189	7.8	8	5	6	7	8	11	14	19
65+	176	8.1	7	6	6	8	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	98	14.0	162	5	6	9	17	29	44	85
20-34	264	12.0	75	6	7	9	13	20	27	55
35-49	635	11.0	67	6	7	8	12	19	26	45
50-64	1329	11.0	55	6	7	9	12	18	24	45
65+	3652	12.4	64	7	8	10	14	21	28	49
TOTAL SINGLE DX	594	7.9	8	5	6	7	9	11	14	19
TOTAL MULTIPLE DX	5978	12.0	65	6	8	9	13	21	27	49
TOTAL										
0-19 YRS	131	12.4	130	5	6	8	14	26	39	75
20-34	324	11.1	65	6	7	9	12	19	24	51
35-49	771	10.5	59	6	7	8	11	18	25	44
50-64	1518	10.6	51	6	7	9	12	18	23	41
65+	3828	12.2	62	6	8	10	14	21	27	48
GRAND TOTAL	**6572**	**11.6**	**61**	**6**	**7**	**9**	**13**	**20**	**26**	**47**

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	8.0	13	4	5	8	10	14	15	15
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	4.8	4	3	3	4	7	7	7	7
50-64	6	10.8	41	6	6	9	12	22	23	23
65 +	3	6.7	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	22	14.5	272	4	6	9	18	62	77	99 +
20-34	27	16.7	130	6	9	14	22	47	99 +	99 +
35-49	37	11.1	67	4	6	9	13	22	26	43
50-64	69	11.5	41	5	7	10	16	20	28	30
65 +	102	14.2	124	6	8	11	15	29	42	58
TOTAL SINGLE DX	26	8.0	19	3	5	7	10	13	17	23
TOTAL MULTIPLE DX	257	13.3	108	5	7	11	16	26	41	96
TOTAL										
0-19 YRS	33	12.3	193	4	5	9	13	27	63	99 +
20-34	28	16.5	127	6	9	14	22	47	99 +	99 +
35-49	42	10.3	63	3	5	8	12	22	25	43
50-64	75	11.4	41	5	7	10	15	21	26	30
65 +	105	13.9	123	6	8	10	15	28	41	58
GRAND TOTAL	**283**	**12.8**	**103**	**5**	**7**	**10**	**15**	**23**	**36**	**88**

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	143	5.6	7	2	4	5	7	8	10	15
20-34	142	6.6	3	5	5	6	8	9	10	14
35-49	99	7.0	14	3	5	6	9	11	13	24
50-64	60	6.4	7	3	4	6	8	10	10	15
65 +	51	6.8	6	4	5	7	8	10	12	13
2. MULTIPLE DX										
0-19 YRS	307	11.2	224	4	5	7	10	26	77	99 +
20-34	316	8.7	26	4	6	8	10	14	19	33
35-49	277	10.5	72	4	6	8	12	20	29	47
50-64	333	12.2	117	5	6	9	13	24	36	54
65 +	696	11.5	80	5	7	9	13	21	29	45
TOTAL SINGLE DX	495	6.4	8	3	5	6	8	9	11	15
TOTAL MULTIPLE DX	1929	11.0	101	4	6	8	12	21	30	79
TOTAL										
0-19 YRS	450	9.4	162	3	5	6	9	17	36	99 +
20-34	458	8.1	21	4	6	7	9	12	16	31
35-49	376	9.6	59	4	6	8	10	18	24	45
50-64	393	11.3	105	4	6	8	12	21	33	53
65 +	747	11.2	77	5	7	9	13	21	28	45
GRAND TOTAL	**2424**	**10.0**	**85**	**4**	**6**	**8**	**11**	**18**	**26**	**60**

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	5.2	9	2	3	5	6	10	13	13
20-34	4	11.3	98	5	5	7	17	26	26	26
35-49	5	18.2	31	9	16	19	22	24	24	24
50-64	3	8.0	1	7	7	8	9	9	9	9
65 +	11	8.8	37	3	4	8	10	20	21	21
2. MULTIPLE DX										
0-19 YRS	46	15.3	256	5	6	11	31	99 +	99 +	99 +
20-34	36	19.4	390	5	8	13	25	67	97	99 +
35-49	56	12.5	60	5	8	10	15	26	34	95
50-64	104	12.9	71	7	8	10	15	21	30	49
65 +	285	15.3	116	7	9	13	18	28	36	72
TOTAL SINGLE DX	44	8.3	40	3	4	6	9	19	22	26
TOTAL MULTIPLE DX	527	14.8	134	6	8	12	18	29	45	99 +
TOTAL										
0-19 YRS	67	12.1	200	3	5	7	18	67	99 +	99 +
20-34	40	18.6	364	5	7	12	25	59	96	99 +
35-49	61	13.0	60	6	8	10	17	26	33	92
50-64	107	12.7	71	7	8	10	15	21	29	49
65 +	296	15.1	115	7	9	12	18	27	36	68
GRAND TOTAL	**571**	**14.3**	**130**	**5**	**8**	**11**	**18**	**28**	**43**	**99 +**

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3907	3.2	4	2	2	3	4	6	7	10
20-34	3179	3.2	2	2	2	3	4	5	7	9
35-49	1272	3.5	4	2	2	3	4	6	8	10
50-64	348	3.9	3	2	3	4	4	6	7	10
65 +	114	4.8	4	3	3	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	1508	5.4	20	2	3	4	7	9	13	24
20-34	1432	4.8	12	2	3	4	6	9	11	17
35-49	771	5.9	18	2	3	5	7	10	13	22
50-64	427	6.8	22	3	4	6	8	12	15	25
65 +	399	7.9	34	3	4	7	10	14	18	28
TOTAL SINGLE DX	8820	3.3	4	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	4537	5.7	20	2	3	4	7	10	13	23
TOTAL										
0-19 YRS	5415	3.8	10	2	2	3	4	7	9	15
20-34	4611	3.7	6	2	2	3	4	7	8	13
35-49	2043	4.4	11	2	2	3	5	8	10	17
50-64	775	5.5	16	2	3	4	7	9	12	19
65 +	513	7.2	30	3	4	6	9	13	16	25
GRAND TOTAL	**13357**	**4.1**	**10**	**2**	**2**	**3**	**5**	**8**	**9**	**16**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	4.5	4	2	3	4	6	8	8	8
20-34	4	9.8	34	5	5	9	14	17	17	17
35-49	4	9.5	7	7	7	9	11	13	13	13
50-64	3	3.3	5	2	2	2	5	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	15	9.8	30	4	6	8	13	18	21	22
20-34	4	13.5	73	4	7	13	20	24	24	24
35-49	4	8.5	13	4	6	8	11	13	13	13
50-64	5	5.0	4	3	3	5	6	8	8	8
65 +	5	13.6	10	9	12	13	16	17	17	17
TOTAL SINGLE DX	24	6.0	15	2	3	5	8	12	14	17
TOTAL MULTIPLE DX	33	9.9	31	4	6	9	13	17	21	24
TOTAL										
0-19 YRS	28	7.3	25	3	4	6	9	15	18	22
20-34	8	11.6	50	4	5	11	16	22	24	24
35-49	8	9.0	9	5	7	9	11	13	13	13
50-64	8	4.4	5	2	2	4	6	7	8	8
65 +	5	13.6	10	9	12	13	16	17	17	17
GRAND TOTAL	**57**	**8.3**	**28**	**3**	**4**	**7**	**11**	**16**	**18**	**24**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.4		< 1	< 1	1	2	3	4	4
20-34	6	2.3	1	1	1	2	3	4	4	4
35-49	8	4.5	4	1	3	5	6	7	7	7
50-64	17	3.1	14	1	1	2	3	10	13	14
65 +	39	2.5	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	36	9.3	199	2	2	4	7	24	37	72
20-34	17	6.4	36	1	2	5	8	15	20	23
35-49	25	4.7	44	1	2	3	6	7	15	35
50-64	59	4.6	22	1	2	3	6	9	12	30
65 +	208	5.6	40	1	2	4	7	11	16	38
TOTAL SINGLE DX	91	2.5	5	< 1	1	2	3	5	6	13
TOTAL MULTIPLE DX	345	5.8	55	1	2	4	7	10	16	38
TOTAL										
0-19 YRS	57	6.4	140	< 1	1	3	6	18	32	70
20-34	23	5.3	30	1	2	4	5	14	18	23
35-49	33	4.7	35	1	2	3	6	7	8	35
50-64	76	4.2	21	1	2	3	5	9	13	27
65 +	247	5.1	35	1	2	3	6	10	14	31
GRAND TOTAL	**436**	**5.1**	**46**	**1**	**2**	**3**	**6**	**10**	**15**	**37**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	3.3	4	1	2	3	4	6	8	9
20-34	72	2.9	3	1	2	2	4	5	7	11
35-49	72	2.8	3	1	1	2	4	6	7	8
50-64	27	2.9	4	1	1	2	4	6	7	8
65 +	15	3.5	11	1	2	2	4	7	12	14
2. MULTIPLE DX										
0-19 YRS	13	6.8	58	1	2	5	9	18	26	28
20-34	62	4.2	14	1	2	3	5	8	13	20
35-49	74	5.2	52	1	2	3	5	10	22	42
50-64	62	5.3	29	1	2	3	7	14	15	27
65 +	52	6.1	33	2	2	4	8	12	15	37
TOTAL SINGLE DX	201	2.9	4	1	1	2	4	5	7	10
TOTAL MULTIPLE DX	263	5.2	35	1	2	3	6	11	15	34
TOTAL										
0-19 YRS	28	4.9	31	1	2	3	5	10	16	28
20-34	134	3.5	9	1	2	3	4	7	8	17
35-49	146	4.0	30	1	1	3	4	7	10	35
50-64	89	4.5	23	1	2	3	5	11	14	25
65 +	67	5.5	29	2	2	4	8	11	14	33
GRAND TOTAL	**464**	**4.2**	**23**	**1**	**2**	**3**	**5**	**9**	**12**	**27**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	7.6	5	4	6	8	9	10	11	12
20-34	9	8.1	6	5	6	8	10	12	12	12
35-49	13	8.6	13	5	6	9	10	13	17	18
50-64	42	7.7	8	4	6	8	10	11	11	13
65 +	44	8.2	13	5	6	8	9	12	13	24
2. MULTIPLE DX										
0-19 YRS	68	7.8	29	4	5	6	8	11	17	37
20-34	24	9.5	32	6	6	8	10	21	23	24
35-49	63	11.6	106	6	7	9	13	17	22	75
50-64	208	12.0	64	7	8	9	13	20	27	65
65 +	501	11.2	37	6	8	10	13	17	22	41
TOTAL SINGLE DX	131	8.0	9	4	6	8	9	11	12	19
TOTAL MULTIPLE DX	864	11.1	49	6	8	9	12	18	23	43
TOTAL										
0-19 YRS	91	7.7	23	4	6	7	9	11	15	33
20-34	33	9.2	25	5	6	8	10	18	22	24
35-49	76	11.1	91	6	7	9	11	16	21	69
50-64	250	11.3	58	6	8	9	12	18	25	62
65 +	545	11.0	36	6	8	10	12	17	22	39
GRAND TOTAL	**995**	**10.7**	**45**	**6**	**8**	**9**	**12**	**17**	**22**	**40**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	2.7	3	< 1	1	2	3	5	7	8
20-34	205	3.1	4	1	2	3	4	6	7	11
35-49	238	3.2	8	1	2	2	4	5	7	16
50-64	199	3.0	3	1	2	3	4	6	6	9
65 +	139	3.8	11	1	2	3	4	7	9	20
2. MULTIPLE DX										
0-19 YRS	225	4.6	43	1	2	3	5	8	13	51
20-34	1071	4.7	29	1	2	3	5	8	11	26
35-49	2007	4.9	23	2	2	4	6	9	12	24
50-64	2408	5.6	31	2	3	4	7	11	15	31
65 +	6593	6.5	32	2	3	5	8	12	17	29
TOTAL SINGLE DX	848	3.2	7	1	2	3	4	6	7	14
TOTAL MULTIPLE DX	12304	5.9	31	2	3	4	7	11	15	28
TOTAL										
0-19 YRS	292	4.1	35	1	1	3	5	7	11	40
20-34	1276	4.4	26	1	2	3	5	8	11	23
35-49	2245	4.7	22	2	2	3	6	9	12	23
50-64	2607	5.4	30	2	3	4	6	11	15	30
65 +	6732	6.4	32	2	3	5	8	12	17	29
GRAND TOTAL	13152	5.7	30	2	3	4	7	11	15	28

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.4	1	< 1	< 1	< 1	1	3	5	5
20-34	39	1.7	1	1	1	1	2	3	3	8
35-49	52	1.8	1	1	1	1	2	3	5	8
50-64	25	1.9	2	< 1	1	1	2	3	6	8
65 +	11	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	33	2.2	4	1	1	2	3	4	6	11
35-49	71	2.6	15	1	1	2	2	4	5	28
50-64	61	2.6	6	1	1	2	3	5	10	13
65 +	38	3.8	22	1	1	2	4	8	15	24
TOTAL SINGLE DX	137	1.7	2	< 1	1	1	2	3	4	8
TOTAL MULTIPLE DX	207	2.7	12	1	1	2	3	5	8	19
TOTAL										
0-19 YRS	14	1.6	2	< 1	< 1	1	1	4	5	5
20-34	72	1.9	3	1	1	1	2	4	5	10
35-49	123	2.2	10	1	1	2	2	4	5	17
50-64	86	2.4	6	1	1	2	2	5	8	12
65 +	49	3.3	19	1	1	2	3	7	13	24
GRAND TOTAL	344	2.3	8	1	1	2	2	4	7	13

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	15	1.4		1	1	1	2	3	3	3
35-49	20	1.7	1	1	1	1	2	3	4	5
50-64	5	3.2	1	2	2	3	4	5	5	5
65 +	6	2.3	2	< 1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	0									
20-34	30	3.2	19	1	1	1	3	9	16	18
35-49	48	2.0	1	1	1	2	3	4	4	5
50-64	36	3.1	9	1	1	2	4	5	9	17
65 +	31	4.4	26	1	2	3	5	8	9	29
TOTAL SINGLE DX	51	1.8	1	1	1	1	2	3	5	5
TOTAL MULTIPLE DX	145	3.0	13	1	1	2	3	5	8	19
TOTAL										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	45	2.6	14	1	1	1	2	4	14	18
35-49	68	1.9	1	1	1	2	3	3	4	5
50-64	41	3.1	9	1	1	2	4	5	8	17
65 +	37	4.1	23	1	2	3	5	8	9	29
GRAND TOTAL	196	2.7	10	1	1	2	3	5	7	18

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	29	2.6	4	1	1	2	3	4	8	10
35-49	80	2.1	1	1	1	2	3	4	4	8
50-64	54	2.1	1	1	1	2	3	4	4	6
65 +	12	2.4	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	225	2.6	3	1	1	2	3	4	6	10
35-49	479	2.5	2	1	1	2	3	4	5	8
50-64	372	2.7	10	1	2	2	3	4	6	11
65 +	251	3.6	15	1	2	3	4	6	9	26
TOTAL SINGLE DX	175	2.2	2	1	1	2	3	4	4	9
TOTAL MULTIPLE DX	1332	2.8	7	1	2	2	3	5	6	11
TOTAL										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	254	2.6	3	1	1	2	3	4	6	10
35-49	559	2.4	2	1	1	2	3	4	5	8
50-64	426	2.6	9	1	2	2	3	4	6	11
65 +	263	3.5	15	1	2	3	4	6	8	26
GRAND TOTAL	1507	2.7	7	1	2	2	3	4	6	11

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	2.7	5	< 1	1	2	4	5	8	10
20-34	66	2.2	2	1	1	2	3	5	5	7
35-49	54	2.6	3	1	1	2	3	6	7	9
50-64	18	2.5	3	1	1	2	3	5	7	8
65 +	17	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	69	6.2	56	1	2	4	7	10	22	44
20-34	76	3.5	10	1	1	3	4	8	10	18
35-49	87	4.5	30	1	2	3	5	8	18	31
50-64	78	4.5	25	1	2	3	5	10	15	29
65 +	91	5.6	34	1	2	4	7	13	15	29
TOTAL SINGLE DX	189	2.4	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	401	4.9	32	1	2	3	5	10	15	29
TOTAL										
0-19 YRS	103	5.0	42	1	2	3	6	9	18	38
20-34	142	2.9	7	1	1	2	3	5	8	15
35-49	141	3.8	21	1	1	2	4	7	11	28
50-64	96	4.1	22	1	2	3	4	9	14	26
65 +	108	5.1	31	1	2	3	6	11	15	29
GRAND TOTAL	**590**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**14**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	9.6	14	5	7	8	13	14	14	14
20-34	6	9.7	27	4	6	8	15	17	17	17
35-49	10	6.2	10	1	4	6	9	10	11	11
50-64	5	5.8	5	3	4	6	8	8	8	8
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	17.7	520	4	4	5	34	44	44	44
20-34	25	10.9	41	4	6	9	14	24	24	24
35-49	26	12.5	111	2	5	9	21	24	35	45
50-64	19	20.7	362	6	8	14	24	57	67	67
65 +	30	10.2	39	4	6	8	14	21	29	99 +
TOTAL SINGLE DX	26	7.6	16	3	4	7	9	14	15	17
TOTAL MULTIPLE DX	103	13.1	137	4	6	9	16	25	43	82
TOTAL										
0-19 YRS	8	12.6	174	4	5	8	13	35	44	44
20-34	31	10.7	38	4	6	9	15	20	24	24
35-49	36	10.8	91	2	5	8	12	24	30	45
50-64	24	17.6	322	5	7	9	19	45	67	67
65 +	30	10.2	40	4	6	8	14	21	29	99 +
GRAND TOTAL	**129**	**12.0**	**118**	**4**	**6**	**8**	**15**	**24**	**32**	**74**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	3.9	15	1	1	3	5	9	10	21
20-34	29	4.5	7	1	2	4	6	7	8	14
35-49	49	3.1	9	< 1	1	1	5	7	10	12
50-64	21	4.1	25	< 1	1	2	7	8	15	22
65 +	14	5.4	33	1	1	4	7	17	19	19
2. MULTIPLE DX										
0-19 YRS	143	10.3	181	1	2	7	11	26	45	80
20-34	174	10.1	101	2	5	7	12	23	31	72
35-49	238	10.5	143	1	4	7	12	24	32	64
50-64	289	11.2	119	2	5	8	13	24	35	60
65 +	405	9.9	61	2	5	8	12	20	25	39
TOTAL SINGLE DX	151	3.9	15	1	1	2	6	7	10	21
TOTAL MULTIPLE DX	1249	10.4	110	2	4	8	12	22	29	61
TOTAL										
0-19 YRS	181	8.9	153	1	1	5	10	20	32	78
20-34	203	9.3	92	2	4	7	11	19	30	63
35-49	287	9.2	128	1	2	6	11	20	27	62
50-64	310	10.8	116	2	4	8	13	23	34	60
65 +	419	9.8	61	2	5	8	12	20	25	39
GRAND TOTAL	**1400**	**9.7**	**103**	**1**	**4**	**7**	**12**	**21**	**28**	**58**

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	185	3.8	3	2	3	4	4	6	7	10
20-34	2060	3.8	4	1	2	3	4	6	8	11
35-49	1913	3.5	4	1	2	3	4	6	7	11
50-64	1375	3.9	6	1	2	4	5	6	8	13
65 +	574	4.2	6	1	3	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	174	5.2	10	2	3	5	6	9	12	17
20-34	2247	5.0	12	2	3	4	6	8	10	17
35-49	3120	5.0	17	2	3	4	6	8	11	20
50-64	3282	5.8	27	2	3	5	7	10	12	28
65 +	4593	7.6	33	3	4	6	9	13	17	31
TOTAL SINGLE DX	6107	3.7	5	1	2	3	4	6	8	11
TOTAL MULTIPLE DX	13416	6.1	26	2	3	5	7	11	14	27
TOTAL										
0-19 YRS	359	4.5	7	2	3	4	5	7	10	15
20-34	4307	4.4	9	2	3	4	5	8	9	14
35-49	5033	4.4	13	2	3	4	5	7	9	17
50-64	4657	5.2	22	2	3	4	6	9	11	24
65 +	5167	7.2	31	3	4	6	9	13	16	30
GRAND TOTAL	**19523**	**5.3**	**20**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	6.0	29	2	3	4	9	14	14	14
65 +	7	3.0	4	1	1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	3	17.0	21	13	14	16	20	22	22	22
20-34	4	7.8	45	2	2	7	13	15	15	15
35-49	4	11.3	90	4	4	9	18	24	24	24
50-64	19	7.3	40	1	2	4	12	16	20	23
65 +	62	8.5	55	2	3	6	10	21	24	33
TOTAL SINGLE DX	14	3.6	12	1	2	3	4	8	13	14
TOTAL MULTIPLE DX	92	8.6	53	2	3	6	12	21	24	32
TOTAL										
0-19 YRS	3	17.0	21	13	14	16	20	22	22	22
20-34	5	6.8	39	2	2	3	13	15	15	15
35-49	6	8.0	80	1	2	4	13	23	24	24
50-64	23	7.1	37	1	2	4	12	15	19	23
65 +	69	7.9	53	1	3	5	9	20	24	32
GRAND TOTAL	106	8.0	50	1	3	5	11	19	24	31

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	1	<1	<1	1	2	4	4	4
20-34	24	4.7	44	1	2	3	5	7	18	34
35-49	40	3.5	9	1	1	2	5	9	11	12
50-64	44	3.9	11	1	2	3	5	8	10	18
65 +	55	3.5	9	1	1	2	5	8	9	14
2. MULTIPLE DX										
0-19 YRS	8	5.9	34	1	1	4	9	15	17	17
20-34	98	8.8	126	2	3	5	11	18	29	62
35-49	180	7.2	54	1	3	5	9	16	21	41
50-64	247	7.3	41	2	3	5	10	14	22	38
65 +	662	7.9	46	2	4	6	10	16	20	32
TOTAL SINGLE DX	168	3.7	15	1	1	3	5	8	10	17
TOTAL MULTIPLE DX	1195	7.7	53	2	3	6	10	16	20	39
TOTAL										
0-19 YRS	13	4.3	25	<1	1	2	6	13	16	17
20-34	122	8.0	113	2	2	5	10	16	27	60
35-49	220	6.5	48	1	2	4	8	15	19	37
50-64	291	6.8	38	2	3	5	9	13	19	34
65 +	717	7.6	45	2	3	6	9	16	20	32
GRAND TOTAL	1363	7.2	50	1	3	5	9	15	20	38

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	7.4	15	2	5	7	10	13	15	15
20-34	21	10.5	192	1	1	5	14	36	44	44
35-49	20	8.3	55	1	3	5	12	19	25	28
50-64	14	7.3	11	3	6	7	9	12	14	14
65 +	10	9.6	38	4	4	7	13	20	21	21
2. MULTIPLE DX										
0-19 YRS	28	13.0	97	5	8	10	14	26	31	53
20-34	41	11.7	164	4	5	7	15	24	51	99 +
35-49	84	10.4	71	3	6	8	11	22	33	37
50-64	136	11.3	72	4	6	9	13	23	27	42
65 +	389	14.4	103	6	8	12	18	26	32	48
TOTAL SINGLE DX	76	8.7	76	1	3	6	10	21	26	44
TOTAL MULTIPLE DX	678	13.1	99	5	7	10	16	25	32	53
TOTAL										
0-19 YRS	39	11.4	80	5	7	10	12	19	28	53
20-34	62	11.3	171	1	4	7	14	28	44	97
35-49	104	10.0	68	3	5	8	11	22	31	37
50-64	150	10.9	68	4	6	9	12	22	26	40
65 +	399	14.3	102	6	8	12	18	26	32	48
GRAND TOTAL	754	12.6	98	4	7	10	16	24	31	52

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	8.7	9	6	6	8	11	12	12	12
20-34	7	7.0	14	2	5	7	10	12	12	12
35-49	5	13.8	123	3	4	14	21	30	30	30
50-64	9	7.1	14	1	4	8	10	11	12	12
65 +	12	11.9	72	<1	5	11	18	23	26	27
2. MULTIPLE DX										
0-19 YRS	9	30.3	846	8	12	16	48	80	87	87
20-34	55	20.4	294	8	10	14	27	40	77	99
35-49	105	21.4	307	6	9	15	29	45	53	87
50-64	128	20.3	291	6	9	15	25	48	61	99 +
65 +	142	19.0	317	5	8	13	22	38	62	96
TOTAL SINGLE DX	36	9.8	50	1	5	8	13	20	25	30
TOTAL MULTIPLE DX	439	20.4	314	6	9	14	25	44	61	96
TOTAL										
0-19 YRS	12	24.9	713	6	9	14	29	74	85	87
20-34	62	18.9	280	7	9	13	26	38	66	98
35-49	110	21.0	300	5	9	15	29	44	52	87
50-64	137	19.5	284	6	9	14	24	47	60	99 +
65 +	154	18.5	301	5	8	13	21	38	60	96
GRAND TOTAL	475	19.6	302	5	9	14	24	42	60	96

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	2.6	6	<1	1	2	3	6	7	15
20-34	73	2.9	3	1	2	2	4	5	7	11
35-49	69	4.2	12	1	2	3	5	9	10	20
50-64	51	4.1	9	1	2	3	5	9	10	14
65 +	41	3.4	4	1	2	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	117	5.0	43	1	2	3	5	9	17	37
20-34	181	5.6	47	1	2	4	6	11	15	43
35-49	285	5.3	25	1	2	4	7	11	15	24
50-64	337	6.0	27	2	3	5	7	11	15	35
65 +	1496	7.4	41	2	4	6	9	14	20	35
TOTAL SINGLE DX	294	3.5	8	1	1	3	4	7	9	15
TOTAL MULTIPLE DX	2416	6.7	39	2	3	5	8	13	18	35
TOTAL										
0-19 YRS	177	4.2	32	1	1	3	5	8	11	26
20-34	254	4.9	36	1	2	3	6	9	13	39
35-49	354	5.1	23	1	2	4	6	10	13	24
50-64	388	5.8	26	2	3	4	7	10	14	32
65 +	1537	7.3	41	2	3	5	9	14	19	35
GRAND TOTAL	2710	6.4	37	2	3	5	8	13	17	33

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	268	1.1		<1	<1	1	1	1	2	4
20-34	111	1.8	3	1	1	1	2	3	4	13
35-49	125	1.6	1	<1	1	1	2	3	4	7
50-64	156	1.4		1	1	1	2	3	3	5
65 +	177	1.9	1	1	1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	280	2.3	54	<1	<1	1	1	3	5	84
20-34	97	2.0	4	1	1	1	2	4	5	14
35-49	142	2.9	10	1	1	2	3	7	9	18
50-64	271	2.7	6	1	1	2	3	5	8	13
65 +	858	3.8	21	1	1	2	4	8	12	24
TOTAL SINGLE DX	837	1.5	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	1648	3.2	23	1	1	2	3	6	10	23
TOTAL										
0-19 YRS	548	1.7	28	<1	<1	1	1	2	4	23
20-34	208	1.9	4	1	1	1	2	3	4	13
35-49	267	2.3	6	1	1	1	2	4	7	14
50-64	427	2.2	5	1	1	1	3	4	6	12
65 +	1035	3.5	19	1	1	2	4	7	11	23
GRAND TOTAL	2485	2.6	16	<1	1	1	3	5	8	18

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	308	1.1		<1	<1	1	1	1	2	4
20-34	23	1.7		1	1	2	2	3	3	3
35-49	61	1.5		1	1	1	2	2	3	4
50-64	58	1.4		1	1	1	2	2	3	4
65 +	54	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	364	2.4	64	<1	1	1	1	3	30	99 +
20-34	25	2.0	1	1	1	2	2	4	5	6
35-49	69	1.9	2	1	1	2	2	4	5	8
50-64	92	2.0	3	1	1	2	2	3	3	14
65 +	259	2.9	7	1	1	2	3	6	8	14
TOTAL SINGLE DX	504	1.3	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	809	2.5	32	1	1	1	2	4	7	99 +
TOTAL										
0-19 YRS	672	1.8	36	<1	<1	1	1	2	4	99 +
20-34	48	1.9	1	1	1	2	2	3	4	6
35-49	130	1.7	1	1	1	1	2	3	4	7
50-64	150	1.8	3	1	1	1	2	3	3	9
65 +	313	2.7	7	1	1	2	3	5	7	13
GRAND TOTAL	1313	2.0	20	<1	1	1	2	3	5	95

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.0	1	<1	1	2	3	3	3	3
35-49	19	2.5	6	1	1	1	3	5	8	11
50-64	27	1.9	1	1	1	2	2	3	4	5
65 +	27	2.7	3	1	1	2	4	6	6	7
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	1.9	1	1	1	2	3	4	4	4
35-49	23	2.8	6	1	1	2	3	5	10	10
50-64	26	3.9	11	1	2	3	4	10	12	14
65 +	150	6.8	31	1	2	5	9	13	17	25
TOTAL SINGLE DX	80	2.3	3	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	210	5.7	27	1	2	4	9	12	14	25
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	1.9	1	1	1	2	3	3	4	4
35-49	42	2.6	6	1	1	2	3	5	10	11
50-64	53	2.8	7	1	1	2	3	6	10	14
65 +	177	6.1	29	1	2	5	9	13	16	25
GRAND TOTAL	290	4.8	23	1	1	3	7	11	14	24

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.6	2	< 1	< 1	< 1	1	4	6	6
20-34	22	1.7	1	< 1	1	1	2	3	4	6
35-49	42	1.8	1	< 1	1	1	2	3	5	6
50-64	32	2.7	3	< 1	1	2	4	5	7	7
65 +	18	2.2	1	< 1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	4.4	59	< 1	1	2	5	15	47	99 +
20-34	31	3.4	29	1	1	2	4	6	9	31
35-49	70	3.4	14	1	1	2	4	7	11	20
50-64	95	3.7	6	1	2	3	5	7	8	13
65 +	109	4.0	17	1	2	3	5	7	12	25
TOTAL SINGLE DX	163	1.9	2	< 1	< 1	1	2	4	5	7
TOTAL MULTIPLE DX	331	3.7	18	1	1	3	5	7	11	31
TOTAL										
0-19 YRS	75	2.6	23	< 1	< 1	1	2	6	10	84
20-34	53	2.7	19	1	1	2	3	5	6	30
35-49	112	2.8	10	1	1	2	3	6	9	19
50-64	127	3.4	6	1	2	3	5	6	7	12
65 +	127	3.7	15	1	2	3	5	6	9	23
GRAND TOTAL	494	3.1	13	<1	1	2	4	6	8	21

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.8	1	< 1	< 1	< 1	3	4	4	4
20-34	79	2.4	3	1	1	2	3	5	6	10
35-49	245	2.8	2	1	1	2	4	5	6	9
50-64	217	2.8	2	1	2	2	4	5	6	8
65 +	186	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	18	4.2	48	< 1	1	2	5	7	22	31
20-34	81	3.2	2	1	2	3	4	5	6	8
35-49	355	4.0	10	1	2	3	5	7	10	17
50-64	497	4.6	18	1	2	3	5	9	12	21
65 +	844	5.3	22	2	2	4	7	10	14	25
TOTAL SINGLE DX	749	2.8	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	1795	4.7	19	1	2	4	6	9	12	23
TOTAL										
0-19 YRS	40	2.9	24	< 1	< 1	1	3	5	7	31
20-34	160	2.8	3	1	1	2	4	5	6	9
35-49	600	3.5	7	1	2	3	4	6	8	15
50-64	714	4.0	14	1	2	3	5	7	10	18
65 +	1030	4.9	20	1	2	4	6	9	13	25
GRAND TOTAL	2544	4.2	15	1	2	3	5	8	11	20

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.3	3	3	4	5	6	8	9	9
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	9	6.2	13	2	4	6	8	12	13	13
50-64	6	4.8	5	1	3	5	7	7	7	7
65 +	9	6.2	12	2	4	7	8	11	13	13
2. MULTIPLE DX										
0-19 YRS	27	12.6	154	4	5	9	15	49	99 +	99 +
20-34	22	10.3	105	3	4	8	11	27	38	39
35-49	46	6.3	15	3	4	6	7	12	14	24
50-64	66	7.5	9	4	5	7	9	13	14	15
65 +	119	10.4	37	4	6	9	13	19	24	29
TOTAL SINGLE DX	39	5.8	8	3	4	5	7	10	12	13
TOTAL MULTIPLE DX	280	9.3	47	4	5	7	11	17	24	49
TOTAL										
0-19 YRS	40	10.2	116	4	5	7	13	39	70	99 +
20-34	24	10.1	97	3	4	8	10	24	38	39
35-49	55	6.3	15	3	4	6	7	12	14	24
50-64	72	7.3	9	4	5	7	9	12	14	15
65 +	128	10.1	37	4	6	8	12	19	24	29
GRAND TOTAL	319	8.8	43	4	5	7	11	15	23	47

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	3.6	8	1	1	3	5	8	11	11
20-34	75	4.0	16	1	1	3	5	7	13	23
35-49	89	4.4	21	1	2	3	6	8	10	30
50-64	50	4.9	33	1	2	4	6	8	10	37
65 +	37	5.6	19	1	3	4	7	13	14	21
2. MULTIPLE DX										
0-19 YRS	118	9.3	105	2	4	6	10	24	33	48
20-34	270	6.2	31	2	3	4	8	13	17	35
35-49	615	7.2	46	2	3	5	9	14	19	34
50-64	708	8.0	47	2	4	6	10	16	22	36
65 +	839	9.5	65	3	4	7	12	18	25	40
TOTAL SINGLE DX	316	4.4	20	1	2	3	6	8	11	23
TOTAL MULTIPLE DX	2550	8.2	56	2	4	6	10	16	22	36
TOTAL										
0-19 YRS	183	7.3	78	1	2	5	8	15	28	36
20-34	345	5.7	29	1	3	4	7	12	16	30
35-49	704	6.9	44	2	3	5	8	14	18	34
50-64	758	7.8	47	2	3	6	10	16	22	36
65 +	876	9.3	65	3	4	7	11	18	24	40
GRAND TOTAL	2866	7.8	53	2	3	6	10	16	21	36

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	4.5	22	2	2	3	5	7	9	29
20-34	231	4.8	14	2	3	4	5	8	11	19
35-49	115	5.9	22	2	3	5	7	10	17	26
50-64	41	6.8	14	3	4	6	8	11	14	20
65 +	27	8.9	150	3	4	5	7	20	32	63
2. MULTIPLE DX										
0-19 YRS	247	9.2	121	3	4	6	10	22	39	99 +
20-34	523	7.4	60	2	3	5	8	15	23	59
35-49	353	9.6	89	3	4	6	12	20	26	57
50-64	222	12.6	125	4	6	9	16	25	32	69
65 +	428	12.9	95	4	7	10	15	25	32	47
TOTAL SINGLE DX	536	5.3	26	2	3	4	6	9	12	25
TOTAL MULTIPLE DX	1773	10.0	96	3	4	7	12	21	28	61
TOTAL										
0-19 YRS	369	7.7	93	2	3	5	8	17	27	99 +
20-34	754	6.6	48	2	3	5	7	13	18	40
35-49	468	8.7	75	3	4	6	10	18	25	53
50-64	263	11.7	113	4	5	8	15	24	31	65
65 +	455	12.6	100	4	7	10	15	25	32	49
GRAND TOTAL	**2309**	**8.9**	**84**	**3**	**4**	**6**	**11**	**19**	**26**	**56**

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	2.4	4	1	1	2	3	5	7	10
20-34	257	2.6	3	<1	1	2	4	5	6	9
35-49	78	2.8	4	<1	1	2	4	6	7	8
50-64	11	2.5	5	<1	<1	2	3	6	9	9
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	105	3.0	4	1	1	2	4	5	7	11
20-34	444	3.0	4	1	1	3	4	6	7	11
35-49	140	3.4	6	<1	1	3	5	7	8	11
50-64	18	6.2	47	<1	1	2	11	19	21	21
65 +	41	6.2	54	1	2	4	6	15	23	36
TOTAL SINGLE DX	421	2.6	4	<1	1	2	4	5	7	9
TOTAL MULTIPLE DX	748	3.3	9	1	1	3	4	6	8	14
TOTAL										
0-19 YRS	177	2.7	4	1	1	2	4	5	7	11
20-34	701	2.9	4	<1	1	2	4	5	7	10
35-49	218	3.2	6	<1	1	3	4	7	8	11
50-64	29	4.8	34	<1	1	2	6	13	21	21
65 +	44	5.9	52	1	2	3	6	14	23	36
GRAND TOTAL	**1169**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	6.3	17	2	4	6	7	10	15	23
20-34	123	4.7	8	1	3	4	6	8	11	15
35-49	102	5.9	28	2	3	5	7	10	12	32
50-64	85	6.3	12	2	4	6	8	10	13	17
65 +	72	7.2	10	3	4	7	9	12	13	14
2. MULTIPLE DX										
0-19 YRS	207	9.6	113	2	4	6	11	23	34	82
20-34	570	6.2	46	2	3	4	7	12	17	35
35-49	596	7.8	49	2	4	6	10	16	21	39
50-64	518	10.6	124	3	5	8	12	20	27	67
65 +	1056	12.0	70	4	7	10	15	21	28	45
TOTAL SINGLE DX	448	5.9	16	2	3	5	8	10	12	18
TOTAL MULTIPLE DX	2947	9.6	79	3	4	7	12	18	25	47
TOTAL										
0-19 YRS	273	8.8	92	2	4	6	9	18	33	68
20-34	693	5.9	40	2	3	4	7	11	16	32
35-49	698	7.5	46	2	3	5	9	15	20	39
50-64	603	10.0	111	2	5	8	11	18	24	66
65 +	1128	11.7	68	4	7	10	14	20	27	45
GRAND TOTAL	**3395**	**9.1**	**72**	**2**	**4**	**7**	**11**	**17**	**24**	**46**

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	5.4	6	2	3	6	8	8	8	9
20-34	25	6.0	5	4	5	6	6	8	10	15
35-49	48	6.0	2	4	5	6	7	8	8	10
50-64	58	6.2	1	4	5	6	7	8	8	10
65 +	38	6.9	5	4	5	7	8	10	12	13
2. MULTIPLE DX										
0-19 YRS	93	7.7	47	2	3	6	9	14	24	38
20-34	91	9.5	75	5	6	7	11	16	20	56
35-49	156	8.9	99	4	5	6	9	14	17	71
50-64	260	9.3	54	5	6	7	10	15	21	49
65 +	381	10.0	53	5	6	8	11	16	22	41
TOTAL SINGLE DX	200	6.1	4	4	5	6	7	8	9	13
TOTAL MULTIPLE DX	981	9.4	63	4	6	7	10	15	21	46
TOTAL										
0-19 YRS	124	7.1	38	2	3	6	8	12	18	32
20-34	116	8.8	62	5	5	7	9	16	19	43
35-49	204	8.2	78	4	5	6	8	13	15	57
50-64	318	8.7	46	5	5	7	9	14	20	47
65 +	419	9.7	50	5	6	8	11	15	21	41
GRAND TOTAL	**1181**	**8.8**	**54**	**4**	**5**	**7**	**9**	**14**	**20**	**43**

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.0	25	<1	1	1	5	13	15	15
20-34	15	4.3	3	2	3	5	5	7	8	8
35-49	20	3.8	4	2	2	3	5	7	8	8
50-64	20	3.7	3	1	2	4	5	6	7	7
65 +	7	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	19	6.6	40	2	3	4	8	18	22	24
20-34	48	8.3	75	3	3	5	10	19	22	48
35-49	53	7.0	44	2	3	6	9	15	18	41
50-64	78	5.8	25	1	2	5	7	11	15	28
65 +	179	10.2	82	2	5	8	13	19	27	52
TOTAL SINGLE DX	71	3.8	6	1	2	3	5	7	8	14
TOTAL MULTIPLE DX	377	8.4	65	2	4	6	10	17	23	47
TOTAL										
0-19 YRS	28	5.8	36	1	2	4	7	16	19	24
20-34	63	7.4	61	2	3	5	8	17	21	46
35-49	73	6.1	36	2	2	4	8	13	15	37
50-64	98	5.3	22	1	2	4	6	10	13	27
65 +	186	9.9	82	2	4	8	13	19	27	52
GRAND TOTAL	**448**	**7.7**	**59**	**2**	**3**	**5**	**9**	**16**	**21**	**43**

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	15.5	5	14	14	15	17	17	17	17
20-34	12	13.1	39	6	8	12	16	22	26	27
35-49	15	12.4	22	8	9	11	15	16	23	26
50-64	8	11.8	31	8	8	10	12	21	25	25
65 +	0									
2. MULTIPLE DX										
0-19 YRS	27	12.4	32	7	8	11	15	21	24	27
20-34	97	12.5	78	7	8	9	14	25	30	80
35-49	128	15.5	181	8	9	11	15	28	51	75
50-64	80	15.2	140	7	8	11	19	24	35	75
65 +	20	10.9	16	6	8	10	13	17	19	20
TOTAL SINGLE DX	37	12.6	28	7	8	12	15	20	26	27
TOTAL MULTIPLE DX	352	14.1	124	7	8	10	15	24	32	73
TOTAL										
0-19 YRS	29	12.6	31	7	8	12	15	21	24	27
20-34	109	12.6	74	7	8	10	14	24	30	75
35-49	143	15.2	165	8	9	11	15	26	46	74
50-64	88	14.9	131	7	8	11	18	24	32	73
65 +	20	10.9	16	6	8	10	13	17	19	20
GRAND TOTAL	**389**	**14.0**	**115**	**7**	**8**	**11**	**15**	**24**	**31**	**72**

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	149	3.3	4	1	2	3	4	6	7	9
20-34	94	4.0	10	1	1	4	5	7	8	19
35-49	62	3.3	5	1	1	3	5	6	8	10
50-64	31	3.5	9	1	1	2	5	6	8	15
65 +	18	4.1	3	1	3	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	246	5.2	21	1	2	4	6	10	16	28
20-34	278	6.5	45	1	2	5	8	13	19	38
35-49	283	6.3	44	1	2	5	8	13	17	40
50-64	214	7.0	58	1	2	5	8	16	22	46
65 +	252	9.4	62	2	4	7	12	19	27	42
TOTAL SINGLE DX	354	3.5	6	1	2	3	5	7	8	13
TOTAL MULTIPLE DX	1273	6.8	48	1	2	5	8	15	20	39
TOTAL										
0-19 YRS	395	4.5	16	1	2	4	6	8	11	23
20-34	372	5.8	38	1	2	5	7	12	18	37
35-49	345	5.8	39	1	2	4	8	12	16	39
50-64	245	6.5	53	1	2	4	8	15	21	44
65 +	270	9.0	60	2	4	7	12	19	26	40
GRAND TOTAL	**1627**	**6.1**	**41**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.0	6	<1	<1	2	5	7	7	7
20-34	17	4.2	6	1	3	4	5	6	10	12
35-49	23	3.9	8	1	1	4	5	9	10	10
50-64	16	4.2	6	1	2	5	6	7	8	8
65+	6	3.8	3	1	2	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	7	3.3	5	<1	<1	4	5	7	7	7
20-34	15	4.1	6	2	2	3	6	8	9	10
35-49	29	5.0	20	1	2	4	7	9	10	24
50-64	39	6.1	34	1	3	5	7	13	15	34
65+	52	7.9	24	3	5	7	10	14	17	29
TOTAL SINGLE DX	69	3.9	7	1	2	4	5	7	9	12
TOTAL MULTIPLE DX	142	6.2	25	1	3	5	8	12	15	29
TOTAL										
0-19 YRS	14	3.1	6	<1	<1	2	5	7	7	7
20-34	32	4.2	6	1	3	4	5	7	10	12
35-49	52	4.5	15	1	2	4	6	9	9	24
50-64	55	5.5	27	1	3	5	7	9	15	33
65+	58	7.5	24	2	5	6	10	14	16	28
GRAND TOTAL	211	5.4	20	1	3	5	7	10	14	26

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	168	4.5	3	3	3	4	5	6	8	10
20-34	9	6.3	12	4	4	5	7	12	15	15
35-49	6	9.2	37	5	5	7	10	20	21	21
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	6.7	30	1	2	7	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	216	6.0	13	3	4	5	7	11	13	19
20-34	28	9.1	27	4	6	8	10	14	24	26
35-49	29	11.4	55	5	6	9	16	22	24	34
50-64	29	8.5	10	5	7	8	10	14	14	15
65+	73	11.5	43	4	7	10	15	21	24	32
TOTAL SINGLE DX	187	4.7	6	3	4	4	5	7	8	16
TOTAL MULTIPLE DX	375	7.9	29	3	4	6	10	14	20	29
TOTAL										
0-19 YRS	384	5.3	9	3	4	5	6	8	11	17
20-34	37	8.4	25	4	5	7	10	14	21	26
35-49	35	11.1	52	5	6	8	14	21	23	34
50-64	30	8.3	11	4	6	8	10	14	14	15
65+	76	11.3	44	4	7	10	14	21	24	31
GRAND TOTAL	562	6.8	23	3	4	5	8	12	17	26

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.0	1	1	1	2	3	4	4	4
20-34	186	2.1	1	1	1	2	3	3	4	7
35-49	288	2.0	1	1	1	2	2	4	5	7
50-64	158	1.8	1	1	1	1	2	3	5	7
65+	55	2.4	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	18	2.8	3	1	1	2	4	6	6	6
20-34	140	3.2	10	1	1	2	4	6	8	14
35-49	225	2.9	5	1	1	2	4	5	7	11
50-64	179	4.0	50	1	1	3	4	6	9	54
65+	235	4.0	13	1	2	3	5	8	11	18
TOTAL SINGLE DX	706	2.0	2	1	1	2	2	3	5	7
TOTAL MULTIPLE DX	797	3.5	19	1	2	2	4	6	9	18
TOTAL										
0-19 YRS	37	2.4	2	1	1	2	3	5	6	6
20-34	326	2.6	6	1	1	2	3	5	7	12
35-49	513	2.4	3	1	1	2	3	5	6	9
50-64	337	3.0	28	1	1	2	3	5	7	19
65+	290	3.7	11	1	2	3	4	7	11	17
GRAND TOTAL	1503	2.8	11	1	1	2	3	5	7	13

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	1.9	4	<1	<1	<1	2	3	9	10
20-34	10	2.5	4	<1	1	2	3	6	6	6
35-49	11	2.9	5	1	2	2	3	6	10	10
50-64	17	3.1	6	1	2	3	3	6	10	11
65+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	38	6.6	32	2	3	5	9	12	12	34
20-34	17	5.4	8	2	3	5	8	9	10	11
35-49	23	6.1	34	1	3	6	7	9	19	30
50-64	21	6.1	52	1	2	4	8	13	24	32
65+	55	8.6	55	2	4	7	11	20	22	42
TOTAL SINGLE DX	92	2.3	5	<1	<1	1	3	4	9	11
TOTAL MULTIPLE DX	154	7.0	42	1	3	6	9	12	21	34
TOTAL										
0-19 YRS	89	3.9	22	<1	<1	2	5	10	11	26
20-34	27	4.3	9	1	2	4	6	9	10	11
35-49	34	5.1	27	1	2	4	6	8	12	30
50-64	38	4.8	34	1	2	3	7	10	15	32
65+	58	8.2	56	1	4	6	10	20	22	41
GRAND TOTAL	246	5.3	33	<1	1	4	7	11	15	32

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	2.3	2	<1	<1	1	3	5	5	6
20-34	76	2.2	3	1	1	2	2	4	5	12
35-49	98	2.1	1	1	1	2	3	4	5	6
50-64	65	3.0	8	1	2	2	3	5	8	18
65+	34	2.5	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	95	5.1	75	<1	1	3	6	8	11	59
20-34	201	6.5	64	1	2	4	7	14	24	43
35-49	253	5.5	67	1	2	3	6	11	15	42
50-64	342	5.7	49	1	2	4	7	11	18	48
65+	947	8.4	68	2	3	6	11	19	24	42
TOTAL SINGLE DX	313	2.4	4	<1	1	2	3	5	5	11
TOTAL MULTIPLE DX	1838	7.1	66	1	2	5	8	15	22	43
TOTAL										
0-19 YRS	135	4.3	56	<1	1	2	5	7	10	53
20-34	277	5.4	51	1	2	3	6	10	19	41
35-49	351	4.5	51	1	1	3	5	9	13	33
50-64	407	5.3	44	1	2	3	6	11	17	41
65+	981	8.2	67	2	3	6	10	18	24	41
GRAND TOTAL	**2151**	**6.4**	**60**	**1**	**2**	**4**	**8**	**14**	**20**	**42**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	12	1.8		<1	1	2	2	3	3	3
35-49	44	1.9	5	1	1	1	2	3	6	15
50-64	135	1.8		1	1	2	2	3	3	6
65+	245	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	12	2.3	2	<1	1	2	4	4	4	4
20-34	18	2.5	9	1	1	1	3	5	10	14
35-49	73	4.2	43	1	1	2	4	10	19	36
50-64	342	3.3	37	1	1	2	3	6	10	33
65+	1597	3.7	20	1	1	2	4	8	12	25
TOTAL SINGLE DX	437	1.8	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	2042	3.7	24	1	1	2	4	7	12	26
TOTAL										
0-19 YRS	13	2.5	2	<1	1	2	4	4	5	5
20-34	30	2.2	6	1	1	1	3	4	5	14
35-49	117	3.3	30	1	1	1	3	7	14	35
50-64	477	2.9	27	1	1	2	3	4	7	31
65+	1842	3.5	18	1	1	2	4	7	10	24
GRAND TOTAL	**2479**	**3.3**	**21**	**1**	**1**	**2**	**3**	**7**	**10**	**25**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	6.7	24	1	3	9	10	10	10	10
35-49	9	2.1	1	<1	1	3	3	3	3	3
50-64	5	1.2		1	1	1	2	2	2	2
65+	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	7	4.0	44	1	1	2	2	16	19	19
35-49	18	5.9	136	<1	1	2	3	39	74	99+
50-64	44	5.2	46	1	1	2	4	18	21	29
65+	112	4.0	15	1	2	3	4	10	14	18
TOTAL SINGLE DX	20	2.4	7	<1	1	1	3	6	9	10
TOTAL MULTIPLE DX	183	4.4	35	1	2	2	4	13	18	39
TOTAL										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	4.8	36	1	1	2	9	14	19	19
35-49	27	4.7	93	<1	1	2	3	24	49	99+
50-64	49	4.8	43	1	1	2	4	16	19	29
65+	115	3.9	15	1	2	3	4	9	14	18
GRAND TOTAL	**203**	**4.2**	**32**	**1**	**1**	**2**	**4**	**12**	**18**	**37**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	3.9	11	1	1	3	5	9	11	15
20-34	18	6.6	106	2	3	4	6	9	32	47
35-49	31	3.5	3	1	2	3	5	5	7	9
50-64	45	4.1	9	1	2	3	7	9	10	12
65+	47	5.0	45	1	1	2	7	11	16	40
2. MULTIPLE DX										
0-19 YRS	179	7.0	33	2	3	6	9	13	17	39
20-34	88	7.8	166	1	2	5	9	12	18	87
35-49	130	6.9	39	2	3	5	8	15	19	56
50-64	233	7.1	44	1	2	5	11	15	22	49
65+	662	8.6	75	1	2	6	12	20	26	43
TOTAL SINGLE DX	174	4.5	29	1	2	3	5	9	11	35
TOTAL MULTIPLE DX	1292	7.9	67	2	3	5	11	17	24	44
TOTAL										
0-19 YRS	212	6.5	31	1	3	5	9	13	15	34
20-34	106	7.6	155	1	2	5	8	12	18	82
35-49	161	6.2	34	2	3	5	8	12	18	44
50-64	278	6.6	40	1	2	4	10	14	19	40
65+	709	8.3	75	1	2	5	11	19	26	42
GRAND TOTAL	**1466**	**7.5**	**64**	**1**	**2**	**5**	**10**	**16**	**23**	**43**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	4.3	25	<1	<1	3	5	13	15	15
20-34	0									
35-49	0									
50-64	0									
65 +	7	3.6	5	1	1	3	6	6	6	6
TOTAL SINGLE DX	6	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	14	3.9	14	<1	1	3	6	7	13	15
TOTAL										
0-19 YRS	13	2.8	15	<1	<1	<1	3	7	13	15
20-34	0									
35-49	0									
50-64	0									
65 +	7	3.6	6	1	1	3	6	6	6	6
GRAND TOTAL	20	3.1	12	<1	<1	1	4	6	11	15

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	273	1.8	2	<1	<1	1	2	4	6	8
20-34	20	2.6	4	<1	1	2	3	7	7	7
35-49	29	2.2	1	1	1	2	3	4	4	5
50-64	20	2.4	1	1	1	2	3	4	5	5
65 +	14	2.1	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	144	2.8	7	<1	1	2	4	6	8	15
20-34	22	4.4	11	1	1	4	6	8	11	15
35-49	32	3.4	10	1	1	3	4	6	8	18
50-64	42	4.0	28	1	2	3	4	6	9	35
65 +	70	4.1	10	1	2	3	5	7	9	21
TOTAL SINGLE DX	356	2.0	3	<1	1	1	2	4	6	7
TOTAL MULTIPLE DX	310	3.4	12	1	1	3	4	7	8	16
TOTAL										
0-19 YRS	417	2.2	4	<1	1	1	3	5	7	10
20-34	42	3.5	9	<1	1	2	5	7	8	15
35-49	61	2.8	7	1	1	2	3	5	7	17
50-64	62	3.5	20	1	2	3	4	5	7	32
65 +	84	3.8	9	1	2	3	5	7	8	19
GRAND TOTAL	666	2.6	7	<1	1	2	3	6	7	14

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	2.7	8	<1	<1	1	4	8	8	8
20-34	13	9.1	210	1	2	3	8	34	47	50
35-49	16	5.7	37	1	2	4	5	16	21	23
50-64	27	10.1	129	1	4	7	11	25	44	44
65 +	111	7.6	91	2	3	6	9	14	18	57
TOTAL SINGLE DX	13	1.7	1	<1	1	1	2	3	5	5
TOTAL MULTIPLE DX	173	7.8	98	1	3	6	9	15	22	49
TOTAL										
0-19 YRS	10	2.1	5	<1	<1	1	2	6	8	8
20-34	17	7.6	166	1	2	3	6	26	43	50
35-49	18	5.2	35	1	1	3	5	15	20	23
50-64	28	9.8	128	1	3	6	11	24	44	44
65 +	113	7.5	90	1	3	6	9	14	18	56
GRAND TOTAL	186	7.4	94	1	2	5	8	14	22	48

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.3	1	<1	<1	<1	1	3	4	4
20-34	14	1.4		<1	1	1	2	2	3	3
35-49	19	1.7	2	1	1	1	1	4	6	7
50-64	15	2.0	2	1	1	1	2	5	5	5
65 +	25	2.1	2	1	1	2	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	15	4.0	8	<1	1	4	6	8	9	10
20-34	37	3.6	19	1	1	2	4	8	11	24
35-49	34	2.8	11	1	1	2	3	5	6	20
50-64	75	2.5	12	1	1	2	3	5	5	24
65 +	298	3.6	15	1	2	3	4	7	10	21
TOTAL SINGLE DX	82	1.8	2	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	459	3.4	15	1	1	2	4	6	9	21
TOTAL										
0-19 YRS	24	3.0	7	<1	<1	1	5	7	9	10
20-34	51	3.0	15	1	1	1	3	8	10	24
35-49	53	2.4	8	1	1	1	3	5	6	20
50-64	90	2.5	11	1	1	2	3	5	5	22
65 +	323	3.5	14	1	2	2	4	6	9	21
GRAND TOTAL	541	3.1	13	1	1	2	3	6	9	21

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	12	3.5	2	2	2	3	4	6	7	7
35-49	75	3.4	1	2	3	3	4	4	5	7
50-64	84	3.5	1	2	3	3	4	5	6	7
65 +	43	3.8	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	25	3.4		3	3	3	4	4	5	5
35-49	197	4.0	2	3	3	4	4	5	7	10
50-64	219	4.4	2	3	3	4	5	6	8	12
65 +	225	4.9	5	3	4	4	6	7	10	15
TOTAL SINGLE DX	214	3.5	1	2	3	4	4	5	6	7
TOTAL MULTIPLE DX	668	4.4	4	3	3	4	5	6	8	13
TOTAL										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	37	3.4	1	2	3	3	4	5	5	7
35-49	272	3.8	2	2	3	4	4	5	6	9
50-64	303	4.1	3	3	3	4	5	6	7	10
65 +	268	4.8	5	3	4	4	5	7	9	15
GRAND TOTAL	**882**	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	16	2.4		1	2	3	3	3	3	3
35-49	129	2.7		2	2	3	3	4	4	5
50-64	177	3.0	1	2	2	3	4	4	5	7
65 +	136	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	40	3.7	6	2	3	3	4	5	6	18
35-49	281	3.2	1	2	2	3	4	5	5	7
50-64	327	3.3	1	2	3	3	4	5	6	8
65 +	373	3.7	3	2	3	3	4	5	7	10
TOTAL SINGLE DX	461	2.9	1	2	2	3	4	4	5	6
TOTAL MULTIPLE DX	1023	3.5	2	2	3	3	4	5	6	8
TOTAL										
0-19 YRS	5	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	56	3.3	5	2	2	3	3	5	6	17
35-49	410	3.1	1	2	2	3	4	4	5	7
50-64	504	3.2	2	2	2	3	4	5	6	8
65 +	509	3.6	3	2	3	3	4	5	6	8
GRAND TOTAL	**1484**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	2.1	1	<1	1	2	3	4	4	4
20-34	55	2.1	3	1	1	2	3	3	5	12
35-49	87	2.3	3	1	1	2	3	4	6	10
50-64	42	1.9	1	1	1	2	2	3	4	4
65 +	18	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	12	4.9	25	1	2	3	6	12	18	19
20-34	99	3.7	9	1	2	3	4	7	11	16
35-49	151	4.4	20	1	2	3	6	9	14	37
50-64	131	4.2	22	1	2	3	5	9	12	28
65 +	217	6.3	23	1	3	5	9	13	15	23
TOTAL SINGLE DX	215	2.2	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	610	4.9	22	1	2	3	7	11	14	23
TOTAL										
0-19 YRS	25	3.4	14	<1	1	3	4	7	11	19
20-34	154	3.1	8	1	1	2	3	6	10	14
35-49	238	3.7	15	1	1	2	5	8	11	21
50-64	173	3.6	19	1	1	2	4	7	10	23
65 +	235	6.0	23	1	3	4	8	13	15	23
GRAND TOTAL	**825**	**4.2**	**18**	**1**	**2**	**3**	**5**	**9**	**13**	**20**

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	12	2.6	10	<1	1	1	2	8	11	11
35-49	18	2.3	2	<1	1	2	3	5	5	5
50-64	9	1.1		<1	<1	1	1	2	2	2
65 +	4	1.8	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	4.1	37	1	1	2	4	13	21	21
35-49	23	3.7	58	1	1	1	3	6	21	37
50-64	20	2.3	3	1	1	1	4	5	6	7
65 +	37	4.4	10	1	2	3	7	8	11	15
TOTAL SINGLE DX	43	2.1	4	<1	1	1	3	4	6	11
TOTAL MULTIPLE DX	91	3.7	24	1	1	2	4	7	12	30
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	3.3	22	1	1	1	3	8	15	21
35-49	41	3.1	33	<1	1	2	3	5	8	37
50-64	29	1.9	3	<1	1	1	2	4	6	7
65 +	41	4.1	11	1	2	3	6	8	10	15
GRAND TOTAL	**134**	**3.2**	**18**	**1**	**1**	**2**	**4**	**7**	**8**	**24**

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	5.4	5	3	3	6	7	8	8	8
35-49	3	6.3		6	6	6	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	8.8	2	7	7	9	10	10	10	10
20-34	7	6.6	12	3	4	5	8	12	13	13
35-49	8	6.1	15	2	3	5	9	12	12	12
50-64	15	8.4	19	4	5	7	13	14	16	16
65 +	22	8.0	24	3	5	7	10	15	19	22
TOTAL SINGLE DX	12	5.0	5	2	3	6	7	7	8	8
TOTAL MULTIPLE DX	56	7.7	19	3	5	7	10	14	16	22
TOTAL										
0-19 YRS	6	7.0	9	3	4	7	10	10	10	10
20-34	12	6.1	9	3	4	6	8	10	13	13
35-49	11	6.2	11	3	4	6	7	12	12	12
50-64	16	8.3	18	4	5	7	12	14	15	16
65 +	23	7.7	26	2	5	6	10	15	19	22
GRAND TOTAL	**68**	**7.2**	**17**	**3**	**5**	**6**	**9**	**14**	**15**	**21**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	20	2.5	1	1	2	2	3	4	4	5
50-64	433	2.7	2	1	2	3	3	4	5	6
65 +	852	2.8	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.0	1	2	2	3	4	4	4	4
35-49	76	2.8	1	2	2	3	3	4	5	7
50-64	1911	3.2	6	2	2	3	3	5	6	14
65 +	8189	4.0	13	2	2	3	4	7	10	18
TOTAL SINGLE DX	1306	2.8	2	1	2	3	3	4	5	6
TOTAL MULTIPLE DX	10182	3.9	12	2	2	3	4	6	9	18
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	2.8	1	2	2	3	4	4	4	4
35-49	96	2.7	1	1	2	3	3	4	5	7
50-64	2344	3.1	6	2	2	3	3	5	6	13
65 +	9041	3.9	12	2	2	3	4	6	9	18
GRAND TOTAL	**11488**	**3.7**	**11**	**2**	**2**	**3**	**4**	**6**	**8**	**17**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	4.6		4	4	5	5	5	5	5
50-64	173	6.0	4	4	5	6	7	8	8	17
65 +	205	6.1	2	4	5	6	7	8	9	11
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	7	6.3	6	3	4	6	8	10	10	10
50-64	392	6.8	8	4	5	6	8	10	12	18
65 +	1109	7.3	10	4	5	7	8	11	13	20
TOTAL SINGLE DX	386	6.0	3	4	5	6	7	8	9	11
TOTAL MULTIPLE DX	1509	7.1	10	4	5	7	8	10	13	19
TOTAL										
0-19 YRS	3	7.0	19	2	4	9	10	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	5.6	4	3	4	5	6	9	10	10
50-64	565	6.5	7	4	5	6	7	9	11	18
65 +	1314	7.1	10	4	5	7	8	10	13	19
GRAND TOTAL	**1895**	**6.9**	**9**	**4**	**5**	**6**	**8**	**10**	**12**	**18**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	11	3.6	10	1	1	2	5	9	11	11
65+	15	3.9	51	1	1	1	4	6	23	29
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	8	1.9	1	1	1	1	3	4	4	4
50-64	46	4.1	21	1	1	2	5	10	17	19
65+	191	6.4	35	1	2	5	8	14	18	31
TOTAL SINGLE DX	34	3.4	26	1	1	2	4	6	10	29
TOTAL MULTIPLE DX	247	5.8	33	1	2	4	8	13	17	28
TOTAL										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	12	2.0	2	1	1	1	3	4	4	4
50-64	57	4.0	19	1	1	2	5	10	15	19
65+	206	6.2	37	1	2	4	8	14	18	31
GRAND TOTAL	**281**	**5.5**	**32**	**1**	**2**	**4**	**7**	**13**	**17**	**29**

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	2.0	3	<1	<1	1	2	5	6	8
20-34	9	2.2	4	1	1	1	3	6	7	7
35-49	12	3.2	14	1	1	1	4	8	13	14
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	26	3.7	25	<1	1	2	4	9	13	25
20-34	17	4.1	45	1	1	2	3	11	23	28
35-49	35	7.1	35	2	3	5	10	15	21	27
50-64	29	4.4	13	1	2	3	5	8	15	16
65+	35	7.6	122	1	2	4	10	22	50	99+
TOTAL SINGLE DX	60	2.2	5	<1	1	1	2	5	7	13
TOTAL MULTIPLE DX	142	5.7	53	1	2	3	6	14	23	59
TOTAL										
0-19 YRS	58	2.8	14	<1	1	1	3	6	9	24
20-34	26	3.5	31	1	1	2	3	7	16	28
35-49	47	6.1	33	1	2	5	8	14	16	27
50-64	34	3.9	13	1	1	3	5	8	14	16
65+	37	7.3	118	1	2	4	10	21	48	99+
GRAND TOTAL	**202**	**4.7**	**42**	**1**	**1**	**3**	**5**	**11**	**16**	**45**

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	1.8	6	<1	1	1	1	3	5	17
20-34	55	1.8	1	<1	1	1	2	3	4	7
35-49	32	1.5		1	1	1	2	3	4	4
50-64	16	2.3	6	1	1	1	3	3	9	11
65+	31	1.2		<1	1	1	1	2	3	4
2. MULTIPLE DX										
0-19 YRS	51	3.1	34	<1	1	1	3	6	13	39
20-34	31	4.3	11	1	1	3	7	9	10	12
35-49	34	4.6	55	1	1	2	6	10	14	41
50-64	48	5.1	31	1	1	3	7	12	18	27
65+	279	5.6	44	1	1	3	7	14	19	29
TOTAL SINGLE DX	176	1.7	3	<1	1	1	2	3	4	10
TOTAL MULTIPLE DX	443	5.1	41	1	1	3	7	12	18	30
TOTAL										
0-19 YRS	93	2.5	22	<1	1	1	2	4	11	30
20-34	86	2.7	7	1	1	2	3	7	9	11
35-49	66	3.1	31	1	1	1	3	8	11	37
50-64	64	4.4	27	1	1	2	6	11	15	26
65+	310	5.1	41	1	1	3	7	13	18	29
GRAND TOTAL	**619**	**4.1**	**32**	**1**	**1**	**2**	**5**	**10**	**15**	**28**

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	177	1.2		<1	<1	1	1	2	2	4
20-34	29	1.1		<1	1	1	1	2	2	2
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	115	1.4		<1	<1	1	1	2	4	5
20-34	15	1.6	1	<1	<1	1	2	3	4	4
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64	0									
65+	0									
TOTAL SINGLE DX	212	1.2		<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	134	1.4	1	<1	<1	1	1	3	4	5
TOTAL										
0-19 YRS	292	1.2		<1	<1	1	1	2	2	5
20-34	44	1.3		<1	1	1	1	2	3	4
35-49	9	1.8	2	<1	1	1	2	4	5	5
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**346**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	1.4	1	<1	1	1	1	3	4	5
20-34	12	1.7		<1	1	1	2	3	3	3
35-49	4	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	26	1.8	1	1	1	1	2	4	5	6
20-34	8	2.6		2	2	3	3	4	4	4
35-49	6	2.2	4	1	1	1	3	6	6	6
50-64	4	2.5	1	<1	1	2	3	4	4	4
65 +	3	2.3	5	1	1	1	4	5	5	5
TOTAL SINGLE DX	57	1.4	1	<1	1	1	1	3	4	5
TOTAL MULTIPLE DX	47	2.1	2	1	1	1	3	4	5	6
TOTAL										
0-19 YRS	65	1.5	1	<1	1	1	1	3	5	6
20-34	20	2.1	1	<1	1	2	3	3	4	4
35-49	10	1.8	3	1	1	1	2	4	6	6
50-64	5	2.2	2	<1	1	2	3	4	4	4
65 +	4	2.0	4	1	1	1	3	5	5	5
GRAND TOTAL	104	1.7	2	<1	1	1	2	3	5	6

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	5	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	3	2.0	3	<1	<1	1	3	4	4	4
TOTAL										
0-19 YRS	0									
20-34	4	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	8	1.4	1	<1	<1	<1	1	3	4	4

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.2		<1	1	1	1	2	3	3
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49	15	1.4		<1	<1	1	2	3	3	3
50-64	9	1.4		1	1	1	2	3	3	3
65 +	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7	2.3	2	<1	1	2	3	5	5	5
20-34	10	2.1	2	<1	1	1	4	5	5	5
35-49	10	1.6		1	1	1	2	3	3	3
50-64	16	3.4	24	1	1	1	2	11	15	17
65 +	8	3.6	22	1	1	2	4	12	15	15
TOTAL SINGLE DX	57	1.3		<1	1	1	2	2	3	3
TOTAL MULTIPLE DX	51	2.7	12	1	1	1	3	5	11	17
TOTAL										
0-19 YRS	29	1.5	1	<1	1	1	2	3	3	5
20-34	17	1.8	2	<1	1	1	2	4	5	5
35-49	25	1.5	1	<1	1	1	2	3	3	3
50-64	25	2.7	16	1	1	1	2	11	13	17
65 +	12	2.8	16	<1	1	1	3	7	14	15
GRAND TOTAL	108	2.0	6	<1	1	1	2	3	5	16

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	1.1		<1	<1	<1	<1	<1	1	4
20-34	0									
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	39	4.6	45	<1	<1	1	7	12	24	26
20-34	0									
35-49	5	4.6	13	1	2	3	8	9	9	9
50-64	4	1.8		1	1	2	2	2	2	2
65 +	10	6.8	11	3	4	6	9	12	13	13
TOTAL SINGLE DX	89	1.1	1	<1	<1	<1	<1	1	1	7
TOTAL MULTIPLE DX	58	4.8	34	<1	<1	2	8	11	18	26
TOTAL										
0-19 YRS	125	2.2	17	<1	<1	<1	<1	4	10	26
20-34	0									
35-49	7	4.4	12	1	1	3	8	9	9	9
50-64	5	1.6		1	1	2	2	2	2	2
65 +	10	6.8	12	3	4	6	9	12	13	13
GRAND TOTAL	147	2.6	17	<1	<1	<1	1	8	10	26

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	6	1.3		1	1	1	2	2	2	2
50-64	43	1.7		1	1	1	2	3	4	4
65 +	39	1.4		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	0									
20-34	19	2.2	1	1	1	2	3	4	5	5
35-49	54	2.4	3	1	1	2	3	5	5	12
50-64	115	1.8	2	1	1	1	2	3	4	8
65 +	140	1.8	2	1	1	1	2	4	4	9
TOTAL SINGLE DX	88	1.5	1	1	1	1	2	3	3	4
TOTAL MULTIPLE DX	328	1.9	2	1	1	1	2	4	5	9
TOTAL										
0-19 YRS	0									
20-34	19	2.2	2	1	1	2	3	4	5	5
35-49	60	2.3	4	1	1	2	3	5	5	11
50-64	158	1.7	2	1	1	1	2	3	4	6
65 +	179	1.7	2	1	1	1	2	3	4	8
GRAND TOTAL	**416**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.5	1	<1	<1	<1	1	3	4	6
20-34	28	3.3	7	1	1	3	4	6	7	14
35-49	9	3.1	9	<1	1	1	6	8	8	8
50-64	20	3.1	8	1	1	2	4	8	9	9
65 +	9	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	28	3.7	18	<1	1	2	4	10	12	20
20-34	32	5.9	19	1	2	5	9	13	13	17
35-49	38	4.5	39	1	2	3	4	8	20	31
50-64	26	8.8	197	1	1	3	7	41	43	45
65 +	41	5.6	92	1	2	3	5	11	21	57
TOTAL SINGLE DX	87	2.7	6	<1	1	1	4	6	8	12
TOTAL MULTIPLE DX	165	5.6	71	1	2	3	6	11	22	45
TOTAL										
0-19 YRS	49	2.7	12	<1	<1	1	3	7	11	20
20-34	60	4.7	15	1	2	4	6	11	13	17
35-49	47	4.2	34	1	1	3	5	8	11	31
50-64	46	6.3	121	1	1	2	5	9	42	45
65 +	50	5.0	78	1	2	2	4	8	15	57
GRAND TOTAL	**252**	**4.6**	**50**	**1**	**1**	**2**	**5**	**9**	**14**	**42**

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review. and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	2.9	1	2	2	3	3	4	4	7
20-34	323	3.0		2	2	3	3	4	4	6
35-49	76	3.2	1	2	2	3	4	5	6	7
50-64	4	5.5	5	3	3	5	7	8	8	8
65 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	134	3.6	8	2	3	3	4	5	5	13
20-34	736	3.5	3	2	3	3	4	5	5	9
35-49	224	3.5	2	2	3	3	4	5	7	10
50-64	27	6.2	18	3	3	5	7	14	16	18
65 +	25	7.8	45	2	4	6	9	14	21	35
TOTAL SINGLE DX	527	3.0	1	2	2	3	3	4	5	7
TOTAL MULTIPLE DX	1146	3.7	6	2	3	3	4	5	6	14
TOTAL										
0-19 YRS	256	3.3	5	2	2	3	4	4	5	8
20-34	1059	3.3	3	2	3	3	4	4	5	7
35-49	300	3.5	2	2	3	3	4	5	6	9
50-64	31	6.1	16	3	3	5	7	12	15	18
65 +	27	7.4	43	2	4	6	8	13	19	35
GRAND TOTAL	**1673**	**3.4**	**4**	**2**	**3**	**3**	**4**	**5**	**6**	**11**

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	3.4	1	2	3	4	4	4	5	6
20-34	249	3.3	2	2	3	3	4	5	5	9
35-49	149	3.3	1	2	3	3	4	4	5	7
50-64	24	3.6	2	2	3	3	4	5	7	9
65 +	11	3.2		2	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	104	4.0	3	2	3	4	5	6	8	10
20-34	777	3.9	4	2	3	3	4	6	7	12
35-49	629	3.8	2	2	3	4	4	5	7	9
50-64	76	4.8	11	3	3	4	5	8	11	22
65 +	105	7.5	21	3	4	7	9	14	15	26
TOTAL SINGLE DX	479	3.3	2	2	3	3	4	4	5	7
TOTAL MULTIPLE DX	1691	4.1	6	2	3	4	4	6	8	15
TOTAL										
0-19 YRS	150	3.8	3	2	3	4	4	6	7	9
20-34	1026	3.8	4	2	3	3	4	5	7	11
35-49	778	3.7	2	2	3	3	4	5	6	9
50-64	100	4.5	10	2	3	4	5	7	10	20
65 +	116	7.1	21	3	4	6	9	13	15	25
GRAND TOTAL	2170	4.0	5	2	3	3	4	6	8	14

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	36	3.2		2	3	3	4	4	4	4
35-49	70	3.8	14	2	3	3	4	5	6	28
50-64	39	3.6	1	3	3	3	4	5	5	7
65 +	22	5.3	9	3	4	4	6	8	13	17
2. MULTIPLE DX										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	273	3.8	2	2	3	3	4	5	7	10
35-49	716	4.0	3	3	3	4	4	6	8	12
50-64	331	4.9	7	3	3	4	5	8	11	16
65 +	247	7.9	42	3	4	6	10	15	19	30
TOTAL SINGLE DX	172	3.8	8	2	3	3	4	5	6	15
TOTAL MULTIPLE DX	1570	4.8	12	3	3	4	5	8	11	19
TOTAL										
0-19 YRS	8	2.4	1	1	2	2	3	4	5	5
20-34	309	3.8	2	2	3	3	4	5	6	10
35-49	786	4.0	4	3	3	4	4	6	7	12
50-64	370	4.7	7	3	3	4	5	7	10	16
65 +	269	7.7	40	3	4	5	9	15	19	29
GRAND TOTAL	1742	4.7	12	3	3	4	5	7	11	18

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	2.4	2	<1	1	2	3	4	5	7
20-34	80	2.6	2	1	1	3	3	4	5	10
35-49	11	1.5		<1	1	1	2	3	3	3
50-64	2	5.0	32	<1	<1	4	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	39	3.4	3	2	2	3	4	6	8	10
20-34	261	3.0	2	1	2	3	4	5	6	7
35-49	91	3.5	4	1	2	3	4	6	8	13
50-64	5	4.6	4	3	3	4	5	8	8	8
65 +	7	9.1	22	4	5	10	10	16	18	18
TOTAL SINGLE DX	118	2.5	3	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	403	3.3	4	1	2	3	4	5	7	10
TOTAL										
0-19 YRS	64	3.0	3	1	2	3	4	5	7	10
20-34	341	2.9	2	1	2	3	4	4	5	9
35-49	102	3.3	5	1	2	3	4	5	7	13
50-64	7	4.7	8	1	3	4	7	9	9	9
65 +	7	9.1	22	4	5	10	10	16	18	18
GRAND TOTAL	521	3.1	4	1	2	3	4	5	7	10

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
20-34	53	1.0		<1	<1	<1	<1	1	1	1
35-49	14	2.4	23	<1	<1	<1	<1	4	16	19
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	111	2.0		1	1	2	2	3	4	6
35-49	25	2.0	1	<1	1	2	3	3	5	5
50-64	0									
65 +	0									
TOTAL SINGLE DX	73	1.3	4	<1	<1	<1	<1	1	1	15
TOTAL MULTIPLE DX	137	2.0	1	1	1	2	2	3	4	5
TOTAL										
0-19 YRS	6	1.5	1	<1	<1	<1	2	3	3	3
20-34	164	1.7	1	<1	<1	1	2	3	3	5
35-49	39	2.1	9	<1	<1	1	2	3	5	19
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
GRAND TOTAL	210	1.7	2	<1	<1	1	2	3	3	6

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	203	2.1	1	1	1	2	2	3	4	6
35-49	55	1.8	1	<1	<1	2	2	3	3	7
50-64	4	5.5	14	3	3	4	8	11	11	11
65 +	0									
2. MULTIPLE DX										
0-19 YRS	22	5.3	105	1	2	2	3	14	37	37
20-34	2110	2.4	2	1	2	2	3	3	4	6
35-49	415	2.5	1	1	2	2	3	4	4	7
50-64	3	5.0	3	4	4	4	6	7	7	7
65 +	0									
TOTAL SINGLE DX	264	2.1	1	<1	1	2	3	3	4	7
TOTAL MULTIPLE DX	2550	2.4	3	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	24	5.0	98	1	2	2	3	7	37	37
20-34	2313	2.3	2	1	2	2	3	3	4	6
35-49	470	2.4	2	1	2	2	3	4	4	7
50-64	7	5.3	8	3	3	4	6	10	11	11
65 +	0									
GRAND TOTAL	2814	2.4	3	1	2	2	3	3	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	2.8	1	1	2	3	3	4	5	6
20-34	829	2.9	1	2	2	3	3	4	4	6
35-49	181	2.6	1	1	2	3	3	4	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	87	3.6	3	2	3	3	4	5	7	12
20-34	1218	3.2	2	2	2	3	4	4	5	7
35-49	345	3.3	2	2	2	3	4	5	6	11
50-64	10	4.7	4	2	4	4	7	8	8	8
65 +	3	5.3	6	3	3	5	7	8	8	8
TOTAL SINGLE DX	1084	2.8	1	1	2	3	3	4	4	6
TOTAL MULTIPLE DX	1663	3.3	2	2	2	3	4	5	5	9
TOTAL										
0-19 YRS	159	3.3	3	2	2	3	4	5	6	11
20-34	2047	3.1	2	2	2	3	4	4	5	7
35-49	526	3.1	2	2	2	3	4	4	5	9
50-64	11	4.5	5	2	3	4	6	8	8	8
65 +	4	4.5	7	2	2	4	6	8	8	8
GRAND TOTAL	2747	3.1	2	2	2	3	4	4	5	7

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	1.3		<1	1	1	1	3	3	3
35-49	8	1.3		<1	<1	1	1	3	3	3
50-64	4	3.3	7	<1	<1	3	5	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	6.6	259	<1	1	1	3	25	52	55
35-49	14	5.4	48	1	1	2	4	15	22	24
50-64	9	2.1	2	<1	1	1	3	5	5	5
65 +	2	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	28	1.6	2	<1	<1	1	2	3	5	6
TOTAL MULTIPLE DX	37	4.8	94	<1	1	1	4	12	21	55
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	26	3.6	111	<1	1	1	2	3	15	55
35-49	22	3.9	34	<1	1	1	4	14	18	24
50-64	13	2.5	4	<1	1	1	5	5	6	6
65 +	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	65	3.4	56	<1	1	1	3	5	14	50

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	8	1.3		1	1	1	1	3	3	3
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64	5	1.8		<1	1	2	2	3	3	3
65 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	29	2.6	4	<1	1	2	3	6	7	10
35-49	17	5.4	43	1	2	3	5	14	22	26
50-64	18	3.9	5	1	2	3	5	8	9	9
65 +	57	4.8	20	2	2	3	5	8	14	24
TOTAL SINGLE DX	24	1.6	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	122	4.2	18	1	2	3	5	8	12	25
TOTAL										
0-19 YRS	3	3.3	10	<1	<1	2	6	7	7	7
20-34	37	2.3	4	<1	1	1	3	5	7	10
35-49	24	4.1	34	<1	1	2	4	13	18	26
50-64	23	3.4	5	1	2	3	4	7	8	9
65 +	59	4.7	20	2	2	4	5	8	14	24
GRAND TOTAL	146	3.8	16	1	1	3	4	7	11	24

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	3.3	8	1	1	2	5	8	9	9
20-34	119	2.0	4	1	1	1	2	4	7	11
35-49	27	1.7	1	1	1	1	2	4	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	63	4.0	14	1	2	2	4	10	12	17
35-49	27	3.5	12	1	1	3	4	6	9	19
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	155	2.0	4	1	1	1	2	4	7	11
TOTAL MULTIPLE DX	95	3.7	13	1	1	2	4	7	12	18
TOTAL										
0-19 YRS	11	2.9	6	1	1	2	3	7	9	9
20-34	182	2.7	9	1	1	1	3	7	10	15
35-49	54	2.6	8	1	1	2	3	5	6	19
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	0									
GRAND TOTAL	250	2.7	8	1	1	2	3	6	9	16

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7	1	< 1	< 1	< 1	2	3	3	3
20-34	103	3.3		2	3	3	4	4	5	6
35-49	74	3.3		2	3	3	4	4	5	6
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	11	3.7	4	1	3	3	5	7	7	7
20-34	306	3.6	4	2	3	3	4	5	6	11
35-49	284	3.8	6	2	3	3	4	5	7	13
50-64	19	8.1	53	1	2	5	12	21	24	24
65 +	30	8.5	43	2	3	8	12	16	25	28
TOTAL SINGLE DX	185	3.2	1	2	3	3	4	4	5	6
TOTAL MULTIPLE DX	650	4.0	10	2	3	3	4	6	9	19
TOTAL										
0-19 YRS	14	3.3	4	< 1	1	3	4	7	7	7
20-34	409	3.5	3	2	3	3	4	5	6	10
35-49	358	3.7	6	2	3	3	4	5	6	13
50-64	22	7.1	52	< 1	2	4	11	20	23	24
65 +	32	8.1	44	1	3	7	11	16	24	28
GRAND TOTAL	835	3.9	8	2	3	3	4	5	7	16

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	228	3.8	2	3	3	4	4	5	5	11
35-49	646	3.8		3	3	4	4	5	5	7
50-64	195	4.1	1	3	3	4	4	5	7	10
65 +	119	4.3	1	3	4	4	5	6	6	12
2. MULTIPLE DX										
0-19 YRS	17	4.4	9	3	3	3	4	10	13	14
20-34	2906	4.1	3	3	3	4	4	5	6	10
35-49	9033	4.1	2	3	3	4	4	5	6	10
50-64	2190	4.5	6	3	4	4	5	6	8	13
65 +	1320	6.2	21	4	4	5	6	10	14	26
TOTAL SINGLE DX	1191	3.9	1	3	3	4	4	5	5	8
TOTAL MULTIPLE DX	15466	4.3	5	3	3	4	5	6	7	13
TOTAL										
0-19 YRS	20	4.4	8	3	3	3	4	8	12	14
20-34	3134	4.1	3	3	3	4	4	5	6	10
35-49	9679	4.1	2	3	3	4	4	5	6	10
50-64	2385	4.5	6	3	4	4	5	6	8	13
65 +	1439	6.0	20	3	4	5	6	10	13	25
GRAND TOTAL	16657	4.3	5	3	3	4	5	6	7	13

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	225	3.0	3	2	2	3	3	4	4	6
35-49	330	2.9		2	2	3	3	4	4	5
50-64	116	3.3	2	2	3	3	4	4	6	9
65 +	106	4.0	1	3	3	4	5	5	6	9
2. MULTIPLE DX										
0-19 YRS	5	2.8		2	2	3	3	4	4	4
20-34	1419	3.2	1	2	3	3	4	4	5	7
35-49	3622	3.3	1	2	3	3	4	4	5	7
50-64	1027	3.7	1	3	3	4	4	5	6	8
65 +	821	4.5	3	3	4	4	5	6	7	13
TOTAL SINGLE DX	778	3.2	2	2	2	3	4	4	5	7
TOTAL MULTIPLE DX	6894	3.5	2	2	3	3	4	5	5	8
TOTAL										
0-19 YRS	6	3.0	1	2	2	3	4	4	4	4
20-34	1644	3.2	1	2	3	3	4	4	5	7
35-49	3952	3.3	1	2	3	3	4	4	5	7
50-64	1143	3.7	1	3	3	4	4	5	6	8
65 +	927	4.4	3	3	3	4	5	6	7	12
GRAND TOTAL	7672	3.4	2	2	3	3	4	5	5	8

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	11	6.7	1	5	6	7	8	8	8	8
35-49	12	6.5	3	4	6	7	7	9	10	10
50-64	3	5.7	4	4	4	5	7	8	8	8
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	36	7.2	5	4	6	7	8	11	12	14
35-49	68	7.6	8	5	6	7	8	11	15	18
50-64	37	10.9	62	5	6	7	12	20	29	40
65 +	42	12.4	97	5	6	9	13	24	36	50
TOTAL SINGLE DX	26	6.5	2	4	6	7	7	8	9	10
TOTAL MULTIPLE DX	183	9.3	43	5	6	7	10	16	21	41
TOTAL										
0-19 YRS	0									
20-34	47	7.1	4	5	6	7	8	9	12	14
35-49	80	7.4	8	5	6	7	8	10	14	18
50-64	40	10.6	60	5	6	7	11	20	28	40
65 +	42	12.4	97	5	6	9	13	24	36	50
GRAND TOTAL	**209**	**8.9**	**39**	**5**	**6**	**7**	**9**	**15**	**20**	**40**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	43	1.4		<1	1	1	2	2	3	5
35-49	9	1.3		<1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	3.1	4	1	1	3	5	6	6	6
20-34	33	5.0	36	1	1	3	6	13	16	30
35-49	11	2.5	5	<1	<1	1	4	6	7	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	60	1.4	1	<1	1	1	2	2	3	5
TOTAL MULTIPLE DX	56	4.1	24	1	1	3	6	8	13	29
TOTAL										
0-19 YRS	20	2.3	3	<1	1	1	3	6	6	6
20-34	76	3.0	19	<1	1	1	3	6	12	27
35-49	20	2.0	3	<1	1	1	2	5	6	7
50-64	0									
65 +	0									
GRAND TOTAL	**116**	**2.7**	**14**	**<1**	**1**	**1**	**3**	**6**	**8**	**21**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	249	1.2		<1	<1	1	1	2	2	4
20-34	1136	1.3	1	<1	<1	1	1	2	3	4
35-49	280	1.3		<1	<1	1	1	2	3	5
50-64	17	1.3		<1	<1	1	1	3	3	3
65 +	9	1.8	3	<1	<1	<1	1	5	6	6
2. MULTIPLE DX										
0-19 YRS	134	2.4	3	1	1	2	3	4	6	10
20-34	873	2.6	10	1	1	2	3	4	6	15
35-49	348	2.5	7	<1	1	2	3	5	7	17
50-64	74	2.4	5	<1	1	2	3	5	7	13
65 +	79	5.0	50	1	1	3	6	10	15	46
TOTAL SINGLE DX	1691	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	1508	2.7	12	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	383	1.6	2	<1	1	1	2	3	4	7
20-34	2009	1.9	6	<1	1	1	2	3	4	10
35-49	628	2.0	5	<1	1	1	2	4	5	10
50-64	91	2.2	4	<1	1	1	3	5	6	12
65 +	88	4.7	47	<1	1	3	6	9	15	44
GRAND TOTAL	**3199**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	27	2.1	5	<1	<1	1	2	5	8	11
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	7.2	100	1	1	2	9	25	31	31
20-34	48	2.8	7	<1	1	2	4	6	8	14
35-49	8	2.0	1	<1	1	2	3	4	4	4
50-64	0									
65 +	0									
TOTAL SINGLE DX	32	2.1	5	<1	<1	1	2	5	8	11
TOTAL MULTIPLE DX	65	3.3	20	<1	1	2	4	7	11	29
TOTAL										
0-19 YRS	12	6.0	78	1	1	2	6	20	29	31
20-34	75	2.6	7	<1	1	1	4	6	8	13
35-49	10	1.8	1	<1	1	1	3	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**97**	**2.9**	**16**	**<1**	**1**	**1**	**4**	**6**	**9**	**23**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.2		<1	<1	1	1	2	2	3
20-34	273	1.2		<1	<1	1	1	2	2	4
35-49	68	1.3	1	<1	<1	1	1	2	2	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	36	2.3	2	<1	1	2	3	6	6	6
20-34	155	2.5	8	1	1	2	3	4	7	13
35-49	49	3.4	23	1	1	1	4	9	11	28
50-64	6	8.5	57	2	2	5	18	18	18	18
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	387	1.2	1	<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	247	2.8	12	1	1	2	3	5	8	19
TOTAL										
0-19 YRS	82	1.7	2	<1	1	1	2	3	5	6
20-34	428	1.7	4	<1	<1	1	2	3	4	9
35-49	117	2.1	12	<1	<1	1	2	4	9	21
50-64	6	8.5	58	2	2	5	18	18	18	18
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	634	1.8	6	<1	<1	1	2	3	5	12

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	3.0		3	3	3	3	3	3	3
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	3	3.3		3	3	3	4	4	4	4
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	0									
20-34	17	2.4	1	1	1	2	4	4	4	4
35-49	14	2.8	1	2	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	5	4.0	1	3	3	4	5	5	5	5
TOTAL SINGLE DX	12	3.3	1	2	3	3	4	5	6	6
TOTAL MULTIPLE DX	37	2.8	1	1	2	3	4	4	5	5
TOTAL										
0-19 YRS	0									
20-34	21	2.5	1	1	2	3	3	4	4	4
35-49	17	3.0	1	2	2	3	4	4	5	6
50-64	4	3.5		3	3	3	4	4	4	4
65 +	7	3.7	1	2	3	4	5	5	5	5
GRAND TOTAL	49	2.9	1	1	2	3	4	4	5	6

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.0	4	1	1	2	5	6	6	6
20-34	42	2.1	2	<1	1	2	3	3	4	9
35-49	13	2.2	1	<1	1	2	3	4	4	4
50-64	6	2.0		1	1	2	3	3	3	3
65 +	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	3.2	3	1	1	4	5	5	5	5
20-34	112	2.5	2	1	1	2	4	5	5	8
35-49	48	4.2	115	1	1	2	4	7	8	76
50-64	8	3.4	4	1	2	3	5	7	7	7
65 +	14	3.4	2	1	2	3	5	5	7	7
TOTAL SINGLE DX	72	2.2	2	<1	1	2	3	4	4	8
TOTAL MULTIPLE DX	193	3.1	31	1	1	2	4	5	7	8
TOTAL										
0-19 YRS	17	3.1	3	1	1	3	5	5	6	6
20-34	154	2.4	2	1	1	2	3	4	5	8
35-49	61	3.8	92	1	1	2	3	6	7	68
50-64	14	2.8	3	1	1	2	3	6	7	7
65 +	19	3.0	3	1	2	3	4	5	6	7
GRAND TOTAL	265	2.8	23	1	1	2	3	5	6	8

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	22	2.3		1	2	2	3	4	4	4
35-49	72	2.5	1	1	2	2	3	4	4	6
50-64	166	2.9	1	2	2	3	4	4	5	5
65 +	165	3.2	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	43	3.1	1	1	2	3	4	5	6	6
35-49	267	3.3	1	2	2	3	4	5	5	7
50-64	520	3.6	2	2	3	3	4	5	6	9
65 +	734	3.9	3	2	3	4	5	6	7	11
TOTAL SINGLE DX	425	2.9	1	2	2	3	4	4	5	6
TOTAL MULTIPLE DX	1564	3.7	3	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	0									
20-34	65	2.8	2	1	2	3	4	4	5	6
35-49	339	3.1	2	2	2	3	4	5	5	7
50-64	686	3.4	2	2	3	3	4	5	6	8
65 +	899	3.8	3	2	3	3	4	6	7	10
GRAND TOTAL	1989	3.5	2	2	3	3	4	5	6	8

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.2	1	< 1	1	2	3	4	4	4
20-34	54	2.7	6	1	1	2	3	5	6	17
35-49	23	2.7	5	1	1	2	3	7	9	9
50-64	25	3.4	3	2	2	3	4	7	27	99 +
65 +	23	3.4	2	1	2	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	21	2.4	4	< 1	1	2	3	6	46	99 +
20-34	64	3.2	7	1	1	2	4	6	10	14
35-49	46	4.0	7	1	2	4	5	6	11	15
50-64	62	4.2	8	1	3	4	5	8	10	14
65 +	100	5.3	12	3	3	4	5	9	12	21
TOTAL SINGLE DX	141	2.9	5	1	1	2	4	5	7	24
TOTAL MULTIPLE DX	293	4.2	10	1	2	4	5	8	11	20
TOTAL										
0-19 YRS	37	2.3	3	< 1	1	2	3	4	8	99 +
20-34	118	3.0	7	1	1	2	4	6	9	15
35-49	69	3.6	7	1	2	3	4	7	9	14
50-64	87	4.0	7	1	2	3	5	8	10	67
65 +	123	5.0	11	2	3	4	5	8	12	20
GRAND TOTAL	434	3.8	9	1	2	3	5	7	10	20

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	2.4	3	1	1	2	3	5	6	8
20-34	46	2.9	5	< 1	1	3	4	7	8	9
35-49	28	2.9	5	1	1	2	3	6	10	10
50-64	19	3.7	8	< 1	1	3	6	8	10	10
65 +	36	2.7		2	2	3	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	38	4.4	32	1	1	2	5	12	20	23
20-34	152	2.9	7	1	1	2	4	7	8	15
35-49	87	4.7	107	1	2	3	4	7	10	66
50-64	83	4.4	13	2	2	3	5	9	10	23
65 +	164	4.3	9	2	2	3	5	8	10	19
TOTAL SINGLE DX	151	2.9	4	1	1	2	4	6	8	10
TOTAL MULTIPLE DX	524	4.0	28	1	2	3	4	8	10	19
TOTAL										
0-19 YRS	60	3.7	22	1	1	2	4	9	14	23
20-34	198	2.9	7	1	1	2	4	7	8	15
35-49	115	4.3	83	1	2	3	4	7	10	42
50-64	102	4.2	13	2	2	3	5	9	10	20
65 +	200	4.0	9	2	2	3	5	7	9	18
GRAND TOTAL	675	3.7	23	1	2	3	4	7	9	18

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	2.2	2	< 1	1	2	3	5	6	6
20-34	15	2.0	2	< 1	1	1	3	4	5	6
35-49	14	1.4		< 1	1	1	2	3	3	3
50-64	6	2.3	3	< 1	< 1	1	4	5	5	5
65 +	7	2.7	1	1	2	3	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	6.8	234	1	1	2	4	9	40	76
20-34	72	3.5	21	1	2	2	3	7	11	31
35-49	25	4.1	14	1	1	3	5	9	11	16
50-64	29	7.3	85	< 1	3	4	8	17	29	44
65 +	20	4.0	10	1	2	3	4	10	12	13
TOTAL SINGLE DX	55	2.0	2	< 1	1	1	3	4	5	6
TOTAL MULTIPLE DX	172	4.8	63	1	1	3	5	9	13	42
TOTAL										
0-19 YRS	39	5.3	160	1	1	2	4	8	21	76
20-34	87	3.2	19	1	1	2	3	6	9	28
35-49	39	3.1	11	1	1	1	4	8	9	16
50-64	35	6.5	74	< 1	2	4	7	13	26	44
65 +	27	3.6	9	1	2	3	4	8	11	13
GRAND TOTAL	227	4.1	50	1	1	2	4	8	12	37

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	5.3	8	2	3	7	7	7	7	7
35-49	4	4.3	5	1	3	5	6	6	6	6
50-64	11	4.5	11	< 1	1	3	7	9	11	11
65 +	8	3.0	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	4.0	13	1	1	3	7	8	8	8
35-49	13	5.1	14	1	2	4	8	10	12	12
50-64	13	7.0	15	3	5	6	8	13	15	16
65 +	44	7.9	32	2	4	7	11	14	18	29
TOTAL SINGLE DX	26	4.1	8	1	2	3	7	7	9	11
TOTAL MULTIPLE DX	73	7.1	26	2	4	6	9	13	16	28
TOTAL										
0-19 YRS	0									
20-34	6	4.7	9	1	2	5	7	8	8	8
35-49	17	4.9	12	1	2	4	8	10	11	12
50-64	24	5.8	14	1	3	6	8	11	13	16
65 +	52	7.2	31	2	3	6	9	13	16	29
GRAND TOTAL	99	6.3	23	1	3	6	8	13	14	27

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.3		<1	1	1	2	2	2	2
20-34	17	2.4	3	1	1	2	2	5	7	8
35-49	5	1.6		1	1	2	2	2	2	2
50-64	4	1.8		1	1	2	2	2	2	2
65 +	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	12	2.5	3	1	1	2	4	5	6	6
20-34	27	2.1	1	1	1	2	3	4	4	5
35-49	12	3.0	10	1	1	2	3	7	12	13
50-64	4	2.0		1	1	2	3	3	3	3
65 +	2	4.0	8	2	2	4	6	6	5	6
TOTAL SINGLE DX	38	1.9	2	1	1	2	2	2	5	8
TOTAL MULTIPLE DX	57	2.4	4	1	1	2	3	5	6	13
TOTAL										
0-19 YRS	22	2.0	2	1	1	1	2	5	6	6
20-34	44	2.2	2	1	1	2	3	4	5	8
35-49	17	2.6	8	1	1	2	3	4	10	13
50-64	8	1.9		1	1	2	2	3	3	3
65 +	4	2.8	5	<1	1	2	4	6	6	6
GRAND TOTAL	**95**	**2.2**	**3**	**1**	**1**	**2**	**2**	**4**	**6**	**11**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	11.0	70	4	4	9	17	22	22	22
20-34	4	2.0		1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	3	5.3	16	3	3	3	8	10	10	10
TOTAL SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	13	5.4	38	1	2	3	6	15	21	22
TOTAL										
0-19 YRS	5	9.0	73	<1	3	5	15	22	22	22
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	3	5.3	16	3	3	3	8	10	10	10
GRAND TOTAL	**14**	**5.1**	**36**	**<1**	**1**	**3**	**5**	**14**	**20**	**22**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	244	1.7		1	1	2	2	2	3	3
20-34	1329	1.8		1	1	2	2	3	3	4
35-49	119	2.2	3	1	2	2	2	3	3	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	551	2.3	2	1	2	2	3	3	4	12
20-34	3832	2.2	2	1	2	2	3	3	4	6
35-49	451	2.4	1	1	2	2	3	3	4	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	1692	1.8	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	4834	2.2	2	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	795	2.1	2	1	1	2	2	3	3	7
20-34	5161	2.1	2	1	2	2	2	3	3	5
35-49	570	2.3	2	1	2	2	3	3	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**6526**	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**3**	**6**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	46	1.6		1	1	1	2	2	3	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	17	1.6	1	1	1	1	2	3	4	5
20-34	114	2.9	30	1	1	2	2	4	7	33
35-49	19	1.9		1	1	2	2	3	3	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	50	1.6	1	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	150	2.6	24	1	1	2	2	4	6	22
TOTAL										
0-19 YRS	19	1.7	1	1	1	1	2	3	4	5
20-34	160	2.5	22	1	1	2	2	3	6	22
35-49	21	1.9	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**200**	**2.4**	**18**	**1**	**1**	**2**	**2**	**3**	**5**	**20**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	436	1.6		1	1	1	2	2	3	3
20-34	2925	1.7		1	1	2	2	3	3	4
35-49	338	1.8		1	1	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	896	2.2	2	1	1	2	2	3	4	8
20-34	6249	2.1	2	1	1	2	2	3	3	5
35-49	882	2.2	2	1	2	2	3	3	4	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	3700	1.7	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	8027	2.1	2	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	1332	2.0	2	1	1	2	2	3	4	6
20-34	9174	2.0	2	1	1	2	2	3	3	5
35-49	1220	2.1	2	1	2	2	2	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	11727	2.0	2	1	1	2	2	3	3	5

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6514	1.6		1	1	1	2	2	3	4
20-34	36239	1.5		1	1	1	2	2	3	3
35-49	3498	1.6		1	1	2	2	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3866	2.1	3	1	1	2	2	3	4	10
20-34	24767	2.0	4	1	1	2	2	3	4	7
35-49	3104	2.2	3	1	1	2	2	3	4	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
TOTAL SINGLE DX	46251	1.6	1	1	1	1	2	2	3	3
TOTAL MULTIPLE DX	31739	2.1	4	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	10380	1.7	2	1	1	2	2	3	3	6
20-34	61006	1.7	2	1	1	2	2	3	3	5
35-49	6602	1.9	2	1	1	2	2	3	3	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	77990	1.8	2	1	1	2	2	3	3	5

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	566	3.5	1	3	3	3	4	5	5	7
20-34	5348	3.4	1	3	3	3	4	4	5	6
35-49	721	3.6	2	3	3	3	4	4	5	7
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2214	4.4	7	3	3	4	5	6	8	15
20-34	21752	4.1	7	3	3	4	4	5	6	14
35-49	5889	4.4	15	3	3	4	4	5	6	20
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	6637	3.5	1	3	3	3	4	4	5	7
TOTAL MULTIPLE DX	27857	4.2	9	3	3	4	4	5	7	14
TOTAL										
0-19 YRS	2780	4.3	7	3	3	4	5	6	7	14
20-34	27100	4.0	6	3	3	4	4	5	6	12
35-49	4610	4.2	14	3	3	4	4	5	6	17
50-64	4	3.3		3	3	3	4	4	4	4
65 +	0									
GRAND TOTAL	34494	4.0	7	3	3	4	4	5	6	13

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.0		3	4	4	4	5	5	5
20-34	82	3.7	3	3	3	3	4	5	5	14
35-49	16	3.6		3	3	3	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	45	6.2	32	3	4	4	6	12	24	26
20-34	388	5.7	42	3	3	4	5	9	15	40
35-49	103	6.1	36	3	4	4	6	10	21	32
50-64	0									
65 +	0									
TOTAL SINGLE DX	107	3.7	3	3	3	3	4	5	5	11
TOTAL MULTIPLE DX	536	5.8	41	3	3	4	5	9	17	33
TOTAL										
0-19 YRS	54	5.8	28	3	4	4	5	9	23	26
20-34	470	5.4	36	3	3	4	5	8	12	34
35-49	119	5.8	33	3	4	4	5	9	15	31
50-64	0									
65 +	0									
GRAND TOTAL	643	5.5	35	3	3	4	5	8	13	32

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.4	1	1	1	2	3	4	4	4
20-34	140	2.4	1	1	1	2	3	4	4	5
35-49	27	2.6		1	2	3	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	11	2.5	1	1	2	3	3	4	4	4
20-34	205	3.1	3	1	2	3	4	4	5	13
35-49	31	3.0	1	1	2	3	4	5	6	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	183	2.4	1	1	1	2	3	4	4	5
TOTAL MULTIPLE DX	247	3.0	3	1	2	3	4	4	5	12
TOTAL										
0-19 YRS	27	2.4	1	1	2	3	3	4	4	4
20-34	345	2.8	3	1	2	3	3	4	5	8
35-49	58	2.8	1	1	2	3	3	4	5	6
50-64	0									
65 +	0									
GRAND TOTAL	430	2.8	3	1	2	3	3	4	5	7

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.6	3	<1	1	3	4	5	5	5
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	6	1.2		<1	<1	1	1	2	2	2
TOTAL MULTIPLE DX	6	2.3	3	<1	1	2	3	5	5	5
TOTAL										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	8	2.0	2	<1	<1	1	3	4	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
GRAND TOTAL	12	1.8	2	<1	<1	1	2	4	5	5

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	3.6	4	1	2	3	5	7	8	10
20-34	241	3.8	16	1	1	3	4	8	13	22
35-49	17	10.4	135	1	1	2	25	28	29	29
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	85	5.7	48	1	2	3	7	12	16	38
20-34	380	5.3	34	1	2	3	6	11	16	28
35-49	47	6.6	76	1	2	4	7	12	31	42
50-64	0									
65 +	0									
TOTAL SINGLE DX	323	4.1	22	1	1	3	5	9	14	26
TOTAL MULTIPLE DX	512	5.5	40	1	2	3	7	12	16	38
TOTAL										
0-19 YRS	150	4.8	30	1	2	3	6	9	12	36
20-34	621	4.7	28	1	2	3	5	10	15	27
35-49	64	7.6	93	1	2	4	10	25	29	41
50-64	0									
65 +	0									
GRAND TOTAL	835	5.0	34	1	2	3	6	10	16	30

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	653	1.6	2	<1	1	1	2	2	3	7
20-34	3603	1.5	1	1	1	1	2	2	3	5
35-49	339	1.6	1	<1	1	1	2	2	3	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	383	2.1	2	1	1	2	2	3	6	10
20-34	2121	2.3	6	1	1	2	2	4	5	14
35-49	242	2.3	3	1	1	2	3	4	7	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	4595	1.6	2	<1	1	1	2	2	3	6
TOTAL MULTIPLE DX	2746	2.3	6	1	1	2	2	4	6	12
TOTAL										
0-19 YRS	1036	1.8	3	<1	1	1	2	3	4	8
20-34	5724	1.8	4	1	1	1	2	3	4	10
35-49	581	1.9	3	<1	1	2	2	3	4	10
50-64	0									
65 +	0									
GRAND TOTAL	7341	1.8	3	1	1	1	2	3	4	9

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX	–									
0-19 YRS	1646	1.5		1	1	1	2	2	3	3
20-34	9512	1.5		1	1	1	2	2	2	3
35-49	885	1.5		1	1	1	2	2	2	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2118	1.9	1	1	1	2	2	3	4	6
20-34	12942	1.8	2	1	1	2	2	3	3	6
35-49	1591	1.9	1	1	1	2	2	3	4	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	12044	1.5	1	1	1	1	2	2	2	3
TOTAL MULTIPLE DX	16652	1.8	2	1	1	2	2	3	3	6
TOTAL										
0-19 YRS	3764	1.7	1	1	1	2	2	3	3	5
20-34	22454	1.7	2	1	1	2	2	2	3	5
35-49	2476	1.8	1	1	1	2	2	3	3	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**28696**	**1.7**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.9	1	<1	1	1	2	4	4	4
20-34	11	7.2	51	1	2	3	14	19	20	20
35-49	18	3.6	13	1	1	2	5	7	13	16
50-64	9	3.4	9	2	2	2	3	9	11	11
65 +	4	3.3	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	14	3.5	2	1	2	4	5	5	6	6
20-34	24	5.7	134	1	1	2	3	16	29	56
35-49	28	5.2	49	1	1	2	6	15	25	28
50-64	29	7.3	88	1	2	4	8	18	27	45
65 +	44	8.3	55	1	2	5	12	18	23	31
TOTAL SINGLE DX	52	4.0	19	1	2	2	4	9	16	20
TOTAL MULTIPLE DX	139	6.5	70	1	2	3	8	17	23	46
TOTAL										
0-19 YRS	24	2.8	3	1	1	3	4	5	6	6
20-34	35	6.1	107	1	1	2	5	18	20	56
35-49	46	4.5	35	1	1	2	5	10	19	28
50-64	38	6.4	72	1	2	3	8	15	23	45
65 +	48	7.9	53	1	2	5	11	18	22	31
GRAND TOTAL	**191**	**5.8**	**58**	**1**	**2**	**3**	**7**	**16**	**20**	**39**

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	223	1.8	1	1	1	2	2	3	4	5
20-34	445	1.9	.	1	1	2	2	3	4	5
35-49	316	1.9		1	1	2	2	3	3	6
50-64	48	2.5	7	1	1	2	3	4	7	19
65 +	6	3.3	5	2	2	3	3	8	8	8
2. MULTIPLE DX										
0-19 YRS	258	2.6	5	1	2	2	3	5	5	14
20-34	399	2.4	2	1	1	2	3	4	5	10
35-49	293	2.5	5	1	1	2	3	4	6	15
50-64	57	2.8	9	1	1	2	3	3	8	18
65 +	39	3.2	3	1	2	3	4	7	7	8
TOTAL SINGLE DX	1038	1.9	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	1046	2.5	5	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	481	2.2	4	1	1	2	2	4	5	9
20-34	844	2.1	2	1	1	2	3	3	4	9
35-49	609	2.2	3	1	1	2	2	3	4	9
50-64	105	2.6	9	1	1	2	3	3	7	18
65 +	45	3.2	4	1	2	3	4	7	7	8
GRAND TOTAL	**2084**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	1.9		1	1	2	3	3	4	4
20-34	119	2.1	1	1	1	2	3	4	5	7
35-49	47	2.9	4	1	1	2	4	5	7	13
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	79	2.6	8	1	1	2	3	5	8	18
20-34	159	3.4	11	1	1	2	4	7	9	27
35-49	57	5.2	20	1	2	4	7	12	16	19
50-64	7	2.1	3	1	1	1	4	5	5	5
65 +	8	4.8	19	2	2	3	5	12	15	15
TOTAL SINGLE DX	211	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	310	3.5	13	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	122	2.4	6	1	1	2	3	4	6	16
20-34	278	2.8	8	1	1	2	3	5	7	19
35-49	104	4.2	14	1	2	3	5	9	13	18
50-64	9	2.0	3	1	1	1	3	5	5	5
65 +	8	4.8	20	2	2	3	5	12	15	15
GRAND TOTAL	**521**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	2.7	3	1	1	2	3	5	7	8
20-34	248	3.5	13	1	1	3	4	7	9	13
35-49	95	3.4	9	1	1	2	4	7	9	17
50-64	12	3.6	13	1	1	2	5	9	12	13
65 +	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	196	4.6	20	1	2	3	6	10	13	23
20-34	538	4.9	21	1	2	4	6	10	14	28
35-49	245	7.0	91	1	3	4	8	14	20	64
50-64	49	5.5	19	1	3	4	8	13	14	19
65 +	45	10.1	221	1	3	5	10	16	46	70
TOTAL SINGLE DX	441	3.3	10	1	1	3	4	7	8	13
TOTAL MULTIPLE DX	1073	5.6	47	1	2	4	7	11	15	40
TOTAL										
0-19 YRS	277	4.0	16	1	2	3	5	8	11	22
20-34	786	4.5	20	1	2	3	6	9	12	22
35-49	340	6.0	71	1	2	4	7	11	16	52
50-64	61	5.1	19	1	2	3	7	13	14	19
65 +	50	9.3	206	1	2	5	9	16	40	70
GRAND TOTAL	1514	4.9	38	1	2	3	6	10	14	31

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.3	1	1	1	2	3	4	4	4
20-34	25	2.7	2	1	1	2	4	5	5	5
35-49	19	2.2	3	<1	1	1	3	5	6	6
50-64	9	2.4	2	1	2	2	3	5	6	6
65 +	5	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	36	2.6	7	1	1	2	3	4	5	17
20-34	23	4.7	24	2	2	3	4	15	17	17
35-49	20	3.9	7	1	1	3	6	8	8	8
50-64	17	5.8	61	1	1	3	4	22	23	23
65 +	5	3.4	6	1	2	2	6	6	6	6
TOTAL SINGLE DX	82	2.4	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	101	3.9	21	1	1	2	4	8	17	23
TOTAL										
0-19 YRS	60	2.5	5	1	1	2	3	4	5	16
20-34	48	3.6	14	1	2	3	4	5	15	17
35-49	39	3.1	6	1	1	2	5	7	8	8
50-64	26	4.6	43	1	1	2	3	19	23	23
65 +	10	2.9	3	1	2	2	3	6	6	6
GRAND TOTAL	183	3.2	13	1	1	2	4	5	8	22

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	3.5	7	2	2	3	4	5	8	19
20-34	10	3.3	12	1	2	2	3	8	13	13
35-49	10	5.4	14	1	3	5	7	11	14	14
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	198	3.9	8	2	2	3	5	6	9	19
20-34	15	6.1	24	1	3	4	9	11	18	20
35-49	19	5.7	15	2	3	5	7	12	15	16
50-64	11	5.7	15	2	3	4	9	12	14	14
65 +	18	10.2	40	2	5	8	16	20	21	21
TOTAL SINGLE DX	112	3.5	9	1	2	3	4	6	8	18
TOTAL MULTIPLE DX	261	4.7	15	2	3	3	5	10	14	21
TOTAL										
0-19 YRS	282	3.8	8	2	2	3	4	6	8	19
20-34	25	5.0	21	1	2	3	7	11	15	20
35-49	29	5.6	15	2	3	5	7	12	14	16
50-64	16	4.6	14	1	2	3	5	10	13	14
65 +	21	9.0	43	2	3	8	14	20	21	21
GRAND TOTAL	373	4.4	13	2	2	3	5	8	13	21

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	166	3.3	18	1	1	2	3	6	9	22
20-34	62	4.2	15	1	2	3	5	11	14	20
35-49	77	3.4	3	2	2	3	4	5	7	11
50-64	70	3.8	18	2	3	3	4	5	6	32
65 +	16	2.4	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	243	3.4	14	1	2	2	4	7	11	19
20-34	101	4.5	24	1	2	3	5	9	10	31
35-49	131	4.9	52	1	2	3	5	8	13	42
50-64	97	4.5	18	2	2	3	5	8	12	27
65 +	46	6.1	48	1	3	4	6	13	25	31
TOTAL SINGLE DX	391	3.5	14	1	2	3	4	6	8	21
TOTAL MULTIPLE DX	618	4.3	28	1	2	3	4	8	13	28
TOTAL										
0-19 YRS	409	3.4	16	1	1	2	3	6	10	22
20-34	163	4.4	21	1	2	3	5	10	11	25
35-49	208	4.3	34	1	2	3	4	7	10	26
50-64	167	4.2	18	2	2	3	5	6	11	27
65 +	62	5.2	39	1	2	3	5	13	19	31
GRAND TOTAL	1009	4.0	23	1	2	3	4	7	11	26

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.7	1	< 1	< 1	1	2	3	4	4
20-34	26	1.7	1	1	1	1	2	3	4	7
35-49	42	1.6		1	1	2	2	3	3	4
50-64	51	1.5		1	1	1	2	2	3	3
65 +	24	2.2	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	63	1.9	5	1	1	1	2	3	3	17
20-34	99	1.7		1	1	2	2	3	4	4
35-49	174	2.0	1	1	1	2	2	3	4	9
50-64	264	2.3	4	1	1	2	3	4	4	10
65 +	233	2.5	2	1	2	2	3	4	5	11
TOTAL SINGLE DX	163	1.7	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	833	2.2	3	1	1	2	3	3	4	10
TOTAL										
0-19 YRS	83	1.8	4	< 1	1	1	2	3	4	14
20-34	125	1.7	1	1	1	1	2	3	4	5
35-49	216	1.9	1	1	1	2	2	3	4	7
50-64	315	2.2	4	1	1	2	2	3	4	9
65 +	257	2.5	3	1	1	2	3	4	5	11
GRAND TOTAL	996	2.1	3	1	1	2	3	3	4	8

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	2.5	4	1	1	2	3	6	7	10
20-34	44	3.7	21	1	1	2	4	11	13	24
35-49	17	4.1	18	1	2	3	4	8	15	19
50-64	12	3.7	11	1	1	2	6	9	11	11
65 +	7	3.0	4	1	2	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	55	7.8	115	2	3	4	8	12	24	72
20-34	64	14.0	378	1	3	9	15	43	83	98
35-49	55	9.6	166	1	2	5	10	24	42	67
50-64	33	7.8	63	2	3	4	11	17	24	37
65 +	53	13.1	164	3	5	10	17	24	48	60
TOTAL SINGLE DX	190	3.0	10	1	1	2	3	7	8	17
TOTAL MULTIPLE DX	260	10.8	199	2	3	7	12	23	43	85
TOTAL										
0-19 YRS	165	4.3	47	1	1	2	5	8	10	29
20-34	108	9.8	258	1	1	4	12	19	54	94
35-49	72	8.3	136	1	2	4	8	21	39	63
50-64	45	6.7	52	1	2	4	9	16	22	37
65 +	60	11.9	156	2	4	8	16	22	40	60
GRAND TOTAL	450	7.5	134	1	2	4	8	16	24	74

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	359	2.5	11	1	1	2	3	5	7	12
20-34	395	3.1	11	1	1	2	4	5	9	17
35-49	350	2.8	14	1	1	2	3	5	7	15
50-64	166	3.2	14	1	1	2	4	6	8	28
65 +	71	2.9	6	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	290	5.5	42	1	2	3	6	13	21	40
20-34	534	5.6	56	1	2	3	6	13	18	44
35-49	654	5.6	58	1	2	3	6	13	19	44
50-64	502	7.2	108	1	2	3	8	16	25	72
65 +	537	8.4	108	1	2	5	11	19	28	45
TOTAL SINGLE DX	1341	2.9	12	1	1	2	3	5	8	15
TOTAL MULTIPLE DX	2517	6.5	78	1	2	3	8	16	23	45
TOTAL										
0-19 YRS	649	3.9	27	1	1	2	4	8	12	33
20-34	929	4.5	39	1	1	3	5	10	15	37
35-49	1004	4.6	45	1	2	3	5	10	16	35
50-64	668	6.2	88	1	2	3	7	14	23	70
65 +	608	7.8	99	1	2	4	10	18	25	45
GRAND TOTAL	3858	5.3	58	1	2	3	5	12	18	42

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	187	3.7	21	1	1	2	4	8	14	24
20-34	45	6.6	31	2	4	5	8	11	15	36
35-49	19	4.4	3	2	3	5	5	6	8	9
50-64	25	6.6	27	3	4	5	7	14	21	23
65 +	45	7.7	44	3	4	7	9	12	15	45
2. MULTIPLE DX										
0-19 YRS	149	7.0	60	1	2	4	8	21	26	31
20-34	84	13.1	200	4	5	9	13	24	42	80
35-49	53	9.2	61	3	4	6	11	19	26	38
50-64	77	9.1	56	3	4	8	10	17	24	44
65 +	420	8.9	38	4	6	7	10	14	18	35
TOTAL SINGLE DX	321	4.9	28	1	2	3	6	10	14	27
TOTAL MULTIPLE DX	783	9.0	65	3	5	7	11	17	23	44
TOTAL										
0-19 YRS	336	5.1	41	1	1	3	5	13	22	29
20-34	129	10.8	150	3	4	8	11	21	35	67
35-49	72	7.9	50	3	4	5	9	17	21	38
50-64	102	8.5	50	3	4	7	9	17	23	40
65 +	465	8.8	39	4	6	7	10	14	17	40
GRAND TOTAL	1104	7.8	58	2	3	6	9	15	21	37

717: Repair and plastic operation on bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	114	2.1	8	1	1	1	2	3	5	16
20-34	133	3.0	7	1	1	2	3	5	8	15
35-49	101	3.1	3	1	2	3	4	6	7	9
50-64	36	2.0	2	1	1	1	3	5	6	6
65 +	15	3.4	4	1	2	3	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	152	4.6	56	1	1	2	5	9	15	35
20-34	196	5.6	38	1	2	3	7	15	19	27
35-49	143	5.7	51	1	2	3	6	12	25	36
50-64	90	6.2	48	2	2	4	7	14	17	44
65 +	82	6.6	40	2	3	5	8	12	17	40
TOTAL SINGLE DX	399	2.7	6	1	1	2	3	5	6	14
TOTAL MULTIPLE DX	663	5.6	47	1	2	3	6	13	18	35
TOTAL										
0-19 YRS	266	3.5	37	1	1	2	3	7	11	31
20-34	329	4.5	27	1	2	3	5	10	16	22
35-49	244	4.6	33	1	2	3	5	9	14	33
50-64	126	5.0	39	1	2	3	6	10	16	38
65 +	97	6.1	36	2	3	4	8	12	16	36
GRAND TOTAL	1062	4.5	34	1	2	3	5	9	15	31

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	186	1.7	4	<1	1	1	2	3	4	9
20-34	239	2.4	5	1	1	2	3	5	7	14
35-49	155	2.1	2	1	1	2	3	4	6	10
50-64	92	2.2	4	<1	1	1	3	4	6	11
65 +	78	2.7	5	1	1	2	3	7	9	11
2. MULTIPLE DX										
0-19 YRS	216	3.2	41	<1	1	1	2	6	11	41
20-34	283	5.0	59	1	1	3	5	11	18	35
35-49	232	4.9	52	1	2	3	5	11	15	50
50-64	172	5.4	55	1	2	3	5	12	19	43
65 +	220	6.2	36	1	2	4	9	13	19	28
TOTAL SINGLE DX	750	2.2	5	<1	1	1	3	4	6	11
TOTAL MULTIPLE DX	1123	4.9	50	1	1	3	5	11	17	40
TOTAL										
0-19 YRS	402	2.5	25	<1	1	1	2	4	8	29
20-34	522	3.8	37	1	1	2	4	8	12	26
35-49	387	3.8	35	1	1	2	4	7	12	31
50-64	264	4.3	40	1	1	2	4	8	14	41
65 +	298	5.3	31	1	2	3	7	12	17	24
GRAND TOTAL	1873	3.8	34	1	1	2	4	8	13	29

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	7.3	45	1	3	5	8	18	23	27
20-34	37	7.1	10	3	5	6	8	13	14	16
35-49	30	6.1	12	3	4	5	7	10	17	17
50-64	37	6.3	5	3	5	6	8	10	11	11
65 +	65	7.1	14	3	5	7	8	10	11	27
2. MULTIPLE DX										
0-19 YRS	100	11.2	80	3	6	9	14	23	27	48
20-34	94	10.4	31	5	6	9	14	18	19	31
35-49	60	12.7	149	4	6	9	14	20	40	65
50-64	90	8.7	33	4	5	8	10	14	18	39
65 +	723	9.2	21	5	6	8	10	14	17	28
TOTAL SINGLE DX	213	6.9	18	3	4	6	8	11	16	27
TOTAL MULTIPLE DX	1067	9.6	37	5	6	8	11	15	19	35
TOTAL										
0-19 YRS	144	10.0	73	2	4	8	13	21	26	43
20-34	131	9.5	28	4	6	8	13	17	18	30
35-49	90	10.5	113	4	5	7	13	17	24	65
50-64	127	8.0	27	4	5	7	9	13	16	32
65 +	788	9.0	21	5	6	8	10	14	16	28
GRAND TOTAL	1280	9.2	35	4	6	8	10	15	18	33

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	5.9	19	2	3	4	7	10	17	23
20-34	94	6.9	12	3	4	6	9	12	13	17
35-49	81	5.7	8	3	4	5	6	10	11	16
50-64	97	6.9	12	3	5	6	8	10	13	22
65 +	264	7.5	8	4	6	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	136	11.1	103	3	6	8	13	24	32	57
20-34	253	10.5	71	4	6	8	13	19	28	53
35-49	271	10.3	53	5	6	8	13	18	23	47
50-64	398	9.9	48	5	6	8	11	16	23	43
65 +	4102	9.8	32	5	7	9	11	15	19	33
TOTAL SINGLE DX	616	6.9	12	3	5	6	8	11	13	18
TOTAL MULTIPLE DX	5160	9.9	38	5	7	8	11	16	20	37
TOTAL										
0-19 YRS	216	9.2	79	2	4	7	11	17	26	50
20-34	347	9.6	58	4	5	8	11	17	22	43
35-49	352	9.3	47	4	5	7	12	16	21	37
50-64	495	9.3	43	4	6	8	10	15	21	40
65 +	4366	9.7	31	5	7	8	11	15	19	33
GRAND TOTAL	5776	9.6	36	5	6	8	11	15	20	35

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	5.0	41	1	1	2	4	16	21	29
20-34	3	8.3	60	2	3	6	14	17	17	17
35-49	3	7.7	2	6	6	8	9	9	9	9
50-64	3	3.0	3	1	2	4	4	4	4	4
65+	9	5.9	5	2	4	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	150	8.8	75	1	2	5	14	21	29	35
20-34	12	21.3	481	5	7	10	37	57	60	61
35-49	10	7.1	89	1	2	3	7	22	32	32
50-64	24	12.3	149	3	4	8	14	28	45	48
65+	75	9.9	104	3	4	7	11	19	33	49
TOTAL SINGLE DX	216	5.1	39	1	2	3	5	16	21	29
TOTAL MULTIPLE DX	271	9.9	113	2	3	6	13	23	31	54
TOTAL										
0-19 YRS	348	6.6	60	1	2	3	8	19	23	30
20-34	15	18.7	416	4	6	9	18	55	60	61
35-49	13	7.2	67	2	2	5	8	17	29	32
50-64	27	11.3	142	3	4	7	13	26	45	48
65+	84	9.5	95	3	4	7	10	18	33	49
GRAND TOTAL	487	7.8	86	1	2	4	10	19	26	48

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	394	1.6	2	1	1	1	2	2	4	10
20-34	105	3.3	8	1	1	2	4	8	9	15
35-49	94	3.3	9	1	1	2	4	7	10	17
50-64	51	2.5	3	1	1	2	3	5	7	10
65+	37	3.4	9	1	2	3	4	8	11	15
2. MULTIPLE DX										
0-19 YRS	98	4.2	26	1	1	2	4	9	18	25
20-34	112	5.4	26	1	2	4	7	12	16	26
35-49	96	6.1	61	1	2	3	7	16	19	47
50-64	66	5.5	42	1	2	3	8	11	13	43
65+	123	5.6	33	1	2	4	7	12	14	32
TOTAL SINGLE DX	681	2.2	5	1	1	1	2	4	7	12
TOTAL MULTIPLE DX	495	5.3	37	1	2	3	7	12	16	28
TOTAL										
0-19 YRS	492	2.1	8	1	1	1	2	4	6	18
20-34	217	4.4	19	1	2	3	5	10	13	23
35-49	190	4.7	37	1	2	3	5	9	16	31
50-64	117	4.2	28	1	1	3	5	9	12	25
65+	160	5.1	29	1	2	3	7	12	14	25
GRAND TOTAL	1176	3.5	21	1	1	2	4	8	12	22

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1091	2.2	7	1	1	2	3	4	5	10
20-34	1747	3.3	8	1	1	3	4	6	9	15
35-49	1314	3.3	7	1	2	3	4	6	7	15
50-64	691	3.5	6	1	2	3	4	6	7	12
65+	362	3.6	5	1	2	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	583	4.2	18	1	2	3	5	9	12	22
20-34	1507	5.7	48	1	2	4	6	11	16	34
35-49	1304	5.8	41	1	2	4	7	12	16	36
50-64	937	6.0	45	2	3	4	7	11	16	37
65+	1135	6.2	24	2	3	5	8	11	15	27
TOTAL SINGLE DX	5205	3.1	8	1	1	2	4	6	8	14
TOTAL MULTIPLE DX	5466	5.7	39	1	2	4	7	11	16	33
TOTAL										
0-19 YRS	1674	2.9	12	1	1	2	3	5	8	17
20-34	3254	4.4	28	1	2	3	5	9	12	25
35-49	2618	4.5	26	1	2	3	5	9	13	25
50-64	1628	4.9	31	1	2	3	6	9	13	27
65+	1497	5.6	21	2	3	4	7	11	14	24
GRAND TOTAL	10671	4.5	25	1	2	3	5	9	12	24

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	842	1.5	1	<1	1	1	2	3	3	6
20-34	262	2.5	5	1	1	2	3	5	6	11
35-49	175	2.5	3	1	1	2	3	5	6	9
50-64	103	2.9	17	1	1	2	3	5	7	27
65+	78	2.4	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	375	3.3	17	1	1	2	4	7	12	24
20-34	292	4.7	30	1	2	3	5	8	14	29
35-49	230	5.5	65	1	2	3	6	11	14	48
50-64	174	5.6	63	1	2	3	6	11	18	45
65+	389	5.6	31	2	2	4	7	11	17	27
TOTAL SINGLE DX	1460	2.0	4	1	1	1	2	4	5	8
TOTAL MULTIPLE DX	1460	4.8	38	1	2	3	5	10	14	32
TOTAL										
0-19 YRS	1217	2.1	7	<1	1	1	2	4	6	14
20-34	554	3.7	20	1	1	3	4	7	10	26
35-49	405	4.2	41	1	1	3	4	8	12	40
50-64	277	4.6	48	1	1	3	5	8	16	39
65+	467	5.1	28	1	2	4	6	10	15	26
GRAND TOTAL	2920	3.4	23	1	1	2	4	7	10	26

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	153	3.4	14	<1	1	2	4	8	12	19
20-34	21	3.8	37	1	1	2	4	7	17	29
35-49	19	3.2	6	1	1	2	5	7	9	10
50-64	28	2.8	4	1	1	2	4	7	7	7
65+	84	3.1	13	1	1	2	4	5	8	24
2. MULTIPLE DX										
0-19 YRS	111	4.4	25	1	2	3	4	8	16	30
20-34	41	7.0	69	1	2	4	8	18	26	42
35-49	26	5.4	24	1	2	4	7	12	17	21
50-64	48	5.6	137	1	1	3	5	10	30	99+
65+	158	5.2	21	1	2	4	7	12	16	20
TOTAL SINGLE DX	305	3.3	14	1	1	2	4	7	10	19
TOTAL MULTIPLE DX	384	5.2	42	1	2	3	6	11	17	30
TOTAL										
0-19 YRS	264	3.8	19	1	1	3	4	8	12	24
20-34	62	5.9	60	1	2	3	6	12	26	40
35-49	45	4.5	18	1	1	4	6	10	13	21
50-64	76	4.6	90	1	1	3	5	8	13	94
65+	242	4.5	20	1	2	3	5	10	15	21
GRAND TOTAL	689	4.4	31	1	1	3	5	9	15	28

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	2.1	7	<1	1	1	2	4	7	18
20-34	95	2.1	2	1	1	2	3	4	6	6
35-49	41	2.0	2	1	1	1	3	4	5	7
50-64	24	2.3	10	1	1	1	2	4	8	17
65+	14	1.8	2	<1	1	1	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	35	4.2	41	1	1	2	4	7	17	34
20-34	93	4.2	27	1	1	2	5	8	15	30
35-49	56	3.3	8	1	1	3	4	7	9	18
50-64	49	4.9	15	1	3	3	6	10	15	18
65+	78	5.7	29	1	2	4	7	13	18	27
TOTAL SINGLE DX	227	2.1	4	1	1	1	3	4	6	11
TOTAL MULTIPLE DX	311	4.5	25	1	1	3	6	9	16	25
TOTAL										
0-19 YRS	88	2.9	22	<1	1	1	3	6	10	28
20-34	188	3.1	16	1	1	2	4	6	8	21
35-49	97	2.8	6	1	1	2	3	6	7	14
50-64	73	4.1	15	1	1	3	5	9	15	18
65+	92	5.1	28	1	2	3	7	12	16	26
GRAND TOTAL	538	3.5	18	1	1	2	4	7	11	21

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	258	2.9	10	1	1	2	3	5	9	19
20-34	122	3.3	20	1	1	2	4	7	9	25
35-49	93	2.9	7	1	1	2	4	6	9	15
50-64	39	3.9	31	1	1	2	4	6	17	29
65+	25	6.2	70	1	2	4	6	12	28	39
2. MULTIPLE DX										
0-19 YRS	248	5.5	57	1	2	3	6	13	20	41
20-34	242	5.0	42	1	2	3	6	10	15	41
35-49	212	5.4	50	1	2	3	6	14	19	29
50-64	171	8.2	125	1	2	4	10	17	25	67
65+	280	11.6	129	2	4	8	15	27	36	57
TOTAL SINGLE DX	537	3.2	17	1	1	2	4	6	9	24
TOTAL MULTIPLE DX	1153	7.2	87	1	2	4	9	17	24	47
TOTAL										
0-19 YRS	506	4.1	35	1	1	2	4	10	14	28
20-34	364	4.5	36	1	2	3	5	9	14	40
35-49	305	4.6	38	1	1	3	5	11	17	26
50-64	210	7.4	111	1	2	4	9	16	24	59
65+	305	11.1	127	2	4	7	15	25	36	57
GRAND TOTAL	1690	6.0	69	1	2	3	7	14	20	43

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65+	0									
TOTAL SINGLE DX	2	3.0	8	1	1	3	5	5	5	5
TOTAL MULTIPLE DX	3	8.0	43	2	3	7	13	15	15	15
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	0									
65+	0									
GRAND TOTAL	5	6.0	31	1	2	5	9	15	15	15

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	3.5	14	2	2	3	4	5	6	26
20-34	2185	3.5	3	2	2	3	4	6	7	10
35-49	3999	3.4	3	2	2	3	4	5	7	10
50-64	1460	3.5	3	2	2	3	4	6	7	10
65 +	415	4.4	8	2	3	4	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	38	7.7	42	2	4	5	9	21	23	24
20-34	978	4.4	11	2	3	4	5	7	9	20
35-49	2509	4.5	16	2	3	4	5	7	10	17
50-64	1730	5.2	19	2	3	4	6	9	13	25
65 +	1521	6.9	30	3	4	5	8	13	18	31
TOTAL SINGLE DX	8143	3.5	4	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	6776	5.2	21	2	3	4	6	9	13	25
TOTAL										
0-19 YRS	122	4.8	27	2	2	3	5	8	17	27
20-34	3163	3.8	6	2	2	3	4	6	8	12
35-49	6508	3.8	9	2	2	3	4	6	8	14
50-64	3190	4.4	13	2	3	4	5	7	10	21
65 +	1936	6.4	27	2	3	5	7	12	17	29
GRAND TOTAL	14919	4.3	12	2	3	3	5	7	9	18

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.5	1	<1	<1	1	2	3	4	5
20-34	60	1.7		<1	1	2	2	3	3	4
35-49	37	2.9	47	<1	<1	1	2	3	6	43
50-64	14	1.4		<1	1	1	2	2	3	3
65 +	8	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	107	2.3	1	1	1	2	3	4	4	5
20-34	334	2.4	2	1	2	2	3	4	4	8
35-49	191	2.6	2	<1	1	2	3	4	6	9
50-64	115	2.2	2	<1	1	2	3	4	4	9
65 +	97	2.7	6	1	1	2	3	6	9	12
TOTAL SINGLE DX	146	1.9	13	<1	<1	1	2	3	3	8
TOTAL MULTIPLE DX	844	2.4	3	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	134	2.1	1	<1	1	2	3	3	4	5
20-34	394	2.3	2	<1	1	2	3	4	4	7
35-49	228	2.6	10	<1	1	2	3	4	6	9
50-64	129	2.1	3	<1	1	2	3	4	4	8
65 +	105	2.6	6	1	1	2	3	5	9	12
GRAND TOTAL	990	2.4	4	<1	1	2	3	4	5	9

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	100	2.6	9	<1	<1	1	3	6	8	17
20-34	143	2.2	3	<1	1	2	3	4	6	12
35-49	68	2.1	6	<1	<1	1	3	4	4	17
50-64	30	1.8	1	<1	1	1	2	3	4	6
65 +	7	3.6	22	<1	1	1	4	12	14	14
2. MULTIPLE DX										
0-19 YRS	91	3.4	9	<1	1	3	4	7	11	16
20-34	169	2.5	3	1	1	2	3	4	5	14
35-49	133	3.0	53	<1	1	2	3	4	8	26
50-64	89	2.3	8	<1	<1	1	2	5	8	16
65 +	79	5.6	44	<1	1	2	9	15	20	32
TOTAL SINGLE DX	348	2.3	6	<1	<1	1	3	4	6	12
TOTAL MULTIPLE DX	561	3.2	24	<1	1	2	3	6	11	18
TOTAL										
0-19 YRS	191	3.0	10	<1	<1	2	4	7	9	16
20-34	312	2.4	4	<1	1	2	3	4	6	12
35-49	201	2.7	38	<1	1	2	3	4	6	17
50-64	119	2.2	6	<1	<1	1	2	4	7	15
65 +	86	5.5	43	<1	1	2	8	14	19	31
GRAND TOTAL	909	2.8	17	<1	1	2	3	6	9	17

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	2.5	6	<1	1	2	3	4	8	14
20-34	92	2.4	3	<1	1	2	3	5	6	8
35-49	88	2.5	7	1	1	2	3	5	7	18
50-64	54	2.8	7	1	1	2	3	6	10	13
65 +	36	2.9	5	1	1	2	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	64	6.6	57	<1	1	3	11	16	23	32
20-34	204	4.7	48	1	1	2	6	10	16	37
35-49	218	4.2	44	1	1	2	4	10	17	36
50-64	171	5.0	40	1	1	2	7	14	16	26
65 +	180	7.5	92	1	2	4	10	17	22	57
TOTAL SINGLE DX	333	2.6	6	<1	1	2	3	5	7	13
TOTAL MULTIPLE DX	837	5.4	57	1	1	2	7	14	18	33
TOTAL										
0-19 YRS	127	4.6	36	<1	1	2	4	14	16	30
20-34	296	4.0	36	1	1	2	5	8	13	28
35-49	306	3.7	34	1	1	2	4	8	13	30
50-64	225	4.5	33	1	1	2	5	11	15	25
65 +	216	6.7	81	1	2	4	8	16	20	49
GRAND TOTAL	1170	4.6	44	1	1	2	5	11	16	30

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	193	8.1	15	5	6	7	9	13	15	24
20-34	107	5.8	11	2	4	5	7	10	13	18
35-49	227	4.7	10	2	3	4	6	8	10	14
50-64	112	4.2	5	2	3	4	5	7	9	11
65 +	22	4.9	6	2	3	4	7	8	10	12
2. MULTIPLE DX										
0-19 YRS	287	10.0	69	5	6	8	10	17	25	64
20-34	309	8.3	49	2	4	6	10	16	20	38
35-49	671	5.9	16	2	3	5	7	11	13	23
50-64	448	7.0	41	2	3	6	8	13	17	30
65 +	270	10.3	56	4	6	8	13	19	27	37
TOTAL SINGLE DX	661	5.8	14	2	3	5	7	9	12	19
TOTAL MULTIPLE DX	1985	7.7	44	2	4	6	9	14	19	36
TOTAL										
0-19 YRS	480	9.2	49	5	6	7	10	15	19	43
20-34	416	7.7	41	2	4	6	9	14	18	37
35-49	898	5.6	16	2	3	5	7	10	12	21
50-64	560	6.4	36	2	3	5	8	12	15	30
65 +	292	9.9	55	3	5	8	12	18	25	37
GRAND TOTAL	2646	7.2	37	2	4	6	8	13	17	34

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	2.5	2	1	1	2	3	4	5	9
20-34	96	2.6	2	1	2	2	3	4	6	8
35-49	128	2.8	3	1	2	2	3	5	6	10
50-64	106	2.8	2	1	2	2	4	5	6	8
65 +	49	3.4	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	85	2.9	2	1	2	3	3	4	7	8
20-34	138	3.2	3	1	2	3	4	5	7	11
35-49	187	3.1	12	1	2	3	4	5	6	17
50-64	243	3.3	3	1	2	3	4	6	7	10
65 +	161	4.7	29	1	3	4	5	8	11	26
TOTAL SINGLE DX	411	2.8	3	1	2	2	4	5	6	9
TOTAL MULTIPLE DX	814	3.5	11	1	2	3	4	6	8	17
TOTAL										
0-19 YRS	117	2.8	2	1	2	3	3	4	6	8
20-34	234	2.9	3	1	2	3	4	5	6	10
35-49	315	3.0	9	1	2	3	3	5	6	12
50-64	349	3.1	3	1	2	3	4	5	7	10
65 +	210	4.4	24	1	2	3	5	7	10	24
GRAND TOTAL	1225	3.2	8	1	2	3	4	5	7	12

735: Total hip replacement (81.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	35	7.1	12	4	5	7	7	9	12	24
35-49	117	6.6	4	4	6	7	8	9	10	13
50-64	368	7.2	5	5	6	7	8	10	11	15
65 +	712	8.0	6	5	6	8	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	7	9.4	10	6	7	9	12	14	14	14
20-34	80	7.6	7	5	6	7	9	10	12	20
35-49	276	7.7	10	5	6	7	9	11	13	25
50-64	928	8.4	27	5	6	7	9	12	14	31
65 +	3068	8.8	13	6	7	8	10	13	15	24
TOTAL SINGLE DX	1232	7.6	6	5	6	7	9	10	12	15
TOTAL MULTIPLE DX	4359	8.6	16	5	7	8	10	12	15	24
TOTAL										
0-19 YRS	7	9.4	10	6	7	9	12	14	14	14
20-34	115	7.4	9	5	6	7	8	10	12	23
35-49	393	7.3	9	4	6	7	8	10	13	18
50-64	1296	8.0	21	5	6	7	9	11	13	22
65 +	3780	8.7	13	6	7	8	10	12	15	23
GRAND TOTAL	5591	8.4	14	5	6	8	9	12	14	23

736: Other arthroplasty of hip (81.40; 81.52-81.53)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.6	4	2	2	3	4	7	7	7
20-34	13	6.3	3	4	5	6	8	8	9	9
35-49	35	7.3	5	4	5	7	9	11	12	12
50-64	81	7.4	6	5	6	7	9	10	12	16
65 +	373	8.4	11	5	7	8	9	12	14	19
2. MULTIPLE DX										
0-19 YRS	21	4.8	7	2	3	4	6	9	10	11
20-34	44	8.2	14	4	6	7	9	12	16	22
35-49	106	8.6	16	5	7	8	9	11	14	28
50-64	319	9.9	30	5	7	9	11	15	20	35
65 +	3048	10.1	30	6	7	9	11	15	19	32
TOTAL SINGLE DX	507	8.1	10	5	6	8	9	11	13	19
TOTAL MULTIPLE DX	3538	9.9	30	6	7	9	11	15	19	32
TOTAL										
0-19 YRS	26	4.0	6	2	3	4	5	9	10	11
20-34	57	7.7	13	4	6	7	9	12	15	22
35-49	141	8.2	14	5	6	8	9	11	13	26
50-64	400	9.4	27	5	7	8	11	15	18	29
65 +	3421	9.9	29	6	7	9	11	15	19	32
GRAND TOTAL	4045	9.7	28	5	7	9	11	15	18	31

737: Total knee replacement (81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	12	8.8	25	4	6	7	11	16	21	22
35-49	70	6.9	4	4	5	7	9	10	10	12
50-64	363	7.0	6	4	5	7	8	10	12	14
65 +	1060	7.7	19	5	6	7	9	11	12	14
2. MULTIPLE DX										
0-19 YRS	3	9.3	5	8	8	8	11	12	12	12
20-34	18	6.9	10	4	4	6	9	12	14	14
35-49	101	8.4	15	5	6	8	10	13	14	25
50-64	857	7.9	9	5	6	7	9	11	13	18
65 +	3628	8.4	9	5	7	8	10	12	14	20
TOTAL SINGLE DX	1507	7.5	16	5	6	7	9	10	12	14
TOTAL MULTIPLE DX	4607	8.3	10	5	6	8	10	12	14	19
TOTAL										
0-19 YRS	5	8.4	4	7	7	8	9	12	12	12
20-34	30	7.7	17	4	5	6	10	13	14	22
35-49	171	7.8	11	4	6	7	9	11	14	19
50-64	1220	7.7	9	4	6	7	9	11	13	17
65 +	4688	8.2	12	5	6	8	9	12	13	18
GRAND TOTAL	**6114**	**8.1**	**11**	**5**	**6**	**8**	**9**	**11**	**13**	**18**

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	395	2.5		1	2	2	3	4	4	5
20-34	855	2.6	1	1	2	3	3	4	4	6
35-49	340	2.8	1	1	2	3	3	4	5	9
50-64	69	5.9	11	2	3	6	8	10	12	17
65 +	84	6.2	6	3	4	6	8	9	10	11
2. MULTIPLE DX										
0-19 YRS	546	2.7	1	1	2	3	3	4	5	9
20-34	1613	2.9	1	2	2	3	3	4	5	8
35-49	793	3.2	3	2	2	3	4	5	6	11
50-64	202	6.1	19	2	3	5	9	11	13	25
65 +	372	7.9	21	4	6	7	9	11	13	22
TOTAL SINGLE DX	1743	2.9	3	1	2	3	3	4	6	9
TOTAL MULTIPLE DX	3526	3.6	8	2	2	3	4	7	9	13
TOTAL										
0-19 YRS	941	2.6	1	1	2	3	3	4	4	7
20-34	2468	2.8	2	2	2	3	3	4	5	7
35-49	1133	3.0	3	2	2	3	3	4	6	10
50-64	271	6.1	18	2	3	5	8	10	13	24
65 +	456	7.6	19	4	5	7	9	11	13	21
GRAND TOTAL	**5269**	**3.4**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**12**

739: Prosthetic replacement of joint, except hip and knee (81.56-81.59; 81.71; 81.73-81.74; 81.80-81.81; 81.84)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.0		1	1	2	3	3	3	3
20-34	13	2.6	3	1	1	2	4	5	6	6
35-49	37	2.6	2	1	1	2	3	5	6	8
50-64	83	2.8	3	1	1	2	4	5	7	9
65 +	98	4.0	7	1	2	3	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	22	4.6	16	1	2	4	6	10	14	18
35-49	64	3.3	10	1	2	2	4	6	9	19
50-64	172	3.9	10	1	2	3	5	8	10	15
65 +	323	5.1	14	2	3	4	6	9	12	16
TOTAL SINGLE DX	235	3.2	5	1	2	2	4	6	8	10
TOTAL MULTIPLE DX	584	4.5	13	1	2	4	6	8	11	17
TOTAL										
0-19 YRS	7	2.0	1	1	1	2	3	3	3	3
20-34	35	3.9	12	1	1	3	6	7	10	18
35-49	101	3.1	8	1	1	2	4	6	8	18
50-64	255	3.6	8	1	2	3	5	8	9	14
65 +	421	4.8	13	1	2	4	6	8	11	16
GRAND TOTAL	**819**	**4.2**	**11**	**1**	**2**	**3**	**6**	**8**	**10**	**16**

740: Miscellaneous repair of other joint, except hip and knee (81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	285	1.7		1	1	2	2	3	3	4
20-34	667	1.7		1	1	2	2	3	3	4
35-49	419	1.8		1	1	2	2	3	3	5
50-64	236	2.0	1	1	1	2	2	3	4	6
65 +	118	2.3	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	118	1.8		1	1	2	2	3	3	5
20-34	386	2.0	1	1	1	2	2	3	4	7
35-49	461	2.2	5	1	1	2	2	3	4	13
50-64	443	2.1	1	1	1	2	3	3	4	6
65 +	313	2.8	4	1	1	2	3	5	6	13
TOTAL SINGLE DX	1725	1.8	1	1	1	2	2	3	3	5
TOTAL MULTIPLE DX	1721	2.2	3	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	403	1.7	1	1	1	2	2	3	3	4
20-34	1053	1.8	1	1	1	2	2	3	3	5
35-49	880	2.0	4	1	1	2	2	3	4	7
50-64	679	2.1	1	1	1	2	3	3	4	6
65 +	431	2.6	4	1	1	2	3	5	6	13
GRAND TOTAL	**3446**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	2.6	10	<1	1	1	3	7	9	17
20-34	111	3.6	6	1	2	3	5	7	8	13
35-49	78	4.2	32	1	1	3	4	7	13	34
50-64	36	3.3	7	1	1	2	4	7	9	13
65 +	7	3.3	3	<1	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	310	4.3	33	1	1	3	5	9	13	37
20-34	177	6.0	47	1	3	4	7	11	16	62
35-49	162	7.2	69	1	2	4	8	18	22	41
50-64	135	7.8	69	1	2	5	11	21	27	38
65 +	128	7.8	52	1	3	6	10	15	24	38
TOTAL SINGLE DX	336	3.4	14	<1	1	2	4	7	9	18
TOTAL MULTIPLE DX	912	6.1	53	1	2	4	7	14	21	40
TOTAL										
0-19 YRS	414	3.9	28	1	1	2	4	9	12	35
20-34	288	5.1	33	1	2	4	6	9	13	37
35-49	240	6.2	59	1	2	4	7	15	22	40
50-64	171	6.9	60	1	2	4	8	16	25	36
65 +	135	7.5	51	1	3	6	10	15	23	37
GRAND TOTAL	1248	5.4	44	1	2	3	6	12	17	37

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	95	2.1	4	<1	<1	1	2	4	7	11
20-34	52	3.3	19	<1	1	2	3	9	13	24
35-49	64	2.6	6	<1	1	1	3	6	9	11
50-64	45	3.4	18	<1	1	2	3	7	14	21
65 +	39	2.3	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	52	9.0	191	1	1	4	9	28	35	68
20-34	52	6.6	129	1	1	3	8	16	18	74
35-49	103	6.2	78	1	1	3	7	15	25	47
50-64	119	6.5	82	1	1	4	8	14	25	49
65 +	176	8.3	84	1	3	5	11	19	23	44
TOTAL SINGLE DX	295	2.6	9	<1	1	1	3	6	9	15
TOTAL MULTIPLE DX	502	7.3	99	1	2	4	9	16	27	55
TOTAL										
0-19 YRS	147	4.5	81	<1	1	1	4	10	20	59
20-34	104	4.9	77	<1	1	2	5	13	17	51
35-49	167	4.8	54	1	1	2	5	11	16	41
50-64	164	5.6	67	1	1	2	7	13	20	45
65 +	215	7.2	74	1	2	4	9	16	21	43
GRAND TOTAL	797	5.6	71	1	1	3	6	13	20	44

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.0	5	<1	<1	2	5	6	6	6
20-34	7	3.4	5	1	2	3	4	7	8	8
35-49	6	1.3		<1	1	1	1	3	3	3
50-64	14	1.4		1	1	1	1	2	4	4
65 +	18	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	3.2	2	<1	2	3	4	5	5	5
20-34	16	6.3	20	2	3	4	10	14	15	15
35-49	13	3.6	6	<1	1	3	6	7	8	8
50-64	27	1.4		1	1	1	2	3	3	4
65 +	25	2.0	5	1	1	1	2	4	8	11
TOTAL SINGLE DX	50	1.7	2	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	87	2.9	9	1	1	1	4	7	11	15
TOTAL										
0-19 YRS	11	3.1	3	<1	1	3	5	6	6	6
20-34	23	5.4	17	2	3	4	8	12	14	15
35-49	19	2.9	6	<1	1	1	5	7	8	8
50-64	41	1.4	1	1	1	1	2	3	4	4
65 +	43	1.7	3	<1	1	1	2	3	5	11
GRAND TOTAL	137	2.5	7	1	1	1	3	6	8	14

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	1.6	1	<1	1	1	2	3	4	7
20-34	117	1.9	2	1	1	1	2	4	5	8
35-49	39	2.1	3	<1	1	1	2	5	6	10
50-64	12	1.4	1	<1	<1	1	1	3	5	5
65 +	7	1.3		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	95	2.3	12	1	1	1	2	4	5	25
20-34	161	2.6	3	1	1	2	4	5	6	11
35-49	59	2.9	9	<1	1	2	4	7	11	14
50-64	47	1.7		<1	1	1	2	3	3	6
65 +	30	3.4	11	1	1	2	5	10	11	11
TOTAL SINGLE DX	235	1.8	2	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	392	2.5	7	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	155	2.0	8	1	1	1	2	4	5	24
20-34	278	2.3	3	1	1	2	3	4	5	10
35-49	98	2.6	7	<1	1	2	3	6	9	14
50-64	59	1.6	1	<1	1	1	2	3	3	6
65 +	37	3.0	10	1	1	2	3	9	11	11
GRAND TOTAL	627	2.2	5	1	1	1	3	4	6	11

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	1.7	2	<1	1	1	2	3	3	11
20-34	205	2.0	2	1	1	2	2	3	5	8
35-49	365	2.0	2	1	1	2	2	3	4	6
50-64	399	2.1	1	1	1	2	3	3	4	6
65 +	220	2.6	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	61	3.9	33	1	1	2	3	7	21	27
20-34	208	3.8	38	1	1	2	4	6	11	32
35-49	327	3.2	19	1	1	2	3	6	8	20
50-64	558	2.7	7	1	2	2	3	4	5	16
65 +	503	3.2	6	1	2	3	4	5	8	15
TOTAL SINGLE DX	1243	2.2	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	1657	3.1	15	1	2	2	3	5	8	20
TOTAL										
0-19 YRS	115	2.9	20	1	1	2	3	5	10	27
20-34	413	2.9	21	1	1	2	3	5	7	21
35-49	692	2.6	11	1	1	2	3	4	6	18
50-64	957	2.4	5	1	2	2	3	4	5	10
65 +	723	3.0	5	1	2	2	4	5	7	13
GRAND TOTAL	2900	2.7	9	1	1	2	3	4	6	16

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	245	1.6		1	1	1	2	3	3	4
20-34	100	2.1	1	1	1	2	3	4	5	7
35-49	165	1.9	2	1	1	2	2	3	4	8
50-64	57	1.9	1	1	1	2	2	3	4	6
65 +	30	2.8	1	1	2	3	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	414	2.3	6	<1	1	2	3	4	6	12
20-34	133	4.2	58	1	2	2	3	5	20	45
35-49	110	3.6	40	1	1	2	3	5	8	47
50-64	106	3.8	30	1	1	2	4	8	14	63
65 +	107	5.1	21	1	2	3	6	10	16	23
TOTAL SINGLE DX	597	1.9	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	870	3.3	25	1	1	2	3	6	9	33
TOTAL										
0-19 YRS	659	2.0	5	<1	1	2	2	3	4	11
20-34	233	3.3	35	1	1	2	3	4	7	42
35-49	275	2.6	18	1	1	2	3	4	5	16
50-64	163	3.2	21	1	1	2	3	5	9	36
65 +	137	4.6	18	1	2	3	5	9	14	23
GRAND TOTAL	1467	2.7	16	1	1	2	3	4	6	22

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.8	4	<1	1	1	2	3	7	10
20-34	37	2.1	2	1	1	2	3	4	6	7
35-49	21	1.7	1	<1	<1	1	2	4	5	5
50-64	8	1.4		<1	1	1	2	3	3	3
65 +	7	2.6	4	<1	1	2	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	19	4.2	52	1	1	2	4	7	22	33
20-34	50	3.2	10	1	1	2	4	7	9	19
35-49	46	6.6	74	1	2	3	8	16	22	47
50-64	38	4.6	24	1	1	3	6	10	17	22
65 +	27	5.8	73	1	1	2	6	10	33	36
TOTAL SINGLE DX	92	1.9	3	<1	1	1	2	4	5	9
TOTAL MULTIPLE DX	180	4.9	44	1	1	2	6	11	19	35
TOTAL										
0-19 YRS	38	3.0	29	<1	1	1	3	5	9	33
20-34	87	2.8	7	1	1	2	4	6	7	16
35-49	67	5.0	56	<1	1	2	5	14	19	44
50-64	46	4.0	22	1	1	2	5	9	13	22
65 +	34	5.1	61	1	1	2	6	8	28	36
GRAND TOTAL	272	3.9	32	1	1	2	4	8	13	33

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.7	6	1	2	4	5	6	6	6
20-34	4	3.8	23	1	1	2	6	11	11	11
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	3	25.7	1612	1	2	4	55	72	72	72
20-34	11	17.7	623	2	3	8	14	64	77	78
35-49	8	8.5	119	1	2	3	12	27	33	33
50-64	7	7.9	21	2	3	9	11	14	14	14
65 +	11	14.0	217	2	4	10	20	34	51	53
TOTAL SINGLE DX	11	3.6	9	1	1	3	5	8	11	11
TOTAL MULTIPLE DX	40	13.7	351	1	3	8	14	43	63	78
TOTAL										
0-19 YRS	6	14.7	793	1	1	4	6	65	72	72
20-34	15	14.0	492	1	2	8	11	55	72	78
35-49	10	7.3	100	1	2	3	10	23	33	33
50-64	8	7.5	19	2	4	7	11	13	14	14
65 +	12	13.2	206	2	4	8	18	31	50	53
GRAND TOTAL	51	11.5	293	1	2	5	12	26	55	78

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.4	2	<1	<1	2	4	5	5	5
20-34	9	3.4	8	1	1	3	5	8	9	9
35-49	9	3.7	9	1	2	3	5	9	9	9
50-64	8	5.3	20	1	2	3	8	12	14	14
65+	6	9.3	166	2	2	4	9	32	35	35
2. MULTIPLE DX										
0-19 YRS	10	4.6	54	<1	1	2	4	15	25	25
20-34	52	10.0	161	2	3	6	10	27	38	64
35-49	135	11.9	151	1	4	9	14	26	42	58
50-64	238	11.7	99	2	5	9	16	24	32	49
65+	327	10.3	79	2	4	8	13	22	29	50
TOTAL SINGLE DX	41	4.5	33	1	1	3	5	9	11	35
TOTAL MULTIPLE DX	762	10.9	104	2	4	8	13	24	31	54
TOTAL										
0-19 YRS	19	3.6	29	<1	1	2	4	6	16	25
20-34	61	9.0	144	1	2	5	10	25	35	63
35-49	144	11.4	146	1	3	9	13	26	38	58
50-64	246	11.5	98	2	5	9	16	24	32	49
65+	333	10.2	80	2	4	8	13	22	29	50
GRAND TOTAL	803	10.6	102	2	4	8	13	23	31	54

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	8.3	1	7	7	9	9	9	9	9
20-34	3	18.3	574	4	4	5	36	46	46	46
35-49	5	7.2	6	4	5	9	9	9	9	9
50-64	6	9.5	32	5	6	7	12	19	20	20
65+	3	9.3	4	7	8	10	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	10	11.7	173	3	3	5	12	36	36	36
20-34	33	16.9	133	5	7	13	27	33	36	43
35-49	84	17.5	184	5	7	14	24	41	51	59
50-64	170	15.3	160	5	7	12	20	33	43	99+
65+	415	13.2	92	5	7	11	16	25	33	49
TOTAL SINGLE DX	20	10.1	84	4	6	8	10	16	33	46
TOTAL MULTIPLE DX	712	14.4	124	5	7	11	18	30	39	58
TOTAL										
0-19 YRS	13	10.9	132	3	4	7	10	36	36	36
20-34	36	17.1	155	4	6	12	28	33	41	46
35-49	89	16.9	180	5	7	13	23	40	50	59
50-64	176	15.1	157	5	7	12	20	33	43	99+
65+	418	13.2	92	5	7	11	16	25	33	49
GRAND TOTAL	732	14.3	124	5	7	11	17	29	39	57

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	6.3	27	3	3	4	9	14	14	14
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	5	9.4	93	2	3	6	13	26	26	26
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	26.3	416	5	8	29	48	80	99+	99+
20-34	6	16.3	221	5	10	12	14	43	46	46
35-49	29	19.8	192	7	9	13	30	42	45	47
50-64	71	18.6	275	5	7	11	24	54	61	99+
65+	400	13.5	138	5	7	10	16	25	41	67
TOTAL SINGLE DX	16	6.7	37	3	3	4	7	14	22	26
TOTAL MULTIPLE DX	515	14.8	171	5	7	11	17	33	48	76
TOTAL										
0-19 YRS	13	20.2	377	4	5	12	40	65	92	99+
20-34	8	14.0	181	4	7	11	13	36	46	46
35-49	33	17.9	195	5	8	12	28	41	45	47
50-64	76	18.0	267	4	7	11	23	53	60	99+
65+	401	13.5	138	5	7	10	16	25	41	67
GRAND TOTAL	531	14.6	169	4	7	11	17	32	48	73

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	6.1	19	1	2	4	11	12	12	12
20-34	3	8.0	49	3	3	5	13	16	16	16
35-49	0									
50-64	3	17.0	247	3	6	14	29	34	34	34
65+	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	7	4.6	10	2	2	4	6	10	11	11
20-34	13	17.9	315	3	7	10	25	45	57	60
35-49	46	15.6	168	4	8	13	19	30	62	99+
50-64	73	17.0	187	4	6	14	22	34	46	70
65+	116	15.1	168	4	7	12	19	27	43	68
TOTAL SINGLE DX	20	7.7	61	1	2	4	12	15	25	34
TOTAL MULTIPLE DX	255	15.6	179	4	7	12	20	31	46	75
TOTAL										
0-19 YRS	18	5.5	16	2	2	4	8	12	12	12
20-34	16	16.1	275	3	6	9	18	41	54	60
35-49	46	15.6	169	4	8	13	19	30	62	99+
50-64	76	17.0	187	4	6	14	22	34	45	70
65+	119	14.8	168	4	7	11	19	27	42	68
GRAND TOTAL	275	15.0	174	3	7	11	19	30	44	73

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.0	19	1	1	2	6	11	13	13
20-34	11	5.9	6	3	4	5	7	10	12	12
35-49	3	4.0	9	<1	1	4	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	25	7.6	27	1	3	7	11	13	19	20
20-34	9	5.7	10	1	4	7	7	10	11	11
35-49	12	6.1	13	1	3	7	8	11	12	12
50-64	7	7.9	8	4	6	9	9	11	12	12
65 +	1	9.0		9	9	9	9	9	9	9
TOTAL SINGLE DX	24	5.0	10	1	2	5	7	9	12	13
TOTAL MULTIPLE DX	54	7.0	18	1	4	7	9	12	13	20
TOTAL										
0-19 YRS	33	6.7	27	1	2	6	11	13	18	20
20-34	20	5.8	8	2	4	6	7	9	11	12
35-49	15	5.7	12	1	2	7	8	10	11	12
50-64	8	7.5	8	4	5	8	9	11	12	12
65 +	2	7.0	8	5	5	7	9	9	9	9
GRAND TOTAL	78	6.4	17	1	3	6	9	12	13	20

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.1	2	1	1	2	2	5	6	6
20-34	9	1.7		<1	1	1	2	3	3	3
35-49	5	2.4	1	<1	1	2	3	4	4	4
50-64	9	6.1	98	1	1	3	5	22	32	32
65 +	7	3.4	2	2	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	7	3.7	11	2	2	2	4	10	11	11
20-34	14	9.3	303	1	3	5	6	17	57	69
35-49	37	13.1	220	1	4	9	17	47	57	99 +
50-64	41	8.1	93	1	3	4	11	19	26	51
65 +	82	8.7	52	2	4	6	12	19	23	34
TOTAL SINGLE DX	38	3.2	26	1	1	2	3	6	7	32
TOTAL MULTIPLE DX	181	9.3	115	1	3	5	12	20	30	65
TOTAL										
0-19 YRS	15	2.9	7	1	2	2	3	6	10	11
20-34	23	6.3	194	1	1	3	5	9	31	69
35-49	42	11.8	206	1	3	7	15	35	57	99 +
50-64	50	7.8	93	1	2	4	9	19	27	51
65 +	89	8.3	50	2	3	6	12	18	22	33
GRAND TOTAL	219	8.3	106	1	2	5	11	19	28	61

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	3	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	6	5.8	11	1	5	5	8	11	11	11
TOTAL										
0-19 YRS	0									
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	3	5.7	25	1	2	5	9	11	11	11
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	9	4.2	13	1	1	5	6	10	11	11

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	32	1.5		<1	<1	1	2	3	3	4
35-49	156	1.7	1	<1	1	1	2	3	3	6
50-64	180	2.0	1	1	1	2	2	3	4	8
65 +	127	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	37	2.8	8	1	1	2	3	7	10	14
35-49	165	3.1	23	1	1	2	3	6	10	24
50-64	206	3.3	12	1	1	2	3	7	11	20
65 +	331	4.8	51	1	2	3	5	11	16	34
TOTAL SINGLE DX	499	1.8	1	<1	1	2	2	3	4	6
TOTAL MULTIPLE DX	741	3.9	33	1	1	2	4	9	13	27
TOTAL										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	69	2.2	5	<1	1	1	2	4	7	13
35-49	321	2.4	13	1	1	2	2	4	6	16
50-64	386	2.7	8	1	1	2	3	5	8	16
65 +	458	4.0	39	1	1	2	4	9	14	30
GRAND TOTAL	1240	3.1	21	1	1	2	3	6	10	19

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	59	2.9	6	1	2	2	3	5	7	17
50-64	72	2.8	4	1	2	2	3	4	8	11
65 +	53	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	14	4.4	16	1	2	3	4	13	13	13
35-49	144	2.9	4	1	2	2	3	5	7	11
50-64	110	3.1	3	2	2	3	3	5	7	10
65 +	188	3.9	13	1	2	3	5	7	8	19
TOTAL SINGLE DX	188	2.8	4	1	2	2	3	4	6	11
TOTAL MULTIPLE DX	458	3.4	8	1	2	3	4	6	8	13
TOTAL										
0-19 YRS	3	3.7	14	1	1	2	5	8	8	8
20-34	17	4.3	14	1	2	3	4	12	13	13
35-49	203	2.9	5	1	2	2	3	5	7	14
50-64	182	3.0	3	1	2	3	3	5	7	11
65 +	241	3.6	11	1	2	3	4	6	8	17
GRAND TOTAL	646	3.2	7	1	2	3	4	6	7	13

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	37	2.8	1	2	2	2	3	5	5	8
35-49	372	2.9	2	1	2	3	3	4	6	9
50-64	480	2.8	1	2	2	2	3	4	5	8
65 +	552	2.8	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	66	3.4	4	2	2	3	4	5	7	14
35-49	519	3.1	3	2	2	3	4	4	5	9
50-64	815	3.3	3	2	2	3	4	5	7	10
65 +	1682	3.6	6	2	2	3	4	5	7	14
TOTAL SINGLE DX	1441	2.8	2	2	2	3	3	4	5	8
TOTAL MULTIPLE DX	3083	3.5	5	2	2	3	4	5	7	13
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	103	3.2	4	2	2	3	4	5	6	12
35-49	891	3.0	3	2	2	3	3	4	6	9
50-64	1295	3.1	3	2	2	3	4	5	6	10
65 +	2234	3.4	5	2	2	3	4	5	7	14
GRAND TOTAL	4524	3.3	4	2	2	3	4	5	6	11

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	121	1.8	1	1	1	2	2	3	3	6
20-34	304	1.9		1	1	2	2	3	4	6
35-49	267	2.0	1	1	1	2	2	3	4	7
50-64	124	2.1	2	1	1	2	2	3	4	9
65 +	51	2.1	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	48	2.3	2	1	1	2	2	4	5	9
20-34	243	2.3	2	1	1	2	3	4	5	12
35-49	534	2.4	3	1	1	2	3	4	5	11
50-64	345	2.4	3	1	1	2	3	4	5	10
65 +	124	2.6	6	1	2	2	3	4	5	14
TOTAL SINGLE DX	867	2.0	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	1294	2.4	4	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	169	1.9	2	1	1	2	2	3	4	9
20-34	547	2.1	2	1	1	2	2	3	4	7
35-49	801	2.3	3	1	1	2	3	4	5	9
50-64	469	2.3	3	1	1	2	3	4	5	10
65 +	175	2.4	5	1	1	2	3	4	5	9
GRAND TOTAL	2161	2.2	3	1	1	2	3	4	5	9

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	1.9	1	<1	1	1	2	3	5	7
20-34	54	1.9	1	1	1	2	2	4	4	8
35-49	9	1.4	1	<1	1	1	2	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	1.8	1	<1	<1	1	2	3	4	5
20-34	24	2.0	1	1	1	2	3	4	4	5
35-49	8	3.3	20	<1	<1	1	3	11	14	14
50-64	3	10.0	81	1	3	10	17	19	19	19
65 +	2	3.0	2	2	2	3	4	4	4	4
TOTAL SINGLE DX	91	1.9	2	<1	1	1	2	4	4	8
TOTAL MULTIPLE DX	53	2.6	10	<1	1	2	3	4	9	19
TOTAL										
0-19 YRS	44	1.9	2	<1	1	1	2	3	5	7
20-34	78	1.9	2	1	1	2	2	4	4	7
35-49	17	2.3	10	<1	1	1	2	4	11	14
50-64	3	10.0	81	1	3	10	17	19	19	19
65 +	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	144	2.1	5	<1	1	1	2	4	5	14

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	134	1.7	3	<1	<1	1	1	3	6	11
20-34	66	2.9	8	<1	1	2	4	6	10	16
35-49	76	3.1	25	<1	1	1	3	6	12	32
50-64	35	1.8	2	<1	1	1	2	3	5	9
65 +	30	2.7	7	<1	1	2	3	8	10	11
2. MULTIPLE DX										
0-19 YRS	129	5.8	75	<1	1	3	6	14	25	37
20-34	133	6.8	103	1	2	4	8	15	22	69
35-49	177	7.6	81	1	2	4	9	16	30	89
50-64	163	7.7	96	1	2	5	10	16	23	60
65 +	344	9.1	60	2	4	7	12	20	25	37
TOTAL SINGLE DX	341	2.4	10	<1	<1	1	2	5	9	16
TOTAL MULTIPLE DX	946	7.8	80	1	2	5	10	18	25	51
TOTAL										
0-19 YRS	263	3.7	43	<1	<1	1	4	9	14	28
20-34	199	5.5	75	1	1	3	7	11	18	52
35-49	253	6.2	69	1	1	3	8	15	27	62
50-64	198	6.7	85	1	1	4	8	14	21	53
65 +	374	8.6	59	1	3	7	11	19	24	37
GRAND TOTAL	1287	6.4	67	1	1	4	8	15	22	38

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	3.4	12	1	1	2	4	7	9	16
20-34	297	4.8	12	1	2	4	6	10	12	17
35-49	137	5.1	34	1	2	3	6	11	13	39
50-64	63	5.1	22	1	2	4	6	13	16	19
65 +	48	6.7	73	1	2	4	7	12	21	48
2. MULTIPLE DX										
0-19 YRS	438	7.4	87	1	2	5	9	17	28	90
20-34	972	9.6	119	2	3	6	12	22	31	56
35-49	823	12.2	130	2	5	9	16	28	39	99 +
50-64	598	13.4	186	3	5	9	17	29	47	96
65 +	1010	14.0	158	3	6	10	18	29	41	66
TOTAL SINGLE DX	687	4.7	23	1	2	3	6	10	13	20
TOTAL MULTIPLE DX	3841	11.6	144	2	4	8	15	27	37	69
TOTAL										
0-19 YRS	580	6.4	72	1	2	4	8	15	24	58
20-34	1269	8.5	99	1	3	5	10	19	28	53
35-49	960	11.2	123	2	4	8	14	26	36	89
50-64	661	12.6	177	2	4	8	15	28	43	95
65 +	1058	13.7	157	3	6	10	17	29	40	64
GRAND TOTAL	4528	10.6	132	2	3	7	13	25	35	66

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1 SINGLE DX										
0-19 YRS	296	3.1	8	<1	1	2	4	7	9	15
20-34	410	3.6	9	1	1	3	5	7	9	16
35-49	255	3.9	17	1	2	3	5	8	11	18
50-64	99	4.0	16	1	1	3	5	9	10	23
65 +	76	3.3	14	1	1	2	4	7	8	25
2. MULTIPLE DX										
0-19 YRS	1017	4.0	43	1	1	2	4	8	12	37
20-34	1737	4.7	47	1	1	3	5	9	16	35
35-49	1352	6.2	62	1	2	4	7	14	19	42
50-64	784	7.3	76	1	3	5	9	15	22	44
65 +	1154	7.0	46	1	3	5	9	14	19	35
TOTAL SINGLE DX	1136	3.6	12	1	1	3	5	7	10	16
TOTAL MULTIPLE DX	6044	5.7	55	1	2	4	7	12	18	38
TOTAL										
0-19 YRS	1313	3.8	36	1	1	2	4	8	11	32
20-34	2147	4.5	40	1	1	3	5	9	14	31
35-49	1607	5.9	56	1	2	4	7	13	18	38
50-64	883	7.0	70	1	2	5	9	14	21	43
65 +	1230	6.8	45	1	3	5	9	14	19	34
GRAND TOTAL	7180	5.4	49	1	2	3	6	11	16	36

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	4.3	40	< 1	1	2	4	9	17	34
20-34	53	5.8	39	1	1	4	8	15	21	30
35-49	33	5.3	15	1	2	4	8	10	14	16
50-64	26	9.0	124	1	2	5	12	24	32	48
65 +	34	5.0	11	1	2	4	7	10	12	12
2. MULTIPLE DX										
0-19 YRS	161	9.0	112	< 1	1	5	14	20	29	55
20-34	186	12.2	203	1	3	8	15	31	39	90
35-49	195	12.8	128	2	4	9	19	30	36	46
50-64	123	14.3	241	2	4	10	18	30	48	99
65 +	196	14.9	186	2	5	10	21	36	45	61
TOTAL SINGLE DX	216	5.5	43	1	1	4	7	12	18	33
TOTAL MULTIPLE DX	861	12.6	174	1	3	8	17	29	39	64
TOTAL										
0-19 YRS	231	7.5	95	< 1	1	3	11	18	28	44
20-34	239	10.8	174	1	3	7	13	25	37	78
35-49	228	11.7	119	2	3	8	17	28	36	45
50-64	149	13.4	224	1	4	8	17	29	46	98
65 +	230	13.5	173	2	4	9	18	33	43	60
GRAND TOTAL	1077	11.2	156	1	3	7	15	27	37	63

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	3.3	22	< 1	1	1	2	10	15	20
20-34	21	4.4	130	< 1	1	1	3	4	27	54
35-49	16	6.1	37	< 1	1	5	8	17	20	21
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	5	4.6	35	< 1	1	2	7	15	15	15
2. MULTIPLE DX										
0-19 YRS	34	8.6	275	1	1	2	8	24	61	69
20-34	52	13.6	276	1	2	5	19	39	49	66
35-49	48	9.7	235	1	2	4	10	32	83	99 +
50-64	31	10.9	136	2	3	7	15	25	44	47
65 +	61	12.8	363	1	2	6	14	32	61	96
TOTAL SINGLE DX	68	4.3	58	< 1	1	1	4	10	18	48
TOTAL MULTIPLE DX	226	11.4	271	1	2	5	14	31	54	99
TOTAL										
0-19 YRS	56	6.5	181	1	1	1	6	11	27	69
20-34	73	11.0	250	1	1	3	15	37	49	66
35-49	64	8.8	187	1	2	4	10	25	62	99 +
50-64	35	9.9	129	1	2	6	13	23	41	47
65 +	66	12.2	342	1	2	5	14	30	57	95
GRAND TOTAL	294	9.8	230	1	1	4	11	26	47	92

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	121	2.5	8	< 1	1	1	3	5	7	14
20-34	110	5.2	43	1	2	3	6	10	16	38
35-49	79	3.4	8	1	1	3	4	7	10	14
50-64	49	3.0	15	1	1	2	4	7	7	26
65 +	23	4.6	21	1	1	2	8	12	13	15
2. MULTIPLE DX										
0-19 YRS	240	4.8	69	1	1	2	5	10	16	58
20-34	277	6.7	62	1	2	4	8	14	24	49
35-49	302	6.5	50	1	2	5	8	14	20	42
50-64	230	7.4	55	1	3	5	10	15	18	37
65 +	405	9.0	54	3	4	7	11	17	25	38
TOTAL SINGLE DX	382	3.7	21	< 1	1	2	4	7	11	27
TOTAL MULTIPLE DX	1454	7.1	60	1	2	5	9	15	21	42
TOTAL										
0-19 YRS	361	4.0	51	< 1	1	2	4	7	11	41
20-34	387	6.3	57	1	2	4	7	13	20	46
35-49	381	5.9	43	1	2	4	7	12	18	40
50-64	279	6.6	51	1	2	4	9	15	18	35
65 +	428	8.8	53	2	4	7	11	17	24	38
GRAND TOTAL	1836	6.4	54	1	2	4	8	14	19	40

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	5	8.0	196	1	1	2	10	33	33	33
20-34	8	6.4	36	1	2	4	10	16	16	16
35-49	11	4.5	9	2	2	3	7	9	10	10
50-64	15	9.3	218	1	2	4	8	26	49	57
65 +	49	6.6	21	2	3	5	9	14	16	23
TOTAL SINGLE DX	10	2.1	2	1	1	2	2	4	6	6
TOTAL MULTIPLE DX	88	6.8	62	2	3	4	8	15	18	48
TOTAL										
0-19 YRS	6	6.8	165	1	1	2	3	30	33	33
20-34	11	5.5	30	1	2	4	6	16	16	16
35-49	13	4.1	9	2	2	3	5	9	10	10
50-64	17	8.4	197	1	2	2	7	24	46	57
65 +	51	6.4	21	2	3	5	9	13	16	23
GRAND TOTAL	98	6.4	58	1	2	4	8	14	17	45

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	2.4	8	1	1	1	2	9	10	11
20-34	161	2.0	5	1	1	1	2	4	6	11
35-49	273	1.7	2	1	1	1	1	4	6	9
50-64	123	1.6	1	1	1	1	1	3	5	7
65 +	55	1.5	2	1	1	1	1	3	6	9
2. MULTIPLE DX										
0-19 YRS	41	3.6	66	1	1	1	2	10	16	49
20-34	167	4.2	33	1	1	2	5	9	11	22
35-49	218	3.4	14	1	1	2	4	8	11	19
50-64	168	4.5	27	1	1	3	6	10	14	22
65 +	280	5.2	22	1	1	3	8	12	13	22
TOTAL SINGLE DX	649	1.8	4	1	1	1	1	4	6	10
TOTAL MULTIPLE DX	874	4.4	26	1	1	2	6	10	13	22
TOTAL										
0-19 YRS	78	3.1	39	1	1	1	2	10	11	40
20-34	328	3.1	21	1	1	1	4	8	10	20
35-49	491	2.5	9	1	1	1	2	6	8	15
50-64	291	3.3	19	1	1	1	4	7	10	18
65 +	335	4.6	21	1	1	3	7	11	13	21
GRAND TOTAL	1523	3.3	18	1	1	1	4	8	11	19

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	2.2	7	1	1	1	2	4	5	15
20-34	68	3.2	13	1	1	2	3	7	14	16
35-49	42	4.3	23	1	1	2	5	13	15	22
50-64	50	2.9	10	< 1	1	2	3	8	12	14
65 +	67	2.5	5	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	46	4.6	22	1	1	3	7	10	15	20
20-34	124	4.6	18	1	1	3	7	11	14	41
35-49	155	6.5	56	1	2	4	8	14	20	32
50-64	274	6.1	27	1	3	5	8	12	16	26
65 +	522	6.3	34	1	3	5	8	12	16	32
TOTAL SINGLE DX	257	3.0	12	1	1	2	3	7	12	16
TOTAL MULTIPLE DX	1121	6.0	34	1	2	4	8	12	17	31
TOTAL										
0-19 YRS	76	3.7	17	1	1	2	5	8	13	20
20-34	192	4.1	17	1	1	2	6	11	14	21
35-49	197	6.0	50	1	2	4	7	14	18	32
50-64	324	5.6	26	1	2	4	8	12	15	25
65 +	589	5.9	33	1	2	4	8	12	15	31
GRAND TOTAL	1378	5.5	31	1	2	4	7	12	15	28

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	21	3.6	7	< 1	2	3	5	8	9	9
50-64	35	2.7	5	< 1	1	2	3	7	8	8
65 +	63	2.8	2	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	15	4.3	12	1	1	3	7	10	10	10
35-49	189	3.5	6	1	2	3	5	7	8	12
50-64	364	3.7	8	1	1	3	5	7	9	15
65 +	494	4.5	13	1	2	4	6	9	11	19
TOTAL SINGLE DX	121	2.9	5	< 1	1	2	4	6	8	10
TOTAL MULTIPLE DX	1066	4.1	11	1	2	3	6	8	10	17
TOTAL										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	17	4.6	15	1	1	3	8	10	11	12
35-49	210	3.5	6	1	2	3	5	7	9	12
50-64	399	3.6	8	1	1	3	5	7	9	15
65 +	557	4.3	13	1	2	3	6	8	11	18
GRAND TOTAL	1187	4.0	10	1	2	3	5	8	10	16

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	105	2.3	4	1	1	2	3	5	7	10
20-34	224	3.3	10	1	1	2	5	7	9	14
35-49	122	3.9	9	1	1	3	6	8	10	15
50-64	120	3.9	11	1	1	3	6	8	11	16
65 +	113	3.5	9	< 1	1	2	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	120	4.3	57	1	1	2	5	9	12	42
20-34	329	5.1	41	1	2	3	7	10	14	57
35-49	411	6.1	21	1	2	5	8	11	15	22
50-64	647	6.1	41	1	2	5	8	11	16	29
65 +	1294	6.3	27	1	3	6	8	12	15	25
TOTAL SINGLE DX	684	3.4	9	1	1	2	5	7	9	15
TOTAL MULTIPLE DX	2801	6.0	33	1	2	5	8	11	15	27
TOTAL										
0-19 YRS	225	3.4	34	1	1	2	3	7	10	25
20-34	553	4.4	30	1	1	3	6	9	12	24
35-49	533	5.6	19	1	2	5	8	10	14	20
50-64	767	5.7	38	1	2	5	7	11	15	29
65 +	1407	6.1	27	1	2	5	8	12	14	23
GRAND TOTAL	3485	5.5	29	1	2	4	7	11	14	25

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	734	2.6	9	1	1	2	3	5	8	16
20-34	682	3.7	22	1	1	2	4	8	10	20
35-49	461	4.2	29	1	2	3	5	8	12	27
50-64	306	4.5	36	1	2	3	5	9	13	26
65 +	313	4.5	25	1	2	3	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	1882	5.0	58	1	1	3	5	11	18	43
20-34	2194	5.7	45	1	2	3	7	12	18	39
35-49	2439	6.0	52	1	2	4	7	12	18	41
50-64	3008	6.5	47	2	3	5	8	13	17	39
65 +	9316	6.6	29	2	3	5	8	12	16	27
TOTAL SINGLE DX	2496	3.7	22	1	1	2	4	7	11	21
TOTAL MULTIPLE DX	18839	6.2	40	1	3	5	8	12	17	34
TOTAL										
0-19 YRS	2616	4.4	46	1	1	2	5	9	16	41
20-34	2876	5.2	41	1	2	3	6	11	16	37
35-49	2900	5.7	49	1	2	4	7	11	17	37
50-64	3314	6.3	47	1	3	4	8	12	17	38
65 +	9629	6.5	30	2	3	5	8	12	16	27
GRAND TOTAL	21335	5.9	39	1	2	4	7	12	16	34

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1339	3.0	8	1	1	2	4	6	8	14
20-34	2120	2.9	6	1	1	2	3	6	7	14
35-49	1481	3.1	11	1	1	2	4	6	8	16
50-64	832	3.3	12	1	1	2	4	7	9	18
65 +	633	4.0	12	1	2	3	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	3783	6.1	68	1	2	4	7	12	21	49
20-34	5013	4.8	34	1	2	3	6	9	14	34
35-49	5172	5.2	33	1	2	4	6	10	14	29
50-64	6759	5.6	29	2	2	4	7	11	14	28
65 +	16938	6.3	26	2	3	5	8	11	15	26
TOTAL SINGLE DX	6405	3.1	10	1	1	2	4	6	8	15
TOTAL MULTIPLE DX	37665	5.8	34	2	3	4	7	11	15	30
TOTAL										
0-19 YRS	5122	5.3	55	1	2	3	6	11	16	43
20-34	7133	4.2	27	1	2	3	5	8	12	28
35-49	6653	4.7	29	1	2	3	6	9	13	27
50-64	7591	5.4	29	1	2	4	7	10	14	27
65 +	17571	6.2	26	2	3	5	8	11	15	26
GRAND TOTAL	44070	5.4	31	1	2	4	7	10	14	29

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	6.8	153	1	2	3	6	14	43	65
20-34	20	2.8	2	1	2	3	4	5	6	6
35-49	23	3.3	7	1	2	2	4	7	9	12
50-64	8	6.1	30	2	3	4	6	16	19	19
65 +	8	4.9	2	3	4	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	822	14.5	280	2	4	9	20	51	92	99 +
20-34	234	8.5	88	1	3	5	11	21	30	68
35-49	309	10.1	93	2	3	7	14	24	35	99 +
50-64	534	11.9	113	3	5	9	15	23	31	87
65 +	1384	12.5	91	4	6	10	16	23	31	53
TOTAL SINGLE DX	105	5.1	74	1	2	3	5	9	14	53
TOTAL MULTIPLE DX	3283	12.4	145	3	5	9	16	27	43	99 +
TOTAL										
0-19 YRS	868	14.1	276	2	4	9	19	48	87	99 +
20-34	254	8.0	84	1	2	5	10	21	28	63
35-49	332	9.7	90	2	3	7	13	23	31	99 +
50-64	542	11.8	113	3	5	9	15	23	30	85
65 +	1392	12.5	91	4	6	10	16	23	31	53
GRAND TOTAL	**3388**	**12.2**	**144**	**2**	**5**	**9**	**16**	**27**	**42**	**99 +**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1518	3.6	28	1	1	2	3	6	16	26
20-34	373	5.4	72	1	2	3	5	10	22	49
35-49	365	4.9	49	1	2	3	5	10	16	42
50-64	217	5.2	84	1	1	3	5	10	19	46
65 +	219	7.6	169	1	2	4	6	22	37	96
2. MULTIPLE DX										
0-19 YRS	3196	4.5	42	1	2	3	4	9	15	37
20-34	895	7.5	111	1	2	4	8	18	30	58
35-49	1139	7.9	103	1	2	4	8	20	30	60
50-64	1543	7.5	91	2	2	4	8	16	26	59
65 +	5365	7.7	57	2	3	5	9	15	21	42
TOTAL SINGLE DX	2692	4.5	55	1	1	2	4	9	18	41
TOTAL MULTIPLE DX	12138	6.8	68	2	3	4	8	14	22	47
TOTAL										
0-19 YRS	4714	4.2	38	1	2	2	4	8	15	32
20-34	1268	6.8	101	1	2	3	7	16	28	57
35-49	1504	7.1	92	1	2	4	8	18	27	58
50-64	1760	7.2	91	1	2	4	8	16	25	54
65 +	5584	7.7	62	2	3	5	9	15	22	44
GRAND TOTAL	**14830**	**6.4**	**67**	**1**	**2**	**4**	**7**	**14**	**21**	**45**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	596	2.1	2	1	1	1	3	4	4	8
20-34	170	3.1	8	1	1	3	4	6	7	11
35-49	139	3.0	5	1	1	2	4	6	7	10
50-64	100	3.5	6	1	2	3	5	6	8	13
65 +	161	4.0	6	1	2	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	1028	5.4	62	1	2	3	6	10	17	57
20-34	624	5.0	48	1	2	3	5	9	14	41
35-49	896	5.3	31	1	2	4	6	10	14	28
50-64	1703	5.8	23	2	3	5	7	11	14	24
65 +	5557	6.5	24	2	3	5	8	12	15	26
TOTAL SINGLE DX	1166	2.7	5	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	9808	6.1	31	2	3	5	7	11	15	28
TOTAL										
0-19 YRS	1624	4.2	43	1	1	3	4	8	12	40
20-34	794	4.6	41	1	2	3	5	8	12	36
35-49	1035	4.9	29	1	2	4	6	10	14	25
50-64	1803	5.7	22	2	3	5	7	11	14	24
65 +	5718	6.5	25	2	3	5	8	12	15	25
GRAND TOTAL	**10974**	**5.7**	**29**	**1**	**3**	**4**	**7**	**11**	**14**	**27**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1141	2.5	18	<1	1	1	2	4	7	20
20-34	518	3.5	32	1	1	2	4	7	11	41
35-49	626	3.0	33	1	1	2	3	5	9	20
50-64	613	2.6	7	1	1	2	3	5	8	15
65 +	548	2.9	6	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	4338	7.6	145	1	2	3	7	22	35	73
20-34	1888	5.2	61	1	1	3	6	12	20	40
35-49	3105	4.4	40	1	1	2	5	9	15	31
50-64	4668	4.7	35	1	2	3	5	10	15	30
65 +	11286	5.4	30	1	2	4	7	10	14	28
TOTAL SINGLE DX	3446	2.8	20	1	1	2	3	5	8	20
TOTAL MULTIPLE DX	25285	5.5	56	1	2	3	6	11	18	40
TOTAL										
0-19 YRS	5479	6.5	124	1	1	3	6	17	31	64
20-34	2406	4.9	56	1	1	2	5	11	19	40
35-49	3731	4.2	40	1	1	2	4	9	15	30
50-64	5281	4.4	33	1	2	3	5	9	14	29
65 +	11834	5.3	30	1	2	4	7	10	14	28
GRAND TOTAL	**28731**	**5.2**	**52**	**1**	**2**	**3**	**6**	**11**	**17**	**39**

APPENDIX A

1990 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	380	44	11.6
25-49	1,125	148	13.2
50-99	1,148	160	13.9
100-199	1,130	188	16.6
200-299	694	110	15.9
300-399	389	86	22.1
400-499	204	40	19.6
500+	262	56	21.4
Unknown	5	0	
Total	**5,337**	**832**	**15.6**
Region and Census Division			
Northeast	760	176	23.2
New England	226	72	31.9
Middle Atlantic	534	104	19.5
North Central	1,554	230	14.8
East North Central	811	198	24.4
West North Central	743	32	4.3
South	2,020	154	7.6
South Atlantic	792	87	11.0
East South Central	467	32	6.9
West South Central	761	35	4.6
West	1,003	272	27.1
Mountain	353	149	42.2
Pacific	650	123	18.9
Location			
Urban	2,812	497	17.7
Rural	2,525	335	13.3
Teaching Intensity			
Low	4,362	613	14.1
Medium	691	155	22.4
High	284	60	21.1
Unknown	0	4	

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 sample is compared to the universe of hospitals in 1989.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by American Medical Association (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	


Northeast
North Central
West
New England
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 652.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 717, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
717	Repair and plastic operation on bone, except facial and femur	78.00-78.04; 78.06-78.14; 78.16-78.23; 78.27-78.34; 78.37-78.44; 78.46-78.54; 78.56-78.59; 78.70-78.74; 78.76-78.84; 78.86-78.94; 78.96-78.99; 79.90-79.94; 79.96-79.99
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.98; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1990 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
	Angiodysplasia
224	intestine
206	stomach
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	bone marrow transplant
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough

Group No.	Title
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
340	kidney disease
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional

DIAGNOSIS INDEX (continued)

Group No.	Title
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic

Group No.	Title
	Dependence **(continued)**
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
134	Dermatochalasis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy

DIAGNOSIS INDEX (continued)

Group No.	Title
	Diabetic complications **(continued)**
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's

Group No.	Title
	Disease **(continued)**
80	Cushing's
340	cystic kidney
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica

Group No.	Title
	Disease **(continued)**
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disorder **(continued)**
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy

Group No.	Title
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Enteritis, except bacterial, regional, and viral **(continued)**
  - 218 noninfectious
  - 222 regional
  - 1 viral
- 252 Epididymitis
- 123 Epilepsy
- 349 Epistaxis
- 7 Erysipelas
- 71 Erythroplasia
- 180 Esophageal varices
- 199 Esophagitis
- 199 Esophagospasm
- 143 Essential benign hypertension
- Examination
  - 417 follow-up
  - 417 medical

- Failure
  - 156 heart, except hypertensive and postoperative
    - 144 hypertensive
      - 146 with renal disease or failure
    - 408 postoperative
  - 238 renal, except chronic and hypertensive
    - 237 chronic
    - 145 hypertensive
      - 146 with heart disease or failure
  - 195 respiratory (acute)
- 357 Fainting
- 277 False labor
- Fever
  - 141 active rheumatic
  - 347 of undetermined origin (FUO)
  - 2 paratyphoid
  - 302 puerperal
  - 5 scarlet
  - 2 typhoid
  - 13 yellow

Group No. **Title**

- Fibrillation or flutter
  - 154 atrial
  - 155 ventricular
- Fibrocystic disease
  - 255 breast
  - 82 pancreas
- 60 Fibroma, uterus
- 17 Filariasis
- 220 Fissure, anal
- 220 Fistula, anal
- 134 Flat anterior chamber
- 2 Food poisoning
- 397 Foreign body in body orifice
- Fracture
  - 372 ankle
  - 367 arm, except upper
    - 366 upper
  - 372 bimalleolar
  - 368 carpal
  - 373 clavicle
  - 367 Colles'
  - 361 face bone
  - 370 femur, except upper end
    - 369 upper end
  - 371 fibula, except lateral malleolus
  - 368 finger
  - 372 foot
  - 368 hand
  - 417 healed, aftercare, except removal of fixation device
    - 414 removal of fixation device
  - 369 hip
  - 366 humerus
  - 372 knee
  - 372 lateral malleolus
  - 371 leg, lower, except ankle
    - 370 upper, except hip
  - 361 mandible

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
176	Goodpasture's syndrome
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
176	Hypersensitivity angiitis
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial

Group No.	Title
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury **(continued)**
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
72	Neurofibromatosis
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple, except by cesarean delivery
419	by cesarean delivery
411	single, except by cesarean delivery
418	by cesarean delivery
412	twin, except by cesarean delivery
419	by cesarean delivery
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery

Group No.	Title
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)

Group No.	Title
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis

DIAGNOSIS INDEX (continued)

Group No.	Title
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy

Group No.	Title
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 357 Rash
- Reaction
  - 107 anxiety
  - 108 depressive
  - 404 drug, not elsewhere classified
  - 409 transfusion
- 262 Rectocele, female
- 253 Redundant prepuce
- 222 Regional enteritis
- 414 Removal of internal fixation device
- Renal
  - 241 calculus
  - 415 dialysis treatment
  - 238 failure, except chronic and hypertensive
    - 237 chronic
    - 145 hypertensive
      - 146 with heart disease or failure
  - 145 hypertension
- 146 Renovascular hypertension
- 195 Respiratory distress, acute
- 3 Respiratory tuberculosis
- 134 Retained intraocular foreign body
- 287 Retained placenta
- 119 Retardation, mental
- 354 Retention, urine
- Retinal
  - 128 cyst
  - 128 detachment
  - 128 hemorrhage
  - 128 tear
- 134 Retinitis pigmentosa
- 344 Rh (Rhesus) disease of newborn
- 141 Rheumatic fever, active
- 142 Rheumatic heart disease, chronic
- 331 Rheumatism
- 312 Rheumatoid arthritis, except spine
  - 318 spine

Group No. **Title**

- 14 Rickettsiosis
- 9 Rubella
  - 20 late effect
- Rupture
  - 180 blood vessel
  - 321 intervertebral disc, except lumbar
    - 320 lumbar disc
  - 257 ovarian cyst
  - 282 uterus
    - 304 postpartum
    - 300 with delivery
- 208 Ruptured appendix

- 322 Sacroiliac instability
- 2 Salmonellosis
- 258 Salpingitis
- Sarcoma-*see Neoplasm, malignant, connective tissue*
- 102 Schizophrenia, except paranoid, childhood, and acute episode
  - 101 acute episode
  - 103 childhood
  - 100 paranoid
- 323 Sciatica
- 122 Sclerosis, multiple
- 331 Scoliosis
- 308 Sebaceous cyst
- 346 Seizure, except epileptic
  - 123 epileptic
- 270 Self-induced abortion
- 131 Senile cataract
- 97 Senile dementia or psychosis
- 357 Senility
- 375 Separation, shoulder
- 6 Sepsis
  - 302 puerperal
- 6 Septicemia
  - 302 puerperal
- 10 Serum hepatitis

DIAGNOSIS INDEX (continued)

Group No.	Title
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No. Title
7 Tetanus
173 Thoracic aortic aneurysm
273 Threatened abortion
91 Thrombocytopenia
177 Thrombophlebitis
180   migrans
Thrombosis
175   arterial, except cerebral, precerebral, and lower limb
165   cerebral, without paralysis
166   with paralysis
171   lower limb
180   portal vein
163   precerebral, without paralysis
164   with paralysis
180   vein
74 Thyroid disease, except nodule or goiter
73   thyroid nodule or goiter
74 Thyrotoxicosis
167 TIA
127 Tic douloureux
185 Tonsillitis, chronic
275 Toxemia of pregnancy
301   with delivery
275 Toxemia of the puerperium
301   with delivery
182 Tracheobronchitis, acute
409 Transfusion reaction
167 Transient ischemic attack (TIA)
131 Traumatic cataract
Treatment
416   chemotherapy
415   dialysis
417   physical therapy
417   radiotherapy
17 Trichinosis
19 Trichomoniasis

Group No. Title
Tricuspid valve disease-*see Valvular disease*
127 Trigeminal neuralgia
245 Trigonitis
268 Tubal pregnancy
Tuberculosis
4   bone
20   late effect
3   lung
4   nonrespiratory
3   respiratory
14 Typhus

Ulcer
202   duodenal
203   with hemorrhage or perforation
204   with obstruction
200   gastric
201   with hemorrhage or perforation
204   with obstruction
202   gastrojejunal
203   with hemorrhage or perforation
204   with obstruction
202   peptic, except gastric
203   with hemorrhage or perforation
204   with obstruction
309   skin
178   varicose, lower extremity
222 Ulcerative colitis
78 Uncontrolled diabetes mellitus
339 Undescended testis
357 Undiagnosed disease
322 Unstable low back
181 Upper respiratory infection, acute, except streptococcal
5   streptococcal
238 Uremia, except chronic
237   chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	Title
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy **(continued)**
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt **(continued)**
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement **(continued)**
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. Title

- Excision **(continued)**
  - hydrocele (continued)
    - 663 spermatic cord
    - 658 tunica vaginalis
  - 729 intervertebral disc or cartilage, except chemonucleolysis
    - 728 chemonucleolysis
  - 732 joint, except intervertebral disc and cartilage of knee
    - 729 intervertebral disc, except chemonucleolysis
      - 728 chemonucleolysis
    - 730 knee cartilage
  - 633 kidney, except partial
    - 636 partial
  - 730 knee cartilage (semilunar)
  - 583 lymph nodes, except radical
    - 584 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 670 bilateral
    - 669 unilateral
  - 549 parotid gland
  - 761 pilonidal cyst or sinus
  - 515 pituitary gland
  - 656 prostate, except transurethral approach
    - 655 transurethral approach
  - 522 pterygium
  - 762 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 730 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 767 toenail
  - 551 tongue
  - 552 tonsil, except with adenoids
    - 553 with adenoids
  - 555 tonsil tag

Group No. Title

- Excision **(continued)**
  - tubes and ovaries
    - 670 bilateral
    - 669 unilateral
  - 678 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 663 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 628 abdominal wall
  - 611 anus
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 501 brain
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix, except by conization
    - 675 conization
  - 598 colon
  - 520 conjunctiva
  - 522 cornea
  - 598 duodenum
  - 533 ear, external
  - 589 esophagus
  - 531 eye
  - 517 eyelid
  - 674 fallopian tube
  - 548 gingiva, gums
  - 598 intestine
  - 524 iris
  - 636 kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach

Group No.	Title
	Excision of lesion **(continued)**
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	• Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No. Title

- 745 Fasciectomy, except of hand
  - 743 hand
- 741 Fasciotomy, except of hand
  - 743 hand
- Fistulectomy
  - 610 anal
  - 644 bladder
  - 555 branchial cleft
  - 563 bronchus
  - 602 intestine
  - 541 nasal
  - 541 nasolabial
  - 545 oroantral
  - 609 perirectal
  - 555 pharynx
  - 646 rectourethral
  - 687 rectouterine
  - 689 rectovaginal
  - 644 rectovesical
  - 609 rectum
  - 561 tracheoesophageal
- Fistulization
  - 523 sclera (for glaucoma)
  - 561 transesophageal (larynx)
- 756 Fitting, limb prosthesis
- 717 Fixation, internal, of bone, except hip or with fracture-reduction
  - 716 hip
  - with fracture-reduction-*see Fracture-reduction*
- 697 Forceps delivery, except low forceps
  - 695 low forceps
- Formation
  - 580 arteriovenous shunt for dialysis
  - 602 endoileal rectal pouch
  - 638 ileal conduit or bladder
- Fracture-reduction
  - 709 facial bone, except closed reduction
    - 708 closed reduction

Group No. Title

- Fracture-reduction **(continued)**
  - femur
    - 721 closed, except with internal fixation
      - 719 with internal fixation
    - 721 open, except with internal fixation
      - 720 with internal fixation
  - 709 mandible, except closed reduction
    - 708 closed reduction
  - 709 maxillofacial, except closed reduction
    - 708 closed reduction
  - 543 nose
  - other sites
    - 724 closed, except with internal fixation
      - 722 with internal fixation
    - 724 open, except with internal fixation
      - 723 with internal fixation
- 551 Frenectomy (labial) (tongue)
- 556 Frenotomy (labial) (tongue)
- 734 Fusion, joint, except spinal
  - 733 spinal

- 508 Ganglionectomy, except of tendon
  - 742 tendon (of hand)
- 508 Gasserian ganglionectomy
- 594 Gastrectomy, except total
  - 595 total
- 590 Gastroscopy, except surgical approach
  - 597 surgical approach (transabdominal)
- 592 Gastrostomy
- 591 Gastrotomy
- 707 Genioplasty
- 775 G.I. series x-ray
- 548 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 551 Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
764	infusion pump
755	limb prosthesis
764	vascular access device
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*

Group No.	Title
	Incision (and drainage) **(continued)**
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
	sclerosing agent
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis

OPERATION INDEX (continued)

Group No. **Title**

Insertion **(continued)**
767 tissue expander, except breast
760 breast
651 ureteral stent, except by incision
637 by incision
764 vascular access device
674 Insufflation, fallopian tubes
582 Interruption, vena cava
702 Intra-amniotic injection for termination of pregnancy
775 Intravenous pyelogram (IVP)
783 Intubation, nonoperative
783 Irrigation, nonoperative
775 IVP (intravenous pyelogram)

522 Keratotomy, radial

Laceration repair (suture)-*see Repair, by site*
506 Laminectomy, except for excision of intervertebral disc
729 excision of intervertebral disc
630 Laparoscopy, except for tubal ligation
672 tubal ligation
629 Laparotomy, exploratory
559 Laryngectomy, except partial
558 partial
576 Laryngoscopy
560 Laryngotomy
717 Lengthening of bone, except femur
716 femur
526 Lens extraction, except intracapsular
525 intracapsular
781 Leukopheresis
Ligation
673 fallopian tubes (bilateral), except endoscopic approach
672 endoscopic approach
612 hemorrhoids

Group No. **Title**

Ligation **(continued)**
577 varicose veins
662 vas deferens
577 Ligation and stripping, varicose veins
Lithotripsy
644 bladder
652 extracorporeal shock wave (ESWL)
639 kidney
652 ultrasonic
640 ureter
Lobectomy
501 brain
615 liver
565 lung, except partial
564 partial
695 Low forceps delivery
512 Lumbar puncture
Lysis, adhesions
632 abdominal
744 hand
524 iris
727 joint
746 muscle, except hand
744 hand
632 pelvis
632 peritoneum
746 tendon, except of hand
744 hand

775 Magnetic resonance imaging (MRI)
760 Mammectomy
775 Mammography
760 Mammoplasty, augmentation or reduction
707 Mandibulectomy, except partial
706 partial
707 Mandibulotomy

OPERATION INDEX (continued)

Group No.	Title
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral

Group No.	Title
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis

OPERATION INDEX (continued)

Group No.	Title
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar

Group No.	Title
	Puncture **(continued)**
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible

OPERATION INDEX (continued)

Group No.	Title
	Reconstruction **(continued)**
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*
	Release **(continued)**
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid

Group No.	Title
	Repair **(continued)**
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve

OPERATION INDEX (continued)

Group No.	Title
	Repair **(continued)**
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
713	toe(s)
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee

Group No.	Title
	Replacement **(continued)**
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
	Sclerotherapy (injection)
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP

Group No.	Title
	Sphincterotomy **(continued)**
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*

OPERATION INDEX (continued)

Group No. **Title**
745 Tenosynovectomy, except of hand
743   hand
741 Tenotomy, except of hand
743   hand
Termination of pregnancy
684   aspiration curettage
682   dilation and curettage
700   hysterotomy
702   intra-amniotic injection
783 Thallium stress test
Therapy
779   behavior
781   cancer (chemical)
779   electroconvulsive (ECT)
778   occupational
778   physical
779   psychiatric
776   radiation
779   shock (EST)
778   speech
777   ventilation
775 Thermography
576 Thoracentesis
569 Thoracoscopy, transpleural
568 Thoracotomy
515 Thymectomy
513 Thyroidectomy
582 Thromboendarterectomy, except carotid
581   carotid
551 Tongue-tie operation
552 Tonsillectomy, except with adenoidectomy
553   with adenoidectomy
547 Tooth restoration
781 TPN (total parenteral nutrition)
560 Tracheostomy
778 Traction, skeletal, except with fracture-reduction
  with fracture-reduction-*see Reduction, fracture*

Group No. **Title**
Transfer-*see Transplant*
Transfusion
781   blood, except intrauterine exchange
704   intrauterine
585   bone marrow
781   coagulation factor
781   gamma globulin
781   plasma
Transplant, transplantation
585   bone marrow
521   corneal
570   heart
570   and lung
635   kidney
615   liver
567   lung
746   muscle, except of hand
744   hand
620   pancreas
746   tendon, except of hand
744   hand
655 TUR of prostate
542 Turbinectomy, nasal
535 Tympanoplasty, except revision
538   revision
536 Tympanotomy

Ultrasonic fragmentation of calculus
652   biliary
652   urinary, except by percutaneous nephrostomy
634   percutaneous nephrostomy
775 Ultrasound, diagnostic
640 Ureterectomy
638 Ureterostomy
637 Ureterotomy
641 Urethroscopy

OPERATION INDEX (continued)

Group No.	Title
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy

Group No.	Title
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

LOS

LENGTH OF STAY

Geriatric Length of Stay by Diagnosis and Operation United States, 1990

LOS

LENGTH OF STAY

Geriatric Length of Stay
by Diagnosis and Operation
United States, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1991

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1990
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1990
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1990
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1990
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1990
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

- Source of the Data
- Data Quality
- Hospital Characteristics

Organization of the Tables viii

- Classification System
- Patient Data Assignment
- Definition of Multiple Diagnosis Patients
- Definition of Operated Patients

Explanation of the Statistics x

- Total Number of Patients
- Average Length of Stay
- Variance
- Percentiles
- Subtotal and Grand Total

Using the Tables xi

Ten Year Length of Stay Comparison xii

Length of Stay Tables 1

- Length of Stay Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 3
- Diagnosis Groups 1-419 4
- Length of Stay Operation Groups 215
- Summary of All Patients in Operation Groups 216
- Operation Groups 501-783 217

Appendix A

1990 Hospital Characteristics 289

Appendix B

Description of Hospital Characteristics 290

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index

- Part I: Diagnosis Index 298
- Part II: Operation Index 321

ACKNOWLEDGEMENTS

1990 LENGTH OF STAY
BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda Vanek, Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA).
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.
Michele Archer, Staff Nosologist, CPHA.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Sally Smith, and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1990 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, The National Association of Children's Hospitals and Related Institutions (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The system was designed to group together patients with the same or closely related diagnoses (or procedures) to permit the development of detailed guidelines of care.

The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, and 418-419, which pertain exclusively to newborns, age is replaced by birth weight in grams. Two new groups were added in 1990 to the List A Diagnosis Groups to separate newborns delivered by cesarean section from unassisted deliveries:

418 - Single liveborn, with cesarean section delivery, born in hospital
419 - Twin or multiple liveborn, with cesarean section delivery, born in hospital

The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. A significant procedure is defined as one that is surgical (invasive) in nature, or carries a procedural risk, or carries an anesthetic risk, or requires specialized training. Surgery generally includes incision, excision, amputation, introduction (of devices), endoscopy, repair, suture, and manipulation. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in ~~the~~ total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis

- Not Operated or Operated (for Diagnosis groups only)

- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

TEN YEAR LENGTH OF STAY COMPARISON

The Length of Stay publications present statistical data which describe hospital stay in the United States. Companion volumes display data for census regions and the pediatric and geriatric populations. The 1990 LOS series, published by Healthcare Knowledge Resources, is derived from the database developed and maintained by the Commission on Professional and Hospital Activities (CPHA) and is drawn from over four million hospital discharge records.

Hospital stay data provide a valuable perspective for healthcare professionals who make decisions based on hospital utilization. Length of Stay has been published since 1963 and can be used to track trends, examine patterns of care, and conduct comparisons between years.

The following graphs illustrate changes in hospital stay over a 10 year period.



[1] Short term, general nonfederal hospitals

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS EXCEPT NEWBORNS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

There is a steady decline in length of stay over the time period studied, with a 12% drop observed from 1980 to 1985 for all patients in the U.S. From 1985 to 1990 the decline continued, but slowed to a 5% decrease.

Traditionally, hospital stays are highest in the Northeast and North Central, and lowest in the South and West. This regional pattern remains consistent until 1990, when the North Central and Southern regions display an almost equivalent length of stay.

A variety of factors can be looked at to explain the decline in hospital stay. Studies show that the prospective payment system implemented by the federal government had an impact on reducing hospital stays by reimbursing at a fixed rate for inpatient care. The introduction of utilization review to monitor costs and resource consumption helped shorten hospital stays by assuring medical necessity of admissions.

Other factors that affect hospital stay include introducing new medical technology and techniques that require shorter hospitalization and recovery time, discharging patients as soon as medically feasible to less acute care settings, providing more home-based services as an alternative to inpatient care, and managing catastrophic cases.

The growth of HMOs and PPOs provides yet another explanation for the decrease in hospital stays. Because services are prepaid, all medical care is closely monitored to control costs and utilization.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7155	4.8	38	1	2	3	5	9	15	32
70-74	5860	4.9	34	1	2	3	6	10	14	29
75-79	4921	5.1	32	1	2	3	6	10	16	30
80-84	3456	5.2	33	1	2	4	6	10	15	29
85 +	3127	5.4	39	1	2	4	6	11	15	37
B. Operated										
65-69 YRS	15769	4.2	12	1	2	3	6	9	11	16
70-74	12269	4.5	17	1	2	3	6	9	11	17
75-79	8482	4.8	17	1	2	4	7	10	12	17
80-84	4681	5.2	21	1	2	4	7	11	14	21
85 +	2767	6.0	35	1	2	4	8	12	16	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	122951	6.5	41	2	3	5	8	13	17	34
70-74	130435	6.8	43	2	3	5	8	13	18	35
75-79	131957	7.3	47	2	3	5	9	14	19	36
80-84	110337	7.6	51	2	4	6	9	15	20	38
85 +	110530	8.0	54	2	4	6	10	15	20	41
B. Operated										
65-69 YRS	121402	8.5	78	2	3	6	10	17	24	49
70-74	115028	9.1	85	2	4	7	11	18	26	52
75-79	96276	10.0	96	2	4	8	12	20	28	56
80-84	63086	10.9	102	2	5	8	14	22	30	60
85 +	48567	11.9	113	3	5	9	15	23	32	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24519	5.0	35	1	2	3	6	10	15	31
B. Operated	43968	4.6	17	1	2	3	7	10	12	18
2. MULTIPLE DX										
A. Not Operated	606210	7.2	47	2	3	5	9	14	19	36
B. Operated	444359	9.7	92	2	4	7	12	20	27	55
1. SINGLE DX	68487	4.8	24	1	2	3	6	10	12	24
2. MULTIPLE DX	1050569	8.3	68	2	3	6	10	16	23	45
A. Not Operated	630729	7.1	47	2	3	5	9	14	19	36
B. Operated	488327	9.2	87	2	4	7	11	19	26	52
TOTAL										
65-69 YRS	267277	7.2	57	2	3	5	9	14	20	41
70-74	263592	7.7	62	2	3	6	9	15	22	43
75-79	241636	8.2	68	2	3	6	10	16	23	45
80-84	181560	8.6	70	2	4	6	11	17	24	47
85 +	164991	9.1	74	2	4	7	11	18	24	49
GRAND TOTAL	**1119056**	**8.0**	**66**	**2**	**3**	**6**	**10**	**16**	**22**	**44**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	2.6	3	1	1	2	3	5	6	7
70-74	14	2.6	2	< 1	1	2	3	5	6	6
75-79	11	2.8	5	1	1	2	4	6	8	8
80-84	3	1.3		1	1	1	2	2	2	2
85 +	11	3.5	3	2	3	3	4	6	8	8
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	309	3.8	6	2	2	3	4	7	8	14
70-74	323	3.6	5	1	2	3	5	6	8	12
75-79	305	4.2	9	2	2	3	5	7	10	16
80-84	242	4.4	10	2	2	4	5	9	11	16
85 +	229	4.9	14	2	3	4	6	8	13	19
B. Operated										
65-69 YRS	24	8.1	23	3	5	6	11	16	18	19
70-74	31	7.7	52	2	3	6	8	13	31	32
75-79	19	7.7	16	3	4	6	10	14	15	15
80-84	17	9.2	41	4	5	7	11	20	24	26
85 +	13	11.2	155	4	6	7	13	21	45	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.8	3	1	1	3	4	5	7	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1408	4.1	9	2	2	3	5	7	10	17
B. Operated	104	8.5	49	3	4	6	10	15	19	41
1. SINGLE DX	57	2.8	3	1	1	3	4	5	7	8
2. MULTIPLE DX	1512	4.4	12	2	2	4	5	8	11	18
A. Not Operated	1465	4.1	8	2	2	3	5	7	10	17
B. Operated	104	8.5	49	3	4	6	10	15	19	41
TOTAL										
65-69 YRS	351	4.0	8	2	2	3	5	7	10	17
70-74	368	3.9	10	1	2	3	5	7	9	15
75-79	335	4.3	10	2	2	4	5	8	11	16
80-84	262	4.7	13	1	2	4	6	9	11	18
85 +	253	5.2	22	2	3	4	6	9	14	20
GRAND TOTAL	**1569**	**4.4**	**12**	**2**	**2**	**3**	**5**	**8**	**11**	**18**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	3.4	5	1	2	2	5	7	8	8
70-74	7	3.9	3	2	2	3	6	6	6	6
75-79	7	4.0	4	2	3	3	6	7	7	7
80-84	6	7.0	10	4	6	6	7	12	13	13
85 +	4	4.8	19	< 1	1	3	7	11	11	11
B. Operated										
65-69 YRS	0									
70-74	4	3.8	6	2	2	3	5	7	7	7
75-79	8	4.8	9	2	3	3	6	10	11	11
80-84	4	6.5	2	5	5	6	7	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	293	5.8	15	2	3	5	7	10	13	21
70-74	307	6.4	22	2	3	5	8	11	14	25
75-79	298	7.8	56	3	4	6	9	15	19	32
80-84	238	7.7	55	3	4	6	9	14	17	47
85 +	245	9.6	46	4	5	8	11	17	22	32
B. Operated										
65-69 YRS	108	11.2	180	3	5	7	12	25	39	75
70-74	145	11.5	83	4	6	9	14	23	31	46
75-79	142	12.4	104	4	6	9	15	24	36	63
80-84	104	14.0	98	5	7	11	17	31	34	44
85 +	85	12.6	85	4	7	10	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	4.2	7	2	2	3	6	7	9	13
B. Operated	16	4.9	7	2	3	4	7	8	10	11
2. MULTIPLE DX										
A. Not Operated	1381	7.4	39	3	4	6	9	13	17	32
B. Operated	584	12.3	109	4	6	9	14	24	34	54
1. SINGLE DX	59	4.4	7	2	2	3	6	8	10	13
2. MULTIPLE DX	1965	8.8	65	3	4	7	10	17	23	44
A. Not Operated	1424	7.3	39	2	4	6	9	13	17	32
B. Operated	600	12.1	108	4	6	9	14	24	34	54
TOTAL										
65-69 YRS	420	7.1	63	2	3	5	8	13	16	42
70-74	463	7.9	47	2	4	6	10	15	21	40
75-79	455	9.1	74	3	4	7	11	18	23	52
80-84	352	9.6	75	3	5	7	11	18	30	44
85 +	334	10.3	57	4	6	8	12	19	25	41
GRAND TOTAL	**2024**	**8.7**	**64**	**3**	**4**	**7**	**10**	**16**	**23**	**44**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	14.5	41	10	10	14	19	19	19	19
70-74	6	10.0	17	5	8	9	11	16	17	17
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
65-69 YRS	4	7.3	18	1	5	9	10	10	10	10
70-74	3	12.7	12	9	10	13	15	16	16	16
75-79	2	10.0	8	8	8	10	12	12	12	12
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	32	11.8	48	4	6	10	16	22	23	30
70-74	21	11.7	69	4	6	10	15	25	31	33
75-79	29	11.1	39	4	7	11	13	18	23	31
80-84	18	15.3	267	5	7	11	20	22	54	76
85 +	22	9.5	33	4	6	8	11	18	23	25
B. Operated										
65-69 YRS	35	22.5	341	5	9	16	32	51	62	75
70-74	31	18.9	306	6	9	13	22	42	49	89
75-79	39	14.4	93	4	7	12	19	28	37	40
80-84	26	16.1	160	3	6	13	27	34	60	99 +
85 +	14	15.9	105	3	11	15	19	24	40	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	10.6	25	4	8	10	14	18	19	19
B. Operated	9	9.7	17	4	8	9	12	15	16	16
2. MULTIPLE DX										
A. Not Operated	122	11.7	79	4	6	10	15	22	24	45
B. Operated	145	17.8	215	4	9	13	22	38	49	89
1. SINGLE DX	19	10.2	20	4	8	10	13	17	18	19
2. MULTIPLE DX	267	15.0	162	4	7	11	19	30	44	76
A. Not Operated	132	11.6	74	4	6	10	15	21	23	41
B. Operated	154	17.3	207	4	9	13	22	38	48	88
TOTAL										
65-69 YRS	73	16.7	215	5	8	12	21	36	50	73
70-74	61	15.3	192	5	8	11	18	29	42	85
75-79	71	12.8	70	4	7	11	17	23	31	40
80-84	44	15.8	199	3	7	12	22	33	59	99 +
85 +	37	12.1	67	3	6	10	16	22	24	44
GRAND TOTAL	**286**	**14.7**	**154**	**4**	**7**	**11**	**18**	**29**	**41**	**76**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	15.0		15	15	15	15	15	15	15
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	11.3	86	1	4	14	18	19	19	19
70-74	0									
75-79	3	13.7	90	4	6	14	21	23	23	23
80-84	3	23.0	84	15	16	21	30	33	33	33
85 +	2	9.5	13	7	7	9	12	12	12	12
B. Operated										
65-69 YRS	9	24.4	219	13	16	18	48	76	99 +	99 +
70-74	8	26.9	582	7	9	17	41	67	72	72
75-79	13	28.2	333	6	13	27	41	52	61	63
80-84	5	26.0	376	4	11	23	40	54	54	54
85 +	5	19.8	315	3	6	11	39	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	11	14.8	83	3	8	14	20	27	32	33
B. Operated	40	25.8	330	7	13	20	39	55	67	99 +
1. SINGLE DX	4	5.5	42	1	1	3	9	15	15	15
2. MULTIPLE DX	51	23.4	295	6	12	18	37	53	62	99 +
A. Not Operated	14	12.1	93	1	4	13	19	24	31	33
B. Operated	41	25.5	324	7	13	19	39	55	67	99 +
TOTAL										
65-69 YRS	14	18.6	222	2	13	17	22	52	88	99 +
70-74	9	25.6	525	7	10	15	33	66	72	72
75-79	17	24.0	328	4	8	21	39	48	58	63
80-84	8	24.9	241	7	14	22	34	48	54	54
85 +	7	16.9	237	4	7	11	32	39	39	39
GRAND TOTAL	**55**	**22.1**	**297**	**4**	**9**	**17**	**34**	**52**	**61**	**98**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	4.4	4	2	3	4	5	8	9	9
70-74	7	5.4	12	1	3	5	9	10	10	10
75-79	6	4.0	2	3	3	4	5	6	6	6
80-84	3	5.0	4	3	3	5	6	7	7	7
85 +	7	4.0	3	1	3	5	5	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	39	4.5	5	2	3	4	5	8	9	10
B. Operated	1	12.0		12	12	12	12	12	12	12
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	40	4.7	6	2	3	4	6	8	10	12
A. Not Operated	39	4.5	5	2	3	4	5	8	9	10
B. Operated	2	8.0	32	4	4	8	12	12	12	12
TOTAL										
65-69 YRS	16	4.4	4	2	3	4	5	8	9	9
70-74	8	5.3	11	2	3	4	8	10	10	10
75-79	6	4.0	2	3	3	4	5	6	6	6
80-84	4	6.8	15	3	4	6	9	12	12	12
85 +	7	4.0	3	1	3	5	5	6	6	6
GRAND TOTAL	**41**	**4.7**	**6**	**2**	**3**	**4**	**5**	**8**	**10**	**12**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	5.4	11	3	3	5	6	11	13	13
70-74	5	6.6	4	5	5	6	8	10	10	10
75-79	11	7.8	53	3	4	6	8	17	28	29
80-84	18	6.2	6	4	4	6	9	9	10	10
85 +	16	6.5	19	2	3	5	9	14	16	17
B. Operated										
65-69 YRS	3	9.0	13	6	6	8	12	13	13	13
70-74	1	22.0		22	22	22	22	22	22	22
75-79	1	14.0		14	14	14	14	14	14	14
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1338	9.3	42	4	5	8	11	16	20	34
70-74	1621	9.6	43	4	6	8	11	17	21	39
75-79	1842	10.0	47	4	6	8	12	17	22	40
80-84	1699	10.3	59	4	6	9	12	18	22	47
85 +	2092	10.7	69	5	6	9	13	19	25	57
B. Operated										
65-69 YRS	569	18.1	182	6	9	14	23	37	47	72
70-74	614	17.8	182	6	9	14	22	36	48	78
75-79	660	18.8	201	7	10	15	23	39	47	75
80-84	580	19.3	195	7	10	15	24	37	48	78
85 +	542	20.8	227	8	11	16	25	42	52	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	6.5	18	3	4	5	8	10	14	28
B. Operated	6	11.7	36	6	7	10	14	21	22	22
2. MULTIPLE DX										
A. Not Operated	8592	10.1	53	4	6	8	12	17	22	42
B. Operated	2965	18.9	198	7	10	15	24	38	49	78
1. SINGLE DX	65	7.0	21	3	4	6	9	13	15	28
2. MULTIPLE DX	11557	12.3	105	4	6	9	15	23	32	62
A. Not Operated	8651	10.0	53	4	6	8	12	17	22	42
B. Operated	2971	18.9	197	7	10	15	24	38	49	78
TOTAL										
65-69 YRS	1919	11.9	99	4	6	9	14	22	32	56
70-74	2241	11.8	94	4	6	9	14	22	31	58
75-79	2514	12.3	102	4	6	10	15	22	31	58
80-84	2298	12.6	108	5	7	10	15	23	32	70
85 +	2650	12.8	118	5	7	10	15	24	34	69
GRAND TOTAL	**11622**	**12.3**	**105**	**4**	**6**	**9**	**15**	**23**	**32**	**62**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	6.5	13	4	4	6	9	9	9	9
70-74	5	5.0	6	2	3	4	7	8	8	8
75-79	0									
80-84	4	2.3	1	1	1	2	3	3	3	3
85 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	69	7.5	68	2	4	5	8	14	17	50
70-74	84	6.3	10	3	4	6	8	12	13	15
75-79	68	8.1	41	3	4	6	10	17	22	35
80-84	57	10.0	70	4	5	7	13	15	27	49
85 +	82	7.9	28	4	4	6	9	14	19	29
B. Operated										
65-69 YRS	52	17.0	254	6	8	11	22	27	51	98
70-74	43	17.7	194	7	10	13	21	33	39	84
75-79	35	16.5	135	5	8	15	21	31	40	56
80-84	22	13.5	65	6	7	12	18	21	29	39
85 +	12	15.3	147	5	7	10	23	34	40	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.3	6	2	3	4	6	8	9	9
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	360	7.8	41	3	4	6	9	14	18	37
B. Operated	164	16.5	178	6	8	12	21	31	40	80
1. SINGLE DX	14	4.2	6	2	3	4	6	8	9	9
2. MULTIPLE DX	524	10.5	100	3	5	7	13	21	29	53
A. Not Operated	373	7.7	41	3	4	6	9	14	18	36
B. Operated	165	16.4	178	5	8	12	20	31	39	80
TOTAL										
65-69 YRS	124	11.4	166	3	4	7	13	23	34	66
70-74	132	10.0	98	3	5	7	12	18	30	50
75-79	103	11.0	88	3	4	8	15	23	29	48
80-84	83	10.6	70	3	5	8	14	18	26	46
85 +	96	8.7	47	4	5	7	10	16	25	37
GRAND TOTAL	**538**	**10.4**	**99**	**3**	**5**	**7**	**12**	**21**	**28**	**52**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	10.0		10	10	10	10	10	10	10
85 +	3	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	0									
75-79	1	15.0		15	15	15	15	15	15	15
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	19	7.3	50	2	3	5	7	14	25	33
70-74	17	8.5	11	4	5	8	11	13	14	15
75-79	13	7.9	11	5	6	7	8	13	16	17
80-84	9	6.9	42	1	2	5	15	16	16	16
85 +	7	8.1	36	4	5	6	9	19	21	21
B. Operated										
65-69 YRS	4	14.0	134	5	5	10	22	30	30	30
70-74	4	20.0	25	16	16	18	23	27	27	27
75-79	6	18.2	173	3	11	14	32	36	36	36
80-84	3	15.7	12	12	13	16	18	19	19	19
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.9	7	2	2	3	5	8	10	10
B. Operated	2	12.0	18	9	9	12	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	65	7.8	28	3	5	6	9	15	16	31
B. Operated	17	17.2	91	5	12	16	22	32	35	36
1. SINGLE DX	11	5.4	18	2	2	3	8	12	15	15
2. MULTIPLE DX	82	9.7	55	3	5	7	12	18	28	35
A. Not Operated	74	7.3	27	2	4	6	9	15	16	30
B. Operated	19	16.6	84	5	11	16	20	31	34	36
TOTAL										
65-69 YRS	26	8.2	59	3	4	6	9	16	31	33
70-74	22	10.4	34	4	5	9	13	18	23	27
75-79	22	10.5	76	3	6	8	12	21	34	36
80-84	13	9.2	45	1	2	10	15	17	19	19
85 +	10	6.3	33	2	2	5	6	15	21	21
GRAND TOTAL	**93**	**9.2**	**52**	**2**	**5**	**7**	**12**	**17**	**26**	**35**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	3.2	5	< 1	1	3	4	6	8	10
70-74	8	3.8	3	1	2	4	5	6	7	7
75-79	19	3.9	9	1	1	3	6	8	10	11
80-84	9	4.3	3	2	3	4	6	7	7	7
85 +	8	5.1	7	2	2	6	7	8	8	8
B. Operated										
65-69 YRS	5	3.6	4	2	2	3	5	7	7	7
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	5	2.8	3	1	2	2	4	5	5	5
80-84	4	2.8	4	1	1	3	4	5	5	5
85 +	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	205	6.6	16	2	4	6	8	11	13	22
70-74	263	7.1	23	3	4	6	9	13	16	25
75-79	225	7.0	29	3	4	6	8	12	15	29
80-84	223	7.9	49	2	4	6	10	15	18	38
85 +	192	8.3	63	2	4	6	10	14	19	49
B. Operated										
65-69 YRS	33	10.0	96	2	4	8	11	22	36	43
70-74	38	12.9	151	1	6	9	18	28	33	63
75-79	49	13.2	104	2	6	11	17	28	33	52
80-84	30	12.5	140	4	6	9	13	29	30	62
85 +	22	13.7	93	6	7	12	17	25	34	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.9	6	1	2	3	5	7	8	11
B. Operated	21	2.8	3	1	2	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	1108	7.4	35	2	4	6	9	13	17	32
B. Operated	172	12.5	117	2	6	10	15	27	33	60
1. SINGLE DX	88	3.6	5	1	2	3	5	7	8	11
2. MULTIPLE DX	1280	8.0	49	2	4	6	10	15	20	38
A. Not Operated	1175	7.2	34	2	4	6	9	13	17	31
B. Operated	193	11.4	113	2	4	9	15	25	31	58
TOTAL										
65-69 YRS	266	6.7	27	2	3	6	8	12	15	28
70-74	312	7.7	41	2	4	6	9	15	20	31
75-79	298	7.8	46	2	4	6	9	15	20	33
80-84	266	8.2	59	2	4	6	10	15	19	39
85 +	226	8.6	66	2	4	7	10	15	20	48
GRAND TOTAL	**1368**	**7.8**	**47**	**2**	**4**	**6**	**9**	**14**	**19**	**37**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.3	15	< 1	3	3	4	11	12	12
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	7.9	26	2	4	6	12	15	18	21
70-74	33	7.1	19	2	3	7	10	14	16	17
75-79	19	6.3	6	3	5	6	8	9	10	11
80-84	18	6.1	9	3	3	6	9	10	12	12
85 +	15	10.1	35	4	6	8	13	22	22	22
B. Operated										
65-69 YRS	8	10.5	171	1	2	4	14	32	40	40
70-74	6	13.7	98	4	4	12	20	28	29	29
75-79	7	12.4	82	3	5	10	20	25	26	26
80-84	7	15.4	133	5	7	9	23	34	36	36
85 +	3	10.7	16	7	8	10	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.1	12	1	2	3	4	10	12	12
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	131	7.5	21	3	4	7	9	14	17	22
B. Operated	31	12.7	104	3	4	9	17	27	36	40
1. SINGLE DX	10	3.6	10	< 1	2	3	4	8	12	12
2. MULTIPLE DX	162	8.5	40	3	4	7	10	16	21	35
A. Not Operated	139	7.3	21	2	4	6	9	14	16	22
B. Operated	33	12.0	105	2	4	9	16	27	35	40
TOTAL										
65-69 YRS	62	7.7	43	2	3	5	12	15	18	38
70-74	41	7.9	34	2	4	7	10	16	18	29
75-79	26	7.9	32	3	5	7	9	13	24	26
80-84	25	8.7	58	3	4	7	9	18	28	36
85 +	18	10.2	31	4	7	9	13	20	22	22
GRAND TOTAL	**172**	**8.2**	**40**	**2**	**4**	**7**	**10**	**16**	**21**	**34**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	13.7	108	2	6	17	21	22	22	22
70-74	0									
75-79	3	13.7	52	9	9	10	19	22	22	22
80-84	2	9.5	1	9	9	9	10	10	10	10
85 +	0									
B. Operated										
65-69 YRS	2	7.5	1	7	7	7	8	8	8	8
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	11.3	10	9	9	10	14	15	15	15
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	12.6	50	4	9	10	19	22	22	22
B. Operated	6	9.3	9	7	7	8	10	14	15	15
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	14	11.2	33	6	8	9	15	22	22	22
A. Not Operated	9	11.8	50	3	8	10	18	22	22	22
B. Operated	6	9.3	9	7	7	8	10	14	15	15
TOTAL										
65-69 YRS	6	10.2	59	2	5	7	17	21	22	22
70-74	1	7.0		7	7	7	7	7	7	7
75-79	6	12.5	27	9	9	10	15	21	22	22
80-84	2	9.5	1	9	9	9	10	10	10	10
85 +	0									
GRAND TOTAL	**15**	**10.8**	**33**	**5**	**7**	**9**	**14**	**22**	**22**	**22**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	2	1.5	1	< 1	< 1	1	2	2	2	2
75-79	2	2.0	2	< 1	< 1	1	3	3	3	3
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	2.7	3	< 1	1	2	3	6	6	6
70-74	4	2.8	5	1	1	2	4	6	6	6
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	4.5	5	3	3	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	13	3.1	4	1	2	3	4	6	6	6
1. SINGLE DX	5	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX	13	3.1	4	1	2	3	4	6	6	6
A. Not Operated	0									
B. Operated	18	2.7	3	< 1	1	2	3	6	6	6
TOTAL										
65-69 YRS	6	2.7	3	< 1	1	2	3	6	6	6
70-74	6	2.3	3	< 1	1	2	2	6	6	6
75-79	2	2.0	2	< 1	< 1	1	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85 +	3	3.3	6	1	1	3	5	6	6	6
GRAND TOTAL	**18**	**2.7**	**3**	**< 1**	**1**	**2**	**3**	**6**	**6**	**6**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.2	3	1	2	3	4	5	7	7
70-74	5	2.4	1	1	2	3	3	3	3	3
75-79	9	2.3	1	1	2	2	3	4	4	4
80-84	11	3.4	11	1	2	2	3	8	13	13
85 +	10	4.9	10	2	3	4	5	10	13	13
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	284	5.3	26	2	3	4	6	9	12	28
70-74	253	5.2	38	2	2	4	6	9	12	30
75-79	267	5.4	30	2	3	4	6	9	14	44
80-84	207	5.0	18	2	3	4	6	9	10	20
85 +	171	5.4	18	2	3	4	7	10	13	26
B. Operated										
65-69 YRS	35	16.6	200	3	7	12	22	34	51	57
70-74	19	17.0	220	3	7	12	21	46	50	51
75-79	16	12.3	78	2	6	10	17	28	31	32
80-84	13	9.9	40	4	5	8	12	21	23	23
85 +	9	12.9	79	4	8	8	19	27	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.3	6	1	2	3	4	5	8	13
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	1182	5.3	27	2	3	4	6	9	12	28
B. Operated	92	14.6	150	3	7	10	20	32	42	57
1. SINGLE DX	49	3.4	7	1	2	3	4	6	9	13
2. MULTIPLE DX	1274	5.9	42	2	3	4	7	10	18	34
A. Not Operated	1230	5.2	26	2	3	4	6	9	12	28
B. Operated	93	14.6	149	3	7	10	19	32	42	57
TOTAL										
65-69 YRS	333	6.4	56	2	3	4	7	11	22	39
70-74	277	6.0	58	2	3	4	6	11	17	47
75-79	292	5.7	35	2	3	4	6	10	18	41
80-84	231	5.2	20	2	3	4	6	10	12	22
85 +	190	5.7	23	2	3	4	7	11	14	30
GRAND TOTAL	**1323**	**5.8**	**41**	**2**	**3**	**4**	**7**	**10**	**17**	**34**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	9.0	32	5	5	9	13	13	13	13
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	14.4	521	5	6	8	10	35	79	89
70-74	18	11.2	92	3	5	7	15	21	33	41
75-79	9	4.6	7	2	3	4	5	9	11	11
80-84	4	11.0	66	4	4	11	18	19	19	19
85 +	5	18.6	271	4	6	14	28	45	45	45
B. Operated										
65-69 YRS	5	19.2	304	5	6	14	28	48	48	48
70-74	3	26.0	112	14	18	30	33	34	34	34
75-79	3	12.7	80	7	7	8	19	23	23	23
80-84	2	13.0	72	7	7	13	19	19	19	19
85 +	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	9.0	32	5	5	9	13	13	13	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	49	11.6	207	4	4	6	13	22	41	89
B. Operated	14	17.9	156	6	7	14	23	35	45	48
1. SINGLE DX	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX	63	13.0	200	4	5	7	16	25	42	84
A. Not Operated	51	11.5	200	4	4	6	13	21	40	89
B. Operated	14	17.9	156	6	7	14	23	35	45	48
TOTAL										
65-69 YRS	20	15.1	404	5	6	8	13	35	68	89
70-74	21	13.3	118	4	5	9	18	32	37	41
75-79	12	6.6	33	2	4	5	7	15	22	23
80-84	6	11.7	55	4	4	12	19	19	19	19
85 +	6	17.7	222	4	7	13	23	43	45	45
GRAND TOTAL	**65**	**12.8**	**195**	**4**	**5**	**7**	**15**	**23**	**42**	**83**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	22.0		22	22	22	22	22	22	22
70-74	3	9.7		9	9	10	10	10	10	10
75-79	2	10.5	1	10	10	10	11	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	15.1	64	8	10	13	20	26	33	34
70-74	11	11.0	32	3	7	10	16	18	21	21
75-79	11	8.4	47	2	3	8	10	17	25	26
80-84	7	13.6	101	1	4	16	19	27	29	29
85 +	7	14.3	69	8	10	10	20	28	29	29
B. Operated										
65-69 YRS	6	10.0	38	1	6	10	14	18	18	18
70-74	5	23.6	256	4	17	25	47	95	99 +	99 +
75-79	5	7.0	54	1	2	3	13	18	18	18
80-84	3	14.7	56	6	9	19	19	19	19	19
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	10.6	27	5	9	10	11	19	22	22
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	48	12.3	60	3	7	10	16	23	29	34
B. Operated	19	13.5	130	1	4	13	19	36	73	99 +
1. SINGLE DX	8	10.6	27	5	9	10	11	19	22	22
2. MULTIPLE DX	67	12.6	79	2	7	11	18	26	30	90
A. Not Operated	56	12.0	55	3	8	10	16	22	28	34
B. Operated	19	13.5	130	1	4	13	19	36	73	99 +
TOTAL										
65-69 YRS	19	13.8	59	4	10	13	19	22	29	34
70-74	19	14.1	109	3	8	11	19	36	73	99 +
75-79	18	8.2	41	1	3	9	11	16	23	26
80-84	11	12.9	83	2	4	16	19	24	29	29
85 +	8	13.8	61	8	10	10	17	27	29	29
GRAND TOTAL	**75**	**12.4**	**73**	**3**	**7**	**10**	**18**	**25**	**29**	**86**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	8.0		8	8	8	8	8	8	8
75-79	2	3.5	13	< 1	< 1	3	6	6	6	6
80-84	1	15.0		15	15	15	15	15	15	15
85 +	0									
B. Operated										
65-69 YRS	4	6.5	26	2	2	5	10	13	13	13
70-74	0									
75-79	2	8.5	41	4	4	8	13	13	13	13
80-84	0									
85 +	1	95.0		95	95	95	95	95	95	95
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	60	10.9	89	2	5	8	14	21	37	42
70-74	72	11.8	103	4	5	9	14	25	29	62
75-79	73	9.5	32	4	5	9	13	16	19	32
80-84	42	8.8	41	3	5	6	12	15	20	37
85 +	54	11.9	69	5	6	9	15	25	32	42
B. Operated										
65-69 YRS	68	18.6	247	5	8	14	22	38	61	68
70-74	56	17.9	209	6	8	12	24	42	54	55
75-79	46	16.3	161	4	8	14	18	31	39	60
80-84	30	17.8	147	7	8	13	25	33	37	59
85 +	18	22.1	197	7	12	18	31	44	49	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.5	34	< 1	3	7	11	15	15	15
B. Operated	7	19.7	1123	2	3	8	13	79	95	95
2. MULTIPLE DX										
A. Not Operated	301	10.7	69	4	5	9	13	20	28	41
B. Operated	218	18.1	200	5	8	14	24	37	53	63
1. SINGLE DX	11	15.3	722	1	3	8	13	47	91	95
2. MULTIPLE DX	519	13.8	137	4	6	10	16	30	37	60
A. Not Operated	305	10.6	68	4	5	9	13	20	28	41
B. Operated	225	18.1	224	5	8	13	23	37	54	65
TOTAL										
65-69 YRS	132	14.7	183	3	6	11	17	33	42	65
70-74	129	14.4	156	4	7	10	17	29	43	58
75-79	123	11.9	91	4	6	9	15	23	31	59
80-84	73	12.6	102	4	6	9	15	28	33	54
85 +	73	15.5	205	5	7	11	18	32	42	85
GRAND TOTAL	**530**	**13.8**	**148**	**4**	**6**	**10**	**16**	**30**	**37**	**61**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	7.7	17	3	4	9	10	11	11	11
70-74	0									
75-79	2	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	1	24.0		24	24	24	24	24	24	24
80-84	1	30.0		30	30	30	30	30	30	30
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	6.3	8	3	5	5	8	11	11	11
B. Operated	5	13.8	153	2	5	7	25	30	30	30
1. SINGLE DX	0									
2. MULTIPLE DX	12	9.4	75	3	5	6	10	26	29	30
A. Not Operated	7	6.3	8	3	5	5	8	11	11	11
B. Operated	5	13.8	153	2	5	7	25	30	30	30
TOTAL										
65-69 YRS	4	7.5	12	3	5	8	10	11	11	11
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	3	11.3	120	5	5	5	19	24	24	24
80-84	1	30.0		30	30	30	30	30	30	30
85 +	2	5.5	1	5	5	5	6	6	6	6
GRAND TOTAL	**12**	**9.4**	**75**	**3**	**5**	**6**	**10**	**26**	**29**	**30**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	10.8	66	3	5	7	16	24	26	26
70-74	11	9.4	18	4	6	9	13	15	16	16
75-79	8	8.1	12	4	6	8	10	13	14	14
80-84	5	8.4	22	4	5	6	13	14	14	14
85 +	5	12.2	148	4	4	5	20	32	32	32
B. Operated										
65-69 YRS	12	14.8	83	8	10	12	17	27	38	40
70-74	8	24.3	86	13	19	22	30	38	39	39
75-79	7	31.3	367	9	21	24	42	61	65	65
80-84	3	12.3	12	9	10	12	15	16	16	16
85 +	2	10.0	2	9	9	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	40	9.8	43	4	5	8	13	17	24	32
B. Operated	32	20.2	177	9	11	16	23	39	43	65
1. SINGLE DX	0									
2. MULTIPLE DX	72	14.4	128	5	6	12	19	28	39	60
A. Not Operated	40	9.8	43	4	5	8	13	17	24	32
B. Operated	32	20.2	177	9	11	16	23	39	43	65
TOTAL										
65-69 YRS	23	12.9	76	5	6	12	16	24	31	40
70-74	19	15.6	100	5	8	13	22	32	38	39
75-79	15	18.9	307	6	7	12	23	43	59	65
80-84	8	9.9	20	4	5	10	13	15	16	16
85 +	7	11.6	100	4	4	9	15	29	32	32
GRAND TOTAL	**72**	**14.4**	**128**	**5**	**6**	**12**	**19**	**28**	**39**	**60**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	11.0	244	1	1	3	22	29	29	29
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	5.3	9	2	3	5	7	10	11	11
70-74	5	8.8	53	2	3	6	16	18	18	18
75-79	16	5.6	10	2	3	5	8	9	12	13
80-84	7	5.9	6	2	4	6	8	8	8	8
85 +	14	7.3	25	2	2	7	11	13	18	19
B. Operated										
65-69 YRS	15	6.5	30	2	2	3	10	17	18	18
70-74	15	13.8	399	2	3	8	15	29	68	81
75-79	5	6.0	25	1	2	5	9	14	14	14
80-84	5	23.2	976	1	3	11	36	77	77	77
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	4	8.5	188	1	1	2	16	29	29	29
2. MULTIPLE DX										
A. Not Operated	58	6.2	16	2	3	6	8	11	14	19
B. Operated	40	11.3	290	1	3	6	12	20	53	81
1. SINGLE DX	5	7.4	147	1	1	3	10	29	29	29
2. MULTIPLE DX	98	8.3	132	2	3	6	9	16	19	79
A. Not Operated	59	6.2	16	2	3	6	8	11	14	19
B. Operated	44	11.0	277	1	2	6	12	24	44	81
TOTAL										
65-69 YRS	34	6.3	34	2	3	4	8	12	18	29
70-74	21	12.1	299	2	3	7	15	22	52	81
75-79	22	5.5	13	1	3	5	7	10	13	14
80-84	12	13.1	438	2	3	7	10	39	72	77
85 +	14	7.3	25	2	2	7	11	13	18	19
GRAND TOTAL	**103**	**8.2**	**132**	**2**	**3**	**6**	**9**	**16**	**20**	**79**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	4.5	6	2	2	4	6	7	7	7
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	0									
2. MULTIPLE DX	5	4.2	5	2	3	3	6	7	7	7
A. Not Operated	4	4.5	6	2	2	4	6	7	7	7
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
GRAND TOTAL	**5**	**4.2**	**5**	**2**	**3**	**3**	**6**	**7**	**7**	**7**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	6.6	30	< 1	2	5	12	14	14	14
70-74	4	3.3	3	< 1	1	3	4	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	0									
85 +	3	4.0	3	3	3	3	5	6	6	6
B. Operated										
65-69 YRS	61	4.1	33	1	1	2	4	10	18	31
70-74	46	3.6	13	1	1	3	4	10	11	17
75-79	28	3.3	9	1	1	2	4	9	11	11
80-84	23	3.4	12	1	1	2	4	10	12	13
85 +	18	2.3	5	1	1	1	3	5	8	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	34	7.8	33	2	4	6	10	15	17	28
70-74	27	7.2	85	2	3	4	7	11	28	48
75-79	28	5.4	14	1	3	4	7	12	13	15
80-84	12	5.4	10	2	3	5	8	10	12	12
85 +	9	6.4	33	1	2	5	8	15	20	20
B. Operated										
65-69 YRS	306	10.1	113	1	3	7	13	23	31	45
70-74	280	11.0	160	1	3	7	14	25	31	78
75-79	186	9.3	70	2	3	7	12	19	27	37
80-84	140	10.0	144	1	3	6	13	22	32	89
85 +	69	7.9	55	2	3	6	10	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.6	17	< 1	2	4	6	13	14	14
B. Operated	176	3.6	18	1	1	2	4	10	11	23
2. MULTIPLE DX										
A. Not Operated	110	6.7	38	2	3	5	8	13	17	36
B. Operated	981	10.0	119	1	3	7	13	22	31	51
1. SINGLE DX	192	3.7	18	1	1	2	4	10	11	23
2. MULTIPLE DX	1091	9.7	112	1	3	6	13	22	29	49
A. Not Operated	126	6.4	36	1	3	5	8	13	16	33
B. Operated	1157	9.1	109	1	2	6	12	21	29	46
TOTAL										
65-69 YRS	408	9.0	97	1	2	6	12	21	28	44
70-74	357	9.7	141	1	2	6	13	22	30	71
75-79	244	8.1	61	1	3	6	11	17	24	37
80-84	175	8.8	123	1	2	5	12	19	30	83
85 +	99	6.6	47	1	2	5	8	15	21	36
GRAND TOTAL	**1283**	**8.8**	**102**	**1**	**2**	**6**	**12**	**20**	**28**	**46**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	2	11.5	85	5	5	11	18	18	18	18
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	9	6.8	47	< 1	1	4	9	18	22	22
70-74	7	3.3	15	< 1	< 1	1	5	10	11	11
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	12.0		12	12	12	12	12	12	12
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	35	8.6	70	1	3	5	12	18	32	35
70-74	25	5.7	23	1	3	4	7	15	16	17
75-79	31	12.6	372	2	3	5	8	47	59	78
80-84	22	7.3	49	1	2	5	9	20	24	25
85 +	21	9.0	231	1	2	4	8	22	49	68
B. Operated										
65-69 YRS	163	16.2	197	4	8	12	19	38	45	80
70-74	142	15.3	156	4	8	11	19	35	45	99 +
75-79	101	17.1	216	3	6	13	26	35	48	72
80-84	66	12.7	126	3	5	10	16	26	35	59
85 +	42	11.0	76	3	6	8	13	23	32	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	6.7	38	1	3	4	9	17	18	18
B. Operated	19	5.4	32	< 1	< 1	4	8	12	18	22
2. MULTIPLE DX										
A. Not Operated	134	8.8	154	1	3	5	9	19	34	70
B. Operated	514	15.3	172	4	7	11	19	34	43	74
1. SINGLE DX	25	5.7	32	< 1	1	4	8	12	19	22
2. MULTIPLE DX	648	13.9	175	3	5	10	17	32	42	71
A. Not Operated	140	8.7	149	1	3	5	9	18	34	69
B. Operated	533	14.9	171	3	7	11	18	34	43	72
TOTAL										
65-69 YRS	208	14.4	178	4	6	11	17	34	42	75
70-74	176	13.3	146	2	5	10	17	31	43	91
75-79	135	15.9	250	2	5	11	22	35	50	79
80-84	90	11.3	110	2	4	8	14	24	28	58
85 +	64	10.3	124	2	4	7	11	22	34	64
GRAND TOTAL	**673**	**13.6**	**172**	**2**	**5**	**10**	**17**	**31**	**42**	**70**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	2	30.0	722	11	11	30	49	49	49	49
75-79	0									
80-84	1	34.0		34	34	34	34	34	34	34
85 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
65-69 YRS	18	9.7	18	3	8	10	11	16	17	17
70-74	6	9.5	7	6	8	9	10	14	14	14
75-79	4	9.8	22	5	6	9	13	16	16	16
80-84	5	10.2	103	< 1	3	8	15	27	27	27
85 +	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	37	7.1	45	1	3	5	9	12	24	32
70-74	59	9.4	63	2	4	7	13	17	28	38
75-79	41	6.3	31	1	3	4	8	13	21	24
80-84	31	7.2	27	2	3	5	11	15	18	19
85 +	28	7.8	49	2	4	5	9	18	22	33
B. Operated										
65-69 YRS	308	15.7	120	6	9	13	19	29	36	59
70-74	323	16.2	132	6	9	13	21	31	38	73
75-79	321	16.3	151	6	9	13	20	31	45	88
80-84	222	15.9	120	6	9	14	20	30	39	68
85 +	171	15.6	139	5	8	12	20	32	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	19.2	334	2	7	11	34	47	49	49
B. Operated	35	9.6	24	4	7	10	11	16	17	27
2. MULTIPLE DX										
A. Not Operated	196	7.7	46	2	3	5	11	15	21	34
B. Operated	1345	16.0	132	6	9	13	20	31	39	71
1. SINGLE DX	41	11.0	74	3	7	10	11	17	30	49
2. MULTIPLE DX	1541	14.9	129	4	8	12	19	29	37	69
A. Not Operated	202	8.1	57	2	3	5	11	16	23	36
B. Operated	1380	15.8	131	6	9	13	20	30	38	71
TOTAL										
65-69 YRS	365	14.4	115	5	8	12	18	28	34	51
70-74	390	15.2	128	5	8	12	19	30	38	63
75-79	366	15.2	147	4	8	12	19	29	44	84
80-84	259	14.8	117	4	8	12	18	29	36	64
85 +	202	14.4	132	4	7	12	19	29	36	60
GRAND TOTAL	**1582**	**14.8**	**128**	**4**	**8**	**12**	**18**	**29**	**37**	**68**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	9.5	1	9	9	9	10	10	10	10
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	20.5	5	19	19	20	22	22	22	22
70-74	3	19.0	223	8	9	13	30	36	36	36
75-79	4	8.0	77	2	3	4	13	21	21	21
80-84	1	7.0		7	7	7	7	7	7	7
85 +	3	13.0	84	5	6	11	20	23	23	23
B. Operated										
65-69 YRS	58	17.6	183	7	9	14	23	28	37	90
70-74	59	16.2	99	6	10	13	22	28	37	48
75-79	41	16.2	66	8	10	15	20	25	29	48
80-84	23	17.0	121	6	10	14	22	44	64	99 +
85 +	15	16.1	101	7	8	15	22	27	38	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	8.8	2	7	8	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	13	13.5	100	4	5	11	21	26	34	36
B. Operated	196	16.7	118	7	10	14	22	27	38	73
1. SINGLE DX	4	8.8	2	7	8	9	10	10	10	10
2. MULTIPLE DX	209	16.5	117	7	10	14	22	27	37	67
A. Not Operated	13	13.5	100	4	5	11	21	26	34	36
B. Operated	200	16.5	117	7	10	14	22	27	38	71
TOTAL										
65-69 YRS	61	17.5	176	7	9	14	23	27	37	89
70-74	63	16.2	102	7	9	13	22	30	37	48
75-79	47	15.2	69	7	9	14	19	24	26	48
80-84	24	16.5	120	6	10	14	22	43	62	99 +
85 +	18	15.6	94	6	8	14	22	26	36	42
GRAND TOTAL	**213**	**16.3**	**116**	**7**	**9**	**14**	**22**	**27**	**37**	**65**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	6.0	16	2	3	6	9	10	10	10
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	1	29.0		29	29	29	29	29	29	29
B. Operated										
65-69 YRS	91	8.0	11	5	6	8	9	11	14	23
70-74	99	8.1	10	6	6	8	9	12	14	21
75-79	66	9.0	10	6	7	9	10	13	15	21
80-84	41	8.5	9	6	7	8	10	11	14	20
85 +	20	9.2	23	1	7	9	11	16	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	58	8.2	46	2	3	8	11	15	21	35
70-74	80	8.3	47	2	4	6	10	19	24	30
75-79	90	8.1	39	2	4	6	11	18	22	28
80-84	71	9.2	84	3	4	6	10	20	29	48
85 +	101	8.6	66	2	4	6	10	15	23	47
B. Operated										
65-69 YRS	1596	11.7	56	6	8	10	13	20	25	41
70-74	1878	12.4	57	7	8	10	14	21	28	42
75-79	1800	13.5	82	7	8	11	16	23	30	56
80-84	1403	14.2	81	7	9	12	17	25	32	50
85 +	1075	15.6	91	7	9	13	19	27	33	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	12.0	88	2	6	10	15	28	29	29
B. Operated	317	8.4	11	6	6	8	10	12	15	21
2. MULTIPLE DX										
A. Not Operated	400	8.5	56	2	4	6	11	17	23	41
B. Operated	7752	13.3	73	7	8	11	16	23	29	50
1. SINGLE DX	323	8.4	13	6	6	8	10	12	15	22
2. MULTIPLE DX	8152	13.1	74	7	8	11	15	23	29	49
A. Not Operated	406	8.5	57	2	4	6	11	18	24	41
B. Operated	8069	13.1	72	7	8	11	15	23	29	49
TOTAL										
65-69 YRS	1746	11.4	54	6	8	9	13	19	24	41
70-74	2060	12.1	56	6	8	10	14	21	27	41
75-79	1957	13.1	80	7	8	10	15	22	29	56
80-84	1515	13.8	81	7	8	11	17	24	32	50
85 +	1197	14.9	92	7	9	12	18	26	33	55
GRAND TOTAL	**8475**	**12.9**	**72**	**6**	**8**	**10**	**15**	**22**	**29**	**49**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.7	15	1	2	4	5	11	12	12
70-74	1	16.0		16	16	16	16	16	16	16
75-79	3	6.3	10	4	4	5	9	10	10	10
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	63	7.8	11	3	6	8	9	11	13	15
70-74	55	7.2	21	1	3	8	10	11	12	26
75-79	26	7.7	21	1	5	8	10	15	16	18
80-84	26	8.3	23	2	5	8	10	14	17	24
85 +	29	6.8	51	1	2	3	9	16	24	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	35	6.8	33	1	3	5	9	12	21	28
70-74	38	6.7	27	2	4	5	8	16	19	23
75-79	55	6.8	22	2	4	5	9	15	17	21
80-84	35	6.4	32	2	3	5	7	12	16	31
85 +	48	7.9	58	2	3	5	9	21	24	33
B. Operated										
65-69 YRS	766	11.9	52	6	8	10	14	20	25	41
70-74	769	13.0	91	6	8	11	15	21	27	57
75-79	689	14.0	107	6	8	11	16	25	34	63
80-84	474	13.6	84	4	8	11	17	24	29	57
85 +	344	13.0	74	4	7	11	17	24	30	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.3	23	1	4	5	10	14	16	16
B. Operated	199	7.5	22	2	4	8	10	12	15	26
2. MULTIPLE DX										
A. Not Operated	211	7.0	34	2	3	5	8	15	19	31
B. Operated	3042	13.0	82	5	8	11	15	23	30	53
1. SINGLE DX	209	7.5	22	2	4	8	10	12	15	25
2. MULTIPLE DX	3253	12.6	81	4	8	11	15	22	29	52
A. Not Operated	221	7.0	34	2	3	5	8	15	19	31
B. Operated	3241	12.7	80	5	8	11	15	22	29	52
TOTAL										
65-69 YRS	870	11.3	50	5	8	10	13	19	24	41
70-74	863	12.4	87	5	8	10	14	21	26	55
75-79	773	13.3	103	5	8	11	15	23	33	61
80-84	535	12.9	81	3	8	11	16	24	29	55
85 +	421	12.0	75	3	6	10	16	23	30	41
GRAND TOTAL	**3462**	**12.3**	**79**	**4**	**8**	**10**	**15**	**22**	**29**	**50**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	5.3	8	2	3	5	7	8	8	8
70-74	0									
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	6.2	29	1	2	5	7	17	17	17
70-74	15	7.7	48	< 1	4	6	8	19	25	27
75-79	11	6.2	37	1	1	3	11	15	19	19
80-84	7	9.6	33	2	5	11	14	16	16	16
85 +	4	11.0	7	7	9	12	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	33	6.4	17	2	3	6	7	13	16	18
70-74	58	7.8	42	2	3	6	11	15	20	32
75-79	34	10.7	91	4	6	8	11	23	33	47
80-84	34	8.1	45	2	3	6	12	17	23	28
85 +	26	6.1	11	2	3	6	9	10	12	14
B. Operated										
65-69 YRS	206	12.0	95	3	6	9	15	23	32	53
70-74	218	13.8	154	4	7	11	17	26	38	83
75-79	185	12.9	86	4	7	10	19	25	30	58
80-84	124	15.2	157	4	8	12	19	29	48	80
85 +	73	15.9	86	6	9	14	22	30	35	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.2	10	2	3	7	8	10	10	10
B. Operated	50	7.5	35	1	3	7	12	16	19	27
2. MULTIPLE DX										
A. Not Operated	185	7.9	44	2	3	6	10	15	21	33
B. Operated	806	13.5	119	4	7	10	17	26	34	62
1. SINGLE DX	55	7.4	33	1	3	7	11	16	18	27
2. MULTIPLE DX	991	12.5	110	3	6	10	16	24	32	60
A. Not Operated	190	7.8	44	2	3	6	10	15	21	33
B. Operated	856	13.2	116	3	7	10	17	25	33	61
TOTAL										
65-69 YRS	256	10.9	85	3	5	8	13	21	31	51
70-74	291	12.3	133	3	6	9	16	23	32	71
75-79	231	12.2	86	3	6	10	17	25	30	54
80-84	165	13.5	137	3	7	11	16	26	37	72
85 +	103	13.2	82	3	7	10	17	25	33	40
GRAND TOTAL	**1046**	**12.2**	**107**	**3**	**6**	**10**	**16**	**24**	**32**	**60**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.6	30	1	1	2	7	14	14	14
70-74	1	7.0		7	7	7	7	7	7	7
75-79	4	4.3	2	3	3	4	5	6	6	6
80-84	5	4.8	22	2	2	3	6	13	13	13
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	18	8.8	32	3	5	7	13	19	21	21
70-74	9	10.1	101	1	1	8	15	26	32	32
75-79	10	8.3	67	1	2	7	12	20	27	27
80-84	6	9.0	146	1	2	5	8	30	33	33
85 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	99	7.5	67	2	4	5	8	14	20	52
70-74	84	9.3	106	2	4	6	11	17	24	60
75-79	79	8.1	82	2	3	6	9	15	20	59
80-84	69	8.3	46	2	4	6	11	17	22	36
85 +	64	7.1	22	3	4	6	9	16	16	20
B. Operated										
65-69 YRS	373	15.6	139	5	8	13	20	28	35	63
70-74	369	16.4	144	4	8	14	21	30	39	59
75-79	300	16.2	185	5	8	12	19	31	42	77
80-84	232	14.4	111	5	8	13	18	24	31	59
85 +	121	13.7	90	5	7	11	17	27	36	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.5	16	1	2	3	6	12	14	14
B. Operated	45	8.8	62	1	3	7	12	21	28	33
2. MULTIPLE DX										
A. Not Operated	395	8.1	67	2	4	6	10	16	20	48
B. Operated	1395	15.6	142	5	8	13	20	29	37	66
1. SINGLE DX	61	7.7	53	1	2	5	11	15	24	33
2. MULTIPLE DX	1790	13.9	135	4	6	11	18	27	35	63
A. Not Operated	411	7.9	66	2	4	6	10	15	20	48
B. Operated	1440	15.4	140	5	8	13	19	29	37	64
TOTAL										
65-69 YRS	495	13.6	131	4	6	11	18	26	34	63
70-74	463	15.0	144	4	6	13	19	30	38	59
75-79	393	14.2	171	3	6	11	17	29	39	73
80-84	312	12.8	103	3	6	11	17	23	29	46
85 +	188	11.3	76	3	5	9	15	23	30	42
GRAND TOTAL	**1851**	**13.7**	**133**	**3**	**6**	**11**	**17**	**26**	**35**	**63**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	8.5	129	1	2	3	11	28	37	41
70-74	9	4.0	7	1	2	3	5	8	9	9
75-79	8	3.4	6	1	2	3	3	7	9	9
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	4	4.8	2	3	4	5	6	6	6	6
B. Operated										
65-69 YRS	118	6.4	17	1	3	6	8	11	12	23
70-74	97	7.0	22	1	4	7	9	12	16	22
75-79	54	5.7	18	1	1	6	7	11	15	17
80-84	25	5.8	17	< 1	2	5	8	11	15	16
85 +	8	6.3	28	1	2	6	9	14	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	575	7.1	38	2	3	5	9	15	20	31
70-74	492	8.5	60	2	4	6	11	17	22	42
75-79	388	8.2	50	2	4	6	11	17	23	46
80-84	231	8.4	54	2	4	6	11	16	21	44
85 +	125	8.3	51	3	4	6	10	16	26	34
B. Operated										
65-69 YRS	2196	11.4	80	3	6	9	14	21	28	45
70-74	1891	12.0	90	4	7	10	15	22	29	52
75-79	1281	12.8	93	4	7	11	16	23	31	53
80-84	582	13.0	104	4	7	10	17	24	30	59
85 +	202	12.3	84	4	7	10	15	26	34	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	6.0	68	1	2	3	6	14	27	41
B. Operated	302	6.4	19	1	3	6	8	11	15	21
2. MULTIPLE DX										
A. Not Operated	1811	8.0	50	2	4	6	10	16	22	36
B. Operated	6152	12.0	88	4	7	10	15	23	29	52
1. SINGLE DX	346	6.4	25	1	3	6	8	11	16	24
2. MULTIPLE DX	7963	11.1	83	3	6	9	14	21	28	48
A. Not Operated	1855	7.9	50	2	4	6	10	16	22	37
B. Operated	6454	11.8	87	3	6	9	15	22	29	51
TOTAL										
65-69 YRS	2910	10.3	73	2	5	8	13	20	26	43
70-74	2489	11.1	84	3	6	9	14	21	28	50
75-79	1731	11.5	85	3	6	9	15	22	28	48
80-84	840	11.5	93	3	6	9	15	22	29	55
85 +	339	10.6	74	3	5	8	13	23	31	41
GRAND TOTAL	**8309**	**10.9**	**81**	**3**	**5**	**9**	**14**	**21**	**27**	**47**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.6	24	1	2	2	7	13	13	13
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	44	8.0	35	1	2	8	11	15	19	25
70-74	34	6.7	38	< 1	1	6	11	17	19	23
75-79	18	6.5	26	1	2	5	11	13	16	18
80-84	22	5.7	44	1	1	2	9	17	21	23
85 +	7	1.4	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	10.5	161	2	4	6	10	26	44	52
70-74	16	7.9	88	< 1	1	3	13	23	28	30
75-79	25	13.4	186	2	6	7	16	38	46	51
80-84	12	7.6	16	3	4	7	10	13	14	14
85 +	5	6.4	2	4	5	7	7	8	8	8
B. Operated										
65-69 YRS	244	13.3	143	2	7	10	16	25	41	59
70-74	206	12.3	108	2	6	10	16	24	30	72
75-79	119	12.3	107	2	6	10	17	23	28	57
80-84	67	12.8	61	2	6	13	18	23	27	32
85 +	27	14.6	153	1	6	12	21	39	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.0	19	1	1	4	8	12	13	13
B. Operated	125	6.7	36	< 1	1	6	11	15	18	24
2. MULTIPLE DX										
A. Not Operated	80	10.2	124	1	4	7	11	23	38	52
B. Operated	663	12.8	118	2	6	11	17	24	32	59
1. SINGLE DX	133	6.6	35	< 1	1	6	10	14	18	24
2. MULTIPLE DX	743	12.5	119	2	6	10	16	24	33	58
A. Not Operated	88	9.7	117	1	3	6	11	22	38	52
B. Operated	788	11.8	110	1	5	10	16	23	30	57
TOTAL										
65-69 YRS	315	12.2	131	2	6	10	15	24	37	56
70-74	257	11.2	101	1	4	10	15	23	29	63
75-79	164	11.8	111	1	6	9	15	23	30	56
80-84	101	10.7	61	1	3	11	16	21	24	32
85 +	39	11.2	134	< 1	2	7	15	35	43	99 +
GRAND TOTAL	**876**	**11.6**	**111**	**1**	**5**	**10**	**15**	**23**	**30**	**56**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	11.0	129	3	4	6	19	24	24	24
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	22	3.4	23	1	1	2	4	5	13	24
70-74	17	4.0	12	1	2	3	5	8	13	15
75-79	14	4.7	22	< 1	1	3	6	10	16	18
80-84	12	2.3	4	1	1	1	3	5	7	7
85 +	7	3.3	4	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	6.9	16	2	4	6	11	12	13	14
70-74	14	9.1	86	3	4	5	11	22	33	36
75-79	4	7.3	10	3	5	8	9	10	10	10
80-84	7	5.4	18	< 1	1	5	9	12	12	12
85 +	5	14.0	196	3	6	8	20	38	38	38
B. Operated										
65-69 YRS	60	14.0	299	2	4	9	14	45	63	98
70-74	91	10.4	120	3	5	7	13	18	25	65
75-79	86	11.5	144	2	4	8	15	22	37	67
80-84	55	11.5	84	3	5	9	16	23	29	45
85 +	56	9.7	75	2	4	8	11	18	33	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.2	92	1	2	3	10	24	24	24
B. Operated	72	3.6	15	1	1	2	5	7	9	23
2. MULTIPLE DX										
A. Not Operated	45	8.2	57	3	4	6	10	14	24	38
B. Operated	348	11.4	144	2	4	8	14	23	38	78
1. SINGLE DX	77	3.8	20	1	1	2	5	7	13	24
2. MULTIPLE DX	393	11.0	135	2	4	8	13	22	37	77
A. Not Operated	50	8.1	59	2	3	6	10	15	24	38
B. Operated	420	10.0	130	1	3	7	12	21	35	76
TOTAL										
65-69 YRS	97	10.5	212	1	2	5	12	29	46	92
70-74	125	9.4	104	2	4	7	11	18	24	57
75-79	104	10.4	128	2	3	7	13	22	35	61
80-84	75	9.3	77	1	3	7	13	21	27	43
85 +	69	9.2	79	1	3	7	11	17	37	40
GRAND TOTAL	**470**	**9.8**	**123**	**1**	**3**	**7**	**12**	**21**	**35**	**70**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	35	3.0	9	1	1	2	4	5	7	17
70-74	26	2.5	2	1	2	2	3	5	6	7
75-79	21	3.1	7	1	1	2	5	7	8	10
80-84	9	2.4	3	1	1	2	4	5	5	5
85 +	8	3.1	6	< 1	< 1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	2.8	5	< 1	1	2	3	6	8	8
70-74	9	5.2	6	2	3	5	8	9	9	9
75-79	5	16.0	184	3	6	16	22	38	38	38
80-84	2	7.0	32	3	3	7	11	11	11	11
85 +	6	6.5	31	1	1	6	10	14	15	15
B. Operated										
65-69 YRS	59	5.1	27	1	1	3	7	12	15	27
70-74	71	5.0	20	1	2	4	7	9	13	26
75-79	47	5.0	17	1	2	3	7	12	13	17
80-84	35	6.6	110	1	2	4	7	13	15	63
85 +	40	7.0	48	1	2	4	9	18	23	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	99	2.8	6	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated	31	6.6	53	1	2	4	8	15	16	38
B. Operated	252	5.6	38	1	2	4	7	12	15	27
1. SINGLE DX	100	2.8	6	1	1	2	4	6	7	13
2. MULTIPLE DX	283	5.7	40	1	2	4	7	12	16	28
A. Not Operated	32	6.4	53	1	2	4	8	15	16	38
B. Operated	351	4.8	30	1	2	3	6	10	14	27
TOTAL										
65-69 YRS	103	4.2	20	1	1	3	5	8	13	24
70-74	106	4.4	16	1	2	3	6	8	10	24
75-79	73	5.2	32	1	2	3	7	13	15	33
80-84	46	5.8	87	1	2	4	6	11	14	63
85 +	55	6.3	41	1	2	4	9	16	20	28
GRAND TOTAL	**383**	**4.9**	**32**	**1**	**2**	**3**	**7**	**10**	**14**	**27**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	9.0	169	< 1	< 1	2	18	24	24	24
70-74	1	43.0		43	43	43	43	43	43	43
75-79	0									
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	41	2.2	3	< 1	< 1	1	3	5	6	8
70-74	43	2.0	5	< 1	< 1	1	2	5	7	13
75-79	52	2.4	8	< 1	< 1	1	3	6	8	16
80-84	29	2.3	9	< 1	< 1	1	2	7	11	12
85 +	31	2.0	4	< 1	< 1	1	2	5	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	5.3	15	< 1	2	5	8	11	11	11
70-74	5	18.4	419	2	3	7	35	49	49	49
75-79	3	9.0	109	2	2	4	17	21	21	21
80-84	6	11.8	248	1	2	7	10	40	43	43
85 +	10	10.4	135	3	5	6	10	29	41	41
B. Operated										
65-69 YRS	99	4.7	42	< 1	1	2	5	12	20	68
70-74	109	4.8	28	1	1	3	6	11	17	26
75-79	135	4.6	29	1	1	3	6	9	12	26
80-84	107	4.7	33	1	1	2	7	11	15	32
85 +	122	4.8	32	1	2	3	7	9	12	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	14.8	338	< 1	1	4	29	43	43	43
B. Operated	196	2.2	6	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX										
A. Not Operated	32	10.5	162	2	3	6	10	33	43	49
B. Operated	572	4.7	32	1	1	3	6	10	15	33
1. SINGLE DX	201	2.5	16	< 1	< 1	1	2	6	8	20
2. MULTIPLE DX	604	5.0	41	1	1	3	6	10	16	39
A. Not Operated	37	11.1	179	1	3	5	11	39	43	49
B. Operated	768	4.1	27	< 1	1	2	5	9	13	30
TOTAL										
65-69 YRS	151	4.1	33	< 1	1	2	5	10	16	37
70-74	158	4.7	49	< 1	1	2	5	10	18	42
75-79	190	4.0	25	< 1	1	2	5	9	12	22
80-84	142	4.5	39	< 1	1	2	6	11	14	34
85 +	164	4.6	35	1	1	3	6	9	12	40
GRAND TOTAL	**805**	**4.4**	**36**	**< 1**	**1**	**2**	**5**	**9**	**14**	**35**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	3.7	4	2	3	3	4	7	8	8
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	2.0	2	< 1	< 1	1	3	3	3	3
80-84	2	2.0	2	1	1	2	3	3	3	3
85 +	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
65-69 YRS	734	3.0	3	1	2	3	4	5	6	9
70-74	624	3.1	3	1	2	3	4	5	6	9
75-79	444	3.1	3	1	2	3	4	5	6	9
80-84	208	3.3	3	1	2	3	4	5	7	9
85 +	97	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	58	8.6	112	< 1	2	6	11	19	26	58
70-74	54	9.2	79	2	3	7	12	19	30	45
75-79	39	9.1	159	2	3	5	9	16	32	73
80-84	34	9.9	89	2	4	6	15	24	27	42
85 +	28	8.7	69	2	4	6	12	19	22	41
B. Operated										
65-69 YRS	1863	4.3	15	2	2	3	5	7	9	21
70-74	1824	4.2	12	2	2	3	5	7	9	18
75-79	1522	4.6	21	2	3	4	5	7	10	20
80-84	971	5.2	27	2	3	4	6	9	13	28
85 +	643	5.3	19	2	3	4	6	10	13	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.4	5	1	2	3	3	8	9	9
B. Operated	2107	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	213	9.1	101	2	3	6	11	20	29	53
B. Operated	6823	4.6	18	2	3	4	5	7	10	22
1. SINGLE DX	2121	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX	7036	4.7	21	2	3	4	5	8	11	24
A. Not Operated	227	8.7	97	2	3	6	11	19	27	52
B. Operated	8930	4.2	15	2	2	3	5	7	9	18
TOTAL										
65-69 YRS	2662	4.0	14	2	2	3	5	6	8	19
70-74	2503	4.1	12	2	2	3	5	7	9	18
75-79	2007	4.3	21	2	3	3	5	7	9	19
80-84	1215	5.0	26	2	3	4	5	8	13	27
85 +	770	5.1	20	2	3	4	6	10	13	28
GRAND TOTAL	**9157**	**4.3**	**17**	**2**	**2**	**3**	**5**	**7**	**10**	**21**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	2.8	2	1	2	3	3	4	5	6
70-74	18	2.5	1	1	2	2	3	4	5	5
75-79	10	1.9		1	2	2	2	2	2	2
80-84	5	2.6	1	2	2	2	3	4	4	4
85 +	4	2.3		2	2	2	3	3	3	3
B. Operated										
65-69 YRS	31	2.5	1	1	2	2	3	4	4	4
70-74	17	3.9	9	2	2	3	4	10	12	12
75-79	9	3.0	8	1	2	2	3	8	10	10
80-84	7	3.9	5	2	2	3	5	8	8	8
85 +	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	4.5	33	2	2	3	4	7	16	35
70-74	52	4.3	22	1	2	3	5	8	16	26
75-79	22	6.0	34	2	2	4	8	14	21	25
80-84	19	3.8	10	1	2	3	4	8	11	14
85 +	23	5.6	16	2	3	4	6	13	15	16
B. Operated										
65-69 YRS	79	7.3	45	2	3	6	9	14	20	40
70-74	69	6.1	81	2	3	4	7	10	11	64
75-79	60	6.7	31	2	3	5	9	14	19	27
80-84	25	9.5	55	3	4	8	12	22	25	31
85 +	19	6.7	42	2	2	4	8	16	21	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.5	1	1	2	2	3	4	4	6
B. Operated	68	3.1	4	1	2	3	4	4	8	12
2. MULTIPLE DX										
A. Not Operated	159	4.7	24	1	2	3	5	10	16	26
B. Operated	252	7.0	53	2	3	5	9	14	20	32
1. SINGLE DX	121	2.8	3	1	2	2	3	4	5	11
2. MULTIPLE DX	411	6.1	43	2	3	4	7	12	18	31
A. Not Operated	212	4.2	20	1	2	3	4	8	14	25
B. Operated	320	6.2	45	2	2	4	8	12	18	31
TOTAL										
65-69 YRS	169	5.3	34	2	2	3	6	10	16	33
70-74	156	4.9	46	2	2	3	5	9	11	32
75-79	101	5.8	29	2	2	4	8	12	18	26
80-84	56	6.3	37	2	2	4	8	14	21	31
85 +	50	5.5	25	2	2	4	6	14	16	25
GRAND TOTAL	**532**	**5.4**	**36**	**2**	**2**	**3**	**6**	**11**	**16**	**29**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	2.3	1	1	2	2	3	3	4	5
70-74	26	2.3	1	1	2	2	3	3	4	4
75-79	17	2.1	1	1	1	2	3	3	3	3
80-84	12	2.3	1	1	2	2	3	3	3	3
85 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
65-69 YRS	96	4.2	2	2	3	4	5	6	7	11
70-74	70	3.9	2	2	3	4	5	6	7	8
75-79	48	4.7	2	3	4	4	5	7	8	9
80-84	31	5.5	6	3	4	6	7	8	11	12
85 +	15	6.5	17	2	4	5	8	10	17	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	55	2.9	6	1	2	2	3	5	7	17
70-74	62	4.5	28	1	2	3	4	9	17	27
75-79	45	4.1	19	1	2	3	4	8	11	25
80-84	21	3.7	19	1	2	3	4	5	13	22
85 +	22	8.2	136	1	2	4	7	22	41	46
B. Operated										
65-69 YRS	679	6.4	21	3	4	5	7	10	13	26
70-74	521	6.5	18	4	4	5	7	11	14	27
75-79	416	7.1	23	4	5	6	8	12	15	24
80-84	208	8.5	80	4	5	6	9	14	24	56
85 +	137	9.4	58	4	5	7	11	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.3	1	1	2	2	3	3	4	6
B. Operated	260	4.5	4	2	4	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	205	4.3	32	1	2	3	4	8	16	32
B. Operated	1961	7.0	30	4	4	6	8	12	16	31
1. SINGLE DX	351	3.9	4	2	3	4	5	6	7	11
2. MULTIPLE DX	2166	6.8	31	3	4	5	8	11	16	31
A. Not Operated	296	3.7	23	1	2	3	4	6	9	27
B. Operated	2221	6.7	28	3	4	5	7	11	15	30
TOTAL										
65-69 YRS	864	5.8	19	2	4	5	7	9	12	22
70-74	679	5.9	18	2	4	5	7	10	14	26
75-79	526	6.4	22	3	4	5	8	11	14	23
80-84	272	7.5	67	2	4	6	8	13	21	50
85 +	176	8.9	64	3	4	6	10	19	26	44
GRAND TOTAL	**2517**	**6.4**	**28**	**2**	**4**	**5**	**7**	**11**	**14**	**30**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	2.3	11	1	1	1	1	8	9	9
70-74	3	2.3	1	1	1	3	3	3	3	3
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	20	6.2	6	4	5	6	8	10	10	11
70-74	21	7.1	12	4	5	7	8	12	15	17
75-79	11	7.6	27	2	5	6	10	16	19	19
80-84	3	8.3	2	7	7	8	9	10	10	10
85 +	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	57	5.9	31	1	2	4	7	12	20	26
70-74	44	7.5	39	2	3	5	9	18	22	27
75-79	46	7.0	42	2	3	5	9	14	21	32
80-84	28	10.9	131	2	4	6	14	29	38	44
85 +	28	8.5	34	2	4	8	11	15	18	27
B. Operated										
65-69 YRS	341	11.4	78	5	6	9	14	20	27	53
70-74	268	13.0	125	5	7	10	15	22	32	60
75-79	170	13.6	74	5	7	11	19	26	32	44
80-84	117	13.0	101	5	6	10	16	26	34	54
85 +	56	15.0	98	6	9	13	17	27	39	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.7	8	1	1	1	3	7	9	9
B. Operated	57	7.0	12	4	5	6	8	11	14	19
2. MULTIPLE DX										
A. Not Operated	203	7.6	51	2	3	5	9	16	25	34
B. Operated	952	12.6	96	5	7	10	15	24	31	53
1. SINGLE DX	67	6.4	13	1	4	6	8	11	13	19
2. MULTIPLE DX	1155	11.7	91	4	6	9	14	23	29	53
A. Not Operated	213	7.3	50	1	3	5	9	16	24	34
B. Operated	1009	12.3	93	5	7	9	15	23	29	53
TOTAL										
65-69 YRS	424	10.3	73	4	5	8	12	19	25	53
70-74	336	11.8	111	4	6	9	14	21	28	59
75-79	227	12.0	73	4	6	9	16	26	30	42
80-84	149	12.5	105	4	6	9	15	27	34	47
85 +	86	12.7	84	4	8	11	14	24	33	49
GRAND TOTAL	**1222**	**11.4**	**89**	**4**	**6**	**9**	**14**	**22**	**28**	**52**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	3.2	3	1	2	3	4	6	6	6
70-74	2	2.0		2	2	2	2	2	2	2
75-79	4	2.5		2	2	2	3	3	3	3
80-84	6	5.2	8	1	5	5	5	10	10	10
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	11	5.3	17	1	2	6	7	12	14	14
70-74	3	6.3	10	4	4	5	9	10	10	10
75-79	14	6.1	21	< 1	2	5	9	13	14	14
80-84	2	4.0	2	3	3	4	5	5	5	5
85 +	12	2.9	5	< 1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	4.0	3	2	3	3	5	7	7	7
70-74	12	3.5	11	< 1	1	2	6	9	9	9
75-79	8	3.6	3	1	2	4	5	6	6	6
80-84	2	6.5	13	4	4	6	9	9	9	9
85 +	5	5.4	30	2	2	4	7	15	15	15
B. Operated										
65-69 YRS	58	11.6	61	4	6	9	15	22	27	37
70-74	60	11.9	105	3	5	9	15	25	30	50
75-79	64	8.6	42	2	4	7	12	18	23	28
80-84	53	10.8	100	3	4	8	13	25	30	98
85 +	50	9.7	82	2	4	7	12	20	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.5	5	1	2	3	5	6	8	10
B. Operated	42	4.9	14	< 1	2	4	7	10	13	14
2. MULTIPLE DX										
A. Not Operated	34	4.1	10	1	2	3	5	9	9	15
B. Operated	285	10.5	77	3	4	8	13	23	27	51
1. SINGLE DX	61	4.4	12	1	2	3	6	10	12	14
2. MULTIPLE DX	319	9.8	74	2	4	7	13	22	27	50
A. Not Operated	53	3.9	8	1	2	3	5	8	9	15
B. Operated	327	9.8	73	2	4	7	13	21	26	50
TOTAL										
65-69 YRS	82	9.5	57	2	4	7	11	21	24	35
70-74	77	10.1	95	1	4	7	12	24	28	49
75-79	90	7.5	37	2	3	5	11	15	22	27
80-84	63	9.9	89	3	4	8	13	23	29	95
85 +	68	8.1	70	1	2	6	11	18	26	47
GRAND TOTAL	**380**	**9.0**	**68**	**2**	**3**	**7**	**11**	**20**	**25**	**49**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	3.3	12	1	1	2	5	9	12	12
70-74	8	8.5	370	< 1	1	1	3	40	56	56
75-79	5	1.6	1	< 1	1	1	2	3	3	3
80-84	3	10.3	208	2	2	2	21	27	27	27
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	418	5.6	8	2	4	6	7	9	11	14
70-74	359	4.7	7	1	3	5	6	8	9	13
75-79	233	3.9	6	1	2	3	5	7	8	11
80-84	108	3.1	3	1	2	3	4	5	6	8
85 +	65	3.4	9	1	1	3	4	7	8	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	113	7.4	44	1	3	5	10	16	21	35
70-74	114	7.2	66	1	3	5	9	13	21	44
75-79	130	7.0	68	2	3	5	7	12	23	51
80-84	105	7.8	87	2	3	5	9	15	22	53
85 +	86	7.0	30	2	3	5	9	14	17	28
B. Operated										
65-69 YRS	2393	6.7	25	2	4	6	8	12	15	23
70-74	2573	6.2	22	2	3	5	8	11	14	26
75-79	2097	5.9	28	2	3	4	7	11	15	27
80-84	1479	6.0	28	2	3	4	7	12	16	29
85 +	947	7.1	53	2	3	5	8	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	5.2	131	1	1	2	3	11	31	56
B. Operated	1183	4.7	7	1	3	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	548	7.3	60	2	3	5	9	14	20	46
B. Operated	9489	6.3	28	2	3	5	8	12	15	27
1. SINGLE DX	1210	4.7	10	1	3	4	6	8	9	13
2. MULTIPLE DX	10037	6.4	30	2	3	5	8	12	16	28
A. Not Operated	575	7.2	63	1	3	5	9	14	20	49
B. Operated	10672	6.1	26	2	3	5	8	11	15	26
TOTAL										
65-69 YRS	2934	6.5	23	2	4	6	8	11	15	23
70-74	3054	6.1	23	2	3	5	8	11	14	26
75-79	2465	5.7	28	2	3	4	7	11	15	27
80-84	1695	5.9	31	2	3	4	7	12	16	32
85 +	1099	6.9	50	2	3	5	8	14	19	31
GRAND TOTAL	**11247**	**6.2**	**28**	**2**	**3**	**5**	**8**	**11**	**15**	**27**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	2.0	1	1	1	2	3	3	3	3
70-74	6	2.3	1	1	1	2	3	4	4	4
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	1	8.0		8	8	8	8	8	8	8
85 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
65-69 YRS	12	4.3	24	1	1	2	6	14	15	15
70-74	9	5.0	18	1	2	4	7	12	14	14
75-79	10	4.9	11	2	2	4	7	10	12	12
80-84	6	7.8	47	1	3	6	14	18	18	18
85 +	9	5.2	6	2	3	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	18	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	6	4.0	8	1	2	4	6	8	8	8
B. Operated	46	5.2	19	1	2	4	7	13	14	18
1. SINGLE DX	18	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX	52	5.1	17	1	2	4	7	12	14	18
A. Not Operated	6	4.0	8	1	2	4	6	8	8	8
B. Operated	64	4.3	16	1	2	3	6	9	14	18
TOTAL										
65-69 YRS	18	3.7	17	1	1	2	4	11	14	15
70-74	15	3.9	12	1	1	3	5	8	12	14
75-79	14	4.4	9	2	2	3	6	8	11	12
80-84	9	6.7	36	1	2	4	10	16	18	18
85 +	14	3.8	8	1	1	3	6	8	9	9
GRAND TOTAL	**70**	**4.3**	**15**	**1**	**2**	**3**	**6**	**9**	**14**	**17**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	0									
85 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	205	2.9	11	1	1	2	3	6	10	20
70-74	178	2.8	18	1	1	2	3	5	8	27
75-79	156	2.6	5	1	1	2	3	5	8	12
80-84	121	2.8	8	1	1	2	4	5	9	14
85 +	95	2.9	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	34	5.4	40	1	2	4	6	10	13	36
70-74	36	7.8	49	1	2	5	13	17	21	29
75-79	36	8.0	59	1	3	5	11	20	23	34
80-84	40	10.1	86	2	3	7	13	22	30	44
85 +	45	6.6	23	2	4	5	8	14	18	22
B. Operated										
65-69 YRS	1049	6.0	53	1	2	3	7	14	20	39
70-74	1168	5.9	49	1	2	3	7	14	18	37
75-79	1186	6.3	54	1	2	4	8	15	20	38
80-84	896	6.0	53	1	2	4	7	13	17	38
85 +	712	6.4	56	1	2	4	8	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	8	1	1	2	4	8	8	8
B. Operated	755	2.8	10	1	1	2	3	5	8	15
2. MULTIPLE DX										
A. Not Operated	191	7.6	52	1	3	5	10	17	22	35
B. Operated	5011	6.1	53	1	2	4	7	14	19	38
1. SINGLE DX	760	2.8	10	1	1	2	3	5	8	15
2. MULTIPLE DX	5202	6.2	53	1	2	4	8	14	19	38
A. Not Operated	196	7.5	52	1	3	5	10	17	22	35
B. Operated	5766	5.7	48	1	2	3	7	13	18	37
TOTAL										
65-69 YRS	1290	5.5	47	1	2	3	7	13	18	37
70-74	1383	5.6	46	1	2	3	7	13	18	36
75-79	1378	6.0	50	1	2	3	7	13	19	35
80-84	1057	5.8	50	1	2	4	7	13	17	38
85 +	854	6.0	49	1	2	4	7	13	18	32
GRAND TOTAL	**5962**	**5.8**	**49**	**1**	**2**	**3**	**7**	**13**	**18**	**37**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	46	7.6	7	4	6	7	8	11	13	16
70-74	42	6.8	11	2	5	7	9	11	13	15
75-79	27	8.8	8	5	7	8	10	13	15	18
80-84	11	8.1	38	3	5	7	9	16	24	25
85 +	6	5.5	9	1	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	52	8.4	45	2	3	7	10	21	23	28
70-74	37	5.1	11	1	3	5	7	11	12	13
75-79	31	8.9	49	3	5	7	11	18	35	99 +
80-84	20	8.0	20	3	5	7	9	15	17	19
85 +	24	9.8	92	3	5	7	12	15	32	48
B. Operated										
65-69 YRS	464	9.7	48	5	6	8	11	17	21	34
70-74	374	10.0	43	5	7	8	12	17	21	31
75-79	323	11.6	80	4	7	9	14	20	27	48
80-84	200	11.5	71	5	7	9	13	20	26	46
85 +	99	11.9	60	5	7	10	15	22	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	2	2	2	3	4	5	5	5
B. Operated	132	7.5	11	4	6	7	9	11	14	19
2. MULTIPLE DX										
A. Not Operated	164	7.9	43	2	4	6	10	14	22	46
B. Operated	1460	10.6	58	5	7	9	13	19	24	42
1. SINGLE DX	136	7.4	12	4	5	7	9	11	13	19
2. MULTIPLE DX	1624	10.3	58	4	6	8	12	18	24	42
A. Not Operated	168	7.8	43	2	4	6	10	14	22	46
B. Operated	1592	10.4	55	5	7	8	12	18	24	41
TOTAL										
65-69 YRS	563	9.4	45	4	6	8	11	16	21	33
70-74	453	9.3	40	4	6	8	11	16	20	28
75-79	383	11.2	74	4	7	9	13	20	27	53
80-84	231	11.0	66	4	7	9	13	19	25	44
85 +	130	11.2	65	4	6	9	14	21	26	49
GRAND TOTAL	**1760**	**10.1**	**55**	**4**	**6**	**8**	**12**	**18**	**23**	**41**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	2.6	6	<1	1	2	3	7	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	5	1.4	1	1	1	1	2	3	3	3
80-84	2	3.0	2	2	2	3	4	4	4	4
85 +	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	4.0	15	1	1	3	5	12	12	12
70-74	11	3.7	5	2	2	3	5	7	9	9
75-79	10	3.6	17	1	1	2	3	11	13	13
80-84	13	3.4	11	1	2	2	3	8	12	13
85 +	4	9.3	211	1	1	2	17	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	19	1.9	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	3	5.7	2	4	4	6	7	7	7	7
B. Operated	51	4.1	25	1	2	3	4	10	13	31
1. SINGLE DX	19	1.9	3	1	1	1	2	4	6	8
2. MULTIPLE DX	54	4.2	24	1	2	3	5	9	13	30
A. Not Operated	3	5.7	2	4	4	6	7	7	7	7
B. Operated	70	3.5	20	1	1	2	3	8	12	27
TOTAL										
65-69 YRS	21	3.6	12	1	1	2	5	9	12	12
70-74	13	3.6	4	2	2	3	4	7	9	9
75-79	16	3.1	12	1	1	2	3	9	12	13
80-84	15	3.3	10	1	2	2	4	7	11	13
85 +	8	5.1	110	1	1	1	2	23	31	31
GRAND TOTAL	**73**	**3.6**	**19**	**1**	**1**	**2**	**4**	**8**	**12**	**27**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	4.2	9	1	2	3	7	9	9	9
70-74	9	5.2	16	2	2	4	7	12	14	14
75-79	5	5.2	13	2	2	4	8	10	10	10
80-84	2	7.5	1	7	7	7	8	8	8	8
85 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
65-69 YRS	40	7.9	33	1	4	7	10	16	21	25
70-74	22	8.7	34	2	5	8	11	15	23	25
75-79	18	7.9	18	1	6	8	11	12	14	15
80-84	7	8.4	43	1	2	9	14	17	17	17
85 +	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	87	9.1	70	2	4	6	12	17	24	47
70-74	72	13.1	286	2	4	7	14	30	38	96
75-79	74	9.3	177	2	3	5	10	19	36	84
80-84	31	10.5	96	3	5	8	11	21	30	51
85 +	29	10.0	89	3	4	7	13	22	32	45
B. Operated										
65-69 YRS	166	16.8	222	4	8	13	21	31	52	87
70-74	161	16.5	173	5	8	14	21	33	45	98
75-79	101	16.0	202	4	8	12	21	31	49	90
80-84	34	17.5	261	7	10	14	20	25	39	98
85 +	12	24.5	517	11	13	18	23	53	87	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.9	11	1	2	4	8	9	10	14
B. Operated	89	8.2	31	2	4	7	11	15	20	25
2. MULTIPLE DX										
A. Not Operated	293	10.3	156	2	4	6	12	21	31	71
B. Operated	474	16.8	211	5	8	13	21	32	47	97
1. SINGLE DX	120	7.4	28	2	3	7	10	14	18	25
2. MULTIPLE DX	767	14.3	199	3	6	11	18	29	42	92
A. Not Operated	324	9.8	144	2	4	6	11	20	30	60
B. Operated	563	15.4	192	4	7	12	19	29	42	92
TOTAL										
65-69 YRS	306	12.9	163	3	5	10	15	25	33	83
70-74	264	14.5	195	3	6	11	19	31	42	97
75-79	198	12.5	183	2	5	9	14	26	39	89
80-84	74	13.4	176	4	7	10	15	23	30	87
85 +	45	13.8	232	4	5	8	17	26	38	93
GRAND TOTAL	**887**	**13.4**	**181**	**3**	**5**	**10**	**17**	**27**	**38**	**88**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	2	5.5	1	5	5	5	6	6	6	6
70-74	0									
75-79	2	10.5	1	10	10	10	11	11	11	11
80-84	1	11.0		11	11	11	11	11	11	11
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	12.2	89	1	3	12	18	26	30	30
70-74	5	6.8	29	<1	3	5	10	15	15	15
75-79	3	7.3	44	3	3	4	12	15	15	15
80-84	3	5.3	44	1	1	2	10	13	13	13
85+	4	5.0	3	3	3	5	6	7	7	7
B. Operated										
65-69 YRS	17	22.4	325	7	9	18	32	45	62	70
70-74	5	10.6	45	3	6	10	14	21	21	21
75-79	7	7.9	10	2	8	9	9	11	11	11
80-84	3	16.0	49	8	11	19	20	21	21	21
85+	2	11.0	2	10	10	11	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	8.6	8	5	6	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	24	8.4	54	1	3	5	13	18	22	30
B. Operated	34	16.4	209	6	9	11	19	43	45	70
1. SINGLE DX	5	8.6	8	5	6	10	11	11	11	11
2. MULTIPLE DX	58	13.1	159	2	5	9	18	27	43	68
A. Not Operated	24	8.4	54	1	3	5	13	18	22	30
B. Operated	39	15.4	189	5	8	10	18	37	45	70
TOTAL										
65-69 YRS	28	17.9	254	4	7	14	19	43	48	70
70-74	10	8.7	37	1	4	8	12	18	21	21
75-79	12	8.2	15	2	6	9	10	12	15	15
80-84	7	10.7	60	1	3	11	17	21	21	21
85+	6	7.0	12	3	4	6	10	12	12	12
GRAND TOTAL	**63**	**12.8**	**148**	**3**	**5**	**9**	**15**	**23**	**43**	**67**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	2.2		2	2	2	2	3	3	3
70-74	2	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	4	2.0	1	1	1	2	3	3	3	3
85+	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	28	3.4	15	2	2	2	3	6	8	22
70-74	17	2.3	1	1	2	2	3	3	4	4
75-79	11	2.6	1	1	2	3	3	4	5	5
80-84	10	3.5	5	1	2	3	4	7	8	8
85+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	3.7	5	1	2	3	5	7	9	9
70-74	12	7.5	143	1	2	4	6	22	41	44
75-79	9	6.1	25	2	2	3	11	13	15	15
80-84	6	2.7	1	1	2	3	3	4	4	4
85+	8	7.3	24	1	2	8	10	14	15	15
B. Operated										
65-69 YRS	87	4.8	28	2	2	3	5	10	13	32
70-74	64	6.7	65	2	2	4	8	17	22	45
75-79	54	9.8	248	2	3	5	10	21	31	96
80-84	29	6.7	35	2	3	4	9	17	22	23
85+	10	11.2	92	3	6	8	12	27	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.3	1	1	2	2	3	4	5	5
B. Operated	68	3.1	8	1	2	2	3	5	7	20
2. MULTIPLE DX										
A. Not Operated	46	5.7	48	1	2	3	7	11	15	44
B. Operated	244	6.9	93	2	2	4	8	15	22	48
1. SINGLE DX	81	3.0	7	1	2	2	3	5	7	19
2. MULTIPLE DX	290	6.7	85	2	2	4	7	14	22	46
A. Not Operated	59	4.9	39	1	2	3	5	11	14	41
B. Operated	312	6.1	77	2	2	3	6	13	21	39
TOTAL										
65-69 YRS	132	4.3	22	2	2	3	4	8	12	30
70-74	95	5.9	64	1	2	3	6	14	21	46
75-79	74	8.3	190	2	2	4	8	20	25	89
80-84	49	5.1	25	2	2	3	6	11	17	23
85+	21	9.0	57	2	4	7	11	17	27	34
GRAND TOTAL	**371**	**5.9**	**71**	**2**	**2**	**3**	**6**	**12**	**21**	**42**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	7.0	17	2	4	6	11	13	14	14
70-74	10	8.2	39	3	4	6	12	18	23	23
75-79	13	9.4	82	1	3	5	14	24	28	29
80-84	7	3.4	4	< 1	2	3	5	7	7	7
85 +	3	10.0	127	3	3	4	18	23	23	23
B. Operated										
65-69 YRS	30	5.3	39	< 1	1	3	7	11	25	26
70-74	26	4.3	30	1	2	3	3	10	17	27
75-79	24	2.8	4	1	1	2	4	5	7	8
80-84	16	4.4	11	1	2	4	6	10	11	11
85 +	7	3.0	13	< 1	1	1	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1837	8.7	59	2	4	7	11	18	24	39
70-74	1721	8.5	51	2	4	6	11	17	23	38
75-79	1384	9.1	73	2	4	7	11	19	25	47
80-84	919	9.1	54	3	4	7	12	19	23	34
85 +	639	9.2	70	3	4	7	11	18	26	43
B. Operated										
65-69 YRS	2436	11.7	114	3	5	9	15	24	32	59
70-74	2178	12.3	121	3	5	9	16	25	34	57
75-79	1554	12.2	115	2	5	10	16	25	32	54
80-84	1001	12.4	122	3	5	9	16	25	34	58
85 +	519	12.4	139	2	5	9	16	24	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	7.6	46	2	3	5	11	19	23	29
B. Operated	103	4.2	23	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. Not Operated	6500	8.8	60	2	4	7	11	18	24	40
B. Operated	7688	12.1	119	3	5	9	15	25	33	58
1. SINGLE DX	147	5.2	32	1	2	4	6	12	20	27
2. MULTIPLE DX	14188	10.6	95	2	4	8	14	22	29	50
A. Not Operated	6544	8.8	60	2	4	7	11	18	24	39
B. Operated	7791	12.0	118	2	5	9	15	25	33	58
TOTAL										
65-69 YRS	4314	10.4	92	2	4	8	13	22	28	50
70-74	3935	10.5	94	2	4	8	14	22	29	50
75-79	2975	10.7	97	2	4	8	14	23	29	52
80-84	1943	10.8	92	3	5	8	14	22	27	49
85 +	1168	10.6	103	2	4	8	13	21	28	52
GRAND TOTAL	**14335**	**10.5**	**94**	**2**	**4**	**8**	**14**	**22**	**29**	**50**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	4.3	13	< 1	2	3	5	10	11	11
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	5.8	11	2	3	6	9	10	11	11
70-74	6	6.2	9	2	4	6	9	10	10	10
75-79	9	13.2	117	3	5	11	16	31	37	37
80-84	3	8.7	114	2	2	3	16	21	21	21
85 +	0									
B. Operated										
65-69 YRS	26	11.2	82	4	5	9	16	23	29	41
70-74	21	11.7	200	2	3	7	11	37	49	54
75-79	12	11.4	89	2	4	8	19	26	27	27
80-84	5	15.0	176	5	5	11	22	37	37	37
85 +	6	11.7	73	2	8	9	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	8	3.9	11	< 1	1	3	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	29	8.5	58	2	3	6	10	18	24	37
B. Operated	70	11.7	118	2	5	8	13	26	37	52
1. SINGLE DX	10	3.8	9	< 1	2	3	5	8	11	11
2. MULTIPLE DX	99	10.7	102	2	4	8	12	24	34	50
A. Not Operated	31	8.2	56	2	3	6	10	16	23	37
B. Operated	78	10.9	113	2	4	8	12	26	35	51
TOTAL										
65-69 YRS	44	8.7	61	2	4	6	11	19	24	41
70-74	27	10.4	161	2	3	7	10	27	46	54
75-79	23	11.4	95	2	4	9	13	26	30	37
80-84	9	11.7	134	2	4	5	18	31	37	37
85 +	6	11.7	73	2	8	9	21	23	23	23
GRAND TOTAL	**109**	**10.1**	**97**	**2**	**4**	**7**	**11**	**23**	**31**	**49**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	1.7		1	1	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	7.0	38	< 1	1	5	13	14	14	14
70-74	8	8.3	106	1	3	5	7	26	33	33
75-79	7	12.7	114	3	4	8	17	30	33	33
80-84	6	6.3	19	1	4	5	11	12	12	12
85 +	6	18.2	333	4	7	10	26	49	52	52
B. Operated										
65-69 YRS	10	29.1	347	7	11	28	43	54	64	64
70-74	9	23.4	152	5	12	26	33	36	37	37
75-79	7	12.3	118	3	4	7	21	29	30	30
80-84	4	12.3	33	4	8	14	16	17	17	17
85 +	2	21.5	13	19	19	21	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	32	10.5	127	2	4	7	12	28	33	52
B. Operated	32	21.3	216	4	9	19	31	39	45	64
1. SINGLE DX	5	3.8	27	1	1	2	5	13	13	13
2. MULTIPLE DX	64	15.9	198	3	5	11	25	34	44	62
A. Not Operated	35	9.8	122	1	3	6	12	26	33	52
B. Operated	34	20.4	217	3	8	18	30	38	45	64
TOTAL										
65-69 YRS	16	21.2	331	2	8	14	33	45	58	64
70-74	21	13.5	182	1	2	6	27	34	35	37
75-79	14	12.5	107	3	3	8	17	30	32	33
80-84	10	8.7	31	2	4	8	13	16	17	17
85 +	8	19.0	242	5	8	15	25	44	52	52
GRAND TOTAL	**69**	**15.0**	**195**	**2**	**4**	**11**	**24**	**34**	**43**	**62**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	7.5	1	7	7	7	8	8	8	8
B. Operated										
65-69 YRS	0									
70-74	1	16.0		16	16	16	16	16	16	16
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	35	7.3	26	3	4	6	8	15	20	22
70-74	40	8.0	41	2	3	7	10	17	23	27
75-79	43	7.7	25	2	4	6	11	14	16	24
80-84	24	10.9	65	2	5	9	15	23	29	32
85 +	20	13.8	265	3	6	9	14	28	54	75
B. Operated										
65-69 YRS	44	9.3	66	2	4	6	11	27	28	32
70-74	38	16.9	346	4	7	10	20	44	61	89
75-79	35	13.2	132	4	6	9	17	25	44	52
80-84	23	11.8	53	6	7	9	14	18	26	38
85 +	11	19.7	284	4	7	12	33	46	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	14	< 1	< 1	4	7	8	8	8
B. Operated	3	6.0	75	1	1	1	12	16	16	16
2. MULTIPLE DX										
A. Not Operated	162	8.9	67	2	4	7	12	17	23	33
B. Operated	151	13.2	172	3	6	9	16	27	43	65
1. SINGLE DX	7	5.0	33	< 1	1	1	8	14	16	16
2. MULTIPLE DX	313	11.0	122	3	5	8	13	23	31	58
A. Not Operated	166	8.8	66	2	4	7	11	17	23	33
B. Operated	154	13.1	171	3	6	9	16	27	42	65
TOTAL										
65-69 YRS	80	8.3	49	2	4	6	10	17	27	31
70-74	79	12.4	205	2	5	8	13	25	41	82
75-79	79	10.1	80	2	4	7	14	18	25	51
80-84	48	11.1	59	3	6	9	15	19	28	38
85 +	34	14.9	256	3	7	8	18	35	49	75
GRAND TOTAL	**320**	**10.9**	**121**	**2**	**5**	**8**	**13**	**22**	**30**	**57**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	4	2.8	2	1	1	3	4	4	4	4
75-79	2	7.5	13	5	5	7	10	10	10	10
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	6	12.7	208	1	2	7	19	37	39	39
75-79	2	19.5	481	4	4	19	35	35	35	35
80-84	0									
85 +	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	14.2	192	3	5	9	23	35	73	99 +
70-74	44	6.8	43	1	3	5	8	13	23	31
75-79	21	7.9	42	3	5	7	8	15	23	32
80-84	15	11.1	167	3	3	6	14	26	45	51
85 +	13	8.8	54	3	4	6	11	23	25	25
B. Operated										
65-69 YRS	82	29.7	336	5	17	29	40	65	80	99 +
70-74	58	28.6	474	5	10	27	39	54	70	96
75-79	61	21.0	265	4	6	17	31	43	54	64
80-84	35	18.1	340	3	7	9	28	45	47	87
85 +	18	14.7	125	4	7	11	23	34	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.6	9	1	1	3	5	8	10	10
B. Operated	11	13.4	193	2	3	6	23	37	39	39
2. MULTIPLE DX										
A. Not Operated	116	9.2	94	2	3	6	11	23	30	75
B. Operated	254	24.7	359	4	9	23	36	49	65	99
1. SINGLE DX	19	9.3	135	1	2	4	10	31	37	39
2. MULTIPLE DX	370	19.8	327	3	6	13	31	45	63	99
A. Not Operated	124	8.9	91	2	3	6	10	23	29	71
B. Operated	265	24.2	357	4	8	23	35	49	65	99
TOTAL										
65-69 YRS	109	25.4	351	3	9	28	37	64	78	99 +
70-74	112	18.2	388	2	4	9	30	48	54	94
75-79	86	17.5	237	4	6	9	30	40	48	64
80-84	50	16.0	294	3	4	9	25	43	48	87
85 +	32	12.7	103	3	5	9	21	25	37	39
GRAND TOTAL	**389**	**19.3**	**323**	**3**	**5**	**12**	**30**	**45**	**62**	**98**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	5	9.2	45	3	4	5	16	17	17	17
75-79	2	14.0	338	< 1	< 1	13	27	27	27	27
80-84	2	3.0	8	1	1	3	5	5	5	5
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	4	4.8	1	4	4	5	5	6	6	6
75-79	2	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	38	8.8	127	1	3	4	8	32	35	45
70-74	45	5.7	19	2	3	4	8	12	14	19
75-79	28	8.6	87	2	3	6	9	19	24	47
80-84	31	9.1	134	2	4	6	10	13	36	61
85 +	28	8.7	64	1	3	7	11	23	29	30
B. Operated										
65-69 YRS	49	18.8	246	5	8	14	28	38	44	84
70-74	33	19.8	393	2	5	11	31	44	63	79
75-79	39	9.6	89	2	4	7	11	16	35	45
80-84	23	14.1	189	4	5	9	17	36	45	59
85 +	25	14.1	137	4	6	10	18	29	43	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	8.1	78	< 1	1	5	16	22	27	27
B. Operated	9	4.3	5	1	3	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	170	8.0	82	2	3	5	9	15	30	47
B. Operated	169	15.5	225	3	5	10	20	37	44	76
1. SINGLE DX	19	6.3	45	1	2	4	6	17	22	27
2. MULTIPLE DX	339	11.8	167	2	4	7	13	30	39	61
A. Not Operated	180	8.0	82	1	3	5	10	16	29	46
B. Operated	178	15.0	220	3	5	10	19	36	43	75
TOTAL										
65-69 YRS	88	14.4	215	2	4	9	21	35	42	72
70-74	87	11.2	204	2	3	5	12	31	41	73
75-79	71	9.2	88	2	3	6	11	19	33	47
80-84	57	10.8	156	2	4	7	11	22	38	61
85 +	55	10.9	103	2	4	9	12	27	30	50
GRAND TOTAL	**358**	**11.5**	**162**	**2**	**4**	**7**	**13**	**30**	**38**	**61**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	4.6	11	1	2	4	6	9	12	13
70-74	11	4.9	14	1	2	5	6	10	14	14
75-79	11	6.0	21	2	3	4	7	13	18	18
80-84	7	3.9	2	2	3	4	5	6	6	6
85 +	0									
B. Operated										
65-69 YRS	74	4.8	19	1	1	4	7	11	13	23
70-74	65	4.2	13	1	1	3	6	10	12	16
75-79	53	5.8	30	1	2	3	8	11	18	27
80-84	18	5.4	32	< 1	1	2	8	15	18	18
85 +	6	8.3	66	< 1	1	6	15	20	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	271	10.0	76	2	4	7	12	22	27	46
70-74	275	8.9	68	2	4	6	11	19	23	42
75-79	253	9.5	77	2	4	7	13	19	23	35
80-84	151	8.7	46	1	4	7	12	18	24	32
85 +	112	9.1	52	3	4	7	12	20	22	35
B. Operated										
65-69 YRS	523	13.1	139	3	5	9	17	29	38	63
70-74	541	13.4	135	3	6	10	17	30	38	60
75-79	461	13.8	135	4	7	11	17	28	36	61
80-84	282	12.7	101	3	6	11	16	24	32	58
85 +	174	13.9	130	3	6	11	19	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.9	12	1	3	4	6	9	13	18
B. Operated	216	5.0	22	1	1	3	7	11	15	23
2. MULTIPLE DX										
A. Not Operated	1062	9.3	67	2	4	7	12	20	24	38
B. Operated	1981	13.4	131	3	6	10	17	28	37	61
1. SINGLE DX	261	5.0	21	1	2	3	7	10	14	21
2. MULTIPLE DX	3043	12.0	112	3	5	9	15	25	33	54
A. Not Operated	1107	9.1	66	2	4	7	12	19	24	37
B. Operated	2197	12.6	126	2	5	9	16	27	35	59
TOTAL										
65-69 YRS	884	11.3	114	2	4	8	15	26	34	52
70-74	892	11.3	112	2	5	8	14	24	34	52
75-79	778	11.7	115	2	5	9	15	24	31	56
80-84	458	11.0	84	2	5	9	15	21	28	46
85 +	292	11.9	104	3	5	9	16	23	30	51
GRAND TOTAL	**3304**	**11.4**	**109**	**2**	**5**	**8**	**15**	**24**	**32**	**53**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	59	1.9	1	1	1	2	2	3	4	5
70-74	54	1.8	1	1	1	2	2	3	3	4
75-79	33	2.1	1	1	1	2	3	3	4	5
80-84	20	1.8	1	1	1	2	2	3	3	4
85 +	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	101	2.4	5	1	1	2	3	4	5	14
70-74	88	2.8	6	1	1	2	3	5	8	13
75-79	54	3.1	7	1	2	2	3	6	8	16
80-84	30	3.2	11	1	2	2	4	5	6	19
85 +	19	4.2	11	1	1	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	171	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	4	1.5	1	1	1	1	2	3	3	3
B. Operated	292	2.9	7	1	1	2	3	5	8	15
1. SINGLE DX	172	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	296	2.8	7	1	1	2	3	5	8	15
A. Not Operated	5	1.6	1	1	1	1	2	3	3	3
B. Operated	463	2.5	5	1	1	2	3	4	6	13
TOTAL										
65-69 YRS	161	2.3	4	1	1	2	3	3	4	7
70-74	144	2.4	4	1	1	2	3	4	6	13
75-79	88	2.7	5	1	1	2	3	5	6	14
80-84	51	2.6	7	1	1	2	3	5	6	19
85 +	24	3.6	10	1	1	2	5	9	10	11
GRAND TOTAL	**468**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	72	3.8	11	< 1	< 1	1	7	8	9	13
70-74	74	3.2	9	< 1	< 1	1	6	8	10	10
75-79	31	4.7	21	< 1	< 1	2	7	10	12	21
80-84	30	3.7	12	< 1	< 1	2	6	9	10	11
85 +	13	2.1	6	< 1	< 1	< 1	1	7	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	5.1	48	< 1	1	3	6	8	22	31
70-74	15	3.9	9	1	2	3	6	9	10	11
75-79	23	3.3	5	1	1	3	5	7	8	8
80-84	11	4.8	8	2	2	5	6	9	11	11
85 +	16	5.2	5	2	4	5	7	8	9	9
B. Operated										
65-69 YRS	352	6.9	35	< 1	3	6	9	12	16	36
70-74	398	7.0	33	< 1	3	7	9	13	17	26
75-79	380	8.0	54	< 1	3	7	10	15	22	39
80-84	240	8.4	82	1	3	7	11	15	23	55
85 +	170	9.0	108	1	3	6	11	20	27	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated	220	3.6	12	< 1	< 1	1	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	83	4.4	15	1	2	3	6	8	9	24
B. Operated	1540	7.7	55	< 1	3	7	10	14	20	38
1. SINGLE DX	225	3.6	12	< 1	< 1	1	6	9	10	12
2. MULTIPLE DX	1623	7.5	53	< 1	3	6	9	14	20	38
A. Not Operated	88	4.2	15	1	2	3	6	8	9	23
B. Operated	1760	7.1	51	< 1	2	6	9	14	19	37
TOTAL										
65-69 YRS	445	6.3	33	< 1	2	6	8	11	15	31
70-74	488	6.3	31	< 1	2	6	9	12	16	24
75-79	435	7.5	50	< 1	2	7	9	14	21	38
80-84	281	7.7	74	< 1	2	6	10	14	21	50
85 +	199	8.3	97	1	2	6	11	18	26	59
GRAND TOTAL	**1848**	**7.0**	**50**	**< 1**	**2**	**6**	**9**	**13**	**18**	**37**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	27	4.0	7	1	1	4	5	9	9	10
70-74	10	2.9	3	1	2	2	4	5	6	6
75-79	10	4.4	10	1	1	4	7	8	8	8
80-84	2	3.0	3	1	1	3	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	3.3	16	< 1	< 1	1	6	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	56	7.3	30	1	4	6	8	17	19	22
70-74	44	8.7	189	1	3	5	9	17	35	76
75-79	26	7.3	25	1	2	8	11	13	17	18
80-84	11	8.6	79	3	3	5	10	25	30	30
85 +	4	4.5	8	2	2	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	49	3.8	7	1	2	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	4	3.5	11	< 1	< 1	2	6	8	8	8
B. Operated	141	7.8	81	1	3	5	9	16	21	55
1. SINGLE DX	50	3.8	7	1	2	3	5	8	9	10
2. MULTIPLE DX	145	7.6	79	1	3	5	9	16	21	54
A. Not Operated	5	3.2	9	< 1	1	2	5	8	8	8
B. Operated	190	6.7	65	1	2	5	8	13	18	44
TOTAL										
65-69 YRS	84	6.2	25	1	3	5	8	14	18	22
70-74	55	7.6	156	1	2	4	7	12	26	75
75-79	39	6.3	22	1	2	7	9	12	15	18
80-84	13	7.8	71	2	3	5	8	23	29	30
85 +	4	4.5	8	2	2	4	7	7	7	7
GRAND TOTAL	**195**	**6.7**	**63**	**1**	**2**	**5**	**8**	**13**	**18**	**43**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	52	2.3	5	< 1	< 1	1	3	5	8	11
70-74	34	2.4	5	< 1	< 1	1	4	5	7	10
75-79	17	1.8	3	< 1	1	1	2	3	6	8
80-84	6	1.7	3	< 1	< 1	< 1	1	5	5	5
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	3	3.0	12	1	1	1	6	7	7	7
75-79	3	7.0	91	1	1	2	14	18	18	18
80-84	0									
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	85	5.1	17	1	2	4	7	10	14	19
70-74	73	4.8	22	1	2	3	7	10	14	25
75-79	61	6.7	128	1	2	3	7	11	22	69
80-84	29	3.9	10	1	1	2	6	8	9	14
85 +	13	10.6	116	1	5	7	13	22	38	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	111	2.2	4	< 1	< 1	1	2	5	8	10
2. MULTIPLE DX										
A. Not Operated	9	5.3	30	1	1	4	7	14	18	18
B. Operated	261	5.5	50	1	2	4	7	11	15	40
1. SINGLE DX	112	2.2	4	< 1	< 1	1	2	5	7	10
2. MULTIPLE DX	270	5.5	49	1	2	4	7	11	15	39
A. Not Operated	10	5.0	28	1	1	3	7	13	18	18
B. Operated	372	4.5	39	< 1	1	2	6	10	14	27
TOTAL										
65-69 YRS	139	4.1	14	< 1	1	3	6	9	11	18
70-74	111	4.0	17	< 1	1	2	5	9	11	21
75-79	81	5.7	103	< 1	1	3	6	10	19	65
80-84	35	3.5	10	< 1	1	2	6	7	9	14
85 +	16	9.3	102	1	2	7	12	17	34	42
GRAND TOTAL	**382**	**4.5**	**36**	**< 1**	**1**	**2**	**6**	**10**	**14**	**26**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	16	2.3	4	< 1	< 1	1	2	6	7	7
70-74	5	1.2		< 1	< 1	< 1	1	2	2	2
75-79	4	2.8	12	< 1	< 1	1	5	8	8	8
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	15.3	192	7	8	9	23	36	36	36
70-74	5	6.6	31	2	3	5	9	16	16	16
75-79	5	6.6	12	3	4	5	9	12	12	12
80-84	7	6.4	21	2	3	4	10	13	14	14
85 +	5	6.0	63	1	2	3	8	20	20	20
B. Operated										
65-69 YRS	33	5.9	38	1	2	4	8	11	12	35
70-74	38	8.0	88	1	2	5	9	22	28	44
75-79	36	9.3	102	1	3	7	11	19	29	53
80-84	20	7.4	31	1	2	7	11	16	18	19
85 +	9	14.3	147	< 1	4	15	22	32	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	28	2.0	4	< 1	< 1	1	2	6	7	8
2. MULTIPLE DX										
A. Not Operated	26	7.8	56	2	3	5	9	16	23	36
B. Operated	136	8.2	77	1	2	6	10	17	26	45
1. SINGLE DX	29	2.0	4	< 1	< 1	1	2	6	7	8
2. MULTIPLE DX	162	8.1	73	1	2	6	10	17	26	43
A. Not Operated	27	7.6	54	2	3	5	9	16	22	36
B. Operated	164	7.1	70	< 1	2	5	9	16	25	43
TOTAL										
65-69 YRS	53	5.5	46	< 1	2	3	7	10	12	36
70-74	48	7.1	76	< 1	1	4	9	17	25	44
75-79	45	8.4	87	1	3	6	11	14	27	53
80-84	28	6.9	28	1	2	6	10	15	17	19
85 +	17	9.6	118	< 1	1	4	18	24	33	37
GRAND TOTAL	**191**	**7.2**	**67**	**1**	**2**	**5**	**9**	**16**	**25**	**41**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
70-74	5	1.2		< 1	< 1	1	1	2	2	2
75-79	2	1.5	1	< 1	< 1	1	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	19	1.7	1	< 1	< 1	1	2	4	5	5
70-74	16	2.8	6	< 1	1	2	4	8	8	8
75-79	10	2.4	4	< 1	1	2	3	6	7	7
80-84	6	6.0	36	1	2	3	12	15	15	15
85 +	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	16	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	53	2.7	8	< 1	< 1	2	3	6	8	15
1. SINGLE DX	16	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX	54	2.7	8	< 1	< 1	2	3	6	8	15
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	69	2.4	7	< 1	< 1	1	3	5	8	14
TOTAL										
65-69 YRS	26	1.5	1	< 1	< 1	1	2	3	4	5
70-74	21	2.4	5	< 1	1	1	3	7	8	8
75-79	12	2.3	4	< 1	< 1	1	3	6	7	7
80-84	7	5.7	30	1	2	4	10	14	15	15
85 +	4	2.3	1	< 1	1	2	3	3	3	3
GRAND TOTAL	**70**	**2.4**	**7**	**< 1**	**< 1**	**1**	**3**	**5**	**8**	**14**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	9	4.1	2	3	3	4	5	6	7	7
70-74	4	3.3	2	< 1	2	4	4	4	4	4
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	3	5.0	1	4	4	5	6	6	6	6
80-84	2	8.5	85	2	2	8	15	15	15	15
85 +	2	7.5	41	3	3	7	12	12	12	12
B. Operated										
65-69 YRS	179	5.2	13	3	4	4	6	7	9	18
70-74	120	5.5	10	3	4	5	6	7	12	23
75-79	71	6.7	22	4	4	5	7	11	15	31
80-84	20	6.1	14	2	4	5	7	13	14	14
85 +	11	10.9	51	4	6	9	13	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	3.9	2	3	3	4	4	5	7	7
2. MULTIPLE DX										
A. Not Operated	9	6.2	19	2	4	5	7	14	15	15
B. Operated	401	5.8	15	3	4	5	6	9	13	24
1. SINGLE DX	15	3.9	2	3	3	4	4	5	7	7
2. MULTIPLE DX	410	5.8	15	3	4	5	6	9	13	24
A. Not Operated	9	6.2	19	2	4	5	7	14	15	15
B. Operated	416	5.7	15	3	4	5	6	9	13	24
TOTAL										
65-69 YRS	188	5.2	12	3	4	4	6	7	9	18
70-74	126	5.4	10	3	4	5	6	7	12	22
75-79	75	6.6	21	4	4	5	7	10	15	30
80-84	23	6.2	16	2	4	5	7	14	15	15
85 +	13	10.4	48	4	5	9	13	23	25	25
GRAND TOTAL	**425**	**5.7**	**15**	**3**	**4**	**5**	**6**	**9**	**13**	**23**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	5.0	1	4	4	5	6	6	6	6
70-74	7	15.4	500	5	7	7	9	55	66	66
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	10.5	13	8	8	10	13	13	13	13
85 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	16	10.4	225	4	5	7	8	13	50	66
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	16	10.4	225	4	5	7	8	13	50	66
A. Not Operated	0									
B. Operated	17	10.1	212	4	5	7	8	12	47	66
TOTAL										
65-69 YRS	5	5.0	1	4	4	5	6	6	6	6
70-74	8	14.3	440	5	6	7	9	49	66	66
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	10.5	13	8	8	10	13	13	13	13
85 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**17**	**10.1**	**212**	**4**	**5**	**7**	**8**	**12**	**47**	**66**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	36	4.5	2	3	4	4	5	6	7	9
70-74	17	4.5	1	3	4	5	5	6	6	6
75-79	17	4.6	3	3	4	4	5	6	9	10
80-84	6	4.8	3	3	3	5	6	7	7	7
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	71.0		71	71	71	71	71	71	71
85 +	0									
B. Operated										
65-69 YRS	256	5.8	12	4	4	5	6	9	13	22
70-74	244	6.4	13	4	4	5	7	10	14	23
75-79	143	7.9	78	4	5	6	8	12	14	64
80-84	64	7.5	15	4	5	6	9	12	15	25
85 +	24	8.0	17	5	5	6	9	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	77	4.5	2	3	4	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	1	71.0		71	71	71	71	71	71	71
B. Operated	731	6.6	26	4	4	5	7	10	14	24
1. SINGLE DX	77	4.5	2	3	4	4	5	6	7	10
2. MULTIPLE DX	732	6.7	32	4	4	5	7	10	14	27
A. Not Operated	1	71.0		71	71	71	71	71	71	71
B. Operated	808	6.4	24	4	4	5	7	10	13	23
TOTAL										
65-69 YRS	292	5.7	11	3	4	5	6	8	12	21
70-74	261	6.2	12	4	4	5	7	10	14	22
75-79	160	7.6	71	4	4	6	8	12	14	63
80-84	71	8.1	71	4	5	6	9	12	17	62
85 +	25	7.8	17	5	5	6	9	14	18	21
GRAND TOTAL	**809**	**6.5**	**29**	**4**	**4**	**5**	**7**	**10**	**14**	**24**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	4	5.5	20	1	2	5	9	11	11	11
75-79	3	4.7	6	2	3	5	6	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	10	5.2	8	1	3	5	7	9	11	11
1. SINGLE DX	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX	10	5.2	8	1	3	5	7	9	11	11
A. Not Operated	0									
B. Operated	12	4.5	10	1	2	4	6	8	11	11
TOTAL										
65-69 YRS	4	3.0	6	< 1	< 1	2	5	6	6	6
70-74	4	5.5	20	1	2	5	9	11	11	11
75-79	3	4.7	6	2	3	5	6	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
GRAND TOTAL	**12**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**11**	**11**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	5	6.4	44	1	1	5	10	17	17	17
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	8.0		8	8	8	8	8	8	8
85 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	10	5.1	24	1	1	4	8	13	17	17
1. SINGLE DX	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX	10	5.1	24	1	1	4	8	13	17	17
A. Not Operated	0									
B. Operated	13	4.4	21	1	1	3	6	10	16	17
TOTAL										
65-69 YRS	4	3.0	2	1	2	3	4	4	4	4
70-74	6	5.5	40	1	1	3	8	16	17	17
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	8.0		8	8	8	8	8	8	8
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**13**	**4.4**	**21**	**1**	**1**	**3**	**6**	**10**	**16**	**17**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	6.0	9	1	5	7	8	9	9	9
70-74	4	4.3	13	1	1	3	7	9	9	9
75-79	3	1.0		1	1	1	1	1	1	1
80-84	3	4.0	7	1	2	5	6	6	6	6
85 +	3	2.3	2	< 1	< 1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	41	5.5	20	1	3	5	7	11	13	24
70-74	33	5.4	33	1	1	3	8	15	20	21
75-79	20	5.3	22	1	2	3	9	11	14	17
80-84	15	5.5	10	3	3	4	9	10	10	10
85 +	9	4.7	24	< 1	2	3	6	13	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	18	3.8	9	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	118	5.4	22	1	2	4	8	11	15	22
1. SINGLE DX	18	3.8	9	1	1	3	6	8	9	9
2. MULTIPLE DX	119	5.4	22	1	2	4	8	11	15	22
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	136	5.2	21	1	2	4	8	10	14	22
TOTAL										
65-69 YRS	46	5.5	18	1	3	5	7	10	13	24
70-74	37	5.3	30	1	1	3	8	14	19	21
75-79	24	4.8	21	1	1	3	9	11	13	17
80-84	18	5.2	9	2	3	4	9	10	10	10
85 +	12	4.1	19	< 1	1	3	4	11	15	16
GRAND TOTAL	**137**	**5.2**	**20**	**1**	**2**	**4**	**7**	**10**	**14**	**22**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	3.7		3	3	4	4	4	4	4
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	4.3	14	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	6	3.3	1	2	2	3	4	5	5	5
1. SINGLE DX	4	4.3	14	1	1	4	7	8	8	8
2. MULTIPLE DX	6	3.3	1	2	2	3	4	5	5	5
A. Not Operated	0									
B. Operated	10	3.7	6	1	2	3	5	7	8	8
TOTAL										
65-69 YRS	5	2.6	2	1	1	3	4	4	4	4
70-74	3	5.0	9	2	3	5	7	8	8	8
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
GRAND TOTAL	**10**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**8**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	8.5	61	3	3	8	14	14	14	14
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	44	6.5	18	2	4	6	8	13	15	23
70-74	25	7.0	19	2	4	6	8	14	16	18
75-79	12	7.8	20	2	4	8	10	15	15	15
80-84	8	8.1	22	2	5	7	10	15	17	17
85 +	5	7.6	8	4	5	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	5.3	14	1	3	4	7	11	13	15
70-74	26	10.5	91	3	5	7	13	15	39	42
75-79	27	8.5	83	2	3	5	9	23	34	35
80-84	29	11.2	407	2	3	5	8	27	61	97
85 +	32	7.0	14	3	4	6	11	12	14	14
B. Operated										
65-69 YRS	171	11.8	106	4	6	8	15	22	32	75
70-74	163	14.6	148	5	7	11	18	39	45	95
75-79	103	14.4	128	5	9	12	16	24	51	99 +
80-84	57	17.9	302	6	8	13	19	33	77	99
85 +	28	17.0	157	7	8	14	20	26	38	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.2	17	1	1	2	3	10	14	14
B. Operated	94	7.0	18	2	4	6	8	13	15	21
2. MULTIPLE DX										
A. Not Operated	137	8.6	127	2	4	6	10	14	30	64
B. Operated	522	14.1	150	5	7	11	17	28	43	99 +
1. SINGLE DX	103	6.7	19	2	4	6	8	13	15	20
2. MULTIPLE DX	659	13.0	150	4	6	10	15	26	42	95
A. Not Operated	146	8.2	121	2	3	5	9	14	26	60
B. Operated	616	13.0	136	4	6	10	15	25	42	91
TOTAL										
65-69 YRS	241	10.1	87	3	5	7	12	19	27	59
70-74	215	13.1	132	4	6	10	15	29	43	78
75-79	144	12.6	117	4	7	10	15	24	36	99 +
80-84	96	14.9	315	3	6	9	16	30	68	99
85 +	66	11.2	98	3	5	8	14	20	26	64
GRAND TOTAL	**762**	**12.1**	**137**	**4**	**6**	**9**	**14**	**24**	**39**	**86**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	38	1.3		1	2	2	2	2	2	3
70-74	35	2.3	2	1	1	2	3	4	5	6
75-79	17	1.9		1	2	2	2	2	3	3
80-84	5	1.6		1	1	2	2	2	2	2
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	2	5.5	13	3	3	5	8	8	8	8
75-79	0									
80-84	2	6.5	5	5	5	6	8	8	8	8
85 +	0									
B. Operated										
65-69 YRS	92	2.9	8	1	2	2	3	4	6	18
70-74	67	2.7	4	1	2	2	3	4	5	15
75-79	48	3.8	22	2	2	3	3	5	11	28
80-84	14	5.4	18	2	2	3	9	12	14	15
85 +	10	4.2	8	1	2	3	7	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	96	2.0	1	1	2	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	6	5.7	4	3	4	5	8	8	8	8
B. Operated	231	3.2	11	1	2	2	3	5	9	19
1. SINGLE DX	97	2.0	1	1	2	2	2	3	4	6
2. MULTIPLE DX	237	3.3	11	1	2	2	3	5	9	19
A. Not Operated	7	5.1	5	2	3	5	7	8	8	8
B. Operated	327	2.9	8	1	2	2	3	4	7	18
TOTAL										
65-69 YRS	132	2.6	6	1	2	2	3	4	6	18
70-74	105	2.6	4	1	2	2	3	4	5	12
75-79	65	3.3	17	2	2	2	3	4	9	27
80-84	21	4.6	15	1	2	3	6	11	13	15
85 +	11	4.0	7	1	2	3	7	8	9	9
GRAND TOTAL	**334**	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**7**	**18**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	23	5.0	15	1	3	4	6	11	14	17
70-74	12	4.1	8	2	2	3	4	10	10	10
75-79	8	7.5	42	1	3	7	8	18	22	22
80-84	4	3.3	4	2	2	3	4	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	6.5	31	1	2	5	10	14	14	14
70-74	5	7.0	21	3	3	7	9	14	14	14
75-79	5	8.4	57	2	3	8	11	21	21	21
80-84	6	8.2	33	1	3	8	12	16	16	16
85 +	2	14.5	113	7	7	14	22	22	22	22
B. Operated										
65-69 YRS	132	6.3	60	2	3	4	7	13	19	52
70-74	118	7.0	44	2	3	5	8	14	19	38
75-79	85	7.6	67	2	3	5	8	16	29	40
80-84	32	10.8	190	2	3	7	13	22	26	76
85 +	9	6.8	70	1	2	4	8	20	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	47	5.1	17	2	2	4	7	10	14	22
2. MULTIPLE DX										
A. Not Operated	22	8.2	37	2	3	7	12	17	21	22
B. Operated	376	7.2	68	2	3	5	8	15	21	44
1. SINGLE DX	47	5.1	17	2	2	4	7	10	14	22
2. MULTIPLE DX	398	7.3	66	2	3	5	8	16	21	44
A. Not Operated	22	8.2	37	2	3	7	12	17	21	22
B. Operated	423	7.0	63	2	3	5	8	14	20	44
TOTAL										
65-69 YRS	159	6.2	53	2	3	4	7	13	18	49
70-74	135	6.7	40	2	3	5	8	14	19	36
75-79	98	7.6	63	2	3	5	8	17	28	39
80-84	42	9.7	153	2	3	6	12	19	26	76
85 +	11	8.2	77	1	2	6	8	24	28	28
GRAND TOTAL	**445**	**7.0**	**62**	**2**	**3**	**5**	**8**	**15**	**20**	**44**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	14	3.8	2	< 1	3	4	5	6	6	6
70-74	3	3.0	3	1	2	4	4	4	4	4
75-79	4	3.8	5	1	2	4	5	6	6	6
80-84	0									
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	56	4.5	4	3	3	4	5	6	8	15
70-74	43	4.9	13	2	3	4	5	8	15	17
75-79	26	5.1	7	2	4	5	6	7	11	13
80-84	9	7.6	50	2	4	5	7	19	25	25
85 +	5	3.2	2	1	2	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	22	3.9	3	1	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	139	4.9	11	2	3	4	5	7	11	18
1. SINGLE DX	23	3.8	3	1	2	4	5	6	7	8
2. MULTIPLE DX	140	4.9	11	2	3	4	5	7	11	18
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	161	4.7	10	2	3	4	5	7	10	17
TOTAL										
65-69 YRS	70	4.4	4	3	3	4	5	6	8	14
70-74	46	4.8	12	2	3	4	5	8	15	17
75-79	31	4.8	7	1	3	5	6	7	11	13
80-84	10	7.0	47	1	4	5	6	18	25	25
85 +	6	4.0	5	1	3	4	4	8	8	8
GRAND TOTAL	**163**	**4.7**	**10**	**2**	**3**	**4**	**5**	**7**	**10**	**17**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85+	0									
B. Operated										
65-69 YRS	60	3.1	3	1	2	3	4	5	7	8
70-74	40	3.2	5	1	2	3	3	6	8	11
75-79	31	3.2	5	1	2	2	4	7	8	10
80-84	18	3.4	8	1	1	3	4	9	10	10
85+	11	3.8	18	< 1	1	3	4	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	4.0	18	< 1	< 1	3	7	7	7	7
70-74	1	7.0		7	7	7	7	7	7	7
75-79	4	12.3	171	< 1	2	9	22	30	30	30
80-84	1	2.0		2	2	2	2	2	2	2
85+	0									
B. Operated										
65-69 YRS	201	5.6	22	1	2	4	7	12	15	22
70-74	229	6.2	42	1	2	4	8	13	17	34
75-79	152	6.8	35	2	3	5	9	14	20	29
80-84	88	8.2	98	1	3	5	10	19	24	91
85+	65	7.9	166	1	2	4	9	18	21	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	160	3.2	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	8	8.3	96	< 1	1	5	11	25	30	30
B. Operated	735	6.6	53	1	3	4	8	14	18	30
1. SINGLE DX	161	3.2	5	1	2	3	4	6	8	12
2. MULTIPLE DX	743	6.6	53	1	3	4	8	14	18	30
A. Not Operated	9	7.7	87	< 1	2	4	9	24	30	30
B. Operated	895	6.0	46	1	2	4	7	13	17	29
TOTAL										
65-69 YRS	263	5.0	18	1	2	4	6	10	14	22
70-74	270	5.7	37	1	2	4	7	13	16	31
75-79	187	6.4	35	1	2	4	8	14	19	29
80-84	108	7.3	85	1	3	5	10	16	24	87
85+	76	7.3	146	1	2	4	9	17	20	79
GRAND TOTAL	**904**	**6.0**	**46**	**1**	**2**	**4**	**7**	**13**	**17**	**29**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	2.7	4	< 1	< 1	2	3	6	7	7
70-74	5	1.8	1	1	1	1	3	3	3	3
75-79	3	2.0	1	< 1	< 1	2	3	3	3	3
80-84	9	1.7	2	< 1	< 1	1	2	4	4	4
85+	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
65-69 YRS	67	4.1	10	1	1	3	7	8	9	14
70-74	49	4.4	12	< 1	1	3	8	9	10	11
75-79	33	3.5	8	< 1	1	2	6	8	9	10
80-84	16	3.2	9	< 1	< 1	2	5	8	9	9
85+	8	3.3	17	< 1	1	1	4	10	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	100	5.9	57	1	2	4	7	12	17	43
70-74	85	5.4	27	1	2	4	7	11	13	32
75-79	101	6.0	37	1	2	4	8	14	21	68
80-84	82	7.1	57	2	2	5	9	14	22	43
85+	88	6.4	43	1	2	4	9	13	18	39
B. Operated										
65-69 YRS	317	8.4	56	2	4	7	10	16	23	50
70-74	276	8.2	58	1	3	7	11	14	21	39
75-79	269	9.4	107	2	4	7	11	18	25	67
80-84	161	10.1	93	2	4	8	13	20	25	52
85+	120	9.4	80	2	4	8	12	17	21	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.5	5	< 1	1	2	3	5	7	11
B. Operated	173	4.0	10	< 1	1	3	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	456	6.1	44	1	2	4	8	13	18	39
B. Operated	1143	8.9	76	2	4	7	11	16	23	53
1. SINGLE DX	203	3.8	10	< 1	1	2	6	8	10	12
2. MULTIPLE DX	1599	8.1	69	1	3	6	10	16	21	49
A. Not Operated	486	5.9	43	1	2	4	8	12	17	39
B. Operated	1316	8.3	70	1	3	7	10	16	22	48
TOTAL										
65-69 YRS	495	7.2	52	1	3	6	9	15	20	40
70-74	415	7.1	48	1	3	6	9	13	17	38
75-79	406	8.0	84	1	3	6	10	16	22	62
80-84	268	8.5	79	1	3	6	11	17	23	50
85+	218	7.9	65	1	3	6	11	15	19	47
GRAND TOTAL	**1802**	**7.6**	**64**	**1**	**3**	**6**	**10**	**15**	**21**	**47**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	74	2.2	1	1	1	2	3	3	4	6
70-74	33	2.2	1	1	2	2	3	3	4	5
75-79	19	2.5	2	1	1	2	4	5	6	6
80-84	10	2.6	2	1	2	2	3	4	5	5
85 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	5	1.4	1	1	1	1	2	3	3	3
75-79	3	2.7	2	1	1	3	4	4	4	4
80-84	1	10.0		10	10	10	10	10	10	10
85 +	8	9.5	46	3	4	7	14	20	20	20
B. Operated										
65-69 YRS	132	3.1	4	1	2	3	4	6	7	11
70-74	111	4.0	21	2	2	3	4	7	11	29
75-79	79	3.5	12	1	2	2	4	6	9	22
80-84	42	3.9	7	2	2	3	5	7	10	14
85 +	12	8.8	50	1	3	6	14	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	139	2.3	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	19	5.6	34	1	2	3	8	16	20	20
B. Operated	376	3.7	13	1	2	3	4	7	10	21
1. SINGLE DX	139	2.3	1	1	2	2	3	4	5	6
2. MULTIPLE DX	395	3.8	14	1	2	3	4	7	10	21
A. Not Operated	19	5.6	34	1	2	3	8	16	20	20
B. Operated	515	3.3	11	1	2	2	4	6	8	19
TOTAL										
65-69 YRS	208	2.8	3	1	2	2	3	5	6	10
70-74	149	3.5	17	1	2	3	4	5	10	23
75-79	101	3.3	10	1	2	2	4	6	8	21
80-84	53	3.7	7	2	2	3	5	6	10	14
85 +	23	8.1	46	1	3	6	13	20	21	22
GRAND TOTAL	**534**	**3.4**	**11**	**1**	**2**	**2**	**4**	**6**	**9**	**20**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	9.0	2	8	8	9	10	10	10	10
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	19	2.2	1	1	2	2	3	4	4	4
70-74	13	2.5	1	1	2	3	3	4	4	4
75-79	13	1.9		1	2	2	2	3	3	3
80-84	5	2.2	1	1	1	2	3	4	4	4
85 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	100	6.6	22	2	4	5	8	14	18	22
70-74	87	7.8	42	2	3	5	10	18	23	26
75-79	105	8.3	31	3	4	7	10	16	19	28
80-84	67	11.1	170	3	5	8	10	20	31	81
85 +	66	11.4	193	3	4	7	12	30	39	99
B. Operated										
65-69 YRS	68	4.3	13	1	2	3	5	9	12	18
70-74	52	7.3	70	1	2	4	9	17	23	45
75-79	37	12.2	221	2	4	7	15	27	42	78
80-84	21	10.1	60	2	3	10	14	20	26	31
85 +	9	7.9	42	2	4	6	9	19	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.2	10	2	3	4	8	10	10	10
B. Operated	52	2.3	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	425	8.7	81	3	4	6	10	17	24	49
B. Operated	187	7.5	84	2	3	4	9	16	23	44
1. SINGLE DX	58	2.6	2	1	2	2	3	4	5	10
2. MULTIPLE DX	612	8.4	82	2	3	6	10	17	24	45
A. Not Operated	431	8.7	80	3	4	6	10	17	24	48
B. Operated	239	6.4	71	1	2	3	7	14	22	43
TOTAL										
65-69 YRS	188	5.3	19	2	2	4	7	11	16	21
70-74	153	7.1	50	2	3	4	9	16	23	31
75-79	157	8.7	78	2	4	7	10	17	23	43
80-84	94	10.4	138	3	4	8	11	19	29	74
85 +	78	10.7	170	3	4	7	12	28	36	98
GRAND TOTAL	**670**	**7.9**	**78**	**2**	**3**	**5**	**9**	**16**	**23**	**44**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	4	3.5	6	1	1	3	5	6	6	6
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	81	5.1	11	2	3	5	6	9	11	20
70-74	66	5.4	18	1	2	5	6	10	14	21
75-79	50	5.6	15	2	3	5	7	10	14	21
80-84	41	5.7	12	2	3	5	8	11	12	13
85 +	20	6.6	16	3	4	6	8	15	54	99 +
B. Operated										
65-69 YRS	25	8.2	62	3	5	7	9	11	19	44
70-74	26	8.0	26	2	3	8	12	16	17	18
75-79	12	8.1	142	1	2	6	7	19	41	45
80-84	8	16.6	285	4	7	11	18	45	56	56
85 +	6	22.5	314	7	9	18	28	52	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.4	3	1	2	3	5	6	6	6
B. Operated	5	3.8	7	1	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	258	5.5	14	2	3	5	7	10	13	21
B. Operated	77	10.1	115	2	5	7	10	18	38	56
1. SINGLE DX	16	3.5	4	1	2	3	5	6	7	7
2. MULTIPLE DX	335	6.5	41	2	3	5	8	11	16	46
A. Not Operated	269	5.4	14	2	3	5	7	10	13	21
B. Operated	82	9.7	111	2	4	7	10	17	34	56
TOTAL										
65-69 YRS	110	5.7	24	2	3	5	7	10	11	31
70-74	96	6.0	21	1	3	5	8	14	16	21
75-79	68	5.8	36	2	3	5	7	10	14	41
80-84	51	7.4	66	2	3	5	10	13	17	56
85 +	26	10.3	121	3	4	7	13	27	62	99 +
GRAND TOTAL	**351**	**6.4**	**39**	**2**	**3**	**5**	**8**	**11**	**16**	**45**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	6.0	12	2	2	6	9	10	10	10
70-74	5	8.4	18	3	4	10	11	13	13	13
75-79	13	6.5	26	3	3	5	8	12	20	22
80-84	11	6.5	21	2	4	5	8	13	18	18
85 +	6	7.7	101	1	2	2	13	25	26	26
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	351	7.7	33	3	4	6	9	14	18	31
70-74	303	8.1	47	3	4	6	10	14	20	38
75-79	267	8.6	36	3	5	7	10	15	20	29
80-84	184	9.4	43	3	5	8	12	17	20	32
85 +	176	10.8	86	3	5	8	13	20	24	54
B. Operated										
65-69 YRS	83	15.9	151	5	8	13	19	35	55	99 +
70-74	59	14.6	155	6	8	11	16	25	45	98
75-79	46	22.9	264	5	9	19	40	46	53	99 +
80-84	43	24.2	379	8	11	17	29	61	71	81
85 +	31	17.5	135	8	10	16	24	41	95	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	6.8	30	2	3	5	9	13	20	26
B. Operated	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	1281	8.7	47	3	5	7	11	16	20	39
B. Operated	262	18.4	218	6	9	14	23	43	60	99 +
1. SINGLE DX	43	7.1	32	2	3	5	9	14	20	26
2. MULTIPLE DX	1543	10.3	89	3	5	8	12	19	27	60
A. Not Operated	1322	8.6	46	3	5	7	10	16	20	38
B. Operated	264	18.4	217	6	9	14	23	43	60	99 +
TOTAL										
65-69 YRS	441	9.2	65	3	5	7	11	18	24	54
70-74	367	9.2	70	3	5	7	11	17	23	48
75-79	326	10.5	92	3	5	8	11	22	34	51
80-84	238	11.9	134	4	6	9	15	20	32	70
85 +	214	11.8	98	3	6	9	15	22	30	77
GRAND TOTAL	**1586**	**10.2**	**88**	**3**	**5**	**8**	**12**	**19**	**27**	**59**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	4	13.8	314	1	4	7	24	40	40	40
75-79	3	22.3	122	12	14	21	31	34	34	34
80-84	1	21.0		21	21	21	21	21	21	21
85 +	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	76	10.3	86	2	4	8	13	18	24	55
70-74	94	10.5	85	3	5	8	13	19	28	52
75-79	55	9.5	68	3	5	7	11	16	30	45
80-84	31	14.2	281	2	4	8	24	28	37	86
85 +	39	11.3	67	3	6	9	16	21	29	39
B. Operated										
65-69 YRS	590	17.3	232	4	8	13	21	34	51	85
70-74	517	16.7	194	4	7	13	22	34	45	79
75-79	400	15.7	160	4	7	13	20	30	40	79
80-84	287	16.6	170	5	8	13	21	35	48	85
85 +	169	14.0	111	5	8	11	17	28	37	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	2	3	3	4	5	6	6	6
B. Operated	11	15.0	159	3	7	11	21	36	40	40
2. MULTIPLE DX										
A. Not Operated	295	10.7	100	3	5	8	13	21	29	53
B. Operated	1963	16.4	188	4	8	13	21	33	45	82
1. SINGLE DX	14	12.7	143	3	4	7	21	35	39	40
2. MULTIPLE DX	2258	15.7	180	4	7	12	20	32	44	81
A. Not Operated	298	10.7	100	3	5	8	13	20	29	53
B. Operated	1974	16.4	188	4	8	13	21	33	45	82
TOTAL										
65-69 YRS	668	16.5	220	4	7	13	20	33	49	84
70-74	616	15.7	183	4	7	12	21	33	43	77
75-79	458	15.0	152	4	7	12	19	29	39	74
80-84	320	16.4	180	5	8	13	21	34	46	89
85 +	210	13.5	103	5	7	11	17	27	37	65
GRAND TOTAL	**2272**	**15.7**	**180**	**4**	**7**	**12**	**20**	**32**	**44**	**81**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	97	5.1	41	2	3	4	5	8	10	40
70-74	66	4.9	8	2	3	4	6	9	11	13
75-79	47	5.1	12	2	3	4	6	9	11	21
80-84	39	5.2	6	2	3	5	7	9	10	11
85 +	24	5.1	9	2	3	5	6	9	12	13
B. Operated										
65-69 YRS	11	5.3	18	1	2	3	9	12	13	13
70-74	4	2.3	2	1	1	2	3	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	3.5	5	2	2	3	5	5	5	5
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2019	6.3	20	2	4	5	8	11	14	23
70-74	1824	6.5	23	3	4	5	8	11	14	30
75-79	1596	6.9	29	3	4	6	8	12	16	28
80-84	983	7.6	33	3	4	6	9	13	18	31
85 +	617	8.0	52	3	4	6	9	14	20	44
B. Operated										
65-69 YRS	802	11.2	151	2	4	8	13	25	36	74
70-74	621	11.9	109	2	5	9	15	25	33	61
75-79	448	13.0	160	3	6	9	16	28	35	95
80-84	227	12.3	99	3	6	9	16	24	28	53
85 +	108	13.3	62	5	8	12	18	25	33	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	5.1	20	2	3	4	6	9	11	14
B. Operated	19	4.4	14	1	1	3	7	10	12	13
2. MULTIPLE DX										
A. Not Operated	7039	6.8	28	3	4	6	8	12	15	28
B. Operated	2206	12.0	132	2	5	9	15	26	35	69
1. SINGLE DX	292	5.0	19	2	3	4	6	9	11	14
2. MULTIPLE DX	9245	8.0	58	3	4	6	9	15	21	46
A. Not Operated	7312	6.7	28	3	4	6	8	12	15	28
B. Operated	2225	11.9	131	2	5	9	15	26	35	68
TOTAL										
65-69 YRS	2929	7.6	62	2	4	6	9	14	20	48
70-74	2515	7.8	50	3	4	6	9	15	22	43
75-79	2092	8.2	63	3	4	6	9	15	22	50
80-84	1251	8.3	48	3	4	6	10	16	21	39
85 +	750	8.7	56	3	4	7	10	17	22	48
GRAND TOTAL	**9537**	**7.9**	**57**	**3**	**4**	**6**	**9**	**15**	**21**	**45**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	3.0		3	3	3	3	3	3	3
B. Operated	3	5.7	1	5	5	5	7	7	7	7
1. SINGLE DX	0									
2. MULTIPLE DX	5	4.6	3	3	3	5	6	7	7	7
A. Not Operated	2	3.0		3	3	3	3	3	3	3
B. Operated	3	5.7	1	5	5	5	7	7	7	7
TOTAL										
65-69 YRS	2	4.0	2	3	3	4	[illegible]	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**5**	**4.6**	**3**	**3**	**3**	**5**	**6**	**7**	**7**	**7**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.0	2	< 1	< 1	1	3	4	4	4
70-74	14	1.9	2	1	1	2	2	4	5	5
75-79	7	3.4	7	< 1	1	3	5	7	8	8
80-84	5	1.6	2	1	1	1	2	4	4	4
85 +	8	3.5	5	1	2	3	5	7	7	7
B. Operated										
65-69 YRS	5	1.8		1	1	2	2	2	2	2
70-74	7	2.9	2	2	2	2	3	5	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	666	5.4	23	2	3	4	6	11	13	23
70-74	759	5.9	37	2	3	4	7	12	15	27
75-79	738	6.2	34	2	3	4	8	12	17	29
80-84	599	6.5	39	2	3	5	8	13	17	38
85 +	462	6.9	44	2	3	5	9	14	18	64
B. Operated										
65-69 YRS	125	9.0	76	2	3	6	12	20	25	67
70-74	146	10.0	80	2	4	7	12	24	29	41
75-79	122	11.5	80	3	5	9	16	26	31	58
80-84	82	13.0	157	3	7	9	14	27	34	76
85 +	46	15.1	146	5	7	10	19	28	38	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.4	3	1	1	2	4	5	6	8
B. Operated	15	2.4	1	2	2	2	3	3	5	6
2. MULTIPLE DX										
A. Not Operated	3224	6.1	35	2	3	5	8	12	16	30
B. Operated	521	11.0	100	2	5	8	14	24	32	56
1. SINGLE DX	57	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX	3745	6.8	47	2	3	5	8	14	19	37
A. Not Operated	3266	6.1	35	2	3	5	8	12	16	30
B. Operated	536	10.8	99	2	4	8	14	24	31	55
TOTAL										
65-69 YRS	804	5.9	33	2	3	4	7	12	15	32
70-74	926	6.5	46	2	3	5	8	12	16	38
75-79	868	6.9	44	2	3	5	8	14	21	34
80-84	688	7.2	57	2	3	5	8	14	21	40
85 +	516	7.6	58	2	3	6	9	15	20	69
GRAND TOTAL	**3802**	**6.7**	**47**	**2**	**3**	**5**	**8**	**13**	**18**	**37**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	10.0		10	10	10	10	10	10	10
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	2	14.5	221	4	4	14	25	25	25	25
80-84	1	9.0		9	9	9	9	9	9	9
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	66	12.6	260	2	4	8	14	23	43	94
70-74	88	8.8	39	3	4	7	11	18	27	73
75-79	96	10.9	161	2	5	7	13	18	31	79
80-84	99	12.3	191	3	5	8	13	28	56	99 +
85 +	138	9.8	86	3	4	8	12	22	33	99 +
B. Operated										
65-69 YRS	84	15.1	215	4	6	10	19	29	41	79
70-74	109	13.2	180	3	5	9	16	31	36	99
75-79	130	11.4	94	2	4	8	17	26	34	39
80-84	101	12.0	123	3	5	8	16	25	32	84
85 +	189	10.2	106	2	4	7	13	24	35	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.0	13	3	3	5	9	10	10	10
B. Operated	4	10.5	99	4	4	7	17	25	25	25
2. MULTIPLE DX										
A. Not Operated	487	10.7	138	3	4	8	13	22	33	99 +
B. Operated	613	12.0	136	2	5	8	16	26	35	79
1. SINGLE DX	7	8.6	60	3	4	5	10	22	25	25
2. MULTIPLE DX	1100	11.4	137	3	5	8	14	25	34	98
A. Not Operated	490	10.7	137	3	4	8	13	22	32	99 +
B. Operated	617	12.0	136	2	5	8	16	26	35	79
TOTAL										
65-69 YRS	151	13.9	234	3	5	9	18	28	41	80
70-74	198	11.3	121	3	4	8	14	27	33	99
75-79	228	11.2	122	2	5	8	15	23	34	60
80-84	201	12.1	155	3	5	8	14	26	51	99 +
85 +	329	10.0	97	2	4	7	12	23	33	99 +
GRAND TOTAL	**1107**	**11.4**	**137**	**3**	**5**	**8**	**14**	**25**	**34**	**98**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	1.3		< 1	< 1	1	51	99 +	99 +	99 +
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	10.0	7	8	8	9	12	13	13	13
70-74	3	6.3		6	6	6	7	7	7	7
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	2.0	1	< 1	1	2	3	90	99 +	99 +
B. Operated	8	8.3	7	6	6	7	10	12	13	13
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	13	5.8	14	1	3	6	9	22	83	99 +
A. Not Operated	6	2.5	2	< 1	1	3	5	81	99 +	99 +
B. Operated	8	8.3	7	6	6	7	10	12	13	13
TOTAL										
65-69 YRS	7	5.6	21	< 1	1	6	11	74	99 +	99 +
70-74	4	5.5	3	3	4	6	7	7	7	7
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
GRAND TOTAL	**14**	**5.8**	**13**	**1**	**3**	**6**	**9**	**13**	**78**	**99 +**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.6	4	< 1	1	5	5	5	5	5
70-74	6	3.7	17	< 1	< 1	1	8	10	10	10
75-79	3	3.3	5	2	2	2	5	6	6	6
80-84	5	2.8	2	2	2	2	3	5	5	5
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	11	1.8	3	< 1	1	1	2	5	5	5
70-74	5	1.8	3	< 1	< 1	1	2	5	5	5
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	185	7.5	36	2	4	6	9	13	18	34
70-74	174	6.6	28	1	3	5	9	13	16	26
75-79	152	7.3	37	2	3	6	10	15	20	36
80-84	112	7.9	42	3	4	6	10	16	20	35
85 +	101	7.9	42	3	4	6	10	15	21	33
B. Operated										
65-69 YRS	100	9.1	48	2	4	8	11	19	23	33
70-74	75	11.6	134	3	6	8	14	20	37	63
75-79	66	10.7	108	2	4	7	14	25	30	56
80-84	32	13.4	133	5	8	13	15	22	24	69
85 +	26	12.4	56	5	7	10	17	24	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.5	7	< 1	1	2	5	7	9	10
B. Operated	19	2.1	5	< 1	1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated	724	7.4	36	2	3	6	9	14	19	33
B. Operated	299	10.8	94	2	5	8	14	21	28	61
1. SINGLE DX	39	2.8	6	< 1	1	2	5	6	9	10
2. MULTIPLE DX	1023	8.4	55	2	4	7	10	17	22	37
A. Not Operated	744	7.3	35	2	3	6	9	14	19	32
B. Operated	318	10.3	93	2	4	8	13	21	28	60
TOTAL										
65-69 YRS	301	7.8	40	2	4	6	10	15	20	33
70-74	260	7.9	63	1	3	6	10	16	20	42
75-79	222	8.2	60	2	3	6	11	18	25	44
80-84	150	8.9	66	2	4	7	12	17	21	44
85 +	129	8.8	47	3	4	7	10	18	24	33
GRAND TOTAL	**1062**	**8.2**	**55**	**2**	**4**	**6**	**10**	**17**	**21**	**36**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	3.4	5	1	2	3	4	7	8	8
70-74	0									
75-79	9	5.1	8	2	2	6	7	9	10	10
80-84	3	2.7	2	1	1	3	4	4	4	4
85 +	5	2.8	4	1	2	2	4	6	6	6
B. Operated										
65-69 YRS	3	2.0	3	1	1	1	3	4	4	4
70-74	0									
75-79	5	6.4	18	3	3	5	9	13	13	13
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	88	5.5	18	2	3	4	7	10	13	24
70-74	97	6.7	115	2	3	5	7	11	15	70
75-79	105	5.6	18	2	3	4	7	10	13	24
80-84	68	6.2	43	2	3	5	7	10	13	46
85 +	71	6.4	42	2	2	4	7	13	23	33
B. Operated										
65-69 YRS	28	7.4	20	1	3	8	11	14	14	15
70-74	18	9.1	89	2	3	7	12	14	32	43
75-79	26	8.8	40	2	4	7	11	20	22	23
80-84	13	6.5	31	1	3	4	9	14	20	21
85 +	15	9.2	60	3	5	8	10	16	29	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.8	6	1	2	3	6	8	9	10
B. Operated	9	4.8	14	1	2	4	6	11	13	13
2. MULTIPLE DX										
A. Not Operated	429	6.0	48	2	3	4	7	11	15	30
B. Operated	100	8.2	44	2	4	7	11	15	21	38
1. SINGLE DX	34	4.1	8	1	2	3	6	8	10	13
2. MULTIPLE DX	529	6.5	48	2	3	5	8	12	16	34
A. Not Operated	454	5.9	46	2	3	4	7	10	15	29
B. Operated	109	7.9	42	2	3	7	10	14	21	38
TOTAL										
65-69 YRS	127	5.7	18	1	3	4	8	11	14	20
70-74	115	7.1	111	2	3	5	7	12	15	62
75-79	145	6.2	23	2	3	5	8	12	17	24
80-84	84	6.1	40	2	3	5	7	10	14	41
85 +	92	6.6	43	2	3	5	8	13	23	34
GRAND TOTAL	**563**	**6.3**	**46**	**2**	**3**	**5**	**8**	**11**	**16**	**33**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	6.1	57	1	2	3	8	17	26	27
70-74	19	6.4	175	1	2	3	4	10	38	60
75-79	28	4.3	18	1	2	3	5	11	13	20
80-84	28	5.0	21	1	2	4	6	9	14	23
85 +	36	6.7	73	1	2	4	7	11	30	41
B. Operated										
65-69 YRS	0									
70-74	2	6.0	8	4	4	6	8	8	8	8
75-79	0									
80-84	1	22.0		22	22	22	22	22	22	22
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2898	6.0	31	2	3	5	7	11	15	27
70-74	3360	6.3	34	2	3	5	8	12	16	31
75-79	4017	6.9	41	2	3	5	8	13	18	32
80-84	4004	7.2	50	2	3	5	9	14	18	39
85 +	5178	7.6	53	2	4	6	9	14	19	42
B. Operated										
65-69 YRS	530	12.1	135	3	5	8	15	24	34	65
70-74	572	12.9	139	3	6	9	15	28	36	81
75-79	668	13.9	164	4	6	10	17	31	45	99 +
80-84	663	15.1	175	4	7	11	19	30	44	96
85 +	687	15.4	163	5	7	11	20	31	43	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	5.7	62	1	2	4	6	10	17	46
B. Operated	3	11.3	89	4	5	8	18	22	22	22
2. MULTIPLE DX										
A. Not Operated	19457	6.9	44	2	3	5	8	13	18	36
B. Operated	3120	14.0	158	4	6	10	17	29	41	86
1. SINGLE DX	125	5.8	62	1	2	4	6	11	20	46
2. MULTIPLE DX	22577	7.9	65	2	3	6	9	15	22	48
A. Not Operated	19579	6.9	44	2	3	5	8	13	18	36
B. Operated	3123	14.0	158	4	6	10	17	29	41	86
TOTAL										
65-69 YRS	3439	6.9	52	2	3	5	8	14	19	40
70-74	3953	7.3	55	2	3	5	9	14	20	42
75-79	4713	7.8	64	2	3	6	9	15	22	48
80-84	4696	8.3	75	2	4	6	10	16	23	52
85 +	5901	8.5	72	3	4	6	10	16	24	55
GRAND TOTAL	**22702**	**7.9**	**65**	**2**	**3**	**6**	**9**	**15**	**22**	**48**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	3.8	7	1	1	4	6	6	6	6
70-74	6	2.7	2	< 1	1	3	4	4	4	4
75-79	6	4.3	15	< 1	1	3	7	11	11	11
80-84	8	2.6	7	< 1	1	1	4	7	8	8
85 +	10	3.3	5	1	2	3	4	7	8	8
B. Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	225	5.0	14	1	2	4	6	9	12	18
70-74	261	5.2	17	2	3	4	6	11	14	20
75-79	374	5.4	24	2	3	4	7	11	13	26
80-84	346	5.7	25	2	3	5	7	11	15	23
85 +	436	6.0	35	2	3	5	7	11	15	30
B. Operated										
65-69 YRS	150	7.3	33	2	4	6	9	14	20	30
70-74	155	7.3	25	3	4	6	9	13	18	25
75-79	173	8.6	50	3	5	7	10	15	21	47
80-84	160	9.1	67	3	5	7	10	18	25	42
85 +	127	10.3	120	3	5	7	11	20	26	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.3	7	1	1	3	4	7	8	11
B. Operated	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1642	5.5	25	2	3	4	7	11	14	23
B. Operated	765	8.5	58	3	4	7	10	15	21	37
1. SINGLE DX	37	3.2	6	1	1	3	4	7	8	11
2. MULTIPLE DX	2407	6.5	37	2	3	5	8	12	17	30
A. Not Operated	1676	5.5	24	2	3	4	7	11	14	23
B. Operated	768	8.5	58	3	4	7	10	15	21	37
TOTAL										
65-69 YRS	379	5.9	23	2	3	5	7	11	15	25
70-74	423	5.9	21	2	3	5	8	12	15	21
75-79	554	6.4	35	2	3	5	8	12	16	30
80-84	515	6.7	40	2	3	5	8	13	19	37
85 +	573	6.9	57	2	3	5	8	12	19	34
GRAND TOTAL	**2444**	**6.4**	**37**	**2**	**3**	**5**	**8**	**12**	**17**	**30**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	6.3	10	3	3	6	9	9	9	9
70-74	1	6.0		6	6	6	6	6	6	6
75-79	5	1.4		1	1	1	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74	1	9.0		9	9	9	9	9	9	9
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	3.8	10	1	1	3	6	9	9	9
B. Operated	2	13.0	32	9	9	13	17	17	17	17
1. SINGLE DX	0									
2. MULTIPLE DX	12	5.3	24	1	2	3	9	12	16	17
A. Not Operated	10	3.8	10	1	1	3	6	9	9	9
B. Operated	2	13.0	32	9	9	13	17	17	17	17
TOTAL										
65-69 YRS	5	8.4	31	3	4	9	11	17	17	17
70-74	2	7.5	5	6	6	7	9	9	9	9
75-79	5	1.4		1	1	1	2	2	2	2
80-84	0									
85 +	0									
GRAND TOTAL	**12**	**5.3**	**24**	**1**	**2**	**3**	**9**	**12**	**16**	**17**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	2.7	11	1	1	1	3	10	11	12
70-74	21	2.8	5	< 1	1	2	4	5	8	11
75-79	40	2.2	3	< 1	1	2	2	5	6	9
80-84	40	1.7	2	< 1	1	1	1	4	6	7
85 +	31	2.1	4	1	1	1	2	4	7	10
B. Operated										
65-69 YRS	10	4.5	15	< 1	1	3	8	10	11	11
70-74	9	4.7	14	1	2	4	6	11	13	13
75-79	9	4.2	15	< 1	< 1	2	7	11	11	11
80-84	10	5.6	30	2	2	3	6	15	17	17
85 +	4	14.8	170	2	7	12	23	33	33	33
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	585	4.4	16	1	2	3	6	9	13	20
70-74	680	5.2	23	1	2	4	7	11	15	25
75-79	731	5.1	24	1	2	4	6	11	14	24
80-84	644	4.9	32	1	2	3	6	10	13	28
85 +	725	5.1	25	1	2	4	6	10	15	25
B. Operated										
65-69 YRS	240	8.8	83	3	4	6	10	16	24	68
70-74	259	9.6	76	3	5	8	12	18	21	34
75-79	303	9.9	75	3	4	7	12	20	29	49
80-84	266	9.2	59	3	5	8	11	19	26	93
85 +	216	9.4	53	3	4	7	12	20	24	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	2.2	5	1	1	1	2	5	7	11
B. Operated	42	5.7	37	< 1	2	3	8	12	15	33
2. MULTIPLE DX										
A. Not Operated	3365	5.0	24	1	2	4	6	10	14	24
B. Operated	1284	9.4	69	3	5	7	11	19	24	51
1. SINGLE DX	196	2.9	13	< 1	1	2	3	7	11	16
2. MULTIPLE DX	4649	6.2	41	1	2	4	8	13	18	31
A. Not Operated	3519	4.8	24	1	2	3	6	10	14	23
B. Operated	1326	9.3	69	3	4	7	11	19	24	48
TOTAL										
65-69 YRS	857	5.6	39	1	2	4	7	11	16	27
70-74	969	6.3	41	1	2	5	8	13	18	28
75-79	1083	6.3	42	1	2	4	8	13	19	35
80-84	960	6.0	43	1	2	4	8	12	17	42
85 +	976	6.0	35	1	2	4	7	13	18	31
GRAND TOTAL	**4845**	**6.1**	**40**	**1**	**2**	**4**	**8**	**13**	**18**	**31**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	60.0		60	60	60	60	60	60	60
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	27.0		27	27	27	27	27	27	27
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	19.0		19	19	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	20.0	727	1	5	9	35	60	60	60
B. Operated	4	13.5	137	1	4	13	23	27	27	27
1. SINGLE DX	0									
2. MULTIPLE DX	8	16.8	383	1	4	9	23	50	60	60
A. Not Operated	4	20.0	727	1	5	9	35	60	60	60
B. Operated	4	13.5	137	1	4	13	23	27	27	27
TOTAL										
65-69 YRS	2	5.5	41	1	1	5	10	10	10	10
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	43.5	545	27	27	43	60	60	60	60
80-84	2	4.0	18	1	1	4	7	7	7	7
85 +	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**8**	**16.8**	**383**	**1**	**4**	**9**	**23**	**50**	**60**	**60**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.3	1	1	1	2	3	4	4	4
70-74	11	3.1	6	< 1	1	2	5	6	7	7
75-79	7	2.6	2	< 1	2	2	4	5	5	5
80-84	14	2.4	6	1	1	1	3	6	3	9
85 +	5	2.8	6	1	1	2	4	7	7	7
B. Operated										
65-69 YRS	14	5.0	17	< 1	1	4	7	11	13	14
70-74	10	6.0	32	1	3	4	7	14	21	21
75-79	5	5.8	24	< 1	3	5	7	14	14	14
80-84	5	9.4	81	1	3	5	16	23	23	23
85 +	4	12.3	151	2	4	8	20	30	30	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	527	6.5	19	2	3	6	8	12	15	20
70-74	537	6.6	31	2	4	5	8	12	15	30
75-79	453	7.4	60	2	3	6	9	13	19	37
80-84	274	6.8	26	2	4	5	9	12	16	29
85 +	173	6.5	33	2	3	5	8	13	16	30
B. Operated										
65-69 YRS	250	11.0	80	3	5	9	14	21	27	53
70-74	246	10.8	78	3	5	8	14	19	25	51
75-79	226	10.9	92	3	5	8	13	21	27	54
80-84	133	10.5	114	3	5	8	11	19	33	56
85 +	107	11.5	88	3	5	8	15	26	29	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.6	4	1	1	2	4	6	7	9
B. Operated	38	6.7	43	< 1	2	5	8	14	22	30
2. MULTIPLE DX										
A. Not Operated	1964	6.8	34	2	3	5	8	12	16	31
B. Operated	962	10.9	88	3	5	8	14	21	28	51
1. SINGLE DX	87	4.4	25	1	1	3	5	9	14	27
2. MULTIPLE DX	2926	8.1	55	2	4	6	10	15	21	36
A. Not Operated	2013	6.7	34	2	3	5	8	12	16	30
B. Operated	1000	10.8	87	3	5	8	14	21	28	50
TOTAL										
65-69 YRS	803	7.8	42	2	4	6	10	15	18	32
70-74	804	7.9	49	2	4	6	9	15	19	36
75-79	691	8.5	72	2	4	6	10	16	22	46
80-84	426	7.9	57	2	4	6	10	14	20	37
85 +	289	8.4	60	2	3	6	10	18	26	41
GRAND TOTAL	**3013**	**8.0**	**55**	**2**	**4**	**6**	**10**	**15**	**21**	**36**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	3.0	1	2	2	3	4	4	4	4
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	0									
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	7	2.7	1	1	2	3	4	4	4	4
B. Operated	5	5.2	3	3	4	5	7	7	7	7
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	12	3.8	3	2	2	3	5	7	7	7
A. Not Operated	7	2.7	1	1	2	3	4	4	4	4
B. Operated	6	5.0	3	3	4	5	7	7	7	7
TOTAL										
65-69 YRS	7	3.4	1	2	3	3	4	5	5	5
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	4.0	9	1	2	4	6	7	7	7
80-84	0									
85 +	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**13**	**3.8**	**3**	**2**	**3**	**4**	**5**	**7**	**7**	**7**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	9.0	75	4	4	4	15	19	19	19
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	7.5	5	6	6	7	9	9	9	9
85 +	3	4.3		4	4	4	5	5	5	5
B. Operated										
65-69 YRS	4	1.8	2	1	1	1	3	4	4	4
70-74	8	5.0	19	1	2	4	7	12	14	14
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	7.3	50	1	2	6	13	15	15	15
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	11	6.2	22	3	4	4	7	13	18	19
B. Operated	16	4.4	21	1	1	3	6	13	15	15
1. SINGLE DX	4	3.0	5	1	1	2	4	6	6	6
2. MULTIPLE DX	27	5.1	21	1	2	4	7	13	16	19
A. Not Operated	13	5.8	20	2	3	4	7	11	17	19
B. Operated	18	4.1	19	1	1	2	6	12	15	15
TOTAL										
65-69 YRS	7	4.9	41	1	1	4	4	16	19	19
70-74	12	4.2	14	1	2	3	5	9	13	14
75-79	4	4.0	13	1	1	4	7	8	8	8
80-84	5	7.4	26	1	5	6	10	15	15	15
85 +	3	4.3		4	4	4	5	5	5	5
GRAND TOTAL	**31**	**4.8**	**19**	**1**	**1**	**4**	**6**	**11**	**15**	**19**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	13.4	332	1	2	5	30	77	99 +	99 +
70-74	16	10.9	69	2	3	10	18	21	24	25
75-79	26	12.5	75	1	4	13	18	27	28	29
80-84	30	8.5	51	1	2	8	11	20	21	29
85 +	6	7.5	63	1	1	4	13	20	21	21
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	247	10.2	92	2	4	6	15	24	29	47
70-74	297	10.6	116	2	4	7	13	24	31	55
75-79	377	10.0	94	2	4	7	13	22	28	49
80-84	326	9.2	66	2	3	7	13	20	27	39
85 +	316	8.8	70	2	4	7	11	17	24	44
B. Operated										
65-69 YRS	27	15.5	265	4	6	9	16	38	53	74
70-74	21	16.3	269	3	5	11	19	46	52	56
75-79	36	12.1	122	3	4	10	17	21	39	51
80-84	33	18.0	203	4	7	13	24	41	49	58
85 +	22	14.1	90	5	7	14	17	32	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	10.6	90	1	3	9	16	23	29	82
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	1563	9.8	87	2	4	7	13	22	28	48
B. Operated	139	15.1	185	4	5	12	18	38	49	77
1. SINGLE DX	88	10.5	89	1	3	8	16	22	29	82
2. MULTIPLE DX	1702	10.2	97	2	4	7	13	22	29	50
A. Not Operated	1650	9.8	87	2	4	7	13	22	28	49
B. Operated	140	15.0	185	4	5	11	18	38	49	76
TOTAL										
65-69 YRS	283	10.8	117	2	4	7	15	25	33	57
70-74	334	11.0	124	2	4	7	15	24	33	56
75-79	439	10.4	95	2	4	7	14	22	28	49
80-84	389	9.9	82	2	4	7	13	22	29	49
85 +	345	9.1	72	2	4	7	11	19	24	48
GRAND TOTAL	**1790**	**10.2**	**97**	**2**	**4**	**7**	**13**	**22**	**29**	**52**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	22.1	519	1	3	16	34	59	68	68
70-74	10	7.1	32	2	3	5	13	51	96	99 +
75-79	20	9.8	42	3	5	9	13	22	60	99 +
80-84	15	10.6	190	2	5	7	47	99 +	99 +	99 +
85 +	8	17.6	280	3	10	21	99 +	99 +	99 +	99 +
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	104	14.3	309	3	5	8	15	30	51	92
70-74	205	13.3	151	3	5	10	17	30	41	99 +
75-79	320	11.0	126	3	5	8	13	23	34	94
80-84	295	12.0	131	3	4	8	15	26	33	64
85 +	297	11.6	143	3	5	8	14	25	44	99 +
B. Operated										
65-69 YRS	5	15.2	120	3	4	21	23	27	27	27
70-74	16	22.6	412	3	10	15	30	64	66	66
75-79	20	16.2	159	4	9	12	21	33	48	53
80-84	36	20.4	291	3	9	15	38	53	61	99 +
85 +	25	17.4	302	5	8	14	28	96	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	12.2	179	2	5	9	21	99 +	99 +	99 +
B. Operated	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1221	12.0	152	3	5	8	15	26	37	90
B. Operated	102	18.9	274	4	9	15	22	52	70	99 +
1. SINGLE DX	63	12.0	175	2	5	9	20	99 +	99 +	99 +
2. MULTIPLE DX	1323	12.6	164	3	5	9	15	27	41	99 +
A. Not Operated	1282	12.0	153	3	5	8	15	27	40	99 +
B. Operated	104	18.7	272	4	9	14	22	51	68	99 +
TOTAL										
65-69 YRS	118	14.8	312	3	5	9	18	33	55	91
70-74	231	13.6	169	3	5	10	18	31	51	99 +
75-79	360	11.2	125	3	5	8	13	23	36	99
80-84	347	12.8	156	3	4	9	16	28	42	99 +
85 +	330	12.2	160	3	5	9	15	32	62	99 +
GRAND TOTAL	**1386**	**12.5**	**165**	**3**	**5**	**9**	**16**	**26**	**43**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	9.7	10	6	7	11	12	12	12	12
70-74	3	16.7	82	10	11	13	23	27	27	27
75-79	11	11.4	76	1	3	12	16	24	28	28
80-84	2	4.5	5	3	3	4	6	6	6	6
85 +	3	17.7	433	1	3	11	33	41	41	41
B. Operated										
65-69 YRS	0									
70-74	1	10.0		10	10	10	10	10	10	10
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	83	13.4	183	4	6	9	18	27	42	97
70-74	164	13.8	180	3	6	10	17	30	39	78
75-79	223	12.7	142	3	6	10	15	26	36	76
80-84	265	13.0	134	3	6	9	16	28	40	67
85 +	206	11.6	104	3	5	9	15	25	36	85
B. Operated										
65-69 YRS	14	18.5	302	5	7	13	16	57	57	57
70-74	17	15.2	140	3	8	11	21	31	40	45
75-79	18	21.5	250	9	12	15	30	60	83	99 +
80-84	23	13.9	243	2	6	10	19	64	99 +	99 +
85 +	21	25.3	314	7	10	19	43	51	53	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	12.1	101	1	6	11	15	27	33	41
B. Operated	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	941	12.8	142	3	6	9	16	27	38	75
B. Operated	93	18.9	259	5	8	13	27	55	61	99 +
1. SINGLE DX	24	11.7	95	1	5	10	14	27	32	41
2. MULTIPLE DX	1034	13.3	155	3	6	10	16	29	42	83
A. Not Operated	963	12.8	141	3	6	9	16	27	38	75
B. Operated	95	18.6	257	5	8	13	27	54	61	99 +
TOTAL										
65-69 YRS	100	14.0	195	4	6	9	17	27	52	95
70-74	185	13.9	173	3	6	10	18	30	39	78
75-79	252	13.3	151	3	6	10	16	27	38	88
80-84	291	13.0	141	3	6	9	16	29	42	87
85 +	230	12.9	141	3	6	9	16	32	42	79
GRAND TOTAL	**1058**	**13.3**	**154**	**3**	**6**	**10**	**16**	**29**	**41**	**82**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	9.0	91	2	3	7	11	14	28	49
70-74	46	11.6	85	2	5	9	16	22	27	48
75-79	62	12.4	72	3	6	11	17	23	31	40
80-84	72	12.3	164	1	3	10	17	25	30	77
85 +	51	9.4	49	2	4	6	15	20	24	26
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	247	13.0	99	3	5	11	18	27	36	99 +
70-74	445	12.9	117	3	6	10	17	26	34	66
75-79	677	12.9	125	3	5	10	17	27	34	68
80-84	767	12.7	124	3	6	10	16	27	36	99
85 +	906	11.6	122	3	5	9	15	24	38	99 +
B. Operated										
65-69 YRS	28	14.8	237	3	6	10	17	46	70	99 +
70-74	46	16.4	244	4	8	12	21	35	96	99 +
75-79	66	19.1	318	4	7	12	30	41	62	99
80-84	86	19.6	196	6	9	16	27	43	52	86
85 +	69	16.4	238	3	6	12	20	41	49	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	11.3	98	2	4	9	15	22	27	49
B. Operated	3	5.3	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	3042	12.5	121	3	5	10	16	26	36	84
B. Operated	295	17.8	244	4	7	13	23	41	58	99 +
1. SINGLE DX	261	11.2	97	2	4	9	15	22	27	49
2. MULTIPLE DX	3337	12.9	134	3	5	10	17	27	38	96
A. Not Operated	3300	12.4	119	3	5	10	16	26	35	79
B. Operated	298	17.7	243	4	7	13	23	41	57	99 +
TOTAL										
65-69 YRS	303	12.8	112	3	5	11	17	27	38	99 +
70-74	538	13.1	126	3	6	11	17	26	35	96
75-79	805	13.4	139	3	6	10	17	29	36	74
80-84	925	13.3	138	3	6	10	17	28	39	97
85 +	1027	11.8	128	3	5	9	15	24	38	98
GRAND TOTAL	**3598**	**12.8**	**132**	**3**	**5**	**10**	**16**	**27**	**37**	**92**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	7.8	14	3	4	9	10	12	12	12
70-74	4	11.8	80	6	6	8	17	25	25	25
75-79	4	18.0	101	4	12	20	24	28	28	28
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	301	8.5	64	2	3	5	11	18	28	38
70-74	206	9.1	82	2	4	7	11	17	25	50
75-79	87	10.0	122	3	4	6	12	19	32	61
80-84	42	9.8	93	2	4	7	13	19	37	41
85 +	13	8.6	92	2	3	7	8	20	35	38
B. Operated										
65-69 YRS	30	18.6	335	5	7	14	22	41	49	91
70-74	12	15.3	119	6	8	11	30	48	90	99 +
75-79	7	24.4	213	7	9	31	35	41	42	42
80-84	4	20.3	49	12	14	21	26	27	27	27
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	12.2	69	4	6	9	20	26	28	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	649	8.9	79	2	3	6	11	18	29	44
B. Operated	53	18.8	247	6	8	14	29	36	49	99 +
1. SINGLE DX	13	12.2	69	4	6	9	20	26	28	28
2. MULTIPLE DX	702	9.7	98	2	4	6	12	21	32	50
A. Not Operated	662	9.0	79	2	3	6	11	19	29	44
B. Operated	53	18.8	247	6	8	14	29	36	49	99 +
TOTAL										
65-69 YRS	336	9.4	95	2	3	6	12	20	30	49
70-74	222	9.5	85	2	4	7	12	20	30	59
75-79	98	11.4	140	3	4	7	13	30	35	59
80-84	46	10.7	97	2	4	7	16	25	37	41
85 +	13	8.6	92	2	3	7	8	20	35	38
GRAND TOTAL	**715**	**9.7**	**98**	**2**	**4**	**7**	**12**	**21**	**32**	**50**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	11.5	85	5	5	11	18	18	18	18
70-74	1	1.0		1	1	1	1	1	1	1
75-79	7	4.3	36	1	1	1	6	15	17	17
80-84	4	2.5		2	2	2	3	3	3	3
85 +	4	3.0	2	2	2	3	4	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	14.0		14	14	14	14	14	14	14
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	139	7.1	43	2	3	5	9	14	19	35
70-74	164	6.5	34	2	3	5	8	13	16	38
75-79	162	6.7	36	2	3	5	8	15	16	29
80-84	128	5.6	22	2	3	5	7	9	12	33
85 +	111	6.2	22	2	3	5	8	13	14	57
B. Operated										
65-69 YRS	24	13.9	153	3	6	9	19	27	44	52
70-74	18	7.1	32	1	3	5	13	15	17	18
75-79	11	11.9	122	2	3	10	16	32	32	32
80-84	7	12.3	53	4	5	16	19	76	99 +	99 +
85 +	7	13.6	180	5	7	8	13	37	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.2	26	1	1	2	5	14	18	18
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	704	6.5	32	2	3	5	8	13	16	33
B. Operated	67	11.5	109	2	4	8	16	26	40	91
1. SINGLE DX	19	4.7	30	1	1	2	5	16	18	18
2. MULTIPLE DX	771	6.9	41	2	3	5	8	14	18	40
A. Not Operated	722	6.4	32	2	3	5	8	13	16	33
B. Operated	68	11.6	108	2	4	8	16	26	40	91
TOTAL										
65-69 YRS	165	8.1	64	2	3	5	10	18	25	40
70-74	183	6.5	33	2	3	5	8	14	16	35
75-79	180	7.0	42	2	3	5	9	15	17	32
80-84	140	5.9	25	2	3	5	7	10	16	42
85 +	122	6.6	32	2	3	5	8	13	15	58
GRAND TOTAL	**790**	**6.8**	**40**	**2**	**3**	**5**	**8**	**14**	**18**	**40**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	73	17.0	176	3	7	13	25	36	49	52
70-74	19	15.1	92	5	9	14	19	29	37	40
75-79	13	14.8	38	7	11	15	20	22	25	26
80-84	5	15.6	180	2	6	15	22	37	37	37
85 +	2	12.0	72	6	6	12	18	18	18	18
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	135	18.4	163	6	9	15	25	35	41	66
70-74	94	18.9	159	6	11	16	24	36	47	91
75-79	63	17.7	205	3	7	16	22	31	43	82
80-84	31	13.7	57	5	8	13	19	22	31	33
85 +	14	12.8	95	3	6	12	19	38	84	99 +
B. Operated										
65-69 YRS	8	34.1	420	10	21	31	47	65	68	68
70-74	5	23.2	47	14	19	23	27	33	33	33
75-79	2	22.0		22	22	22	22	22	22	22
80-84	3	22.7	41	18	18	20	27	30	30	30
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	16.3	142	3	7	14	21	33	41	51
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	337	17.7	159	5	9	16	23	33	42	85
B. Operated	18	27.8	223	15	20	23	33	52	64	68
1. SINGLE DX	113	16.2	142	3	7	14	21	33	41	51
2. MULTIPLE DX	355	18.2	166	5	9	16	23	34	42	85
A. Not Operated	449	17.4	154	5	8	15	22	33	41	79
B. Operated	19	26.6	240	9	19	23	32	50	64	68
TOTAL										
65-69 YRS	216	18.5	184	5	8	16	26	36	46	64
70-74	118	18.5	145	6	11	16	23	35	42	85
75-79	78	17.3	172	4	8	16	22	29	39	78
80-84	40	14.4	73	5	7	14	19	26	32	37
85 +	16	12.7	87	3	6	12	18	35	78	99 +
GRAND TOTAL	**468**	**17.7**	**161**	**5**	**8**	**16**	**23**	**33**	**42**	**77**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	11.3	16	7	8	12	14	15	15	15
70-74	7	11.6	70	4	7	8	15	26	28	28
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	28.0		28	28	28	28	28	28	28
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	11	10.7	52	3	7	8	14	21	27	28
B. Operated	1	28.0		28	28	28	28	28	28	28
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	12	12.2	72	3	7	10	15	28	28	28
A. Not Operated	12	10.6	47	3	7	8	14	20	27	28
B. Operated	1	28.0		28	28	28	28	28	28	28
TOTAL										
65-69 YRS	4	10.8	12	7	8	10	13	15	15	15
70-74	8	13.6	93	4	7	10	22	28	28	28
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
GRAND TOTAL	**13**	**11.9**	**67**	**3**	**7**	**9**	**15**	**28**	**28**	**28**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	62	16.1	226	5	7	11	19	35	46	89
70-74	32	14.4	133	5	7	12	20	25	36	60
75-79	10	13.2	79	4	9	10	14	29	29	29
80-84	3	11.7	66	6	6	8	18	21	21	21
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	260	16.9	163	5	8	14	22	31	43	64
70-74	157	19.2	242	5	9	16	26	38	60	99 +
75-79	97	17.9	176	6	9	15	25	32	45	70
80-84	43	14.6	81	6	7	11	20	29	34	36
85 +	10	12.7	104	2	6	11	17	28	37	37
B. Operated										
65-69 YRS	14	25.9	272	9	16	24	29	48	65	70
70-74	14	28.1	206	13	18	29	40	63	91	99 +
75-79	2	15.0	2	14	14	15	16	16	16	16
80-84	5	18.0	254	9	9	10	23	46	46	46
85 +	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	15.1	177	5	7	11	19	29	38	74
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	567	17.5	181	5	9	15	23	33	48	83
B. Operated	36	25.0	223	9	14	23	32	46	68	99 +
1. SINGLE DX	108	15.1	177	5	7	11	19	29	38	74
2. MULTIPLE DX	603	17.9	186	5	9	15	24	34	48	85
A. Not Operated	675	17.1	181	5	8	14	22	33	47	83
B. Operated	36	25.0	223	9	14	23	32	46	68	99 +
TOTAL										
65-69 YRS	336	17.1	181	5	8	14	22	33	47	71
70-74	203	19.1	230	5	9	16	26	39	60	99 +
75-79	109	17.4	165	6	9	14	25	31	42	66
80-84	51	14.8	93	6	8	11	20	29	36	46
85 +	12	13.3	105	3	6	11	18	29	36	37
GRAND TOTAL	**711**	**17.5**	**186**	**5**	**8**	**14**	**23**	**34**	**48**	**85**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	211	17.1	143	3	9	15	24	30	39	61
70-74	208	17.0	139	4	8	15	24	32	40	56
75-79	174	17.3	116	5	10	16	23	32	37	49
80-84	93	16.8	188	3	7	14	23	30	42	76
85 +	53	17.9	207	5	9	14	21	37	41	88
B. Operated										
65-69 YRS	2	50.0	72	44	44	50	56	56	56	56
70-74	1	16.0		16	16	16	16	16	16	16
75-79	2	23.5	13	21	21	23	26	26	26	26
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1242	18.3	155	5	9	16	24	35	43	64
70-74	1206	18.3	163	5	9	16	24	35	44	65
75-79	1129	19.6	179	6	10	17	26	37	45	74
80-84	651	20.5	200	6	11	18	28	40	50	76
85 +	365	17.8	176	5	9	15	23	33	44	71
B. Operated										
65-69 YRS	73	25.2	281	7	15	21	33	56	71	99 +
70-74	72	26.8	315	8	15	22	35	53	65	99 +
75-79	95	25.4	239	8	14	23	34	47	54	68
80-84	65	24.3	180	11	13	24	33	43	53	95
85 +	30	30.3	499	9	15	21	38	72	80	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	739	17.1	145	4	9	15	23	32	40	56
B. Operated	5	32.6	283	16	20	26	47	56	56	56
2. MULTIPLE DX										
A. Not Operated	4593	18.9	172	5	10	16	25	36	44	69
B. Operated	335	25.9	275	9	14	22	35	50	64	99 +
1. SINGLE DX	744	17.2	147	4	9	15	23	32	41	56
2. MULTIPLE DX	4928	19.4	182	5	10	16	26	37	46	71
A. Not Operated	5332	18.7	168	5	10	16	25	35	44	67
B. Operated	340	26.0	275	9	14	22	35	50	64	99 +
TOTAL										
65-69 YRS	1528	18.5	162	5	9	16	24	35	44	65
70-74	1487	18.6	170	5	9	16	24	36	44	66
75-79	1400	19.7	178	6	10	17	26	37	46	70
80-84	809	20.4	199	5	11	18	28	39	49	77
85 +	448	18.7	209	5	9	15	23	37	46	80
GRAND TOTAL	**5672**	**19.1**	**178**	**5**	**10**	**16**	**25**	**36**	**45**	**70**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	113	17.1	176	5	9	14	22	35	42	74
70-74	66	13.7	57	5	7	13	18	24	29	32
75-79	39	14.8	178	2	7	12	18	34	42	67
80-84	20	17.9	120	7	8	15	25	35	40	41
85 +	4	13.8	20	9	10	14	17	18	18	18
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	498	18.1	170	5	9	15	24	35	44	68
70-74	390	18.7	195	6	9	15	24	35	43	82
75-79	270	19.0	169	5	9	17	26	36	46	64
80-84	127	18.3	147	5	9	17	24	35	45	99 +
85 +	64	21.2	253	5	10	16	32	41	51	78
B. Operated										
65-69 YRS	18	29.7	514	9	11	23	43	66	81	85
70-74	16	20.6	150	8	10	18	28	36	45	49
75-79	15	25.5	265	10	16	22	34	51	59	62
80-84	8	31.0	232	11	19	29	45	49	51	51
85 +	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	15.8	137	5	8	13	21	29	39	67
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1349	18.6	179	5	9	16	24	35	45	72
B. Operated	58	26.2	302	9	14	22	36	49	58	84
1. SINGLE DX	242	15.8	137	5	8	13	21	29	39	67
2. MULTIPLE DX	1407	18.9	186	6	9	16	25	36	46	76
A. Not Operated	1591	18.2	173	5	9	15	24	35	44	71
B. Operated	58	26.2	302	9	14	22	36	49	58	84
TOTAL										
65-69 YRS	629	18.2	184	5	9	15	24	36	45	71
70-74	472	18.1	177	6	9	15	24	34	41	81
75-79	324	18.8	177	5	9	16	25	37	46	65
80-84	155	18.9	153	6	9	17	25	38	46	98
85 +	69	20.8	238	6	10	16	31	41	50	77
GRAND TOTAL	**1649**	**18.5**	**180**	**5**	**9**	**15**	**24**	**36**	**45**	**72**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	55	9.5	66	1	3	8	13	19	25	36
70-74	41	12.2	108	2	5	10	15	23	28	59
75-79	31	13.8	91	3	5	12	21	26	32	34
80-84	29	9.1	55	1	3	8	12	20	22	31
85 +	26	13.5	226	2	2	8	19	35	45	62
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	247	12.1	154	2	4	8	15	28	40	85
70-74	325	11.7	91	2	5	9	16	25	29	45
75-79	433	11.3	143	2	4	7	14	24	33	66
80-84	345	10.0	70	3	4	8	13	22	27	39
85 +	312	10.1	82	2	4	7	14	21	29	55
B. Operated										
65-69 YRS	23	15.0	157	4	5	11	20	30	44	52
70-74	19	15.2	223	3	5	10	28	46	80	99 +
75-79	25	16.6	194	1	9	14	22	26	42	68
80-84	34	19.2	198	4	8	17	30	44	55	99 +
85 +	26	14.5	132	6	7	10	22	27	37	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	11.3	102	2	3	10	15	24	32	53
B. Operated	2	8.5	113	1	1	8	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	1662	11.0	108	2	4	8	14	23	31	58
B. Operated	127	16.4	178	3	7	13	23	34	52	99 +
1. SINGLE DX	184	11.3	102	2	3	10	16	24	31	53
2. MULTIPLE DX	1789	11.4	115	2	4	8	15	24	34	62
A. Not Operated	1844	11.0	108	2	4	8	14	23	31	58
B. Operated	129	16.2	177	3	7	13	23	34	52	99 +
TOTAL										
65-69 YRS	325	11.9	140	2	4	8	15	27	39	72
70-74	386	11.9	99	2	5	9	16	26	30	57
75-79	489	11.7	144	2	4	8	15	24	33	67
80-84	408	10.7	85	2	4	8	15	23	31	49
85 +	365	10.7	97	2	4	8	14	22	31	59
GRAND TOTAL	**1973**	**11.4**	**114**	**2**	**4**	**8**	**15**	**24**	**33**	**60**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	6.6	42	< 1	2	3	11	17	20	20
70-74	6	3.0	2	1	2	3	4	5	5	5
75-79	7	12.1	119	2	4	8	20	29	31	31
80-84	3	1.7		1	1	2	2	2	2	2
85 +	1	2.0		2	26	99 +	99 +	99 +	99 +	99 +
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	134	6.9	54	1	2	4	9	15	26	36
70-74	128	6.3	57	1	2	3	7	16	22	37
75-79	106	6.2	45	1	2	4	8	14	22	35
80-84	64	6.6	37	1	2	4	8	15	21	26
85 +	53	5.6	33	1	2	4	7	12	20	26
B. Operated										
65-69 YRS	12	18.9	742	1	4	6	25	66	81	83
70-74	8	8.5	87	1	2	5	12	25	28	28
75-79	5	8.4	111	2	2	5	11	27	27	27
80-84	2	11.0	162	2	2	11	20	20	20	20
85 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	6.5	57	1	2	3	11	28	99 +	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	485	6.4	48	1	2	4	8	15	22	35
B. Operated	28	12.9	379	1	2	5	12	38	61	83
1. SINGLE DX	27	6.5	57	1	2	3	11	28	99 +	99 +
2. MULTIPLE DX	513	6.7	67	1	2	4	8	16	24	37
A. Not Operated	512	6.4	48	1	2	4	8	15	23	36
B. Operated	28	12.9	379	1	2	5	12	38	61	83
TOTAL										
65-69 YRS	156	7.8	112	1	2	4	9	17	28	58
70-74	142	6.3	56	1	2	3	7	16	24	36
75-79	118	6.6	52	1	2	4	8	15	24	34
80-84	69	6.5	38	1	2	4	8	17	20	26
85 +	55	5.4	32	1	2	4	7	17	25	99 +
GRAND TOTAL	**540**	**6.7**	**67**	**1**	**2**	**4**	**8**	**16**	**25**	**41**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	8.8	36	2	3	9	12	14	21	24
70-74	5	19.2	227	2	7	19	29	41	41	41
75-79	6	8.0	88	1	1	5	9	24	26	26
80-84	6	7.5	55	1	2	5	10	20	21	21
85 +	3	5.0	7	3	3	4	7	8	8	8
B. Operated										
65-69 YRS	0									
70-74	1	20.0		20	20	20	20	20	20	20
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	119	10.5	86	3	4	8	14	20	26	50
70-74	97	10.3	68	3	4	8	15	23	26	37
75-79	86	10.7	64	3	5	7	16	24	28	76
80-84	45	9.4	99	2	3	6	13	18	29	54
85 +	36	10.4	133	2	3	6	13	20	42	51
B. Operated										
65-69 YRS	9	23.7	326	2	10	19	39	49	49	49
70-74	6	12.0	15	8	10	11	13	18	19	19
75-79	7	8.4	38	1	3	8	14	17	17	17
80-84	4	12.3	255	2	3	5	21	36	36	36
85 +	4	12.0	35	4	9	16	38	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	9.6	79	1	3	8	12	24	26	41
B. Operated	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated	383	10.3	81	3	4	7	14	22	27	49
B. Operated	30	14.7	168	3	5	12	18	41	49	99 +
1. SINGLE DX	37	9.9	80	1	3	8	13	23	26	41
2. MULTIPLE DX	413	10.6	89	3	4	8	14	23	29	52
A. Not Operated	419	10.3	81	2	4	7	14	22	27	47
B. Operated	31	14.9	164	3	6	12	19	40	49	99 +
TOTAL										
65-69 YRS	144	11.1	104	3	4	8	14	21	34	50
70-74	109	10.9	74	3	4	8	16	23	26	39
75-79	99	10.3	63	3	5	7	15	23	28	67
80-84	55	9.4	101	2	3	6	13	20	33	53
85 +	43	10.1	116	2	4	7	13	21	47	99 +
GRAND TOTAL	**450**	**10.6**	**88**	**2**	**4**	**8**	**14**	**23**	**29**	**51**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	9.6	74	1	3	6	15	23	26	26
70-74	17	17.8	377	2	4	12	21	43	65	76
75-79	5	13.6	252	4	4	5	21	41	41	41
80-84	4	23.0	157	5	15	26	30	34	34	34
85 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	102	9.7	81	2	4	7	12	21	27	46
70-74	103	12.1	229	2	3	7	14	31	39	78
75-79	95	9.3	80	2	4	7	12	21	29	46
80-84	57	11.2	226	2	3	5	13	32	42	79
85 +	70	7.3	30	2	3	6	10	15	18	26
B. Operated										
65-69 YRS	23	9.8	153	1	2	4	11	25	43	50
70-74	13	13.2	86	3	5	12	18	29	30	30
75-79	2	13.0	8	11	11	13	15	15	15	15
80-84	7	15.4	74	7	8	15	18	29	32	32
85 +	9	21.2	151	7	14	19	29	40	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	14.9	246	2	4	10	21	37	43	76
B. Operated	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	427	10.0	129	2	3	6	12	22	33	60
B. Operated	54	13.4	131	2	4	11	17	30	38	50
1. SINGLE DX	41	14.1	237	2	4	10	20	36	42	76
2. MULTIPLE DX	481	10.4	130	2	3	7	12	23	33	54
A. Not Operated	465	10.4	140	2	3	6	12	25	34	71
B. Operated	57	12.9	129	2	4	11	17	30	37	50
TOTAL										
65-69 YRS	135	9.7	92	2	3	7	12	21	28	47
70-74	134	12.9	234	2	3	7	17	31	39	77
75-79	103	9.5	85	2	4	7	12	21	31	45
80-84	69	12.3	208	2	3	6	16	32	39	76
85 +	81	8.7	61	2	3	6	12	18	24	41
GRAND TOTAL	**522**	**10.7**	**139**	**2**	**3**	**7**	**13**	**25**	**34**	**61**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	70	13.3	102	2	3	13	22	28	28	31
70-74	31	13.9	100	3	6	10	23	29	29	30
75-79	14	9.9	84	< 1	1	10	14	26	28	28
80-84	9	8.2	66	< 1	3	6	11	22	27	27
85 +	6	2.7	3	1	1	2	4	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	769	12.3	87	2	4	9	20	28	29	32
70-74	438	11.5	90	2	4	8	17	28	29	32
75-79	232	12.2	85	3	5	10	17	28	29	34
80-84	78	10.4	77	2	3	8	15	27	28	31
85 +	25	8.2	44	2	3	6	12	14	20	31
B. Operated										
65-69 YRS	48	15.4	108	3	7	13	22	29	35	46
70-74	24	16.4	148	3	6	14	25	31	40	48
75-79	9	13.7	90	3	6	11	22	28	28	28
80-84	4	13.8	50	6	9	13	18	23	23	23
85 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	12.2	98	1	3	10	21	28	28	31
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1542	11.9	87	2	4	9	18	28	29	32
B. Operated	86	15.3	112	3	6	13	22	29	35	47
1. SINGLE DX	130	12.2	98	1	3	10	21	28	28	31
2. MULTIPLE DX	1628	12.1	89	2	4	9	18	28	29	34
A. Not Operated	1672	11.9	88	2	4	9	18	28	29	32
B. Operated	86	15.3	112	3	6	13	22	29	35	47
TOTAL										
65-69 YRS	887	12.5	90	2	4	10	20	28	29	33
70-74	493	11.9	94	2	4	9	19	28	29	38
75-79	255	12.1	85	3	5	10	17	28	29	34
80-84	91	10.3	74	2	3	7	14	27	28	31
85 +	32	7.1	40	2	3	5	11	14	17	31
GRAND TOTAL	**1758**	**12.1**	**89**	**2**	**4**	**9**	**19**	**28**	**29**	**34**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	14.6	83	4	7	13	22	28	30	31
70-74	11	11.9	51	3	6	14	15	23	25	25
75-79	10	14.5	70	4	7	14	21	26	28	28
80-84	5	7.8	9	4	5	10	10	10	10	10
85 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	51	13.3	67	4	6	11	18	28	28	31
B. Operated	1	12.0		12	12	12	12	12	12	12
1. SINGLE DX	0									
2. MULTIPLE DX	52	13.3	65	4	6	12	18	28	28	31
A. Not Operated	51	13.3	67	4	6	11	18	28	28	31
B. Operated	1	12.0		12	12	12	12	12	12	12
TOTAL										
65-69 YRS	25	14.5	80	4	7	13	22	28	29	31
70-74	11	11.9	51	3	6	14	15	23	25	25
75-79	10	14.5	70	4	7	14	21	26	28	28
80-84	5	7.8	9	4	5	10	10	10	10	10
85 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**52**	**13.3**	**65**	**4**	**6**	**12**	**18**	**28**	**28**	**31**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	10.5	25	7	7	10	14	14	14	14
70-74	1	18.0		18	18	18	18	18	18	18
75-79	3	7.7	21	5	5	5	11	13	13	13
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	40	15.2	81	5	9	13	20	26	30	47
70-74	26	19.7	271	5	9	13	28	36	55	78
75-79	19	13.6	67	4	8	12	18	28	29	29
80-84	7	9.7	8	6	8	9	11	14	15	15
85 +	2	16.0	32	12	12	16	20	20	20	20
B. Operated										
65-69 YRS	1	28.0		28	28	28	28	28	28	28
70-74	2	12.5	25	9	9	12	16	16	16	16
75-79	1	29.0		29	29	29	29	29	29	29
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	10.3	29	5	5	10	14	18	18	18
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	94	15.7	129	5	9	13	20	28	32	65
B. Operated	4	20.5	94	9	12	22	28	29	29	29
1. SINGLE DX	6	10.3	29	5	5	10	14	18	18	18
2. MULTIPLE DX	98	15.9	127	5	9	13	21	28	31	64
A. Not Operated	100	15.4	124	5	9	12	20	28	31	63
B. Operated	4	20.5	94	9	12	22	28	29	29	29
TOTAL										
65-69 YRS	43	15.2	81	5	9	13	21	28	30	47
70-74	29	19.1	247	6	9	14	27	34	50	78
75-79	23	13.5	72	4	6	12	18	29	29	29
80-84	7	9.7	8	6	8	9	11	14	15	15
85 +	2	16.0	32	12	12	16	20	20	20	20
GRAND TOTAL	**104**	**15.6**	**123**	**5**	**9**	**13**	**20**	**28**	**31**	**62**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	6.0	13	2	3	7	8	9	9	9
70-74	0									
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	45	5.1	56	1	1	3	5	9	28	35
70-74	34	4.6	21	1	2	3	6	13	15	18
75-79	20	6.1	42	1	2	5	6	15	22	28
80-84	12	3.3	4	1	2	3	5	6	7	7
85 +	4	3.8	2	2	3	4	5	5	5	5
B. Operated										
65-69 YRS	3	3.0	7	1	1	2	5	6	6	6
70-74	4	3.5	3	2	2	3	5	6	6	6
75-79	1	34.0		34	34	34	34	34	34	34
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.8	8	2	6	7	9	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	115	4.9	36	1	2	3	5	12	16	32
B. Operated	10	6.2	98	1	2	3	6	20	34	34
1. SINGLE DX	5	6.8	8	2	6	7	9	9	9	9
2. MULTIPLE DX	125	5.0	40	1	2	3	5	12	17	34
A. Not Operated	120	5.0	35	1	2	3	6	11	16	31
B. Operated	10	6.2	98	1	2	3	6	20	34	34
TOTAL										
65-69 YRS	51	5.0	50	1	1	3	6	9	27	35
70-74	38	4.5	19	1	2	3	6	13	15	18
75-79	23	7.5	70	1	3	5	7	18	30	34
80-84	13	3.2	4	1	2	3	4	6	7	7
85 +	5	3.6	1	2	3	4	4	5	5	5
GRAND TOTAL	**130**	**5.1**	**39**	**1**	**2**	**3**	**6**	**11**	**16**	**34**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	8.5	1	8	8	8	9	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	10.8	80	1	3	7	18	23	27	28
70-74	7	11.3	123	1	3	7	20	29	30	30
75-79	3	15.3	42	9	10	15	20	22	22	22
80-84	4	7.0	11	3	5	7	9	11	11	11
85 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
65-69 YRS	3	20.0	43	13	15	21	25	26	26	26
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	8.5	1	8	8	8	9	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	30	10.0	74	1	3	7	16	23	28	30
B. Operated	5	13.4	103	3	4	13	22	26	26	26
1. SINGLE DX	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX	35	10.5	76	1	3	7	17	23	27	30
A. Not Operated	32	9.9	69	1	3	7	15	22	27	30
B. Operated	5	13.4	103	3	4	13	22	26	26	26
TOTAL										
65-69 YRS	18	12.1	75	1	6	9	20	25	27	28
70-74	8	10.4	112	1	3	6	17	28	30	30
75-79	3	15.3	42	9	10	15	20	22	22	22
80-84	4	7.0	11	3	5	7	9	11	11	11
85 +	4	2.5	2	1	1	2	3	4	4	4
GRAND TOTAL	**37**	**10.4**	**72**	**1**	**4**	**7**	**16**	**23**	**27**	**30**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	4.6	13	1	2	3	7	8	13	15
70-74	34	4.4	7	2	2	4	6	8	9	12
75-79	33	5.5	26	2	3	4	8	10	12	28
80-84	29	3.3	8	1	2	3	4	6	10	14
85 +	9	4.2	7	< 1	2	4	6	8	9	9
B. Operated										
65-69 YRS	5	3.8	9	2	2	3	5	9	9	9
70-74	8	7.5	39	3	4	5	8	18	22	22
75-79	6	10.8	130	1	1	8	16	29	31	31
80-84	3	10.7	26	5	7	12	14	15	15	15
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	151	4.5	13	1	2	3	6	9	10	15
B. Operated	22	8.0	56	2	3	5	10	18	26	31
1. SINGLE DX	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX	173	4.9	20	1	2	3	6	9	13	27
A. Not Operated	152	4.4	13	1	2	3	6	9	10	15
B. Operated	22	8.0	56	2	3	5	10	18	26	31
TOTAL										
65-69 YRS	51	4.5	12	1	2	3	7	9	13	15
70-74	42	5.0	14	2	3	4	6	8	10	22
75-79	39	6.3	42	1	2	4	9	11	23	31
80-84	33	3.9	13	1	2	3	4	10	14	15
85 +	9	4.2	7	< 1	2	4	6	8	9	9
GRAND TOTAL	**174**	**4.9**	**20**	**1**	**2**	**3**	**6**	**9**	**13**	**27**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	9.4	57	2	3	9	11	19	28	31
70-74	19	9.9	136	1	3	7	13	19	37	52
75-79	18	13.1	168	1	2	9	18	28	42	51
80-84	3	9.3	54	1	4	12	14	15	15	15
85 +	8	9.0	51	1	4	7	14	20	21	21
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	162	9.2	48	2	4	8	12	20	22	30
70-74	121	12.5	181	3	4	8	15	28	36	69
75-79	141	10.0	75	3	4	7	13	23	29	42
80-84	104	11.2	113	2	4	7	15	24	34	53
85 +	83	10.9	123	3	3	8	16	21	31	62
B. Operated										
65-69 YRS	10	13.0	57	4	8	12	16	24	28	28
70-74	9	16.2	339	3	5	8	23	47	60	60
75-79	8	13.3	69	5	7	10	18	27	29	29
80-84	11	11.7	151	2	5	9	13	28	44	46
85 +	5	19.0	210	9	9	16	24	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	10.5	105	1	3	8	12	22	29	52
B. Operated	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	611	10.6	102	3	4	7	14	22	30	55
B. Operated	43	14.1	150	4	7	11	16	28	45	60
1. SINGLE DX	69	10.5	103	1	3	9	12	22	28	52
2. MULTIPLE DX	654	10.9	106	3	4	8	14	22	30	56
A. Not Operated	679	10.6	103	2	4	7	14	22	30	54
B. Operated	44	14.0	147	4	7	11	16	28	45	60
TOTAL										
65-69 YRS	192	9.5	50	2	4	8	12	20	23	31
70-74	149	12.4	183	3	4	8	15	28	37	66
75-79	167	10.5	85	2	4	7	14	23	29	49
80-84	118	11.2	113	2	4	8	14	24	37	51
85 +	97	11.2	121	3	4	8	16	21	32	62
GRAND TOTAL	**723**	**10.8**	**106**	**2**	**4**	**8**	**14**	**22**	**30**	**55**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	8.3	64	1	3	7	10	21	27	27
70-74	4	5.5	12	< 1	2	6	8	9	9	9
75-79	6	8.5	94	2	4	5	7	26	28	28
80-84	3	6.7	10	3	4	8	9	9	9	9
85 +	4	29.3	2041	1	1	10	57	96	96	96
B. Operated										
65-69 YRS	0									
70-74	1	9.0		9	9	9	9	9	9	9
75-79	0									
80-34	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	75	7.6	57	1	3	5	8	23	26	32
70-74	66	8.2	35	2	4	6	13	17	19	23
75-79	45	9.6	92	2	4	8	11	21	24	57
80-84	34	7.9	45	2	4	6	10	16	25	30
85 +	30	8.8	36	2	4	8	12	18	21	22
B. Operated										
65-69 YRS	3	6.3	17	3	3	5	9	11	11	11
70-74	8	9.3	10	6	7	9	11	14	15	15
75-79	1	7.0		7	7	7	7	7	7	7
80-84	3	21.7	110	11	14	22	29	32	32	32
85 +	2	7.0	2	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	11.0	351	1	3	6	9	26	42	96
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	250	8.3	53	2	3	6	11	18	23	30
B. Operated	17	10.5	50	5	6	8	11	21	28	32
1. SINGLE DX	27	10.9	337	1	3	7	9	25	38	96
2. MULTIPLE DX	267	8.4	53	2	4	6	11	18	23	32
A. Not Operated	276	8.5	81	2	3	6	11	18	23	32
B. Operated	18	10.4	47	5	7	9	11	20	28	32
TOTAL										
65-69 YRS	87	7.6	56	1	3	5	9	22	26	32
70-74	79	8.2	31	2	4	7	12	17	19	22
75-79	52	9.4	89	2	4	7	11	21	27	56
80-84	40	8.9	58	2	4	7	11	19	28	32
85 +	36	11.0	248	2	3	8	13	19	22	96
GRAND TOTAL	**294**	**8.7**	**79**	**2**	**3**	**6**	**11**	**18**	**23**	**33**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	5	9.8	23	5	5	10	14	15	15	15
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	30	5.6	22	1	2	4	8	11	12	23
70-74	36	5.8	46	1	2	3	7	13	24	32
75-79	22	5.9	22	1	2	5	8	14	15	17
80-84	22	7.0	28	2	2	5	11	14	17	20
85 +	22	4.9	11	1	2	4	7	9	12	14
B. Operated										
65-69 YRS	8	9.8	107	< 1	3	6	15	27	28	28
70-74	5	10.0	66	4	5	8	13	24	24	24
75-79	7	6.9	7	3	5	8	9	10	10	10
80-84	1	6.0		6	6	6	6	6	6	6
85 +	5	12.2	34	6	7	12	16	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	8.0	27	2	5	6	13	15	15	15
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	132	5.8	27	1	2	4	8	12	15	28
B. Operated	26	9.3	52	2	5	7	10	23	25	28
1. SINGLE DX	7	8.0	27	2	5	6	13	15	15	15
2. MULTIPLE DX	158	6.4	33	1	2	5	8	13	19	28
A. Not Operated	139	5.9	27	1	2	4	8	13	15	28
B. Operated	26	9.3	52	2	5	7	10	23	25	28
TOTAL										
65-69 YRS	38	6.5	40	1	2	5	8	12	24	28
70-74	42	6.1	49	1	2	4	7	14	25	32
75-79	34	6.6	20	2	3	6	9	14	15	17
80-84	23	7.0	27	2	2	6	11	14	17	20
85 +	28	6.2	22	1	3	5	8	13	15	21
GRAND TOTAL	**165**	**6.5**	**32**	**1**	**2**	**5**	**8**	**14**	**18**	**28**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	23.7	234	12	13	18	35	41	41	41
70-74	4	17.0	104	7	10	15	24	31	31	31
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	10.5	5	9	9	10	12	12	12	12
85 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	11	16.1	114	7	9	12	18	35	40	41
B. Operated	3	3.7	1	3	3	3	5	5	5	5
1. SINGLE DX	0									
2. MULTIPLE DX	14	13.4	116	3	7	11	17	32	39	41
A. Not Operated	11	16.1	114	7	9	12	18	35	40	41
B. Operated	3	3.7	1	3	3	3	5	5	5	5
TOTAL										
65-69 YRS	4	19.0	243	5	8	15	29	41	41	41
70-74	4	17.0	104	7	10	15	24	31	31	31
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	10.5	5	9	9	10	12	12	12	12
85 +	3	5.3	16	3	3	3	8	10	10	10
GRAND TOTAL	**14**	**13.4**	**116**	**3**	**7**	**11**	**17**	**32**	**39**	**41**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	8.0	3	7	7	7	9	10	10	10
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	2	8.5	113	1	1	8	16	16	16	16
70-74	3	3.3	1	2	2	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	42	14.2	76	6	9	13	16	27	36	38
70-74	36	14.9	149	4	7	11	18	35	45	53
75-79	35	14.6	78	5	11	13	17	23	36	45
80-84	19	12.1	46	6	8	11	14	18	27	35
85 +	15	13.3	36	6	8	14	18	21	24	25
B. Operated										
65-69 YRS	48	22.4	344	2	9	22	34	65	98	99 +
70-74	49	20.5	363	7	11	15	20	44	70	95
75-79	24	16.0	83	2	10	17	21	25	33	41
80-84	15	23.7	323	11	12	16	29	46	68	76
85 +	5	16.8	122	8	9	13	23	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.8	9	2	6	7	8	10	10	10
B. Operated	5	5.4	37	1	2	4	7	16	16	16
2. MULTIPLE DX										
A. Not Operated	147	14.1	85	5	8	13	16	25	36	47
B. Operated	141	20.6	296	6	10	16	27	46	70	99 +
1. SINGLE DX	10	6.1	21	1	2	5	8	13	16	16
2. MULTIPLE DX	288	17.3	198	5	9	14	21	36	50	98
A. Not Operated	152	13.9	84	5	8	12	16	24	36	47
B. Operated	146	20.1	294	4	10	16	27	46	70	99 +
TOTAL										
65-69 YRS	95	18.0	228	3	8	14	27	41	66	99 +
70-74	89	17.4	274	4	9	12	19	35	54	85
75-79	59	15.2	79	4	11	14	18	24	35	45
80-84	34	17.2	197	7	9	13	18	35	44	76
85 +	21	13.9	54	7	8	13	19	23	29	35
GRAND TOTAL	**298**	**16.9**	**196**	**5**	**9**	**14**	**20**	**35**	**48**	**97**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	3.3	5	1	2	3	4	7	8	8
70-74	20	2.8	4	1	1	3	4	6	7	8
75-79	19	5.2	23	1	1	4	7	11	16	19
80-84	9	9.8	299	1	1	5	8	37	55	55
85 +	3	15.7	72	7	9	16	22	24	24	24
B. Operated										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	0									
75-79	0									
80-84	0									
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	115	10.4	177	2	4	7	11	19	27	90
70-74	180	10.1	105	3	4	7	12	19	29	65
75-79	276	9.8	82	3	5	8	12	18	23	63
80-84	190	10.5	107	3	5	7	13	21	34	92
85 +	90	11.2	127	3	5	8	13	21	40	88
B. Operated										
65-69 YRS	20	17.5	110	5	9	16	23	34	39	39
70-74	29	18.0	245	6	9	15	18	43	56	69
75-79	31	18.5	179	4	7	18	29	40	54	99 +
80-84	21	13.3	257	4	6	9	14	47	86	99 +
85 +	21	13.2	146	5	6	8	16	26	40	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	4.9	52	1	1	3	5	10	15	47
B. Operated	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	851	10.2	110	3	5	7	12	19	27	73
B. Operated	122	16.4	190	5	7	13	21	37	55	99 +
1. SINGLE DX	77	5.1	52	1	1	3	6	11	15	47
2. MULTIPLE DX	973	11.0	124	3	5	8	13	22	30	76
A. Not Operated	926	9.8	107	3	4	7	11	18	26	72
B. Operated	124	16.4	188	5	7	13	21	37	55	99 +
TOTAL										
65-69 YRS	160	10.2	155	2	4	7	12	21	28	85
70-74	229	10.5	125	3	4	7	12	21	29	69
75-79	326	10.3	96	3	5	8	13	21	28	73
80-84	220	10.8	128	3	5	7	13	22	38	99 +
85 +	115	11.7	127	4	5	8	14	24	38	81
GRAND TOTAL	**1050**	**10.6**	**121**	**3**	**5**	**7**	**13**	**21**	**29**	**76**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	5.4	25	1	2	4	6	13	18	18
70-74	1	11.0		11	11	11	11	11	11	11
75-79	2	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	6.8	19	3	4	5	9	14	17	19
70-74	23	9.2	36	4	5	9	11	16	22	30
75-79	10	7.3	13	3	5	6	12	12	12	12
80-84	1	19.0		19	19	19	19	19	19	19
85 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
65-69 YRS	7	16.1	371	3	4	10	22	50	56	56
70-74	4	17.5	145	7	8	15	27	33	33	33
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	13.0	288	1	7	25	81	99 +	99 +	99 +
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.8	21	1	3	5	7	12	17	18
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	79	7.6	25	3	4	6	10	15	18	27
B. Operated	14	16.0	229	3	5	10	26	56	89	99 +
1. SINGLE DX	14	5.6	20	2	3	4	6	12	17	18
2. MULTIPLE DX	93	8.9	63	3	4	7	10	19	26	81
A. Not Operated	92	7.4	25	3	4	6	10	14	18	26
B. Operated	15	15.1	224	3	4	10	25	54	87	99 +
TOTAL										
65-69 YRS	61	7.6	65	2	4	5	10	15	19	53
70-74	28	10.5	54	4	6	9	11	20	30	33
75-79	13	7.5	16	4	5	6	12	13	15	15
80-84	3	15.0	156	1	10	22	62	99 +	99 +	99 +
85 +	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	**107**	**8.5**	**58**	**3**	**4**	**6**	**10**	**18**	**25**	**74**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	3.3	2	1	2	3	4	5	6	7
70-74	27	3.4	4	1	2	3	4	7	7	8
75-79	26	3.2	6	1	2	3	4	6	8	13
80-84	18	5.0	19	1	1	4	7	12	15	16
85 +	6	2.5		2	2	2	3	3	3	3
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	0									
75-79	0									
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	603	5.8	24	2	3	4	8	11	15	24
70-74	618	6.2	31	2	3	5	8	13	16	29
75-79	555	6.9	55	2	3	5	8	13	19	43
80-84	464	6.6	40	2	3	5	8	12	17	37
85 +	347	7.5	73	2	3	5	8	15	24	42
B. Operated										
65-69 YRS	65	15.5	177	3	6	13	23	32	61	99 +
70-74	63	13.7	198	3	6	11	20	31	87	99 +
75-79	71	17.9	189	5	8	13	26	42	48	92
80-84	35	26.2	612	5	8	19	34	73	89	95
85 +	36	15.6	92	5	9	14	20	31	34	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.5	7	1	2	3	4	7	8	15
B. Operated	2	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	2587	6.5	42	2	3	5	8	12	17	38
B. Operated	270	17.1	241	4	7	13	23	38	62	99 +
1. SINGLE DX	113	3.7	7	1	2	3	4	7	8	15
2. MULTIPLE DX	2857	7.5	70	2	3	5	9	15	22	49
A. Not Operated	2698	6.4	41	2	3	5	8	12	17	37
B. Operated	272	17.1	239	4	7	13	23	38	62	99 +
TOTAL										
65-69 YRS	703	6.6	45	2	3	5	8	13	20	44
70-74	708	6.8	49	2	3	5	8	14	20	45
75-79	652	8.0	80	2	3	5	9	16	27	50
80-84	518	7.9	101	2	3	5	8	15	23	52
85 +	389	8.2	79	2	3	5	9	18	26	43
GRAND TOTAL	**2970**	**7.4**	**68**	**2**	**3**	**5**	**8**	**15**	**22**	**49**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	4.5	22	1	1	3	5	13	17	17
70-74	34	6.2	161	1	2	3	6	9	13	76
75-79	20	5.3	50	1	2	3	6	9	22	33
80-84	9	6.0	6	3	5	5	7	10	10	10
85 +	10	5.2	18	1	2	4	9	49	96	99 +
B. Operated										
65-69 YRS	26	8.3	113	2	4	5	11	13	22	57
70-74	20	7.1	54	2	3	4	8	18	24	30
75-79	28	5.4	15	2	3	5	7	11	13	18
80-84	13	4.2	6	2	2	4	5	8	9	9
85 +	4	6.5	10	4	4	5	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	469	9.1	109	2	3	6	11	20	33	80
70-74	577	9.3	95	2	4	7	11	19	29	51
75-79	626	9.7	90	3	4	7	12	19	26	63
80-84	527	10.8	143	3	4	7	12	24	39	99
85 +	408	9.2	86	3	4	6	11	20	25	47
B. Operated										
65-69 YRS	340	11.6	147	2	5	8	14	28	42	99 +
70-74	324	12.8	134	2	5	9	17	29	40	99 +
75-79	322	14.4	184	3	6	11	19	32	44	99 +
80-84	198	14.6	207	3	6	10	21	32	50	99 +
85 +	104	13.3	104	3	6	10	19	25	34	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	5.5	72	1	2	4	6	10	16	88
B. Operated	91	6.5	50	2	3	4	7	12	18	46
2. MULTIPLE DX										
A. Not Operated	2607	9.6	105	2	4	7	12	20	30	67
B. Operated	1288	13.2	160	3	5	9	17	30	43	99 +
1. SINGLE DX	190	6.0	62	1	2	4	7	11	17	68
2. MULTIPLE DX	3895	10.8	126	2	4	7	13	24	35	89
A. Not Operated	2706	9.5	104	2	4	6	11	20	29	68
B. Operated	1379	12.8	155	2	5	9	17	29	41	99 +
TOTAL										
65-69 YRS	861	9.9	124	2	4	6	13	22	34	99 +
70-74	955	10.4	113	2	4	7	13	24	33	67
75-79	996	11.0	124	3	4	8	14	22	33	87
80-84	747	11.6	160	3	4	8	14	27	42	99 +
85 +	526	9.9	90	3	4	7	12	21	27	49
GRAND TOTAL	**4085**	**10.6**	**124**	**2**	**4**	**7**	**13**	**23**	**34**	**88**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	1.8	1	1	1	2	2	4	4	4
70-74	7	2.0	1	1	1	2	3	3	3	3
75-79	5	1.4		1	1	1	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	104	4.7	19	1	2	3	5	9	13	23
70-74	63	4.8	13	2	2	3	7	10	11	17
75-79	40	3.9	5	1	2	4	5	7	8	9
80-84	29	5.3	46	1	2	3	6	10	23	32
85 +	5	3.6	3	2	2	3	5	6	6	6
B. Operated										
65-69 YRS	12	4.6	16	1	2	3	5	11	14	15
70-74	4	5.5	10	3	3	4	7	10	10	10
75-79	5	4.0	4	1	2	5	5	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.8	1	1	1	2	2	3	4	4
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	241	4.6	18	1	2	3	6	9	11	23
B. Operated	22	4.7	11	1	3	4	5	10	12	15
1. SINGLE DX	20	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX	263	4.7	17	1	2	3	6	9	11	23
A. Not Operated	260	4.4	17	1	2	3	5	9	11	23
B. Operated	23	4.6	11	1	3	4	5	10	12	15
TOTAL										
65-69 YRS	122	4.5	18	1	2	3	5	9	13	23
70-74	74	4.6	12	2	2	3	6	10	11	17
75-79	51	3.6	5	1	2	4	5	6	8	9
80-84	31	5.3	43	1	2	3	6	9	22	32
85 +	5	3.6	3	2	2	3	5	6	6	6
GRAND TOTAL	**283**	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**11**	**23**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	2	20.5	481	5	5	20	36	36	36	36
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	23	1.1		< 1	< 1	< 1	< 1	1	2	3
70-74	26	1.0		< 1	< 1	< 1	1	1	2	2
75-79	20	1.1		< 1	< 1	< 1	1	1	2	3
80-84	10	1.4	1	< 1	< 1	< 1	1	3	4	4
85 +	6	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	1.9	1	1	1	2	2	4	4	4
70-74	8	4.9	14	1	2	4	7	11	12	12
75-79	5	4.6	10	2	3	4	6	10	10	10
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
65-69 YRS	37	2.4	14	< 1	1	1	2	5	10	21
70-74	36	2.0	6	< 1	< 1	1	2	4	5	15
75-79	33	1.4		< 1	< 1	1	2	2	3	4
80-84	15	2.5	4	< 1	< 1	1	4	6	6	6
85 +	6	4.2	15	< 1	< 1	3	5	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	20.5	481	5	5	20	36	36	36	36
B. Operated	85	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	24	4.0	10	1	2	3	5	10	11	12
B. Operated	127	2.1	7	< 1	< 1	1	2	4	6	16
1. SINGLE DX	87	1.6	14	< 1	< 1	< 1	1	1	3	24
2. MULTIPLE DX	151	2.4	8	< 1	< 1	1	3	5	10	15
A. Not Operated	26	5.3	48	1	2	3	6	10	17	36
B. Operated	212	1.7	5	< 1	< 1	1	1	3	5	13
TOTAL										
65-69 YRS	68	1.9	8	< 1	< 1	1	2	3	5	19
70-74	70	2.0	6	< 1	< 1	1	2	4	7	14
75-79	60	2.2	22	< 1	< 1	1	2	3	5	33
80-84	26	2.2	3	< 1	< 1	1	4	6	6	6
85 +	14	3.1	12	< 1	< 1	1	5	10	11	11
GRAND TOTAL	**238**	**2.1**	**11**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**16**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	2.8	6	< 1	1	1	4	6	8	9
70-74	13	3.3	9	1	1	3	4	7	10	11
75-79	20	4.9	28	1	1	3	8	10	16	22
80-84	6	3.7	21	< 1	1	2	3	12	13	13
85 +	7	3.7	6	1	2	3	6	7	7	7
B. Operated										
65-69 YRS	69	2.8	12	1	1	2	3	5	7	24
70-74	34	2.9	7	1	1	2	4	7	9	10
75-79	29	2.1	4	1	1	1	2	5	7	9
80-84	21	2.7	5	1	1	2	3	6	8	9
85 +	5	2.8	16	1	1	1	4	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	224	6.0	29	2	3	4	7	12	17	27
70-74	232	6.8	37	2	3	5	9	13	19	35
75-79	176	7.6	47	2	3	5	10	16	19	38
80-84	146	7.2	35	2	3	6	8	15	20	27
85 +	100	7.7	37	3	4	6	9	14	19	34
B. Operated										
65-69 YRS	213	8.7	193	1	2	4	9	21	34	96
70-74	210	8.4	123	1	2	4	11	21	37	64
75-79	150	8.6	108	1	2	6	10	20	29	44
80-84	90	8.3	70	1	2	5	13	21	28	75
85 +	41	9.1	153	1	3	6	10	17	22	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	3.6	13	1	1	2	5	8	11	20
B. Operated	158	2.7	9	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	878	6.9	37	2	3	5	9	14	19	33
B. Operated	704	8.6	135	1	2	4	10	20	31	80
1. SINGLE DX	232	3.0	10	1	1	2	4	7	9	15
2. MULTIPLE DX	1582	7.7	81	1	3	5	9	16	23	46
A. Not Operated	952	6.7	36	2	3	5	8	14	18	33
B. Operated	862	7.5	117	1	2	4	9	18	29	74
TOTAL										
65-69 YRS	534	6.5	96	1	2	4	7	14	22	52
70-74	489	7.2	73	1	2	4	9	16	23	45
75-79	375	7.4	70	1	2	5	9	16	24	41
80-84	263	7.1	46	1	2	5	9	16	22	37
85 +	153	7.7	67	2	3	6	9	14	20	35
GRAND TOTAL	**1814**	**7.1**	**75**	**1**	**2**	**4**	**8**	**16**	**22**	**44**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.3	24	1	1	2	8	10	10	10
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	217	1.9	1	1	1	2	2	3	4	6
70-74	166	2.0	1	1	1	2	3	3	4	5
75-79	108	2.0	1	1	1	2	2	4	4	6
80-84	52	2.0	1	1	1	2	2	3	4	7
85 +	24	2.1	1	1	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	7	1.9	2	< 1	< 1	1	2	4	5	5
75-79	9	3.0	12	< 1	< 1	1	4	9	11	11
80-84	2	2.5	5	< 1	< 1	2	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	551	2.6	4	1	1	2	3	4	6	12
70-74	484	2.3	2	1	1	2	3	4	5	8
75-79	330	2.6	4	1	2	2	3	4	5	12
80-84	187	2.7	3	1	1	2	3	5	6	10
85 +	100	3.2	10	1	2	3	3	5	7	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.3	11	1	2	2	3	9	10	10
B. Operated	567	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	21	2.4	6	< 1	< 1	1	3	5	8	11
B. Operated	1652	2.6	4	1	1	2	3	4	6	10
1. SINGLE DX	573	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX	1673	2.6	4	1	1	2	3	4	6	10
A. Not Operated	27	2.6	7	< 1	1	2	3	6	10	11
B. Operated	2219	2.4	3	1	1	2	3	4	5	10
TOTAL										
65-69 YRS	774	2.4	3	1	1	2	3	4	5	10
70-74	657	2.2	2	1	1	2	3	4	5	8
75-79	448	2.5	3	1	1	2	3	4	5	11
80-84	241	2.5	3	1	1	2	3	4	6	10
85 +	126	3.0	8	1	2	2	3	5	7	18
GRAND TOTAL	**2246**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	1.6	1	1	1	1	2	3	3	3
70-74	4	1.0		1	1	1	1	1	1	1
75-79	4	1.3		1	1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	33	2.1	2	< 1	1	2	3	4	4	7
70-74	32	1.9	2	< 1	1	1	3	4	5	6
75-79	30	1.7	2	< 1	< 1	1	2	3	5	6
80-84	27	1.4	1	< 1	< 1	1	2	2	3	4
85 +	7	2.1	2	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	14	1.9	1	1	1	2	3	3	3	3
70-74	13	2.2	2	< 1	1	2	3	4	6	6
75-79	9	3.8	8	1	1	4	5	8	9	9
80-84	12	4.1	10	1	2	3	6	9	11	11
85 +	6	3.3	12	1	1	2	4	9	10	10
B. Operated										
65-69 YRS	103	2.8	6	1	1	2	3	4	5	17
70-74	94	3.1	6	1	2	3	3	5	9	14
75-79	108	2.8	5	1	1	2	4	5	7	11
80-84	96	3.3	8	1	2	3	4	6	8	17
85 +	49	3.2	8	1	1	2	4	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.4	1	1	1	1	2	3	3	3
B. Operated	129	1.8	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	54	2.9	6	1	1	2	4	7	9	11
B. Operated	450	3.0	6	1	1	3	4	5	8	13
1. SINGLE DX	146	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	504	3.0	6	1	1	2	4	5	8	13
A. Not Operated	71	2.6	5	1	1	2	3	6	8	11
B. Operated	579	2.8	5	1	1	2	3	5	7	12
TOTAL										
65-69 YRS	157	2.5	5	1	1	2	3	4	5	15
70-74	143	2.7	5	1	1	2	3	5	6	12
75-79	151	2.6	4	1	1	2	3	5	7	10
80-84	136	3.0	7	1	1	2	4	6	8	13
85 +	63	3.1	7	1	1	2	4	7	10	13
GRAND TOTAL	**650**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	23	2.7	5	1	1	2	4	6	8	8
70-74	16	2.4	3	1	1	2	3	4	6	7
75-79	13	3.0	4	1	2	2	4	6	8	8
80-84	8	2.3	1	1	1	2	3	3	3	3
85 +	5	2.4	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	3.4		3	3	3	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	8	3.1	4	1	2	3	4	6	7	7
80-84	5	2.0	1	1	1	2	3	3	3	3
85 +	5	6.0	30	1	2	4	9	15	15	15
B. Operated										
65-69 YRS	69	3.3	14	1	1	2	4	7	13	21
70-74	58	3.3	9	1	1	2	3	7	12	13
75-79	68	2.9	3	1	2	3	3	6	7	9
80-84	30	2.6	4	1	1	2	3	5	6	9
85 +	20	3.3	5	1	2	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	1	1	1	2	2	3	3	3
B. Operated	65	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated	24	3.5	9	1	2	3	4	7	10	15
B. Operated	245	3.1	8	1	1	2	4	6	9	13
1. SINGLE DX	70	2.5	3	1	1	2	3	5	7	8
2. MULTIPLE DX	269	3.1	8	1	1	2	4	6	9	14
A. Not Operated	29	3.2	7	1	2	3	3	6	8	15
B. Operated	310	3.0	7	1	1	2	4	6	8	13
TOTAL										
65-69 YRS	99	3.2	11	1	1	2	4	6	10	19
70-74	76	3.0	8	1	1	2	3	6	11	13
75-79	89	2.9	3	1	2	3	3	6	7	9
80-84	45	2.4	3	1	1	2	3	5	6	9
85 +	30	3.6	9	1	2	3	4	7	10	15
GRAND TOTAL	**339**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	99	1.1		< 1	< 1	< 1	< 1	< 1	1	5
70-74	163	1.0		< 1	< 1	< 1	< 1	< 1	1	2
75-79	192	1.1		< 1	< 1	< 1	< 1	1	1	3
80-84	146	1.0		< 1	< 1	< 1	< 1	1	1	2
85 +	94	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	2.0	2	< 1	< 1	1	3	4	4	4
70-74	8	2.9	5	< 1	1	2	4	6	7	7
75-79	9	1.3		< 1	< 1	1	2	2	2	2
80-84	7	1.4	1	< 1	< 1	1	2	3	3	3
85 +	6	1.5	1	< 1	1	1	2	3	3	3
B. Operated										
65-69 YRS	209	1.7	2	< 1	< 1	1	2	3	4	8
70-74	304	1.7	3	< 1	< 1	1	2	3	5	10
75-79	365	1.8	5	< 1	< 1	1	2	3	4	8
80-84	347	1.7	5	< 1	< 1	1	2	3	4	9
85 +	297	2.0	6	< 1	< 1	1	2	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	694	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	34	1.8	2	< 1	< 1	1	2	4	5	7
B. Operated	1522	1.8	5	< 1	< 1	1	2	3	4	9
1. SINGLE DX	698	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	1556	1.8	4	< 1	< 1	1	2	3	4	9
A. Not Operated	38	1.7	2	< 1	1	1	2	4	5	7
B. Operated	2216	1.6	3	< 1	< 1	1	1	2	4	8
TOTAL										
65-69 YRS	313	1.5	2	< 1	< 1	< 1	2	2	4	7
70-74	475	1.5	2	< 1	< 1	< 1	1	3	4	9
75-79	567	1.5	4	< 1	< 1	< 1	1	2	3	7
80-84	501	1.5	4	< 1	< 1	1	1	2	3	6
85 +	398	1.8	4	< 1	< 1	1	2	3	5	11
GRAND TOTAL	**2254**	**1.6**	**3**	**< 1**	**< 1**	**1**	**2**	**2**	**4**	**8**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	3.3	6	1	2	3	5	6	9	11
70-74	20	4.0	8	2	2	3	5	6	10	14
75-79	11	8.0	39	2	4	6	10	17	23	24
80-84	6	4.5	3	3	3	4	6	7	7	7
85 +	3	3.7	9	1	1	3	6	7	7	7
B. Operated										
65-69 YRS	9	3.3	20	< 1	1	1	3	11	14	14
70-74	15	4.3	26	1	1	2	6	7	18	21
75-79	8	6.5	34	1	2	5	10	16	17	17
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	4.5	25	1	1	4	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7		3	3	4	4	4	4	4
B. Operated	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	58	4.6	15	2	2	3	5	9	12	23
B. Operated	35	4.5	25	1	1	2	6	13	16	21
1. SINGLE DX	9	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX	93	4.5	18	1	2	3	6	10	14	23
A. Not Operated	61	4.5	14	2	2	3	5	9	11	23
B. Operated	41	4.0	22	1	1	2	6	10	15	21
TOTAL										
65-69 YRS	31	3.1	9	< 1	1	2	3	6	11	14
70-74	39	4.0	14	1	2	3	5	7	11	21
75-79	20	7.1	36	1	2	5	10	15	20	24
80-84	7	4.0	4	1	3	4	6	7	7	7
85 +	5	4.0	11	1	1	3	7	8	8	8
GRAND TOTAL	**102**	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**13**	**22**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.6	3	< 1	1	2	4	5	5	5
70-74	5	3.6	1	3	3	3	4	5	5	5
75-79	7	5.0	13	3	3	3	5	11	13	13
80-84	2	7.5	1	7	7	7	8	8	8	8
85 +	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
65-69 YRS	27	2.4	11	< 1	1	1	2	4	12	15
70-74	31	1.7	2	< 1	1	1	2	3	4	8
75-79	45	1.6	2	< 1	1	1	2	3	4	8
80-84	36	1.4		1	1	1	2	2	3	3
85 +	27	1.7	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	19	5.7	14	2	3	4	9	11	13	14
70-74	30	5.9	18	3	3	5	6	11	17	21
75-79	38	5.2	9	1	3	5	8	10	11	99 +
80-84	26	4.8	14	1	2	4	7	11	13	14
85 +	23	6.9	20	2	4	6	8	12	16	22
B. Operated										
65-69 YRS	149	2.6	5	1	1	2	3	5	8	11
70-74	199	2.3	6	1	1	2	2	4	6	14
75-79	248	2.7	8	1	1	2	3	4	10	15
80-84	165	2.7	7	1	1	2	3	6	8	13
85 +	143	2.7	10	1	1	2	3	5	6	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.6	9	2	3	4	5	9	12	13
B. Operated	166	1.7	3	< 1	1	1	2	3	4	11
2. MULTIPLE DX										
A. Not Operated	136	5.7	14	2	3	5	7	11	13	32
B. Operated	904	2.6	7	1	1	2	3	5	8	14
1. SINGLE DX	187	2.0	4	< 1	1	1	2	4	5	13
2. MULTIPLE DX	1040	3.0	9	1	1	2	3	6	9	15
A. Not Operated	157	5.5	14	2	3	5	7	11	13	22
B. Operated	1070	2.4	7	1	1	2	3	4	7	14
TOTAL										
65-69 YRS	200	2.8	7	1	1	2	3	6	9	13
70-74	265	2.6	8	1	1	2	3	5	8	17
75-79	338	2.9	8	1	1	2	3	6	10	15
80-84	229	2.8	8	1	1	2	3	6	8	14
85 +	195	3.1	12	1	1	2	4	6	9	19
GRAND TOTAL	**1227**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**15**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.0	5	1	2	4	5	7	7	7
70-74	7	3.0	5	1	2	2	4	7	7	7
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	3	3.7	2	2	2	4	5	5	5	5
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	59	1.7	1	1	1	1	2	3	4	7
70-74	61	1.4	1	< 1	1	1	1	2	3	8
75-79	40	2.3	3	< 1	1	2	3	5	6	9
80-84	20	4.2	28	< 1	1	2	5	10	17	23
85 +	14	2.2	4	< 1	1	2	2	5	7	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	65	4.1	11	1	2	3	5	8	8	20
70-74	57	4.9	15	1	3	4	6	10	11	22
75-79	63	4.8	14	1	3	4	6	8	10	21
80-84	34	4.6	5	2	3	4	6	8	9	10
85 +	37	6.2	23	2	2	6	8	12	15	24
B. Operated										
65-69 YRS	271	2.7	8	1	1	2	3	6	8	14
70-74	260	2.9	9	1	1	2	3	6	10	15
75-79	201	3.3	13	1	1	2	4	8	10	18
80-84	129	3.5	20	1	1	2	4	7	11	29
85 +	83	3.4	11	1	1	2	4	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.2	3	1	2	2	5	6	7	7
B. Operated	194	2.0	5	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	256	4.8	14	1	2	4	6	9	11	21
B. Operated	944	3.0	11	1	1	2	3	7	9	17
1. SINGLE DX	215	2.1	5	1	1	1	2	5	6	10
2. MULTIPLE DX	1200	3.4	12	1	1	2	4	8	10	18
A. Not Operated	277	4.7	13	1	2	4	6	8	11	21
B. Operated	1138	2.9	10	1	1	2	3	6	9	16
TOTAL										
65-69 YRS	401	2.8	7	1	1	2	3	6	8	14
70-74	385	2.9	9	1	1	2	3	6	10	16
75-79	308	3.5	12	1	1	2	4	8	9	19
80-84	186	3.7	18	1	1	2	5	8	10	26
85 +	135	4.0	15	1	1	2	6	9	12	18
GRAND TOTAL	**1415**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	3.0	3	1	2	2	3	6	7	7
70-74	15	4.6	9	2	2	4	6	10	11	11
75-79	19	6.7	58	1	3	3	9	17	26	31
80-84	7	6.4	10	2	5	6	9	10	10	10
85 +	13	4.9	14	2	3	3	6	10	14	15
B. Operated										
65-69 YRS	12	2.4	4	1	1	2	3	6	7	7
70-74	9	2.8	10	< 1	1	1	3	8	10	10
75-79	8	3.8	12	1	1	2	6	9	10	10
80-84	9	3.2	5	1	1	3	4	7	8	8
85 +	6	6.8	45	1	1	5	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	72	5.0	22	2	2	3	6	10	12	29
B. Operated	44	3.5	13	1	1	2	5	9	11	15
1. SINGLE DX	8	1.8	1	< 1	1	2	2	3	3	3
2. MULTIPLE DX	116	4.4	19	1	2	3	6	10	12	24
A. Not Operated	75	4.9	22	1	2	3	6	10	12	28
B. Operated	49	3.3	12	1	1	2	4	9	10	15
TOTAL										
65-69 YRS	30	2.8	4	1	1	2	3	6	7	7
70-74	25	3.8	10	1	1	3	6	10	10	11
75-79	32	5.3	40	1	2	3	6	11	19	31
80-84	16	4.6	9	1	2	4	7	10	10	10
85 +	21	5.1	22	1	1	3	7	14	15	15
GRAND TOTAL	**124**	**4.3**	**18**	**1**	**2**	**3**	**6**	**10**	**11**	**23**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	16	1.0		1	1	1	1	1	1	1
70-74	18	1.1		1	1	1	1	1	2	2
75-79	4	1.0		1	1	1	1	1	1	1
80-84	3	1.0		< 1	< 1	1	1	1	1	1
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	3.4	6	1	2	2	5	7	9	9
70-74	9	4.9	8	1	2	6	7	9	9	9
75-79	5	5.0	10	2	3	4	7	10	10	10
80-84	4	8.8	90	1	2	6	15	22	22	22
85 +	4	3.5	6	1	1	3	5	6	6	6
B. Operated										
65-69 YRS	51	1.6	2	1	1	1	2	3	3	7
70-74	34	1.3	1	< 1	1	1	1	2	3	6
75-79	27	4.1	84	1	1	1	2	6	29	43
80-84	10	4.5	47	< 1	1	2	4	15	23	23
85 +	4	2.8	8	< 1	< 1	1	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	42	1.0		< 1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	35	4.6	16	1	2	4	6	9	10	22
B. Operated	126	2.3	24	1	1	1	2	3	7	30
1. SINGLE DX	43	1.1		< 1	1	1	1	1	2	4
2. MULTIPLE DX	161	2.8	23	1	1	1	2	6	8	26
A. Not Operated	36	4.6	16	1	2	4	6	9	10	22
B. Operated	168	2.0	18	1	1	1	1	3	6	25
TOTAL										
65-69 YRS	81	1.8	3	1	1	1	2	4	6	8
70-74	61	1.7	3	1	1	1	1	5	6	9
75-79	36	3.9	65	1	1	1	3	6	21	43
80-84	17	4.9	50	< 1	1	1	5	19	23	23
85 +	9	2.9	6	< 1	1	2	5	7	7	7
GRAND TOTAL	**204**	**2.5**	**19**	**1**	**1**	**1**	**2**	**6**	**7**	**24**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	5.0	3	4	4	4	6	7	7	7
70-74	1	5.0		5	5	5	5	5	5	5
75-79	3	5.3		5	5	5	6	6	6	6
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	5	3.6	9	1	1	3	6	8	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	4	4.3	16	1	1	3	7	10	10	10
85 +	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	29	5.2	7	2	3	5	7	8	11	11
70-74	25	8.3	54	3	4	6	10	16	24	35
75-79	35	7.3	38	3	4	6	8	13	18	36
80-84	12	4.9	3	3	4	5	6	7	8	8
85 +	11	10.0	29	3	4	11	13	17	18	18
B. Operated										
65-69 YRS	34	5.9	79	1	1	2	8	15	17	48
70-74	30	7.8	163	1	1	2	9	18	48	53
75-79	16	10.1	77	1	3	7	15	26	28	29
80-84	10	6.7	47	1	3	5	9	17	24	24
85 +	6	8.8	24	2	7	8	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.8	2	3	4	5	6	7	7	7
B. Operated	15	3.8	14	1	1	2	5	10	12	13
2. MULTIPLE DX										
A. Not Operated	112	7.0	31	3	4	5	8	13	16	35
B. Operated	96	7.4	97	1	1	4	10	17	26	51
1. SINGLE DX	23	4.1	10	1	2	4	5	8	11	13
2. MULTIPLE DX	208	7.2	61	1	3	5	9	15	20	48
A. Not Operated	120	6.9	29	3	4	5	8	13	16	35
B. Operated	111	6.9	87	1	1	3	9	16	24	50
TOTAL										
65-69 YRS	71	5.4	41	1	1	4	7	10	15	42
70-74	57	7.9	108	1	2	5	9	16	30	53
75-79	56	7.8	48	3	4	6	9	15	25	36
80-84	26	5.5	21	1	3	4	7	10	14	24
85 +	21	8.6	30	1	3	9	13	15	17	18
GRAND TOTAL	**231**	**6.9**	**57**	**1**	**3**	**5**	**8**	**15**	**19**	**48**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	59	2.3	1	1	1	2	3	4	5	5
70-74	48	2.1	1	1	1	2	3	4	4	5
75-79	45	2.4	2	1	1	2	3	4	5	6
80-84	28	2.7	4	< 1	1	2	4	5	8	9
85 +	14	2.9	1	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	21	2.0	2	1	1	1	3	5	5	5
70-74	4	2.8	6	1	1	2	4	6	6	6
75-79	5	2.0	3	< 1	1	1	3	5	5	5
80-84	2	1.0		1	1	1	1	1	1	1
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	529	3.4	6	1	2	3	4	6	9	12
70-74	584	3.5	5	1	2	3	4	6	7	14
75-79	537	3.9	8	1	2	3	5	7	10	14
80-84	380	4.0	10	1	2	3	5	8	10	15
85 +	288	4.7	29	2	2	4	6	8	10	21
B. Operated										
65-69 YRS	55	5.3	26	1	2	3	7	12	17	23
70-74	45	6.2	35	1	2	5	7	15	18	29
75-79	37	6.1	41	1	2	5	8	13	20	32
80-84	25	6.9	32	1	3	6	8	13	21	25
85 +	12	8.4	22	1	6	8	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	2.4	2	1	1	2	3	4	5	7
B. Operated	33	2.2	3	1	1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	2318	3.8	10	1	2	3	5	7	9	15
B. Operated	174	6.1	32	1	2	5	8	14	17	28
1. SINGLE DX	227	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2492	4.0	12	1	2	3	5	7	10	17
A. Not Operated	2512	3.7	10	1	2	3	5	7	9	14
B. Operated	207	5.5	29	1	1	4	7	13	16	27
TOTAL										
65-69 YRS	664	3.4	8	1	2	3	4	6	9	13
70-74	681	3.5	8	1	2	3	4	6	7	16
75-79	624	3.9	10	1	2	3	5	7	10	16
80-84	435	4.1	11	1	2	3	5	8	10	18
85 +	315	4.7	28	2	2	4	6	9	11	21
GRAND TOTAL	**2719**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	20	1.2		1	1	1	1	2	3	3
70-74	14	1.5	1	< 1	1	1	2	3	4	5
75-79	13	1.5		1	1	2	2	2	2	2
80-84	4	1.0		1	1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	27	1.1		1	1	1	1	2	2	2
70-74	22	1.5	1	1	1	1	1	3	4	6
75-79	7	1.1		1	1	1	1	2	2	2
80-84	4	1.0		1	1	1	1	1	1	1
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	52	1.3	1	1	1	1	2	2	2	5
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	60	1.3	1	1	1	1	1	2	2	6
1. SINGLE DX	53	1.4	1	1	1	1	2	2	2	5
2. MULTIPLE DX	62	1.2	1	1	1	1	1	2	2	6
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	112	1.3	1	1	1	1	1	2	2	5
TOTAL										
65-69 YRS	47	1.2		1	1	1	1	2	2	3
70-74	36	1.5	1	1	1	1	2	2	4	6
75-79	22	1.4		1	1	1	2	2	2	2
80-84	8	1.0		1	1	1	1	1	1	1
85 +	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**115**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**	**5**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.7	2	1	1	3	4	4	4	4
70-74	10	3.2	4	< 1	1	3	4	6	7	7
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	30	1.4		1	1	1	2	3	3	3
70-74	7	1.0		< 1	< 1	1	1	1	1	1
75-79	6	1.3		< 1	1	1	2	2	2	2
80-84	6	2.7	10	1	1	1	3	8	9	9
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	4.8	10	2	3	4	6	10	11	11
70-74	12	4.8	9	2	3	4	6	9	12	12
75-79	12	10.8	173	2	3	6	12	36	41	42
80-84	12	6.0	17	2	3	5	9	12	13	13
85 +	5	2.2	1	1	1	3	3	3	3	3
B. Operated										
65-69 YRS	58	1.5	3	1	1	1	1	2	3	12
70-74	53	2.0	4	1	1	1	2	4	6	13
75-79	25	1.9	2	1	1	1	2	5	5	6
80-84	6	3.8	11	1	1	2	8	8	8	8
85 +	3	2.0	3	< 1	< 1	< 1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.1	3	1	1	3	4	5	6	7
B. Operated	50	1.5	2	< 1	1	1	2	3	3	9
2. MULTIPLE DX										
A. Not Operated	54	6.2	51	1	2	4	7	12	14	42
B. Operated	145	1.9	4	1	1	1	2	3	6	12
1. SINGLE DX	64	1.8	2	1	1	1	2	4	4	9
2. MULTIPLE DX	199	3.0	20	1	1	1	3	7	11	24
A. Not Operated	68	5.5	42	1	2	4	6	11	13	40
B. Operated	195	1.8	3	1	1	1	2	3	6	11
TOTAL										
65-69 YRS	104	1.9	4	1	1	1	2	3	6	11
70-74	82	2.5	6	1	1	1	3	5	7	13
75-79	44	4.3	62	1	1	2	4	8	20	42
80-84	24	4.6	15	1	1	3	8	11	12	13
85 +	9	2.0	2	< 1	1	1	3	4	4	4
GRAND TOTAL	**263**	**2.7**	**16**	**1**	**1**	**1**	**3**	**6**	**9**	**14**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	6.5	11	3	4	5	10	11	11	11
70-74	7	6.9	30	1	3	5	10	16	17	17
75-79	5	5.4	11	2	3	4	9	9	9	9
80-84	3	11.3	30	6	7	11	15	17	17	17
85 +	0									
B. Operated										
65-69 YRS	6	27.7	1134	5	9	16	24	88	95	95
70-74	4	16.8	363	1	4	11	29	44	44	44
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84	3	12.3	56	8	8	8	18	21	21	21
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	21	7.0	21	2	4	6	10	13	17	17
B. Operated	15	19.1	552	5	7	9	20	44	82	95
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	36	12.1	268	3	4	8	13	21	38	95
A. Not Operated	22	6.9	20	2	3	5	10	13	17	17
B. Operated	15	19.1	552	5	7	9	20	44	82	95
TOTAL										
65-69 YRS	12	17.1	643	4	5	9	16	45	88	95
70-74	12	9.8	143	1	3	6	13	25	41	44
75-79	7	6.1	9	2	3	7	9	9	9	9
80-84	6	11.8	35	6	8	10	17	21	21	21
85 +	0									
GRAND TOTAL	**37**	**11.8**	**263**	**3**	**4**	**8**	**12**	**21**	**37**	**95**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	3	9.3	58	1	3	11	15	16	16	16
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	12	3.2	36	< 1	1	1	2	9	20	22
70-74	4	6.3	110	1	1	1	12	22	22	22
75-79	3	1.0		1	1	1	1	1	1	1
80-84	1	19.0		19	19	19	19	19	19	19
85 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	80	6.9	18	2	5	6	9	10	11	28
70-74	78	7.4	38	2	3	6	10	16	19	31
75-79	83	7.5	74	2	3	5	8	14	20	55
80-84	77	7.0	30	2	3	5	9	16	19	80
85 +	61	6.7	63	2	3	5	7	11	14	56
B. Operated										
65-69 YRS	286	12.3	109	1	4	10	16	23	34	49
70-74	249	11.7	92	1	5	10	16	23	28	50
75-79	205	12.1	105	1	5	11	16	24	31	68
80-84	79	13.9	162	1	5	12	19	27	29	75
85 +	40	13.6	119	2	5	10	20	31	36	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.6	29	1	2	3	9	14	16	16
B. Operated	21	4.8	57	1	1	1	2	20	22	22
2. MULTIPLE DX										
A. Not Operated	379	7.2	44	2	3	5	9	14	18	37
B. Operated	859	12.3	108	1	5	10	16	24	32	53
1. SINGLE DX	29	5.0	48	1	1	1	5	18	22	22
2. MULTIPLE DX	1238	10.7	94	2	4	9	14	22	28	51
A. Not Operated	387	7.1	43	2	3	5	9	14	18	36
B. Operated	880	12.1	108	1	4	10	16	24	32	52
TOTAL										
65-69 YRS	381	10.8	93	1	3	9	14	22	32	48
70-74	332	10.6	82	2	4	9	14	22	27	49
75-79	291	10.7	100	1	4	9	14	21	28	63
80-84	160	10.5	107	2	4	8	15	23	27	77
85 +	103	9.5	94	2	4	6	11	20	31	51
GRAND TOTAL	**1267**	**10.6**	**94**	**1**	**4**	**9**	**14**	**22**	**28**	**50**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	32	2.8	3	1	2	2	3	5	7	8
70-74	37	3.3	3	1	2	3	4	6	6	8
75-79	31	3.3	14	1	1	2	4	7	15	17
80-84	25	2.5	2	1	1	2	3	4	5	7
85 +	14	3.6	7	1	2	3	4	8	9	10
B. Operated										
65-69 YRS	8	1.8	5	< 1	< 1	1	1	5	7	7
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	6	2.0	2	1	1	2	3	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	585	4.4	14	2	2	3	5	8	11	18
70-74	551	4.3	13	1	2	3	5	8	11	18
75-79	514	4.4	12	1	2	4	6	8	11	18
80-84	355	4.7	18	2	2	4	6	8	11	23
85 +	250	4.5	8	2	2	4	6	8	11	16
B. Operated										
65-69 YRS	148	5.4	28	1	2	4	6	10	16	26
70-74	99	6.5	88	1	2	4	7	13	16	62
75-79	96	7.4	50	1	3	6	10	14	19	38
80-84	47	7.7	44	2	3	6	9	16	22	31
85 +	36	6.6	37	1	3	5	8	14	21	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.0	6	1	2	2	4	6	7	15
B. Operated	18	1.9	3	< 1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated	2255	4.4	13	2	2	4	5	8	11	18
B. Operated	426	6.5	50	1	2	5	8	13	18	32
1. SINGLE DX	157	2.9	5	1	1	2	4	6	7	15
2. MULTIPLE DX	2681	4.8	19	1	2	4	6	9	12	23
A. Not Operated	2394	4.3	13	1	2	3	5	8	11	18
B. Operated	444	6.3	49	1	2	4	8	13	17	32
TOTAL										
65-69 YRS	773	4.5	16	1	2	3	5	9	12	21
70-74	689	4.5	24	1	2	3	6	8	11	21
75-79	647	4.8	19	1	2	4	6	9	12	22
80-84	428	4.9	21	2	2	4	6	9	13	27
85 +	301	4.7	12	1	2	4	6	9	12	21
GRAND TOTAL	**2838**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	5.9	72	1	2	4	5	16	30	35
70-74	21	4.0	6	1	2	3	5	7	9	12
75-79	26	4.7	10	2	3	4	6	7	14	14
80-84	22	4.2	6	2	2	4	6	8	9	10
85 +	15	5.5	15	2	3	5	7	12	14	15
B. Operated										
65-69 YRS	5	1.4		1	1	1	2	2	2	2
70-74	4	5.0	54	1	1	2	9	16	16	16
75-79	5	1.6	1	1	1	1	2	3	3	3
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	743	6.9	39	2	4	5	8	12	16	26
70-74	916	6.9	30	3	4	5	8	13	16	27
75-79	1016	6.7	27	3	4	6	8	12	14	25
80-84	925	7.4	35	3	4	6	9	14	17	34
85 +	836	7.9	43	3	4	6	10	15	18	34
B. Operated										
65-69 YRS	206	8.8	85	1	3	7	11	18	23	46
70-74	174	12.0	72	2	5	10	18	25	27	35
75-79	198	11.7	96	2	6	9	15	22	35	56
80-84	111	12.6	88	5	7	10	16	22	25	61
85 +	65	12.5	65	4	6	11	16	24	30	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	4.8	20	2	2	4	5	8	13	29
B. Operated	16	3.3	19	1	1	2	3	11	14	16
2. MULTIPLE DX										
A. Not Operated	4436	7.2	34	3	4	6	9	13	17	29
B. Operated	754	11.2	85	2	5	9	15	22	28	47
1. SINGLE DX	119	4.6	20	1	2	4	5	8	13	27
2. MULTIPLE DX	5190	7.7	44	3	4	6	9	15	19	34
A. Not Operated	4539	7.1	34	3	4	6	9	13	17	29
B. Operated	770	11.0	85	2	5	9	15	22	27	47
TOTAL										
65-69 YRS	973	7.2	50	2	3	5	9	14	18	34
70-74	1115	7.6	39	2	4	6	9	15	20	31
75-79	1245	7.5	41	2	4	6	9	14	18	36
80-84	1059	7.9	42	3	4	6	9	15	19	34
85 +	917	8.2	46	3	4	6	10	15	20	34
GRAND TOTAL	**5309**	**7.7**	**43**	**3**	**4**	**6**	**9**	**14**	**19**	**34**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
70-74	5	7.6	89	1	2	4	11	24	24	24
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	5.0	32	1	1	5	9	9	9	9
85 +	0									
B. Operated										
65-69 YRS	17	2.9	3	1	2	3	4	5	7	8
70-74	14	2.4	4	1	1	2	3	6	7	7
75-79	6	1.3		1	1	1	2	2	2	2
80-84	3	1.0		1	1	1	1	1	1	1
85 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	99	6.8	38	2	3	5	9	13	19	35
70-74	87	7.5	23	2	4	7	10	13	15	26
75-79	86	7.5	31	2	4	6	10	14	20	75
80-84	86	8.0	44	3	4	7	9	13	20	41
85 +	70	9.3	44	3	4	7	13	19	24	31
B. Operated										
65-69 YRS	239	9.0	77	2	3	7	13	18	24	40
70-74	217	11.3	100	2	4	9	16	24	27	59
75-79	182	10.7	86	2	4	8	15	25	34	99 +
80-84	78	11.2	93	3	5	8	16	24	33	86
85 +	39	15.3	136	3	9	11	25	31	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.5	44	< 1	1	4	6	15	23	24
B. Operated	42	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	428	7.8	36	2	4	6	10	15	19	32
B. Operated	755	10.6	92	2	4	8	15	24	30	62
1. SINGLE DX	53	3.0	12	1	1	2	3	6	8	24
2. MULTIPLE DX	1183	9.6	74	2	4	7	13	20	26	53
A. Not Operated	439	7.7	36	2	4	6	10	15	19	32
B. Operated	797	10.2	91	2	3	8	15	23	29	60
TOTAL										
65-69 YRS	357	8.1	65	2	3	6	11	17	21	39
70-74	323	9.8	80	2	3	8	13	21	25	55
75-79	276	9.5	70	2	4	7	13	22	31	99 +
80-84	169	9.3	69	2	4	7	11	19	26	52
85 +	111	11.3	84	3	5	9	15	25	30	74
GRAND TOTAL	**1236**	**9.3**	**73**	**2**	**4**	**7**	**12**	**20**	**26**	**52**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.8	6	2	2	3	4	8	8	8
70-74	4	4.0	2	2	3	4	5	5	5	5
75-79	3	8.7	14	6	6	7	11	13	13	13
80-84	3	8.3	86	2	2	4	15	19	19	19
85 +	4	10.3	48	4	5	8	15	20	20	20
B. Operated										
65-69 YRS	4	2.3	1	1	1	2	3	3	3	3
70-74	4	2.0	2	1	1	2	3	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	3.5	5	2	2	3	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	145	8.7	41	3	4	6	13	18	21	26
70-74	199	8.4	28	3	5	7	11	15	19	33
75-79	190	8.6	55	2	4	7	11	16	21	30
80-84	181	9.6	68	3	5	7	12	20	23	48
85 +	135	9.5	72	3	4	7	12	20	24	48
B. Operated										
65-69 YRS	164	10.3	86	2	4	8	13	21	26	56
70-74	169	14.3	185	2	5	10	18	32	51	95
75-79	117	15.2	200	3	5	10	21	36	48	61
80-84	50	15.0	125	3	5	15	20	33	40	42
85 +	27	19.5	116	8	11	16	28	36	39	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	6.7	29	2	3	5	8	17	20	20
B. Operated	11	2.3	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	850	8.9	52	3	4	7	11	18	22	41
B. Operated	527	13.6	153	2	5	10	18	31	39	61
1. SINGLE DX	30	5.1	23	1	2	4	6	11	19	20
2. MULTIPLE DX	1377	10.7	96	3	4	8	13	22	30	55
A. Not Operated	869	8.9	51	3	4	7	11	18	21	41
B. Operated	538	13.3	153	2	5	10	18	30	39	61
TOTAL										
65-69 YRS	318	9.4	65	2	4	7	13	19	23	40
70-74	376	10.9	108	3	5	8	13	23	32	72
75-79	311	11.0	119	3	4	7	14	24	35	55
80-84	236	10.7	84	3	5	8	14	22	29	46
85 +	166	11.1	91	3	5	8	14	22	31	47
GRAND TOTAL	**1407**	**10.6**	**95**	**3**	**4**	**8**	**13**	**22**	**30**	**55**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	141	6.4	8	3	4	7	8	10	11	13
70-74	130	6.6	7	3	5	7	8	9	10	15
75-79	102	6.5	8	2	5	6	8	10	12	55
80-84	91	6.7	13	3	5	7	8	10	12	23
85 +	58	7.0	8	4	5	6	8	11	13	15
B. Operated										
65-69 YRS	128	6.7	14	2	4	6	8	12	14	18
70-74	86	6.8	11	2	5	7	9	11	12	70
75-79	49	7.5	26	3	5	7	9	12	15	31
80-84	18	7.9	25	2	4	7	10	16	17	17
85 +	4	5.5	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3044	8.0	19	4	6	7	10	12	15	25
70-74	3465	8.5	21	4	6	8	10	13	16	27
75-79	3944	8.9	26	5	6	8	10	14	17	29
80-84	3574	9.3	29	5	6	8	11	15	19	30
85 +	3042	9.7	38	5	6	8	11	16	20	36
B. Operated										
65-69 YRS	3431	10.4	51	4	6	9	12	18	23	40
70-74	2882	11.4	65	5	7	9	14	20	26	45
75-79	1979	12.4	80	5	7	10	15	22	28	48
80-84	865	13.6	93	6	8	11	17	25	31	57
85 +	398	15.0	115	6	9	13	18	27	37	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	522	6.6	9	3	5	7	8	10	11	15
B. Operated	285	6.9	16	2	4	7	9	12	14	22
2. MULTIPLE DX										
A. Not Operated	17069	8.9	27	4	6	8	10	14	17	30
B. Operated	9555	11.6	69	5	7	9	14	21	26	47
1. SINGLE DX	807	6.7	11	3	5	7	8	10	12	18
2. MULTIPLE DX	26624	9.9	44	5	6	8	11	17	21	37
A. Not Operated	17591	8.8	26	4	6	8	10	14	17	30
B. Operated	9840	11.5	68	5	7	9	14	20	26	47
TOTAL										
65-69 YRS	6744	9.2	37	4	6	8	11	15	20	32
70-74	6563	9.7	42	4	6	8	11	16	21	38
75-79	6074	10.0	46	5	6	8	12	17	22	38
80-84	4548	10.1	44	5	6	8	12	17	22	36
85 +	3502	10.3	49	5	6	9	12	17	23	43
GRAND TOTAL	**27431**	**9.8**	**43**	**4**	**6**	**8**	**11**	**16**	**21**	**37**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	147	2.4	3	1	1	2	3	5	6	8
70-74	123	2.4	2	1	2	2	3	4	5	7
75-79	99	2.5	2	1	1	2	3	5	6	8
80-84	62	3.2	6	1	2	2	3	6	8	14
85 +	49	2.9	3	1	2	2	4	5	6	10
B. Operated										
65-69 YRS	69	2.6	4	1	1	2	3	5	7	9
70-74	52	2.4	8	1	1	2	2	4	6	20
75-79	27	3.0	9	1	1	1	4	8	11	11
80-84	4	2.0	2	1	1	2	3	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2265	3.5	7	1	2	3	4	6	8	13
70-74	2455	3.5	6	1	2	3	4	6	8	14
75-79	2389	3.9	10	1	2	3	5	7	9	16
80-84	1824	4.0	9	2	2	3	5	7	9	16
85 +	1610	4.2	11	1	2	3	5	7	10	18
B. Operated										
65-69 YRS	1432	4.4	20	1	1	3	6	10	13	22
70-74	1085	5.1	26	1	2	4	7	11	14	22
75-79	670	5.8	51	1	2	4	8	12	16	33
80-84	274	6.5	35	1	2	5	9	13	17	27
85 +	97	9.5	57	3	4	7	12	21	26	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	480	2.6	3	1	1	2	3	5	6	9
B. Operated	153	2.6	6	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	10543	3.8	8	1	2	3	5	7	9	15
B. Operated	3558	5.2	31	1	2	3	7	11	14	26
1. SINGLE DX	633	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	14101	4.1	14	1	2	3	5	8	11	19
A. Not Operated	11023	3.7	8	1	2	3	5	7	9	15
B. Operated	3711	5.1	30	1	2	3	7	11	14	26
TOTAL										
65-69 YRS	3913	3.8	12	1	2	3	5	8	10	17
70-74	3715	4.0	12	1	2	3	5	8	11	18
75-79	3185	4.3	19	1	2	3	5	8	10	22
80-84	2164	4.3	13	2	2	3	5	8	11	19
85 +	1757	4.4	15	1	2	3	5	8	11	21
GRAND TOTAL	**14734**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**19**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	272	3.1	4	1	2	3	4	6	7	11
70-74	226	3.2	4	1	2	3	4	5	7	11
75-79	206	3.0	3	1	2	2	4	5	6	9
80-84	163	3.4	6	2	2	3	4	6	7	16
85 +	109	3.3	4	1	2	3	4	7	9	10
B. Operated										
65-69 YRS	207	4.3	10	1	2	3	6	8	10	14
70-74	169	4.3	11	1	2	3	6	9	11	16
75-79	98	4.4	15	1	2	3	6	10	13	20
80-84	45	5.2	23	1	2	3	7	14	15	19
85 +	11	4.9	14	1	2	4	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4813	4.3	9	2	2	4	5	8	9	16
70-74	5108	4.5	12	2	3	4	5	8	10	16
75-79	5233	4.7	13	2	3	4	6	8	11	18
80-84	4407	4.9	13	2	3	4	6	9	11	19
85 +	3302	5.1	20	2	3	4	6	9	12	20
B. Operated										
65-69 YRS	5256	7.3	47	2	3	6	9	14	18	34
70-74	4304	7.9	48	2	3	6	10	16	20	35
75-79	3037	8.7	59	2	4	7	11	17	22	40
80-84	1290	9.1	57	2	4	7	12	17	23	38
85 +	391	9.8	97	3	4	8	11	18	26	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	976	3.2	4	1	2	3	4	5	7	11
B. Operated	530	4.4	12	1	2	3	6	9	12	16
2. MULTIPLE DX										
A. Not Operated	22863	4.7	13	2	3	4	6	8	10	18
B. Operated	14278	8.0	52	2	3	6	10	15	20	37
1. SINGLE DX	1506	3.6	7	1	2	3	4	7	9	15
2. MULTIPLE DX	37141	6.0	31	2	3	4	7	12	15	28
A. Not Operated	23839	4.6	13	2	3	4	6	8	10	18
B. Operated	14808	7.9	51	2	3	6	10	15	20	36
TOTAL										
65-69 YRS	10548	5.8	30	2	3	4	7	11	15	28
70-74	9807	5.9	31	2	3	4	7	12	16	28
75-79	8574	6.1	33	2	3	4	7	12	16	29
80-84	5905	5.8	26	2	3	4	7	11	15	27
85 +	3813	5.6	30	2	3	4	7	10	13	25
GRAND TOTAL	**38647**	**5.9**	**30**	**2**	**3**	**4**	**7**	**11**	**15**	**28**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	5.3	57	< 1	1	2	4	16	23	26
70-74	10	6.0	57	1	1	3	5	19	24	24
75-79	7	1.7	1	1	1	1	2	4	4	4
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	552	3.5	15	1	1	2	4	9	11	16
70-74	371	3.6	17	1	1	2	5	9	12	16
75-79	176	4.0	22	1	1	2	5	10	13	24
80-84	57	4.8	33	1	1	2	8	13	16	29
85 +	6	4.3	17	1	1	4	6	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	386	4.1	22	1	2	3	5	7	10	33
70-74	380	4.2	20	1	2	3	5	8	11	21
75-79	333	4.7	17	1	2	4	6	10	12	26
80-84	271	5.2	16	2	3	4	6	9	15	20
85 +	232	5.5	25	2	3	4	7	10	13	17
B. Operated										
65-69 YRS	7097	7.1	50	1	2	6	10	14	18	34
70-74	5581	7.8	65	1	2	7	10	16	21	43
75-79	3126	8.7	81	1	2	7	12	18	23	51
80-84	886	8.6	70	1	2	7	12	18	23	36
85 +	181	9.1	78	1	3	7	11	18	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.7	43	1	1	2	5	15	22	26
B. Operated	1162	3.7	18	1	1	2	5	9	12	18
2. MULTIPLE DX										
A. Not Operated	1602	4.6	20	1	2	4	6	9	12	23
B. Operated	16871	7.7	63	1	2	7	10	16	20	39
1. SINGLE DX	1196	3.7	18	1	1	2	5	9	12	19
2. MULTIPLE DX	18473	7.5	60	1	2	6	10	15	20	39
A. Not Operated	1636	4.6	21	1	2	4	6	9	12	24
B. Operated	18033	7.5	61	1	2	6	10	15	20	39
TOTAL										
65-69 YRS	8050	6.7	48	1	2	5	9	14	17	34
70-74	6342	7.3	61	1	2	6	10	15	20	41
75-79	3642	8.1	74	1	2	6	11	17	22	44
80-84	1215	7.7	58	1	2	5	11	16	21	34
85 +	420	7.0	51	2	3	5	9	14	18	36
GRAND TOTAL	**19669**	**7.2**	**58**	**1**	**2**	**5**	**10**	**15**	**19**	**38**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	6.7	7	4	5	7	8	11	11	11
70-74	28	7.0	7	3	6	7	9	10	11	11
75-79	17	6.5	9	2	5	6	8	11	12	12
80-84	10	8.9	9	5	6	9	11	13	13	13
85 +	4	6.5	10	4	4	5	8	11	11	11
B. Operated										
65-69 YRS	5	7.2	14	1	5	8	9	11	11	11
70-74	3	8.0	4	6	6	8	9	10	10	10
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	535	9.8	36	6	7	9	12	15	18	25
70-74	596	9.5	20	5	7	8	11	15	17	29
75-79	571	10.1	25	6	7	9	12	16	20	32
80-84	425	10.9	49	6	7	9	12	17	23	41
85 +	344	10.3	22	6	7	9	12	17	19	27
B. Operated										
65-69 YRS	227	13.4	81	6	8	11	16	23	31	63
70-74	195	13.4	85	6	8	11	16	23	30	72
75-79	202	14.1	88	6	8	11	16	25	35	50
80-84	95	14.3	92	7	9	12	17	24	32	58
85 +	80	13.6	58	6	9	12	18	23	34	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	7.0	8	4	6	7	9	11	11	13
B. Operated	10	7.4	7	3	7	8	9	10	11	11
2. MULTIPLE DX										
A. Not Operated	2471	10.0	30	6	7	9	12	15	19	31
B. Operated	799	13.7	82	6	8	11	17	23	32	61
1. SINGLE DX	93	7.0	8	4	6	7	9	11	11	13
2. MULTIPLE DX	3270	10.9	45	6	7	9	13	18	22	39
A. Not Operated	2554	9.9	30	6	7	9	11	15	19	31
B. Operated	809	13.6	82	6	8	11	16	23	32	61
TOTAL										
65-69 YRS	791	10.7	51	6	7	9	12	17	21	46
70-74	822	10.3	38	6	7	9	12	17	21	35
75-79	791	11.0	44	6	7	9	13	18	23	44
80-84	531	11.4	58	6	7	10	13	18	25	41
85 +	428	10.9	30	6	7	10	13	18	21	36
GRAND TOTAL	**3363**	**10.8**	**45**	**6**	**7**	**9**	**12**	**18**	**22**	**39**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	33.5	613	16	16	33	51	51	51	51
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	30.0		30	30	30	30	30	30	30
70-74	0									
75-79	1	22.0		22	22	22	22	22	22	22
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	49	17.1	97	7	9	16	24	29	38	42
70-74	45	20.4	216	7	9	17	28	41	44	76
75-79	46	20.6	133	8	12	18	30	35	40	52
80-84	36	23.9	159	9	14	19	35	44	45	47
85 +	48	22.0	176	7	9	19	33	40	45	51
B. Operated										
65-69 YRS	56	28.7	305	8	16	26	41	50	57	89
70-74	46	25.6	297	7	14	19	37	46	57	83
75-79	42	26.8	227	9	13	27	36	46	61	99 +
80-84	37	29.1	293	13	17	25	40	44	66	84
85 +	23	26.4	168	9	15	28	39	42	45	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	23.0	637	2	5	16	42	51	51	51
B. Operated	2	26.0	32	22	22	26	30	30	30	30
2. MULTIPLE DX										
A. Not Operated	224	20.6	157	7	10	18	30	40	43	51
B. Operated	204	27.4	266	9	15	25	38	46	56	87
1. SINGLE DX	5	24.2	329	2	12	22	35	51	51	51
2. MULTIPLE DX	428	23.9	220	8	12	20	34	43	47	79
A. Not Operated	227	20.6	161	7	10	18	30	40	43	51
B. Operated	206	27.4	264	9	15	25	38	46	56	87
TOTAL										
65-69 YRS	107	23.1	240	7	11	19	33	43	51	76
70-74	93	23.2	264	7	11	18	32	45	51	80
75-79	89	23.5	183	8	12	22	33	43	52	87
80-84	73	26.5	231	11	15	22	36	44	45	83
85 +	71	23.4	175	8	10	20	36	41	45	50
GRAND TOTAL	**433**	**23.9**	**221**	**8**	**12**	**20**	**34**	**43**	**48**	**79**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	2.1	2	1	1	2	3	4	5	7
70-74	16	2.3	3	1	1	2	3	4	7	8
75-79	11	3.4	2	1	2	3	4	5	6	6
80-84	8	2.4	2	< 1	< 1	2	4	4	4	4
85 +	4	3.5	2	2	2	3	4	5	5	5
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	318	3.7	8	1	2	3	5	7	9	14
70-74	351	4.0	9	1	2	3	5	8	12	15
75-79	339	4.4	18	1	2	4	5	8	10	19
80-84	221	4.5	11	1	2	4	6	9	11	18
85 +	192	6.0	89	2	3	4	7	10	15	62
B. Operated										
65-69 YRS	40	7.4	59	2	2	5	9	19	25	34
70-74	44	9.4	83	2	3	6	11	22	31	40
75-79	33	11.6	281	3	4	7	9	31	47	83
80-84	20	12.0	286	3	5	8	12	14	48	82
85 +	15	10.6	67	3	5	8	16	22	28	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	2.5	2	1	1	2	3	4	5	8
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1421	4.4	22	1	2	3	5	8	11	18
B. Operated	152	9.8	144	2	3	6	11	21	30	81
1. SINGLE DX	68	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1573	4.9	37	1	2	3	6	9	12	29
A. Not Operated	1487	4.3	22	1	2	3	5	8	11	18
B. Operated	154	9.7	143	2	3	6	11	21	30	81
TOTAL										
65-69 YRS	386	4.0	14	1	2	3	5	7	11	21
70-74	411	4.5	20	1	2	3	5	9	13	29
75-79	384	5.0	43	2	2	4	5	8	11	41
80-84	249	5.0	37	1	2	4	6	10	12	19
85 +	211	6.2	87	2	3	4	7	11	17	53
GRAND TOTAL	**1641**	**4.8**	**35**	**1**	**2**	**3**	**6**	**9**	**12**	**28**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	203	2.5	5	1	1	2	3	5	7	11
70-74	172	2.3	4	< 1	1	2	3	4	5	12
75-79	151	2.6	5	1	1	2	3	5	7	11
80-84	55	2.9	4	1	2	2	4	5	8	10
85 +	65	3.3	5	1	2	3	4	6	6	14
B. Operated										
65-69 YRS	9	3.7	8	< 1	1	2	6	7	7	7
70-74	4	2.3	4	1	1	2	3	5	5	5
75-79	4	2.8	4	1	1	3	4	5	5	5
80-84	3	2.3	1	1	1	3	3	3	3	3
85 +	3	6.7	22	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2845	4.2	15	1	2	3	5	8	11	19
70-74	3243	4.5	14	1	2	3	6	9	11	20
75-79	3224	4.9	20	1	2	4	6	9	12	21
80-84	2436	5.3	18	2	3	4	7	10	13	20
85 +	1997	5.9	30	2	3	4	7	11	15	25
B. Operated										
65-69 YRS	412	8.4	60	2	4	6	10	16	22	39
70-74	407	9.6	95	2	4	7	12	19	27	58
75-79	383	9.7	78	2	4	7	13	20	25	50
80-84	288	10.6	78	3	5	9	13	21	27	56
85 +	231	12.2	130	3	5	9	15	26	37	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	646	2.6	5	1	1	2	3	5	6	11
B. Operated	23	3.5	8	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	13745	4.9	19	1	2	4	6	9	12	21
B. Operated	1721	9.9	86	2	4	7	12	20	27	54
1. SINGLE DX	669	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	15466	5.4	29	1	2	4	7	11	14	27
A. Not Operated	14391	4.8	18	1	2	4	6	9	12	21
B. Operated	1744	9.8	85	2	4	7	12	19	27	54
TOTAL										
65-69 YRS	3469	4.6	22	1	2	3	6	9	12	24
70-74	3826	4.9	25	1	2	4	6	10	13	25
75-79	3762	5.3	27	1	2	4	6	10	14	26
80-84	2782	5.8	26	2	3	4	7	11	15	25
85 +	2296	6.5	43	2	3	5	8	13	17	35
GRAND TOTAL	**16135**	**5.3**	**28**	**1**	**2**	**4**	**7**	**10**	**14**	**26**

155. Other arrhythmias and conduction disorders (426, 427.1-427.2, 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	108	2.1	2	1	1	2	3	5	5	[illegible]
70-74	88	2.7	2	1	1	2	4	5	7	10
75-79	77	2.6	2	1	1	2	3	5	6	[illegible]
80-84	56	2.9	[illegible]	1	1	3	4	6	9	22
85 +	48	3.3	[illegible]	1	1	3	5	7	11	16
B. Operated										
65-69 YRS	87	3.3	3	1	2	2	4	7	8	8
70-74	92	3.6	5	1	2	3	4	7	8	13
75-79	100	3.1	4	1	2	3	4	6	8	9
80-84	87	3.1	3	1	1	3	3	7	8	11
85 +	84	3.5	5	1	2	3	4	7	8	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2215	4.8	15	1	2	3	5	8	11	18
70-74	2513	4.9	18	2	2	4	6	9	12	21
75-79	2500	5.2	23	2	3	4	6	9	13	23
80-84	2076	5.3	17	2	3	4	7	10	13	22
85 +	1775	5.8	28	2	3	4	7	11	15	24
B. Operated										
65-69 YRS	1525	6.5	65	2	3	5	10	17	24	42
70-74	1750	7.9	58	2	3	6	10	16	21	38
75-79	1548	7.9	55	2	3	6	10	16	22	37
80-84	1665	7.7	48	2	4	6	10	14	19	37
85 +	1574	8.5	54	2	4	6	10	15	21	37
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	361	3.5	7	1	1	2	4	6	7	13
B. Operated	430	3.4	8	1	2	3	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	11097	5.1	19	2	3	4	6	10	12	22
B. Operated	8519	7.9	56	2	3	6	10	16	21	38
1. SINGLE DX	800	3.2	7	1	2	3	4	6	8	15
2. MULTIPLE DX	19607	6.3	37	2	3	5	8	12	17	30
A. Not Operated	11458	5.0	19	2	2	4	6	9	12	22
B. Operated	8949	7.7	55	2	3	6	9	15	21	37
TOTAL										
65-69 YRS	3941	5.7	37	1	2	4	7	11	16	30
70-74	4497	6.0	36	2	3	4	7	12	16	31
75-79	4636	6.2	38	2	3	5	7	12	17	32
80-84	3881	6.3	32	2	3	5	8	12	16	28
85 +	3452	6.6	39	2	3	5	8	11	17	30
GRAND TOTAL	**20407**	**6.2**	**36**	**2**	**3**	**5**	**8**	**12**	**16**	**30**

156. Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	72	4.1	7	1	2	3	5	8	9	12
70-74	124	4.6	12	1	2	4	5	8	11	18
75-79	135	4.4	11	1	2	3	5	8	11	17
80-84	125	5.0	18	2	3	4	7	12	15	20
85 +	159	4.5	12	2	3	4	6	8	12	23
B. Operated										
65-69 YRS	3	5.1	13	1	2	4	8	12	14	14
70-74	7	4.3	11	1	1	3	7	11	12	12
75-79	5	6.0	13	4	4	5	8	12	12	12
80-84	5	6.0	30	1	2	5	12	12	12	12
85 +	5	16.3	104	11	12	14	25	30	30	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8333	6.8	28	2	4	6	8	12	16	27
70-74	10075	6.9	30	2	4	6	8	13	16	27
75-79	11729	7.2	31	3	4	6	9	13	17	28
80-84	10903	7.6	33	3	4	6	9	14	18	31
85 +	12326	7.8	41	2	4	6	9	14	19	35
B. Operated										
65-69 YRS	1625	11.8	105	3	5	9	15	23	32	52
70-74	1815	12.4	105	3	6	10	15	25	32	57
75-79	1653	13.2	119	4	7	10	16	26	34	61
80-84	1159	13.5	91	5	7	12	17	26	32	63
85 +	1006	15.2	131	5	8	13	19	27	37	78
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	615	4.8	13	1	2	4	6	9	12	20
B. Operated	25	6.8	42	1	2	4	10	14	18	30
2. MULTIPLE DX										
A. Not Operated	53366	7.3	34	3	4	6	9	13	17	30
B. Operated	7266	13.0	111	4	6	10	17	26	33	61
1. SINGLE DX	640	4.9	14	1	2	4	6	10	12	21
2. MULTIPLE DX	60632	8.0	47	3	4	6	10	15	20	36
A. Not Operated	53981	7.3	34	3	4	6	9	13	17	30
B. Operated	7291	13.0	111	4	6	10	17	26	33	60
TOTAL										
65-69 YRS	10033	7.6	44	3	4	6	9	14	19	34
70-74	12021	7.7	45	3	4	6	9	15	19	35
75-79	13522	8.0	46	3	4	6	10	15	20	35
80-84	12192	8.2	47	3	4	6	10	15	20	36
85 +	13504	8.3	52	3	4	6	10	16	21	39
GRAND TOTAL	**61272**	**8.0**	**47**	**3**	**4**	**6**	**10**	**15**	**20**	**36**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.0	3	2	3	4	5	6	6	6
70-74	5	7.2	10	4	5	7	9	12	12	12
75-79	1	9.0		9	9	9	9	9	9	9
80-84	3	4.0	3	2	3	5	5	5	5	5
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	11	1.0		< 1	1	1	1	1	1	1
70-74	12	2.5	6	1	1	2	2	6	9	10
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	310	7.9	41	2	4	6	10	16	22	32
70-74	268	8.0	30	3	4	6	11	16	19	26
75-79	259	7.0	18	3	4	6	9	13	15	22
80-84	182	7.7	38	2	4	6	9	16	20	35
85 +	135	7.3	32	2	4	6	9	15	20	42
B. Operated										
65-69 YRS	207	9.0	123	1	2	6	11	24	31	69
70-74	152	6.7	60	1	1	4	9	15	20	44
75-79	98	8.6	87	1	2	7	10	20	29	46
80-84	25	9.2	62	2	4	7	13	15	24	39
85 +	13	15.9	265	1	4	11	20	40	54	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.5	7	2	4	5	7	9	11	12
B. Operated	26	2.0	4	1	1	1	2	4	7	10
2. MULTIPLE DX										
A. Not Operated	1154	7.6	32	2	4	6	10	15	19	30
B. Operated	495	8.4	99	1	2	6	10	19	29	48
1. SINGLE DX	41	3.3	8	1	1	2	5	7	9	12
2. MULTIPLE DX	1649	7.9	52	2	3	6	10	15	22	36
A. Not Operated	1169	7.6	32	2	4	6	10	15	19	30
B. Operated	521	8.1	96	1	2	6	10	18	28	48
TOTAL										
65-69 YRS	533	8.2	73	1	3	6	10	18	27	41
70-74	437	7.4	41	1	3	6	10	16	20	32
75-79	359	7.4	37	2	4	6	9	14	16	33
80-84	211	7.8	40	2	4	6	10	15	19	36
85 +	150	8.1	56	2	4	6	10	17	25	57
GRAND TOTAL	**1690**	**7.8**	**52**	**2**	**3**	**6**	**10**	**15**	**22**	**36**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	2.0	1	1	1	2	3	3	4	5
70-74	14	3.4	13	1	1	2	4	7	13	15
75-79	16	2.5	3	1	1	2	4	4	6	7
80-84	5	5.0	17	2	3	3	7	12	12	12
85 +	5	3.6	2	2	3	3	5	5	5	5
B. Operated										
65-69 YRS	75	5.0	24	1	1	2	9	13	15	17
70-74	45	4.5	20	1	1	2	8	12	14	15
75-79	38	4.6	26	1	1	2	7	12	15	20
80-84	14	6.3	30	1	1	4	10	12	17	19
85 +	4	6.3	30	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	517	5.6	19	2	3	4	7	11	15	23
70-74	493	6.2	39	2	3	5	7	11	15	28
75-79	478	6.4	44	2	3	5	8	11	16	32
80-84	311	6.0	25	2	3	4	8	12	17	25
85 +	233	7.2	69	2	3	5	8	13	19	38
B. Operated										
65-69 YRS	964	10.0	80	1	3	9	13	19	25	51
70-74	956	11.5	115	1	4	9	15	23	31	62
75-79	761	12.0	105	1	5	10	16	23	30	59
80-84	415	12.7	127	2	4	10	17	26	33	67
85 +	158	12.6	167	2	4	9	14	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.8	6	1	1	2	3	5	6	15
B. Operated	176	4.9	24	1	1	2	9	12	15	18
2. MULTIPLE DX										
A. Not Operated	2032	6.2	37	2	3	5	8	12	16	26
B. Operated	3254	11.4	107	1	4	9	15	23	30	59
1. SINGLE DX	241	4.3	20	1	1	2	7	11	14	17
2. MULTIPLE DX	5286	9.4	86	2	3	7	12	19	25	50
A. Not Operated	2097	6.1	36	2	3	5	7	12	16	26
B. Operated	3430	11.0	105	1	4	9	14	23	29	58
TOTAL										
65-69 YRS	1581	8.2	61	1	2	7	11	17	23	40
70-74	1508	9.5	93	1	3	7	12	19	26	54
75-79	1293	9.6	88	1	3	8	13	20	25	49
80-84	745	9.8	93	2	3	7	13	21	26	48
85 +	400	9.3	113	2	3	6	11	19	27	63
GRAND TOTAL	**5527**	**9.2**	**84**	**1**	**3**	**7**	**12**	**19**	**25**	**49**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
65-69 YRS	3	10.3	16	6	7	11	13	14	14	14
70-74	3	9.7	34	3	5	12	13	14	14	14
75-79	0									
80-84	1	24.0		24	24	24	24	24	24	24
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	12.2	123	2	4	9	16	33	35	35
70-74	8	16.4	82	5	8	16	24	28	29	29
75-79	16	13.1	68	4	8	13	18	30	76	99 +
80-84	16	12.9	48	4	7	13	17	21	26	28
85 +	30	14.2	170	4	8	12	18	22	28	75
B. Operated										
65-69 YRS	96	23.6	254	6	13	21	29	50	62	99 +
70-74	60	28.4	407	11	14	26	37	65	98	99 +
75-79	33	32.5	559	8	16	29	49	89	97	99 +
80-84	20	25.8	271	6	12	24	36	51	57	61
85 +	4	20.5	134	9	12	26	50	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.7	12	2	3	6	8	9	9	9
B. Operated	7	12.0	45	4	7	12	14	22	24	24
2. MULTIPLE DX										
A. Not Operated	83	13.6	108	4	7	12	17	28	32	91
B. Operated	213	26.5	349	8	14	22	36	57	90	99 +
1. SINGLE DX	10	10.1	42	2	6	10	14	19	24	24
2. MULTIPLE DX	296	22.9	314	6	11	19	31	52	83	99 +
A. Not Operated	86	13.4	106	4	6	12	17	27	31	91
B. Operated	220	26.0	345	8	13	22	35	56	89	99 +
TOTAL										
65-69 YRS	112	21.9	248	5	10	19	27	47	61	99 +
70-74	72	25.9	382	8	13	21	35	54	96	99 +
75-79	49	26.1	478	7	10	20	39	85	99	99 +
80-84	38	19.8	204	5	10	16	28	38	51	61
85 +	35	14.8	162	4	9	12	18	28	63	99 +
GRAND TOTAL	**306**	**22.5**	**310**	**6**	**10**	**18**	**30**	**51**	**81**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	11.0	13	7	8	12	13	14	14	14
75-79	2	22.5	25	19	19	22	26	26	26	26
80-84	3	27.0	91	17	20	28	34	36	36	36
85 +	4	20.0	120	12	13	16	27	36	36	36
B. Operated										
65-69 YRS	9	41.1	841	17	24	42	97	99 +	99 +	99 +
70-74	6	28.8	586	6	9	21	46	67	69	69
75-79	4	41.3	500	15	25	40	57	69	69	69
80-84	1	24.0		24	24	24	24	24	24	24
85 +	1	56.0		56	56	56	56	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	12	19.9	90	10	13	17	27	36	36	36
B. Operated	21	37.5	615	9	22	36	69	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	33	31.1	490	9	16	25	46	93	99 +	99 +
A. Not Operated	12	19.9	90	10	13	17	27	36	36	36
B. Operated	21	37.5	615	9	22	36	69	99 +	99 +	99 +
TOTAL										
65-69 YRS	9	41.1	841	17	24	42	97	99 +	99 +	99 +
70-74	9	22.9	449	6	8	14	28	60	69	69
75-79	6	35.0	399	15	19	31	45	67	69	69
80-84	4	26.3	63	17	20	26	32	36	36	36
85 +	5	27.2	349	12	13	18	41	56	56	56
GRAND TOTAL	**33**	**31.1**	**490**	**9**	**16**	**25**	**46**	**93**	**99 +**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	4.8	13	1	1	5	7	10	11	12
70-74	17	6.1	30	< 1	2	5	8	12	18	22
75-79	19	6.2	14	1	4	5	10	11	12	12
80-84	15	4.5	18	1	1	3	5	11	14	15
85 +	10	7.8	26	2	3	7	13	14	14	14
B. Operated										
65-69 YRS	29	7.3	24	4	4	6	8	13	19	25
70-74	28	9.7	69	4	5	6	12	20	23	41
75-79	22	9.3	21	4	6	9	12	17	18	18
80-84	14	7.4	8	4	6	7	8	12	13	13
85 +	11	10.5	52	5	6	8	12	20	29	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	180	11.9	135	3	6	9	14	22	38	49
70-74	303	11.2	87	3	5	9	14	23	32	59
75-79	338	11.2	121	3	5	8	14	22	34	70
80-84	267	11.1	113	3	5	9	14	21	29	99 +
85 +	265	11.9	120	4	6	9	14	21	31	64
B. Operated										
65-69 YRS	183	19.5	309	6	8	13	27	44	58	98
70-74	209	17.8	210	5	8	14	23	37	51	97
75-79	192	18.1	209	6	8	14	24	45	60	99 +
80-84	157	15.8	129	6	8	13	22	35	58	99 +
85 +	117	18.3	182	8	10	15	22	33	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	5.7	20	1	2	5	9	12	13	20
B. Operated	104	8.7	36	4	5	7	11	17	20	35
2. MULTIPLE DX										
A. Not Operated	1353	11.4	113	3	5	9	14	22	32	70
B. Operated	858	17.9	213	6	8	14	23	39	56	99 +
1. SINGLE DX	181	7.4	31	2	4	6	10	14	18	28
2. MULTIPLE DX	2211	14.0	162	4	6	10	17	30	44	99 +
A. Not Operated	1430	11.1	110	3	5	8	14	21	32	70
B. Operated	962	16.9	202	5	8	13	22	37	52	99 +
TOTAL										
65-69 YRS	408	14.7	222	4	6	10	16	34	47	95
70-74	557	13.4	142	4	6	10	18	29	39	76
75-79	571	13.3	156	3	6	9	16	28	46	99 +
80-84	453	12.4	120	3	6	10	16	25	40	99 +
85 +	403	13.7	142	4	7	10	16	28	37	81
GRAND TOTAL	**2392**	**13.5**	**155**	**4**	**6**	**10**	**17**	**29**	**42**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	99	13.2	108	4	6	11	15	26	31	57
70-74	117	13.6	158	4	6	9	15	29	43	63
75-79	131	14.8	183	4	7	11	13	30	41	93
80-84	129	14.3	123	4	7	12	16	27	35	72
85 +	112	14.0	150	4	7	10	17	30	33	71
B. Operated										
65-69 YRS	38	20.3	219	8	11	15	30	46	89	99 +
70-74	50	20.7	212	8	11	15	26	41	55	71
75-79	65	21.8	237	9	11	16	28	43	50	87
80-84	45	20.5	167	9	12	19	25	30	49	71
85 +	25	14.9	118	5	6	12	24	28	34	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	588	14.0	145	4	7	11	17	28	38	69
B. Operated	223	20.3	201	8	11	16	25	41	51	95
1. SINGLE DX	0									
2. MULTIPLE DX	811	15.7	168	5	8	12	20	31	44	78
A. Not Operated	588	14.0	145	4	7	11	17	28	38	69
B. Operated	223	20.3	201	8	11	16	25	41	51	95
TOTAL										
65-69 YRS	137	15.1	148	4	8	12	19	31	42	99 +
70-74	167	15.7	184	5	7	11	19	36	45	67
75-79	196	17.1	211	5	9	13	21	36	46	93
80-84	174	15.9	141	5	8	13	20	28	44	69
85 +	137	14.1	143	4	7	10	17	29	32	68
GRAND TOTAL	**811**	**15.7**	**168**	**5**	**8**	**12**	**20**	**31**	**44**	**78**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	2.1	2	1	1	2	2	4	6	6
70-74	5	5.2	4	3	3	6	7	7	7	7
75-79	8	2.3	3	1	1	2	3	5	5	5
80-84	7	5.1	26	< 1	2	4	6	14	16	16
85 +	5	3.4	1	2	3	4	4	4	4	4
B. Operated										
65-69 YRS	280	3.3	3	1	2	3	4	5	6	9
70-74	259	3.9	10	1	2	4	5	6	8	12
75-79	201	3.7	5	1	2	3	4	7	8	12
80-84	95	4.0	7	2	3	4	5	6	8	17
85 +	23	5.0	14	2	3	4	6	12	13	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	174	5.4	17	1	3	5	7	10	13	22
70-74	202	5.4	16	1	2	5	7	10	13	18
75-79	199	5.7	20	2	3	5	7	10	12	22
80-84	182	6.0	32	2	3	5	7	11	14	35
85 +	131	6.4	18	2	3	6	8	12	13	23
B. Operated										
65-69 YRS	1917	5.4	23	2	3	4	6	10	13	22
70-74	1978	5.8	27	2	3	4	7	11	14	25
75-79	1599	6.1	23	2	3	5	7	12	15	24
80-84	730	6.7	37	2	4	5	8	13	16	28
85 +	247	6.9	28	2	4	5	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.4	8	1	1	3	4	6	7	16
B. Operated	858	3.7	6	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	888	5.7	21	2	3	5	7	10	13	22
B. Operated	6471	5.9	26	2	3	4	7	11	15	24
1. SINGLE DX	893	3.7	6	1	2	3	4	6	8	13
2. MULTIPLE DX	7359	5.9	25	2	3	5	7	11	14	24
A. Not Operated	923	5.6	20	2	3	5	7	10	13	22
B. Operated	7329	5.6	24	2	3	4	7	11	14	24
TOTAL										
65-69 YRS	2381	5.1	20	2	3	4	6	10	13	21
70-74	2444	5.6	24	2	3	4	7	11	14	24
75-79	2007	5.8	22	2	3	4	7	11	15	23
80-84	1014	6.3	34	2	3	5	7	12	15	29
85 +	406	6.6	24	2	3	5	8	13	16	25
GRAND TOTAL	**8252**	**5.6**	**24**	**2**	**3**	**4**	**7**	**11**	**14**	**24**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	32	8.1	23	3	5	7	10	15	17	23
70-74	35	6.9	19	2	4	6	10	14	18	99 +
75-79	28	11.7	116	3	5	8	16	24	42	46
80-84	16	10.1	99	4	5	7	11	45	36	45
85 +	15	9.2	54	4	4	7	11	16	28	32
B. Operated										
65-69 YRS	105	11.3	166	3	5	8	13	20	26	77
70-74	94	9.8	127	3	4	6	12	17	30	72
75-79	93	10.5	127	2	4	8	13	19	31	67
80-84	28	14.8	120	3	7	12	17	34	41	41
85 +	12	10.8	68	2	3	10	14	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	126	9.0	57	3	5	7	11	17	23	58
B. Operated	332	10.9	137	3	4	8	13	20	31	76
1. SINGLE DX	0									
2. MULTIPLE DX	458	10.4	116	3	4	7	13	19	30	76
A. Not Operated	126	9.0	57	3	5	7	11	17	23	58
B. Operated	332	10.9	137	3	4	8	13	20	31	76
TOTAL										
65-69 YRS	137	10.6	134	3	5	7	13	19	25	76
70-74	129	9.0	99	3	4	6	12	16	27	81
75-79	121	10.8	124	3	4	8	13	20	31	58
80-84	44	13.1	115	4	6	11	15	34	41	45
85 +	27	9.9	58	3	4	8	12	23	27	32
GRAND TOTAL	**458**	**10.4**	**116**	**3**	**4**	**7**	**13**	**19**	**30**	**76**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	77	6.2	67	2	3	4	7	10	15	56
70-74	80	6.2	50	2	3	5	7	10	15	45
75-79	92	6.6	30	2	3	5	8	11	17	33
80-84	65	6.6	29	2	3	5	8	12	16	33
85 +	66	6.5	21	2	3	5	8	12	16	22
B. Operated										
65-69 YRS	13	12.1	202	2	2	8	14	35	46	48
70-74	7	10.1	95	1	4	7	13	27	30	30
75-79	7	11.9	78	3	5	8	18	25	27	27
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	4	30.5	1324	5	6	17	55	83	83	83
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2080	8.0	49	3	4	6	10	15	19	38
70-74	2625	8.7	58	3	4	7	10	16	22	44
75-79	2975	9.0	63	3	4	7	11	17	23	47
80-84	2752	9.5	76	3	5	7	11	18	24	60
85 +	2620	10.1	87	3	5	8	12	19	26	54
B. Operated										
65-69 YRS	393	14.0	178	4	6	10	17	33	49	39 +
70-74	479	15.7	184	5	7	12	20	36	51	99 +
75-79	484	18.9	268	6	9	14	24	43	61	99 +
80-84	351	20.1	228	7	10	16	26	45	59	99 +
85 +	304	22.7	276	7	12	18	29	46	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	380	6.4	40	2	3	5	8	11	16	36
B. Operated	33	13.3	280	2	3	7	16	30	46	83
2. MULTIPLE DX										
A. Not Operated	13052	9.1	68	3	4	7	11	17	23	49
B. Operated	2011	18.0	233	5	8	14	23	41	58	99 +
1. SINGLE DX	413	7.0	62	2	3	5	8	12	18	43
2. MULTIPLE DX	15063	10.3	99	3	5	7	12	20	29	65
A. Not Operated	13432	9.0	67	3	4	7	11	17	23	48
B. Operated	2044	17.9	234	5	8	14	23	41	58	99 +
TOTAL										
65-69 YRS	2563	8.9	75	3	4	7	11	17	25	56
70-74	3191	9.7	83	3	5	7	12	19	28	59
75-79	3558	10.3	101	3	5	7	12	21	28	71
80-84	3170	10.6	103	3	5	8	13	21	30	68
85 +	2994	11.3	121	3	5	8	13	22	32	64
GRAND TOTAL	**15476**	**10.2**	**98**	**3**	**5**	**7**	**12**	**20**	**28**	**65**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1055	10.5	81	3	5	8	12	20	27	59
70-74	1296	10.8	78	4	6	8	13	20	28	61
75-79	1446	10.8	67	4	6	9	14	20	26	47
80-84	1378	11.4	92	4	6	9	14	21	28	64
85 +	1264	11.1	82	4	6	9	13	20	29	57
B. Operated										
65-69 YRS	179	19.2	244	6	9	14	25	43	60	99 +
70-74	205	18.3	182	6	9	14	25	40	62	99 +
75-79	236	19.5	213	7	11	15	25	44	61	99 +
80-84	215	23.4	350	7	12	19	29	60	91	99 +
85 +	202	21.3	287	8	12	16	25	43	73	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6439	11.0	80	4	6	9	13	21	28	57
B. Operated	1037	20.4	257	7	10	16	26	47	71	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	7476	12.3	115	4	6	9	15	24	35	81
A. Not Operated	6439	11.0	80	4	6	9	13	21	28	57
B. Operated	1037	20.4	257	7	10	16	26	47	71	99 +
TOTAL										
65-69 YRS	1234	11.7	114	4	6	9	13	23	35	68
70-74	1501	11.8	99	4	6	9	14	23	33	70
75-79	1682	12.0	97	4	6	9	15	23	31	64
80-84	1593	13.0	143	4	6	10	16	25	40	94
85 +	1466	12.5	122	4	6	9	15	24	38	93
GRAND TOTAL	**7476**	**12.3**	**115**	**4**	**6**	**9**	**15**	**24**	**35**	**81**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	135	2.8	4	1	1	2	4	6	7	9
70-74	132	2.8	3	1	2	2	4	5	6	8
75-79	112	3.0	5	1	2	2	4	5	7	14
80-84	87	3.2	4	1	2	3	4	6	7	8
85 +	118	3.5	7	1	2	3	4	6	9	14
B. Operated										
65-69 YRS	24	3.5	13	1	1	3	5	6	10	18
70-74	19	4.3	8	1	2	4	6	7	10	12
75-79	15	3.9	7	1	2	3	5	9	10	10
80-84	10	5.9	16	2	4	4	7	13	13	13
85 +	6	4.8	32	< 1	1	3	5	15	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1814	4.4	9	2	2	4	5	8	10	15
70-74	2279	4.6	16	2	2	4	6	8	10	20
75-79	2645	5.2	28	2	3	4	6	9	12	26
80-84	2528	5.1	22	2	3	4	6	9	12	23
85 +	2684	5.8	42	2	3	4	7	11	14	34
B. Operated										
65-69 YRS	376	7.4	36	2	4	6	9	13	15	29
70-74	423	7.7	55	2	4	6	9	14	19	39
75-79	374	8.5	58	3	4	7	10	17	23	44
80-84	227	8.9	95	3	4	7	10	15	21	66
85 +	163	10.2	82	3	4	7	14	20	30	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	584	3.0	5	1	2	3	4	6	7	10
B. Operated	74	4.2	12	1	2	3	5	8	13	18
2. MULTIPLE DX										
A. Not Operated	11950	5.1	25	2	3	4	6	9	12	24
B. Operated	1563	8.3	60	3	4	6	10	15	22	47
1. SINGLE DX	658	3.2	6	1	2	3	4	6	8	13
2. MULTIPLE DX	13513	5.5	30	2	3	4	6	10	13	27
A. Not Operated	12534	5.0	24	2	3	4	6	9	12	23
B. Operated	1637	8.1	59	2	4	6	10	15	21	44
TOTAL										
65-69 YRS	2349	4.8	14	2	2	4	6	9	12	18
70-74	2853	5.0	23	2	3	4	6	9	11	25
75-79	3146	5.5	32	2	3	4	6	10	14	30
80-84	2852	5.4	29	2	3	4	6	10	13	25
85 +	2971	6.0	44	2	3	4	7	11	15	36
GRAND TOTAL	**14171**	**5.4**	**29**	**2**	**3**	**4**	**6**	**10**	**13**	**26**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	7.7	96	2	2	5	9	14	36	46
70-74	49	5.5	34	2	3	4	6	9	11	41
75-79	53	6.3	27	2	3	5	8	13	13	33
80-84	66	6.1	16	2	3	5	9	14	16	99 +
85 +	60	5.6	21	2	2	4	7	13	15	24
B. Operated										
65-69 YRS	4	4.8	8	2	2	4	7	8	8	8
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79	2	11.0	50	6	6	11	16	16	16	16
80-84	2	18.0	128	10	10	18	26	26	26	26
85 +	3	8.3	12	5	6	8	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	729	7.2	45	2	4	5	8	13	19	33
70-74	984	7.5	44	2	4	6	9	14	19	35
75-79	1254	7.9	56	2	4	6	9	15	20	35
80-84	1190	8.3	58	3	4	6	9	15	21	47
85 +	1390	9.0	66	3	5	7	11	17	23	52
B. Operated										
65-69 YRS	116	13.0	164	4	5	8	14	38	42	60
70-74	128	15.0	189	3	6	10	18	32	45	68
75-79	154	16.0	148	5	7	13	20	30	41	64
80-84	116	16.8	204	5	8	13	20	38	58	99 +
85 +	128	18.9	225	7	10	16	25	37	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	6.1	33	2	3	5	7	13	15	45
B. Operated	13	8.5	43	2	4	7	10	18	24	26
2. MULTIPLE DX										
A. Not Operated	5547	8.1	56	3	4	6	9	15	21	41
B. Operated	642	16.0	187	5	7	12	20	35	45	95
1. SINGLE DX	274	6.2	33	2	3	5	8	13	15	45
2. MULTIPLE DX	6189	8.9	75	3	4	7	10	17	24	51
A. Not Operated	5808	8.0	55	3	4	6	9	15	21	42
B. Operated	655	15.8	185	5	7	12	20	34	44	93
TOTAL										
65-69 YRS	882	7.9	66	2	4	6	9	14	22	45
70-74	1163	8.2	65	2	4	6	10	16	22	48
75-79	1463	8.7	71	3	4	6	10	17	23	43
80-84	1374	8.9	74	3	4	7	10	16	24	58
85 +	1581	9.7	84	3	5	7	11	19	27	62
GRAND TOTAL	**6463**	**8.8**	**74**	**3**	**4**	**6**	**10**	**17**	**24**	**51**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	304	8.2	46	3	5	7	9	14	19	41
70-74	370	8.2	31	3	4	7	11	15	18	29
75-79	455	8.9	57	3	5	7	10	17	24	46
80-84	421	8.8	40	3	5	7	11	16	21	36
85 +	553	9.5	52	4	5	8	12	17	25	42
B. Operated										
65-69 YRS	37	15.4	196	4	7	11	22	29	64	99 +
70-74	49	14.4	113	5	7	11	17	34	35	49
75-79	53	18.1	184	7	9	15	22	40	49	99
80-84	57	17.1	185	6	9	15	23	28	35	99 +
85 +	61	18.7	174	8	11	15	22	42	52	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2103	8.8	46	3	5	7	11	16	21	39
B. Operated	257	16.9	170	6	9	13	22	35	47	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	2360	9.7	66	3	5	7	12	18	25	49
A. Not Operated	2103	8.8	46	3	5	7	11	16	21	39
B. Operated	257	16.9	170	6	9	13	22	35	47	99 +
TOTAL										
65-69 YRS	341	9.0	66	3	5	7	10	18	24	44
70-74	419	8.9	44	3	5	7	11	16	21	38
75-79	508	9.9	78	3	5	7	11	20	28	65
80-84	478	9.8	64	3	5	8	12	20	24	46
85 +	614	10.5	72	4	5	8	13	19	28	53
GRAND TOTAL	**2360**	**9.7**	**66**	**3**	**5**	**7**	**12**	**18**	**25**	**49**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	2.8	4	1	2	2	4	5	7	9
70-74	8	3.9	8	1	2	3	5	8	9	9
75-79	10	2.9	8	< 1	1	2	4	7	10	10
80-84	14	4.0	4	2	2	4	6	6	8	8
85 +	15	3.5	5	1	2	3	5	8	72	99 +
B. Operated										
65-69 YRS	7	5.9	12	1	3	6	9	10	10	10
70-74	6	5.8	57	1	1	2	9	19	20	20
75-79	2	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	274	5.9	46	2	3	4	7	10	13	23
70-74	317	6.3	30	2	3	5	8	12	18	39
75-79	371	6.2	39	2	3	5	7	11	15	31
80-84	334	7.0	45	2	3	5	8	12	19	40
85 +	317	8.4	141	2	4	5	9	15	23	99
B. Operated										
65-69 YRS	98	10.5	121	2	4	7	14	24	32	58
70-74	76	10.6	79	2	4	8	16	23	31	84
75-79	85	9.5	71	2	4	8	12	20	27	82
80-84	38	12.0	78	3	6	9	16	27	30	35
85 +	37	15.9	193	3	7	13	21	41	50	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.4	5	1	2	3	5	7	9	85
B. Operated	15	5.2	29	1	1	2	8	10	18	20
2. MULTIPLE DX										
A. Not Operated	1613	6.8	60	2	3	5	8	12	17	46
B. Operated	334	11.1	104	2	4	8	15	24	32	58
1. SINGLE DX	81	3.7	10	1	2	3	5	8	10	74
2. MULTIPLE DX	1947	7.5	70	2	3	5	9	15	21	51
A. Not Operated	1679	6.6	59	2	3	5	8	12	17	47
B. Operated	349	10.8	102	2	4	8	15	23	32	57
TOTAL										
65-69 YRS	398	6.9	66	2	3	5	8	13	20	45
70-74	407	7.1	42	2	3	5	9	16	22	42
75-79	468	6.7	46	2	3	5	8	13	17	34
80-84	386	7.4	49	2	3	5	9	14	21	39
85 +	369	9.0	147	2	3	6	9	17	34	99 +
GRAND TOTAL	**2028**	**7.4**	**69**	**2**	**3**	**5**	**9**	**15**	**21**	**51**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.4	2	1	1	2	4	4	4	4
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	10	4.4	13	< 1	2	4	5	10	12	12
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
65-69 YRS	138	4.3	24	1	1	3	5	9	10	22
70-74	102	4.6	15	1	1	4	7	10	11	19
75-79	77	4.0	14	1	1	3	6	8	10	22
80-84	41	4.8	26	1	1	3	7	10	16	25
85 +	24	5.5	11	1	3	6	8	9	11	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	109	5.4	24	1	2	4	7	11	15	24
70-74	98	6.8	41	1	3	6	8	14	20	32
75-79	102	6.7	49	1	2	5	8	14	18	42
80-84	90	7.6	39	2	3	6	9	13	23	32
85 +	139	7.8	44	2	4	7	9	15	20	34
B. Operated										
65-69 YRS	2100	9.5	80	2	4	7	12	20	27	49
70-74	2217	10.5	104	2	4	8	13	22	30	57
75-79	1977	11.2	118	2	5	8	13	22	31	66
80-84	1285	12.0	129	2	5	9	15	24	33	63
85 +	1104	12.4	115	4	6	9	15	23	32	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.5	8	< 1	1	3	4	7	11	12
B. Operated	382	4.4	19	1	1	3	6	9	11	22
2. MULTIPLE DX										
A. Not Operated	538	6.9	40	1	3	6	8	14	19	32
B. Operated	8683	10.9	107	2	5	8	13	22	30	59
1. SINGLE DX	401	4.4	19	1	1	3	6	9	11	21
2. MULTIPLE DX	9221	10.7	104	2	5	8	13	22	29	58
A. Not Operated	557	6.8	39	1	3	6	8	14	19	32
B. Operated	9065	10.6	105	2	5	8	13	22	29	58
TOTAL										
65-69 YRS	2352	9.0	76	1	4	7	11	19	25	48
70-74	2418	10.1	100	2	4	8	12	21	28	56
75-79	2166	10.7	114	2	5	8	13	22	30	63
80-84	1417	11.5	123	2	5	9	15	24	32	60
85 +	1269	11.8	108	3	6	9	15	22	31	66
GRAND TOTAL	**9622**	**10.4**	**102**	**2**	**5**	**8**	**13**	**21**	**29**	**56**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	9	2.3	7	< 1	1	1	3	7	7	7
70-74	9	2.6	22	< 1	1	1	1	10	15	15
75-79	2	1.0		1	1	1	1	1	1	1
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	4.4	13	< 1	1	5	6	10	11	11
70-74	11	3.2	8	1	2	2	4	7	11	11
75-79	13	5.2	10	2	3	4	6	10	12	13
80-84	12	4.6	7	2	3	4	6	8	11	11
85 +	4	13.5	108	2	5	13	22	25	25	25
B. Operated										
65-69 YRS	179	7.3	90	1	2	5	9	15	20	48
70-74	178	7.2	75	1	2	4	10	15	21	52
75-79	93	8.7	85	1	2	6	12	17	25	49
80-84	44	8.1	65	1	1	5	13	19	27	30
85 +	14	5.9	12	2	3	6	8	9	13	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	22	2.2	11	< 1	1	1	1	7	10	15
2. MULTIPLE DX										
A. Not Operated	49	5.1	21	1	2	4	6	11	13	25
B. Operated	508	7.5	80	1	2	5	10	16	21	47
1. SINGLE DX	22	2.2	11	< 1	1	1	1	7	10	15
2. MULTIPLE DX	557	7.3	75	1	2	5	10	15	21	46
A. Not Operated	49	5.1	21	1	2	4	6	11	13	25
B. Operated	530	7.3	78	1	2	5	10	15	21	47
TOTAL										
65-69 YRS	197	6.9	84	1	2	5	9	14	20	47
70-74	198	6.7	71	1	2	4	9	15	20	48
75-79	108	8.1	76	1	2	5	12	16	23	49
80-84	58	7.2	53	1	2	4	9	17	25	30
85 +	18	7.6	39	2	3	7	8	17	23	25
GRAND TOTAL	**579**	**7.1**	**73**	**1**	**2**	**4**	**9**	**15**	**21**	**45**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
70-74	4	1.3		1	1	1	2	2	2	2
75-79	4	3.0	11	1	1	2	5	8	8	8
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	38	7.7	6	6	6	8	9	10	12	13
70-74	48	8.1	16	2	6	8	10	12	16	20
75-79	24	7.4	17	1	5	8	10	13	14	15
80-84	10	7.0	17	< 1	6	7	10	12	14	14
85 +	12	8.6	25	1	7	8	11	16	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	66	5.3	30	1	2	3	7	13	17	25
70-74	90	6.0	38	1	2	4	7	13	19	31
75-79	86	5.3	29	1	1	4	7	13	16	26
80-84	84	7.2	51	1	2	5	10	16	21	36
85 +	85	7.1	138	2	3	4	7	11	19	79
B. Operated										
65-69 YRS	1225	12.0	82	6	8	10	13	20	29	65
70-74	1311	13.1	108	6	8	10	14	24	34	71
75-79	980	13.9	124	6	8	11	15	24	35	66
80-84	426	15.6	156	7	9	12	18	30	47	99 +
85 +	145	14.5	89	6	9	12	19	25	29	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.9	4	< 1	1	1	2	3	7	8
B. Operated	132	7.8	14	1	6	8	10	12	14	18
2. MULTIPLE DX										
A. Not Operated	411	6.2	58	1	2	4	7	14	18	31
B. Operated	4087	13.3	109	6	8	10	15	24	34	72
1. SINGLE DX	146	7.2	16	1	5	8	9	12	14	18
2. MULTIPLE DX	4498	12.6	109	4	8	10	14	23	33	68
A. Not Operated	425	6.1	57	1	2	4	7	14	18	31
B. Operated	4219	13.1	107	6	8	10	15	23	33	71
TOTAL										
65-69 YRS	1332	11.5	79	5	7	9	13	20	27	59
70-74	1453	12.5	104	5	8	10	14	23	33	66
75-79	1094	13.1	120	4	8	10	15	23	33	64
80-84	522	14.1	147	3	8	11	17	28	43	99 +
85 +	243	11.6	115	3	5	9	14	23	27	56
GRAND TOTAL	**4644**	**12.5**	**107**	**4**	**8**	**10**	**14**	**23**	**32**	**66**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	52.0		52	52	52	52	52	52	52
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	15	6.5	16	2	4	6	7	14	15	16
70-74	18	5.4	13	1	3	4	8	11	12	13
75-79	11	4.6	4	2	3	5	6	7	9	9
80-84	5	5.4	6	3	3	5	8	8	8	8
85 +	3	7.3	17	4	4	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	3.8	9	1	1	3	7	8	8	8
70-74	8	4.8	20	< 1	1	3	7	12	13	13
75-79	7	4.1	3	2	3	3	6	6	6	6
80-84	4	5.0	10	1	2	5	7	8	8	8
85 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
65-69 YRS	233	8.9	53	3	5	7	10	17	26	36
70-74	226	8.6	57	2	4	7	10	16	26	38
75-79	169	11.0	125	3	5	8	12	23	29	66
80-84	84	9.7	37	3	6	9	12	18	21	31
85 +	31	13.5	200	4	6	9	15	27	48	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	52.0		52	52	52	52	52	52	52
B. Operated	52	5.7	12	2	3	5	7	11	13	16
2. MULTIPLE DX										
A. Not Operated	26	4.6	10	1	2	4	7	9	11	13
B. Operated	743	9.6	76	3	5	7	11	18	26	49
1. SINGLE DX	53	6.5	52	2	3	5	7	11	14	51
2. MULTIPLE DX	769	9.4	74	3	4	7	11	18	26	48
A. Not Operated	27	6.3	93	1	2	4	7	10	19	52
B. Operated	795	9.3	73	3	4	7	11	18	26	46
TOTAL										
65-69 YRS	254	8.6	51	3	4	7	10	16	24	34
70-74	252	8.3	54	2	4	6	10	15	25	36
75-79	188	10.6	125	3	5	7	12	23	29	64
80-84	93	9.3	36	3	5	8	12	16	20	31
85 +	35	12.8	181	4	6	9	14	25	44	69
GRAND TOTAL	**822**	**9.2**	**73**	**3**	**4**	**7**	**11**	**17**	**26**	**49**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	9.0		9	9	9	9	9	9	9
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	26	3.7	8	1	1	3	5	8	9	9
70-74	12	5.7	19	1	2	5	8	11	14	15
75-79	22	8.1	159	2	3	5	8	11	32	63
80-84	6	5.3	6	2	4	5	7	9	9	9
85 +	10	5.9	10	1	4	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	7.6	21	2	4	7	10	14	17	20
70-74	24	7.8	19	4	5	6	11	15	16	16
75-79	34	6.2	12	2	3	7	9	10	11	16
80-84	19	6.6	9	3	5	6	8	13	58	99 +
85 +	23	9.6	84	4	6	8	10	14	27	49
B. Operated										
65-69 YRS	393	9.0	56	2	4	8	11	15	22	42
70-74	300	9.2	81	2	4	7	11	17	24	60
75-79	223	12.1	140	3	5	9	14	25	35	69
80-84	137	8.7	76	2	4	7	10	15	26	48
85 +	132	9.7	103	2	5	7	11	18	22	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	8.3	4	6	7	9	10	10	10	10
B. Operated	76	5.7	55	1	2	4	8	9	11	50
2. MULTIPLE DX										
A. Not Operated	127	7.4	28	3	5	7	9	13	16	60
B. Operated	1185	9.7	87	2	5	8	11	18	27	53
1. SINGLE DX	79	5.8	53	1	2	4	8	10	11	49
2. MULTIPLE DX	1312	9.5	82	2	5	7	11	17	25	53
A. Not Operated	130	7.5	28	3	5	7	9	13	16	59
B. Operated	1261	9.4	86	2	4	7	11	17	26	53
TOTAL										
65-69 YRS	447	8.6	53	2	4	7	11	15	21	41
70-74	337	8.9	75	2	4	7	11	16	22	60
75-79	280	11.1	129	2	5	8	13	23	31	66
80-84	162	8.3	66	2	4	6	10	15	24	55
85 +	165	9.5	95	3	5	7	11	15	22	51
GRAND TOTAL	**1391**	**9.2**	**81**	**2**	**4**	**7**	**11**	**16**	**25**	**53**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	1.6	1	< 1	1	1	2	3	3	3
70-74	6	3.8	9	1	2	3	7	8	8	8
75-79	8	6.8	34	1	2	6	10	16	18	18
80-84	7	4.0	14	1	1	3	6	10	11	11
85 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
65-69 YRS	88	3.4	12	1	1	2	5	7	11	17
70-74	60	3.3	17	1	1	2	4	6	11	26
75-79	60	3.5	14	1	1	2	5	8	13	16
80-84	25	3.7	24	1	1	1	4	8	18	20
85 +	9	3.1	12	1	1	2	3	9	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	92	5.5	17	1	2	5	7	12	14	20
70-74	104	8.3	64	2	3	6	11	17	21	43
75-79	121	6.6	25	1	3	5	8	13	17	25
80-84	100	8.1	87	2	3	5	9	14	29	56
85 +	97	9.2	104	3	4	6	11	17	22	68
B. Operated										
65-69 YRS	697	8.5	111	1	2	6	10	18	28	83
70-74	680	8.2	68	1	3	6	10	18	24	41
75-79	556	10.3	132	1	3	7	13	23	31	57
80-84	335	11.4	127	1	4	8	16	25	30	84
85 +	228	11.2	105	3	5	9	14	20	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.9	15	1	1	2	6	10	11	18
B. Operated	242	3.4	15	1	1	2	4	8	12	18
2. MULTIPLE DX										
A. Not Operated	514	7.5	60	2	3	5	9	14	20	39
B. Operated	2496	9.5	107	1	3	7	12	21	28	58
1. SINGLE DX	276	3.5	15	1	1	2	4	8	12	18
2. MULTIPLE DX	3010	9.1	99	1	3	6	11	19	27	57
A. Not Operated	548	7.3	58	2	3	5	9	14	20	31
B. Operated	2738	8.9	102	1	3	6	11	19	27	57
TOTAL										
65-69 YRS	888	7.6	93	1	2	5	9	15	26	63
70-74	850	7.8	65	1	2	6	10	17	23	40
75-79	745	9.1	108	1	3	6	11	20	27	57
80-84	467	10.2	116	1	3	7	15	23	30	73
85 +	336	10.3	104	2	4	8	13	18	24	61
GRAND TOTAL	**3286**	**8.7**	**95**	**1**	**3**	**6**	**11**	**19**	**26**	**56**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	64	6.2	8	3	4	6	8	10	11	16
70-74	73	6.4	6	3	5	7	8	10	10	12
75-79	42	6.2	6	3	5	6	8	10	11	11
80-84	34	6.7	12	3	5	6	9	10	12	20
85 +	26	7.7	15	3	5	7	10	13	15	19
B. Operated										
65-69 YRS	23	5.6	11	2	3	5	7	9	13	15
70-74	16	5.3	9	2	3	5	8	9	10	11
75-79	20	6.0	7	2	4	6	8	9	10	11
80-84	9	5.0	12	1	1	5	7	10	10	10
85 +	9	6.9	7	4	5	7	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	541	7.5	17	4	5	7	9	12	14	26
70-74	553	7.7	15	4	5	7	9	12	15	23
75-79	507	7.6	14	4	5	7	9	12	14	20
80-84	353	8.2	25	4	5	7	10	13	16	30
85 +	307	8.2	19	4	6	8	10	13	17	26
B. Operated										
65-69 YRS	212	8.9	33	3	5	8	10	16	23	32
70-74	197	8.8	25	4	6	8	10	14	18	30
75-79	204	10.5	50	4	6	9	12	20	28	36
80-84	162	10.5	72	3	6	9	13	18	22	41
85 +	121	10.2	37	5	7	8	13	18	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	6.5	9	3	5	6	8	10	11	16
B. Operated	77	5.7	9	2	4	6	8	10	11	14
2. MULTIPLE DX										
A. Not Operated	2261	7.8	17	4	5	7	9	12	15	24
B. Operated	896	9.7	43	4	6	8	12	17	22	35
1. SINGLE DX	316	6.3	9	3	4	6	8	10	11	15
2. MULTIPLE DX	3157	8.3	25	4	5	7	10	14	17	30
A. Not Operated	2500	7.6	17	4	5	7	9	12	14	23
B. Operated	973	9.4	42	3	6	8	11	16	22	35
TOTAL										
65-69 YRS	840	7.7	20	3	5	7	9	13	16	26
70-74	839	7.8	17	4	5	7	9	12	15	25
75-79	773	8.2	25	4	5	7	10	13	17	31
80-84	558	8.7	39	4	5	7	10	15	18	32
85 +	463	8.7	24	4	6	8	10	14	18	30
GRAND TOTAL	**3473**	**8.1**	**24**	**4**	**5**	**7**	**10**	**13**	**16**	**29**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	6.3	34	2	2	4	11	13	13	13
70-74	6	7.5	18	2	4	8	9	14	14	14
75-79	5	7.6	3	5	6	8	9	9	9	9
80-84	8	6.8	3	4	5	7	8	9	9	9
85 +	7	6.6	32	2	2	5	10	16	17	17
B. Operated										
65-69 YRS	86	2.8	13	1	1	2	3	5	9	23
70-74	51	6.5	79	1	1	3	9	14	34	39
75-79	22	4.8	29	1	2	2	5	13	18	23
80-84	11	7.2	32	1	2	9	11	15	17	17
85 +	14	11.6	211	1	2	4	14	32	47	51
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	90	8.5	51	3	4	7	10	19	28	77
70-74	113	9.9	59	4	5	8	13	18	23	44
75-79	121	8.3	31	3	5	7	10	16	19	29
80-84	119	10.7	87	4	5	8	14	20	26	51
85 +	157	10.1	81	3	5	7	11	20	30	44
B. Operated										
65-69 YRS	158	10.2	153	1	2	5	14	25	32	55
70-74	145	10.0	97	1	3	8	15	23	28	50
75-79	149	12.6	120	2	4	10	19	28	31	57
80-84	102	16.6	177	4	7	13	22	33	41	70
85 +	90	17.0	155	4	7	15	25	40	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	7.0	14	2	4	7	9	12	14	17
B. Operated	184	5.0	54	1	1	2	5	11	17	39
2. MULTIPLE DX										
A. Not Operated	600	9.6	64	3	5	7	11	18	25	44
B. Operated	644	12.7	144	2	4	10	19	28	35	68
1. SINGLE DX	213	5.2	49	1	1	2	7	11	17	38
2. MULTIPLE DX	1244	11.2	108	2	4	8	15	24	31	55
A. Not Operated	629	9.5	62	3	5	7	11	18	24	44
B. Operated	828	11.0	134	1	2	7	16	26	34	59
TOTAL										
65-69 YRS	337	7.8	98	1	2	4	10	20	27	54
70-74	315	9.4	80	2	3	7	13	20	27	44
75-79	297	10.2	81	2	4	8	14	22	28	39
80-84	240	12.9	130	3	6	10	16	25	33	69
85 +	268	12.4	121	3	5	9	17	29	39	92
GRAND TOTAL	**1457**	**10.3**	**104**	**2**	**4**	**7**	**14**	**23**	**30**	**54**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	1.7	1	< 1	< 1	1	2	3	3	3
70-74	4	1.3		< 1	< 1	1	1	2	2	2
75-79	3	1.3		< 1	< 1	< 1	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	29	2.4	2	1	1	2	3	5	5	6
70-74	17	2.6	2	1	2	2	3	5	6	6
75-79	9	1.8		< 1	1	2	2	3	3	3
80-84	6	3.2	6	2	2	2	3	7	8	8
85 +	5	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	3.9	11	1	1	3	5	9	11	14
70-74	62	4.2	17	1	2	3	5	7	12	24
75-79	64	6.0	120	1	2	4	5	11	19	76
80-84	65	4.1	7	1	2	3	5	8	9	14
85 +	61	5.0	18	1	2	4	6	10	14	22
B. Operated										
65-69 YRS	389	3.1	8	1	2	2	4	6	7	17
70-74	289	3.3	11	1	2	3	4	6	7	18
75-79	207	4.0	16	1	2	3	5	8	13	22
80-84	99	5.6	56	1	2	4	5	11	16	44
85 +	56	5.0	16	1	2	4	6	12	14	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.7	1	< 1	< 1	2	2	3	3	3
B. Operated	66	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	316	4.6	35	1	2	3	5	9	13	21
B. Operated	1040	3.7	16	1	2	3	4	7	10	21
1. SINGLE DX	83	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1356	3.9	20	1	2	3	4	7	11	21
A. Not Operated	333	4.5	34	1	2	3	5	8	12	21
B. Operated	1106	3.6	15	1	2	3	4	6	9	20
TOTAL										
65-69 YRS	488	3.1	8	1	1	2	4	6	8	15
70-74	372	3.4	11	1	2	3	4	6	8	19
75-79	283	4.4	40	1	2	3	5	7	15	23
80-84	172	4.9	36	1	2	3	5	9	13	39
85 +	124	4.8	16	1	2	4	6	10	14	19
GRAND TOTAL	**1439**	**3.8**	**20**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	120	6.4	8	3	5	6	8	9	11	17
70-74	95	6.5	8	3	5	7	8	10	10	17
75-79	82	6.5	9	2	5	7	8	10	12	15
80-84	45	5.6	7	3	4	5	7	9	10	13
85 +	32	6.3	9	2	4	6	9	11	11	11
B. Operated										
65-69 YRS	38	6.3	5	3	5	6	8	9	10	11
70-74	33	6.0	17	1	3	6	8	9	13	21
75-79	33	6.1	13	1	4	6	8	10	14	16
80-84	16	7.8	15	4	5	7	9	13	16	18
85 +	8	10.3	54	3	4	11	12	21	25	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1482	6.7	20	2	4	6	8	11	14	23
70-74	1558	6.7	21	2	4	6	8	11	14	23
75-79	1509	6.7	20	2	4	6	8	12	14	21
80-84	1299	6.9	21	2	4	6	8	12	15	24
85 +	1096	6.9	21	2	4	6	9	12	15	22
B. Operated										
65-69 YRS	663	9.4	62	3	5	8	11	16	20	50
70-74	644	10.0	70	3	5	8	12	19	25	52
75-79	570	10.3	73	3	6	8	12	19	26	56
80-84	440	10.5	80	3	6	8	12	19	28	43
85 +	340	10.7	55	4	6	9	13	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	6.4	8	3	5	6	8	10	11	15
B. Operated	128	6.6	15	2	4	6	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	6944	6.8	21	2	4	6	8	12	14	23
B. Operated	2657	10.1	69	3	6	8	12	18	25	51
1. SINGLE DX	502	6.4	10	2	5	6	8	10	11	17
2. MULTIPLE DX	9601	7.7	36	2	4	7	9	13	17	33
A. Not Operated	7318	6.7	20	2	4	6	8	11	14	23
B. Operated	2785	9.9	67	3	6	8	12	18	25	50
TOTAL										
65-69 YRS	2303	7.5	33	2	4	7	9	12	16	30
70-74	2330	7.6	36	2	4	7	9	13	17	32
75-79	2194	7.6	36	2	4	7	9	13	17	33
80-84	1800	7.7	37	2	4	7	9	13	18	34
85 +	1476	7.8	31	2	4	7	10	14	17	29
GRAND TOTAL	**10103**	**7.6**	**35**	**2**	**4**	**7**	**9**	**13**	**17**	**32**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	2.5	1	1	1	3	3	4	4	4
70-74	6	2.7	4	1	1	2	5	5	5	5
75-79	6	3.0	1	2	2	3	3	5	5	5
80-84	4	5.3	6	2	3	5	7	8	8	8
85 +	4	3.5	6	1	2	3	5	7	7	7
B. Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	230	4.9	11	2	3	4	6	9	12	18
70-74	216	5.1	15	2	3	4	6	9	11	17
75-79	204	5.2	16	2	3	4	6	9	11	20
80-84	145	6.0	21	2	3	5	8	10	13	27
85 +	148	6.4	40	2	3	5	7	11	14	30
B. Operated										
65-69 YRS	43	7.7	30	1	4	7	10	15	20	23
70-74	29	7.7	26	2	4	7	9	15	19	23
75-79	22	11.8	160	2	4	8	15	23	39	58
80-84	15	14.1	91	1	6	16	22	23	31	33
85 +	16	16.1	153	4	6	12	23	29	44	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.1	3	1	2	3	4	6	7	8
B. Operated	4	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	943	5.4	19	2	3	4	7	10	12	22
B. Operated	125	10.2	82	2	4	8	13	23	24	52
1. SINGLE DX	34	3.1	3	1	2	3	4	6	7	8
2. MULTIPLE DX	1068	6.0	29	2	3	5	7	11	15	28
A. Not Operated	973	5.3	19	2	3	4	7	9	12	22
B. Operated	129	10.0	82	2	4	7	13	22	24	52
TOTAL										
65-69 YRS	285	5.2	14	1	3	4	6	10	12	20
70-74	253	5.3	17	2	3	4	7	10	11	19
75-79	232	5.7	32	2	3	4	7	10	15	28
80-84	164	6.7	32	2	3	5	8	12	18	32
85 +	168	7.2	57	2	3	5	8	12	24	46
GRAND TOTAL	**1102**	**5.9**	**28**	**2**	**3**	**5**	**7**	**11**	**14**	**27**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	49	3.9	4	2	3	4	5	7	8	9
70-74	31	4.5	5	2	3	4	6	7	8	11
75-79	20	4.9	10	2	3	4	6	8	12	15
80-84	29	4.4	7	2	2	4	6	9	10	11
85 +	17	6.4	15	2	4	5	9	12	14	15
B. Operated										
65-69 YRS	3	9.0	1	8	8	9	10	10	10	10
70-74	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	3	21.7	229	11	12	15	33	39	39	39
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3576	6.5	18	3	4	5	8	11	14	24
70-74	3847	6.6	20	3	4	6	8	11	14	25
75-79	3276	7.0	29	3	4	6	8	12	15	28
80-84	2386	7.0	24	3	4	6	9	12	15	24
85 +	1974	7.4	34	3	4	6	9	13	17	35
B. Operated										
65-69 YRS	326	11.7	115	4	6	9	14	22	32	60
70-74	276	12.2	105	4	7	9	15	23	33	59
75-79	255	12.5	95	4	7	10	15	25	31	53
80-84	175	13.1	110	5	6	10	15	27	39	64
85 +	109	14.9	134	5	8	12	19	27	34	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	4.6	7	2	3	4	6	8	9	15
B. Operated	9	10.6	139	< 1	< 1	9	12	29	39	39
2. MULTIPLE DX										
A. Not Operated	15059	6.8	24	3	4	6	8	12	15	26
B. Operated	1141	12.5	110	4	6	9	15	25	33	60
1. SINGLE DX	155	4.9	16	2	3	4	6	9	11	15
2. MULTIPLE DX	16200	7.2	32	3	4	6	9	13	16	30
A. Not Operated	15205	6.8	24	3	4	6	8	12	15	26
B. Operated	1150	12.5	110	4	6	9	15	25	34	60
TOTAL										
65-69 YRS	3954	6.9	28	3	4	6	8	12	16	28
70-74	4156	7.0	27	3	4	6	8	12	15	28
75-79	3554	7.4	36	3	4	6	9	13	17	33
80-84	2591	7.4	32	3	4	6	9	13	16	29
85 +	2100	7.8	42	3	4	6	9	14	18	37
GRAND TOTAL	**16355**	**7.2**	**32**	**3**	**4**	**6**	**9**	**13**	**16**	**30**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	1.1		1	1	1	1	2	2	2
70-74	5	1.2		< 1	< 1	1	1	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	0									
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	84	1.4	1	1	1	1	2	2	3	6
70-74	38	1.3		1	1	1	2	2	3	3
75-79	23	1.2		1	1	1	1	2	3	3
80-84	9	1.8	1	1	1	2	2	3	3	3
85 +	7	1.9	2	< 1	1	1	2	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	161	1.4	1	1	1	1	2	2	3	5
1. SINGLE DX	13	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX	164	1.4	1	1	1	1	2	2	3	5
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	174	1.4	1	1	1	1	2	2	3	5
TOTAL										
65-69 YRS	93	1.4	1	1	1	1	2	2	3	6
70-74	43	1.3		1	1	1	2	2	3	3
75-79	24	1.2		1	1	1	1	2	2	3
80-84	10	1.8	1	1	1	2	2	3	3	3
85 +	7	1.9	2	< 1	1	1	2	4	5	5
GRAND TOTAL	**177**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	7	1.1		1	1	1	1	2	2	2
75-79	2	2.0	2	< 1	< 1	1	3	3	3	3
80-84	3	1.0		< 1	< 1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	63	1.5	1	1	1	1	2	3	4	5
70-74	27	1.8	2	< 1	1	1	2	3	5	8
75-79	20	1.5	1	< 1	1	1	2	3	4	5
80-84	6	1.8	4	1	1	1	1	6	6	6
85 +	6	1.2		< 1	1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	1.3		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	122	1.6	1	1	1	1	2	3	4	7
1. SINGLE DX	15	1.3		< 1	1	1	1	2	3	3
2. MULTIPLE DX	125	1.5	1	1	1	1	2	3	4	6
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	137	1.5	1	1	1	1	2	3	4	6
TOTAL										
65-69 YRS	68	1.5	1	1	1	1	2	2	4	5
70-74	34	1.6	2	1	1	1	2	3	4	8
75-79	23	1.5	1	< 1	1	1	2	3	4	5
80-84	9	1.6	3	< 1	1	1	1	4	6	6
85 +	6	1.2		< 1	1	1	1	2	2	2
GRAND TOTAL	**140**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.0		1	1	1	1	1	1	1
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	8	1.9	1	1	1	2	3	4	4	4
70-74	6	2.0	2	< 1	1	1	4	4	4	4
75-79	2	6.0	50	1	1	6	11	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85 +	4	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	21	2.1	5	1	1	1	2	4	7	11
1. SINGLE DX	7	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX	21	2.1	5	1	1	1	2	4	7	11
A. Not Operated	0									
B. Operated	28	1.8	4	< 1	1	1	2	4	5	11
TOTAL										
65-69 YRS	11	1.6	1	1	1	1	2	3	4	4
70-74	7	1.9	2	< 1	< 1	1	3	4	4	4
75-79	4	3.5	25	1	1	1	6	11	11	11
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	4	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**28**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	1.8	1	1	1	2	2	3	4	4
70-74	6	4.3	13	1	2	3	5	10	11	11
75-79	3	4.3	17	1	1	3	7	9	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
65-69 YRS	61	1.9	3	< 1	1	1	2	4	6	11
70-74	30	1.9	5	< 1	1	1	2	4	7	11
75-79	17	1.5	1	1	1	1	2	3	3	3
80-84	10	1.2		< 1	1	1	1	2	3	3
85 +	6	2.7	10	1	1	2	2	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	82	4.8	14	2	3	4	6	8	14	19
70-74	70	4.1	9	1	2	3	5	9	10	16
75-79	46	4.0	7	1	2	3	5	7	10	13
80-84	42	5.3	18	1	2	5	7	9	14	20
85 +	30	4.9	11	1	3	4	6	10	12	15
B. Operated										
65-69 YRS	287	3.2	21	1	1	2	3	6	11	28
70-74	206	3.9	25	1	1	2	4	9	16	26
75-79	131	4.8	41	1	1	2	5	15	24	99 +
80-84	67	4.5	32	1	1	2	6	12	15	32
85 +	30	4.7	35	1	1	3	6	8	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.0	7	1	1	2	4	7	10	11
B. Operated	124	1.8	3	< 1	1	1	2	3	6	11
2. MULTIPLE DX										
A. Not Operated	270	4.6	12	1	2	4	6	9	11	19
B. Operated	721	3.9	28	1	1	2	4	9	15	31
1. SINGLE DX	145	2.0	4	1	1	1	2	4	6	11
2. MULTIPLE DX	991	4.1	23	1	1	2	5	9	14	28
A. Not Operated	291	4.5	12	1	2	4	6	9	11	19
B. Operated	845	3.6	25	1	1	2	4	9	14	30
TOTAL										
65-69 YRS	439	3.3	18	1	1	2	4	7	10	19
70-74	312	3.7	19	1	1	2	4	9	12	24
75-79	197	4.3	30	1	1	2	5	11	19	66
80-84	120	4.5	25	1	1	3	6	10	13	25
85 +	68	4.6	21	1	2	3	6	9	13	28
GRAND TOTAL	**1136**	**3.8**	**21**	**1**	**1**	**2**	**4**	**9**	**13**	**27**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	52	5.5	10	3	3	5	7	10	11	16
70-74	61	5.6	8	3	4	5	7	10	11	14
75-79	58	5.4	6	3	4	5	7	9	10	12
80-84	49	6.4	9	3	4	6	8	11	12	14
85 +	55	7.4	43	3	3	5	9	13	21	36
B. Operated										
65-69 YRS	3	8.7	25	4	5	8	12	14	14	14
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	14.0	18	11	11	14	17	17	17	17
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2347	8.3	29	4	5	7	10	15	18	29
70-74	2814	8.9	39	4	5	7	11	15	20	32
75-79	3015	9.0	38	4	5	7	11	16	20	33
80-84	2605	9.7	52	4	5	8	12	17	22	41
85 +	3023	10.3	58	4	6	8	13	18	23	43
B. Operated										
65-69 YRS	537	16.9	157	6	9	13	21	33	45	75
70-74	595	18.0	181	7	9	14	23	36	48	90
75-79	578	18.7	199	7	10	15	22	37	50	98
80-84	453	18.9	170	7	10	15	23	38	49	99 +
85 +	400	20.4	192	8	11	17	25	40	51	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	6.1	15	3	4	5	8	10	12	21
B. Operated	8	9.1	21	4	6	8	12	16	17	17
2. MULTIPLE DX										
A. Not Operated	13804	9.3	44	4	5	8	11	16	21	35
B. Operated	2563	18.5	181	7	10	15	23	37	48	91
1. SINGLE DX	283	6.1	16	3	4	5	8	11	13	21
2. MULTIPLE DX	16367	10.7	77	4	6	8	13	20	26	52
A. Not Operated	14079	9.2	44	4	5	8	11	16	20	35
B. Operated	2571	18.4	181	7	10	15	23	37	48	91
TOTAL										
65-69 YRS	2939	9.9	64	4	5	8	12	18	24	46
70-74	3471	10.4	75	4	5	8	12	19	26	50
75-79	3652	10.5	76	4	6	8	12	19	26	51
80-84	3109	11.0	80	4	6	9	13	20	27	61
85 +	3479	11.4	84	4	6	9	14	21	28	53
GRAND TOTAL	**16650**	**10.6**	**76**	**4**	**6**	**8**	**13**	**19**	**26**	**51**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	201	5.3	9	2	3	5	7	8	11	17
70-74	176	5.3	7	2	3	5	7	8	10	13
75-79	161	5.8	10	3	4	5	7	10	11	21
80-84	144	5.7	8	3	4	5	7	9	11	14
85 +	185	5.7	12	2	4	5	7	10	13	19
B. Operated										
65-69 YRS	7	10.4	104	1	5	7	12	28	32	32
70-74	5	8.4	13	5	6	7	11	14	14	14
75-79	3	8.7	5	6	7	10	10	10	10	10
80-84	3	24.3	134	11	16	30	31	32	32	32
85 +	3	18.3	66	9	12	22	23	24	24	24
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5156	7.4	27	3	4	6	9	13	16	25
70-74	6213	7.6	26	3	4	6	9	13	16	27
75-79	7050	8.2	33	3	5	7	10	14	18	29
80-84	6712	8.5	35	4	5	7	10	15	19	30
85 +	8612	9.2	45	4	5	8	11	16	20	36
B. Operated										
65-69 YRS	838	13.8	124	5	7	11	16	25	37	76
70-74	886	13.4	105	5	7	11	16	24	30	66
75-79	932	15.5	140	6	8	12	19	29	37	76
80-84	877	16.2	117	7	9	13	20	28	37	62
85 +	762	17.7	150	7	10	14	22	32	41	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	867	5.6	9	2	4	5	7	9	11	19
B. Operated	21	12.8	88	5	6	10	16	31	32	32
2. MULTIPLE DX										
A. Not Operated	33743	8.3	35	3	5	7	10	14	18	31
B. Operated	4295	15.3	129	6	8	12	19	28	36	72
1. SINGLE DX	888	5.7	12	3	4	5	7	10	12	21
2. MULTIPLE DX	38038	9.1	50	4	5	7	11	16	21	38
A. Not Operated	34610	8.2	34	3	5	7	10	14	18	30
B. Operated	4316	15.2	129	6	8	12	19	28	36	71
TOTAL										
65-69 YRS	6202	8.2	45	3	4	7	10	14	18	37
70-74	7280	8.2	38	3	5	7	10	15	19	33
75-79	8146	9.0	50	4	5	7	11	16	20	39
80-84	7736	9.3	50	4	5	8	11	17	22	38
85 +	9562	9.8	58	4	5	8	12	18	23	41
GRAND TOTAL	**38926**	**9.0**	**50**	**4**	**5**	**7**	**11**	**16**	**21**	**37**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	4.9	10	2	3	5	6	7	12	14
70-74	12	4.7	7	2	3	4	7	9	10	10
75-79	7	5.0	14	2	2	3	8	11	11	11
80-84	8	5.3	11	2	3	4	6	11	12	12
85 +	9	5.4	9	2	3	6	7	9	11	11
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	262	5.6	18	2	3	4	7	10	13	22
70-74	325	6.1	21	2	3	5	7	11	15	27
75-79	348	6.4	19	2	4	5	8	11	14	25
80-84	351	6.7	23	3	4	5	8	12	15	24
85 +	354	8.1	44	3	4	7	10	15	20	32
B. Operated										
65-69 YRS	20	12.6	141	4	6	9	12	27	41	53
70-74	23	12.0	85	3	6	11	13	26	33	39
75-79	24	13.0	64	6	7	10	17	22	29	37
80-84	10	15.7	122	5	8	10	24	33	36	36
85 +	11	14.5	202	5	7	9	16	37	52	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	5.0	9	2	3	4	6	9	11	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1640	6.7	26	2	4	5	8	12	15	28
B. Operated	88	13.1	106	4	7	9	17	26	36	53
1. SINGLE DX	50	5.0	9	2	3	4	6	9	11	14
2. MULTIPLE DX	1728	7.0	32	3	4	5	8	13	18	30
A. Not Operated	1690	6.6	25	2	4	5	8	12	15	28
B. Operated	88	13.1	106	4	7	9	17	26	36	53
TOTAL										
65-69 YRS	296	6.0	28	2	3	5	7	11	14	27
70-74	360	6.4	27	2	3	5	7	12	16	29
75-79	379	6.8	24	2	4	6	8	12	16	27
80-84	369	6.9	27	3	4	5	9	12	15	31
85 +	374	8.3	48	3	4	7	10	16	21	32
GRAND TOTAL	**1778**	**6.9**	**31**	**2**	**4**	**5**	**8**	**13**	**17**	**30**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	49	4.6	8	2	3	4	6	8	9	14
70-74	45	4.5	5	2	3	4	6	8	9	9
75-79	33	5.2	7	2	4	5	6	9	11	13
80-84	20	4.6	7	2	3	4	5	9	11	12
85 +	13	4.9	21	2	3	4	5	10	17	19
B. Operated										
65-69 YRS	5	2.4	2	< 1	1	2	4	4	4	4
70-74	3	3.0	12	< 1	< 1	< 1	5	7	7	7
75-79	0									
80-84	1	3.0	-	3	3	3	3	3	3	3
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	622	6.4	18	2	4	5	8	12	15	23
70-74	647	6.8	28	2	4	6	8	12	16	25
75-79	584	6.9	29	3	4	6	8	12	16	30
80-84	431	7.2	29	3	4	6	9	14	16	25
85 +	337	7.2	31	3	4	6	9	13	16	29
B. Operated										
65-69 YRS	99	9.5	46	2	5	8	13	18	23	72
70-74	72	11.0	142	3	4	8	12	22	29	65
75-79	72	15.0	221	4	6	11	17	40	51	68
80-84	37	12.7	186	4	6	7	13	32	42	69
85 +	24	11.8	119	4	6	9	13	24	36	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	4.7	8	2	3	4	6	8	9	14
B. Operated	10	2.6	4	< 1	< 1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	2621	6.9	27	3	4	6	8	12	16	27
B. Operated	304	11.7	136	3	5	8	13	23	39	67
1. SINGLE DX	170	4.6	8	2	3	4	6	8	9	14
2. MULTIPLE DX	2925	7.4	40	3	4	6	9	13	17	36
A. Not Operated	2781	6.7	26	3	4	5	8	12	15	27
B. Operated	314	11.4	134	3	5	8	13	22	38	67
TOTAL										
65-69 YRS	775	6.6	23	2	4	5	8	12	15	26
70-74	767	7.0	39	2	4	6	9	13	17	31
75-79	689	7.7	55	3	4	6	9	13	20	50
80-84	489	7.5	42	3	4	6	9	14	17	36
85 +	375	7.4	37	3	4	6	9	14	17	35
GRAND TOTAL	**3095**	**7.2**	**39**	**3**	**4**	**6**	**9**	**13**	**17**	**34**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	36	6.7	25	2	3	6	8	14	20	22
70-74	41	6.0	21	2	4	5	7	10	15	26
75-79	31	5.9	7	3	4	6	7	9	12	13
80-84	9	4.1	3	2	3	4	5	7	7	7
85 +	6	11.0	315	1	3	4	7	43	47	47
B. Operated										
65-69 YRS	0									
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	487	7.7	41	3	4	6	9	14	18	39
70-74	510	7.8	30	3	4	7	9	13	19	32
75-79	409	7.7	40	3	4	6	10	14	19	36
80-84	186	6.7	16	3	4	6	9	12	14	21
85 +	94	6.9	29	2	4	5	8	13	16	73
B. Operated										
65-69 YRS	82	16.1	200	4	8	11	22	29	44	80
70-74	59	16.5	202	6	9	12	21	36	44	99
75-79	50	20.1	415	3	7	14	27	43	79	93
80-84	20	14.8	154	5	7	10	16	32	44	53
85 +	7	11.1	60	2	5	9	17	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	6.3	30	3	3	5	7	10	15	32
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	1686	7.6	34	3	4	6	9	13	18	35
B. Operated	218	16.8	242	4	8	12	21	36	46	93
1. SINGLE DX	124	6.3	30	3	3	5	7	10	15	31
2. MULTIPLE DX	1904	8.6	66	3	4	7	10	15	22	44
A. Not Operated	1809	7.5	34	3	4	6	9	13	18	35
B. Operated	219	16.8	241	4	8	12	21	36	46	93
TOTAL										
65-69 YRS	605	8.8	69	3	4	7	9	16	24	45
70-74	611	8.5	53	3	4	7	10	15	21	40
75-79	490	8.9	90	3	4	6	10	16	22	48
80-84	215	7.3	33	3	4	6	9	12	16	31
85 +	107	7.4	46	2	4	6	9	14	23	69
GRAND TOTAL	**2028**	**8.5**	**64**	**3**	**4**	**6**	**10**	**15**	**22**	**44**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	337	4.3	5	2	3	4	6	7	8	12
70-74	247	4.7	7	2	3	4	6	8	10	13
75-79	190	4.7	8	2	3	4	6	8	10	13
80-84	83	4.6	7	2	3	4	6	8	9	15
85 +	47	4.9	7	2	3	4	6	8	11	13
B. Operated										
65-69 YRS	4	6.5	11	2	4	7	9	9	9	9
70-74	0									
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2621	6.2	21	2	3	5	8	11	14	23
70-74	2317	6.5	19	2	4	5	8	11	15	22
75-79	1854	6.8	22	3	4	6	8	12	14	23
80-84	1097	6.9	23	3	4	6	9	12	15	26
85 +	750	7.5	26	3	4	6	10	13	16	28
B. Operated										
65-69 YRS	176	13.1	141	4	6	9	15	27	38	57
70-74	156	13.1	108	5	7	10	15	27	39	64
75-79	134	12.1	76	4	6	10	14	25	31	47
80-84	75	14.3	199	5	7	10	15	31	38	84
85 +	40	18.7	251	6	9	12	21	51	56	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	904	4.5	6	2	3	4	6	8	9	13
B. Operated	5	6.8	9	2	5	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	8639	6.6	22	3	4	6	8	12	14	24
B. Operated	581	13.4	133	5	7	10	16	27	38	59
1. SINGLE DX	909	4.5	6	2	3	4	6	8	9	13
2. MULTIPLE DX	9220	7.0	31	3	4	6	8	12	16	29
A. Not Operated	9543	6.4	20	2	4	5	8	11	14	23
B. Operated	586	13.4	133	5	7	10	15	27	38	59
TOTAL										
65-69 YRS	3138	6.4	29	2	3	5	8	11	14	28
70-74	2720	6.7	25	2	4	5	8	12	15	26
75-79	2179	6.9	26	3	4	6	9	12	15	27
80-84	1255	7.2	36	2	4	6	9	13	16	32
85 +	837	7.9	42	3	4	6	10	14	18	35
GRAND TOTAL	**10129**	**6.8**	**30**	**2**	**4**	**6**	**8**	**12**	**15**	**28**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	169	4.8	8	2	3	4	6	8	10	17
70-74	154	4.5	7	2	3	4	6	8	10	13
75-79	137	4.8	9	2	3	4	6	8	9	21
80-84	55	5.1	11	2	3	4	6	9	12	19
85 +	23	6.1	25	1	3	5	7	14	17	20
B. Operated										
65-69 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
70-74	6	5.5	5	3	4	5	7	9	9	9
75-79	4	4.3	11	2	2	3	6	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2075	6.7	26	2	4	5	8	12	16	27
70-74	2140	6.9	31	3	4	6	8	12	16	34
75-79	1709	7.2	28	3	4	6	9	13	17	30
80-84	1050	7.3	46	3	4	6	9	14	18	36
85 +	554	7.6	39	3	4	6	9	15	18	34
B. Operated										
65-69 YRS	230	12.2	139	3	6	9	16	23	32	91
70-74	233	12.2	132	3	6	9	15	24	31	80
75-79	165	14.4	154	4	6	11	18	33	47	99 +
80-84	98	14.8	191	5	7	11	19	29	53	99 +
85 +	47	13.9	102	4	6	11	20	28	31	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	538	4.8	9	2	3	4	6	8	11	18
B. Operated	13	4.5	7	1	2	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	7528	7.0	32	3	4	6	9	13	17	32
B. Operated	773	13.1	145	3	6	10	16	26	36	99
1. SINGLE DX	551	4.8	9	2	3	4	6	8	10	18
2. MULTIPLE DX	8301	7.6	45	3	4	6	9	14	19	37
A. Not Operated	8066	6.9	31	2	4	6	8	13	16	31
B. Operated	786	13.0	144	3	6	10	16	26	35	99
TOTAL										
65-69 YRS	2476	7.1	38	2	4	6	9	13	17	35
70-74	2533	7.3	42	2	4	6	9	13	18	35
75-79	2015	7.6	42	3	4	6	9	15	19	36
80-84	1204	7.8	61	3	4	6	9	15	19	51
85 +	624	8.0	46	2	4	6	10	16	20	37
GRAND TOTAL	**8852**	**7.4**	**44**	**3**	**4**	**6**	**9**	**14**	**18**	**36**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	6.5	18	2	3	6	10	11	11	11
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	16	6.3	45	2	3	4	6	10	24	30
70-74	12	3.8	2	2	3	4	5	6	7	7
75-79	6	7.0	62	3	3	4	5	21	23	23
80-84	6	6.7	19	2	3	6	9	13	14	14
85 +	3	6.3	10	4	4	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	34	4.8	10	1	3	4	5	10	11	15
70-74	36	5.8	36	2	3	4	7	9	13	37
75-79	33	7.1	33	2	4	6	8	14	22	27
80-84	14	7.1	34	1	4	6	9	13	22	24
85 +	14	7.6	29	2	3	6	11	17	18	18
B. Operated										
65-69 YRS	201	11.2	136	3	4	7	14	22	31	76
70-74	230	11.0	91	3	5	8	15	25	29	59
75-79	136	11.8	101	4	5	8	15	25	36	47
80-84	107	10.6	59	4	5	8	15	21	26	36
85 +	65	11.3	74	4	5	8	15	24	30	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.8	12	2	2	4	7	10	11	11
B. Operated	43	5.8	29	2	3	4	6	10	17	30
2. MULTIPLE DX										
A. Not Operated	131	6.2	28	2	3	5	7	11	17	29
B. Operated	739	11.2	99	3	5	8	15	23	30	55
1. SINGLE DX	51	5.6	26	2	3	4	6	10	14	30
2. MULTIPLE DX	870	10.4	91	3	4	7	13	22	29	46
A. Not Operated	139	6.1	27	2	3	5	7	11	16	28
B. Operated	782	10.9	96	3	5	8	14	23	30	52
TOTAL										
65-69 YRS	255	9.9	117	3	4	7	11	21	30	74
70-74	278	10.1	85	3	4	7	13	22	28	57
75-79	176	10.7	90	3	4	7	13	23	32	46
80-84	128	10.0	55	3	5	8	13	20	24	35
85 +	84	10.3	66	4	5	8	13	20	28	41
GRAND TOTAL	**921**	**10.2**	**89**	**3**	**4**	**7**	**13**	**22**	**28**	**46**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	10.8	79	1	1	12	15	25	26	26
70-74	11	10.7	51	3	6	9	18	21	22	22
75-79	7	10.9	105	2	3	8	13	28	32	32
80-84	3	11.0	37	7	7	8	15	18	18	18
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1746	9.2	45	3	5	7	11	17	21	37
70-74	1874	9.4	53	3	5	8	12	17	22	39
75-79	1488	9.8	57	4	5	8	12	18	22	41
80-84	838	10.3	58	4	6	9	12	19	23	39
85 +	601	10.6	62	4	6	9	13	20	23	41
B. Operated										
65-69 YRS	439	20.2	274	6	9	15	27	55	75	99 +
70-74	457	20.9	286	6	9	15	28	51	64	99 +
75-79	350	22.9	362	7	9	17	33	58	78	99 +
80-84	204	20.7	226	7	11	17	27	46	77	99 +
85 +	105	20.6	201	8	10	17	26	41	52	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	10.8	65	1	5	9	15	22	26	32
B. Operated	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	6547	9.7	54	3	5	8	12	18	22	39
B. Operated	1555	21.1	286	6	10	16	29	52	72	99 +
1. SINGLE DX	35	10.5	63	1	4	8	14	22	25	32
2. MULTIPLE DX	8102	11.9	119	4	6	9	14	23	35	75
A. Not Operated	6580	9.7	54	3	5	8	12	18	22	39
B. Operated	1557	21.1	286	6	10	16	29	52	72	99 +
TOTAL										
65-69 YRS	2197	11.4	111	4	6	8	13	22	34	80
70-74	2343	11.7	119	4	5	8	14	23	35	67
75-79	1845	12.3	141	4	6	9	14	25	37	79
80-84	1045	12.3	107	4	6	9	15	24	35	84
85 +	707	12.1	95	4	6	10	15	22	30	53
GRAND TOTAL	**8137**	**11.9**	**118**	**4**	**6**	**9**	**14**	**23**	**35**	**75**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	4.5	15	1	2	3	7	9	14	16
70-74	16	4.7	11	1	2	4	7	10	11	12
75-79	22	6.0	30	1	4	5	6	12	20	25
80-84	18	5.5	18	1	3	5	7	11	16	18
85 +	23	9.2	187	2	4	4	8	21	37	67
B. Operated										
65-69 YRS	40	5.9	18	< 1	2	5	8	11	15	18
70-74	43	4.3	9	1	1	4	6	9	11	11
75-79	18	4.8	40	1	1	3	6	9	20	28
80-84	12	5.4	17	1	3	4	6	12	15	16
85 +	8	4.8	12	< 1	1	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1220	6.9	34	2	3	5	9	13	17	32
70-74	1405	7.8	45	2	4	6	10	15	19	32
75-79	1553	8.1	42	2	4	6	10	16	21	36
80-84	1451	9.2	64	3	5	7	11	17	24	43
85 +	1756	9.5	53	3	5	8	12	18	23	40
B. Operated										
65-69 YRS	930	12.3	144	3	5	9	16	27	39	81
70-74	873	13.4	151	3	6	10	17	27	38	67
75-79	775	13.7	128	3	7	11	17	27	36	92
80-84	619	15.4	128	4	8	13	20	30	38	63
85 +	588	15.9	147	5	8	13	20	30	43	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	6.0	54	1	2	4	7	11	16	41
B. Operated	121	5.0	18	1	2	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated	7385	8.4	49	3	4	7	11	16	21	37
B. Operated	3785	13.9	142	4	6	11	18	28	38	73
1. SINGLE DX	233	5.5	35	1	2	4	7	10	15	26
2. MULTIPLE DX	11170	10.2	87	3	5	8	13	21	28	53
A. Not Operated	7497	8.3	49	2	4	7	10	16	21	37
B. Operated	3906	13.6	140	3	6	10	18	28	37	72
TOTAL										
65-69 YRS	2223	9.1	87	2	4	6	11	19	27	60
70-74	2337	9.8	91	2	4	7	12	20	26	54
75-79	2368	9.9	77	3	4	7	12	20	26	49
80-84	2100	11.0	91	3	5	8	14	22	29	52
85 +	2375	11.1	85	3	5	8	14	21	29	52
GRAND TOTAL	**11403**	**10.2**	**87**	**3**	**4**	**8**	**13**	**20**	**28**	**53**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	1.0		1	1	1	1	1	1	1
85+	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	18	2.3	2	1	1	2	3	4	6	7
70-74	9	2.1	1	<1	1	2	3	3	3	3
75-79	4	1.5		1	1	1	2	2	2	2
80-84	3	1.0		<1	<1	1	1	1	1	1
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	5.7	53	1	2	4	6	10	17	39
70-74	19	5.2	23	2	2	4	6	9	17	23
75-79	18	4.8	10	1	3	4	6	10	12	12
80-84	8	7.1	113	1	2	3	6	25	33	33
85+	6	4.3	3	2	3	4	6	6	6	6
B. Operated										
65-69 YRS	104	4.0	22	1	1	2	4	10	15	24
70-74	102	4.1	17	1	1	3	5	8	12	21
75-79	61	3.1	13	1	1	2	4	7	12	17
80-84	42	3.9	13	1	1	3	5	10	13	15
85+	31	4.2	29	1	1	2	5	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	6	1	1	2	3	7	8	8
B. Operated	36	2.1	2	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	78	5.4	36	2	2	4	6	9	13	37
B. Operated	340	3.9	18	1	1	2	4	9	13	24
1. SINGLE DX	43	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	418	4.2	22	1	1	3	5	9	13	25
A. Not Operated	85	5.2	34	1	2	4	6	8	12	37
B. Operated	376	3.7	17	1	1	2	4	8	13	22
TOTAL										
65-69 YRS	150	4.1	26	1	1	2	5	9	15	25
70-74	131	4.1	17	1	2	3	5	8	12	24
75-79	84	3.4	12	1	1	2	4	7	12	17
80-84	55	4.1	27	1	1	2	5	9	13	32
85+	41	4.0	23	1	2	3	5	8	12	28
GRAND TOTAL	**461**	**4.0**	**20**	**1**	**1**	**2**	**5**	**8**	**13**	**25**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	3.3	1	2	2	3	4	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	4.0	13	1	1	3	7	8	8	8
80-84	4	7.3	10	4	4	7	10	10	10	10
85+	2	7.0	72	1	1	7	13	13	13	13
B. Operated										
65-69 YRS	40	1.7	1	1	1	1	2	3	4	5
70-74	37	1.8	4	1	1	1	2	3	4	12
75-79	12	1.5	1	<1	1	1	2	3	4	4
80-84	8	1.5	1	1	1	1	2	3	3	3
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	65	7.4	26	2	4	6	10	15	17	24
70-74	72	7.9	37	3	4	6	10	15	21	30
75-79	63	6.9	21	3	4	6	9	13	15	24
80-84	65	6.3	13	2	4	5	8	12	13	20
85+	56	7.8	30	3	4	6	8	14	18	31
B. Operated										
65-69 YRS	82	4.0	25	1	1	2	4	10	18	76
70-74	87	4.9	51	1	1	2	5	11	18	40
75-79	54	4.6	28	1	2	3	5	10	20	23
80-84	47	4.7	25	1	1	2	6	15	19	99+
85+	20	6.5	31	1	2	4	11	13	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.5	11	1	2	4	5	10	12	13
B. Operated	99	1.7	2	1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	321	7.2	26	3	4	6	9	14	17	27
B. Operated	290	4.7	34	1	1	2	5	12	19	39
1. SINGLE DX	119	2.2	4	1	1	1	2	4	5	12
2. MULTIPLE DX	611	6.0	31	1	2	4	8	13	17	30
A. Not Operated	341	7.1	25	2	4	6	9	14	16	26
B. Operated	389	3.9	27	1	1	2	4	10	16	30
TOTAL										
65-69 YRS	197	4.6	24	1	1	3	6	11	16	26
70-74	197	5.4	41	1	2	3	6	12	17	31
75-79	132	5.4	24	1	2	4	7	11	16	23
80-84	124	5.4	18	1	2	4	7	12	15	40
85+	80	7.2	31	2	4	6	9	14	18	29
GRAND TOTAL	**730**	**5.4**	**29**	**1**	**2**	**4**	**7**	**12**	**16**	**28**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	32	2.2	2	1	1	2	3	4	6	6
70-74	21	2.3	2	1	1	2	3	4	6	7
75-79	22	1.9	1	< 1	1	2	2	3	4	5
80-84	6	1.5		1	1	1	2	2	2	2
85 +	8	2.8	2	1	1	3	4	5	5	5
B. Operated										
65-69 YRS	33	3.8	5	1	2	4	5	6	9	10
70-74	34	3.6	7	1	2	3	5	7	8	13
75-79	27	3.6	17	< 1	1	2	4	6	16	17
80-84	15	2.4	5	< 1	< 1	1	4	7	7	7
85 +	13	4.3	33	1	1	4	5	9	20	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	774	4.3	14	1	2	3	5	8	11	18
70-74	753	4.1	9	1	2	3	5	7	9	17
75-79	659	5.0	28	2	2	4	6	9	12	26
30-84	527	5.0	21	2	2	4	6	9	13	29
85 +	399	5.1	20	2	2	4	6	9	13	29
B. Operated										
65-69 YRS	712	7.3	78	1	3	5	8	14	22	56
70-74	701	7.1	64	2	3	5	8	14	19	50
75-79	595	7.4	72	2	3	5	9	15	21	50
80-84	454	8.2	81	2	4	6	10	16	24	56
85 +	385	8.6	88	2	3	6	10	18	25	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	2.1	2	1	1	2	3	4	5	7
B. Operated	122	3.6	11	< 1	1	3	5	6	8	19
2. MULTIPLE DX										
A. Not Operated	3112	4.6	18	2	2	4	6	8	11	22
B. Operated	2847	7.6	75	2	3	5	9	15	22	53
1. SINGLE DX	211	3.0	8	1	1	2	4	6	7	16
2. MULTIPLE DX	5959	6.0	47	2	3	4	7	12	17	38
A. Not Operated	3201	4.6	17	1	2	4	6	8	11	22
B. Operated	2969	7.4	73	2	3	5	9	15	22	51
TOTAL										
65-69 YRS	1551	5.6	45	1	2	4	6	11	16	37
70-74	1509	5.5	37	2	2	4	7	10	15	31
75-79	1303	6.0	49	2	2	4	7	12	17	32
80-84	1002	6.4	51	2	3	5	7	13	18	40
85 +	805	6.7	56	2	3	5	8	13	21	47
GRAND TOTAL	**6170**	**5.9**	**46**	**2**	**2**	**4**	**7**	**12**	**17**	**37**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	3.3	5	1	1	3	5	7	7	7
70-74	7	4.3	5	2	2	5	6	7	7	7
75-79	3	2.3	5	1	1	1	4	5	5	5
80-84	3	2.3	1	< 1	1	3	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	8	4.1	10	1	2	3	5	9	11	11
70-74	4	3.3	7	< 1	1	2	5	7	7	7
75-79	3	6.0	25	1	2	6	10	11	11	11
80-84	4	4.5	6	< 1	2	5	6	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	125	4.4	6	2	3	4	5	7	8	15
70-74	128	5.1	15	2	3	4	6	10	11	21
75-79	134	6.0	21	2	3	5	7	11	15	27
80-84	83	4.9	7	2	3	4	7	9	10	12
85 +	78	6.0	15	2	4	6	7	10	12	24
B. Operated										
65-69 YRS	174	6.4	26	2	3	5	8	11	16	25
70-74	157	7.4	73	3	4	6	8	12	17	45
75-79	142	7.7	25	3	4	6	10	14	17	27
80-84	97	7.6	36	3	4	6	9	13	14	40
85 +	80	9.1	78	4	4	7	10	15	21	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.3	4	1	2	3	5	7	7	7
B. Operated	19	4.3	10	< 1	2	3	6	9	11	11
2. MULTIPLE DX										
A. Not Operated	548	5.3	14	2	3	4	7	9	11	18
B. Operated	650	7.4	45	3	4	6	9	13	17	33
1. SINGLE DX	41	3.8	7	1	2	3	5	7	9	11
2. MULTIPLE DX	1198	6.4	32	2	3	5	8	11	15	29
A. Not Operated	570	5.2	13	2	3	4	7	9	11	18
B. Operated	669	7.3	45	3	4	6	9	13	16	33
TOTAL										
65-69 YRS	315	5.4	18	2	3	4	6	9	13	24
70-74	296	6.3	47	2	3	5	7	11	15	33
75-79	282	6.8	24	2	4	6	9	13	15	27
80-84	187	6.3	24	2	3	5	8	11	13	25
85 +	159	7.6	49	3	4	6	9	13	17	47
GRAND TOTAL	**1239**	**6.3**	**31**	**2**	**3**	**5**	**8**	**11**	**15**	**29**

761 Hospitals, United States, Geriatric, January-December 1990, by Diagnosis

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	3.5	3	2	3	3	4	6	7	8
70-74	16	3.3	4	2	2	3	3	4	8	10
75-79	13	3.8	6	1	2	3	5	8	9	9
80-84	14	3.1	5	1	2	3	3	6	8	9
85 +	7	6.4	10	2	3	7	9	10	10	10
B. Operated										
65-69 YRS	18	5.6	12	2	3	5	8	11	13	13
70-74	13	3.5	4	1	2	3	5	6	8	8
75-79	10	5.4	26	2	3	3	4	15	16	16
80-84	8	12.0	197	4	5	6	11	36	46	46
85 +	7	4.4	7	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	518	5.1	12	2	3	4	6	8	12	20
70-74	580	5.4	15	2	3	5	6	9	12	19
75-79	528	5.7	15	2	3	5	7	10	13	23
80-84	438	6.3	22	3	4	5	8	12	14	23
85 +	432	7.2	32	3	4	6	9	13	18	30
B. Operated										
65-69 YRS	632	8.4	64	3	4	6	10	16	21	47
70-74	695	9.0	71	3	4	6	11	18	25	50
75-79	724	9.5	73	3	4	7	11	18	26	50
80-84	579	9.3	60	3	5	7	11	18	24	53
85 +	531	10.8	95	4	5	8	13	20	30	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	3.7	5	2	2	3	4	8	9	10
B. Operated	56	5.8	42	2	3	4	7	12	14	44
2. MULTIPLE DX										
A. Not Operated	2496	5.9	19	2	3	5	7	10	14	23
B. Operated	3161	9.4	72	3	4	7	11	18	26	50
1. SINGLE DX	121	4.7	23	2	2	3	6	9	11	25
2. MULTIPLE DX	5657	7.8	52	3	4	6	9	15	20	41
A. Not Operated	2561	5.8	19	2	3	5	7	10	14	22
B. Operated	3217	9.3	72	3	4	7	11	18	25	49
TOTAL										
65-69 YRS	1183	6.9	43	2	3	5	8	13	17	37
70-74	1304	7.3	48	2	3	5	8	14	20	42
75-79	1275	7.9	51	3	4	6	9	15	22	42
80-84	1039	8.0	46	3	4	6	10	15	21	39
85 +	977	9.1	69	3	4	7	11	17	24	45
GRAND TOTAL	**5778**	**7.8**	**51**	**3**	**4**	**6**	**9**	**15**	**20**	**41**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	2.7	3	1	1	2	4	5	6	6
70-74	11	2.9	3	1	1	3	4	5	6	6
75-79	10	3.8	6	1	2	3	6	7	8	8
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	5	2.6	7	< 1	< 1	1	4	7	7	7
70-74	4	4.0	10	< 1	1	3	6	8	8	8
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	242	4.4	8	2	2	4	5	8	10	15
70-74	244	4.9	12	2	3	4	6	9	12	19
75-79	200	5.4	14	2	3	4	6	10	13	18
80-84	163	6.0	23	2	3	5	7	12	15	29
85 +	123	6.0	13	2	4	5	7	11	14	17
B. Operated										
65-69 YRS	82	8.0	45	2	4	6	9	15	25	34
70-74	68	9.7	145	3	4	6	11	18	28	76
75-79	78	8.6	81	3	4	6	10	14	23	58
80-84	59	8.6	81	3	4	7	9	14	25	57
85 +	43	10.9	85	4	6	8	13	18	33	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.0	4	1	1	3	4	6	7	8
B. Operated	13	3.1	7	< 1	< 1	2	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	972	5.2	14	2	3	4	6	10	13	19
B. Operated	330	9.0	86	3	4	7	10	15	26	53
1. SINGLE DX	50	3.0	4	1	1	3	4	6	7	8
2. MULTIPLE DX	1302	6.2	35	2	3	5	7	12	15	30
A. Not Operated	1009	5.1	13	2	3	4	6	10	12	18
B. Operated	343	8.8	84	3	4	6	9	15	26	52
TOTAL										
65-69 YRS	344	5.2	19	2	3	4	6	10	13	26
70-74	327	5.8	43	2	3	4	7	11	14	30
75-79	290	6.2	34	2	3	5	7	12	14	28
80-84	224	6.7	39	2	3	5	8	13	16	34
85 +	167	7.3	36	2	4	6	9	13	16	34
GRAND TOTAL	**1352**	**6.1**	**34**	**2**	**3**	**5**	**7**	**11**	**14**	**30**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	36	3.4	5	1	2	3	5	6	8	11
70-74	12	3.6	5	1	2	3	5	7	9	9
75-79	22	5.3	43	2	2	3	6	8	18	33
80-84	8	6.6	12	3	4	6	9	12	12	12
85 +	8	3.6	7	1	2	3	5	8	9	9
B. Operated										
65-69 YRS	19	5.7	9	2	3	6	8	10	12	13
70-74	17	6.6	7	3	5	7	9	10	11	11
75-79	9	7.6	12	4	5	6	9	13	15	15
80-84	2	6.0	2	5	5	6	7	7	7	7
85 +	9	6.6	6	3	5	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	598	4.9	9	2	3	4	6	8	11	18
70-74	576	5.5	13	2	3	5	7	10	12	20
75-79	580	6.0	17	3	3	5	7	10	13	22
80-84	500	6.4	19	3	4	5	8	11	14	20
85 +	479	7.4	55	3	4	6	9	13	17	70
B. Operated										
65-69 YRS	498	9.9	74	3	5	8	12	18	25	45
70-74	531	11.1	132	3	5	8	13	21	30	70
75-79	494	12.4	137	4	5	9	14	25	37	80
80-84	396	12.7	137	4	6	9	16	24	35	94
85 +	356	13.6	183	4	6	10	16	27	38	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	4.2	16	1	2	3	6	8	10	25
B. Operated	56	6.4	8	3	5	6	9	10	11	15
2. MULTIPLE DX										
A. Not Operated	2733	6.0	22	2	3	5	7	11	13	22
B. Operated	2275	11.8	131	4	5	9	14	23	33	78
1. SINGLE DX	142	5.1	14	2	3	4	7	9	10	16
2. MULTIPLE DX	5008	8.6	80	3	4	6	10	16	23	52
A. Not Operated	2819	5.9	22	2	3	5	7	11	13	22
B. Operated	2331	11.7	128	4	5	9	14	22	33	77
TOTAL										
65-69 YRS	1151	7.0	43	2	3	5	8	13	18	34
70-74	1136	8.1	76	3	4	6	9	15	21	48
75-79	1105	8.8	81	3	4	6	10	18	25	53
80-84	906	9.1	80	3	4	7	11	18	23	55
85 +	852	9.9	117	3	4	7	11	18	30	87
GRAND TOTAL	**5150**	**8.5**	**78**	**3**	**4**	**6**	**10**	**16**	**22**	**52**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	8.5	5	7	7	8	10	10	10	10
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	5	7.4	5	5	6	7	9	11	11	11
B. Operated										
65-69 YRS	3	7.3	9	4	5	8	9	10	10	10
70-74	2	10.0	2	9	9	10	11	11	11	11
75-79	3	14.3	184	6	6	7	24	30	30	30
80-84	1	16.0		16	16	16	16	16	16	16
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	48	6.2	16	2	3	5	8	12	16	19
70-74	45	7.2	39	3	4	6	7	12	19	38
75-79	31	6.7	26	3	4	5	7	15	19	22
80-84	53	8.6	31	3	5	7	11	16	18	33
85 +	40	8.5	36	4	5	6	10	17	21	30
B. Operated										
65-69 YRS	92	12.9	67	5	8	12	15	21	25	49
70-74	84	14.6	167	5	7	11	18	29	38	97
75-79	85	15.8	156	5	7	12	20	36	49	85
80-84	66	14.3	120	4	6	11	21	33	37	44
85 +	65	16.9	225	6	7	12	21	29	48	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	7.1	5	4	6	7	8	11	11	11
B. Operated	9	11.2	61	5	7	9	12	24	30	30
2. MULTIPLE DX										
A. Not Operated	217	7.5	30	3	4	6	9	15	19	31
B. Operated	392	14.8	143	5	7	12	18	29	43	76
1. SINGLE DX	18	9.2	36	4	6	8	10	15	24	30
2. MULTIPLE DX	609	12.2	115	4	5	9	15	23	34	59
A. Not Operated	226	7.5	29	3	4	6	9	14	18	31
B. Operated	401	14.7	142	5	7	12	18	29	42	74
TOTAL										
65-69 YRS	144	10.5	59	3	5	9	14	19	22	47
70-74	133	11.9	131	4	6	9	14	23	34	93
75-79	119	13.4	137	4	5	10	17	29	44	71
80-84	121	11.7	87	3	6	8	14	28	34	42
85 +	110	13.4	163	4	6	9	17	26	44	72
GRAND TOTAL	**627**	**12.1**	**113**	**4**	**6**	**9**	**15**	**23**	**34**	**58**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	2.0	1	1	1	2	3	4	5	5
70-74	23	2.6	1	1	2	3	3	4	5	5
75-79	15	2.6	5	< 1	1	2	3	7	8	8
80-84	13	2.9	5	< 1	1	2	4	6	8	9
85 +	12	2.8	3	1	1	2	4	5	6	6
B. Operated										
65-69 YRS	4	4.8	31	1	1	2	8	13	13	13
70-74	4	3.8	24	< 1	< 1	1	6	11	11	11
75-79	6	1.7	3	< 1	< 1	< 1	1	5	5	5
80-84	6	5.5	8	< 1	4	5	8	9	9	9
85 +	3	4.0	27	< 1	< 1	1	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	830	4.4	13	1	2	4	5	8	10	16
70-74	818	5.0	24	2	3	4	6	9	11	24
75-79	826	4.7	12	2	3	4	6	8	11	23
80-84	619	5.6	21	2	3	5	7	10	13	20
85 +	541	5.6	29	2	3	4	7	10	13	23
B. Operated										
65-69 YRS	394	6.8	38	2	3	5	8	14	20	33
70-74	340	7.8	57	2	4	6	9	15	20	33
75-79	403	7.4	57	2	4	5	9	14	19	40
80-84	274	8.4	69	3	4	6	10	16	22	46
85 +	202	9.0	84	2	4	6	10	20	23	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	2.5	3	< 1	1	2	3	5	5	9
B. Operated	23	3.9	15	< 1	< 1	2	6	10	12	13
2. MULTIPLE DX										
A. Not Operated	3634	5.0	20	2	3	4	6	9	11	20
B. Operated	1613	7.7	58	2	4	6	9	15	21	42
1. SINGLE DX	112	2.8	5	< 1	1	2	3	5	8	12
2. MULTIPLE DX	5247	5.8	33	2	3	4	7	11	14	30
A. Not Operated	3723	4.9	19	2	3	4	6	9	11	20
B. Operated	1636	7.7	58	2	4	6	9	15	21	41
TOTAL										
65-69 YRS	1254	5.1	22	1	3	4	6	9	12	26
70-74	1185	5.7	35	2	3	4	7	11	15	29
75-79	1250	5.5	29	2	3	4	7	10	13	31
80-84	912	6.4	37	2	3	5	8	12	16	32
85 +	758	6.5	46	2	3	5	7	12	16	40
GRAND TOTAL	**5359**	**5.8**	**33**	**2**	**3**	**4**	**7**	**11**	**14**	**30**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	1.6	2	< 1	< 1	1	2	4	4	4
70-74	11	2.4	3	< 1	1	2	3	5	7	7
75-79	8	3.5	9	1	1	2	6	8	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85 +	4	2.5	9	1	1	1	4	7	7	7
B. Operated										
65-69 YRS	6	4.5	6	1	3	4	6	8	8	8
70-74	4	7.5	42	3	3	5	11	17	17	17
75-79	3	9.3	6	7	7	9	11	12	12	12
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	240	5.3	40	1	2	4	6	9	13	32
70-74	198	5.6	23	2	3	5	7	11	14	27
75-79	177	5.4	21	2	3	4	7	10	14	26
80-84	158	5.9	45	1	2	4	7	10	14	40
85 +	116	6.0	24	2	3	5	7	11	15	27
B. Operated										
65-69 YRS	173	12.9	127	4	5	8	17	29	40	52
70-74	168	11.7	97	3	5	9	14	27	33	47
75-79	171	11.3	115	3	5	8	14	23	32	59
80-84	126	13.1	111	4	6	8	18	28	36	69
85 +	100	14.6	169	3	6	11	21	35	47	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.6	5	< 1	1	2	3	7	7	9
B. Operated	14	6.9	18	3	4	6	9	12	16	17
2. MULTIPLE DX										
A. Not Operated	889	5.6	31	2	3	4	7	10	14	29
B. Operated	738	12.5	121	3	5	8	16	28	37	56
1. SINGLE DX	43	4.0	13	1	1	3	6	9	11	17
2. MULTIPLE DX	1627	8.7	84	2	3	6	10	19	28	51
A. Not Operated	918	5.5	31	1	2	4	7	10	14	29
B. Operated	752	12.4	120	3	5	8	16	28	37	55
TOTAL										
65-69 YRS	424	8.3	89	2	3	5	9	18	29	52
70-74	381	8.2	64	2	3	6	10	16	27	42
75-79	359	8.2	74	2	3	6	9	17	24	51
80-84	286	9.1	87	2	3	6	11	22	31	53
85 +	220	9.8	108	2	4	6	12	23	35	59
GRAND TOTAL	**1670**	**8.6**	**82**	**2**	**3**	**6**	**10**	**19**	**28**	**51**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.3	8	1	2	6	6	6	6	6
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	68	4.0	3	2	3	4	5	6	7	10
70-74	32	4.1	4	2	3	4	5	6	7	12
75-79	17	4.3	3	2	3	4	5	6	7	8
80-84	9	5.3	8	2	4	5	7	9	10	10
85 +	7	4.4		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	5.3	12	2	3	4	7	10	10	10
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	2.7	2	< 1	1	3	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	113	5.9	17	2	3	5	7	11	14	22
70-74	83	5.4	7	3	3	5	7	9	10	15
75-79	59	7.2	35	3	4	5	8	14	18	37
80-84	35	6.5	8	4	5	5	8	11	11	15
85 +	14	9.1	29	5	6	8	11	14	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	8	1	1	3	6	6	6	6
B. Operated	133	4.2	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. Not Operated	8	3.8	9	< 1	1	3	5	8	10	10
B. Operated	304	6.3	18	3	4	5	8	11	13	22
1. SINGLE DX	137	4.1	3	2	3	4	5	6	8	11
2. MULTIPLE DX	312	6.2	18	3	4	5	8	11	13	22
A. Not Operated	12	3.7	8	< 1	1	3	5	7	10	10
B. Operated	437	5.6	14	3	3	5	7	10	12	21
TOTAL										
65-69 YRS	188	5.2	13	2	3	4	6	10	12	21
70-74	117	5.0	7	3	3	4	6	8	10	13
75-79	79	6.4	28	3	4	5	7	10	17	33
80-84	44	6.3	8	3	5	5	8	10	11	15
85 +	21	7.6	24	4	5	6	10	12	18	25
GRAND TOTAL	**449**	**5.6**	**14**	**3**	**3**	**5**	**7**	**10**	**12**	**21**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	10.0		10	10	10	10	10	10	10
75-79	2	8.0	72	2	2	8	14	14	14	14
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	54	6.6	8	3	5	7	8	9	10	19
70-74	32	6.9	6	4	5	7	9	10	11	12
75-79	17	6.8	3	4	6	7	8	9	10	10
80-84	7	6.6	5	3	5	7	8	9	9	9
85 +	4	7.8	9	5	6	7	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	6.0	21	2	3	4	9	13	13	13
70-74	9	10.4	5	7	9	11	12	13	13	13
75-79	4	5.8	17	1	3	5	8	11	11	11
80-84	4	10.0	17	7	7	8	12	16	16	16
85 +	2	7.5	61	2	2	7	13	13	13	13
B. Operated										
65-69 YRS	305	10.2	32	5	7	9	12	17	21	30
70-74	244	10.6	54	5	6	9	13	18	23	39
75-79	154	11.8	42	5	7	10	15	20	24	37
80-84	86	12.6	73	5	7	10	15	24	34	84
85 +	82	14.8	79	7	9	13	18	25	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.4	32	1	2	10	11	14	14	14
B. Operated	114	6.8	6	3	5	7	8	10	10	15
2. MULTIPLE DX										
A. Not Operated	24	8.4	17	2	5	9	12	13	14	16
B. Operated	871	11.2	50	5	7	9	14	19	24	40
1. SINGLE DX	119	6.8	7	3	5	7	8	10	11	16
2. MULTIPLE DX	895	11.2	49	5	7	9	13	19	24	40
A. Not Operated	29	8.2	19	2	5	9	11	13	14	16
B. Operated	985	10.7	47	5	7	9	13	18	23	39
TOTAL										
65-69 YRS	365	9.6	30	4	6	8	11	17	20	29
70-74	287	10.2	48	5	6	9	12	17	22	38
75-79	177	11.1	41	5	7	9	14	20	23	36
80-84	97	12.1	68	5	7	9	15	24	31	80
85 +	88	14.3	78	6	9	13	17	24	31	50
GRAND TOTAL	**1014**	**10.7**	**46**	**5**	**7**	**9**	**13**	**18**	**23**	**39**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	4.2	5	2	3	4	5	8	8	8
70-74	3	4.0		4	4	4	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	12	9.5	41	5	6	8	11	17	26	28
70-74	18	5.8	11	2	3	5	8	11	13	13
75-79	9	10.1	48	5	6	8	12	21	27	27
80-84	3	7.7	66	2	2	4	14	17	17	17
85 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	3.9	3	2	3	4	5	6	8	8
2. MULTIPLE DX										
A. Not Operated	4	4.5	6	3	3	4	6	8	8	8
B. Operated	43	8.0	31	3	4	6	10	13	20	28
1. SINGLE DX	11	3.9	3	2	3	4	5	6	8	8
2. MULTIPLE DX	47	7.7	30	3	4	6	10	13	18	28
A. Not Operated	4	4.5	6	3	3	4	6	8	8	8
B. Operated	54	7.1	28	3	4	6	9	12	16	28
TOTAL										
65-69 YRS	18	7.7	35	3	4	6	9	13	22	28
70-74	21	5.6	10	2	3	4	8	11	12	13
75-79	11	8.6	49	2	4	6	11	18	26	27
80-84	6	5.8	31	2	3	4	5	16	17	17
85 +	2	9.0	2	8	8	9	10	10	10	10
GRAND TOTAL	**58**	**7.0**	**27**	**3**	**4**	**6**	**8**	**12**	**15**	**28**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	4	1.5	1	1	1	1	2	3	3	3
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	340	1.5	1	1	1	1	2	3	3	5
70-74	307	1.5	1	1	1	1	2	2	3	5
75-79	206	1.6	1	1	1	1	2	3	4	4
80-84	122	1.7	2	1	1	1	2	4	4	6
85 +	72	2.0	3	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	2.8	11	< 1	< 1	1	3	6	12	14
70-74	12	1.7	4	< 1	1	1	1	4	7	8
75-79	9	2.4	3	1	1	2	3	5	6	6
80-84	15	3.9	18	1	1	2	5	9	14	16
85 +	10	10.4	276	< 1	1	3	13	35	55	55
B. Operated										
65-69 YRS	986	2.4	5	1	1	2	3	5	6	12
70-74	978	2.5	5	1	1	2	3	5	7	11
75-79	827	3.0	10	1	1	2	3	7	9	16
80-84	536	3.1	11	1	1	2	4	6	8	16
85 +	317	4.4	40	1	1	2	5	9	15	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.5	1	1	1	1	2	3	3	3
B. Operated	1047	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	63	4.0	56	< 1	1	2	3	9	14	50
B. Operated	3644	2.8	10	1	1	2	3	6	8	16
1. SINGLE DX	1058	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX	3707	2.9	11	1	1	2	3	6	8	16
A. Not Operated	74	3.6	49	< 1	1	1	3	8	14	46
B. Operated	4691	2.6	8	1	1	2	3	5	7	14
TOTAL										
65-69 YRS	1345	2.2	4	1	1	2	3	4	5	11
70-74	1301	2.2	4	1	1	2	3	4	6	10
75-79	1046	2.7	8	1	1	2	3	6	8	15
80-84	674	2.9	10	1	1	2	3	6	8	15
85 +	399	4.1	40	1	1	2	4	9	14	45
GRAND TOTAL	**4765**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	5	1.2		< 1	< 1	1	1	2	2	2
85 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
65-69 YRS	74	2.2	2	1	1	2	3	4	5	8
70-74	55	2.7	3	1	1	2	3	6	6	8
75-79	64	2.9	4	1	2	2	4	5	7	9
80-84	35	2.9	3	1	1	2	4	6	7	7
85 +	34	3.6	12	1	2	3	5	5	8	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	3.2	5	1	1	3	5	6	6	6
70-74	12	2.7	4	1	1	2	4	6	7	7
75-79	11	4.7	19	1	2	3	6	11	16	16
80-84	11	2.1	2	1	1	2	3	4	5	5
85 +	27	5.0	11	1	2	5	7	10	11	14
B. Operated										
65-69 YRS	204	5.2	39	1	2	4	6	10	12	36
70-74	265	5.6	51	1	2	4	7	10	15	50
75-79	318	6.4	54	1	3	4	8	13	18	43
80-84	253	6.3	30	1	3	5	8	14	21	28
85 +	267	8.7	69	2	3	6	11	19	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.5		< 1	1	1	2	3	3	3
B. Operated	262	2.8	4	1	2	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	66	3.9	10	1	1	3	6	8	10	16
B. Operated	1307	6.5	51	1	3	4	8	14	19	43
1. SINGLE DX	273	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1373	6.4	49	1	3	4	8	13	19	43
A. Not Operated	77	3.5	10	1	1	2	5	8	9	15
B. Operated	1569	5.9	45	1	2	4	7	12	18	40
TOTAL										
65-69 YRS	284	4.4	30	1	2	3	5	9	11	27
70-74	334	5.0	43	1	2	3	6	10	13	30
75-79	394	5.8	46	1	2	4	7	11	16	38
80-84	304	5.7	27	1	2	4	7	13	19	27
85 +	330	7.9	61	2	3	5	10	17	24	43
GRAND TOTAL	**1646**	**5.8**	**44**	**1**	**2**	**4**	**7**	**12**	**17**	**40**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	1.7	2	< 1	1	1	2	4	5	5
70-74	10	1.7	2	< 1	1	1	2	4	6	6
75-79	5	1.4		1	1	1	2	2	2	2
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	8.0	50	3	3	8	13	13	13	13
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	3	1.7	1	< 1	< 1	1	2	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	71	3.4	4	1	2	3	5	6	7	9
70-74	50	3.2	5	1	2	3	4	6	7	12
75-79	41	2.9	11	1	1	2	4	6	9	19
80-84	21	4.5	9	1	2	4	7	10	10	10
85 +	11	3.6	6	1	2	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	24	1.6	2	< 1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	8	3.8	16	< 1	1	3	4	11	13	13
B. Operated	194	3.4	7	1	2	3	4	7	8	12
1. SINGLE DX	24	1.6	2	< 1	1	1	2	3	5	6
2. MULTIPLE DX	202	3.4	7	1	2	3	4	7	8	12
A. Not Operated	8	3.8	16	< 1	1	3	4	11	13	13
B. Operated	218	3.2	6	1	1	2	4	6	8	11
TOTAL										
65-69 YRS	80	3.4	5	1	2	3	5	6	8	12
70-74	62	3.0	5	1	1	2	4	6	7	12
75-79	49	2.7	10	1	1	2	3	5	7	19
80-84	24	4.2	9	1	2	3	6	10	10	10
85 +	11	3.6	6	1	2	3	5	8	8	8
GRAND TOTAL	**226**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**12**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.0	1	2	2	3	4	4	4	4
70-74	0									
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	188	3.0	3	1	2	3	4	5	6	7
70-74	135	3.2	4	1	2	3	4	6	7	10
75-79	93	2.8	4	1	1	2	3	5	7	9
80-84	45	3.4	7	1	2	3	4	5	7	17
85 +	15	3.9	17	1	2	2	5	7	14	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	3.4	11	< 1	1	2	4	7	10	14
70-74	21	3.7	20	1	1	2	4	7	13	21
75-79	9	3.4	5	1	2	2	5	7	7	7
80-84	14	4.2	7	1	2	3	6	9	9	9
85 +	13	6.4	55	1	2	5	9	14	25	28
B. Operated										
65-69 YRS	693	4.7	10	2	3	4	6	8	11	18
70-74	601	4.9	18	1	2	4	6	9	12	23
75-79	434	5.2	16	2	3	4	7	9	11	23
80-84	202	5.9	18	2	3	5	8	11	15	21
85 +	75	6.2	38	1	2	4	8	13	16	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	2	< 1	1	2	3	4	4	4
B. Operated	476	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	79	4.1	19	1	1	2	6	8	11	26
B. Operated	2005	5.1	16	2	3	4	7	9	12	21
1. SINGLE DX	480	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX	2084	5.0	16	1	3	4	6	9	12	22
A. Not Operated	83	4.0	18	1	1	2	6	8	10	26
B. Operated	2481	4.7	14	1	2	4	6	8	11	20
TOTAL										
65-69 YRS	906	4.3	9	1	2	4	6	8	10	15
70-74	757	4.6	16	1	2	4	6	8	11	21
75-79	536	4.8	14	1	2	4	6	9	10	22
80-84	262	5.3	17	1	2	4	7	10	14	20
85 +	103	5.9	37	1	2	4	7	13	16	34
GRAND TOTAL	**2564**	**4.7**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	4.5	18	1	2	3	5	12	14	14
70-74	5	2.8	1	1	2	3	3	4	4	4
75-79	9	2.2	3	< 1	1	1	4	5	5	5
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	4	8.8	14	6	6	8	11	14	14	14
70-74	7	6.9	13	2	5	7	8	12	13	13
75-79	3	4.0	13	1	1	3	7	8	8	8
80-84	2	12.0	8	10	10	12	14	14	14	14
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	187	3.5	4	1	2	3	4	6	7	11
70-74	168	4.1	12	2	2	3	5	7	9	22
75-79	163	3.9	5	2	2	3	5	7	8	12
80-84	121	5.1	79	2	2	3	5	8	10	39
85 +	121	4.9	21	2	3	4	6	8	10	26
B. Operated										
65-69 YRS	133	6.8	14	2	4	6	9	11	15	19
70-74	111	7.8	40	3	5	7	9	12	20	71
75-79	71	10.0	56	4	5	8	12	19	23	40
80-84	34	10.2	61	1	5	8	13	24	26	29
85 +	23	14.0	206	3	5	10	19	29	45	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.1	8	1	1	3	4	5	9	14
B. Operated	17	7.1	18	1	4	7	9	14	14	14
2. MULTIPLE DX										
A. Not Operated	760	4.2	21	2	2	3	5	7	9	14
B. Operated	372	8.5	49	3	5	7	10	16	20	40
1. SINGLE DX	41	4.8	15	1	1	3	7	11	14	14
2. MULTIPLE DX	1132	5.6	34	2	3	4	7	10	13	28
A. Not Operated	784	4.2	20	2	2	3	5	7	9	14
B. Operated	389	8.4	48	3	5	7	10	16	20	40
TOTAL										
65-69 YRS	332	4.9	11	2	2	4	6	9	11	18
70-74	291	5.6	25	2	3	4	7	10	12	30
75-79	246	5.6	28	2	3	4	7	11	16	28
80-84	159	6.2	78	2	2	4	8	12	16	29
85 +	145	6.3	61	2	3	4	7	11	18	46
GRAND TOTAL	**1173**	**5.6**	**33**	**2**	**3**	**4**	**7**	**10**	**14**	**28**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	10	1.8	2	< 1	1	1	2	4	4	4
70-74	6	1.2		1	1	1	1	2	2	2
75-79	8	2.3	1	< 1	1	2	3	4	4	4
80-84	4	2.3	2	< 1	< 1	2	3	4	4	4
85 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	0									
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84	2	3.5	13	1	1	3	6	6	6	6
85 +	3	4.3	4	2	3	5	6	6	6	6
B. Operated										
65-69 YRS	33	4.8	24	1	1	3	7	9	15	24
70-74	33	5.2	22	1	2	4	7	12	13	24
75-79	40	5.5	81	1	1	3	6	11	14	56
80-84	25	3.4	11	1	1	3	4	7	34	99 +
85 +	18	7.9	57	2	3	5	11	20	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	31	1.9	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	8	4.8	5	1	3	5	6	7	8	8
B. Operated	149	5.2	41	1	2	3	6	12	17	56
1. SINGLE DX	31	1.9	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX	157	5.2	39	1	2	3	6	11	17	54
A. Not Operated	8	4.8	5	1	3	5	6	7	8	8
B. Operated	180	4.6	36	1	1	3	5	10	15	47
TOTAL										
65-69 YRS	44	4.2	20	1	1	3	6	8	12	24
70-74	39	4.6	21	1	1	4	6	10	13	24
75-79	50	4.9	66	1	1	3	5	10	14	56
80-84	31	3.2	10	1	1	3	4	6	16	99 +
85 +	24	6.7	48	1	3	4	8	18	23	28
GRAND TOTAL	**188**	**4.6**	**35**	**1**	**1**	**3**	**6**	**10**	**15**	**45**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	3.7	8	2	2	2	6	7	7	7
75-79	3	4.3	1	3	3	5	5	5	5	5
80-84	3	3.7	4	2	2	3	5	6	6	6
85 +	4	2.5		2	2	2	3	3	3	3
B. Operated										
65-69 YRS	87	3.5	6	1	2	3	5	6	7	13
70-74	80	3.6	6	1	2	3	5	7	9	11
75-79	46	3.6	5	1	2	3	5	7	7	10
80-84	36	4.1	8	1	2	3	6	8	9	14
85 +	16	4.8	7	2	3	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	4.6	10	1	2	4	6	9	12	13
70-74	38	4.8	8	2	3	4	6	8	11	12
75-79	34	4.6	12	2	2	4	5	9	14	16
80-84	34	6.8	28	1	3	5	9	15	19	21
85 +	49	7.4	78	2	4	5	8	13	21	99 +
B. Operated										
65-69 YRS	439	8.1	74	2	3	6	10	16	22	52
70-74	409	8.7	62	2	4	7	11	17	23	46
75-79	455	10.1	95	2	4	8	13	20	27	57
80-84	383	10.1	89	3	5	8	13	18	25	81
85 +	314	10.9	99	3	5	8	13	22	29	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.2	3	2	2	3	4	6	7	7
B. Operated	265	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	181	5.8	33	2	3	5	7	11	14	49
B. Operated	2000	9.5	84	2	4	7	12	19	25	55
1. SINGLE DX	280	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	2181	9.2	81	2	4	7	11	18	25	56
A. Not Operated	196	5.6	31	2	3	4	7	11	14	43
B. Operated	2265	8.8	78	2	3	7	11	17	24	52
TOTAL										
65-69 YRS	554	7.2	64	1	3	5	9	14	20	44
70-74	530	7.7	53	2	3	6	10	15	20	41
75-79	538	9.2	87	2	4	7	12	18	25	53
80-84	456	9.3	81	2	4	7	12	17	23	74
85 +	383	10.1	94	3	4	8	12	20	28	63
GRAND TOTAL	**2461**	**8.6**	**75**	**2**	**3**	**6**	**11**	**17**	**23**	**52**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	166	3.2	3	1	2	3	4	6	6	8
70-74	156	3.7	9	1	2	3	4	7	9	13
75-79	122	4.1	14	1	2	3	5	7	8	23
80-84	97	4.1	7	1	2	3	6	7	10	13
85 +	53	4.5	8	2	3	4	6	9	11	13
B. Operated										
65-69 YRS	62	8.3	14	5	6	7	9	12	14	24
70-74	57	9.9	59	4	6	8	11	15	20	55
75-79	37	8.8	15	5	7	8	10	13	14	26
80-84	24	9.4	8	6	7	9	12	13	14	14
85 +	19	9.4	11	6	8	9	11	13	16	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1386	5.6	19	2	3	5	7	10	14	22
70-74	1492	5.8	20	2	3	5	7	10	13	24
75-79	1610	6.3	27	2	3	5	8	12	15	29
80-84	1281	6.6	33	2	4	5	8	12	15	24
85 +	1294	7.1	32	3	4	6	9	13	16	28
B. Operated										
65-69 YRS	887	14.5	106	6	8	12	18	27	34	69
70-74	988	15.0	108	6	9	12	18	27	35	60
75-79	1011	15.7	109	7	9	13	20	29	38	65
80-84	841	15.5	103	7	9	13	19	27	33	60
85 +	737	16.4	124	7	10	14	20	28	36	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	594	3.8	8	1	2	3	5	7	8	13
B. Operated	199	9.1	26	5	6	8	11	13	15	26
2. MULTIPLE DX										
A. Not Operated	7063	6.3	26	2	3	5	8	11	15	25
B. Operated	4464	15.4	110	6	9	12	19	28	35	65
1. SINGLE DX	793	5.1	18	2	2	4	7	10	12	19
2. MULTIPLE DX	11527	9.8	78	3	4	7	12	20	26	48
A. Not Operated	7657	6.1	25	2	3	5	7	11	14	24
B. Operated	4663	15.1	108	6	9	12	18	27	35	63
TOTAL										
65-69·YRS	2501	8.6	68	2	4	6	11	18	24	45
70-74	2693	9.2	73	2	4	7	11	18	25	45
75-79	2780	9.6	77	3	4	7	12	20	27	47
80-84	2243	9.9	77	3	4	8	12	19	25	48
85 +	2103	10.3	83	3	5	8	13	20	26	48
GRAND TOTAL	**12320**	**9.5**	**76**	**3**	**4**	**7**	**12**	**19**	**26**	**47**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	58	2.7	2	1	2	2	3	5	5	8
70-74	43	2.3	2	1	1	2	3	4	5	6
75-79	28	2.8	4	1	1	2	3	5	6	11
80-84	15	2.7	3	1	1	2	4	5	5	5
85 +	24	3.1	3	1	2	3	4	5	7	8
B. Operated										
65-69 YRS	8	3.6	8	< 1	1	3	4	8	10	10
70-74	8	3.8	10	< 1	< 1	3	5	9	10	10
75-79	3	2.3	5	< 1	< 1	< 1	4	5	5	5
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	994	4.4	11	2	2	4	5	9	10	17
70-74	1100	4.7	14	1	2	4	6	9	11	20
75-79	1042	4.9	22	2	2	4	6	9	13	20
80-84	871	5.2	30	2	3	4	6	9	12	21
85 +	881	5.3	28	2	3	4	6	10	13	27
B. Operated										
65-69 YRS	237	8.9	69	3	4	7	10	19	22	53
70-74	204	9.9	90	3	5	7	11	22	27	53
75-79	230	11.1	117	3	5	8	13	19	29	55
80-84	149	10.7	132	3	5	7	13	19	27	85
85 +	125	10.4	116	3	4	8	12	23	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	2.6	3	1	1	2	3	5	5	8
B. Operated	20	3.4	8	< 1	< 1	3	5	8	10	10
2. MULTIPLE DX										
A. Not Operated	4888	4.9	21	2	2	4	6	9	12	20
B. Operated	945	10.1	101	3	5	7	12	19	26	53
1. SINGLE DX	188	2.7	3	1	1	2	4	5	6	10
2. MULTIPLE DX	5833	5.7	37	2	3	4	7	11	15	29
A. Not Operated	5056	4.8	20	2	2	4	6	9	12	20
B. Operated	965	10.0	100	3	5	7	12	19	26	53
TOTAL										
65-69 YRS	1297	5.2	25	2	2	4	6	10	14	24
70-74	1355	5.4	29	2	2	4	7	10	14	27
75-79	1303	6.0	44	2	3	4	7	12	16	31
80-84	1035	6.0	48	2	3	4	7	11	15	28
85 +	1031	5.9	40	2	3	4	7	11	15	34
GRAND TOTAL	**6021**	**5.6**	**37**	**2**	**3**	**4**	**7**	**10**	**15**	**28**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	193	4.3	5	< 1	3	4	6	7	9	10
70-74	171	4.1	6	< 1	2	4	6	7	8	10
75-79	136	4.1	8	< 1	2	4	6	7	9	15
80-84	80	4.1	6	< 1	2	4	6	8	9	10
85 +	41	4.2	9	< 1	2	4	5	9	10	12
B. Operated										
65-69 YRS	38	7.9	11	5	7	8	9	11	14	20
70-74	21	8.5	27	4	6	8	9	13	22	27
75-79	18	8.3	4	6	7	8	10	11	12	12
80-84	4	6.8	4	5	5	7	8	9	9	9
85 +	3	4.3	9	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1333	5.6	14	2	3	5	7	9	12	17
70-74	1586	5.7	13	2	3	5	7	10	12	18
75-79	1501	5.8	15	2	3	5	7	10	13	22
80-84	1352	6.3	19	2	4	5	8	11	14	21
85 +	1442	6.9	24	3	4	6	8	12	16	27
B. Operated										
65-69 YRS	958	12.0	75	5	7	10	14	21	29	51
70-74	976	12.0	91	4	7	10	14	22	29	64
75-79	929	13.2	132	4	7	10	15	25	35	68
80-84	625	13.0	103	4	7	11	16	25	34	66
85 +	454	14.1	129	4	7	11	17	27	36	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	621	4.2	6	< 1	2	4	6	7	9	11
B. Operated	84	8.0	13	5	6	8	9	11	13	25
2. MULTIPLE DX										
A. Not Operated	7214	6.1	17	2	4	5	7	11	13	21
B. Operated	3942	12.7	103	4	7	10	15	23	31	62
1. SINGLE DX	705	4.6	9	< 1	2	4	6	8	9	13
2. MULTIPLE DX	11156	8.4	58	3	4	6	10	16	21	42
A. Not Operated	7835	5.9	16	2	3	5	7	10	13	21
B. Operated	4026	12.6	102	4	7	10	15	23	31	61
TOTAL										
65-69 YRS	2522	8.0	47	3	4	6	10	14	19	35
70-74	2754	7.9	50	3	4	6	9	14	19	38
75-79	2584	8.4	70	2	4	6	10	15	22	48
80-84	2061	8.3	54	3	4	6	10	16	21	42
85 +	1940	8.5	58	3	4	6	10	16	22	42
GRAND TOTAL	**11861**	**8.2**	**56**	**3**	**4**	**6**	**10**	**15**	**21**	**40**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.0	2	2	2	3	4	5	5	5
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	46	2.2	3	1	1	2	3	4	6	8
70-74	30	2.0	2	< 1	1	1	2	4	5	6
75-79	13	2.2	1	< 1	1	2	3	4	4	4
80-84	5	3.4	11	1	1	1	7	7	7	7
85 +	4	9.0	58	1	3	8	14	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	8.6	170	1	2	6	9	15	37	62
70-74	18	6.1	26	1	2	4	10	14	18	20
75-79	23	5.6	14	2	3	5	7	13	14	16
80-84	18	7.6	33	2	3	6	11	16	19	21
85 +	14	5.5	8	3	3	5	7	9	11	12
B. Operated										
65-69 YRS	212	4.6	41	1	2	2	5	11	16	67
70-74	156	5.9	75	1	2	3	7	13	16	51
75-79	90	6.7	53	1	2	4	9	17	24	78
80-84	53	7.8	103	2	3	4	8	16	26	54
85 +	49	9.4	88	1	3	6	12	24	29	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.7	2	2	3	3	5	6	6	6
B. Operated	98	2.5	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	94	6.7	53	2	3	5	8	14	17	44
B. Operated	560	6.1	64	1	2	3	7	14	21	51
1. SINGLE DX	108	2.6	6	1	1	2	3	6	7	14
2. MULTIPLE DX	654	6.2	63	1	2	4	7	14	20	52
A. Not Operated	104	6.5	49	2	3	5	7	13	16	40
B. Operated	658	5.5	57	1	2	3	6	13	19	48
TOTAL										
65-69 YRS	284	4.5	45	1	2	2	5	10	14	57
70-74	206	5.4	61	1	1	3	6	11	16	44
75-79	126	6.1	42	1	2	4	7	15	20	59
80-84	77	7.5	80	2	2	5	8	16	22	52
85 +	69	8.4	70	1	3	6	10	21	26	41
GRAND TOTAL	**762**	**5.7**	**56**	**1**	**2**	**3**	**7**	**13**	**18**	**48**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	3.2	3	< 1	< 1	4	4	5	5	5
70-74	6	2.0		< 1	2	2	2	3	3	3
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74	1	18.0		18	18	18	18	18	18	18
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	86	5.3	14	2	3	4	7	10	12	20
70-74	72	5.4	14	2	3	4	7	11	12	20
75-79	80	5.3	10	2	3	4	7	10	12	14
80-84	58	6.9	113	2	3	4	7	11	20	74
85 +	43	6.9	116	2	2	4	7	12	19	70
B. Operated										
65-69 YRS	28	10.1	123	3	4	7	10	19	44	48
70-74	23	9.3	28	3	5	10	11	17	20	24
75-79	26	9.0	32	4	5	8	12	13	22	28
80-84	18	8.3	23	3	5	6	12	16	17	17
85 +	15	8.4	36	2	5	6	14	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.1	3	< 1	2	3	4	5	6	7
B. Operated	3	9.3	65	2	3	8	15	18	18	18
2. MULTIPLE DX										
A. Not Operated	339	5.8	42	2	3	4	7	11	12	23
B. Operated	110	9.2	52	3	5	7	12	17	20	46
1. SINGLE DX	20	4.0	15	< 1	2	3	5	7	13	18
2. MULTIPLE DX	449	6.6	47	2	3	5	8	12	16	28
A. Not Operated	356	5.7	41	2	3	4	7	11	12	23
B. Operated	113	9.2	52	3	5	7	12	17	20	45
TOTAL										
65-69 YRS	122	6.3	42	2	3	5	8	11	14	45
70-74	102	6.2	21	2	3	5	8	12	16	23
75-79	108	6.2	17	2	3	5	8	12	13	23
80-84	78	7.1	89	2	3	5	8	13	18	63
85 +	59	7.2	93	2	3	5	7	16	19	65
GRAND TOTAL	**469**	**6.5**	**46**	**2**	**3**	**5**	**8**	**12**	**16**	**27**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	4.8	8	2	2	4	8	8	8	8
70-74	5	5.2	14	1	2	6	8	10	10	10
75-79	4	8.5	71	3	3	5	13	21	21	21
80-84	1	5.0		5	5	5	5	5	5	5
85 +	2	6.0	8	4	4	6	8	8	8	8
B. Operated										
65-69 YRS	13	8.2	25	2	3	9	12	14	16	16
70-74	17	6.4	20	3	4	6	7	9	17	22
75-79	5	7.0	13	3	4	7	10	11	11	11
80-84	2	14.0		14	14	14	14	14	14	14
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	108	6.1	16	2	3	5	8	11	15	19
70-74	93	8.0	118	3	4	6	9	13	18	71
75-79	91	7.0	31	3	4	6	8	11	14	35
80-84	44	9.4	175	3	5	7	9	13	20	91
85 +	42	9.2	35	4	5	7	11	19	22	26
B. Operated										
65-69 YRS	188	12.6	100	4	6	10	15	27	35	60
70-74	195	12.0	102	4	6	9	14	25	37	50
75-79	164	12.5	101	4	7	10	16	24	31	59
80-84	93	13.2	103	4	7	10	16	32	38	99 +
85 +	65	13.4	95	4	6	11	20	26	37	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.7	18	2	2	5	8	9	14	21
B. Operated	37	7.5	22	3	4	7	10	14	15	22
2. MULTIPLE DX										
A. Not Operated	378	7.5	66	3	4	6	9	13	18	34
B. Operated	705	12.6	100	4	6	10	15	26	35	58
1. SINGLE DX	59	6.8	21	2	3	6	9	13	15	22
2. MULTIPLE DX	1083	10.8	94	3	5	8	13	22	30	57
A. Not Operated	400	7.4	63	2	4	6	8	12	18	33
B. Operated	742	12.3	98	4	6	10	15	26	35	57
TOTAL										
65-69 YRS	319	10.0	76	3	5	8	12	20	28	49
70-74	310	10.4	105	3	5	7	12	21	30	49
75-79	264	10.4	81	3	5	8	13	22	28	57
80-84	140	12.0	126	4	6	9	14	26	36	99 +
85 +	109	11.7	75	4	6	9	16	23	27	72
GRAND TOTAL	**1142**	**10.6**	**91**	**3**	**5**	**8**	**13**	**21**	**29**	**57**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	2	6.0	18	3	3	6	9	9	9	9
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	6	12.8	101	4	6	9	17	30	31	31
70-74	3	6.0	7	3	4	7	8	8	8	8
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	5.0		5	5	5	5	5	5	5
85 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	69	7.9	31	2	4	6	12	15	17	29
70-74	53	8.5	42	3	4	7	12	17	20	32
75-79	40	10.6	109	3	5	7	13	25	34	50
80-84	29	8.7	37	2	5	7	11	17	23	25
85 +	19	10.5	27	4	6	11	14	18	20	20
B. Operated										
65-69 YRS	71	14.0	112	6	8	11	17	22	32	66
70-74	65	17.0	168	6	9	14	20	34	43	73
75-79	60	22.2	213	8	13	19	28	43	55	71
80-84	33	17.6	95	8	10	14	25	31	35	45
85 +	22	21.0	193	7	10	17	27	41	51	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.0	8	2	3	5	7	9	9	9
B. Operated	13	9.2	58	3	5	7	10	20	29	31
2. MULTIPLE DX										
A. Not Operated	210	8.9	49	3	4	7	12	17	20	34
B. Operated	251	17.8	163	6	9	14	22	33	45	70
1. SINGLE DX	19	7.9	45	3	4	7	9	15	25	31
2. MULTIPLE DX	461	13.8	131	4	6	11	17	28	35	56
A. Not Operated	216	8.8	48	3	4	7	12	17	20	34
B. Operated	264	17.4	161	6	9	14	21	32	45	69
TOTAL										
65-69 YRS	148	11.0	80	3	6	9	14	18	29	49
70-74	123	12.9	126	3	6	10	16	27	35	59
75-79	102	17.3	201	4	7	14	24	32	49	69
80-84	64	13.2	86	5	6	11	15	28	32	44
85 +	43	15.7	141	4	7	13	20	33	41	56
GRAND TOTAL	**480**	**13.5**	**128**	**3**	**6**	**11**	**17**	**28**	**34**	**56**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	2.6	3	< 1	1	2	4	5	7	7
70-74	28	3.5	6	< 1	1	3	5	7	8	11
75-79	44	3.1	10	1	1	2	4	6	8	19
80-84	31	2.8	3	< 1	1	2	4	5	5	9
85 +	29	2.8	3	1	2	2	4	5	6	8
B. Operated										
65-69 YRS	42	5.7	22	1	3	6	7	9	11	29
70-74	44	5.0	10	1	3	4	7	9	11	13
75-79	28	4.4	10	2	2	3	6	8	12	14
80-84	19	5.3	9	1	2	6	7	9	10	11
85 +	14	7.5	22	2	4	7	11	14	16	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	577	4.9	19	1	2	4	6	9	13	21
70-74	713	5.6	28	1	2	4	7	11	14	25
75-79	866	5.8	26	2	3	4	7	11	15	26
80-84	868	5.7	20	2	3	4	7	11	15	22
85 +	1049	6.4	37	2	3	5	8	13	17	30
B. Operated										
65-69 YRS	881	11.3	131	2	4	8	14	24	35	82
70-74	991	11.8	148	2	5	8	14	25	36	66
75-79	923	11.0	116	3	4	8	14	23	32	75
80-84	752	12.1	122	3	5	9	16	25	34	56
85 +	599	12.5	107	3	6	10	15	26	33	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	3.0	6	1	1	2	4	5	8	11
B. Operated	147	5.4	15	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. Not Operated	4073	5.8	27	2	3	4	7	11	15	26
B. Operated	4146	11.7	127	3	5	9	14	25	34	67
1. SINGLE DX	305	4.1	11	1	2	3	6	8	10	15
2. MULTIPLE DX	8219	8.7	86	2	3	6	11	18	26	52
A. Not Operated	4231	5.7	26	2	3	4	7	11	15	26
B. Operated	4293	11.4	124	3	5	8	14	24	34	67
TOTAL										
65-69 YRS	1526	8.6	94	2	3	6	11	18	27	58
70-74	1776	9.0	104	2	3	6	11	18	28	57
75-79	1861	8.3	77	2	3	6	10	17	24	51
80-84	1670	8.5	76	2	3	6	10	18	25	49
85 +	1691	8.5	70	2	3	6	11	17	25	42
GRAND TOTAL	**8524**	**8.6**	**84**	**2**	**3**	**6**	**10**	**18**	**25**	**52**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.0		1	1	1	1	1	1	1
70-74	2	5.5	25	2	2	5	9	9	9	9
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	272	10.1	83	3	5	8	13	19	24	41
70-74	154	8.5	26	3	4	8	11	14	18	27
75-79	78	8.3	52	3	4	7	10	16	22	44
80-84	32	13.0	135	4	6	11	16	17	29	68
85 +	14	8.1	29	3	4	7	11	17	19	20
B. Operated										
65-69 YRS	130	11.6	156	2	4	8	13	27	37	96
70-74	73	10.2	73	3	4	7	14	22	29	87
75-79	38	11.9	156	4	6	9	14	20	35	72
80-84	11	17.6	522	5	6	11	19	47	81	84
85 +	11	14.2	134	6	7	10	18	33	42	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	8	3	3	5	7	7	7	7
B. Operated	8	2.8	9	1	1	1	4	8	9	9
2. MULTIPLE DX										
A. Not Operated	550	9.5	65	3	5	8	12	17	22	39
B. Operated	263	11.6	146	3	5	8	14	25	37	93
1. SINGLE DX	10	3.2	9	1	1	2	6	8	9	9
2. MULTIPLE DX	813	10.2	92	3	5	8	12	19	26	57
A. Not Operated	552	9.5	65	3	5	8	12	17	22	39
B. Operated	271	11.3	144	2	5	8	14	24	37	92
TOTAL										
65-69 YRS	407	10.5	106	3	5	8	13	21	27	57
70-74	229	9.0	42	3	4	7	12	16	22	43
75-79	118	9.4	87	3	4	7	11	17	23	58
80-84	44	13.9	227	4	6	11	16	21	41	84
85 +	25	10.8	81	3	6	8	12	20	31	43
GRAND TOTAL	**823**	**10.1**	**92**	**3**	**5**	**8**	**12**	**19**	**26**	**57**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.0	19	1	1	2	7	9	9	9
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	9.0		9	9	9	9	9	9	9
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	16	1.6	2	< 1	1	1	1	5	6	6
70-74	6	1.7	3	< 1	1	1	1	5	5	5
75-79	6	3.8	11	1	1	3	7	8	8	8
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	129	7.8	35	3	4	6	9	14	19	34
70-74	131	9.0	54	3	4	7	11	19	26	35
75-79	108	8.2	29	3	4	7	11	16	18	29
80-84	100	8.4	38	3	4	7	11	16	22	31
85 +	41	11.3	55	4	5	9	16	24	27	27
B. Operated										
65-69 YRS	154	9.1	64	1	3	7	13	18	26	40
70-74	125	11.2	153	1	4	8	13	22	34	75
75-79	88	10.5	88	1	4	8	13	22	27	48
80-84	54	10.9	64	3	5	9	15	22	26	41
85 +	17	19.5	264	4	8	15	23	49	57	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.2	19	1	2	9	9	10	10	10
B. Operated	30	2.0	4	< 1	1	1	1	6	7	8
2. MULTIPLE DX										
A. Not Operated	509	8.6	41	3	4	7	11	17	23	33
B. Operated	438	10.6	105	1	4	8	14	22	29	53
1. SINGLE DX	35	2.6	8	< 1	1	1	4	8	9	10
2. MULTIPLE DX	947	9.5	71	2	4	7	12	19	25	42
A. Not Operated	514	8.6	41	3	4	7	11	17	23	33
B. Operated	468	10.1	103	1	3	8	13	22	27	51
TOTAL										
65-69 YRS	302	8.1	50	1	3	6	11	17	23	40
70-74	263	9.8	102	2	4	7	12	22	27	47
75-79	203	9.1	55	2	4	7	12	18	23	44
80-84	156	9.2	48	3	4	7	12	18	23	34
85 +	58	13.7	127	4	6	10	20	26	33	58
GRAND TOTAL	**982**	**9.3**	**71**	**2**	**4**	**7**	**12**	**18**	**25**	**42**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.0	10	< 1	1	1	5	8	8	8
70-74	3	4.0	3	3	3	3	5	6	6	6
75-79	2	10.0	98	3	3	10	17	17	17	17
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	13	3.9	37	< 1	1	1	3	15	20	21
70-74	4	6.8	58	1	1	5	12	17	17	17
75-79	5	5.6	25	1	1	6	8	13	13	13
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	379	7.5	33	3	4	6	9	14	18	27
70-74	265	8.6	64	3	4	6	10	18	26	47
75-79	218	9.3	58	3	4	7	11	17	23	41
80-84	105	8.3	43	3	4	6	11	17	24	99 +
85 +	47	7.3	24	2	3	7	9	13	17	23
B. Operated										
65-69 YRS	141	13.7	119	4	6	10	19	28	34	52
70-74	95	14.5	137	4	7	10	20	29	39	55
75-79	87	15.5	287	3	7	10	17	30	57	83
80-84	50	15.8	156	3	6	13	22	36	40	46
85 +	27	16.7	85	5	8	16	24	26	34	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.4	20	1	2	3	5	11	16	17
B. Operated	24	4.6	33	1	1	2	6	14	18	21
2. MULTIPLE DX										
A. Not Operated	1014	8.3	48	3	4	6	10	16	22	39
B. Operated	400	14.8	162	4	6	11	19	30	38	63
1. SINGLE DX	36	4.6	28	1	1	3	6	13	17	21
2. MULTIPLE DX	1414	10.1	88	3	4	7	12	21	28	52
A. Not Operated	1026	8.2	47	3	4	6	10	16	22	39
B. Operated	424	14.2	160	3	6	10	19	29	38	60
TOTAL										
65-69 YRS	538	9.0	64	2	4	7	11	19	24	39
70-74	367	10.1	89	3	4	7	11	23	29	52
75-79	312	11.0	128	3	5	8	13	19	29	72
80-84	157	10.6	90	3	4	8	14	24	36	95
85 +	76	10.5	66	2	4	8	14	24	26	36
GRAND TOTAL	**1450**	**10.0**	**88**	**3**	**4**	**7**	**12**	**21**	**28**	**52**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	61	2.5	3	1	1	2	4	5	6	7
70-74	51	2.7	3	< 1	1	2	3	5	6	9
75-79	20	3.8	9	1	2	3	6	8	9	10
80-84	18	3.6	7	1	2	3	4	7	9	11
85 +	19	3.4	5	1	2	3	4	7	9	10
B. Operated										
65-69 YRS	808	3.8	6	1	2	4	5	7	8	11
70-74	488	4.1	8	1	2	4	5	7	8	13
75-79	250	4.1	6	1	2	4	5	7	9	11
80-84	106	5.0	11	1	3	5	7	8	11	17
85 +	41	5.6	11	1	3	5	8	10	11	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	499	4.2	10	1	2	3	5	8	10	17
70-74	509	4.8	14	1	2	4	6	9	11	21
75-79	473	5.3	19	2	3	4	7	10	13	22
80-84	394	5.9	25	2	3	5	7	11	13	32
85 +	452	6.9	25	2	4	6	9	12	15	28
B. Operated										
65-69 YRS	4269	6.6	23	3	4	5	8	12	14	24
70-74	3518	7.4	30	3	4	6	9	13	17	27
75-79	2664	8.4	32	3	5	7	10	15	18	30
80-84	1520	10.2	59	4	6	8	12	18	22	44
85 +	918	11.9	61	5	7	10	14	20	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	2.9	4	1	1	2	4	6	7	10
B. Operated	1693	4.1	7	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	2327	5.4	19	2	3	4	7	10	13	23
B. Operated	12889	8.0	36	3	4	7	10	14	18	31
1. SINGLE DX	1862	4.0	7	1	2	4	5	7	9	12
2. MULTIPLE DX	15216	7.6	34	3	4	6	9	14	18	29
A. Not Operated	2496	5.2	18	2	3	4	7	10	13	23
B. Operated	14582	7.5	34	3	4	6	9	14	17	29
TOTAL										
65-69 YRS	5637	5.9	21	2	3	5	7	11	14	22
70-74	4566	6.7	27	2	4	5	8	12	15	27
75-79	3407	7.6	30	2	4	6	10	14	17	29
80-84	2038	9.1	53	3	5	7	11	16	21	40
85 +	1430	10.0	54	3	5	8	12	18	23	37
GRAND TOTAL	**17078**	**7.2**	**33**	**2**	**4**	**6**	**9**	**13**	**17**	**29**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A.-Not Operated										
65-69 YRS	17	3.4	9	1	2	2	4	9	10	11
70-74	7	3.0	6	< 1	1	2	5	7	7	7
75-79	7	3.4	3	1	2	4	4	6	6	6
80-84	3	3.7	2	2	2	4	5	5	5	5
85 +	4	3.0	1	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	44	5.5	16	1	3	5	7	10	14	20
70-74	19	4.3	6	1	2	4	6	7	8	9
75-79	12	5.8	6	2	4	6	7	9	10	10
80-84	8	4.8	15	1	2	4	6	11	13	13
85 +	4	6.0	28	1	2	5	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	128	5.2	18	1	2	4	6	11	13	23
70-74	120	5.9	23	2	3	5	7	12	16	25
75-79	111	6.0	13	2	4	5	8	10	13	20
80-84	81	6.3	21	2	3	5	8	11	16	24
85 +	123	6.4	15	2	3	6	9	11	14	18
B. Operated										
65-69 YRS	312	8.5	57	3	5	7	10	15	20	42
70-74	296	9.0	50	3	5	7	11	16	21	44
75-79	233	9.7	42	4	6	8	12	19	25	34
80-84	151	13.5	103	6	7	10	16	31	39	53
85 +	94	12.6	54	6	8	10	15	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.3	5	1	2	3	4	7	8	11
B. Operated	87	5.3	13	1	3	5	7	10	13	18
2. MULTIPLE DX										
A. Not Operated	563	5.9	18	2	3	5	8	11	14	22
B. Operated	1086	10.0	61	4	5	8	12	19	24	44
1. SINGLE DX	125	4.7	11	1	2	4	7	9	11	16
2. MULTIPLE DX	1649	8.6	50	3	4	7	10	16	21	38
A. Not Operated	601	5.8	17	2	3	5	8	11	13	21
B. Operated	1173	9.6	59	3	5	8	11	17	23	43
TOTAL										
65-69 YRS	501	7.3	44	2	4	6	9	13	17	37
70-74	442	7.8	42	2	4	6	10	15	19	38
75-79	363	8.3	35	3	5	7	10	15	20	32
80-84	243	10.7	84	3	5	8	13	22	34	51
85 +	225	8.9	41	2	4	8	11	16	20	36
GRAND TOTAL	**1774**	**8.3**	**48**	**2**	**4**	**7**	**10**	**16**	**21**	**38**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.6	3	2	2	3	5	6	6	6
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79	7	4.4	13	1	1	5	6	10	11	11
80-84	4	4.8	10	2	2	4	7	9	9	9
85 +	0									
B. Operated										
65-69 YRS	34	3.1	8	< 1	1	2	4	8	9	11
70-74	32	4.8	11	1	2	4	6	9	13	14
75-79	37	5.4	20	1	2	5	8	10	13	21
80-84	25	5.6	21	1	2	5	9	11	15	19
85 +	17	4.6	9	1	3	4	6	8	11	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	45	4.7	12	1	2	4	7	9	11	17
70-74	49	4.3	7	2	3	4	5	9	11	11
75-79	52	5.9	8	3	4	6	7	9	12	16
80-84	55	6.4	15	3	4	5	8	12	14	18
85 +	90	6.6	22	2	3	6	9	13	15	25
B. Operated										
65-69 YRS	323	9.0	35	4	5	8	11	15	18	34
70-74	375	9.7	54	3	6	8	12	16	26	43
75-79	400	9.9	51	4	6	8	12	18	22	36
80-84	353	10.9	58	3	6	10	13	19	24	46
85 +	351	12.5	95	4	7	11	15	22	26	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.2	7	1	2	4	5	8	10	11
B. Operated	145	4.7	14	1	2	4	7	10	11	19
2. MULTIPLE DX										
A. Not Operated	291	5.8	15	2	3	5	7	11	13	18
B. Operated	1802	10.4	60	4	6	9	13	18	23	43
1. SINGLE DX	163	4.6	14	1	2	4	7	9	11	18
2. MULTIPLE DX	2093	9.7	56	3	5	8	12	17	22	40
A. Not Operated	309	5.7	15	2	3	5	7	11	13	18
B. Operated	1947	10.0	59	3	5	8	12	18	23	42
TOTAL										
65-69 YRS	407	7.9	34	2	4	7	10	14	17	31
70-74	458	8.8	50	2	5	7	11	15	23	41
75-79	496	9.1	46	3	5	8	11	17	21	35
80-84	437	9.9	53	3	5	8	13	18	22	43
85 +	458	11.0	84	3	5	9	14	21	25	53
GRAND TOTAL	**2256**	**9.4**	**55**	**2**	**5**	**8**	**12**	**17**	**22**	**38**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	3.0	5	1	2	2	4	7	7	7
70-74	7	3.0	4	1	1	3	4	6	7	7
75-79	7	3.6	3	< 1	2	4	5	6	6	6
80-84	4	4.8	3	3	3	4	6	7	7	7
85 +	3	6.7	22	3	3	5	10	12	12	12
B. Operated										
65-69 YRS	9	2.6	2	1	1	2	4	5	5	5
70-74	14	3.6	10	1	2	3	5	6	11	13
75-79	4	3.8	13	1	1	2	6	9	9	9
80-84	3	3.0	4	1	1	3	4	5	5	5
85 +	4	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	81	5.7	20	2	3	5	7	10	17	22
70-74	90	6.3	19	2	3	6	8	12	15	24
75-79	80	5.7	13	2	4	5	7	10	12	21
80-84	64	7.3	40	3	4	5	9	14	17	40
85 +	95	8.0	31	3	4	6	11	16	19	25
B. Operated										
65-69 YRS	176	9.6	61	2	4	8	12	20	25	45
70-74	158	10.2	70	2	5	8	14	20	23	46
75-79	182	12.4	111	2	5	9	18	24	34	47
80-84	130	11.5	79	3	6	9	14	23	28	47
85 +	126	12.7	119	3	7	11	16	22	26	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.8	6	1	2	3	5	7	8	12
B. Operated	34	3.1	6	1	1	2	4	5	8	13
2. MULTIPLE DX										
A. Not Operated	410	6.6	25	2	4	5	8	13	16	24
B. Operated	772	11.2	88	2	5	9	15	22	28	48
1. SINGLE DX	61	3.4	6	1	2	3	5	6	8	13
2. MULTIPLE DX	1182	9.6	71	2	4	7	12	20	24	43
A. Not Operated	437	6.5	24	2	3	5	8	13	16	23
B. Operated	806	10.8	87	2	5	8	14	22	26	47
TOTAL										
65-69 YRS	272	8.1	50	2	3	6	10	19	23	37
70-74	269	8.3	53	2	3	7	11	16	20	31
75-79	273	10.1	88	2	4	7	12	22	31	43
80-84	201	9.9	69	3	5	8	12	21	25	44
85 +	228	10.5	85	3	5	8	14	19	23	48
GRAND TOTAL	**1243**	**9.3**	**69**	**2**	**4**	**7**	**12**	**20**	**23**	**43**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	60	5.4	18	1	3	5	6	9	13	23
70-74	46	5.0	8	2	3	4	6	9	11	15
75-79	31	5.1	5	3	3	5	7	8	9	10
80-84	18	5.4	18	2	3	4	6	11	16	19
85 +	19	6.2	10	3	3	6	8	10	13	15
B. Operated										
65-69 YRS	15	8.3	23	3	4	8	13	16	16	16
70-74	14	7.3	69	1	2	5	10	16	28	32
75-79	12	4.8	11	< 1	1	5	7	9	10	10
80-84	8	8.0	23	2	3	9	12	13	13	13
85 +	3	3.7	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	632	6.5	20	2	4	5	8	11	15	23
70-74	531	6.6	18	3	4	6	8	12	15	21
75-79	522	7.1	29	3	4	6	9	13	16	30
80-84	339	7.9	38	3	4	6	10	14	18	37
85 +	376	7.7	39	3	4	6	9	14	19	36
B. Operated										
65-69 YRS	460	12.7	103	5	7	10	15	24	33	62
70-74	355	14.6	174	4	7	10	17	29	44	76
75-79	274	15.8	177	5	8	12	20	30	41	78
80-84	198	14.1	149	5	7	10	17	32	39	90
85 +	147	15.1	192	4	7	12	17	28	49	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	5.3	12	2	3	5	7	9	11	21
B. Operated	52	6.9	32	1	3	6	10	14	16	32
2. MULTIPLE DX										
A. Not Operated	2400	7.0	27	3	4	6	8	13	16	30
B. Operated	1434	14.2	151	5	7	11	17	28	38	75
1. SINGLE DX	226	5.7	17	2	3	5	7	10	14	22
2. MULTIPLE DX	3834	9.7	86	3	5	7	12	19	26	55
A. Not Operated	2574	6.9	26	3	4	6	8	12	16	29
B. Operated	1486	14.0	149	4	7	10	17	27	38	74
TOTAL										
65-69 YRS	1167	8.9	62	3	4	7	11	17	23	45
70-74	946	9.5	92	3	4	7	11	18	27	53
75-79	839	9.8	94	3	4	7	12	20	27	55
80-84	563	10.0	85	3	5	7	12	18	30	69
85 +	545	9.6	90	3	5	7	11	18	24	62
GRAND TOTAL	**4060**	**9.5**	**83**	**3**	**4**	**7**	**11**	**18**	**26**	**54**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	2.6	2	1	1	2	3	5	5	5
70-74	28	3.2	3	1	2	3	4	5	6	8
75-79	48	3.3	6	1	2	3	4	6	7	15
80-84	24	3.7	8	1	2	3	5	7	10	13
85 +	25	5.0	111	1	2	3	4	5	19	55
B. Operated										
65-69 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
70-74	5	4.8		4	4	5	5	5	5	5
75-79	4	4.8	2	4	4	4	6	7	7	7
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	3	6.7	6	4	5	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1160	5.2	22	2	3	4	6	9	12	22
70-74	1346	5.4	18	2	3	4	7	10	12	21
75-79	1591	5.9	29	2	3	5	7	10	13	23
80-84	1576	6.0	22	2	3	5	7	11	14	22
85 +	2026	6.4	30	2	3	5	8	12	15	26
B. Operated										
65-69 YRS	584	9.0	83	3	4	6	10	17	25	66
70-74	662	7.8	59	3	4	6	9	15	21	44
75-79	752	9.2	84	3	4	6	11	19	27	64
80-84	587	9.3	75	3	4	7	11	19	27	53
85 +	562	10.2	69	3	5	7	13	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.5	22	1	2	3	4	6	7	15
B. Operated	18	4.3	5	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	7699	5.9	25	2	3	5	7	11	14	24
B. Operated	3147	9.1	75	3	4	7	11	18	25	52
1. SINGLE DX	170	3.6	20	1	2	3	4	6	7	15
2. MULTIPLE DX	10846	6.8	42	2	3	5	8	13	17	35
A. Not Operated	7851	5.8	25	2	3	5	7	10	14	24
B. Operated	3165	9.0	74	3	4	7	11	18	25	52
TOTAL										
65-69 YRS	1775	6.4	45	2	3	5	7	12	17	40
70-74	2041	6.2	32	2	3	5	7	11	15	33
75-79	2395	6.9	48	2	3	5	8	13	18	38
80-84	2189	6.8	38	2	3	5	8	13	17	34
85 +	2616	7.2	41	2	4	5	9	14	18	33
GRAND TOTAL	**11016**	**6.7**	**41**	**2**	**3**	**5**	**8**	**13**	**17**	**34**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.0	1	2	2	3	4	4	4	4
70-74	0									
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	9.4	116	2	4	5	10	20	35	49
70-74	14	6.7	23	1	3	6	9	13	16	17
75-79	18	10.0	145	2	4	6	10	23	42	52
80-84	9	8.4	24	3	5	8	11	16	16	16
85 +	9	10.9	83	2	5	10	14	25	32	32
B. Operated										
65-69 YRS	29	10.6	48	4	5	9	14	22	26	27
70-74	20	15.6	191	4	5	12	18	43	44	45
75-79	25	14.0	183	3	5	9	18	36	43	57
80-84	17	15.9	128	7	9	12	18	37	44	45
85 +	2	37.5	2521	2	2	37	73	73	73	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	7	2	2	3	6	8	8	8
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	71	9.1	87	2	4	7	11	17	26	51
B. Operated	93	14.1	168	4	5	10	18	32	44	66
1. SINGLE DX	5	5.4	12	2	3	4	8	10	10	10
2. MULTIPLE DX	164	11.9	139	3	5	8	15	26	41	56
A. Not Operated	75	8.8	83	2	4	6	10	17	25	51
B. Operated	94	14.1	167	4	5	10	18	31	44	66
TOTAL										
65-69 YRS	54	9.7	72	3	4	7	13	21	26	48
70-74	34	11.9	139	3	4	8	13	32	44	45
75-79	44	12.2	163	3	4	7	17	28	42	57
80-84	26	13.3	102	4	8	10	16	22	42	45
85 +	11	15.7	434	2	4	10	14	48	71	73
GRAND TOTAL	**169**	**11.8**	**136**	**3**	**5**	**8**	**15**	**25**	**41**	**56**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	5	1.6	1	1	1	1	2	3	3	3
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	39	6.9	25	1	3	5	12	15	16	17
70-74	29	7.2	15	3	5	6	10	12	14	19
75-79	35	6.5	24	2	3	5	8	13	15	24
80-84	16	6.4	31	2	2	5	9	12	20	23
85 +	14	8.1	14	4	6	8	10	12	17	18
B. Operated										
65-69 YRS	54	8.4	47	1	3	6	14	18	21	26
70-74	55	8.5	76	1	2	4	13	21	27	35
75-79	43	6.6	48	1	2	3	8	19	22	28
80-84	19	11.8	89	2	3	9	18	27	31	32
85 +	6	9.8	40	2	5	9	15	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	12	< 1	2	7	7	7	7	7
B. Operated	11	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	133	6.9	22	2	3	6	9	13	15	23
B. Operated	177	8.4	61	1	2	6	13	21	24	32
1. SINGLE DX	14	2.8	4	1	1	2	4	7	7	7
2. MULTIPLE DX	310	7.8	45	1	2	6	11	17	21	30
A. Not Operated	136	6.9	21	2	3	6	9	13	15	23
B. Operated	188	8.0	60	1	2	5	13	20	23	31
TOTAL										
65-69 YRS	97	7.5	38	1	2	5	13	16	20	25
70-74	90	7.7	53	1	2	5	10	18	22	33
75-79	80	6.4	36	1	2	4	8	14	21	27
80-84	36	9.2	67	2	2	7	12	22	28	32
85 +	21	8.5	20	4	6	8	10	16	18	19
GRAND TOTAL	**324**	**7.5**	**44**	**1**	**2**	**6**	**10**	**17**	**21**	**30**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	5.8	22	2	2	4	9	14	14	14
70-74	17	7.3	25	4	4	6	10	12	19	23
75-79	20	6.8	6	4	5	6	8	10	11	12
80-84	16	9.8	198	3	4	6	8	16	48	61
85 +	12	7.2	17	3	4	6	9	14	16	16
B. Operated										
65-69 YRS	8	10.0	53	2	3	8	16	20	22	22
70-74	14	11.1	69	3	5	7	21	24	24	24
75-79	11	11.8	65	1	3	13	18	22	24	24
80-84	10	11.9	58	5	7	11	13	23	31	31
85 +	7	14.3	54	7	9	11	18	26	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	77	7.4	53	3	4	6	8	12	15	51
B. Operated	50	11.7	58	3	6	11	16	23	24	31
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	127	9.1	59	3	4	7	12	19	23	38
A. Not Operated	77	7.4	53	3	4	6	8	12	15	51
B. Operated	51	11.5	59	2	6	11	16	23	24	31
TOTAL										
65-69 YRS	21	7.2	36	2	3	4	12	16	19	22
70-74	31	9.0	47	4	4	6	11	23	24	24
75-79	31	8.6	31	3	5	7	12	17	21	24
80-84	26	10.6	141	4	5	7	13	17	37	61
85 +	19	9.8	41	3	5	8	13	18	24	28
GRAND TOTAL	**128**	**9.0**	**59**	**3**	**4**	**7**	**12**	**18**	**23**	**38**

761 Hospitals, United States, Geriatric, January-December 1990, by Diagnosis

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
70-74	2	4.0	18	< 1	< 1	3	7	7	7	7
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	0									
85 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	19	2.8	15	< 1	1	2	2	4	12	18
70-74	17	2.1	4	< 1	1	2	2	4	7	9
75-79	20	2.2	3	< 1	1	2	3	4	6	8
80-84	5	4.4	43	< 1	1	1	6	16	16	16
85 +	5	2.6	6	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	79	6.7	53	< 1	2	5	8	14	21	38
70-74	67	9.6	99	2	3	6	11	20	36	49
75-79	82	9.5	62	2	4	7	13	18	26	40
80-84	98	8.2	44	3	4	6	10	16	24	34
85 +	88	9.6	139	3	4	7	11	18	28	99 +
B. Operated										
65-69 YRS	314	9.1	114	1	2	6	12	21	27	71
70-74	261	11.0	128	1	3	8	15	23	35	50
75-79	171	9.9	81	2	3	7	14	25	30	41
80-84	84	11.0	135	1	4	8	16	22	28	69
85 +	57	15.3	189	2	5	11	22	38	50	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.5	5	< 1	< 1	1	4	6	7	7
B. Operated	66	2.5	9	< 1	1	2	2	5	8	18
2. MULTIPLE DX										
A. Not Operated	414	8.7	79	2	4	6	11	17	26	56
B. Operated	887	10.4	120	1	3	7	14	23	31	66
1. SINGLE DX	77	2.5	9	< 1	1	2	3	5	8	17
2. MULTIPLE DX	1301	9.9	108	2	3	7	13	22	29	65
A. Not Operated	425	8.5	78	2	4	6	10	17	26	54
B. Operated	953	9.9	117	1	2	7	13	23	30	65
TOTAL										
65-69 YRS	417	8.3	99	1	2	5	11	19	26	66
70-74	347	10.3	119	1	3	7	14	22	35	50
75-79	275	9.2	73	1	3	7	13	22	29	41
80-84	187	9.3	87	2	4	7	12	19	26	38
85 +	152	11.4	162	2	4	8	14	28	43	99 +
GRAND TOTAL	**1378**	**9.5**	**105**	**1**	**3**	**6**	**12**	**21**	**29**	**64**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74	4	5.8	8	3	3	5	8	9	9	9
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	261	7.9	29	3	4	6	10	15	19	25
70-74	275	9.2	76	3	5	7	11	17	22	40
75-79	324	9.0	51	3	5	7	11	17	20	36
80-84	332	9.7	61	4	5	7	12	19	24	36
85 +	398	9.5	52	4	5	8	11	16	22	44
B. Operated										
65-69 YRS	216	15.6	124	5	8	13	20	30	36	70
70-74	265	15.2	130	5	7	12	19	30	43	96
75-79	244	16.0	121	5	8	13	20	30	36	67
80-84	193	17.8	164	7	9	14	22	35	43	64
85 +	135	18.3	211	7	9	15	22	33	46	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.9	7	1	2	3	5	8	9	9
B. Operated	4	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1590	9.1	54	3	5	7	11	16	22	38
B. Operated	1053	16.3	144	5	8	13	21	31	39	77
1. SINGLE DX	13	3.1	6	1	1	2	4	7	9	9
2. MULTIPLE DX	2643	12.0	103	4	6	9	15	24	32	57
A. Not Operated	1599	9.1	54	3	5	7	11	16	22	38
B. Operated	1057	16.3	145	5	8	13	21	31	30	76
TOTAL										
65-69 YRS	482	11.3	87	3	5	9	15	23	30	51
70-74	545	12.0	111	3	6	9	15	23	35	69
75-79	569	12.0	93	4	6	9	16	24	31	55
80-84	525	12.7	114	4	6	9	16	25	35	61
85 +	535	11.7	106	4	6	9	14	22	30	56
GRAND TOTAL	**2656**	**11.9**	**102**	**4**	**6**	**9**	**15**	**24**	**32**	**57**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	3.4	3	1	2	3	5	6	7	7
70-74	15	4.0	3	1	3	4	5	6	8	8
75-79	9	4.1	3	2	3	4	5	7	8	8
80-84	6	3.8	2	2	3	4	5	6	6	6
85 +	3	4.3	2	3	3	4	5	6	6	6
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	428	5.8	11	3	4	5	7	10	11	20
70-74	451	5.9	17	3	4	5	7	9	11	23
75-79	407	6.4	18	3	4	5	8	10	13	21
80-84	328	6.7	18	3	4	6	8	11	15	27
85 +	322	7.4	39	3	4	6	9	14	18	31
B. Operated										
65-69 YRS	95	9.2	27	4	5	8	12	15	19	30
70-74	93	11.4	70	4	7	9	13	18	26	81
75-79	72	13.7	97	4	7	10	19	30	39	87
80-84	47	10.9	87	5	7	9	13	16	18	68
85 +	35	14.9	120	6	7	10	19	37	38	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	3.8	3	1	3	4	5	6	7	8
B. Operated	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	1936	6.4	20	3	4	5	8	11	14	23
B. Operated	342	11.5	74	5	6	9	13	21	30	57
1. SINGLE DX	56	3.9	3	1	3	4	5	6	7	8
2. MULTIPLE DX	2278	7.1	31	3	4	6	8	12	16	33
A. Not Operated	1989	6.3	20	3	4	5	8	11	13	23
B. Operated	345	11.5	74	5	6	9	13	21	30	56
TOTAL										
65-69 YRS	544	6.3	15	3	4	5	8	11	13	23
70-74	560	6.8	30	3	4	6	8	11	15	29
75-79	488	7.4	36	3	4	6	9	13	19	38
80-84	381	7.2	28	3	4	6	9	12	15	28
85 +	361	8.1	51	3	4	6	10	16	20	39
GRAND TOTAL	**2334**	**7.1**	**31**	**3**	**4**	**6**	**8**	**12**	**16**	**32**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.8	2	1	2	3	4	5	5	5
70-74	6	4.0	3	2	3	4	5	7	7	7
75-79	7	4.6	6	< 1	2	5	7	7	7	7
80-84	4	3.5	6	1	1	3	5	6	6	6
85 +	7	5.1	3	3	4	5	7	8	8	8
B. Operated										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	199	5.7	14	2	3	5	7	10	12	23
70-74	165	6.3	23	2	4	5	8	11	14	26
75-79	159	6.2	11	3	4	6	7	11	13	17
80-84	170	7.1	49	3	4	5	8	11	14	38
85 +	165	6.4	16	3	4	5	7	12	14	21
B. Operated										
65-69 YRS	71	10.5	43	4	6	9	14	20	26	31
70-74	58	14.5	212	5	7	10	16	30	41	91
75-79	63	14.7	146	5	7	12	21	28	30	73
80-84	37	13.7	77	4	7	12	18	27	32	34
85 +	29	14.9	205	3	7	9	21	32	57	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.0	4	1	2	4	5	7	7	8
B. Operated	3	8.3	85	3	3	3	15	19	19	19
2. MULTIPLE DX										
A. Not Operated	858	6.3	22	3	4	5	7	10	13	25
B. Operated	258	13.4	130	4	6	10	15	27	31	57
1. SINGLE DX	35	4.4	10	1	3	4	5	7	8	19
2. MULTIPLE DX	1116	8.0	56	3	4	6	9	14	22	34
A. Not Operated	890	6.2	22	3	4	5	7	10	13	24
B. Operated	261	13.3	130	4	6	10	15	27	31	57
TOTAL										
65-69 YRS	280	6.8	25	3	4	5	8	13	15	28
70-74	229	8.3	82	3	4	6	9	15	23	48
75-79	229	8.5	62	3	4	6	10	15	24	35
80-84	211	8.2	60	3	4	6	9	14	25	37
85 +	202	7.6	51	3	4	6	8	14	20	45
GRAND TOTAL	**1151**	**7.9**	**55**	**3**	**4**	**6**	**9**	**14**	**21**	**34**

761 Hospitals, United States, Geriatric, January-December 1990, by Diagnosis

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	90	1.5	1	< 1	1	1	2	3	3	5
70-74	36	1.3	1	< 1	1	1	1	2	3	4
75-79	34	1.4	1	< 1	< 1	1	1	3	4	4
80-84	5	1.8	1	1	1	1	3	3	3	3
85 +	6	1.8	1	< 1	< 1	1	3	3	3	3
B. Operated										
65-69 YRS	59	2.6	6	1	1	1	4	6	8	10
70-74	39	3.1	8	1	1	2	4	7	9	13
75-79	25	2.2	6	1	1	1	2	7	8	9
80-84	8	2.8	3	< 1	1	3	4	5	5	5
85 +	5	5.0	26	< 1	1	2	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	184	2.6	4	1	1	2	3	5	6	10
70-74	127	2.8	4	1	1	2	4	6	7	9
75-79	98	3.1	7	1	1	2	4	7	9	13
80-84	61	4.2	49	1	2	3	4	7	22	93
85 +	31	4.6	31	1	1	4	6	8	11	31
B. Operated										
65-69 YRS	240	6.0	36	1	2	4	8	13	17	29
70-74	217	6.6	72	1	2	5	8	13	17	60
75-79	153	6.3	32	1	2	5	9	12	18	29
80-84	73	6.6	26	1	2	5	9	14	18	22
85 +	39	5.9	47	1	2	4	8	11	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	1.5	1	< 1	1	1	2	3	3	4
B. Operated	136	2.8	7	1	1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated	501	3.1	12	1	1	2	4	6	8	14
B. Operated	722	6.3	46	1	2	4	8	13	17	29
1. SINGLE DX	307	2.0	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX	1223	5.0	34	1	2	3	6	11	14	29
A. Not Operated	672	2.6	10	1	1	2	3	5	7	11
B. Operated	858	5.7	41	1	2	4	8	12	16	28
TOTAL										
65-69 YRS	573	3.8	21	1	1	2	5	9	12	24
70-74	419	4.7	44	1	1	3	6	9	13	24
75-79	310	4.4	22	1	1	3	6	10	13	25
80-84	147	5.2	35	1	2	4	6	12	17	43
85 +	81	5.1	36	1	2	3	7	10	12	37
GRAND TOTAL	**1530**	**4.4**	**30**	**1**	**1**	**3**	**5**	**10**	**13**	**25**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	163	1.8	1	1	1	1	2	3	4	7
70-74	83	1.7	1	1	1	1	2	3	4	5
75-79	43	1.6	2	1	1	1	2	3	4	8
80-84	19	1.9	1	1	1	2	2	4	4	4
85 +	6	1.3	1	< 1	< 1	1	1	3	3	3
B. Operated										
65-69 YRS	181	3.0	5	1	1	3	4	6	7	13
70-74	109	2.6	3	1	1	2	4	5	6	8
75-79	48	3.2	6	1	2	3	4	6	6	16
80-84	28	3.2	8	1	1	2	4	8	10	12
85 +	8	3.4	3	1	3	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	451	2.4	3	1	1	2	3	5	6	9
70-74	294	2.6	5	1	1	2	3	5	7	15
75-79	179	2.7	3	1	1	2	4	5	6	8
80-84	84	3.0	5	1	2	2	4	5	7	12
85 +	45	3.7	8	1	2	3	5	8	9	15
B. Operated										
65-69 YRS	748	4.6	15	1	2	4	6	9	12	18
70-74	546	5.1	19	1	2	4	6	10	13	23
75-79	341	5.4	21	1	2	4	7	12	15	22
80-84	203	6.5	36	1	3	5	9	12	18	31
85 +	92	8.0	48	2	3	6	10	19	24	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	1.7	1	1	1	1	2	3	4	6
B. Operated	374	3.0	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	1053	2.6	4	1	1	2	3	5	6	10
B. Operated	1930	5.2	21	1	2	4	7	10	14	24
1. SINGLE DX	688	2.4	4	1	1	2	3	4	6	10
2. MULTIPLE DX	2983	4.3	17	1	2	3	5	9	12	21
A. Not Operated	1367	2.4	4	1	1	2	3	5	6	10
B. Operated	2304	4.9	19	1	2	4	6	10	13	23
TOTAL										
65-69 YRS	1543	3.5	10	1	1	2	4	7	9	15
70-74	1032	3.9	13	1	2	3	5	8	10	18
75-79	611	4.2	15	1	2	3	5	9	13	18
80-84	334	5.1	27	1	2	3	7	11	14	25
85 +	151	6.2	37	1	2	4	8	14	22	29
GRAND TOTAL	**3671**	**4.0**	**15**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
65-69 YRS	33	4.1	6	1	2	4	6	7	8	9
70-74	18	4.5	10	1	1	4	6	8	11	13
75-79	16	2.9	6	< 1	1	2	4	7	8	8
80-84	7	3.9	7	1	2	3	6	8	8	8
85 +	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	96	4.3	12	1	2	3	6	8	13	17
70-74	89	6.2	23	2	3	5	8	13	19	70
75-79	89	6.1	22	2	3	5	7	12	16	26
80-84	72	9.0	107	2	4	6	12	17	23	67
85 +	68	8.0	37	2	4	6	10	16	20	31
B. Operated										
65-69 YRS	367	7.8	55	1	3	6	10	15	21	37
70-74	312	7.6	62	1	3	6	9	15	22	43
75-79	267	7.9	54	1	3	6	10	18	23	34
80-84	155	10.2	94	2	4	8	14	20	28	51
85 +	88	10.4	88	2	5	8	13	22	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.0	4	< 1	1	3	4	6	6	6
B. Operated	78	3.8	7	1	1	3	6	8	8	12
2. MULTIPLE DX										
A. Not Operated	414	6.5	39	2	3	5	8	13	17	31
B. Operated	1189	8.3	65	1	3	6	10	17	23	40
1. SINGLE DX	87	3.7	7	1	1	3	6	7	8	12
2. MULTIPLE DX	1603	7.8	59	1	3	6	10	16	22	39
A. Not Operated	423	6.4	39	2	3	5	8	13	17	31
B. Operated	1267	8.0	62	1	3	6	10	16	23	40
TOTAL										
65-69 YRS	499	6.8	45	1	3	5	9	14	17	32
70-74	420	7.2	52	1	3	6	9	14	19	43
75-79	374	7.3	45	1	3	6	9	15	22	32
80-84	235	9.6	96	2	4	7	13	19	27	55
85 +	162	9.1	66	2	4	7	12	18	24	50
GRAND TOTAL	**1690**	**7.6**	**57**	**1**	**3**	**6**	**9**	**16**	**22**	**38**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	16.0		16	16	16	16	16	16	16
85 +	0									
B. Operated										
65-69 YRS	9	3.2	8	1	1	3	4	8	10	10
70-74	14	2.6	6	1	1	2	3	5	9	10
75-79	5	3.6	14	1	1	3	5	10	10	10
80-84	3	1.0		1	1	1	1	1	1	1
85 +	7	3.4	6	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	20	2.9	21	1	1	2	3	3	13	22
70-74	11	8.0	411	< 1	1	2	2	31	66	69
75-79	11	2.0	2	1	1	2	2	4	6	6
80-84	5	5.6	5	3	4	6	7	9	9	9
85 +	3	3.0	7	< 1	< 1	2	5	6	6	6
B. Operated										
65-69 YRS	105	5.5	63	1	2	3	6	9	16	51
70-74	149	5.1	71	1	2	3	6	9	12	27
75-79	131	4.8	15	1	2	3	6	10	12	21
80-84	83	5.5	30	1	2	5	7	10	11	35
85 +	64	8.1	110	2	3	5	8	15	19	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.2	23	1	1	2	2	11	16	16
B. Operated	38	2.9	7	1	1	2	4	6	10	10
2. MULTIPLE DX										
A. Not Operated	50	4.1	98	1	1	2	3	6	9	69
B. Operated	532	5.5	54	1	2	4	7	10	14	42
1. SINGLE DX	47	3.0	10	1	1	2	3	7	10	16
2. MULTIPLE DX	582	5.4	58	1	2	4	6	10	14	44
A. Not Operated	59	3.9	87	1	1	2	3	6	13	65
B. Operated	570	5.3	52	1	2	4	6	10	14	39
TOTAL										
65-69 YRS	137	4.9	53	1	2	3	5	9	15	44
70-74	178	5.0	84	1	2	3	6	9	12	57
75-79	148	4.5	14	1	2	3	6	10	11	21
80-84	92	5.5	29	1	2	5	7	10	12	33
85 +	74	7.4	98	1	3	5	8	15	18	65
GRAND TOTAL	**629**	**5.2**	**55**	**1**	**2**	**3**	**6**	**10**	**14**	**42**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	5.0		5	5	5	5	5	5	5
80-84	4	3.5	4	1	2	3	5	6	6	6
85 +	4	3.8	10	1	1	3	6	8	8	8
B. Operated										
65-69 YRS	13	1.5	1	< 1	1	1	2	3	3	3
70-74	13	3.5	12	1	1	2	3	10	12	12
75-79	16	2.2	2	1	1	2	3	5	5	5
80-84	4	1.5	1	1	1	1	2	3	3	3
85 +	3	3.0	12	< 1	< 1	1	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	50	5.3	9	3	3	4	7	9	11	15
70-74	63	6.3	47	2	3	5	7	12	19	43
75-79	91	4.8	11	2	3	4	6	9	11	18
80-84	82	6.5	19	3	4	5	7	13	17	23
85 +	114	6.5	13	3	4	6	8	12	14	17
B. Operated										
65-69 YRS	189	5.4	28	1	2	4	7	12	14	30
70-74	169	6.1	48	1	2	4	8	12	16	39
75-79	206	6.4	59	1	2	4	7	15	22	40
80-84	189	7.2	59	2	3	5	9	14	18	35
85 +	181	8.0	78	2	4	6	9	14	22	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.5	6	1	1	3	5	7	8	8
B. Operated	49	2.3	5	1	1	1	3	4	7	12
2. MULTIPLE DX										
A. Not Operated	400	5.9	19	2	3	5	7	11	14	20
B. Operated	934	6.6	55	1	2	5	8	13	18	40
1. SINGLE DX	59	2.5	5	1	1	2	3	5	8	12
2. MULTIPLE DX	1334	6.4	44	1	3	5	8	13	16	35
A. Not Operated	410	5.9	19	2	3	5	7	11	14	20
B. Operated	983	6.4	54	1	2	4	8	13	17	39
TOTAL										
65-69 YRS	252	5.2	24	1	2	4	7	11	14	23
70-74	246	6.0	46	1	2	4	7	12	16	41
75-79	314	5.7	43	1	2	4	6	11	16	36
80-84	279	6.9	46	2	3	5	8	14	18	32
85 +	302	7.3	53	2	4	6	8	13	17	47
GRAND TOTAL	**1393**	**6.3**	**43**	**1**	**3**	**5**	**8**	**12**	**16**	**34**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	19	1.7	1	< 1	1	1	2	3	4	5
70-74	17	1.6	1	< 1	1	1	2	3	4	4
75-79	16	3.0	7	1	1	2	4	8	9	10
80-84	5	3.8	7	1	2	3	5	8	8	8
85 +	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	4	2.5	9	< 1	< 1	1	4	7	7	7
75-79	11	2.6	4	< 1	1	2	4	6	7	7
80-84	9	2.7	3	1	1	3	4	5	5	5
85 +	6	4.5	7	2	2	4	5	9	9	9
B. Operated										
65-69 YRS	167	3.6	14	1	1	3	5	7	9	19
70-74	170	3.6	20	1	1	2	4	7	8	26
75-79	165	3.6	24	1	1	3	4	7	8	18
80-84	142	3.7	9	1	2	3	5	8	10	14
85 +	79	6.1	28	1	2	5	8	13	19	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	62	2.2	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	32	3.0	5	1	1	3	4	6	7	9
B. Operated	723	3.9	19	1	1	3	5	8	10	24
1. SINGLE DX	64	2.2	3	1	1	2	3	4	6	10
2. MULTIPLE DX	755	3.9	18	1	1	3	5	8	10	24
A. Not Operated	34	3.0	4	1	1	3	4	6	7	9
B. Operated	785	3.8	18	1	1	3	5	8	10	23
TOTAL										
65-69 YRS	189	3.4	13	1	1	2	4	7	8	17
70-74	192	3.4	18	1	1	2	4	7	8	23
75-79	192	3.5	21	1	1	3	4	7	8	17
80-84	156	3.7	8	1	2	3	5	8	9	14
85 +	90	5.8	26	1	2	5	8	12	14	70
GRAND TOTAL	**819**	**3.7**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	5.1	13	2	3	4	6	12	14	14
70-74	28	4.1	6	1	2	4	5	7	9	13
75-79	21	3.5	6	1	2	3	5	7	9	10
80-84	20	3.5	6	1	2	3	5	6	8	11
85 +	28	5.6	11	2	3	5	7	9	12	17
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	13.0		13	13	13	13	13	13	13
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1505	6.4	29	3	4	5	7	11	14	28
70-74	1925	7.3	34	3	4	6	8	13	16	32
75-79	2486	7.5	39	3	4	6	9	13	17	32
80-84	2759	8.0	45	3	4	6	10	14	18	35
85 +	3780	8.5	56	3	5	7	10	15	20	42
B. Operated										
65-69 YRS	295	12.9	128	4	6	10	15	27	38	76
70-74	435	12.3	81	5	7	10	15	24	30	51
75-79	488	14.5	131	5	8	12	18	26	41	63
80-84	496	15.4	180	5	8	12	19	31	48	99 +
85 +	551	15.7	146	5	8	13	20	32	43	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	4.4	9	1	2	4	5	8	11	15
B. Operated	4	7.8	21	3	4	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	12455	7.8	44	3	4	6	9	14	18	35
B. Operated	2265	14.3	137	5	7	11	17	28	40	86
1. SINGLE DX	120	4.5	9	1	2	4	6	8	11	15
2. MULTIPLE DX	14720	8.8	64	3	4	7	10	16	22	46
A. Not Operated	12571	7.7	44	3	4	6	9	14	18	35
B. Operated	2269	14.3	137	5	7	11	17	28	40	86
TOTAL										
65-69 YRS	1820	7.4	51	3	4	6	8	13	18	39
70-74	2389	8.1	46	3	4	6	10	15	20	37
75-79	2996	8.6	61	3	4	7	10	16	22	45
80-84	3276	9.1	72	3	5	7	11	17	23	55
85 +	4359	9.4	73	3	5	7	11	17	24	53
GRAND TOTAL	**14840**	**8.7**	**64**	**3**	**4**	**7**	**10**	**16**	**22**	**46**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.8	2	1	2	3	4	5	5	5
70-74	11	1.8	1	< 1	1	2	2	3	5	5
75-79	9	2.9	6	1	2	2	3	7	9	9
80-84	5	1.8	1	< 1	1	1	3	3	3	3
85 +	6	4.3	2	2	3	5	5	6	6	6
B. Operated										
65-69 YRS	78	2.5	4	1	1	2	3	5	6	10
70-74	52	1.9	1	1	1	2	2	3	4	5
75-79	61	2.1	1	1	1	2	3	4	4	5
80-84	29	2.3	2	1	1	2	3	5	5	6
85 +	20	2.4	4	1	1	2	3	4	7	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	131	3.9	7	1	2	3	5	8	9	13
70-74	153	4.7	21	1	2	4	5	8	11	34
75-79	179	5.1	42	1	2	4	6	10	13	19
80-84	182	4.9	17	1	2	4	6	10	12	20
85 +	196	5.1	16	2	2	4	6	10	14	20
B. Operated										
65-69 YRS	628	4.7	24	1	2	3	6	10	13	23
70-74	734	4.9	28	1	2	3	6	10	14	26
75-79	721	6.0	43	1	2	4	7	14	17	29
80-84	486	6.9	54	2	3	4	8	15	23	37
85 +	360	7.2	50	2	3	5	9	14	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.7	3	1	1	2	3	5	6	9
B. Operated	240	2.2	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	841	4.8	22	1	2	4	6	9	12	20
B. Operated	2929	5.8	39	1	2	4	7	12	17	32
1. SINGLE DX	283	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX	3770	5.5	35	1	2	4	7	11	16	31
A. Not Operated	884	4.7	21	1	2	4	6	9	12	20
B. Operated	3169	5.5	37	1	2	4	7	12	16	31
TOTAL										
65-69 YRS	849	4.4	20	1	2	3	5	9	11	20
70-74	950	4.7	25	1	2	3	5	9	13	26
75-79	970	5.6	41	1	2	4	7	12	16	27
80-84	702	6.2	43	1	2	4	7	12	20	34
85 +	582	6.3	38	2	3	4	8	12	18	33
GRAND TOTAL	**4053**	**5.3**	**33**	**1**	**2**	**4**	**6**	**11**	**15**	**31**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	4.3	11	< 1	1	3	7	9	9	9
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	5	2.4	1	< 1	1	2	3	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	869	3.4	3	2	3	3	4	5	6	8
70-74	798	3.5	2	2	3	3	4	5	6	8
75-79	524	3.6	2	2	3	3	4	6	6	9
80-84	258	3.9	3	2	3	4	5	6	7	10
85 +	86	3.9	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	85	3.0	7	< 1	1	2	4	7	8	15
70-74	105	4.2	26	< 1	1	3	5	8	16	28
75-79	110	3.5	8	1	1	3	5	7	9	14
80-84	60	4.0	15	1	1	3	5	10	14	18
85 +	67	5.6	16	2	3	5	7	13	14	17
B. Operated										
65-69 YRS	5543	4.2	10	2	3	4	5	7	9	15
70-74	5871	4.5	13	2	3	4	5	8	10	16
75-79	4720	4.8	13	2	3	4	5	8	11	19
80-84	2637	5.6	24	2	3	4	6	10	14	22
85 +	1381	6.6	39	3	3	5	8	12	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.3	7	< 1	1	2	4	8	9	9
B. Operated	2535	3.5	3	2	3	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	427	4.0	15	< 1	1	3	5	8	13	18
B. Operated	20152	4.8	16	2	3	4	5	8	11	19
1. SINGLE DX	2550	3.5	3	2	3	3	4	5	6	9
2. MULTIPLE DX	20579	4.8	16	2	3	4	5	8	11	19
A. Not Operated	442	4.0	15	< 1	1	3	5	8	12	18
B. Operated	22687	4.7	14	2	3	4	5	8	11	18
TOTAL										
65-69 YRS	6505	4.1	9	2	3	3	5	7	9	15
70-74	6776	4.4	12	2	3	4	5	7	9	16
75-79	5359	4.7	12	2	3	4	5	8	11	18
80-84	2955	5.5	22	2	3	4	6	10	13	22
85 +	1534	6.4	36	2	3	5	7	12	16	32
GRAND TOTAL	**23129**	**4.6**	**14**	**2**	**3**	**4**	**5**	**8**	**11**	**18**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	4.7	5	3	3	4	5	7	10	11
70-74	0									
75-79	4	2.5	1	2	2	2	3	4	4	4
80-84	3	2.3	2	1	1	2	3	4	4	4
85 +	0									
B. Operated										
65-69 YRS	4	5.8	11	2	3	5	8	10	10	10
70-74	1	8.0		8	8	8	8	8	8	8
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	115	4.6	6	2	3	4	6	7	8	13
70-74	73	5.3	14	2	3	4	6	10	11	22
75-79	69	4.8	5	3	3	4	6	7	8	12
80-84	46	5.2	10	3	3	4	6	9	11	18
85 +	31	6.0	22	3	3	4	7	12	17	23
B. Operated										
65-69 YRS	98	5.1	20	1	2	4	6	11	15	22
70-74	72	5.6	15	2	3	5	7	10	14	20
75-79	75	5.7	31	2	3	4	7	13	16	32
80-84	46	7.2	38	2	3	5	10	15	18	31
85 +	35	5.9	20	2	3	4	7	14	16	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.0	5	2	2	4	5	6	9	11
B. Operated	10	5.3	6	2	4	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	334	5.0	9	2	3	4	6	8	10	19
B. Operated	326	5.7	24	2	3	4	7	13	16	24
1. SINGLE DX	31	4.4	6	2	3	4	5	8	10	11
2. MULTIPLE DX	660	5.4	17	2	3	4	6	10	14	22
A. Not Operated	355	4.9	9	2	3	4	6	8	10	19
B. Operated	336	5.7	24	2	3	4	7	13	16	24
TOTAL										
65-69 YRS	231	4.8	12	2	3	4	6	9	11	19
70-74	146	5.5	14	2	3	4	7	10	12	20
75-79	150	5.2	18	2	3	4	7	9	13	25
80-84	97	6.0	24	2	3	4	7	13	15	28
85 +	67	5.9	20	2	3	4	7	13	16	23
GRAND TOTAL	**691**	**5.3**	**16**	**2**	**3**	**4**	**6**	**10**	**14**	**22**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	16	1.3		< 1	1	1	2	2	3	3
70-74	13	1.3		< 1	1	1	2	2	3	3
75-79	9	1.8	2	1	1	1	2	4	5	5
80-84	4	1.5	1	1	1	1	2	3	3	3
85 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	43	2.3	4	1	1	2	3	5	7	11
70-74	36	2.6	5	1	1	2	3	5	9	11
75-79	34	3.1	7	1	1	2	3	7	9	13
80-84	19	4.2	23	1	1	2	4	12	15	17
85 +	8	3.8	5	1	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	44	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	3	3.0	4	1	1	3	4	5	5	5
B. Operated	140	2.9	8	1	1	2	3	6	10	14
1. SINGLE DX	45	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX	143	2.9	8	1	1	2	3	6	10	14
A. Not Operated	4	2.8	3	1	1	2	4	5	5	5
B. Operated	184	2.6	7	1	1	2	3	5	8	13
TOTAL										
65-69 YRS	59	2.0	3	1	1	1	2	3	6	11
70-74	51	2.3	4	1	1	2	3	5	5	11
75-79	44	2.8	6	1	1	2	3	7	8	13
80-84	24	3.6	19	1	1	2	3	11	14	17
85 +	10	3.4	5	1	1	3	6	6	6	6
GRAND TOTAL	**188**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**8**	**13**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	3.4	3	2	2	3	4	6	7	8
70-74	7	4.9	4	2	4	5	6	7	7	7
75-79	4	3.3	2	2	2	3	4	5	5	5
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	6	3.2	11	< 1	1	2	5	9	9	9
70-74	7	2.1	2	1	1	1	4	4	4	4
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	79	5.2	6	2	3	4	7	9	10	12
70-74	70	5.6	14	3	4	5	6	10	11	24
75-79	66	5.9	7	2	4	6	8	9	11	12
80-84	30	5.8	8	3	4	5	8	9	11	14
85 +	30	6.6	11	3	4	6	9	11	13	16
B. Operated										
65-69 YRS	32	8.2	52	1	3	7	11	15	25	33
70-74	46	6.0	25	1	2	5	7	10	17	28
75-79	31	8.1	38	1	3	7	11	17	19	26
80-84	16	9.7	30	2	5	10	13	15	20	22
85 +	8	11.9	31	5	8	11	15	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.8	3	2	2	4	5	6	7	8
B. Operated	15	2.9	7	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated	275	5.7	9	3	4	5	7	9	11	15
B. Operated	133	7.8	37	1	4	7	10	16	19	29
1. SINGLE DX	48	3.5	4	1	2	3	5	6	8	9
2. MULTIPLE DX	408	6.4	19	2	4	5	8	11	14	25
A. Not Operated	308	5.5	9	2	3	5	7	9	11	15
B. Operated	148	7.3	36	1	3	6	10	15	18	28
TOTAL										
65-69 YRS	138	5.5	19	2	3	4	7	10	12	27
70-74	130	5.5	17	2	3	5	6	9	11	26
75-79	103	6.4	17	2	4	6	8	11	13	22
80-84	47	7.1	18	3	4	5	9	13	14	22
85 +	38	7.7	19	3	5	7	9	13	17	22
GRAND TOTAL	**456**	**6.1**	**18**	**2**	**3**	**5**	**8**	**11**	**13**	**25**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
70-74	2	1.0		< 1	< 1	< 1	1	1	1	1
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	10.0	2	9	9	10	11	11	11	11
B. Operated										
65-69 YRS	8	2.8	11	< 1	1	2	2	8	11	11
70-74	12	2.6	3	< 1	1	2	4	5	5	5
75-79	16	2.0	1	< 1	1	2	3	4	4	4
80-84	4	8.0	70	1	2	5	13	20	20	20
85 +	10	3.1	9	1	1	2	3	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	7	5.0	14	1	2	4	8	11	11	11
B. Operated	50	3.0	11	< 1	1	2	4	5	11	20
1. SINGLE DX	6	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX	57	3.2	12	1	1	2	4	7	11	19
A. Not Operated	7	5.0	14	1	2	4	8	11	11	11
B. Operated	56	2.8	10	< 1	1	2	3	5	10	19
TOTAL										
65-69 YRS	12	2.5	8	< 1	< 1	1	2	7	10	11
70-74	16	2.4	3	< 1	1	1	4	5	5	5
75-79	17	2.1	1	< 1	1	2	3	4	4	4
80-84	6	6.0	52	1	2	3	7	19	20	20
85 +	12	4.3	15	1	1	3	7	11	11	11
GRAND TOTAL	**63**	**3.0**	**11**	**< 1**	**1**	**2**	**4**	**6**	**11**	**19**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	3	2.7	4	1	1	2	4	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	72	1.9	1	1	1	2	3	3	4	5
70-74	49	1.9	1	1	1	2	2	3	4	4
75-79	17	2.6	4	1	1	2	3	4	7	9
80-84	4	4.3	11	1	1	4	7	8	8	8
85 +	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	4.2	9	1	2	4	5	9	11	12
70-74	27	5.0	17	1	2	4	8	11	13	17
75-79	15	9.4	50	3	4	8	11	19	27	30
80-84	11	5.2	8	1	3	5	7	9	10	10
85 +	8	9.0	19	3	6	9	12	15	15	15
B. Operated										
65-69 YRS	266	3.7	36	1	1	2	4	6	8	37
70-74	149	3.7	18	1	1	2	4	8	11	20
75-79	71	5.9	111	1	1	2	5	14	34	92
80-84	33	8.4	77	1	2	4	12	24	30	33
85 +	21	12.1	196	1	3	8	15	32	50	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	3	1	1	1	3	5	5	5
B. Operated	144	2.1	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated	83	6.0	23	1	3	5	8	12	14	26
B. Operated	540	4.6	53	1	1	3	4	9	15	49
1. SINGLE DX	149	2.1	2	1	1	2	3	4	4	8
2. MULTIPLE DX	623	4.8	49	1	1	3	5	10	15	48
A. Not Operated	88	5.8	23	1	2	5	8	12	14	26
B. Operated	684	4.1	43	1	1	2	4	8	12	44
TOTAL										
65-69 YRS	362	3.3	28	1	1	2	4	5	8	30
70-74	228	3.4	15	1	1	2	4	8	10	18
75-79	103	5.9	87	1	1	3	7	12	23	82
80-84	48	7.3	57	1	2	5	9	16	26	33
85 +	31	11.0	138	2	4	8	13	21	48	51
GRAND TOTAL	**772**	**4.3**	**41**	**1**	**1**	**2**	**4**	**9**	**13**	**38**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	37	1.2		< 1	< 1	< 1	1	2	2	3
70-74	24	1.3		< 1	< 1	< 1	2	2	3	3
75-79	14	1.4	1	< 1	< 1	< 1	2	3	3	3
80-84	8	1.4	1	< 1	< 1	1	2	3	3	3
85 +	4	1.5	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	83	2.3	3	< 1	< 1	2	3	4	6	8
70-74	45	1.8	1	< 1	1	1	2	3	4	6
75-79	28	2.5	4	< 1	1	2	3	6	7	7
80-84	28	2.1	3	< 1	1	2	3	5	6	9
85 +	11	2.6	4	< 1	< 1	2	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	87	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	195	2.2	3	< 1	1	2	3	4	6	8
1. SINGLE DX	88	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX	196	2.2	3	< 1	1	2	3	4	6	8
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	282	1.9	2	< 1	< 1	1	2	4	5	7
TOTAL										
65-69 YRS	120	1.9	2	< 1	< 1	1	3	4	5	7
70-74	70	1.6	1	< 1	< 1	1	2	3	3	6
75-79	43	2.1	3	< 1	< 1	1	3	4	6	7
80-84	36	2.0	3	< 1	1	1	2	3	6	9
85 +	15	2.3	4	< 1	< 1	2	3	6	7	7
GRAND TOTAL	**284**	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**7**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	54	2.1	2	< 1	1	2	3	3	5	8
70-74	23	2.0	1	1	1	2	3	4	4	5
75-79	16	1.7	2	< 1	1	1	2	2	6	7
80-84	12	1.5	1	< 1	1	1	2	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	4.7	14	< 1	1	3	7	10	12	12
70-74	13	3.7	9	1	2	2	5	9	10	10
75-79	3	6.3	2	5	5	6	7	8	8	8
80-84	9	5.4	11	1	3	5	7	10	12	12
85 +	10	5.0	18	< 1	2	4	7	12	14	14
B. Operated										
65-69 YRS	119	2.8	6	1	1	2	3	5	8	13
70-74	61	3.0	23	1	1	2	3	4	8	34
75-79	30	3.5	9	1	2	2	4	7	11	13
80-84	11	3.0	4	< 1	1	3	4	6	8	8
85 +	8	8.9	149	< 1	1	4	11	30	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	106	1.9	2	< 1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	50	4.7	12	< 1	2	4	7	10	12	14
B. Operated	229	3.2	16	1	1	2	3	6	10	22
1. SINGLE DX	109	1.9	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	279	3.4	16	1	1	2	4	7	10	17
A. Not Operated	53	4.5	12	< 1	1	4	7	10	12	14
B. Operated	335	2.8	12	1	1	2	3	5	8	14
TOTAL										
65-69 YRS	189	2.7	6	1	1	2	3	5	8	12
70-74	98	2.9	16	1	1	2	3	4	8	25
75-79	50	3.0	7	1	1	2	4	7	8	13
80-84	32	3.1	7	< 1	1	2	4	7	8	12
85 +	19	6.4	72	< 1	1	4	9	14	27	37
GRAND TOTAL	**388**	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**14**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	9.0		9	9	9	9	9	9	9
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	14	4.5	3	2	4	5	6	6	7	7
70-74	13	4.2	1	3	4	4	5	6	6	6
75-79	10	3.8	3	1	2	4	5	6	7	7
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	2.0	3	< 1	< 1	1	3	4	4	4
75-79	3	5.7	22	2	2	4	9	11	11	11
80-84	1	5.0		5	5	5	5	5	5	5
85 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	122	5.2	8	3	4	4	6	8	10	19
70-74	96	6.2	13	4	4	5	7	10	13	64
75-79	77	7.1	19	4	4	5	9	12	14	29
80-84	34	8.2	18	5	5	7	9	13	18	23
85 +	22	7.8	26	2	4	7	8	17	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	40	4.3	2	2	4	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	10	3.3	9	< 1	1	2	4	8	11	11
B. Operated	351	6.3	15	3	4	5	7	10	14	23
1. SINGLE DX	41	4.4	3	2	4	4	5	7	7	9
2. MULTIPLE DX	361	6.2	15	3	4	5	7	10	14	23
A. Not Operated	11	3.8	11	< 1	1	2	5	10	11	11
B. Operated	391	6.1	14	3	4	5	7	10	14	23
TOTAL										
65-69 YRS	137	5.1	8	3	4	4	6	7	10	19
70-74	113	5.9	12	3	4	5	6	10	12	51
75-79	90	6.6	19	4	4	5	8	11	14	27
80-84	37	7.9	17	4	5	6	9	13	17	23
85 +	25	7.3	25	2	4	6	8	17	18	20
GRAND TOTAL	**402**	**6.1**	**14**	**3**	**4**	**5**	**7**	**10**	**13**	**22**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	2	9.5	61	4	4	9	15	15	15	15
B. Operated										
65-69 YRS	5	3.4	1	2	3	4	4	4	4	4
70-74	3	4.3		4	4	4	5	5	5	5
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	6.0	13	2	3	6	9	10	10	10
70-74	6	9.0	21	5	7	8	9	17	18	18
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84	2	5.5	5	4	4	5	7	7	7	7
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	50	8.6	103	4	4	5	8	14	39	52
70-74	29	6.8	15	3	4	5	9	14	15	15
75-79	16	9.1	78	1	4	6	13	19	31	36
80-84	6	9.2	53	4	4	7	10	22	23	23
85 +	3	11.0	31	5	7	12	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.2	28	1	2	3	7	14	15	15
B. Operated	10	3.9	1	2	4	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	16	7.1	14	3	4	7	9	10	16	18
B. Operated	104	8.3	68	3	4	5	9	15	25	46
1. SINGLE DX	16	4.4	10	2	3	4	5	7	13	15
2. MULTIPLE DX	120	8.1	61	3	4	6	9	15	21	44
A. Not Operated	22	6.6	18	2	3	7	9	11	16	18
B. Operated	114	7.9	64	3	4	5	9	15	22	44
TOTAL										
65-69 YRS	61	7.8	88	3	4	5	7	12	34	51
70-74	39	6.9	15	3	4	6	9	14	15	18
75-79	20	8.6	64	2	4	6	10	17	27	36
80-84	10	6.9	40	1	4	5	9	16	23	23
85 +	6	9.2	34	3	4	8	15	16	16	16
GRAND TOTAL	**136**	**7.7**	**56**	**3**	**4**	**5**	**9**	**15**	**19**	**42**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	56	5.1	4	3	4	5	6	8	10	11
70-74	28	5.3	12	3	4	5	6	7	9	22
75-79	15	5.1	7	4	4	4	5	6	12	14
80-84	3	9.3	102	3	3	4	17	21	21	21
85 +	3	5.0	3	3	4	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	4	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	105	5.2	9	3	4	5	6	8	10	21
1. SINGLE DX	5	5.0	3	4	4	4	6	8	8	8
2. MULTIPLE DX	106	5.2	9	3	4	5	6	8	10	21
A. Not Operated	2	5.0	18	2	2	5	8	8	8	8
B. Operated	109	5.2	8	3	4	5	6	7	10	21
TOTAL										
65-69 YRS	59	5.0	4	3	4	5	6	8	9	11
70-74	29	5.4	12	3	4	5	6	7	9	22
75-79	17	5.0	6	4	4	4	5	6	11	14
80-84	3	9.3	102	3	3	4	17	21	21	21
85 +	3	5.0	3	3	4	6	6	6	6	6
GRAND TOTAL	**111**	**5.2**	**8**	**3**	**4**	**5**	**6**	**8**	**10**	**21**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	8	3.5	1	1	3	4	4	5	5	5
70-74	6	5.2	13	< 1	2	5	6	11	11	11
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	3	4.3	1	3	3	5	5	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	20	4.2	5	1	3	4	5	6	9	11
1. SINGLE DX	0									
2. MULTIPLE DX	21	4.2	4	1	3	4	5	6	8	11
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	20	4.2	5	1	3	4	5	6	9	11
TOTAL										
65-69 YRS	8	3.5	1	1	3	4	4	5	5	5
70-74	7	5.1	10	< 1	3	5	6	10	11	11
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	3	4.3	1	3	3	5	5	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**21**	**4.2**	**4**	**1**	**3**	**4**	**5**	**6**	**8**	**11**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	3	3.3	10	1	1	2	6	7	7	7
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	8.7	4	7	7	8	10	11	11	11
70-74	7	7.3	15	4	4	7	10	13	14	14
75-79	7	4.9	4	2	4	5	5	8	9	9
80-84	9	8.7	16	4	6	8	12	14	14	14
85 +	16	5.8	19	3	3	4	6	12	17	19
B. Operated										
65-69 YRS	18	6.3	44	< 1	2	4	7	18	21	23
70-74	14	6.6	33	1	3	6	9	12	20	23
75-79	14	7.5	26	2	3	7	11	14	17	18
80-84	11	7.6	65	< 1	2	5	10	20	27	28
85 +	3	20.7	752	1	3	9	41	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	2	4	4	5	6	6	6	6
B. Operated	10	2.4	4	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated	42	6.7	15	3	4	5	8	13	14	19
B. Operated	60	7.6	72	1	2	5	10	18	23	50
1. SINGLE DX	12	2.8	4	1	1	2	4	6	7	7
2. MULTIPLE DX	102	7.2	48	1	3	5	9	14	19	39
A. Not Operated	44	6.6	15	3	4	5	8	13	14	19
B. Operated	70	6.9	65	1	2	4	9	16	23	47
TOTAL										
65-69 YRS	24	6.2	36	1	2	4	8	18	20	23
70-74	24	6.4	24	1	4	4	9	11	17	23
75-79	23	6.2	20	2	3	5	9	12	15	18
80-84	23	7.5	39	1	3	7	10	14	20	28
85 +	20	7.8	126	2	3	4	7	16	35	52
GRAND TOTAL	**114**	**6.8**	**45**	**1**	**3**	**5**	**9**	**14**	**18**	**37**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	478	3.9	2	2	3	4	5	6	6	9
70-74	360	4.0	2	2	3	4	5	6	6	9
75-79	221	4.0	2	2	3	4	5	6	7	8
80-84	68	4.5	3	2	3	4	5	7	8	10
85 +	32	4.3	5	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	3.7	16	< 1	< 1	2	4	9	13	15
70-74	21	2.5	5	< 1	< 1	1	3	5	7	9
75-79	19	2.6	6	< 1	< 1	1	4	7	8	8
80-84	8	3.1	3	1	2	3	4	6	6	6
85 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	2273	4.6	3	3	3	4	5	6	8	11
70-74	1842	4.8	5	3	4	4	6	7	8	14
75-79	1196	5.3	9	3	4	5	6	8	10	16
80-84	483	5.3	6	3	4	5	6	8	9	15
85 +	159	5.4	8	3	4	5	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	1159	4.0	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	65	2.9	7	< 1	< 1	2	4	7	8	14
B. Operated	5953	4.9	6	3	4	4	6	7	9	14
1. SINGLE DX	1162	4.0	2	2	3	4	5	6	7	9
2. MULTIPLE DX	6018	4.8	6	3	4	4	6	7	9	14
A. Not Operated	68	2.8	7	< 1	< 1	2	4	7	8	14
B. Operated	7112	4.7	5	3	3	4	5	7	8	14
TOTAL										
65-69 YRS	2767	4.4	3	3	3	4	5	6	7	11
70-74	2225	4.7	5	3	3	4	5	7	8	13
75-79	1436	5.0	8	3	4	4	6	8	9	16
80-84	559	5.1	6	3	4	5	6	8	9	15
85 +	193	5.2	8	3	4	5	6	8	10	16
GRAND TOTAL	**7180**	**4.7**	**5**	**3**	**3**	**4**	**5**	**7**	**8**	**14**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	19	1.6	1	< 1	< 1	< 1	2	4	4	4
70-74	11	1.2		< 1	< 1	< 1	1	2	3	3
75-79	5	1.2		< 1	< 1	< 1	1	2	2	2
80-84	4	2.0	1	1	1	2	3	3	3	3
85 +	5	2.2	2	< 1	< 1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	2.9	4	1	1	2	4	6	7	7
70-74	4	2.3	6	1	1	1	4	6	6	6
75-79	8	5.9	57	< 1	1	4	6	19	24	24
80-84	8	5.6	20	1	2	4	7	13	15	15
85 +	10	4.9	10	2	3	4	6	10	13	13
B. Operated										
65-69 YRS	112	3.9	9	< 1	2	4	5	7	10	15
70-74	95	4.2	8	1	2	4	5	7	10	16
75-79	77	4.0	11	1	2	3	5	8	11	17
80-84	43	5.3	43	1	2	3	6	10	16	39
85 +	31	5.6	28	1	2	4	7	13	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	44	1.6	1	< 1	< 1	< 1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	41	4.4	19	1	2	4	5	8	14	24
B. Operated	358	4.3	15	1	2	4	5	8	11	21
1. SINGLE DX	44	1.6	1	< 1	< 1	< 1	2	3	4	4
2. MULTIPLE DX	399	4.3	15	1	2	4	5	8	11	21
A. Not Operated	41	4.4	19	1	2	4	5	8	14	24
B. Operated	402	4.0	14	< 1	2	3	5	8	10	20
TOTAL										
65-69 YRS	142	3.6	8	< 1	1	3	5	7	9	14
70-74	110	3.8	8	< 1	1	4	5	7	10	15
75-79	90	4.0	15	< 1	2	3	5	8	12	21
80-84	55	5.1	37	1	2	3	6	9	15	38
85 +	46	5.1	22	1	2	4	6	11	17	21
GRAND TOTAL	**443**	**4.1**	**15**	**< 1**	**2**	**3**	**5**	**8**	**11**	**21**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	44	2.8	3	< 1	1	3	4	5	6	7
70-74	12	2.5	4	< 1	< 1	1	4	5	6	6
75-79	14	2.8	4	< 1	< 1	2	5	5	7	7
80-84	4	1.0		< 1	< 1	< 1	1	1	1	1
85 +	5	3.2	8	< 1	1	2	4	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	8.0	78	1	2	4	14	22	22	22
70-74	16	3.8	6	< 1	2	4	5	7	8	9
75-79	9	3.2	2	1	2	3	5	5	5	5
80-84	20	6.5	23	2	4	5	7	12	18	23
85 +	16	7.0	22	2	3	6	10	15	15	15
B. Operated										
65-69 YRS	314	5.6	22	2	3	4	6	11	15	28
70-74	262	6.4	32	1	4	5	7	12	19	33
75-79	155	8.0	87	2	3	5	9	18	23	48
80-84	83	9.0	79	2	4	7	11	16	25	49
85 +	50	8.2	58	1	4	7	9	19	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	2	1	1	2	3	4	4	4
B. Operated	79	2.7	3	< 1	< 1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	69	5.7	24	1	2	5	7	13	16	23
B. Operated	864	6.8	46	2	3	5	8	13	20	38
1. SINGLE DX	83	2.7	3	< 1	< 1	2	4	5	6	8
2. MULTIPLE DX	933	6.7	44	2	3	5	8	13	20	36
A. Not Operated	73	5.5	23	1	2	4	6	12	15	23
B. Operated	943	6.4	43	1	3	5	7	12	19	36
TOTAL										
65-69 YRS	367	5.3	22	1	3	4	6	10	15	27
70-74	291	6.1	30	1	3	5	7	11	17	31
75-79	180	7.3	78	1	3	5	8	16	22	46
80-84	107	8.2	68	1	4	6	10	14	21	47
85 +	71	7.6	48	1	3	6	9	16	21	39
GRAND TOTAL	**1016**	**6.3**	**42**	**1**	**3**	**5**	**7**	**12**	**19**	**35**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	194	3.8	3	2	3	4	4	6	7	11
70-74	124	3.8	2	2	3	4	5	6	6	7
75-79	76	3.9	4	2	2	4	5	7	7	11
80-84	27	4.4	15	1	2	4	5	8	12	21
85 +	5	3.0	2	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	3.2	3	1	1	3	4	5	6	6
70-74	12	7.4	90	< 1	1	3	10	23	31	32
75-79	4	3.5	10	< 1	1	2	5	8	8	8
80-84	5	4.0	8	1	2	3	7	7	7	7
85 +	3	5.3	17	2	2	4	8	10	10	10
B. Operated										
65-69 YRS	508	4.6	8	2	3	4	5	7	8	15
70-74	380	4.8	6	3	3	4	6	7	9	13
75-79	230	4.9	6	3	3	4	6	7	9	15
80-84	102	5.4	9	2	3	5	7	8	10	17
85 +	31	6.5	8	3	4	6	8	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	426	3.8	4	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	34	5.0	37	1	1	3	6	10	17	32
B. Operated	1251	4.8	7	2	3	4	6	8	9	14
1. SINGLE DX	428	3.8	4	2	3	4	5	6	7	10
2. MULTIPLE DX	1285	4.8	8	2	3	4	6	8	9	15
A. Not Operated	36	4.8	36	< 1	1	3	6	10	16	32
B. Operated	1677	4.6	6	2	3	4	5	7	9	13
TOTAL										
65-69 YRS	713	4.4	7	2	3	4	5	7	8	13
70-74	517	4.6	7	2	3	4	5	7	9	13
75-79	310	4.6	6	2	3	4	5	7	8	14
80-84	134	5.1	10	2	3	5	6	8	10	21
85 +	39	5.9	8	3	4	5	7	11	12	13
GRAND TOTAL	**1713**	**4.6**	**7**	**2**	**3**	**4**	**5**	**7**	**9**	**14**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

295: Previous cesarean section (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	99	4.4	7	2	3	4	6	7	9	16
70-74	79	4.5	5	3	3	4	6	7	9	13
75-79	53	5.2	10	2	3	5	6	9	12	16
80-84	39	5.5	11	2	3	5	8	10	12	15
85 +	41	6.3	20	3	4	5	7	9	14	29
B. Operated										
65-69 YRS	21	5.9	33	2	3	4	7	10	19	28
70-74	15	5.1	43	2	2	4	5	7	23	28
75-79	15	4.9	6	2	3	4	7	7	9	10
80-84	12	7.3	20	2	4	5	11	14	15	15
85 +	10	5.7	12	3	4	5	6	11	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1367	7.1	28	3	4	6	8	13	16	25
70-74	1333	7.7	48	3	4	6	9	13	18	32
75-79	1365	7.7	29	3	4	6	9	14	17	28
80-84	1146	7.8	34	3	4	6	9	14	18	33
85 +	1334	8.4	40	3	4	7	10	15	19	34
B. Operated										
65-69 YRS	548	11.8	98	4	5	9	15	24	30	50
70-74	567	12.0	112	4	5	9	15	23	32	73
75-79	477	12.8	123	4	6	10	16	25	36	72
80-84	375	13.6	120	4	6	10	19	28	38	62
85 +	381	13.7	139	5	6	10	16	27	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	5.0	10	2	3	4	6	8	10	16
B. Operated	73	5.7	24	2	3	4	7	10	15	28
2. MULTIPLE DX										
A. Not Operated	6545	7.7	36	3	4	6	9	14	18	31
B. Operated	2348	12.7	117	4	6	10	16	25	35	63
1. SINGLE DX	384	5.1	12	2	3	4	6	9	11	19
2. MULTIPLE DX	8893	9.0	62	3	4	7	11	17	23	45
A. Not Operated	6856	7.6	35	3	4	6	9	14	17	30
B. Operated	2421	12.5	116	4	6	9	16	25	34	63
TOTAL										
65-69 YRS	2035	8.2	51	3	4	6	10	16	21	37
70-74	1994	8.7	69	3	4	7	10	17	22	50
75-79	1910	8.9	57	3	4	7	11	16	22	42
80-84	1572	9.1	60	3	5	7	11	18	25	46
85 +	1766	9.5	65	3	5	7	11	18	25	45
GRAND TOTAL	**9277**	**8.9**	**61**	**3**	**4**	**7**	**10**	**17**	**23**	**45**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	4.1	4	2	3	4	5	7	8	8
70-74	7	3.4	1	2	3	3	4	5	5	5
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	5.5	41	1	1	5	10	10	10	10
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	5	5.0	15	1	2	4	7	11	11	11
70-74	8	5.3	32	< 1	1	4	6	15	18	18
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	2.0	1	< 1	< 1	2	3	3	3	3
85 +	4	9.8	68	4	5	6	14	22	22	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	90	7.3	23	3	4	6	9	13	18	26
70-74	91	6.6	20	3	4	6	8	10	12	28
75-79	90	6.8	20	2	4	6	9	12	13	27
80-84	67	7.0	31	2	4	6	8	11	12	35
85 +	87	8.3	60	3	5	7	9	12	19	48
B. Operated										
65-69 YRS	114	9.7	82	3	4	7	12	21	26	80
70-74	84	9.1	51	3	4	7	11	17	21	41
75-79	78	11.6	238	4	5	7	11	19	41	92
80-84	51	10.2	53	3	5	9	13	21	26	39
85 +	59	9.7	50	3	5	7	12	19	27	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.1	6	1	3	4	5	8	9	10
B. Operated	21	5.4	31	< 1	1	4	6	14	20	22
2. MULTIPLE DX										
A. Not Operated	425	7.2	31	3	4	6	9	11	15	34
B. Operated	386	10.0	98	3	5	7	12	20	26	62
1. SINGLE DX	40	4.8	19	1	2	4	6	9	14	22
2. MULTIPLE DX	811	8.5	65	3	4	7	10	15	22	43
A. Not Operated	444	7.1	30	3	4	6	9	11	15	33
B. Operated	407	9.8	95	3	4	7	12	20	26	57
TOTAL										
65-69 YRS	216	8.4	55	3	4	7	10	18	23	50
70-74	190	7.5	35	2	4	6	9	14	18	35
75-79	170	9.0	125	3	4	6	10	13	23	83
80-84	123	8.2	42	2	4	7	10	13	22	37
85 +	152	8.8	56	3	5	7	10	16	24	44
GRAND TOTAL	**851**	**8.4**	**63**	**3**	**4**	**7**	**10**	**15**	**22**	**43**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	2.3	4	1	1	2	3	5	5	5
70-74	0									
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
55-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	2.6	1	1	2	3	3	4	4	4
70-74	6	6.7	30	1	1	6	11	14	14	14
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	8.5	113	1	1	8	16	16	16	16
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.8	3	< 1	1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	14	5.1	27	1	1	3	9	14	16	16
1. SINGLE DX	6	1.8	3	< 1	1	1	2	5	5	5
2. MULTIPLE DX	15	4.9	26	1	1	3	8	14	15	16
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	20	4.2	21	1	1	2	5	12	15	16
TOTAL										
65-69 YRS	9	2.4	2	1	1	2	3	5	5	5
70-74	7	5.9	29	< 1	1	4	10	13	14	14
75-79	2	1.5	1	< 1	< 1	1	2	2	2	2
80-84	2	8.5	113	1	1	8	16	16	16	16
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**21**	**4.0**	**21**	**< 1**	**1**	**2**	**4**	**12**	**15**	**16**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
70-74	3	1.0		< 1	< 1	< 1	1	1	1	1
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
65-69 YRS	8	2.8	3	< 1	1	2	4	5	6	6
70-74	7	2.4	3	< 1	1	2	3	5	6	6
75-79	8	4.5	27	< 1	1	2	6	13	15	15
80-84	6	4.5	6	2	3	4	7	8	8	8
85 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	7	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	5	3.8	5	1	2	4	5	7	7	7
B. Operated	30	3.5	10	< 1	2	3	4	7	10	15
1. SINGLE DX	8	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX	35	3.6	9	1	2	3	4	7	9	15
A. Not Operated	6	3.3	5	1	1	3	4	7	7	7
B. Operated	37	3.1	9	< 1	1	2	3	7	9	15
TOTAL										
65-69 YRS	11	2.4	2	< 1	1	2	3	5	6	6
70-74	11	2.2	3	< 1	< 1	1	3	5	6	6
75-79	9	4.1	25	< 1	1	2	5	13	15	15
80-84	7	4.4	5	2	3	4	6	8	8	8
85 +	5	3.2	6	< 1	1	3	5	7	7	7
GRAND TOTAL	**43**	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**7**	**9**	**15**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	9.7	37	4	5	8	13	19	20	20
70-74	3	9.0	7	6	7	10	11	11	11	11
75-79	6	9.3	63	3	5	7	9	23	25	25
80-84	5	9.2	10	6	7	9	11	14	14	14
85 +	12	9.4	39	4	6	8	10	17	26	27
B. Operated										
65-69 YRS	25	4.9	51	1	2	2	5	11	18	36
70-74	11	6.3	16	1	2	6	10	11	11	11
75-79	15	14.9	96	8	10	12	18	20	39	45
80-84	12	5.7	24	< 1	1	5	7	12	17	18
85 +	16	8.5	82	2	4	7	8	14	32	40
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	172	10.4	100	3	5	8	13	21	27	69
70-74	222	11.9	169	3	5	9	14	22	35	98
75-79	293	12.3	138	4	6	9	15	26	36	99 +
80-84	313	12.0	131	4	6	9	15	24	39	99 +
85 +	449	12.4	134	4	6	9	14	23	39	80
B. Operated										
65-69 YRS	407	16.9	229	3	7	12	23	40	54	99 +
70-74	472	17.9	284	4	7	13	22	45	63	99 +
75-79	485	18.8	281	4	8	13	25	44	67	99 +
80-84	475	17.9	225	5	8	14	24	41	58	99 +
85 +	652	17.0	210	5	8	14	22	38	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	9.4	32	4	6	8	11	16	24	27
B. Operated	79	7.8	68	1	2	6	10	17	20	44
2. MULTIPLE DX										
A. Not Operated	1449	12.0	135	4	6	9	14	23	37	99 +
B. Operated	2491	17.7	244	4	7	13	23	41	60	99 +
1. SINGLE DX	111	8.3	57	1	3	7	10	16	20	42
2. MULTIPLE DX	3940	15.6	212	4	7	11	20	36	52	99 +
A. Not Operated	1481	11.9	133	4	6	9	14	23	36	99 +
B. Operated	2570	17.4	241	4	7	13	23	41	59	99 +
TOTAL										
65-69 YRS	610	14.5	196	3	6	10	20	35	45	99 +
70-74	708	15.8	252	3	6	11	19	38	59	99 +
75-79	799	16.2	233	4	7	11	21	38	57	99 +
80-84	805	15.4	194	4	7	12	19	35	52	99 +
85 +	1129	15.0	182	4	7	11	19	33	49	99 +
GRAND TOTAL	**4051**	**15.4**	**209**	**4**	**6**	**11**	**20**	**35**	**52**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	5.8	36	1	1	3	7	18	19	19
70-74	6	5.8	9	1	5	6	7	10	10	10
75-79	6	6.7	14	< 1	5	7	10	11	11	11
80-84	7	8.9	66	2	3	6	17	21	21	21
85 +	4	3.0	7	1	1	2	5	7	7	7
B. Operated										
65-69 YRS	33	1.4	1	< 1	1	1	2	2	3	5
70-74	16	2.4	5	< 1	1	1	3	7	8	8
75-79	12	3.0	7	< 1	< 1	1	5	7	8	8
80-84	7	1.6	1	< 1	< 1	1	2	3	3	3
85 +	3	8.0	109	1	1	3	16	20	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	253	10.0	72	3	4	7	14	21	25	35
70-74	217	8.8	67	2	4	6	12	19	23	45
75-79	178	7.8	54	2	3	5	9	17	22	39
80-84	143	8.5	54	2	4	6	11	17	22	36
85 +	128	9.6	91	3	4	7	11	19	25	50
B. Operated										
65-69 YRS	130	7.8	88	1	1	4	11	20	28	41
70-74	104	10.1	127	1	2	7	14	22	24	66
75-79	69	9.1	59	1	2	8	15	20	22	30
80-84	57	11.2	169	1	3	8	13	21	32	75
85 +	40	11.1	58	1	5	10	17	23	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	6.2	31	1	2	5	8	17	20	21
B. Operated	71	2.2	8	< 1	1	1	2	5	7	18
2. MULTIPLE DX										
A. Not Operated	919	9.0	68	2	4	6	12	19	24	44
B. Operated	400	9.4	102	1	2	7	14	21	25	52
1. SINGLE DX	108	3.6	19	< 1	1	2	5	8	12	21
2. MULTIPLE DX	1319	9.1	78	2	3	6	13	20	24	45
A. Not Operated	956	8.9	67	2	4	6	12	19	24	44
B. Operated	471	8.3	95	1	1	5	12	20	24	46
TOTAL										
65-69 YRS	430	8.5	76	1	2	5	13	20	25	35
70-74	343	8.8	84	1	3	6	13	19	23	46
75-79	265	7.9	54	1	3	5	10	18	22	37
80-84	214	9.0	86	2	4	6	11	18	24	52
85 +	175	9.8	82	2	4	7	13	20	24	49
GRAND TOTAL	**1427**	**8.7**	**76**	**1**	**3**	**6**	**12**	**20**	**24**	**44**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	8.2	82	1	4	5	10	24	24	24
70-74	0									
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	12.0	162	3	3	12	21	21	21	21
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	3	4.7	16	1	2	4	8	9	9	9
70-74	3	11.7	185	< 1	2	7	22	27	27	27
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	63	7.4	33	3	4	6	8	14	22	30
70-74	55	10.5	140	4	6	8	11	15	21	76
75-79	46	9.7	117	2	4	6	11	18	32	55
80-84	20	7.1	13	2	5	7	9	11	14	17
85 +	9	12.4	154	3	4	7	16	34	38	38
B. Operated										
65-69 YRS	48	13.8	153	5	6	10	15	34	41	66
70-74	29	14.9	151	3	6	11	20	36	43	47
75-79	31	17.3	210	4	8	12	22	40	42	66
80-84	24	19.0	91	6	12	16	26	34	37	41
85 +	5	34.6	944	12	14	23	49	87	87	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	8.1	70	1	3	5	10	23	24	24
B. Operated	7	7.1	87	< 1	1	4	8	23	27	27
2. MULTIPLE DX										
A. Not Operated	193	9.0	87	3	4	7	10	16	26	55
B. Operated	137	16.5	190	4	7	12	21	36	42	69
1. SINGLE DX	16	7.7	72	1	2	5	8	24	26	27
2. MULTIPLE DX	330	12.1	143	3	5	8	14	27	38	66
A. Not Operated	202	9.0	86	3	4	7	10	17	25	55
B. Operated	144	16.0	188	4	7	12	21	36	41	67
TOTAL										
65-69 YRS	119	10.0	92	3	5	7	12	20	31	49
70-74	87	12.0	146	4	6	8	13	24	40	69
75-79	78	12.6	165	3	4	8	15	30	41	63
80-84	47	13.3	91	4	6	10	17	27	34	41
85 +	15	19.1	493	3	4	12	27	38	75	87
GRAND TOTAL	**346**	**11.9**	**140**	**3**	**5**	**8**	**14**	**27**	**37**	**66**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	3.6	3	2	2	3	5	6	7	7
70-74	4	3.5	4	1	2	3	5	6	6	6
75-79	10	4.3	6	1	2	4	7	8	8	8
80-84	3	2.3	2	< 1	< 1	2	3	4	4	4
85 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
65-69 YRS	128	5.2	15	1	2	5	7	10	11	20
70-74	98	6.1	18	1	2	6	9	12	14	19
75-79	38	6.1	12	1	3	7	9	10	11	13
80-84	13	8.2	22	2	4	9	11	14	15	15
85 +	2	8.0	50	3	3	8	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	134	7.3	47	2	4	5	8	17	20	33
70-74	145	6.6	17	3	4	6	8	14	15	99 +
75-79	141	7.3	33	3	4	6	9	13	15	36
80-84	73	7.2	24	3	4	6	10	14	16	84
85 +	43	9.5	75	2	5	8	10	20	29	46
B. Operated										
65-69 YRS	463	7.6	36	2	3	7	10	14	19	28
70-74	324	8.1	35	2	4	7	11	15	17	31
75-79	231	9.2	35	3	5	9	12	17	19	38
80-84	79	8.1	37	2	3	8	11	14	18	35
85 +	22	9.0	32	3	4	8	12	17	20	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.8	4	1	2	3	5	7	7	8
B. Operated	279	5.8	16	1	2	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	536	7.3	35	3	4	6	9	14	18	45
B. Operated	1119	8.1	36	2	4	8	11	15	18	30
1. SINGLE DX	310	5.6	15	1	2	5	8	11	12	19
2. MULTIPLE DX	1655	7.8	35	2	4	7	10	15	18	33
A. Not Operated	567	7.1	33	2	4	6	8	14	17	43
B. Operated	1398	7.7	33	2	3	7	10	14	18	28
TOTAL										
65-69 YRS	737	7.1	34	2	3	6	9	14	18	27
70-74	571	7.3	28	2	3	6	10	14	16	29
75-79	420	8.1	33	2	4	8	10	15	18	36
80-84	168	7.6	30	2	4	7	10	14	16	36
85 +	69	9.2	57	3	4	8	12	18	24	43
GRAND TOTAL	**1965**	**7.5**	**33**	**2**	**3**	**7**	**10**	**14**	**18**	**30**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	4.4	17	< 1	1	3	7	10	14	15
70-74	11	6.6	21	2	4	5	8	15	15	15
75-79	13	6.7	34	1	3	5	9	18	20	20
80-84	15	5.6	11	2	3	6	8	9	12	13
85 +	13	7.8	57	1	3	6	9	22	25	26
B. Operated										
65-69 YRS	1340	8.2	7	5	6	8	10	11	13	15
70-74	1203	8.6	19	5	7	8	10	12	14	16
75-79	910	8.8	8	6	7	8	10	12	14	17
80-84	450	8.9	9	6	7	9	10	12	14	18
85 +	142	9.2	10	6	7	9	11	13	15	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	120	5.8	39	< 1	1	3	8	13	17	34
70-74	137	5.4	27	1	2	5	7	10	12	30
75-79	189	5.7	27	1	2	4	8	12	15	29
80-84	189	7.1	48	1	2	6	9	15	19	27
85 +	158	7.0	47	2	3	5	8	14	17	44
B. Operated										
65-69 YRS	4392	9.3	19	6	7	9	11	14	16	27
70-74	4911	9.8	19	6	7	9	11	14	17	28
75-79	4114	10.0	22	6	7	9	11	15	17	29
80-84	2287	10.7	33	6	8	10	12	16	19	35
85 +	802	11.4	57	6	8	10	13	17	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	6.2	27	1	3	5	8	15	18	25
B. Operated	4045	8.6	11	5	7	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated	793	6.3	38	1	2	5	8	13	17	30
B. Operated	16506	9.9	24	6	7	9	11	15	17	29
1. SINGLE DX	4110	8.5	12	5	7	8	10	12	14	17
2. MULTIPLE DX	17299	9.8	25	6	7	9	11	15	17	29
A. Not Operated	858	6.3	37	1	2	5	8	13	17	30
B. Operated	20551	9.7	22	6	7	9	11	14	16	27
TOTAL										
65-69 YRS	5865	9.0	17	5	7	8	10	13	15	25
70-74	6262	9.4	20	6	7	9	11	14	16	26
75-79	5226	9.7	21	6	7	9	11	14	17	27
80-84	2941	10.2	31	6	7	9	12	15	18	32
85 +	1115	10.4	52	5	7	9	12	16	21	38
GRAND TOTAL	**21409**	**9.5**	**23**	**6**	**7**	**9**	**11**	**14**	**16**	**28**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	0									
75-79	3	4.0	1	3	3	4	5	5	5	5
80-84	1	7.0		7	7	7	7	7	7	7
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	95	3.6	9	1	1	3	5	7	8	15
70-74	66	4.3	10	1	2	3	6	10	11	14
75-79	37	5.0	12	1	2	5	7	11	12	14
80-84	22	8.5	32	3	4	7	12	18	20	22
85 +	3	8.0	79	1	2	5	15	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	25	5.4	19	2	3	4	6	9	14	22
70-74	43	6.5	147	2	2	4	6	10	12	82
75-79	46	6.0	20	2	2	5	9	11	14	22
80-84	66	6.2	37	2	3	5	8	11	12	42
85 +	79	8.2	44	2	4	6	13	19	24	79
B. Operated										
65-69 YRS	257	5.0	20	1	2	4	7	9	13	23
70-74	256	5.6	20	1	3	4	7	11	14	20
75-79	186	7.0	23	2	3	6	9	14	16	23
80-84	77	9.1	76	3	5	7	11	15	22	56
85 +	48	10.0	55	4	5	8	12	19	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.6	6	1	3	4	6	8	8	8
B. Operated	223	4.6	15	1	2	3	6	10	12	18
2. MULTIPLE DX										
A. Not Operated	259	6.7	53	2	3	5	8	13	18	46
B. Operated	824	6.3	30	1	3	5	8	13	16	25
1. SINGLE DX	230	4.6	14	1	2	4	6	9	12	18
2. MULTIPLE DX	1083	6.4	36	2	3	5	8	13	16	30
A. Not Operated	266	6.7	52	2	3	5	8	13	18	45
B. Operated	1047	5.9	28	1	2	5	8	12	15	23
TOTAL										
65-69 YRS	378	4.7	18	1	2	3	7	9	12	22
70-74	365	5.5	33	1	3	4	7	11	12	20
75-79	272	6.5	22	2	3	5	9	13	15	23
80-84	166	7.9	55	2	4	6	10	13	18	46
85 +	132	8.8	48	2	4	7	13	18	23	48
GRAND TOTAL	**1313**	**6.1**	**32**	**1**	**3**	**5**	**8**	**12**	**15**	**25**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	5.0	13	2	2	3	8	11	11	11
70-74	5	3.8	5	1	2	4	5	7	7	7
75-79	5	3.8	4	1	2	4	5	6	6	6
80-84	7	3.9	7	1	2	3	6	8	8	8
85 +	3	6.7	20	2	3	7	10	11	11	11
B. Operated										
65-69 YRS	60	6.2	15	1	3	6	9	11	13	19
70-74	32	5.2	10	1	2	5	8	9	10	12
75-79	21	8.3	10	4	6	9	10	12	13	14
80-84	19	7.7	26	2	3	7	11	15	18	20
85 +	8	13.6	84	7	8	11	14	29	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	70	7.9	54	2	3	5	9	16	20	41
70-74	66	8.4	55	2	4	6	10	15	28	40
75-79	87	6.9	67	2	3	5	8	13	17	52
80-84	86	9.6	128	2	4	7	12	16	23	73
85 +	85	8.8	67	3	4	7	11	21	32	99 +
B. Operated										
65-69 YRS	226	10.7	125	2	5	8	13	21	36	57
70-74	199	11.7	117	3	6	9	13	22	33	57
75-79	153	14.6	150	5	7	11	19	28	43	85
80-84	95	15.1	180	5	7	11	20	28	46	91
85 +	53	17.4	255	5	7	13	20	40	50	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.4	8	1	2	4	6	9	11	11
B. Operated	140	6.9	22	2	4	6	9	12	14	22
2. MULTIPLE DX										
A. Not Operated	394	8.3	76	2	4	6	10	16	25	60
B. Operated	726	12.9	148	3	6	9	15	26	41	71
1. SINGLE DX	167	6.5	20	1	3	6	9	12	13	20
2. MULTIPLE DX	1120	11.3	127	3	5	8	13	24	34	67
A. Not Operated	421	8.1	73	2	3	6	10	16	24	56
B. Operated	866	11.9	133	3	5	9	14	24	37	64
TOTAL										
65-69 YRS	363	9.3	94	2	4	7	11	16	27	53
70-74	302	10.2	95	2	4	8	11	20	30	53
75-79	266	11.4	123	3	5	9	13	25	32	66
80-84	207	11.7	148	3	5	8	14	24	36	85
85 +	149	12.1	149	3	5	8	15	26	41	99 +
GRAND TOTAL	**1287**	**10.7**	**116**	**2**	**5**	**8**	**12**	**22**	**32**	**63**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	2.2	1	< 1	< 1	2	3	4	4	4
70-74	6	2.8	3	< 1	1	3	4	5	5	5
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	2	2.0	2	< 1	< 1	1	3	3	3	3
75-79	5	4.2	11	2	2	3	5	10	10	10
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	64	2.5	8	< 1	1	2	3	5	10	15
70-74	46	3.0	7	< 1	1	2	4	6	10	12
75-79	36	2.6	4	< 1	1	2	3	5	7	9
80-84	29	3.6	4	1	2	3	5	7	8	8
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	22	2.3	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	10	4.8	12	1	2	4	7	10	11	11
B. Operated	177	2.8	6	< 1	1	2	3	6	8	13
1. SINGLE DX	23	2.4	2	< 1	< 1	2	4	4	5	5
2. MULTIPLE DX	187	2.9	7	< 1	1	2	4	6	9	13
A. Not Operated	11	4.7	11	1	2	4	6	10	11	11
B. Operated	199	2.8	6	< 1	1	2	3	5	8	13
TOTAL										
65-69 YRS	78	2.6	7	< 1	1	2	3	5	9	14
70-74	54	2.9	7	< 1	1	2	4	6	9	12
75-79	43	2.8	4	< 1	1	2	4	5	8	10
80-84	31	3.5	4	< 1	2	3	5	7	8	8
85 +	4	3.5	25	< 1	< 1	1	6	11	11	11
GRAND TOTAL	**210**	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**6**	**8**	**13**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.1	2	< 1	1	2	3	4	5	5
70-74	8	2.6	1	1	2	3	3	4	4	4
75-79	6	4.2	34	1	2	2	13	83	99 +	99 +
80-84	5	4.8	23	1	1	2	9	11	11	11
85 +	11	4.5	9	1	3	3	7	9	10	10
B. Operated										
65-69 YRS	27	3.7	8	1	1	3	5	8	10	11
70-74	27	3.6	6	1	2	3	5	6	8	12
75-79	22	3.0	9	< 1	1	2	4	7	10	13
80-84	10	3.8	6	1	2	4	5	7	8	8
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	72	4.8	25	1	2	4	6	9	12	33
70-74	99	5.6	34	2	2	3	7	12	17	31
75-79	115	6.2	40	2	2	4	8	13	16	39
80-84	126	6.1	41	2	3	5	7	10	17	36
85 +	155	5.6	17	2	3	4	8	11	15	22
B. Operated										
65-69 YRS	159	5.2	27	1	2	3	6	11	16	24
70-74	137	5.7	19	1	2	4	8	11	14	21
75-79	98	6.8	43	1	3	4	9	14	18	37
80-84	64	6.4	45	2	3	4	8	14	16	42
85 +	48	9.2	60	3	5	8	11	19	33	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.6	11	1	2	2	5	10	14	99 +
B. Operated	87	3.5	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	567	5.7	31	2	2	4	7	11	16	33
B. Operated	506	6.2	34	1	2	4	8	13	16	36
1. SINGLE DX	125	3.6	8	1	2	3	5	8	10	36
2. MULTIPLE DX	1073	5.9	33	1	2	4	8	12	16	33
A. Not Operated	605	5.6	30	2	2	4	7	11	16	34
B. Operated	593	5.8	31	1	2	4	8	12	16	32
TOTAL										
65-69 YRS	266	4.8	24	1	2	3	6	10	13	23
70-74	271	5.4	23	1	2	4	7	11	14	27
75-79	241	6.1	39	1	2	4	8	13	16	44
80-84	205	6.1	40	1	2	4	7	11	16	38
85 +	215	6.3	28	2	3	5	8	13	17	60
GRAND TOTAL	**1198**	**5.7**	**31**	**1**	**2**	**4**	**7**	**11**	**16**	**33**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	8.0	64	3	4	4	11	22	22	22
70-74	7	9.1	65	1	2	8	13	22	24	24
75-79	3	4.3	1	3	3	5	5	5	5	5
80-84	3	6.0	13	3	3	5	9	10	10	10
85 +	1	15.0		15	15	15	15	15	15	15
B. Operated										
65-69 YRS	2	5.0	18	2	3	8	77	99 +	99 +	99 +
70-74	7	11.7	64	6	8	9	12	26	29	29
75-79	6	29.3	924	3	8	16	59	73	75	75
80-84	2	21.0		21	21	21	21	21	21	21
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	19	7.9	44	2	3	5	11	19	23	24
B. Operated	17	18.2	402	3	8	10	23	70	90	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	36	12.8	233	2	4	8	16	28	69	99 +
A. Not Operated	19	7.9	44	2	3	5	11	19	23	24
B. Operated	17	18.2	402	3	8	10	23	70	90	99 +
TOTAL										
65-69 YRS	7	7.1	47	2	3	6	15	77	99 +	99 +
70-74	14	10.4	62	2	5	9	13	24	28	29
75-79	9	21.0	734	2	4	8	32	69	75	75
80-84	5	12.0	74	3	4	10	21	21	21	21
85 +	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**36**	**12.8**	**233**	**2**	**4**	**8**	**16**	**28**	**69**	**99 +**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	2.5	4	1	1	1	4	6	7	7
70-74	28	4.1	14	1	1	3	6	9	10	18
75-79	19	5.0	36	1	2	3	6	11	20	26
80-84	17	3.4	7	< 1	1	3	4	7	10	11
85 +	10	3.5	11	< 1	< 1	2	6	9	9	9
B. Operated										
65-69 YRS	150	4.2	9	1	2	3	6	8	9	15
70-74	115	3.9	7	1	2	3	5	7	9	13
75-79	69	4.5	13	1	1	4	6	9	12	17
80-84	23	5.3	16	1	2	4	7	11	14	17
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	268	5.5	19	1	3	5	7	10	13	20
70-74	272	6.0	25	2	3	5	8	11	15	44
75-79	261	5.8	19	2	3	5	7	11	14	22
80-84	260	7.0	28	2	3	6	9	13	16	27
85 +	275	7.0	26	2	4	6	9	13	17	30
B. Operated										
65-69 YRS	586	6.7	38	1	3	5	8	14	19	35
70-74	564	7.8	52	2	4	6	9	15	21	37
75-79	397	8.9	66	2	5	7	10	17	22	52
80-84	177	9.4	48	3	5	8	12	18	20	38
85 +	69	11.3	63	3	6	9	16	21	27	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	3.7	14	< 1	1	2	5	8	10	22
B. Operated	358	4.2	10	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	1336	6.3	24	2	3	5	8	12	15	27
B. Operated	1793	8.0	52	2	4	6	10	16	21	40
1. SINGLE DX	457	4.1	11	1	2	3	6	8	10	17
2. MULTIPLE DX	3129	7.3	40	2	3	6	9	14	19	36
A. Not Operated	1435	6.1	23	2	3	5	8	11	15	26
B. Operated	2151	7.4	47	1	3	6	9	15	19	38
TOTAL										
65-69 YRS	1029	5.9	29	1	3	5	7	12	16	29
70-74	979	6.8	40	1	3	5	8	14	18	34
75-79	746	7.3	46	2	3	6	9	14	18	41
80-84	477	7.7	36	2	4	6	10	15	18	29
85 +	355	7.7	36	2	4	6	10	16	20	41
GRAND TOTAL	**3586**	**6.9**	**38**	**2**	**3**	**5**	**9**	**14**	**18**	**34**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	67	3.5	9	< 1	1	3	5	7	10	13
70-74	41	3.8	8	< 1	1	3	5	9	10	11
75-79	26	5.4	10	1	3	5	7	10	11	13
80-84	19	6.1	18	1	3	6	8	13	15	15
85 +	7	4.3	11	1	2	3	7	10	10	10
B. Operated										
65-69 YRS	507	4.4	8	1	3	4	5	8	10	16
70-74	279	4.8	11	1	3	4	6	9	12	16
75-79	120	5.1	18	1	3	4	6	10	13	24
80-84	47	5.4	25	1	2	4	6	8	19	25
85 +	11	6.3	18	2	3	5	10	13	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	328	6.4	20	2	3	6	8	11	14	23
70-74	331	6.6	19	2	3	6	9	13	16	20
75-79	278	7.4	26	2	4	7	9	14	17	27
80-84	202	7.6	24	3	4	6	9	15	17	25
85 +	115	7.8	36	2	4	7	9	14	18	34
B. Operated										
65-69 YRS	1329	6.7	31	2	4	5	8	12	16	29
70-74	1128	7.6	48	2	4	6	9	14	20	33
75-79	694	8.4	45	3	4	6	10	16	21	35
80-84	265	9.7	67	3	5	7	12	19	25	42
85 +	89	12.5	115	4	7	9	15	23	31	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	4.2	10	< 1	1	4	6	9	11	14
B. Operated	964	4.7	11	1	3	4	6	8	11	18
2. MULTIPLE DX										
A. Not Operated	1254	7.0	24	2	4	6	9	13	16	23
B. Operated	3505	7.7	45	2	4	6	9	15	20	35
1. SINGLE DX	1124	4.6	11	1	3	4	6	8	11	17
2. MULTIPLE DX	4759	7.5	40	2	4	6	9	14	19	32
A. Not Operated	1414	6.7	23	2	3	6	9	13	16	23
B. Operated	4469	7.1	40	2	4	5	8	13	18	32
TOTAL										
65-69 YRS	2231	6.1	25	2	3	5	8	11	15	25
70-74	1779	6.9	37	2	3	5	8	13	17	29
75-79	1118	7.7	38	3	4	6	9	15	19	33
80-84	533	8.4	47	3	4	7	10	16	20	35
85 +	222	9.5	72	3	5	7	11	18	23	51
GRAND TOTAL	**5883**	**7.0**	**36**	**2**	**4**	**5**	**8**	**13**	**18**	**30**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.2	5	2	3	4	5	8	8	8
70-74	3	3.7	8	2	2	2	6	7	7	7
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84	0									
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	66	3.2	4	1	2	3	4	6	7	9
70-74	37	4.4	8	1	2	4	6	8	9	15
75-79	11	3.4	14	1	1	2	4	9	14	14
80-84	0									
85 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	47	5.3	32	1	2	4	7	9	14	33
70-74	38	4.6	14	1	2	4	6	8	13	17
75-79	43	5.8	25	2	3	4	7	11	18	26
80-84	17	6.1	16	2	3	5	8	13	14	15
85 +	21	6.2	18	1	3	6	8	13	16	16
B. Operated										
65-69 YRS	263	6.6	50	2	3	5	8	12	20	39
70-74	112	6.2	56	1	3	4	7	11	16	50
75-79	57	7.4	40	2	3	5	10	16	23	28
80-84	17	8.1	40	3	4	6	9	18	23	26
85 +	7	13.7	80	3	9	14	14	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.6	8	2	2	4	8	9	9	9
B. Operated	116	3.6	6	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	166	5.5	23	1	2	4	7	11	16	26
B. Operated	456	6.8	51	2	3	5	8	14	20	40
1. SINGLE DX	127	3.7	6	1	2	3	5	7	9	14
2. MULTIPLE DX	622	6.4	43	2	3	5	8	13	18	32
A. Not Operated	177	5.4	22	1	2	4	7	10	15	25
B. Operated	572	6.1	43	1	3	4	7	12	18	32
TOTAL										
65-69 YRS	381	5.8	40	1	3	4	7	11	17	33
70-74	190	5.5	38	1	2	4	7	10	15	37
75-79	113	6.4	33	1	3	4	8	14	19	27
80-84	34	7.1	29	2	4	6	9	15	18	26
85 +	31	7.8	38	2	4	6	10	15	16	31
GRAND TOTAL	**749**	**6.0**	**38**	**1**	**3**	**4**	**7**	**12**	**17**	**31**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.0	13	1	1	3	6	9	9	9
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	3.9	7	< 1	2	4	5	9	9	9
70-74	14	5.6	22	2	2	5	7	11	17	19
75-79	14	8.3	21	3	4	8	12	14	16	17
80-84	8	5.6	21	2	2	3	10	12	13	13
85 +	6	6.8	12	2	4	7	8	12	12	12
B. Operated										
65-69 YRS	21	9.3	54	1	5	8	13	16	25	34
70-74	10	10.1	14	5	8	9	14	15	16	16
75-79	6	8.0	37	2	2	7	13	16	16	16
80-84	5	7.8	29	1	5	6	12	15	15	15
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.0	7	1	2	4	5	8	9	9
B. Operated	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	57	6.0	18	2	2	5	8	12	14	19
B. Operated	42	9.1	38	2	6	8	13	16	17	34
1. SINGLE DX	9	4.2	7	1	2	4	6	9	9	9
2. MULTIPLE DX	99	7.3	28	2	3	6	10	14	16	27
A. Not Operated	64	5.8	17	2	2	5	8	12	13	19
B. Operated	44	8.9	37	2	5	8	13	16	17	34
TOTAL										
65-69 YRS	41	6.6	38	1	2	5	9	14	16	34
70-74	26	7.4	21	2	5	7	9	15	17	19
75-79	20	8.2	24	2	4	8	12	15	16	17
80-84	15	6.1	21	2	2	4	10	13	14	15
85 +	6	6.8	12	2	4	7	8	12	12	12
GRAND TOTAL	**108**	**7.0**	**27**	**2**	**3**	**6**	**10**	**14**	**16**	**25**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	4.6	10	2	3	4	6	8	12	13
70-74	8	4.3	5	2	2	4	6	8	8	8
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	5	4.2	1	3	3	4	5	6	6	6
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	5	1.0		1	1	1	1	1	1	1
70-74	4	3.0	3	1	2	3	4	5	5	5
75-79	3	8.0	79	1	2	5	15	18	18	18
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	49	6.4	10	3	4	6	8	10	12	16
70-74	39	5.4	15	2	3	4	7	10	13	20
75-79	53	5.3	6	2	4	5	7	8	9	13
80-84	41	7.2	17	3	4	6	8	12	18	20
85 +	29	6.9	42	3	4	5	8	12	14	36
B. Operated										
65-69 YRS	15	5.4	20	1	2	3	8	13	14	14
70-74	13	9.2	65	2	3	6	13	20	27	29
75-79	13	7.3	27	1	2	9	11	13	16	17
80-84	9	10.1	132	2	3	7	11	29	39	39
85 +	2	16.5	265	5	5	16	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.3	6	2	3	4	5	7	8	13
B. Operated	12	3.4	24	1	1	1	4	9	17	18
2. MULTIPLE DX										
A. Not Operated	211	6.2	16	2	4	6	8	10	13	20
B. Operated	52	8.1	59	1	3	6	11	17	27	39
1. SINGLE DX	42	4.0	11	1	2	3	5	7	10	18
2. MULTIPLE DX	263	6.6	25	2	4	6	8	12	14	29
A. Not Operated	241	6.0	15	2	4	5	8	10	12	20
B. Operated	64	7.2	55	1	2	5	10	17	21	38
TOTAL										
65-69 YRS	83	5.6	13	1	3	5	8	10	13	15
70-74	64	5.9	25	2	3	4	7	11	17	28
75-79	71	5.7	13	2	4	5	7	10	12	18
80-84	55	7.4	35	3	4	6	8	12	18	38
85 +	32	7.4	52	3	4	5	8	13	27	36
GRAND TOTAL	**305**	**6.2**	**24**	**2**	**3**	**5**	**8**	**11**	**14**	**28**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	77	4.3	31	1	1	3	5	8	11	35
70-74	63	3.7	29	< 1	1	2	4	7	12	31
75-79	43	4.6	22	< 1	1	3	8	10	11	25
80-84	21	5.7	29	< 1	2	4	7	11	18	25
85 +	19	6.1	26	< 1	2	5	7	13	18	20
B. Operated										
65-69 YRS	295	4.3	11	1	2	4	6	8	9	21
70-74	283	4.8	18	1	2	4	6	8	11	24
75-79	192	5.0	8	1	3	5	7	8	9	14
80-84	81	5.1	18	1	2	4	7	9	13	25
85 +	18	7.0	19	1	4	7	10	13	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	475	5.2	24	1	2	4	7	10	13	29
70-74	517	5.7	25	1	3	4	8	11	14	22
75-79	449	6.5	32	2	3	5	8	13	18	28
80-84	421	6.5	25	2	3	5	8	13	16	33
85 +	348	7.5	49	2	4	6	9	14	20	31
B. Operated										
65-69 YRS	1266	6.9	36	2	4	6	8	12	17	27
70-74	1290	7.5	35	2	4	6	9	14	17	28
75-79	984	8.4	43	3	5	7	10	16	19	34
80-84	481	9.2	56	3	5	8	11	16	20	37
85 +	182	10.5	77	4	6	8	13	18	24	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	4.4	28	< 1	1	3	6	9	12	29
B. Operated	869	4.7	14	1	2	4	6	8	10	20
2. MULTIPLE DX										
A. Not Operated	2210	6.2	31	2	3	5	8	12	16	29
B. Operated	4203	7.9	42	2	4	7	10	14	19	30
1. SINGLE DX	1092	4.7	17	1	2	4	6	8	11	23
2. MULTIPLE DX	6413	7.3	39	2	4	6	9	14	18	30
A. Not Operated	2433	6.0	31	1	3	5	8	12	16	28
B. Operated	5072	7.3	39	2	4	6	9	14	18	29
TOTAL										
65-69 YRS	2113	6.0	31	1	3	5	8	11	15	27
70-74	2153	6.6	31	1	3	5	8	13	16	27
75-79	1668	7.4	37	2	4	6	9	14	18	29
80-84	1004	7.6	42	2	4	6	10	15	18	33
85 +	567	8.4	58	2	4	7	10	16	20	37
GRAND TOTAL	**7505**	**6.9**	**36**	**2**	**3**	**6**	**8**	**13**	**17**	**29**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	3.0	6	1	1	2	4	7	9	9
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	7	5.3	24	2	3	3	5	14	16	16
80-84	6	3.8	2	2	3	4	5	6	6	6
85 +	6	4.2	2	2	3	4	5	6	6	6
B. Operated										
65-69 YRS	113	2.4	4	< 1	1	2	3	5	6	11
70-74	60	2.3	3	1	1	2	3	4	6	8
75-79	36	3.3	8	1	1	2	4	8	9	12
80-84	12	2.6	1	< 1	2	2	3	4	5	5
85 +	6	2.8	6	< 1	1	2	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	52	5.3	16	2	2	4	7	10	13	21
70-74	91	5.1	13	1	2	4	7	9	11	18
75-79	65	5.6	17	2	3	5	7	12	14	22
80-84	85	6.7	56	2	3	4	7	12	16	48
85 +	50	5.9	19	2	3	4	8	10	15	25
B. Operated										
65-69 YRS	347	3.4	13	1	1	2	4	7	10	20
70-74	245	4.0	27	1	2	3	4	8	11	28
75-79	146	4.8	38	1	2	3	6	9	16	43
80-84	64	6.0	36	1	2	4	8	14	19	28
85 +	42	5.4	34	1	2	3	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.8	8	1	2	3	5	6	9	16
B. Operated	227	2.6	4	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	343	5.7	26	2	3	4	7	11	14	25
B. Operated	844	4.1	25	1	2	3	4	8	12	27
1. SINGLE DX	259	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1187	4.6	26	1	2	3	5	9	13	26
A. Not Operated	375	5.6	25	2	3	4	7	11	14	24
B. Operated	1071	3.8	21	1	1	2	4	8	11	23
TOTAL										
65-69 YRS	523	3.4	12	1	1	2	4	7	10	18
70-74	398	4.0	21	1	2	3	5	8	11	22
75-79	254	4.8	28	1	2	3	6	10	14	24
80-84	167	6.0	44	2	3	4	7	12	16	29
85 +	104	5.4	24	2	3	4	7	10	15	29
GRAND TOTAL	**1446**	**4.2**	**22**	**1**	**2**	**3**	**5**	**9**	**12**	**23**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	42	2.4	3	1	1	2	3	5	7	8
70-74	31	1.9	1	1	1	2	3	4	5	5
75-79	20	2.1	2	< 1	1	2	3	4	5	5
80-84	12	1.6	1	< 1	1	1	2	3	5	5
85 +	3	1.7	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	2.0	2	< 1	< 1	1	3	4	4	4
70-74	2	1.0		< 1	< 1	< 1	1	1	1	1
75-79	3	8.7	86	1	2	6	16	19	19	19
80-84	2	5.0		5	5	5	5	5	5	5
85 +	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
65-69 YRS	369	2.3	3	1	1	2	3	4	5	10
70-74	307	2.4	4	1	1	2	3	4	5	10
75-79	177	2.5	6	1	1	2	3	4	5	9
80-84	70	2.6	4	< 1	1	2	3	5	6	12
85 +	27	4.1	14	< 1	2	3	5	8	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	108	2.1	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	15	3.7	21	< 1	< 1	2	5	6	16	19
B. Operated	950	2.4	4	1	1	2	3	4	5	12
1. SINGLE DX	109	2.1	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX	965	2.5	4	1	1	2	3	4	5	12
A. Not Operated	16	3.5	20	< 1	< 1	2	4	6	15	19
B. Operated	1058	2.4	4	1	1	2	3	4	5	10
TOTAL										
65-69 YRS	417	2.3	3	1	1	2	3	4	5	9
70-74	341	2.3	4	1	1	2	3	4	5	9
75-79	200	2.6	7	< 1	1	2	3	5	6	14
80-84	84	2.5	4	1	1	2	3	5	6	12
85 +	32	3.8	12	< 1	1	3	5	7	14	15
GRAND TOTAL	**1074**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	17	1.9	1	< 1	< 1	1	3	4	4	4
70-74	14	2.1	2	< 1	< 1	1	3	4	5	5
75-79	5	2.2	2	< 1	1	2	3	4	4	4
80-84	3	7.0	108	1	1	1	15	19	19	19
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	4.1	10	1	2	3	6	9	10	10
70-74	8	2.1	1	< 1	1	2	3	4	4	4
75-79	3	4.3	5	3	3	3	6	7	7	7
80-84	7	4.9	8	2	2	5	7	9	10	10
85 +	6	7.0	36	1	2	5	14	15	15	15
B. Operated										
65-69 YRS	43	3.2	4	1	1	3	4	6	7	10
70-74	41	4.4	14	1	2	3	6	11	12	15
75-79	24	3.8	14	< 1	1	2	5	9	12	16
80-84	17	4.8	26	2	2	3	5	8	18	23
85 +	5	2.4	2	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	39	2.4	9	< 1	< 1	1	3	4	5	19
2. MULTIPLE DX										
A. Not Operated	34	4.3	13	1	2	3	5	10	13	15
B. Operated	130	3.9	12	1	2	3	5	8	11	17
1. SINGLE DX	41	2.4	8	< 1	1	2	3	4	5	19
2. MULTIPLE DX	164	4.0	12	1	2	3	5	8	11	16
A. Not Operated	36	4.2	12	1	2	3	5	10	13	15
B. Operated	169	3.5	12	< 1	1	2	4	7	11	18
TOTAL										
65-69 YRS	72	3.0	4	< 1	1	2	4	6	7	10
70-74	63	3.6	11	< 1	1	2	4	9	11	15
75-79	32	3.6	12	< 1	1	3	4	8	11	16
80-84	27	5.0	27	1	2	3	6	10	20	23
85 +	11	4.9	25	1	1	4	5	14	15	15
GRAND TOTAL	**205**	**3.7**	**12**	**< 1**	**1**	**3**	**4**	**8**	**11**	**17**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	13.3	153	4	8	9	12	35	38	38
70-74	4	9.0	17	4	6	9	12	14	14	14
75-79	0									
80-84	8	8.3	45	2	4	6	12	19	21	21
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	22	5.8	10	2	3	6	8	9	12	14
70-74	14	5.3	17	1	2	4	8	11	13	14
75-79	15	7.1	20	2	3	7	12	14	74	99 +
80-84	5	16.4	261	3	4	7	33	35	35	35
85 +	6	11.7	42	5	5	12	14	21	22	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	86	12.4	105	4	6	9	16	27	38	49
70-74	88	13.0	81	4	7	11	15	22	29	55
75-79	85	15.1	134	5	7	11	19	31	44	48
80-84	68	14.6	171	4	6	9	19	33	42	68
85 +	60	12.9	117	4	7	10	16	26	44	95
B. Operated										
65-69 YRS	376	15.8	193	4	7	12	19	35	47	68
70-74	286	17.9	197	5	8	14	24	39	49	74
75-79	238	16.8	224	4	8	11	20	42	49	74
80-84	157	16.8	202	4	7	13	23	38	46	62
85 +	143	17.3	202	5	8	13	20	34	52	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	10.0	68	3	5	8	11	19	30	38
B. Operated	62	7.4	43	2	3	7	9	14	26	91
2. MULTIPLE DX										
A. Not Operated	387	13.6	119	4	6	10	17	28	39	53
B. Operated	1200	16.8	202	4	8	13	21	38	48	71
1. SINGLE DX	81	8.0	49	2	3	7	10	14	26	80
2. MULTIPLE DX	1587	16.0	184	4	7	12	20	35	46	69
A. Not Operated	406	13.4	117	4	6	10	16	28	38	53
B. Operated	1262	16.3	199	4	7	12	20	37	48	72
TOTAL										
65-69 YRS	490	14.7	174	4	7	11	18	30	44	63
70-74	392	16.3	172	4	8	13	21	36	47	71
75-79	338	15.9	196	4	7	11	20	38	46	74
80-84	238	15.9	190	4	6	12	21	35	45	63
85 +	210	15.8	176	5	7	11	20	33	50	69
GRAND TOTAL	**1668**	**15.6**	**180**	**4**	**7**	**11**	**20**	**35**	**46**	**69**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	3.8	3	2	2	4	5	6	7	7
70-74	23	4.6	11	1	2	4	7	9	11	13
75-79	40	5.9	34	1	2	4	7	14	21	25
80-84	31	5.4	8	2	3	5	6	11	12	12
85 +	35	8.9	97	3	4	7	11	13	16	61
B. Operated										
65-69 YRS	71	4.7	12	1	2	4	7	9	12	16
70-74	59	6.1	26	1	3	5	8	12	15	30
75-79	56	6.6	18	2	3	6	9	13	16	18
80-84	25	6.9	32	1	2	5	9	16	17	19
85 +	20	8.0	14	2	5	9	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	646	7.4	45	2	3	5	10	16	20	32
70-74	863	7.5	37	2	4	6	10	15	18	31
75-79	1108	8.0	42	2	4	7	10	15	20	35
80-84	1188	8.2	60	3	4	6	10	15	20	41
85 +	1260	8.4	52	3	4	7	10	15	21	43
B. Operated										
65-69 YRS	660	10.2	83	2	4	8	12	20	27	48
70-74	659	11.4	91	3	6	9	14	22	28	56
75-79	648	11.6	93	3	6	9	14	22	28	55
80-84	505	13.0	114	4	7	10	15	23	33	58
85 +	418	13.0	126	5	7	10	15	25	35	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	6.0	38	2	3	5	7	11	14	25
B. Operated	231	6.0	20	1	2	5	8	12	15	18
2. MULTIPLE DX										
A. Not Operated	5065	8.0	48	2	4	6	10	15	20	37
B. Operated	2890	11.7	100	3	6	9	14	22	30	57
1. SINGLE DX	381	6.0	27	1	3	5	8	12	15	23
2. MULTIPLE DX	7955	9.3	70	3	4	7	11	18	24	46
A. Not Operated	5215	7.9	48	2	4	6	10	15	20	37
B. Operated	3121	11.3	96	3	6	9	14	21	30	55
TOTAL										
65-69 YRS	1398	8.5	64	2	3	7	11	17	23	42
70-74	1604	9.0	62	2	4	7	11	17	23	40
75-79	1852	9.2	62	3	4	7	11	17	23	42
80-84	1749	9.5	79	3	4	7	12	18	24	49
85 +	1733	9.5	74	3	5	7	11	17	25	60
GRAND TOTAL	**8336**	**9.2**	**69**	**2**	**4**	**7**	**11**	**17**	**23**	**45**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	3.0	8	< 1	< 1	2	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	10	3.9	9	1	2	3	6	9	11	11
70-74	4	2.5	6	< 1	< 1	1	4	6	6	6
75-79	2	2.0		2	2	2	2	2	2	2
80-84	3	5.7	17	< 1	2	7	8	9	9	9
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	11.3	155	3	3	8	10	33	36	36
70-74	5	1.8	1	1	1	1	3	3	3	3
75-79	7	13.6	151	2	3	8	26	31	31	31
80-84	4	29.3	1725	2	2	12	56	90	90	90
85 +	2	28.5	925	7	7	28	50	50	50	50
B. Operated										
65-69 YRS	66	6.0	17	1	3	4	9	12	14	19
70-74	48	5.9	19	1	2	4	9	11	14	21
75-79	31	6.9	23	2	3	6	10	13	16	21
80-84	9	8.3	20	3	4	8	11	15	15	15
85 +	5	19.2	281	< 1	7	12	36	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated	20	3.7	8	< 1	1	3	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	24	14.4	431	1	3	6	19	37	62	90
B. Operated	159	6.7	31	2	3	5	10	13	15	35
1. SINGLE DX	22	3.6	8	< 1	1	3	6	8	10	11
2. MULTIPLE DX	183	7.7	88	2	3	5	10	14	21	46
A. Not Operated	26	13.5	407	1	3	5	17	35	58	90
B. Operated	179	6.4	29	1	3	4	9	12	15	32
TOTAL										
65-69 YRS	82	6.1	27	1	3	4	9	12	14	31
70-74	59	5.3	18	1	2	4	9	10	13	20
75-79	40	7.8	50	2	3	6	10	16	25	31
80-84	16	13.1	452	2	3	8	12	21	70	90
85 +	8	19.5	355	1	5	10	37	46	50	50
GRAND TOTAL	**205**	**7.3**	**81**	**1**	**3**	**4**	**9**	**14**	**20**	**43**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	3.6	13	1	1	3	4	7	13	17
70-74	18	2.8	4	< 1	1	2	3	6	8	8
75-79	20	4.6	28	< 1	1	2	6	12	17	21
80-84	7	3.1	3	< 1	1	4	4	6	6	6
85 +	9	2.8	1	1	2	3	4	4	4	4
B. Operated										
65-69 YRS	102	2.5	6	1	1	2	2	6	8	12
70-74	77	2.2	3	1	1	2	3	4	5	10
75-79	41	2.6	4	< 1	1	2	4	5	6	10
80-84	17	3.2	5	1	2	2	4	7	8	8
85 +	9	5.3	33	1	2	2	11	14	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	235	5.4	39	1	2	4	7	11	14	41
70-74	264	4.8	14	1	2	4	6	10	13	18
75-79	242	6.1	26	1	3	5	8	12	15	22
80-84	180	6.2	34	2	3	4	7	12	15	36
85 +	167	5.9	23	2	3	5	7	12	14	27
B. Operated										
65-69 YRS	397	6.6	58	1	2	4	8	15	21	47
70-74	350	6.9	62	1	2	4	9	15	21	39
75-79	223	9.0	104	2	3	6	12	18	24	73
80-84	105	8.1	57	1	3	6	11	18	27	66
85 +	45	10.5	140	2	3	5	12	31	40	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.5	13	1	1	3	4	7	10	20
B. Operated	246	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	1088	5.6	27	1	2	4	7	12	14	25
B. Operated	1120	7.5	72	1	2	5	9	17	22	47
1. SINGLE DX	321	2.8	8	1	1	2	3	6	8	15
2. MULTIPLE DX	2208	6.6	51	1	2	4	8	14	19	40
A. Not Operated	1163	5.5	26	1	2	4	7	11	14	25
B. Operated	1366	6.6	64	1	2	4	8	15	21	45
TOTAL										
65-69 YRS	755	5.6	45	1	2	3	7	12	17	42
70-74	709	5.5	39	1	2	3	7	12	16	35
75-79	526	7.0	61	1	2	5	9	15	20	39
80-84	309	6.6	41	1	3	5	8	14	18	38
85 +	230	6.7	49	2	3	5	8	13	21	40
GRAND TOTAL	**2529**	**6.1**	**47**	**1**	**2**	**4**	**8**	**13**	**18**	**39**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	4	5.8	11	2	3	5	8	10	10	10
75-79	3	6.0	12	2	3	8	8	8	8	8
80-84	2	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9	5.7	7	2	4	5	8	9	10	10
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	0									
2. MULTIPLE DX	10	5.4	7	2	3	5	8	9	10	10
A. Not Operated	9	5.7	7	2	4	5	8	9	10	10
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
65-69 YRS	0									
70-74	5	5.2	10	2	3	5	7	10	10	10
75-79	3	6.0	12	2	3	8	8	8	8	8
80-84	2	5.0		5	5	5	5	5	5	5
85 +	0									
GRAND TOTAL	**10**	**5.4**	**7**	**2**	**3**	**5**	**8**	**9**	**10**	**10**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	5.0	32	1	1	5	9	9	9	9
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	6	4.8	9	1	3	4	8	9	9	9
80-84	3	5.3		5	5	5	6	6	6	6
85 +	3	6.7	6	4	5	7	8	9	9	9
B. Operated										
65-69 YRS	5	5.4	32	1	2	3	8	15	15	15
70-74	3	18.7	101	8	11	20	26	28	28	28
75-79	4	7.8	26	2	3	8	12	12	12	12
80-84	2	12.0	98	5	5	12	19	19	19	19
85 +	3	7.7	40	4	4	4	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	16	5.3	8	1	3	5	8	9	9	9
B. Operated	17	9.5	60	2	4	6	15	20	25	28
1. SINGLE DX	0									
2. MULTIPLE DX	33	7.5	38	2	4	5	9	16	20	28
A. Not Operated	16	5.3	8	1	3	5	8	9	9	9
B. Operated	17	9.5	60	2	4	6	15	20	25	28
TOTAL										
65-69 YRS	7	5.3	27	1	1	3	8	14	15	15
70-74	5	13.2	111	2	6	8	22	28	28	28
75-79	10	6.0	16	1	3	5	9	12	12	12
80-84	5	8.0	38	5	5	5	9	19	19	19
85 +	6	7.2	19	4	4	6	9	14	15	15
GRAND TOTAL	**33**	**7.5**	**38**	**2**	**4**	**5**	**9**	**16**	**20**	**28**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	2	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	2	9.0	128	1	1	9	17	17	17	17
75-79	4	1.5		1	1	1	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	11	2.9	22	1	1	1	2	9	16	17
1. SINGLE DX	6	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	12	3.0	20	1	1	2	3	8	16	17
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	17	2.2	15	1	1	1	2	3	12	17
TOTAL										
65-69 YRS	5	1.2		1	1	1	2	2	2	2
70-74	4	5.0	64	1	1	1	9	17	17	17
75-79	5	1.4		1	1	1	2	2	2	2
80-84	3	2.7	2	1	1	3	4	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**18**	**2.3**	**14**	**1**	**1**	**1**	**2**	**4**	**12**	**17**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	4.0	19	1	1	2	7	9	9	9
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	2.8	5	1	1	3	3	6	8	8
70-74	10	6.4	29	2	4	5	6	14	21	21
75-79	9	4.0	2	2	3	4	5	6	6	6
80-84	6	2.8	2	1	2	3	4	5	5	5
85 +	6	5.5	32	1	1	3	11	14	14	14
B. Operated										
65-69 YRS	72	8.2	88	1	2	7	10	17	21	56
70-74	33	7.6	38	1	3	8	10	11	24	27
75-79	29	7.7	47	1	2	7	12	16	21	29
80-84	12	11.7	96	3	5	8	15	26	35	37
85 +	5	11.2	16	5	9	12	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	6	3.5	13	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	40	4.4	15	1	2	4	5	8	12	21
B. Operated	151	8.4	67	1	2	7	11	16	21	37
1. SINGLE DX	7	3.1	11	1	1	1	6	9	9	9
2. MULTIPLE DX	191	7.5	59	1	2	6	10	15	21	36
A. Not Operated	41	4.3	15	1	2	4	5	8	12	21
B. Operated	157	8.2	66	1	2	7	11	16	21	37
TOTAL										
65-69 YRS	85	7.4	79	1	2	5	9	14	21	53
70-74	45	7.2	35	1	3	6	10	11	22	27
75-79	38	6.8	39	1	2	5	10	15	19	29
80-84	19	8.3	80	1	2	5	11	19	30	37
85 +	11	8.1	31	1	2	11	12	15	16	16
GRAND TOTAL	**198**	**7.4**	**58**	**1**	**2**	**6**	**10**	**15**	**21**	**36**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	3.8	3	2	2	3	6	6	6	6
70-74	8	3.0	2	1	2	3	4	5	5	5
75-79	8	5.8	7	3	4	6	7	10	11	11
80-84	5	6.2	9	3	3	8	8	9	9	9
85 +	4	5.5	4	3	4	5	7	8	8	8
B. Operated										
65-69 YRS	13	9.5	23	4	6	9	13	17	17	17
70-74	19	13.1	61	6	8	11	16	22	31	37
75-79	23	9.0	81	2	4	7	11	17	27	44
80-84	15	13.4	516	3	4	8	12	16	74	94
85 +	7	11.4	10	8	9	10	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	8.0	32	4	4	8	12	12	12	12
B. Operated	8	2.9	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	31	4.7	6	2	3	4	6	8	9	11
B. Operated	77	11.2	141	3	6	9	13	17	23	80
1. SINGLE DX	10	3.9	11	1	1	3	5	9	12	12
2. MULTIPLE DX	108	9.3	110	2	4	7	11	16	18	65
A. Not Operated	33	4.9	7	2	3	4	6	8	11	12
B. Operated	85	10.4	134	2	5	8	12	17	21	76
TOTAL										
65-69 YRS	21	7.1	25	1	3	6	10	16	17	17
70-74	28	9.9	63	2	5	8	14	19	25	37
75-79	33	7.8	61	2	4	6	10	15	18	44
80-84	22	10.9	360	3	4	7	11	14	47	94
85 +	14	8.4	21	3	5	8	12	15	15	15
GRAND TOTAL	**118**	**8.8**	**104**	**2**	**4**	**7**	**11**	**16**	**18**	**60**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	11.0		11	11	11	11	11	11	11
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX	0									
2. MULTIPLE DX	1	11.0		11	11	11	11	11	11	11
A. Not Operated	0									
B. Operated	1	11.0		11	11	11	11	11	11	11
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	1	11.0		11	11	11	11	11	11	11
80-84	0									
85 +	0									
GRAND TOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79	2	2.0	2	< 1	< 1	1	3	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	2.0	1	< 1	1	2	3	3	3	3
70-74	10	3.8	13	1	1	2	5	10	11	11
75-79	8	5.0	22	< 1	1	4	7	12	14	14
80-84	3	11.3	86	5	5	7	18	22	22	22
85 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
65-69 YRS	25	7.0	48	3	4	5	7	13	20	36
70-74	26	4.7	7	1	2	5	6	8	9	10
75-79	6	8.8	11	6	6	7	12	14	14	14
80-84	8	9.9	66	1	3	6	18	20	21	21
85 +	4	12.0	10	8	9	12	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.5	17	1	1	4	8	9	9	9
B. Operated	7	3.9	6	< 1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	30	4.4	22	1	1	3	6	10	14	22
B. Operated	69	6.9	32	2	4	6	8	14	18	33
1. SINGLE DX	11	4.1	9	< 1	1	3	7	8	9	9
2. MULTIPLE DX	99	6.2	30	1	2	5	8	13	17	29
A. Not Operated	34	4.4	21	1	1	3	7	9	13	22
B. Operated	76	6.7	31	2	3	6	8	14	17	32
TOTAL										
65-69 YRS	36	5.6	39	1	2	4	6	12	14	36
70-74	39	4.6	8	1	2	4	6	9	10	11
75-79	17	6.1	19	< 1	2	6	8	13	14	14
80-84	12	9.8	60	1	5	6	18	21	22	22
85 +	6	9.2	25	3	4	9	14	15	15	15
GRAND TOTAL	**110**	**6.0**	**28**	**1**	**2**	**5**	**7**	**13**	**15**	**28**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	11	2.4	2	< 1	1	2	3	4	5	5
70-74	6	1.5	1	< 1	< 1	1	2	3	3	3
75-79	6	3.5	6	1	1	3	6	7	7	7
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	23	2.4	3	< 1	1	2	3	5	6	7
1. SINGLE DX	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX	23	2.4	3	< 1	1	2	3	5	6	7
A. Not Operated	0									
B. Operated	25	2.4	3	< 1	1	2	3	5	6	7
TOTAL										
65-69 YRS	11	2.4	2	< 1	1	2	3	4	5	5
70-74	7	1.4	1	< 1	< 1	1	2	3	3	3
75-79	7	3.3	6	1	1	3	5	7	7	7
80-84	0									
85 +	0									
GRAND TOTAL	**25**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**	**7**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	2.8	5	1	1	3	4	6	6	6
70-74	10	3.2	7	1	2	2	3	8	9	9
75-79	5	1.0		< 1	< 1	1	1	1	1	1
80-84	0									
85 +	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	6.9	26	1	3	5	12	14	16	16
70-74	15	4.6	11	2	2	3	7	8	12	14
75-79	13	7.7	25	2	4	5	12	15	17	17
80-84	10	5.5	4	2	4	6	7	8	8	8
85 +	11	8.9	64	3	3	5	15	22	23	23
B. Operated										
65-69 YRS	50	6.0	18	1	2	6	9	11	13	19
70-74	41	8.3	52	2	3	6	11	17	24	33
75-79	33	9.4	87	2	3	7	13	20	29	45
80-84	9	11.0	95	2	4	7	16	26	32	32
85 +	5	8.8	4	7	7	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	24	2.5	5	1	1	2	3	6	8	9
2. MULTIPLE DX										
A. Not Operated	62	6.6	26	2	3	5	8	14	17	23
B. Operated	138	7.9	50	1	3	6	11	15	20	34
1. SINGLE DX	27	2.4	4	1	1	2	3	6	7	9
2. MULTIPLE DX	200	7.5	43	1	3	6	10	15	19	32
A. Not Operated	65	6.4	26	2	3	5	7	14	17	23
B. Operated	162	7.1	47	1	2	5	10	14	19	33
TOTAL										
65-69 YRS	70	5.8	19	1	2	5	8	12	14	18
70-74	67	6.6	40	1	2	5	9	14	19	32
75-79	52	8.0	67	1	2	5	12	16	21	45
80-84	19	8.1	52	2	4	6	8	17	26	32
85 +	19	7.8	42	3	3	5	10	20	23	23
GRAND TOTAL	**227**	**6.9**	**41**	**1**	**2**	**5**	**9**	**14**	**19**	**32**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	51	2.7	3	1	2	2	4	4	7	8
70-74	31	2.9	3	1	1	3	4	6	6	7
75-79	28	4.0	15	1	2	3	4	8	10	20
80-84	10	3.7	4	< 1	2	4	4	7	7	7
85 +	13	3.4	4	1	2	3	4	7	7	7
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	712	5.7	39	2	3	4	7	11	14	34
70-74	724	6.0	40	2	3	4	7	11	16	33
75-79	703	6.1	38	2	3	5	7	11	16	34
80-84	514	6.0	24	2	3	5	7	12	17	27
85 +	501	6.8	49	2	3	5	8	12	16	38
B. Operated										
65-69 YRS	75	10.9	95	3	4	7	13	25	31	47
70-74	71	11.1	103	3	4	7	14	27	32	45
75-79	66	13.5	188	4	6	9	15	24	49	72
80-84	40	15.4	104	4	9	13	19	27	33	53
85 +	33	17.0	354	4	6	11	19	35	75	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	3.2	6	1	2	3	4	6	7	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3154	6.1	38	2	3	5	7	11	16	33
B. Operated	285	12.9	152	3	5	9	15	27	37	69
1. SINGLE DX	133	3.2	6	1	2	3	4	6	7	11
2. MULTIPLE DX	3439	6.7	51	2	3	5	7	13	18	39
A. Not Operated	3287	6.0	37	2	3	4	7	11	16	33
B. Operated	285	12.9	152	3	5	9	15	27	37	69
TOTAL										
65-69 YRS	838	6.0	44	2	3	4	7	12	16	36
70-74	826	6.3	46	2	3	4	7	12	18	38
75-79	707	6.7	54	2	3	5	7	12	19	39
80-84	564	6.7	35	2	3	5	8	14	19	32
85 +	547	7.3	72	2	3	5	8	13	19	45
GRAND TOTAL	**3572**	**6.5**	**50**	**2**	**3**	**5**	**7**	**12**	**18**	**38**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.6	1	2	2	2	3	4	4	4
70-74	11	3.2	5	1	2	2	5	6	7	7
75-79	9	2.3	1	1	2	3	3	3	3	3
80-84	4	5.5	1	5	5	5	6	7	7	7
85 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
65-69 YRS	2	10.0	18	7	7	10	13	13	13	13
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	470	6.0	24	2	3	5	7	11	14	24
70-74	494	6.3	28	2	3	5	7	12	15	22
75-79	464	6.5	27	2	3	5	8	11	15	31
80-84	306	7.2	65	3	4	5	8	13	17	60
85 +	324	7.5	84	2	3	6	9	13	16	67
B. Operated										
65-69 YRS	103	10.5	78	3	5	8	13	22	26	49
70-74	108	12.2	91	3	6	10	15	28	34	99 +
75-79	87	14.1	82	4	7	12	18	27	33	42
80-84	50	13.5	65	5	8	12	18	25	32	36
85 +	28	16.1	115	6	8	16	20	27	33	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.0	3	1	2	2	4	6	7	7
B. Operated	5	9.8	6	7	8	10	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	2058	6.6	41	2	3	5	8	12	15	32
B. Operated	376	12.6	86	4	6	11	16	25	33	55
1. SINGLE DX	37	3.9	9	1	2	3	5	8	11	13
2. MULTIPLE DX	2434	7.5	53	2	4	6	9	14	19	39
A. Not Operated	2090	6.5	41	2	3	5	8	12	15	32
B. Operated	381	12.6	85	4	6	11	16	25	32	55
TOTAL										
65-69 YRS	580	6.8	37	2	3	5	8	13	19	31
70-74	614	7.3	43	2	4	6	9	14	19	43
75-79	561	7.6	43	2	3	6	9	15	19	35
80-84	361	8.1	68	3	4	6	10	15	21	39
85 +	355	8.1	91	2	4	6	9	15	20	64
GRAND TOTAL	**2471**	**7.5**	**52**	**2**	**4**	**6**	**9**	**14**	**19**	**39**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	2.6	3	1	2	2	3	5	7	7
70-74	8	4.1	32	1	1	2	3	14	18	18
75-79	3	2.0	1	< 1	< 1	2	3	3	3	3
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	6	1.8	2	1	1	1	3	4	4	4
70-74	2	1.5	1	< 1	< 1	1	2	2	2	2
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	86	3.7	5	1	2	3	5	7	9	10
70-74	65	4.7	13	2	2	4	6	10	11	20
75-79	64	3.9	6	1	2	3	5	7	8	10
80-84	41	4.4	7	1	3	4	5	9	10	11
85 +	47	4.6	16	1	2	3	6	9	12	20
B. Operated										
65-69 YRS	25	6.4	38	1	2	4	8	17	22	24
70-74	17	5.9	16	2	3	4	9	11	14	16
75-79	12	6.7	24	2	4	4	9	16	17	17
80-84	10	8.0	47	3	4	5	10	18	26	26
85 +	6	4.0	12	< 1	1	3	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.9	13	1	1	2	3	4	11	18
B. Operated	10	2.3	5	< 1	1	1	3	6	8	8
2. MULTIPLE DX										
A. Not Operated	303	4.2	9	1	2	3	5	8	10	15
B. Operated	70	6.3	29	1	3	4	9	13	17	26
1. SINGLE DX	32	2.7	10	< 1	1	2	3	5	8	18
2. MULTIPLE DX	373	4.6	13	1	2	4	6	9	11	21
A. Not Operated	325	4.1	9	1	2	3	5	8	10	16
B. Operated	80	5.8	28	1	2	4	8	11	17	25
TOTAL										
65-69 YRS	126	4.0	13	1	2	3	5	8	9	22
70-74	92	4.8	15	2	2	4	6	10	12	20
75-79	80	4.2	9	1	2	3	6	8	10	16
80-84	54	5.0	16	1	3	4	6	10	11	25
85 +	53	4.6	15	1	2	3	6	9	12	20
GRAND TOTAL	**405**	**4.4**	**13**	**1**	**2**	**3**	**6**	**9**	**11**	**20**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	2.8	2	1	2	3	4	5	5	5
70-74	17	2.9	3	1	1	3	4	6	6	6
75-79	16	3.1	4	1	2	3	4	5	8	9
80-84	7	2.7	6	< 1	1	2	4	7	7	7
85 +	13	2.2	1	< 1	1	2	3	4	4	4
B. Operated										
65-69 YRS	41	3.3	2	1	2	3	4	5	6	7
70-74	33	3.2	2	1	2	3	4	5	5	6
75-79	14	3.2	3	2	2	3	3	6	7	8
80-84	29	3.0	3	1	2	3	4	6	6	6
85 +	11	2.6	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	117	3.8	8	1	2	3	5	8	9	15
70-74	117	3.5	8	1	2	3	4	6	7	16
75-79	84	3.4	5	1	2	3	4	7	8	10
80-84	73	4.5	85	1	2	3	5	6	8	65
85 +	71	4.0	8	1	2	3	6	8	9	13
B. Operated										
65-69 YRS	184	4.7	9	2	3	4	6	8	10	18
70-74	156	5.8	37	1	3	5	7	11	15	22
75-79	147	5.3	56	2	2	4	6	8	15	24
80-84	105	5.3	25	2	3	4	6	10	14	29
85 +	80	5.6	24	2	2	4	7	10	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.8	3	1	1	2	4	5	6	9
B. Operated	128	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	462	3.8	20	1	2	3	5	7	8	13
B. Operated	672	5.3	30	2	2	4	6	9	13	22
1. SINGLE DX	199	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX	1134	4.7	26	1	2	4	6	8	11	20
A. Not Operated	533	3.7	17	1	2	3	5	7	8	13
B. Operated	800	5.0	26	2	2	4	6	9	12	21
TOTAL										
65-69 YRS	360	4.2	8	1	2	4	5	7	9	15
70-74	323	4.6	22	1	2	4	5	8	11	21
75-79	261	4.5	35	1	2	3	5	8	10	21
80-84	214	4.6	42	1	2	3	5	7	12	27
85 +	175	4.5	16	1	2	3	6	9	12	20
GRAND TOTAL	**1333**	**4.4**	**23**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.8	2	1	1	1	3	4	4	4
70-74	7	2.1	3	1	1	2	2	5	6	6
75-79	4	2.8	3	1	1	2	4	5	5	5
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	3	9.7	17	5	6	11	12	13	13	13
B. Operated										
65-69 YRS	6	2.8	3	1	1	3	4	5	5	5
70-74	5	1.4	1	< 1	< 1	1	2	3	3	3
75-79	6	1.2		< 1	1	1	1	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	113	4.6	16	1	2	3	6	11	12	21
70-74	97	5.2	27	2	2	3	5	11	17	30
75-79	110	5.9	44	1	2	4	8	12	18	39
80-84	92	5.8	18	2	3	4	9	12	13	21
85 +	64	7.3	38	2	3	6	10	14	19	34
B. Operated										
65-69 YRS	47	12.6	240	1	2	6	17	34	57	61
70-74	38	12.1	151	1	3	10	17	26	30	67
75-79	41	10.9	63	2	6	10	14	23	25	40
80-84	24	16.0	298	1	6	9	25	32	47	81
85 +	22	14.7	140	2	7	11	20	31	42	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.2	11	1	1	2	4	8	12	13
B. Operated	19	1.7	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	476	5.6	29	1	2	4	8	12	15	26
B. Operated	172	12.8	172	1	5	9	16	29	37	66
1. SINGLE DX	40	2.5	7	1	1	1	3	5	8	13
2. MULTIPLE DX	648	7.5	77	1	2	5	10	16	25	46
A. Not Operated	497	5.5	28	1	2	4	8	12	15	26
B. Operated	191	11.7	166	1	2	8	15	29	35	65
TOTAL										
65-69 YRS	170	6.6	90	1	2	4	7	13	23	59
70-74	147	6.7	67	1	2	4	9	17	19	35
75-79	161	6.9	52	1	2	5	10	15	20	39
80-84	120	7.7	89	2	3	5	9	13	25	47
85 +	90	9.1	72	1	3	8	11	19	26	44
GRAND TOTAL	**688**	**7.2**	**74**	**1**	**2**	**4**	**9**	**16**	**24**	**44**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	1	17.0		17	17	17	17	17	17	17
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	27.0		27	27	27	27	27	27	27
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	10	11.2	113	1	4	6	16	27	35	35
70-74	8	10.4	121	1	3	6	15	29	34	34
75-79	6	8.2	154	1	2	3	8	30	33	33
80-84	6	4.0	10	< 1	1	3	6	9	9	9
85 +	11	14.4	291	2	3	8	19	41	57	59
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	9.5	52	4	5	8	11	13	27	35
70-74	20	9.0	76	3	5	7	9	14	30	43
75-79	22	9.9	99	2	3	6	14	22	33	43
80-84	18	8.0	19	2	6	8	11	16	63	99 +
85 +	44	11.1	125	3	4	7	13	27	37	54
B. Operated										
65-69 YRS	167	13.9	117	4	7	11	20	27	38	62
70-74	195	14.5	125	4	7	12	18	29	36	72
75-79	196	16.1	202	5	8	12	19	31	54	97
80-84	173	17.0	200	5	7	12	20	39	51	62
85 +	235	13.9	147	4	7	10	18	29	37	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	12.4	93	3	6	8	19	27	27	27
B. Operated	41	10.4	151	1	2	6	14	31	34	59
2. MULTIPLE DX										
A. Not Operated	122	9.8	85	3	4	7	12	21	35	66
B. Operated	966	15.0	159	4	7	11	19	30	42	70
1. SINGLE DX	46	10.6	143	1	3	6	16	29	34	59
2. MULTIPLE DX	1088	14.4	153	4	7	11	18	30	41	69
A. Not Operated	127	9.9	85	3	5	7	12	21	35	64
B. Operated	1007	14.8	159	4	7	11	19	30	41	69
TOTAL										
65-69 YRS	196	13.4	111	4	7	10	18	26	37	60
70-74	224	13.8	122	3	7	12	17	29	35	69
75-79	225	15.2	193	4	7	11	19	30	53	95
80-84	198	15.8	188	4	7	11	20	37	51	63
85 +	291	13.4	148	3	6	9	17	29	37	64
GRAND TOTAL	**1134**	**14.3**	**153**	**4**	**7**	**11**	**18**	**30**	**40**	**68**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	415	1.9	1	1	1	2	2	3	4	5
70-74	326	2.2	6	1	1	2	3	4	4	8
75-79	175	2.1	3	1	1	2	3	4	5	7
80-84	107	2.6	4	1	1	2	4	5	7	10
85 +	82	2.3	2	1	1	2	3	4	5	9
B. Operated										
65-69 YRS	152	1.9	2	1	1	1	2	4	5	8
70-74	96	2.0	3	1	1	1	2	4	6	9
75-79	40	2.6	3	1	1	2	4	5	6	8
80-84	10	2.6	2	< 1	1	2	4	5	5	5
85 +	6	2.5	2	1	2	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4302	2.9	4	1	2	2	4	5	7	10
70-74	3648	3.1	5	1	2	3	4	6	7	11
75-79	2900	3.3	8	1	2	3	4	6	8	13
80-84	1910	3.4	10	1	2	3	4	6	8	12
85 +	1187	3.7	10	1	2	3	4	7	9	18
B. Operated										
65-69 YRS	1429	3.6	10	1	1	3	5	7	9	16
70-74	1016	3.9	18	1	2	3	5	8	10	20
75-79	544	4.9	27	1	2	4	6	10	13	21
80-84	203	5.7	27	2	3	4	7	10	16	25
85 +	73	7.0	19	2	4	6	10	14	16	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1105	2.1	3	1	1	2	3	4	4	7
B. Operated	304	2.1	3	1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	13947	3.2	7	1	2	3	4	6	7	12
B. Operated	3265	4.1	17	1	2	3	5	8	11	20
1. SINGLE DX	1409	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX	17212	3.4	9	1	2	3	4	6	8	14
A. Not Operated	15052	3.1	6	1	2	2	4	6	7	12
B. Operated	3569	4.0	16	1	2	3	5	8	10	19
TOTAL										
65-69 YRS	6298	3.0	5	1	2	2	4	6	7	12
70-74	5086	3.2	8	1	2	2	4	6	7	13
75-79	3659	3.5	11	1	2	3	4	6	8	15
80-84	2230	3.6	12	1	2	3	4	7	8	14
85 +	1348	3.7	11	1	2	3	4	7	9	18
GRAND TOTAL	**18621**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	4.2	7	1	2	3	7	8	8	8
70-74	5	3.4	11	< 1	1	2	5	9	9	9
75-79	5	4.6	3	2	3	5	6	6	6	6
80-84	3	1.7	1	1	1	1	3	3	3	3
85 +	6	2.2	1	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	21	2.1	3	< 1	1	1	3	5	6	7
70-74	8	4.4	14	< 1	1	3	7	10	11	11
75-79	6	3.3	1	1	3	4	4	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	193	4.6	37	1	2	3	5	8	11	24
70-74	198	4.7	56	1	2	3	5	8	12	68
75-79	209	4.2	14	1	2	3	5	8	11	19
80-84	134	4.4	15	1	2	3	5	10	11	18
85 +	129	4.7	13	2	2	4	6	9	13	17
B. Operated										
65-69 YRS	133	5.1	20	1	2	4	6	9	12	28
70-74	151	5.4	22	1	2	4	7	12	16	23
75-79	87	6.1	26	2	3	5	8	14	17	24
80-84	52	7.0	57	2	3	5	8	15	16	46
85 +	39	9.2	40	2	5	8	11	21	22	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.5	6	1	1	3	6	7	8	9
B. Operated	39	2.9	6	< 1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	863	4.5	29	1	2	3	5	8	11	20
B. Operated	462	6.0	29	1	2	4	8	12	16	26
1. SINGLE DX	69	3.1	6	1	1	3	4	7	8	11
2. MULTIPLE DX	1325	5.0	29	1	2	4	6	10	14	24
A. Not Operated	893	4.5	28	1	2	3	5	8	11	20
B. Operated	501	5.7	27	1	2	4	7	12	16	26
TOTAL										
65-69 YRS	358	4.6	28	1	2	3	6	8	11	26
70-74	362	5.0	40	1	2	4	6	9	13	24
75-79	307	4.7	18	1	2	4	6	9	14	20
80-84	191	5.0	27	1	2	3	6	10	13	30
85 +	176	5.7	22	2	2	4	7	11	15	23
GRAND TOTAL	**1394**	**4.9**	**28**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	1.7		< 1	1	2	2	3	3	3
70-74	13	2.2	2	< 1	1	2	3	4	4	4
75-79	9	3.9	37	1	2	2	3	13	20	20
80-84	12	2.5	2	1	1	2	4	4	5	5
85 +	11	1.9	3	< 1	< 1	1	3	4	6	6
B. Operated										
65-69 YRS	8	3.8	1	2	3	4	5	5	5	5
70-74	6	2.7	2	1	1	3	4	4	4	4
75-79	4	2.0		2	2	2	2	2	2	2
80-84	4	1.5		< 1	< 1	1	2	2	2	2
85 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	119	3.4	10	1	1	2	4	7	9	18
70-74	137	3.6	7	1	2	3	4	7	9	15
75-79	113	4.2	10	1	2	3	5	9	10	18
80-84	110	6.0	24	2	3	4	7	13	16	24
85 +	104	4.7	11	2	2	4	6	8	12	17
B. Operated										
65-69 YRS	130	4.7	12	1	2	4	6	8	13	18
70-74	122	6.2	45	1	2	4	8	13	18	34
75-79	161	6.4	46	1	3	5	8	14	17	34
80-84	101	7.2	63	1	3	5	9	15	21	45
85 +	78	8.2	52	2	3	6	10	22	25	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.3	7	< 1	1	2	3	4	5	19
B. Operated	24	2.7	2	1	2	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	583	4.3	13	1	2	3	5	9	12	18
B. Operated	592	6.3	43	2	3	4	8	14	19	34
1. SINGLE DX	82	2.5	5	< 1	1	2	3	4	5	16
2. MULTIPLE DX	1175	5.3	29	1	2	4	6	11	15	26
A. Not Operated	641	4.1	13	1	2	3	5	8	11	18
B. Operated	616	6.2	42	1	3	4	7	14	18	34
TOTAL										
65-69 YRS	270	3.9	11	1	2	3	5	7	11	18
70-74	278	4.6	25	1	2	3	6	9	13	21
75-79	287	5.4	32	1	2	4	7	11	15	27
80-84	227	6.3	41	1	3	4	7	14	17	29
85 +	195	5.9	31	2	3	4	7	13	17	33
GRAND TOTAL	**1257**	**5.1**	**28**	**1**	**2**	**4**	**6**	**11**	**15**	**25**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	116	2.7	3	1	1	2	3	5	7	10
70-74	78	2.7	4	1	2	2	3	5	7	11
75-79	50	3.6	27	1	1	2	4	6	7	36
80-84	48	2.9	4	1	1	2	4	6	7	8
85 +	40	2.7	3	1	1	2	3	5	7	8
B. Operated										
65-69 YRS	12	3.6	10	< 1	1	3	5	9	11	11
70-74	6	2.5	4	1	1	2	5	5	5	5
75-79	6	3.5	9	< 1	1	3	4	9	9	9
80-84	3	6.0	3	4	5	7	7	7	7	7
85 +	4	7.3	18	4	4	6	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	806	3.7	9	1	2	3	5	7	8	14
70-74	783	4.2	13	1	2	3	5	8	10	16
75-79	707	4.3	12	1	2	3	5	8	10	18
80-84	495	4.9	15	1	2	4	7	9	12	18
85 +	549	4.8	14	2	2	4	6	10	12	20
B. Operated										
65-69 YRS	215	7.3	39	2	4	6	9	14	19	28
70-74	183	7.0	26	2	3	6	9	14	17	25
75-79	155	8.3	40	2	4	7	11	18	21	27
80-84	114	7.9	21	3	4	7	11	13	15	24
85 +	74	8.9	71	2	4	6	12	20	28	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	332	2.8	7	1	1	2	3	5	7	11
B. Operated	31	4.1	10	< 1	1	4	5	9	11	13
2. MULTIPLE DX										
A. Not Operated	3340	4.3	13	1	2	3	5	8	10	17
B. Operated	741	7.7	37	2	4	6	9	14	20	28
1. SINGLE DX	363	2.9	7	1	1	2	4	6	7	12
2. MULTIPLE DX	4081	4.9	19	1	2	4	6	9	13	21
A. Not Operated	3672	4.2	12	1	2	3	5	8	10	17
B. Operated	772	7.5	36	2	4	6	9	14	20	28
TOTAL										
65-69 YRS	1149	4.3	16	1	2	3	5	8	10	19
70-74	1050	4.6	16	1	2	3	6	9	12	18
75-79	918	5.0	20	1	2	4	6	10	13	24
80-84	660	5.3	17	1	2	4	7	10	13	18
85 +	667	5.2	22	2	2	4	6	10	13	26
GRAND TOTAL	**4444**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.4	3	1	1	2	3	5	7	7
70-74	10	2.7	8	< 1	1	2	3	7	10	10
75-79	6	4.2	53	< 1	< 1	1	2	17	19	19
80-84	4	2.5	2	1	1	2	3	4	4	4
85 +	3	2.3		2	2	2	3	3	3	3
B. Operated										
65-69 YRS	7	3.4	9	1	1	3	5	8	9	9
70-74	5	7.2	19	3	4	5	10	14	14	14
75-79	3	2.0	1	< 1	< 1	2	3	3	3	3
80-84	5	6.2	23	1	2	5	10	13	13	13
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	404	5.0	15	2	2	4	6	10	12	21
70-74	408	4.9	14	1	2	4	6	10	13	17
75-79	446	5.0	14	2	3	4	7	10	12	18
80-84	313	5.5	45	2	2	4	7	11	13	26
85 +	349	6.0	46	2	3	5	7	11	15	27
B. Operated										
65-69 YRS	160	7.8	83	1	2	6	9	17	24	42
70-74	154	9.1	76	1	3	6	12	21	28	40
75-79	137	8.1	67	1	3	6	10	18	23	37
80-84	114	7.8	109	1	3	6	10	16	21	53
85 +	122	8.9	141	2	3	5	10	18	37	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.8	11	< 1	1	2	3	5	9	19
B. Operated	21	4.9	15	1	2	4	6	11	13	14
2. MULTIPLE DX										
A. Not Operated	1920	5.3	25	2	3	4	6	10	13	20
B. Operated	687	8.3	92	1	3	6	10	19	25	46
1. SINGLE DX	56	3.6	14	< 1	1	2	4	9	12	19
2. MULTIPLE DX	2607	6.1	45	2	3	4	7	12	17	32
A. Not Operated	1955	5.2	25	2	3	4	6	10	13	20
B. Operated	708	8.2	90	1	3	6	10	19	25	45
TOTAL										
65-69 YRS	583	5.7	35	1	2	4	7	11	16	27
70-74	577	6.0	34	1	3	4	8	12	18	30
75-79	592	5.7	28	1	2	4	7	12	16	25
80-84	436	6.1	62	2	2	4	7	12	15	28
85 +	475	6.7	71	2	3	5	7	13	18	47
GRAND TOTAL	**2663**	**6.0**	**44**	**2**	**3**	**4**	**7**	**12**	**17**	**31**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0- 780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790- 799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	171	2.8	6	1	1	2	3	6	8	14
70-74	152	2.6	5	1	1	2	3	5	7	11
75-79	183	3.1	13	1	1	2	3	6	9	20
80-84	132	3.3	12	1	2	2	4	6	10	40
85 +	151	3.3	20	1	1	2	4	6	8	18
B. Operated										
65-69 YRS	37	2.0	3	< 1	1	1	2	5	6	6
70-74	22	2.9	11	< 1	1	2	4	6	11	15
75-79	18	2.2	2	< 1	1	2	3	4	5	6
80-84	7	2.9	4	1	1	3	5	6	6	6
85 +	6	4.2	5	2	3	3	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2535	3.9	13	1	2	3	5	7	9	17
70-74	3003	4.2	15	1	2	3	5	8	10	19
75-79	3488	4.7	22	1	2	4	6	8	11	22
80-84	3112	5.0	26	2	2	4	6	9	12	23
85 +	3263	5.6	36	2	3	4	7	10	14	28
B. Operated										
65-69 YRS	484	7.0	71	1	2	5	8	14	21	45
70-74	507	7.1	65	1	3	5	9	14	22	96
75-79	492	7.6	43	2	3	6	10	16	20	41
80-84	428	8.4	78	2	3	6	10	17	23	54
85 +	371	9.5	106	3	4	7	11	19	32	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	789	3.0	11	1	1	2	3	6	8	18
B. Operated	90	2.5	5	1	1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	15401	4.7	23	1	2	4	6	9	12	23
B. Operated	2282	7.8	71	2	3	6	9	16	22	61
1. SINGLE DX	879	2.9	11	1	1	2	3	6	8	18
2. MULTIPLE DX	17683	5.1	31	1	2	4	6	10	13	28
A. Not Operated	16190	4.6	23	1	2	3	6	9	11	22
B. Operated	2372	7.6	70	1	3	6	9	16	22	59
TOTAL										
65-69 YRS	3227	4.3	23	1	2	3	5	8	10	23
70-74	3684	4.5	23	1	2	3	6	9	11	25
75-79	4181	4.9	25	1	2	4	6	9	13	27
80-84	3679	5.3	33	2	2	4	6	10	14	30
85 +	3791	5.9	44	2	3	4	7	11	16	36
GRAND TOTAL	**18562**	**5.0**	**30**	**1**	**2**	**4**	**6**	**9**	**13**	**28**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	45.0		45	45	45	45	45	45	45
70-74	0									
75-79	2	24.0	288	12	12	24	36	36	36	36
80-84	2	19.0	18	16	16	19	22	22	22	22
85 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
65-69 YRS	5	38.0	128	25	32	37	42	56	56	56
70-74	4	34.0	573	16	19	25	49	69	69	69
75-79	4	30.0	203	18	18	28	42	46	46	46
80-84	4	38.5	494	12	21	39	55	64	64	64
85 +	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6	24.2	179	12	14	19	36	44	45	45
B. Operated	18	34.8	269	17	22	32	46	62	67	69
1. SINGLE DX	0									
2. MULTIPLE DX	24	32.2	260	14	18	30	42	57	65	69
A. Not Operated	6	24.2	179	12	14	19	36	44	45	45
B. Operated	18	34.8	269	17	22	32	46	62	67	69
TOTAL										
65-69 YRS	6	39.2	110	26	34	37	45	55	56	56
70-74	4	34.0	573	16	19	25	49	69	69	69
75-79	6	28.0	189	13	18	27	38	45	46	46
80-84	6	32.0	401	12	16	26	47	62	64	64
85 +	2	20.5	85	14	14	20	27	27	27	27
GRAND TOTAL	**24**	**32.2**	**260**	**14**	**18**	**30**	**42**	**57**	**65**	**69**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	20.0		20	20	20	20	20	20	20
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	3.3	5	1	2	3	4	7	9	9
70-74	12	8.7	31	2	3	9	12	17	18	18
75-79	7	5.9	21	2	3	4	8	14	15	15
80-84	11	6.9	12	3	4	7	8	12	15	15
85 +	11	6.2	21	1	2	6	9	13	14	14
B. Operated										
65-69 YRS	9	11.4	80	2	5	9	16	25	30	30
70-74	9	17.3	190	1	4	17	28	35	39	39
75-79	8	14.6	89	3	7	14	19	28	32	32
80-84	5	25.4	342	14	15	18	31	58	58	58
85 +	10	13.5	297	2	2	6	19	40	57	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	9	2	3	5	7	8	8	8
B. Operated	3	8.7	97	2	2	4	16	20	20	20
2. MULTIPLE DX										
A. Not Operated	50	6.4	20	2	3	5	9	14	15	18
B. Operated	41	15.6	188	2	5	14	20	3[illegible]	47	58
1. SINGLE DX	6	6.8	47	2	2	4	8	19	20	20
2. MULTIPLE DX	91	10.5	116	2	3	7	15	23	30	58
A. Not Operated	53	6.3	20	2	3	5	9	13	15	18
B. Operated	44	15.1	183	2	4	14	20	30	44	58
TOTAL										
65-69 YRS	18	7.4	57	2	2	4	9	17	25	30
70-74	22	11.9	112	2	3	10	17	28	33	39
75-79	18	10.6	68	2	4	8	16	20	27	32
80-84	17	12.1	173	3	4	8	15	21	45	58
85 +	22	9.4	152	2	2	5	13	20	37	57
GRAND TOTAL	**97**	**10.3**	**112**	**2**	**3**	**7**	**14**	**22**	**30**	**58**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	2.2	1	1	1	2	3	4	4	4
70-74	2	22.5	365	9	9	22	36	36	36	36
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	12.7	245	2	3	8	15	28	52	69
70-74	26	10.2	100	3	4	8	12	19	26	51
75-79	20	12.6	273	2	4	6	16	29	53	72
80-84	21	8.4	35	3	4	6	11	18	20	21
85 +	20	7.9	37	2	3	6	13	17	19	20
B. Operated										
65-69 YRS	15	16.5	122	6	8	13	23	36	40	41
70-74	19	15.5	164	4	6	10	23	36	43	48
75-79	14	17.4	233	2	7	13	23	37	53	57
80-84	13	21.1	271	6	8	16	29	42	60	64
85 +	19	17.7	124	5	11	17	22	34	40	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.5	113	1	2	3	4	22	36	36
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	108	10.4	135	2	3	7	14	20	25	70
B. Operated	80	17.4	170	4	8	13	23	36	42	62
1. SINGLE DX	11	6.0	104	1	1	3	4	20	35	36
2. MULTIPLE DX	188	13.4	161	3	5	9	19	29	38	67
A. Not Operated	118	10.0	133	2	3	6	13	20	31	70
B. Operated	81	17.2	171	4	7	13	23	36	42	62
TOTAL										
65-69 YRS	43	12.3	181	1	3	8	15	26	39	69
70-74	47	12.9	137	3	5	9	18	30	39	51
75-79	36	13.9	247	2	4	8	21	34	50	72
80-84	34	13.2	159	3	5	9	18	28	36	64
85 +	39	12.7	102	2	4	11	18	27	34	44
GRAND TOTAL	**199**	**13.0**	**160**	**2**	**4**	**9**	**18**	**29**	**37**	**67**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	4	3.0	5	1	1	2	4	6	6	6
70-74	6	2.0	2	1	1	2	2	5	5	5
75-79	2	8.5	1	8	8	8	9	9	9	9
80-84	3	2.3		2	2	2	3	3	3	3
85 +	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	3.7	10	1	2	2	6	9	9	9
70-74	20	2.8	4	1	1	2	3	6	7	8
75-79	26	3.6	4	1	2	3	5	7	7	8
80-84	28	4.2	10	1	2	3	5	10	10	12
85 +	26	6.5	125	2	2	4	6	7	25	59
B. Operated										
65-69 YRS	62	5.6	27	1	2	4	8	14	16	23
70-74	65	7.5	142	1	2	4	7	15	25	77
75-79	67	6.7	77	1	2	4	8	14	16	58
80-84	43	9.2	68	2	3	7	13	20	28	36
85 +	41	6.1	36	1	2	5	8	13	14	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	3	1	1	2	4	4	4	4
B. Operated	18	3.4	7	1	2	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	111	4.3	35	1	2	3	5	8	9	33
B. Operated	278	6.9	74	1	2	4	8	15	20	36
1. SINGLE DX	22	3.2	6	1	1	2	4	8	9	9
2. MULTIPLE DX	389	6.2	64	1	2	4	7	13	17	36
A. Not Operated	115	4.2	34	1	2	3	5	8	9	32
B. Operated	296	6.7	70	1	2	4	8	14	19	36
TOTAL										
65-69 YRS	77	5.2	23	1	2	3	7	12	15	22
70-74	92	6.1	105	1	2	4	6	12	21	64
75-79	95	5.9	57	1	2	4	8	13	15	47
80-84	75	6.9	49	1	2	4	9	16	21	35
85 +	72	6.1	65	2	2	4	6	12	15	54
GRAND TOTAL	**411**	**6.0**	**61**	**1**	**2**	**4**	**7**	**13**	**17**	**36**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	44	4.3	5	2	3	4	6	7	8	10
70-74	50	5.0	11	1	3	4	7	9	10	18
75-79	47	5.1	15	2	3	3	6	10	15	16
80-84	35	4.9	5	2	3	5	6	8	9	10
85 +	55	4.9	13	2	2	4	6	10	12	18
B. Operated										
65-69 YRS	13	5.2	11	1	3	4	9	10	11	11
70-74	1	19.0		19	19	19	19	19	19	19
75-79	6	7.8	19	4	4	7	8	15	16	16
80-84	5	3.6	4	2	2	3	5	7	7	7
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	361	7.3	32	2	4	6	9	14	18	33
70-74	494	8.0	55	3	4	6	9	14	18	32
75-79	694	7.7	37	3	4	6	10	14	18	32
80-84	785	8.6	65	3	4	7	10	16	20	53
85 +	866	8.1	40	3	4	7	10	14	18	32
B. Operated										
65-69 YRS	82	13.1	124	2	7	11	18	25	46	85
70-74	96	14.9	161	5	7	12	19	30	48	87
75-79	97	13.6	161	3	6	10	18	25	30	78
80-84	102	13.0	103	3	6	11	16	25	33	54
85 +	93	15.2	172	5	8	12	18	31	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	4.8	10	2	3	4	6	8	10	18
B. Operated	26	6.0	19	2	3	4	8	11	17	19
2. MULTIPLE DX										
A. Not Operated	3200	8.0	47	3	4	6	10	14	19	35
B. Operated	470	13.9	144	4	7	11	18	27	41	98
1. SINGLE DX	257	5.0	11	2	3	4	6	9	11	18
2. MULTIPLE DX	3670	8.8	63	3	4	7	10	16	22	48
A. Not Operated	3431	7.8	45	3	4	6	9	14	18	34
B. Operated	496	13.5	140	3	6	11	17	26	40	97
TOTAL										
65-69 YRS	500	7.9	50	2	4	6	10	17	20	42
70-74	641	8.8	74	3	4	7	10	16	22	50
75-79	844	8.2	54	3	4	6	10	15	21	35
80-84	927	8.9	69	3	4	7	10	17	23	53
85 +	1015	8.5	56	3	4	7	10	15	21	41
GRAND TOTAL	**3927**	**8.5**	**61**	**3**	**4**	**7**	**10**	**16**	**21**	**42**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	7.0	8	5	5	7	9	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	17.5	217	1	6	17	29	35	35	35
70-74	8	10.5	57	1	4	10	16	21	23	23
75-79	11	11.6	90	3	5	9	15	29	29	29
80-84	7	14.1	139	3	7	9	19	34	37	37
85 +	14	12.6	108	3	5	10	15	32	36	37
B. Operated										
65-69 YRS	11	17.5	54	8	14	17	24	52	93	99 +
70-74	8	18.0	67	8	13	22	26	72	99 +	99 +
75-79	4	15.8	49	9	11	17	44	99 +	99 +	99 +
80-84	5	13.8	62	7	10	14	81	99 +	99 +	99 +
85 +	5	39.4	346	22	23	34	55	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.7	9	3	3	5	8	9	9	9
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	44	12.7	101	3	5	9	17	30	36	37
B. Operated	33	20.2	157	9	13	20	29	99 +	99 +	99 +
1. SINGLE DX	4	5.8	6	3	4	5	7	9	9	9
2. MULTIPLE DX	77	15.9	137	4	8	14	24	37	99 +	99 +
A. Not Operated	47	12.2	98	3	5	9	16	29	35	37
B. Operated	34	19.7	159	8	12	19	28	99 +	99 +	99 +
TOTAL										
65-69 YRS	18	15.7	88	5	9	16	23	34	71	99 +
70-74	16	14.3	73	4	7	14	23	28	75	99 +
75-79	15	12.7	78	3	7	10	21	29	79	99 +
80-84	12	14.0	99	6	9	13	27	99 +	99 +	99 +
85 +	20	18.9	300	3	6	13	28	44	58	65
GRAND TOTAL	**81**	**15.4**	**136**	**3**	**7**	**13**	**24**	**37**	**99 +**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	2.5	2	1	2	2	3	4	5	7
70-74	18	2.4	4	1	1	2	3	5	7	8
75-79	14	2.9	3	1	2	2	4	5	6	6
80-84	13	2.9	7	1	1	2	4	7	9	10
85 +	10	2.9	5	< 1	1	2	4	6	8	8
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	11.0		11	11	11	11	11	11	11
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	322	5.0	14	2	2	4	6	10	13	18
70-74	333	6.2	50	2	3	4	7	12	15	54
75-79	374	5.9	21	2	3	5	8	12	16	28
80-84	376	6.8	37	2	3	5	9	13	17	29
85 +	481	7.5	50	2	3	6	9	16	20	39
B. Operated										
65-69 YRS	96	12.4	133	2	5	8	14	31	37	52
70-74	101	14.8	189	3	5	10	20	32	38	66
75-79	85	14.4	200	3	5	10	21	33	52	99 +
80-84	68	15.4	201	3	6	10	23	31	38	75
85 +	57	17.6	407	4	6	12	19	28	78	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	2.7	3	1	1	2	3	5	7	10
B. Operated	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	1886	6.4	36	2	3	5	8	13	17	33
B. Operated	407	14.7	211	3	5	10	19	32	42	88
1. SINGLE DX	78	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX	2293	7.9	77	2	3	5	9	16	24	54
A. Not Operated	1962	6.3	35	2	3	5	8	12	16	31
B. Operated	409	14.6	210	3	5	10	19	31	42	88
TOTAL										
65-69 YRS	440	6.5	49	2	2	4	8	13	19	37
70-74	453	8.0	93	2	3	5	9	17	27	62
75-79	473	7.4	64	2	3	5	9	16	22	80
80-84	457	8.0	70	2	3	5	10	16	24	41
85 +	548	8.5	95	2	3	6	10	17	23	69
GRAND TOTAL	**2371**	**7.7**	**76**	**2**	**3**	**5**	**9**	**16**	**23**	**52**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	30	5.8	14	2	3	5	8	10	12	19
70-74	53	4.6	6	2	3	4	6	8	9	11
75-79	41	5.7	9	3	4	5	7	9	13	16
80-84	48	6.7	17	3	4	6	9	13	16	17
85 +	103	7.1	74	2	4	5	8	12	18	52
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	48.0		48	48	48	48	48	48	48
80-84	0									
85 +	2	32.0	32	28	28	32	36	36	36	36
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	243	8.3	87	3	4	6	9	13	16	55
70-74	366	9.2	54	3	5	7	11	17	24	41
75-79	544	9.5	85	3	5	7	11	17	23	60
80-84	677	9.7	63	3	5	8	12	19	24	56
85 +	1084	9.4	76	3	5	7	11	17	24	49
B. Operated										
65-69 YRS	61	15.2	81	5	10	15	20	24	34	46
70-74	64	21.2	290	7	9	14	29	44	51	84
75-79	85	15.5	102	6	7	12	22	29	41	80
80-84	81	16.6	149	5	8	13	21	32	46	88
85 +	106	17.5	254	5	7	12	22	41	55	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	6.2	35	2	3	5	7	11	15	20
B. Operated	3	37.3	101	28	30	36	45	48	48	48
2. MULTIPLE DX										
A. Not Operated	2914	9.4	73	3	5	7	11	17	24	51
B. Operated	397	17.1	181	6	8	13	22	36	45	88
1. SINGLE DX	278	6.5	46	2	3	5	8	11	16	34
2. MULTIPLE DX	3311	10.3	92	3	5	8	12	20	28	56
A. Not Operated	3189	9.1	70	3	4	7	11	17	23	51
B. Operated	400	17.3	184	6	8	13	22	36	46	88
TOTAL										
65-69 YRS	334	9.3	87	3	4	7	11	17	22	52
70-74	483	10.3	100	3	5	7	11	22	29	48
75-79	671	10.1	90	3	5	7	12	21	27	59
80-84	806	10.2	74	3	5	8	12	20	28	58
85 +	1295	9.9	96	3	5	7	12	19	27	56
GRAND TOTAL	**3589**	**10.0**	**90**	**3**	**5**	**7**	**12**	**20**	**27**	**56**

366. Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	1.7	1	1	1	2	2	3	3	3
70-74	15	2.7	3	1	1	2	4	5	6	6
75-79	19	2.4	4	1	1	2	3	4	7	10
80-84	14	3.2	5	1	2	3	4	5	9	10
85 +	30	4.1	31	1	2	3	4	6	7	32
B. Operated										
65-69 YRS	77	3.8	8	1	2	3	4	7	8	17
70-74	55	4.0	15	1	2	3	5	7	10	26
75-79	58	4.3	8	1	2	3	6	8	9	15
80-84	44	4.5	7	2	3	4	6	8	11	12
85 +	27	5.4	33	2	2	3	6	13	18	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	104	5.7	44	1	2	4	7	10	15	40
70-74	132	5.6	19	2	2	4	8	11	14	23
75-79	200	6.1	47	1	2	4	7	12	16	32
80-84	226	7.1	55	2	3	5	8	15	19	36
85 +	299	7.0	76	2	3	5	7	13	20	44
B. Operated										
65-69 YRS	255	6.7	42	2	3	5	8	14	19	60
70-74	260	7.4	51	2	4	6	8	14	18	31
75-79	330	8.4	71	2	4	6	10	16	28	44
80-84	275	8.9	77	2	4	6	11	20	27	55
85 +	290	9.3	75	2	4	7	11	19	25	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.0	13	1	1	2	4	5	7	23
B. Operated	261	4.2	12	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	961	6.5	54	2	3	4	8	13	17	33
B. Operated	1410	8.2	65	2	4	6	10	17	23	50
1. SINGLE DX	354	3.9	12	1	2	3	5	7	10	18
2. MULTIPLE DX	2371	7.5	61	2	3	5	9	15	21	43
A. Not Operated	1054	6.2	51	1	2	4	7	12	16	33
B. Operated	1671	7.6	59	2	3	5	9	15	21	43
TOTAL										
65-69 YRS	451	5.8	37	2	3	4	7	11	18	32
70-74	462	6.3	38	2	3	5	8	12	16	27
75-79	607	7.1	57	2	3	5	8	13	20	43
80-84	559	7.7	63	2	3	5	9	16	22	41
85 +	646	7.8	74	2	3	5	9	16	23	43
GRAND TOTAL	**2725**	**7.0**	**56**	**2**	**3**	**5**	**8**	**14**	**20**	**40**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	4	2.8		2	2	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	2.0	2	1	1	2	3	3	3	3
85 +	5	6.4	59	1	2	4	8	20	20	20
B. Operated										
65-69 YRS	157	2.0	2	1	1	1	2	4	5	7
70-74	118	2.0	2	1	1	2	2	4	4	7
75-79	91	2.1	3	1	1	2	3	4	5	10
80-84	45	2.8	5	1	1	2	3	6	7	9
85 +	43	2.9	5	1	2	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	5.0	10	1	3	4	8	9	11	12
70-74	23	3.7	4	1	2	3	5	7	8	8
75-79	34	8.5	103	1	2	4	12	20	33	43
80-84	35	6.3	19	2	3	6	8	10	16	21
85 +	70	5.8	57	1	2	4	7	10	14	92
B. Operated										
65-69 YRS	261	4.9	46	1	2	3	5	10	15	49
70-74	267	4.4	20	1	2	3	5	9	13	27
75-79	284	5.0	32	1	2	3	6	10	13	35
80-84	218	6.0	41	1	2	4	7	13	19	31
85 +	202	6.8	83	2	3	4	7	13	16	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.7	23	1	1	3	3	6	17	20
B. Operated	454	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	183	6.0	47	1	3	4	7	11	15	56
B. Operated	1232	5.3	43	1	2	3	6	11	15	39
1. SINGLE DX	468	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1415	5.4	44	1	2	4	6	11	15	42
A. Not Operated	197	5.9	46	1	2	4	7	11	16	53
B. Operated	1686	4.5	34	1	2	3	5	9	13	29
TOTAL										
65-69 YRS	441	3.8	30	1	1	2	4	8	11	31
70-74	412	3.6	15	1	1	2	4	7	10	22
75-79	410	4.6	34	1	2	3	5	10	13	37
80-84	300	5.6	34	1	2	4	7	12	16	27
85 +	320	6.1	68	1	2	4	7	12	14	63
GRAND TOTAL	**1883**	**4.6**	**36**	**1**	**2**	**3**	**5**	**9**	**13**	**33**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	20	2.4	3	< 1	1	2	3	4	6	8
70-74	11	2.2	5	< 1	1	1	3	5	8	8
75-79	8	1.8	1	< 1	1	1	2	4	4	4
80-84	3	2.7	2	1	1	3	4	4	4	4
85 +	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	3.6	11	< 1	1	2	6	9	10	10
70-74	7	4.7	5	3	3	4	6	8	9	9
75-79	7	5.9	9	2	3	5	8	10	11	11
80-84	5	20.8	1178	2	3	7	27	82	82	82
85 +	13	7.2	41	2	3	5	9	17	23	24
B. Operated										
65-69 YRS	61	3.4	12	1	1	2	4	8	11	19
70-74	43	4.1	37	1	2	2	4	8	13	37
75-79	34	4.3	19	1	2	3	5	10	15	20
80-84	23	5.9	78	1	2	3	5	13	25	43
85 +	20	10.0	399	1	2	5	8	20	58	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	45	2.2	3	< 1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	40	7.5	165	1	3	5	8	11	19	82
B. Operated	181	4.8	72	1	2	2	5	10	14	41
1. SINGLE DX	45	2.2	3	< 1	1	1	3	4	5	8
2. MULTIPLE DX	221	5.3	89	1	2	3	5	10	15	54
A. Not Operated	40	7.5	165	1	3	5	8	11	19	82
B. Operated	226	4.3	59	1	1	2	5	8	12	38
TOTAL										
65-69 YRS	89	3.2	10	1	1	2	4	7	10	17
70-74	61	3.8	28	1	1	2	4	8	10	35
75-79	49	4.1	16	1	2	3	5	9	13	20
80-84	31	8.0	248	1	2	4	6	14	42	82
85 +	36	8.2	237	1	2	4	8	15	25	91
GRAND TOTAL	**266**	**4.8**	**76**	**1**	**1**	**3**	**5**	**9**	**13**	**42**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	6.9	24	2	3	6	11	14	14	14
70-74	24	9.3	64	2	5	7	11	19	28	36
75-79	26	8.3	43	1	4	7	10	17	23	26
80-84	40	8.1	36	2	4	6	12	17	20	25
85 +	78	8.7	82	2	4	6	12	18	20	57
B. Operated										
65-69 YRS	243	8.2	11	5	6	8	10	12	14	17
70-74	311	9.3	21	5	7	9	11	13	16	24
75-79	390	9.6	16	5	7	9	12	14	16	22
80-84	423	9.9	24	5	7	9	12	15	18	31
85 +	549	10.2	26	5	7	9	12	16	21	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	96	9.7	55	2	5	8	13	17	24	41
70-74	186	9.9	105	2	4	7	12	18	24	58
75-79	273	11.0	153	3	5	8	12	21	33	90
80-84	374	10.9	100	3	5	8	14	22	31	70
85 +	654	11.1	113	3	5	8	14	23	31	69
B. Operated										
65-69 YRS	1626	11.8	61	5	8	10	13	19	24	50
70-74	2704	12.2	65	6	8	10	14	20	28	49
75-79	4491	12.5	70	6	8	10	14	21	28	55
80-84	5641	12.7	69	6	8	11	14	21	27	57
85 +	8709	12.5	71	6	8	10	14	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	8.5	60	2	4	6	12	17	21	33
B. Operated	1916	9.6	21	5	7	9	11	15	17	27
2. MULTIPLE DX										
A. Not Operated	1583	10.8	112	3	5	8	13	22	31	72
B. Operated	23171	12.5	69	6	8	10	14	20	27	53
1. SINGLE DX	2091	9.5	24	5	7	9	11	15	18	27
2. MULTIPLE DX	24754	12.4	72	6	8	10	14	21	28	54
A. Not Operated	1758	10.6	108	3	5	8	13	21	29	70
B. Operated	25087	12.3	66	6	8	10	14	20	27	51
TOTAL										
65-69 YRS	1972	11.2	56	5	7	10	13	18	23	49
70-74	3225	11.8	64	6	7	10	13	19	27	48
75-79	5180	12.2	71	6	8	10	14	20	27	56
80-84	6478	12.4	68	6	8	10	14	21	27	56
85 +	9990	12.3	72	6	8	10	14	20	27	51
GRAND TOTAL	**26845**	**12.2**	**69**	**6**	**8**	**10**	**14**	**20**	**27**	**52**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	12.0	91	2	3	11	17	26	27	27
70-74	10	7.7	27	3	4	6	10	15	20	20
75-79	12	9.2	46	3	3	6	16	19	21	21
80-84	12	7.1	32	2	3	5	10	15	20	21
85 +	19	9.9	132	1	2	5	11	32	37	37
B. Operated										
65-69 YRS	12	8.1	16	3	4	8	11	13	14	14
70-74	17	11.4	99	4	6	9	14	19	36	45
75-79	12	8.9	17	3	6	9	12	14	15	15
80-84	20	9.5	17	5	7	9	12	13	18	22
85 +	21	10.6	30	5	7	10	12	19	23	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	41	9.8	105	2	4	6	12	19	29	58
70-74	76	12.4	159	2	4	9	18	32	62	99 +
75-79	107	12.1	224	2	3	8	12	28	49	75
80-84	130	13.9	265	3	4	8	17	38	59	94
85 +	215	11.1	149	2	4	7	13	26	36	60
B. Operated										
65-69 YRS	172	15.2	184	5	8	11	16	29	51	85
70-74	237	16.8	229	7	8	12	19	32	50	79
75-79	232	14.7	114	6	8	12	18	26	33	65
80-84	276	15.9	162	6	8	12	20	31	40	89
85 +	463	13.6	103	5	8	11	16	24	36	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	9.0	70	2	3	6	11	21	27	37
B. Operated	82	9.9	36	4	6	9	12	15	20	39
2. MULTIPLE DX										
A. Not Operated	569	12.0	188	2	4	8	14	28	47	85
B. Operated	1380	15.0	149	6	8	12	17	28	41	87
1. SINGLE DX	141	9.5	50	3	5	8	12	18	22	38
2. MULTIPLE DX	1949	14.1	162	4	7	11	17	28	42	85
A. Not Operated	628	11.7	177	2	4	7	14	27	43	85
B. Operated	1462	14.7	144	6	8	11	17	27	39	85
TOTAL										
65-69 YRS	231	13.8	164	4	7	10	15	26	45	76
70-74	340	15.3	206	4	7	11	18	31	50	90
75-79	363	13.5	143	3	7	10	16	25	34	67
80-84	438	14.8	186	4	7	11	18	30	44	90
85 +	718	12.6	117	4	6	10	15	24	36	92
GRAND TOTAL	**2090**	**13.8**	**156**	**4**	**7**	**10**	**16**	**27**	**41**	**85**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	3.6	10	< 1	1	2	5	10	11	11
70-74	17	4.3	6	1	3	4	6	9	9	9
75-79	11	6.2	21	2	3	4	9	13	16	16
80-84	14	10.1	436	1	3	4	6	19	68	82
85 +	10	4.4	9	< 1	3	4	6	9	11	11
B. Operated										
65-69 YRS	62	6.5	19	2	3	6	9	12	14	24
70-74	36	5.8	9	2	3	5	8	10	12	13
75-79	31	9.2	47	3	4	7	13	18	27	30
80-84	15	7.1	15	3	5	7	9	13	15	16
85 +	8	7.1	34	2	3	5	9	17	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	95	7.1	48	2	3	5	9	14	19	40
70-74	96	6.9	26	2	3	6	9	13	16	28
75-79	100	8.9	115	2	3	7	10	17	24	67
80-84	116	8.9	94	2	4	6	9	22	30	85
85 +	136	8.6	62	3	4	6	11	17	22	43
B. Operated										
65-69 YRS	278	10.2	77	3	5	8	13	20	27	48
70-74	224	13.5	193	4	6	9	16	25	37	90
75-79	169	11.4	114	3	5	9	14	22	33	81
80-84	118	12.7	111	4	7	10	16	26	34	99 +
85 +	113	10.3	76	3	5	8	13	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	5.6	96	1	2	4	6	10	11	69
B. Operated	152	7.0	23	2	4	6	9	13	16	27
2. MULTIPLE DX										
A. Not Operated	543	8.2	70	2	4	6	10	16	22	42
B. Operated	902	11.6	119	3	5	9	14	22	32	82
1. SINGLE DX	222	6.5	46	2	3	5	8	12	15	28
2. MULTIPLE DX	1445	10.3	103	3	5	7	13	20	28	67
A. Not Operated	613	7.9	73	2	3	6	9	15	22	45
B. Operated	1054	10.9	107	3	5	8	13	21	30	75
TOTAL										
65-69 YRS	453	8.8	64	2	4	7	11	17	23	42
70-74	373	10.7	136	3	5	8	13	20	27	74
75-79	311	10.2	105	3	4	8	12	20	27	68
80-84	263	10.6	117	3	5	7	13	22	32	97
85 +	267	9.1	66	3	4	7	11	18	25	39
GRAND TOTAL	**1667**	**9.8**	**97**	**3**	**4**	**7**	**12**	**19**	**27**	**64**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	4.1	53	1	1	2	3	5	23	32
70-74	18	3.9	19	< 1	1	3	4	7	15	20
75-79	16	3.0	2	1	2	3	4	4	5	5
80-84	15	2.8	1	2	2	3	3	4	6	6
85 +	16	3.7	6	1	2	3	5	8	9	9
B. Operated										
65-69 YRS	354	4.0	7	2	2	4	5	7	8	12
70-74	240	4.1	4	2	3	4	5	7	8	11
75-79	109	4.5	5	2	3	4	6	7	8	13
80-84	67	5.4	11	2	3	5	6	10	12	18
85 +	28	8.0	85	1	3	5	9	16	24	48
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	81	5.6	20	2	3	4	7	11	16	22
70-74	127	5.3	16	2	3	4	7	11	14	22
75-79	114	7.4	55	2	3	5	9	15	21	43
80-84	108	7.7	96	2	3	5	8	18	25	62
85 +	106	6.6	33	2	3	5	8	13	18	32
B. Operated										
65-69 YRS	693	6.7	37	2	4	5	8	12	16	28
70-74	651	6.7	32	3	4	5	8	12	16	30
75-79	472	7.2	28	3	4	6	9	13	16	25
80-84	291	8.6	51	3	5	7	10	16	22	35
85 +	204	8.9	54	3	5	7	11	15	21	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.5	16	1	2	3	4	5	8	28
B. Operated	798	4.4	9	2	3	4	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	536	6.6	45	2	3	5	7	13	19	33
B. Operated	2311	7.2	38	3	4	6	9	13	18	31
1. SINGLE DX	880	4.3	10	2	3	4	5	7	9	17
2. MULTIPLE DX	2847	7.1	39	2	4	5	8	13	18	31
A. Not Operated	618	6.1	42	2	3	4	7	12	18	32
B. Operated	3109	6.5	32	2	3	5	8	12	16	28
TOTAL										
65-69 YRS	1145	5.7	28	2	3	4	7	10	14	26
70-74	1036	5.8	25	2	3	5	7	11	14	25
75-79	711	6.7	29	2	4	5	8	13	16	29
80-84	481	7.8	56	3	4	6	9	14	21	36
85 +	354	7.9	50	3	4	6	10	14	21	47
GRAND TOTAL	**3727**	**6.4**	**34**	**2**	**3**	**5**	**8**	**12**	**16**	**29**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	2.0	2	1	1	2	3	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	5.2	20	2	2	3	6	14	15	15
70-74	26	5.5	13	2	2	5	7	9	14	16
75-79	37	11.4	420	1	2	5	9	18	69	96
80-84	30	5.2	9	2	3	4	7	10	11	13
85 +	42	9.2	81	2	4	7	10	18	36	40
B. Operated										
65-69 YRS	10	4.6	9	1	2	4	6	9	11	11
70-74	12	5.6	17	2	3	4	8	11	14	15
75-79	10	5.9	20	1	3	5	7	13	15	15
80-84	8	7.3	34	1	2	6	12	15	15	15
85 +	7	12.0	77	2	5	9	21	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	6	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	157	7.8	132	2	3	5	8	14	18	75
B. Operated	47	6.7	31	1	3	4	10	15	20	22
1. SINGLE DX	9	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX	204	7.5	108	2	3	5	8	14	19	65
A. Not Operated	160	7.7	130	2	3	5	8	14	17	75
B. Operated	53	6.2	29	1	2	4	9	15	19	22
TOTAL										
65-69 YRS	37	4.6	15	1	2	3	6	13	14	15
70-74	39	5.4	14	2	2	5	7	10	14	16
75-79	48	10.0	333	1	2	5	8	16	56	96
80-84	38	5.6	14	2	3	4	8	11	14	15
85 +	51	9.4	79	2	3	7	11	21	34	40
GRAND TOTAL	**213**	**7.3**	**105**	**2**	**3**	**5**	**8**	**14**	**18**	**62**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	11.0		11	11	11	11	11	11	11
75-79	2	13.0	32	9	9	13	17	17	17	17
80-84	2	3.0	2	2	2	3	4	4	4	4
85 +	2	17.0	338	4	4	17	30	30	30	30
B. Operated										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74	1	20.0		20	20	60	99 +	99 +	99 +	99 +
75-79	2	23.5	421	9	9	23	38	38	38	38
80-84	2	31.5	1625	3	17	60	90	99 +	99 +	99 +
85 +	2	5.0	18	2	2	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	8	10.1	89	2	4	7	14	26	30	30
B. Operated	8	19.6	401	2	8	18	60	99 +	99 +	99 +
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	16	14.9	253	2	4	10	30	88	99 +	99 +
A. Not Operated	8	10.1	89	2	4	7	14	26	30	30
B. Operated	9	18.6	362	3	8	17	54	99 +	99 +	99 +
TOTAL										
65-69 YRS	3	10.3	42	4	5	10	15	17	17	17
70-74	2	15.5	41	11	13	20	80	99 +	99 +	99 +
75-79	4	18.3	188	9	9	13	27	38	38	38
80-84	4	17.3	813	2	3	4	70	99 +	99 +	99 +
85 +	4	11.0	167	2	3	6	19	30	30	30
GRAND TOTAL	**17**	**14.6**	**239**	**3**	**4**	**10**	**27**	**84**	**99 +**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	12	2.3	3	1	1	1	4	5	5	5
70-74	2	2.0		2	2	2	2	2	2	2
75-79	8	2.1	4	1	1	2	2	6	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85 +	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	3.3	16	1	1	2	3	10	12	12
70-74	7	8.1	100	2	3	4	9	26	30	30
75-79	5	8.8	37	2	3	10	14	15	15	15
80-84	5	7.4	53	< 1	4	5	9	20	20	20
85 +	7	7.6	80	2	2	5	8	23	27	27
B. Operated										
65-69 YRS	34	4.5	20	1	2	3	6	10	11	24
70-74	25	4.8	13	2	2	4	6	10	12	16
75-79	22	3.7	16	1	1	2	6	8	12	18
80-84	17	5.6	42	1	3	3	5	12	22	28
85 +	26	7.1	85	1	2	5	9	13	20	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	27	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	31	6.9	55	1	2	4	9	17	27	30
B. Operated	124	5.1	35	1	2	3	7	11	13	33
1. SINGLE DX	27	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX	155	5.5	39	1	2	4	7	11	16	30
A. Not Operated	31	6.9	55	1	2	4	9	17	27	30
B. Operated	151	4.6	31	1	1	3	6	10	12	28
TOTAL										
65-69 YRS	53	3.8	16	1	1	2	5	9	11	24
70-74	34	5.4	30	2	2	4	6	10	15	30
75-79	35	4.1	20	1	1	2	6	10	15	18
80-84	23	5.8	42	1	3	4	6	14	23	28
85 +	37	6.5	76	1	2	4	8	13	22	48
GRAND TOTAL	**182**	**5.0**	**35**	**1**	**2**	**3**	**6**	**11**	**14**	**29**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	11	2.6	7	< 1	< 1	1	3	7	9	9
70-74	12	2.9	5	< 1	1	2	4	7	7	7
75-79	4	3.0	3	1	1	3	4	5	5	5
80-84	2	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	5.5	6	3	4	5	7	9	9	9
70-74	0									
75-79	8	5.6	4	3	4	5	7	8	9	9
80-84	3	5.7	1	5	5	5	7	7	7	7
85 +	2	23.0	200	13	13	23	33	33	33	33
B. Operated										
65-69 YRS	59	3.3	14	1	1	2	5	8	9	22
70-74	46	4.1	25	1	1	2	5	11	15	26
75-79	43	4.3	15	< 1	1	3	6	11	13	15
80-84	5	3.8	5	1	2	4	6	6	6	6
85 +	7	5.9	46	1	1	2	11	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	29	2.8	5	< 1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	17	7.6	49	3	5	5	8	12	26	33
B. Operated	160	3.9	18	1	1	2	5	9	13	22
1. SINGLE DX	31	2.7	5	< 1	1	2	4	6	7	9
2. MULTIPLE DX	177	4.3	22	1	1	3	6	9	13	25
A. Not Operated	19	7.1	47	3	4	5	7	11	24	33
B. Operated	189	3.7	16	< 1	1	2	5	8	12	21
TOTAL										
65-69 YRS	75	3.3	12	< 1	1	2	5	8	9	20
70-74	59	3.8	21	1	1	2	4	8	14	25
75-79	55	4.4	13	< 1	2	3	7	9	12	15
80-84	10	4.0	4	1	2	4	6	7	7	7
85 +	9	9.7	117	1	2	4	14	27	33	33
GRAND TOTAL	**208**	**4.0**	**20**	**1**	**1**	**2**	**5**	**9**	**12**	**24**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	3	3.0	7	1	1	2	5	6	6	6
85 +	0									
B. Operated										
65-69 YRS	8	1.9	2	< 1	< 1	1	3	4	4	4
70-74	4	3.0	1	2	2	3	4	4	4	4
75-79	6	2.8	8	< 1	< 1	1	4	8	8	8
80-84	6	3.8	5	1	1	4	6	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	7.2	79	1	2	3	10	32	80	99 +
70-74	11	8.0	100	1	3	5	6	27	32	32
75-79	9	5.3	8	2	3	4	7	10	11	11
80-84	11	5.4	17	1	1	5	8	11	13	13
85 +	8	7.6	31	2	3	6	11	17	18	18
B. Operated										
65-69 YRS	52	8.1	82	2	2	5	11	19	29	46
70-74	49	6.7	57	1	2	5	8	13	16	49
75-79	31	6.1	22	2	3	5	8	12	17	22
80-84	21	6.9	30	1	2	5	11	16	16	16
85 +	14	5.5	18	1	2	5	8	11	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	6	< 1	< 1	1	4	6	6	6
B. Operated	24	2.8	4	< 1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	54	6.7	50	1	3	5	8	18	30	97
B. Operated	167	6.9	52	1	2	5	9	16	17	43
1. SINGLE DX	28	2.8	4	< 1	1	2	4	6	6	8
2. MULTIPLE DX	221	6.9	51	1	2	5	8	16	19	47
A. Not Operated	58	6.4	48	1	2	4	8	16	28	94
B. Operated	191	6.4	47	1	2	5	8	14	17	40
TOTAL										
65-69 YRS	75	7.3	75	1	2	3	10	18	30	86
70-74	64	6.7	61	1	2	5	7	13	19	47
75-79	47	5.4	18	1	2	4	7	11	13	22
80-84	41	5.8	22	1	2	5	8	14	16	16
85 +	22	6.3	23	1	3	6	8	15	17	18
GRAND TOTAL	**249**	**6.4**	**47**	**1**	**2**	**4**	**8**	**15**	**18**	**46**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	8	4.5	9	1	2	4	6	9	10	10
70-74	3	4.3	2	3	3	4	5	6	6	6
75-79	6	5.0	10	2	3	4	5	10	11	11
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	25	3.4	7	1	2	2	4	8	9	11
70-74	22	4.4	6	2	2	4	5	7	10	12
75-79	27	5.6	24	2	3	4	7	14	32	99 +
80-84	38	5.2	8	2	3	4	7	9	11	13
85 +	34	6.8	58	2	3	4	6	21	23	36
B. Operated										
65-69 YRS	19	5.2	12	2	2	4	7	10	13	15
70-74	26	8.1	131	2	4	6	8	9	28	61
75-79	25	7.3	42	2	4	6	9	12	19	34
80-84	14	7.8	92	2	3	4	8	16	34	39
85 +	7	9.0	23	3	5	10	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.6	4	1	1	2	4	6	6	6
B. Operated	21	4.4	7	1	2	4	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	146	5.2	23	2	3	4	6	10	14	38
B. Operated	91	7.3	66	2	3	6	8	13	15	52
1. SINGLE DX	26	4.0	7	1	2	4	5	7	10	11
2. MULTIPLE DX	237	6.0	40	2	3	4	7	11	15	42
A. Not Operated	151	5.1	22	2	2	4	6	10	14	36
B. Operated	112	6.7	56	2	3	5	7	11	15	47
TOTAL										
65-69 YRS	53	4.2	9	1	2	3	6	9	10	15
70-74	53	6.1	70	2	3	4	7	9	12	60
75-79	59	6.2	30	2	3	5	7	13	19	93
80-84	56	5.6	29	2	3	4	7	10	12	37
85 +	42	7.2	51	2	3	5	8	17	22	36
GRAND TOTAL	**263**	**5.8**	**37**	**2**	**3**	**4**	**7**	**11**	**14**	**39**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	2.9	4	1	2	2	3	5	8	11
70-74	14	3.2	6	< 1	1	3	4	6	8	9
75-79	6	5.3	7	3	3	5	6	10	10	10
80-84	7	3.7	9	1	1	2	6	8	8	8
85 +	4	3.3	5	1	1	3	5	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	98	5.5	13	2	3	5	7	11	12	21
70-74	102	6.0	32	2	3	5	7	11	14	33
75-79	101	6.4	26	2	3	5	8	13	17	28
80-84	96	5.7	13	2	3	5	7	11	13	17
85 +	88	6.6	19	2	3	6	9	12	14	24
B. Operated										
65-69 YRS	9	7.1	17	2	3	8	10	12	14	14
70-74	9	10.9	38	4	5	11	16	19	21	21
75-79	9	7.7	22	3	4	7	10	15	17	17
80-84	2	19.5	25	16	16	19	23	23	23	23
85 +	8	11.8	42	5	6	12	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.4	6	1	2	3	4	7	9	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	485	6.0	21	2	3	5	8	11	14	23
B. Operated	37	9.8	35	3	5	8	16	18	20	23
1. SINGLE DX	52	3.4	6	1	2	3	4	7	9	11
2. MULTIPLE DX	522	6.3	23	2	3	5	8	12	16	23
A. Not Operated	537	5.8	20	2	3	5	7	11	13	21
B. Operated	37	9.8	35	3	5	8	16	18	20	23
TOTAL										
65-69 YRS	128	5.2	13	2	3	4	7	10	12	19
70-74	125	6.0	31	2	3	5	7	11	15	28
75-79	116	6.5	25	2	3	5	8	13	17	27
80-84	105	5.8	16	2	3	5	7	11	14	20
85 +	100	6.9	23	2	4	6	9	13	17	23
GRAND TOTAL	**574**	**6.1**	**22**	**2**	**3**	**5**	**8**	**11**	**16**	**23**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	3.3	3	1	2	3	4	5	7	7
70-74	9	3.0	3	1	1	3	4	5	6	6
75-79	8	2.1	2	1	1	2	3	5	5	5
80-84	6	2.8	1	1	2	3	4	4	4	4
85 +	4	4.0	8	2	2	3	6	8	8	8
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	135	4.4	11	1	2	4	6	8	9	18
70-74	106	5.0	10	2	3	4	7	10	11	15
75-79	129	5.1	19	2	3	4	6	10	13	21
80-84	102	5.8	14	2	3	5	8	12	13	58
85 +	101	5.6	20	2	3	4	7	11	15	23
B. Operated										
65-69 YRS	11	8.1	71	1	3	5	8	24	26	26
70-74	7	9.7	31	3	5	9	14	18	18	18
75-79	12	6.3	16	2	3	5	9	12	14	14
80-84	8	8.4	57	2	4	6	10	21	25	25
85 +	4	12.5	70	8	8	9	17	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.0	3	1	2	3	4	5	6	8
B. Operated	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	573	5.1	15	2	3	4	7	10	12	20
B. Operated	42	8.3	44	2	4	7	10	19	25	26
1. SINGLE DX	44	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX	615	5.4	18	2	3	4	7	10	13	24
A. Not Operated	614	5.0	14	1	2	4	6	10	12	19
B. Operated	45	7.9	43	2	3	6	9	18	25	26
TOTAL										
65-69 YRS	161	4.6	15	1	2	4	6	8	9	26
70-74	124	5.1	12	1	2	4	7	10	12	17
75-79	149	5.0	19	1	2	4	6	10	13	16
80-84	116	5.8	16	2	3	5	8	12	14	50
85 +	109	5.8	22	2	3	4	7	11	15	24
GRAND TOTAL	**659**	**5.2**	**17**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	1.7	2	1	1	1	3	4	4	4
70-74	7	5.6	22	2	2	3	7	14	15	15
75-79	6	3.2	15	1	1	2	2	10	11	11
80-84	5	5.4	20	1	3	4	7	13	13	13
85 +	8	4.5	9	2	2	4	6	9	11	11
B. Operated										
65-69 YRS	278	2.6	1	1	2	2	3	4	5	6
70-74	159	2.7	2	1	2	3	3	4	5	7
75-79	85	2.6	2	1	2	2	3	4	5	7
80-84	25	3.2	2	1	2	3	4	5	6	6
85 +	5	3.4	4	2	2	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	45	3.8	11	1	1	3	5	7	11	15
70-74	48	6.1	123	2	3	4	5	8	13	79
75-79	80	4.6	10	1	2	4	6	10	11	15
80-84	61	4.9	10	1	2	5	7	10	11	14
85 +	92	5.7	20	2	3	5	7	11	16	69
B. Operated										
65-69 YRS	596	3.0	4	1	2	3	4	5	6	12
70-74	444	3.4	5	1	2	3	4	6	7	11
75-79	239	3.7	7	1	2	3	4	7	8	15
80-84	91	4.1	8	1	2	4	5	7	10	17
85 +	17	5.1	10	2	3	5	7	8	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.0	14	1	2	3	5	11	13	15
B. Operated	552	2.7	2	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	326	5.1	29	1	2	4	6	10	12	21
B. Operated	1387	3.4	5	1	2	3	4	6	7	13
1. SINGLE DX	585	2.8	2	1	2	2	3	5	5	8
2. MULTIPLE DX	1713	3.7	10	1	2	3	4	7	9	15
A. Not Operated	359	5.0	28	1	2	4	6	10	12	18
B. Operated	1939	3.2	4	1	2	3	4	5	7	11
TOTAL										
65-69 YRS	926	2.9	4	1	2	3	3	5	6	11
70-74	658	3.4	13	1	2	3	4	6	7	12
75-79	410	3.6	7	1	2	3	4	7	9	13
80-84	182	4.3	8	1	2	4	5	8	10	15
85 +	122	5.4	17	2	3	5	7	11	15	48
GRAND TOTAL	**2298**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	1.3		1	1	1	2	2	2	2
70-74	5	4.0	13	1	2	3	5	10	10	10
75-79	7	2.0	2	1	1	1	3	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	5	3.0	9	1	1	2	4	8	8	8
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	151	3.5	12	1	1	2	5	7	9	20
70-74	124	3.7	11	1	1	3	5	8	10	17
75-79	121	4.2	13	1	2	3	5	8	12	18
80-84	131	4.9	20	1	2	4	7	9	14	22
85 +	142	6.0	25	1	3	5	8	12	15	25
B. Operated										
65-69 YRS	56	5.5	54	1	1	3	7	16	19	42
70-74	63	7.0	132	1	2	4	7	18	29	97
75-79	51	5.1	19	1	2	3	7	11	14	22
80-84	51	5.9	42	2	2	4	8	14	24	99
85 +	60	6.9	60	1	2	5	9	15	18	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.2	4	1	1	1	3	4	8	10
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	669	4.5	17	1	2	3	6	9	13	20
B. Operated	281	6.1	64	1	2	3	8	15	19	71
1. SINGLE DX	32	2.3	5	1	1	2	3	5	8	10
2. MULTIPLE DX	950	5.0	31	1	2	3	6	10	15	26
A. Not Operated	700	4.4	16	1	2	3	6	9	13	20
B. Operated	282	6.1	64	1	2	4	8	15	19	71
TOTAL										
65-69 YRS	219	3.9	23	1	1	2	4	8	13	21
70-74	192	4.8	52	1	2	3	6	9	15	62
75-79	180	4.4	14	1	2	3	6	9	12	20
80-84	184	5.1	26	1	2	4	7	10	15	35
85 +	207	6.2	35	1	2	5	8	13	16	26
GRAND TOTAL	**982**	**4.9**	**30**	**1**	**2**	**3**	**6**	**10**	**15**	**26**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	1	21.0		21	21	21	21	21	21	21
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	33.7	36	28	29	33	38	40	40	40
70-74	2	11.5	25	8	8	11	15	15	15	15
75-79	3	12.3	56	5	7	12	18	20	20	20
80-84	2	9.5	13	7	7	9	12	12	12	12
85 +	2	10.5	13	8	8	10	13	13	13	13
B. Operated										
65-69 YRS	5	40.6	373	23	24	43	70	97	99 +	99 +
70-74	13	33.1	435	11	23	29	72	99 +	99 +	99 +
75-79	8	32.0	369	17	20	28	59	87	99 +	99 +
80-84	3	22.0	181	11	13	18	32	37	37	37
85 +	4	14.5	19	11	11	14	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	12	16.8	126	6	8	13	24	35	39	40
B. Operated	33	30.7	362	11	19	27	57	99 +	99 +	99 +
1. SINGLE DX	2	14.5	85	8	8	14	21	21	21	21
2. MULTIPLE DX	45	27.0	333	10	14	25	40	87	99 +	99 +
A. Not Operated	13	16.1	122	7	8	12	22	34	39	40
B. Operated	34	30.4	353	11	19	27	56	99 +	99 +	99 +
TOTAL										
65-69 YRS	9	36.1	239	22	24	36	47	85	99 +	99 +
70-74	15	30.2	432	10	15	27	71	99 +	99 +	99 +
75-79	11	26.6	354	10	17	21	43	77	97	99 +
80-84	5	17.0	141	7	10	12	23	37	37	37
85 +	7	12.4	19	8	9	11	15	19	20	20
GRAND TOTAL	**47**	**26.4**	**327**	**9**	**13**	**23**	**40**	**82**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.3	1	1	1	2	3	4	4	4
70-74	11	2.4	2	1	1	2	4	4	4	4
75-79	8	5.3	28	1	1	3	9	14	14	14
80-84	6	7.8	89	< 1	3	4	10	24	26	26
85 +	8	3.4	9	1	1	3	4	8	10	10
B. Operated										
65-69 YRS	19	7.2	4	4	6	7	9	10	11	11
70-74	17	5.8	5	3	4	6	8	9	9	9
75-79	11	7.6	17	2	4	7	11	13	15	15
80-84	11	8.5	27	3	5	8	10	15	21	22
85 +	11	13.5	177	4	6	8	17	35	47	48
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	148	6.7	60	1	2	4	8	14	20	44
70-74	167	7.5	81	1	3	5	10	15	21	63
75-79	168	8.5	101	2	3	6	10	17	25	64
80-84	187	9.2	143	2	3	5	10	21	40	94
85 +	258	7.3	52	1	3	5	9	15	23	35
B. Operated										
65-69 YRS	127	11.5	131	2	4	8	16	24	32	91
70-74	172	13.3	194	2	5	9	17	31	47	98
75-79	206	14.1	182	3	5	10	18	36	45	72
80-84	190	13.6	149	2	6	10	20	26	41	77
85 +	198	14.8	175	3	7	12	19	30	40	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.8	20	1	1	3	4	10	13	26
B. Operated	69	8.1	41	3	5	7	9	12	19	44
2. MULTIPLE DX										
A. Not Operated	928	7.8	86	1	3	5	10	16	25	58
B. Operated	893	13.6	169	2	5	10	18	30	41	87
1. SINGLE DX	114	6.4	37	1	3	5	8	11	15	34
2. MULTIPLE DX	1821	10.7	135	2	3	7	13	24	35	68
A. Not Operated	973	7.7	84	1	2	5	9	16	25	57
B. Operated	962	13.2	162	3	5	9	17	28	41	84
TOTAL										
65-69 YRS	306	8.5	90	1	2	6	11	20	27	45
70-74	367	10.0	138	2	3	6	12	25	36	88
75-79	393	11.4	148	2	4	8	13	26	38	65
80-84	394	11.3	147	2	4	8	15	24	40	84
85 +	475	10.5	119	2	3	8	13	24	31	58
GRAND TOTAL	**1935**	**10.4**	**130**	**2**	**3**	**7**	**13**	**24**	**34**	**66**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.4	5	1	2	3	5	7	7	7
70-74	4	2.5	2	1	1	2	3	4	4	4
75-79	3	1.0		1	1	1	1	1	1	1
80-84	2	3.0	8	1	1	3	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	3	3.7	1	3	3	3	5	5	5	5
70-74	3	3.0	4	1	1	3	4	5	5	5
75-79	3	14.7	226	5	5	7	26	32	32	32
80-84	0									
85 +	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	85	6.4	34	2	3	5	7	13	19	33
70-74	100	7.0	53	2	3	5	9	13	16	44
75-79	87	7.1	32	2	3	5	9	14	18	31
80-84	70	7.3	19	2	4	6	10	13	16	21
85 +	56	7.2	22	2	4	6	10	13	15	24
B. Operated										
65-69 YRS	121	12.9	250	3	4	7	12	31	56	73
70-74	95	11.8	114	4	5	9	16	28	47	99 +
75-79	84	13.0	187	3	5	9	16	25	33	84
80-84	67	14.6	204	5	7	10	15	37	43	99
85 +	48	11.5	98	3	6	9	15	21	34	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.6	4	1	1	2	4	5	7	7
B. Operated	12	6.3	68	2	3	4	5	14	29	32
2. MULTIPLE DX										
A. Not Operated	398	7.0	34	2	3	5	9	13	17	30
B. Operated	415	12.8	180	3	5	9	15	27	45	97
1. SINGLE DX	26	4.3	35	1	1	3	5	7	12	32
2. MULTIPLE DX	813	9.9	117	2	4	7	12	19	30	68
A. Not Operated	412	6.8	34	2	3	5	9	13	17	30
B. Operated	427	12.6	178	3	5	8	15	27	45	97
TOTAL										
65-69 YRS	214	10.0	166	2	3	6	10	20	37	68
70-74	202	9.1	87	2	4	6	11	20	29	78
75-79	177	9.9	117	2	4	7	12	19	28	60
80-84	139	10.7	122	3	5	8	13	19	37	96
85 +	107	9.0	60	3	4	7	12	16	22	79
GRAND TOTAL	**839**	**9.8**	**115**	**2**	**4**	**7**	**12**	**19**	**29**	**66**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85 +	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
65-69 YRS	3	5.3	16	1	2	6	8	9	9	9
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	5.0	18	2	2	5	8	8	8	8
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	38	4.9	14	1	2	3	8	9	13	16
70-74	28	6.2	26	2	3	5	7	11	20	24
75-79	36	6.7	21	2	3	5	9	13	16	18
80-84	30	5.6	17	2	3	5	7	10	14	20
85 +	25	5.7	26	1	2	4	8	11	16	24
B. Operated										
65-69 YRS	74	14.6	161	5	7	10	18	28	33	73
70-74	59	12.9	71	4	7	11	16	25	30	41
75-79	68	18.0	251	6	8	12	25	39	58	98
80-84	43	16.3	344	4	6	9	20	46	77	99 +
85 +	36	12.3	128	2	5	10	16	27	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.8	3	1	1	3	4	5	5	5
B. Operated	7	4.3	11	< 1	1	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	157	5.8	20	2	3	5	8	12	15	24
B. Operated	280	15.0	189	4	7	11	19	31	47	97
1. SINGLE DX	13	3.6	7	1	1	3	5	8	9	9
2. MULTIPLE DX	437	11.7	148	2	5	8	14	25	35	88
A. Not Operated	163	5.7	20	2	3	5	7	11	15	23
B. Operated	287	14.8	188	4	7	11	18	31	46	97
TOTAL										
65-69 YRS	115	11.2	129	2	5	8	15	23	30	66
70-74	88	10.7	66	3	5	8	13	23	25	39
75-79	106	13.9	198	3	6	9	16	32	46	93
80-84	76	11.6	228	2	4	7	14	29	49	98
85 +	65	9.1	94	2	3	7	11	23	31	92
GRAND TOTAL	**450**	**11.5**	**146**	**2**	**4**	**8**	**14**	**25**	**34**	**88**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	3.8	8	1	1	3	6	7	7	7
70-74	4	4.5	7	1	2	5	6	7	7	7
75-79	1	4.0		4	4	4	4	4	4	4
80-84	4	2.0	2	1	1	2	3	4	4	4
85 +	6	4.0	23	1	1	2	6	12	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	17.0		17	17	17	17	17	17	17
85 +	1	21.0		21	21	21	21	21	21	21
B. Operated										
65-69 YRS	27	4.6	20	1	2	3	5	7	13	24
70-74	22	3.9	38	1	1	2	4	7	17	30
75-79	18	4.0	6	1	2	4	5	8	10	10
80-84	28	4.8	12	2	2	3	7	11	12	14
85 +	25	5.3	12	2	3	4	8	9	13	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	19	3.6	10	1	1	2	6	7	10	13
2. MULTIPLE DX										
A. Not Operated	4	13.0	67	2	7	14	19	21	21	21
B. Operated	120	4.5	18	1	2	3	6	9	12	26
1. SINGLE DX	19	3.6	10	1	1	2	6	7	10	13
2. MULTIPLE DX	124	4.8	21	1	2	3	6	10	13	26
A. Not Operated	4	13.0	67	2	7	14	19	21	21	21
B. Operated	139	4.4	17	1	2	3	6	9	12	25
TOTAL										
65-69 YRS	32	4.4	18	1	2	3	5	7	11	24
70-74	26	4.0	32	1	1	2	4	7	12	30
75-79	20	4.4	9	1	2	4	5	9	11	12
80-84	33	4.8	16	2	2	3	6	11	14	17
85 +	32	5.5	22	1	2	4	8	13	14	21
GRAND TOTAL	**143**	**4.7**	**20**	**1**	**2**	**3**	**6**	**9**	**13**	**24**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	5	4.0	45	1	1	1	5	16	16	16
80-84	0									
85 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
65-69 YRS	5	3.8	6	2	2	3	4	8	8	8
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	2	2.0		2	2	2	2	2	2	2
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	2.5	3	1	1	2	4	6	6	6
70-74	18	6.4	119	1	1	3	6	12	34	48
75-79	22	4.0	9	1	1	3	7	8	9	9
80-84	26	3.5	7	1	1	2	5	8	8	9
85 +	38	4.3	8	1	3	4	6	8	10	13
B. Operated										
65-69 YRS	80	5.7	59	1	2	4	6	10	25	40
70-74	60	5.0	35	1	1	4	7	10	14	94
75-79	76	4.2	22	1	2	3	5	9	14	82
80-84	64	4.5	16	1	2	3	6	9	13	20
85 +	82	6.5	118	2	2	4	7	13	17	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.2	16	1	1	2	3	7	14	16
B. Operated	15	2.5	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
A. Not Operated	125	4.1	23	1	1	3	6	8	9	22
B. Operated	362	5.2	53	1	2	4	6	10	16	88
1. SINGLE DX	28	2.8	9	1	1	2	3	4	9	16
2. MULTIPLE DX	487	4.9	46	1	2	3	6	9	14	46
A. Not Operated	138	4.0	23	1	1	3	5	8	9	20
B. Operated	377	5.1	51	1	2	3	6	10	15	80
TOTAL										
65-69 YRS	110	4.9	45	1	1	3	5	8	16	39
70-74	83	5.1	51	1	1	3	6	10	14	82
75-79	106	4.1	19	1	1	3	5	9	13	61
80-84	92	4.2	14	1	2	3	6	9	11	20
85 +	124	5.7	81	1	2	4	6	11	14	97
GRAND TOTAL	**515**	**4.8**	**44**	**1**	**2**	**3**	**6**	**9**	**14**	**44**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	4	1.8	2	1	1	1	3	4	4	4
70-74	3	1.3		1	1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	7.0		7	7	7	7	7	7	7
85 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	2.8	5	1	1	2	4	6	6	6
70-74	9	9.8	139	1	2	4	13	31	33	33
75-79	7	4.3	19	1	2	3	4	12	14	14
80-84	4	6.0	37	2	2	3	9	15	15	15
85 +	5	3.0	5	1	1	3	4	6	6	6
B. Operated										
65-69 YRS	19	4.6	7	2	3	4	6	9	10	11
70-74	10	4.9	21	< 1	2	3	6	13	15	15
75-79	7	12.9	224	2	3	4	27	35	36	36
80-84	4	8.0	18	5	5	7	11	14	14	14
85 +	10	11.6	102	3	4	8	18	26	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		1	1	1	1	2	2	2
B. Operated	11	2.1	4	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated	30	5.7	56	1	2	3	6	14	27	33
B. Operated	50	7.5	66	2	3	4	9	17	33	36
1. SINGLE DX	17	1.8	2	1	1	1	2	4	6	7
2. MULTIPLE DX	80	6.8	62	1	2	4	7	15	30	35
A. Not Operated	36	4.9	49	1	1	3	4	13	23	33
B. Operated	61	6.5	59	1	2	4	7	15	25	36
TOTAL										
65-69 YRS	31	3.6	7	1	1	3	5	7	9	11
70-74	22	6.4	72	1	2	3	6	19	29	33
75-79	15	8.1	126	2	2	3	8	33	35	36
80-84	10	6.4	23	1	3	5	8	14	15	15
85 +	19	7.2	76	1	1	4	10	19	27	34
GRAND TOTAL	**97**	**5.9**	**55**	**1**	**2**	**4**	**6**	**15**	**24**	**35**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.8	2	1	2	2	4	5	5	5
70-74	6	3.7	7	1	2	3	6	8	8	8
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	30	2.3	2	1	1	2	3	5	5	7
70-74	12	1.9	2	< 1	1	2	3	4	5	5
75-79	6	2.3	3	1	1	2	3	5	5	5
80-84	7	3.0	10	1	1	2	3	9	10	10
85 +	8	2.0	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	44	3.9	6	2	2	4	5	6	8	13
70-74	29	5.2	11	2	3	4	7	9	11	17
75-79	27	5.4	13	2	4	5	6	8	11	21
80-84	27	7.3	75	3	4	5	7	16	22	46
85 +	19	7.1	23	2	3	6	11	14	16	18
B. Operated										
65-69 YRS	97	4.8	47	1	1	2	5	11	20	35
70-74	61	4.7	20	1	1	3	7	9	13	24
75-79	48	5.1	20	1	1	3	9	12	14	16
80-84	40	6.3	22	2	2	5	9	12	14	23
85 +	29	4.8	30	1	2	3	6	8	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.9	3	1	2	2	3	5	6	8
B. Operated	63	2.3	3	1	1	2	3	5	5	10
2. MULTIPLE DX										
A. Not Operated	146	5.5	24	2	3	4	6	10	13	22
B. Operated	275	5.0	31	1	1	3	7	11	15	29
1. SINGLE DX	89	2.4	3	1	1	2	3	5	5	9
2. MULTIPLE DX	421	5.2	28	1	2	4	7	11	14	29
A. Not Operated	172	5.1	22	2	2	4	6	9	13	20
B. Operated	338	4.5	27	1	1	3	6	10	14	29
TOTAL										
65-69 YRS	183	4.0	27	1	1	2	5	7	13	29
70-74	108	4.4	16	1	2	3	6	9	10	21
75-79	84	4.9	16	1	2	4	6	11	14	19
80-84	76	6.2	40	2	3	5	8	12	17	40
85 +	59	5.0	25	1	2	3	7	11	14	28
GRAND TOTAL	**510**	**4.7**	**25**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	6.3	17	2	3	6	11	11	11	11
70-74	4	7.0	129	1	1	2	13	24	24	24
75-79	4	3.0	3	1	1	3	4	5	5	5
80-84	0									
85 +	4	3.8	2	2	2	4	5	5	5	5
B. Operated										
65-69 YRS	17	3.5	3	1	2	4	5	5	6	6
70-74	10	4.0	4	1	2	4	5	6	7	7
75-79	8	7.3	19	2	3	8	10	13	14	14
80-84	8	3.3	4	1	1	3	5	5	5	5
85 +	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	30	5.6	8	2	3	6	8	9	10	13
70-74	38	5.9	11	2	3	5	8	11	13	14
75-79	30	8.7	48	3	4	6	9	19	25	32
80-84	26	11.8	332	3	5	7	12	16	36	98
85 +	31	8.0	26	3	4	6	11	16	17	20
B. Operated										
65-69 YRS	74	9.1	55	2	4	7	11	17	24	43
70-74	47	8.6	50	2	3	7	13	19	24	32
75-79	53	11.5	87	2	4	8	21	25	28	38
80-84	47	11.7	80	3	5	9	18	28	34	99 +
85 +	48	13.8	153	3	5	11	17	31	37	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.2	32	1	2	3	5	11	19	24
B. Operated	46	4.2	8	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	155	7.8	77	3	4	6	9	14	17	32
B. Operated	269	10.8	85	2	4	8	14	24	30	46
1. SINGLE DX	64	4.4	14	1	2	4	5	8	11	23
2. MULTIPLE DX	424	9.7	84	2	4	7	12	21	26	43
A. Not Operated	173	7.5	73	2	4	6	9	14	17	30
B. Operated	315	9.8	79	2	4	7	13	23	29	44
TOTAL										
65-69 YRS	127	7.4	39	2	3	6	9	14	18	33
70-74	99	7.0	35	2	3	5	10	14	20	28
75-79	95	9.9	69	2	4	8	12	24	27	35
80-84	81	10.9	156	2	4	7	14	22	32	99
85 +	86	10.8	106	3	4	7	13	22	31	56
GRAND TOTAL	**488**	**9.0**	**78**	**2**	**4**	**7**	**11**	**20**	**25**	**40**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	2	6.0	18	3	3	6	9	9	9	9
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	6.3	21	1	3	9	9	9	9	9
70-74	4	12.5	35	4	8	14	16	17	17	17
75-79	1	13.0		13	13	13	13	13	13	13
80-84	3	7.0	7	5	5	6	9	10	10	10
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	16	13.1	236	2	3	6	16	35	50	56
70-74	9	9.2	114	1	1	6	18	66	99 +	99 +
75-79	10	9.8	119	1	2	6	11	28	36	36
80-84	5	8.0	76	2	2	6	11	23	23	23
85 +	6	12.3	115	5	5	9	13	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	4	7.5	15	3	4	7	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	12	8.8	28	2	4	9	13	16	17	17
B. Operated	46	11.0	146	1	3	6	15	33	39	99 +
1. SINGLE DX	5	6.8	14	3	4	6	10	12	12	12
2. MULTIPLE DX	58	10.5	121	1	3	7	14	32	36	96
A. Not Operated	13	8.4	27	2	4	9	13	16	17	17
B. Operated	50	10.7	136	1	3	6	14	33	36	99 +
TOTAL										
65-69 YRS	19	12.0	206	1	3	7	13	34	47	56
70-74	16	9.3	75	1	3	9	16	29	76	99 +
75-79	12	9.8	99	1	3	7	12	25	34	36
80-84	9	8.1	42	2	4	6	10	19	23	23
85 +	7	10.9	111	3	5	6	13	29	33	33
GRAND TOTAL	**63**	**10.2**	**114**	**1**	**3**	**7**	**13**	**32**	**35**	**94**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	22.0		22	22	22	22	22	22	22
85+	1	10.0		10	10	10	10	10	10	10
B. Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	10.7	43	5	6	8	15	21	22	22
70-74	2	6.0	18	3	3	6	9	9	9	9
75-79	12	20.2	138	3	10	22	29	33	35	35
80-84	3	24.0	28	20	20	22	28	30	30	30
85+	10	14.9	45	4	13	16	17	23	26	26
B. Operated										
65-69 YRS	3	3.0	4	1	1	3	4	5	5	5
70-74	3	6.0	21	1	2	7	9	10	10	10
75-79	5	12.4	74	<1	7	10	21	21	21	21
80-84	2	21.5	545	5	5	21	38	38	38	38
85+	3	36.3	626	12	23	48	81	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	16.0	72	10	10	16	22	22	22	22
B. Operated	4	3.3	20	1	1	1	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	33	16.3	93	3	7	16	23	30	32	35
B. Operated	16	15.1	287	1	4	10	25	57	87	99+
1. SINGLE DX	6	7.5	70	1	1	6	10	21	22	22
2. MULTIPLE DX	49	15.9	152	2	6	15	22	33	38	99+
A. Not Operated	35	16.3	90	3	8	16	22	30	32	35
B. Operated	20	12.7	253	1	1	9	21	48	79	99+
TOTAL										
65-69 YRS	11	6.8	43	1	2	5	8	18	22	22
70-74	5	6.0	15	1	2	7	9	10	10	10
75-79	18	17.4	123	2	9	19	28	31	34	35
80-84	6	22.8	122	6	20	22	30	37	38	38
85+	15	17.9	222	2	11	16	23	59	89	99+
GRAND TOTAL	**55**	**15.0**	**149**	**1**	**5**	**14**	**22**	**32**	**37**	**98**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	2.0	3	<1	<1	1	3	4	4	4
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	5	4.6	9	1	2	6	7	8	8	8
80-84	2	4.5	5	3	3	4	6	6	6	6
85+	6	5.2	22	2	2	3	9	13	13	13
B. Operated										
65-69 YRS	4	2.0	1	1	1	2	3	3	3	3
70-74	4	13.0	150	1	2	13	23	25	25	25
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	19	4.0	11	1	2	3	6	9	11	13
B. Operated	9	6.9	90	1	2	2	8	24	25	25
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	28	4.9	36	1	2	3	6	12	22	25
A. Not Operated	20	3.9	10	1	2	3	6	8	11	13
B. Operated	9	6.9	90	1	2	2	8	24	25	25
TOTAL										
65-69 YRS	7	2.0	1	<1	1	2	3	4	4	4
70-74	8	7.6	98	1	1	3	13	24	25	25
75-79	6	4.2	8	1	2	4	6	8	8	8
80-84	2	4.5	5	3	3	4	6	6	6	6
85+	6	5.2	22	2	2	3	9	13	13	13
GRAND TOTAL	**29**	**4.8**	**35**	**1**	**2**	**2**	**6**	**11**	**22**	**25**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	3.1	29	1	1	1	3	6	16	26
70-74	30	2.3	3	1	1	2	3	4	6	9
75-79	20	3.0	2	1	2	3	4	5	5	5
80-84	38	4.2	14	1	2	3	5	7	9	22
85 +	46	4.4	23	1	2	3	5	11	15	22
B. Operated										
65-69 YRS	6	2.0	1	< 1	1	2	3	3	3	3
70-74	4	2.3	2	1	1	2	3	4	4	4
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	0									
85 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	306	4.1	26	1	2	3	5	7	9	19
70-74	346	4.7	20	1	2	3	6	8	11	26
75-79	424	5.6	49	1	2	4	7	11	14	25
80-84	485	5.1	25	2	3	4	6	9	12	21
85 +	750	6.2	44	2	3	4	7	12	16	32
B. Operated										
65-69 YRS	48	7.3	26	2	3	6	11	15	16	22
70-74	63	7.6	45	2	3	5	10	17	26	28
75-79	48	12.1	206	2	4	7	12	29	34	86
80-84	51	10.0	96	2	4	8	12	21	30	47
85 +	77	10.4	143	2	4	6	14	24	37	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	3.6	16	1	1	2	4	7	10	22
B. Operated	14	2.4	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	2311	5.4	35	1	2	4	6	10	14	28
B. Operated	287	9.5	106	2	4	6	12	20	29	68
1. SINGLE DX	171	3.5	14	1	1	2	4	7	10	22
2. MULTIPLE DX	2598	5.8	45	1	2	4	7	11	15	32
A. Not Operated	2468	5.2	34	1	2	4	6	10	13	27
B. Operated	301	9.1	103	2	3	6	11	19	29	63
TOTAL										
65-69 YRS	383	4.4	27	1	2	3	6	8	13	22
70-74	443	4.9	24	1	2	3	6	9	14	26
75-79	494	6.1	66	1	2	4	7	12	15	37
80-84	574	5.5	33	1	3	4	7	10	14	29
85 +	875	6.5	53	2	3	5	8	12	18	41
GRAND TOTAL	**2769**	**5.7**	**43**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	0									
80-84	0									
85 +	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	4.7	30	1	1	2	9	11	11	11
70-74	6	6.5	21	3	3	5	8	14	15	15
75-79	1	5.0		5	5	5	5	5	5	5
80-84	4	3.5	4	1	2	4	5	5	5	5
85 +	2	15.5	313	3	3	15	28	28	28	28
B. Operated										
65-69 YRS	8	15.3	257	2	6	10	18	42	52	52
70-74	5	6.2	41	< 1	1	4	11	16	16	16
75-79	7	13.7	108	3	6	12	16	30	34	34
80-84	2	5.5	1	5	5	5	6	6	6	6
85 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	4	5.8	67	1	1	2	10	18	18	18
2. MULTIPLE DX										
A. Not Operated	16	6.4	47	1	3	4	7	15	24	28
B. Operated	23	11.7	135	1	4	9	16	22	40	52
1. SINGLE DX	6	4.2	46	1	1	2	2	16	18	18
2. MULTIPLE DX	39	9.5	104	1	3	6	12	18	31	52
A. Not Operated	18	5.8	44	1	2	4	6	14	23	28
B. Operated	27	10.8	127	1	3	9	16	19	37	52
TOTAL										
65-69 YRS	13	10.7	192	1	2	8	13	26	47	52
70-74	14	5.3	25	1	1	3	8	15	16	16
75-79	8	12.6	102	3	5	11	16	29	34	34
80-84	6	4.2	3	1	3	5	5	6	6	6
85 +	4	14.5	119	3	6	13	23	28	28	28
GRAND TOTAL	**45**	**8.8**	**98**	**1**	**2**	**5**	**12**	**18**	**29**	**52**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	1.2		< 1	1	1	1	2	2	2
70-74	9	1.8	1	1	1	1	2	4	4	4
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	8	1.9	4	< 1	1	1	2	5	7	7
85 +	4	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	1.3		< 1	< 1	1	2	2	2	2
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	63	3.1	5	1	1	2	5	6	8	10
70-74	75	4.2	110	1	1	2	4	6	9	72
75-79	73	3.8	13	1	1	2	5	10	11	18
80-84	71	4.2	12	1	2	3	6	8	11	18
85 +	82	4.9	41	1	2	4	6	9	12	42
B. Operated										
65-69 YRS	43	5.5	37	1	2	3	7	15	22	25
70-74	64	7.2	150	1	2	4	7	15	22	82
75-79	50	6.2	32	1	1	4	10	15	18	99
80-84	42	6.0	38	1	2	4	7	11	23	28
85 +	40	6.1	43	2	2	4	7	15	29	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.5	2	1	1	1	2	3	4	7
B. Operated	7	2.0	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	364	4.1	38	1	1	3	5	8	11	18
B. Operated	239	6.3	67	1	2	4	8	15	22	91
1. SINGLE DX	42	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX	603	4.9	50	1	2	3	6	10	15	33
A. Not Operated	399	3.8	35	1	1	2	5	8	10	18
B. Operated	246	6.1	65	1	2	4	7	15	22	90
TOTAL										
65-69 YRS	120	3.8	18	1	1	2	5	8	11	23
70-74	149	5.3	122	1	1	3	5	10	16	90
75-79	128	4.7	21	1	1	3	6	12	15	39
80-84	121	4.7	22	1	2	3	6	9	13	27
85 +	127	5.1	41	1	2	4	6	11	13	65
GRAND TOTAL	**645**	**4.7**	**48**	**1**	**1**	**3**	**6**	**10**	**15**	**33**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	12.0		12	12	12	12	12	12	12
70-74	0									
75-79	0									
80-84	1	13.0		13	13	13	13	13	13	13
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	21.0		21	21	21	21	21	21	21
75-79	0									
80-84	2	18.0	32	14	14	18	22	22	22	22
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	10.6	90	1	5	6	13	29	30	30
70-74	12	8.9	59	3	4	6	11	19	28	30
75-79	11	12.0	86	3	5	12	14	25	35	36
80-84	10	9.5	60	2	5	6	11	22	27	27
85 +	13	12.1	175	1	3	10	14	31	46	49
B. Operated										
65-69 YRS	43	21.5	312	5	8	17	30	50	69	99 +
70-74	51	22.6	293	5	10	20	33	56	68	99 +
75-79	40	21.9	217	7	10	19	30	40	53	60
80-84	28	24.7	385	5	10	22	37	72	99 +	99 +
85 +	23	28.0	348	7	15	23	52	58	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	9.5	32	1	6	12	13	13	13	13
B. Operated	4	17.3	25	12	13	17	21	22	22	22
2. MULTIPLE DX										
A. Not Operated	63	10.7	91	3	4	7	13	27	30	47
B. Operated	185	23.2	299	5	10	20	34	56	67	99 +
1. SINGLE DX	8	13.4	42	4	12	13	17	22	22	22
2. MULTIPLE DX	248	20.0	276	4	7	15	29	49	60	99 +
A. Not Operated	67	10.6	87	2	4	8	13	27	30	47
B. Operated	189	23.1	294	5	10	20	33	55	66	99 +
TOTAL										
65-69 YRS	63	18.1	260	4	7	13	26	42	66	96
70-74	64	20.0	272	4	6	15	29	52	62	99 +
75-79	51	19.8	203	5	10	15	29	39	49	60
80-84	41	20.4	318	4	7	17	30	52	91	99 +
85 +	37	21.7	342	2	7	17	27	57	59	99 +
GRAND TOTAL	**256**	**19.8**	**270**	**4**	**7**	**15**	**29**	**49**	**60**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	2	1.0		1	1	1	1	1	1	1
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	40	6.2	18	2	3	4	9	13	15	17
70-74	32	6.8	26	2	3	5	9	15	18	22
75-79	34	10.3	63	3	5	8	12	20	26	40
80-84	33	7.6	26	3	4	6	9	13	20	25
85 +	25	9.4	33	3	5	9	12	15	23	25
B. Operated										
65-69 YRS	20	15.1	168	3	6	14	21	45	75	99 +
70-74	11	10.1	109	1	3	7	14	26	36	37
75-79	10	16.6	133	6	9	14	27	65	97	99 +
80-84	4	11.3	88	2	4	16	41	99 +	99 +	99 +
85 +	9	29.7	428	7	15	22	43	62	64	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.0	4	1	1	2	5	6	6	6
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	164	7.9	35	3	4	7	10	15	20	26
B. Operated	54	16.5	214	3	7	14	22	52	87	99 +
1. SINGLE DX	7	2.7	4	1	1	2	4	6	6	6
2. MULTIPLE DX	218	10.0	92	3	4	7	13	22	34	99 +
A. Not Operated	170	7.8	34	2	4	6	10	15	19	26
B. Operated	55	16.2	214	2	7	14	22	51	85	99 +
TOTAL										
65-69 YRS	62	9.0	82	2	3	6	13	19	28	94
70-74	45	7.3	47	2	3	5	10	16	19	37
75-79	45	11.6	83	4	5	9	14	26	40	99 +
80-84	39	7.7	32	2	4	6	10	18	23	99 +
85 +	34	14.8	210	3	7	10	18	32	55	64
GRAND TOTAL	**225**	**9.8**	**91**	**2**	**4**	**7**	**12**	**22**	**32**	**99 +**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	19.7	661	1	3	9	39	49	49	49
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	8.6	220	1	3	4	7	23	50	55
70-74	21	7.8	34	2	3	6	14	17	52	99 +
75-79	12	10.8	102	4	5	8	12	24	38	40
80-84	8	10.5	39	4	6	8	16	20	20	20
85 +	14	8.1	33	3	4	6	9	17	21	22
B. Operated										
65-69 YRS	30	8.9	135	1	1	5	12	23	26	57
70-74	15	16.6	739	1	1	5	15	72	86	91
75-79	18	15.7	219	1	4	12	19	45	47	47
80-84	14	16.6	273	2	2	15	22	39	54	58
85 +	4	26.3	763	4	8	17	44	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	5	3	3	4	6	6	6	6
B. Operated	5	13.0	414	1	2	3	19	49	49	49
2. MULTIPLE DX										
A. Not Operated	67	8.9	76	2	4	6	12	18	24	92
B. Operated	81	14.0	318	1	2	8	17	38	57	85
1. SINGLE DX	7	10.6	294	1	3	3	8	41	49	49
2. MULTIPLE DX	148	11.7	214	1	3	6	15	24	48	91
A. Not Operated	69	8.7	74	2	4	6	12	18	22	91
B. Operated	86	14.0	319	1	2	7	17	40	57	84
TOTAL										
65-69 YRS	43	8.7	152	1	2	4	10	22	36	57
70-74	40	12.0	339	1	2	6	14	32	81	99 +
75-79	30	13.8	173	2	5	9	17	40	47	47
80-84	23	13.9	188	2	3	9	20	31	44	58
85 +	19	11.6	212	3	4	7	14	23	47	66
GRAND TOTAL	**155**	**11.6**	**216**	**1**	**3**	**6**	**15**	**24**	**48**	**90**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	3.4	3	< 1	2	4	5	6	6	6
70-74	11	3.5	8	1	2	2	5	8	10	10
75-79	6	8.8	57	< 1	3	6	16	20	20	20
80-84	7	2.7	3	1	1	2	4	5	5	5
85 +	2	33.0	2048	1	1	33	65	65	65	65
B. Operated										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	75	4.7	8	2	3	4	6	8	11	14
70-74	71	5.5	29	1	2	4	7	12	18	28
75-79	78	6.1	87	2	2	4	6	12	15	63
80-84	82	5.4	16	1	2	4	7	11	14	74
85 +	104	7.0	110	2	3	5	8	11	16	76
B. Operated										
65-69 YRS	42	11.2	105	3	5	8	14	26	30	54
70-74	37	12.2	141	2	4	9	15	29	41	52
75-79	31	9.7	60	3	5	8	11	18	28	38
80-84	31	14.3	114	4	6	12	17	30	33	50
85 +	26	11.0	129	3	5	7	11	25	34	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	6.1	130	1	2	3	5	11	19	65
B. Operated	5	3.4	23	1	1	1	4	12	12	12
2. MULTIPLE DX										
A. Not Operated	410	5.8	54	1	2	4	7	11	14	47
B. Operated	167	11.7	110	3	5	9	15	27	32	54
1. SINGLE DX	38	5.7	115	1	1	3	5	11	18	65
2. MULTIPLE DX	577	7.5	77	2	3	5	9	15	21	53
A. Not Operated	443	5.9	60	1	2	4	7	11	14	65
B. Operated	172	11.4	109	3	5	8	14	26	32	54
TOTAL										
65-69 YRS	125	6.9	50	2	3	5	8	13	19	37
70-74	120	7.4	71	1	2	5	9	17	24	47
75-79	115	7.2	80	2	3	5	8	14	20	52
80-84	121	7.5	56	1	3	5	11	16	23	64
85 +	134	8.1	137	2	3	5	8	14	20	74
GRAND TOTAL	**615**	**7.4**	**80**	**2**	**3**	**5**	**9**	**15**	**21**	**54**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	1.6	1	1	1	1	2	3	3	3
70-74	8	1.9	3	< 1	< 1	1	2	5	6	6
75-79	4	3.5	19	1	1	2	6	10	10	10
80-84	3	1.7	1	1	1	1	3	3	3	3
85 +	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
65-69 YRS	0									
70-74	2	8.5	41	4	4	8	13	13	13	13
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	427	5.1	30	1	2	3	6	11	15	25
70-74	402	5.2	30	1	2	4	7	10	14	28
75-79	410	5.7	31	2	2	4	7	11	15	30
80-84	303	6.2	48	2	3	4	7	12	18	42
85 +	245	5.9	24	2	2	5	8	13	16	27
B. Operated										
65-69 YRS	34	15.4	312	2	5	9	20	33	56	87
70-74	31	14.0	301	3	5	8	16	28	32	96
75-79	54	12.6	66	4	7	11	15	23	32	35
80-84	30	12.1	74	3	5	10	18	30	33	99 +
85 +	25	10.8	111	2	3	8	13	23	35	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.0	4	< 1	1	1	2	4	7	10
B. Operated	3	8.7	20	4	5	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated	1787	5.5	32	1	2	4	7	11	16	30
B. Operated	174	13.0	162	3	6	10	17	29	33	94
1. SINGLE DX	26	2.8	10	1	1	1	3	9	11	13
2. MULTIPLE DX	1961	6.2	48	1	2	4	7	13	19	34
A. Not Operated	1810	5.5	32	1	2	4	7	11	15	29
B. Operated	177	13.0	160	3	6	9	17	28	33	93
TOTAL										
65-69 YRS	466	5.8	57	1	2	4	6	13	18	39
70-74	443	5.8	53	1	2	4	7	12	16	32
75-79	468	6.5	40	2	3	4	8	13	20	34
80-84	337	6.7	52	2	3	4	8	14	20	44
85 +	273	6.3	34	1	2	5	8	13	18	31
GRAND TOTAL	**1987**	**6.2**	**48**	**1**	**2**	**4**	**7**	**13**	**19**	**34**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	3.3	36	< 1	1	1	2	10	20	22
70-74	6	2.2	2	1	1	2	4	4	4	4
75-79	10	1.7	1	< 1	1	1	2	3	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85 +	5	4.6	41	1	1	2	6	16	16	16
B. Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	84	3.5	12	1	1	2	5	6	11	18
70-74	57	3.5	10	1	1	2	5	8	10	12
75-79	58	5.2	153	1	2	3	5	7	12	89
80-84	40	5.5	45	1	1	3	7	14	17	35
85 +	43	6.1	56	1	2	3	5	20	27	29
B. Operated										
65-69 YRS	8	11.6	51	5	7	10	14	23	27	27
70-74	12	7.6	22	3	4	6	11	14	17	18
75-79	9	19.3	167	5	7	17	30	37	37	37
80-84	2	11.5	5	10	10	11	13	13	13	13
85 +	2	10.5	13	8	8	10	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.9	19	1	1	1	2	5	14	22
B. Operated	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	282	4.5	52	1	1	3	5	9	14	29
B. Operated	33	12.2	84	4	5	10	14	27	35	37
1. SINGLE DX	37	2.9	18	1	1	2	3	5	13	22
2. MULTIPLE DX	315	5.3	61	1	2	3	6	12	17	35
A. Not Operated	316	4.4	49	1	1	2	5	9	14	29
B. Operated	36	11.4	83	3	5	9	13	27	34	37
TOTAL										
65-69 YRS	106	4.1	21	1	1	2	5	9	15	24
70-74	76	4.1	13	1	1	2	6	9	11	16
75-79	77	6.4	156	1	2	3	6	13	28	79
80-84	43	5.8	43	1	1	4	8	14	17	35
85 +	50	6.2	53	1	2	3	8	18	26	29
GRAND TOTAL	**352**	**5.1**	**57**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	2.0	2	1	1	2	2	4	5	7
70-74	15	2.1	2	1	1	2	2	5	6	6
75-79	9	3.0	10	< 1	1	2	4	9	9	9
80-84	11	1.4		< 1	< 1	1	2	3	3	3
85 +	8	2.8	3	1	1	2	4	5	5	5
B. Operated										
65-69 YRS	0									
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79	2	14.5	13	12	12	14	17	17	17	17
80-84	1	15.0		15	15	15	15	15	15	15
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	327	4.6	23	1	2	3	6	10	13	25
70-74	311	5.0	22	1	2	4	6	11	13	21
75-79	335	5.3	39	1	2	4	6	10	15	22
80-84	287	6.3	44	2	3	5	8	13	16	28
85 +	303	6.3	28	2	3	5	8	13	17	26
B. Operated										
65-69 YRS	34	9.9	172	1	1	5	12	22	45	59
70-74	45	10.7	90	1	5	8	15	25	32	99 +
75-79	43	8.4	71	1	2	7	13	23	56	99 +
80-84	37	10.6	57	2	5	10	14	24	26	27
85 +	28	15.2	109	5	8	12	20	33	36	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.1	3	1	1	2	2	5	6	9
B. Operated	6	8.8	45	1	3	8	15	17	17	17
2. MULTIPLE DX										
A. Not Operated	1563	5.5	31	1	2	4	7	11	15	26
B. Operated	187	10.7	99	1	4	8	14	25	34	99 +
1. SINGLE DX	75	2.7	9	1	1	2	3	5	9	16
2. MULTIPLE DX	1750	6.0	41	1	2	4	7	13	17	34
A. Not Operated	1632	5.3	31	1	2	4	6	11	15	25
B. Operated	193	10.6	97	1	4	8	14	25	33	99 +
TOTAL										
65-69 YRS	387	4.9	37	1	2	3	6	10	14	34
70-74	373	5.6	33	1	2	4	7	12	16	30
75-79	389	5.7	43	1	2	4	7	12	16	43
80-84	336	6.6	46	1	3	5	8	14	18	27
85 +	340	7.0	40	2	3	5	8	14	19	34
GRAND TOTAL	**1825**	**5.9**	**40**	**1**	**2**	**4**	**7**	**13**	**17**	**32**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	36	5.1	55	1	1	3	6	13	15	42
70-74	28	4.3	14	1	1	3	6	11	11	13
75-79	26	4.5	13	1	2	3	6	11	13	15
80-84	13	4.4	7	1	2	4	6	8	10	10
85 +	19	5.9	40	1	2	3	7	17	22	22
B. Operated										
65-69 YRS	391	5.4	17	1	2	4	8	11	13	18
70-74	394	6.2	32	1	2	5	9	11	15	27
75-79	306	5.7	34	1	2	4	8	12	15	33
80-84	231	5.8	49	1	1	4	8	12	15	41
85 +	146	4.2	21	1	1	2	5	10	13	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	363	6.4	42	1	3	5	7	13	19	33
70-74	417	6.8	43	1	3	5	8	14	18	32
75-79	373	7.1	56	1	3	5	8	14	21	46
80-84	303	6.2	27	1	3	5	8	12	17	26
85 +	283	7.8	60	2	3	6	9	16	24	85
B. Operated										
65-69 YRS	3605	8.4	86	1	3	6	10	18	25	53
70-74	3385	8.4	76	1	3	6	11	17	24	49
75-79	2760	9.0	100	1	3	7	11	18	27	53
80-84	1712	8.9	95	1	3	7	12	18	25	64
85 +	1194	8.7	80	1	3	6	11	18	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	4.8	29	1	2	3	6	11	14	28
B. Operated	1468	5.6	30	1	2	4	8	11	14	25
2. MULTIPLE DX										
A. Not Operated	1739	6.8	46	1	3	5	8	14	19	38
B. Operated	12656	8.7	87	1	3	6	11	18	25	51
1. SINGLE DX	1590	5.6	30	1	2	4	8	11	14	25
2. MULTIPLE DX	14395	8.4	82	1	3	6	11	17	25	50
A. Not Operated	1861	6.7	45	1	3	5	8	14	19	38
B. Operated	14124	8.3	82	1	3	6	11	17	24	50
TOTAL										
65-69 YRS	4395	8.0	77	1	3	6	10	16	23	50
70-74	4224	8.0	69	1	3	6	10	16	23	47
75-79	3465	8.5	90	1	3	6	11	17	25	48
80-84	2259	8.2	82	1	3	6	11	17	23	56
85 +	1642	8.1	72	1	3	6	11	17	25	48
GRAND TOTAL	**15985**	**8.1**	**78**	**1**	**3**	**6**	**10**	**17**	**23**	**49**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	2.7	2	1	2	3	4	4	5	7
70-74	45	2.8	2	1	2	3	4	5	5	8
75-79	40	2.7	2	1	2	2	3	4	6	8
80-84	15	1.7	1	1	1	1	2	3	4	4
85 +	19	2.5	2	1	1	2	3	5	5	5
B. Operated										
65-69 YRS	27	2.2	4	1	1	2	3	4	6	10
70-74	22	2.8	13	1	1	1	3	7	12	16
75-79	17	2.2	2	1	1	2	3	4	5	6
80-84	7	3.7	4	1	3	3	5	7	7	7
85 +	8	3.5	6	1	2	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	208	3.6	8	1	2	3	4	7	9	14
70-74	222	3.7	7	1	2	3	4	7	8	15
75-79	201	3.7	7	1	2	3	4	6	8	14
80-84	143	4.0	9	1	2	3	5	7	8	18
85 +	71	4.6	14	1	2	4	6	9	11	22
B. Operated										
65-69 YRS	308	5.0	48	1	2	3	6	10	14	31
70-74	297	5.0	41	1	2	3	6	11	13	33
75-79	254	5.1	32	1	2	3	6	12	18	28
80-84	177	4.9	27	1	2	3	6	10	13	31
85 +	82	5.0	24	1	2	3	7	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	2.6	2	1	2	2	3	4	5	8
B. Operated	81	2.6	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	845	3.8	8	1	2	3	5	7	9	16
B. Operated	1118	5.0	37	1	2	3	6	11	15	30
1. SINGLE DX	246	2.6	3	1	1	2	3	4	6	10
2. MULTIPLE DX	1963	4.5	25	1	2	3	5	9	12	25
A. Not Operated	1010	3.6	7	1	2	3	4	7	8	15
B. Operated	1199	4.8	36	1	2	3	6	10	14	30
TOTAL										
65-69 YRS	589	4.2	29	1	2	3	5	8	11	24
70-74	586	4.2	25	1	2	3	5	8	12	26
75-79	512	4.3	20	1	2	3	5	8	13	25
80-84	342	4.4	18	1	2	3	5	8	12	18
85 +	180	4.5	17	1	2	3	6	9	11	22
GRAND TOTAL	**2209**	**4.3**	**23**	**1**	**2**	**3**	**5**	**8**	**12**	**24**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	5.0	23	1	3	4	6	7	11	27
70-74	25	6.7	32	2	3	4	9	17	21	21
75-79	19	6.9	23	2	4	6	9	14	18	19
80-84	7	5.6	7	3	4	5	6	10	11	11
85 +	9	5.1	10	2	3	4	6	11	11	11
B. Operated										
65-69 YRS	24	8.1	39	2	4	7	11	15	22	28
70-74	22	7.2	80	2	3	5	6	17	33	37
75-79	12	8.8	41	3	4	7	10	18	25	26
80-84	4	5.3	15	< 1	1	5	8	9	9	9
85 +	6	6.0	16	2	2	5	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	246	7.1	21	3	4	6	9	13	15	24
70-74	301	8.1	37	3	4	6	10	15	21	32
75-79	209	7.6	30	3	4	6	9	15	19	31
80-84	126	8.7	46	4	5	7	10	15	23	38
85 +	98	9.3	80	4	5	8	10	14	17	64
B. Operated										
65-69 YRS	406	14.0	144	4	6	10	18	30	43	76
70-74	332	14.7	169	4	7	11	18	30	40	75
75-79	240	13.7	112	4	6	11	18	29	36	72
80-84	145	13.3	109	4	6	11	18	29	35	53
85 +	83	14.3	193	4	6	10	17	31	49	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	6.0	23	2	3	5	7	11	17	25
B. Operated	68	7.6	48	2	3	6	9	14	26	36
2. MULTIPLE DX										
A. Not Operated	980	7.9	37	3	4	6	10	14	19	31
B. Operated	1206	14.1	143	4	6	10	18	30	39	73
1. SINGLE DX	157	6.7	34	2	3	5	8	12	20	30
2. MULTIPLE DX	2186	11.3	105	3	5	8	14	24	32	59
A. Not Operated	1069	7.8	36	3	4	6	10	14	19	30
B. Operated	1274	13.7	140	4	6	10	18	29	38	71
TOTAL										
65-69 YRS	705	11.0	105	3	5	8	13	25	32	61
70-74	680	11.2	114	3	5	8	14	23	32	58
75-79	480	10.7	80	3	5	8	14	22	29	51
80-84	282	11.0	83	4	5	8	13	23	30	49
85 +	196	11.1	131	4	5	8	12	20	34	83
GRAND TOTAL	**2343**	**11.0**	**102**	**3**	**5**	**8**	**14**	**23**	**31**	**59**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	4.2	11	1	2	3	7	10	10	11
70-74	22	3.5	5	< 1	2	3	4	6	8	10
75-79	12	2.9	2	1	2	3	4	5	6	6
80-84	8	4.6	25	< 1	1	2	7	13	14	14
85 +	8	3.6	17	< 1	< 1	2	4	11	13	13
B. Operated										
65-69 YRS	51	4.7	17	1	2	4	6	12	14	17
70-74	38	4.1	15	1	1	3	6	10	13	15
75-79	22	4.1	10	1	2	3	6	8	10	12
80-84	8	7.3	21	2	3	7	11	13	14	14
85 +	12	4.5	20	< 1	1	3	7	11	14	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	524	5.9	26	1	3	5	8	11	13	27
70-74	473	5.8	22	2	3	5	7	10	13	25
75-79	424	5.7	17	2	3	5	7	11	14	21
80-84	278	6.6	63	1	3	5	8	12	18	55
85 +	206	6.4	22	1	3	6	8	12	16	22
B. Operated										
65-69 YRS	1284	7.5	93	1	2	4	9	18	26	49
70-74	1150	7.0	79	1	2	4	9	17	24	45
75-79	913	7.4	80	1	2	4	9	17	23	48
80-84	520	8.2	108	1	2	4	11	21	28	54
85 +	365	8.1	77	1	2	5	11	19	28	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	3.8	9	< 1	2	3	5	9	11	14
B. Operated	131	4.6	16	1	2	3	6	11	14	16
2. MULTIPLE DX										
A. Not Operated	1905	6.0	28	2	3	5	8	11	14	25
B. Operated	4232	7.5	87	1	2	4	9	18	26	48
1. SINGLE DX	210	4.3	13	1	2	3	6	10	12	15
2. MULTIPLE DX	6137	7.0	69	1	2	4	9	15	23	44
A. Not Operated	1984	5.9	27	1	3	5	8	11	14	25
B. Operated	4363	7.4	85	1	2	4	9	17	25	48
TOTAL										
65-69 YRS	1888	7.0	72	1	2	4	9	15	23	46
70-74	1683	6.6	61	1	2	4	8	15	21	39
75-79	1371	6.8	60	1	2	5	8	14	20	42
80-84	814	7.6	92	1	2	4	9	17	25	54
85 +	591	7.4	56	1	2	5	10	16	23	42
GRAND TOTAL	**6347**	**6.9**	**67**	**1**	**2**	**4**	**8**	**15**	**22**	**44**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	5.0	12	1	2	3	8	9	11	13
70-74	15	3.7	8	2	2	3	4	5	11	13
75-79	10	6.0	11	1	4	6	9	11	12	12
80-84	12	6.7	37	1	2	5	8	17	20	21
85 +	4	3.5		3	3	3	4	4	4	4
B. Operated										
65-69 YRS	2	6.5	13	4	4	6	9	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	5.1	12	1	3	4	7	11	12	14
70-74	47	4.8	11	1	2	4	7	9	9	18
75-79	40	4.9	19	1	2	4	6	11	13	22
80-84	26	6.1	86	1	2	4	6	13	24	47
85 +	16	5.1	23	1	2	3	7	14	16	17
B. Operated										
65-69 YRS	17	5.2	43	1	2	3	6	8	22	29
70-74	17	9.8	51	2	4	9	13	22	24	24
75-79	13	12.5	61	4	5	13	18	25	27	27
80-84	6	7.0	13	3	4	6	10	12	12	12
85 +	7	8.1	38	2	3	8	11	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	5.1	15	1	2	4	7	9	13	20
B. Operated	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	172	5.1	25	1	2	4	7	10	13	21
B. Operated	60	8.6	50	2	3	7	12	19	24	29
1. SINGLE DX	64	5.1	15	1	2	4	7	9	13	20
2. MULTIPLE DX	232	6.0	34	1	2	4	8	12	18	27
A. Not Operated	234	5.1	23	1	2	4	7	10	13	21
B. Operated	62	8.5	49	2	3	7	12	18	24	29
TOTAL										
65-69 YRS	83	5.1	18	1	2	4	7	10	12	24
70-74	79	5.7	23	1	2	4	8	11	17	24
75-79	63	6.7	35	1	2	5	9	14	20	27
80-84	44	6.4	61	1	2	4	8	13	19	47
85 +	27	5.7	25	1	2	4	9	13	17	19
GRAND TOTAL	**296**	**5.8**	**30**	**1**	**2**	**4**	**8**	**12**	**17**	**26**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**0**									

411: Single liveborn, without cesarean section delivery, born in hospital (V30.00; V39.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

412: Twin or multiple liveborn, without cesarean section delivery, born in hospital (V31.00; V32.00; V33.00; V34.00; V35.00; V36.00; V37.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	34	1.6	1	< 1	1	1	2	3	4	4
70-74	30	2.3	8	< 1	1	2	2	4	5	16
75-79	22	2.2	2	< 1	1	2	3	4	5	6
80-84	18	4.1	23	1	1	2	6	8	16	21
85 +	8	2.5	6	1	1	1	3	7	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	9.0		9	9	9	9	9	9	9
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	50	2.7	4	1	1	2	3	5	7	12
70-74	37	3.5	12	1	1	2	4	8	10	18
75-79	28	4.2	33	1	1	2	5	10	21	24
80-84	28	4.9	14	1	2	4	7	10	12	16
85 +	15	6.7	23	1	3	5	11	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	112	2.4	7	< 1	1	1	3	4	6	18
2. MULTIPLE DX										
A. Not Operated	5	3.0	12	< 1	1	1	4	9	9	9
B. Operated	158	3.9	16	1	1	2	5	9	12	21
1. SINGLE DX	114	2.3	7	< 1	1	1	3	4	6	18
2. MULTIPLE DX	163	3.9	16	1	1	2	5	9	12	21
A. Not Operated	7	2.4	9	< 1	< 1	1	3	8	9	9
B. Operated	270	3.3	13	1	1	2	4	7	11	20
TOTAL										
65-69 YRS	85	2.2	3	1	1	2	3	4	5	11
70-74	69	2.9	10	1	1	2	3	6	9	18
75-79	51	3.3	20	< 1	1	2	3	7	10	24
80-84	48	4.6	17	1	2	3	6	9	12	21
85 +	24	5.0	21	1	1	4	7	13	14	15
GRAND TOTAL	**277**	**3.2**	**13**	**1**	**1**	**2**	**4**	**7**	**11**	**20**

415: Admission for dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	4.3	6	3	3	3	6	8	8	8
70-74	4	4.3	2	3	3	4	5	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	13.0		13	13	13	13	13	13	13
85 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	124	3.6	22	< 1	< 1	2	5	8	12	24
70-74	74	4.3	15	1	2	3	6	11	14	17
75-79	34	5.9	27	1	2	5	9	11	14	27
80-84	12	6.4	106	1	1	3	6	18	35	38
85 +	6	8.3	84	1	2	4	15	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	12	4.5	10	2	3	3	5	9	12	13
B. Operated	250	4.4	26	< 1	1	3	6	10	14	27
1. SINGLE DX	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX	262	4.4	25	< 1	1	3	6	10	14	27
A. Not Operated	12	4.5	10	2	3	3	5	9	12	13
B. Operated	252	4.4	26	< 1	1	3	6	10	14	27
TOTAL										
65-69 YRS	130	3.6	21	< 1	< 1	2	5	8	12	23
70-74	78	4.3	14	1	2	3	6	10	13	17
75-79	35	5.7	27	1	2	5	9	10	13	27
80-84	13	6.9	100	1	2	4	7	18	34	38
85 +	8	7.0	66	1	2	3	10	21	24	24
GRAND TOTAL	**264**	**4.4**	**25**	**< 1**	**1**	**3**	**6**	**10**	**14**	**27**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	63	2.5	3	1	1	2	4	5	5	6
70-74	47	2.6	2	1	1	2	4	5	5	6
75-79	14	2.6	2	1	1	3	3	5	5	5
80-84	5	1.2		1	1	1	2	2	2	2
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	7	5.9	8	4	4	5	6	11	12	12
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6566	3.0	6	1	1	2	4	5	6	10
70-74	4522	3.1	6	1	2	2	4	5	6	11
75-79	2607	3.3	10	1	2	3	4	5	7	12
80-84	892	3.2	5	1	2	3	4	5	6	12
85 +	254	3.6	11	1	2	3	5	6	8	20
B. Operated										
65-69 YRS	606	5.8	40	2	3	4	6	10	16	36
70-74	455	6.5	67	2	3	5	7	11	18	40
75-79	264	6.5	62	2	3	4	6	13	22	36
80-84	90	6.2	50	2	3	5	7	10	15	45
85 +	13	4.5	1	3	4	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	2.5	2	1	1	2	4	5	5	6
B. Operated	8	5.8	7	4	4	5	6	10	12	12
2. MULTIPLE DX										
A. Not Operated	14841	3.1	6	1	2	2	4	5	6	11
B. Operated	1428	6.2	53	2	3	4	6	11	18	38
1. SINGLE DX	138	2.7	3	1	1	2	4	5	5	7
2. MULTIPLE DX	16269	3.4	11	1	2	3	4	6	7	16
A. Not Operated	14971	3.1	6	1	2	2	4	5	6	11
B. Operated	1436	6.2	53	2	3	4	6	11	17	38
TOTAL										
65-69 YRS	7236	3.2	9	1	2	3	4	6	7	14
70-74	5031	3.4	12	1	2	3	4	6	7	16
75-79	2885	3.6	16	1	2	3	4	6	7	21
80-84	987	3.5	10	1	2	3	4	6	7	14
85 +	268	3.6	11	1	2	3	5	6	8	19
GRAND TOTAL	**16407**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**16**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	119	4.8	136	< 1	< 1	1	2	10	28	71
70-74	83	4.3	135	< 1	< 1	1	2	10	18	77
75-79	68	3.8	43	< 1	< 1	1	3	11	20	89
80-84	43	3.7	23	< 1	< 1	1	4	11	17	19
85 +	41	6.8	49	1	2	4	10	18	26	99 +
B. Operated										
65-69 YRS	106	4.5	10	< 1	1	4	7	9	9	11
70-74	58	4.6	11	1	1	5	7	9	10	12
75-79	41	4.8	13	1	2	3	8	9	10	15
80-84	25	5.3	11	1	2	7	8	9	10	11
85 +	13	5.2	20	< 1	1	3	8	11	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2459	16.8	213	2	5	13	24	36	45	75
70-74	2825	16.7	181	3	6	14	23	34	44	69
75-79	3083	17.2	165	3	8	15	23	35	43	67
80-84	2390	17.3	146	4	9	15	23	32	40	75
85 +	1928	16.9	130	5	9	15	22	31	42	99 +
B. Operated										
65-69 YRS	1132	10.0	165	1	2	6	12	25	40	67
70-74	1048	12.7	214	1	2	8	16	34	44	89
75-79	851	13.0	196	1	3	8	18	32	42	70
80-84	512	13.9	198	1	3	9	20	32	41	68
85 +	370	14.9	231	1	4	10	21	39	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	354	4.6	94	< 1	< 1	1	3	11	20	88
B. Operated	243	4.7	11	1	1	4	7	9	10	12
2. MULTIPLE DX										
A. Not Operated	12685	17.0	169	3	7	15	23	34	43	73
B. Operated	3913	12.3	198	1	2	8	16	32	42	76
1. SINGLE DX	597	4.6	60	< 1	1	2	7	10	14	42
2. MULTIPLE DX	16598	15.9	180	2	6	13	22	34	43	73
A. Not Operated	13039	16.6	171	3	7	14	23	34	42	73
B. Operated	4156	11.9	190	1	2	8	15	31	42	72
TOTAL										
65-69 YRS	3816	14.0	206	1	3	9	20	34	43	71
70-74	4014	15.2	194	2	5	11	22	33	43	71
75-79	4043	15.9	175	2	6	13	22	34	42	69
80-84	2970	16.4	157	3	7	14	23	32	40	74
85 +	2352	16.3	146	3	8	14	22	31	42	99 +
GRAND TOTAL	**17195**	**15.5**	**180**	**2**	**6**	**12**	**22**	**33**	**42**	**73**

418: Single liveborn, with cesarean section delivery, born in hospital (V30.01; V39.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

419: Twin or multiple liveborn, with cesarean section delivery, born in hospital (V31.01; V32.01; V33.01; V34.01; V35.01; V36.01; V37.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17694	4.3	15	1	2	3	6	9	11	17
70-74	13926	4.6	19	1	2	3	6	9	11	18
75-79	9842	4.8	18	1	2	4	7	10	12	19
80-84	5646	5.2	22	1	2	4	7	11	14	22
85 +	3596	6.0	39	1	2	4	8	12	16	28
2. MULTIPLE DX										
65-69 YRS	163448	8.1	70	2	3	6	10	16	23	46
70-74	161137	8.7	76	2	4	6	11	17	24	48
75-79	144343	9.3	83	2	4	7	11	19	26	51
80-84	103623	9.9	87	2	4	7	12	20	27	55
85 +	88327	10.6	95	3	5	8	13	21	29	58
TOTAL SINGLE DX	50704	4.7	19	1	2	4	6	10	12	20
TOTAL MULTIPLE DX	660878	9.1	81	2	4	7	11	18	25	51
TOTAL										
65-69 YRS	181142	7.8	66	2	3	6	10	16	22	44
70-74	175063	8.4	72	2	3	6	10	17	23	47
75-79	154185	9.1	80	2	4	7	11	18	25	50
80-84	109269	9.7	85	2	4	7	12	19	27	54
85 +	91923	10.4	93	3	5	8	13	21	28	57
GRAND TOTAL	**711582**	**8.8**	**78**	**2**	**4**	**7**	**11**	**18**	**25**	**49**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	103	7.8	30	2	4	6	9	15	22	26
70-74	78	8.1	39	2	4	7	10	16	20	37
75-79	58	8.3	20	2	5	8	11	15	16	20
80-84	33	8.5	16	3	6	8	10	15	17	18
85 +	21	10.5	54	4	6	8	12	22	28	30
2. MULTIPLE DX										
65-69 YRS	577	15.7	186	5	8	11	19	32	47	98
70-74	599	16.2	180	5	8	13	20	32	45	94
75-79	480	16.1	148	6	8	13	20	30	44	74
80-84	308	16.0	154	6	9	13	20	28	42	99 +
85 +	221	18.2	189	7	10	14	22	33	46	90
TOTAL SINGLE DX	293	8.2	31	2	5	7	10	15	19	26
TOTAL MULTIPLE DX	2185	16.2	173	5	8	13	20	31	46	94
TOTAL										
65-69 YRS	680	14.5	171	4	7	11	18	30	43	93
70-74	677	15.3	171	5	7	12	19	30	43	91
75-79	538	15.2	141	5	8	12	18	29	40	72
80-84	341	15.3	146	6	8	12	19	28	38	99 +
85 +	242	17.5	182	7	9	13	20	32	45	89
GRAND TOTAL	2478	15.3	162	5	8	12	19	30	42	89

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	22	7.4	5	5	6	7	8	11	12	14
70-74	12	7.6	35	3	4	5	7	20	21	21
75-79	5	8.6	14	4	6	7	12	13	13	13
80-84	6	7.5	16	3	3	8	11	12	12	12
85 +	4	6.0	14	1	3	6	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	62	19.4	381	6	7	12	26	67	99	99 +
70-74	81	18.4	241	5	9	14	25	39	70	99 +
75-79	50	16.2	141	5	8	11	19	38	41	50
80-84	60	15.7	151	6	8	12	20	35	51	96
85 +	36	14.9	63	7	9	13	17	24	35	39
TOTAL SINGLE DX	49	7.5	15	4	5	6	9	12	14	21
TOTAL MULTIPLE DX	289	17.2	213	6	8	13	22	39	57	99 +
TOTAL										
65-69 YRS	84	16.2	310	6	6	9	21	47	84	99 +
70-74	93	17.0	227	4	7	13	23	37	62	99 +
75-79	55	15.5	135	5	8	11	18	37	41	50
80-84	66	15.0	145	5	7	11	19	30	47	93
85 +	40	14.0	65	6	8	12	17	23	33	39
GRAND TOTAL	338	15.8	196	5	7	11	20	37	49	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.7	1	2	2	2	4	4	4	4
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84	0									
85 +	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	11	8.5	20	3	6	8	11	15	17	17
70-74	19	8.1	56	2	3	5	11	18	24	29
75-79	8	5.5	32	2	2	3	7	16	18	18
80-84	7	18.9	470	1	3	14	22	56	64	64
85 +	3	5.0	28	1	1	3	9	11	11	11
TOTAL SINGLE DX	8	3.5	5	2	2	3	4	7	9	9
TOTAL MULTIPLE DX	48	9.1	110	2	3	6	12	19	23	64
TOTAL										
65-69 YRS	14	7.3	22	2	3	7	10	14	16	17
70-74	20	7.8	55	2	3	5	11	18	24	29
75-79	10	5.5	28	2	2	3	9	14	18	18
80-84	7	18.9	471	1	3	14	22	56	64	64
85 +	5	4.2	15	1	2	3	5	11	11	11
GRAND TOTAL	56	8.3	99	2	3	5	11	18	22	62

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	7.3	16	3	4	6	12	13	13	13
70-74	14	7.9	60	1	3	6	9	19	28	30
75-79	22	7.4	22	3	4	6	8	14	19	21
80-84	10	7.3	37	4	4	5	8	16	24	24
85 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	134	19.9	308	4	7	14	28	43	61	86
70-74	142	17.8	244	4	7	13	25	38	52	99 +
75-79	139	17.9	199	5	8	15	23	38	48	99 +
80-84	77	15.8	173	5	7	11	23	39	44	99 +
85 +	29	17.6	139	5	7	16	24	32	36	57
TOTAL SINGLE DX	63	7.4	30	3	4	5	9	13	19	29
TOTAL MULTIPLE DX	521	18.1	233	5	7	14	25	38	55	99 +
TOTAL										
65-69 YRS	149	18.6	293	4	6	13	26	41	60	83
70-74	156	16.9	236	4	6	12	24	37	50	99 +
75-79	161	16.5	188	4	7	13	22	35	45	99 +
80-84	87	14.9	164	4	6	9	22	35	43	99 +
85 +	31	16.8	141	5	7	16	23	31	35	57
GRAND TOTAL	584	16.9	222	4	7	12	23	36	49	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	5.0	9	2	4	4	6	10	11	11
70-74	3	6.0	27	3	3	3	10	12	12	12
75-79	3	5.3	2	4	4	5	6	7	7	7
80-84	3	5.7	5	3	4	7	7	7	7	7
85 +	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	54	11.0	112	2	4	8	18	26	36	98
70-74	58	12.6	123	4	6	9	16	32	84	99 +
75-79	39	9.5	57	2	4	7	14	26	60	99 +
80-84	26	8.7	25	3	5	8	13	19	99 +	99 +
85 +	13	21.5	516	7	8	12	22	67	74	76
TOTAL SINGLE DX	22	5.5	9	2	4	4	7	11	12	12
TOTAL MULTIPLE DX	190	11.6	126	3	5	8	16	28	69	99 +
TOTAL										
65-69 YRS	65	10.0	100	2	4	6	16	25	31	93
70-74	61	12.3	121	4	6	9	16	31	80	99 +
75-79	42	9.2	55	2	4	7	14	25	49	99 +
80-84	29	8.3	24	3	5	7	12	19	96	99 +
85 +	15	19.7	469	6	8	12	18	65	73	76
GRAND TOTAL	212	11.0	117	3	4	8	15	26	60	99 +

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	254	5.4	10	3	3	5	7	9	10	20
70-74	237	5.4	12	2	4	5	7	9	10	15
75-79	170	5.6	6	3	4	5	7	9	10	15
80-84	58	5.7	7	2	4	5	7	9	11	14
85 +	18	9.0	14	4	7	9	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	1202	7.8	43	3	4	6	9	15	21	35
70-74	1269	9.2	72	4	5	7	10	16	23	55
75-79	928	9.0	41	4	5	7	10	16	21	38
80-84	436	10.0	53	4	6	8	13	18	23	41
85 +	144	13.1	88	5	7	11	18	23	31	99 +
TOTAL SINGLE DX	737	5.6	10	3	4	5	7	9	11	15
TOTAL MULTIPLE DX	3979	9.0	56	4	5	7	10	16	22	45
TOTAL										
65-69 YRS	1456	7.4	38	3	4	6	8	14	19	32
70-74	1506	8.6	65	3	5	7	10	15	22	47
75-79	1098	8.5	38	4	5	7	10	15	19	37
80-84	494	9.5	50	4	5	8	12	17	22	39
85 +	162	12.6	81	5	7	10	17	22	29	95
GRAND TOTAL	4716	8.4	50	3	5	7	10	15	21	40

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	5.8	28	2	3	4	6	13	18	25
70-74	19	3.6	5	2	2	3	5	7	9	10
75-79	12	7.4	60	1	2	5	8	21	26	27
80-84	7	4.3	17	1	1	2	8	11	11	11
85 +	6	5.0	9	2	2	5	6	10	10	10
2. MULTIPLE DX										
65-69 YRS	169	12.5	138	2	5	9	16	28	35	58
70-74	147	12.3	153	2	5	8	16	26	32	72
75-79	108	13.1	118	2	7	11	16	30	37	53
80-84	37	10.1	62	1	5	8	14	22	26	35
85 +	26	18.1	270	6	8	13	23	45	56	71
TOTAL SINGLE DX	72	5.3	25	1	2	4	6	11	17	27
TOTAL MULTIPLE DX	487	12.7	141	2	5	9	16	28	36	60
TOTAL										
65-69 YRS	197	11.5	128	2	4	8	15	27	34	58
70-74	166	11.3	144	2	4	7	14	25	31	70
75-79	120	12.6	115	2	6	10	16	29	37	53
80-84	44	9.1	60	1	4	7	12	21	24	35
85 +	32	15.7	246	3	6	10	17	40	51	71
GRAND TOTAL	559	11.7	132	2	4	8	15	26	35	58

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	3.8	25	1	1	2	5	8	10	27
70-74	10	2.6	6	1	1	2	3	7	8	8
75-79	10	2.2	5	<1	1	1	2	6	8	8
80-84	11	2.0		<1	1	2	3	3	3	3
85 +	4	3.5	19	1	1	2	6	10	10	10
2. MULTIPLE DX										
65-69 YRS	95	7.8	117	1	2	6	10	15	27	63
70-74	69	9.4	124	1	2	6	11	19	41	55
75-79	37	9.7	177	1	2	4	10	28	34	67
80-84	34	8.4	73	1	2	5	14	22	28	31
85 +	16	12.7	346	1	3	7	14	23	61	78
TOTAL SINGLE DX	63	3.0	15	1	1	2	3	7	8	25
TOTAL MULTIPLE DX	251	8.9	135	1	2	6	10	21	29	67
TOTAL										
65-69 YRS	123	6.9	99	1	2	4	8	14	24	47
70-74	79	8.5	115	1	2	5	11	17	34	54
75-79	47	8.1	149	1	1	3	9	25	32	67
80-84	45	6.8	63	1	2	3	9	21	26	31
85 +	20	10.9	291	1	2	6	13	21	50	78
GRAND TOTAL	314	7.7	117	1	2	4	10	17	28	61

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	56	1.6	1	<1	<1	1	2	3	4	8
70-74	45	1.8	3	<1	<1	1	2	4	6	10
75-79	35	1.5	2	<1	<1	1	1	2	4	9
80-84	14	2.0	2	<1	<1	1	2	5	6	6
85+	7	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	136	3.9	38	1	1	2	4	8	18	36
70-74	116	3.2	23	<1	1	2	3	8	13	25
75-79	99	3.6	23	<1	1	2	4	9	13	28
80-84	49	5.1	27	<1	1	3	7	13	14	25
85+	26	5.5	21	2	2	4	8	11	18	18
TOTAL SINGLE DX	157	1.6	2	<1	<1	1	2	3	5	9
TOTAL MULTIPLE DX	426	3.9	29	<1	1	2	4	9	14	28
TOTAL										
65-69 YRS	192	3.3	29	<1	1	2	3	6	10	31
70-74	161	2.8	18	<1	1	1	2	5	11	20
75-79	134	3.1	19	<1	1	1	3	8	10	27
80-84	63	4.4	24	<1	1	2	6	11	14	25
85+	33	4.6	20	<1	1	3	6	10	17	18
GRAND TOTAL	583	3.3	23	<1	1	2	3	8	12	26

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	5.3	24	2	2	3	9	11	11	11
70-74	4	5.0	12	2	2	4	7	10	10	10
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	22	8.5	38	3	4	7	11	18	23	25
70-74	21	8.5	29	2	4	7	13	15	19	22
75-79	25	9.8	52	4	5	8	12	16	25	37
80-84	13	9.9	44	4	6	7	12	21	26	27
85+	8	14.6	292	4	6	9	13	43	56	56
TOTAL SINGLE DX	12	5.6	9	2	3	5	8	10	11	11
TOTAL MULTIPLE DX	89	9.7	62	3	5	7	12	17	22	49
TOTAL										
65-69 YRS	25	8.2	36	3	4	6	11	17	22	25
70-74	25	8.0	28	2	4	7	12	14	17	22
75-79	27	9.6	49	4	5	8	12	16	23	37
80-84	15	9.3	41	4	5	7	11	19	25	27
85+	9	13.9	261	4	7	8	13	39	56	56
GRAND TOTAL	101	9.2	57	3	5	7	11	16	22	46

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	5.7	25	1	2	5	9	11	11	11
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	0									
2. MULTIPLE DX										
65-69 YRS	29	11.2	169	1	3	8	17	21	30	66
70-74	20	8.4	51	1	2	7	12	19	23	26
75-79	16	16.4	148	5	8	12	20	35	43	47
80-84	7	8.4	25	3	4	7	12	15	16	16
85+	9	6.7	14	3	4	6	9	13	13	13
TOTAL SINGLE DX	8	3.4	12	1	1	2	4	9	11	11
TOTAL MULTIPLE DX	81	10.8	113	2	4	9	14	21	30	60
TOTAL										
65-69 YRS	32	10.7	158	1	3	7	16	21	27	66
70-74	22	7.7	51	1	2	5	12	19	22	26
75-79	17	15.6	148	5	7	12	20	35	43	47
80-84	9	6.9	28	1	3	6	11	15	16	16
85+	9	6.7	14	3	4	6	9	13	13	13
GRAND TOTAL	89	10.1	108	1	3	8	13	21	28	59

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	153	2.2	1	1	2	2	3	3	4	6
70-74	94	2.2		1	2	2	3	3	4	5
75-79	59	2.2	1	1	2	2	3	4	5	6
80-84	28	2.8	2	1	2	2	3	5	7	8
85 +	6	2.5	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	362	4.0	25	1	2	3	4	7	15	29
70-74	262	4.2	35	1	2	3	4	7	12	37
75-79	196	5.8	115	2	2	3	5	9	20	71
80-84	88	5.2	31	2	2	3	5	11	16	31
85 +	36	9.5	72	2	3	7	14	22	29	34
TOTAL SINGLE DX	340	2.3	1	1	2	2	3	4	4	6
TOTAL MULTIPLE DX	944	4.7	50	1	2	3	4	9	16	38
TOTAL										
65-69 YRS	515	3.5	19	1	2	2	3	6	10	24
70-74	356	3.7	27	1	2	2	4	5	10	28
75-79	255	4.9	91	2	2	3	4	8	14	61
80-84	116	4.6	26	2	2	3	5	10	15	29
85 +	42	8.5	68	1	2	6	14	21	26	34
GRAND TOTAL	1284	4.1	39	1	2	2	4	7	12	33

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	2.7	2	1	2	2	3	5	6	7
70-74	22	2.5	1	1	2	2	3	4	5	6
75-79	5	1.6		1	1	2	2	2	2	2
80-84	8	2.6	2	1	2	2	3	5	6	6
85 +	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	162	5.0	41	2	2	3	5	10	16	38
70-74	136	6.0	55	2	2	3	6	13	18	39
75-79	116	7.4	79	2	2	4	8	18	29	45
80-84	56	9.8	100	2	3	5	13	23	26	49
85 +	14	10.8	127	2	2	7	11	29	38	40
TOTAL SINGLE DX	58	2.6	3	1	2	2	3	5	6	11
TOTAL MULTIPLE DX	484	6.6	66	2	2	3	7	15	22	43
TOTAL										
65-69 YRS	183	4.7	38	2	2	3	5	9	15	34
70-74	158	5.5	49	2	2	3	6	12	17	34
75-79	121	7.2	78	2	2	4	8	18	28	45
80-84	64	8.9	93	2	3	4	12	23	26	48
85 +	16	10.2	117	1	2	7	11	27	36	40
GRAND TOTAL	542	6.1	61	2	2	3	7	14	21	41

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	7.8	30	3	4	5	11	16	20	22
70-74	6	6.0	11	2	3	5	10	10	10	10
75-79	7	9.1	33	5	7	7	9	19	22	22
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
2. MULTIPLE DX										
65-69 YRS	95	10.2	95	3	5	8	12	18	22	65
70-74	80	11.1	82	4	6	8	13	21	24	57
75-79	51	10.9	77	4	6	8	12	28	32	41
80-84	23	15.4	222	5	8	11	16	25	49	76
85 +	6	6.8	9	1	6	8	9	9	9	9
TOTAL SINGLE DX	31	7.8	26	3	4	6	10	15	22	22
TOTAL MULTIPLE DX	255	11.0	98	4	6	8	12	20	28	61
TOTAL										
65-69 YRS	112	9.9	86	3	5	8	12	18	22	59
70-74	86	10.7	79	4	6	8	12	21	24	56
75-79	58	10.7	72	5	6	8	12	26	31	40
80-84	24	15.1	215	5	8	11	16	24	47	76
85 +	6	6.8	9	1	6	8	9	9	9	9
GRAND TOTAL	286	10.7	91	4	6	8	12	20	25	56

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	4	1.3		<1	<1	1	1	2	2	2
75-79	3	2.7	4	<1	<1	2	4	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	5	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	12	3.2	6	1	2	2	4	8	9	9
70-74	21	3.3	9	<1	1	2	5	9	10	10
75-79	10	6.3	45	1	2	4	7	18	22	22
80-84	16	5.9	30	<1	1	5	8	15	18	19
85 +	17	8.4	50	1	2	7	15	19	21	22
TOTAL SINGLE DX	15	1.6	1	<1	<1	1	2	2	4	5
TOTAL MULTIPLE DX	76	5.4	30	1	1	3	7	15	18	22
TOTAL										
65-69 YRS	13	3.1	6	1	2	2	3	7	9	9
70-74	25	3.0	9	<1	1	2	3	9	10	10
75-79	13	5.5	37	1	2	4	6	16	21	22
80-84	18	5.4	29	<1	1	4	7	14	18	19
85 +	22	6.8	48	<1	1	3	13	17	21	22
GRAND TOTAL	91	4.8	27	<1	1	2	6	13	16	22

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	1.2		<1	<1	1	1	2	2	2
70-74	4	1.5	1	<1	<1	1	2	3	3	3
75-79	7	1.1		<1	<1	<1	1	2	2	2
80-84	4	1.3		<1	<1	<1	1	2	2	2
85 +	4	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
65-69 YRS	100	6.9	85	1	1	3	9	14	25	49
70-74	83	7.5	83	1	2	4	9	21	31	82
75-79	64	6.2	49	1	2	4	8	13	17	39
80-84	92	6.6	63	1	2	4	8	17	22	41
85 +	77	7.6	155	<1	2	4	9	20	27	99
TOTAL SINGLE DX	29	1.2		<1	<1	<1	1	2	2	3
TOTAL MULTIPLE DX	416	7.0	87	1	2	4	9	16	25	49
TOTAL										
65-69 YRS	110	6.4	81	1	1	3	8	13	23	49
70-74	87	7.3	82	1	1	4	9	20	29	80
75-79	71	5.7	47	<1	1	3	7	12	16	39
80-84	96	6.4	62	1	2	4	8	16	22	41
85 +	81	7.3	149	<1	2	4	8	20	26	99
GRAND TOTAL	445	6.6	83	1	1	3	8	16	24	47

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	7	1.0		1	1	1	1	1	1	1
75-79	10	1.0		<1	<1	1	1	1	1	1
80-84	4	1.0		1	1	1	1	1	1	1
85 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	20	2.2	4	1	1	1	3	5	7	9
70-74	16	1.7	3	1	1	1	2	2	6	8
75-79	31	1.6		1	1	1	2	3	4	5
80-84	17	2.2	3	1	1	1	3	4	7	8
85 +	23	3.0	7	1	1	2	4	6	9	12
TOTAL SINGLE DX	26	1.2		<1	1	1	1	1	3	4
TOTAL MULTIPLE DX	107	2.1	4	1	1	1	2	4	6	10
TOTAL										
65-69 YRS	22	2.1	4	1	1	1	3	4	7	9
70-74	23	1.5	2	1	1	1	1	2	4	8
75-79	41	1.5	1	<1	1	1	2	2	3	5
80-84	21	2.0	3	1	1	1	2	4	6	8
85 +	26	2.9	7	1	1	2	4	6	9	12
GRAND TOTAL	133	1.9	3	1	1	1	2	4	6	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	0									
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	6.3	63	1	1	3	11	18	18	18
70-74	5	6.2	28	1	2	3	12	12	12	12
75-79	6	3.3	4	1	2	3	6	6	6	6
80-84	2	3.5	13	1	1	3	6	6	6	6
85 +	5	5.6	40	1	1	3	9	16	16	16
TOTAL SINGLE DX	2	9.0	18	6	6	9	12	12	12	12
TOTAL MULTIPLE DX	22	5.0	25	1	1	3	6	13	17	18
TOTAL										
65-69 YRS	5	7.4	54	1	2	4	13	18	18	18
70-74	5	6.2	29	1	2	3	12	12	12	12
75-79	7	3.7	5	1	2	3	6	6	6	6
80-84	2	3.5	13	1	1	3	6	6	6	6
85 +	5	5.6	40	1	1	3	9	16	16	16
GRAND TOTAL	24	5.4	25	1	2	3	7	13	17	18

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	3.2	19	1	1	2	2	12	15	15
70-74	26	1.9	2	1	1	2	2	3	5	8
75-79	31	1.7		1	1	2	2	3	4	5
80-84	28	1.5		1	1	1	2	3	3	4
85 +	23	1.7		1	1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	143	2.2	1	1	2	2	2	4	5	7
70-74	209	2.2	1	1	1	2	2	3	5	8
75-79	268	2.6	6	1	2	2	3	4	8	15
80-84	197	2.4	2	1	2	2	3	4	6	10
85 +	129	2.7	10	1	1	2	3	4	5	20
TOTAL SINGLE DX	126	1.9	4	1	1	1	2	3	4	15
TOTAL MULTIPLE DX	946	2.4	5	1	2	2	3	4	5	12
TOTAL										
65-69 YRS	161	2.3	4	1	1	2	2	4	5	14
70-74	235	2.2	2	1	1	2	2	3	5	8
75-79	299	2.5	6	1	1	2	2	4	7	15
80-84	225	2.3	3	1	1	2	2	3	5	10
85 +	152	2.5	9	1	1	2	3	4	5	17
GRAND TOTAL	1072	2.4	4	1	1	2	2	4	5	13

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	0									
75-79	3	4.0	13	1	1	3	7	8	8	8
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	26	3.3	5	1	2	3	4	8	8	9
70-74	17	5.1	24	1	1	3	7	14	15	15
75-79	16	4.4	9	1	2	4	5	10	10	10
80-84	22	7.0	60	1	2	4	8	17	27	33
85 +	18	6.7	40	1	2	4	9	16	22	25
TOTAL SINGLE DX	8	2.1	6	< 1	< 1	1	2	6	8	8
TOTAL MULTIPLE DX	99	5.2	29	1	2	4	6	11	15	29
TOTAL										
65-69 YRS	28	3.2	5	1	1	3	4	7	8	9
70-74	17	5.1	24	1	1	3	7	14	15	15
75-79	19	4.3	10	1	2	4	6	10	10	10
80-84	23	6.7	60	1	2	4	8	16	26	33
85 +	20	6.1	40	1	2	4	9	15	21	25
GRAND TOTAL	107	5.0	28	1	2	3	6	10	14	28

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	45	2.4	3	< 1	1	2	3	5	6	8
70-74	34	2.0	2	< 1	1	1	3	4	6	8
75-79	38	2.1	2	< 1	< 1	1	3	4	6	8
80-84	31	2.4	14	< 1	< 1	1	2	4	5	22
85 +	8	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	176	3.4	24	1	1	2	4	6	10	21
70-74	154	3.4	7	1	2	3	4	6	11	15
75-79	175	3.4	17	1	1	3	4	7	9	19
80-84	118	3.6	50	1	1	2	4	6	8	38
85 +	73	3.2	6	1	1	2	4	7	10	13
TOTAL SINGLE DX	156	2.2	5	< 1	1	1	3	4	6	8
TOTAL MULTIPLE DX	696	3.4	21	1	1	3	4	6	9	16
TOTAL										
65-69 YRS	221	3.2	20	1	1	2	4	5	9	17
70-74	188	3.1	7	1	1	3	4	6	10	14
75-79	213	3.2	15	1	1	2	4	6	8	15
80-84	149	3.3	43	1	1	2	3	5	8	22
85 +	81	3.1	6	1	1	2	4	6	9	12
GRAND TOTAL	852	3.2	19	1	1	2	4	6	8	15

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	1.7		< 1	< 1	1	3	3	3	3
70-74	16	1.8	1	< 1	1	1	3	4	4	4
75-79	9	1.7	1	< 1	1	1	2	3	4	4
80-84	7	2.9	13	< 1	< 1	1	3	9	11	11
85 +	6	2.3	4	< 1	< 1	1	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	44	5.0	17	1	2	4	6	10	14	21
70-74	41	3.6	7	1	1	3	5	8	9	10
75-79	53	4.3	13	1	2	3	6	9	11	19
80-84	44	3.8	11	1	2	3	5	6	11	17
85 +	42	5.3	40	1	1	3	8	13	15	35
TOTAL SINGLE DX	49	2.0	3	< 1	1	1	2	4	4	11
TOTAL MULTIPLE DX	224	4.4	18	1	2	3	6	9	12	20
TOTAL										
65-69 YRS	55	4.3	16	1	1	4	6	8	12	21
70-74	57	3.1	6	1	1	2	4	7	9	10
75-79	62	3.9	12	1	1	3	6	9	11	18
80-84	51	3.6	11	1	2	3	4	7	11	17
85 +	48	4.9	37	1	1	3	6	12	14	35
GRAND TOTAL	273	4.0	16	1	1	3	5	9	11	19

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	0									
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	14	4.9	22	1	1	3	8	12	14	15
70-74	11	4.2	26	1	1	2	4	13	18	18
75-79	14	4.0	26	1	1	1	7	12	16	17
80-84	13	2.8	5	1	1	2	3	8	8	8
85 +	9	2.1	3	1	1	1	2	5	7	7
TOTAL SINGLE DX	4	4.0	12	1	1	4	7	7	7	7
TOTAL MULTIPLE DX	61	3.7	18	1	1	2	4	10	13	18
TOTAL										
65-69 YRS	16	5.2	20	1	2	3	8	12	14	15
70-74	11	4.2	26	1	1	2	4	13	18	18
75-79	14	4.0	26	1	1	1	7	12	16	17
80-84	15	2.5	5	1	1	2	3	8	8	8
85 +	9	2.1	4	1	1	1	2	5	7	7
GRAND TOTAL	65	3.7	17	1	1	2	5	9	13	18

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	95	1.0		<1	<1	<1	<1	<1	1	2
70-74	154	1.0		<1	<1	<1	<1	<1	1	2
75-79	188	1.1		<1	<1	<1	<1	1	1	2
80-84	139	1.0		<1	<1	<1	<1	1	1	2
85 +	93	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
65-69 YRS	251	3.2	38	<1	<1	1	2	6	11	42
70-74	378	2.6	29	<1	<1	1	2	5	9	23
75-79	430	2.8	29	<1	<1	1	2	5	9	38
80-84	416	2.6	16	<1	1	1	2	5	11	24
85 +	354	2.9	40	<1	1	1	2	5	11	34
TOTAL SINGLE DX	669	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	1829	2.8	30	<1	1	1	2	5	9	33
TOTAL										
65-69 YRS	346	2.6	29	<1	<1	1	2	4	8	29
70-74	532	2.2	22	<1	<1	1	2	3	6	19
75-79	618	2.3	21	<1	<1	1	2	4	7	33
80-84	555	2.2	13	<1	<1	1	2	4	8	23
85 +	447	2.6	33	<1	<1	1	2	5	9	32
GRAND TOTAL	2498	2.3	23	<1	<1	1	2	4	7	25

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	1.0		<1	<1	<1	1	1	1	1
70-74	9	1.7	4	<1	<1	<1	1	5	7	7
75-79	5	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	2	1.0		1	1	1	1	1	1	1
85 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
65-69 YRS	7	1.7	1	<1	<1	1	2	4	4	4
70-74	15	4.6	77	<1	<1	2	3	11	29	35
75-79	22	6.6	161	<1	1	2	8	39	69	99 +
80-84	19	1.8	1	<1	1	2	2	3	5	6
85 +	11	2.7	14	<1	1	2	2	7	13	14
TOTAL SINGLE DX	22	1.3	2	<1	<1	<1	1	1	4	7
TOTAL MULTIPLE DX	74	3.9	68	<1	1	2	2	9	30	88
TOTAL										
65-69 YRS	12	1.4	1	<1	<1	1	2	3	4	4
70-74	24	3.5	51	<1	<1	1	2	7	18	35
75-79	27	5.6	135	<1	<1	1	4	28	57	99 +
80-84	21	1.7	1	<1	1	1	2	3	4	6
85 +	12	2.6	13	<1	1	1	2	6	13	14
GRAND TOTAL	96	3.3	54	<1	<1	1	2	7	13	77

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	210	1.9	1	1	1	2	2	3	4	6
70-74	161	2.0	1	1	1	2	3	3	4	5
75-79	109	2.0	1	1	1	2	2	4	4	6
80-84	51	2.0	1	1	1	2	2	3	4	7
85 +	25	2.1		1	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	536	2.7	4	1	2	2	3	5	6	12
70-74	455	2.3	2	1	1	2	3	4	5	9
75-79	329	2.5	3	1	1	2	3	4	5	11
80-84	188	2.7	4	1	1	2	3	5	6	12
85 +	97	3.3	11	1	2	3	3	5	7	20
TOTAL SINGLE DX	556	2.0	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1605	2.6	4	1	1	2	3	4	6	12
TOTAL										
65-69 YRS	746	2.5	4	1	1	2	3	4	6	11
70-74	616	2.2	2	1	1	2	3	4	5	8
75-79	438	2.4	3	1	1	2	3	4	5	10
80-84	239	2.5	4	1	1	2	3	4	6	11
85 +	122	3.1	9	1	2	2	3	5	7	18
GRAND TOTAL	2161	2.4	4	1	1	2	3	4	5	10

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	64	1.6		1	1	1	2	3	4	5
70-74	61	1.3		<1	1	1	1	2	3	7
75-79	41	2.2	3	<1	1	1	3	5	6	9
80-84	23	2.5	5	<1	<1	2	3	6	8	9
85 +	19	2.2	3	<1	1	2	2	4	6	8
2. MULTIPLE DX										
65-69 YRS	351	2.7	11	1	1	2	3	5	7	15
70-74	336	2.7	10	1	1	2	3	5	8	13
75-79	207	3.1	14	1	1	2	3	6	10	24
80-84	140	2.9	8	1	1	2	4	6	8	15
85 +	95	3.4	11	1	1	2	4	7	9	20
TOTAL SINGLE DX	208	1.8	2	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	1129	2.8	11	1	1	2	3	6	8	16
TOTAL										
65-69 YRS	415	2.5	10	1	1	2	3	4	6	15
70-74	397	2.5	9	1	1	2	3	5	8	13
75-79	248	3.0	13	1	1	2	3	6	9	21
80-84	163	2.9	8	1	1	2	3	6	8	14
85 +	114	3.2	11	1	1	2	4	7	8	19
GRAND TOTAL	1337	2.7	10	1	1	2	3	5	8	15

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	7	1.3		<1	1	1	2	2	2	2
75-79	3	1.3		1	1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
TOTAL SINGLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	16	1.3		<1	1	1	2	2	2	2
TOTAL										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	8	1.3		<1	1	1	2	2	2	2
75-79	4	1.3		1	1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
GRAND TOTAL	18	1.2		<1	1	1	1	2	2	2

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	2.8	6	1	1	2	5	7	8	8
70-74	11	3.0	5	<1	1	2	5	7	8	8
75-79	10	2.4	3	1	1	2	3	5	7	7
80-84	10	4.1	45	1	1	2	3	13	23	23
85 +	6	3.8	21	1	1	2	4	12	13	13
2. MULTIPLE DX										
65-69 YRS	73	4.4	25	1	1	3	4	11	18	23
70-74	66	5.2	45	1	2	3	6	12	18	38
75-79	60	4.4	16	1	2	3	5	10	14	20
80-84	55	4.8	36	1	2	3	5	8	14	35
85 +	40	4.4	26	1	2	3	6	9	10	31
TOTAL SINGLE DX	55	3.1	14	1	1	2	4	7	8	22
TOTAL MULTIPLE DX	294	4.7	30	1	2	3	5	10	15	31
TOTAL										
65-69 YRS	91	4.1	22	1	1	2	4	9	16	23
70-74	77	4.9	41	1	2	3	5	11	16	37
75-79	70	4.1	15	1	2	3	5	9	13	19
80-84	65	4.7	37	1	2	3	5	8	16	34
85 +	46	4.5	25	1	1	3	5	9	11	31
GRAND TOTAL	349	4.4	28	1	2	3	5	9	14	30

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	1.4	1	<1	<1	<1	1	3	5	5
70-74	7	1.1		<1	<1	<1	1	2	2	2
75-79	6	1.3		<1	<1	1	1	3	3	3
80-84	5	5.0	18	1	1	4	9	10	10	10
85 +	6	3.5	23	<1	<1	1	4	12	13	13
2. MULTIPLE DX										
65-69 YRS	29	5.9	30	<1	1	4	10	19	96	99 +
70-74	54	6.7	111	1	2	4	8	14	20	71
75-79	63	7.2	58	1	2	6	9	13	20	44
80-84	32	9.1	48	2	4	8	12	20	24	30
85 +	39	9.3	186	1	2	5	12	19	28	81
TOTAL SINGLE DX	35	2.2	8	<1	<1	1	1	5	10	13
TOTAL MULTIPLE DX	217	7.5	89	1	2	5	9	15	23	87
TOTAL										
65-69 YRS	40	4.6	26	<1	<1	2	8	16	52	99 +
70-74	61	6.1	102	<1	1	3	7	13	19	68
75-79	69	6.7	56	1	2	4	9	13	19	43
80-84	37	8.5	46	1	3	7	11	18	23	30
85 +	45	8.5	167	1	2	5	11	15	26	81
GRAND TOTAL	252	6.8	81	<1	2	4	9	15	21	81

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	22	1.2		1	1	1	1	2	3	3
70-74	13	1.5	1	<1	1	1	2	3	5	5
75-79	13	1.5		1	1	2	2	2	2	2
80-84	5	1.0		1	1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	38	1.2		1	1	1	1	2	2	3
70-74	25	1.3		1	1	1	2	2	3	3
75-79	13	1.4		1	1	1	2	3	3	3
80-84	4	2.5	9	1	1	1	4	7	7	7
85 +	0									
TOTAL SINGLE DX	54	1.3		1	1	1	1	2	2	5
TOTAL MULTIPLE DX	80	1.3	1	1	1	1	1	2	3	6
TOTAL										
65-69 YRS	60	1.2		1	1	1	1	2	2	3
70-74	38	1.3	1	1	1	1	1	2	3	5
75-79	26	1.5		1	1	1	2	2	3	3
80-84	9	1.7	4	1	1	1	1	5	7	7
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	134	1.3	1	1	1	1	1	2	3	5

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	1.0		1	1	1	1	1	1	1
70-74	17	1.1		<1	1	1	1	2	2	2
75-79	4	1.0		<1	<1	1	1	1	1	1
80-84	4	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	39	1.4		1	1	1	1	2	4	5
70-74	33	1.4	1	1	1	1	1	3	5	6
75-79	15	1.6	1	1	1	1	2	3	4	5
80-84	5	1.0		<1	<1	1	1	1	1	1
85 +	4	1.0		<1	<1	<1	1	1	1	1
TOTAL SINGLE DX	42	1.0		<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	96	1.4	1	1	1	1	1	2	4	6
TOTAL										
65-69 YRS	56	1.3	1	1	1	1	1	2	3	5
70-74	50	1.3	1	<1	1	1	1	2	4	6
75-79	19	1.5	1	<1	1	1	2	3	4	5
80-84	9	1.0		<1	1	1	1	1	1	1
85 +	4	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	138	1.3	1	1	1	1	1	2	3	5

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	1.0		<1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
65-69 YRS	31	6.4	42	1	1	5	10	13	19	30
70-74	24	8.4	129	1	1	3	12	21	34	49
75-79	25	7.8	70	1	1	5	10	26	27	28
80-84	13	9.3	45	1	5	8	12	19	24	25
85 +	8	9.6	80	1	3	7	12	24	29	29
TOTAL SINGLE DX	10	1.0		<1	<1	1	1	1	1	1
TOTAL MULTIPLE DX	101	7.8	72	1	1	6	10	19	27	39
TOTAL										
65-69 YRS	37	5.5	39	1	1	3	9	13	17	30
70-74	25	8.1	126	1	1	3	12	20	32	39
75-79	26	7.5	69	1	1	5	10	25	27	28
80-84	14	8.7	47	1	4	8	10	18	23	25
85 +	9	8.7	78	<1	2	7	12	23	29	29
GRAND TOTAL	111	7.2	69	1	1	5	10	18	27	37

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	1.6		1	1	1	2	3	3	3
70-74	7	1.0		1	1	1	1	1	1	1
75-79	4	1.5	1	1	1	1	2	3	3	3
80-84	3	2.7	2	1	1	3	4	4	4	4
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	61	4.7	103	1	1	1	3	12	18	59
70-74	52	1.9	2	1	1	1	2	4	6	8
75-79	28	4.5	55	1	1	1	3	17	25	29
80-84	12	5.0	45	1	1	2	6	15	23	24
85 +	3	7.7	37	1	3	9	12	13	13	13
TOTAL SINGLE DX	34	1.5	1	1	1	1	2	3	3	4
TOTAL MULTIPLE DX	156	3.8	56	1	1	1	3	9	17	47
TOTAL										
65-69 YRS	79	4.0	82	1	1	1	3	9	17	57
70-74	59	1.8	2	1	1	1	2	3	5	8
75-79	32	4.1	50	1	1	1	3	13	24	29
80-84	15	4.5	37	1	1	3	4	11	21	24
85 +	5	5.0	32	1	1	1	10	13	13	13
GRAND TOTAL	190	3.4	47	1	1	1	3	8	13	40

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	1.7	1	1	1	1	2	3	5	5
70-74	8	2.0	3	1	1	1	2	5	6	6
75-79	6	1.7		< 1	1	1	2	3	3	3
80-84	3	1.0		1	1	1	1	1	1	1
85 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	62	2.0	5	1	1	1	2	3	5	15
70-74	32	2.7	13	1	1	2	2	6	14	16
75-79	14	6.7	141	1	1	1	7	24	39	43
80-84	9	3.3	6	1	1	2	6	7	7	7
85 +	2	2.5	5	< 1	< 1	2	4	4	4	4
TOTAL SINGLE DX	46	1.8	2	1	1	1	2	3	5	7
TOTAL MULTIPLE DX	119	2.8	25	1	1	1	2	6	10	28
TOTAL										
65-69 YRS	89	1.9	4	1	1	1	2	3	5	13
70-74	40	2.6	12	1	1	1	2	5	12	16
75-79	20	5.2	102	1	1	1	4	15	32	43
80-84	12	2.8	6	1	1	2	4	7	7	7
85 +	4	3.5	7	< 1	1	3	5	7	7	7
GRAND TOTAL	165	2.6	18	1	1	1	2	5	7	21

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	2	1.0		< 1	< 1	< 1	1	1	1	1
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	45	2.1	6	1	1	1	2	3	7	14
70-74	17	2.0	3	1	1	2	2	3	7	9
75-79	15	2.6	6	1	1	2	3	7	9	10
80-84	8	3.6	8	1	2	3	4	8	10	10
85 +	2	1.5	1	< 1	< 1	1	2	2	2	2
TOTAL SINGLE DX	6	1.3	1	< 1	1	1	1	3	3	3
TOTAL MULTIPLE DX	87	2.3	6	1	1	1	2	4	9	13
TOTAL										
65-69 YRS	48	2.0	6	1	1	1	2	3	6	14
70-74	19	1.9	3	< 1	1	1	2	3	6	9
75-79	15	2.6	7	1	1	2	3	7	9	10
80-84	9	3.3	8	1	1	3	4	8	10	10
85 +	2	1.5	1	< 1	< 1	1	2	2	2	2
GRAND TOTAL	93	2.2	6	1	1	1	2	4	9	13

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	1.2		<1	1	1	1	2	2	2
70-74	8	1.4		<1	1	1	2	2	2	2
75-79	4	1.8	1	1	1	2	2	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	99	2.7	46	1	1	1	2	4	6	39
70-74	77	3.2	16	1	1	2	4	8	10	24
75-79	52	3.7	14	1	1	2	6	9	11	16
80-84	35	4.0	17	1	1	3	5	9	11	22
85 +	22	6.7	87	1	2	4	6	17	34	35
TOTAL SINGLE DX	29	1.3		<1	1	1	2	2	2	3
TOTAL MULTIPLE DX	285	3.5	33	1	1	2	4	8	10	32
TOTAL										
65-69 YRS	113	2.5	41	1	1	1	2	4	6	30
70-74	85	3.0	15	1	1	2	3	8	10	22
75-79	56	3.5	14	1	1	2	5	9	11	16
80-84	37	3.9	17	1	1	3	5	9	11	22
85 +	23	6.5	85	1	1	4	6	14	34	35
GRAND TOTAL	314	3.3	30	1	1	2	3	7	9	30

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	2.1	3	<1	<1	1	3	5	6	6
70-74	17	2.3	4	<1	1	1	3	6	7	8
75-79	10	1.3		<1	<1	1	1	2	3	3
80-84	13	1.2		<1	<1	<1	1	2	3	3
85 +	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	69	4.6	71	<1	1	1	4	11	23	52
70-74	49	5.4	53	<1	1	2	6	13	23	32
75-79	42	6.5	106	1	1	3	7	16	23	60
80-84	29	7.2	56	1	1	4	12	17	33	99 +
85 +	39	7.5	47	1	2	6	11	15	18	34
TOTAL SINGLE DX	58	1.7	2	<1	<1	1	2	4	5	8
TOTAL MULTIPLE DX	228	5.9	68	1	1	2	8	15	23	58
TOTAL										
65-69 YRS	81	4.2	62	<1	1	1	4	9	20	48
70-74	66	4.6	42	<1	1	2	5	11	19	32
75-79	52	5.5	90	<1	1	2	6	14	21	59
80-84	42	5.3	46	<1	1	2	10	15	24	99 +
85 +	45	6.7	46	1	1	6	10	15	17	34
GRAND TOTAL	286	5.1	58	<1	1	2	6	14	19	49

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	40	3.0	2	1	2	3	4	5	6	7
70-74	34	3.0	1	1	2	3	4	5	5	6
75-79	14	3.2	3	2	2	3	3	6	7	8
80-84	29	3.0	2	1	2	3	4	6	6	6
85 +	9	2.9	2	1	2	3	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	227	5.2	21	2	3	4	6	8	12	24
70-74	189	5.7	37	1	2	4	6	11	14	33
75-79	166	5.0	18	2	2	4	6	9	13	17
80-84	142	5.8	24	1	3	4	7	12	16	27
85 +	114	6.8	32	2	2	5	9	15	20	27
TOTAL SINGLE DX	126	3.0	2	1	2	3	4	5	6	7
TOTAL MULTIPLE DX	838	5.6	27	2	3	4	7	11	15	25
TOTAL										
65-69 YRS	267	4.9	19	2	3	4	6	8	11	23
70-74	223	5.3	33	1	2	4	6	10	13	31
75-79	180	4.9	18	2	2	4	6	9	13	17
80-84	171	5.3	22	1	2	4	6	10	15	25
85 +	123	6.5	31	2	2	5	8	14	20	26
GRAND TOTAL	964	5.3	24	2	2	4	6	10	14	24

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	1.3		1	1	1	2	2	2	2
70-74	9	3.3	11	1	1	2	4	9	11	11
75-79	5	1.2		1	1	1	2	2	2	2
80-84	3	1.0		1	1	1	1	1	1	1
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	55	4.2	54	1	1	2	4	9	17	38
70-74	46	3.4	22	1	1	2	3	8	12	27
75-79	22	5.5	57	1	1	2	5	20	25	26
80-84	13	2.6	3	1	1	2	3	6	6	6
85 +	4	3.0	8	1	1	2	5	7	7	7
TOTAL SINGLE DX	28	1.9	4	1	1	1	2	4	6	11
TOTAL MULTIPLE DX	140	4.0	38	1	1	2	4	9	17	38
TOTAL										
65-69 YRS	64	3.8	48	1	1	2	3	9	14	38
70-74	55	3.4	20	1	1	2	3	8	11	26
75-79	27	4.7	49	1	1	2	4	16	25	26
80-84	16	2.3	3	1	1	2	3	6	6	6
85 +	6	2.5	6	1	1	2	3	7	7	7
GRAND TOTAL	168	3.6	33	1	1	2	3	8	13	36

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	2.5	5	1	1	1	4	5	7	11
70-74	17	2.4	16	1	1	1	2	3	13	18
75-79	10	1.8		1	1	2	3	3	3	3
80-84	2	1.0		1	1	1	1	1	1	1
85 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	215	4.1	48	1	1	2	4	10	17	33
70-74	145	5.6	86	1	1	3	6	11	18	54
75-79	112	5.2	57	1	1	2	7	13	18	38
80-84	36	6.1	48	1	1	3	8	16	23	27
85 +	29	6.4	52	1	2	3	9	16	24	29
TOTAL SINGLE DX	61	2.3	7	1	1	1	3	4	6	17
TOTAL MULTIPLE DX	537	5.0	61	1	1	2	6	12	18	36
TOTAL										
65-69 YRS	245	3.9	43	1	1	2	4	9	15	32
70-74	162	5.3	80	1	1	3	5	10	18	51
75-79	122	4.9	54	1	1	2	6	13	18	35
80-84	38	5.8	48	1	1	2	8	16	22	27
85 +	31	6.2	50	1	1	3	8	16	24	29
GRAND TOTAL	**598**	**4.7**	**56**	**1**	**1**	**2**	**5**	**12**	**18**	**35**

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	71	7.1	59	1	2	4	9	18	26	31
70-74	85	6.7	57	1	2	5	8	16	25	82
75-79	75	7.2	74	1	1	4	11	18	22	47
80-84	64	7.9	57	1	2	6	9	19	23	35
85 +	47	7.7	104	1	2	5	10	16	38	99 +
TOTAL SINGLE DX	6	1.5	1	1	1	1	2	3	3	3
TOTAL MULTIPLE DX	342	7.3	68	1	2	4	10	17	24	54
TOTAL										
65-69 YRS	73	7.0	58	1	2	4	9	18	26	31
70-74	87	6.6	57	1	2	4	8	15	24	81
75-79	76	7.1	74	1	1	4	10	18	22	47
80-84	64	7.9	57	1	2	6	9	19	23	35
85 +	48	7.6	104	1	2	4	10	16	37	99 +
GRAND TOTAL	**348**	**7.2**	**67**	**1**	**2**	**4**	**10**	**17**	**24**	**54**

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	25.0		25	25	25	25	25	25	25
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	24.0	32	20	20	24	28	28	28	28
TOTAL SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
TOTAL MULTIPLE DX	7	11.3	155	1	1	2	24	27	28	28
TOTAL										
65-69 YRS	3	1.7		<1	<1	2	2	2	2	2
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	25.0		25	25	25	25	25	25	25
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	24.0	32	20	20	24	28	28	28	28
GRAND TOTAL	**9**	**9.1**	**135**	**<1**	**1**	**2**	**21**	**27**	**28**	**28**

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	2.0	1	1	1	2	3	3	3	3
70-74	4	2.5		2	2	2	3	3	3	3
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	4	4.3	34	1	1	2	7	13	13	13
85 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	38	6.7	127	1	1	3	5	17	38	49
70-74	37	8.0	127	1	2	3	10	19	33	56
75-79	18	5.4	67	1	1	2	6	15	26	33
80-84	12	11.3	391	1	1	3	8	48	61	63
85 +	12	8.4	172	1	2	3	11	25	44	47
TOTAL SINGLE DX	18	2.7	7	1	1	2	3	4	9	13
TOTAL MULTIPLE DX	117	7.6	146	1	1	3	7	17	39	58
TOTAL										
65-69 YRS	43	6.2	115	1	1	3	5	16	31	49
70-74	41	7.5	118	1	2	3	9	18	32	56
75-79	21	5.0	59	1	1	2	5	15	23	33
80-84	16	9.6	304	1	1	2	8	38	56	63
85 +	14	7.6	150	1	2	3	10	19	41	47
GRAND TOTAL	**135**	**6.9**	**130**	**1**	**1**	**2**	**6**	**16**	**34**	**57**

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	116	1.9	1	1	1	2	2	3	4	5
70-74	96	1.8		1	1	2	2	3	4	5
75-79	52	2.0	1	1	1	2	3	3	4	5
80-84	34	1.7		1	1	2	2	2	3	4
85+	9	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	198	3.0	13	1	1	2	3	6	9	29
70-74	191	3.6	16	1	1	2	4	8	13	21
75-79	133	4.2	41	1	2	2	4	7	13	39
80-84	105	4.6	26	1	2	3	5	10	16	28
85+	55	6.0	58	1	2	4	7	13	15	40
TOTAL SINGLE DX	307	1.8	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	682	3.9	26	1	2	2	4	8	13	31
TOTAL										
65-69 YRS	314	2.6	9	1	1	2	3	5	7	21
70-74	287	3.0	12	1	1	2	3	6	9	19
75-79	185	3.6	31	1	2	2	3	6	9	31
80-84	139	3.9	21	1	1	2	4	8	13	27
85+	64	5.4	53	1	2	3	6	12	15	40
GRAND TOTAL	**989**	**3.3**	**19**	**1**	**1**	**2**	**3**	**6**	**10**	**23**

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	9	5.0	28	2	2	3	5	14	18	18
70-74	4	4.3	21	1	1	2	7	11	11	11
75-79	2	6.0	50	1	1	6	11	11	11	11
80-84	0									
85+	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	3	1.3		1	1	1	2	2	2	2
TOTAL MULTIPLE DX	16	4.8	24	1	2	3	6	11	16	18
TOTAL										
65-69 YRS	12	4.1	24	1	2	2	4	12	17	18
70-74	4	4.3	21	1	1	2	7	11	11	11
75-79	2	6.0	50	1	1	6	11	11	11	11
80-84	0									
85+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**19**	**4.2**	**21**	**1**	**2**	**2**	**4**	**11**	**15**	**18**

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	41	3.2	26	1	1	2	3	5	10	32
70-74	36	3.0	8	<1	1	2	3	7	11	13
75-79	26	2.2	4	<1	1	1	2	5	6	11
80-84	11	2.6	7	1	1	2	3	6	10	10
85+	13	1.5	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	186	7.1	62	1	2	4	10	17	22	42
70-74	189	7.8	108	1	2	4	9	21	26	50
75-79	148	7.7	64	1	3	6	10	15	20	47
80-84	122	7.3	105	1	2	4	9	14	19	58
85+	79	8.7	130	1	2	5	11	20	22	71
TOTAL SINGLE DX	127	2.7	13	<1	1	2	3	5	8	18
TOTAL MULTIPLE DX	724	7.6	89	1	2	5	10	17	23	46
TOTAL										
65-69 YRS	227	6.4	58	1	2	3	9	16	21	40
70-74	225	7.1	95	1	2	3	8	17	26	47
75-79	174	6.9	59	1	2	5	9	14	19	45
80-84	133	7.0	99	1	2	4	8	14	19	53
85+	92	7.7	118	1	2	5	10	19	22	64
GRAND TOTAL	**851**	**6.9**	**81**	**1**	**2**	**4**	**9**	**16**	**22**	**46**

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	2.0	3	1	1	1	2	5	6	6
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	2	1.0		1	1	1	1	1	1	1
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	12	3.7	9	1	1	3	5	9	10	10
70-74	6	2.7	8	1	1	1	4	8	8	8
75-79	6	3.0	6	1	2	2	3	7	8	8
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	11	2.0	3	1	1	1	2	5	6	6
TOTAL MULTIPLE DX	27	3.0	8	1	1	2	4	8	9	10
TOTAL										
65-69 YRS	19	3.1	8	1	1	2	5	8	10	10
70-74	8	2.8	7	1	1	1	4	7	8	8
75-79	8	2.5	5	1	1	2	3	6	8	8
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**38**	**2.7**	**6**	**1**	**1**	**2**	**4**	**7**	**9**	**10**

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	3	2.7	8	1	1	1	5	6	6	6
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	4	2.3	6	1	1	1	4	6	6	6
TOTAL										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	3	2.7	8	1	1	1	5	6	6	6
GRAND TOTAL	4	2.3	6	1	1	1	4	6	6	6

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	0									

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	26	2.6	5	1	1	2	4	6	8	10
70-74	13	3.0	6	<1	1	2	4	6	9	10
75-79	7	2.4	3	1	1	2	3	5	6	6
80-84	4	3.0	2	<1	1	3	4	4	4	4
85 +	5	5.2	10	1	3	4	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	71	8.2	113	1	2	4	10	22	35	53
70-74	59	5.9	35	1	2	4	8	16	18	26
75-79	55	7.5	67	1	3	4	9	19	25	39
80-84	17	8.8	29	2	4	7	14	16	17	18
85 +	16	12.4	92	4	7	9	14	31	31	31
TOTAL SINGLE DX	55	2.9	6	1	1	2	4	6	9	10
TOTAL MULTIPLE DX	218	7.7	74	1	2	4	10	18	26	39
TOTAL										
65-69 YRS	97	6.7	90	1	1	3	7	18	27	49
70-74	72	5.4	31	1	2	3	7	15	18	26
75-79	62	6.9	62	1	2	4	8	18	25	38
80-84	21	7.7	29	1	4	6	12	15	17	18
85 +	21	10.7	81	3	6	8	11	30	31	31
GRAND TOTAL	273	6.8	64	1	2	4	8	16	25	38

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	4.0	1	2	3	4	5	5	5	5
70-74	11	2.8	1	1	2	3	4	5	5	5
75-79	8	3.6	6	1	2	3	5	8	9	9
80-84	4	2.5	3	1	1	2	4	5	5	5
85 +	8	2.0	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	87	5.3	36	1	2	4	6	11	16	36
70-74	80	4.1	14	1	2	3	5	8	11	21
75-79	83	6.2	37	2	2	4	8	13	20	32
80-84	68	7.5	122	2	3	5	8	12	25	72
85 +	45	4.9	9	2	3	4	7	9	11	13
TOTAL SINGLE DX	37	3.0	3	1	2	3	4	5	5	9
TOTAL MULTIPLE DX	363	5.6	46	1	2	4	6	11	16	35
TOTAL										
65-69 YRS	93	5.2	35	1	2	4	6	10	16	35
70-74	91	3.9	13	1	2	3	5	7	10	21
75-79	91	6.0	35	1	2	4	7	12	20	32
80-84	72	7.2	117	2	3	5	7	12	24	70
85 +	53	4.4	9	1	2	3	6	9	10	13
GRAND TOTAL	400	5.3	42	1	2	4	6	11	15	34

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	2.0	4	<1	1	1	2	4	7	11
70-74	14	1.4	2	<1	<1	1	1	2	6	7
75-79	8	1.5	2	<1	<1	1	1	4	5	5
80-84	13	1.9	3	1	1	1	2	4	7	8
85+	9	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
65-69 YRS	113	5.0	50	1	1	2	7	11	15	44
70-74	70	4.7	30	1	1	2	6	14	16	85
75-79	63	6.8	54	1	1	4	10	20	27	90
80-84	34	7.1	44	1	1	4	12	17	19	23
85+	11	12.6	184	1	3	8	18	37	41	41
TOTAL SINGLE DX	74	1.7	3	<1	<1	1	1	3	6	10
TOTAL MULTIPLE DX	291	5.8	53	1	1	3	8	15	20	44
TOTAL										
65-69 YRS	143	4.3	43	<1	1	2	6	10	14	44
70-74	84	4.1	27	1	1	2	5	13	16	76
75-79	71	6.2	51	1	1	3	9	19	26	84
80-84	47	5.7	38	1	1	2	11	16	18	23
85+	20	7.5	131	<1	<1	2	9	27	37	41
GRAND TOTAL	365	5.0	45	<1	1	2	7	14	19	43

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	10.1	26	3	7	9	15	17	17	17
70-74	5	12.2	68	4	6	8	20	23	23	23
75-79	3	9.3	16	7	7	7	12	14	14	14
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	43	12.5	79	1	7	11	18	22	30	43
70-74	24	11.5	73	2	5	9	17	23	27	35
75-79	11	9.5	48	2	5	9	11	19	26	27
80-84	6	5.8	40	1	1	3	11	15	16	16
85+	3	36.3	617	21	21	23	54	65	65	65
TOTAL SINGLE DX	16	10.6	34	4	7	8	15	19	22	23
TOTAL MULTIPLE DX	87	12.2	105	1	5	10	17	23	29	57
TOTAL										
65-69 YRS	51	12.1	71	2	7	10	17	20	28	43
70-74	29	11.7	70	3	5	8	18	23	24	35
75-79	14	9.4	40	2	7	8	11	15	24	27
80-84	6	5.8	40	1	1	3	11	15	16	16
85+	3	36.3	617	21	21	23	54	65	65	65
GRAND TOTAL	103	12.0	94	2	6	10	17	23	27	53

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	10.2	6	7	8	10	12	13	14	15
70-74	10	10.1	9	6	8	10	11	14	17	17
75-79	6	11.3	15	6	10	11	12	17	18	18
80-84	6	12.7	20	6	11	12	16	19	19	19
85+	0									
2. MULTIPLE DX										
65-69 YRS	121	16.8	128	8	10	13	17	31	46	60
70-74	94	16.1	79	9	10	13	20	28	35	82
75-79	40	17.1	82	9	12	15	19	26	35	56
80-84	23	19.0	159	10	13	16	22	30	45	68
85+	4	13.0	40	7	9	11	17	22	22	22
TOTAL SINGLE DX	39	10.7	10	7	8	11	12	16	18	19
TOTAL MULTIPLE DX	282	16.7	106	8	10	13	19	29	38	61
TOTAL										
65-69 YRS	138	16.0	118	8	10	12	16	30	44	59
70-74	104	15.5	75	8	10	13	19	28	34	78
75-79	46	16.3	77	9	11	14	18	25	35	56
80-84	29	17.7	136	8	12	14	20	28	34	68
85+	4	13.0	41	7	9	11	17	22	22	22
GRAND TOTAL	321	16.0	98	8	10	13	18	28	36	60

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	8.4	88	<1	1	5	13	24	24	24
70-74	7	5.9	17	1	2	6	9	12	12	12
75-79	3	17.7	345	5	6	9	31	39	39	39
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	26.0	968	4	4	26	48	48	48	48
2. MULTIPLE DX										
65-69 YRS	291	35.3	572	7	17	37	61	99+	99+	99+
70-74	263	38.2	594	9	19	39	61	95	99+	99+
75-79	229	38.8	581	10	20	41	63	98	99+	99+
80-84	109	38.0	542	9	23	40	65	99+	99+	99+
85+	77	40.7	602	10	21	39	66	97	99+	99+
TOTAL SINGLE DX	18	10.7	174	1	3	6	10	34	44	48
TOTAL MULTIPLE DX	969	37.7	580	9	19	39	62	98	99+	99+
TOTAL										
65-69 YRS	296	34.8	576	7	16	36	61	99+	99+	99+
70-74	270	37.4	606	8	17	38	61	94	99+	99+
75-79	232	38.6	582	9	20	41	63	97	99+	99+
80-84	110	37.7	548	8	22	40	64	99+	99+	99+
85+	79	40.3	605	10	20	39	65	97	99+	99+
GRAND TOTAL	987	37.2	586	8	18	38	62	98	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	2.0	1	1	1	2	2	4	4	4
70-74	4	1.5	1	1	1	1	2	3	3	3
75-79	3	1.7		<1	<1	2	2	2	2	2
80-84	2	1.0		<1	<1	<1	1	1	1	1
85+	0									
2. MULTIPLE DX										
65-69 YRS	70	9.4	121	1	2	6	12	22	29	55
70-74	46	7.5	63	1	2	4	14	24	99+	99+
75-79	30	10.6	139	2	4	6	12	32	36	49
80-84	9	13.7	639	<1	1	4	11	57	78	78
85+	2	14.5	25	11	11	14	18	18	18	18
TOTAL SINGLE DX	15	1.7	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	157	9.4	134	1	2	6	12	25	37	99+
TOTAL										
65-69 YRS	76	8.8	116	1	2	5	11	22	29	55
70-74	50	7.0	61	1	1	4	13	21	91	99+
75-79	33	9.8	133	2	2	5	11	32	36	49
80-84	11	11.4	538	<1	1	2	6	46	75	78
85+	2	14.5	25	11	11	14	18	18	18	18
GRAND TOTAL	172	8.7	127	1	2	4	12	23	35	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	4.3	27	<1	<1	1	7	9	13	29
70-74	32	4.0	29	<1	<1	1	5	12	20	21
75-79	14	3.7	13	<1	<1	1	6	9	11	11
80-84	8	5.6	26	<1	<1	4	9	14	15	15
85+	6	4.2	17	<1	1	3	7	11	11	11
2. MULTIPLE DX										
65-69 YRS	1055	11.3	85	3	6	9	14	21	30	48
70-74	1000	11.8	86	3	6	10	15	22	29	53
75-79	836	12.3	77	4	7	10	15	23	30	43
80-84	573	12.9	71	5	7	11	17	23	30	42
85+	313	14.2	99	5	7	12	[illegible]	26	35	52
TOTAL SINGLE DX	104	4.3	25	<1	<1	1	6	11	13	25
TOTAL MULTIPLE DX	3777	12.1	84	4	6	10	15	23	30	49
TOTAL										
65-69 YRS	1099	11.0	85	2	5	9	14	21	30	48
70-74	1032	11.6	87	3	6	9	14	22	29	52
75-79	850	12.1	78	4	6	10	15	23	30	42
80-84	581	12.8	71	4	7	11	17	23	29	42
85+	319	14.0	100	5	7	12	17	26	35	52
GRAND TOTAL	3881	11.9	84	3	6	10	15	23	30	49

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	11.0		11	11	11	11	11	11	11
80-84	0									
85+	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	6	3.8	15	1	1	2	5	10	11	11
TOTAL										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	11.0		11	11	11	11	11	11	11
80-84	0									
85+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	6	3.8	15	1	1	2	5	10	11	11

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	82	6.4	25	2	3	5	8	11	14	30
70-74	50	6.5	16	2	4	6	9	11	12	23
75-79	36	6.2	36	1	2	4	8	13	20	28
80-84	14	4.5	9	1	1	5	7	8	9	9
85+	6	6.0	14	1	2	7	8	11	11	11
2. MULTIPLE DX										
65-69 YRS	1587	11.1	71	3	6	9	14	21	26	44
70-74	1424	11.1	66	3	6	9	14	22	27	43
75-79	1078	13.0	103	4	7	10	16	25	34	54
80-84	611	13.3	117	4	7	11	16	26	33	60
85+	264	13.8	94	5	7	12	18	27	36	65
TOTAL SINGLE DX	188	6.2	24	1	3	5	8	11	14	27
TOTAL MULTIPLE DX	4964	11.9	85	4	6	10	15	23	30	49
TOTAL										
65-69 YRS	1669	10.9	70	3	6	9	14	21	26	44
70-74	1474	11.0	65	3	6	9	14	22	27	43
75-79	1114	12.8	102	4	7	10	16	24	33	52
80-84	625	13.1	116	3	7	10	16	25	32	60
85+	270	13.6	94	4	7	11	18	26	36	64
GRAND TOTAL	5152	11.7	84	3	6	9	15	23	29	48

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	54	8.4	9	6	6	7	10	12	14	21
70-74	46	8.7	10	6	7	8	10	13	16	17
75-79	16	8.4	16	6	6	7	9	16	17	17
80-84	6	8.7	21	3	5	8	11	15	16	16
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	707	12.7	75	6	8	10	14	24	30	46
70-74	587	13.3	80	7	8	10	15	23	30	55
75-79	349	14.3	106	7	9	11	17	24	30	69
80-84	103	14.4	76	8	10	12	17	24	34	53
85 +	18	17.1	81	8	10	14	27	34	71	99 +
TOTAL SINGLE DX	123	8.5	11	6	6	7	10	13	16	20
TOTAL MULTIPLE DX	1764	13.4	83	7	8	11	15	24	30	54
TOTAL										
65-69 YRS	761	12.4	72	6	7	10	14	22	29	46
70-74	633	13.0	76	7	8	10	15	23	29	54
75-79	365	14.1	104	7	8	11	16	23	30	68
80-84	109	14.1	75	7	9	12	16	23	34	53
85 +	19	16.4	84	8	10	13	25	33	67	99 +
GRAND TOTAL	1887	13.1	80	6	8	10	15	23	30	53

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	4.1	8	2	2	2	6	9	9	9
70-74	13	3.8	7	1	1	4	5	8	9	9
75-79	5	8.2	17	4	5	8	10	15	15	15
80-84	4	5.8	14	2	3	5	8	11	11	11
85 +	7	19.3	1136	2	4	5	14	79	95	95
2. MULTIPLE DX										
65-69 YRS	556	10.8	73	3	5	9	14	22	27	43
70-74	505	11.7	83	3	6	9	15	21	26	50
75-79	423	13.7	117	4	7	11	17	26	33	66
80-84	316	13.0	89	5	7	11	16	23	30	61
85 +	202	14.9	110	5	8	13	18	26	32	61
TOTAL SINGLE DX	44	7.0	197	1	2	4	8	10	15	95
TOTAL MULTIPLE DX	2002	12.4	93	3	6	10	16	23	30	51
TOTAL										
65-69 YRS	571	10.7	73	2	5	9	13	21	27	43
70-74	518	11.5	83	3	6	9	15	21	25	50
75-79	428	13.6	117	4	7	11	17	26	33	65
80-84	320	12.9	89	5	7	11	16	23	30	61
85 +	209	15.0	140	5	8	12	18	26	33	76
GRAND TOTAL	2046	12.3	96	3	6	10	16	23	30	52

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	4.3	16	1	1	3	7	10	10	10
70-74	4	4.8	3	2	3	5	6	6	6	6
75-79	0									
80-84	0									
85 +	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	38	14.4	95	4	6	12	21	26	34	44
70-74	38	19.9	444	3	5	13	25	47	65	99
75-79	26	14.2	129	3	7	12	16	28	37	55
80-84	20	13.9	102	4	4	12	21	28	32	36
85 +	12	12.1	134	3	3	9	15	33	38	39
TOTAL SINGLE DX	10	5.0	10	1	2	5	6	10	10	10
TOTAL MULTIPLE DX	134	15.7	208	3	5	12	21	32	43	73
TOTAL										
65-69 YRS	42	13.5	97	3	5	11	18	25	33	44
70-74	42	18.5	422	3	5	12	24	45	64	99
75-79	26	14.2	130	3	7	12	16	28	37	55
80-84	20	13.9	102	4	4	12	21	28	32	36
85 +	14	11.4	119	3	3	9	14	31	37	39
GRAND TOTAL	144	14.9	201	3	5	11	19	31	40	70

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	4.6	4	2	3	4	6	8	8	10
70-74	25	4.7	4	2	3	4	6	8	9	10
75-79	15	4.3	3	2	3	5	6	7	7	7
80-84	11	5.5	8	2	3	5	8	10	11	11
85 +	5	5.6	9	3	3	5	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	791	10.2	69	3	5	8	12	21	26	42
70-74	756	10.8	76	3	5	8	14	22	29	43
75-79	552	12.3	115	4	5	9	16	24	34	56
80-84	376	12.8	108	4	6	10	17	25	33	99 +
85 +	262	12.7	93	4	6	10	17	23	32	60
TOTAL SINGLE DX	84	4.8	5	2	3	4	6	8	9	11
TOTAL MULTIPLE DX	2737	11.4	89	4	5	8	15	23	29	49
TOTAL										
65-69 YRS	819	10.0	69	3	5	7	12	21	26	42
70-74	781	10.6	75	3	5	8	14	22	29	43
75-79	567	12.1	114	4	5	9	16	24	32	56
80-84	387	12.6	107	4	6	10	16	25	33	99 +
85 +	267	12.6	93	4	6	10	17	23	31	60
GRAND TOTAL	2821	11.2	88	3	5	8	15	23	29	49

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	31	6.5	50	1	1	5	8	16	25	30
70-74	27	3.8	8	1	2	3	5	9	11	11
75-79	29	4.1	38	1	1	2	5	10	13	32
80-84	5	7.0	34	1	2	6	12	14	14	14
85 +	0									
2. MULTIPLE DX										
65-69 YRS	448	10.1	104	1	3	7	14	22	29	48
70-74	391	12.2	159	1	4	9	16	27	38	79
75-79	279	11.5	107	2	4	9	16	25	33	51
80-84	160	13.2	114	3	6	10	18	29	36	58
85 +	83	15.4	167	3	8	13	19	38	50	85
TOTAL SINGLE DX	92	5.0	34	1	1	3	6	11	15	31
TOTAL MULTIPLE DX	1361	11.7	128	2	4	9	15	26	35	58
TOTAL										
65-69 YRS	479	9.9	102	1	3	7	13	21	29	47
70-74	418	11.6	154	1	4	8	16	26	37	77
75-79	308	10.8	106	1	3	8	14	25	33	50
80-84	165	13.0	113	2	6	10	18	28	36	57
85 +	83	15.4	168	3	8	13	19	38	50	85
GRAND TOTAL	1453	11.2	124	1	4	8	15	25	34	56

570: Open heart operations (33.6; 35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	10.8	16	6	8	10	13	16	17	22
70-74	18	11.8	28	7	8	12	15	24	67	99 +
75-79	16	9.4	9	6	7	10	12	12	14	14
80-84	7	12.7	19	9	10	11	17	19	19	19
85 +	5	8.2	41	1	2	11	12	16	16	16
2. MULTIPLE DX										
65-69 YRS	989	15.7	150	8	9	12	17	29	40	76
70-74	918	15.9	112	8	9	13	19	29	37	67
75-79	737	16.7	139	8	10	13	20	28	36	77
80-84	311	17.6	131	8	11	15	22	29	41	99 +
85 +	109	15.8	163	3	8	13	20	35	42	61
TOTAL SINGLE DX	76	10.7	20	6	8	11	13	16	21	80
TOTAL MULTIPLE DX	3064	16.2	135	8	9	13	19	29	38	76
TOTAL										
65-69 YRS	1019	15.6	148	8	9	12	17	28	40	76
70-74	936	15.9	111	8	9	13	19	29	37	68
75-79	753	16.5	138	8	10	13	20	28	36	77
80-84	318	17.5	130	8	10	15	22	29	41	99 +
85 +	114	15.4	161	2	8	12	19	35	42	61
GRAND TOTAL	3140	16.1	133	8	9	13	19	29	38	76

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	354	3.1	5	1	2	2	4	6	8	12
70-74	243	3.0	4	1	2	2	4	6	7	10
75-79	131	3.0	4	1	1	2	4	6	7	9
80-84	54	3.7	12	1	2	2	4	8	14	17
85 +	11	4.5	10	1	2	5	6	9	12	12
2. MULTIPLE DX										
65-69 YRS	4538	5.2	23	1	2	4	7	10	13	21
70-74	3388	5.7	24	2	2	4	8	12	15	23
75-79	2053	6.6	31	2	3	5	9	13	16	28
80-84	799	7.2	43	2	3	6	9	15	20	33
85 +	185	7.8	35	2	3	6	10	15	20	31
TOTAL SINGLE DX	793	3.1	6	1	2	2	4	6	8	12
TOTAL MULTIPLE DX	10963	5.8	28	2	2	4	8	12	15	25
TOTAL										
65-69 YRS	4892	5.1	23	1	2	4	7	10	13	21
70-74	3631	5.5	24	1	2	4	7	11	14	22
75-79	2184	6.3	31	2	3	5	8	12	16	28
80-84	853	7.0	42	2	3	5	9	15	19	32
85 +	196	7.6	35	2	3	6	10	15	20	30
GRAND TOTAL	11756	5.6	27	2	2	4	7	11	15	24

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	169	9.2	12	6	7	8	10	14	15	25
70-74	124	9.7	17	7	7	9	11	14	16	26
75-79	54	10.9	22	7	8	9	13	15	23	29
80-84	20	12.6	31	8	9	12	15	18	24	30
85 +	2	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	5169	12.7	55	7	8	10	14	20	26	46
70-74	4202	13.9	75	8	9	11	16	23	30	56
75-79	2447	15.1	91	8	10	12	17	25	34	60
80-84	647	16.4	92	9	11	14	20	27	32	70
85 +	104	18.8	193	9	11	15	20	32	52	78
TOTAL SINGLE DX	369	9.8	17	7	7	9	11	14	16	28
TOTAL MULTIPLE DX	12569	13.8	74	8	9	11	16	22	29	54
TOTAL										
65-69 YRS	5338	12.6	55	7	8	10	14	20	26	45
70-74	4326	13.8	74	7	9	11	16	23	30	56
75-79	2501	15.0	90	8	9	12	17	24	33	59
80-84	667	16.3	91	8	11	14	19	27	32	68
85 +	106	18.7	191	9	11	15	20	32	52	77
GRAND TOTAL	12938	13.7	73	7	9	11	16	22	29	53

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	681	2.4	6	1	1	1	2	6	8	14
70-74	450	2.5	6	1	1	1	3	6	8	12
75-79	233	2.9	8	1	1	2	4	7	9	14
80-84	69	3.7	14	1	1	2	5	9	13	17
85 +	15	3.1	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
65-69 YRS	10319	4.9	22	1	1	4	7	10	13	23
70-74	8188	5.5	29	1	2	4	7	11	15	25
75-79	5141	6.1	34	1	2	5	8	13	16	29
80-84	1804	6.8	37	1	3	6	9	13	17	29
85 +	470	8.6	52	2	4	7	11	17	21	33
TOTAL SINGLE DX	1448	2.6	7	1	1	1	3	6	9	14
TOTAL MULTIPLE DX	25922	5.5	29	1	2	4	8	11	15	25
TOTAL										
65-69 YRS	11000	4.7	22	1	1	3	7	10	13	22
70-74	8638	5.3	29	1	2	4	7	11	14	25
75-79	5374	6.0	34	1	2	5	8	13	16	28
80-84	1873	6.7	37	1	2	5	9	13	17	29
85 +	485	8.4	52	2	4	7	11	16	21	33
GRAND TOTAL	**27370**	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	123	3.1	8	1	1	2	4	6	8	18
70-74	134	3.1	6	1	1	3	4	6	8	12
75-79	186	2.6	3	1	1	2	3	5	7	9
80-84	160	3.1	7	1	1	2	4	7	8	16
85 +	137	2.9	5	1	1	2	4	6	8	12
2. MULTIPLE DX										
65-69 YRS	1672	8.2	65	2	3	6	10	17	24	42
70-74	2141	8.3	72	2	3	6	11	17	23	45
75-79	2530	8.1	60	2	3	6	10	17	23	39
80-84	2357	7.9	42	2	3	6	10	15	20	34
85 +	2360	8.6	66	2	4	6	11	17	23	37
TOTAL SINGLE DX	740	2.9	6	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	11060	8.2	61	2	3	6	11	17	23	39
TOTAL										
65-69 YRS	1795	7.9	63	2	3	5	10	17	24	41
70-74	2275	8.0	70	2	3	6	10	17	22	44
75-79	2716	7.7	59	2	3	5	10	16	22	38
80-84	2517	7.6	42	2	3	6	10	15	20	33
85 +	2497	8.3	65	2	3	6	11	17	23	37
GRAND TOTAL	**11800**	**7.9**	**59**	**2**	**3**	**6**	**10**	**16**	**22**	**38**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	6.0	10	1	3	6	9	10	10	10
70-74	6	6.0	39	<1	1	5	6	17	18	18
75-79	4	12.3	48	5	6	12	18	20	20	20
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	245	12.7	115	3	7	10	16	24	32	55
70-74	196	13.7	113	3	7	11	17	28	36	50
75-79	128	14.0	107	3	8	12	18	25	33	61
80-84	56	13.3	103	4	7	11	17	25	27	63
85 +	23	16.3	125	6	8	13	20	34	42	48
TOTAL SINGLE DX	19	7.3	30	1	5	5	9	17	19	20
TOTAL MULTIPLE DX	648	13.4	113	3	7	11	17	26	35	53
TOTAL										
65-69 YRS	253	12.5	114	2	6	10	16	24	32	55
70-74	202	13.5	113	3	6	11	17	28	36	49
75-79	132	14.0	105	3	8	12	18	24	32	60
80-84	56	13.3	103	4	7	11	17	25	27	63
85 +	24	15.9	126	5	8	13	19	34	42	48
GRAND TOTAL	**667**	**13.3**	**111**	**3**	**7**	**11**	**17**	**26**	**35**	**52**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	43	3.8	10	1	1	3	6	8	9	16
70-74	33	4.3	20	<1	1	2	6	12	15	17
75-79	24	6.8	61	1	2	3	8	20	27	31
80-84	16	2.1	2	1	1	2	3	4	5	6
85 +	12	8.1	21	3	5	6	13	14	15	15
2. MULTIPLE DX										
65-69 YRS	1551	9.9	80	2	4	8	12	20	26	44
70-74	1578	10.1	66	2	5	8	13	20	26	42
75-79	1502	11.1	81	3	5	9	14	21	29	47
80-84	1286	11.5	83	3	6	9	15	22	27	50
85 +	1226	12.1	89	4	6	10	15	22	30	52
TOTAL SINGLE DX	128	4.7	25	1	1	3	6	12	15	26
TOTAL MULTIPLE DX	7143	10.9	80	3	5	9	14	21	27	47
TOTAL										
65-69 YRS	1594	9.7	79	2	4	7	12	20	26	44
70-74	1611	10.0	66	2	5	8	13	20	25	42
75-79	1526	11.0	82	3	5	9	14	21	29	47
80-84	1302	11.4	83	3	6	9	14	22	27	50
85 +	1238	12.1	89	4	6	10	15	22	30	52
GRAND TOTAL	**7271**	**10.8**	**80**	**3**	**5**	**9**	**14**	**21**	**27**	**47**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	78	1.9	1	1	1	2	2	4	5	7
70-74	31	2.6	6	1	1	2	3	5	10	11
75-79	14	3.0	9	1	2	2	3	6	11	13
80-84	5	3.4	18	1	1	2	4	11	11	11
85 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	95	3.2	14	1	1	2	4	8	10	22
70-74	64	5.2	55	1	1	3	5	12	20	41
75-79	44	5.3	36	1	2	3	5	15	18	29
80-84	22	8.9	94	1	1	6	10	23	34	37
85 +	9	10.1	198	1	2	3	12	35	43	43
TOTAL SINGLE DX	131	2.2	4	1	1	2	3	4	5	12
TOTAL MULTIPLE DX	234	5.0	47	1	1	2	5	11	19	38
TOTAL										
65-69 YRS	173	2.6	9	1	1	2	3	5	8	13
70-74	95	4.3	41	1	1	2	4	11	16	39
75-79	58	4.8	30	1	2	3	5	13	18	28
80-84	27	7.9	84	1	1	5	10	18	33	37
85 +	12	8.0	159	1	2	3	7	29	41	43
GRAND TOTAL	365	4.0	33	1	1	2	4	9	14	35

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	99	6.2	8	3	4	5	8	10	12	17
70-74	71	7.3	31	3	4	7	8	12	15	37
75-79	47	7.1	19	3	4	6	9	12	17	24
80-84	23	7.8	28	2	5	7	9	18	20	21
85 +	8	14.8	327	5	7	8	12	45	59	59
2. MULTIPLE DX										
65-69 YRS	2067	11.7	95	4	6	9	13	23	31	61
70-74	2048	12.7	110	4	6	9	15	24	34	61
75-79	1632	13.2	120	5	7	10	15	26	35	66
80-84	813	14.4	147	5	7	11	17	28	36	94
85 +	409	14.5	126	6	8	11	18	27	33	92
TOTAL SINGLE DX	248	7.1	30	3	4	6	8	11	15	27
TOTAL MULTIPLE DX	6969	12.8	114	5	7	10	15	25	34	67
TOTAL										
65-69 YRS	2166	11.5	93	4	6	9	13	22	30	60
70-74	2119	12.5	109	4	6	9	15	24	34	59
75-79	1679	13.1	118	5	7	10	15	25	35	66
80-84	836	14.3	145	5	7	11	17	28	35	92
85 +	417	14.5	129	6	8	11	18	27	33	91
GRAND TOTAL	7217	12.6	112	5	7	9	15	25	33	66

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	3.2	5	< 1	2	3	4	7	8	8
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	3	2.0	1	< 1	< 1	2	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	1252	6.7	54	2	3	5	8	13	18	41
70-74	1062	7.3	46	2	3	5	9	15	20	36
75-79	791	7.6	49	2	3	5	9	16	23	40
80-84	400	8.0	48	2	4	6	10	17	21	39
85 +	143	10.2	153	2	3	8	12	20	31	74
TOTAL SINGLE DX	16	3.0	4	< 1	2	3	3	6	7	8
TOTAL MULTIPLE DX	3648	7.3	54	2	3	5	9	15	20	40
TOTAL										
65-69 YRS	1261	6.7	54	2	3	5	8	13	18	41
70-74	1064	7.3	46	2	3	5	9	15	20	36
75-79	792	7.6	49	2	3	5	9	16	23	40
80-84	403	8.0	48	2	4	6	10	16	21	39
85 +	144	10.2	153	2	3	8	12	20	31	74
GRAND TOTAL	3664	7.3	54	2	3	5	9	15	20	40

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	2.7	11	1	1	2	3	5	8	18
70-74	28	2.8	13	1	1	2	3	5	11	19
75-79	19	2.4	4	1	1	2	3	6	8	8
80-84	7	3.6	30	1	1	1	3	13	16	16
85 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	860	10.2	117	1	3	7	14	24	32	59
70-74	805	11.1	128	1	3	8	16	26	33	63
75-79	583	12.3	146	1	3	9	18	31	38	73
80-84	264	12.9	159	2	4	10	17	28	35	64
85 +	104	14.5	173	2	4	12	20	32	45	99 +
TOTAL SINGLE DX	83	2.7	11	1	1	2	3	5	9	19
TOTAL MULTIPLE DX	2616	11.4	135	1	3	8	16	27	35	67
TOTAL										
65-69 YRS	885	9.9	116	1	3	7	14	23	32	58
70-74	833	10.8	127	1	3	7	15	26	33	62
75-79	602	12.0	145	1	3	8	18	30	37	72
80-84	271	12.6	159	1	4	9	17	28	35	63
85 +	108	14.0	174	2	4	11	20	31	45	99 +
GRAND TOTAL	2699	11.1	133	1	3	8	16	26	34	66

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	228	3.6	2	2	3	3	4	5	6	9
70-74	218	4.2	3	2	3	4	5	6	8	11
75-79	160	4.2	5	2	3	4	5	7	9	13
80-84	83	4.4	7	2	3	4	5	6	11	17
85 +	16	5.8	15	3	3	4	7	13	14	14
2. MULTIPLE DX										
65-69 YRS	1836	6.2	33	3	3	5	7	12	15	25
70-74	1891	6.7	38	3	3	5	8	13	17	32
75-79	1531	6.9	30	3	4	5	8	14	18	27
80-84	670	7.7	49	3	4	5	9	15	19	39
85 +	241	7.7	39	3	4	5	9	16	22	38
TOTAL SINGLE DX	705	4.0	5	2	3	4	5	6	8	13
TOTAL MULTIPLE DX	6169	6.7	36	3	3	5	8	13	17	29
TOTAL										
65-69 YRS	2064	5.9	31	2	3	4	7	11	15	24
70-74	2109	6.4	35	2	3	5	7	12	17	31
75-79	1691	6.7	29	3	3	5	8	14	17	26
80-84	753	7.3	46	3	4	5	9	14	18	34
85 +	257	7.6	38	3	4	5	9	16	21	36
GRAND TOTAL	6874	6.5	34	3	3	5	7	13	17	28

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	229	4.6	21	1	1	3	7	10	12	18
70-74	175	5.1	20	1	1	4	8	10	12	24
75-79	140	4.2	14	1	1	3	6	9	13	16
80-84	72	5.8	77	1	1	4	7	11	17	58
85 +	41	7.0	20	2	4	6	9	12	16	22
2. MULTIPLE DX										
65-69 YRS	4000	10.1	98	2	4	8	12	20	29	58
70-74	3832	10.5	106	2	4	8	13	22	30	59
75-79	3063	11.4	122	2	5	9	14	22	31	63
80-84	1664	11.9	104	2	5	9	15	25	33	57
85 +	1031	11.8	86	3	6	10	15	23	29	50
TOTAL SINGLE DX	657	4.9	26	1	1	4	7	10	13	20
TOTAL MULTIPLE DX	13590	10.9	107	2	5	8	13	22	30	59
TOTAL										
65-69 YRS	4229	9.8	96	1	4	8	12	20	28	57
70-74	4007	10.3	104	2	4	8	12	21	30	57
75-79	3203	11.1	120	2	5	9	14	22	31	61
80-84	1736	11.6	105	2	5	9	15	24	33	58
85 +	1072	11.6	84	3	6	9	15	23	29	50
GRAND TOTAL	14247	10.6	105	2	4	8	13	22	30	58

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	3.2	7	1	1	2	5	7	8	15
70-74	56	2.7	4	1	1	2	4	5	6	13
75-79	24	3.1	8	<1	1	2	4	7	10	10
80-84	11	2.6	5	<1	<1	1	4	6	7	7
85 +	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	406	9.0	83	1	3	6	12	19	27	42
70-74	400	9.1	86	1	3	6	12	19	26	47
75-79	252	9.0	86	1	3	7	11	20	28	54
80-84	155	11.0	112	2	4	8	15	21	31	55
85 +	102	11.3	151	2	4	9	14	22	25	81
TOTAL SINGLE DX	165	3.0	6	<1	1	2	4	6	7	13
TOTAL MULTIPLE DX	1315	9.4	94	1	3	7	12	20	27	48
TOTAL										
65-69 YRS	478	8.1	77	1	2	5	10	18	26	42
70-74	456	8.3	81	1	3	5	11	18	25	45
75-79	276	8.5	82	1	2	6	11	19	27	52
80-84	166	10.4	110	1	4	8	14	21	31	54
85 +	104	11.1	150	2	4	8	14	21	25	81
GRAND TOTAL	1480	8.7	89	1	3	6	11	19	26	46

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	69	4.1	15	1	2	3	5	7	11	23
70-74	56	3.6	8	1	2	3	4	7	10	16
75-79	30	3.8	8	1	2	3	4	9	10	11
80-84	12	3.7	5	1	2	3	5	7	8	8
85 +	4	9.3	72	1	3	7	15	21	21	21
2. MULTIPLE DX										
65-69 YRS	341	6.7	32	2	4	5	7	13	18	34
70-74	293	6.7	36	2	3	5	8	14	18	28
75-79	203	6.8	42	2	3	5	8	12	20	31
80-84	72	8.2	94	2	3	5	8	18	37	89
85 +	48	7.8	62	2	4	6	10	12	17	53
TOTAL SINGLE DX	171	4.0	13	1	2	3	5	8	10	22
TOTAL MULTIPLE DX	957	6.9	42	2	3	5	8	13	19	38
TOTAL										
65-69 YRS	410	6.3	30	2	3	5	7	12	17	31
70-74	349	6.2	33	2	3	5	8	13	17	27
75-79	233	6.4	39	2	3	5	8	12	19	30
80-84	84	7.6	84	2	3	5	8	17	31	83
85 +	52	7.9	62	2	4	6	10	13	20	52
GRAND TOTAL	1128	6.5	39	2	3	5	8	12	18	35

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	1	26.0		26	26	26	26	26	26	26
75-79	0									
80-84	1	27.0		27	27	27	27	27	27	27
85 +	0									
TOTAL SINGLE DX	1	3.0		3	3	3	3	3	3	3
TOTAL MULTIPLE DX	2	26.5	1	26	26	26	27	27	27	27
TOTAL										
65-69 YRS	0									
70-74	1	26.0		26	26	26	26	26	26	26
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	27.0		27	27	27	27	27	27	27
85 +	0									
GRAND TOTAL	3	18.7	184	3	9	26	27	27	27	27

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	37	5.9	16	< 1	2	6	9	12	14	14
70-74	27	5.8	36	1	3	4	6	12	22	28
75-79	24	5.0	12	< 1	3	4	6	11	12	14
80-84	18	7.8	42	2	2	5	14	17	21	23
85 +	11	10.5	96	1	2	9	15	27	30	30
2. MULTIPLE DX										
65-69 YRS	1038	11.8	128	3	5	8	14	26	35	65
70-74	1126	12.3	142	3	6	9	14	24	36	65
75-79	1213	11.6	91	3	6	9	14	22	31	51
80-84	949	11.3	77	3	6	9	14	22	29	49
85 +	755	12.2	96	4	6	9	15	23	31	52
TOTAL SINGLE DX	117	6.4	33	1	2	5	8	14	17	29
TOTAL MULTIPLE DX	5081	11.8	109	4	6	9	14	23	33	60
TOTAL										
65-69 YRS	1075	11.6	126	3	5	8	14	25	35	65
70-74	1153	12.2	141	3	5	9	14	24	36	65
75-79	1237	11.4	91	3	6	9	14	21	31	51
80-84	967	11.2	77	3	6	9	14	22	29	48
85 +	766	12.2	97	4	6	9	15	23	31	52
GRAND TOTAL	5198	11.7	108	3	6	9	14	23	32	59

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	5.0	35	< 1	1	3	7	9	16	30
70-74	25	7.2	89	< 1	2	4	6	22	30	39
75-79	24	4.6	43	< 1	1	1	5	15	23	25
80-84	7	4.7	11	< 1	1	5	7	10	10	10
85 +	3	2.7	8	< 1	< 1	1	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	1449	12.8	153	2	5	8	17	28	38	62
70-74	1195	13.2	134	3	5	10	17	28	36	64
75-79	1027	14.6	150	3	6	12	19	29	39	70
80-84	686	16.2	155	4	8	13	22	34	40	71
85 +	573	16.3	126	5	8	14	20	32	39	58
TOTAL SINGLE DX	86	5.4	50	< 1	1	3	6	13	23	36
TOTAL MULTIPLE DX	4930	14.2	147	3	6	11	19	29	39	65
TOTAL										
65-69 YRS	1476	12.6	152	2	5	8	17	28	37	62
70-74	1220	13.1	135	3	5	10	17	28	36	63
75-79	1051	14.4	150	3	6	12	19	29	39	69
80-84	693	16.1	155	4	8	13	22	34	40	71
85 +	576	16.2	127	5	8	14	20	32	39	57
GRAND TOTAL	5016	14.0	147	3	6	11	19	29	38	64

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.3	5	< 1	< 1	< 1	4	5	5	5
70-74	0									
75-79	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
2. MULTIPLE DX										
65-69 YRS	41	10.8	164	4	5	8	11	14	48	65
70-74	55	5.9	13	2	3	5	8	12	14	15
75-79	35	9.4	69	3	5	7	10	19	30	40
80-84	20	6.7	23	2	3	5	9	12	17	22
85 +	17	8.5	35	4	5	8	11	23	69	99 +
TOTAL SINGLE DX	6	3.3	17	< 1	< 1	< 1	5	10	11	11
TOTAL MULTIPLE DX	168	8.2	68	2	4	7	9	14	22	63
TOTAL										
65-69 YRS	44	10.2	158	3	5	7	10	14	46	65
70-74	55	5.9	13	2	3	5	8	12	14	15
75-79	37	8.9	70	2	4	7	10	18	30	40
80-84	21	6.9	23	2	4	5	9	12	17	22
85 +	17	8.5	35	4	5	8	11	23	69	99 +
GRAND TOTAL	174	8.0	67	2	4	6	9	14	22	62

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	31	3.3	9	1	1	2	5	7	11	12
70-74	26	3.6	6	< 1	1	3	5	8	8	9
75-79	17	4.6	24	< 1	< 1	3	6	14	17	17
80-84	6	2.2	5	< 1	< 1	1	2	6	7	7
85 +	7	6.3	58	1	2	4	6	20	23	23
2. MULTIPLE DX										
65-69 YRS	474	10.3	111	2	4	7	13	20	31	66
70-74	461	9.8	105	2	4	7	12	22	30	53
75-79	412	10.3	133	2	4	7	12	22	30	80
80-84	295	10.2	115	2	4	7	11	21	30	66
85 +	260	11.1	146	2	4	7	13	25	39	59
TOTAL SINGLE DX	87	3.8	15	< 1	1	2	5	8	11	21
TOTAL MULTIPLE DX	1902	10.3	120	2	4	7	12	21	31	62
TOTAL										
65-69 YRS	505	9.9	108	2	4	7	12	19	30	65
70-74	487	9.5	102	2	4	7	11	21	29	53
75-79	429	10.1	130	2	4	7	12	21	30	78
80-84	301	10.0	115	2	4	7	11	21	30	65
85 +	267	10.9	145	2	4	7	13	24	38	59
GRAND TOTAL	**1989**	**10.0**	**117**	**2**	**4**	**7**	**12**	**21**	**30**	**60**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	11.0		11	11	11	11	11	11	11
70-74	13	18.2	118	4	10	17	24	32	42	44
75-79	5	11.8	34	4	6	15	16	17	17	17
80-84	5	26.6	395	8	15	20	35	60	60	60
85 +	9	16.9	157	3	6	14	27	36	38	38
TOTAL SINGLE DX	3	5.3	9	2	3	6	7	8	8	8
TOTAL MULTIPLE DX	34	17.7	154	4	9	16	24	33	43	60
TOTAL										
65-69 YRS	2	11.0		11	11	11	11	11	11	11
70-74	14	17.4	120	4	9	17	24	30	41	44
75-79	6	11.2	30	4	7	11	16	17	17	17
80-84	6	22.5	417	3	8	19	27	57	60	60
85 +	9	16.9	158	3	6	14	27	36	38	38
GRAND TOTAL	**37**	**16.7**	**153**	**4**	**8**	**15**	**22**	**31**	**42**	**60**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	18.3	674	3	3	6	33	57	57	57
70-74	4	5.8	33	1	2	4	9	14	14	14
75-79	11	7.6	80	2	2	3	13	23	27	27
80-84	4	7.5	51	1	2	6	13	17	17	17
85 +	15	9.9	64	1	4	8	13	24	26	27
2. MULTIPLE DX										
65-69 YRS	496	17.9	234	4	7	14	26	40	55	99 +
70-74	707	18.9	247	4	8	15	26	43	63	99 +
75-79	971	19.4	273	4	8	15	25	43	62	99 +
80-84	1144	18.7	218	5	9	15	24	39	55	99 +
85 +	1624	17.8	215	4	8	14	23	38	51	86
TOTAL SINGLE DX	38	9.4	119	1	3	5	14	23	27	57
TOTAL MULTIPLE DX	4942	18.5	234	4	8	15	24	41	56	99 +
TOTAL										
65-69 YRS	500	17.9	237	4	7	14	26	41	57	99 +
70-74	711	18.8	247	4	8	15	26	43	62	99 +
75-79	982	19.2	273	4	8	15	25	43	61	99 +
80-84	1148	18.6	219	4	9	15	24	39	55	99 +
85 +	1639	17.7	215	4	8	14	23	38	51	86
GRAND TOTAL	**4980**	**18.4**	**234**	**4**	**8**	**14**	**24**	**41**	**56**	**99 +**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	8.7	22	3	7	8	10	16	17	17
70-74	4	3.3	2	2	2	3	4	5	5	5
75-79	6	6.5	33	2	2	4	11	15	16	16
80-84	2	8.0	8	6	6	8	10	10	10	10
85 +	3	6.0	7	3	4	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	232	8.7	50	3	5	7	10	17	23	39
70-74	256	9.2	78	3	4	7	10	17	25	57
75-79	295	9.5	65	3	5	7	11	19	27	62
80-84	218	8.4	33	3	5	7	11	16	20	34
85 +	174	11.4	124	3	5	9	14	22	34	86
TOTAL SINGLE DX	21	6.6	19	2	3	6	9	13	16	17
TOTAL MULTIPLE DX	1175	9.4	69	3	5	7	11	18	26	53
TOTAL										
65-69 YRS	238	8.7	50	3	5	7	10	17	23	39
70-74	260	9.1	78	3	4	7	10	17	24	57
75-79	301	9.5	65	3	5	7	11	18	27	59
80-84	220	8.4	33	3	5	7	11	16	20	34
85 +	177	11.3	123	3	5	9	14	22	34	85
GRAND TOTAL	1196	9.3	68	3	5	7	11	18	26	53

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	9.0	5	6	7	9	11	12	13	13
70-74	16	8.5	5	5	7	8	10	11	12	13
75-79	9	9.6	13	6	7	8	11	16	17	17
80-84	4	20.3	305	8	9	13	31	46	46	46
85 +	0									
2. MULTIPLE DX										
65-69 YRS	319	16.9	141	8	9	13	20	33	46	53
70-74	299	17.3	170	7	10	13	20	35	43	89
75-79	303	18.7	153	9	11	15	22	36	48	91
80-84	191	20.9	221	9	11	16	26	40	50	98
85 +	115	25.4	285	10	13	21	32	48	68	80
TOTAL SINGLE DX	50	9.9	34	6	7	9	11	13	16	46
TOTAL MULTIPLE DX	1227	18.8	183	8	10	14	23	37	48	84
TOTAL										
65-69 YRS	340	16.4	136	7	9	12	20	32	44	53
70-74	315	16.8	166	7	9	13	19	34	42	88
75-79	312	18.4	152	8	10	14	22	35	48	89
80-84	195	20.8	222	8	11	16	26	40	49	98
85 +	115	25.4	285	10	13	21	32	48	68	80
GRAND TOTAL	1277	18.5	180	8	10	14	22	36	47	83

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	14.4	27	9	10	15	17	22	22	22
70-74	1	13.0		13	13	13	13	13	13	13
75-79	0									
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
2. MULTIPLE DX										
65-69 YRS	88	19.7	148	10	13	16	21	35	47	70
70-74	81	20.1	191	10	12	16	25	35	56	99 +
75-79	53	21.5	168	11	12	17	27	36	46	99
80-84	35	21.5	163	10	14	17	24	35	54	64
85 +	14	26.1	255	11	15	23	26	52	66	70
TOTAL SINGLE DX	7	13.9	19	9	10	13	16	21	22	22
TOTAL MULTIPLE DX	271	20.7	172	10	12	17	25	35	52	99
TOTAL										
65-69 YRS	93	19.4	143	10	12	16	21	34	46	70
70-74	82	20.0	190	10	12	16	25	35	56	99 +
75-79	53	21.5	168	11	12	17	27	36	46	99
80-84	36	21.2	161	10	14	17	24	35	54	64
85 +	14	26.1	256	11	15	23	26	52	66	70
GRAND TOTAL	278	20.5	169	10	12	16	24	35	51	99

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	7.4	1	6	7	8	8	8	8	8
70-74	3	7.3	4	5	6	8	9	9	9	9
75-79	6	8.7	4	6	7	9	9	12	12	12
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	116	13.4	99	6	8	11	16	22	28	60
70-74	129	17.3	196	6	9	13	18	33	45	72
75-79	135	16.0	130	6	9	12	19	32	43	55
80-84	70	16.2	92	7	9	14	21	31	41	88
85 +	64	18.3	335	5	7	13	21	37	64	94
TOTAL SINGLE DX	15	7.9	3	6	7	8	9	9	11	12
TOTAL MULTIPLE DX	514	16.0	162	6	9	13	18	31	44	72
TOTAL										
65-69 YRS	121	13.1	97	6	8	10	15	21	28	59
70-74	132	17.1	195	6	9	13	18	33	45	71
75-79	141	15.7	127	6	9	11	19	31	43	55
80-84	70	16.2	93	7	9	14	21	31	41	88
85 +	65	18.1	333	5	7	13	21	36	64	94
GRAND TOTAL	529	15.8	159	6	8	12	18	31	44	71

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	13	5.9	11	2	3	6	8	11	13	13
70-74	21	7.2	14	3	5	6	10	12	15	17
75-79	6	11.3	101	3	5	7	15	28	30	30
80-84	5	9.2	12	6	7	7	12	14	14	14
85 +	5	6.8	5	4	5	7	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	608	12.3	118	4	6	9	15	27	36	68
70-74	588	12.8	116	4	6	9	16	27	36	57
75-79	565	14.1	166	4	6	10	17	33	48	74
80-84	429	14.3	150	4	6	11	18	31	40	75
85 +	419	14.2	121	5	7	11	17	28	36	68
TOTAL SINGLE DX	50	7.5	23	3	5	7	9	13	15	30
TOTAL MULTIPLE DX	2609	13.4	135	4	6	10	17	29	39	67
TOTAL										
65-69 YRS	621	12.2	117	4	5	9	15	27	35	67
70-74	609	12.7	114	4	6	9	16	27	36	55
75-79	571	14.1	166	4	6	10	17	33	47	74
80-84	434	14.3	149	4	6	11	18	31	40	74
85 +	424	14.1	121	5	7	11	17	28	36	67
GRAND TOTAL	**2659**	**13.3**	**133**	**4**	**6**	**10**	**16**	**28**	**39**	**66**

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	102	3.5	13	< 1	< 1	2	5	9	13	15
70-74	114	3.0	9	< 1	< 1	2	4	6	9	17
75-79	73	4.4	24	< 1	1	3	5	10	16	25
80-84	53	3.9	12	< 1	< 1	2	5	8	13	14
85 +	33	4.0	30	< 1	< 1	1	5	10	13	28
2. MULTIPLE DX										
65-69 YRS	3725	8.1	55	2	4	6	10	16	22	41
70-74	4173	8.2	50	2	4	6	10	16	22	40
75-79	4226	8.8	63	3	4	7	11	17	22	45
80-84	3406	9.5	71	3	5	7	12	18	24	47
85 +	2853	9.9	71	3	5	8	12	20	26	45
TOTAL SINGLE DX	375	3.6	16	< 1	< 1	2	5	9	13	19
TOTAL MULTIPLE DX	18383	8.8	62	3	4	7	11	17	23	44
TOTAL										
65-69 YRS	3827	8.0	55	2	4	6	9	16	21	40
70-74	4287	8.1	51	2	4	6	10	16	22	39
75-79	4299	8.7	63	3	4	7	11	17	22	45
80-84	3459	9.4	71	3	4	7	12	18	24	47
85 +	2886	9.9	72	3	5	8	12	20	26	45
GRAND TOTAL	**18758**	**8.7**	**62**	**3**	**4**	**7**	**11**	**17**	**23**	**44**

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	8.2	4	6	6	8	9	11	13	13
70-74	9	10.3	32	6	7	8	12	20	24	24
75-79	5	8.2	1	7	7	8	9	10	10	10
80-84	5	9.6	5	7	8	9	12	12	12	12
85 +	3	12.0	67	5	6	10	18	21	21	21
2. MULTIPLE DX										
65-69 YRS	430	16.8	147	7	9	13	21	29	42	75
70-74	460	17.4	186	7	9	13	20	33	48	77
75-79	433	17.9	156	8	10	13	22	33	43	80
80-84	297	16.4	132	8	10	13	20	32	43	99 +
85 +	271	19.0	206	8	10	14	23	34	55	97
TOTAL SINGLE DX	33	9.3	16	6	7	8	10	13	20	24
TOTAL MULTIPLE DX	1891	17.4	165	8	10	13	21	33	45	84
TOTAL										
65-69 YRS	441	16.6	145	7	9	13	20	29	41	74
70-74	469	17.3	185	7	9	13	20	32	48	76
75-79	438	17.8	156	8	10	13	22	33	43	80
80-84	302	16.3	131	8	10	12	20	31	42	99 +
85 +	274	18.9	205	8	10	14	23	34	55	97
GRAND TOTAL	**1924**	**17.3**	**164**	**8**	**10**	**13**	**21**	**32**	**45**	**84**

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	173	8.2	10	6	7	8	9	10	13	25
70-74	163	8.2	7	6	7	8	9	11	13	19
75-79	100	8.8	4	6	7	8	10	12	13	15
80-84	62	8.8	6	6	7	8	10	12	14	19
85 +	26	11.1	24	7	8	10	12	18	21	30
2. MULTIPLE DX										
65-69 YRS	2922	12.7	70	7	8	10	14	22	29	51
70-74	3243	13.3	79	7	8	10	15	24	31	59
75-79	2944	14.6	101	7	9	11	17	26	34	65
80-84	2113	15.7	98	8	9	13	19	28	36	61
85 +	1486	17.1	118	8	10	14	21	30	40	70
TOTAL SINGLE DX	524	8.5	9	6	7	8	9	11	14	21
TOTAL MULTIPLE DX	12708	14.3	92	7	9	11	17	25	33	61
TOTAL										
65-69 YRS	3095	12.4	68	7	8	10	14	21	28	50
70-74	3406	13.1	77	7	8	10	15	23	30	58
75-79	3044	14.4	100	7	9	11	17	26	34	65
80-84	2175	15.5	97	8	9	12	18	27	35	60
85 +	1512	17.0	118	8	10	14	21	29	39	69
GRAND TOTAL	**13232**	**14.1**	**90**	**7**	**8**	**11**	**16**	**25**	**33**	**60**

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	9.0		8	8	9	10	10	10	10
70-74	4	8.3	5	6	6	8	10	11	11	11
75-79	2	9.5	13	7	7	9	12	12	12	12
80-84	2	9.5	1	9	9	9	10	10	10	10
85 +	3	9.0	28	5	5	7	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	99	16.4	132	6	9	13	20	31	41	60
70-74	108	14.2	80	7	8	11	17	26	34	48
75-79	100	17.8	198	8	10	13	20	36	45	95
80-84	99	20.8	260	8	11	15	24	45	50	94
85 +	84	16.5	69	8	11	15	21	26	33	45
TOTAL SINGLE DX	15	8.9	6	6	7	9	10	12	14	15
TOTAL MULTIPLE DX	490	17.1	153	7	9	14	20	31	41	75
TOTAL										
65-69 YRS	103	16.1	130	7	9	12	20	30	40	60
70-74	112	14.0	79	7	8	11	17	25	34	47
75-79	102	17.6	196	8	10	13	20	36	44	95
80-84	101	20.6	258	8	11	15	24	43	50	93
85 +	87	16.2	69	8	10	14	21	26	33	45
GRAND TOTAL	505	16.9	151	7	9	13	20	31	40	73

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	58	7.2	4	4	6	7	9	9	10	11
70-74	44	6.8	11	2	4	7	9	12	13	14
75-79	27	8.4	21	4	6	8	9	14	18	26
80-84	23	6.3	8	2	4	7	8	10	11	11
85 +	13	10.2	47	3	7	9	12	17	28	30
2. MULTIPLE DX										
65-69 YRS	657	11.8	97	5	7	9	14	21	29	78
70-74	609	13.5	150	5	7	9	15	26	37	69
75-79	535	12.8	109	5	7	10	14	23	35	60
80-84	334	12.4	89	5	7	10	14	22	32	61
85 +	238	14.3	112	6	8	11	16	25	37	57
TOTAL SINGLE DX	165	7.4	14	3	5	7	9	11	13	25
TOTAL MULTIPLE DX	2373	12.8	115	5	7	10	14	23	34	65
TOTAL										
65-69 YRS	715	11.4	91	5	7	9	13	20	29	69
70-74	653	13.0	144	5	7	9	14	25	37	68
75-79	562	12.6	106	5	7	10	14	23	34	59
80-84	357	12.0	86	4	7	9	14	22	31	60
85 +	251	14.1	110	6	8	11	16	25	36	56
GRAND TOTAL	2538	12.4	110	5	7	9	14	23	33	64

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	8.6	39	2	4	8	10	19	21	21
70-74	10	9.7	41	4	6	8	10	19	27	27
75-79	7	9.6	31	6	6	8	9	19	22	22
80-84	5	11.2	8	8	8	13	13	14	14	14
85 +	4	12.8	39	6	7	13	18	19	19	19
2. MULTIPLE DX										
65-69 YRS	263	17.5	164	7	9	14	22	35	43	99
70-74	260	17.5	152	7	10	14	21	33	43	74
75-79	249	18.8	165	8	10	15	23	37	52	70
80-84	214	18.5	153	8	11	14	22	34	48	78
85 +	168	19.5	163	8	11	16	25	35	43	93
TOTAL SINGLE DX	33	10.0	31	5	7	9	11	19	22	27
TOTAL MULTIPLE DX	1154	18.2	160	8	10	15	22	35	44	76
TOTAL										
65-69 YRS	270	17.3	164	7	9	14	22	35	42	98
70-74	270	17.2	150	7	9	14	21	32	42	73
75-79	256	18.5	164	7	10	15	22	37	51	69
80-84	219	18.3	152	8	11	14	22	33	47	77
85 +	172	19.3	161	8	11	16	25	35	43	92
GRAND TOTAL	1187	18.0	158	8	10	14	22	35	44	76

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	129	5.0	6	3	3	4	7	8	9	12
70-74	65	5.4	6	3	3	5	7	9	10	12
75-79	36	5.4	5	3	4	5	7	8	9	10
80-84	17	5.8	5	3	4	6	7	9	10	10
85 +	11	5.4	5	4	4	5	5	9	12	12
2. MULTIPLE DX										
65-69 YRS	426	8.7	32	3	5	7	11	16	20	28
70-74	334	8.6	42	3	5	7	10	14	20	36
75-79	196	9.5	38	4	6	8	12	17	22	36
80-84	117	10.1	56	5	6	8	11	18	24	43
85 +	84	12.6	59	6	8	11	15	19	25	48
TOTAL SINGLE DX	258	5.2	6	3	3	5	7	9	10	12
TOTAL MULTIPLE DX	1157	9.2	42	3	5	8	11	17	21	34
TOTAL										
65-69 YRS	555	7.9	29	3	4	7	10	14	18	26
70-74	399	8.1	38	3	4	7	9	14	19	33
75-79	232	8.9	36	4	5	7	11	17	20	35
80-84	134	9.5	52	4	5	8	11	18	24	39
85 +	95	11.8	59	5	7	10	14	19	25	47
GRAND TOTAL	1415	8.5	38	3	5	7	10	15	20	32

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	19.3	153	9	9	17	29	34	34	34
70-74	3	9.0	13	6	6	8	12	13	13	13
75-79	5	14.4	30	9	10	13	19	22	22	22
80-84	4	15.3	8	11	13	16	17	17	17	17
85 +	2	17.0	32	13	13	17	21	21	21	21
TOTAL SINGLE DX	1	10.0		10	10	10	10	10	10	10
TOTAL MULTIPLE DX	18	15.1	50	8	9	13	18	24	30	34
TOTAL										
65-69 YRS	5	17.4	132	9	9	10	27	34	34	34
70-74	3	9.0	13	6	6	8	12	13	13	13
75-79	5	14.4	30	9	10	13	19	22	22	22
80-84	4	15.3	8	11	13	16	17	17	17	17
85 +	2	17.0	32	13	13	17	21	21	21	21
GRAND TOTAL	**19**	**14.8**	**49**	**8**	**9**	**13**	**18**	**24**	**30**	**34**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	32	2.8	5	1	1	2	3	6	7	12
70-74	44	2.5	3	1	1	2	3	5	6	11
75-79	21	2.7	3	< 1	1	2	3	6	7	8
80-84	14	2.9	2	< 1	2	2	4	5	6	6
85 +	24	2.9	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
65-69 YRS	186	6.1	57	1	2	4	7	12	23	45
70-74	215	7.0	59	1	2	5	9	15	21	42
75-79	199	6.3	46	1	2	5	8	12	18	38
80-84	204	6.7	40	2	3	5	9	13	20	36
85 +	167	8.7	85	2	3	6	11	19	27	58
TOTAL SINGLE DX	135	2.7	4	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	971	6.9	57	1	2	5	8	15	21	48
TOTAL										
65-69 YRS	218	5.6	51	1	2	4	6	11	22	40
70-74	259	6.2	53	1	2	4	8	14	18	38
75-79	220	6.0	43	1	2	4	7	12	17	35
80-84	218	6.4	38	2	3	5	8	13	18	35
85 +	191	7.9	79	1	2	5	10	17	23	56
GRAND TOTAL	**1106**	**6.4**	**53**	**1**	**2**	**4**	**8**	**13**	**20**	**46**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	16	3.9	11	1	2	3	5	8	12	14
70-74	12	3.3	7	1	1	3	4	7	10	10
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	5.0	8	3	3	5	7	7	7	7
85 +	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	75	6.9	33	2	2	6	10	14	17	33
70-74	60	6.3	31	2	2	5	8	13	16	28
75-79	35	8.4	65	1	4	6	11	20	26	37
80-84	25	10.6	127	2	3	5	14	28	36	47
85 +	15	8.3	38	2	4	6	13	15	22	24
TOTAL SINGLE DX	34	3.9	8	1	2	3	6	7	10	14
TOTAL MULTIPLE DX	210	7.5	50	2	3	6	10	16	20	37
TOTAL										
65-69 YRS	91	6.4	31	1	2	5	9	13	17	30
70-74	72	5.8	28	1	2	4	8	12	15	28
75-79	37	8.1	63	1	4	6	9	19	26	37
80-84	27	10.1	120	2	3	5	13	26	35	47
85 +	17	8.1	34	2	5	6	11	15	21	24
GRAND TOTAL	**244**	**7.0**	**46**	**2**	**2**	**5**	**9**	**15**	**19**	**37**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	47	9.9	36	7	8	8	11	12	15	48
70-74	37	8.8	17	4	7	8	10	12	15	27
75-79	17	10.6	11	7	8	9	12	16	17	18
80-84	15	9.1	27	2	6	9	10	15	22	24
85 +	9	10.4	43	3	6	9	13	21	24	24
2. MULTIPLE DX										
65-69 YRS	529	12.2	51	7	9	10	14	19	23	44
70-74	526	13.8	101	7	9	11	15	22	29	61
75-79	434	14.8	105	8	9	12	16	25	34	61
80-84	269	15.5	100	8	10	13	19	26	32	69
85 +	140	15.0	59	8	9	14	18	26	29	43
TOTAL SINGLE DX	125	9.6	27	6	7	9	11	14	17	32
TOTAL MULTIPLE DX	1898	13.9	87	7	9	11	16	23	30	58
TOTAL										
65-69 YRS	576	12.0	51	7	9	10	13	19	23	45
70-74	563	13.5	97	7	9	11	15	21	28	60
75-79	451	14.6	103	8	9	12	16	25	34	61
80-84	284	15.2	98	7	10	12	19	25	31	67
85 +	149	14.7	59	7	9	13	18	25	29	43
GRAND TOTAL	**2023**	**13.6**	**84**	**7**	**9**	**11**	**15**	**23**	**29**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	173	3.5	9	<1	<1	2	5	7	9	14
70-74	138	3.6	10	<1	<1	3	5	7	9	16
75-79	128	3.6	19	<1	<1	2	5	8	9	24
80-84	88	3.5	17	<1	<1	2	5	8	10	24
85+	56	4.5	19	<1	1	3	7	11	13	21
2. MULTIPLE DX										
65-69 YRS	5163	7.3	49	2	3	5	8	14	19	37
70-74	5492	7.5	44	2	4	6	9	14	20	36
75-79	5615	8.0	52	3	4	6	9	15	21	41
80-84	4705	8.5	59	3	4	6	10	16	22	41
85+	4252	9.1	70	3	4	7	11	18	23	45
TOTAL SINGLE DX	583	3.6	14	<1	<1	2	5	8	10	18
TOTAL MULTIPLE DX	25227	8.0	55	3	4	6	10	15	21	40
TOTAL										
65-69 YRS	5336	7.2	49	2	3	5	8	14	19	36
70-74	5630	7.4	44	2	4	6	9	14	19	36
75-79	5743	7.9	53	2	4	6	9	15	21	40
80-84	4793	8.4	59	3	4	6	10	16	21	41
85+	4308	9.0	70	3	4	7	11	18	23	45
GRAND TOTAL	25810	7.9	55	2	4	6	9	15	21	40

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	20	1.4		1	1	1	2	2	3	3
70-74	12	1.3		<1	<1	1	1	3	4	4
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	2	1.0		1	1	1	1	1	1	1
85+	0									
2. MULTIPLE DX										
65-69 YRS	60	4.0	45	1	1	2	3	8	18	36
70-74	51	4.0	22	1	1	2	5	10	13	26
75-79	21	7.3	133	1	2	2	7	25	36	47
80-84	9	10.8	316	1	2	4	9	42	55	55
85+	9	6.0	68	1	1	3	7	20	26	26
TOTAL SINGLE DX	36	1.4	1	<1	1	1	2	2	3	4
TOTAL MULTIPLE DX	150	5.0	68	1	1	2	5	12	24	47
TOTAL										
65-69 YRS	80	3.3	35	1	1	2	2	6	12	35
70-74	63	3.5	20	1	1	2	4	8	13	25
75-79	23	6.9	124	1	1	2	7	25	34	47
80-84	11	9.0	269	1	1	3	4	35	53	55
85+	9	6.0	68	1	1	3	7	20	26	26
GRAND TOTAL	186	4.3	57	1	1	2	3	9	22	43

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	3.4	7	1	2	3	4	8	10	10
70-74	4	1.8		<1	1	2	2	2	2	2
75-79	4	1.8	1	1	1	2	2	3	3	3
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	41	4.3	49	1	1	2	4	7	21	37
70-74	41	3.7	24	1	1	2	3	9	18	22
75-79	43	4.3	9	1	2	3	6	8	10	15
80-84	22	7.5	76	2	2	4	8	20	29	33
85+	11	6.1	32	1	2	3	8	15	20	20
TOTAL SINGLE DX	19	2.7	5	1	1	2	3	6	8	10
TOTAL MULTIPLE DX	158	4.7	35	1	2	3	5	10	18	33
TOTAL										
65-69 YRS	50	4.2	42	1	1	2	4	7	14	37
70-74	45	3.5	23	1	1	2	3	7	17	22
75-79	47	4.1	9	1	2	3	6	8	10	15
80-84	23	7.4	73	2	2	4	8	20	28	33
85+	12	5.7	32	1	2	3	8	14	19	20
GRAND TOTAL	177	4.5	32	1	2	3	5	9	17	32

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	2.3	1	1	1	2	3	4	5	6
70-74	16	2.6	2	1	1	2	4	5	6	6
75-79	9	1.8		<1	1	2	2	3	3	3
80-84	4	2.3		2	2	2	3	3	3	3
85+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	416	3.1	7	1	2	2	4	6	8	16
70-74	323	3.9	28	1	2	3	4	7	12	32
75-79	211	3.9	17	1	2	3	4	7	12	25
80-84	92	4.5	24	1	2	3	5	10	13	29
85+	43	5.4	22	1	2	4	8	14	15	18
TOTAL SINGLE DX	61	2.3	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	1085	3.7	18	1	2	3	4	7	11	23
TOTAL										
65-69 YRS	444	3.0	8	1	1	2	3	6	7	16
70-74	339	3.8	27	1	2	3	4	7	11	31
75-79	220	3.8	17	1	2	3	4	7	12	24
80-84	96	4.4	23	1	2	3	5	10	13	29
85+	47	5.1	22	1	2	3	7	14	15	18
GRAND TOTAL	1146	3.6	17	1	2	2	4	7	10	23

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	2.7	3	1	2	2	4	5	7	7
70-74	11	2.2	2	1	1	2	3	4	5	5
75-79	13	2.4		1	2	2	3	4	4	4
80-84	6	6.5	6	2	5	7	8	9	9	9
85 +	4	9.3	51	3	4	7	14	19	19	19
2. MULTIPLE DX										
65-69 YRS	98	5.4	86	1	2	3	5	13	25	89
70-74	78	5.1	20	1	2	3	7	12	15	19
75-79	69	7.1	43	1	2	5	9	16	23	87
80-84	40	5.8	34	1	2	4	6	15	18	27
85 +	55	7.0	49	1	3	6	9	14	16	42
TOTAL SINGLE DX	48	3.5	10	1	2	2	4	8	9	19
TOTAL MULTIPLE DX	340	6.0	51	1	2	4	8	14	18	46
TOTAL										
65-69 YRS	112	5.1	77	1	2	2	5	11	22	86
70-74	89	4.7	19	1	2	3	6	11	14	19
75-79	82	6.3	39	2	2	4	9	15	22	78
80-84	46	5.9	31	1	2	4	7	15	18	27
85 +	59	7.2	49	1	3	6	9	14	18	42
GRAND TOTAL	388	5.7	46	1	2	3	7	13	17	40

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	15.0	72	9	9	15	21	21	21	21
70-74	0									
75-79	2	13.5	313	1	1	13	26	20	26	26
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	33	13.3	57	5	8	12	16	23	28	38
70-74	28	13.6	153	4	7	9	15	34	40	56
75-79	29	15.0	147	5	7	12	19	37	54	99 +
80-84	22	20.2	145	7	11	18	29	39	42	45
85 +	5	22.6	73	15	17	20	26	37	37	37
TOTAL SINGLE DX	4	14.3	129	1	5	15	23	26	26	26
TOTAL MULTIPLE DX	117	15.5	125	5	8	12	20	33	40	70
TOTAL										
65-69 YRS	35	13.4	57	5	9	12	17	22	28	38
70-74	28	13.6	154	4	7	9	15	34	40	56
75-79	31	14.9	148	4	7	12	22	34	53	99 +
80-84	22	20.2	145	7	11	18	29	39	42	45
85 +	5	22.6	73	15	17	20	26	37	37	37
GRAND TOTAL	121	15.5	124	5	8	12	21	31	39	68

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	38	1.8	2	1	1	1	2	5	6	7
70-74	14	3.7	21	< 1	1	1	5	9	15	17
75-79	18	4.1	24	1	1	2	6	11	17	19
80-84	7	4.6	32	1	1	1	7	14	16	16
85 +	4	5.0	27	1	1	4	9	12	12	12
2. MULTIPLE DX										
65-69 YRS	475	10.5	101	1	4	8	13	22	33	57
70-74	421	11.4	93	2	6	9	15	21	27	56
75-79	360	10.8	73	2	6	9	13	21	26	45
80-84	193	11.3	65	2	6	9	16	22	28	78
85 +	89	11.8	86	3	6	10	15	22	26	55
TOTAL SINGLE DX	81	3.0	15	1	1	1	4	7	12	18
TOTAL MULTIPLE DX	1538	11.0	87	2	5	9	14	21	28	54
TOTAL										
65-69 YRS	513	9.8	99	1	3	8	13	20	31	57
70-74	435	11.2	93	1	5	9	15	21	27	54
75-79	378	10.5	74	2	5	9	13	21	26	43
80-84	200	11.0	65	2	5	9	16	22	27	75
85 +	93	11.5	85	3	6	10	15	22	26	53
GRAND TOTAL	1619	10.6	87	1	5	9	14	21	27	53

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	846	3.9	6	1	2	4	5	7	8	11
70-74	514	4.2	8	1	2	4	5	7	9	12
75-79	267	4.4	8	1	2	4	6	8	9	14
80-84	118	5.0	8	1	3	5	7	9	11	13
85 +	46	6.0	12	1	3	6	9	10	12	13
2. MULTIPLE DX										
65-69 YRS	4862	7.2	33	3	4	6	9	13	16	30
70-74	4069	8.1	41	3	4	7	10	14	19	36
75-79	3204	9.3	50	4	5	8	11	16	21	36
80-84	1879	11.1	69	4	6	9	14	19	26	49
85 +	1155	12.7	71	5	8	11	15	22	29	47
TOTAL SINGLE DX	1791	4.2	8	1	2	4	5	7	9	13
TOTAL MULTIPLE DX	15169	8.8	49	3	5	7	11	16	21	38
TOTAL										
65-69 YRS	5708	6.7	31	2	4	5	8	12	15	29
70-74	4583	7.6	40	3	4	6	9	14	18	35
75-79	3471	8.9	49	3	5	7	11	16	20	35
80-84	1997	10.8	68	4	6	9	13	19	25	48
85 +	1201	12.5	70	5	7	11	15	21	28	46
GRAND TOTAL	16960	8.3	47	3	4	7	10	15	20	36

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	2.9	6	1	1	2	4	7	9	9
70-74	3	4.0	7	1	2	5	6	6	6	6
75-79	7	3.0	13	1	1	2	3	9	11	11
80-84	5	3.6	5	1	2	3	5	7	7	7
85 +	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	44	10.0	42	2	5	9	13	17	23	33
70-74	35	10.6	115	2	5	8	11	20	27	59
75-79	58	9.3	103	2	3	8	11	18	22	67
80-84	36	8.9	54	2	3	6	15	22	24	24
85 +	32	9.9	40	2	5	9	15	19	23	24
TOTAL SINGLE DX	27	3.2	7	1	1	2	4	7	9	11
TOTAL MULTIPLE DX	205	9.7	73	2	4	8	12	20	23	45
TOTAL										
65-69 YRS	53	8.8	43	2	4	9	12	16	22	33
70-74	38	10.1	110	2	4	7	10	20	27	59
75-79	65	8.6	97	1	3	7	11	18	22	64
80-84	41	8.3	51	2	3	6	14	21	23	24
85 +	35	9.3	41	1	4	8	14	19	23	24
GRAND TOTAL	232	9.0	69	1	3	7	12	19	23	38

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	54	4.3	18	<1	1	3	6	10	14	17
70-74	53	4.0	16	1	1	2	5	12	14	18
75-79	34	3.5	8	1	1	2	6	8	10	11
80-84	29	5.6	23	1	1	4	8	13	14	19
85 +	24	3.8	8	1	1	3	5	7	9	12
2. MULTIPLE DX										
65-69 YRS	503	8.3	51	2	4	6	11	17	22	37
70-74	491	8.0	51	2	3	6	10	16	22	38
75-79	486	8.6	63	2	4	7	11	17	21	37
80-84	457	8.9	51	2	4	7	12	17	20	36
85 +	450	10.4	86	3	5	8	13	20	24	52
TOTAL SINGLE DX	194	4.2	16	1	1	3	6	10	13	18
TOTAL MULTIPLE DX	2387	8.8	61	2	4	7	11	17	22	39
TOTAL										
65-69 YRS	557	7.9	50	1	3	6	10	16	22	37
70-74	544	7.6	49	2	3	6	10	16	21	38
75-79	520	8.3	62	2	3	7	10	17	21	34
80-84	486	8.7	51	2	4	7	12	17	20	36
85 +	474	10.1	84	2	5	8	12	19	24	51
GRAND TOTAL	2581	8.5	59	2	4	7	11	17	22	38

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	6.9	8	4	5	7	8	11	13	14
70-74	11	10.8	78	3	4	8	15	24	31	32
75-79	15	8.2	26	1	5	7	11	13	19	21
80-84	4	14.0	193	1	4	11	24	33	33	33
85 +	3	6.3	24	3	3	4	10	12	12	12
2. MULTIPLE DX										
65-69 YRS	334	14.9	115	5	8	12	19	27	34	64
70-74	353	15.3	133	6	8	13	18	27	33	65
75-79	327	16.1	111	7	9	13	21	30	35	51
80-84	252	16.2	137	7	10	13	20	29	42	95
85 +	201	16.1	75	8	11	14	20	27	35	46
TOTAL SINGLE DX	50	8.7	44	2	5	7	11	15	21	33
TOTAL MULTIPLE DX	1467	15.7	117	6	9	13	19	28	36	63
TOTAL										
65-69 YRS	351	14.5	113	5	8	12	18	26	33	61
70-74	364	15.1	132	6	8	13	18	27	33	65
75-79	342	15.7	111	6	8	13	21	29	35	50
80-84	256	16.2	137	7	10	13	20	29	42	94
85 +	204	16.0	76	8	11	14	20	27	35	46
GRAND TOTAL	1517	15.4	116	6	9	13	19	28	35	62

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	10.4	52	2	5	9	16	21	21	21
70-74	7	10.3	74	2	6	8	14	25	27	27
75-79	4	2.0	4	<1	<1	<1	3	5	5	5
80-84	2	3.0		3	3	3	3	3	3	3
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	193	18.2	189	6	9	15	23	34	45	66
70-74	162	21.3	302	5	11	16	27	43	57	96
75-79	113	21.4	266	7	11	16	30	43	64	91
80-84	68	22.3	336	6	11	15	28	56	68	76
85 +	30	20.3	333	6	8	14	23	49	66	75
TOTAL SINGLE DX	24	8.1	54	<1	2	6	12	21	23	27
TOTAL MULTIPLE DX	566	20.3	263	6	10	16	26	41	57	93
TOTAL										
65-69 YRS	203	17.8	185	5	9	15	23	33	44	65
70-74	169	20.8	298	5	10	16	27	42	56	96
75-79	117	20.8	270	6	10	16	29	42	63	90
80-84	70	21.7	337	4	11	15	26	55	68	76
85 +	31	19.7	331	5	8	14	23	48	66	75
GRAND TOTAL	590	19.8	260	5	9	15	26	40	56	91

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	45	3.7	7	<1	1	4	5	7	9	12
70-74	45	3.5	5	<1	1	3	5	6	8	10
75-79	30	4.2	4	1	3	4	6	7	8	9
80-84	33	4.3	8	1	2	3	6	8	10	13
85+	19	4.5	6	1	3	4	6	8	10	11
2. MULTIPLE DX										
65-69 YRS	983	8.0	57	2	4	6	9	15	22	40
70-74	1207	8.2	60	3	4	6	10	15	22	42
75-79	1293	8.8	65	3	4	7	10	17	21	48
80-84	1204	8.6	56	3	4	7	10	17	21	44
85+	1298	8.9	54	3	4	7	11	18	24	40
TOTAL SINGLE DX	172	3.9	6	<1	2	3	5	7	9	12
TOTAL MULTIPLE DX	5985	8.5	59	3	4	6	10	17	22	42
TOTAL										
65-69 YRS	1028	7.8	56	2	4	6	9	15	22	40
70-74	1252	8.1	60	2	4	6	10	15	21	42
75-79	1323	8.7	65	3	4	7	10	17	21	48
80-84	1237	8.5	55	3	4	6	10	17	21	44
85+	1317	8.8	54	3	4	7	11	18	24	40
GRAND TOTAL	6157	8.4	58	3	4	6	10	16	22	41

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	352	1.6	1	1	1	1	2	3	4	6
70-74	291	1.6	1	1	1	1	2	3	4	6
75-79	234	1.9	1	1	1	1	2	3	5	8
80-84	134	1.9	2	1	1	1	2	4	5	8
85+	90	2.3	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
65-69 YRS	1080	2.9	13	1	1	2	3	6	7	19
70-74	1149	3.3	26	1	1	2	4	7	9	17
75-79	1089	3.9	27	1	1	2	5	9	12	20
80-84	786	4.0	17	1	1	3	5	9	12	23
85+	571	6.2	62	1	2	4	7	15	20	45
TOTAL SINGLE DX	1101	1.8	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	4675	3.8	27	1	1	2	4	8	12	23
TOTAL										
65-69 YRS	1432	2.6	11	1	1	2	3	5	7	15
70-74	1440	2.9	22	1	1	2	3	6	8	16
75-79	1323	3.6	23	1	1	2	4	8	11	19
80-84	920	3.7	15	1	1	2	4	8	11	22
85+	661	5.7	56	1	2	3	7	13	18	43
GRAND TOTAL	5776	3.4	23	1	1	2	4	7	11	22

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	64	1.7		1	1	1	2	3	4	5
70-74	71	2.0	1	1	1	2	2	3	5	7
75-79	38	2.0	1	1	1	2	3	4	4	6
80-84	23	2.3	2	1	1	2	3	4	5	7
85+	14	2.0		1	1	2	3	3	4	4
2. MULTIPLE DX										
65-69 YRS	254	2.7	4	1	1	2	3	5	7	12
70-74	253	2.5	3	1	1	2	3	4	6	9
75-79	220	3.5	13	1	1	2	4	7	11	22
80-84	119	4.7	31	1	2	3	4	9	14	32
85+	80	5.6	46	1	2	4	7	11	15	42
TOTAL SINGLE DX	210	1.9	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	926	3.3	14	1	1	2	4	7	9	22
TOTAL										
65-69 YRS	318	2.5	4	1	1	2	3	5	6	11
70-74	324	2.4	3	1	1	2	3	4	6	9
75-79	258	3.3	12	1	1	2	4	7	10	21
80-84	142	4.3	27	1	2	3	4	8	13	29
85+	94	5.1	41	1	2	3	6	11	13	41
GRAND TOTAL	1136	3.1	12	1	1	2	3	6	9	17

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	2.1	1	1	1	2	3	4	4	5
70-74	32	2.6	3	1	1	2	4	5	6	8
75-79	25	2.8	2	1	2	2	4	5	6	7
80-84	21	4.0	9	1	2	3	5	7	10	14
85+	11	3.3	5	1	2	3	3	6	10	10
2. MULTIPLE DX										
65-69 YRS	83	5.3	38	1	2	3	6	11	16	37
70-74	98	6.5	42	1	3	4	8	14	21	35
75-79	124	7.0	50	1	2	5	9	15	22	37
80-84	151	7.7	62	1	3	6	11	15	20	76
85+	113	8.3	40	2	4	7	11	15	19	34
TOTAL SINGLE DX	119	2.8	4	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	569	7.1	49	1	3	5	9	15	19	38
TOTAL										
65-69 YRS	113	4.4	30	1	1	3	5	9	14	34
70-74	130	5.6	36	1	2	4	7	12	16	30
75-79	149	6.3	44	1	2	4	8	14	20	37
80-84	172	7.2	58	1	3	5	10	14	19	66
85+	124	7.9	40	2	3	6	11	15	19	33
GRAND TOTAL	688	6.4	44	1	2	4	8	14	17	35

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	26	2.3	2	1	1	2	3	5	5	5
70-74	24	2.5	4	1	1	2	3	5	7	10
75-79	13	2.1	1	< 1	1	2	3	4	5	5
80-84	10	2.4	5	< 1	1	2	3	6	8	8
85 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	166	4.5	28	1	2	3	6	8	10	29
70-74	121	5.2	27	1	2	4	6	12	17	27
75-79	124	5.6	49	1	2	4	7	13	19	42
80-84	78	8.0	148	1	3	5	9	14	26	79
85 +	49	6.9	36	1	2	6	9	13	23	29
TOTAL SINGLE DX	75	2.4	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	538	5.6	52	1	2	4	7	12	16	33
TOTAL										
65-69 YRS	192	4.2	25	1	2	3	5	8	10	26
70-74	145	4.8	25	1	2	3	6	10	16	26
75-79	137	5.3	46	1	1	3	6	12	17	41
80-84	88	7.4	135	1	2	4	9	14	21	74
85 +	51	6.9	35	1	2	6	8	13	22	29
GRAND TOTAL	613	5.2	47	1	2	3	6	10	14	32

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	227	3.1	3	1	2	3	4	6	6	9
70-74	161	3.2	4	1	2	3	4	6	7	10
75-79	105	3.0	3	1	1	3	4	6	7	8
80-84	55	3.5	6	1	2	3	4	6	8	17
85 +	17	3.2	4	1	2	2	4	7	7	7
2. MULTIPLE DX										
65-69 YRS	903	5.4	26	2	3	4	7	10	12	27
70-74	779	5.5	27	2	3	4	7	11	14	31
75-79	612	6.4	48	2	3	5	8	12	16	37
80-84	308	6.8	28	2	3	5	9	14	17	28
85 +	178	9.0	119	2	3	6	11	18	27	58
TOTAL SINGLE DX	565	3.2	4	1	2	3	4	6	7	9
TOTAL MULTIPLE DX	2780	6.0	39	2	3	4	7	11	15	32
TOTAL										
65-69 YRS	1130	4.9	23	1	2	4	6	9	12	25
70-74	940	5.1	25	1	2	4	6	10	13	24
75-79	717	5.9	43	1	3	4	7	11	15	31
80-84	363	6.3	26	2	3	5	8	13	17	27
85 +	195	8.5	112	1	3	5	10	17	25	57
GRAND TOTAL	3345	5.5	34	1	2	4	7	11	14	29

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	6.1	11	2	5	6	7	11	14	14
70-74	7	7.7	11	3	6	8	10	12	13	13
75-79	3	7.3	9	4	5	8	9	10	10	10
80-84	3	8.3	4	6	7	9	10	10	10	10
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	88	10.4	68	4	6	8	11	19	23	54
70-74	82	11.6	83	5	6	9	14	23	37	99 +
75-79	89	13.2	110	5	8	11	16	24	28	91
80-84	59	15.0	129	7	9	12	18	27	29	78
85 +	40	15.8	141	4	8	13	22	29	31	66
TOTAL SINGLE DX	25	7.0	9	3	5	7	9	10	13	14
TOTAL MULTIPLE DX	358	12.7	103	5	7	10	16	24	30	82
TOTAL										
65-69 YRS	99	9.9	64	4	6	8	11	19	22	51
70-74	89	11.3	79	5	6	9	14	22	36	99 +
75-79	92	13.0	108	5	8	11	16	24	28	91
80-84	62	14.7	125	7	9	12	18	26	29	77
85 +	41	15.6	140	4	7	13	22	29	31	66
GRAND TOTAL	383	12.4	99	5	7	9	15	24	29	81

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	33	5.4	18	1	2	5	7	12	15	17
70-74	29	5.2	18	2	3	4	7	10	14	21
75-79	21	5.2	4	3	3	5	7	8	8	8
80-84	9	6.0	22	2	3	4	7	14	17	17
85 +	9	6.0	24	1	3	4	8	14	15	15
2. MULTIPLE DX										
65-69 YRS	888	10.2	85	3	5	8	13	21	26	46
70-74	763	11.3	81	3	6	9	14	23	29	45
75-79	620	11.0	78	3	5	8	14	22	28	46
80-84	370	12.0	84	4	6	10	15	23	30	47
85 +	267	13.1	113	3	6	10	17	27	35	51
TOTAL SINGLE DX	101	5.4	16	1	3	4	7	11	14	19
TOTAL MULTIPLE DX	2908	11.2	86	3	5	9	14	22	29	46
TOTAL										
65-69 YRS	921	10.1	84	3	5	8	12	20	26	45
70-74	792	11.1	80	3	5	9	14	22	29	45
75-79	641	10.8	78	3	5	8	13	22	28	46
80-84	379	11.8	84	3	6	10	15	22	30	46
85 +	276	12.9	112	3	6	10	16	27	35	51
GRAND TOTAL	3009	11.0	85	3	5	9	14	22	28	46

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	24	7.0	32	3	4	6	7	12	19	31
70-74	15	6.4	10	3	4	6	7	11	13	14
75-79	15	12.6	232	3	5	8	12	27	54	63
80-84	9	11.2	77	1	4	9	17	25	27	27
85 +	3	2.3	2	< 1	< 1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	412	13.5	135	4	6	10	17	26	36	67
70-74	338	14.7	122	5	7	11	18	30	38	59
75-79	255	17.8	190	6	9	14	23	40	49	79
80-84	185	17.6	158	7	9	15	21	34	40	74
85 +	125	15.2	100	6	8	13	21	27	35	51
TOTAL SINGLE DX	66	8.5	82	3	4	6	10	15	27	58
TOTAL MULTIPLE DX	1315	15.4	146	5	7	12	19	31	40	68
TOTAL										
65-69 YRS	436	13.1	132	4	6	9	17	26	35	67
70-74	353	14.3	121	5	7	11	18	29	38	58
75-79	270	17.5	194	6	8	13	22	39	49	77
80-84	194	17.3	156	7	9	14	21	33	39	73
85 +	128	14.9	102	5	8	13	20	27	35	51
GRAND TOTAL	**1381**	**15.0**	**145**	**5**	**7**	**11**	**19**	**30**	**40**	**67**

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	1.3		< 1	< 1	1	2	2	2	2
70-74	4	1.8	2	< 1	< 1	1	3	4	4	4
75-79	6	1.5		< 1	< 1	1	2	3	3	3
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	49	8.3	56	1	1	6	13	21	25	99 +
70-74	45	6.4	32	1	3	5	8	13	20	25
75-79	28	7.8	56	1	2	6	11	14	21	36
80-84	18	10.1	77	2	4	8	15	22	29	34
85 +	8	10.4	77	< 1	3	9	15	24	27	27
TOTAL SINGLE DX	16	1.4	1	< 1	< 1	1	2	3	4	4
TOTAL MULTIPLE DX	148	8.0	53	1	2	6	12	19	24	37
TOTAL										
65-69 YRS	53	7.8	56	1	1	5	13	20	25	97
70-74	49	6.0	32	1	2	4	8	13	19	25
75-79	34	6.6	52	1	2	4	10	13	18	36
80-84	20	9.2	77	1	3	6	13	22	28	34
85 +	8	10.4	78	< 1	3	9	15	24	27	27
GRAND TOTAL	**164**	**7.3**	**52**	**1**	**2**	**5**	**11**	**19**	**24**	**36**

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	77	6.3	13	2	4	6	9	11	13	18
70-74	60	7.9	58	2	4	7	10	12	18	53
75-79	31	8.1	9	4	7	9	10	12	13	14
80-84	15	8.1	11	5	6	7	10	13	14	14
85 +	17	9.0	12	4	8	9	10	13	16	17
2. MULTIPLE DX										
65-69 YRS	899	11.7	98	3	6	9	15	22	30	61
70-74	854	13.0	100	4	7	10	16	25	34	56
75-79	716	14.6	114	5	8	12	19	28	37	75
80-84	507	14.9	98	7	9	13	17	25	32	53
85 +	394	16.7	119	6	10	14	20	30	39	57
TOTAL SINGLE DX	200	7.4	27	2	4	7	10	12	14	20
TOTAL MULTIPLE DX	3370	13.7	107	4	7	11	17	25	34	59
TOTAL										
65-69 YRS	976	11.3	94	3	5	9	14	22	29	56
70-74	914	12.6	99	4	7	10	16	24	34	56
75-79	747	14.3	112	5	8	11	18	27	37	72
80-84	522	14.7	97	7	9	13	17	25	32	53
85 +	411	16.4	118	6	10	14	20	29	38	56
GRAND TOTAL	**3570**	**13.4**	**105**	**4**	**7**	**11**	**16**	**25**	**33**	**57**

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	7.6	7	4	6	7	9	11	13	16
70-74	36	8.1	6	5	6	8	9	12	14	15
75-79	25	8.9	8	6	7	8	10	13	15	18
80-84	12	8.3	30	5	5	7	9	14	23	25
85 +	5	6.4	5	3	5	6	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	479	10.6	50	5	7	8	12	19	25	34
70-74	402	11.4	73	6	7	9	13	19	26	55
75-79	307	12.5	71	6	7	10	15	22	27	55
80-84	192	12.6	74	7	8	10	14	20	30	50
85 +	84	14.2	62	7	9	11	17	25	30	43
TOTAL SINGLE DX	122	8.0	9	5	6	7	9	12	14	20
TOTAL MULTIPLE DX	1464	11.7	66	6	7	9	13	21	26	45
TOTAL										
65-69 YRS	523	10.3	48	5	7	8	12	18	24	33
70-74	438	11.1	69	6	7	9	13	19	25	54
75-79	332	12.2	68	6	7	10	14	21	27	49
80-84	204	12.4	73	6	8	10	14	20	28	49
85 +	89	13.8	63	7	8	11	16	25	29	42
GRAND TOTAL	1586	11.4	63	6	7	9	13	20	26	44

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	13	4.8	8	2	3	4	6	9	11	12
70-74	11	3.9	12	1	2	3	5	9	13	13
75-79	6	2.7	5	< 1	< 1	2	3	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	190	9.6	67	2	4	8	12	18	23	47
70-74	181	9.8	66	3	5	8	13	18	23	48
75-79	163	12.8	162	2	5	9	16	29	34	74
80-84	82	14.4	100	4	8	12	19	28	39	45
85 +	65	18.2	180	4	8	16	24	39	46	54
TOTAL SINGLE DX	33	4.2	10	1	2	3	5	9	12	13
TOTAL MULTIPLE DX	681	11.8	111	3	5	9	15	24	32	53
TOTAL										
65-69 YRS	203	9.3	65	2	4	7	12	17	23	46
70-74	192	9.5	65	2	5	8	12	18	23	47
75-79	169	12.4	160	2	4	9	16	28	34	73
80-84	83	14.3	101	4	7	12	19	28	39	45
85 +	67	17.9	180	4	8	16	24	39	45	54
GRAND TOTAL	714	11.4	109	2	5	8	15	23	31	53

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	28	11.7	22	6	9	11	13	19	22	23
70-74	5	10.0	8	8	8	8	12	14	14	14
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	34	11.4	20	7	8	11	13	18	22	23
TOTAL										
65-69 YRS	28	11.7	22	6	9	11	13	19	22	23
70-74	5	10.0	8	8	8	8	12	14	14	14
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	0									
GRAND TOTAL	34	11.4	20	7	8	11	13	18	22	23

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	35	4.2	7	1	2	4	7	8	8	9
70-74	19	3.9	6	1	1	4	6	7	9	10
75-79	7	2.3	2	1	1	2	4	5	5	5
80-84	3	4.0	9	1	2	4	6	7	7	7
85 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	288	8.6	50	2	4	7	11	16	19	33
70-74	244	9.4	101	1	4	8	11	19	27	63
75-79	245	11.4	91	2	5	9	15	25	28	48
80-84	127	11.8	126	2	4	9	15	25	33	64
85 +	56	12.6	98	2	5	11	17	26	31	49
TOTAL SINGLE DX	66	3.9	7	1	1	3	6	7	8	10
TOTAL MULTIPLE DX	960	10.2	88	2	4	8	13	21	27	48
TOTAL										
65-69 YRS	323	8.1	47	1	3	7	10	16	19	32
70-74	263	9.0	97	1	3	7	11	18	27	59
75-79	252	11.2	92	1	4	9	15	24	28	48
80-84	130	11.6	125	2	4	9	15	24	33	64
85 +	58	12.3	98	2	4	10	17	25	31	49
GRAND TOTAL	1026	9.8	85	1	4	8	13	20	27	48

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	4.9	19	1	1	4	7	12	13	13
70-74	6	3.2	4	1	1	3	5	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
2. MULTIPLE DX										
65-69 YRS	55	6.7	12	2	5	6	9	11	13	18
70-74	52	11.2	107	4	6	8	12	16	38	61
75-79	25	13.5	57	5	7	13	20	26	27	29
80-84	34	9.9	15	6	7	9	12	15	17	21
85 +	11	18.7	361	6	9	13	18	46	70	72
TOTAL SINGLE DX	15	4.6	15	1	1	4	6	12	13	13
TOTAL MULTIPLE DX	177	10.4	76	4	6	8	12	17	25	55
TOTAL										
65-69 YRS	62	6.5	14	2	4	6	8	11	13	18
70-74	58	10.4	102	3	5	8	12	15	36	59
75-79	26	13.2	59	4	7	12	20	25	27	29
80-84	35	10.0	15	6	7	10	12	15	17	21
85 +	11	18.7	361	6	9	13	18	46	70	72
GRAND TOTAL	**192**	**9.9**	**74**	**3**	**6**	**8**	**12**	**17**	**23**	**52**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	12.4	32	7	7	12	17	20	20	20
70-74	1	1.0		1	1	1	1	1	1	1
75-79	4	6.8	12	3	4	6	9	11	11	11
80-84	0									
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	71	14.7	126	5	9	12	17	28	40	60
70-74	59	14.2	85	6	8	11	18	27	38	42
75-79	54	13.5	86	3	7	12	18	27	36	97
80-84	33	14.9	57	5	9	14	21	25	27	36
85 +	12	16.8	243	7	10	13	16	31	60	65
TOTAL SINGLE DX	11	9.0	31	2	5	8	12	18	20	20
TOTAL MULTIPLE DX	229	14.4	101	5	9	12	18	26	38	63
TOTAL										
65-69 YRS	76	14.6	120	5	9	12	17	25	40	59
70-74	60	14.0	87	6	8	11	17	27	38	42
75-79	58	13.0	84	3	7	11	17	26	35	95
80-84	33	14.9	57	5	9	14	21	25	27	36
85 +	13	16.2	228	8	10	13	16	27	58	65
GRAND TOTAL	**240**	**14.2**	**99**	**5**	**8**	**12**	**17**	**25**	**38**	**63**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	111	2.9	3	1	1	2	4	6	7	10
70-74	64	2.4	1	1	1	2	3	4	5	6
75-79	24	3.9	11	1	2	3	4	7	12	16
80-84	18	2.8	4	1	1	2	3	6	8	9
85 +	4	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	363	4.4	15	1	2	3	5	8	12	23
70-74	273	4.9	18	1	2	4	6	10	14	23
75-79	193	5.4	25	1	2	4	7	12	15	24
80-84	106	5.8	30	1	2	4	8	11	18	28
85 +	44	8.4	78	1	2	5	11	24	28	36
TOTAL SINGLE DX	221	2.9	4	1	1	2	4	6	6	10
TOTAL MULTIPLE DX	979	5.1	23	1	2	4	6	10	15	26
TOTAL										
65-69 YRS	474	4.1	13	1	2	3	5	8	10	20
70-74	337	4.4	16	1	2	3	5	9	12	23
75-79	217	5.2	24	1	2	4	6	12	15	23
80-84	124	5.4	28	1	2	4	7	11	16	27
85 +	48	7.9	74	1	2	4	9	22	27	36
GRAND TOTAL	**1200**	**4.7**	**20**	**1**	**2**	**3**	**6**	**9**	**13**	**25**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	4.3	9	1	2	4	6	9	9	9
70-74	4	3.0	2	1	2	3	4	5	5	5
75-79	5	4.2	16	1	1	2	8	10	10	10
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	74	7.7	43	1	3	7	10	13	20	38
70-74	59	8.1	49	1	3	7	11	16	20	37
75-79	45	9.9	75	2	4	7	12	21	29	43
80-84	30	9.3	82	1	4	7	11	20	35	39
85 +	22	10.3	90	2	5	8	12	22	31	43
TOTAL SINGLE DX	17	3.8	9	1	1	3	6	9	10	10
TOTAL MULTIPLE DX	230	8.7	61	1	3	7	11	17	23	41
TOTAL										
65-69 YRS	81	7.4	41	1	3	7	9	13	18	37
70-74	63	7.7	48	1	3	6	10	15	20	36
75-79	50	9.3	72	1	4	7	12	21	29	43
80-84	30	9.3	82	1	4	7	11	20	35	39
85 +	23	9.9	90	1	3	8	12	22	29	43
GRAND TOTAL	**247**	**8.3**	**59**	**1**	**3**	**7**	**11**	**16**	**22**	**41**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	84	2.9	5	<1	1	2	4	5	8	12
70-74	56	2.7	7	1	1	2	3	5	9	16
75-79	46	2.8	8	1	1	2	4	5	8	18
80-84	30	3.1	5	1	1	2	4	7	8	10
85 +	18	4.2	20	<1	1	3	5	10	16	19
2. MULTIPLE DX										
65-69 YRS	1167	8.4	77	2	3	6	10	19	26	45
70-74	1234	9.4	77	2	4	7	12	21	27	43
75-79	1224	9.8	83	2	4	7	13	21	27	52
80-84	1046	11.4	117	3	5	8	14	24	31	53
85 +	927	11.0	82	3	5	8	14	22	29	51
TOTAL SINGLE DX	234	3.0	8	1	1	2	4	6	8	16
TOTAL MULTIPLE DX	5598	9.9	88	2	4	7	13	21	28	50
TOTAL										
65-69 YRS	1251	8.1	75	1	3	5	10	19	25	44
70-74	1290	9.1	76	2	3	6	12	20	27	43
75-79	1270	9.5	82	2	4	7	13	21	27	52
80-84	1076	11.2	116	2	5	8	14	24	31	53
85 +	945	10.8	82	3	5	8	14	22	28	51
GRAND TOTAL	5832	9.6	87	2	4	7	12	21	28	48

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	250	2.1	1	1	1	2	3	4	4	6
70-74	214	2.1	1	1	1	2	3	4	5	6
75-79	197	2.1	1	1	1	2	3	4	5	7
80-84	131	2.6	6	1	1	2	3	5	6	14
85 +	103	2.6	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
65-69 YRS	1291	4.3	38	1	1	3	4	9	14	29
70-74	1478	4.6	31	1	2	3	5	10	14	31
75-79	1533	5.2	40	1	2	3	6	11	17	32
80-84	1194	5.6	37	1	2	4	7	12	17	33
85 +	962	7.1	81	1	2	4	8	16	23	47
TOTAL SINGLE DX	895	2.3	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	6458	5.3	44	1	2	3	6	11	17	34
TOTAL										
65-69 YRS	1541	3.9	33	1	1	2	4	8	12	27
70-74	1692	4.3	28	1	2	3	5	9	13	29
75-79	1730	4.9	37	1	2	3	5	11	16	31
80-84	1325	5.3	35	1	2	4	6	12	16	32
85 +	1065	6.7	75	1	2	4	8	15	23	46
GRAND TOTAL	7353	4.9	40	1	2	3	5	11	16	32

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	1.0		1	1	1	1	1	1	1
70-74	11	2.5	7	<1	1	1	3	7	10	10
75-79	5	3.0	4	1	1	3	4	6	6	6
80-84	2	1.0		1	1	1	1	1	1	1
85 +	4	3.8	14	1	1	3	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	96	5.5	73	1	2	3	5	12	16	55
70-74	105	6.7	122	1	2	4	7	14	19	64
75-79	117	5.7	34	1	2	4	7	15	18	30
80-84	84	7.8	80	1	3	5	10	15	22	55
85 +	62	9.9	144	2	3	6	10	27	37	63
TOTAL SINGLE DX	25	2.5	7	1	1	1	3	6	9	10
TOTAL MULTIPLE DX	464	6.8	87	1	2	4	8	15	21	45
TOTAL										
65-69 YRS	99	5.4	72	1	2	3	5	12	16	54
70-74	116	6.3	113	1	2	3	7	14	17	58
75-79	122	5.6	34	1	2	4	7	14	18	30
80-84	86	7.7	80	1	3	5	10	15	21	55
85 +	66	9.5	139	1	3	6	10	25	35	62
GRAND TOTAL	489	6.6	84	1	2	4	7	14	20	45

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	45	5.8	28	1	2	4	8	13	16	22
70-74	55	5.1	48	1	2	3	5	12	14	40
75-79	37	4.1	11	1	1	3	6	9	11	12
80-84	20	4.0	25	1	1	2	4	10	16	21
85 +	9	4.2	10	1	2	2	7	9	10	10
2. MULTIPLE DX										
65-69 YRS	537	9.6	97	1	3	7	12	20	26	45
70-74	602	9.8	87	2	3	8	13	21	29	52
75-79	574	10.4	102	2	3	8	14	22	29	48
80-84	346	11.6	151	2	3	8	15	27	38	58
85 +	311	10.7	101	2	4	8	14	22	28	55
TOTAL SINGLE DX	166	4.9	30	1	2	3	7	11	14	30
TOTAL MULTIPLE DX	2370	10.3	105	2	3	8	13	21	30	53
TOTAL										
65-69 YRS	582	9.3	94	1	3	7	12	19	25	45
70-74	657	9.4	86	2	3	7	12	20	28	49
75-79	611	10.1	99	2	3	8	13	21	28	48
80-84	366	11.2	148	2	3	8	15	25	37	57
85 +	320	10.5	100	2	4	8	13	22	27	55
GRAND TOTAL	2536	9.9	102	2	3	7	13	21	29	52

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	5.8	15	2	3	5	8	11	11	11
70-74	9	5.7	37	1	1	2	8	16	19	19
75-79	4	4.3	4	2	2	4	6	6	6	6
80-84	5	10.2	281	1	1	3	14	40	40	40
85 +	3	10.0	133	1	2	6	19	23	23	23
TOTAL SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
TOTAL MULTIPLE DX	25	6.9	78	1	2	4	7	19	27	40
TOTAL										
65-69 YRS	4	5.8	15	2	3	5	8	11	11	11
70-74	11	5.1	32	1	1	2	7	14	19	19
75-79	4	4.3	4	2	2	4	6	6	6	6
80-84	5	10.2	282	1	1	3	14	40	40	40
85 +	3	10.0	133	1	2	6	19	23	23	23
GRAND TOTAL	27	6.6	74	1	1	4	7	17	26	40

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	2.3	2	1	1	2	4	4	5	5
70-74	10	2.8	3	1	1	2	4	5	6	6
75-79	12	2.6	6	1	1	2	3	6	9	10
80-84	6	2.5	3	1	1	2	4	5	5	5
85 +	4	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YPS	86	4.3	28	1	2	3	5	8	10	34
70-74	56	3.8	5	1	2	4	5	7	8	10
75-79	54	5.9	43	1	2	4	6	14	23	32
80-84	43	6.0	33	1	2	4	8	14	18	28
85 +	26	5.3	31	1	1	4	7	9	21	24
TOTAL SINGLE DX	47	2.4	3	1	1	2	4	5	5	10
TOTAL MULTIPLE DX	265	4.9	28	1	2	4	6	9	14	28
TOTAL										
65-69 YRS	101	4.0	25	1	2	3	5	7	9	31
70-74	66	3.7	5	1	2	3	5	7	8	10
75-79	66	5.3	38	1	2	3	5	10	19	31
80-84	49	5.6	31	1	2	4	7	13	15	28
85 +	30	4.8	29	1	1	3	6	9	20	24
GRAND TOTAL	312	4.5	25	1	2	3	5	9	13	27

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	3.4	12	1	1	2	5	10	10	10
70-74	6	3.7	13	<1	1	2	6	10	10	10
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	2	22.5	113	15	15	22	30	30	30	30
85 +	2	8.5	113	1	1	8	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	117	7.8	34	1	3	7	10	15	19	29
70-74	141	9.9	118	1	4	7	12	20	27	51
75-79	157	10.4	106	2	4	8	13	21	25	65
80-84	159	11.0	141	2	5	8	13	21	35	88
85 +	162	10.5	111	3	5	8	12	22	27	55
TOTAL SINGLE DX	21	5.8	53	1	1	2	9	15	22	30
TOTAL MULTIPLE DX	746	10.0	107	2	4	8	12	20	27	56
TOTAL										
65-69 YRS	126	7.5	34	1	3	7	10	14	18	28
70-74	147	9.6	116	1	3	7	12	20	27	48
75-79	169	10.3	106	2	4	8	13	21	25	64
80-84	161	11.2	142	2	5	8	13	23	35	88
85 +	164	10.5	111	3	5	8	12	22	27	54
GRAND TOTAL	767	9.9	106	2	4	7	12	20	26	54

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	2.3	1	1	1	2	3	4	5	5
70-74	19	2.5	1	1	1	2	4	4	5	5
75-79	17	3.1	8	1	1	2	4	7	11	12
80-84	8	3.4	4	1	2	3	4	7	8	8
85 +	4	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	235	4.1	20	1	2	3	4	7	12	25
70-74	274	4.6	42	1	2	3	5	10	12	24
75-79	264	4.6	20	1	2	3	5	9	12	28
80-84	178	6.4	55	1	2	4	7	14	20	37
85 +	131	7.6	44	2	3	5	11	18	21	48
TOTAL SINGLE DX	69	2.7	4	1	1	2	4	4	5	11
TOTAL MULTIPLE DX	1082	5.1	36	1	2	3	6	11	16	30
TOTAL										
65-69 YRS	256	3.9	19	1	2	3	4	7	11	25
70-74	293	4.5	40	1	2	3	5	9	12	24
75-79	281	4.5	19	1	2	3	5	9	12	27
80-84	186	6.3	53	1	2	4	7	14	20	37
85 +	135	7.4	44	2	3	5	10	18	21	46
GRAND TOTAL	1151	5.0	34	1	2	3	6	11	15	29

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	58	4.5	3	2	3	4	5	7	9	11
70-74	28	4.6	1	3	4	4	5	6	6	7
75-79	24	4.5	4	2	3	4	6	7	8	9
80-84	7	5.0	6	2	4	4	6	9	10	10
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	230	5.4	9	3	4	5	6	8	9	22
70-74	156	5.8	11	3	4	5	7	10	11	18
75-79	101	5.7	6	3	4	5	7	8	10	16
80-84	32	7.8	13	5	6	7	9	12	17	21
85 +	13	7.5	14	3	5	7	10	13	13	13
TOTAL SINGLE DX	118	4.6	3	2	4	4	5	7	8	10
TOTAL MULTIPLE DX	532	5.8	10	3	4	5	7	9	11	18
TOTAL										
65-69 YRS	288	5.2	9	3	4	5	6	8	9	18
70-74	184	5.6	10	3	4	5	6	9	11	17
75-79	125	5.5	6	3	4	5	7	8	10	15
80-84	39	7.3	14	4	5	7	8	11	16	21
85 +	14	7.2	14	3	4	7	10	13	13	13
GRAND TOTAL	650	5.6	9	3	4	5	6	8	10	17

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	126	3.6	3	2	3	3	4	5	6	10
70-74	85	3.5	1	2	3	3	4	5	6	7
75-79	43	3.3	1	2	2	3	4	5	6	6
80-84	18	3.5	3	1	2	3	4	6	7	8
85 +	3	5.0	7	3	3	4	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	315	4.2	5	2	3	4	5	7	8	13
70-74	291	4.4	5	2	3	4	5	7	8	13
75-79	172	4.9	31	2	3	4	5	7	11	25
80-84	78	4.9	13	2	3	4	5	8	9	25
85 +	27	6.4	28	3	4	5	7	10	19	28
TOTAL SINGLE DX	275	3.5	2	2	2	3	4	5	6	8
TOTAL MULTIPLE DX	883	4.5	12	2	3	4	5	7	9	16
TOTAL										
65-69 YRS	441	4.0	5	2	3	4	5	6	8	12
70-74	376	4.2	5	2	3	4	5	7	8	12
75-79	215	4.6	26	2	3	4	5	7	9	22
80-84	96	4.6	12	2	3	4	5	8	9	22
85 +	30	6.3	26	3	4	5	7	10	17	28
GRAND TOTAL	1158	4.3	10	2	3	4	5	7	8	15

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	2.4	4	1	1	2	3	5	8	9
70-74	18	2.9	3	1	1	3	4	6	7	7
75-79	10	2.3	1	1	1	2	3	4	4	4
80-84	4	2.5	1	1	1	2	3	4	4	4
85 +	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	257	6.7	52	1	3	5	9	14	19	31
70-74	225	7.5	57	2	3	5	9	16	26	36
75-79	172	7.4	42	2	3	6	10	15	24	30
80-84	98	9.3	61	2	4	8	12	19	26	37
85 +	75	9.7	47	3	5	8	13	19	24	33
TOTAL SINGLE DX	63	2.5	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	827	7.7	53	1	3	5	10	16	22	34
TOTAL										
65-69 YRS	285	6.3	49	1	2	4	8	13	18	30
70-74	243	7.2	55	1	3	5	8	15	26	36
75-79	182	7.1	42	1	3	5	9	15	23	30
80-84	102	9.1	61	1	3	7	12	19	25	37
85 +	78	9.4	48	2	4	8	12	19	24	33
GRAND TOTAL	890	7.3	51	1	3	5	9	16	22	34

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	88	1.3		< 1	1	1	1	2	3	5
70-74	47	1.6	2	< 1	1	1	2	3	6	7
75-79	45	1.5	1	< 1	1	1	1	3	4	8
80-84	8	3.4	27	< 1	1	1	3	12	16	16
85 +	6	2.5	13	< 1	< 1	1	1	9	10	10
2. MULTIPLE DX										
65-69 YRS	150	3.3	24	1	1	2	4	7	9	21
70-74	111	3.5	37	1	1	2	4	8	10	32
75-79	85	4.0	21	1	1	2	5	10	14	23
80-84	44	5.4	76	1	1	2	6	11	24	45
85 +	24	4.5	24	1	2	3	5	10	17	22
TOTAL SINGLE DX	194	1.6	3	< 1	1	1	1	3	4	9
TOTAL MULTIPLE DX	414	3.8	33	1	1	2	5	8	13	29
TOTAL										
65-69 YRS	238	2.6	17	1	1	1	3	6	8	17
70-74	158	3.0	28	1	1	1	3	7	9	14
75-79	130	3.1	16	< 1	1	1	3	8	13	21
80-84	52	5.1	69	1	1	2	6	11	18	45
85 +	30	4.1	23	< 1	1	2	5	9	15	22
GRAND TOTAL	608	3.1	24	1	1	1	3	7	10	21

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	6.5	1	6	6	6	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	29	12.6	81	5	6	9	20	25	29	39
70-74	27	8.9	69	4	5	7	10	13	53	99 +
75-79	20	11.6	99	2	4	8	15	30	32	33
80-84	3	11.3	6	9	9	11	13	14	14	14
85 +	14	16.9	288	4	8	11	17	39	60	66
TOTAL SINGLE DX	3	4.7	10	1	2	6	7	7	7	7
TOTAL MULTIPLE DX	93	11.9	113	4	6	8	14	28	35	85
TOTAL										
65-69 YRS	31	12.2	79	5	6	8	19	24	28	39
70-74	27	8.9	70	4	5	7	10	13	53	99 +
75-79	20	11.6	99	2	4	8	15	30	32	33
80-84	3	11.3	6	9	9	11	13	14	14	14
85 +	15	15.9	285	1	8	10	16	36	58	66
GRAND TOTAL	**96**	**11.7**	**111**	**4**	**6**	**8**	**14**	**27**	**35**	**84**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	944	3.3	1	2	3	3	4	5	6	8
70-74	901	3.5	2	2	3	3	4	5	6	8
75-79	635	3.6	2	2	3	3	4	6	6	9
80-84	321	3.8	2	2	3	4	5	6	7	9
85 +	115	4.7	57	2	3	4	5	6	8	37
2. MULTIPLE DX										
65-69 YRS	6613	4.7	17	2	3	4	5	8	11	21
70-74	7458	5.0	20	2	3	4	5	9	12	24
75-79	6476	5.6	29	2	3	4	6	11	16	29
80-84	4083	6.6	40	2	3	4	7	13	18	35
85 +	2376	8.3	73	3	4	5	9	17	24	44
TOTAL SINGLE DX	2916	3.6	4	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	27006	5.6	31	2	3	4	6	10	15	29
TOTAL										
65-69 YRS	7557	4.5	16	2	3	4	5	7	11	21
70-74	8359	4.9	19	2	3	4	5	8	12	24
75-79	7111	5.5	27	2	3	4	6	10	15	28
80-84	4404	6.4	39	2	3	4	7	13	17	34
85 +	2491	8.1	73	3	4	5	9	16	23	44
GRAND TOTAL	**29922**	**5.4**	**29**	**2**	**3**	**4**	**6**	**10**	**14**	**28**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	253	7.2	4	5	6	7	8	10	11	15
70-74	150	6.9	4	5	6	7	8	10	10	14
75-79	47	7.0	5	4	5	7	8	9	11	15
80-84	7	8.6	8	5	7	8	10	12	13	13
85 +	3	5.0	7	3	3	4	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	1293	8.5	17	5	6	8	9	13	15	24
70-74	1000	8.5	18	5	6	8	10	13	15	24
75-79	477	9.7	29	5	7	8	11	16	20	31
80-84	164	10.7	25	6	7	10	13	17	21	27
85 +	58	13.8	83	5	8	11	18	23	29	55
TOTAL SINGLE DX	460	7.1	5	5	6	7	8	10	11	15
TOTAL MULTIPLE DX	2992	8.9	22	5	6	8	10	14	17	25
TOTAL										
65-69 YRS	1546	8.2	15	5	6	7	9	12	15	23
70-74	1150	8.3	17	5	6	7	9	13	15	23
75-79	524	9.5	28	5	6	8	11	16	19	29
80-84	171	10.7	25	6	7	10	13	17	21	27
85 +	61	13.4	83	5	8	11	18	23	28	55
GRAND TOTAL	**3452**	**8.7**	**20**	**5**	**6**	**8**	**10**	**14**	**17**	**25**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	22	3.2	35	1	1	1	3	5	15	29
70-74	13	1.8	1	1	1	1	2	4	5	5
75-79	6	1.7		<1	1	1	2	3	3	3
80-84	2	2.0	2	1	1	2	3	3	3	3
85 +	6	5.2	47	1	2	2	5	18	19	19
2. MULTIPLE DX										
65-69 YRS	220	6.9	49	1	2	5	9	16	22	33
70-74	206	7.2	65	1	2	4	10	16	22	39
75-79	236	8.4	62	2	3	6	12	18	21	41
80-84	166	9.7	84	2	4	7	13	22	30	63
85 +	122	10.0	72	2	4	8	14	21	25	41
TOTAL SINGLE DX	49	2.8	22	1	1	1	3	5	7	29
TOTAL MULTIPLE DX	950	8.3	67	1	3	6	11	18	25	39
TOTAL										
65-69 YRS	242	6.6	49	1	1	4	8	16	22	33
70-74	219	6.9	64	1	2	4	9	15	21	37
75-79	242	8.2	62	1	3	6	12	17	21	41
80-84	168	9.6	84	2	4	7	13	22	30	63
85 +	128	9.8	72	2	4	8	14	21	23	41
GRAND TOTAL	999	8.0	66	1	2	6	11	18	24	39

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	2.0	2	<1	1	1	3	4	5	5
70-74	4	1.0		1	1	1	1	1	1	1
75-79	7	3.1	8	1	1	2	4	8	9	9
80-84	3	1.7	1	1	1	1	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	36	5.8	86	1	1	3	5	19	27	45
70-74	34	7.5	55	1	2	5	11	16	22	35
75-79	38	6.7	35	1	3	4	10	19	22	99 +
80-84	24	8.3	71	1	3	5	11	24	26	29
85 +	14	11.6	235	1	3	7	10	36	52	56
TOTAL SINGLE DX	23	2.2	4	1	1	1	3	5	7	9
TOTAL MULTIPLE DX	146	7.4	78	1	2	4	9	20	26	57
TOTAL										
65-69 YRS	44	5.1	73	1	1	2	4	10	26	45
70-74	38	6.8	54	1	2	4	9	16	21	35
75-79	45	6.2	33	1	2	4	9	18	21	99 +
80-84	27	7.6	68	1	2	4	10	24	26	29
85 +	15	11.1	224	1	3	6	10	34	50	56
GRAND TOTAL	169	6.7	71	1	2	4	8	18	25	54

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	1.8	4	<1	1	1	2	3	5	12
70-74	45	1.6	1	1	1	1	2	4	4	4
75-79	51	1.6	2	1	1	1	2	3	4	9
80-84	33	1.6		<1	1	1	2	3	3	5
85 +	30	2.3	5	1	1	1	2	6	8	10
2. MULTIPLE DX										
65-69 YRS	236	6.9	96	1	1	4	9	16	24	46
70-74	299	6.2	65	1	1	3	8	14	21	44
75-79	356	6.4	58	1	1	3	10	17	23	35
80-84	284	6.8	77	1	1	3	10	16	20	38
85 +	175	7.3	81	1	2	4	9	18	24	72
TOTAL SINGLE DX	186	1.7	3	1	1	1	2	3	4	10
TOTAL MULTIPLE DX	1350	6.7	74	1	1	3	9	16	22	40
TOTAL										
65-69 YRS	263	6.4	90	1	1	3	8	15	20	45
70-74	344	5.6	60	1	1	3	7	14	21	43
75-79	407	5.8	54	1	1	2	8	16	21	33
80-84	317	6.3	72	1	1	3	9	15	19	37
85 +	205	6.6	73	1	1	4	8	17	22	58
GRAND TOTAL	1536	6.1	68	1	1	3	8	15	21	37

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	0									
TOTAL										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	5.3	2	4	4	5	6	7	7	7
70-74	6	11.2	245	2	5	5	6	39	43	43
75-79	3	2.7	8	1	1	1	5	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	13	7.5	118	1	3	5	6	14	38	43
TOTAL										
65-69 YRS	3	5.3	2	4	4	5	6	7	7	7
70-74	7	9.7	219	1	3	5	6	36	43	43
75-79	3	2.7	8	1	1	1	5	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
GRAND TOTAL	14	7.1	112	1	2	5	6	11	36	43

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	4	5.5	6	4	4	5	7	9	9	9
TOTAL										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
GRAND TOTAL	4	5.5	6	4	4	5	7	9	9	9

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	1.5		<1	1	1	2	2	2	2
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	3	1.7		1	1	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	21	2.0	2	1	1	2	2	4	6	6
70-74	20	4.0	56	1	1	1	3	9	23	34
75-79	14	5.1	32	1	2	3	5	15	18	19
80-84	3	7.0	63	<1	1	4	13	16	16	16
85 +	2	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	13	1.5		<1	1	1	2	2	2	2
TOTAL MULTIPLE DX	60	3.6	31	1	1	2	3	9	15	32
TOTAL										
65-69 YRS	29	1.9	2	1	1	2	2	3	6	6
70-74	22	3.7	52	<1	1	1	3	7	21	34
75-79	17	4.5	28	1	2	2	4	14	18	19
80-84	3	7.0	63	<1	1	4	13	16	16	16
85 +	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	73	3.2	26	1	1	2	3	6	15	31

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	1.0		<1	<1	<1	1	1	1	1
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	25	6.4	61	1	2	4	7	14	25	36
70-74	23	5.6	20	1	2	5	9	12	15	16
75-79	18	8.2	158	<1	1	2	10	21	39	51
80-84	14	8.6	45	1	1	8	15	18	20	20
85 +	20	10.1	49	2	6	9	13	18	26	31
TOTAL SINGLE DX	7	1.1		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	100	7.6	65	1	2	5	11	16	21	43
TOTAL										
65-69 YRS	29	5.7	57	<1	1	3	7	13	23	36
70-74	25	5.2	20	1	1	4	8	11	14	16
75-79	18	8.2	158	<1	1	2	10	21	39	51
80-84	15	8.1	45	1	1	7	14	18	19	20
85 +	20	10.1	50	2	6	9	13	18	26	31
GRAND TOTAL	107	7.2	63	<1	1	5	10	16	21	42

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	67	1.9	1	1	1	2	3	3	4	5
70-74	45	2.0	1	1	1	2	3	4	4	5
75-79	14	2.5	-	2	2	2	3	4	4	4
80-84	4	3.3	5	1	1	3	5	6	6	6
85 +	0									
2. MULTIPLE DX										
65-69 YRS	294	2.7	3	1	1	2	4	5	6	9
70-74	146	2.7	4	1	1	2	3	5	7	12
75-79	45	2.9	46	1	1	2	3	4	4	47
80-84	7	2.4	1	1	1	2	4	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	130	2.0	1	1	1	2	3	4	4	5
TOTAL MULTIPLE DX	493	2.7	7	1	1	2	3	5	6	10
TOTAL										
65-69 YRS	361	2.6	3	1	1	2	3	5	6	8
70-74	191	2.5	4	1	1	2	3	5	7	11
75-79	59	2.8	35	1	1	2	3	4	4	43
80-84	11	2.7	3	1	1	2	4	5	6	6
85 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	623	2.6	6	1	1	2	3	4	6	10

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	19	3.6	14	1	1	2	4	9	13	16
70-74	11	2.5	3	1	1	2	3	5	7	7
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	46	7.6	117	1	2	3	9	23	39	99 +
70-74	44	5.0	15	1	2	4	7	10	13	18
75-79	20	5.2	13	1	2	4	7	10	13	14
80-84	19	6.2	40	2	3	4	7	15	23	27
85 +	21	10.8	193	2	3	5	12	32	50	51
TOTAL SINGLE DX	36	3.2	10	1	1	2	4	8	9	16
TOTAL MULTIPLE DX	150	6.8	76	1	2	4	7	16	25	57
TOTAL										
65-69 YRS	65	6.4	90	1	1	3	7	17	30	93
70-74	55	4.5	14	1	2	3	6	9	11	18
75-79	22	5.2	12	2	2	4	7	10	13	14
80-84	21	5.9	38	2	3	4	6	13	22	27
85 +	23	10.0	184	1	3	5	10	27	50	51
GRAND TOTAL	186	6.1	65	1	2	3	7	14	19	55

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	3.3		3	3	3	4	4	4	4
70-74	4	5.8	14	3	3	5	8	11	11	11
75-79	3	4.3		4	4	4	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	27	7.5	20	3	4	7	8	15	17	19
70-74	20	12.2	77	5	7	9	14	23	33	41
75-79	23	8.6	28	4	5	7	11	15	19	26
80-84	15	10.7	37	4	6	10	15	21	22	22
85 +	11	12.4	74	5	7	11	14	25	34	35
TOTAL SINGLE DX	10	4.6	6	3	3	4	5	8	11	11
TOTAL MULTIPLE DX	96	9.8	45	4	5	8	12	19	22	38
TOTAL										
65-69 YRS	30	7.1	20	3	4	6	8	14	17	19
70-74	24	11.1	72	5	6	9	13	22	30	41
75-79	26	8.1	27	4	5	6	10	15	17	26
80-84	15	10.7	37	4	6	10	15	21	22	22
85 +	11	12.4	75	5	7	11	14	25	34	35
GRAND TOTAL	106	9.3	44	3	5	7	11	17	22	38

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	3.6	1	2	3	4	4	5	5	5
70-74	10	5.7	17	3	4	5	5	12	17	17
75-79	6	3.8	4	1	2	4	5	7	7	7
80-84	3	4.7	4	3	3	4	6	7	7	7
85 +	0									
2. MULTIPLE DX										
65-69 YRS	96	7.9	58	4	4	6	9	15	17	50
70-74	91	9.4	64	4	5	7	10	19	33	77
75-79	58	10.2	80	4	5	8	12	21	27	55
80-84	51	10.9	81	4	5	8	11	21	32	50
85 +	27	14.0	140	6	7	9	14	37	43	51
TOTAL SINGLE DX	33	4.4	7	2	3	4	5	7	7	17
TOTAL MULTIPLE DX	323	9.7	76	4	5	7	11	18	29	53
TOTAL										
65-69 YRS	110	7.4	53	3	4	5	8	14	15	45
70-74	101	9.0	61	4	5	7	10	18	31	72
75-79	64	9.6	76	4	4	7	11	19	25	53
80-84	54	10.5	79	4	5	8	11	21	31	49
85 +	27	14.0	141	6	7	9	14	37	43	51
GRAND TOTAL	**356**	**9.2**	**72**	**4**	**4**	**7**	**11**	**17**	**25**	**51**

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	5.5	8	3	4	5	6	8	12	17
70-74	17	4.8	2	3	4	5	5	7	8	9
75-79	11	6.5	20	4	4	5	6	14	19	19
80-84	6	5.8	6	3	4	5	7	10	10	10
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	254	7.6	37	4	4	6	9	13	17	37
70-74	217	8.5	48	4	5	6	10	16	21	39
75-79	155	10.6	100	4	5	7	12	22	31	71
80-84	66	10.8	57	5	5	8	13	25	29	35
85 +	31	12.3	63	4	6	9	17	25	26	32
TOTAL SINGLE DX	60	5.6	9	3	4	5	6	9	10	19
TOTAL MULTIPLE DX	723	9.0	59	4	5	6	10	17	24	42
TOTAL										
65-69 YRS	279	7.4	35	4	4	6	9	13	17	37
70-74	234	8.2	46	4	5	6	9	15	21	38
75-79	166	10.3	96	4	5	7	12	21	28	70
80-84	72	10.4	55	4	5	8	12	22	29	35
85 +	32	12.1	62	4	6	9	17	24	26	32
GRAND TOTAL	**783**	**8.7**	**56**	**4**	**4**	**6**	**10**	**17**	**23**	**41**

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	8	5.5	13	<1	2	5	9	10	10	10
70-74	5	8.2	73	<1	1	4	17	18	18	18
75-79	2	11.0	2	10	10	12	78	99 +	99 +	99 +
80-84	1	9.0		9	9	9	9	9	9	9
85 +	3	9.7	134	2	2	4	18	23	23	23
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	19	7.6	41	<1	3	7	11	20	61	99 +
TOTAL										
65-69 YRS	8	5.5	13	<1	2	5	9	10	10	10
70-74	5	8.2	74	<1	1	4	17	18	18	18
75-79	2	11.0	2	10	10	12	78	99 +	99 +	99 +
80-84	1	9.0		9	9	9	9	9	9	9
85 +	3	9.7	134	2	2	4	18	23	23	23
GRAND TOTAL	**19**	**7.6**	**41**	**<1**	**3**	**7**	**11**	**20**	**61**	**99 +**

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	5.7	8	4	4	4	8	9	9	9
70-74	4	4.8	5	3	3	4	6	8	8	8
75-79	3	1.7		1	1	2	2	2	2	2
80-84	1	23.0		23	23	23	23	23	23	23
85 +	1	8.0		8	8	8	8	8	8	8
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	12	6.0	35	2	2	4	8	13	22	23
TOTAL										
65-69 YRS	4	4.8	9	2	3	4	7	9	9	9
70-74	4	4.8	6	3	3	4	6	8	8	8
75-79	3	1.7		1	1	2	2	2	2	2
80-84	1	23.0		23	23	23	23	23	23	23
85 +	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	13	5.7	34	2	2	4	8	12	21	23

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	3	2.0	3	<1	<1	1	3	4	4	4
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	12	4.8	29	1	1	3	5	13	19	20
70-74	9	3.4	19	<1	<1	2	3	11	14	14
75-79	11	1.5	1	<1	1	1	2	3	4	4
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	4	5.0	36	1	1	2	8	14	14	14
TOTAL SINGLE DX	5	1.6	2	<1	<1	<1	2	4	4	4
TOTAL MULTIPLE DX	38	3.4	18	<1	1	2	4	9	14	20
TOTAL										
65-69 YRS	14	4.2	27	<1	1	3	4	11	18	20
70-74	12	3.1	15	<1	<1	1	3	9	13	14
75-79	11	1.5	1	<1	1	1	2	3	4	4
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	4	5.0	37	1	1	2	8	14	14	14
GRAND TOTAL	43	3.2	17	<1	1	2	4	8	14	20

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	2.6	3	<1	1	1	4	5	5	5
70-74	5	2.6	3	1	1	2	4	5	5	5
75-79	4	2.8	3	1	1	2	4	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	31	7.2	76	2	2	5	8	12	25	46
70-74	50	5.8	25	1	2	4	7	13	17	24
75-79	54	6.3	48	1	2	3	10	17	18	36
80-84	33	8.5	103	2	3	5	10	25	28	49
85 +	28	8.9	49	2	4	6	14	17	19	33
TOTAL SINGLE DX	20	2.6	3	<1	1	2	4	5	5	5
TOTAL MULTIPLE DX	196	7.0	57	2	2	5	9	16	22	42
TOTAL										
65-69 YRS	40	6.1	63	1	2	4	7	11	19	46
70-74	55	5.5	25	1	2	4	6	11	17	24
75-79	58	6.1	46	1	2	3	10	16	18	36
80-84	34	8.3	102	2	2	5	10	25	28	49
85 +	29	8.7	49	2	4	6	14	17	19	33
GRAND TOTAL	216	6.6	53	1	2	4	8	16	20	40

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	2	1.0		1	1	1	1	1	1	1

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
70-74	0									
75-79	2	1.0		< 1	< 1	< 1	1	1	1	1
80-84	0									
85 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	23	7.0	38	< 1	1	6	10	16	19	23
70-74	32	10.0	106	2	4	7	11	28	32	47
75-79	21	14.6	179	2	6	10	21	38	46	48
80-84	23	11.1	110	2	3	9	13	27	34	45
85 +	24	11.2	87	3	4	9	13	28	31	35
TOTAL SINGLE DX	6	2.8	13	< 1	< 1	1	3	9	10	10
TOTAL MULTIPLE DX	123	10.7	105	1	3	8	13	27	33	47
TOTAL										
65-69 YRS	26	6.3	37	< 1	1	4	9	16	18	23
70-74	32	10.0	107	2	4	7	11	28	32	47
75-79	23	13.4	179	1	3	9	18	36	45	48
80-84	23	11.1	111	2	3	9	13	27	34	45
85 +	25	11.2	84	3	5	9	13	28	31	35
GRAND TOTAL	129	10.3	104	1	3	8	13	26	32	47

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	164	4.5	1	3	4	4	5	6	7	9
70-74	98	4.8	2	3	4	4	5	7	8	12
75-79	80	5.1	3	4	4	5	5	7	9	13
80-84	34	5.7	3	4	4	5	6	8	10	12
85 +	13	7.0	16	4	4	7	8	12	18	19
2. MULTIPLE DX										
65-69 YRS	1607	6.5	23	4	4	5	7	10	15	28
70-74	1210	7.1	32	4	4	5	7	12	17	30
75-79	780	7.4	26	4	5	6	8	12	16	30
80-84	348	9.0	74	4	5	7	9	15	21	49
85 +	172	9.1	47	4	5	7	11	16	22	45
TOTAL SINGLE DX	389	4.9	3	3	4	4	5	7	8	12
TOTAL MULTIPLE DX	4117	7.2	33	4	4	5	8	12	17	32
TOTAL										
65-69 YRS	1771	6.3	22	4	4	5	7	10	14	27
70-74	1308	6.9	31	4	4	5	7	12	17	28
75-79	860	7.2	25	4	5	6	8	12	16	30
80-84	382	8.7	69	4	5	6	9	15	21	48
85 +	185	8.9	46	4	5	7	10	16	22	45
GRAND TOTAL	4506	7.0	31	4	4	5	7	12	16	30

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	187	4.4	2	3	4	4	5	6	7	11
70-74	147	4.6	2	3	4	4	5	6	7	10
75-79	74	4.6	1	3	4	4	5	7	7	8
80-84	24	4.7	2	3	4	4	5	7	9	10
85 +	7	7.0	12	4	4	7	8	13	14	14
2. MULTIPLE DX										
65-69 YRS	1184	4.7	4	3	4	4	5	7	7	11
70-74	899	5.0	7	3	4	5	6	7	8	14
75-79	571	5.6	7	3	4	5	6	8	10	17
80-84	209	5.8	8	4	4	5	7	8	10	17
85 +	61	6.0	13	4	4	5	7	9	11	26
TOTAL SINGLE DX	439	4.5	2	3	4	4	5	6	7	10
TOTAL MULTIPLE DX	2924	5.1	7	3	4	5	6	7	9	14
TOTAL										
65-69 YRS	1371	4.7	4	3	4	4	5	6	7	11
70-74	1046	4.9	7	3	4	4	6	7	8	13
75-79	645	5.5	7	3	4	5	6	8	10	17
80-84	233	5.7	8	4	4	5	6	8	10	15
85 +	68	6.1	13	4	4	5	7	9	12	25
GRAND TOTAL	3363	5.0	6	3	4	5	6	7	8	14

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	2	8.5	13	6	6	8	11	11	11	11
75-79	3	8.3	14	4	5	10	11	11	11	11
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	46	12.2	65	7	8	10	14	21	29	49
70-74	34	16.4	318	5	6	9	17	45	67	72
75-79	31	12.7	64	5	7	10	14	28	30	34
80-84	10	13.9	60	6	6	13	19	25	29	29
85 +	2	36.5	41	32	32	36	41	41	41	41
TOTAL SINGLE DX	6	8.7	9	4	6	10	11	11	11	11
TOTAL MULTIPLE DX	123	14.0	142	5	7	10	15	29	36	71
TOTAL										
65-69 YRS	47	12.1	64	7	8	10	14	20	29	49
70-74	36	16.0	304	5	6	9	16	44	65	72
75-79	34	12.4	61	5	7	10	14	28	30	34
80-84	10	13.9	61	6	6	13	19	25	29	29
85 +	2	36.5	41	32	32	36	41	41	41	41
GRAND TOTAL	129	13.8	137	5	7	10	15	29	34	71

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	26	1.7	4	< 1	< 1	< 1	1	3	6	12
70-74	16	1.8	3	< 1	< 1	< 1	1	6	7	7
75-79	10	2.0	3	< 1	< 1	1	2	5	7	7
80-84	7	1.7		< 1	< 1	2	2	3	3	3
85 +	8	2.4	5	< 1	< 1	1	3	6	8	8
2. MULTIPLE DX										
65-69 YRS	151	6.1	103	< 1	1	2	6	15	28	58
70-74	144	5.1	38	< 1	1	2	7	13	16	33
75-79	133	6.9	60	1	2	4	10	18	26	49
80-84	98	7.4	104	1	2	3	9	18	29	55
85 +	70	7.4	88	1	2	4	9	18	21	92
TOTAL SINGLE DX	67	1.9	4	< 1	< 1	< 1	2	3	7	11
TOTAL MULTIPLE DX	596	6.4	77	< 1	1	3	8	16	23	58
TOTAL										
65-69 YRS	177	5.5	92	< 1	< 1	2	6	13	24	58
70-74	160	4.7	36	< 1	1	2	6	12	15	32
75-79	143	6.5	58	< 1	1	3	9	17	24	43
80-84	105	7.0	99	1	1	3	9	17	28	54
85 +	78	6.9	82	1	2	4	8	17	21	89
GRAND TOTAL	663	5.9	71	<1	1	3	7	15	22	57

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	5	16.4	445	<1	1	6	29	51	51	51
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	0									
80-84	6	8.3	32	2	2	9	13	14	14	14
85 +	4	16.0	580	1	3	5	29	52	52	52
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	17	11.9	256	1	2	6	13	45	52	52
TOTAL										
65-69 YRS	5	16.4	445	<1	1	6	29	51	51	51
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	0									
80-84	6	8.3	32	2	2	9	13	14	14	14
85 +	4	16.0	581	1	3	5	29	52	52	52
GRAND TOTAL	17	11.9	256	1	2	6	13	45	52	52

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	9.5	41	5	5	9	14	14	14	14
70-74	3	6.0	12	4	4	4	9	10	10	10
75-79	7	9.1	185	3	3	4	5	33	40	40
80-84	0									
85 +	0									
TOTAL SINGLE DX	5	2.8	3	1	2	2	4	5	5	5
TOTAL MULTIPLE DX	12	8.4	109	3	4	5	8	22	37	40
TOTAL										
65-69 YRS	2	9.5	41	5	5	9	14	14	14	14
70-74	5	5.4	7	4	4	4	6	10	10	10
75-79	9	7.4	151	1	3	4	5	26	40	40
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
GRAND TOTAL	17	6.8	83	2	3	4	5	13	31	40

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	2.0		<1	2	2	2	3	3	3
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	0									
85 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	13	4.6	10	2	3	3	6	10	12	12
70-74	9	4.2	14	<1	1	3	5	11	12	12
75-79	9	2.4	2	1	1	2	4	5	5	5
80-84	6	3.0	1	2	2	3	3	5	5	5
85 +	2	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	12	2.1	1	1	1	2	3	3	4	4
TOTAL MULTIPLE DX	39	3.6	8	1	2	3	4	8	11	12
TOTAL										
65-69 YRS	19	3.8	9	1	2	3	5	9	11	12
70-74	11	3.8	13	<1	1	3	4	10	12	12
75-79	11	2.3	2	1	1	2	4	5	5	5
80-84	6	3.0	1	2	2	3	3	5	5	5
85 +	4	2.5	1	2	2	2	3	4	4	4
GRAND TOTAL	51	3.3	7	1	2	3	4	6	10	12

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	238	3.6	1	2	3	3	4	6	6	7
70-74	165	3.6	2	2	3	3	4	6	6	9
75-79	102	3.8	2	2	3	4	5	6	7	8
80-84	32	4.4	3	2	3	4	6	7	8	8
85 +	11	4.1		3	3	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	788	4.1	3	2	3	4	5	6	7	12
70-74	637	4.6	5	3	3	4	5	7	8	14
75-79	398	4.9	10	2	3	4	6	8	10	16
80-84	177	4.9	5	3	3	5	6	7	9	15
85 +	51	5.5	6	3	4	5	6	9	10	16
TOTAL SINGLE DX	548	3.7	2	2	3	4	5	6	6	8
TOTAL MULTIPLE DX	2051	4.5	6	2	3	4	5	7	9	14
TOTAL										
65-69 YRS	1026	4.0	3	2	3	4	5	6	7	11
70-74	802	4.4	5	2	3	4	5	7	8	13
75-79	500	4.7	9	2	3	4	5	7	9	16
80-84	209	4.8	5	3	3	5	6	7	9	14
85 +	62	5.2	5	3	4	5	6	8	9	15
GRAND TOTAL	2599	4.3	5	2	3	4	5	7	8	13

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	3.7	2	2	3	4	5	5	6	7
70-74	16	2.9	2	1	2	3	4	5	5	5
75-79	11	4.1	2	2	3	3	6	6	6	6
80-84	1	4.0		4	4	4	4	4	4	4
85 +	5	3.2	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	106	5.7	21	2	3	4	6	10	16	27
70-74	95	6.1	23	3	4	5	7	11	14	29
75-79	49	6.9	53	3	4	5	7	11	16	49
80-84	30	7.7	56	3	4	5	9	14	21	41
85 +	8	4.6	5	2	3	4	6	8	9	9
TOTAL SINGLE DX	60	3.5	2	2	2	3	5	6	6	7
TOTAL MULTIPLE DX	288	6.2	31	3	4	5	7	11	15	32
TOTAL										
65-69 YRS	133	5.3	18	2	3	4	5	9	14	26
70-74	111	5.7	21	2	3	4	7	10	13	27
75-79	60	6.4	45	3	3	5	6	11	14	46
80-84	31	7.6	55	3	4	5	9	14	21	41
85 +	13	4.1	5	1	3	4	5	7	9	9
GRAND TOTAL	348	5.8	27	2	3	4	6	10	14	29

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	29	2.8	1	<1	2	3	4	4	5	7
70-74	23	3.0	3	1	2	3	4	5	7	8
75-79	26	2.7	2	1	1	3	4	4	5	7
80-84	10	3.7	6	1	2	3	4	8	8	8
85 +	15	2.7		2	2	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	138	4.8	18	2	2	4	5	8	13	25
70-74	140	5.4	56	2	3	4	5	8	14	47
75-79	113	5.8	27	2	3	4	7	11	16	30
80-84	59	4.6	7	2	3	4	5	8	10	15
85 +	58	6.5	33	2	3	4	7	16	21	26
TOTAL SINGLE DX	103	2.9	3	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	508	5.4	32	2	3	4	6	9	15	32
TOTAL										
65-69 YRS	167	4.5	16	2	2	3	5	8	11	23
70-74	163	5.1	50	1	2	3	5	8	12	46
75-79	139	5.3	24	2	3	4	6	10	15	29
80-84	69	4.4	8	2	3	4	5	8	9	15
85 +	73	5.7	29	2	2	4	6	13	20	25
GRAND TOTAL	611	5.0	27	2	2	4	5	9	14	30

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	1.6		<1	1	1	2	3	3	3
70-74	5	4.4	12	<1	1	4	6	10	10	10
75-79	10	1.8	1	<1	<1	1	2	4	5	5
80-84	7	1.7		<1	1	2	2	3	3	3
85 +	6	1.7		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	43	6.6	72	1	1	3	7	17	27	39
70-74	24	5.3	12	1	2	4	8	10	12	13
75-79	29	6.5	28	2	3	5	9	12	15	27
80-84	22	8.1	127	1	3	5	11	56	99 +	99 +
85 +	18	7.9	99	1	2	5	10	17	33	43
TOTAL SINGLE DX	37	2.1	3	<1	<1	2	2	4	5	10
TOTAL MULTIPLE DX	136	6.8	64	1	2	4	8	14	28	99 +
TOTAL										
65-69 YRS	52	5.7	64	1	1	3	6	16	22	39
70-74	29	5.2	12	1	2	4	8	10	11	13
75-79	39	5.3	26	<1	2	4	8	11	13	27
80-84	29	6.6	103	1	2	4	7	37	97	99 +
85 +	24	6.3	81	<1	1	3	7	13	26	43
GRAND TOTAL	173	5.8	54	1	2	4	7	12	22	88

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	6.5	16	2	3	6	9	13	14	14
70-74	5	2.6	1	2	2	2	3	4	4	4
75-79	11	7.3	18	2	3	8	11	13	14	14
80-84	3	2.7	2	1	1	3	4	4	4	4
85 +	5	4.4	7	1	2	6	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	42	9.5	62	3	4	7	11	20	27	37
70-74	42	8.9	46	2	3	7	12	19	23	28
75-79	44	9.4	50	2	4	8	13	19	24	29
80-84	38	12.3	104	4	6	11	15	24	47	99 +
85 +	28	9.0	31	2	6	8	12	15	19	27
TOTAL SINGLE DX	32	5.5	15	2	2	4	8	12	14	14
TOTAL MULTIPLE DX	194	9.8	60	2	4	8	13	20	24	50
TOTAL										
65-69 YRS	50	9.0	56	3	4	7	10	20	23	37
70-74	47	8.2	45	2	3	7	12	18	23	28
75-79	55	9.0	44	2	4	8	13	18	24	29
80-84	41	11.6	103	4	5	10	15	24	42	99 +
85 +	33	8.3	31	2	6	7	11	15	18	27
GRAND TOTAL	226	9.2	56	2	4	7	13	19	24	42

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	6	3.7	2	2	2	3	5	6	6	6
70-74	6	4.3	2	3	3	4	5	7	7	7
75-79	3	3.7	6	<1	1	4	5	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	3	2.3	2	<1	<1	2	3	4	4	4
TOTAL MULTIPLE DX	17	3.9	4	1	3	4	5	7	7	7
TOTAL										
65-69 YRS	7	3.7	2	2	2	4	5	6	6	6
70-74	6	4.3	2	3	3	4	5	7	7	7
75-79	4	3.0	6	<1	<1	2	5	6	6	6
80-84	2	4.5	13	2	2	4	7	7	7	7
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	20	3.7	4	1	2	4	5	6	7	7

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	6.5	25	3	3	6	10	10	10	10
70-74	1	5.0		5	5	5	5	5	5	5
75-79	3	18.0	516	2	3	8	35	44	44	44
80-84	2	12.5	181	3	3	12	22	22	22	22
85 +	2	10.0	98	3	3	10	17	17	17	17
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	10	11.7	173	2	3	6	17	33	44	44
TOTAL										
65-69 YRS	2	6.5	25	3	3	6	10	10	10	10
70-74	1	5.0		5	5	5	5	5	5	5
75-79	3	18.0	516	2	3	8	35	44	44	44
80-84	2	12.5	181	3	3	12	22	22	22	22
85 +	2	10.0	98	3	3	10	17	17	17	17
GRAND TOTAL	10	11.7	173	2	3	6	17	33	44	44

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	3.6	5	1	1	4	5	7	7	7
70-74	3	4.7	4	3	3	4	6	7	7	7
75-79	5	4.0	3	2	3	4	5	7	7	7
80-84	4	6.5	121	< 1	< 1	1	12	23	23	23
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	39	9.0	53	2	2	7	13	19	25	29
70-74	35	9.5	93	1	1	8	14	23	29	40
75-79	33	9.1	64	1	3	8	11	20	25	38
80-84	26	7.3	27	2	3	6	9	16	18	19
85 +	19	11.2	105	2	3	9	16	27	33	37
TOTAL SINGLE DX	24	4.3	20	1	2	4	5	7	12	23
TOTAL MULTIPLE DX	152	9.1	66	1	3	7	13	21	25	38
TOTAL										
65-69 YRS	50	7.8	47	1	2	6	11	17	23	29
70-74	38	9.1	88	1	1	6	14	22	29	40
75-79	38	8.4	59	1	3	7	10	19	24	38
80-84	30	7.2	37	1	3	5	9	17	19	23
85 +	20	10.8	102	2	3	8	14	26	33	37
GRAND TOTAL	176	8.5	62	1	3	6	11	20	25	38

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	2.5	4	1	1	2	3	6	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	37	4.0	19	1	2	3	4	8	12	25
70-74	27	2.9	3	1	1	3	4	6	7	7
75-79	12	3.5	3	1	2	4	4	6	7	7
80-84	6	12.3	128	3	3	9	19	30	31	31
85 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	13	2.3	3	1	1	2	2	4	7	8
TOTAL MULTIPLE DX	83	4.1	24	1	2	3	4	7	13	29
TOTAL										
65-69 YRS	47	3.7	17	1	2	2	4	8	10	25
70-74	28	2.8	3	1	1	3	4	6	7	7
75-79	14	3.2	3	1	2	3	4	6	7	7
80-84	6	12.3	128	3	3	9	19	30	31	31
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	96	3.9	21	1	2	3	4	7	12	28

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	6	3.7	11	1	2	2	5	9	10	10
70-74	10	4.1	6	1	2	4	7	8	8	8
75-79	8	5.9	23	1	2	4	9	14	15	15
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	3	4.7	5	2	3	6	6	6	6	6
TOTAL SINGLE DX	2	1.5	1	< 1	< 1	1	2	2	2	2
TOTAL MULTIPLE DX	30	4.3	12	1	2	3	6	9	11	15
TOTAL										
65-69 YRS	6	3.7	11	1	2	2	5	9	10	10
70-74	10	4.1	7	1	2	4	7	8	8	8
75-79	9	5.3	24	< 1	2	3	8	13	15	15
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	4	4.0	5	2	2	4	6	6	6	6
GRAND TOTAL	32	4.2	11	1	2	3	6	9	11	15

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	4	1.5		1	1	1	2	2	2	2
75-79	1	8.0		8	8	8	8	8	8	8
80-84	3	2.3		2	2	2	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	47	8.2	133	1	2	4	11	16	25	70
70-74	32	13.3	345	3	4	5	15	40	84	99 +
75-79	38	8.5	119	1	2	6	12	15	21	65
80-84	25	11.6	70	3	6	8	16	25	28	36
85 +	21	6.7	18	2	3	5	10	13	14	15
TOTAL SINGLE DX	10	2.7	4	1	2	2	3	6	8	8
TOTAL MULTIPLE DX	163	9.6	149	2	3	6	12	18	37	88
TOTAL										
65-69 YRS	48	8.1	132	1	2	4	11	16	24	70
70-74	36	12.0	320	2	3	5	14	40	74	99 +
75-79	39	8.5	116	1	2	6	12	15	21	65
80-84	28	10.6	71	2	5	7	15	24	27	36
85 +	22	6.5	18	2	3	5	10	13	14	15
GRAND TOTAL	173	9.2	143	2	3	6	12	17	36	86

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
70-74	4	2.0		< 1	1	2	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	19	2.9	6	1	1	2	4	7	9	10
70-74	11	4.0	6	1	2	3	6	8	10	10
75-79	5	5.8	6	3	3	7	8	8	8	8
80-84	2	12.5	13	10	10	12	15	15	15	15
85 +	4	17.0	444	2	4	9	30	48	48	48
TOTAL SINGLE DX	7	2.0	1	< 1	1	2	3	3	3	3
TOTAL MULTIPLE DX	41	5.4	58	1	2	3	6	10	13	48
TOTAL										
65-69 YRS	22	2.8	6	1	1	2	3	6	8	10
70-74	15	3.5	6	1	2	3	5	6	9	10
75-79	5	5.8	7	3	3	7	8	8	8	8
80-84	2	12.5	13	10	10	12	15	15	15	15
85 +	4	17.0	444	2	4	9	30	48	48	48
GRAND TOTAL	48	4.9	51	1	2	3	6	10	12	48

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	3.5	13	1	1	3	6	6	6	6
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	14	9.9	53	2	4	7	17	21	21	21
70-74	8	17.6	184	9	11	13	18	41	50	50
75-79	8	9.8	85	4	5	8	9	25	32	32
80-84	1	8.0		8	8	8	8	8	8	8
85 +	3	13.3	6	11	11	13	15	16	16	16
TOTAL SINGLE DX	5	3.2	4	1	2	3	4	6	6	6
TOTAL MULTIPLE DX	34	11.9	90	3	5	9	16	21	30	50
TOTAL										
65-69 YRS	15	9.3	54	2	3	7	16	21	21	21
70-74	10	14.8	180	3	8	12	16	35	50	50
75-79	8	9.8	85	4	5	8	9	25	32	32
80-84	2	6.0	8	4	4	6	8	8	8	8
85 +	4	10.8	31	3	7	12	14	16	16	16
GRAND TOTAL	39	10.8	87	2	4	8	14	20	27	50

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	19	3.6	2	2	2	4	4	6	7	7
70-74	14	3.6	11	1	1	2	5	8	12	13
75-79	7	5.3	23	1	2	3	9	13	13	13
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	79	6.1	22	2	3	5	8	11	17	24
70-74	47	8.1	79	1	2	5	8	25	31	34
75-79	30	6.8	52	2	2	5	8	13	15	39
80-84	10	10.1	66	2	3	8	18	22	25	25
85 +	6	7.5	16	4	5	6	11	14	14	14
TOTAL SINGLE DX	43	3.7	9	1	2	3	5	7	12	13
TOTAL MULTIPLE DX	172	7.0	46	2	3	5	8	15	24	33
TOTAL										
65-69 YRS	98	5.6	20	2	3	4	7	10	16	24
70-74	61	7.0	67	1	2	4	8	19	30	34
75-79	37	6.5	46	2	2	5	8	13	14	39
80-84	11	9.4	66	2	3	7	16	21	25	25
85 +	8	6.0	19	1	3	5	8	13	14	14
GRAND TOTAL	215	6.4	40	1	2	4	8	13	19	32

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	2.4	3	1	1	2	3	5	7	8
70-74	27	2.1	3	< 1	1	2	3	4	6	10
75-79	20	2.1	1	< 1	1	2	3	4	5	5
80-84	10	1.7	1	< 1	1	1	2	4	5	5
85 +	3	2.3	1	< 1	1	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	398	2.2	2	1	1	2	3	4	5	9
70-74	300	2.4	4	1	1	2	3	4	5	11
75-79	192	3.1	24	1	1	2	3	5	7	19
80-84	68	3.0	5	1	1	2	4	5	9	12
85 +	29	4.9	18	< 1	2	3	6	13	15	15
TOTAL SINGLE DX	104	2.2	3	< 1	1	2	3	4	5	9
TOTAL MULTIPLE DX	987	2.6	8	1	1	2	3	4	6	12
TOTAL										
65-69 YRS	442	2.3	3	1	1	2	3	4	5	8
70-74	327	2.4	4	1	1	2	3	4	5	10
75-79	212	3.0	22	1	1	2	3	5	7	17
80-84	78	2.8	5	1	1	2	3	5	8	12
85 +	32	4.7	17	< 1	2	3	5	13	15	15
GRAND TOTAL	1091	2.6	8	1	1	2	3	4	6	12

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	1.3		1	1	1	2	2	2	2
70-74	5	2.4	1	1	2	3	3	3	3	3
75-79	6	3.5	8	2	2	2	4	8	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85 +	4	8.5	9	7	7	7	10	13	13	13
2. MULTIPLE DX										
65-69 YRS	43	16.2	277	2	5	11	28	64	99 +	99 +
70-74	45	13.2	92	2	5	12	18	28	36	99 +
75-79	40	16.8	289	2	6	11	19	47	54	72
80-84	27	16.0	235	4	6	12	17	42	57	58
85 +	24	15.1	96	4	7	11	23	29	32	37
TOTAL SINGLE DX	20	3.7	11	1	1	2	5	8	11	13
TOTAL MULTIPLE DX	179	15.4	201	3	6	11	21	43	59	99 +
TOTAL										
65-69 YRS	47	15.0	272	1	4	11	25	63	99 +	99 +
70-74	50	12.1	94	2	4	10	18	27	34	99
75-79	46	15.1	273	2	4	10	17	46	50	72
80-84	28	15.4	235	4	6	10	17	42	57	58
85 +	28	14.1	89	5	7	11	21	29	30	37
GRAND TOTAL	199	14.2	194	2	5	10	20	36	58	99 +

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	117	3.2	9	1	1	2	4	7	8	19
70-74	62	3.4	8	1	1	2	5	8	10	14
75-79	44	4.6	10	1	2	3	6	10	14	99 +
80-84	25	5.4	51	1	2	3	5	15	20	33
85 +	4	5.3	35	1	2	3	9	14	14	14
2. MULTIPLE DX										
65-69 YRS	545	9.6	145	1	2	5	12	24	32	58
70-74	492	10.5	151	1	3	6	13	24	36	57
75-79	331	10.4	126	2	3	7	14	24	32	58
80-84	218	12.7	167	2	4	9	16	26	39	75
85 +	139	12.8	158	2	5	9	17	29	37	62
TOTAL SINGLE DX	252	3.7	15	1	1	3	5	8	10	25
TOTAL MULTIPLE DX	1725	10.6	148	1	3	7	14	25	36	58
TOTAL										
65-69 YRS	662	8.4	128	1	2	4	9	21	29	55
70-74	554	9.7	140	1	3	6	12	24	34	57
75-79	375	9.7	117	2	3	6	13	23	31	63
80-84	243	12.0	160	2	3	9	15	25	38	75
85 +	143	12.6	156	2	4	9	16	29	37	61
GRAND TOTAL	1977	9.8	137	1	2	6	13	23	33	57

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	7.1	14	3	4	6	8	12	15	17
70-74	22	8.9	71	3	6	8	9	11	25	45
75-79	30	6.3	9	3	4	6	7	11	12	14
80-84	30	9.2	17	5	6	8	11	14	17	21
85 +	32	9.7	18	4	7	9	13	16	16	18
2. MULTIPLE DX										
65-69 YRS	166	11.9	83	4	6	9	14	24	31	46
70-74	201	12.0	76	5	7	10	14	22	30	56
75-79	302	11.1	53	5	7	9	14	20	27	53
80-84	295	12.8	108	6	7	10	14	22	29	72
85 +	413	11.5	67	5	7	10	13	18	26	46
TOTAL SINGLE DX	132	8.3	26	4	5	8	11	14	16	25
TOTAL MULTIPLE DX	1377	11.8	77	5	7	10	14	21	28	56
TOTAL										
65-69 YRS	184	11.5	78	4	6	8	14	22	31	46
70-74	223	11.7	76	5	7	9	14	22	30	56
75-79	332	10.7	51	5	6	9	13	19	26	52
80-84	325	12.5	101	6	7	10	14	21	27	70
85 +	445	11.4	65	5	7	9	13	18	24	43
GRAND TOTAL	1509	11.5	73	5	7	9	14	20	27	53

717: Repair and plastic operation on bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	4.6	23	1	1	3	6	10	17	19
70-74	19	3.8	6	1	2	3	6	8	8	8
75-79	7	2.9	5	1	1	2	4	6	7	7
80-84	5	2.6	2	1	1	3	4	4	4	4
85 +	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	92	7.2	99	1	2	4	8	13	22	64
70-74	73	9.5	108	2	3	6	11	22	38	48
75-79	54	9.1	97	2	3	5	12	20	30	56
80-84	35	9.5	60	2	4	8	13	21	23	37
85 +	30	15.5	222	3	5	10	22	47	49	50
TOTAL SINGLE DX	47	3.7	10	1	1	3	4	8	8	19
TOTAL MULTIPLE DX	284	9.3	113	2	3	6	11	22	30	50
TOTAL										
65-69 YRS	106	6.9	90	1	2	4	8	13	21	60
70-74	92	8.3	92	2	3	5	9	20	27	47
75-79	61	8.4	90	2	3	5	11	18	29	54
80-84	40	8.7	58	2	3	6	11	19	23	37
85 +	32	14.7	218	3	5	9	19	47	49	50
GRAND TOTAL	**331**	**8.5**	**102**	**2**	**3**	**5**	**10**	**20**	**28**	**49**

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	69	2.5	4	< 1	1	2	3	4	8	11
70-74	46	3.0	8	1	1	2	3	7	12	99 +
75-79	51	3.1	10	< 1	1	2	4	8	10	17
80-84	41	3.4	13	1	1	2	4	7	10	21
85 +	31	4.5	13	1	1	3	8	10	10	13
2. MULTIPLE DX										
65-69 YRS	149	6.2	84	1	2	3	7	16	19	70
70-74	163	7.8	86	1	2	4	11	18	31	48
75-79	166	7.2	52	1	2	5	10	15	21	41
80-84	129	7.7	58	1	2	5	10	19	22	36
85 +	133	10.4	115	2	4	7	13	22	29	57
TOTAL SINGLE DX	238	3.1	9	1	1	2	4	8	10	17
TOTAL MULTIPLE DX	740	7.8	80	1	2	4	10	18	25	50
TOTAL										
65-69 YRS	218	5.0	62	1	1	2	5	11	18	60
70-74	209	6.7	73	1	2	3	9	17	29	69
75-79	217	6.2	45	1	2	4	8	14	19	37
80-84	170	6.7	51	1	2	4	9	17	21	34
85 +	164	9.3	101	1	3	6	12	20	27	56
GRAND TOTAL	**978**	**6.7**	**67**	**1**	**2**	**4**	**9**	**16**	**21**	**48**

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	6.6	6	4	5	7	8	9	10	13
70-74	34	6.6	6	3	5	7	8	10	11	12
75-79	35	8.0	7	4	7	8	10	11	13	14
80-84	33	8.8	9	6	7	8	10	12	17	18
85 +	50	8.8	34	4	6	8	10	14	22	34
2. MULTIPLE DX										
65-69 YRS	162	12.1	112	5	7	9	13	21	31	65
70-74	220	11.3	71	5	7	9	12	19	33	52
75-79	397	11.3	62	6	7	10	13	18	23	56
80-84	501	12.0	82	6	8	10	14	19	25	64
85 +	719	12.4	73	6	8	10	14	21	28	61
TOTAL SINGLE DX	177	7.9	16	4	6	7	9	11	14	27
TOTAL MULTIPLE DX	1999	11.9	77	6	7	10	14	20	27	61
TOTAL										
65-69 YRS	187	11.4	102	5	6	9	12	19	28	64
70-74	254	10.7	66	5	7	9	11	17	31	47
75-79	432	11.0	59	6	7	9	12	18	22	54
80-84	534	11.8	79	6	7	10	14	19	25	64
85 +	769	12.1	72	6	8	10	14	21	28	57
GRAND TOTAL	**2176**	**11.6**	**73**	**6**	**7**	**9**	**13**	**19**	**27**	**58**

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	114	8.2	15	4	5	8	10	12	14	23
70-74	132	9.7	34	5	6	9	11	15	18	32
75-79	160	9.6	17	5	7	9	11	15	16	29
80-84	193	9.9	27	5	7	9	12	16	21	30
85 +	262	10.2	24	5	7	9	12	17	21	26
2. MULTIPLE DX										
65-69 YRS	1005	12.4	70	5	8	10	14	21	27	55
70-74	1525	12.9	90	6	8	10	15	22	29	61
75-79	2406	13.0	79	6	8	11	15	22	28	55
80-84	3025	13.2	82	6	8	11	15	23	29	64
85 +	5046	12.7	75	6	8	11	14	21	29	56
TOTAL SINGLE DX	861	9.7	24	5	6	9	12	15	18	27
TOTAL MULTIPLE DX	13007	12.8	79	6	8	11	15	22	29	58
TOTAL										
65-69 YRS	1119	11.9	66	5	7	10	14	20	26	52
70-74	1657	12.6	86	6	8	10	15	22	28	59
75-79	2566	12.7	77	6	8	10	15	21	28	53
80-84	3218	13.0	80	6	8	11	15	22	29	64
85 +	5308	12.6	73	6	8	10	14	21	29	54
GRAND TOTAL	**13868**	**12.7**	**76**	**6**	**8**	**10**	**14**	**21**	**28**	**56**

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	5.4	4	3	4	5	7	8	8	8
70-74	3	7.3	16	3	4	8	10	11	11	11
75-79	5	6.2	7	2	4	7	8	9	9	9
80-84	8	5.8	6	3	4	5	7	10	10	10
85 +	11	9.1	23	4	6	9	11	15	21	21
2. MULTIPLE DX										
65-69 YRS	24	12.0	145	3	5	8	11	36	42	44
70-74	43	17.4	406	4	6	10	19	48	71	85
75-79	39	15.7	235	4	6	10	20	36	47	78
80-84	46	13.0	155	4	5	8	14	40	45	99 +
85 +	94	11.9	216	3	5	8	13	21	44	96
TOTAL SINGLE DX	32	7.1	14	3	4	7	9	11	11	21
TOTAL MULTIPLE DX	246	13.7	235	4	5	8	14	34	48	92
TOTAL										
65-69 YRS	29	10.8	126	3	5	7	10	32	41	44
70-74	46	16.7	386	3	5	9	18	48	71	85
75-79	44	14.6	218	4	6	9	17	31	46	78
80-84	54	11.9	140	4	5	7	12	34	45	97
85 +	105	11.6	196	3	5	8	13	21	43	96
GRAND TOTAL	278	12.9	214	4	5	8	13	31	45	92

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	2.6	5	1	1	2	3	4	6	14
70-74	32	2.2	5	1	1	1	3	4	7	12
75-79	27	2.2	4	1	1	1	3	6	8	8
80-84	15	4.7	10	1	2	4	6	11	12	12
85 +	15	10.2	164	1	2	5	14	27	43	48
2. MULTIPLE DX										
65-69 YRS	86	7.8	125	1	2	4	9	19	27	66
70-74	92	7.2	73	1	2	4	8	17	26	44
75-79	80	6.8	51	2	3	5	8	12	20	41
80-84	69	7.4	40	1	2	6	11	15	23	27
85 +	62	6.9	39	2	3	5	8	14	18	39
TOTAL SINGLE DX	133	3.5	29	1	1	2	3	7	12	31
TOTAL MULTIPLE DX	389	7.2	69	2	2	5	9	15	25	41
TOTAL										
65-69 YRS	130	6.1	90	1	2	3	6	14	25	46
70-74	124	5.9	61	1	2	3	6	12	25	41
75-79	107	5.6	44	1	2	4	7	11	15	41
80-84	84	7.0	36	1	2	6	10	14	21	27
85 +	77	7.5	64	2	3	5	8	16	19	46
GRAND TOTAL	522	6.3	61	1	2	4	8	14	20	40

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	488	3.9	6	1	2	3	5	7	9	12
70-74	307	3.8	4	1	2	3	5	7	8	11
75-79	187	4.6	14	1	2	4	6	8	9	24
80-84	102	5.3	12	2	3	5	6	10	12	17
85 +	57	5.2	24	1	2	3	7	13	16	23
2. MULTIPLE DX										
65-69 YRS	1081	7.1	46	2	3	5	9	14	19	41
70-74	994	7.5	49	2	4	5	9	15	20	40
75-79	827	8.1	49	2	4	6	10	15	23	37
80-84	528	8.8	74	3	4	7	10	18	22	54
85 +	394	9.6	75	3	5	8	11	18	22	52
TOTAL SINGLE DX	1141	4.2	9	1	2	3	5	8	9	16
TOTAL MULTIPLE DX	3824	7.9	55	2	4	6	9	15	21	42
TOTAL										
65-69 YRS	1569	6.1	36	2	3	4	7	12	17	35
70-74	1301	6.6	41	2	3	5	8	13	17	35
75-79	1014	7.5	45	2	3	6	9	15	21	35
80-84	630	8.2	66	2	4	6	9	16	20	49
85 +	451	9.0	71	3	4	7	11	17	21	52
GRAND TOTAL	4965	7.0	47	2	3	5	8	14	19	37

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	105	2.5	5	1	1	2	3	4	6	15
70-74	80	2.6	3	1	1	2	3	5	6	8
75-79	56	3.4	10	1	1	2	4	6	11	17
80-84	40	3.1	3	1	2	3	4	5	7	9
85 +	37	4.0	14	1	2	3	5	7	12	21
2. MULTIPLE DX										
65-69 YRS	326	6.5	39	1	2	4	8	15	20	29
70-74	311	7.4	99	2	3	5	8	14	20	70
75-79	321	6.8	57	1	2	5	8	13	18	49
80-84	295	8.2	73	2	3	5	11	17	25	42
85 +	371	8.1	75	2	3	5	10	18	25	47
TOTAL SINGLE DX	318	2.9	7	1	1	2	4	6	7	16
TOTAL MULTIPLE DX	1624	7.4	69	1	3	5	9	15	22	46
TOTAL										
65-69 YRS	431	5.5	34	1	2	4	7	12	19	28
70-74	391	6.4	84	1	2	4	7	13	17	63
75-79	377	6.3	52	1	2	4	7	13	17	47
80-84	335	7.6	68	1	3	5	10	17	23	40
85 +	408	7.8	71	2	3	5	9	17	23	46
GRAND TOTAL	1942	6.7	62	1	2	4	8	14	20	43

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	50	3.5	13	1	1	2	3	9	12	20
70-74	45	3.2	7	1	1	2	4	8	8	15
75-79	42	3.0	6	<1	1	2	4	7	8	12
80-84	38	3.8	13	1	1	3	5	9	11	18
85+	25	4.8	37	1	2	3	5	6	22	28
2. MULTIPLE DX										
65-69 YRS	93	6.5	51	1	2	4	9	16	20	37
70-74	103	7.4	80	1	2	4	9	20	22	52
75-79	101	5.3	20	1	2	4	8	12	15	20
80-84	98	7.8	61	1	3	5	9	17	24	43
85+	97	7.1	46	1	2	4	10	17	24	31
TOTAL SINGLE DX	200	3.5	14	1	1	2	4	8	10	20
TOTAL MULTIPLE DX	492	6.8	53	1	2	4	9	16	20	36
TOTAL										
65-69 YRS	143	5.5	40	1	2	3	7	14	19	28
70-74	148	6.1	62	1	2	3	8	15	20	50
75-79	143	4.7	17	1	2	3	7	11	13	19
80-84	136	6.7	51	1	2	4	9	15	21	39
85+	122	6.6	45	1	2	4	9	16	24	30
GRAND TOTAL	692	5.9	44	1	2	3	8	14	19	31

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	19	1.6	1	<1	1	1	2	4	5	5
70-74	8	2.6	2	1	1	2	4	5	5	5
75-79	10	2.3	5	1	1	1	2	6	7	7
80-84	7	2.3	2	1	1	2	3	5	5	5
85+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	72	5.1	35	1	2	4	6	10	13	39
70-74	53	6.1	98	1	2	4	6	9	16	61
75-79	54	6.1	27	1	2	4	9	14	17	21
80-84	42	7.2	46	1	2	4	10	17	23	28
85+	53	7.9	92	1	3	6	10	19	21	99
TOTAL SINGLE DX	48	2.0	2	1	1	1	3	5	5	7
TOTAL MULTIPLE DX	274	6.4	59	1	2	4	8	14	19	58
TOTAL										
65-69 YRS	91	4.4	31	1	1	3	6	9	11	34
70-74	61	5.7	87	1	2	3	6	9	14	60
75-79	64	5.5	25	1	2	4	8	13	16	21
80-84	49	6.5	43	1	2	3	10	16	23	28
85+	57	7.4	89	1	2	5	10	18	21	97
GRAND TOTAL	322	5.7	53	1	2	3	7	13	17	50

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	40	4.4	14	1	2	4	5	9	13	19
70-74	26	7.3	45	2	3	5	9	17	24	26
75-79	14	12.1	220	3	4	6	12	40	49	52
80-84	14	6.5	25	1	2	6	9	16	16	16
85+	5	15.8	257	1	2	9	32	35	35	35
2. MULTIPLE DX										
65-69 YRS	191	12.1	192	2	4	7	14	32	47	77
70-74	176	13.6	199	2	4	9	18	32	48	97
75-79	164	14.5	237	3	5	8	19	34	48	77
80-84	115	15.5	235	3	5	10	19	41	49	99+
85+	65	15.6	128	6	8	12	20	27	41	60
TOTAL SINGLE DX	99	7.1	71	1	3	4	8	16	25	46
TOTAL MULTIPLE DX	711	13.9	206	2	5	9	17	33	47	83
TOTAL										
65-69 YRS	231	10.7	170	2	3	6	13	25	43	70
70-74	202	12.8	184	2	4	8	17	31	45	94
75-79	178	14.3	235	3	5	8	18	34	49	76
80-84	129	14.5	221	3	5	10	18	38	48	99+
85+	70	15.7	134	5	7	12	21	30	41	60
GRAND TOTAL	810	13.1	195	2	4	8	16	32	45	81

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	9.0		9	9	9	9	9	9	9
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	0									
80-84	1	14.0		14	14	14	14	14	14	14
85+	0									
TOTAL SINGLE DX	2	5.0	32	1	1	5	9	9	9	9
TOTAL MULTIPLE DX	5	4.2	31	1	1	2	6	14	14	14
TOTAL										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	1.7	1	1	1	1	3	3	3	3
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	14.0		14	14	14	14	14	14	14
85+	0									
GRAND TOTAL	7	4.4	26	1	1	2	7	13	14	14

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	545	4.7	8	2	3	4	6	8	9	17
70-74	338	5.3	16	2	3	4	6	9	12	18
75-79	142	5.4	14	2	3	4	7	10	13	23
80-84	50	7.4	33	3	4	5	8	16	21	29
85+	13	6.2	13	3	4	5	7	12	14	15
2. MULTIPLE DX										
65-69 YRS	1627	7.5	42	3	4	6	9	14	19	38
70-74	1311	8.0	46	3	4	6	9	15	21	35
75-79	872	9.2	56	3	5	7	11	17	24	41
80-84	336	9.8	45	4	5	8	12	18	24	37
85+	105	12.4	109	5	6	9	14	25	30	66
TOTAL SINGLE DX	1088	5.1	13	2	3	4	6	8	12	19
TOTAL MULTIPLE DX	4251	8.3	49	3	4	6	9	16	21	38
TOTAL										
65-69 YRS	2172	6.8	35	3	4	5	8	12	18	33
70-74	1649	7.4	42	3	4	6	8	14	19	34
75-79	1014	8.7	53	3	4	7	10	17	23	38
80-84	386	9.4	44	4	5	7	12	18	24	36
85+	118	11.7	102	4	6	9	14	25	30	65
GRAND TOTAL	5339	7.7	44	3	4	6	9	15	20	35

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	2.7	29	<1	<1	1	1	7	18	20
70-74	7	1.4		<1	<1	1	2	3	3	3
75-79	3	2.7		2	2	3	3	3	3	3
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	128	2.4	6	1	1	2	3	5	8	14
70-74	78	3.0	15	<1	1	1	3	8	11	23
75-79	67	3.4	32	<1	1	2	3	7	12	38
80-84	29	3.9	14	1	2	3	4	8	10	20
85+	8	3.5	11	1	1	3	4	9	11	11
TOTAL SINGLE DX	24	2.2	15	<1	<1	1	2	3	8	20
TOTAL MULTIPLE DX	310	2.9	15	1	1	2	3	6	10	18
TOTAL										
65-69 YRS	140	2.4	8	1	1	1	2	5	8	15
70-74	85	2.9	15	<1	1	1	3	8	11	22
75-79	70	3.3	31	<1	1	2	3	6	11	38
80-84	30	3.8	14	1	2	3	4	8	10	20
85+	9	3.2	10	1	1	2	4	8	11	11
GRAND TOTAL	334	2.9	15	<1	1	2	3	6	10	20

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	2.0		1	1	2	3	3	3	3
70-74	7	2.1	1	<1	1	2	3	4	4	4
75-79	6	3.2	28	1	1	1	1	13	14	14
80-84	1	1.0		1	1	1	1	1	1	1
85+	0									
2. MULTIPLE DX										
65-69 YRS	65	3.6	19	<1	1	2	3	9	13	22
70-74	42	9.0	117	1	2	4	12	23	37	43
75-79	32	6.2	59	1	1	3	7	20	26	27
80-84	28	12.5	104	<1	2	10	22	25	29	35
85+	11	10.8	145	1	2	8	13	30	40	41
TOTAL SINGLE DX	20	2.4	8	1	1	1	3	4	9	14
TOTAL MULTIPLE DX	178	7.2	80	<1	1	3	10	22	25	42
TOTAL										
65-69 YRS	71	3.4	19	<1	1	2	3	9	12	22
70-74	49	8.0	106	1	2	3	10	22	34	43
75-79	38	5.7	54	1	1	2	7	17	26	27
80-84	29	12.1	106	<1	2	10	22	25	28	35
85+	11	10.8	146	1	2	8	13	30	40	41
GRAND TOTAL	198	6.7	75	1	1	3	9	20	25	42

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	38	2.5	4	<1	1	2	3	5	7	11
70-74	29	3.1	6	1	1	2	4	6	8	12
75-79	19	3.4	13	<1	1	2	4	10	13	13
80-84	13	7.3	125	<1	1	3	8	24	37	40
85+	5	6.0	32	<1	1	3	11	14	14	14
2. MULTIPLE DX										
65-69 YRS	208	7.4	78	1	2	4	10	20	25	51
70-74	168	8.6	145	1	2	5	9	19	30	67
75-79	132	9.5	134	1	2	6	12	22	29	56
80-84	84	11.8	208	1	3	7	15	30	49	93
85+	45	12.5	128	2	5	9	17	30	40	46
TOTAL SINGLE DX	104	3.6	24	<1	1	2	4	8	12	29
TOTAL MULTIPLE DX	637	9.1	130	1	2	5	12	21	30	68
TOTAL										
65-69 YRS	246	6.6	70	1	1	3	9	18	23	50
70-74	197	7.8	128	1	2	4	9	18	27	66
75-79	151	8.8	124	1	2	5	12	21	28	49
80-84	97	11.2	198	1	3	7	15	29	46	91
85+	50	11.8	122	2	4	8	16	28	39	46
GRAND TOTAL	741	8.3	119	1	2	4	10	20	29	63

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	5.1	9	2	3	4	7	10	12	12
70-74	10	6.3	52	2	2	4	7	17	26	26
75-79	8	5.4	8	3	3	4	6	10	12	12
80-84	1	8.0		8	8	8	8	8	8	8
85+	0									
2. MULTIPLE DX										
65-69 YRS	290	11.1	71	4	6	9	13	19	27	53
70-74	188	12.0	88	4	7	10	14	24	29	93
75-79	121	13.0	78	5	8	10	15	25	32	45
80-84	46	16.2	266	6	7	11	19	29	39	99
85+	20	18.1	249	7	9	14	20	54	85	99+
TOTAL SINGLE DX	47	5.5	17	2	3	4	7	10	12	26
TOTAL MULTIPLE DX	665	12.3	98	4	7	10	14	23	32	71
TOTAL										
65-69 YRS	318	10.5	69	3	6	8	13	18	27	52
70-74	198	11.7	88	4	7	10	14	24	29	92
75-79	129	12.5	78	4	7	10	15	25	32	43
80-84	47	16.0	263	6	7	11	19	29	38	99
85+	20	18.1	250	7	9	14	20	54	85	99+
GRAND TOTAL	712	11.8	96	4	6	9	14	22	30	65

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	66	3.4	4	1	2	3	5	6	7	11
70-74	32	3.9	5	2	2	3	5	7	10	10
75-79	12	3.0	2	1	2	3	4	5	6	6
80-84	4	7.0	24	3	3	5	10	14	14	14
85+	0									
2. MULTIPLE DX										
65-69 YRS	171	4.8	29	1	2	4	5	9	13	25
70-74	128	5.0	20	1	3	4	6	9	12	50
75-79	70	5.8	37	1	2	4	7	13	22	30
80-84	19	4.5	12	1	3	4	5	8	13	17
85+	7	9.9	38	5	5	8	15	19	20	20
TOTAL SINGLE DX	114	3.6	5	2	2	3	5	6	9	12
TOTAL MULTIPLE DX	395	5.1	28	1	2	4	6	9	16	29
TOTAL										
65-69 YRS	237	4.4	23	1	2	3	5	8	11	23
70-74	160	4.8	17	1	2	4	6	9	11	35
75-79	82	5.4	33	1	2	4	6	10	21	29
80-84	23	5.0	15	2	3	4	6	9	15	17
85+	7	9.9	38	5	5	8	15	19	20	20
GRAND TOTAL	509	4.8	23	1	2	4	6	9	13	24

735: Total hip replacement (81.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	543	8.4	5	6	7	8	10	11	12	15
70-74	501	8.6	7	6	7	8	10	12	13	16
75-79	392	9.0	7	6	7	9	10	12	15	17
80-84	219	9.7	13	6	8	9	11	14	16	22
85+	89	9.8	13	6	8	9	11	14	16	25
2. MULTIPLE DX										
65-69 YRS	2070	9.8	25	6	7	9	11	14	17	30
70-74	2349	10.2	26	6	7	9	11	15	19	36
75-79	2058	10.8	35	6	8	9	12	16	21	39
80-84	1335	11.5	45	7	8	10	13	17	22	42
85+	779	12.8	75	7	8	10	14	21	27	56
TOTAL SINGLE DX	1744	8.8	8	6	7	8	10	12	14	18
TOTAL MULTIPLE DX	8591	10.7	37	6	7	9	12	16	21	39
TOTAL										
65-69 YRS	2613	9.5	22	6	7	9	11	14	16	28
70-74	2850	9.9	24	6	7	9	11	14	18	31
75-79	2450	10.5	31	6	8	9	12	15	19	35
80-84	1554	11.2	42	6	8	10	13	17	22	41
85+	868	12.5	70	7	8	10	14	20	26	53
GRAND TOTAL	10335	10.4	32	6	7	9	12	15	19	36

736: Other arthroplasty of hip (81.40; 81.52-81.53)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	160	8.8	7	6	7	9	10	12	14	16
70-74	234	9.2	10	6	7	9	11	13	15	22
75-79	219	10.2	16	6	7	10	12	15	17	26
80-84	197	10.2	20	6	7	9	12	15	18	29
85+	213	10.4	25	6	7	9	12	16	21	30
2. MULTIPLE DX										
65-69 YRS	982	12.2	75	6	8	10	13	20	27	50
70-74	1404	12.4	57	6	8	10	14	20	28	47
75-79	1993	12.6	65	6	8	11	14	20	27	51
80-84	2287	13.1	80	7	8	11	15	21	28	56
85+	2893	12.7	62	6	8	11	15	21	27	48
TOTAL SINGLE DX	1023	9.8	17	6	7	9	11	14	17	25
TOTAL MULTIPLE DX	9559	12.7	68	6	8	11	14	21	27	51
TOTAL										
65-69 YRS	1142	11.7	67	6	8	10	13	19	25	49
70-74	1638	11.9	52	6	8	10	14	19	26	44
75-79	2212	12.4	62	6	8	10	14	20	26	48
80-84	2484	12.9	76	7	8	11	14	20	27	55
85+	3106	12.5	61	6	8	11	14	21	27	47
GRAND TOTAL	10582	12.4	64	6	8	10	14	20	27	49

737: Total knee replacement (81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	898	8.2	7	5	6	8	10	12	14	16
70-74	794	8.9	29	5	7	8	10	13	14	18
75-79	591	8.8	7	6	7	8	10	13	14	17
80-84	288	8.9	8	6	7	8	10	12	14	18
85 +	84	9.3	12	6	7	9	11	14	17	20
2. MULTIPLE DX										
65-69 YRS	2879	9.4	18	6	7	9	11	14	16	25
70-74	3163	9.8	17	6	7	9	11	14	16	26
75-79	2690	10.2	22	6	7	9	12	15	17	28
80-84	1443	10.8	27	7	8	10	12	16	20	34
85 +	494	10.9	31	6	8	10	13	16	20	33
TOTAL SINGLE DX	2655	8.6	15	5	7	8	10	12	14	17
TOTAL MULTIPLE DX	10669	10.0	21	6	7	9	11	15	17	28
TOTAL										
65-69 YRS	3777	9.1	16	6	7	8	10	14	16	23
70-74	3957	9.6	20	6	7	9	11	14	16	25
75-79	3281	9.9	20	6	7	9	11	15	17	27
80-84	1731	10.5	25	6	8	9	12	15	19	32
85 +	578	10.7	29	6	8	9	13	16	19	32
GRAND TOTAL	13324	9.7	20	6	7	9	11	14	16	27

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	88	7.5	14	3	5	7	9	11	13	24
70-74	89	7.4	24	3	4	7	9	12	15	32
75-79	48	7.0	11	3	4	7	9	12	13	17
80-84	25	8.5	13	4	6	8	11	14	14	15
85 +	4	11.0	6	9	9	11	13	14	14	14
2. MULTIPLE DX										
65-69 YRS	317	8.6	31	4	6	8	10	14	17	32
70-74	364	9.8	46	5	6	9	11	14	17	44
75-79	264	9.9	56	5	6	8	11	15	21	41
80-84	123	10.2	54	5	6	9	11	16	23	74
85 +	49	9.9	47	3	5	9	13	17	27	31
TOTAL SINGLE DX	254	7.5	17	3	5	7	9	12	14	25
TOTAL MULTIPLE DX	1117	9.5	46	4	6	8	11	15	20	41
TOTAL										
65-69 YRS	405	8.3	28	4	6	8	10	12	16	28
70-74	453	9.3	43	4	6	8	11	14	16	38
75-79	312	9.4	50	4	6	8	11	14	20	41
80-84	148	9.3	48	4	6	9	11	16	22	65
85 +	53	10.0	44	4	6	9	13	17	27	31
GRAND TOTAL	1371	9.1	41	4	6	8	10	14	18	40

739: Prosthetic replacement of joint, except hip and knee (81.56-81.59; 81.71; 81.73-81.74; 81.80-81.81; 81.84)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	90	3.5	8	1	2	3	4	7	8	16
70-74	93	3.7	5	1	2	3	5	7	8	12
75-79	47	5.4	12	2	3	5	7	10	13	16
80-84	27	5.7	10	3	3	5	7	10	13	16
85 +	5	6.2	19	1	3	6	8	13	13	13
2. MULTIPLE DX										
65-69 YRS	261	4.9	19	1	2	4	6	9	11	25
70-74	256	5.5	17	2	3	5	7	10	13	22
75-79	203	7.4	53	2	4	5	9	13	18	38
80-84	105	7.7	59	2	3	5	10	14	28	73
85 +	63	8.9	84	3	4	7	11	14	20	61
TOTAL SINGLE DX	262	4.2	9	1	2	3	6	8	10	16
TOTAL MULTIPLE DX	888	6.2	37	2	3	5	7	12	15	35
TOTAL										
65-69 YRS	351	4.6	17	1	2	4	6	8	11	23
70-74	349	5.0	15	2	2	4	6	9	12	17
75-79	250	7.0	47	2	3	5	8	13	16	37
80-84	132	7.3	50	2	3	5	9	13	21	59
85 +	68	8.7	80	3	4	7	11	14	19	60
GRAND TOTAL	1150	5.8	32	2	3	4	7	11	14	32

740: Miscellaneous repair of other joint, except hip and knee (81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	145	2.6	1	1	2	2	3	4	5	6
70-74	87	2.7	9	1	1	2	3	5	6	20
75-79	41	2.6	2	1	1	2	3	4	6	9
80-84	11	2.1	1	1	1	2	3	4	4	4
85 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	404	2.9	12	1	2	2	3	5	6	14
70-74	285	3.0	4	1	2	2	4	5	6	12
75-79	137	3.9	36	1	2	3	4	6	10	27
80-84	49	4.2	10	1	2	3	5	9	11	14
85 +	16	6.9	37	1	3	4	10	18	19	19
TOTAL SINGLE DX	286	2.6	4	1	2	2	3	4	5	8
TOTAL MULTIPLE DX	891	3.2	14	1	2	2	4	5	8	15
TOTAL										
65-69 YRS	549	2.8	10	1	2	2	3	5	6	13
70-74	372	2.9	5	1	2	2	4	5	6	12
75-79	178	3.6	29	1	2	3	4	6	9	20
80-84	60	3.8	9	1	2	3	4	8	11	14
85 +	18	6.7	34	1	3	4	7	18	19	19
GRAND TOTAL	1177	3.1	12	1	2	2	3	5	7	15

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	22	2.9	17	<1	<1	1	3	6	13	20
70-74	15	3.3	10	<1	2	2	3	9	11	12
75-79	12	5.3	15	<1	1	5	9	11	12	12
80-84	3	4.3	9	<1	1	5	6	7	7	7
85 +	7	3.4	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	125	8.8	125	1	2	4	10	20	38	56
70-74	121	7.7	75	1	3	5	11	15	21	41
75-79	61	9.0	75	2	3	6	11	18	32	41
80-84	58	8.8	66	1	3	7	12	19	25	44
85 +	33	12.1	112	5	6	8	16	20	25	61
TOTAL SINGLE DX	59	3.6	13	<1	1	2	5	9	11	19
TOTAL MULTIPLE DX	398	8.8	93	1	3	6	11	18	25	51
TOTAL										
65-69 YRS	147	7.9	114	1	2	4	9	19	36	56
70-74	136	7.2	70	1	2	5	10	15	20	33
75-79	73	8.4	67	2	3	6	10	16	30	41
80-84	61	8.6	65	1	3	7	11	19	24	44
85 +	40	10.6	104	3	5	7	14	19	23	61
GRAND TOTAL	457	8.1	86	1	2	5	11	17	24	46

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	50	2.2	3	<1	1	2	3	5	6	10
70-74	29	2.9	23	<1	1	2	3	5	8	27
75-79	20	3.2	18	<1	1	2	3	6	13	20
80-84	6	2.5	3	<1	1	2	4	5	5	5
85 +	7	4.9	5	2	4	4	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	166	10.0	171	1	2	6	13	24	41	89
70-74	181	8.9	82	1	2	6	12	19	29	53
75-79	158	10.8	117	1	3	8	14	25	36	44
80-84	115	12.1	166	2	4	7	17	23	37	69
85 +	70	11.9	159	2	4	8	15	24	40	67
TOTAL SINGLE DX	112	2.7	11	<1	1	2	3	6	7	23
TOTAL MULTIPLE DX	690	10.4	134	1	3	7	14	23	36	65
TOTAL										
65-69 YRS	216	8.2	143	1	2	4	9	18	36	71
70-74	210	8.0	79	1	2	5	12	19	27	50
75-79	178	9.9	112	1	2	6	14	23	35	44
80-84	121	11.6	162	2	3	7	16	23	36	68
85 +	77	11.2	149	2	4	8	14	23	37	66
GRAND TOTAL	802	9.4	124	1	2	6	13	21	34	62

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	1.2		<1	1	1	1	2	3	4
70-74	22	1.2		<1	<1	1	1	2	3	3
75-79	18	1.6	1	<1	1	1	2	4	4	4
80-84	4	1.0		<1	<1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	56	2.2	5	1	1	1	2	4	8	12
70-74	46	2.1	4	1	1	1	2	5	7	11
75-79	31	4.1	23	1	1	2	6	10	18	19
80-84	9	2.1	3	1	1	1	2	5	7	7
85 +	5	14.4	333	1	1	2	31	39	39	39
TOTAL SINGLE DX	72	1.3	1	<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	147	3.0	23	1	1	1	3	7	11	29
TOTAL										
65-69 YRS	83	1.9	4	1	1	1	2	3	5	12
70-74	68	1.8	3	<1	1	1	2	4	6	10
75-79	49	3.2	16	<1	1	1	4	8	11	19
80-84	13	1.8	3	<1	1	1	2	4	6	7
85 +	6	12.2	296	1	1	2	29	38	39	39
GRAND TOTAL	219	2.4	16	1	1	1	2	4	8	22

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	1.3		<1	1	1	2	2	2	2
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	3	1.3		1	1	1	2	2	2	2
80-84	3	2.3	2	1	1	2	3	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	38	2.4	5	1	1	2	2	6	9	11
70-74	20	2.9	7	1	1	2	4	6	9	11
75-79	15	7.5	72	1	2	3	12	21	27	29
80-84	11	3.1	5	<1	1	3	4	7	8	8
85 +	5	13.6	182	1	3	11	21	35	35	35
TOTAL SINGLE DX	20	1.5	1	<1	1	1	2	2	3	4
TOTAL MULTIPLE DX	89	4.1	33	1	1	2	4	10	15	33
TOTAL										
65-69 YRS	50	2.1	5	1	1	1	2	4	7	11
70-74	21	2.8	7	<1	1	2	3	6	8	11
75-79	18	6.4	65	1	1	3	10	19	26	29
80-84	14	2.9	5	1	1	2	4	6	8	8
85 +	6	11.7	168	1	2	7	17	33	35	35
GRAND TOTAL	109	3.6	28	1	1	2	3	9	13	31

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	221	2.6	2	1	2	2	3	4	5	8
70-74	137	2.7	1	1	2	3	3	4	4	8
75-79	75	2.9	2	1	2	3	3	5	6	8
80-84	24	2.8	1	1	2	2	4	5	6	6
85 +	6	5.2	32	1	2	3	7	15	16	16
2. MULTIPLE DX										
65-69 YRS	519	3.5	15	1	2	3	4	5	8	19
70-74	392	3.8	22	1	2	3	4	7	9	18
75-79	225	5.1	73	1	2	3	5	8	14	67
80-84	81	4.3	10	2	2	3	5	8	10	18
85 +	40	6.9	48	1	2	4	9	16	26	28
TOTAL SINGLE DX	463	2.7	2	1	2	2	3	4	5	8
TOTAL MULTIPLE DX	1257	4.0	30	1	2	3	4	7	10	25
TOTAL										
65-69 YRS	740	3.2	12	1	2	2	4	5	7	16
70-74	529	3.5	18	1	2	3	4	6	8	17
75-79	300	4.5	57	1	2	3	5	8	12	50
80-84	105	3.9	9	2	2	3	5	7	9	17
85 +	46	6.7	46	1	2	4	8	16	25	28
GRAND TOTAL	1720	3.7	23	1	2	3	4	6	8	19

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	38	2.8	1	1	2	3	3	5	5	6
70-74	17	2.6	2	1	1	2	4	5	6	7
75-79	12	5.0	67	2	2	3	4	12	28	31
80-84	9	3.3	4	1	2	3	5	7	7	7
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	120	6.1	55	1	2	3	6	15	22	39
70-74	113	6.7	110	1	2	3	6	11	28	58
75-79	77	6.7	39	2	3	5	8	13	17	39
80-84	40	9.7	106	2	4	6	10	28	34	46
85 +	11	12.7	113	3	5	11	15	31	36	36
TOTAL SINGLE DX	77	3.2	13	1	2	3	4	5	7	25
TOTAL MULTIPLE DX	361	7.0	78	1	3	4	7	15	26	49
TOTAL										
65-69 YRS	158	5.3	45	1	2	3	5	11	21	36
70-74	130	6.1	98	1	2	3	6	10	23	57
75-79	89	6.5	43	2	3	5	7	13	18	30
80-84	49	8.5	93	2	3	5	8	24	30	46
85 +	12	12.3	106	3	5	10	15	30	35	36
GRAND TOTAL	438	6.3	68	1	2	4	6	13	23	47

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	2.3	3	1	1	2	2	5	7	7
70-74	5	1.6	1	<1	1	1	2	3	3	3
75-79	4	1.5		1	1	1	2	2	2	2
80-84	0									
85 +	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	37	4.6	43	<1	1	2	5	12	20	32
70-74	24	4.6	15	1	2	3	5	11	14	15
75-79	24	14.7	615	1	2	3	9	56	82	88
80-84	9	6.7	17	2	3	6	10	13	13	13
85 +	10	12.2	154	1	5	10	16	31	43	43
TOTAL SINGLE DX	21	1.9	2	<1	1	2	2	3	5	7
TOTAL MULTIPLE DX	104	7.8	190	1	2	3	8	16	33	83
TOTAL										
65-69 YRS	47	4.1	36	1	1	2	4	9	19	32
70-74	29	4.1	14	1	2	3	4	10	14	15
75-79	28	12.8	546	1	1	2	8	49	80	88
80-84	9	6.7	18	2	3	6	10	13	13	13
85 +	12	10.3	146	<1	1	7	14	27	41	43
GRAND TOTAL	125	6.8	163	1	1	2	7	14	28	81

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	8	15.8	280	1	5	12	19	44	53	53
70-74	2	23.0	512	7	7	23	39	39	39	39
75-79	13	15.7	143	5	6	12	21	30	43	46
80-84	7	8.1	37	3	4	7	9	19	21	21
85 +	3	9.3	36	3	5	10	14	15	15	15
TOTAL SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
TOTAL MULTIPLE DX	33	14.0	157	3	6	10	21	29	45	53
TOTAL										
65-69 YRS	8	15.8	281	1	5	12	19	44	53	53
70-74	2	23.0	512	7	7	23	39	39	39	39
75-79	13	15.7	143	5	6	12	21	30	43	46
80-84	8	7.6	34	3	4	6	9	18	21	21
85 +	4	8.3	29	3	4	7	12	15	15	15
GRAND TOTAL	35	13.4	153	3	5	8	20	26	44	53

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	8.1	120	2	3	5	6	26	35	35
70-74	4	3.0	5	1	1	3	5	5	5	5
75-79	6	8.3	166	1	2	2	9	31	34	34
80-84	6	5.7	14	1	3	5	9	11	11	11
85 +	5	3.0	3	1	2	2	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	392	13.4	159	3	6	10	16	27	37	69
70-74	396	12.8	105	3	6	10	16	26	36	52
75-79	303	12.8	131	3	6	9	16	25	39	60
80-84	212	12.7	109	3	5	10	18	26	41	99 +
85 +	173	11.9	113	2	6	9	14	23	32	60
TOTAL SINGLE DX	29	6.1	69	1	2	4	6	10	34	35
TOTAL MULTIPLE DX	1476	12.8	127	3	6	10	16	26	37	60
TOTAL										
65-69 YRS	400	13.3	159	3	6	10	16	27	37	68
70-74	400	12.7	105	3	5	10	16	26	36	52
75-79	309	12.7	132	3	6	9	16	25	39	60
80-84	218	12.5	108	3	5	10	17	26	40	99 +
85 +	178	11.6	112	2	5	9	14	22	32	60
GRAND TOTAL	1505	12.7	126	3	6	10	16	26	36	60

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	11.3	32	5	7	10	16	20	20	20
70-74	4	10.3	9	7	8	10	12	14	14	14
75-79	3	10.0	7	7	8	11	12	12	12	12
80-84	2	7.5	1	7	7	7	8	8	8	8
85 +	2	18.5	85	12	12	18	25	25	25	25
2. MULTIPLE DX										
65-69 YRS	370	18.4	158	6	9	15	24	37	44	98
70-74	364	18.2	189	6	9	14	23	37	49	98
75-79	337	18.4	240	6	9	14	22	38	56	95
80-84	273	19.0	277	6	9	14	23	39	64	99 +
85 +	291	15.3	146	6	8	12	19	28	45	77
TOTAL SINGLE DX	17	11.2	27	7	7	10	13	19	23	25
TOTAL MULTIPLE DX	1635	17.9	201	6	9	14	22	37	49	97
TOTAL										
65-69 YRS	376	18.3	158	6	9	15	24	37	44	97
70-74	368	18.1	189	6	9	14	23	37	49	97
75-79	340	18.3	239	6	9	14	21	38	56	94
80-84	275	18.9	276	6	9	14	23	38	64	99 +
85 +	293	15.3	146	6	8	12	19	28	45	77
GRAND TOTAL	1652	17.8	200	6	9	14	22	36	49	96

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	10.0	20	6	6	9	13	16	16	16
70-74	3	11.7	56	3	6	16	16	16	16	16
75-79	6	12.2	117	3	5	9	13	31	33	33
80-84	1	4.0		4	4	4	4	4	4	4
85 +	8	11.4	24	6	8	11	12	19	22	22
2. MULTIPLE DX										
65-69 YRS	261	18.3	245	6	9	13	22	42	64	99 +
70-74	304	17.1	195	5	8	12	24	38	56	99 +
75-79	353	17.9	223	6	9	13	23	36	58	99 +
80-84	301	17.8	182	6	8	14	22	36	52	79
85 +	630	14.8	168	5	7	11	18	31	46	89
TOTAL SINGLE DX	22	11.0	48	4	6	11	13	18	26	33
TOTAL MULTIPLE DX	1939	16.8	198	5	8	12	21	35	52	99 +
TOTAL										
65-69 YRS	265	18.2	243	6	9	13	22	41	64	99 +
70-74	307	17.0	194	5	8	12	24	38	56	99 +
75-79	359	17.8	222	6	9	13	23	35	57	99 +
80-84	392	17.7	183	6	8	14	22	36	52	78
85 +	638	14.8	167	5	7	11	18	30	45	88
GRAND TOTAL	1961	16.7	196	5	8	12	21	35	52	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	9.7	156	1	2	4	19	24	24	24
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	0									
80-84	0									
85 +	2	18.5	221	8	8	18	29	29	29	29
2. MULTIPLE DX										
65-69 YRS	150	18.3	208	6	9	14	22	38	52	86
70-74	118	18.3	227	4	8	15	25	34	43	99
75-79	108	20.4	277	5	9	16	27	44	54	99
80-84	63	22.4	195	8	13	19	27	44	53	63
85 +	41	16.8	124	5	9	15	20	31	36	60
TOTAL SINGLE DX	7	9.9	137	1	1	4	20	28	29	29
TOTAL MULTIPLE DX	480	19.2	221	5	9	16	25	38	52	94
TOTAL										
65-69 YRS	153	18.1	208	6	9	14	22	36	52	86
70-74	120	18.0	229	4	8	14	25	34	43	99
75-79	108	20.4	277	5	9	16	27	44	54	99
80-84	63	22.4	196	8	13	19	27	44	53	63
85 +	43	16.9	124	5	9	15	21	31	36	60
GRAND TOTAL	487	19.0	221	5	9	15	25	38	52	93

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
TOTAL SINGLE DX	2	5.0		5	5	5	5	5	5	5
TOTAL MULTIPLE DX	3	6.0	13	2	3	7	8	9	9	9
TOTAL										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	7.0	8	5	5	7	9	9	9	9
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
GRAND TOTAL	5	5.6	7	2	4	5	7	9	9	9

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	3.0	2	1	2	3	4	6	6	6
70-74	7	3.1	4	<1	1	3	5	6	6	6
75-79	0									
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	99	11.1	88	2	4	8	16	25	31	77
70-74	89	9.4	89	2	4	6	12	20	26	53
75-79	63	11.2	127	3	5	9	13	20	26	64
80-84	36	11.2	84	2	3	9	16	23	32	36
85 +	40	9.8	49	2	4	7	15	21	23	27
TOTAL SINGLE DX	18	3.3	5	1	2	3	5	6	8	9
TOTAL MULTIPLE DX	327	10.5	91	2	4	8	14	23	27	60
TOTAL										
65-69 YRS	107	10.5	86	2	4	8	15	24	31	74
70-74	96	8.9	86	2	3	6	11	20	25	52
75-79	63	11.2	127	3	5	9	13	20	26	64
80-84	38	10.7	84	2	3	8	16	23	31	36
85 +	41	9.8	48	2	4	7	15	21	23	27
GRAND TOTAL	345	10.1	89	2	4	7	14	22	26	60

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	31.0		31	31	31	31	31	31	31
70-74	0									
75-79	1	17.0		17	17	17	17	17	17	17
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL MULTIPLE DX	4	14.0	167	3	4	11	24	31	31	31
TOTAL										
65-69 YRS	1	31.0		31	31	31	31	31	31	31
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	17.0		17	17	17	17	17	17	17
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	5	12.0	145	3	4	5	20	31	31	31

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	197	1.8	1	< 1	< 1	1	2	3	4	5
70-74	159	2.1	2	< 1	1	2	3	4	5	9
75-79	86	1.8	1	< 1	< 1	2	2	3	4	6
80-84	51	2.1	1	< 1	1	2	3	4	5	7
85 +	25	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
65-69 YRS	449	4.8	57	1	1	3	5	10	15	39
70-74	417	5.3	55	1	2	3	5	13	19	64
75-79	307	6.4	60	1	2	4	8	16	21	43
80-84	227	7.6	85	1	2	4	10	17	25	49
85 +	168	9.4	132	1	3	6	13	21	26	99
TOTAL SINGLE DX	518	1.9	2	< 1	1	2	2	4	4	6
TOTAL MULTIPLE DX	1568	6.1	72	1	2	3	7	15	21	51
TOTAL										
65-69 YRS	646	3.9	42	< 1	1	2	4	8	13	31
70-74	576	4.4	43	1	1	2	5	10	16	44
75-79	393	5.4	51	1	2	3	6	14	18	40
80-84	278	6.6	74	1	2	3	8	16	23	46
85 +	193	8.4	123	1	2	5	11	20	26	99
GRAND TOTAL	2086	5.1	58	< 1	1	3	5	12	18	43

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	51	2.7	1	1	2	3	3	4	5	6
70-74	34	2.9	2	1	2	3	4	5	5	6
75-79	31	2.6	1	1	2	2	3	5	5	6
80-84	28	2.9	3	1	2	3	4	4	7	9
85 +	25	2.9	2	1	2	3	3	4	6	8
2. MULTIPLE DX										
65-69 YRS	133	3.7	7	2	2	3	4	6	9	14
70-74	141	5.2	33	2	2	4	5	10	15	37
75-79	120	5.2	45	2	2	3	5	9	17	39
80-84	116	5.6	62	2	2	4	5	9	19	74
85 +	147	5.1	24	1	3	4	6	10	13	99 +
TOTAL SINGLE DX	169	2.8	2	1	2	3	3	5	5	8
TOTAL MULTIPLE DX	657	4.9	34	2	2	3	5	9	14	40
TOTAL										
65-69 YRS	184	3.4	6	1	2	3	4	5	7	12
70-74	175	4.7	28	2	2	3	5	8	13	36
75-79	151	4.6	38	2	2	3	5	7	16	32
80-84	144	5.0	52	2	2	4	5	9	17	63
85 +	172	4.8	22	1	2	3	5	9	13	85
GRAND TOTAL	826	4.5	28	2	2	3	5	8	12	37

759: Extended simple mastectomy and radical mastectomy (J5.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	540	3.4	3	2	2	3	4	5	6	10
70-74	463	3.3	2	2	2	3	4	5	6	8
75-79	343	3.5	3	2	2	3	4	6	7	9
80-84	151	3.6	3	2	2	3	4	6	7	10
85 +	58	3.5	2	2	3	3	4	5	7	8
2. MULTIPLE DX										
65-69 YRS	1520	4.4	14	2	3	4	5	7	9	18
70-74	1510	4.3	8	2	3	4	5	7	9	17
75-79	1279	4.7	19	2	3	4	5	7	10	22
80-84	790	5.1	18	2	3	4	6	9	13	24
85 +	449	5.5	16	2	3	4	6	10	13	29
TOTAL SINGLE DX	1555	3.4	3	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	5548	4.7	15	2	3	4	5	7	10	20
TOTAL										
65-69 YRS	2060	4.2	12	2	3	3	5	7	8	16
70-74	1973	4.1	7	2	3	3	5	7	8	15
75-79	1622	4.5	16	2	3	4	5	7	9	19
80-84	941	4.9	17	2	3	4	5	8	12	22
85 +	507	5.3	15	2	3	4	6	10	13	25
GRAND TOTAL	7103	4.4	12	2	3	4	5	7	9	18

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	50	2.1	1	1	1	2	3	3	4	5
70-74	26	2.3	1	1	1	2	3	3	5	7
75-79	13	2.1	2	< 1	1	2	2	4	6	7
80-84	5	1.8	1	1	1	1	3	3	3	3
85 +	0									
2. MULTIPLE DX										
65-69 YRS	177	2.8	6	1	1	2	3	5	6	16
70-74	85	2.4	2	1	1	2	3	4	5	10
75-79	33	3.7	23	1	1	2	4	7	12	27
80-84	17	6.9	33	2	3	4	11	17	19	20
85 +	7	10.7	258	1	2	4	11	39	46	46
TOTAL SINGLE DX	94	2.1	1	1	1	2	3	3	4	7
TOTAL MULTIPLE DX	319	3.2	15	1	1	2	3	6	9	21
TOTAL										
65-69 YRS	227	2.6	5	1	1	2	3	4	6	13
70-74	111	2.4	3	1	1	2	3	4	5	10
75-79	46	3.2	18	1	1	2	3	6	10	27
80-84	22	5.8	31	1	3	3	10	14	19	20
85 +	7	10.7	258	1	2	4	11	39	46	46
GRAND TOTAL	413	2.9	12	1	1	2	3	5	7	19

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.3	5	1	1	1	4	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	5	2.6	1	1	2	3	3	4	4	4
70-74	7	7.1	41	1	2	5	10	17	19	19
75-79	0									
80-84	2	8.5	113	1	1	8	16	16	16	16
85 +	0									
TOTAL SINGLE DX	6	2.3	4	< 1	1	1	5	5	5	5
TOTAL MULTIPLE DX	14	5.7	34	1	1	3	9	16	18	19
TOTAL										
65-69 YRS	8	2.5	2	1	1	2	4	5	5	5
70-74	8	6.9	36	1	3	5	10	17	19	19
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	2	8.5	113	1	1	8	16	16	16	16
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	20	4.7	27	1	1	3	5	13	17	19

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	43	2.5	8	< 1	< 1	1	3	7	10	13
70-74	38	2.9	32	< 1	< 1	1	2	8	10	34
75-79	29	2.5	7	< 1	< 1	1	3	8	8	10
80-84	16	1.8	2	< 1	< 1	1	2	3	6	7
85 +	11	3.5	31	< 1	< 1	1	4	11	19	20
2. MULTIPLE DX										
65-69 YRS	346	11.0	140	2	4	7	14	26	36	63
70-74	346	10.3	105	2	4	7	13	21	28	50
75-79	328	11.6	145	2	4	8	15	25	36	64
80-84	273	10.9	99	2	5	8	14	22	30	56
85 +	265	11.6	151	2	4	8	14	25	42	99 +
TOTAL SINGLE DX	137	2.6	16	< 1	< 1	1	2	7	10	22
TOTAL MULTIPLE DX	1558	11.1	129	2	4	8	14	24	34	67
TOTAL										
65-69 YRS	389	10.0	133	1	3	6	13	24	35	63
70-74	384	9.6	103	1	3	7	12	20	28	49
75-79	357	10.8	140	1	4	7	13	24	33	63
80-84	289	10.4	99	2	4	7	13	22	30	56
85 +	276	11.3	149	2	4	8	14	25	39	99 +
GRAND TOTAL	1695	10.4	125	1	4	7	13	23	33	64

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	57	6.6	31	1	3	5	9	12	16	28
70-74	47	8.8	87	1	3	6	10	18	37	39
75-79	27	10.4	132	1	4	8	11	18	45	48
80-84	25	5.6	68	1	2	3	6	10	18	43
85 +	26	9.3	141	1	3	6	10	23	42	51
2. MULTIPLE DX										
65-69 YRS	1268	16.3	212	4	7	12	22	37	51	99 +
70-74	1184	17.7	245	4	7	13	22	39	53	97
75-79	1088	18.9	264	5	8	14	25	43	63	99 +
80-84	893	19.4	255	5	9	15	27	47	71	99 +
85 +	1100	18.7	234	5	8	15	25	41	60	99 +
TOTAL SINGLE DX	182	8.0	82	1	3	5	10	15	28	47
TOTAL MULTIPLE DX	5533	18.1	242	4	8	14	24	41	58	99 +
TOTAL										
65-69 YRS	1325	15.9	209	3	7	12	21	36	51	99 +
70-74	1231	17.3	242	4	7	13	22	38	52	96
75-79	1115	18.7	263	4	8	14	25	43	61	99 +
80-84	918	19.0	255	5	8	15	27	46	70	99 +
85 +	1126	18.5	234	5	8	14	25	41	59	99 +
GRAND TOTAL	5715	17.8	240	4	7	13	24	41	57	99 +

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	89	3.5	9	1	1	3	4	7	8	18
70-74	71	3.7	17	< 1	1	2	5	7	10	27
75-79	71	3.7	13	< 1	1	2	5	8	10	17
80-84	38	5.2	50	< 1	1	2	7	12	21	35
85 +	42	4.6	19	1	1	4	6	9	13	22
2. MULTIPLE DX										
65-69 YRS	1016	8.3	67	2	3	6	11	18	23	41
70-74	1034	8.9	84	2	3	6	11	19	27	56
75-79	921	9.3	122	2	3	6	11	19	29	90
80-84	812	9.3	111	2	3	6	11	19	34	71
85 +	880	9.0	107	2	4	6	10	19	27	85
TOTAL SINGLE DX	311	3.9	19	< 1	1	3	5	8	11	24
TOTAL MULTIPLE DX	4663	8.9	97	2	3	6	11	19	28	66
TOTAL										
65-69 YRS	1105	8.0	64	1	3	6	10	17	23	41
70-74	1105	8.5	82	2	3	6	11	19	26	55
75-79	992	8.9	117	2	3	6	11	18	28	82
80-84	850	9.1	109	2	3	6	11	19	34	70
85 +	922	8.8	104	2	3	6	10	19	27	82
GRAND TOTAL	4974	8.6	94	2	3	6	10	18	27	62

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	31	8.2	66	1	3	6	10	18	29	36
70-74	19	7.1	71	1	2	4	10	17	29	35
75-79	17	7.5	29	1	4	6	9	14	20	23
80-84	17	8.5	44	1	3	6	14	18	21	22
85 +	18	6.1	50	1	2	4	8	13	24	30
2. MULTIPLE DX										
65-69 YRS	205	15.6	266	2	5	10	21	38	55	76
70-74	217	17.1	217	3	7	13	24	38	48	76
75-79	190	15.3	151	3	6	12	22	32	38	60
80-84	155	15.7	170	2	6	12	22	33	42	61
85 +	170	18.2	249	3	7	15	26	40	50	98
TOTAL SINGLE DX	102	7.5	53	1	3	5	10	16	24	35
TOTAL MULTIPLE DX	937	16.4	213	2	6	12	23	36	46	74
TOTAL										
65-69 YRS	236	14.7	246	2	5	9	21	36	52	75
70-74	236	16.3	212	2	6	12	22	37	46	72
75-79	207	14.6	146	3	6	11	22	31	37	60
80-84	172	14.9	162	2	6	11	21	32	41	59
85 +	188	17.1	243	2	6	13	25	39	48	97
GRAND TOTAL	1039	15.5	204	2	6	11	22	35	45	70

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	2.5	3	< 1	< 1	1	4	5	5	5
70-74	4	7.5	57	< 1	< 1	7	14	15	15	15
75-79	4	3.5	25	< 1	< 1	1	6	11	11	11
80-84	2	8.0	72	2	2	8	14	14	14	14
85 +	3	6.0	61	< 1	< 1	2	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	71	13.6	250	1	2	7	18	42	48	67
70-74	55	17.2	469	1	2	9	22	56	81	99
75-79	38	23.2	749	1	2	9	44	72	88	99 +
80-84	37	14.9	240	1	3	9	22	43	58	99 +
85 +	26	19.3	387	3	6	13	26	40	66	84
TOTAL SINGLE DX	21	4.7	28	< 1	< 1	2	7	14	15	15
TOTAL MULTIPLE DX	227	16.9	405	1	3	9	25	49	69	99 +
TOTAL										
65-69 YRS	79	12.4	237	1	2	5	16	41	48	65
70-74	59	16.6	446	1	2	9	20	53	79	99
75-79	42	21.3	712	1	1	8	42	70	83	99 +
80-84	39	14.5	232	1	3	9	21	41	57	99 +
85 +	29	18.0	367	2	6	13	25	39	63	84
GRAND TOTAL	248	15.9	385	1	2	9	22	47	67	99 +

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	38	3.7	16	1	1	2	6	12	13	13
70-74	22	3.4	25	1	1	1	2	10	17	21
75-79	9	5.7	38	< 1	1	5	8	15	20	20
80-84	9	6.7	22	< 1	2	8	10	13	14	14
85 +	6	7.0	27	2	3	6	11	15	15	15
2. MULTIPLE DX										
65-69 YRS	389	10.1	144	1	4	7	12	21	26	81
70-74	350	11.8	117	2	5	9	14	28	36	99
75-79	331	11.6	90	3	5	9	16	24	34	99 +
80-84	278	13.1	124	3	6	10	17	27	35	73
85 +	331	13.7	152	4	7	10	15	28	41	76
TOTAL SINGLE DX	84	4.4	23	1	1	2	7	12	14	21
TOTAL MULTIPLE DX	1679	12.0	128	3	5	9	15	25	35	82
TOTAL										
65-69 YRS	427	9.6	136	1	3	7	12	20	26	80
70-74	372	11.3	115	2	4	8	14	27	36	95
75-79	340	11.4	90	3	5	9	15	24	33	99 +
80-84	287	12.9	123	3	6	10	16	27	35	70
85 +	337	13.6	151	4	7	10	15	28	41	76
GRAND TOTAL	1763	11.6	125	2	5	9	15	24	35	81

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	19.3	1008	1	1	1	42	56	56	56
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	1.7		1	1	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	24	7.4	82	2	3	5	8	14	24	46
70-74	30	7.9	74	2	3	5	9	17	34	37
75-79	35	9.9	70	4	4	6	13	23	24	43
80-84	26	9.0	54	2	5	6	10	21	26	28
85 +	11	13.4	190	4	6	8	18	33	49	51
TOTAL SINGLE DX	9	7.4	332	1	1	1	2	34	56	56
TOTAL MULTIPLE DX	126	9.0	80	2	4	6	10	20	26	47
TOTAL										
65-69 YRS	27	8.7	165	1	3	5	8	15	47	56
70-74	32	7.5	73	2	2	5	9	17	32	37
75-79	36	9.6	70	3	4	6	13	22	24	43
80-84	29	8.2	54	2	3	5	9	20	25	28
85 +	11	13.4	191	4	6	8	18	33	49	51
GRAND TOTAL	135	8.9	95	2	3	6	10	20	27	52

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	205	1.7	3	1	1	1	1	3	6	11
70-74	139	1.9	7	1	1	1	1	4	7	17
75-79	88	2.1	10	1	1	1	2	5	9	19
80-84	41	1.8	5	1	1	1	2	3	4	15
85 +	6	1.0		< 1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	677	4.6	53	1	1	2	6	11	15	29
70-74	590	5.0	40	1	1	2	7	12	16	33
75-79	398	6.5	67	1	1	4	9	14	18	36
80-84	201	7.2	76	1	1	5	10	15	18	28
85 +	67	6.7	23	1	3	6	9	13	15	21
TOTAL SINGLE DX	479	1.9	6	1	1	1	1	3	6	15
TOTAL MULTIPLE DX	1933	5.5	54	1	1	3	8	13	17	29
TOTAL										
65-69 YRS	882	4.0	43	1	1	2	4	10	13	25
70-74	729	4.4	36	1	1	2	6	11	15	26
75-79	486	5.7	60	1	1	2	9	13	17	27
80-84	242	6.3	68	1	1	3	9	15	17	27
85 +	73	6.3	24	1	2	5	9	13	14	21
GRAND TOTAL	2412	4.7	47	1	1	2	7	12	15	26

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	104	3.0	17	1	1	2	3	6	9	28
70-74	79	3.2	24	< 1	1	2	3	6	9	32
75-79	65	2.6	8	1	1	1	3	6	8	15
80-84	20	3.9	11	1	1	3	5	9	12	13
85 +	10	2.2	1	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	837	6.4	38	1	2	5	8	13	17	33
70-74	856	6.7	44	1	2	5	8	13	18	35
75-79	693	6.7	43	1	2	5	9	13	17	30
80-84	332	7.2	40	1	3	6	9	13	18	34
85 +	109	7.9	80	1	3	6	9	16	21	58
TOTAL SINGLE DX	278	3.0	16	1	1	2	3	6	9	21
TOTAL MULTIPLE DX	2827	6.7	43	1	2	5	9	13	18	33
TOTAL										
65-69 YRS	941	6.0	37	1	2	4	8	12	16	32
70-74	935	6.4	43	1	2	5	8	13	18	36
75-79	758	6.4	42	1	2	5	8	13	17	29
80-84	352	7.0	39	1	3	6	9	13	17	34
85 +	119	7.5	76	1	3	5	9	15	21	56
GRAND TOTAL	3105	6.4	42	1	2	5	8	13	17	33

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	26	2.9	3	1	1	2	4	5	7	8
70-74	19	2.2	1	1	1	2	3	4	4	4
75-79	18	2.8	2	1	1	3	4	6	6	6
80-84	5	3.2	3	< 1	1	3	4	6	6	6
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	193	4.7	15	1	2	4	6	10	11	19
70-74	191	4.0	11	1	2	3	5	8	10	17
75-79	120	5.3	15	1	2	4	7	11	14	18
80-84	57	4.9	14	1	2	4	7	10	14	17
85 +	20	5.6	5	2	4	6	7	9	10	10
TOTAL SINGLE DX	69	2.7	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	581	4.6	14	1	2	4	6	9	11	18
TOTAL										
65-69 YRS	219	4.5	14	1	2	3	6	9	11	18
70-74	210	3.8	11	1	2	3	5	8	9	17
75-79	138	4.9	15	1	2	4	6	10	13	18
80-84	62	4.8	14	1	2	4	7	9	14	17
85 +	21	5.4	6	2	3	6	7	9	10	10
GRAND TOTAL	650	4.4	13	1	2	3	6	9	11	18

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	160	3.3	8	1	1	2	5	8	9	12
70-74	140	3.6	13	1	1	2	5	8	10	20
75-79	113	4.0	9	1	1	3	6	8	10	12
80-84	55	3.9	10	1	1	3	7	9	10	12
85 +	43	4.3	11	1	1	3	6	10	11	12
2. MULTIPLE DX										
65-69 YRS	1835	6.7	45	1	2	5	9	13	17	37
70-74	1765	6.8	40	1	2	6	9	14	18	35
75-79	1509	7.4	42	1	3	6	10	14	18	33
80-84	1015	7.7	49	1	3	6	10	15	19	34
85 +	670	8.6	58	2	5	7	10	15	21	47
TOTAL SINGLE DX	511	3.7	11	1	1	2	6	8	10	13
TOTAL MULTIPLE DX	6794	7.2	46	1	3	6	9	14	18	36
TOTAL										
65-69 YRS	1995	6.4	44	1	2	5	8	13	17	36
70-74	1905	6.6	40	1	2	5	9	13	17	33
75-79	1622	7.2	41	1	3	6	9	14	18	33
80-84	1070	7.5	49	1	3	6	9	15	19	34
85 +	713	8.4	56	2	4	7	10	15	21	43
GRAND TOTAL	**7305**	**7.0**	**44**	**1**	**2**	**6**	**9**	**14**	**18**	**35**

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	295	6.1	66	1	2	4	7	12	18	54
70-74	296	5.6	32	1	2	4	7	11	16	31
75-79	238	5.8	36	1	2	4	7	11	18	33
80-84	189	6.4	36	2	3	4	8	13	18	33
85 +	175	6.4	46	2	3	5	8	14	16	36
2. MULTIPLE DX										
65-69 YRS	6712	7.8	57	2	4	6	9	15	21	45
70-74	7966	8.5	70	2	4	6	10	17	23	48
75-79	8578	8.9	70	3	4	7	11	17	24	51
80-84	7720	9.2	77	3	4	7	11	18	26	56
85 +	7531	9.7	89	3	4	7	12	19	27	63
TOTAL SINGLE DX	1193	6.0	44	2	2	4	7	12	17	34
TOTAL MULTIPLE DX	38507	8.8	74	3	4	7	11	17	24	52
TOTAL										
65-69 YRS	7007	7.7	58	2	3	6	9	15	21	45
70-74	8262	8.4	69	2	4	6	10	16	23	47
75-79	8816	8.8	70	3	4	7	11	17	24	50
80-84	7909	9.1	77	3	4	7	11	18	26	56
85 +	7706	9.6	89	3	4	7	12	19	27	63
GRAND TOTAL	**39700**	**8.8**	**73**	**2**	**4**	**6**	**10**	**17**	**24**	**51**

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	620	4.2	15	1	2	3	6	8	10	23
70-74	515	4.7	19	1	2	4	6	9	11	20
75-79	432	5.5	23	2	2	4	7	10	15	25
80-84	288	5.2	18	2	3	4	6	10	12	21
85 +	250	5.6	40	2	2	4	7	10	15	23
2. MULTIPLE DX										
65-69 YRS	13606	6.9	35	2	3	5	8	13	17	31
70-74	14285	7.2	38	2	4	6	9	13	17	32
75-79	14577	7.7	42	2	4	6	9	14	19	35
80-84	11992	8.2	54	3	4	6	10	15	21	40
85 +	11319	8.6	54	3	4	7	10	16	22	40
TOTAL SINGLE DX	2105	4.9	22	1	2	4	6	9	12	23
TOTAL MULTIPLE DX	65779	7.6	45	2	4	6	9	14	19	36
TOTAL										
65-69 YRS	14226	6.7	35	2	3	5	8	13	17	31
70-74	14800	7.1	38	2	4	6	9	13	17	32
75-79	15009	7.6	43	2	4	6	9	14	19	35
80-84	12280	8.1	54	3	4	6	10	15	21	40
85 +	11569	8.5	54	3	4	7	10	16	21	40
GRAND TOTAL	**67884**	**7.6**	**44**	**2**	**4**	**6**	**9**	**14**	**19**	**35**

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	6.2	43	1	3	3	7	17	22	22
70-74	10	4.8	8	1	3	4	7	9	10	10
75-79	6	5.2	3	2	4	5	7	7	7	7
80-84	0									
85 +	6	8.7	50	1	6	7	9	21	22	22
2. MULTIPLE DX										
65-69 YRS	1352	15.2	154	5	8	12	19	29	41	91
70-74	1429	15.2	143	5	8	12	19	29	39	73
75-79	1247	15.4	149	5	8	12	19	31	39	78
80-84	895	15.1	121	5	8	12	19	29	39	65
85 +	688	14.5	129	5	8	12	17	28	34	68
TOTAL SINGLE DX	32	6.0	26	1	3	5	7	11	21	22
TOTAL MULTIPLE DX	5611	15.1	142	5	8	12	19	29	39	75
TOTAL										
65-69 YRS	1362	15.1	154	5	7	12	19	29	41	91
70-74	1439	15.1	143	5	8	12	19	29	39	73
75-79	1253	15.3	149	5	8	12	19	30	39	78
80-84	895	15.1	121	5	8	12	19	29	39	65
85 +	694	14.4	129	5	7	12	17	28	34	68
GRAND TOTAL	**5643**	**15.1**	**142**	**5**	**8**	**12**	**19**	**29**	**39**	**74**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	236	7.9	123	1	3	4	8	17	30	62
70-74	208	7.0	95	2	3	4	7	14	21	49
75-79	152	6.7	39	1	3	5	8	16	21	97
80-84	117	7.2	50	2	3	5	9	14	18	42
85 +	106	7.4	77	2	3	5	8	17	22	48
2. MULTIPLE DX										
65-69 YRS	4245	9.7	103	3	4	6	11	20	30	56
70-74	4843	10.2	103	3	4	7	12	21	30	55
75-79	5284	10.5	106	3	4	7	13	22	32	59
80-84	4612	10.6	98	3	5	8	13	22	29	57
85 +	4742	10.8	108	3	5	8	13	22	31	60
TOTAL SINGLE DX	819	7.3	84	2	3	5	8	16	24	56
TOTAL MULTIPLE DX	23726	10.4	104	3	4	7	12	21	31	58
TOTAL										
65-69 YRS	4481	9.6	105	2	4	6	11	20	30	57
70-74	5051	10.0	103	3	4	7	12	21	30	55
75-79	5436	10.4	105	3	4	7	12	22	31	59
80-84	4729	10.5	98	3	5	8	13	21	29	57
85 +	4848	10.7	108	3	5	8	13	21	31	60
GRAND TOTAL	**24545**	**10.3**	**104**	**3**	**4**	**7**	**12**	**21**	**30**	**58**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX							—			
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	95	4.0	4	2	3	4	5	6	7	12
70-74	72	4.6	7	2	3	4	6	8	9	15
75-79	71	4.9	10	1	3	4	6	9	11	18
80-84	52	5.4	7	2	3	5	7	9	11	11
85 +	39	5.0	14	2	2	4	6	10	15	17
2. MULTIPLE DX										
65-69 YRS	2829	7.6	46	2	4	6	9	14	19	36
70-74	3160	7.7	43	2	4	6	9	15	19	36
75-79	3291	8.2	48	3	4	7	10	15	20	35
80-84	2576	8.8	56	3	4	7	11	16	21	45
85 +	2631	9.6	68	3	5	7	12	18	24	48
TOTAL SINGLE DX	329	4.7	8	2	3	4	6	8	10	16
TOTAL MULTIPLE DX	14487	8.3	52	3	4	7	10	16	21	40
TOTAL										
65-69 YRS	2924	7.5	45	2	4	6	9	14	18	36
70-74	3232	7.7	42	2	4	6	9	15	19	36
75-79	3362	8.1	48	3	4	6	10	15	20	35
80-84	2628	8.7	55	3	4	7	11	16	21	45
85 +	2670	9.5	68	3	5	7	12	18	24	47
GRAND TOTAL	**14816**	**8.3**	**52**	**3**	**4**	**6**	**10**	**16**	**20**	**39**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	541	4.0	29	1	1	3	4	7	9	35
70-74	457	4.2	29	1	2	3	5	7	10	22
75-79	331	4.4	21	1	2	3	5	9	13	24
80-84	237	4.6	16	1	2	3	6	9	12	23
85 +	190	5.9	78	1	2	4	6	11	14	52
2. MULTIPLE DX										
65-69 YRS	9816	6.2	42	2	3	4	7	12	16	35
70-74	10342	6.6	47	2	3	5	8	13	18	38
75-79	10560	7.2	56	2	3	5	9	14	20	40
80-84	8329	7.7	57	2	3	6	9	15	21	44
85 +	8093	8.1	60	2	4	6	10	15	21	42
TOTAL SINGLE DX	1756	4.4	32	1	2	3	5	8	11	29
TOTAL MULTIPLE DX	47140	7.1	53	2	3	5	9	14	19	39
TOTAL										
65-69 YRS	10357	6.1	42	2	3	4	7	12	16	35
70-74	10799	6.5	47	2	3	5	8	13	18	37
75-79	10891	7.2	56	2	3	5	9	14	20	39
80-84	8566	7.6	56	2	3	6	9	15	21	43
85 +	8283	8.0	61	2	4	6	10	15	21	43
GRAND TOTAL	**48896**	**7.0**	**52**	**2**	**3**	**5**	**8**	**14**	**19**	**39**

APPENDIX A

1990 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	380	44	11.6
25-49	1,125	148	13.2
50-99	1,148	160	13.9
100-199	1,130	188	16.6
200-299	694	110	15.9
300-399	389	86	22.1
400-499	204	40	19.6
500+	262	56	21.4
Unknown	5	0	
Total	**5,337**	**832**	**15.6**
Region and Census Division			
Northeast	760	176	23.2
New England	226	72	31.9
Middle Atlantic	534	104	19.5
North Central	1,554	230	14.8
East North Central	811	198	24.4
West North Central	743	32	4.3
South	2,020	154	7.6
South Atlantic	792	87	11.0
East South Central	467	32	6.9
West South Central	761	35	4.6
West	1,003	272	27.1
Mountain	353	149	42.2
Pacific	650	123	18.9
Location			
Urban	2,812	497	17.7
Rural	2,525	335	13.3
Teaching Intensity			
Low	4,362	613	14.1
Medium	691	155	22.4
High	284	60	21.1
Unknown	0	4	

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 sample is compared to the universe of hospitals in 1989.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by American Medical Association (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	


Northeast
North Central
West
New England
Middle Atlantic
Pacific**
Mountain
West North Central
East North Central
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 665.1-665.9 with 5th digit 4; 664 with 5th digit 4; 671.0-671.2 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 717, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
717	Repair and plastic operation on bone, except facial and femur	78.00-78.04; 78.06-78.14; 78.16-78.23; 78.27-78.34; 78.37-78.44; 78.46-78.54; 78.56-78.59; 78.70-78.74; 78.76-78.84; 78.86-78.94; 78.96-78.99; 79.90-79.94; 79.96-79.99
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01: 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.98; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1990 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
	Angiodysplasia
224	intestine
206	stomach
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	bone marrow transplant
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
340	kidney disease
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional

DIAGNOSIS INDEX (continued)

Group No.	Title
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic

Group No.	Title
	Dependence **(continued)**
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
134	Dermatochalasis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy

DIAGNOSIS INDEX (continued)

Group No.	Title
	Diabetic complications **(continued)**
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's

Group No.	Title
	Disease **(continued)**
80	Cushing's
340	cystic kidney
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
	Disease **(continued)**
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disorder **(continued)**
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy

Group No.	Title
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial

DIAGNOSIS INDEX (continued)

Group No.	Title
	Enteritis, except bacterial, regional, and viral **(continued)**
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow

Group No.	Title
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*

Group No.	Title
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
176	Goodpasture's syndrome
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No. Title
357 Hyperbilirubinemia, unspecified
84   constitutional
344   neonatal
84 Hypercalcemia
276 Hyperemesis gravidarum
80 Hyperinsulinism
84 Hyperlipoproteinemia
80 Hyperparathyroidism
249 Hyperplasia of prostate
86 Hyperpotassemia
176 Hypersensitivity angiitis
143 Hypertension, except renal and of pregnancy
275   of pregnancy
301   with delivery
145   renal
146   renovascular
134 Hypertensive retinopathy
74 Hyperthyroidism
185 Hypertrophy of tonsils and adenoids
84 Hypogammaglobulinemia
80 Hypoparathyroidism
86 Hypopotassemia
180 Hypotension
74 Hypothyroidism
86 Hypovolemia

222 Ileitis, regional
217 Ileus, paralytic or adynamic
357 Ill-defined conditions
343 Immaturity of newborn
84 Immunodeficiency disorder, except AIDS
13   AIDS
167 Impending CVA
306 Impetigo
271 Incomplete abortion
354 Incontinence
147 Infarction, acute myocardial

Group No. Title
Infection
245   bladder
328   bone
260   cervix
240   kidney, except nephritis, nephrosis, and acute pyelonephritis
7   meningococcal
407   postoperative wound
302   puerperal, major
306   skin and subcutaneous tissue, except cellulitis and abscess
181   upper respiratory, except streptococcal
247   urinary tract
280   in pregnancy
261   uterine, except cervix
261   vaginal
261   vulvar
407   wound, postoperative
11 Infectious mononucleosis
Infertility
266   female
254   male
Inflammation
120   central nervous system
135   eye, except lacrimal tract
133   lacrimal tract
189 Influenza
189 Influenzal pneumonia
Inguinal hernia
210   without complication
211   with complication
Injury
345   birth
392   blood vessel
396   crush, except abdomen and chest
386   abdomen
385   chest
384   head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury **(continued)**
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*

Group No.	Title
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
72	Neurofibromatosis
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple, except by cesarean delivery
419	by cesarean delivery
411	single, except by cesarean delivery
418	by cesarean delivery
412	twin, except by cesarean delivery
419	by cesarean delivery
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery

Group No.	Title
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)

Group No.	Title
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis

DIAGNOSIS INDEX (continued)

Group No.	Title
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment

DIAGNOSIS INDEX (continued)

Group No. **Title**

357 Rash
Reaction
107 anxiety
108 depressive
404 drug, not elsewhere classified
409 transfusion
262 Rectocele, female
253 Redundant prepuce
222 Regional enteritis
414 Removal of internal fixation device
Renal
241 calculus
415 dialysis treatment
238 failure, except chronic and hypertensive
237 chronic
145 hypertensive
146 with heart disease or failure
145 hypertension
146 Renovascular hypertension
195 Respiratory distress, acute
3 Respiratory tuberculosis
134 Retained intraocular foreign body
287 Retained placenta
119 Retardation, mental
354 Retention, urine
Retinal
128 cyst
128 detachment
128 hemorrhage
128 tear
134 Retinitis pigmentosa
344 Rh (Rhesus) disease of newborn
141 Rheumatic fever, active
142 Rheumatic heart disease, chronic
331 Rheumatism
312 Rheumatoid arthritis, except spine
318 spine

Group No. **Title**

14 Rickettsiosis
9 Rubella
20 late effect
Rupture
180 blood vessel
321 intervertebral disc, except lumbar
320 lumbar disc
257 ovarian cyst
282 uterus
304 postpartum
300 with delivery
208 Ruptured appendix

322 Sacroiliac instability
2 Salmonellosis
258 Salpingitis
Sarcoma-*see Neoplasm, malignant, connective tissue*
102 Schizophrenia, except paranoid, childhood, and acute episode
101 acute episode
103 childhood
100 paranoid
323 Sciatica
122 Sclerosis, multiple
331 Scoliosis
308 Sebaceous cyst
346 Seizure, except epileptic
123 epileptic
270 Self-induced abortion
131 Senile cataract
97 Senile dementia or psychosis
357 Senility
375 Separation, shoulder
6 Sepsis
302 puerperal
6 Septicemia
302 puerperal
10 Serum hepatitis

DIAGNOSIS INDEX (continued)

Group No. Title
409 Serum sickness
Shock
409 anaphylactic, except due to drug
404 due to drug
350 nontraumatic
408 postoperative
401 traumatic
88 Sickle cell anemia or crisis
186 Sinusitis
310 Skin disease, except infective, pilonidal and sebaceous cysts
306 Skin infection, except cellulitis
321 Slipped intervertebral disc, except lumbar
320 lumbar disc
9 Smallpox
332 Somatic dysfunction, osteopathic
254 Spermatocele
333 Spina bifida
318 Spondylitis, ankylosing
319 Spondylosis
Spontaneous
271 abortion
194 pneumothorax
381 Sprain, except knee, back, and sacroiliac region
380 back
378 knee
379 sacroiliac region
178 Stasis dermatitis
123 Status epilepticus
234 Steatorrhea
79 Stein-Leventhal syndrome
52 Stem cell leukemia
Stenosis
heart valve-*see Valvular disease*
337 pyloric, congenital
246 urethral, except congenital
340 congenital
410 Sterilization, elective

Group No. Title
206 Stomach disease, except ulcer and inflammation
ulcer-*see Ulcer, gastric*
198 Stomatitis
132 Strabismus
381 Strain, except knee, back, and sacroiliac region
380 back
378 knee
379 sacroiliac region
5 Streptococcal sore throat
267 Stress incontinence, female
246 Stricture of urethral meatus, except congenital
340 congenital
Stroke
168 without paralysis
169 with paralysis
152 Subacute bacterial endocarditis
Subarachnoid hemorrhage
159 without paralysis
160 with paralysis
306 Subcutaneous infection, except cellulitis
325 Synovitis
15 Syphilis
311 Systemic lupus erythematosus (SLE)

350 Tachycardia, except paroxysmal
155 paroxysmal, except atrial
153 atrial or supraventricular
330 Talipes deformity, acquired
17 Tapeworm infestation
Tear
376 medial meniscus, current injury
316 old
128 retinal
325 Tenosynovitis, except spine
324 spine
118 Tension headache
269 Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy (continued)
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt **(continued)**
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement **(continued)**
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No.	Title
	Excision **(continued)**
	hydrocele (continued)
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag

Group No.	Title
	Excision **(continued)**
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct, except by ERCP
618	by ERCP
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach

Group No.	Title
	Excision of lesion **(continued)**
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
764	infusion pump
755	limb prosthesis
764	vascular access device
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)

OPERATION INDEX (continued)

Group No. **Title**

Incision (and drainage) **(continued)**
522 cornea
502 cranial sinus
533 ear, external
518 eyelid
551 floor of mouth
619 gallbladder
548 gingiva, gums
601 intestine
727 joint
519 lacrimal gland or sac
614 liver
583 lymph nodes
538 mastoid
meninges
501 cerebral
506 spinal
536 middle ear
741 muscle
nasal sinus-*see Sinusotomy*
741 palmar space (hand)
620 pancreas
613 perianal tissue
perineum
691 female
764 male
607 perirectal tissue
629 peritoneum, except via cul-de-sac
690 via cul-de-sac
761 pilonidal cyst or sinus
568 pleura
607 rectovaginal septum
607 rectum
628 retroperitoneal abscess
658 scrotum
sinus (nasal)-*see Sinusotomy*

Group No. **Title**

Incision (and drainage) **(continued)**
764 skin, except pilonidal cyst or sinus
761 pilonidal cyst or sinus
506 spinal meninges
741 tendon
568 thorax
637 ureter
690 vagina
691 vulva
698 Induction of labor (medical or surgical) for delivery
Infusion
concentrated nutritional substances
783 enteral
781 parenteral (PPN) (TPN)
Injection
702 intra-amniotic, for termination of pregnancy
sclerosing agent
589 esophageal varices
597 gastric varices
621 hemorrhoids
588 peripheral vein
781 therapeutic agent (drugs)
760 breast
756 bursa
756 joint
756 tendon
694 Insemination, artificial
Insertion
717 bone growth stimulator, except femur
716 femur
574 cardiac pacemaker (electrode) (pulse generator)
512 catheter, spinal canal
596 gastric balloon
764 infusion pump
694 intrauterine contraceptive device
687 laminaria, uterus
665 penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Insertion **(continued)**
767	tissue expander, except breast
760	breast
651	ureteral stent, except by incision
637	by incision
764	vascular access device
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids

Group No.	Title
	Ligation **(continued)**
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy

OPERATION INDEX (continued)

Group No.	Title
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral

Group No.	Title
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis

OPERATION INDEX (continued)

Group No.	Title
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
	Puncture **(continued)**
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible

OPERATION INDEX (continued)

Group No.	Title
	Reconstruction **(continued)**
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*

Group No.	Title
	Release **(continued)**
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid

Group No.	Title
	Repair **(continued)**
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve

OPERATION INDEX (continued)

Group No. **Title**

- Repair **(continued)**
  - 596 pylorus, stomach
  - 688 rectocele, vagina
  - 609 rectum
  - 528 retinal detachment or tear
  - 745 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 597 stomach, except pylorus
    - 596 pylorus
  - 650 stress incontinence, except urethral suspension
    - 649 urethral suspension
  - 746 tendon, except of hand
    - 744 hand
  - 661 testis
  - 713 toe(s)
  - 561 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterus, except obstetric laceration and supporting structures
    - 705 obstetric laceration
    - 686 supporting structures
  - 689 vagina, except for cystocele and rectocele, and obstetric laceration
    - 688 cystocele and rectocele
    - 705 obstetric laceration
  - 551 vestibular arch (mouth)
  - 693 vulva, except obstetric laceration
    - 705 obstetric laceration
- Replacement
  - 574 cardiac pacemaker
  - 570 heart valve
  - 739 joint, except hip and knee
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee

Group No. **Title**

- Replacement **(continued)**
  - 665 penile prosthesis
  - 654 urinary catheter
- Resection
  - 644 bladder
  - 582 blood vessel
  - 563 bronchus
  - 600 large intestine
  - 745 muscle, except of hand
    - 743 hand
  - 540 nasal septum, submucous
  - 530 ocular muscle
  - 668 ovary
  - 608 rectum (abdominoperineal) (pull-through)
  - 548 root of tooth
  - 599 small intestine
  - 745 tendon, except of hand
    - 743 hand
- 547 Restoration, tooth
- 775 Retrograde pyelogram
- Revision
  - 754 amputation stump
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
	Sclerotherapy (injection)
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP

Group No.	Title
	Sphincterotomy **(continued)**
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
•	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*

OPERATION INDEX (continued)

Group No.	Title
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
783	Thallium stress test
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*

Group No.	Title
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
570	and lung
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy

OPERATION INDEX (continued)

Group No.	Title
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy

Group No.	Title
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin



LOS

LENGTH OF STAY

Pediatric Length of Stay by Diagnosis and Operation United States, 1990

LOS

LENGTH OF STAY

Pediatric Length of Stay
by Diagnosis and Operation
United States, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1991

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

- Length of Stay by Diagnosis and Operation, United States, 1990
  ISSN 0895-9824
- Length of Stay by Diagnosis and Operation, Northeastern Region, 1990
  ISSN 0895-9838
- Length of Stay by Diagnosis and Operation, North Central Region, 1990
  ISSN 0895-9846
- Length of Stay by Diagnosis and Operation, Southern Region, 1990
  ISSN 0895-9854
- Length of Stay by Diagnosis and Operation, Western Region, 1990
  ISSN 0895-9862
- Geriatric Length of Stay by Diagnosis and Operation, United States, 1990
  ISSN 0891-2173
- Pediatric Length of Stay by Diagnosis and Operation, United States, 1990
  ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi
Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii
Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics x
Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Ten Year Length of Stay Comparison xii

Length of Stay Tables 1
Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-419 4
Length of Stay Operation Groups 215
Summary of All Patients in Operation Groups 216
Operation Groups 501-783 217

Appendix A
1990 Hospital Characteristics 289

Appendix B
Description of Hospital Characteristics 290

Appendix C
State Inclusions By Region 291

Appendix D
Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293
Index
Part I: Diagnosis Index 298
Part II: Operation Index 321

ACKNOWLEDGEMENTS

1990 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda Vanek, Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Michele Archer, Staff Nosologist, CPHA.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Sally Smith, and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1990 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, The National Association of Children's Hospitals and Related Institutions (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The system was designed to group together patients with the same or closely related diagnoses (or procedures) to permit the development of detailed guidelines of care.

The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, and 418-419, which pertain exclusively to newborns, age is replaced by birth weight in grams. Two new groups were added in 1990 to the List A Diagnosis Groups to separate newborns delivered by cesarean section from unassisted deliveries:

418 - Single liveborn, with cesarean section delivery, born in hospital
419 - Twin or multiple liveborn, with cesarean section delivery, born in hospital

The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. A significant procedure is defined as one that is surgical (invasive) in nature, or carries a procedural risk, or carries an anesthetic risk, or requires specialized training. Surgery generally includes incision, excision, amputation, introduction (of devices), endoscopy, repair, suture, and manipulation. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

– Single or Multiple Diagnosis

– Not Operated or Operated (for Diagnosis groups only)

– Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

TEN YEAR LENGTH OF STAY COMPARISON

The Length of Stay publications present statistical data which describe hospital stay in the United States. Companion volumes display data for census regions and the pediatric and geriatric populations. The 1990 LOS series, published by Healthcare Knowledge Resources, is derived from the database developed and maintained by the Commission on Professional and Hospital Activities (CPHA) and is drawn from over four million hospital discharge records.

Hospital stay data provide a valuable perspective for healthcare professionals who make decisions based on hospital utilization. Length of Stay has been published since 1963 and can be used to track trends, examine patterns of care, and conduct comparisons between years.

The following graphs illustrate changes in hospital stay over a 10 year period.

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS - 1980, 1985, 1990



---

[1] Short term, general nonfederal hospitals

AVERAGE LENGTH OF STAY - UNITED STATES & REGIONS[1]
ALL PATIENTS EXCEPT NEWBORNS - 1980, 1985, 1990



[1] Short term, general nonfederal hospitals

There is a steady decline in length of stay over the time period studied, with a 12% drop observed from 1980 to 1985 for all patients in the U.S. From 1985 to 1990 the decline continued, but slowed to a 5% decrease.

Traditionally, hospital stays are highest in the Northeast and North Central, and lowest in the South and West. This regional pattern remains consistent until 1990, when the North Central and Southern regions display an almost equivalent length of stay.

A variety of factors can be looked at to explain the decline in hospital stay. Studies show that the prospective payment system implemented by the federal government had an impact on reducing hospital stays by reimbursing at a fixed rate for inpatient care. The introduction of utilization review to monitor costs and resource consumption helped shorten hospital stays by assuring medical necessity of admissions.

Other factors that affect hospital stay include introducing new medical technology and techniques that require shorter hospitalization and recovery time, discharging patients as soon as medically feasible to less acute care settings, providing more home-based services as an alternative to inpatient care, and managing catastrophic cases.

The growth of HMOs and PPOs provides yet another explanation for the decrease in hospital stays. Because services are prepaid, all medical care is closely monitored to control costs and utilization.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	220805	2.2	1	1	2	2	3	4	4	6
1-11 MOS	23837	3.0	7	1	2	3	4	5	7	12
1-5 YRS	34139	2.6	7	1	1	2	3	5	6	13
6-12 YRS	23807	3.2	23	1	1	2	3	6	8	28
13-19 YRS	48709	3.5	36	1	1	2	3	6	12	33
B. Operated										
0-27 DYS	1392	4.4	35	1	2	3	5	9	13	32
1-11 MOS	10759	2.8	10	< 1	1	2	3	6	8	15
1-5 YRS	20799	2.7	12	< 1	1	1	3	6	8	17
6-12 YRS	24058	2.8	11	1	1	2	3	6	8	17
13-19 YRS	49295	2.6	6	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	168387	3.8	28	1	2	3	4	6	10	29
1-11 MOS	64884	4.1	17	1	2	3	5	8	11	21
1-5 YRS	89190	3.5	14	1	2	3	4	6	9	19
6-12 YRS	46856	5.3	69	1	2	3	5	11	20	48
13-19 YRS	74636	6.6	103	1	2	3	6	17	29	55
B. Operated										
0-27 DYS	9802	20.3	490	3	5	13	38	87	99 +	99 +
1-11 MOS	17540	8.4	141	1	2	5	10	21	36	99 +
1-5 YRS	34765	6.1	86	1	1	3	7	15	23	57
6-12 YRS	29400	5.9	74	1	1	3	7	14	22	49
13-19 YRS	64881	4.9	47	1	2	3	5	10	16	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351297	2.6	9	1	1	2	3	4	5	13
B. Operated	106303	2.7	9	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	443953	4.4	42	1	2	3	4	8	14	36
B. Operated	156388	6.7	113	1	2	3	7	16	28	91
1. SINGLE DX	457600	2.6	9	1	1	2	3	4	6	14
2. MULTIPLE DX	600341	5.0	61	1	2	3	5	10	17	49
A. Not Operated	795250	3.6	28	1	2	2	4	6	10	29
B. Operated	262691	5.1	75	1	1	2	5	11	19	64
TOTAL										
0-27 DYS	400386	3.3	32	1	2	2	3	5	8	35
1-11 MOS	117020	4.4	36	1	2	3	5	9	13	34
1-5 YRS	178893	3.8	28	1	1	2	4	7	11	28
6-12 YRS	124121	4.5	52	1	1	2	5	9	16	41
13-19 YRS	237521	4.7	56	1	1	2	4	9	17	42
GRAND TOTAL	**1057941**	**4.0**	**40**	**1**	**2**	**2**	**4**	**7**	**12**	**37**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10704	2.9	7	1	2	2	3	5	7	15
1-11 MOS	23837	3.0	7	1	2	3	4	5	7	12
1-5 YRS	34139	2.6	7	1	1	2	3	5	6	13
6-12 YRS	23807	3.2	23	1	1	2	3	6	8	28
13-19 YRS	48709	3.5	36	1	1	2	3	6	12	33
B. Operated										
0-27 DYS	1308	4.3	26	1	2	3	5	9	13	25
1-11 MOS	10759	2.8	10	<1	1	2	3	6	8	15
1-5 YRS	20799	2.7	12	<1	1	1	3	6	8	17
6-12 YRS	24058	2.8	11	1	1	2	3	6	8	17
13-19 YRS	49295	2.6	6	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15144	6.1	69	2	2	3	6	13	21	57
1-11 MOS	64884	4.1	17	1	2	3	5	8	11	21
1-5 YRS	89190	3.5	14	1	2	3	4	6	9	19
6-12 YRS	46856	5.3	69	1	2	3	5	11	20	48
13-19 YRS	74636	6.6	103	1	2	3	6	17	29	55
B. Operated										
0-27 DYS	3661	17.3	389	3	5	12	38	99+	99+	99+
1-11 MOS	17540	8.4	141	1	2	5	10	21	36	99+
1-5 YRS	34765	6.1	86	1	1	3	7	15	23	57
6-12 YRS	29400	5.9	74	1	1	3	7	14	22	49
13-19 YRS	64881	4.9	47	1	2	3	5	10	16	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141196	3.1	20	1	1	2	3	5	8	24
B. Operated	106219	2.7	9	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	290710	4.9	51	1	2	3	5	9	16	41
B. Operated	150247	6.1	85	1	1	3	7	14	24	73
1. SINGLE DX	247415	2.9	15	1	1	2	3	5	8	20
2. MULTIPLE DX	440957	5.3	63	1	2	3	5	11	19	49
A. Not Operated	431906	4.3	41	1	2	3	4	8	14	36
B. Operated	256466	4.7	56	1	1	2	5	10	17	50
TOTAL										
0-27 DYS	30817	6.2	102	1	2	3	6	15	33	99+
1-11 MOS	117020	4.4	36	1	2	3	5	9	13	34
1-5 YRS	178893	3.8	28	1	1	2	4	7	11	28
6-12 YRS	124121	4.5	52	1	1	2	5	9	16	41
13-19 YRS	237521	4.7	56	1	1	2	4	9	17	42
GRAND TOTAL	**688372**	**4.4**	**47**	**1**	**1**	**3**	**4**	**9**	**15**	**40**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	108	2.9	2	2	2	3	3	4	4	10
1-11 MOS	593	2.7	2	1	2	2	3	4	5	8
1-5 YRS	486	2.1	1	1	1	2	3	4	4	6
6-12 YRS	271	1.7	1	1	1	1	2	3	3	5
13-19 YRS	229	1.7	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.5		2	2	2	3	3	3	3
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	7	3.1	3	2	2	3	3	6	7	7
13-19 YRS	14	3.2	1	2	3	3	4	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	194	3.8	10	2	2	3	4	6	8	18
1-11 MOS	2206	3.2	5	1	2	3	4	5	7	13
1-5 YRS	2720	2.7	3	1	2	2	3	4	5	9
6-12 YRS	598	2.2	2	1	1	2	3	4	5	8
13-19 YRS	419	2.5	3	1	1	2	3	4	6	9
B. Operated										
0-27 DYS	7	11.6	232	1	3	3	23	36	38	38
1-11 MOS	57	11.0	196	2	3	5	12	32	50	97
1-5 YRS	35	10.8	141	2	4	6	11	36	38	46
6-12 YRS	15	8.5	36	2	4	7	11	19	21	22
13-19 YRS	22	3.9	6	1	2	4	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1687	2.2	2	1	1	2	3	4	4	7
B. Operated	31	3.1	1	2	2	3	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	6137	2.9	4	1	2	2	3	5	6	10
B. Operated	136	9.5	138	2	3	5	9	28	38	71
1. SINGLE DX	1718	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX	6273	3.0	8	1	2	2	3	5	6	13
A. Not Operated	7824	2.7	4	1	2	2	3	5	6	9
B. Operated	167	8.3	119	2	3	4	8	24	38	64
TOTAL										
0-27 DYS	310	3.6	13	2	2	3	4	5	8	24
1-11 MOS	2862	3.3	9	1	2	3	4	5	7	15
1-5 YRS	3244	2.7	5	1	2	2	3	4	5	9
6-12 YRS	891	2.2	3	1	1	2	3	4	5	9
13-19 YRS	684	2.3	3	1	1	2	3	4	5	9
GRAND TOTAL	**7991**	**2.8**	**7**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	28	3.9	5	1	2	4	5	7	8	11
1-11 MOS	219	4.6	27	2	2	3	5	8	11	29
1-5 YRS	187	3.0	3	1	2	3	4	5	6	9
6-12 YRS	130	3.2	7	1	2	3	4	5	7	17
13-19 YRS	90	3.0	4	1	2	2	4	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	4	11.5	52	3	5	12	17	18	18	18
1-5 YRS	13	5.1	17	2	2	4	6	12	14	14
6-12 YRS	13	5.2	7	2	3	5	7	9	10	10
13-19 YRS	20	3.9	4	2	2	4	6	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	46	6.2	18	2	3	5	9	13	15	20
1-11 MOS	532	5.5	25	2	3	4	6	10	14	26
1-5 YRS	596	3.7	7	2	2	3	5	7	9	14
6-12 YRS	288	3.3	6	1	2	3	4	6	7	12
13-19 YRS	184	3.7	18	1	2	3	5	6	8	22
B. Operated										
0-27 DYS	5	12.0	63	4	5	14	22	92	99+	99+
1-11 MOS	40	14.4	162	3	6	9	20	34	41	56
1-5 YRS	43	12.4	260	3	4	8	12	26	44	89
6-12 YRS	14	16.1	421	3	5	9	14	63	64	64
13-19 YRS	37	8.9	60	3	4	6	10	23	26	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	654	3.6	12	1	2	3	4	6	8	16
B. Operated	50	5.1	14	2	2	4	6	9	14	18
2. MULTIPLE DX										
A. Not Operated	1646	4.3	15	2	2	3	5	8	10	21
B. Operated	139	12.4	188	3	5	8	15	27	41	90
1. SINGLE DX	704	3.7	13	1	2	3	4	6	8	17
2. MULTIPLE DX	1785	4.9	33	2	2	3	5	9	13	28
A. Not Operated	2300	4.1	14	1	2	3	5	7	10	20
B. Operated	189	10.5	152	2	4	6	11	24	36	79
TOTAL										
0-27 DYS	79	5.8	19	2	3	5	7	12	17	77
1-11 MOS	795	5.7	37	2	3	4	6	10	17	34
1-5 YRS	839	4.0	23	1	2	3	5	7	9	20
6-12 YRS	445	3.7	23	1	2	3	4	6	8	16
13-19 YRS	331	4.1	21	1	2	3	5	7	9	25
GRAND TOTAL	**2489**	**4.6**	**28**	**1**	**2**	**3**	**5**	**8**	**11**	**26**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.8		2	2	3	3	3	3	3
1-5 YRS	12	8.7	218	1	2	3	9	25	50	54
6-12 YRS	3	3.3	6	1	1	3	5	6	6	6
13-19 YRS	9	8.9	48	2	4	7	12	20	22	22
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	3.7	6	1	2	4	5	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	10.3	21	4	6	11	14	16	16	16
1-5 YRS	16	5.9	18	1	2	6	7	13	15	16
6-12 YRS	8	6.8	46	3	3	4	7	18	23	23
13-19 YRS	12	10.2	62	3	4	7	16	22	27	28
B. Operated										
0-27 DYS	0									
1-11 MOS	3	11.3	89	4	5	8	18	22	22	22
1-5 YRS	12	9.9	101	3	4	6	11	25	36	38
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	9.8	41	5	5	7	13	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	7.3	110	1	2	4	9	16	25	54
B. Operated	7	4.7	11	1	2	4	6	10	11	11
2. MULTIPLE DX										
A. Not Operated	42	7.9	38	2	3	6	10	16	21	28
B. Operated	24	9.7	71	3	4	6	12	22	27	38
1. SINGLE DX	35	6.8	91	1	2	4	8	13	21	54
2. MULTIPLE DX	66	8.6	50	3	4	6	11	19	23	36
A. Not Operated	70	7.7	66	2	3	5	9	16	22	49
B. Operated	31	8.6	61	2	4	6	11	20	23	38
TOTAL										
0-27 DYS	0									
1-11 MOS	14	7.9	38	3	3	5	12	17	21	22
1-5 YRS	43	7.7	94	1	3	5	8	14	26	54
6-12 YRS	13	5.2	32	2	3	3	6	11	21	23
13-19 YRS	31	9.6	46	3	5	7	14	20	23	28
GRAND TOTAL	**101**	**8.0**	**64**	**2**	**3**	**6**	**9**	**17**	**22**	**46**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	22.0	128	14	14	22	30	30	30	30
1-5 YRS	3	4.3	2	3	3	4	5	6	6	6
6-12 YRS	0									
13-19 YRS	2	7.5	13	5	5	7	10	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	7.5	75	1	2	3	12	19	26	29
6-12 YRS	4	6.0	55	1	1	3	10	17	17	17
13-19 YRS	4	8.8	38	2	3	9	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	6.9	39	1	1	5	9	17	20	20
6-12 YRS	3	14.7	176	7	7	7	24	30	30	30
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	13	17.4	263	2	4	14	24	40	55	58
6-12 YRS	4	20.8	173	7	9	22	32	32	32	32
13-19 YRS	5	28.4	1273	3	7	21	89	99	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	10.3	90	3	4	6	13	27	30	30
B. Operated	25	7.2	60	1	2	3	14	19	22	29
2. MULTIPLE DX										
A. Not Operated	15	7.7	67	1	2	5	9	20	27	30
B. Operated	24	19.7	409	3	7	14	32	58	92	99 +
1. SINGLE DX	32	7.9	66	1	2	4	14	19	28	30
2. MULTIPLE DX	39	15.1	307	1	4	10	21	34	73	99 +
A. Not Operated	22	8.5	72	1	3	6	10	23	30	30
B. Operated	49	13.3	266	1	3	8	17	32	58	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	6	11.7	112	2	2	10	15	28	30	30
1-5 YRS	42	10.2	137	1	2	5	14	24	33	58
6-12 YRS	11	13.7	148	2	5	7	27	32	32	32
13-19 YRS	12	16.1	597	2	4	10	19	91	98	99 +
GRAND TOTAL	**71**	**11.9**	**209**	**1**	**3**	**7**	**15**	**31**	**36**	**98**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	12	3.2	2	1	2	3	4	5	6	6
1-5 YRS	72	2.1	1	1	1	2	3	4	4	6
6-12 YRS	88	2.0	1	1	1	2	3	3	4	5
13-19 YRS	69	2.6	2	1	2	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	1.1		< 1	1	1	1	2	3	3
6-12 YRS	38	1.0		< 1	1	1	1	1	1	1
13-19 YRS	22	1.5	2	< 1	1	1	1	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	34	2.8	2	1	2	2	4	4	6	8
1-5 YRS	337	2.7	5	1	1	2	3	5	6	9
6-12 YRS	385	2.4	4	1	1	2	3	4	5	7
13-19 YRS	242	2.8	2	1	2	3	3	5	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	94.0		94	94	94	94	94	94	94
1-5 YRS	26	2.0	6	< 1	1	1	2	7	9	11
6-12 YRS	62	2.0	7	< 1	1	1	1	5	7	16
13-19 YRS	27	2.0	3	1	1	1	2	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	2.3	1	1	1	2	3	4	4	6
B. Operated	74	1.2	1	< 1	1	1	1	1	3	5
2. MULTIPLE DX										
A. Not Operated	1001	2.6	4	1	2	2	3	4	6	8
B. Operated	116	2.8	79	< 1	1	1	2	6	8	43
1. SINGLE DX	315	2.0	1	1	1	2	3	4	4	6
2. MULTIPLE DX	1117	2.6	11	1	1	2	3	4	6	8
A. Not Operated	1242	2.6	3	1	1	2	3	4	5	8
B. Operated	190	2.2	49	< 1	1	1	1	4	6	15
TOTAL										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	47	4.8	179	1	2	3	4	5	7	94
1-5 YRS	449	2.5	4	1	1	2	3	4	6	9
6-12 YRS	573	2.2	3	1	1	2	3	4	5	7
13-19 YRS	360	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**1432**	**2.5**	**9**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	202	4.5	9	2	2	3	6	10	10	13
1-11 MOS	639	4.3	9	2	2	3	5	9	10	14
1-5 YRS	177	3.6	6	1	2	3	4	7	8	14
6-12 YRS	32	3.4	6	1	2	3	4	5	8	14
13-19 YRS	13	5.8	23	2	3	4	7	14	17	18
B. Operated										
0-27 DYS	7	4.0	6	2	2	4	4	8	9	9
1-11 MOS	10	8.5	15	3	6	9	11	13	14	14
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	308	5.3	15	2	3	4	7	10	12	16
1-11 MOS	1642	4.9	16	2	3	3	6	10	12	18
1-5 YRS	1000	5.5	19	2	3	4	7	11	14	22
6-12 YRS	296	6.7	25	2	3	5	9	14	15	24
13-19 YRS	223	6.8	17	2	4	6	9	13	15	18
B. Operated										
0-27 DYS	25	12.2	254	3	4	11	14	16	37	84
1-11 MOS	108	14.2	233	2	5	10	15	34	48	99
1-5 YRS	114	15.7	143	5	9	13	20	31	40	82
6-12 YRS	54	15.0	107	4	8	12	17	28	40	47
13-19 YRS	58	17.0	209	5	9	14	20	33	50	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1063	4.2	9	2	2	3	5	9	10	14
B. Operated	20	6.8	16	2	3	7	10	12	13	14
2. MULTIPLE DX										
A. Not Operated	3469	5.4	18	2	3	4	7	11	14	20
B. Operated	359	15.1	182	3	7	12	19	31	42	97
1. SINGLE DX	1083	4.2	9	2	2	3	5	9	10	14
2. MULTIPLE DX	3828	6.3	41	2	3	4	8	13	16	33
A. Not Operated	4532	5.1	16	2	3	4	7	10	13	18
B. Operated	379	14.7	177	3	7	11	18	30	41	95
TOTAL										
0-27 DYS	542	5.3	26	2	3	4	7	10	12	16
1-11 MOS	2399	5.2	28	2	3	3	6	10	13	25
1-5 YRS	1292	6.1	37	2	3	4	8	13	17	32
6-12 YRS	383	7.6	45	2	3	5	10	15	18	37
13-19 YRS	295	8.8	71	3	4	7	11	16	21	50
GRAND TOTAL	**4911**	**5.8**	**35**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	26	10.6	48	3	6	10	15	16	21	34
1-11 MOS	402	5.3	11	2	3	5	7	9	12	17
1-5 YRS	129	4.9	10	2	2	4	7	10	10	14
6-12 YRS	39	5.6	11	2	3	5	7	9	12	18
13-19 YRS	42	4.4	7	2	3	4	5	9	10	11
B. Operated										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	14	2.4	3	< 1	1	2	3	4	6	7
6-12 YRS	8	3.4	4	1	2	3	5	6	6	6
13-19 YRS	4	6.3	9	2	4	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	55	13.1	139	4	7	11	14	20	41	67
1-11 MOS	438	7.1	26	2	3	6	9	14	17	23
1-5 YRS	210	6.6	27	2	3	6	8	11	16	36
6-12 YRS	79	5.5	14	2	2	4	8	11	13	18
13-19 YRS	115	5.5	20	2	3	4	7	10	14	28
B. Operated										
0-27 DYS	7	34.4	601	13	16	31	66	94	99 +	99 +
1-11 MOS	30	25.1	446	6	9	20	40	68	72	99 +
1-5 YRS	33	14.7	238	1	6	11	20	39	58	61
6-12 YRS	20	16.3	215	6	7	10	27	48	74	99 +
13-19 YRS	26	16.9	332	4	6	11	20	32	69	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	638	5.4	13	2	3	5	7	10	12	18
B. Operated	29	4.0	13	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	897	7.0	34	2	3	6	9	13	16	31
B. Operated	116	19.4	350	4	7	12	24	56	72	99 +
1. SINGLE DX	667	5.3	13	2	3	5	7	10	12	18
2. MULTIPLE DX	1013	8.4	85	2	3	6	10	16	22	66
A. Not Operated	1535	6.3	26	2	3	5	8	12	15	25
B. Operated	145	16.3	320	2	5	10	21	50	67	99 +
TOTAL										
0-27 DYS	89	14.1	177	4	7	12	15	25	53	92
1-11 MOS	872	6.9	46	2	3	5	8	13	17	40
1-5 YRS	386	6.6	45	2	3	5	8	11	16	44
6-12 YRS	146	6.9	53	2	3	5	8	13	19	53
13-19 YRS	187	6.9	75	2	3	5	8	12	19	54
GRAND TOTAL	**1680**	**7.2**	**59**	**2**	**3**	**5**	**8**	**13**	**18**	**53**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	251	3.9	5	2	3	3	4	6	8	12
1-11 MOS	873	3.4	3	2	2	3	4	5	6	10
1-5 YRS	286	3.0	3	1	2	3	3	5	7	10
6-12 YRS	444	2.5	2	1	2	2	3	4	5	8
13-19 YRS	282	2.7	3	1	2	2	3	5	6	10
B. Operated										
0-27 DYS	6	2.7	1	2	2	3	3	4	4	4
1-11 MOS	16	5.2	8	2	3	4	8	9	9	9
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	205	4.9	10	2	3	4	5	10	11	15
1-11 MOS	813	3.9	5	2	3	3	4	7	10	13
1-5 YRS	336	3.5	6	1	2	3	4	7	9	13
6-12 YRS	255	3.2	9	1	2	3	4	6	8	14
13-19 YRS	183	4.1	19	1	2	3	4	7	9	31
B. Operated										
0-27 DYS	7	11.6	260	4	4	6	8	40	48	48
1-11 MOS	26	8.4	37	3	4	6	14	16	21	27
1-5 YRS	13	16.9	692	2	3	5	14	74	76	76
6-12 YRS	6	7.3	15	1	5	8	10	11	11	11
13-19 YRS	10	5.8	13	1	4	5	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2136	3.1	3	1	2	3	4	5	6	10
B. Operated	26	4.5	7	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	1792	3.9	8	2	2	3	4	7	10	14
B. Operated	62	10.0	195	2	4	6	10	17	35	76
1. SINGLE DX	2162	3.1	3	2	2	3	4	5	7	10
2. MULTIPLE DX	1854	4.1	16	2	2	3	4	7	10	16
A. Not Operated	3928	3.5	6	2	2	3	4	6	8	12
B. Operated	88	8.4	145	2	3	5	9	14	25	75
TOTAL										
0-27 DYS	469	4.4	12	2	3	3	5	8	10	15
1-11 MOS	1728	3.7	5	2	3	3	4	6	8	13
1-5 YRS	636	3.6	22	1	2	3	4	6	8	14
6-12 YRS	706	2.8	5	1	2	2	3	5	6	11
13-19 YRS	477	3.3	10	1	2	3	4	6	8	18
GRAND TOTAL	**4016**	**3.6**	**9**	**2**	**2**	**3**	**4**	**6**	**8**	**14**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	32	5.9	25	2	2	3	10	12	15	23
1-11 MOS	142	3.3	8	1	2	3	4	5	7	15
1-5 YRS	196	3.2	4	1	2	3	4	6	7	10
6-12 YRS	49	3.7	7	1	2	3	5	6	9	14
13-19 YRS	54	3.1	3	1	2	3	4	6	7	7
B. Operated										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	0									
1-5 YRS	7	4.7	11	2	2	4	6	10	11	11
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	53	7.6	38	2	3	5	11	17	20	26
1-11 MOS	488	4.1	10	2	2	3	5	7	9	17
1-5 YRS	1159	4.1	9	2	2	4	5	7	9	13
6-12 YRS	484	4.9	9	2	2	4	7	9	10	14
13-19 YRS	314	4.7	9	2	3	4	6	8	10	18
B. Operated										
0-27 DYS	8	32.5	453	11	21	24	44	68	73	73
1-11 MOS	17	13.0	88	5	7	9	16	27	35	39
1-5 YRS	57	11.7	170	4	5	8	12	25	50	98
6-12 YRS	35	16.1	299	5	7	10	15	38	60	80
13-19 YRS	22	11.7	173	3	4	6	11	26	43	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	473	3.4	7	1	2	3	4	6	9	14
B. Operated	15	4.7	11	2	2	4	6	11	12	12
2. MULTIPLE DX										
A. Not Operated	2498	4.4	10	2	2	4	5	8	10	16
B. Operated	139	14.2	226	4	6	9	17	32	57	82
1. SINGLE DX	488	3.5	7	1	2	3	4	6	9	14
2. MULTIPLE DX	2637	4.9	26	2	2	4	6	8	11	25
A. Not Operated	2971	4.3	10	2	2	4	5	7	10	15
B. Operated	154	13.2	213	3	5	8	15	28	55	80
TOTAL										
0-27 DYS	95	9.1	115	2	3	5	11	21	25	65
1-11 MOS	647	4.1	14	2	2	3	5	7	10	21
1-5 YRS	1419	4.3	17	1	2	4	5	7	9	18
6-12 YRS	571	5.5	34	2	2	5	7	10	12	26
13-19 YRS	393	4.8	20	2	3	4	6	8	10	23
GRAND TOTAL	**3125**	**4.7**	**23**	**2**	**2**	**4**	**6**	**8**	**11**	**23**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	2.9	3	1	1	3	4	5	5	5
6-12 YRS	39	3.3	5	1	2	3	4	6	9	10
13-19 YRS	34	4.4	6	2	2	4	5	8	10	11
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	5	4.2	27	1	1	1	7	13	13	13
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.6	1	2	3	3	5	5	5	5
1-5 YRS	22	4.7	9	1	2	4	7	9	10	11
6-12 YRS	53	4.5	31	1	2	3	5	6	11	39
13-19 YRS	72	4.0	9	1	2	3	5	7	9	19
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.0	8	9	9	11	13	13	13	13
1-5 YRS	9	16.2	374	3	6	11	16	47	66	66
6-12 YRS	9	19.0	459	1	4	11	29	54	68	68
13-19 YRS	6	9.2	55	1	3	8	13	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.7	6	1	2	3	5	7	9	11
B. Operated	9	4.1	17	1	1	2	6	11	13	13
2. MULTIPLE DX										
A. Not Operated	155	4.2	16	1	2	3	5	7	9	21
B. Operated	26	15.2	294	1	6	11	17	32	66	68
1. SINGLE DX	91	3.7	7	1	2	3	5	7	10	12
2. MULTIPLE DX	181	5.8	69	1	2	4	6	11	16	58
A. Not Operated	237	4.0	12	1	2	3	5	7	9	17
B. Operated	35	12.3	244	1	2	8	13	28	57	68
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	4.6	11	2	2	4	5	10	13	13
1-5 YRS	44	6.7	101	1	2	4	8	12	16	66
6-12 YRS	102	5.3	73	1	2	3	5	9	16	53
13-19 YRS	113	4.4	11	2	2	4	5	8	11	21
GRAND TOTAL	**272**	**5.1**	**49**	**1**	**2**	**3**	**5**	**10**	**13**	**38**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	28	2.7	2	1	2	2	4	5	5	7
6-12 YRS	42	2.5	1	1	2	2	3	4	5	6
13-19 YRS	220	2.8	2	1	2	3	4	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.8	2	3	4	5	6	6	6	6
1-5 YRS	145	3.5	6	2	2	3	4	6	7	12
6-12 YRS	187	3.2	4	2	2	3	4	5	6	10
13-19 YRS	803	3.3	4	1	2	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	10.4	38	4	7	9	15	20	20	20
6-12 YRS	6	4.0	1	3	3	4	5	5	5	5
13-19 YRS	19	6.6	11	3	4	6	10	12	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	2.8	2	1	2	3	3	5	5	7
B. Operated	5	3.0	3	2	2	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	1140	3.3	4	1	2	3	4	6	7	10
B. Operated	34	7.1	20	3	4	6	10	14	20	99 +
1. SINGLE DX	295	2.8	2	1	2	3	3	5	6	7
2. MULTIPLE DX	1174	3.4	5	1	2	3	4	6	7	11
A. Not Operated	1430	3.2	4	1	2	3	4	5	6	9
B. Operated	39	6.6	20	2	3	5	9	13	20	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	6	5.0	2	3	4	5	6	6	6	6
1-5 YRS	184	3.7	9	2	2	3	4	7	8	20
6-12 YRS	236	3.1	3	1	2	3	4	5	6	9
13-19 YRS	1043	3.2	4	1	2	3	4	5	6	10
GRAND TOTAL	**1469**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	13	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	9	1.3	1	< 1	< 1	< 1	1	3	3	3
13-19 YRS	28	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.3	9	2	3	6	7	8	8	8
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	15	1.5		< 1	< 1	1	2	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	50	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated	21	2.2	3	< 1	1	2	2	4	7	8
1. SINGLE DX	50	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	23	2.2	3	< 1	< 1	2	2	4	7	8
A. Not Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated	71	1.5	1	< 1	< 1	1	2	2	3	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	16	1.8	4	< 1	< 1	1	1	6	7	8
6-12 YRS	13	1.7	1	< 1	< 1	1	2	3	3	3
13-19 YRS	44	1.3		< 1	< 1	< 1	1	2	3	4
GRAND TOTAL	**73**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**2**	**3**	**8**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	952	2.9	1	2	2	3	3	4	5	6
1-11 MOS	2202	2.7	1	2	2	3	3	4	4	6
1-5 YRS	499	2.4	2	1	1	2	3	4	5	7
6-12 YRS	237	2.1	3	1	1	2	3	3	5	11
13-19 YRS	201	2.3	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	24	3.4	5	2	2	3	4	5	8	12
1-11 MOS	29	3.3	2	2	2	3	4	5	6	8
1-5 YRS	7	1.7	2	< 1	< 1	< 1	2	4	4	4
6-12 YRS	11	3.7	8	< 1	1	3	5	8	10	10
13-19 YRS	8	3.4	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	810	3.3	4	2	2	3	4	5	6	9
1-11 MOS	3061	3.2	6	2	2	3	4	5	6	10
1-5 YRS	1835	2.9	7	1	2	2	3	5	6	12
6-12 YRS	683	3.0	6	1	1	2	4	6	8	12
13-19 YRS	577	3.1	7	1	2	3	4	5	8	15
B. Operated										
0-27 DYS	28	6.0	71	2	3	3	5	10	23	44
1-11 MOS	80	13.4	377	2	3	4	15	44	76	96
1-5 YRS	91	10.2	213	2	3	6	11	22	48	99 +
6-12 YRS	38	8.7	78	2	2	5	11	23	26	39
13-19 YRS	52	7.5	51	2	3	5	8	19	26	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4091	2.7	1	1	2	3	3	4	5	7
B. Operated	79	3.3	4	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	6966	3.1	6	1	2	3	4	5	6	11
B. Operated	289	10.0	202	2	3	5	11	24	44	94
1. SINGLE DX	4170	2.7	2	1	2	3	3	4	5	7
2. MULTIPLE DX	7255	3.4	16	1	2	3	4	5	7	17
A. Not Operated	11057	2.9	4	1	2	3	3	4	6	10
B. Operated	368	8.6	167	2	3	4	8	20	39	86
TOTAL										
0-27 DYS	1814	3.1	4	2	2	3	4	4	5	8
1-11 MOS	5372	3.2	11	2	2	3	3	4	6	11
1-5 YRS	2432	3.1	15	1	2	2	3	5	7	15
6-12 YRS	969	3.0	10	1	1	2	3	6	8	19
13-19 YRS	838	3.2	10	1	2	2	4	6	8	18
GRAND TOTAL	**11425**	**3.1**	**11**	**1**	**2**	**3**	**3**	**5**	**6**	**13**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	22	4.7	22	1	2	4	5	7	14	24
6-12 YRS	33	3.4	16	1	1	2	4	5	7	24
13-19 YRS	28	3.8	9	1	2	3	4	9	10	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.5	3	2	2	3	5	6	6	6
1-5 YRS	33	5.3	17	2	3	4	7	9	11	23
6-12 YRS	46	5.5	16	2	3	4	7	11	16	18
13-19 YRS	16	6.6	36	2	3	5	9	13	21	24
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	15.5	390	3	5	7	26	45	45	45
6-12 YRS	5	3.8	9	1	1	3	7	7	7	7
13-19 YRS	2	10.5	145	2	2	10	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.9	15	1	2	3	5	7	9	24
B. Operated	5	4.6	8	< 1	3	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	99	5.5	19	2	3	4	7	11	15	24
B. Operated	12	9.1	151	1	2	7	7	27	42	45
1. SINGLE DX	89	3.9	15	1	2	3	5	7	9	24
2. MULTIPLE DX	111	5.9	33	2	3	4	7	11	17	32
A. Not Operated	183	4.8	18	1	2	4	5	10	13	24
B. Operated	17	7.8	111	1	3	5	7	17	36	45
TOTAL										
0-27 DYS	0									
1-11 MOS	6	3.8	5	2	2	3	6	7	7	7
1-5 YRS	60	5.7	44	1	3	4	6	9	17	43
6-12 YRS	86	4.6	16	1	2	4	5	10	12	22
13-19 YRS	48	5.1	23	1	2	3	6	12	14	24
GRAND TOTAL	**200**	**5.0**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	50	7.0	12	2	4	7	10	11	13	16
1-11 MOS	28	7.7	17	1	4	9	11	12	13	15
1-5 YRS	8	5.3	21	1	3	4	5	13	16	16
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	132	4.3	4	2	3	4	6	7	9	10
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	0									
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	5.7	1	5	5	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	43	8.8	38	3	5	9	11	12	19	35
1-11 MOS	45	10.5	11	5	9	11	12	15	17	18
1-5 YRS	17	5.6	7	2	4	6	7	9	10	10
6-12 YRS	4	5.5	17	2	2	5	9	10	10	10
13-19 YRS	209	5.1	6	2	3	5	7	8	10	12
B. Operated										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	4	21.8	300	10	10	15	33	47	47	47
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	2	7.5	85	1	1	7	14	14	14	14
13-19 YRS	22	6.2	15	2	5	5	8	10	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	5.4	10	2	3	5	7	10	11	15
B. Operated	8	3.9	12	< 1	< 1	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	318	6.4	15	3	4	6	9	11	12	17
B. Operated	32	8.2	78	1	3	6	10	19	21	47
1. SINGLE DX	228	5.4	10	2	3	5	7	10	11	15
2. MULTIPLE DX	350	6.6	21	2	4	6	9	11	13	21
A. Not Operated	538	6.0	13	2	3	5	8	11	12	16
B. Operated	40	7.4	68	< 1	2	5	9	16	20	47
TOTAL										
0-27 DYS	95	8.0	26	3	4	8	10	11	14	32
1-11 MOS	77	10.1	34	3	8	10	11	15	17	39
1-5 YRS	31	4.6	12	< 1	1	4	7	9	10	16
6-12 YRS	9	5.7	21	1	2	5	9	12	14	14
13-19 YRS	366	4.9	6	2	3	5	6	8	10	12
GRAND TOTAL	**578**	**6.1**	**17**	**2**	**3**	**5**	**8**	**11**	**12**	**19**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	21	2.9	5	1	2	3	3	5	8	11
1-5 YRS	37	2.8	1	2	2	3	4	4	5	5
6-12 YRS	6	4.3	3	2	3	4	6	6	6	6
13-19 YRS	8	3.1	3	1	2	3	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
6-12 YRS	3	10.0	217	1	1	2	21	27	27	27
13-19 YRS	5	7.0	14	1	5	9	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	2.1	1	1	1	2	3	3	3	3
1-11 MOS	70	3.8	21	1	2	3	4	7	10	30
1-5 YRS	262	3.7	12	2	2	3	4	6	7	19
6-12 YRS	93	6.8	104	2	3	4	7	13	19	65
13-19 YRS	40	5.8	17	2	3	4	7	13	14	18
B. Operated										
0-27 DYS	0									
1-11 MOS	11	15.7	463	1	2	7	21	52	68	69
1-5 YRS	33	20.2	250	5	12	17	25	55	63	99 +
6-12 YRS	20	23.2	696	5	8	13	26	67	94	99
13-19 YRS	24	16.4	105	4	8	16	22	36	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	3.1	3	1	2	3	4	5	6	11
B. Operated	10	6.9	63	< 1	1	4	9	18	27	27
2. MULTIPLE DX										
A. Not Operated	472	4.5	33	2	2	3	5	7	12	32
B. Operated	88	19.3	333	3	8	15	25	48	69	99 +
1. SINGLE DX	84	3.5	11	1	2	3	4	6	9	22
2. MULTIPLE DX	560	6.8	109	2	2	4	6	16	25	68
A. Not Operated	546	4.3	29	1	2	3	5	7	11	29
B. Operated	98	18.0	318	2	7	14	22	43	66	99 +
TOTAL										
0-27 DYS	9	3.0	8	1	2	2	3	7	10	10
1-11 MOS	102	4.9	76	1	2	3	4	8	18	54
1-5 YRS	334	5.2	58	2	2	3	5	9	18	55
6-12 YRS	122	9.4	230	2	3	5	9	19	29	92
13-19 YRS	77	8.9	68	2	3	6	13	21	33	83
GRAND TOTAL	**644**	**6.4**	**97**	**2**	**2**	**3**	**6**	**14**	**22**	**63**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	5	3.4	4	1	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	2.6	3	1	1	2	4	5	5	5
13-19 YRS	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	3.9	6	1	2	3	5	8	9	9
6-12 YRS	9	3.2	3	1	2	3	4	6	7	7
13-19 YRS	14	3.4	7	1	2	3	5	6	10	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.5	25	4	4	7	11	11	11	11
6-12 YRS	4	6.3	15	1	3	7	9	10	10	10
13-19 YRS	3	6.0	7	4	4	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.9	3	1	2	3	4	6	6	6
B. Operated	10	2.7	2	1	2	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	36	3.5	6	1	2	3	5	7	8	11
B. Operated	9	6.4	11	2	4	6	9	11	11	11
1. SINGLE DX	19	2.8	2	1	2	3	3	5	6	6
2. MULTIPLE DX	45	4.1	8	1	2	4	5	9	10	11
A. Not Operated	45	3.4	5	1	2	3	4	6	8	11
B. Operated	19	4.5	9	1	2	4	6	10	11	11
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	17	4.1	8	1	2	3	5	9	10	11
6-12 YRS	22	3.5	6	1	2	3	5	7	9	10
13-19 YRS	24	3.7	6	1	2	3	5	6	10	11
GRAND TOTAL	**64**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**	**11**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	12.1	53	5	7	10	20	22	22	22
1-5 YRS	13	9.3	39	2	5	7	14	16	23	24
6-12 YRS	15	7.7	15	2	5	7	10	13	15	16
13-19 YRS	7	9.7	22	4	7	10	11	17	18	18
B. Operated										
0-27 DYS	0									
1-11 MOS	16	34.3	602	8	16	28	57	77	92	99 +
1-5 YRS	10	16.3	129	3	8	14	24	33	34	34
6-12 YRS	12	17.0	131	6	10	13	24	36	37	37
13-19 YRS	13	17.7	200	4	10	16	20	30	54	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	8	3	3	5	7	7	7	7
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	42	9.3	30	3	6	8	12	17	22	24
B. Operated	51	22.5	346	6	10	17	32	54	75	99 +
1. SINGLE DX	3	6.7	12	3	4	7	9	10	10	10
2. MULTIPLE DX	93	16.5	245	4	7	12	20	37	58	90
A. Not Operated	44	9.1	29	3	5	8	12	16	22	24
B. Operated	52	22.2	343	7	10	16	31	54	75	99
TOTAL										
0-27 DYS	0									
1-11 MOS	23	27.6	534	7	9	20	46	76	84	99 +
1-5 YRS	25	11.8	84	2	5	9	15	24	33	34
6-12 YRS	27	11.9	86	3	6	10	14	28	36	37
13-19 YRS	21	14.7	142	4	9	11	18	22	39	60
GRAND TOTAL	**96**	**16.2**	**241**	**4**	**7**	**11**	**19**	**37**	**57**	**89**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VA. ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	2	5.5	13	3	3	5	8	8	8	8
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	4	4.5	6	2	3	4	6	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	4.4	7	2	2	5	6	8	9	9
1-5 YRS	20	4.6	12	1	2	4	5	9	13	15
6-12 YRS	22	6.4	35	2	3	4	7	16	22	23
13-19 YRS	23	6.0	37	2	3	4	7	10	20	30
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	7.3	6	5	5	7	9	10	10	10
6-12 YRS	3	8.3	50	2	3	7	14	16	16	16
13-19 YRS	5	7.0	15	2	3	9	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.3	5	1	2	3	4	8	8	8
B. Operated	6	4.3	1	3	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	72	5.6	26	2	3	4	7	11	15	28
B. Operated	12	7.3	16	2	4	7	10	12	15	16
1. SINGLE DX	19	3.6	4	1	2	3	5	7	8	8
2. MULTIPLE DX	84	5.8	25	2	3	4	7	11	15	28
A. Not Operated	85	5.2	24	2	2	4	6	9	14	28
B. Operated	18	6.3	13	2	4	5	9	11	14	16
TOTAL										
0-27 DYS	0									
1-11 MOS	11	3.9	5	2	2	3	5	7	9	9
1-5 YRS	26	4.9	11	1	3	4	7	10	12	15
6-12 YRS	31	5.9	31	2	2	4	7	15	21	23
13-19 YRS	35	5.8	27	2	3	4	8	9	13	30
GRAND TOTAL	**103**	**5.4**	**22**	**2**	**3**	**4**	**7**	**10**	**15**	**26**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	12.0	200	2	2	12	22	22	22	22
1. SINGLE DX	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX	2	12.0	200	2	2	12	22	22	22	22
A. Not Operated	0									
B. Operated	4	9.5	76	2	4	7	15	22	22	22
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	3	5.3	9	2	3	6	7	8	8	8
GRAND TOTAL	**4**	**9.5**	**76**	**2**	**4**	**7**	**15**	**22**	**22**	**22**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	6.0	29	< 1	1	5	10	12	12	12
6-12 YRS	5	7.4	80	2	2	3	11	23	23	23
13-19 YRS	9	4.4	56	1	1	2	3	16	24	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	3.3	1	2	2	3	4	4	4	4
6-12 YRS	13	6.9	58	1	2	5	9	15	26	29
13-19 YRS	15	7.4	35	1	3	5	13	14	19	21
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	5	32.0	1223	3	6	12	63	81	81	81
6-12 YRS	13	6.9	23	2	4	6	8	14	18	19
13-19 YRS	14	10.9	194	1	1	5	18	25	46	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	10	1	1	2	6	7	7	7
B. Operated	18	5.6	52	1	1	2	7	20	24	24
2. MULTIPLE DX										
A. Not Operated	32	6.7	40	1	3	4	10	13	20	29
B. Operated	33	12.5	314	1	3	7	12	28	56	81
1. SINGLE DX	21	5.3	46	1	1	2	7	16	23	24
2. MULTIPLE DX	65	9.6	185	1	3	5	11	20	35	77
A. Not Operated	35	6.4	38	1	2	4	9	13	19	29
B. Operated	51	10.1	229	1	2	5	10	22	51	81
TOTAL										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	14	14.1	576	1	2	4	12	59	76	81
6-12 YRS	32	6.8	42	1	3	5	8	15	23	29
13-19 YRS	39	8.0	98	1	1	4	12	21	23	52
GRAND TOTAL	**86**	**8.6**	**154**	**1**	**2**	**5**	**10**	**20**	**25**	**72**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	15.5	113	8	8	15	23	23	23	23
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	3	12.3	86	6	6	8	19	23	23	23
1. SINGLE DX	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX	4	9.8	84	2	4	7	15	23	23	23
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	4	13.8	66	6	7	13	20	23	23	23
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	15.5	113	8	8	15	23	23	23	23
13-19 YRS	3	8.7	69	2	3	6	15	18	18	18
GRAND TOTAL	**5**	**11.4**	**77**	**2**	**5**	**8**	**19**	**23**	**23**	**23**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	8.3	56	2	3	6	13	19	19	19
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	1	8	8	8	9	9	9	9
1-5 YRS	2	18.5	113	11	11	18	26	26	26	26
6-12 YRS	0									
13-19 YRS	9	13.7	77	4	8	9	22	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	4.3	16	1	2	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	4	8.3	56	2	3	6	13	19	19	19
B. Operated	13	13.6	69	6	8	9	22	26	26	26
1. SINGLE DX	4	4.3	16	1	2	3	7	10	10	10
2. MULTIPLE DX	17	12.4	68	3	7	9	19	26	26	26
A. Not Operated	4	8.3	56	2	3	6	13	19	19	19
B. Operated	17	11.4	72	2	6	9	16	26	26	26
TOTAL										
0-27 DYS	0									
1-11 MOS	2	8.5	1	8	8	8	9	9	9	9
1-5 YRS	2	18.5	113	11	11	18	26	26	26	26
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	16	10.2	73	2	3	8	17	25	26	26
GRAND TOTAL	**21**	**10.8**	**67**	**2**	**5**	**9**	**16**	**26**	**26**	**26**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	1	6	6	6	7	7	7	7
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	20.0	288	8	8	20	32	32	32	32
13-19 YRS	5	12.6	27	8	9	10	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	5.0	7	2	3	6	7	7	7	7
B. Operated	9	12.9	72	6	8	9	17	27	32	32
1. SINGLE DX	0									
2. MULTIPLE DX	12	10.9	67	5	6	8	13	24	31	32
A. Not Operated	3	5.0	7	2	3	6	7	7	7	7
B. Operated	9	12.9	72	6	8	9	17	27	32	32
TOTAL										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	6.3		6	6	6	7	7	7	7
6-12 YRS	2	20.0	288	8	8	20	32	32	32	32
13-19 YRS	6	10.8	40	3	8	9	16	20	20	20
GRAND TOTAL	**12**	**10.9**	**67**	**5**	**6**	**8**	**13**	**24**	**31**	**32**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	3.3	5	2	2	3	3	8	8	8
1-5 YRS	7	2.0	1	< 1	1	2	3	3	3	3
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	10	7.1	40	2	2	5	11	17	21	21
1-5 YRS	23	7.1	23	1	4	6	9	14	17	20
6-12 YRS	6	6.5	18	1	3	6	9	13	13	13
13-19 YRS	4	6.0	15	1	3	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	8.0	76	1	2	5	10	23	27	27
1-5 YRS	21	9.4	90	2	3	6	12	23	31	38
6-12 YRS	13	3.4	6	< 1	1	2	5	7	8	8
13-19 YRS	4	5.0	2	3	4	5	6	6	6	6
B. Operated										
0-27 DYS	2	14.5	85	8	8	14	21	21	21	21
1-11 MOS	24	18.9	308	3	10	16	22	35	64	79
1-5 YRS	60	14.2	170	4	7	9	18	43	46	96
6-12 YRS	14	14.4	124	5	6	12	19	40	85	99 +
13-19 YRS	16	17.1	357	3	5	10	21	47	65	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.6	3	1	1	2	3	4	7	8
B. Operated	43	6.9	24	1	4	6	9	13	17	21
2. MULTIPLE DX										
A. Not Operated	48	7.1	61	1	2	4	8	20	26	38
B. Operated	116	15.6	214	4	6	11	19	41	55	99 +
1. SINGLE DX	58	5.8	22	1	2	5	8	13	15	21
2. MULTIPLE DX	164	13.1	183	2	5	9	17	32	46	96
A. Not Operated	63	6.0	51	1	2	3	7	15	22	37
B. Operated	159	13.3	177	3	5	9	17	31	46	97
TOTAL										
0-27 DYS	2	14.5	85	8	8	14	21	21	21	21
1-11 MOS	50	12.5	207	2	3	8	17	26	32	79
1-5 YRS	111	11.1	127	2	4	8	13	25	44	76
6-12 YRS	35	8.3	79	1	3	6	11	19	39	99 +
13-19 YRS	24	13.3	266	3	4	6	18	27	56	71
GRAND TOTAL	**222**	**11.2**	**151**	**2**	**4**	**8**	**14**	**25**	**43**	**84**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	13.0	18	10	10	13	16	16	16	16
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	1.8	3	1	1	1	2	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	29.0	507	7	12	28	46	52	52	52
13-19 YRS	4	12.0	146	5	5	7	19	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	2	13.0	18	10	10	13	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	7	2.0	2	1	1	1	3	5	5	5
B. Operated	7	19.3	325	5	6	8	29	48	52	52
1. SINGLE DX	4	8.0	40	2	3	7	13	16	16	16
2. MULTIPLE DX	14	10.6	231	1	1	5	8	32	48	52
A. Not Operated	9	2.2	2	1	1	2	3	5	5	5
B. Operated	9	17.9	253	5	7	10	28	43	52	52
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	15.3	295	2	3	8	22	45	52	52
13-19 YRS	10	5.9	78	1	1	3	5	19	30	30
GRAND TOTAL	**18**	**10.1**	**185**	**1**	**2**	**5**	**10**	**29**	**43**	**52**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	9.0	2	8	8	9	10	10	10	10
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	5	12.8	94	4	6	11	17	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	2	4.5	13	2	2	4	7	7	7	7
B. Operated	9	9.9	64	3	5	8	11	23	29	29
1. SINGLE DX	3	4.3	9	1	2	5	6	7	7	7
2. MULTIPLE DX	11	8.9	57	2	4	7	11	19	28	29
A. Not Operated	4	3.8	8	1	1	3	6	7	7	7
B. Operated	10	9.6	57	3	5	8	11	21	29	29
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.2	15	1	2	5	8	10	10	10
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	7	11.1	71	5	7	7	12	26	29	29
GRAND TOTAL	**14**	**7.9**	**49**	**2**	**4**	**7**	**10**	**15**	**26**	**29**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	3.5	4	1	2	4	5	5	5	5
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	6	5.0	9	1	3	4	8	9	9	9
1-5 YRS	13	6.5	8	3	5	6	7	11	12	12
6-12 YRS	9	8.6	22	3	5	8	12	15	16	16
13-19 YRS	4	8.8	32	3	4	8	13	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	1.8	2	<1	1	1	2	4	6	6
1-5 YRS	15	6.7	253	1	1	3	4	5	49	64
6-12 YRS	8	5.3	5	2	4	5	7	8	8	8
13-19 YRS	2	10.5	85	4	4	10	17	17	17	17
B. Operated										
0-27 DYS	3	10.0	1	9	9	10	11	11	11	11
1-11 MOS	14	10.7	40	3	6	10	14	21	22	22
1-5 YRS	18	13.7	100	3	5	13	19	27	36	40
6-12 YRS	12	9.1	47	3	5	7	11	18	27	28
13-19 YRS	11	10.1	201	1	2	7	10	29	49	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	3	1	1	2	4	5	5	5
B. Operated	32	7.1	15	2	4	6	9	13	16	16
2. MULTIPLE DX										
A. Not Operated	37	5.1	108	1	1	3	4	7	14	64
B. Operated	58	11.1	86	2	5	9	14	22	29	50
1. SINGLE DX	40	6.2	16	1	3	6	8	12	15	16
2. MULTIPLE DX	95	8.8	103	1	3	6	11	19	27	58
A. Not Operated	45	4.6	90	1	1	3	4	6	10	64
B. Operated	90	9.7	64	2	5	8	13	18	22	47
TOTAL										
0-27 DYS	4	8.5	10	4	6	9	10	11	11	11
1-11 MOS	31	6.5	36	1	1	5	9	15	21	22
1-5 YRS	50	8.9	123	1	3	5	11	19	29	64
6-12 YRS	31	7.5	29	2	4	6	9	14	16	28
13-19 YRS	19	8.9	129	1	2	6	10	17	36	51
GRAND TOTAL	**135**	**8.0**	**78**	**1**	**3**	**6**	**10**	**16**	**22**	**53**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	2.3	2	<1	1	2	3	5	6	6
6-12 YRS	55	3.4	5	1	2	3	5	5	6	15
13-19 YRS	99	3.0	3	1	2	3	4	5	6	10
B. Operated										
0-27 DYS	2	9.0	50	4	4	9	14	14	14	14
1-11 MOS	7	3.1	3	<1	1	3	5	5	5	5
1-5 YRS	46	7.3	136	1	2	5	9	11	15	80
6-12 YRS	95	5.4	16	1	2	5	7	12	14	16
13-19 YRS	170	5.3	15	1	2	5	7	11	13	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	2.3	4	<1	1	2	3	6	7	7
1-5 YRS	42	4.8	19	1	2	4	6	9	13	26
6-12 YRS	99	5.4	31	1	2	4	6	11	15	34
13-19 YRS	157	5.1	24	1	2	4	6	13	15	21
B. Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	10	10.6	93	1	2	9	14	25	33	33
1-5 YRS	70	9.6	62	2	5	8	12	19	24	42
6-12 YRS	95	10.1	85	2	4	7	12	23	29	46
13-19 YRS	145	9.0	57	2	4	7	11	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	3.1	4	1	2	3	4	5	6	11
B. Operated	320	5.6	33	1	2	5	7	11	14	16
2. MULTIPLE DX										
A. Not Operated	307	5.1	25	1	2	4	6	11	14	24
B. Operated	321	9.6	67	2	4	7	12	20	26	41
1. SINGLE DX	487	4.8	24	1	2	4	6	9	12	16
2. MULTIPLE DX	628	7.4	52	1	3	5	9	15	21	36
A. Not Operated	474	4.4	18	1	2	3	5	8	13	21
B. Operated	641	7.6	54	1	3	6	10	15	20	36
TOTAL										
0-27 DYS	3	12.7	65	4	6	14	18	20	20	20
1-11 MOS	27	5.6	49	1	1	3	7	14	20	33
1-5 YRS	170	7.3	72	1	3	5	9	14	19	42
6-12 YRS	344	6.4	43	1	2	5	7	13	18	34
13-19 YRS	571	5.8	30	1	2	4	7	12	16	29
GRAND TOTAL	**1115**	**6.2**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	3.5	10	1	1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	9	1.7	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	3.4	7	1	2	3	4	8	8	8
1. SINGLE DX	10	1.6	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX	5	3.4	7	1	2	3	4	8	8	8
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	14	2.3	4	<1	1	2	3	5	7	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	10	2.6	5	<1	1	2	3	6	8	8
GRAND TOTAL	**15**	**2.2**	**4**	**<1**	**1**	**1**	**3**	**5**	**7**	**8**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	5	6.0	55	1	2	3	8	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	2	11.0	32	7	7	11	15	15	15	15
6-12 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	4.3	37	1	1	2	4	15	19	19
2. MULTIPLE DX										
A. Not Operated	2	11.5	145	3	3	11	20	20	20	20
B. Operated	5	9.6	98	< 1	< 1	7	17	24	24	24
1. SINGLE DX	8	4.3	37	1	1	2	4	15	19	19
2. MULTIPLE DX	7	10.1	90	< 1	1	7	19	23	24	24
A. Not Operated	2	11.5	145	3	3	11	20	20	20	20
B. Operated	13	6.3	62	< 1	1	2	9	20	23	24
TOTAL										
0-27 DYS	0									
1-11 MOS	2	12.5	265	1	1	12	24	24	24	24
1-5 YRS	3	8.3	37	3	4	7	13	15	15	15
6-12 YRS	5	5.0	71	< 1	< 1	1	6	20	20	20
13-19 YRS	5	6.0	55	1	2	3	8	19	19	19
GRAND TOTAL	**15**	**7.0**	**67**	**< 1**	**1**	**3**	**13**	**20**	**23**	**24**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	9.3	126	2	3	4	15	26	26	26
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	6	7.3	85	2	3	4	5	24	26	26
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	7	6.7	73	2	3	4	5	22	26	26
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	8	6.0	67	2	2	3	5	20	26	26
TOTAL										
0-27 DYS	0									
1-11 MOS	4	9.3	126	2	3	4	15	26	26	26
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.7	1	2	2	2	4	4	4	4
GRAND TOTAL	**9**	**5.7**	**59**	**2**	**2**	**3**	**4**	**18**	**26**	**26**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	16.0	50	11	11	16	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	4	10.8	54	5	5	8	16	21	21	21
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	6	8.0	51	1	4	5	11	20	21	21
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	5	9.0	56	2	4	6	13	21	21	21
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	7.4	74	1	2	2	13	21	21	21
GRAND TOTAL	**8**	**6.5**	**44**	**1**	**2**	**4**	**8**	**18**	**21**	**21**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	3.4	2	1	2	4	4	5	5	5
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	5.6	6	3	3	6	8	8	8	8
13-19 YRS	11	5.5	3	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	3.5	2	2	2	3	4	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	9.0	13	4	6	9	12	14	14	14
13-19 YRS	14	6.4	8	3	5	6	7	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.1	2	1	2	4	4	5	5	5
B. Operated	16	5.5	4	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	6	3.3	1	2	2	3	4	5	5	5
B. Operated	24	7.2	11	3	5	7	9	13	13	14
1. SINGLE DX	23	4.8	4	2	3	4	7	8	8	8
2. MULTIPLE DX	30	6.4	12	2	4	6	8	12	13	14
A. Not Operated	13	3.2	2	1	2	4	4	5	5	5
B. Operated	40	6.5	9	3	4	6	8	11	13	14
TOTAL										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	22	6.0	12	2	3	5	8	12	13	14
13-19 YRS	28	5.7	7	3	4	6	7	8	11	13
GRAND TOTAL	**53**	**5.7**	**9**	**2**	**4**	**5**	**7**	**9**	**13**	**14**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	5.2	3	2	5	5	6	7	7	7
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	4.7	10	< 1	2	4	8	9	9	9
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	8.0	28	1	6	7	9	16	17	17
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	6.3		6	6	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	2	2	3	5	5	5	5	5
B. Operated	8	5.3	3	3	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	10	4.8	9	< 1	2	5	8	9	9	9
B. Operated	10	7.3	16	3	6	6	9	13	17	17
1. SINGLE DX	12	4.9	3	2	4	5	6	7	7	7
2. MULTIPLE DX	20	6.1	14	1	4	6	8	9	13	17
A. Not Operated	14	4.6	7	1	2	5	6	8	9	9
B. Operated	18	6.4	11	3	5	6	7	9	14	17
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	23	5.7	12	1	4	5	8	9	12	17
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	5	5.0	4	2	3	6	6	7	7	7
GRAND TOTAL	**32**	**5.6**	**10**	**2**	**4**	**6**	**7**	**9**	**9**	**17**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	9.3	56	2	4	9	15	17	17	17
6-12 YRS	3	5.0		5	5	5	5	5	5	5
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	6.3	9	3	4	7	8	9	9	9
1-5 YRS	3	12.3	70	7	7	8	18	22	22	22
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	4	10.8	115	2	2	8	19	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	5.0	3	2	4	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	7	6.4	27	2	3	5	8	15	17	17
B. Operated	11	10.0	56	2	4	8	12	23	25	25
1. SINGLE DX	5	5.0	3	2	4	6	6	6	6	6
2. MULTIPLE DX	18	8.6	46	2	3	7	11	20	24	25
A. Not Operated	7	6.4	27	2	3	5	8	15	17	17
B. Operated	16	8.4	44	2	4	7	10	21	24	25
TOTAL										
0-27 DYS	0									
1-11 MOS	4	5.3	11	2	2	5	8	9	9	9
1-5 YRS	8	9.6	43	3	6	7	13	20	22	22
6-12 YRS	6	5.7	9	2	5	5	6	10	11	11
13-19 YRS	5	9.6	93	2	3	5	16	25	25	25
GRAND TOTAL	**23**	**7.8**	**38**	**2**	**4**	**6**	**9**	**18**	**23**	**25**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	8.3	45	3	4	6	12	18	18	18
1-5 YRS	5	4.8	8	2	3	4	7	9	9	9
6-12 YRS	3	3.0	12	1	1	1	6	7	7	7
13-19 YRS	19	4.4	21	1	1	2	7	10	14	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	8	4.0	5	1	2	4	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	23.0	578	6	6	23	40	40	40	40
6-12 YRS	4	6.8	19	1	3	7	10	11	11	11
13-19 YRS	19	9.8	44	2	6	9	13	19	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0		2	2	2	2	2	2	2
B. Operated	31	4.8	21	1	1	3	7	10	17	18
2. MULTIPLE DX										
A. Not Operated	12	3.5	4	1	2	3	5	6	7	7
B. Operated	26	10.5	73	1	6	9	13	21	30	40
1. SINGLE DX	34	4.6	20	1	1	3	7	9	16	18
2. MULTIPLE DX	38	8.3	61	1	3	6	11	14	26	40
A. Not Operated	15	3.2	4	1	2	2	5	6	7	7
B. Operated	57	7.4	52	1	2	6	10	14	21	39
TOTAL										
0-27 DYS	0									
1-11 MOS	6	8.2	41	2	3	6	14	18	18	18
1-5 YRS	9	8.4	145	2	3	4	7	28	40	40
6-12 YRS	11	4.0	13	1	1	2	7	10	11	11
13-19 YRS	46	6.6	34	1	1	6	9	13	18	28
GRAND TOTAL	**72**	**6.6**	**45**	**1**	**2**	**5**	**9**	**13**	**18**	**37**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	3.8	14	1	1	3	5	10	10	10
6-12 YRS	3	4.7	14	2	2	3	7	9	9	9
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	14	27.4	470	6	10	20	44	58	69	72
6-12 YRS	3	14.3	36	8	10	15	19	20	20	20
13-19 YRS	1	37.0		37	37	37	37	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	8	4.1	12	1	2	3	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	4	5.8	16	1	2	6	9	10	10	10
B. Operated	19	25.2	380	6	10	17	37	55	65	72
1. SINGLE DX	9	3.8	12	1	1	3	5	10	10	10
2. MULTIPLE DX	23	21.8	370	5	8	15	34	54	62	72
A. Not Operated	5	4.8	17	1	1	4	8	10	10	10
B. Operated	27	18.9	362	2	5	12	25	51	59	72
TOTAL										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	21	19.6	437	1	5	10	28	55	64	72
6-12 YRS	9	8.0	41	1	3	8	11	18	20	20
13-19 YRS	1	37.0		37	37	37	37	37	37	37
GRAND TOTAL	**32**	**16.7**	**333**	**1**	**4**	**10**	**22**	**47**	**57**	**72**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	7	5.7	22	1	2	3	11	11	11	11
6-12 YRS	10	2.3	1	< 1	1	2	3	4	4	4
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	6	8.3	3	6	7	8	9	11	11	11
1-5 YRS	70	8.0	20	3	6	8	9	12	12	28
6-12 YRS	14	7.1	8	3	6	8	8	11	11	11
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	56	5.2	12	1	3	5	6	10	11	19
6-12 YRS	14	3.2	6	< 1	1	3	4	7	8	9
13-19 YRS	4	10.3	174	3	3	4	17	30	30	30
B. Operated										
0-27 DYS	0									
1-11 MOS	13	7.4	5	5	6	7	9	11	11	11
1-5 YRS	97	9.9	44	5	6	8	11	16	18	44
6-12 YRS	38	14.7	136	5	7	10	18	38	40	41
13-19 YRS	7	8.6	11	5	6	8	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.7	27	< 1	2	3	5	11	17	22
B. Operated	92	7.8	17	4	6	8	9	12	12	27
2. MULTIPLE DX										
A. Not Operated	74	5.1	19	1	3	4	6	9	12	27
B. Operated	155	10.8	67	5	6	8	12	17	34	43
1. SINGLE DX	112	7.3	20	2	5	7	9	11	12	27
2. MULTIPLE DX	229	9.0	58	3	5	7	10	15	22	41
A. Not Operated	94	5.0	21	1	3	4	6	10	12	26
B. Operated	247	9.7	50	5	6	8	11	15	22	41
TOTAL										
0-27 DYS	0									
1-11 MOS	20	8.4	14	5	6	8	10	11	17	22
1-5 YRS	230	8.0	32	3	5	7	10	13	16	36
6-12 YRS	76	9.6	99	1	3	7	11	21	38	41
13-19 YRS	15	8.1	46	3	5	6	9	14	26	30
GRAND TOTAL	**341**	**8.4**	**46**	**3**	**5**	**7**	**10**	**14**	**19**	**40**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	13	2.7	4	< 1	< 1	1	5	5	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	15	1.9	1	< 1	1	2	2	3	5	5
1-5 YRS	24	1.8	1	1	1	1	2	3	5	6
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	13.7	345	1	2	5	27	35	35	35
1-5 YRS	5	2.6	3	< 1	1	2	4	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	15	6.1	28	1	1	4	10	14	16	17
6-12 YRS	4	19.5	1139	1	1	4	38	70	70	70
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.3	4	< 1	< 1	1	5	5	6	6
B. Operated	43	1.9	2	1	1	2	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	9	6.4	118	< 1	1	4	5	23	35	35
B. Operated	25	7.4	191	1	1	3	7	14	30	70
1. SINGLE DX	60	2.0	2	< 1	1	1	2	5	6	6
2. MULTIPLE DX	34	7.1	167	1	1	3	6	14	31	70
A. Not Operated	26	3.7	44	< 1	< 1	1	5	5	12	35
B. Operated	68	3.9	76	1	1	2	3	7	12	60
TOTAL										
0-27 DYS	0									
1-11 MOS	25	3.1	45	< 1	1	1	2	5	13	35
1-5 YRS	57	3.2	12	< 1	1	2	4	7	11	17
6-12 YRS	9	10.2	507	1	1	2	6	44	70	70
13-19 YRS	3	3.7	6	1	2	4	5	6	6	6
GRAND TOTAL	**94**	**3.9**	**67**	**< 1**	**1**	**2**	**4**	**6**	**12**	**55**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	41	4.6	57	1	2	3	5	8	13	48
6-12 YRS	32	3.3	14	< 1	1	2	4	7	12	19
13-19 YRS	9	2.7	3	1	2	2	3	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	5	13.8	222	1	2	6	30	30	30	30
1-5 YRS	81	5.9	20	1	2	5	9	11	14	21
6-12 YRS	126	6.4	30	1	2	6	8	12	17	27
13-19 YRS	39	6.1	17	1	3	5	8	11	11	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	11.6	162	2	3	7	14	33	38	38
1-5 YRS	106	3.5	10	1	1	2	5	9	11	13
6-12 YRS	108	5.3	30	1	2	4	6	12	17	30
13-19 YRS	51	6.6	110	1	2	3	6	14	16	59
B. Operated										
0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS	31	23.4	396	7	10	17	39	99 +	99 +	99 +
1-5 YRS	240	13.8	181	3	6	10	17	31	43	84
6-12 YRS	229	12.4	130	3	5	9	15	27	37	54
13-19 YRS	130	14.1	210	4	6	11	16	30	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	3.9	33	1	1	2	4	7	10	38
B. Operated	251	6.4	29	1	2	5	8	12	17	30
2. MULTIPLE DX										
A. Not Operated	272	5.0	42	1	2	3	5	11	15	37
B. Operated	631	13.9	185	3	6	10	17	32	49	99 +
1. SINGLE DX	336	5.7	31	1	2	4	8	11	16	30
2. MULTIPLE DX	903	11.2	159	1	3	7	14	26	40	82
A. Not Operated	357	4.7	40	1	1	3	5	10	14	38
B. Operated	882	11.7	152	2	5	8	14	26	40	82
TOTAL										
0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS	46	19.3	346	3	7	14	33	78	99 +	99 +
1-5 YRS	468	9.3	125	1	2	6	11	20	32	78
6-12 YRS	495	8.7	87	1	3	6	11	18	28	51
13-19 YRS	229	10.6	163	2	4	7	12	20	48	80
GRAND TOTAL	**1239**	**9.7**	**130**	**1**	**3**	**7**	**12**	**21**	**33**	**78**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	1.3		1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	18	6.7	32	<1	1	5	9	17	18	18
6-12 YRS	10	7.7	20	2	5	7	12	14	16	16
13-19 YRS	9	12.0	56	3	6	11	17	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	4.2	12	1	2	3	5	11	12	12
6-12 YRS	8	3.0	9	<1	1	2	4	8	9	9
13-19 YRS	5	18.4	362	3	6	15	25	51	51	51
B. Operated										
0-27 DYS	0									
1-11 MOS	4	13.8	40	8	8	13	19	21	21	21
1-5 YRS	32	12.3	101	2	5	9	17	26	36	38
6-12 YRS	24	12.6	256	3	4	6	12	51	53	53
13-19 YRS	14	15.8	127	6	7	11	21	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.6		1	1	2	2	3	3	3
B. Operated	39	8.2	35	1	5	6	12	17	21	23
2. MULTIPLE DX										
A. Not Operated	30	6.2	90	1	2	3	7	14	16	51
B. Operated	74	13.1	149	3	6	8	17	34	39	53
1. SINGLE DX	49	6.9	35	1	2	5	9	16	18	23
2. MULTIPLE DX	104	11.1	141	2	3	7	14	23	38	53
A. Not Operated	40	5.0	71	1	1	2	5	12	15	51
B. Operated	113	11.4	115	2	5	8	15	23	37	53
TOTAL										
0-27 DYS	0									
1-11 MOS	7	10.1	43	3	6	8	15	20	21	21
1-5 YRS	73	8.1	70	1	2	5	12	18	23	38
6-12 YRS	43	9.4	161	1	3	6	10	17	52	53
13-19 YRS	30	14.2	137	3	7	10	20	30	39	51
GRAND TOTAL	**153**	**9.8**	**111**	**1**	**3**	**6**	**12**	**22**	**36**	**53**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	12	2.2	2	<1	1	2	3	4	4	4
6-12 YRS	5	2.8	5	<1	1	2	4	6	6	6
13-19 YRS	8	3.8	13	1	1	2	5	10	11	11
B. Operated										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	6	4.5	8	1	2	4	7	8	8	8
1-5 YRS	30	5.6	48	1	1	4	7	12	16	36
6-12 YRS	20	5.3	18	1	2	4	7	12	15	15
13-19 YRS	25	2.2	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	4.0	6	2	2	3	5	8	9	9
1-5 YRS	70	5.8	95	1	2	4	6	11	14	67
6-12 YRS	27	5.1	21	1	1	4	7	11	17	18
13-19 YRS	11	5.2	7	1	2	7	7	8	8	8
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	29	11.5	159	3	4	6	14	23	42	60
1-5 YRS	110	17.2	261	4	6	10	25	44	51	67
6-12 YRS	48	8.8	82	1	3	7	12	18	20	57
13-19 YRS	46	6.4	77	1	2	5	7	12	14	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.9	6	1	1	2	4	6	8	11
B. Operated	83	4.5	24	1	2	3	6	9	14	29
2. MULTIPLE DX										
A. Not Operated	115	5.5	63	1	2	4	7	11	14	40
B. Operated	234	12.6	194	2	4	8	14	33	46	61
1. SINGLE DX	109	4.1	20	1	1	3	6	9	11	24
2. MULTIPLE DX	349	10.3	162	1	3	6	11	24	42	60
A. Not Operated	141	5.0	54	1	2	4	6	10	13	24
B. Operated	317	10.5	162	1	3	6	12	27	43	59
TOTAL										
0-27 DYS	3	7.7	1	7	7	7	9	9	9	9
1-11 MOS	43	9.1	119	2	3	6	10	19	31	60
1-5 YRS	222	11.2	201	1	3	6	12	32	45	66
6-12 YRS	100	6.8	52	1	2	5	9	15	18	40
13-19 YRS	90	4.8	44	1	2	3	6	9	12	42
GRAND TOTAL	**458**	**8.8**	**135**	**1**	**2**	**5**	**9**	**18**	**37**	**59**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	9	4.2	27	< 1	1	1	5	13	17	17
6-12 YRS	3	4.7	8	3	3	3	7	8	8	8
13-19 YRS	8	2.9	9	1	1	2	3	8	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	8	3.6	5	1	2	3	5	7	7	7
1-5 YRS	31	7.0	83	1	2	5	8	12	25	48
6-12 YRS	7	4.9	15	< 1	2	4	7	11	12	12
13-19 YRS	11	6.9	118	< 1	1	4	9	21	37	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	8	6.5	43	1	2	5	9	18	20	20
1-5 YRS	61	6.0	26	1	3	5	7	13	19	23
6-12 YRS	62	5.8	35	1	2	4	7	15	17	30
13-19 YRS	79	6.1	110	1	2	4	6	9	13	71
B. Operated										
0-27 DYS	3	20.7	146	7	16	27	65	99 +	99 +	99 +
1-11 MOS	30	12.9	134	4	5	10	17	34	49	99 +
1-5 YRS	146	16.2	287	2	6	10	20	43	55	73
6-12 YRS	78	10.1	122	2	4	6	13	24	43	87
13-19 YRS	121	9.4	93	3	5	7	11	17	23	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.8	16	1	1	3	5	9	13	17
B. Operated	57	6.2	70	1	2	4	7	12	21	47
2. MULTIPLE DX										
A. Not Operated	211	6.0	60	1	2	4	6	13	18	39
B. Operated	378	12.6	186	3	5	8	15	29	48	75
1. SINGLE DX	78	5.6	56	1	1	4	6	11	15	45
2. MULTIPLE DX	589	10.2	151	1	4	6	12	23	39	74
A. Not Operated	232	5.8	56	1	2	4	6	13	17	35
B. Operated	435	11.7	175	2	4	7	13	27	47	74
TOTAL										
0-27 DYS	4	15.8	194	< 1	5	25	47	99 +	99 +	99 +
1-11 MOS	47	10.1	107	2	4	7	13	23	48	99 +
1-5 YRS	247	12.1	211	1	4	7	14	29	48	73
6-12 YRS	150	8.0	83	1	3	5	10	18	27	55
13-19 YRS	219	7.9	100	1	3	5	9	14	22	59
GRAND TOTAL	**667**	**9.7**	**142**	**1**	**3**	**6**	**11**	**22**	**37**	**73**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	3.4	4	2	2	2	5	6	6	6
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	4.3	10	1	2	4	5	9	10	10
6-12 YRS	32	4.7	9	1	2	4	7	9	10	11
13-19 YRS	85	5.3	44	1	2	5	7	9	10	43
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	19	4.3	11	1	2	4	6	8	12	14
13-19 YRS	33	2.7	4	1	1	1	5	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	10.7	16	7	8	10	14	15	15	15
6-12 YRS	35	7.4	51	2	3	5	9	14	25	34
13-19 YRS	75	9.5	68	2	4	7	11	20	26	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.6	3	1	2	2	3	6	6	6
B. Operated	123	5.1	33	1	2	4	7	9	10	25
2. MULTIPLE DX										
A. Not Operated	53	3.3	7	1	1	3	5	6	7	14
B. Operated	113	8.9	62	2	4	7	11	19	26	40
1. SINGLE DX	132	4.9	31	1	2	4	7	9	10	21
2. MULTIPLE DX	166	7.1	51	1	2	5	9	15	21	38
A. Not Operated	62	3.2	6	1	1	2	5	6	7	13
B. Operated	236	6.9	50	1	3	5	8	12	19	39
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	6.5	18	1	4	6	10	13	15	15
6-12 YRS	91	5.6	27	1	2	4	7	10	14	32
13-19 YRS	197	6.4	52	1	2	5	7	12	19	41
GRAND TOTAL	**298**	**6.2**	**43**	**1**	**2**	**5**	**7**	**11**	**18**	**37**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	83	3.1	5	1	2	3	4	5	7	14
6-12 YRS	96	2.6	3	< 1	1	2	3	6	7	9
13-19 YRS	47	4.3	16	< 1	1	3	6	8	14	19
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	10.0	36	4	5	8	14	19	20	20
1-5 YRS	172	7.8	47	1	3	6	9	18	24	30
6-12 YRS	115	6.3	53	1	2	5	7	11	20	39
13-19 YRS	61	4.8	23	1	2	4	7	8	9	29
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	6.3	8	2	4	6	9	10	10	10
1-5 YRS	229	4.9	22	1	2	4	6	9	11	25
6-12 YRS	230	5.3	25	1	2	4	7	11	16	23
13-19 YRS	117	6.3	41	1	2	5	8	14	19	31
B. Operated										
0-27 DYS	1	9.0		9	9	54	99 +	99 +	99 +	99 +
1-11 MOS	14	17.1	435	3	4	9	20	49	70	76
1-5 YRS	312	15.3	190	5	7	10	21	32	42	86
6-12 YRS	233	16.9	231	4	7	11	23	41	53	84
13-19 YRS	135	17.5	270	3	7	11	27	39	48	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	3.1	7	1	1	2	4	6	8	17
B. Operated	355	6.8	46	1	3	5	8	14	23	35
2. MULTIPLE DX										
A. Not Operated	583	5.4	27	1	2	4	7	11	15	28
B. Operated	695	16.3	223	4	7	11	22	37	49	93
1. SINGLE DX	582	5.4	34	1	2	4	7	10	17	31
2. MULTIPLE DX	1278	11.3	163	2	3	7	14	28	39	75
A. Not Operated	810	4.7	22	1	2	3	6	10	13	24
B. Operated	1050	13.1	183	2	5	8	17	31	41	81
TOTAL										
0-27 DYS	2	6.5	13	4	5	9	77	99 +	99 +	99 +
1-11 MOS	28	12.4	244	3	4	7	13	26	49	76
1-5 YRS	796	9.4	116	1	3	6	11	23	30	66
6-12 YRS	674	9.1	130	1	2	5	11	23	34	59
13-19 YRS	360	10.0	154	1	3	6	11	28	36	66
GRAND TOTAL	**1860**	**9.4**	**130**	**1**	**3**	**6**	**11**	**23**	**33**	**65**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	5.6	29	1	2	4	6	14	19	19
6-12 YRS	8	3.8	4	2	2	3	5	7	7	7
13-19 YRS	8	4.6	12	2	2	3	7	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	3	10.7	81	2	4	10	17	20	20	20
6-12 YRS	2	11.5	1	11	11	11	12	12	12	12
13-19 YRS	3	19.3	241	2	7	24	30	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	25	4.7	15	2	2	3	6	10	12	19
B. Operated	9	13.2	104	2	5	11	21	29	32	32
1. SINGLE DX	5	3.2	11	< 1	< 1	2	4	9	9	9
2. MULTIPLE DX	34	6.9	51	2	2	4	10	19	23	32
A. Not Operated	29	4.3	14	1	2	3	5	9	11	19
B. Operated	10	12.8	95	2	6	10	20	28	32	32
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	15	5.9	37	1	2	4	7	19	20	20
6-12 YRS	11	5.6	14	2	2	5	8	11	12	12
13-19 YRS	12	8.0	99	1	2	3	10	26	31	32
GRAND TOTAL	**39**	**6.5**	**47**	**2**	**2**	**4**	**9**	**16**	**22**	**32**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS	6	4.3	4	1	4	4	5	7	7	7
6-12 YRS	17	3.7	5	1	2	4	5	6	8	9
13-19 YRS	13	7.0	126	1	1	4	8	17	38	43
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS	17	5.5	36	1	1	2	7	17	18	18
6-12 YRS	16	11.8	375	< 1	1	1	10	52	56	57
13-19 YRS	16	8.9	241	1	1	2	7	31	50	58
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	6.3	7	4	4	5	8	10	10	10
1-5 YRS	29	6.9	52	2	3	4	7	18	25	31
6-12 YRS	46	4.5	12	< 1	2	3	7	10	11	14
13-19 YRS	31	6.8	30	1	3	6	9	15	19	23
B. Operated										
0-27 DYS	0									
1-11 MOS	4	21.3	217	4	12	20	30	40	40	40
1-5 YRS	53	32.2	620	4	9	33	50	77	99	99 +
6-12 YRS	71	27.5	463	4	8	25	46	60	72	99 +
13-19 YRS	65	28.0	443	3	9	26	39	58	70	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.9	44	1	2	4	5	8	9	43
B. Operated	51	8.6	203	1	1	2	9	24	53	58
2. MULTIPLE DX										
A. Not Operated	110	5.8	28	1	2	4	7	12	17	27
B. Operated	193	28.8	493	3	9	28	44	66	77	99 +
1. SINGLE DX	91	7.0	136	1	1	3	6	15	37	58
2. MULTIPLE DX	303	20.5	446	2	4	11	34	57	71	99 +
A. Not Operated	150	5.6	32	1	2	4	7	11	14	31
B. Operated	244	24.6	499	1	5	18	41	59	73	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	14	10.1	110	3	4	5	12	23	36	40
1-5 YRS	105	19.3	501	1	4	8	34	60	78	99 +
6-12 YRS	150	16.0	382	1	2	7	26	53	59	99
13-19 YRS	125	18.1	384	1	3	9	32	44	59	76
GRAND TOTAL	**394**	**17.4**	**406**	**1**	**3**	**8**	**29**	**52**	**65**	**99 +**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	11	2.9	4	< 1	1	3	5	6	6	6
6-12 YRS	6	5.0	30	2	2	3	5	15	16	16
13-19 YRS	4	3.3	5	< 1	1	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.0	50	6	6	11	16	16	16	16
1-5 YRS	7	7.1	43	1	1	7	13	16	16	16
6-12 YRS	5	3.0	4	1	2	2	4	6	6	6
13-19 YRS	8	7.0	162	< 1	< 1	1	6	29	38	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	6	5.8	7	3	3	6	8	9	9	9
1-5 YRS	18	4.2	15	< 1	1	3	6	9	13	15
6-12 YRS	9	4.3	15	< 1	1	2	8	10	10	10
13-19 YRS	14	3.0	5	1	1	2	5	6	7	7
B. Operated										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	7	8.7	17	2	7	10	11	13	14	14
1-5 YRS	34	22.6	236	3	10	23	36	46	53	99 +
6-12 YRS	16	25.6	638	6	8	10	45	66	74	77
13-19 YRS	22	18.2	321	2	5	11	37	48	54	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.6	11	< 1	1	3	5	6	10	16
B. Operated	22	6.5	74	< 1	1	3	7	16	25	38
2. MULTIPLE DX										
A. Not Operated	48	4.0	11	1	1	3	6	9	9	15
B. Operated	81	20.5	328	2	7	14	35	48	60	93
1. SINGLE DX	45	5.0	43	< 1	1	3	6	15	16	38
2. MULTIPLE DX	129	14.3	273	1	3	8	18	41	51	82
A. Not Operated	71	3.9	11	< 1	1	3	5	8	9	16
B. Operated	103	17.5	306	1	5	11	29	46	55	88
TOTAL										
0-27 DYS	3	5.7	65	< 1	< 1	1	11	15	15	15
1-11 MOS	17	7.4	17	2	5	7	10	13	15	16
1-5 YRS	70	13.2	207	1	2	6	23	37	46	90
6-12 YRS	36	13.7	398	1	2	6	10	47	65	77
13-19 YRS	48	10.7	220	< 1	1	5	11	38	47	59
GRAND TOTAL	**174**	**11.9**	**230**	**1**	**2**	**6**	**14**	**37**	**47**	**74**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	4.8	8	2	2	4	6	9	10	10
6-12 YRS	14	6.9	40	2	4	5	8	12	24	27
13-19 YRS	12	4.6	11	1	1	4	7	9	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	5	8.0	154	1	1	4	11	30	30	30
1-5 YRS	20	5.6	38	< 1	2	3	6	16	22	22
6-12 YRS	41	5.1	13	1	1	5	8	10	11	13
13-19 YRS	43	4.2	13	1	1	3	7	8	10	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	17.0	61	12	12	13	23	26	26	26
1-5 YRS	27	5.0	18	1	2	4	7	12	15	16
6-12 YRS	53	6.5	47	1	2	4	9	15	23	33
13-19 YRS	41	6.8	80	1	2	5	6	14	35	38
B. Operated										
0-27 DYS	0									
1-11 MOS	3	26.7	312	15	16	18	40	47	47	47
1-5 YRS	64	16.7	317	2	4	10	30	56	80	99 +
6-12 YRS	85	18.1	330	4	7	11	26	36	55	92
13-19 YRS	54	11.3	81	3	5	9	16	23	30	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	5.5	21	1	2	5	7	10	10	27
B. Operated	109	4.9	23	1	1	4	7	10	12	25
2. MULTIPLE DX										
A. Not Operated	124	6.5	54	1	2	4	7	14	25	36
B. Operated	206	16.0	266	3	5	10	23	40	58	99 +
1. SINGLE DX	146	5.1	22	1	2	4	7	10	11	27
2. MULTIPLE DX	330	12.4	207	2	3	7	15	32	44	96
A. Not Operated	161	6.3	46	1	2	4	7	13	21	35
B. Operated	315	12.2	209	1	3	7	14	31	44	96
TOTAL										
0-27 DYS	0									
1-11 MOS	11	15.5	202	1	4	13	24	37	46	47
1-5 YRS	122	11.2	209	1	2	6	12	39	58	99 +
6-12 YRS	193	11.3	199	1	3	7	12	27	35	83
13-19 YRS	150	7.5	64	1	2	5	9	17	23	39
GRAND TOTAL	**476**	**10.2**	**162**	**1**	**3**	**6**	**11**	**26**	**38**	**84**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	2	5.5	41	< 1	< 1	5	10	10	10	10
1-5 YRS	14	1.6	1	< 1	< 1	1	2	3	3	3
6-12 YRS	17	2.4	4	1	1	1	3	6	6	6
13-19 YRS	52	2.5	5	1	1	2	2	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	2	6.0	50	1	1	6	11	11	11	11
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	6	2.8	6	1	1	2	4	7	7	7
6-12 YRS	6	4.3	23	1	1	2	10	11	11	11
13-19 YRS	9	3.7	8	1	2	2	5	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	86	2.4	5	1	1	2	2	6	7	11
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	25	4.1	15	1	1	2	7	11	12	13
1. SINGLE DX	87	2.4	5	1	1	2	2	6	7	11
2. MULTIPLE DX	27	3.9	15	1	1	2	6	11	12	13
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	111	2.8	8	1	1	2	3	7	10	12
TOTAL										
0-27 DYS	3	4.3	33	< 1	< 1	1	8	11	11	11
1-11 MOS	4	6.5	35	< 1	1	6	11	13	13	13
1-5 YRS	21	2.0	2	< 1	1	1	3	4	5	7
6-12 YRS	24	2.8	9	1	1	1	4	7	10	11
13-19 YRS	62	2.6	6	1	1	2	3	7	8	11
GRAND TOTAL	**114**	**2.7**	**7**	**1**	**1**	**2**	**3**	**7**	**10**	**12**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.3	9	< 1	1	5	6	7	7	7
1-5 YRS	28	3.1	7	1	1	2	5	7	8	9
6-12 YRS	26	4.5	13	1	1	4	7	9	11	12
13-19 YRS	22	7.5	8	4	6	8	9	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	1	87.0		87	87	87	87	87	87	87
1-11 MOS	7	10.4	23	4	7	11	16	75	99 +	99 +
1-5 YRS	17	5.0	36	1	1	3	5	16	18	19
6-12 YRS	37	5.5	27	1	2	3	7	12	18	22
13-19 YRS	37	6.8	14	2	4	6	10	11	13	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	1	< 1	1	1	2	3	3	3
B. Operated	79	4.8	12	1	1	5	8	9	11	13
2. MULTIPLE DX										
A. Not Operated	6	3.3	2	2	2	3	4	6	6	6
B. Operated	99	7.1	90	1	2	6	9	16	18	93
1. SINGLE DX	84	4.6	12	1	1	4	7	9	11	13
2. MULTIPLE DX	105	6.8	86	1	2	5	9	15	17	93
A. Not Operated	11	2.5	2	< 1	1	2	3	5	6	6
B. Operated	178	6.1	56	1	2	5	8	11	16	68
TOTAL										
0-27 DYS	1	87.0		87	87	87	87	87	87	87
1-11 MOS	11	8.1	26	2	4	8	14	41	92	99 +
1-5 YRS	48	3.8	17	1	1	2	5	8	16	19
6-12 YRS	67	4.9	20	1	1	3	7	11	13	21
13-19 YRS	62	6.8	12	2	4	7	9	11	13	17
GRAND TOTAL	**189**	**5.9**	**54**	**1**	**2**	**5**	**8**	**11**	**16**	**61**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	8	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	17	1.8	3	< 1	< 1	1	2	5	6	6
1-5 YRS	218	1.4	2	< 1	1	1	1	2	4	9
6-12 YRS	65	1.8	4	< 1	< 1	1	2	4	6	10
13-19 YRS	20	1.9	3	< 1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	5	4.2	5	1	3	4	5	7	7	7
13-19 YRS	0									
B. Operated										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	7	6.0	15	1	2	7	9	11	11	11
1-5 YRS	92	3.4	17	1	1	2	4	8	11	23
6-12 YRS	41	4.4	44	1	1	2	5	13	19	34
13-19 YRS	16	6.5	63	< 1	1	3	9	21	25	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.4	1	< 1	1	1	2	3	4	4
B. Operated	320	1.6	2	< 1	1	1	1	3	5	9
2. MULTIPLE DX										
A. Not Operated	11	2.8	4	< 1	1	2	4	6	7	7
B. Operated	158	4.2	30	1	1	2	5	10	14	29
1. SINGLE DX	333	1.5	2	< 1	1	1	1	3	5	9
2. MULTIPLE DX	169	4.1	28	1	1	2	5	10	14	29
A. Not Operated	24	2.0	3	< 1	1	1	3	4	6	7
B. Operated	478	2.4	13	< 1	1	1	2	6	9	20
TOTAL										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	31	2.6	8	< 1	1	1	4	7	9	11
1-5 YRS	321	2.0	7	< 1	1	1	2	4	8	12
6-12 YRS	112	2.9	20	< 1	1	1	2	7	10	27
13-19 YRS	36	3.9	34	< 1	1	2	4	10	19	27
GRAND TOTAL	**502**	**2.4**	**12**	**< 1**	**1**	**1**	**2**	**5**	**9**	**19**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	1.7		<1	<1	2	2	2	2	2
13-19 YRS	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	27	2.4	3	<1	1	1	3	5	6	7
1-5 YRS	101	2.3	8	<1	1	1	2	5	7	16
6-12 YRS	244	1.9	3	<1	1	1	2	4	5	7
13-19 YRS	323	1.9	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	4	16.0	490	2	3	6	28	49	49	49
1-11 MOS	35	6.0	55	1	1	4	6	16	27	32
1-5 YRS	46	5.5	100	1	1	2	6	12	17	65
6-12 YRS	62	4.1	16	1	1	3	5	10	13	18
13-19 YRS	101	3.9	26	1	1	2	4	8	11	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.7		<1	1	2	2	2	2	2
B. Operated	697	2.0	4	<1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	248	4.7	49	1	1	3	5	9	16	34
1. SINGLE DX	706	2.0	4	<1	1	1	2	4	6	8
2. MULTIPLE DX	252	4.7	48	1	1	3	5	9	16	34
A. Not Operated	13	1.7		<1	1	2	2	3	3	3
B. Operated	945	2.7	17	1	1	1	3	6	7	19
TOTAL										
0-27 DYS	6	12.5	324	2	5	6	8	45	49	49
1-11 MOS	64	4.4	34	1	1	3	5	7	17	32
1-5 YRS	149	3.2	38	<1	1	2	3	6	9	25
6-12 YRS	310	2.4	7	<1	1	1	3	5	7	15
13-19 YRS	429	2.4	9	1	1	1	3	5	6	15
GRAND TOTAL	**958**	**2.7**	**17**	**1**	**1**	**1**	**3**	**5**	**7**	**19**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.7	5	1	2	5	5	5	5	5
1-11 MOS	21	2.7	8	<1	1	1	3	6	9	12
1-5 YRS	19	2.9	8	<1	1	2	4	6	10	12
6-12 YRS	7	2.3	3	<1	1	2	3	5	6	6
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. Operated										
0-27 DYS	18	2.4	2	1	1	2	3	5	6	6
1-11 MOS	244	2.6	14	<1	1	1	3	6	10	16
1-5 YRS	349	1.9	8	<1	<1	1	2	4	6	10
6-12 YRS	193	1.8	2	<1	1	1	2	4	5	8
13-19 YRS	110	2.4	7	<1	1	1	3	5	7	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	26	2.7	3	1	2	2	3	6	6	7
1-11 MOS	49	5.8	26	1	3	5	7	11	12	33
1-5 YRS	28	3.7	13	1	1	2	5	9	11	16
6-12 YRS	6	2.2	1	<1	1	2	3	4	4	4
13-19 YRS	9	3.9	5	<1	2	4	5	7	7	7
B. Operated										
0-27 DYS	14	15.4	386	1	3	5	31	60	90	99+
1-11 MOS	113	7.8	170	<1	1	3	9	16	30	74
1-5 YRS	151	5.0	71	1	1	2	5	10	17	39
6-12 YRS	70	3.9	31	<1	1	2	4	10	14	33
13-19 YRS	43	4.5	31	1	1	2	6	9	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.8	6	<1	1	2	4	6	7	12
B. Operated	914	2.1	8	<1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	118	4.3	16	1	2	3	6	9	11	21
B. Operated	391	5.9	103	<1	1	2	7	14	20	60
1. SINGLE DX	967	2.2	8	<1	1	1	2	5	6	12
2. MULTIPLE DX	509	5.6	84	<1	1	3	6	12	18	55
A. Not Operated	171	3.8	14	<1	1	3	5	8	11	15
B. Operated	1305	3.3	40	<1	1	1	3	7	11	35
TOTAL										
0-27 DYS	61	5.6	115	1	1	3	5	9	41	95
1-11 MOS	427	4.4	61	<1	1	2	5	10	14	41
1-5 YRS	547	2.9	28	<1	1	1	3	6	9	26
6-12 YRS	276	2.4	10	<1	1	1	2	5	8	15
13-19 YRS	165	3.0	14	<1	1	2	4	7	9	21
GRAND TOTAL	**1476**	**3.3**	**37**	**<1**	**1**	**1**	**3**	**7**	**11**	**33**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	15	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.5		<1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	17	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	8	1.4		<1	1	1	2	2	2	2
1. SINGLE DX	17	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX	8	1.4		<1	1	1	2	2	2	2
A. Not Operated	0									
B. Operated	25	1.2		<1	<1	1	1	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	1.3		1	1	1	2	2	2	2
13-19 YRS	21	1.2		<1	<1	<1	1	2	2	2
GRAND TOTAL	**25**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**2**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	0									
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	9	3.2	3	<1	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	3	6.3	17	3	3	5	9	11	11	11
B. Operated	12	4.3	9	1	2	4	5	8	11	12
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	15	4.7	10	1	3	4	5	11	12	12
A. Not Operated	3	6.3	17	3	3	5	9	11	11	11
B. Operated	13	4.2	8	1	2	4	5	8	11	12
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	12	3.3	3	1	2	3	4	6	7	7
GRAND TOTAL	**16**	**4.6**	**10**	**1**	**3**	**4**	**5**	**11**	**12**	**12**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	2.7	2	1	2	3	3	5	5	5
6-12 YRS	26	4.5	3	3	3	4	5	7	8	10
13-19 YRS	156	3.4	1	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	24	4.0	2	2	3	4	5	6	7	7
13-19 YRS	164	4.1	5	2	3	4	5	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	190	3.5	1	2	3	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	191	4.1	5	2	3	4	5	6	7	12
1. SINGLE DX	192	3.6	1	2	3	3	4	5	6	8
2. MULTIPLE DX	192	4.1	5	2	3	4	5	6	7	12
A. Not Operated	3	3.3	5	2	2	2	5	6	6	6
B. Operated	381	3.8	3	2	3	4	4	6	7	10
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	9	3.0	2	1	2	3	4	5	5	5
6-12 YRS	51	4.2	3	3	3	4	5	7	7	10
13-19 YRS	322	3.8	3	2	3	3	4	5	6	10
GRAND TOTAL	**384**	**3.8**	**3**	**2**	**3**	**4**	**4**	**6**	**7**	**10**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	0									
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	2.3	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	1.7	1	<1	<1	1	2	3	3	3
1. SINGLE DX	4	2.3	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX	3	1.7	1	<1	<1	1	2	3	3	3
A. Not Operated	0									
B. Operated	7	2.0	2	<1	<1	1	3	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	0									
6-12 YRS	3	2.0	3	<1	<1	1	3	4	4	4
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
GRAND TOTAL	**7**	**2.0**	**2**	**<1**	**<1**	**1**	**3**	**4**	**4**	**4**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	4	1.8		<1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	3	1.0		1	1	1	1	1	1	1
1. SINGLE DX	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX	4	1.0		1	1	1	1	1	1	1
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	9	1.3		<1	<1	1	2	2	2	2
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	4	1.8		<1	1	2	2	2	2	2
GRAND TOTAL	**10**	**1.3**		**<1**	**<1**	**1**	**2**	**2**	**2**	**2**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.7	2	3	3	5	6	6	6	6
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	9.5	1	9	9	9	10	10	10	10
6-12 YRS	3	5.7	17	1	2	7	8	9	9	9
13-19 YRS	3	15.0	28	9	11	17	18	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	8	10.1	32	3	8	9	13	18	19	19
1. SINGLE DX	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX	9	9.1	37	1	6	9	12	18	19	19
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	11	8.6	29	2	5	9	10	18	19	19
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	6.6	8	3	4	6	9	10	10	10
6-12 YRS	3	5.7	17	1	2	7	8	9	9	9
13-19 YRS	4	11.5	68	1	5	13	18	19	19	19
GRAND TOTAL	**12**	**8.0**	**31**	**1**	**4**	**8**	**10**	**18**	**19**	**19**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.8	3	< 1	< 1	1	2	5	5	5
1-5 YRS	8	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
13-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	22	1.4	1	< 1	< 1	1	1	3	4	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	1.6	2	< 1	< 1	1	2	4	4	4
1. SINGLE DX	22	1.4	1	< 1	< 1	1	1	3	4	5
2. MULTIPLE DX	5	1.6	2	< 1	< 1	1	2	4	4	4
A. Not Operated	0									
B. Operated	27	1.4	1	< 1	< 1	1	1	3	4	5
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.7	3	< 1	< 1	1	1	5	5	5
1-5 YRS	10	1.3	1	< 1	< 1	< 1	1	3	4	4
6-12 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
13-19 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
GRAND TOTAL	**27**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**3**	**4**	**5**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	6	8.0	110	< 1	1	3	11	26	28	28
1-5 YRS	11	6.5	11	1	5	7	9	10	10	10
6-12 YRS	11	5.4	6	2	3	5	6	9	10	10
13-19 YRS	13	5.7	3	4	4	6	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	6	6.3	94	1	2	3	4	24	26	26
B. Operated										
0-27 DYS	2	17.0		17	17	17	17	17	17	17
1-11 MOS	13	16.2	55	7	9	17	23	24	25	25
1-5 YRS	29	13.6	409	2	4	7	10	36	60	96
6-12 YRS	24	9.9	50	4	6	8	11	21	28	31
13-19 YRS	35	10.1	98	3	5	7	10	28	34	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	14	1	1	2	6	8	8	8
B. Operated	41	6.1	20	2	4	5	8	10	11	28
2. MULTIPLE DX										
A. Not Operated	14	4.0	41	1	1	3	3	6	22	26
B. Operated	103	11.9	168	3	5	8	12	26	35	76
1. SINGLE DX	44	6.0	19	1	3	5	8	10	11	28
2. MULTIPLE DX	117	11.0	159	2	4	8	12	25	33	71
A. Not Operated	17	3.9	35	1	1	3	3	7	20	26
B. Operated	144	10.3	133	3	4	7	10	23	30	60
TOTAL										
0-27 DYS	2	17.0		17	17	17	17	17	17	17
1-11 MOS	20	13.1	84	2	4	11	23	24	26	28
1-5 YRS	45	10.5	283	1	3	6	10	25	42	96
6-12 YRS	40	7.9	38	2	4	7	9	12	23	31
13-19 YRS	54	8.6	76	2	4	6	10	16	30	46
GRAND TOTAL	**161**	**9.6**	**126**	**2**	**4**	**7**	**10**	**23**	**29**	**57**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	40	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	19	1.8		1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	43	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	21	1.9		1	1	2	2	3	3	3
1. SINGLE DX	45	1.6	1	1	1	2	2	2	3	4
2. MULTIPLE DX	21	1.9		1	1	2	2	3	3	3
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	64	1.8	1	1	1	2	2	3	3	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	60	1.7	1	1	1	2	2	3	3	4
GRAND TOTAL	**66**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	12	5.8	3	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	5	7.8	29	3	4	7	10	17	17	17
B. Operated										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	7	10.6	37	5	6	9	16	20	20	20
6-12 YRS	4	7.3	5	4	6	8	9	9	9	9
13-19 YRS	17	9.9	181	2	4	6	8	24	46	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	15	5.7	3	3	5	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	6	7.8	23	3	5	7	8	16	17	17
B. Operated	29	9.9	114	3	5	7	9	19	28	57
1. SINGLE DX	17	5.2	4	2	4	5	7	8	8	8
2. MULTIPLE DX	35	9.5	98	3	5	7	9	18	25	57
A. Not Operated	8	6.3	25	1	2	6	8	14	17	17
B. Operated	44	8.4	79	3	5	6	8	15	22	57
TOTAL										
0-27 DYS	0									
1-11 MOS	2	10.0	50	5	5	10	15	15	15	15
1-5 YRS	9	9.0	38	3	5	7	12	19	20	20
6-12 YRS	6	7.0	4	4	5	8	8	9	9	9
13-19 YRS	35	7.9	95	3	4	6	8	11	24	57
GRAND TOTAL	**52**	**8.1**	**71**	**3**	**5**	**6**	**8**	**16**	**20**	**56**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	2.2	2	< 1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	6	2.2	1	< 1	1	2	3	4	4	4
1. SINGLE DX	4	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX	6	2.2	1	< 1	1	2	3	4	4	4
A. Not Operated	0									
B. Operated	10	1.8	1	< 1	< 1	1	2	3	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	9	1.8	1	< 1	< 1	1	2	4	4	4
GRAND TOTAL	**10**	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**4**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	1.2		< 1	< 1	1	1	2	2	2
1. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX	5	1.2		< 1	< 1	1	1	2	2	2
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	7	1.6	1	< 1	1	1	2	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
GRAND TOTAL	**8**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**	**4**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	4	6.0	31	< 1	1	5	10	13	13	13
1-5 YRS	19	5.1	71	1	1	1	6	18	28	31
6-12 YRS	19	2.9	6	1	2	2	3	7	10	10
13-19 YRS	22	2.4	7	< 1	1	2	2	5	10	11
B. Operated										
0-27 DYS	10	7.3	64	1	3	4	7	21	26	26
1-11 MOS	39	3.4	24	1	1	1	4	7	10	29
1-5 YRS	62	3.5	14	1	1	2	5	9	11	17
6-12 YRS	113	3.6	8	1	1	3	5	7	8	16
13-19 YRS	89	4.2	20	1	1	3	5	9	12	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	4.1	13	1	2	3	6	8	13	14
1-5 YRS	40	3.1	5	< 1	1	2	4	7	8	8
6-12 YRS	35	2.8	4	< 1	1	2	4	6	8	8
13-19 YRS	32	4.1	25	1	2	3	4	7	10	29
B. Operated										
0-27 DYS	13	14.5	178	2	5	9	22	36	41	42
1-11 MOS	26	9.4	263	1	2	5	9	15	43	82
1-5 YRS	79	12.8	269	1	3	7	14	33	57	95
6-12 YRS	107	13.4	322	1	3	7	14	37	66	85
13-19 YRS	108	8.8	87	1	3	6	12	19	27	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.5	26	1	1	2	3	9	11	30
B. Operated	313	3.8	17	1	1	2	5	8	10	21
2. MULTIPLE DX										
A. Not Operated	121	3.4	11	1	1	3	4	7	8	18
B. Operated	333	11.5	225	1	3	7	13	28	42	85
1. SINGLE DX	380	3.8	18	1	1	2	5	8	11	26
2. MULTIPLE DX	454	9.3	181	1	2	5	10	23	35	84
A. Not Operated	188	3.4	16	1	1	2	4	7	9	27
B. Operated	646	7.8	139	1	2	4	9	17	31	74
TOTAL										
0-27 DYS	27	10.0	127	1	2	5	14	30	36	42
1-11 MOS	82	5.5	103	1	1	3	6	10	15	66
1-5 YRS	200	7.2	138	1	1	3	8	18	33	77
6-12 YRS	274	7.3	154	1	1	3	7	15	26	71
13-19 YRS	251	6.0	54	1	2	4	8	13	19	33
GRAND TOTAL	**834**	**6.8**	**114**	**1**	**1**	**3**	**7**	**15**	**27**	**70**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	1.9	1	1	1	2	3	3	3	3
13-19 YRS	47	1.8	2	1	1	2	2	2	3	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	11	2.1	1	1	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	56	1.8	2	1	1	2	2	3	3	10
2. MULTIPLE DX										
A. Not Operated	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated	13	2.1		1	2	2	2	3	3	3
1. SINGLE DX	57	1.8	2	1	1	2	2	3	3	10
2. MULTIPLE DX	15	2.1	1	1	2	2	3	3	4	4
A. Not Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated	69	1.9	1	1	1	2	2	3	3	9
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	10	1.8	1	1	1	2	2	3	3	3
13-19 YRS	60	1.9	2	1	1	2	2	3	3	9
GRAND TOTAL	**72**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**9**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	6	2.2	1	< 1	1	2	3	4	4	4
1-5 YRS	0									
6-12 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
13-19 YRS	16	3.7	5	2	2	3	5	7	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	15	2.7	3	1	2	2	3	6	6	6
13-19 YRS	32	2.8	2	1	2	3	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	3.0	2	1	2	3	4	5	5	5
1-5 YRS	3	7.7	10	4	5	9	10	10	10	10
6-12 YRS	8	5.8	49	1	2	3	6	18	22	22
13-19 YRS	19	4.3	5	1	3	4	6	8	9	9
B. Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	24.7	1114	2	4	9	49	63	63	63
1-5 YRS	0									
6-12 YRS	4	5.0	22	2	2	3	8	12	12	12
13-19 YRS	23	2.7	2	1	1	3	4	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.2	4	1	2	3	4	6	7	9
B. Operated	50	2.7	2	1	2	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	37	4.7	14	1	3	4	5	9	10	22
B. Operated	31	5.4	122	1	2	3	4	10	12	63
1. SINGLE DX	78	2.8	3	1	2	2	3	5	6	9
2. MULTIPLE DX	68	5.0	62	1	2	3	5	9	11	56
A. Not Operated	65	4.0	10	1	2	4	5	8	9	20
B. Operated	81	3.7	49	1	2	3	3	5	9	47
TOTAL										
0-27 DYS	6	4.7	11	2	2	4	5	10	11	11
1-11 MOS	15	7.0	244	1	2	3	4	9	49	63
1-5 YRS	6	4.3	17	1	1	3	9	10	10	10
6-12 YRS	29	3.9	18	1	2	3	4	7	12	22
13-19 YRS	90	3.2	3	1	2	3	4	6	7	9
GRAND TOTAL	**146**	**3.8**	**31**	**1**	**2**	**3**	**4**	**6**	**9**	**24**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE D										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.5	16	< 1	< 1	4	8	8	8	8
1-5 YRS	109	4.7	4	2	3	5	6	7	8	9
6-12 YRS	264	5.0	4	3	4	5	6	7	8	12
13-19 YRS	108	4.4	4	2	3	4	6	7	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	4	2.3	6	1	1	1	4	6	6	6
13-19 YRS	9	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.0	25	1	2	6	10	11	11	11
1-5 YRS	87	5.4	6	2	3	5	7	9	9	13
6-12 YRS	194	4.9	4	2	4	5	6	7	8	11
13-19 YRS	179	4.5	6	1	3	4	6	7	9	12
B. Operated										
0-27 DYS	0									
1-11 MOS	1	79.0		79	79	79	79	79	79	79
1-5 YRS	2	7.0	72	1	1	7	13	13	13	13
6-12 YRS	4	5.0	13	1	2	5	8	9	9	9
13-19 YRS	6	6.5	26	1	2	6	10	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	485	4.8	4	2	3	5	6	7	8	10
B. Operated	14	1.8	4	1	1	1	1	6	7	7
2. MULTIPLE DX										
A. Not Operated	463	4.9	5	2	3	5	6	8	9	12
B. Operated	13	11.7	430	1	2	7	11	27	69	79
1. SINGLE DX	499	4.7	4	2	3	5	6	7	8	10
2. MULTIPLE DX	476	5.0	17	2	3	5	6	8	9	13
A. Not Operated	948	4.8	5	2	3	5	6	7	8	11
B. Operated	27	6.6	226	1	1	1	7	12	24	79
TOTAL										
0-27 DYS	0									
1-11 MOS	8	14.4	697	< 1	1	7	10	59	79	79
1-5 YRS	199	5.0	5	2	3	5	6	8	9	12
6-12 YRS	466	4.9	4	2	4	5	6	7	8	11
13-19 YRS	302	4.4	6	1	3	4	6	7	8	12
GRAND TOTAL	**975**	**4.9**	**11**	**2**	**3**	**5**	**6**	**7**	**9**	**12**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.2	8	4	5	5	7	11	11	11
1-5 YRS	66	5.4	9	2	3	5	7	9	10	17
6-12 YRS	537	3.5	5	1	2	3	5	6	7	10
13-19 YRS	736	2.9	4	1	2	2	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	11.0	1	10	10	11	12	12	12	12
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	4	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	17	7.2	10	3	5	7	9	11	14	16
1-5 YRS	170	5.1	7	2	3	5	7	9	10	13
6-12 YRS	812	4.2	13	1	2	3	5	7	9	16
13-19 YRS	1443	3.7	11	1	2	3	4	6	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	4	20.0	137	9	10	19	30	32	32	32
1-5 YRS	5	12.8	166	1	5	8	20	34	34	34
6-12 YRS	19	7.1	24	3	3	6	9	12	18	23
13-19 YRS	60	8.8	101	3	3	6	10	18	25	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1345	3.3	5	1	2	3	4	6	7	10
B. Operated	8	6.6	15	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	2442	4.0	12	1	2	3	5	7	9	15
B. Operated	88	9.1	93	3	3	6	10	20	28	56
1. SINGLE DX	1353	3.3	5	1	2	3	4	6	7	10
2. MULTIPLE DX	2530	4.2	16	1	2	3	5	7	9	20
A. Not Operated	3787	3.8	9	1	2	3	5	7	8	13
B. Operated	96	8.9	87	3	3	6	10	18	28	53
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	26	9.0	47	4	5	7	10	16	29	32
1-5 YRS	244	5.4	12	2	3	5	7	9	11	15
6-12 YRS	1369	4.0	10	1	2	3	5	7	8	13
13-19 YRS	2243	3.6	12	1	2	3	4	6	8	16
GRAND TOTAL	**3883**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	0									
2. MULTIPLE DX	1	10.0		10	10	10	10	10	10	10
A. Not Operated	0									
B. Operated	1	10.0		10	10	10	10	10	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	18	5	5	8	11	11	11	11
1-5 YRS	88	4.9	8	2	3	4	6	8	8	17
6-12 YRS	286	4.4	5	2	3	4	5	7	8	13
13-19 YRS	258	3.9	5	2	2	3	5	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	10	8.9	64	3	4	7	9	21	30	30
1-5 YRS	114	4.6	7	1	3	4	6	8	10	12
6-12 YRS	301	4.8	24	2	3	4	6	8	9	17
13-19 YRS	467	4.1	7	1	2	4	5	7	8	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.0	18	3	3	6	9	9	9	9
6-12 YRS	12	4.5	12	< 1	1	4	7	9	12	12
13-19 YRS	29	8.3	199	2	2	4	8	13	52	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	634	4.3	6	2	3	4	5	7	8	13
B. Operated	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	894	4.5	14	2	3	4	6	8	9	15
B. Operated	43	7.1	139	1	2	4	7	10	28	64
1. SINGLE DX	637	4.2	6	2	3	4	5	7	8	13
2. MULTIPLE DX	937	4.6	20	1	2	4	6	8	9	16
A. Not Operated	1528	4.4	10	2	3	4	5	7	9	14
B. Operated	46	6.7	132	1	2	4	7	9	22	64
TOTAL										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	12	8.8	54	3	4	7	10	18	28	30
1-5 YRS	204	4.7	7	2	3	4	6	8	10	15
6-12 YRS	600	4.6	15	2	3	4	5	7	9	15
13-19 YRS	756	4.2	14	1	2	4	5	7	9	15
GRAND TOTAL	**1574**	**4.4**	**14**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	3.2	4	2	2	3	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	13	3.6	4	2	2	3	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	10	3.0	4	1	2	3	3	6	8	8
2. MULTIPLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	14	3.6	3	2	2	3	4	5	8	9
1. SINGLE DX	12	2.7	4	1	1	2	3	5	8	8
2. MULTIPLE DX	16	3.6	3	2	2	3	4	5	8	9
A. Not Operated	4	2.3	4	< 1	< 1	1	3	5	5	5
B. Operated	24	3.3	3	2	2	3	4	5	8	9
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	26	3.3	4	2	2	3	4	5	8	9
GRAND TOTAL	**28**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**8**	**9**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	4.3	5	1	2	4	6	7	8	8
1-11 MOS	18	2.9	8	1	1	2	3	5	10	13
1-5 YRS	100	1.8	3	1	1	1	2	3	3	11
6-12 YRS	141	1.5		1	1	1	2	2	3	4
13-19 YRS	84	1.7	1	1	1	1	2	3	4	6
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	12	2.8	2	1	2	3	4	4	5	5
1-5 YRS	9	3.3	6	< 1	2	3	4	7	8	8
6-12 YRS	17	3.2	3	1	2	3	5	5	6	6
13-19 YRS	6	5.7	5	4	4	5	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	30	9.0	129	2	3	6	9	19	46	49
1-11 MOS	110	5.8	36	1	2	4	8	14	17	32
1-5 YRS	289	3.1	11	1	1	2	4	6	10	14
6-12 YRS	287	2.6	11	1	1	2	3	5	7	16
13-19 YRS	191	3.0	12	1	1	2	3	6	8	20
B. Operated										
0-27 DYS	5	12.0	56	4	8	10	16	24	24	24
1-11 MOS	17	20.5	308	4	5	19	29	43	58	65
1-5 YRS	22	5.6	47	1	3	3	6	17	56	99 +
6-12 YRS	14	10.7	140	2	3	7	10	35	37	38
13-19 YRS	19	7.8	85	2	4	5	7	16	32	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351	1.8	2	1	1	1	2	3	4	6
B. Operated	45	3.6	6	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	907	3.4	20	1	1	2	4	7	11	24
B. Operated	77	10.8	156	2	3	6	13	32	41	90
1. SINGLE DX	396	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX	984	4.0	34	1	1	2	4	8	13	34
A. Not Operated	1258	3.0	16	1	1	2	3	6	9	19
B. Operated	122	8.1	112	1	3	4	8	25	36	74
TOTAL										
0-27 DYS	44	8.6	98	2	3	6	9	16	31	49
1-11 MOS	157	6.8	82	1	2	3	8	16	27	44
1-5 YRS	420	2.9	11	1	1	2	3	6	9	18
6-12 YRS	459	2.5	13	1	1	2	3	5	7	19
13-19 YRS	300	3.0	15	1	1	2	3	6	8	22
GRAND TOTAL	**1380**	**3.4**	**26**	**1**	**1**	**2**	**4**	**7**	**11**	**31**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	4.3	9	1	3	4	5	9	10	10
1-5 YRS	5	3.4	8	1	2	2	5	8	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	4.8	11	2	3	4	5	10	13	13
1-11 MOS	100	9.2	74	3	5	7	11	16	23	51
1-5 YRS	52	10.6	139	2	4	6	12	25	43	55
6-12 YRS	32	12.1	157	3	4	7	13	34	41	49
13-19 YRS	56	25.2	603	2	7	17	40	76	90	99 +
B. Operated										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	17	16.2	270	2	3	10	28	53	82	99 +
1-5 YRS	38	10.1	73	2	4	6	15	27	29	99 +
6-12 YRS	38	12.1	124	3	5	8	18	35	76	99 +
13-19 YRS	30	10.1	133	2	4	7	11	19	28	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.8	7	1	2	3	5	8	10	10
B. Operated	3	6.7	9	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	252	13.2	253	3	4	7	14	37	51	95
B. Operated	124	11.6	130	3	5	7	18	29	52	99 +
1. SINGLE DX	17	4.3	8	1	2	4	5	9	10	10
2. MULTIPLE DX	376	12.7	213	3	4	7	15	34	52	99 +
A. Not Operated	266	12.7	244	2	4	7	13	36	50	93
B. Operated	127	11.5	128	3	5	7	18	29	52	99 +
TOTAL										
0-27 DYS	14	5.6	22	2	3	4	6	13	17	18
1-11 MOS	124	9.9	103	3	4	7	11	19	37	67
1-5 YRS	95	10.0	107	2	4	6	13	26	32	79
6-12 YRS	73	11.8	134	3	4	7	18	34	47	99 +
13-19 YRS	87	19.8	485	2	5	10	31	60	78	99 +
GRAND TOTAL	**393**	**12.3**	**207**	**2**	**4**	**7**	**14**	**34**	**51**	**99 +**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	4.0	3	3	3	3	5	6	6	6
1-11 MOS	53	6.3	59	1	3	3	7	14	17	49
1-5 YRS	81	6.9	24	< 1	3	6	11	14	15	16
6-12 YRS	171	11.2	25	4	8	11	14	17	20	25
13-19 YRS	192	12.4	24	7	10	12	14	19	21	26
B. Operated										
0-27 DYS	2	15.5	1	15	15	15	16	16	16	16
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	10.3	23	6	6	9	14	18	18	18
6-12 YRS	16	9.5	60	2	3	7	14	20	26	28
13-19 YRS	17	14.1	75	4	10	13	17	22	34	40
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	141	9.8	49	3	5	9	12	18	23	35
1-5 YRS	235	9.3	29	2	5	10	13	15	18	23
6-12 YRS	397	11.7	39	4	8	11	14	19	22	36
13-19 YRS	587	12.0	36	5	8	12	14	20	23	33
B. Operated										
0-27 DYS	9	38.6	374	17	24	38	57	88	99 +	99 +
1-11 MOS	29	24.4	427	4	7	21	38	70	98	99 +
1-5 YRS	32	11.8	22	5	8	13	14	18	18	22
6-12 YRS	72	15.3	67	4	11	15	19	25	26	44
13-19 YRS	114	16.8	174	4	9	14	20	30	44	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	500	10.4	33	3	6	11	14	16	20	26
B. Operated	42	11.6	61	3	6	11	16	19	25	40
2. MULTIPLE DX										
A. Not Operated	1361	11.2	38	4	7	11	14	18	22	33
B. Operated	256	17.4	184	4	10	15	21	34	51	98
1. SINGLE DX	542	10.5	36	3	6	11	14	17	20	26
2. MULTIPLE DX	1617	12.2	66	4	8	11	15	21	25	46
A. Not Operated	1861	11.0	37	3	7	11	14	18	22	32
B. Operated	298	16.6	170	4	9	14	20	32	46	89
TOTAL										
0-27 DYS	15	26.3	469	3	9	23	40	75	93	99 +
1-11 MOS	224	10.8	128	3	4	8	13	23	34	78
1-5 YRS	354	9.0	29	2	4	9	13	15	18	22
6-12 YRS	656	11.9	41	4	8	11	14	20	23	35
13-19 YRS	910	12.7	53	5	9	12	15	21	24	37
GRAND TOTAL	**2159**	**11.8**	**59**	**3**	**7**	**11**	**14**	**20**	**23**	**42**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.7	8	1	1	1	5	6	6	6
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	4.9	2	3	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.9	21	1	1	2	4	12	14	14
6-12 YRS	10	8.8	101	2	2	4	11	27	28	28
13-19 YRS	10	21.8	240	2	9	20	31	44	45	45
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	21.5	144	12	12	19	31	37	37	37
13-19 YRS	4	10.3	34	7	7	8	13	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.2	4	1	1	2	2	6	6	6
B. Operated	7	4.9	2	3	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	27	12.3	181	1	2	6	21	31	43	45
B. Operated	9	14.6	114	5	7	12	20	32	37	37
1. SINGLE DX	13	3.6	4	1	2	4	5	6	7	7
2. MULTIPLE DX	36	12.9	162	2	2	8	21	31	41	45
A. Not Operated	33	10.5	164	1	2	4	15	31	41	45
B. Operated	16	10.3	86	4	5	7	12	24	33	37
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	3.5	15	1	1	2	4	9	14	14
6-12 YRS	16	11.1	134	2	2	6	19	28	34	37
13-19 YRS	21	14.0	176	3	5	7	20	36	44	45
GRAND TOTAL	**49**	**10.4**	**136**	**1**	**2**	**6**	**14**	**30**	**37**	**45**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	51	3.7	4	2	2	3	5	6	7	12
1-11 MOS	40	3.6	10	1	2	2	4	8	11	14
1-5 YRS	85	2.7	4	1	1	2	3	6	7	10
6-12 YRS	57	2.1	3	1	1	2	2	4	6	11
13-19 YRS	46	2.7	5	1	1	2	4	5	6	13
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	30	5.5	53	1	1	2	7	16	22	31
1-5 YRS	45	2.6	9	1	1	1	3	6	8	18
6-12 YRS	42	3.4	11	1	1	2	5	7	12	15
13-19 YRS	16	4.8	19	1	2	4	6	12	15	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	55	5.5	37	1	2	3	7	10	18	36
1-11 MOS	123	5.7	48	1	2	4	6	13	16	35
1-5 YRS	253	4.5	27	1	1	3	5	9	15	28
6-12 YRS	142	5.1	44	1	2	3	6	10	16	37
13-19 YRS	118	4.3	65	1	2	3	4	8	11	49
B. Operated										
0-27 DYS	11	16.7	318	2	4	13	37	67	95	99+
1-11 MOS	59	16.8	424	1	3	7	24	53	59	78
1-5 YRS	97	16.0	335	2	4	8	22	45	50	81
6-12 YRS	48	9.2	93	1	3	7	11	21	36	99+
13-19 YRS	38	8.0	158	1	2	3	9	22	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	279	2.9	5	1	1	2	4	6	7	13
B. Operated	134	3.8	22	1	1	2	5	8	14	23
2. MULTIPLE DX										
A. Not Operated	691	4.9	41	1	2	3	5	10	15	33
B. Operated	253	13.7	292	1	3	7	17	47	54	99
1. SINGLE DX	413	3.2	11	1	1	2	4	6	9	17
2. MULTIPLE DX	944	7.2	124	1	2	3	7	16	31	62
A. Not Operated	970	4.3	32	1	2	3	5	9	13	28
B. Operated	387	10.3	220	1	2	4	11	32	49	87
TOTAL										
0-27 DYS	118	5.7	59	1	2	3	6	11	21	68
1-11 MOS	252	7.9	153	1	2	4	8	17	39	61
1-5 YRS	480	6.3	107	1	1	3	6	14	25	50
6-12 YRS	289	4.9	44	1	1	3	6	11	16	44
13-19 YRS	218	4.6	67	1	1	3	4	8	17	67
GRAND TOTAL	**1357**	**6.0**	**93**	**1**	**2**	**3**	**6**	**13**	**23**	**56**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	5.3	8	1	3	6	7	7	7	7
B. Operated	0									
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	4	5.3	8	1	3	6	7	7	7	7
A. Not Operated	5	4.4	10	1	1	6	7	7	7	7
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**5**	**4.4**	**10**	**1**	**1**	**6**	**7**	**7**	**7**	**7**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	22	3.8	8	1	2	3	4	8	11	13
1-11 MOS	73	3.1	18	1	1	2	3	6	7	24
1-5 YRS	157	2.4	15	1	1	2	2	3	4	26
6-12 YRS	60	2.7	17	1	1	2	2	4	9	24
13-19 YRS	22	1.8	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	270	4.9	42	1	2	3	5	9	13	35
1-11 MOS	3333	3.3	12	1	2	3	4	6	8	16
1-5 YRS	6015	2.6	6	1	2	2	3	4	5	11
6-12 YRS	1846	2.6	5	1	1	2	3	5	6	11
13-19 YRS	1144	2.8	6	1	1	2	3	5	7	13
B. Operated										
0-27 DYS	11	23.4	840	4	5	13	51	91	99	99+
1-11 MOS	136	13.6	226	3	4	8	19	33	51	99+
1-5 YRS	173	8.1	109	1	1	4	11	24	30	92
6-12 YRS	86	7.1	96	1	1	2	10	25	33	36
13-19 YRS	79	7.5	78	1	2	5	9	18	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	334	2.7	15	1	1	2	3	4	6	24
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	12608	2.9	9	1	2	2	3	5	7	13
B. Operated	485	9.7	160	1	2	5	13	27	35	96
1. SINGLE DX	335	2.6	15	1	1	2	3	4	6	24
2. MULTIPLE DX	13093	3.1	16	1	2	2	3	5	8	20
A. Not Operated	12942	2.9	9	1	2	2	3	5	7	13
B. Operated	486	9.7	160	1	2	5	13	26	35	96
TOTAL										
0-27 DYS	303	5.5	78	1	2	3	5	10	16	70
1-11 MOS	3542	3.7	24	1	2	3	4	6	9	24
1-5 YRS	6345	2.8	10	1	2	2	3	4	6	15
6-12 YRS	1993	2.8	10	1	1	2	3	5	7	18
13-19 YRS	1245	3.1	12	1	1	2	3	6	8	18
GRAND TOTAL	**13428**	**3.1**	**16**	**1**	**2**	**2**	**3**	**5**	**7**	**20**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	12	2.2	2	1	1	2	3	5	5	5
1-5 YRS	43	2.5	2	1	2	2	3	4	5	8
6-12 YRS	3	3.7	1	3	3	3	5	5	5	5
13-19 YRS	7	2.6	1	< 1	2	3	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	5	2.4	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	44	3.7	4	1	2	3	5	7	7	8
1-5 YRS	87	3.0	4	1	2	2	4	6	8	9
6-12 YRS	12	5.3	31	2	3	4	5	11	20	22
13-19 YRS	51	2.9	5	< 1	1	2	3	6	7	12
B. Operated										
0-27 DYS	0									
1-11 MOS	5	3.6	2	2	3	3	5	5	5	5
1-5 YRS	8	4.6	13	1	2	3	7	10	11	11
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	12	6.0	7	3	4	5	7	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.5	2	1	2	2	3	4	5	8
B. Operated	6	2.2	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	194	3.3	6	1	2	3	4	6	8	11
B. Operated	27	4.8	9	1	2	4	7	10	11	12
1. SINGLE DX	71	2.5	2	1	2	2	3	4	5	8
2. MULTIPLE DX	221	3.5	7	1	2	3	4	7	8	12
A. Not Operated	259	3.1	5	1	2	3	4	6	7	9
B. Operated	33	4.3	9	1	2	4	6	8	11	12
TOTAL										
0-27 DYS	0									
1-11 MOS	61	3.4	4	1	2	3	5	6	7	8
1-5 YRS	138	3.0	4	1	2	2	4	6	8	10
6-12 YRS	18	4.3	23	< 1	2	3	5	7	16	22
13-19 YRS	75	3.3	6	1	1	3	4	7	9	12
GRAND TOTAL	**292**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**11**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	45	3.1	2	1	2	3	4	5	6	7
1-5 YRS	371	3.2	5	1	2	3	4	6	7	12
6-12 YRS	632	3.2	5	1	2	3	4	6	7	10
13-19 YRS	980	4.4	9	1	2	4	6	9	10	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.8	7	2	3	4	6	9	10	10
6-12 YRS	9	4.9	12	1	3	4	6	10	13	13
13-19 YRS	10	6.3	21	2	3	5	6	14	17	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	150	3.5	4	2	2	3	4	6	7	9
1-5 YRS	720	3.9	6	1	2	3	5	7	9	12
6-12 YRS	669	4.4	9	1	2	4	6	8	10	16
13-19 YRS	993	6.0	19	2	3	5	8	11	13	22
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	8	6	6	8	10	10	10	10
1-5 YRS	28	6.8	37	2	3	5	8	16	18	29
6-12 YRS	29	9.8	140	2	3	7	11	15	46	53
13-19 YRS	50	9.3	44	2	5	8	12	17	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2028	3.8	7	1	2	3	5	7	9	14
B. Operated	27	5.4	13	2	3	5	6	11	14	17
2. MULTIPLE DX										
A. Not Operated	2532	4.8	13	1	3	4	6	9	11	18
B. Operated	109	8.8	67	2	4	6	11	16	19	49
1. SINGLE DX	2055	3.8	8	1	2	3	5	7	9	14
2. MULTIPLE DX	2641	5.0	16	2	3	4	6	9	11	18
A. Not Operated	4560	4.4	11	1	2	4	6	8	10	17
B. Operated	136	8.1	58	2	3	6	10	16	18	47
TOTAL										
0-27 DYS	0									
1-11 MOS	197	3.4	4	1	2	3	4	6	7	10
1-5 YRS	1127	3.8	7	1	2	3	5	7	8	13
6-12 YRS	1339	4.0	11	1	2	3	5	7	9	15
13-19 YRS	2033	5.3	16	1	3	4	7	10	12	19
GRAND TOTAL	**4696**	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-27 DYS	11	2.5	3	< 1	1	2	3	5	6	6
1-11 MOS	88	1.8	2	< 1	1	1	2	4	5	8
1-5 YRS	185	2.5	7	< 1	1	1	3	6	7	15
6-12 YRS	147	2.1	3	< 1	1	2	2	4	6	9
13-19 YRS	123	2.4	6	< 1	1	1	3	6	7	13
B Operated										
0-27 DYS	0									
1-11 MOS	28	2.3	3	1	1	2	2	4	6	9
1-5 YRS	68	6.2	89	1	2	3	6	14	18	59
6-12 YRS	79	5.0	48	2	3	4	5	7	12	49
13-19 YRS	21	4.5	12	1	3	4	5	7	12	17
2. MULTIPLE DX										
A Not Operated										
0-27 DYS	14	5.9	34	2	3	4	6	10	22	25
1-11 MOS	133	4.1	22	1	1	2	4	9	13	25
1-5 YRS	431	3.5	13	< 1	1	2	4	8	11	18
6-12 YRS	389	3.0	15	< 1	< 1	1	3	7	9	27
13-19 YRS	241	3.1	16	< 1	1	2	4	6	9	23
B Operated										
0-27 DYS	4	12.3	368	2	2	3	22	41	41	41
1-11 MOS	44	6.3	66	1	2	4	8	18	28	99+
1-5 YRS	129	12.1	143	2	4	6	19	30	38	48
6-12 YRS	115	8.0	79	3	3	4	7	24	28	42
13-19 YRS	77	9.5	184	1	3	5	9	27	35	80
SUBTOTALS:										
1. SINGLE DX										
A Not Operated	554	2.2	5	< 1	1	1	3	5	7	10
B Operated	196	5.0	53	1	2	3	5	9	14	48
2. MULTIPLE DX										
A Not Operated	1208	3.3	16	< 1	1	2	4	7	11	22
B Operated	369	9.6	127	2	3	5	11	26	36	50
1. SINGLE DX	750	3.0	19	< 1	1	2	3	6	8	17
2. MULTIPLE DX	1577	4.8	49	< 1	1	3	5	10	19	37
A. Not Operated	1762	3.0	13	< 1	1	2	4	7	9	19
B. Operated	565	8.0	106	2	3	4	7	22	31	50
TOTAL										
0-27 DYS	29	5.5	66	< 1	2	3	5	8	26	41
1-11 MOS	293	3.5	23	1	1	2	4	8	12	29
1-5 YRS	813	4.8	49	< 1	1	2	5	11	19	38
6-12 YRS	730	3.8	30	< 1	1	2	4	7	13	33
13-19 YRS	462	4.0	47	< 1	1	2	5	8	13	35
GRAND TOTAL	**2327**	**4.2**	**40**	**< 1**	**1**	**2**	**5**	**9**	**15**	**36**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-27 DYS	4	2.8	8	1	1	2	4	7	7	7
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	35	3.0	5	1	1	2	4	6	8	9
6-12 YRS	58	1.9	2	1	1	1	2	4	5	8
13-19 YRS	58	2.3	5	1	1	1	3	5	6	14
B Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	7	6.0	2	5	5	5	7	9	9	9
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	22	2.6	7	1	1	2	3	5	10	11
1-5 YRS	71	3.3	6	1	2	3	4	7	9	12
6-12 YRS	40	4.5	24	1	1	2	5	12	16	20
13-19 YRS	70	4.3	11	1	2	3	6	9	9	17
B Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	0									
1-5 YRS	11	8.0	33	1	2	9	11	16	19	19
6-12 YRS	9	9.2	53	2	4	6	14	20	24	24
13-19 YRS	5	14.4	95	1	5	21	21	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A Not Operated	159	2.3	4	1	1	1	3	5	6	9
B Operated	13	4.2	6	1	2	5	6	7	9	9
2. MULTIPLE DX										
A Not Operated	204	3.8	12	1	2	3	5	8	10	17
B Operated	26	9.6	52	2	2	8	14	21	22	24
1. SINGLE DX	172	2.5	5	1	1	2	3	5	7	9
2. MULTIPLE DX	230	4.5	19	1	2	3	6	10	15	21
A. Not Operated	363	3.2	9	1	1	2	4	7	9	16
B. Operated	39	7.8	42	1	2	6	10	20	22	24
TOTAL										
0-27 DYS	6	3.3	7	1	1	2	6	7	7	7
1-11 MOS	27	2.4	6	1	1	2	3	3	10	11
1-5 YRS	121	3.6	10	1	2	3	5	8	10	15
6-12 YRS	114	3.6	18	1	1	2	4	8	15	21
13-19 YRS	134	3.8	16	1	1	3	5	8	11	21
GRAND TOTAL	**402**	**3.6**	**14**	**1**	**1**	**2**	**5**	**8**	**10**	**20**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.3	5	< 1	< 1	1	4	5	5	5
1-11 MOS	46	3.4	12	1	2	2	4	6	13	17
1-5 YRS	444	2.4	3	1	1	2	3	4	6	9
6-12 YRS	289	2.3	3	1	1	2	3	4	5	10
13-19 YRS	104	3.2	10	1	1	2	4	6	8	19
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	2.7	5	< 1	1	2	3	7	8	8
1-5 YRS	119	3.0	4	1	2	3	4	5	6	12
6-12 YRS	90	4.4	17	1	2	4	5	7	9	26
13-19 YRS	81	4.8	8	2	3	4	5	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	2.9	4	1	1	2	4	6	7	7
1-11 MOS	169	4.1	15	1	2	3	5	8	10	26
1-5 YRS	1264	4.4	11	1	2	3	6	9	11	16
6-12 YRS	947	4.8	18	1	2	4	6	10	13	21
13-19 YRS	555	5.2	17	1	3	4	6	10	14	19
B. Operated										
0-27 DYS	7	10.7	72	4	5	7	13	25	28	28
1-11 MOS	50	8.1	87	2	2	4	11	22	39	99
1-5 YRS	246	8.0	114	2	3	5	8	16	28	79
6-12 YRS	164	9.7	145	2	3	6	12	20	30	75
13-19 YRS	175	7.9	49	2	4	6	9	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	886	2.5	5	1	1	2	3	5	6	11
B. Operated	303	3.8	10	1	2	3	5	6	9	17
2. MULTIPLE DX										
A. Not Operated	2944	4.6	15	1	2	4	6	9	12	18
B. Operated	642	8.4	101	2	3	5	10	19	27	78
1. SINGLE DX	1189	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX	3586	5.3	33	1	2	4	6	10	14	29
A. Not Operated	3830	4.2	13	1	2	3	5	8	11	18
B. Operated	945	7.0	77	2	3	4	8	14	22	51
TOTAL										
0-27 DYS	20	5.5	41	1	1	4	6	13	21	28
1-11 MOS	277	4.7	30	1	2	3	5	10	14	37
1-5 YRS	2073	4.3	24	1	2	3	5	8	11	21
6-12 YRS	1490	4.8	33	1	2	3	6	10	14	28
13-19 YRS	915	5.4	23	1	2	4	7	11	15	28
GRAND TOTAL	**4775**	**4.7**	**27**	**1**	**2**	**3**	**6**	**9**	**13**	**27**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	24	1.8	1	1	1	2	2	3	4	5
6-12 YRS	191	1.7	1	1	1	1	2	3	3	5
13-19 YRS	207	1.7	1	1	1	1	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	43	2.3	1	1	2	2	3	4	4	5
6-12 YRS	160	2.7	1	2	2	3	3	4	4	6
13-19 YRS	197	2.8	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	43	2.3	2	1	1	2	3	4	6	8
6-12 YRS	138	2.0	1	1	1	2	2	4	4	5
13-19 YRS	131	2.1	2	1	1	2	3	3	4	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	30	4.2	6	2	3	3	6	8	9	10
6-12 YRS	94	3.4	3	2	2	3	4	6	6	10
13-19 YRS	123	3.7	5	2	2	3	4	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	422	1.7	1	1	1	1	2	3	3	5
B. Operated	401	2.7	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	314	2.1	2	1	1	2	2	4	4	7
B. Operated	249	3.7	4	2	2	3	4	6	7	11
1. SINGLE DX	823	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX	563	2.8	3	1	2	2	3	5	6	9
A. Not Operated	736	1.8	1	1	1	2	2	3	4	5
B. Operated	650	3.1	3	2	2	3	4	5	6	9
TOTAL										
0-27 DYS	0									
1-11 MOS	5	4.6	9	2	2	4	7	9	9	9
1-5 YRS	140	2.6	3	1	2	2	3	5	6	9
6-12 YRS	583	2.3	2	1	1	2	3	4	5	6
13-19 YRS	658	2.5	2	1	1	2	3	4	5	8
GRAND TOTAL	**1386**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	50	4.3	6	2	2	4	6	8	8	13
1-5 YRS	135	4.1	4	2	2	4	5	7	8	10
6-12 YRS	66	3.8	6	1	2	3	5	7	10	11
13-19 YRS	20	4.9	8	1	2	5	7	8	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	12	5.6	16	1	2	5	9	11	12	12
1-5 YRS	37	3.6	10	< 1	1	3	5	9	10	15
6-12 YRS	16	3.3	6	< 1	1	2	5	7	8	8
13-19 YRS	15	3.9	26	< 1	< 1	1	4	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	52	4.5	6	2	3	4	5	7	7	18
1-5 YRS	160	4.2	5	2	3	4	5	7	9	11
6-12 YRS	66	4.4	9	2	2	4	5	8	10	16
13-19 YRS	23	3.1	2	1	2	3	4	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	25	8.1	20	3	5	7	10	15	16	20
1-5 YRS	45	6.9	20	2	4	7	9	13	16	21
6-12 YRS	13	4.9	10	1	1	5	7	10	10	10
13-19 YRS	9	4.4	6	1	3	5	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	4.1	5	2	2	4	5	7	9	11
B. Operated	80	3.9	13	< 1	1	2	5	10	12	15
2. MULTIPLE DX										
A. Not Operated	302	4.2	6	2	3	4	5	7	8	13
B. Operated	92	6.7	18	1	4	6	9	12	15	21
1. SINGLE DX	353	4.1	7	1	2	3	5	8	9	13
2. MULTIPLE DX	394	4.8	10	2	3	4	6	9	10	17
A. Not Operated	575	4.2	5	2	3	4	5	7	8	11
B. Operated	172	5.4	18	< 1	2	5	8	11	15	19
TOTAL										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	139	5.2	11	2	3	4	7	9	12	18
1-5 YRS	377	4.4	8	2	3	4	6	8	9	15
6-12 YRS	161	4.1	7	1	2	3	5	8	10	15
13-19 YRS	67	4.0	10	1	2	3	5	8	10	15
GRAND TOTAL	**747**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	6	5.3	75	1	1	2	3	21	23	23
13-19 YRS	8	13.1	139	2	4	9	21	31	35	35
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	16	18.9	506	< 1	3	11	27	46	74	85
13-19 YRS	62	15.6	263	1	3	10	24	38	51	70
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	6.0	13	3	3	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	8.9	106	1	2	4	14	23	31	35
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	79	16.6	309	1	3	10	25	40	52	81
B. Operated	3	6.0	13	3	3	5	9	10	10	10
1. SINGLE DX	17	8.9	106	1	2	4	14	23	31	35
2. MULTIPLE DX	82	16.2	302	1	3	10	24	38	51	81
A. Not Operated	96	15.2	280	1	3	9	23	36	50	79
B. Operated	3	6.0	13	3	3	5	9	10	10	10
TOTAL										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	22	15.2	418	1	2	4	23	39	62	85
13-19 YRS	73	15.0	240	1	3	10	23	35	50	68
GRAND TOTAL	**99**	**14.9**	**275**	**1**	**3**	**9**	**23**	**36**	**49**	**78**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

Pediatric patients are excluded from this diagnosis group because of clinical implausibility

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

Pediatric patients are excluded from this diagnosis group because of clinical implausibility

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.1		< 1	1	1	1	2	2	2
6-12 YRS	37	2.1	24	< 1	1	1	1	3	4	31
13-19 YRS	48	3.2	29	1	1	2	3	5	14	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	4.2	10	1	2	3	7	9	9	9
1-5 YRS	35	5.7	172	1	1	2	3	10	35	67
6-12 YRS	90	12.3	285	1	1	3	21	42	46	93
13-19 YRS	134	11.5	252	1	2	3	16	34	49	77
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	30.0	1517	1	1	17	58	84	84	84
13-19 YRS	13	17.5	774	1	2	3	21	61	86	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	2.4	23	1	1	1	2	4	6	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	265	10.8	251	1	1	3	15	36	47	79
B. Operated	19	18.5	831	1	2	3	28	72	88	92
1. SINGLE DX	103	2.4	23	1	1	1	2	4	6	30
2. MULTIPLE DX	284	11.4	290	1	1	3	15	36	49	84
A. Not Operated	368	8.5	201	1	1	2	8	29	42	74
B. Operated	19	18.5	831	1	2	3	28	72	88	92
TOTAL										
0-27 DYS	0									
1-11 MOS	12	2.6	7	1	1	1	3	8	9	9
1-5 YRS	49	4.4	126	1	1	1	2	5	31	67
6-12 YRS	131	10.0	271	1	1	2	14	37	44	87
13-19 YRS	195	9.9	244	1	1	3	12	29	48	78
GRAND TOTAL	**387**	**9.0**	**234**	**1**	**1**	**2**	**9**	**31**	**44**	**82**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	7.6	76	1	2	3	8	24	26	28
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	27	7.2	65	1	2	4	8	25	35	99 +
B. Operated	0									
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	27	7.2	65	1	2	4	8	25	35	99 +
A. Not Operated	28	7.1	63	1	3	5	8	25	32	99 +
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	4	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	24	7.5	73	1	2	3	8	24	26	28
GRAND TOTAL	**28**	**7.1**	**63**	**1**	**3**	**5**	**8**	**25**	**32**	**99 +**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	5	1.2		< 1	< 1	1	1	2	2	2
13-19 YRS	17	4.3	41	1	1	2	4	9	21	27
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.7	1	1	1	2	3	81	99 +	99 +
6-12 YRS	7	5.4	99	< 1	1	2	2	23	28	28
13-19 YRS	95	7.7	88	1	2	4	9	24	30	42
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7	1	< 1	< 1	< 1	2	3	3	3
6-12 YRS	0									
13-19 YRS	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.3	29	1	1	1	3	7	14	27
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	108	7.2	85	1	2	3	9	25	30	69
B. Operated	4	3.3	11	< 1	< 1	2	5	8	8	8
1. SINGLE DX	25	3.3	29	1	1	1	3	7	14	27
2. MULTIPLE DX	112	7.1	82	1	2	3	9	24	30	67
A. Not Operated	133	6.5	76	1	1	3	8	21	29	56
B. Operated	4	3.3	11	< 1	< 1	2	5	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	1.6	1	< 1	1	1	2	23	85	99 +
6-12 YRS	12	3.7	59	< 1	1	1	2	10	25	28
13-19 YRS	113	7.2	81	1	2	3	9	22	29	40
GRAND TOTAL	**137**	**6.4**	**75**	**1**	**1**	**3**	**8**	**20**	**29**	**54**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	43.0		43	43	43	43	43	43	43
13-19 YRS	73	15.5	200	2	4	13	20	36	46	61
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	66.0		66	66	66	66	66	66	66
13-19 YRS	80	21.0	408	4	7	16	34	65	85	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	15.8	204	2	4	13	20	38	46	60
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	82	21.5	423	4	7	16	35	65	85	99 +
B. Operated	2	5.5	1	5	5	5	6	6	6	6
1. SINGLE DX	75	15.8	204	2	4	13	20	38	46	60
2. MULTIPLE DX	84	21.1	419	4	7	16	34	65	85	99 +
A. Not Operated	157	18.8	325	2	6	15	28	47	66	99 +
B. Operated	2	5.5	1	5	5	5	6	6	6	6
TOTAL										
0-27 DYS	2	16.0		16	16	16	16	16	16	16
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	54.5	265	43	43	54	66	66	66	66
13-19 YRS	155	18.2	313	2	6	14	27	46	65	99 +
GRAND TOTAL	**159**	**18.6**	**323**	**2**	**6**	**15**	**28**	**47**	**66**	**99 +**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	17	19.8	444	2	8	15	22	37	72	91
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	42.5	613	25	25	42	60	60	60	60
13-19 YRS	22	21.5	284	5	10	21	39	99 +	99 +	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	19.0	428	2	6	14	21	37	69	91
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	24	23.3	321	5	10	21	44	92	99 +	99 +
B. Operated	0									
1. SINGLE DX	18	19.0	428	2	6	14	21	37	69	91
2. MULTIPLE DX	24	23.3	321	5	10	21	44	92	99 +	99 +
A. Not Operated	42	21.5	362	3	9	17	36	60	99 +	99 +
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	30.3	750	6	11	25	51	60	60	60
13-19 YRS	39	20.8	344	3	9	17	36	69	99 +	99 +
GRAND TOTAL	**42**	**21.5**	**362**	**3**	**9**	**17**	**36**	**60**	**99 +**	**99 +**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	59.0		59	59	59	59	59	59	59
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	0									
6-12 YRS	5	28.0	366	2	10	41	42	43	43	43
13-19 YRS	200	20.0	285	4	7	17	28	46	66	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	0									
6-12 YRS	18	30.8	453	6	11	35	50	68	87	99 +
13-19 YRS	269	21.2	329	4	9	16	31	54	84	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	36.2	173	19	20	42	47	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	20.3	291	4	7	17	28	46	66	99 +
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	290	21.7	339	4	9	17	33	55	83	99 +
B. Operated	6	36.2	173	19	20	42	47	47	47	47
1. SINGLE DX	209	20.3	290	4	7	16	28	46	66	99 +
2. MULTIPLE DX	296	22.0	339	4	9	17	33	55	82	99 +
A. Not Operated	498	21.1	319	4	8	17	30	52	77	99 +
B. Operated	7	32.9	221	14	19	40	46	47	47	47
TOTAL										
0-27 DYS	2	43.0	512	27	27	43	59	59	59	59
1-11 MOS	4	5.0	3	3	3	5	6	7	7	7
1-5 YRS	0									
6-12 YRS	23	30.2	418	4	11	35	46	64	80	99 +
13-19 YRS	476	20.9	310	4	8	17	30	50	78	99 +
GRAND TOTAL	**505**	**21.3**	**319**	**4**	**8**	**17**	**31**	**51**	**77**	**99 +**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	8.0	151	< 1	2	3	8	30	35	35
6-12 YRS	24	22.8	325	4	8	28	44	92	99 +	99 +
13-19 YRS	10	13.1	110	2	3	10	26	28	29	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	19	16.2	211	2	3	13	27	34	47	55
6-12 YRS	68	27.1	453	3	10	28	37	51	91	99
13-19 YRS	31	17.5	224	5	9	16	24	51	97	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	7.0	8	5	5	7	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	17.9	272	2	4	13	32	50	99 +	99 +
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	118	22.8	375	3	9	20	31	46	87	99 +
B. Operated	4	5.3	7	3	3	4	7	9	9	9
1. SINGLE DX	42	17.8	265	2	4	13	31	49	99 +	99 +
2. MULTIPLE DX	122	22.2	372	3	8	20	30	44	85	99 +
A. Not Operated	159	21.5	351	3	7	19	31	49	92	99 +
B. Operated	5	7.0	21	3	4	5	10	14	14	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	28	13.6	191	2	2	10	21	33	39	55
6-12 YRS	93	25.7	420	3	9	28	40	60	94	99 +
13-19 YRS	43	16.0	191	5	7	14	24	29	87	99 +
GRAND TOTAL	**164**	**21.1**	**347**	**3**	**6**	**17**	**30**	**47**	**91**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	11.0	8	9	9	11	13	13	13	13
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	99	19.3	211	5	10	16	27	38	66	99 +
13-19 YRS	896	17.6	213	3	7	14	25	36	48	84
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	6.3		6	6	6	7	7	7	7
1-11 MOS	5	5.6	51	1	1	3	8	18	18	18
1-5 YRS	13	19.2	180	7	11	14	24	39	49	51
6-12 YRS	476	26.2	240	9	14	25	35	47	61	99 +
13-19 YRS	2885	19.0	238	3	8	15	27	41	53	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	8	22.0	148	5	15	21	28	39	43	43
13-19 YRS	53	24.2	366	3	11	21	39	60	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	999	17.8	212	3	7	14	25	36	48	96
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	3382	20.0	244	4	9	16	28	42	54	99 +
B. Operated	62	23.9	330	3	11	21	36	57	70	99 +
1. SINGLE DX	1000	17.8	212	3	7	14	25	36	48	96
2. MULTIPLE DX	3444	20.0	246	4	9	16	28	42	55	99 +
A. Not Operated	4381	19.5	238	4	8	16	28	41	52	99 +
B. Operated	63	23.7	329	3	11	21	35	57	70	99 +
TOTAL										
0-27 DYS	4	5.0	7	1	3	6	7	7	7	7
1-11 MOS	7	7.1	42	1	2	5	12	17	18	18
1-5 YRS	15	19.1	157	9	11	15	23	36	47	51
6-12 YRS	583	25.0	240	8	13	23	33	47	61	99 +
13-19 YRS	3835	18.7	234	3	8	15	27	40	51	99 +
GRAND TOTAL	**4444**	**19.5**	**239**	**4**	**8**	**16**	**28**	**41**	**53**	**99 +**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	10.5	25	7	7	10	14	14	14	14
1-5 YRS	1	49.0		49	49	49	49	49	49	49
6-12 YRS	20	22.6	191	7	10	26	33	70	99 +	99 +
13-19 YRS	305	16.6	194	4	7	13	22	34	46	78
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	26.8	155	9	19	30	34	38	38	38
6-12 YRS	119	29.4	287	13	18	28	37	56	64	87
13-19 YRS	639	19.3	235	4	9	16	27	39	55	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	24.0		24	24	24	24	24	24	24
13-19 YRS	13	21.8	109	8	14	19	33	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	16.9	197	4	7	14	23	35	49	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	764	20.9	255	5	9	17	29	43	59	99 +
B. Operated	14	22.0	101	8	16	21	33	35	36	36
1. SINGLE DX	329	16.9	197	4	7	14	23	35	49	99 +
2. MULTIPLE DX	778	20.9	252	5	9	18	29	43	59	99 +
A. Not Operated	1093	19.7	241	4	8	16	28	41	57	99 +
B. Operated	14	22.0	101	8	16	21	33	35	36	36
TOTAL										
0-27 DYS	2	12.5	145	4	4	12	21	21	21	21
1-11 MOS	3	8.3	26	4	5	7	12	14	14	14
1-5 YRS	5	31.2	215	9	24	31	41	49	49	49
6-12 YRS	140	28.4	276	10	17	28	35	57	69	99 +
13-19 YRS	957	18.5	221	4	8	15	25	39	53	99 +
GRAND TOTAL	**1107**	**19.7**	**239**	**4**	**8**	**16**	**28**	**41**	**56**	**99 +**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	15	17.0	317	1	3	9	25	51	51	51
13-19 YRS	104	14.2	166	1	4	11	23	34	42	77
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	0									
1-5 YRS	5	12.6	115	1	3	16	27	93	99 +	99 +
6-12 YRS	50	21.0	300	1	5	21	36	54	95	99 +
13-19 YRS	206	17.0	289	2	5	13	27	54	94	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	7.0	19	4	4	5	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	14.3	181	1	4	11	23	37	44	70
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	263	17.6	288	2	5	14	30	54	99 +	99 +
B. Operated	3	7.0	19	4	4	5	10	12	12	12
1. SINGLE DX	122	14.3	181	1	4	11	23	37	44	70
2. MULTIPLE DX	266	17.5	286	2	5	13	29	53	99 +	99 +
A. Not Operated	385	16.6	256	2	5	13	26	47	71	99 +
B. Operated	3	7.0	19	4	4	5	10	12	12	12
TOTAL										
0-27 DYS	3	6.0	4	4	4	6	7	8	8	8
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	11.0	107	1	3	15	24	85	99 +	99 +
6-12 YRS	65	20.1	302	1	4	18	36	52	69	99 +
13-19 YRS	313	16.0	247	2	5	12	24	42	69	99 +
GRAND TOTAL	**388**	**16.5**	**255**	**2**	**5**	**13**	**26**	**47**	**69**	**99 +**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	18.9	400	1	2	15	29	51	58	58
13-19 YRS	25	6.1	57	1	1	2	8	18	24	27
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	15.8	92	6	10	14	22	29	29	29
6-12 YRS	27	15.1	246	1	2	12	27	33	43	63
13-19 YRS	74	8.5	73	1	2	5	11	23	25	35
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	9.2	161	1	1	2	14	24	35	58
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	105	10.5	125	1	2	6	15	26	33	50
B. Operated	1	24.0		24	24	24	24	24	24	24
1. SINGLE DX	33	9.2	161	1	1	2	14	24	35	58
2. MULTIPLE DX	106	10.6	125	1	2	6	17	26	33	50
A. Not Operated	138	10.2	133	1	2	5	15	26	33	59
B. Operated	1	24.0		24	24	24	24	24	24	24
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	15.8	92	6	10	14	22	29	29	29
6-12 YRS	35	16.0	273	1	2	12	27	36	53	63
13-19 YRS	100	8.1	71	1	2	5	11	23	25	34
GRAND TOTAL	**139**	**10.3**	**133**	**1**	**2**	**5**	**16**	**26**	**33**	**59**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	56	22.7	269	5	11	19	31	45	58	73
13-19 YRS	313	16.3	218	2	5	13	22	35	44	78
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	29.8	89	13	27	34	36	36	36	36
6-12 YRS	331	27.9	275	9	16	27	36	49	62	99
13-19 YRS	1268	17.8	228	3	7	14	25	38	49	91
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	25.2	156	7	20	25	31	42	42	42
13-19 YRS	20	14.9	73	3	8	15	23	25	28	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	370	17.3	230	2	6	14	23	36	45	76
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1606	19.9	254	4	8	16	29	42	52	92
B. Operated	25	17.0	101	4	9	17	24	28	34	42
1. SINGLE DX	370	17.3	230	2	6	14	23	36	45	76
2. MULTIPLE DX	1631	19.9	251	4	8	16	29	41	51	91
A. Not Operated	1976	19.4	250	3	7	16	28	41	51	90
B. Operated	25	17.0	101	4	9	17	24	28	34	42
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	7	28.6	85	14	22	32	36	36	36	36
6-12 YRS	392	27.1	275	8	15	26	35	49	61	99
13-19 YRS	1601	17.5	224	3	7	14	24	37	46	85
GRAND TOTAL	**2001**	**19.4**	**248**	**3**	**8**	**16**	**28**	**41**	**50**	**89**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	< 1	< 1	1	3	3	3	3
1-5 YRS	10	7.4	107	< 1	1	2	14	24	32	32
6-12 YRS	65	4.7	43	1	1	2	5	11	24	31
13-19 YRS	195	8.4	121	1	2	4	10	26	34	56
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	11.5	1	11	11	11	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.3	10	2	2	3	7	8	8	8
1-11 MOS	9	10.6	68	3	4	10	12	23	30	30
1-5 YRS	17	13.9	460	1	1	4	16	44	71	82
6-12 YRS	133	16.8	354	2	3	8	26	53	64	99 +
13-19 YRS	588	10.6	166	1	2	6	15	28	39	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	37.0		37	37	37	37	37	37	37
6-12 YRS	3	5.0	3	4	4	4	6	7	7	7
13-19 YRS	20	15.3	365	2	5	12	15	37	63	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	7.5	103	1	2	3	8	23	32	51
B. Operated	3	8.0	37	1	3	11	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	750	11.8	209	1	3	6	16	32	48	99 +
B. Operated	24	14.9	336	2	4	10	15	37	55	84
1. SINGLE DX	275	7.5	102	1	2	3	8	22	32	51
2. MULTIPLE DX	774	11.9	213	1	3	6	16	32	48	99 +
A. Not Operated	1022	10.6	184	1	2	5	14	29	42	99 +
B. Operated	27	14.1	305	2	4	11	14	36	48	84
TOTAL										
0-27 DYS	3	4.3	10	2	2	3	7	8	8	8
1-11 MOS	11	9.0	67	1	3	10	11	20	29	30
1-5 YRS	28	12.4	342	1	1	4	16	35	54	82
6-12 YRS	202	12.6	280	1	2	5	17	42	59	99 +
13-19 YRS	805	10.2	161	1	2	5	14	28	38	92
GRAND TOTAL	**1049**	**10.7**	**187**	**1**	**2**	**5**	**14**	**30**	**42**	**98**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	243	19.1	222	1	3	20	29	36	44	63
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	10.3	234	1	1	2	21	28	28	28
1-11 MOS	5	8.0	73	< 1	3	7	22	92	99 +	99 +
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	9	21.1	247	2	8	18	37	42	42	42
13-19 YRS	1727	24.1	211	4	13	26	34	42	49	68
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	24.8	227	4	17	26	32	43	57	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	18.9	223	1	3	20	29	36	44	63
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	1745	24.0	212	3	13	26	34	42	49	70
B. Operated	23	24.8	227	4	17	26	32	43	57	58
1. SINGLE DX	246	18.9	222	1	3	19	29	36	44	63
2. MULTIPLE DX	1768	24.0	212	3	13	26	34	42	49	69
A. Not Operated	1990	23.4	216	3	12	25	33	41	48	67
B. Operated	24	24.3	222	5	15	25	31	41	57	58
TOTAL										
0-27 DYS	4	8.5	170	1	1	2	15	28	28	28
1-11 MOS	6	6.8	66	< 1	1	4	19	84	99 +	99 +
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	9	21.1	247	2	8	18	37	42	42	42
13-19 YRS	1994	23.5	215	3	12	25	33	41	48	66
GRAND TOTAL	**2014**	**23.4**	**216**	**3**	**12**	**25**	**33**	**41**	**48**	**67**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	11.9	152	1	3	7	17	33	35	35
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	71.0		71	71	71	71	71	71	71
13-19 YRS	39	20.5	251	3	7	18	29	50	57	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	11.9	152	1	3	7	17	33	35	35
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	40	21.8	308	3	7	18	30	54	64	99 +
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	9	11.9	152	1	3	7	17	33	35	35
2. MULTIPLE DX	41	21.3	309	3	6	18	29	54	64	99 +
A. Not Operated	49	19.9	290	3	6	16	29	50	59	99 +
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	71.0		71	71	71	71	71	71	71
13-19 YRS	49	18.6	240	3	6	15	28	46	56	99 +
GRAND TOTAL	**50**	**19.6**	**290**	**3**	**6**	**16**	**29**	**50**	**59**	**99 +**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	44.0	853	1	27	54	61	66	66	66
13-19 YRS	193	27.5	361	3	13	28	37	55	66	87
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	9	32.8	426	5	16	32	49	60	64	64
13-19 YRS	1097	30.6	327	7	18	29	41	56	66	94
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	29.7	176	12	23	28	39	48	54	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	27.8	372	3	13	28	38	56	67	87
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1108	30.5	328	7	18	29	41	56	66	94
B. Operated	9	29.7	176	12	23	28	39	48	54	54
1. SINGLE DX	197	27.8	372	3	13	28	38	56	67	87
2. MULTIPLE DX	1117	30.5	327	7	18	29	41	56	66	93
A. Not Operated	1305	30.1	336	6	17	29	40	56	66	92
B. Operated	9	29.7	176	12	23	28	39	48	54	54
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	13	36.2	526	3	16	39	54	64	66	66
13-19 YRS	1299	30.1	332	6	17	29	40	55	66	92
GRAND TOTAL	**1314**	**30.1**	**334**	**6**	**17**	**29**	**40**	**56**	**66**	**92**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	16	2.6	13	1	1	1	2	7	12	14
13-19 YRS	271	3.5	71	< 1	< 1	1	1	7	21	43
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	20	7.8	114	< 1	1	2	9	28	32	33
13-19 YRS	475	8.9	143	< 1	1	2	14	28	34	50
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	4.8	92	< 1	< 1	1	2	16	30	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	3.5	68	< 1	< 1	1	1	7	18	43
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	497	8.8	141	< 1	1	2	14	28	33	50
B. Operated	20	4.8	92	< 1	< 1	1	2	16	30	40
1. SINGLE DX	290	3.5	67	< 1	< 1	1	1	7	18	43
2. MULTIPLE DX	517	8.6	140	< 1	1	2	14	28	33	49
A. Not Operated	786	6.8	120	< 1	1	1	7	26	31	49
B. Operated	21	4.6	88	< 1	< 1	1	2	16	29	40
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	36	5.5	74	< 1	1	1	6	18	30	33
13-19 YRS	766	6.9	122	< 1	1	1	7	26	31	49
GRAND TOTAL	**807**	**6.8**	**120**	**< 1**	**1**	**1**	**6**	**25**	**31**	**49**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	77	13.3	243	1	2	4	25	40	48	56
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	9	22.7	200	5	13	20	37	41	43	43
13-19 YRS	484	19.5	212	2	6	20	28	35	44	65
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	24.5	400	1	3	27	41	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	13.0	241	1	1	4	25	39	47	56
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	494	19.5	212	2	6	20	28	35	44	64
B. Operated	8	24.5	400	1	3	27	41	50	50	50
1. SINGLE DX	79	13.0	241	1	1	4	25	39	47	56
2. MULTIPLE DX	502	19.6	215	2	6	20	29	35	45	63
A. Not Operated	573	18.6	221	1	4	18	28	35	45	60
B. Operated	8	24.5	400	1	3	27	41	50	50	50
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	11	18.7	237	1	4	16	34	40	43	43
13-19 YRS	569	18.7	223	1	4	18	28	35	46	60
GRAND TOTAL	**581**	**18.7**	**223**	**1**	**4**	**18**	**28**	**35**	**46**	**60**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	9	3.0	21	< 1	1	2	2	10	15	15
13-19 YRS	20	2.6	8	1	1	1	3	7	9	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	5.3	26	1	2	3	9	13	14	14
6-12 YRS	32	9.1	104	1	2	4	17	31	34	99 +
13-19 YRS	54	10.5	247	1	1	3	15	29	37	74
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	4	14.3	98	5	6	12	22	27	27	27
13-19 YRS	4	14.8	111	5	6	13	23	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.6	11	1	1	1	2	7	11	15
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	93	9.6	181	1	2	3	14	29	34	89
B. Operated	11	11.4	92	3	4	7	19	27	27	27
1. SINGLE DX	32	2.7	10	1	1	1	2	6	11	15
2. MULTIPLE DX	104	9.8	171	1	2	4	15	27	33	86
A. Not Operated	124	7.8	147	1	1	3	9	24	32	80
B. Operated	12	10.7	89	3	4	6	18	27	27	27
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	4.0	16	1	2	2	4	11	14	14
6-12 YRS	46	8.2	92	1	2	3	14	26	33	99 +
13-19 YRS	78	8.7	190	1	1	3	9	26	30	73
GRAND TOTAL	**136**	**8.1**	**142**	**1**	**1**	**3**	**9**	**25**	**31**	**77**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	42.0		42	42	42	42	42	42	42
6-12 YRS	54	13.9	134	1	4	10	24	31	34	40
13-19 YRS	588	8.8	107	1	2	6	12	20	29	52
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0		–							
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	8	30.1	117	19	26	28	31	47	54	54
6-12 YRS	182	21.9	217	3	10	21	32	42	51	99 +
13-19 YRS	1620	11.3	160	1	3	7	15	28	36	66
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	34.0	304	12	20	38	48	48	48	48
13-19 YRS	38	8.3	51	2	3	6	11	19	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	643	9.3	112	1	2	6	12	24	31	51
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	1811	12.4	177	1	3	8	17	30	41	70
B. Operated	42	10.8	126	2	3	7	14	26	36	48
1. SINGLE DX	644	9.3	112	1	2	6	12	24	31	51
2. MULTIPLE DX	1853	12.4	175	1	3	8	17	30	41	70
A. Not Operated	2454	11.6	162	1	3	7	15	29	38	67
B. Operated	43	10.5	126	2	3	7	14	26	35	48
TOTAL										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	9	31.4	118	20	26	30	34	49	54	54
6-12 YRS	240	20.3	213	3	8	19	30	41	48	99 +
13-19 YRS	2247	10.6	145	1	3	7	14	26	35	63
GRAND TOTAL	**2497**	**11.6**	**161**	**1**	**3**	**7**	**15**	**29**	**38**	**66**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	21	22.6	404	3	13	19	28	74	90	99 +
6-12 YRS	89	17.7	291	3	7	13	28	47	76	99 +
13-19 YRS	623	9.9	139	1	3	6	13	25	29	66
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	57	22.8	191	3	13	21	32	41	51	54
6-12 YRS	303	22.3	323	4	9	19	32	53	78	99 +
13-19 YRS	1455	11.0	139	1	3	7	15	27	35	66
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	40.4	429	13	41	54	90	99 +	99 +	99 +
13-19 YRS	31	12.2	217	1	3	5	17	32	53	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	735	11.2	174	1	3	7	15	28	36	81
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1816	13.2	191	2	4	8	19	32	42	95
B. Operated	37	15.7	329	2	3	7	27	55	81	99 +
1. SINGLE DX	736	11.2	174	1	3	7	15	28	36	81
2. MULTIPLE DX	1853	13.3	194	2	4	8	19	33	42	96
A. Not Operated	2551	12.6	187	1	3	8	16	30	42	89
B. Operated	38	15.4	325	2	3	6	26	55	79	99 +
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	2	5.0	32	< 1	< 1	4	9	9	9	9
1-5 YRS	79	22.5	247	3	13	21	30	42	54	95
6-12 YRS	397	21.5	324	3	8	18	31	55	80	99 +
13-19 YRS	2110	10.7	140	1	3	7	14	26	34	66
GRAND TOTAL	**2589**	**12.7**	**189**	**1**	**3**	**8**	**18**	**30**	**42**	**95**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.3		< 1	1	1	2	2	2	2
1-5 YRS	56	11.4	283	1	1	2	13	35	59	62
6-12 YRS	291	16.6	275	1	3	12	28	43	61	99 +
13-19 YRS	510	14.4	184	2	4	11	21	32	41	83
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.5	41	2	2	6	11	11	11	11
13-19 YRS	2	23.5	1	23	23	23	24	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	21	5.5	28	< 1	1	3	8	15	16	17
1-5 YRS	244	19.1	247	2	5	18	29	40	49	92
6-12 YRS	1267	27.5	379	6	14	26	38	60	82	99 +
13-19 YRS	1904	20.5	306	3	7	16	30	46	59	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	8	18.9	702	1	2	7	34	62	64	64
6-12 YRS	27	28.4	706	2	4	38	51	83	99 +	99 +
13-19 YRS	41	24.4	449	4	10	18	39	63	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	863	14.8	222	1	3	11	22	36	51	99 +
B. Operated	4	15.0	110	2	6	17	23	24	24	24
2. MULTIPLE DX										
A. Not Operated	3436	22.9	341	3	8	20	32	51	65	99 +
B. Operated	78	24.8	553	3	5	17	45	65	96	99 +
1. SINGLE DX	867	14.8	222	1	3	11	22	36	51	99 +
2. MULTIPLE DX	3514	22.9	345	3	8	20	33	51	66	99 +
A. Not Operated	4299	21.3	327	3	7	17	30	48	63	99 +
B. Operated	82	24.3	534	2	5	17	42	64	94	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	29	4.7	24	< 1	1	3	7	13	16	17
1-5 YRS	308	17.7	271	1	3	14	28	40	53	77
6-12 YRS	1587	25.5	383	3	11	23	36	58	82	99 +
13-19 YRS	2457	19.3	289	3	7	15	28	43	58	99 +
GRAND TOTAL	**4381**	**21.3**	**331**	**3**	**7**	**17**	**31**	**49**	**63**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	10.7	133	4	4	4	19	24	24	24
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	11	13.3	285	2	3	10	16	37	58	60
13-19 YRS	22	13.8	137	3	7	10	14	30	41	51
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2	42.0	2312	8	8	42	76	76	76	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	10.7	133	4	4	4	19	24	24	24
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	35	13.0	176	2	4	10	14	28	47	60
B. Operated	6	17.0	849	2	2	5	11	69	76	76
1. SINGLE DX	4	9.3	97	4	4	5	14	24	24	24
2. MULTIPLE DX	41	13.6	258	2	4	10	14	31	55	76
A. Not Operated	38	12.8	170	2	4	10	14	27	45	60
B. Operated	7	15.3	728	2	2	5	10	63	76	76
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.3	20	2	2	2	7	11	11	11
6-12 YRS	13	11.6	254	2	3	5	13	30	54	60
13-19 YRS	28	15.2	263	4	7	10	17	33	53	76
GRAND TOTAL	**45**	**13.2**	**243**	**2**	**4**	**8**	**14**	**28**	**53**	**76**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	10.0	31	3	5	10	14	17	20	21
1-11 MOS	292	8.7	14	3	6	10	11	13	14	21
1-5 YRS	174	8.5	12	3	6	10	11	13	14	16
6-12 YRS	72	5.9	15	2	3	5	9	11	14	16
13-19 YRS	33	5.7	13	1	3	5	8	10	11	15
B. Operated										
0-27 DYS	3	12.3	22	7	9	14	15	16	16	16
1-11 MOS	10	9.8	38	2	6	10	11	19	21	21
1-5 YRS	11	9.6	21	3	7	10	11	16	18	18
6-12 YRS	5	7.8	11	3	5	9	10	11	11	11
13-19 YRS	5	8.4	138	1	1	5	12	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	113	12.2	47	4	8	11	15	21	24	34
1-11 MOS	681	10.2	20	4	8	10	12	15	18	25
1-5 YRS	390	9.5	17	4	7	10	11	14	15	24
6-12 YRS	109	6.9	26	2	3	6	10	14	15	25
13-19 YRS	82	8.8	65	2	3	7	11	15	19	52
B. Operated										
0-27 DYS	25	20.7	37	14	16	21	24	27	31	39
1-11 MOS	97	20.5	182	10	12	16	25	42	50	69
1-5 YRS	65	18.4	182	8	10	15	22	34	51	70
6-12 YRS	38	22.1	301	5	9	16	41	54	81	99 +
13-19 YRS	32	23.1	266	4	10	21	32	48	57	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	620	8.3	16	3	5	9	10	13	15	20
B. Operated	34	9.5	38	2	6	9	11	18	20	29
2. MULTIPLE DX										
A. Not Operated	1375	9.8	25	3	7	10	11	15	19	26
B. Operated	257	20.6	195	8	11	16	25	43	52	78
1. SINGLE DX	654	8.3	17	3	5	9	10	13	15	21
2. MULTIPLE DX	1632	11.5	67	3	7	10	13	20	25	50
A. Not Operated	1995	9.3	23	3	6	10	11	14	17	24
B. Operated	291	19.3	189	6	10	16	24	42	50	76
TOTAL										
0-27 DYS	190	12.8	51	4	8	12	16	22	24	35
1-11 MOS	1080	10.7	43	4	8	10	12	16	21	41
1-5 YRS	640	10.1	40	3	7	10	11	15	18	35
6-12 YRS	224	9.2	102	2	3	7	10	16	38	71
13-19 YRS	152	11.1	136	2	3	8	13	25	35	60
GRAND TOTAL	**2286**	**10.6**	**55**	**3**	**7**	**10**	**12**	**17**	**22**	**46**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	0									
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	1	9.0		9	9	9	9	9	9	9
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	0									
GRAND TOTAL	**2**	**6.0**	**18**	**3**	**3**	**6**	**9**	**9**	**9**	**9**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	5.3	12	1	2	5	7	11	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	5.4	18	2	2	4	8	10	14	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.3	12	1	2	5	7	11	12	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	21	5.4	18	2	2	4	8	10	14	18
B. Operated	1	18.0		18	18	18	18	18	18	18
1. SINGLE DX	10	5.3	12	1	2	5	7	11	12	12
2. MULTIPLE DX	22	6.0	24	2	2	4	8	13	18	18
A. Not Operated	31	5.4	15	2	2	4	8	11	12	18
B. Operated	1	18.0		18	18	18	18	18	18	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	5.8	20	2	2	4	8	11	17	18
GRAND TOTAL	**32**	**5.8**	**20**	**2**	**2**	**4**	**8**	**11**	**17**	**18**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	3.1	6	1	2	2	3	7	9	9
1-11 MOS	193	4.4	37	1	2	3	5	8	11	22
1-5 YRS	527	2.8	7	1	1	2	3	5	8	13
6-12 YRS	539	2.5	3	1	1	2	3	5	6	9
13-19 YRS	374	3.1	8	1	1	2	4	6	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	6	9.8	39	2	4	10	15	18	18	18
1-5 YRS	22	8.8	55	2	3	5	15	21	23	24
6-12 YRS	27	7.5	26	1	4	7	10	13	16	24
13-19 YRS	25	11.3	108	2	5	10	13	19	36	50
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	4.9	4	3	4	5	5	7	10	11
1-11 MOS	574	5.6	37	1	2	4	7	11	16	32
1-5 YRS	1519	3.9	20	1	2	3	4	8	12	23
6-12 YRS	991	3.8	19	1	2	2	4	8	11	22
13-19 YRS	635	4.3	31	1	2	3	5	9	14	28
B. Operated										
0-27 DYS	2	17.5	365	4	4	17	31	31	31	31
1-11 MOS	55	20.1	374	4	7	15	24	42	57	96
1-5 YRS	141	12.0	155	2	4	8	16	29	39	58
6-12 YRS	99	12.5	130	3	5	9	17	28	35	99 +
13-19 YRS	84	14.8	156	3	7	11	19	33	44	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1646	3.0	10	1	1	2	3	6	8	14
B. Operated	80	9.2	61	2	4	8	13	18	23	44
2. MULTIPLE DX										
A. Not Operated	3734	4.2	25	1	2	3	5	8	12	25
B. Operated	381	13.9	186	3	5	10	18	33	42	89
1. SINGLE DX	1726	3.3	14	1	1	2	4	6	9	18
2. MULTIPLE DX	4115	5.1	48	1	2	3	6	11	17	36
A. Not Operated	5380	3.8	21	1	2	3	4	8	11	23
B. Operated	461	13.1	168	2	5	9	17	31	41	75
TOTAL										
0-27 DYS	30	5.0	29	2	2	4	5	8	11	31
1-11 MOS	828	6.3	73	1	2	4	7	13	20	44
1-5 YRS	2209	4.2	31	1	2	3	4	9	13	29
6-12 YRS	1656	4.0	26	1	1	2	4	8	12	27
13-19 YRS	1118	4.9	44	1	2	3	5	11	16	37
GRAND TOTAL	**5841**	**4.6**	**38**	**1**	**2**	**3**	**5**	**9**	**15**	**33**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	1.8	1	1	1	2	2	3	3	3
1-11 MOS	40	3.5	20	1	1	2	4	8	9	26
1-5 YRS	133	3.1	11	1	1	2	3	6	12	17
6-12 YRS	121	3.3	16	1	1	2	4	5	7	25
13-19 YRS	95	4.0	21	1	1	2	5	10	12	24
B. Operated										
0-27 DYS	6	4.0	10	1	2	3	4	9	10	10
1-11 MOS	152	3.3	5	1	2	3	4	6	9	11
1-5 YRS	279	6.7	45	< 1	2	5	9	15	24	29
6-12 YRS	241	6.2	49	< 1	1	4	9	14	18	35
13-19 YRS	105	5.9	28	1	2	4	8	14	17	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	10.4	171	2	2	3	18	33	36	36
1-11 MOS	155	4.8	22	1	2	3	6	11	16	23
1-5 YRS	333	6.6	136	1	2	3	5	16	30	63
6-12 YRS	310	4.7	32	1	1	3	5	11	18	31
13-19 YRS	268	6.3	67	1	2	3	7	14	25	39
B. Operated										
0-27 DYS	12	18.8	486	4	5	23	99 +	99 +	99 +	99 +
1-11 MOS	311	8.8	140	2	3	5	10	21	35	87
1-5 YRS	548	8.1	105	1	2	5	9	20	25	77
6-12 YRS	568	7.8	73	1	3	6	10	16	23	45
13-19 YRS	336	8.3	57	1	3	6	11	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	397	3.4	16	1	1	2	4	6	10	23
B. Operated	783	5.8	37	1	2	3	8	13	17	29
2. MULTIPLE DX										
A. Not Operated	1075	5.8	73	1	2	3	6	13	22	40
B. Operated	1775	8.3	95	1	3	5	10	18	27	76
1. SINGLE DX	1180	5.0	31	1	2	3	6	11	15	27
2. MULTIPLE DX	2850	7.3	88	1	2	4	9	16	25	64
A. Not Operated	1472	5.1	59	1	1	3	5	11	19	39
B. Operated	2558	7.5	78	1	2	5	9	16	24	63
TOTAL										
0-27 DYS	35	10.2	249	1	2	4	25	99 +	99 +	99 +
1-11 MOS	658	6.3	79	1	2	4	7	13	22	68
1-5 YRS	1293	6.9	92	1	2	4	8	16	25	61
6-12 YRS	1240	6.3	55	1	2	4	8	14	20	35
13-19 YRS	804	6.8	54	1	2	4	9	16	22	40
GRAND TOTAL	**4030**	**6.6**	**73**	**1**	**2**	**4**	**8**	**15**	**23**	**53**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	0									
1-5 YRS	16	1.6	1	1	1	1	2	3	3	3
6-12 YRS	99	2.2	7	1	1	1	3	4	6	16
13-19 YRS	183	2.2	3	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	3.0	5	1	1	2	4	6	6	6
13-19 YRS	6	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	19	2.3	2	1	1	2	3	4	5	6
6-12 YRS	132	2.6	6	1	1	2	3	5	6	13
13-19 YRS	220	3.1	9	1	2	2	4	6	8	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	4	3.8	3	2	2	3	5	6	6	6
13-19 YRS	13	4.8	37	1	1	3	5	15	21	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	300	2.2	4	1	1	2	3	4	5	9
B. Operated	11	1.7	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated	372	2.9	7	1	1	2	3	5	7	13
B. Operated	18	4.9	29	1	2	3	6	12	18	22
1. SINGLE DX	311	2.2	4	1	1	2	3	4	5	9
2. MULTIPLE DX	390	3.0	9	1	1	2	3	6	8	17
A. Not Operated	672	2.6	6	1	1	2	3	5	7	11
B. Operated	29	3.7	21	1	1	2	4	9	13	22
TOTAL										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	37	2.2	3	1	1	2	3	4	5	11
6-12 YRS	239	2.4	6	1	1	2	3	5	6	12
13-19 YRS	422	2.7	7	1	1	2	3	5	7	13
GRAND TOTAL	**701**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	5	1.2		1	1	1	2	2	2	2
13-19 YRS	5	6.4	29	1	2	4	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	13	3.6	16	1	1	2	4	11	13	14
1. SINGLE DX	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX	16	3.4	14	1	1	2	4	9	13	14
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	19	2.8	12	1	1	1	3	8	12	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	3.0	3	1	2	3	4	5	5	5
6-12 YRS	7	1.1		1	1	1	1	2	2	2
13-19 YRS	10	3.8	21	1	1	2	4	12	14	14
GRAND TOTAL	**22**	**2.8**	**11**	**1**	**1**	**1**	**3**	**6**	**12**	**14**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	36	4.3	13	1	2	3	6	10	11	16
6-12 YRS	55	5.7	78	1	1	4	6	11	16	54
13-19 YRS	51	4.9	17	1	2	3	7	11	15	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	16	6.9	42	1	2	5	10	16	21	23
6-12 YRS	29	5.2	30	1	2	4	6	14	20	20
13-19 YRS	77	4.3	22	1	1	3	5	11	15	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	38.0		38	38	38	38	38	38	38
1-11 MOS	9	5.9	31	1	2	4	8	15	17	17
1-5 YRS	40	9.7	196	1	2	4	14	26	38	72
6-12 YRS	53	8.4	106	1	3	5	12	19	22	99
13-19 YRS	65	8.1	130	1	2	4	11	18	27	97
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	34	6.6	53	1	3	4	9	21	32	99+
6-12 YRS	41	10.2	377	1	1	4	13	83	99+	99+
13-19 YRS	104	5.9	74	1	2	3	6	15	23	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	5.0	39	1	2	3	7	10	14	38
B. Operated	122	4.9	27	1	1	3	6	13	17	24
2. MULTIPLE DX										
A. Not Operated	168	8.6	136	1	2	5	12	19	37	96
B. Operated	182	7.0	138	1	2	3	7	20	45	99+
1. SINGLE DX	266	4.9	33	1	2	3	6	11	16	26
2. MULTIPLE DX	350	7.8	138	1	2	4	9	19	39	99+
A. Not Operated	312	7.0	94	1	2	4	8	16	20	75
B. Operated	304	6.1	94	1	2	3	6	16	26	99+
TOTAL										
0-27 DYS	3	14.0	433	< 1	1	3	29	38	38	38
1-11 MOS	12	5.5	24	2	2	4	7	14	17	17
1-5 YRS	126	7.0	88	1	2	4	8	16	25	78
6-12 YRS	178	7.4	149	1	2	4	8	19	56	99+
13-19 YRS	297	5.8	64	1	2	3	7	15	18	51
GRAND TOTAL	**616**	**6.6**	**94**	**1**	**2**	**3**	**7**	**16**	**22**	**99+**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	8	1.8	1	1	1	2	2	3	3	3
6-12 YRS	41	1.8	1	1	1	2	2	3	4	5
13-19 YRS	62	1.7	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	46	2.7	47	1	1	1	2	3	6	46
1-5 YRS	23	1.7	1	1	1	1	2	3	4	5
6-12 YRS	43	2.0	1	1	1	2	3	4	4	5
13-19 YRS	76	2.4	3	1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	4	< 1	< 1	2	4	5	5	5
B. Operated	114	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	6	3.5	16	< 1	1	2	5	10	11	11
B. Operated	188	2.3	13	1	1	2	2	4	5	12
1. SINGLE DX	118	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX	194	2.3	13	1	1	2	2	4	6	13
A. Not Operated	10	3.1	10	< 1	< 1	2	5	8	11	11
B. Operated	302	2.1	8	1	1	2	2	3	5	8
TOTAL										
0-27 DYS	0									
1-11 MOS	51	2.6	43	1	1	1	2	3	4	46
1-5 YRS	34	1.8	1	1	1	2	2	3	4	5
6-12 YRS	87	1.9	1	1	1	2	2	4	4	5
13-19 YRS	140	2.2	3	1	1	2	3	4	6	8
GRAND TOTAL	**312**	**2.1**	**8**	**1**	**1**	**2**	**2**	**4**	**5**	**9**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	10	1.1		< 1	< 1	< 1	< 1	1	2	2
1-5 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
6-12 YRS	0									
13-19 YRS	3	3.7	5	1	2	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.8	1	< 1	< 1	1	2	3	3	3
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	8	1.6	1	1	1	1	2	3	4	4
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.1		< 1	< 1	< 1	< 1	1	2	2
B. Operated	16	1.7	2	< 1	< 1	< 1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated	7	1.7	1	< 1	< 1	1	3	3	3	3
B. Operated	16	1.9	1	1	1	2	2	4	4	4
1. SINGLE DX	30	1.4	1	< 1	< 1	< 1	1	3	5	5
2. MULTIPLE DX	23	1.8	1	< 1	1	2	2	3	4	4
A. Not Operated	21	1.3		< 1	< 1	< 1	1	2	3	3
B. Operated	32	1.8	1	< 1	< 1	1	2	4	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	25	1.2		< 1	< 1	< 1	1	2	2	3
1-5 YRS	12	1.6	1	< 1	< 1	1	2	3	3	3
6-12 YRS	9	1.8	1	1	1	1	2	4	4	4
13-19 YRS	7	2.9	3	1	1	2	5	5	5	5
GRAND TOTAL	**53**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**5**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	11	1.0		< 1	< 1	< 1	< 1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	6	1.0		< 1	< 1	< 1	< 1	1	1	1
1-5 YRS	4	1.3		< 1	< 1	< 1	1	2	2	2
6-12 YRS	3	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	6	2.0	4	< 1	1	1	2	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.3	33	1	1	1	9	11	11	11
1-5 YRS	3	3.3	16	< 1	< 1	1	6	8	8	8
6-12 YRS	6	2.2	1	1	2	2	2	4	4	4
13-19 YRS	12	2.4	3	1	1	2	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.0		< 1	< 1	< 1	< 1	1	1	1
B. Operated	19	1.4	1	< 1	< 1	< 1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated	6	2.2	3	< 1	< 1	1	3	5	5	5
B. Operated	24	2.7	6	1	1	2	4	6	9	11
1. SINGLE DX	36	1.2	1	< 1	< 1	< 1	1	2	2	6
2. MULTIPLE DX	30	2.6	6	< 1	1	2	4	5	8	11
A. Not Operated	23	1.3	1	< 1	< 1	< 1	1	2	4	5
B. Operated	43	2.1	5	< 1	< 1	1	2	5	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	15	1.7	7	< 1	< 1	< 1	1	1	9	11
1-5 YRS	20	1.4	2	< 1	< 1	< 1	1	2	5	8
6-12 YRS	12	2.3	1	1	1	2	3	4	5	5
13-19 YRS	19	2.2	3	1	1	1	3	5	6	6
GRAND TOTAL	**66**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**11**

788 Hospitals, United States, Pediatric, January-December 1990, by Diagnosis

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	10	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	19	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	20	1.2		< 1	< 1	1	1	2	2	3
13-19 YRS	8	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	3	5.7	17	1	2	7	8	9	9	9
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	0									
B. Operated										
0-27 DYS	2	7.5	85	1	1	7	14	14	14	14
1-11 MOS	8	1.0		1	1	1	1	1	1	1
1-5 YRS	13	2.0	3	1	1	1	3	4	6	7
6-12 YRS	18	1.6	1	< 1	< 1	1	2	3	4	4
13-19 YRS	11	1.2		< 1	1	1	1	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	60	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	6	4.2	13	< 1	1	4	7	9	9	9
B. Operated	52	1.8	4	< 1	1	1	2	3	4	14
1. SINGLE DX	60	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX	58	2.0	5	< 1	1	1	2	4	7	14
A. Not Operated	6	4.2	13	< 1	1	4	7	9	9	9
B. Operated	112	1.4	2	< 1	< 1	1	1	2	3	10
TOTAL										
0-27 DYS	6	3.2	28	1	1	1	1	13	14	14
1-11 MOS	19	1.3	1	< 1	< 1	1	1	1	4	6
1-5 YRS	35	1.8	4	< 1	1	1	1	3	7	9
6-12 YRS	39	1.4	1	< 1	< 1	1	1	3	3	4
13-19 YRS	19	1.2		< 1	< 1	1	1	2	3	3
GRAND TOTAL	**118**	**1.5**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**4**	**11**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.0	3	1	1	1	3	4	4	4
6-12 YRS	7	2.7	2	1	1	3	4	5	5	5
13-19 YRS	5	2.0	2	1	1	1	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	59	1.0		< 1	< 1	< 1	< 1	1	1	1
1-5 YRS	350	1.1		< 1	< 1	< 1	< 1	1	1	2
6-12 YRS	159	1.0		< 1	< 1	< 1	< 1	1	1	2
13-19 YRS	34	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	9	3.0	13	< 1	< 1	1	3	9	12	12
6-12 YRS	15	4.3	22	1	2	3	4	8	17	20
13-19 YRS	6	3.3	3	1	2	3	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	18	1.2		< 1	< 1	1	1	2	3	3
1-5 YRS	189	1.1		< 1	< 1	< 1	1	1	2	3
6-12 YRS	92	1.2	1	< 1	< 1	< 1	1	1	2	8
13-19 YRS	24	1.2		< 1	< 1	1	1	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.2	2	1	1	1	3	4	5	5
B. Operated	602	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	34	3.6	14	1	1	3	4	6	11	20
B. Operated	323	1.1		< 1	< 1	< 1	1	1	2	3
1. SINGLE DX	619	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	357	1.4	2	< 1	< 1	< 1	1	2	3	8
A. Not Operated	51	3.1	10	1	1	3	4	5	8	20
B. Operated	925	1.1		< 1	< 1	< 1	< 1	1	1	3
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	82	1.1		< 1	< 1	< 1	1	1	2	3
1-5 YRS	551	1.1		< 1	< 1	< 1	< 1	1	1	4
6-12 YRS	273	1.3	2	< 1	< 1	< 1	1	1	3	7
13-19 YRS	69	1.4	1	< 1	< 1	1	1	3	4	6
GRAND TOTAL	**976**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	**5**

788 Hospitals, United States, Pediatric, January-December 1990, by Diagnosis

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	29	2.7	5	1	1	2	4	5	6	11
1-11 MOS	61	2.4	2	< 1	< 1	2	3	4	6	7
1-5 YRS	90	2.2	2	< 1	< 1	2	3	4	5	7
6-12 YRS	26	2.5	6	< 1	1	2	3	4	7	12
13-19 YRS	17	3.6	3	2	3	3	4	6	7	7
B. Operated										
0-27 DYS	6	4.5	23	1	2	3	4	13	14	14
1-11 MOS	17	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	64	1.3	2	< 1	< 1	< 1	< 1	1	2	10
6-12 YRS	39	1.2	1	< 1	< 1	< 1	1	2	3	5
13-19 YRS	30	2.7	13	< 1	< 1	1	3	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	46	3.2	2	2	2	3	4	5	6	7
1-11 MOS	136	3.1	5	1	2	3	4	6	7	14
1-5 YRS	124	3.4	4	1	2	3	4	6	8	12
6-12 YRS	44	3.5	5	1	2	3	4	6	8	11
13-19 YRS	20	3.6	5	1	2	3	5	6	8	10
B. Operated										
0-27 DYS	4	3.3	7	1	1	2	5	7	7	7
1-11 MOS	20	2.7	5	< 1	1	2	4	6	7	8
1-5 YRS	44	3.1	21	< 1	< 1	1	3	9	13	22
6-12 YRS	47	1.8	2	< 1	1	1	2	4	5	7
13-19 YRS	34	2.8	14	1	1	2	2	6	13	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.5	3	< 1	< 1	2	3	5	6	8
B. Operated	156	1.6	5	< 1	< 1	< 1	1	3	5	14
2. MULTIPLE DX										
A. Not Operated	370	3.3	4	1	2	3	4	6	7	12
B. Operated	149	2.6	11	< 1	1	1	3	5	9	17
1. SINGLE DX	379	2.1	4	< 1	< 1	1	3	4	5	11
2. MULTIPLE DX	519	3.1	6	1	1	3	4	6	7	14
A. Not Operated	593	3.0	4	< 1	2	3	4	5	6	11
B. Operated	305	2.1	8	< 1	< 1	1	2	4	8	17
TOTAL										
0-27 DYS	85	3.1	4	1	2	3	4	5	6	13
1-11 MOS	234	2.7	4	< 1	1	2	3	5	6	10
1-5 YRS	322	2.6	6	< 1	< 1	2	3	5	7	12
6-12 YRS	156	2.3	4	< 1	< 1	1	3	5	6	11
13-19 YRS	101	3.1	10	< 1	1	2	4	6	10	17
GRAND TOTAL	**898**	**2.7**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**	**12**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	14	2.9	1	2	2	3	4	4	5	5
1-11 MOS	237	3.2	2	2	2	3	4	5	6	8
1-5 YRS	407	2.8	2	1	2	3	3	4	5	8
6-12 YRS	109	2.7	3	1	2	2	3	5	6	9
13-19 YRS	43	3.0	3	1	2	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	71	1.7	1	1	1	[illegible]	2	3	5	6
1-5 YRS	22	2.3	4	< 1	1	1	2	6	7	7
6-12 YRS	22	2.9	9	< 1	1	1	5	7	9	12
13-19 YRS	25	2.6	4	1	1	2	4	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	32	4.2	7	2	2	3	6	10	12	99 +
1-11 MOS	406	4.0	8	2	2	3	5	7	8	15
1-5 YRS	725	3.5	4	2	2	3	4	6	7	12
6-12 YRS	214	4.2	8	1	2	4	5	9	10	14
13-19 YRS	69	4.3	8	1	2	4	6	9	10	12
B. Operated										
0-27 DYS	2	6.0	50	1	8	99 +	99 +	99 +	99 +	99 +
1-11 MOS	77	4.9	63	1	1	2	4	15	20	44
1-5 YRS	68	5.9	47	1	2	5	7	10	14	44
6-12 YRS	103	6.7	42	1	2	5	10	13	15	38
13-19 YRS	76	4.9	39	1	1	3	7	10	12	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	810	2.9	2	1	2	3	3	5	6	8
B. Operated	140	2.1	3	1	1	1	2	5	6	8
2. MULTIPLE DX										
A. Not Operated	1446	3.8	6	2	2	3	5	7	9	13
B. Operated	326	5.7	47	1	1	4	8	13	16	61
1. SINGLE DX	950	2.8	2	1	2	3	3	5	6	8
2. MULTIPLE DX	1772	4.1	14	1	2	3	5	8	10	17
A. Not Operated	2256	3.5	5	2	2	3	4	6	8	12
B. Operated	466	4.6	37	1	1	2	6	11	15	50
TOTAL										
0-27 DYS	48	3.9	7	2	2	3	5	11	99 +	99 +
1-11 MOS	791	3.7	11	1	2	3	4	6	8	18
1-5 YRS	1222	3.4	6	1	2	3	4	6	7	12
6-12 YRS	448	4.4	17	1	2	3	6	9	11	16
13-19 YRS	213	4.1	18	1	1	3	5	9	10	14
GRAND TOTAL	**2722**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	4.4	61	< 1	1	1	3	18	22	22
1-5 YRS	12	2.0	1	< 1	1	2	3	4	4	4
6-12 YRS	6	1.8	1	< 1	1	1	2	4	4	4
13-19 YRS	6	3.2	4	1	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	4	1	2	4	5	5	5	5
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	7	1.3	1	< 1	< 1	< 1	1	3	3	3
13-19 YRS	6	2.5	8	< 1	1	1	2	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.8	1	1	1	2	2	3	4	4
B. Operated	11	1.2		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	33	2.7	14	1	1	2	3	4	6	22
B. Operated	21	1.9	3	< 1	< 1	1	2	4	6	8
1. SINGLE DX	25	1.5	1	< 1	1	1	2	2	3	4
2. MULTIPLE DX	54	2.4	10	< 1	1	1	2	4	6	21
A. Not Operated	47	2.4	10	1	1	2	2	4	5	22
B. Operated	32	1.6	2	< 1	< 1	1	1	3	5	8
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	16	3.1	27	1	1	2	3	5	17	22
1-5 YRS	27	1.6	1	< 1	< 1	1	2	3	4	4
6-12 YRS	20	1.7	1	< 1	< 1	1	2	3	4	4
13-19 YRS	14	2.6	5	1	1	2	3	6	8	8
GRAND TOTAL	**79**	**2.1**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**18**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	93	3.2	4	2	2	3	3	5	7	11
1-11 MOS	400	2.5	1	1	2	2	3	4	4	6
1-5 YRS	194	2.5	3	1	2	2	3	4	6	9
6-12 YRS	22	3.2	6	< 1	1	2	6	7	8	9
13-19 YRS	7	5.0	18	1	2	3	7	12	13	13
B. Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	466	1.2	1	< 1	< 1	< 1	< 1	1	3	6
1-5 YRS	1307	1.1	1	< 1	< 1	< 1	< 1	< 1	1	6
6-12 YRS	314	1.1	1	< 1	< 1	< 1	1	1	1	5
13-19 YRS	74	1.1		< 1	1	1	1	1	1	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	173	3.1	3	2	2	3	3	5	6	11
1-11 MOS	1213	2.8	2	1	2	3	3	4	6	9
1-5 YRS	1162	2.8	4	1	2	2	3	5	6	11
6-12 YRS	133	3.8	6	1	2	3	5	7	9	12
13-19 YRS	50	4.3	17	1	2	3	5	9	14	20
B. Operated										
0-27 DYS	13	3.8	3	2	3	3	4	5	8	9
1-11 MOS	165	3.0	12	< 1	1	2	4	6	8	16
1-5 YRS	1075	1.9	9	< 1	< 1	1	1	4	7	15
6-12 YRS	571	1.5	3	< 1	1	1	1	2	4	11
13-19 YRS	168	1.4	2	1	1	1	1	2	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	716	2.7	2	1	2	2	3	4	5	9
B. Operated	2163	1.1	1	< 1	< 1	< 1	< 1	1	1	6
2. MULTIPLE DX										
A. Not Operated	2731	2.9	4	1	2	2	3	5	6	10
B. Operated	1992	1.9	7	< 1	1	1	1	4	6	14
1. SINGLE DX	2879	1.5	2	< 1	< 1	< 1	1	3	4	7
2. MULTIPLE DX	4723	2.4	5	< 1	1	2	3	5	6	11
A. Not Operated	3447	2.8	3	1	2	2	3	5	6	10
B. Operated	4155	1.5	4	< 1	< 1	< 1	1	2	4	10
TOTAL										
0-27 DYS	281	3.2	3	2	2	3	3	5	7	11
1-11 MOS	2244	2.4	3	< 1	1	2	3	4	5	8
1-5 YRS	3738	1.9	5	< 1	< 1	1	2	4	5	11
6-12 YRS	1040	1.7	4	< 1	< 1	1	1	3	6	10
13-19 YRS	299	1.9	6	< 1	1	1	2	4	6	14
GRAND TOTAL	**7602**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	16	3.4	7	1	2	3	4	8	10	11
1-11 MOS	86	2.8	3	1	2	2	3	5	6	10
1-5 YRS	73	3.2	4	1	2	3	4	6	7	10
6-12 YRS	71	2.9	2	1	2	3	3	5	7	9
13-19 YRS	23	3.6	3	2	2	3	5	6	7	8
B. Operated										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	67	1.9	5	<1	<1	<1	1	5	6	13
1-5 YRS	168	1.6	5	<1	<1	<1	<1	4	6	8
6-12 YRS	103	2.1	7	<1	<1	1	2	5	6	15
13-19 YRS	42	2.4	7	1	1	1	3	4	7	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	22	6.0	119	2	3	3	5	7	28	54
1-11 MOS	219	3.3	5	1	2	3	4	6	8	13
1-5 YRS	321	3.6	10	1	2	3	4	7	10	18
6-12 YRS	141	4.7	11	2	2	4	6	9	11	19
13-19 YRS	58	4.4	13	2	2	3	5	9	12	19
B. Operated										
0-27 DYS	4	3.5	4	1	2	4	5	5	5	5
1-11 MOS	76	4.9	24	1	2	4	5	9	16	26
1-5 YRS	205	3.9	18	<1	1	2	5	9	13	21
6-12 YRS	127	3.6	20	1	1	1	4	10	13	22
13-19 YRS	71	3.8	45	1	1	1	4	10	14	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	3.0	3	1	2	3	4	5	7	10
B. Operated	383	1.9	6	<1	<1	<1	1	4	6	14
2. MULTIPLE DX										
A. Not Operated	761	3.9	12	1	2	3	4	8	10	17
B. Operated	483	4.0	23	1	1	2	5	10	13	23
1. SINGLE DX	652	2.4	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX	1244	3.9	17	1	2	3	5	8	11	20
A. Not Operated	1030	3.7	10	1	2	3	4	7	10	15
B. Operated	866	3.1	17	<1	<1	1	4	7	11	21
TOTAL										
0-27 DYS	45	4.6	61	1	2	3	5	5	11	54
1-11 MOS	448	3.3	8	<1	2	3	4	6	8	15
1-5 YRS	767	3.2	11	<1	1	2	4	7	10	19
6-12 YRS	442	3.5	12	<1	1	2	4	8	11	19
13-19 YRS	194	3.7	22	1	1	2	4	7	11	27
GRAND TOTAL	**1896**	**3.4**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	6	4.3	20	1	1	2	10	10	10	10
13-19 YRS	6	2.0		1	2	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	1.0		1	1	1	1	1	1	1
6-12 YRS	10	1.0		<1	<1	1	1	1	1	1
13-19 YRS	7	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	12	2.4	1	1	1	2	3	4	4	4
6-12 YRS	6	2.8	2	1	2	3	4	4	4	4
13-19 YRS	22	2.7	3	1	1	2	3	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	15	1.1		<1	<1	1	1	1	2	2
13-19 YRS	12	1.8	1	<1	1	1	2	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.6	8	1	1	2	2	8	10	10
B. Operated	24	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	42	2.6	2	1	1	2	3	5	6	7
B. Operated	31	1.4	1	<1	<1	1	1	2	3	5
1. SINGLE DX	41	1.8	4	<1	1	1	2	3	6	10
2. MULTIPLE DX	73	2.1	2	<1	1	2	3	4	5	7
A. Not Operated	59	2.6	4	1	1	2	3	5	7	10
B. Operated	55	1.3	1	<1	1	1	1	2	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	28	1.7	1	<1	1	1	2	3	4	4
6-12 YRS	37	1.9	5	<1	1	1	2	4	8	10
13-19 YRS	47	2.2	2	1	1	2	3	5	6	7
GRAND TOTAL	**114**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	12	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	8	1.3		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	2	1.0		<1	<1	<1	1	1	1	1
B. Operated	10	1.2		<1	1	1	1	2	2	2
1. SINGLE DX	13	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	12	1.2		<1	<1	1	1	2	2	2
A. Not Operated	2	1.0		<1	<1	<1	1	1	1	1
B. Operated	23	1.1		<1	1	1	1	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	22	1.1		<1	1	1	1	2	2	2
GRAND TOTAL	**25**	**1.1**		**<1**	**1**	**1**	**1**	**1**	**2**	**2**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	21	2.7	5	<1	<1	1	4	7	7	8
6-12 YRS	14	2.6	5	<1	1	1	5	6	7	7
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	5	3.0	20	<1	<1	<1	3	11	11	11
1-5 YRS	174	1.2	1	<1	<1	1	1	1	2	5
6-12 YRS	369	1.2	1	<1	1	1	1	1	2	4
13-19 YRS	165	1.2		1	1	1	1	1	2	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	12	4.6	18	1	2	3	6	11	14	15
1-5 YRS	25	4.5	7	1	2	5	7	8	8	8
6-12 YRS	22	3.2	5	<1	1	2	6	7	7	7
13-19 YRS	16	3.1	7	1	1	2	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	4	4.0	13	<1	<1	3	7	8	8	8
1-5 YRS	157	1.7	4	<1	1	1	1	2	7	12
6-12 YRS	449	1.4	2	<1	1	1	1	2	3	10
13-19 YRS	214	1.3	1	1	1	1	1	2	2	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.5	5	<1	<1	1	4	6	7	8
B. Operated	713	1.2	1	<1	1	1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	77	3.8	8	1	1	3	6	7	8	14
B. Operated	824	1.4	2	<1	1	1	1	2	3	11
1. SINGLE DX	753	1.2	1	<1	1	1	1	1	2	6
2. MULTIPLE DX	901	1.6	3	<1	1	1	1	2	6	11
A. Not Operated	117	3.3	7	<1	1	2	6	7	8	12
B. Operated	1537	1.3	2	<1	1	1	1	2	2	8
TOTAL										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	24	3.7	15	<1	1	2	5	10	12	15
1-5 YRS	377	1.7	3	<1	<1	1	1	3	7	9
6-12 YRS	854	1.3	2	<1	1	1	1	2	3	8
13-19 YRS	397	1.3	1	1	1	1	1	2	2	7
GRAND TOTAL	**1654**	**1.4**	**2**	**<1**	**1**	**1**	**1**	**2**	**4**	**9**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	2.6	2	1	1	2	4	5	5	5
6-12 YRS	49	4.1	5	1	2	4	5	8	8	10
13-19 YRS	12	5.4	16	2	3	4	8	12	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	6.4	30	1	2	5	8	15	18	18
6-12 YRS	57	7.1	59	2	3	5	7	16	19	49
13-19 YRS	24	7.4	112	2	3	5	8	11	26	55
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	6	14.0	184	1	5	8	25	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	4.1	7	1	2	3	5	8	10	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	89	7.1	69	2	3	5	8	14	18	53
B. Operated	7	14.6	156	2	5	10	23	34	36	36
1. SINGLE DX	69	4.1	7	1	2	3	5	8	10	13
2. MULTIPLE DX	96	7.7	78	2	3	5	8	17	21	53
A. Not Operated	158	5.8	44	2	2	4	6	11	16	49
B. Operated	7	14.6	156	2	5	10	23	34	36	36
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	16	4.5	19	1	2	3	5	9	15	18
6-12 YRS	107	5.8	37	2	3	4	6	12	17	34
13-19 YRS	42	7.8	97	2	3	5	8	13	29	55
GRAND TOTAL	**165**	**6.2**	**51**	**2**	**2**	**4**	**7**	**12**	**18**	**49**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	3.3	16	1	1	1	6	8	8	8
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	2.3	8	1	1	1	2	7	8	8
6-12 YRS	4	2.3	6	< 1	< 1	1	4	6	6	6
13-19 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	4	3.0	11	1	1	2	5	8	8	8
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	4	3.0	2	2	2	3	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.7	1	< 1	< 1	1	2	3	3	3
1-5 YRS	25	7.5	151	< 1	2	4	8	20	30	61
6-12 YRS	18	9.6	37	< 1	6	10	15	17	19	21
13-19 YRS	13	7.7	40	1	1	7	14	30	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	11	1	1	2	5	8	8	8
B. Operated	12	2.5	7	< 1	1	1	4	7	8	8
2. MULTIPLE DX										
A. Not Operated	11	3.5	7	1	2	2	5	8	9	9
B. Operated	59	7.9	85	< 1	2	6	11	18	21	96
1. SINGLE DX	16	2.6	7	< 1	1	1	4	8	8	8
2. MULTIPLE DX	70	7.2	75	1	2	6	9	16	21	92
A. Not Operated	15	3.4	8	1	1	2	5	8	9	9
B. Operated	71	7.0	75	< 1	1	6	9	16	21	91
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	1.7	1	< 1	< 1	1	2	3	3	3
1-5 YRS	36	6.0	111	1	1	2	7	9	20	61
6-12 YRS	27	7.5	37	< 1	1	7	12	16	18	21
13-19 YRS	19	6.3	33	< 1	2	6	9	18	61	99 +
GRAND TOTAL	**86**	**6.3**	**65**	**< 1**	**1**	**4**	**9**	**15**	**20**	**86**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	2.5	4	1	1	2	3	6	7	7
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	14	3.9	12	1	1	2	6	9	11	12
13-19 YRS	13	3.8	8	1	2	3	4	7	11	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	10	1.5	1	1	1	1	2	3	4	4
13-19 YRS	14	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	5.0	16	1	2	5	8	9	9	9
1-11 MOS	16	5.3	10	1	3	5	7	9	12	14
1-5 YRS	25	4.6	17	1	2	4	5	8	14	19
6-12 YRS	40	4.5	12	1	2	3	6	10	11	16
13-19 YRS	64	3.6	11	1	2	3	4	7	9	21
B. Operated										
0-27 DYS	0									
1-11 MOS	4	8.0	42	2	2	7	13	15	15	15
1-5 YRS	8	3.3	13	1	1	2	4	9	11	11
6-12 YRS	15	6.0	55	1	1	4	7	12	25	30
13-19 YRS	17	3.2	14	1	1	2	4	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.5	8	1	1	3	4	7	11	12
B. Operated	25	1.5	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	148	4.2	12	1	2	3	5	8	11	19
B. Operated	44	4.6	31	1	1	2	6	12	15	30
1. SINGLE DX	62	2.7	6	1	1	2	3	6	8	12
2. MULTIPLE DX	192	4.3	16	1	2	3	5	9	12	21
A. Not Operated	185	4.1	11	1	2	3	5	8	11	18
B. Operated	69	3.5	22	1	1	2	4	9	12	27
TOTAL										
0-27 DYS	3	5.0	16	1	2	5	8	9	9	9
1-11 MOS	28	4.9	15	1	2	4	7	11	14	15
1-5 YRS	36	4.0	15	1	2	3	5	8	12	19
6-12 YRS	79	4.3	20	1	1	3	6	9	12	26
13-19 YRS	108	3.3	10	1	1	2	4	6	9	18
GRAND TOTAL	**254**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**12**	**19**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	7.2	6	5	5	7	9	11	11	11
1-5 YRS	3	5.7	9	3	3	5	8	9	9	9
6-12 YRS	5	5.8	33	2	3	4	7	16	16	16
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	15	6.0	15	2	3	5	8	11	15	16
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	0									
2. MULTIPLE DX	16	5.9	14	2	3	5	8	11	14	16
A. Not Operated	15	6.0	15	2	3	5	8	11	15	16
B. Operated	1	4.0		4	4	4	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	5	7.2	6	5	5	7	9	11	11	11
1-5 YRS	4	5.3	7	3	3	4	7	9	9	9
6-12 YRS	5	5.8	33	2	3	4	7	16	16	16
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
GRAND TOTAL	**16**	**5.9**	**14**	**2**	**3**	**5**	**8**	**11**	**14**	**16**

788 Hospitals, United States, Pediatric, January-December 1990, by Diagnosis

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7		2	2	3	3	3	3	3
6-12 YRS	9	2.2	2	1	1	2	3	4	5	5
13-19 YRS	5	3.0	2	2	2	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	7.7	26	2	4	9	11	12	12	12
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	8	5.6	23	1	1	5	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	5.9	48	2	3	3	6	16	25	25
1-5 YRS	15	7.7	64	1	2	3	12	23	25	26
6-12 YRS	49	3.8	9	1	2	3	5	8	12	13
13-19 YRS	46	4.5	25	1	2	2	5	11	18	19
B. Operated										
0-27 DYS	0									
1-11 MOS	8	40.0	964	8	16	27	67	85	91	91
1-5 YRS	21	25.5	551	3	11	18	30	62	78	95
6-12 YRS	51	14.6	140	2	7	12	19	27	34	67
13-19 YRS	104	9.0	81	2	3	7	12	18	24	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.5	2	1	2	2	3	5	5	5
B. Operated	13	5.5	22	1	1	5	10	12	13	13
2. MULTIPLE DX										
A. Not Operated	120	4.7	25	1	2	3	5	11	18	25
B. Operated	184	13.8	240	2	4	9	17	28	51	94
1. SINGLE DX	30	3.8	12	1	1	3	5	10	12	13
2. MULTIPLE DX	304	10.2	174	2	2	6	13	24	31	80
A. Not Operated	137	4.5	23	1	2	3	5	11	16	25
B. Operated	197	13.3	229	2	4	9	16	27	46	93
TOTAL										
0-27 DYS	0									
1-11 MOS	18	21.1	726	2	3	7	25	69	83	91
1-5 YRS	42	16.2	382	2	3	11	23	37	62	95
6-12 YRS	111	8.6	99	1	2	5	12	21	27	51
13-19 YRS	163	7.4	64	1	2	5	10	17	20	58
GRAND TOTAL	**334**	**9.7**	**163**	**1**	**2**	**5**	**13**	**22**	**29**	**74**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.0	3	2	2	2	4	5	5	5
6-12 YRS	5	3.6	17	1	1	2	4	11	11	11
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	3.7	14	1	2	3	3	10	12	12
1-5 YRS	9	4.0	8	1	2	4	6	8	8	8
6-12 YRS	10	4.7	7	1	3	4	7	8	9	9
13-19 YRS	10	7.2	58	2	2	5	9	19	27	27
B. Operated										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	4	37.0	1427	3	7	30	67	85	85	85
1-5 YRS	3	3.7	8	2	2	2	6	7	7	7
6-12 YRS	10	7.1	54	2	3	4	6	20	24	24
13-19 YRS	17	6.2	22	1	2	5	9	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	2	1	1	2	3	4	4	4
B. Operated	10	3.6	10	1	2	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	36	5.0	23	1	2	4	7	9	12	27
B. Operated	35	10.3	256	2	2	5	11	24	43	85
1. SINGLE DX	14	3.2	8	1	2	2	4	7	10	11
2. MULTIPLE DX	71	7.6	143	1	2	4	8	14	24	77
A. Not Operated	40	4.8	21	1	2	3	6	9	11	27
B. Operated	45	8.8	207	2	2	5	9	17	30	85
TOTAL										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	12	14.6	671	1	2	3	11	60	81	85
1-5 YRS	18	3.6	6	1	2	3	5	8	8	8
6-12 YRS	25	5.4	28	2	2	3	6	11	19	24
13-19 YRS	29	6.4	32	1	2	5	8	13	17	27
GRAND TOTAL	**85**	**6.9**	**123**	**1**	**2**	**4**	**7**	**12**	**24**	**72**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.7	5	1	2	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	6.3	4	4	5	7	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	3.7	5	1	2	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	3	6.3	4	4	5	7	8	8	8	8
B. Operated	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	3	3.7	5	1	2	5	5	5	5	5
2. MULTIPLE DX	4	6.3	3	4	5	6	7	8	8	8
A. Not Operated	3	6.3	4	4	5	7	8	8	8	8
B. Operated	4	4.3	5	1	3	5	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	5.1	5	2	4	5	7	8	8	8
GRAND TOTAL	**7**	**5.1**	**5**	**2**	**4**	**5**	**7**	**8**	**8**	**8**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	5.0	18	1	2	3	9	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	5.0	18	1	2	3	9	10	10	10
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	5	5.0	18	1	2	3	9	10	10	10
A. Not Operated	5	5.0	18	1	2	3	9	10	10	10
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	5.0	18	1	2	3	9	10	10	10
GRAND TOTAL	**5**	**5.0**	**18**	**1**	**2**	**3**	**9**	**10**	**10**	**10**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	4.0	17	1	1	2	6	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	4.0	17	1	1	2	6	10	10	10
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	4	4.0	17	1	1	2	6	10	10	10
A. Not Operated	4	4.0	17	1	1	2	6	10	10	10
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	4.0	17	1	1	2	6	10	10	10
GRAND TOTAL	**4**	**4.0**	**17**	**1**	**1**	**2**	**6**	**10**	**10**	**10**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	5.7	52	1	1	8	57	99 +	99 +	99 +
1-5 YRS	11	4.5	26	1	1	2	6	13	17	17
6-12 YRS	11	5.3	60	< 1	1	2	7	16	26	27
13-19 YRS	4	2.8	5	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	6	3.0	8	< 1	1	2	5	8	8	8
B. Operated	30	5.0	38	1	1	2	8	16	26	99 +
1. SINGLE DX	4	2.8	8	1	1	2	4	7	7	7
2. MULTIPLE DX	36	4.7	33	1	1	2	7	15	23	99 +
A. Not Operated	7	2.7	8	< 1	1	1	4	7	8	8
B. Operated	33	4.8	35	1	1	2	7	15	25	99 +
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	7	4.7	23	1	1	4	11	74	99 +	99 +
1-5 YRS	14	3.8	22	1	1	2	6	11	16	17
6-12 YRS	13	4.6	53	< 1	1	2	5	13	24	27
13-19 YRS	5	3.6	7	1	2	2	6	7	7	7
GRAND TOTAL	**40**	**4.5**	**31**	**1**	**1**	**2**	**6**	**14**	**21**	**99 +**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	6.0	6	2	4	6	8	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	3	6.0	7	3	4	7	8	8	8	8
13-19 YRS	21	8.1	19	4	6	7	9	15	17	19
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	4.0	7	2	2	3	5	8	9	9
6-12 YRS	4	3.8	6	2	2	3	5	7	7	7
13-19 YRS	19	11.8	57	5	7	9	15	24	29	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.5	7	2	3	5	8	9	9	9
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	26	7.7	17	3	5	7	8	15	16	19
B. Operated	30	8.9	52	2	4	7	11	18	27	31
1. SINGLE DX	9	5.4	7	2	4	5	8	9	9	9
2. MULTIPLE DX	56	8.3	36	2	5	7	10	15	20	31
A. Not Operated	34	7.1	15	3	5	7	8	13	15	19
B. Operated	31	8.8	51	2	4	7	11	17	27	31
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	4.2	5	2	2	4	5	8	9	9
6-12 YRS	8	4.4	7	2	2	3	7	8	8	8
13-19 YRS	48	9.2	36	4	6	8	11	15	21	31
GRAND TOTAL	**65**	**7.9**	**32**	**2**	**5**	**7**	**9**	**15**	**19**	**30**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	19.0	162	10	10	19	28	28	28	28
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	15.8	252	2	2	13	23	39	41	41
1-5 YRS	7	6.6	28	1	2	6	11	14	14	14
6-12 YRS	17	27.5	256	8	14	27	43	47	53	55
13-19 YRS	15	15.3	103	4	7	14	20	32	33	33
B. Operated										
0-27 DYS	0									
1-11 MOS	7	41.0	828	15	16	32	63	84	88	88
1-5 YRS	14	23.7	252	5	10	29	40	52	88	99 +
6-12 YRS	10	22.6	115	12	17	20	25	38	49	49
13-19 YRS	9	20.4	251	2	4	28	32	40	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	2	19.0	162	10	10	19	28	28	28	28
2. MULTIPLE DX										
A. Not Operated	45	18.6	217	2	7	15	29	43	45	55
B. Operated	40	25.7	342	5	14	24	34	52	76	99 +
1. SINGLE DX	3	14.3	146	5	6	10	23	28	28	28
2. MULTIPLE DX	85	22.0	285	3	9	18	32	44	53	96
A. Not Operated	46	18.3	216	2	6	15	29	43	45	55
B. Operated	42	25.4	331	5	13	24	33	52	74	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	13	29.4	689	2	12	23	44	71	85	88
1-5 YRS	23	18.1	226	1	7	13	31	43	66	99 +
6-12 YRS	27	25.7	203	9	16	23	39	47	50	55
13-19 YRS	25	16.7	156	3	5	14	29	33	36	44
GRAND TOTAL	**88**	**21.7**	**280**	**3**	**9**	**17**	**31**	**44**	**52**	**95**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	3.2	8	1	1	2	5	8	9	9
1-11 MOS	13	2.5	4	< 1	1	2	3	5	8	9
1-5 YRS	13	2.2	2	1	1	2	2	4	6	6
6-12 YRS	8	2.0	1	1	1	2	3	3	3	3
13-19 YRS	8	1.1		< 1	1	1	1	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	1.4	1	1	1	1	2	3	3	3
13-19 YRS	15	2.1	2	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	4.4	8	1	3	4	6	9	10	10
1-11 MOS	20	3.7	12	1	2	2	4	8	12	16
1-5 YRS	21	3.1	4	1	2	3	5	6	7	7
6-12 YRS	12	2.3	2	< 1	1	2	3	4	5	5
13-19 YRS	13	2.2	4	< 1	1	2	3	4	7	8
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	14.0	28	8	10	16	17	18	18	18
6-12 YRS	6	12.2	350	1	3	5	8	46	50	50
13-19 YRS	11	4.0	10	1	2	3	5	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.3	3	1	1	2	2	4	7	9
B. Operated	21	2.0	2	1	1	1	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	75	3.1	6	1	2	2	4	7	8	14
B. Operated	22	7.8	110	1	2	5	8	17	31	50
1. SINGLE DX	72	2.2	3	1	1	2	2	4	6	9
2. MULTIPLE DX	97	4.2	33	1	2	3	5	8	11	35
A. Not Operated	126	2.8	5	1	1	2	3	6	8	11
B. Operated	43	5.0	64	1	1	3	5	9	17	50
TOTAL										
0-27 DYS	19	4.1	9	1	2	3	7	9	10	10
1-11 MOS	34	3.3	9	1	2	2	4	7	9	16
1-5 YRS	38	3.6	14	1	2	2	5	7	13	18
6-12 YRS	31	4.0	76	1	1	2	3	6	8	50
13-19 YRS	47	2.4	5	1	1	2	3	5	8	11
GRAND TOTAL	**169**	**3.3**	**21**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.7	1	3	3	3	5	5	5	5
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	0									
6-12 YRS	6	2.2	2	< 1	< 1	1	4	4	4	4
13-19 YRS	14	2.4	5	1	1	2	3	4	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	5.3	17	2	2	4	6	12	13	13
1-11 MOS	11	7.3	15	3	4	7	9	14	14	14
1-5 YRS	14	4.4	11	1	1	4	6	9	11	12
6-12 YRS	28	2.5	3	< 1	1	2	3	5	6	9
13-19 YRS	58	4.1	21	1	2	3	5	8	10	30
B. Operated										
0-27 DYS	3	12.7	110	2	5	13	20	23	23	23
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	5.2	12	2	3	4	6	11	11	11
6-12 YRS	6	5.0	5	< 1	5	5	6	8	8	8
13-19 YRS	23	4.8	16	1	2	4	6	12	13	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.7	5	1	1	2	3	5	9	9
B. Operated	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	117	4.1	16	1	2	3	5	9	11	22
B. Operated	38	5.6	22	1	2	5	8	13	14	23
1. SINGLE DX	29	2.6	5	< 1	1	2	3	5	9	9
2. MULTIPLE DX	155	4.5	18	1	2	3	5	9	13	23
A. Not Operated	142	3.9	14	1	2	3	5	8	10	18
B. Operated	42	5.3	21	1	2	4	6	12	14	23
TOTAL										
0-27 DYS	12	6.8	41	2	3	4	9	16	22	23
1-11 MOS	14	7.1	14	3	4	7	9	14	14	14
1-5 YRS	19	4.6	11	1	2	4	6	10	12	12
6-12 YRS	41	2.8	4	< 1	1	2	4	5	7	9
13-19 YRS	98	3.9	17	1	2	3	5	9	11	24
GRAND TOTAL	**184**	**4.2**	**16**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	40	2.5	4	<1	1	2	3	5	6	12
1-11 MOS	48	3.1	9	1	1	2	4	5	12	14
1-5 YRS	42	2.5	7	<1	1	2	3	3	8	16
6-12 YRS	59	2.6	4	1	1	2	4	5	7	9
13-19 YRS	65	2.5	4	1	1	2	3	5	7	10
B. Operated										
0-27 DYS	7	6.6	20	3	3	4	9	14	15	15
1-11 MOS	6	3.7	2	2	2	4	5	5	5	5
1-5 YRS	15	2.9	5	1	1	2	4	7	7	7
6-12 YRS	53	3.8	12	1	1	2	6	8	10	17
13-19 YRS	105	2.9	7	1	1	2	3	7	8	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	67	3.9	8	2	2	3	5	7	10	15
1-11 MOS	158	5.8	76	1	2	3	6	13	17	57
1-5 YRS	97	3.1	9	1	1	2	4	9	12	99+
6-12 YRS	99	4.1	18	1	1	3	5	8	13	22
13-19 YRS	165	3.5	26	1	1	2	4	6	9	37
B. Operated										
0-27 DYS	22	9.7	84	2	3	5	18	24	27	31
1-11 MOS	46	11.8	111	2	4	9	16	28	38	42
1-5 YRS	57	5.7	51	1	2	4	7	12	16	38
6-12 YRS	98	5.5	32	1	2	4	7	13	17	31
13-19 YRS	168	5.5	48	1	2	4	7	11	15	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	2.6	5	1	1	2	3	5	7	12
B. Operated	186	3.3	9	1	1	2	4	8	9	15
2. MULTIPLE DX										
A. Not Operated	586	4.2	34	1	1	3	5	9	13	36
B. Operated	391	6.5	58	1	2	4	8	14	22	39
1. SINGLE DX	440	2.9	7	1	1	2	3	6	8	14
2. MULTIPLE DX	977	5.1	45	1	2	3	6	11	16	39
A. Not Operated	840	3.7	26	1	1	2	4	8	12	27
B. Operated	577	5.5	44	1	2	3	7	13	17	37
TOTAL										
0-27 DYS	136	4.6	25	1	2	3	5	10	16	26
1-11 MOS	258	6.3	75	1	2	3	8	14	20	42
1-5 YRS	211	3.7	21	1	1	2	4	9	12	61
6-12 YRS	309	4.2	20	1	1	3	5	9	13	23
13-19 YRS	503	3.9	28	1	1	3	5	8	11	30
GRAND TOTAL	**1417**	**4.4**	**34**	**1**	**1**	**3**	**5**	**9**	**14**	**35**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	6	2.0	2	<1	1	2	3	4	4	4
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	22	3.8	5	1	2	3	6	7	8	8
1-11 MOS	237	4.9	20	1	2	4	7	10	13	24
1-5 YRS	126	5.3	17	2	2	4	7	10	13	24
6-12 YRS	36	8.0	39	2	3	6	11	19	22	25
13-19 YRS	79	5.5	10	2	3	5	7	9	12	18
B. Operated										
0-27 DYS	6	9.5	62	1	6	8	11	23	24	24
1-11 MOS	72	19.4	289	3	7	14	28	50	59	99+
1-5 YRS	25	13.3	95	2	5	13	23	30	49	99+
6-12 YRS	11	11.4	90	2	5	10	16	25	34	35
13-19 YRS	20	14.0	171	2	4	9	24	41	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.0	1	<1	1	2	3	4	4	4
B. Operated	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	500	5.3	19	1	2	4	7	10	13	23
B. Operated	134	16.3	217	3	6	11	25	44	57	99+
1. SINGLE DX	15	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX	634	7.6	81	1	3	5	9	17	27	57
A. Not Operated	512	5.2	19	1	2	4	7	10	13	23
B. Operated	137	16.0	217	2	6	11	24	44	56	99+
TOTAL										
0-27 DYS	28	5.0	21	1	2	4	7	9	12	24
1-11 MOS	311	8.2	119	1	2	5	9	20	34	65
1-5 YRS	157	6.4	38	2	3	4	8	15	23	36
6-12 YRS	50	8.4	50	2	3	6	12	19	22	35
13-19 YRS	103	6.9	53	2	3	5	8	14	25	69
GRAND TOTAL	**649**	**7.5**	**80**	**1**	**2**	**5**	**8**	**17**	**26**	**57**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.8	3	< 1	2	2	4	6	6	6
1-5 YRS	5	3.2	4	1	2	3	4	6	6	6
6-12 YRS	0									
13-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	7	5.1	29	1	2	3	5	15	17	17
1-5 YRS	10	9.6	85	< 1	1	6	18	22	26	26
6-12 YRS	12	2.6	3	< 1	1	2	4	5	6	6
13-19 YRS	7	7.0	68	< 1	1	3	9	21	24	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	32	7.4	30	1	3	6	10	17	19	21
1-5 YRS	32	7.0	124	2	2	4	7	11	19	64
6-12 YRS	11	4.3	14	1	2	3	4	10	14	14
13-19 YRS	29	5.2	20	1	2	3	8	12	14	15
B. Operated										
0-27 DYS	5	15.0	49	4	11	17	20	22	22	22
1-11 MOS	30	12.5	194	1	4	8	17	30	45	61
1-5 YRS	36	9.0	86	1	2	6	12	23	30	38
6-12 YRS	35	10.1	303	< 1	1	6	10	18	36	97
13-19 YRS	37	10.2	184	1	2	7	12	20	48	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	3	< 1	1	2	4	6	5	6
B. Operated	36	5.9	48	< 1	1	3	7	18	22	26
2. MULTIPLE DX										
A. Not Operated	106	6.3	53	1	2	4	8	13	16	40
B. Operated	143	10.5	183	1	2	7	14	21	38	63
1. SINGLE DX	49	5.1	37	< 1	1	3	5	17	19	26
2. MULTIPLE DX	249	8.7	132	1	2	5	10	19	30	61
A. Not Operated	119	5.9	49	1	2	4	8	12	16	34
B. Operated	179	9.6	159	< 1	2	6	12	21	32	61
TOTAL										
0-27 DYS	7	11.9	61	4	4	13	18	21	22	22
1-11 MOS	75	8.9	102	1	2	6	10	19	21	57
1-5 YRS	83	7.9	95	1	2	4	10	18	27	55
6-12 YRS	58	7.4	195	< 1	1	3	8	16	26	92
13-19 YRS	75	7.7	109	1	2	4	10	16	23	59
GRAND TOTAL	**298**	**8.1**	**118**	**1**	**2**	**5**	**10**	**18**	**24**	**61**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.5		4	4	4	5	5	5	5
1-5 YRS	6	3.8	9	2	2	3	3	9	10	10
6-12 YRS	11	2.9	7	1	1	2	4	7	10	10
13-19 YRS	42	3.1	4	1	2	3	4	5	6	10
B. Operated										
0-27 DYS	3	6.3	16	2	3	7	9	10	10	10
1-11 MOS	22	3.6	12	1	1	2	7	8	11	13
1-5 YRS	46	2.6	7	< 1	1	1	4	7	8	10
6-12 YRS	48	2.6	6	< 1	1	1	4	7	8	10
13-19 YRS	53	2.9	8	1	1	1	5	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	10.0	40	3	5	9	14	20	22	23
1-11 MOS	35	5.7	47	1	2	4	7	14	16	37
1-5 YRS	52	5.9	29	1	2	5	8	15	17	24
6-12 YRS	44	4.3	29	1	2	3	4	10	14	31
13-19 YRS	101	4.9	37	1	2	3	5	11	14	38
B. Operated										
0-27 DYS	7	19.6	164	7	10	15	30	39	40	40
1-11 MOS	59	9.0	78	1	2	7	12	20	25	43
1-5 YRS	149	6.6	96	< 1	1	4	8	13	22	42
6-12 YRS	130	6.5	45	1	1	5	9	15	21	30
13-19 YRS	102	7.8	60	1	2	7	10	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	3.2	4	1	2	3	4	5	7	10
B. Operated	172	2.9	8	< 1	1	1	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	245	5.4	37	1	2	4	6	12	17	34
B. Operated	447	7.4	74	1	2	5	10	17	24	40
1. SINGLE DX	235	3.0	7	< 1	1	2	4	7	8	11
2. MULTIPLE DX	692	6.7	61	1	2	4	9	15	21	38
A. Not Operated	308	4.9	31	1	2	3	5	11	15	32
B. Operated	619	6.1	60	1	1	4	8	14	20	37
TOTAL										
0-27 DYS	23	12.4	93	3	6	9	16	25	37	40
1-11 MOS	120	6.9	58	1	2	4	10	17	21	39
1-5 YRS	253	5.7	66	< 1	1	3	7	12	17	34
6-12 YRS	233	5.1	35	1	1	3	7	11	17	29
13-19 YRS	298	5.3	39	1	1	3	7	11	16	34
GRAND TOTAL	**927**	**5.7**	**50**	**1**	**1**	**3**	**7**	**13**	**19**	**35**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	4.0	1	3	3	4	5	5	5	5
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	6	14.3	35	10	11	12	15	25	26	26
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	38.0	242	27	27	38	49	49	49	49
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	7	13.7	233	1	4	11	16	40	46	46
13-19 YRS	9	13.6	130	4	9	11	14	31	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.2	5	3	4	5	6	9	9	9
B. Operated	7	13.3	37	8	10	12	14	24	26	26
2. MULTIPLE DX										
A. Not Operated	2	7.0		7	7	7	7	7	7	7
B. Operated	20	15.4	206	2	6	11	16	44	47	49
1. SINGLE DX	12	9.9	40	4	5	9	12	18	25	26
2. MULTIPLE DX	22	14.6	192	3	7	10	15	43	47	49
A. Not Operated	7	5.7	4	3	4	5	7	9	9	9
B. Operated	27	14.8	160	4	7	11	15	39	46	49
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	27.7	441	7	12	27	43	49	49	49
1-5 YRS	4	6.3	1	5	5	6	7	7	7	7
6-12 YRS	10	10.8	177	1	4	5	12	31	46	46
13-19 YRS	16	13.6	83	8	9	11	14	25	37	42
GRAND TOTAL	**34**	**12.9**	**141**	**4**	**6**	**10**	**14**	**28**	**45**	**49**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	24.3	158	11	15	26	33	36	36	36
13-19 YRS	4	27.5	422	13	14	26	68	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	7	26.1	266	12	13	26	46	87	99+	99+
1. SINGLE DX	0									
2. MULTIPLE DX	7	26.1	266	12	13	26	46	87	99+	99+
A. Not Operated	0									
B. Operated	7	26.1	266	12	13	26	46	87	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	24.3	158	11	15	26	33	36	36	36
13-19 YRS	4	27.5	422	13	14	26	68	99+	99+	99+
GRAND TOTAL	**7**	**26.1**	**266**	**12**	**13**	**26**	**46**	**87**	**99+**	**99+**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	5.8	29	1	3	4	7	15	15	15
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	3	3.3	5	2	2	2	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	21	6.0	30	2	2	4	8	12	18	24
1-5 YRS	5	7.4	59	2	3	5	9	21	21	21
6-12 YRS	7	6.7	11	4	4	6	8	12	13	13
13-19 YRS	5	8.2	56	2	3	6	11	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	7.3	34	4	4	5	10	16	16	16
1-11 MOS	18	7.2	31	1	2	6	11	16	18	18
1-5 YRS	11	4.0	10	1	1	3	6	9	10	10
6-12 YRS	5	6.2	27	2	3	5	8	15	15	15
13-19 YRS	9	5.3	11	1	3	5	8	9	10	10
B. Operated										
0-27 DYS	3	20.7	408	9	9	9	35	44	44	44
1-11 MOS	25	11.2	121	3	5	8	12	24	43	45
1-5 YRS	32	16.1	320	3	5	11	20	29	72	79
6-12 YRS	28	10.7	99	2	3	8	16	24	29	44
13-19 YRS	31	17.4	413	2	6	8	20	48	62	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.7	18	1	2	4	5	11	15	15
B. Operated	38	6.6	31	2	2	5	8	14	21	24
2. MULTIPLE DX										
A. Not Operated	47	6.0	22	1	2	5	8	14	16	18
B. Operated	119	14.3	253	2	4	9	18	32	45	81
1. SINGLE DX	47	6.2	29	2	2	4	8	14	21	24
2. MULTIPLE DX	166	11.9	201	2	4	8	15	24	43	78
A. Not Operated	56	5.8	21	1	2	4	8	14	16	18
B. Operated	157	12.4	209	2	4	8	15	25	43	78
TOTAL										
0-27 DYS	7	13.0	205	4	4	9	14	38	44	44
1-11 MOS	69	8.2	66	2	3	6	10	16	24	44
1-5 YRS	49	12.2	243	2	3	7	16	22	35	78
6-12 YRS	40	9.5	77	2	4	7	12	21	26	44
13-19 YRS	48	13.3	303	2	4	8	15	33	57	89
GRAND TOTAL	**213**	**10.7**	**168**	**2**	**3**	**7**	**12**	**21**	**33**	**77**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	12.7	14	10	10	11	15	17	17	17
B. Operated										
0-27 DYS	0									
1-11 MOS	1	45.0		45	45	45	45	45	45	45
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	7	15.4	49	7	14	16	45	99 +	99 +	99 +
13-19 YRS	5	22.4	515	8	9	11	31	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	6.9	35	1	3	3	11	16	17	17
B. Operated	15	18.3	257	5	9	15	31	92	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	22	14.6	211	3	5	11	20	66	99 +	99 +
A. Not Operated	7	6.9	35	1	3	3	11	16	17	17
B. Operated	15	18.3	257	5	9	15	31	92	99 +	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	1	45.0		45	45	45	45	45	45	45
1-5 YRS	5	3.6	2	3	3	3	4	6	6	6
6-12 YRS	8	13.6	68	3	10	16	27	99 +	99 +	99 +
13-19 YRS	8	18.8	324	9	10	11	19	50	62	62
GRAND TOTAL	**22**	**14.6**	**211**	**3**	**5**	**11**	**20**	**66**	**99 +**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	12.0	8	10	10	12	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	12.0	8	10	10	12	14	14	14	14
1. SINGLE DX	0									
2. MULTIPLE DX	2	12.0	8	10	10	12	14	14	14	14
A. Not Operated	0									
B. Operated	2	12.0	8	10	10	12	14	14	14	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	12.0	8	10	10	12	14	14	14	14
GRAND TOTAL	**2**	**12.0**	**8**	**10**	**10**	**12**	**14**	**14**	**14**	**14**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	7.3	20	2	4	7	10	14	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	11.6	34	4	8	12	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	7.3	20	2	4	7	10	14	15	15
B. Operated	5	11.6	34	4	8	12	15	20	20	20
1. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX	12	9.1	28	3	5	8	12	16	19	20
A. Not Operated	9	6.7	16	3	4	5	8	13	15	15
B. Operated	5	11.6	34	4	8	12	15	20	20	20
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	8.4	27	3	4	7	12	15	19	20
GRAND TOTAL	**14**	**8.4**	**27**	**3**	**4**	**7**	**12**	**15**	**19**	**20**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	5.3	14	1	2	7	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	8.5	8	5	6	8	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	5.3	14	1	2	7	8	8	8	8
B. Operated	4	8.5	8	5	6	8	10	12	12	12
1. SINGLE DX	0									
2. MULTIPLE DX	7	7.1	12	2	5	8	9	11	12	12
A. Not Operated	3	5.3	14	1	2	7	8	8	8	8
B. Operated	4	8.5	8	5	6	8	10	12	12	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	7.1	12	2	5	8	9	11	12	12
GRAND TOTAL	**7**	**7.1**	**12**	**2**	**6**	**8**	**9**	**11**	**12**	**12**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	4.0	5	1	2	4	5	7	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	5.0	4	3	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	2	1	1	3	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	4.0	5	1	2	4	5	7	8	8
B. Operated	3	5.0	4	3	3	5	6	7	7	7
1. SINGLE DX	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX	13	4.2	5	2	2	5	6	7	8	8
A. Not Operated	13	3.7	4	1	2	4	5	6	8	8
B. Operated	3	5.0	4	3	3	5	6	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	15	3.9	5	1	2	4	5	7	8	8
GRAND TOTAL	**16**	**3.9**	**4**	**1**	**2**	**4**	**5**	**7**	**8**	**8**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	8.1	48	2	3	4	14	18	19	19
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	7.0	17	2	4	7	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	8.1	48	2	3	4	14	18	19	19
B. Operated	4	7.0	17	2	4	7	10	12	12	12
1. SINGLE DX	0									
2. MULTIPLE DX	11	7.7	34	2	3	7	11	17	19	19
A. Not Operated	7	8.1	48	2	3	4	14	18	19	19
B. Operated	4	7.0	17	2	4	7	10	12	12	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	7.7	34	2	3	7	11	17	19	19
GRAND TOTAL	**11**	**7.7**	**34**	**2**	**3**	**7**	**11**	**17**	**19**	**19**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	12.0		12	12	12	12	12	12	12
B. Operated	1	14.0		14	14	14	14	14	14	14
1. SINGLE DX	0									
2. MULTIPLE DX	2	13.0	2	12	12	13	14	14	14	14
A. Not Operated	1	12.0		12	12	12	12	12	12	12
B. Operated	1	14.0		14	14	14	14	14	14	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	13.0	2	12	12	13	14	14	14	14
GRAND TOTAL	**2**	**13.0**	**2**	**12**	**12**	**13**	**14**	**14**	**14**	**14**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
6-12 YRS	8	3.3	10	< 1	1	2	4	9	10	10
13-19 YRS	10	7.7	25	1	3	8	10	14	18	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	12	5.7	17	1	2	4	9	12	13	13
6-12 YRS	17	4.7	8	2	2	5	6	9	10	10
13-19 YRS	9	5.2	3	2	5	6	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	14	4.6	6	1	3	4	7	8	8	8
6-12 YRS	18	9.6	102	2	4	7	13	35	74	99+
13-19 YRS	19	11.2	75	1	5	10	16	22	30	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.5	1	3	4	5	5	5	5	5
B. Operated	20	5.4	22	< 1	1	4	9	11	14	18
2. MULTIPLE DX										
A. Not Operated	41	5.6	12	2	3	5	7	11	13	14
B. Operated	52	8.8	69	1	3	7	11	19	33	98
1. SINGLE DX	24	5.3	18	1	2	4	8	10	13	18
2. MULTIPLE DX	93	7.4	46	2	3	6	10	15	22	75
A. Not Operated	45	5.5	11	2	3	5	7	10	13	14
B. Operated	72	7.9	58	1	3	6	10	17	25	87
TOTAL										
0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	4	8.3	18	5	5	7	11	14	14	14
1-5 YRS	29	4.9	11	1	3	4	7	9	12	13
6-12 YRS	43	6.5	53	1	2	5	8	14	29	99+
13-19 YRS	39	8.8	49	1	5	7	11	17	22	35
GRAND TOTAL	**117**	**7.0**	**41**	**1**	**3**	**6**	**9**	**14**	**18**	**61**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	7.5	61	2	2	7	13	13	13	13
6-12 YRS	4	10.3	101	3	4	6	16	25	25	25
13-19 YRS	4	12.5	40	6	8	11	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	13	3	3	5	8	8	8	8
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	4	6.8	11	2	4	8	9	9	9	9
B. Operated	12	9.5	55	2	4	7	13	22	25	25
1. SINGLE DX	3	6.0	7	3	4	7	8	8	8	8
2. MULTIPLE DX	16	8.8	44	2	4	8	11	20	24	25
A. Not Operated	6	6.3	9	2	3	7	9	9	9	9
B. Operated	13	9.3	51	2	4	7	13	22	24	25
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	4.3	17	1	1	3	7	9	9	9
1-5 YRS	3	8.0	31	2	4	9	12	13	13	13
6-12 YRS	6	8.5	72	2	3	6	8	23	25	25
13-19 YRS	6	10.7	32	6	7	9	13	20	21	21
GRAND TOTAL	**19**	**8.4**	**39**	**2**	**4**	**7**	**10**	**18**	**23**	**25**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	1.5	1	1	1	1	2	2	2	2
1. SINGLE DX	0									
2. MULTIPLE DX	2	1.5	1	1	1	1	2	2	2	2
A. Not Operated	0									
B. Operated	2	1.5	1	1	1	1	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	17.7	63	8	12	16	25	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	6	17.7	63	8	12	16	25	29	29	29
1. SINGLE DX	0									
2. MULTIPLE DX	6	17.7	63	8	12	16	25	29	29	29
A. Not Operated	0									
B. Operated	6	17.7	63	8	12	16	25	29	29	29
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	17.7	63	8	12	16	25	29	29	29
GRAND TOTAL	**6**	**17.7**	**63**	**8**	**12**	**16**	**25**	**29**	**29**	**29**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.5	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.5	10	1	3	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	2.5	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	4	5.5	10	1	3	6	7	8	8	8
1. SINGLE DX	4	2.5	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX	4	5.5	10	1	3	6	7	8	8	8
A. Not Operated	0									
B. Operated	8	4.0	8	<1	1	4	6	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	4.0	8	<1	1	4	6	8	8	8
GRAND TOTAL	**8**	**4.0**	**8**	**<1**	**1**	**4**	**6**	**8**	**8**	**8**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	6.0	8	4	4	6	8	8	8	8
13-19 YRS	3	5.3	1	4	4	6	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	14.9	124	2	8	12	21	32	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	7	5.0	5	2	4	6	6	8	8	8
B. Operated	7	14.9	124	2	8	12	21	32	35	35
1. SINGLE DX	6	3.0	9	1	1	2	3	8	9	9
2. MULTIPLE DX	14	9.9	86	1	4	7	12	23	32	35
A. Not Operated	8	5.5	6	2	4	6	7	9	9	9
B. Operated	12	9.4	113	1	2	5	14	26	34	35
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	6.0	8	4	4	6	8	8	8	8
13-19 YRS	16	8.6	86	1	2	6	11	21	31	35
GRAND TOTAL	**20**	**7.9**	**72**	**1**	**2**	**6**	**9**	**19**	**28**	**35**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	40	3.5	5	< 1	1	3	5	6	8	11
1-5 YRS	330	3.5	4	1	2	3	4	6	7	11
6-12 YRS	67	3.4	6	1	1	3	4	6	8	13
13-19 YRS	13	3.1	7	< 1	1	2	5	7	9	9
B. Operated										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	3.0	4	1	2	2	4	6	8	8
6-12 YRS	9	5.6	67	1	2	3	5	18	27	27
13-19 YRS	12	3.7	20	1	1	2	4	9	16	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	87	4.9	5	2	3	5	6	8	8	12
1-5 YRS	265	4.6	7	2	3	4	5	8	10	14
6-12 YRS	89	4.7	8	2	3	4	6	8	10	16
13-19 YRS	50	4.4	17	1	2	3	6	7	8	22
B. Operated										
0-27 DYS	0									
1-11 MOS	15	7.7	47	1	2	5	13	16	21	23
1-5 YRS	21	8.2	127	2	3	6	8	26	73	99 +
6-12 YRS	28	11.1	258	1	4	6	12	24	31	84
13-19 YRS	36	7.3	64	1	2	4	10	15	25	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	3.4	5	1	2	3	4	6	7	11
B. Operated	34	4.9	54	1	1	3	5	9	25	35
2. MULTIPLE DX										
A. Not Operated	491	4.6	8	2	3	4	6	8	10	15
B. Operated	100	8.6	128	1	3	6	10	19	26	92
1. SINGLE DX	485	3.5	8	1	2	3	4	6	7	13
2. MULTIPLE DX	591	5.3	30	1	3	4	6	9	12	25
A. Not Operated	942	4.1	7	1	2	4	5	7	9	12
B. Operated	134	7.7	111	1	2	4	9	17	27	36
TOTAL										
0-27 DYS	2	18.0	578	< 1	< 1	17	35	35	35	35
1-11 MOS	143	4.8	11	1	3	5	6	8	11	16
1-5 YRS	627	4.1	10	1	2	4	5	7	9	14
6-12 YRS	193	5.2	51	1	2	4	6	9	13	26
13-19 YRS	111	5.1	33	1	1	3	6	10	17	32
GRAND TOTAL	**1076**	**4.5**	**21**	**1**	**2**	**4**	**5**	**8**	**10**	**23**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	6.5	41	2	2	6	11	11	11	11
13-19 YRS	21	7.6	16	1	5	7	11	13	14	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	6.5	2	4	6	7	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	8.0	26	1	4	9	12	14	14	14
13-19 YRS	18	8.7	51	1	5	7	13	15	25	31
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	2	10.5	113	3	3	10	18	18	18	18
13-19 YRS	15	9.1	107	1	2	8	11	14	36	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	7.1	17	1	4	7	11	12	13	15
B. Operated	7	6.0	3	3	4	7	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	24	8.4	43	1	4	7	12	14	20	31
B. Operated	18	9.1	95	1	3	7	11	17	33	43
1. SINGLE DX	32	6.8	14	2	4	7	10	12	13	15
2. MULTIPLE DX	42	8.7	64	1	3	7	11	15	23	43
A. Not Operated	49	7.7	30	1	4	7	11	14	15	31
B. Operated	25	8.2	70	2	3	7	9	14	24	43
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	10	7.7	33	1	3	7	11	16	18	18
13-19 YRS	60	8.2	46	1	4	7	11	14	15	42
GRAND TOTAL	**74**	**7.9**	**43**	**1**	**4**	**7**	**11**	**14**	**15**	**40**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.8	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	15.0	338	2	2	15	28	28	28	28
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	6.0	75	1	1	1	12	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	1.8	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	2	15.0	338	2	2	15	28	28	28	28
B. Operated	3	6.0	75	1	1	1	12	16	16	16
1. SINGLE DX	10	1.8	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX	5	9.6	146	1	1	2	19	28	28	28
A. Not Operated	2	15.0	338	2	2	15	28	28	28	28
B. Operated	13	2.8	17	< 1	1	1	3	6	14	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	4.4	57	1	1	1	3	16	25	28
GRAND TOTAL	**15**	**4.4**	**57**	**1**	**1**	**1**	**3**	**16**	**25**	**28**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.0	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.3		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	2.9	8	1	1	2	3	5	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	2	1	1	2	3	4	4	4
B. Operated	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	9	1.4	1	1	1	1	2	3	3	3
B. Operated	18	2.7	7	1	1	2	3	5	9	12
1. SINGLE DX	8	1.9	1	1	1	2	3	4	4	4
2. MULTIPLE DX	27	2.3	5	1	1	2	2	4	6	12
A. Not Operated	13	1.6	1	1	1	1	2	3	4	4
B. Operated	22	2.5	6	1	1	2	3	4	8	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	29	2.3	5	1	1	2	3	4	5	12
GRAND TOTAL	**35**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**5**	**12**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	2.3	2	1	1	2	3	5	5	5
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	15	3.2	5	1	2	3	4	6	8	9
13-19 YRS	50	5.2	17	1	2	4	7	11	14	17
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	10	1.8	1	< 1	1	1	3	4	4	4
6-12 YRS	16	2.1	9	< 1	< 1	1	1	6	10	12
13-19 YRS	69	4.1	23	< 1	1	1	6	9	14	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	12	5.6	16	1	2	5	9	11	11	11
1-5 YRS	29	5.0	34	< 1	2	3	6	9	24	24
6-12 YRS	40	3.6	8	1	1	3	5	7	8	15
13-19 YRS	128	5.4	36	1	2	3	8	11	13	27
B. Operated										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	11	15.3	379	1	2	6	25	51	51	51
1-5 YRS	57	6.7	94	< 1	1	3	8	18	33	40
6-12 YRS	38	5.3	51	< 1	1	2	6	16	22	33
13-19 YRS	78	7.0	43	1	2	5	10	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	4.4	14	1	1	4	6	9	12	17
B. Operated	97	3.6	19	< 1	1	1	6	8	12	23
2. MULTIPLE DX										
A. Not Operated	212	5.0	29	1	2	3	7	10	13	24
B. Operated	186	7.1	82	1	1	4	9	18	28	47
1. SINGLE DX	175	3.9	17	< 1	1	2	6	9	12	19
2. MULTIPLE DX	398	5.9	55	1	2	3	8	12	19	39
A. Not Operated	290	4.8	25	1	2	3	7	10	13	22
B. Operated	283	5.9	63	< 1	1	3	8	13	21	39
TOTAL										
0-27 DYS	7	7.0	13	2	4	7	9	12	12	12
1-11 MOS	33	7.8	155	1	2	3	8	16	48	51
1-5 YRS	99	5.5	66	< 1	1	2	6	15	26	39
6-12 YRS	109	3.9	24	< 1	1	2	5	8	12	28
13-19 YRS	325	5.5	33	1	1	4	8	12	14	25
GRAND TOTAL	**573**	**5.3**	**44**	**1**	**1**	**3**	**7**	**12**	**17**	**34**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	178	2.5	1	1	2	2	3	4	5	6
1-11 MOS	1260	2.2	2	1	1	2	3	4	4	6
1-5 YRS	1811	1.8	1	< 1	1	1	2	3	4	6
6-12 YRS	275	1.9	1	1	1	2	2	3	4	6
13-19 YRS	214	2.9	10	1	2	2	3	5	6	9
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	8.1	157	2	2	4	5	27	42	45
1-5 YRS	61	1.8	4	< 1	< 1	1	2	4	5	10
6-12 YRS	92	1.4	2	< 1	< 1	1	1	2	3	11
13-19 YRS	63	1.6	7	< 1	1	1	1	3	4	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	270	2.8	3	1	2	3	3	4	5	10
1-11 MOS	2752	2.9	6	1	2	2	3	5	7	11
1-5 YRS	3417	2.6	4	1	1	2	3	5	6	10
6-12 YRS	745	2.7	3	1	1	2	3	5	6	10
13-19 YRS	813	3.1	6	1	2	3	4	5	6	12
B. Operated										
0-27 DYS	3	7.0	63	1	2	4	13	16	16	16
1-11 MOS	78	10.3	111	2	4	7	12	21	27	61
1-5 YRS	194	4.7	36	< 1	1	2	6	11	16	31
6-12 YRS	179	3.1	18	< 1	1	1	3	9	11	20
13-19 YRS	126	4.7	30	1	1	2	7	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3738	2.0	2	1	1	2	3	4	4	6
B. Operated	229	1.9	13	< 1	1	1	1	4	5	19
2. MULTIPLE DX										
A. Not Operated	7997	2.8	5	1	2	2	3	5	6	11
B. Operated	580	5.0	44	1	1	2	7	12	16	30
1. SINGLE DX	3967	2.0	3	1	1	2	2	4	4	7
2. MULTIPLE DX	8577	3.0	8	1	1	2	3	5	7	13
A. Not Operated	11735	2.6	4	1	1	2	3	4	6	10
B. Operated	809	4.1	37	< 1	1	1	5	11	15	29
TOTAL										
0-27 DYS	452	2.7	3	1	2	3	3	4	5	10
1-11 MOS	4102	2.9	8	1	2	2	3	5	6	12
1-5 YRS	5483	2.4	5	1	1	2	3	4	6	11
6-12 YRS	1291	2.5	5	1	1	2	3	5	6	12
13-19 YRS	1216	3.2	9	1	2	3	4	5	7	15
GRAND TOTAL	**12544**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	124	3.4	17	1	2	3	4	5	6	19
1-11 MOS	2986	3.0	3	1	2	3	4	5	6	9
1-5 YRS	989	2.2	2	1	1	2	3	4	4	7
6-12 YRS	85	2.0	1	1	1	2	2	4	4	6
13-19 YRS	53	2.8	2	1	2	3	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	5	6.6	16	3	4	5	9	13	13	13
1-5 YRS	12	1.6	1	< 1	1	1	2	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	664	4.6	9	2	3	4	6	8	10	14
1-11 MOS	11731	3.8	7	2	2	3	5	7	8	14
1-5 YRS	3325	3.3	6	1	2	3	4	6	7	12
6-12 YRS	264	4.0	15	1	2	3	4	8	13	20
13-19 YRS	287	5.4	26	2	2	3	6	14	16	25
B. Operated										
0-27 DYS	15	9.7	42	3	4	7	16	18	22	23
1-11 MOS	162	14.4	252	3	5	10	17	32	62	99 +
1-5 YRS	56	10.2	114	1	4	7	13	21	34	56
6-12 YRS	12	13.6	49	2	10	17	20	37	88	99 +
13-19 YRS	22	10.8	45	3	5	10	15	20	23	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4237	2.8	3	1	2	2	3	5	6	8
B. Operated	19	3.2	10	1	1	2	4	7	11	13
2. MULTIPLE DX										
A. Not Operated	16271	3.8	8	1	2	3	5	7	9	15
B. Operated	267	12.9	188	3	5	9	17	25	48	99 +
1. SINGLE DX	4256	2.8	3	1	2	2	3	5	6	8
2. MULTIPLE DX	16538	3.9	12	1	2	3	5	7	9	17
A. Not Operated	20508	3.6	7	1	2	3	4	6	8	14
B. Operated	286	12.3	182	2	4	8	15	24	46	99 +
TOTAL										
0-27 DYS	803	4.5	12	2	2	4	5	8	10	17
1-11 MOS	14884	3.8	11	1	2	3	5	7	8	15
1-5 YRS	4382	3.1	7	1	2	2	4	5	7	13
6-12 YRS	362	3.8	17	1	2	3	4	8	15	21
13-19 YRS	363	5.3	26	2	2	3	6	14	16	26
GRAND TOTAL	**20794**	**3.7**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	1.3	1	1	1	1	1	3	4	4
13-19 YRS	78	1.0		< 1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	35	1.1		< 1	1	1	1	1	2	2
13-19 YRS	295	1.2		1	1	1	1	2	2	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	88	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	332	1.1		1	1	1	1	2	2	3
1. SINGLE DX	90	1.1		1	1	1	1	1	1	3
2. MULTIPLE DX	332	1.1		1	1	1	1	2	2	3
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	420	1.1		1	1	1	1	2	2	3
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	44	1.1		< 1	1	1	1	1	2	4
13-19 YRS	375	1.1		1	1	1	1	2	2	3
GRAND TOTAL	**422**	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	5	1.0		1	1	1	1	1	1	1
13-19 YRS	9	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	2.5	3	1	1	2	3	5	6	6
6-12 YRS	50	2.8	8	1	1	1	4	7	9	14
13-19 YRS	49	2.8	10	1	1	1	3	7	8	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	15	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	3	3.0	4	1	1	3	4	5	5	5
B. Operated	111	2.8	9	1	1	1	4	6	8	16
1. SINGLE DX	17	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX	114	2.8	8	1	1	1	4	6	8	16
A. Not Operated	5	2.2	3	< 1	1	1	3	5	5	5
B. Operated	126	2.6	8	1	1	1	3	6	8	15
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.7	4	< 1	< 1	2	4	5	5	5
1-5 YRS	11	2.5	3	1	1	2	3	5	6	6
6-12 YRS	58	2.6	8	1	1	1	4	6	9	14
13-19 YRS	59	2.6	9	1	1	1	3	6	8	18
GRAND TOTAL	**131**	**2.6**	**8**	**1**	**1**	**1**	**3**	**6**	**8**	**15**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	1.1		< 1	1	1	1	2	2	2
6-12 YRS	21	1.1		< 1	1	1	1	2	2	3
13-19 YRS	35	1.2		1	1	1	1	2	2	3
B. Operated										
0-27 DYS	0									
1-11 MOS	9	1.2		< 1	< 1	1	1	2	3	3
1-5 YRS	2302	1.1	1	< 1	1	1	1	1	2	3
6-12 YRS	3085	1.0		< 1	1	1	1	1	1	2
13-19 YRS	1700	1.0		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	11	3.9	6	2	2	3	5	8	9	9
1-5 YRS	97	2.0	2	< 1	1	1	3	4	5	8
6-12 YRS	51	1.7	2	< 1	< 1	1	2	4	4	8
13-19 YRS	33	2.2	2	< 1	1	2	3	5	5	5
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	36	3.6	14	1	1	1	7	10	11	12
1-5 YRS	4494	1.3	2	1	1	1	1	2	3	7
6-12 YRS	3399	1.2	2	1	1	1	1	1	2	4
13-19 YRS	844	1.2	1	1	1	1	1	2	2	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	1.2		< 1	1	1	1	2	2	3
B. Operated	7096	1.0		< 1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	194	2.1	3	< 1	1	1	3	4	5	8
B. Operated	8774	1.3	2	1	1	1	1	2	2	6
1. SINGLE DX	7167	1.1		< 1	1	1	1	1	1	2
2. MULTIPLE DX	8968	1.3	2	1	1	1	1	2	2	6
A. Not Operated	265	1.9	2	< 1	1	1	2	4	5	8
B. Operated	15870	1.2	1	1	1	1	1	1	2	4
TOTAL										
0-27 DYS	3	3.7	14	1	1	2	6	8	8	8
1-11 MOS	57	3.2	11	1	1	2	5	9	10	12
1-5 YRS	6907	1.2	2	1	1	1	1	2	2	6
6-12 YRS	6556	1.1	1	< 1	1	1	1	1	2	3
13-19 YRS	2612	1.1		1	1	1	1	1	2	4
GRAND TOTAL	**16135**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**5**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	12	3.8	11	1	1	3	4	10	11	11
1-11 MOS	76	2.7	6	1	1	2	3	6	8	14
1-5 YRS	202	2.5	6	1	1	2	3	5	7	15
6-12 YRS	171	2.5	3	1	1	2	3	4	6	8
13-19 YRS	251	2.5	2	1	2	2	3	4	5	6
B. Operated										
0-27 DYS	6	4.5	6	1	2	5	6	7	7	7
1-11 MOS	65	6.7	128	< 1	1	3	8	16	23	72
1-5 YRS	277	2.4	26	< 1	1	1	2	5	8	13
6-12 YRS	279	2.0	5	< 1	1	1	2	4	7	13
13-19 YRS	385	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	17	4.0	8	1	2	3	6	8	9	10
1-11 MOS	165	3.7	14	1	2	3	5	7	9	14
1-5 YRS	538	3.2	9	1	2	3	4	6	8	14
6-12 YRS	319	3.2	6	1	2	3	4	6	7	14
13-19 YRS	276	3.4	12	1	2	3	4	6	8	14
B. Operated										
0-27 DYS	10	7.8	29	2	3	7	11	16	17	17
1-11 MOS	182	11.4	160	1	2	7	16	29	45	99 +
1-5 YRS	668	4.5	51	1	1	2	5	11	16	31
6-12 YRS	511	3.3	33	1	1	1	3	8	10	32
13-19 YRS	524	2.9	9	1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	712	2.5	4	1	1	2	3	4	6	10
B. Operated	1012	2.5	19	< 1	1	1	3	5	7	16
2. MULTIPLE DX										
A. Not Operated	1315	3.3	9	1	2	3	4	6	8	14
B. Operated	1895	4.4	50	1	1	2	5	10	16	40
1. SINGLE DX	1724	2.5	13	1	1	2	3	4	7	14
2. MULTIPLE DX	3210	4.0	34	1	1	2	4	8	13	32
A. Not Operated	2027	3.1	8	1	2	2	4	5	7	13
B. Operated	2907	3.7	40	1	1	2	4	8	14	33
TOTAL										
0-27 DYS	45	4.9	15	1	2	4	7	10	12	17
1-11 MOS	488	6.8	96	1	2	3	8	18	28	63
1-5 YRS	1685	3.5	29	1	1	2	4	7	11	24
6-12 YRS	1280	2.9	16	1	1	2	3	6	8	16
13-19 YRS	1436	2.7	6	1	1	2	3	5	6	14
GRAND TOTAL	**4934**	**3.5**	**27**	**1**	**1**	**2**	**4**	**7**	**10**	**27**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	15	4.9	9	3	3	4	6	8	12	14
1-11 MOS	142	3.7	5	2	2	3	5	7	8	11
1-5 YRS	224	3.0	3	1	2	3	4	5	6	9
6-12 YRS	108	3.6	5	2	2	3	4	7	8	13
13-19 YRS	111	4.2	7	2	2	3	6	8	9	12
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	0									
1-5 YRS	7	5.0	7	1	3	4	8	8	8	8
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	45	7.9	60	2	4	6	10	12	15	52
1-11 MOS	497	5.8	18	2	3	5	7	11	14	18
1-5 YRS	868	5.2	16	2	3	4	7	11	13	20
6-12 YRS	501	7.5	54	2	3	5	10	14	16	27
13-19 YRS	427	7.8	24	3	4	7	11	14	17	23
B. Operated										
0-27 DYS	6	21.5	958	3	8	9	16	77	84	84
1-11 MOS	36	16.7	95	7	10	14	21	39	77	99 +
1-5 YRS	106	15.1	192	4	8	11	18	28	58	99 +
6-12 YRS	79	15.8	141	5	8	15	21	27	30	75
13-19 YRS	74	16.9	181	6	9	13	19	34	46	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	600	3.6	5	2	2	3	4	7	8	11
B. Operated	9	6.0	13	2	4	6	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	2338	6.3	28	2	3	5	8	13	15	21
B. Operated	301	16.0	176	5	9	13	19	30	46	99 +
1. SINGLE DX	609	3.6	5	2	2	3	4	7	8	12
2. MULTIPLE DX	2639	7.4	54	2	3	5	10	15	19	39
A. Not Operated	2938	5.8	25	2	3	4	8	12	14	21
B. Operated	310	15.8	174	5	8	13	19	29	45	99 +
TOTAL										
0-27 DYS	67	8.4	133	2	4	6	10	13	16	79
1-11 MOS	675	5.9	27	2	3	5	7	11	15	31
1-5 YRS	1205	5.6	38	2	2	4	7	12	15	27
6-12 YRS	689	7.8	66	2	3	5	11	15	21	35
13-19 YRS	612	8.3	51	2	4	6	11	15	19	38
GRAND TOTAL	**3248**	**6.7**	**47**	**2**	**3**	**5**	**9**	**14**	**17**	**32**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	248	4.1	6	2	2	4	6	7	8	12
1-11 MOS	2592	3.5	4	2	2	3	4	6	7	10
1-5 YRS	3185	3.0	2	1	2	3	4	5	6	8
6-12 YRS	1372	3.4	3	2	2	3	4	6	7	9
13-19 YRS	554	3.7	3	2	3	3	5	6	7	9
B. Operated										
0-27 DYS	4	9.5	11	7	7	9	12	14	14	14
1-11 MOS	13	4.5	16	1	1	4	7	11	12	12
1-5 YRS	17	4.1	14	< 1	1	3	5	11	12	12
6-12 YRS	7	8.1	5	5	7	8	10	12	12	12
13-19 YRS	11	5.4	8	2	4	5	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	448	5.8	16	2	3	5	7	10	13	23
1-11 MOS	7236	4.4	12	2	3	4	5	8	10	18
1-5 YRS	11135	3.7	7	2	2	3	4	6	8	13
6-12 YRS	3387	4.2	9	2	2	3	5	8	10	15
13-19 YRS	1435	5.0	18	2	3	4	6	9	11	18
B. Operated										
0-27 DYS	29	11.2	125	4	6	9	13	28	56	99 +
1-11 MOS	252	16.5	264	4	7	12	23	53	99	99 +
1-5 YRS	340	11.3	139	2	4	8	14	25	40	99 +
6-12 YRS	149	12.9	132	4	6	10	17	24	38	91
13-19 YRS	115	12.3	95	3	5	10	15	25	31	5[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7951	3.3	3	2	2	3	4	6	7	9
B. Operated	52	5.4	14	1	2	4	8	11	12	14
2. MULTIPLE DX										
A. Not Operated	23641	4.1	10	2	2	3	5	7	9	16
B. Operated	885	13.2	171	3	5	9	17	30	51	99 +
1. SINGLE DX	8003	3.3	3	2	2	3	4	6	7	10
2. MULTIPLE DX	24526	4.4	19	2	2	3	5	8	10	21
A. Not Operated	31592	3.9	8	2	2	3	5	7	9	15
B. Operated	937	12.7	166	3	5	9	16	29	49	99 +
TOTAL										
0-27 DYS	729	5.5	19	2	3	4	7	10	12	23
1-11 MOS	10093	4.5	20	2	2	3	5	8	10	23
1-5 YRS	14677	3.7	11	2	2	3	4	6	8	16
6-12 YRS	4915	4.3	14	2	2	3	5	7	10	18
13-19 YRS	2115	5.1	21	2	3	4	6	9	12	23
GRAND TOTAL	**32529**	**4.2**	**15**	**2**	**2**	**3**	**5**	**7**	**10**	**19**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	2.7	1	2	2	3	3	4	4	4
1-11 MOS	51	2.8	2	1	2	2	4	4	5	10
1-5 YRS	53	3.4	6	1	2	3	4	6	7	15
6-12 YRS	25	2.2	1	1	1	2	3	4	4	4
13-19 YRS	29	2.2	1	1	2	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	3.6	3	2	2	3	4	6	7	7
1-11 MOS	151	4.8	41	2	2	3	5	8	13	38
1-5 YRS	195	3.5	7	1	2	3	4	6	8	15
6-12 YRS	103	3.4	8	1	2	3	4	5	7	18
13-19 YRS	121	3.0	4	1	2	3	4	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	8	9.5	68	2	3	6	16	22	24	24
1-5 YRS	12	9.3	49	2	4	6	15	21	21	21
6-12 YRS	3	12.7	122	1	4	14	21	23	23	23
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	2.8	3	1	2	2	4	4	5	10
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	582	3.7	16	1	2	3	4	6	8	18
B. Operated	23	9.8	59	2	4	6	16	22	23	24
1. SINGLE DX	166	2.9	3	1	2	2	4	4	5	10
2. MULTIPLE DX	605	3.9	19	1	2	3	4	7	10	21
A. Not Operated	747	3.5	13	1	2	3	4	6	8	18
B. Operated	24	9.8	56	2	4	7	15	21	23	24
TOTAL										
0-27 DYS	19	3.3	2	2	2	3	4	6	7	7
1-11 MOS	211	4.5	34	2	2	3	4	8	13	33
1-5 YRS	260	3.8	10	1	2	3	4	7	9	18
6-12 YRS	131	3.4	11	1	2	3	4	5	7	20
13-19 YRS	150	2.9	3	1	2	2	4	5	6	10
GRAND TOTAL	**771**	**3.7**	**15**	**1**	**2**	**3**	**4**	**6**	**9**	**20**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	2.6	1	1	2	3	3	4	4	4
1-11 MOS	87	2.7	2	1	2	2	3	5	6	8
1-5 YRS	114	2.0	1	1	1	2	3	3	4	7
6-12 YRS	28	2.8	2	1	2	2	4	5	6	6
13-19 YRS	15	2.1	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	8	3.1	16	< 1	< 1	1	4	10	12	12
6-12 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	3.8	2	2	3	4	5	6	6	6
1-11 MOS	246	3.6	5	1	2	3	5	6	8	13
1-5 YRS	331	3.1	4	1	2	3	4	5	7	10
6-12 YRS	85	5.1	25	2	3	4	6	9	13	32
13-19 YRS	71	4.3	17	1	2	3	5	10	13	23
B. Operated										
0-27 DYS	0									
1-11 MOS	6	5.8	22	2	4	4	13	83	99 +	99 +
1-5 YRS	25	6.4	124	1	1	2	8	13	26	55
6-12 YRS	5	5.0	46	1	2	2	6	17	17	17
13-19 YRS	9	8.2	43	2	3	5	14	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	2.4	2	1	1	2	3	4	5	7
B. Operated	12	2.8	11	< 1	< 1	2	3	8	11	12
2. MULTIPLE DX										
A. Not Operated	741	3.6	8	1	2	3	4	6	8	14
B. Operated	45	6.6	83	1	1	3	10	17	27	99 +
1. SINGLE DX	261	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	786	3.8	13	1	2	3	4	7	10	17
A. Not Operated	990	3.3	7	1	2	3	4	6	7	14
B. Operated	57	5.8	70	1	1	3	8	15	19	96
TOTAL										
0-27 DYS	13	3.3	2	1	2	3	4	5	6	6
1-11 MOS	341	3.4	5	1	2	3	4	6	7	14
1-5 YRS	478	3.0	10	1	1	2	4	5	7	12
6-12 YRS	120	4.5	21	1	2	3	5	8	12	25
13-19 YRS	95	4.3	18	1	2	3	5	10	14	23
GRAND TOTAL	**1047**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	55	99+	99+	99+	99+
1-5 YRS	4	9.5	54	3	5	7	14	20	20	20
6-12 YRS	0									
13-19 YRS	9	9.1	34	4	5	7	12	18	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	5	5.4	10	2	2	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	3	4.0	3	3	3	3	5	6	6	6
B. Operated	14	9.3	33	4	5	8	13	22	80	99+
1. SINGLE DX	6	5.2	8	2	2	5	8	8	8	8
2. MULTIPLE DX	17	8.4	32	3	4	7	12	21	69	99+
A. Not Operated	4	4.0	2	3	3	4	5	6	6	6
B. Operated	19	8.3	29	3	5	7	11	21	61	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	4	5.8	15	2	3	8	32	99+	99+	99+
1-5 YRS	7	7.3	38	2	3	7	8	18	20	20
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	11	8.5	30	4	4	7	11	17	22	22
GRAND TOTAL	**23**	**7.5**	**27**	**3**	**4**	**7**	**9**	**20**	**45**	**99+**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	980	2.9	2	1	2	3	4	5	6	8
1-5 YRS	7872	2.3	2	1	1	2	3	4	4	6
6-12 YRS	5327	2.5	2	1	2	2	3	4	5	7
13-19 YRS	2399	2.7	5	1	2	2	3	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	7	1.6	1	< 1	< 1	1	2	3	3	3
1-5 YRS	27	4.1	10	1	2	3	5	8	12	15
6-12 YRS	20	4.5	7	2	3	4	5	9	10	11
13-19 YRS	14	3.7	5	2	2	3	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	3.7	3	2	3	3	5	35	91	99+
1-11 MOS	2792	3.5	5	1	2	3	4	6	8	12
1-5 YRS	11475	2.9	4	1	2	2	3	5	6	9
6-12 YRS	4505	3.0	4	1	2	3	4	5	7	10
13-19 YRS	2146	3.4	6	1	2	3	4	6	7	12
B. Operated										
0-27 DYS	0									
1-11 MOS	79	11.9	164	2	4	8	15	23	36	64
1-5 YRS	166	7.9	59	1	3	5	10	18	24	40
6-12 YRS	73	8.7	38	3	4	8	11	16	19	35
13-19 YRS	53	8.1	31	3	4	6	11	16	20	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16581	2.4	2	1	2	2	3	4	5	7
B. Operated	68	3.9	7	1	2	3	5	7	10	14
2. MULTIPLE DX										
A. Not Operated	20929	3.0	4	1	2	3	4	5	7	10
B. Operated	371	8.9	75	2	4	6	11	19	24	45
1. SINGLE DX	16649	2.4	2	1	2	2	3	4	5	7
2. MULTIPLE DX	21300	3.1	6	1	2	3	4	5	7	12
A. Not Operated	37510	2.8	4	1	2	2	3	5	6	9
B. Operated	439	8.1	68	2	3	6	10	17	22	44
TOTAL										
0-27 DYS	14	3.5	3	2	3	3	4	7	77	99+
1-11 MOS	3858	3.5	9	1	2	3	4	6	8	14
1-5 YRS	19540	2.7	4	1	2	2	3	4	6	9
6-12 YRS	9925	2.8	3	1	2	2	3	5	6	9
13-19 YRS	4612	3.1	6	1	2	3	4	5	7	10
GRAND TOTAL	**37949**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**10**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	2	8.5	85	2	2	8	15	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	6.0	13	3	3	5	9	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.3	12	1	2	4	7	8	8	8
6-12 YRS	3	5.3	33	2	2	2	10	12	12	12
13-19 YRS	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.0	9	1	2	4	6	7	7	7
1-5 YRS	8	4.5	7	1	2	4	7	8	8	8
6-12 YRS	11	18.0	669	3	4	8	15	57	88	91
13-19 YRS	20	8.5	19	3	5	8	12	14	16	19
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	6	15.3	269	2	7	9	21	43	46	46
6-12 YRS	16	10.9	54	4	6	9	13	21	29	32
13-19 YRS	13	8.3	46	2	4	6	11	16	25	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.5	21	2	3	3	7	13	15	15
B. Operated	8	5.6	18	1	2	4	9	12	12	12
2. MULTIPLE DX										
A. Not Operated	43	9.8	196	3	4	7	11	15	24	91
B. Operated	37	10.6	83	3	5	8	13	22	30	46
1. SINGLE DX	16	5.6	18	2	2	4	9	12	14	15
2. MULTIPLE DX	80	10.2	142	3	4	7	13	17	29	77
A. Not Operated	51	9.1	170	2	3	6	11	15	19	90
B. Operated	45	9.7	74	2	5	8	12	21	28	46
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	5.0	19	1	3	3	6	13	14	14
1-5 YRS	19	8.3	109	1	2	6	8	19	35	46
6-12 YRS	31	12.6	272	3	4	8	14	26	34	91
13-19 YRS	38	8.2	26	3	5	7	11	13	17	27
GRAND TOTAL	**96**	**9.4**	**124**	**2**	**4**	**7**	**12**	**15**	**25**	**70**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	83	2.2	3	1	1	2	2	4	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	269	5.4	12	2	3	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	4	5.8	24	3	3	4	8	13	13	13
6-12 YRS	5	3.4	9	1	1	2	6	8	8	8
13-19 YRS	22	3.2	7	2	2	3	3	6	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	2	23.5	5	22	22	23	25	25	25	25
1-5 YRS	5	9.0	32	4	4	7	15	15	15	15
6-12 YRS	6	11.8	31	7	8	10	14	21	22	22
13-19 YRS	144	9.2	42	3	4	8	12	18	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	2.1	3	1	1	2	2	4	5	9
B. Operated	271	5.4	12	2	3	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated	33	3.6	9	1	2	3	4	9	11	13
B. Operated	157	9.5	43	3	4	8	13	18	22	30
1. SINGLE DX	359	4.6	12	1	2	4	6	10	12	17
2. MULTIPLE DX	190	8.4	42	2	4	6	12	17	21	30
A. Not Operated	121	2.5	5	1	1	2	3	5	8	12
B. Operated	428	6.9	27	2	3	5	9	14	18	26
TOTAL										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	11.2	131	1	2	6	23	25	25	25
1-5 YRS	10	7.0	28	2	3	4	13	15	15	15
6-12 YRS	14	7.1	37	1	1	7	10	15	20	22
13-19 YRS	518	5.8	24	2	3	4	8	12	16	23
GRAND TOTAL	**549**	**5.9**	**25**	**2**	**3**	**4**	**8**	**12**	**16**	**24**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	2.8	3	< 1	1	3	5	5	5	5
1-5 YRS	8	3.1	4	1	2	3	4	6	7	7
6-12 YRS	4	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	10.9	230	1	1	3	13	37	43	43
1-11 MOS	189	9.6	146	2	3	6	11	21	33	97
1-5 YRS	206	6.6	48	1	2	5	8	14	19	39
6-12 YRS	77	8.0	57	1	3	5	14	19	24	82
13-19 YRS	84	6.6	33	1	2	5	10	14	19	26
B. Operated										
0-27 DYS	5	22.2	54	16	20	20	35	93	99 +	99 +
1-11 MOS	94	23.7	379	8	12	22	49	99 +	99 +	99 +
1-5 YRS	66	24.3	418	4	10	22	36	69	99 +	99 +
6-12 YRS	26	15.2	218	1	4	12	27	52	99 +	99 +
13-19 YRS	18	18.5	352	3	6	11	29	59	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.7	3	1	1	2	4	5	6	7
B. Operated	2	8.5	61	3	3	8	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	563	7.8	83	1	3	5	10	17	26	85
B. Operated	209	22.4	366	4	10	20	38	99 +	99 +	99 +
1. SINGLE DX	25	3.2	8	1	1	3	4	5	9	14
2. MULTIPLE DX	772	11.8	201	2	3	7	16	35	68	99 +
A. Not Operated	586	7.6	81	1	3	5	10	17	26	78
B. Operated	211	22.2	364	4	10	19	37	99 +	99 +	99 +
TOTAL										
0-27 DYS	13	14.5	181	1	2	15	20	49	89	99 +
1-11 MOS	294	13.9	261	2	4	9	20	51	99 +	99 +
1-5 YRS	281	10.6	190	2	3	6	13	32	43	99 +
6-12 YRS	107	9.5	104	1	3	5	15	25	38	99 +
13-19 YRS	102	8.7	107	1	2	5	11	19	28	79
GRAND TOTAL	**797**	**11.5**	**197**	**1**	**3**	**7**	**16**	**34**	**64**	**99 +**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	3.2	4	1	2	2	5	6	7	7
1-11 MOS	222	2.8	4	1	2	2	4	5	6	9
1-5 YRS	528	2.3	3	1	1	2	3	4	4	6
6-12 YRS	162	2.2	3	1	1	2	3	4	5	9
13-19 YRS	81	2.9	6	1	1	2	3	6	8	13
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	29	3.9	24	< 1	1	2	4	12	18	19
1-5 YRS	138	3.9	48	< 1	1	1	4	9	17	43
6-12 YRS	71	2.9	11	1	1	1	4	7	8	19
13-19 YRS	36	4.0	14	1	1	2	7	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	42	5.5	25	2	2	4	6	15	18	20
1-11 MOS	1015	4.6	16	1	2	3	6	9	12	22
1-5 YRS	1437	4.5	28	1	2	3	5	10	14	28
6-12 YRS	457	5.9	39	1	2	4	7	13	16	37
13-19 YRS	390	7.0	40	1	2	5	10	14	20	32
B. Operated										
0-27 DYS	7	9.0	64	3	4	6	20	76	99 +	99 +
1-11 MOS	230	15.2	284	1	3	10	23	51	88	99 +
1-5 YRS	620	9.8	180	1	1	5	13	25	41	88
6-12 YRS	290	10.6	195	1	1	6	15	28	48	99 +
13-19 YRS	205	13.1	176	1	4	8	19	31	49	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1002	2.4	3	1	1	2	3	4	5	8
B. Operated	275	3.7	31	1	1	1	4	8	14	31
2. MULTIPLE DX										
A. Not Operated	3341	5.0	28	1	2	3	6	11	15	28
B. Operated	1352	11.4	203	1	2	7	16	32	49	99 +
1. SINGLE DX	1277	2.7	10	1	1	2	3	5	7	17
2. MULTIPLE DX	4693	6.9	87	1	2	4	8	16	24	62
A. Not Operated	4343	4.4	23	1	2	3	5	10	14	25
B. Operated	1627	10.1	183	1	1	5	13	28	45	99 +
TOTAL										
0-27 DYS	59	5.6	27	1	2	4	7	17	20	92
1-11 MOS	1496	5.9	71	1	2	3	6	13	22	85
1-5 YRS	2723	5.2	65	1	1	3	5	12	19	45
6-12 YRS	980	6.5	86	1	1	3	8	15	23	57
13-19 YRS	712	8.1	86	1	2	5	11	19	27	55
GRAND TOTAL	**5970**	**6.0**	**73**	**1**	**2**	**3**	**7**	**14**	**22**	**55**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	2.8	3	1	1	2	4	5	6	6
6-12 YRS	11	2.6	1	1	2	3	3	4	4	4
13-19 YRS	15	2.3	2	< 1	< 1	2	3	4	5	5
B. Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	3.8	6	1	2	3	5	7	7	7
1-5 YRS	332	1.1		< 1	< 1	< 1	< 1	< 1	1	4
6-12 YRS	153	1.9	6	< 1	< 1	1	2	3	5	8
13-19 YRS	730	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	2.0	1	< 1	1	2	3	3	3	3
1-11 MOS	7	4.4	7	3	3	3	5	9	10	10
1-5 YRS	61	2.8	3	1	2	3	4	5	6	9
6-12 YRS	44	4.1	10	< 1	2	3	5	8	11	14
13-19 YRS	54	3.3	18	< 1	1	2	3	5	8	29
B. Operated										
0-27 DYS	3	44.0	2281	13	15	20	79	99	99	99 +
1-11 MOS	5	2.0	1	< 1	1	2	3	3	3	3
1-5 YRS	429	1.6	2	< 1	< 1	1	2	3	4	8
6-12 YRS	427	2.1	4	< 1	1	1	2	4	5	9
13-19 YRS	1035	2.4	3	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.5	2	< 1	1	2	3	4	5	6
B. Operated	1221	1.7	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	170	3.3	10	1	2	3	4	6	9	14
B. Operated	1899	2.2	8	< 1	1	2	3	4	5	10
1. SINGLE DX	1261	1.8	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	2069	2.3	8	< 1	1	2	3	4	5	10
A. Not Operated	210	3.2	8	< 1	2	3	4	6	8	13
B. Operated	3120	2.0	6	< 1	1	2	2	4	4	8
TOTAL										
0-27 DYS	10	14.6	919	< 1	2	3	13	59	99	99
1-11 MOS	17	3.4	5	1	2	3	4	7	9	10
1-5 YRS	834	1.5	2	< 1	< 1	< 1	1	3	4	8
6-12 YRS	635	2.2	5	< 1	1	1	2	4	6	11
13-19 YRS	1834	2.3	3	1	1	2	3	4	4	8
GRAND TOTAL	**3330**	**2.1**	**6**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	4.2	2	3	3	4	5	6	6	6
1-11 MOS	36	3.7	6	1	2	3	4	8	9	10
1-5 YRS	61	3.2	3	1	2	3	4	6	7	10
6-12 YRS	37	3.6	4	2	2	3	4	7	8	10
13-19 YRS	27	3.3	4	1	2	3	5	6	7	8
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	8	2.0	4	< 1	1	1	2	6	7	7
1-5 YRS	85	2.1	2	< 1	1	2	2	4	5	8
6-12 YRS	118	2.3	4	< 1	1	2	3	5	6	10
13-19 YRS	61	2.0	2	1	1	2	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	3.7	3	2	3	3	4	7	7	7
1-11 MOS	104	3.9	5	2	2	4	5	7	9	11
1-5 YRS	189	3.3	3	1	2	3	4	6	7	9
6-12 YRS	69	4.2	10	1	2	4	5	8	9	17
13-19 YRS	68	4.8	18	2	2	4	5	9	11	28
B. Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	14	4.6	22	1	1	3	6	12	16	17
1-5 YRS	148	3.2	42	1	1	2	3	6	9	17
6-12 YRS	158	2.2	3	1	1	2	3	4	5	12
13-19 YRS	73	2.7	5	1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	3.5	4	1	2	3	4	7	8	10
B. Operated	274	2.2	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	436	3.8	7	1	2	3	5	7	9	12
B. Operated	395	2.8	19	1	1	2	3	5	7	14
1. SINGLE DX	440	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	831	3.3	13	1	2	3	4	6	8	12
A. Not Operated	602	3.7	6	1	2	3	5	7	8	11
B. Operated	669	2.5	12	1	1	2	3	5	6	12
TOTAL										
0-27 DYS	15	3.3	3	1	2	3	4	6	7	7
1-11 MOS	162	3.8	7	1	2	3	4	7	9	12
1-5 YRS	483	3.0	15	1	2	2	4	6	7	10
6-12 YRS	382	2.7	5	1	1	2	3	5	7	13
13-19 YRS	229	3.2	9	1	1	2	4	6	9	12
GRAND TOTAL	**1271**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**7**	**11**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	184	2.6	3	1	2	2	3	4	6	8
1-11 MOS	737	2.4	3	1	1	2	3	4	6	9
1-5 YRS	109	1.6	2	1	1	1	1	4	5	8
6-12 YRS	47	1.6	2	1	1	1	2	3	5	8
13-19 YRS	49	2.2	3	1	1	2	3	4	6	8
B. Operated										
0-27 DYS	7	5.0	13	1	3	4	8	11	11	11
1-11 MOS	171	3.7	23	1	1	2	5	8	11	30
1-5 YRS	164	3.2	8	< 1	1	2	5	7	10	14
6-12 YRS	84	3.1	6	1	1	2	5	7	8	9
13-19 YRS	62	3.6	6	< 1	1	4	6	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	335	3.9	16	1	2	3	5	7	8	12
1-11 MOS	1575	3.9	12	1	2	3	5	7	10	16
1-5 YRS	300	3.1	15	1	1	2	4	7	10	18
6-12 YRS	136	3.4	14	1	1	2	4	8	12	19
13-19 YRS	156	3.8	14	1	1	3	5	8	12	18
B. Operated										
0-27 DYS	22	10.1	117	2	3	7	16	51	99 +	99 +
1-11 MOS	593	10.2	127	2	4	7	13	25	36	32
1-5 YRS	740	9.8	141	1	3	6	11	22	35	69
6-12 YRS	356	8.4	110	1	2	6	9	18	34	56
13-19 YRS	279	6.8	65	1	2	5	8	14	19	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1126	2.3	3	1	1	2	3	4	6	8
B. Operated	488	3.5	13	< 1	1	2	5	7	9	17
2. MULTIPLE DX										
A. Not Operated	2502	3.8	13	1	2	3	5	7	10	17
B. Operated	1990	9.2	122	1	3	6	10	22	33	71
1. SINGLE DX	1614	2.7	6	1	1	2	3	6	7	11
2. MULTIPLE DX	4492	6.2	69	1	2	4	7	13	20	49
A. Not Operated	3628	3.3	11	1	1	2	4	6	9	16
B. Operated	2478	8.1	105	1	2	5	9	19	29	65
TOTAL										
0-27 DYS	548	3.7	18	1	2	3	4	7	8	20
1-11 MOS	3076	4.7	40	1	2	3	5	9	15	36
1-5 YRS	1313	6.8	96	1	1	4	8	15	24	59
6-12 YRS	623	6.1	74	1	1	3	7	13	22	49
13-19 YRS	546	5.2	41	1	1	4	6	12	15	26
GRAND TOTAL	**6106**	**5.3**	**55**	**1**	**1**	**3**	**6**	**11**	**17**	**42**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	3.5	5	1	2	3	4	7	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
13-19 YRS	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	2	10.0	50	5	5	10	15	15	15	15
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	4.2	10	1	2	3	7	9	9	9
13-19 YRS	5	5.0	12	1	2	5	7	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	4	3.0	2	< 1	1	3	4	4	4	4
1-5 YRS	3	5.7		5	5	6	6	6	6	6
6-12 YRS	10	2.9	4	< 1	< 1	3	4	6	7	7
13-19 YRS	11	3.4	8	< 1	1	2	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.5	5	1	2	3	4	7	8	8
B. Operated	6	3.8	11	< 1	1	2	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	18	4.7	13	1	2	4	6	10	13	15
B. Operated	28	3.4	5	< 1	1	3	5	7	8	10
1. SINGLE DX	14	3.6	7	1	2	3	5	8	8	8
2. MULTIPLE DX	46	3.9	9	< 1	2	3	5	7	10	15
A. Not Operated	26	4.3	11	1	2	3	5	9	11	15
B. Operated	34	3.5	6	< 1	1	3	5	7	8	10
TOTAL										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	6	5.3	24	< 1	3	4	5	14	15	15
1-5 YRS	6	3.8	5	1	2	4	6	6	6	6
6-12 YRS	19	3.2	5	< 1	1	3	4	7	8	9
13-19 YRS	26	4.1	8	1	2	3	6	8	10	10
GRAND TOTAL	**60**	**3.9**	**8**	**< 1**	**2**	**3**	**5**	**8**	**9**	**15**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6	3.8	4	1	3	4	5	7	7	7
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	4.5	4	3	3	4	6	7	7	7
1-5 YRS	5	2.6	2	1	2	2	4	4	4	4
6-12 YRS	12	6.5	94	2	3	4	5	16	34	37
13-19 YRS	15	2.5	2	1	1	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	3	11.3	89	4	5	8	18	22	22	22
1-5 YRS	8	6.5	51	1	2	4	8	19	22	22
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	21	9.8	161	1	3	7	10	23	39	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.3	3	1	2	3	4	6	7	7
B. Operated	7	2.4	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	37	4.3	35	1	2	3	4	6	10	37
B. Operated	34	8.8	118	1	3	5	9	22	24	58
1. SINGLE DX	19	2.9	3	1	1	3	4	5	6	7
2. MULTIPLE DX	71	6.5	79	1	2	4	7	13	23	54
A. Not Operated	49	4.0	27	1	2	3	4	6	8	37
B. Operated	41	7.7	104	1	2	4	8	22	23	58
TOTAL										
0-27 DYS	3	6.7	21	4	4	4	10	12	12	12
1-11 MOS	8	6.6	44	2	3	4	7	18	22	22
1-5 YRS	16	4.6	28	1	2	3	4	11	19	22
6-12 YRS	19	4.9	63	1	2	3	5	7	23	37
13-19 YRS	44	6.2	89	1	2	4	7	11	23	58
GRAND TOTAL	**90**	**5.7**	**65**	**1**	**2**	**4**	**5**	**11**	**22**	**50**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	2.8	1	2	2	3	3	4	4	4
13-19 YRS	31	2.1	2	1	1	2	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	5.2	10	1	2	6	8	8	8	8
13-19 YRS	3	4.3	9	< 1	1	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.5	16	1	1	3	7	10	10	10
1-5 YRS	5	4.8	5	3	3	4	6	8	8	8
6-12 YRS	13	2.8	3	1	2	2	3	6	8	8
13-19 YRS	61	3.3	4	1	2	3	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.0	12	1	1	1	6	7	7	7
6-12 YRS	5	3.4	2	1	2	4	4	5	5	5
13-19 YRS	14	5.6	69	1	1	2	6	15	28	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.2	1	1	1	2	3	4	5	5
B. Operated	8	4.9	8	< 1	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	83	3.4	4	1	2	3	4	6	8	11
B. Operated	22	4.7	46	1	1	3	5	9	21	32
1. SINGLE DX	45	2.7	4	1	1	2	4	5	7	8
2. MULTIPLE DX	105	3.7	13	1	2	3	4	6	8	22
A. Not Operated	120	3.0	4	1	2	2	4	6	7	10
B. Operated	30	4.8	35	1	1	3	6	8	13	32
TOTAL										
0-27 DYS	0									
1-11 MOS	5	4.0	14	1	2	2	6	10	10	10
1-5 YRS	9	3.9	7	1	2	3	6	8	8	8
6-12 YRS	27	3.4	4	1	2	3	4	7	8	8
13-19 YRS	109	3.3	12	1	1	2	4	6	7	21
GRAND TOTAL	**150**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	17	2.6	1	1	2	3	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	8.0		8	8	8	8	8	8	8
13-19 YRS	8	4.8	13	1	2	4	7	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	6.5	18	2	3	6	9	12	12	12
6-12 YRS	14	3.1	2	2	2	3	3	5	6	7
13-19 YRS	57	3.6	3	2	2	3	4	5	8	10
B. Operated										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	3	9.0	108	3	3	3	17	21	21	21
1-5 YRS	8	14.8	240	3	4	9	20	41	48	48
6-12 YRS	4	5.8	18	3	3	4	8	12	12	12
13-19 YRS	21	9.1	41	3	4	7	12	18	22	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.6	1	1	2	3	3	4	5	5
B. Operated	12	4.8	12	1	2	4	8	9	11	11
2. MULTIPLE DX										
A. Not Operated	76	3.7	4	2	2	3	4	6	8	11
B. Operated	37	10.3	88	3	4	7	16	22	26	48
1. SINGLE DX	29	3.5	6	1	2	3	4	8	8	11
2. MULTIPLE DX	113	5.8	41	2	3	4	6	12	19	34
A. Not Operated	93	3.5	4	2	2	3	4	5	8	11
B. Operated	49	9.0	75	2	3	6	11	20	25	48
TOTAL										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	5	6.2	69	1	2	3	8	21	21	21
1-5 YRS	13	11.3	166	3	4	5	14	30	45	48
6-12 YRS	20	4.1	7	2	3	3	5	8	10	12
13-19 YRS	103	4.7	16	2	2	3	5	9	13	22
GRAND TOTAL	**142**	**5.4**	**35**	**2**	**3**	**3**	**5**	**11**	**17**	**28**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	72	< 1	< 1	6	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	3	6.7	54	1	2	4	12	15	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	5	12.8	49	7	8	10	17	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	5	3	3	4	6	6	6	6
B. Operated	2	7.0	72	< 1	< 1	6	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	6	6.0	26	1	2	5	7	14	15	15
B. Operated	6	11.0	58	2	7	9	15	23	24	24
1. SINGLE DX	4	5.8	28	< 1	1	4	9	13	13	13
2. MULTIPLE DX	12	8.5	45	2	3	7	12	18	23	24
A. Not Operated	8	5.6	19	1	2	5	7	13	15	15
B. Operated	8	10.0	55	1	4	9	14	21	24	24
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	12	8.9	47	1	3	7	14	18	23	24
GRAND TOTAL	**16**	**7.8**	**40**	**1**	**3**	**7**	**11**	**15**	**21**	**24**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	1.8		1	1	2	2	2	2	2
1-11 MOS	23	2.0	2	1	1	2	2	3	5	7
1-5 YRS	44	1.9	2	1	1	1	2	4	5	7
6-12 YRS	69	1.8	1	1	1	2	2	3	3	7
13-19 YRS	106	2.0	2	1	1	2	2	4	4	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	7	2.0	2	< 1	1	2	2	4	5	5
6-12 YRS	33	2.2	2	1	1	2	3	4	5	6
13-19 YRS	25	2.8	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	2.7	1	2	2	3	3	4	4	4
1-11 MOS	101	2.7	4	1	1	2	3	5	7	11
1-5 YRS	308	2.4	8	1	1	2	3	4	4	14
6-12 YRS	230	2.3	3	1	1	2	3	4	5	10
13-19 YRS	309	2.6	3	1	1	2	3	5	6	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	5.6	39	2	2	4	6	9	21	28
1-5 YRS	45	5.8	120	1	1	4	6	10	13	74
6-12 YRS	101	4.7	53	1	1	2	5	8	15	45
13-19 YRS	100	4.9	29	1	2	4	6	9	12	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	247	1.9	2	1	1	2	2	3	4	9
B. Operated	69	2.4	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated	958	2.5	5	1	1	2	3	4	5	9
B. Operated	264	5.0	53	1	1	3	6	9	13	41
1. SINGLE DX	316	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX	1222	3.0	16	1	1	2	3	5	7	17
A. Not Operated	1205	2.4	4	1	1	2	3	4	5	9
B. Operated	333	4.5	44	1	1	3	5	8	11	37
TOTAL										
0-27 DYS	17	2.4	1	2	2	2	3	4	4	4
1-11 MOS	144	2.9	8	1	1	2	3	6	7	14
1-5 YRS	404	2.7	20	1	1	2	3	4	6	15
6-12 YRS	433	2.8	15	1	1	2	3	5	7	17
13-19 YRS	540	2.9	9	1	1	2	3	5	7	15
GRAND TOTAL	**1538**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	3.8	2	2	3	4	5	5	5	5
1-11 MOS	19	2.2	2	1	1	2	2	4	6	7
1-5 YRS	21	2.7	4	< 1	1	2	4	6	7	7
6-12 YRS	24	3.3	20	1	1	2	4	6	12	23
13-19 YRS	36	3.9	24	1	2	3	4	5	8	31
B. Operated										
0-27 DYS	22	3.4	2	2	2	3	4	5	7	8
1-11 MOS	98	3.4	4	2	2	3	4	5	6	14
1-5 YRS	26	2.5	5	1	1	2	3	5	8	11
6-12 YRS	7	5.1	8	2	3	5	7	9	10	10
13-19 YRS	7	4.7	5	3	3	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	4.8	27	1	2	3	5	12	19	19
1-11 MOS	86	3.6	9	1	2	3	5	6	8	17
1-5 YRS	104	2.8	5	1	1	2	4	5	7	12
6-12 YRS	101	2.9	6	1	1	2	4	6	8	13
13-19 YRS	133	5.5	60	1	2	3	5	10	27	44
B. Operated										
0-27 DYS	12	5.3	13	2	3	4	6	11	14	15
1-11 MOS	83	5.6	28	2	3	4	6	11	15	32
1-5 YRS	60	7.8	75	1	3	5	9	16	22	53
6-12 YRS	32	9.8	116	2	3	6	12	29	39	40
13-19 YRS	28	10.1	60	3	4	8	16	20	24	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	3.2	14	1	1	2	4	5	7	27
B. Operated	160	3.4	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	434	3.8	24	1	2	2	4	7	10	29
B. Operated	215	7.4	60	2	3	5	9	15	21	39
1. SINGLE DX	265	3.3	8	1	2	3	4	5	7	16
2. MULTIPLE DX	649	5.0	39	1	2	3	5	10	16	37
A. Not Operated	539	3.7	22	1	2	2	4	7	9	29
B. Operated	375	5.7	40	1	3	4	6	13	16	38
TOTAL										
0-27 DYS	49	4.2	10	2	2	3	5	7	9	19
1-11 MOS	286	4.0	13	1	2	3	5	7	10	18
1-5 YRS	211	4.2	30	1	1	2	5	8	13	25
6-12 YRS	164	4.4	36	1	2	3	5	9	13	39
13-19 YRS	204	5.8	55	1	2	3	6	15	23	38
GRAND TOTAL	**914**	**4.5**	**31**	**1**	**2**	**3**	**5**	**8**	**14**	**31**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	26	2.7	4	1	1	2	4	6	7	7
13-19 YRS	29	1.9	1	< 1	1	2	2	4	4	5
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	269	3.2	3	2	2	3	4	5	7	10
6-12 YRS	3103	2.7	1	2	2	2	3	4	5	7
13-19 YRS	4090	2.7	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	2.1	2	1	1	2	3	4	5	5
13-19 YRS	18	2.6	6	1	1	2	3	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	95	5.2	13	2	3	4	7	10	13	16
6-12 YRS	701	3.7	7	2	2	3	4	7	8	14
13-19 YRS	982	3.8	9	2	2	3	4	6	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.2	2	1	1	2	3	4	6	7
B. Operated	7464	2.7	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	27	2.4	4	1	1	2	3	5	7	10
B. Operated	1779	3.8	9	2	2	3	4	7	9	15
1. SINGLE DX	7520	2.7	1	2	2	3	3	4	5	7
2. MULTIPLE DX	1806	3.8	9	2	2	3	4	7	8	15
A. Not Operated	83	2.3	3	1	1	2	3	5	6	9
B. Operated	9243	2.9	3	2	2	3	3	4	5	9
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	365	3.7	6	2	2	3	4	7	9	14
6-12 YRS	3838	2.9	3	2	2	3	3	4	5	9
13-19 YRS	5119	2.9	3	2	2	3	3	4	5	8
GRAND TOTAL	**9326**	**2.9**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0		6	6	6	6	6	6	6
6-12 YRS	16	6.6	11	3	4	6	10	12	12	12
13-19 YRS	12	6.7	5	4	5	7	8	9	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	3	9.3	5	8	8	8	11	12	12	12
1-5 YRS	258	6.9	8	4	5	7	8	10	12	15
6-12 YRS	907	6.0	8	3	4	6	7	9	11	13
13-19 YRS	753	5.7	7	3	4	5	7	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	6.4	10	2	3	8	9	10	10	10
6-12 YRS	15	8.5	8	5	6	7	11	13	14	14
13-19 YRS	10	6.1	34	< 1	1	5	8	15	20	20
B. Operated										
0-27 DYS	0									
1-11 MOS	3	15.7	100	8	9	12	23	27	27	27
1-5 YRS	275	9.1	39	5	6	8	10	14	17	34
6-12 YRS	894	8.5	21	4	6	8	10	14	18	26
13-19 YRS	684	8.5	29	4	5	7	10	14	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	6.6	7	3	4	6	8	10	12	12
B. Operated	1921	6.0	8	3	4	6	8	9	11	14
2. MULTIPLE DX										
A. Not Operated	32	7.3	17	2	5	7	9	12	14	20
B. Operated	1856	8.6	27	4	6	8	10	14	18	28
1. SINGLE DX	1952	6.0	8	3	4	6	8	9	11	14
2. MULTIPLE DX	1888	8.6	27	4	6	8	10	14	18	28
A. Not Operated	63	7.0	12	3	4	7	9	11	13	19
B. Operated	3777	7.3	19	3	5	7	9	11	15	24
TOTAL										
0-27 DYS	0									
1-11 MOS	6	12.5	54	8	8	10	12	26	27	27
1-5 YRS	543	8.0	25	4	6	7	9	12	15	23
6-12 YRS	1832	7.3	16	3	5	7	9	11	14	24
13-19 YRS	1459	7.0	19	3	4	6	8	11	15	25
GRAND TOTAL	**3840**	**7.3**	**19**	**3**	**5**	**7**	**9**	**11**	**15**	**24**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	3.0	16	1	1	1	4	10	10	10
6-12 YRS	35	1.5	1	1	1	1	2	2	4	6
13-19 YRS	35	1.9	2	1	1	1	2	3	5	7
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	35	3.5	5	2	2	3	4	7	9	10
6-12 YRS	195	2.7	2	2	2	2	3	4	5	10
13-19 YRS	312	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	5.0	37	< 1	1	2	8	14	14	14
6-12 YRS	14	2.3	4	1	1	1	2	6	6	6
13-19 YRS	28	2.4	5	1	1	2	2	6	7	11
B. Operated										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	20	4.6	10	2	3	4	6	7	12	16
6-12 YRS	90	4.5	46	2	2	3	5	7	8	46
13-19 YRS	194	3.8	9	2	2	3	4	6	7	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	1.8	2	1	1	1	2	3	6	9
B. Operated	544	2.8	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	46	2.6	7	1	1	2	2	6	7	14
B. Operated	306	4.2	22	2	2	3	5	7	8	21
1. SINGLE DX	619	2.7	2	1	2	2	3	4	5	9
2. MULTIPLE DX	352	4.0	20	2	2	3	4	6	8	21
A. Not Operated	121	2.1	4	1	1	1	2	5	6	12
B. Operated	850	3.3	9	2	2	3	4	5	7	11
TOTAL										
0-27 DYS	2	12.5	145	4	4	12	21	21	21	21
1-11 MOS	2	10.0	72	4	4	10	16	16	16	16
1-5 YRS	64	3.9	9	1	2	3	5	7	10	16
6-12 YRS	334	3.0	15	1	2	2	3	5	7	10
13-19 YRS	569	3.1	5	1	2	3	4	5	6	9
GRAND TOTAL	**971**	**3.2**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	25	1.5	4	< 1	< 1	1	1	2	4	11
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-27 DYS	39	1.5	1	< 1	1	1	2	3	4	4
1-11 MOS	1304	1.2		< 1	1	1	1	2	2	4
1-5 YRS	339	1.1		< 1	< 1	< 1	1	1	2	3
6-12 YRS	115	1.1		< 1	< 1	< 1	1	1	2	3
13-19 YRS	127	1.2		< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	2.4		2	2	2	3	3	3	3
1-11 MOS	44	1.9	6	< 1	< 1	1	1	3	7	14
1-5 YRS	10	1.4	1	< 1	1	1	1	3	4	4
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	43	4.6	181	< 1	1	1	2	4	32	64
1-11 MOS	1551	1.5	3	< 1	1	1	1	2	4	9
1-5 YRS	437	1.4	1	< 1	< 1	1	1	2	3	8
6-12 YRS	111	1.2		< 1	< 1	1	1	2	2	5
13-19 YRS	71	1.9	11	< 1	1	1	2	3	4	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.4	3	< 1	< 1	1	1	2	2	11
B. Operated	1924	1.1		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	61	1.8	5	< 1	1	1	2	3	5	14
B. Operated	2213	1.5	6	< 1	1	1	1	2	4	10
1. SINGLE DX	1954	1.1		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX	2274	1.5	6	< 1	1	1	1	2	4	10
A. Not Operated	91	1.7	4	< 1	< 1	1	1	3	4	13
B. Operated	4137	1.3	4	< 1	< 1	1	1	2	3	6
TOTAL										
0-27 DYS	88	3.0	90	< 1	1	1	2	3	4	64
1-11 MOS	2924	1.3	2	< 1	1	1	1	2	3	7
1-5 YRS	787	1.2	1	< 1	< 1	< 1	1	2	2	5
6-12 YRS	228	1.1		< 1	< 1	< 1	1	1	2	4
13-19 YRS	201	1.5	4	< 1	1	1	1	2	3	6
GRAND TOTAL	**4228**	**1.3**	**4**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**7**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
11 MOS	11	1.4		< 1	< 1	1	2	2	2	2
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	35	1.7	1	< 1	1	1	2	3	4	4
1-11 MOS	282	1.5	1	< 1	1	1	2	3	3	5
1-5 YRS	133	1.4	1	< 1	1	1	2	2	3	4
6-12 YRS	19	1.4		< 1	1	1	2	2	3	3
13-19 YRS	30	1.9	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	20	2.0	2	< 1	< 1	1	3	4	5	5
1-5 YRS	7	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	47	2.6	11	1	1	2	2	8	13	99 +
1-11 MOS	466	2.2	4	1	1	2	3	4	6	12
1-5 YRS	112	2.0	9	< 1	1	1	2	3	5	23
6-12 YRS	18	1.4		1	1	1	2	2	3	3
13-19 YRS	18	2.8	7	1	1	2	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.4	1	< 1	< 1	1	2	2	4	4
B. Operated	499	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	32	1.6	1	< 1	< 1	1	2	4	5	5
B. Operated	661	2.2	6	1	1	2	2	4	6	16
1. SINGLE DX	515	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	693	2.2	5	1	1	1	2	4	5	16
A. Not Operated	48	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	1160	1.9	4	1	1	1	2	3	5	11
TOTAL										
0-27 DYS	87	2.2	6	1	1	1	2	4	9	68
1-11 MOS	779	1.9	3	1	1	1	2	3	5	9
1-5 YRS	254	1.6	4	< 1	1	1	2	2	3	6
6-12 YRS	38	1.4		< 1	1	1	2	2	3	3
13-19 YRS	50	2.2	3	< 1	1	2	3	4	6	10
GRAND TOTAL	**1208**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**	**11**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	6	4.5	2	2	4	5	5	6	6	6
1-11 MOS	26	1.5	2	< 1	< 1	1	1	2	5	8
1-5 YRS	87	1.3		< 1	< 1	< 1	1	2	3	4
6-12 YRS	27	1.1		< 1	< 1	< 1	1	1	2	3
13-19 YRS	6	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	13	9.7	75	2	5	7	16	40	87	99 +
1-11 MOS	26	1.9	3	1	1	1	2	3	6	8
1-5 YRS	43	1.7	2	< 1	< 1	1	2	5	5	5
6-12 YRS	13	2.5	6	< 1	1	1	3	8	8	8
13-19 YRS	6	2.7	2	1	1	3	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated	152	1.4	1	< 1	< 1	< 1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated	9	2.0	1	1	1	2	3	4	4	4
B. Operated	101	3.0	18	< 1	1	1	3	7	10	65
1. SINGLE DX	156	1.4	1	< 1	< 1	< 1	1	2	4	6
2. MULTIPLE DX	110	2.9	17	< 1	1	1	3	7	9	59
A. Not Operated	13	1.7	1	< 1	1	1	2	3	4	4
B. Operated	253	2.0	8	< 1	< 1	1	2	5	6	18
TOTAL										
0-27 DYS	22	7.2	53	2	3	5	9	21	56	99 +
1-11 MOS	56	1.8	2	< 1	< 1	1	2	3	5	8
1-5 YRS	135	1.4	1	< 1	< 1	< 1	1	2	4	5
6-12 YRS	41	1.5	3	< 1	< 1	< 1	1	3	5	8
13-19 YRS	12	1.8	2	< 1	1	1	3	4	5	5
GRAND TOTAL	**266**	**2.0**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**18**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	22	2.0	2	< 1	< 1	1	3	4	5	6
1-5 YRS	36	2.4	3	< 1	< 1	2	4	4	7	8
6-12 YRS	11	1.6	4	< 1	< 1	1	1	4	8	8
13-19 YRS	11	1.3		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	19	3.8	6	1	2	4	5	8	10	10
1-5 YRS	29	3.6	31	< 1	1	3	4	6	9	31
6-12 YRS	10	3.8	8	< 1	2	3	5	8	10	10
13-19 YRS	16	3.1	3	1	1	3	4	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	80	2.0	3	< 1	< 1	1	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	76	3.5	15	1	1	3	4	6	9	26
1. SINGLE DX	81	2.0	3	< 1	< 1	1	3	4	6	8
2. MULTIPLE DX	79	3.4	15	1	1	3	4	6	9	25
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	156	2.8	9	< 1	1	2	4	5	7	10
TOTAL										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	42	2.8	5	< 1	1	2	4	5	7	10
1-5 YRS	67	2.9	15	< 1	< 1	2	4	5	7	27
6-12 YRS	21	2.7	7	< 1	< 1	1	4	7	9	10
13-19 YRS	28	2.3	3	1	1	1	4	5	5	7
GRAND TOTAL	**160**	**2.7**	**9**	**< 1**	**1**	**2**	**4**	**5**	**7**	**10**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	13	5.9	11	3	3	6	7	11	13	14
1-5 YRS	3	5.7	1	5	5	5	7	7	7	7
6-12 YRS	0									
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	6.3	34	3	3	4	9	15	15	15
1-5 YRS	8	4.4	8	1	2	4	5	9	10	10
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	4	2.5	6	< 1	< 1	1	4	6	6	6
B. Operated										
0-27 DYS	2	7.0		7	7	7	77	99 +	99 +	99 +
1-11 MOS	25	10.8	59	4	5	7	19	23	24	26
1-5 YRS	30	10.9	59	4	6	8	15	21	28	34
6-12 YRS	8	9.0	93	3	4	6	9	25	32	32
13-19 YRS	6	9.2	18	3	6	10	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	2	1	1	2	3	4	4	4
B. Operated	18	5.8	8	3	4	5	7	9	12	14
2. MULTIPLE DX										
A. Not Operated	18	4.1	13	1	1	3	5	9	13	15
B. Operated	71	10.4	56	4	5	8	14	23	28	85
1. SINGLE DX	22	5.2	9	2	3	5	7	9	12	14
2. MULTIPLE DX	89	9.1	54	3	4	7	11	21	26	74
A. Not Operated	22	3.8	11	1	1	3	4	7	12	15
B. Operated	89	9.5	50	3	5	7	11	21	26	74
TOTAL										
0-27 DYS	2	7.0		7	7	7	77	99 +	99 +	99 +
1-11 MOS	42	8.9	46	3	4	6	11	21	23	26
1-5 YRS	43	8.9	52	3	4	7	10	19	25	34
6-12 YRS	11	7.1	76	2	3	4	8	19	31	32
13-19 YRS	13	6.1	19	1	3	6	9	12	14	15
GRAND TOTAL	**111**	**8.4**	**47**	**3**	**4**	**6**	**10**	**20**	**24**	**59**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	0									
6-12 YRS	3	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	4	6.3	41	< 1	1	4	11	15	15	15
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	4	1.3		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	9	5.7	22	1	2	4	8	13	15	15
1. SINGLE DX	5	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX	10	5.6	20	1	2	4	7	13	15	15
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	13	4.3	19	< 1	1	2	6	12	14	15
TOTAL										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	3.3	6	< 1	1	3	5	6	6	6
1-5 YRS	4	6.3	41	< 1	1	4	11	15	15	15
6-12 YRS	5	2.2	2	< 1	1	2	3	4	4	4
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**15**	**4.3**	**17**	**< 1**	**1**	**3**	**6**	**11**	**14**	**15**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	5	2.2	7	< 1	< 1	1	3	7	7	7
1-5 YRS	24	1.8	2	1	1	1	2	3	5	7
6-12 YRS	7	3.6	14	< 1	1	1	7	9	9	9
13-19 YRS	16	2.4	4	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	12	4.0	9	1	1	3	6	9	10	10
1-5 YRS	14	5.1	12	1	2	5	7	9	11	12
6-12 YRS	9	4.9	16	1	2	3	8	11	11	11
13-19 YRS	17	9.2	58	2	5	8	10	16	28	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	53	2.5	8	< 1	1	1	3	7	9	16
2. MULTIPLE DX										
A. Not Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	52	6.2	30	1	2	5	8	11	15	34
1. SINGLE DX	53	2.5	8	< 1	1	1	3	7	9	16
2. MULTIPLE DX	56	5.8	29	1	2	5	8	10	15	33
A. Not Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	105	4.3	22	1	1	2	7	9	11	24
TOTAL										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	19	3.2	8	< 1	1	1	5	8	9	10
1-5 YRS	39	3.1	8	1	1	2	4	7	9	12
6-12 YRS	17	4.1	14	1	1	2	8	10	11	11
13-19 YRS	33	5.9	43	1	1	4	8	11	16	34
GRAND TOTAL	**109**	**4.2**	**22**	**1**	**1**	**2**	**7**	**9**	**11**	**24**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	178	1.5	1	1	1	1	2	2	3	6
1-5 YRS	195	2.0	7	1	1	1	2	3	5	10
6-12 YRS	40	2.6	3	1	1	2	4	5	6	6
13-19 YRS	80	2.8	3	1	2	2	4	5	6	8
B. Operated										
0-27 DYS	2	12.0	98	5	5	12	19	19	19	19
1-11 MOS	197	4.4	18	2	3	4	5	7	8	15
1-5 YRS	103	5.2	8	2	3	4	7	9	10	15
6-12 YRS	51	7.0	13	4	5	6	8	11	15	22
13-19 YRS	64	7.2	10	4	5	7	9	10	14	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	3.4	2	1	2	4	4	5	5	5
1-11 MOS	150	2.5	4	1	1	2	3	5	6	10
1-5 YRS	226	4.1	30	1	2	3	5	7	10	25
6-12 YRS	111	3.4	6	1	2	3	5	7	9	11
13-19 YRS	145	4.4	14	1	2	3	6	8	10	20
B. Operated										
0-27 DYS	16	13.1	114	5	7	11	22	84	99+	99+
1-11 MOS	263	8.9	126	3	4	6	9	16	22	84
1-5 YRS	227	9.7	86	4	5	7	11	19	31	99+
6-12 YRS	146	10.0	90	5	6	7	10	17	28	39
13-19 YRS	158	10.6	41	4	6	8	14	21	24	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	493	2.0	4	1	1	1	2	4	5	8
B. Operated	417	5.4	15	2	3	5	7	9	11	18
2. MULTIPLE DX										
A. Not Operated	637	3.7	16	1	2	3	5	7	9	17
B. Operated	810	9.7	92	3	5	7	11	19	27	88
1. SINGLE DX	910	3.5	12	1	1	3	5	7	9	16
2. MULTIPLE DX	1447	7.1	67	1	3	5	8	14	21	66
A. Not Operated	1130	2.9	11	1	1	2	4	6	8	14
B. Operated	1227	8.2	70	3	4	6	9	15	22	73
TOTAL										
0-27 DYS	23	10.9	99	3	5	7	16	46	99+	99+
1-11 MOS	788	4.9	56	1	2	3	6	9	14	62
1-5 YRS	751	5.4	47	1	2	4	6	11	15	40
6-12 YRS	348	6.6	52	1	3	5	8	12	17	33
13-19 YRS	447	6.7	31	2	3	6	8	14	19	25
GRAND TOTAL	**2357**	**5.7**	**49**	**1**	**2**	**4**	**7**	**11**	**16**	**40**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	123	2.4	1	1	2	2	3	4	5	5
1-11 MOS	676	2.6	2	1	2	2	3	4	5	7
1-5 YRS	729	2.2	3	1	1	2	3	4	4	7
6-12 YRS	670	1.7	1	1	1	1	2	3	3	7
13-19 YRS	638	1.9	1	1	1	2	2	3	4	6
B. Operated										
0-27 DYS	7	5.4	19	2	2	4	7	13	14	14
1-11 MOS	23	4.2	7	2	2	4	6	9	10	10
1-5 YRS	22	6.6	213	1	2	3	5	9	35	71
6-12 YRS	28	3.4	3	1	3	3	4	6	6	8
13-19 YRS	59	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	241	3.8	11	1	2	3	4	6	8	17
1-11 MOS	3165	3.2	7	1	2	3	4	5	7	14
1-5 YRS	4008	2.5	5	1	2	2	3	4	5	9
6-12 YRS	1358	2.3	3	1	1	2	3	4	5	9
13-19 YRS	995	2.4	3	1	1	2	3	4	6	9
B. Operated										
0-27 DYS	15	10.1	249	2	3	5	7	28	53	62
1-11 MOS	124	14.7	314	3	4	8	20	40	81	99+
1-5 YRS	90	8.5	139	2	3	4	8	19	38	59
6-12 YRS	78	6.6	114	1	2	4	6	13	19	71
13-19 YRS	93	6.0	23	2	3	5	7	13	18	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2836	2.1	2	1	1	2	3	4	4	7
B. Operated	139	4.0	38	1	2	3	4	6	8	20
2. MULTIPLE DX										
A. Not Operated	9767	2.7	5	1	2	2	3	5	6	12
B. Operated	400	9.5	177	2	3	5	10	24	39	89
1. SINGLE DX	2975	2.2	4	1	1	2	3	4	5	7
2. MULTIPLE DX	10167	3.0	14	1	2	2	3	5	6	17
A. Not Operated	12603	2.6	5	1	1	2	3	4	6	10
B. Operated	539	8.1	147	2	3	4	8	19	31	83
TOTAL										
0-27 DYS	386	3.6	19	1	2	3	4	6	8	17
1-11 MOS	3988	3.5	20	1	2	3	4	6	8	20
1-5 YRS	4849	2.6	9	1	1	2	3	4	5	12
6-12 YRS	2134	2.3	7	1	1	2	3	4	5	10
13-19 YRS	1785	2.4	4	1	1	2	3	4	6	11
GRAND TOTAL	**13142**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.8	3	4	4	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	4	9.0	48	3	5	7	13	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	5.8	3	4	4	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	3	4.7	2	3	3	5	6	6	6	6
B. Operated	6	9.7	36	3	7	7	15	19	19	19
1. SINGLE DX	4	5.8	3	4	4	5	7	8	8	8
2. MULTIPLE DX	9	8.0	30	3	5	7	9	17	19	19
A. Not Operated	3	4.7	2	3	3	5	6	6	6	6
B. Operated	10	8.1	25	3	5	7	8	17	19	19
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	9	6.9	24	3	4	6	7	15	19	19
GRAND TOTAL	**13**	**7.3**	**22**	**3**	**5**	**6**	**7**	**16**	**18**	**19**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	1.5	1	< 1	1	1	2	3	3	3
1-11 MOS	15	1.7	1	< 1	1	1	2	3	4	4
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	5	2.4	4	1	1	2	3	6	6	6
B. Operated										
0-27 DYS	7	3.4	9	2	2	2	3	9	10	10
1-11 MOS	41	2.1	5	< 1	1	1	2	4	6	13
1-5 YRS	29	2.8	7	< 1	1	2	3	5	8	14
6-12 YRS	18	2.1	1	< 1	1	2	3	4	4	4
13-19 YRS	58	2.8	5	1	1	2	3	5	6	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	16	2.6	6	1	1	2	2	5	9	11
1-11 MOS	18	3.8	13	1	1	2	5	9	12	14
1-5 YRS	15	4.9	29	1	2	4	4	8	19	23
6-12 YRS	13	8.6	58	2	4	5	13	21	25	26
13-19 YRS	22	5.4	20	1	2	4	8	14	15	15
B. Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	49	2.6	4	1	1	2	3	6	6	10
1-5 YRS	24	5.5	47	< 1	1	3	5	18	21	26
6-12 YRS	15	7.5	35	2	3	6	13	17	18	18
13-19 YRS	67	4.9	25	1	2	3	7	12	15	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.8	1	< 1	1	1	2	3	4	6
B. Operated	153	2.5	5	< 1	1	2	3	5	6	14
2. MULTIPLE DX										
A. Not Operated	84	4.9	26	1	2	3	6	13	15	25
B. Operated	157	4.5	24	1	1	3	6	11	16	30
1. SINGLE DX	186	2.4	4	< 1	1	2	3	4	5	14
2. MULTIPLE DX	241	4.7	25	1	1	3	6	11	15	27
A. Not Operated	117	4.0	21	1	1	2	4	10	14	24
B. Operated	310	3.5	16	1	1	2	4	8	13	22
TOTAL										
0-27 DYS	33	2.5	5	1	1	2	3	4	9	11
1-11 MOS	123	2.5	6	< 1	1	2	3	5	7	13
1-5 YRS	70	4.1	26	1	1	3	4	9	18	25
6-12 YRS	49	5.5	35	1	2	3	7	15	18	26
13-19 YRS	152	4.1	17	1	1	3	5	10	14	30
GRAND TOTAL	**427**	**3.7**	**17**	**1**	**1**	**2**	**4**	**8**	**14**	**24**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.5	2	2	2	3	4	5	5	5
1-5 YRS	6	2.7	1	2	2	2	4	4	4	4
6-12 YRS	16	2.3	1	1	2	2	3	3	5	5
13-19 YRS	41	2.8	3	1	1	2	4	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	5	3.0	1	2	2	3	4	4	4	4
13-19 YRS	11	5.2	4	3	4	5	6	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.3		2	2	2	3	3	3	3
6-12 YRS	29	3.4	6	1	2	3	5	6	8	12
13-19 YRS	80	3.2	3	1	2	3	4	5	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.0	3	1	1	1	3	5	5	5
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	12	3.8	6	1	2	3	7	7	7	7
13-19 YRS	11	5.6	90	1	1	3	4	17	33	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.7	2	1	2	2	3	5	6	7
B. Operated	21	3.8	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	113	3.2	4	1	2	3	4	6	7	11
B. Operated	30	4.2	36	1	1	3	5	7	7	34
1. SINGLE DX	88	3.0	3	1	2	2	4	6	6	9
2. MULTIPLE DX	143	3.4	10	1	2	3	4	6	7	14
A. Not Operated	180	3.0	3	1	2	3	4	5	7	9
B. Operated	51	4.1	23	1	2	3	5	7	7	34
TOTAL										
0-27 DYS	0									
1-11 MOS	10	2.6	2	1	1	2	4	5	5	5
1-5 YRS	16	2.5	2	1	2	2	3	4	5	6
6-12 YRS	62	3.2	4	1	2	3	4	6	7	12
13-19 YRS	143	3.4	10	1	2	3	4	6	7	12
GRAND TOTAL	**231**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	46	6.1	20	1	3	6	8	10	13	25
13-19 YRS	123	5.0	17	1	2	4	6	9	13	21
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	7.0	4	4	6	7	8	9	9	9
6-12 YRS	48	7.6	50	1	3	6	9	17	26	34
13-19 YRS	143	8.2	58	3	4	6	10	14	23	46
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	11.3	8	8	9	13	13	13	13	13
1-5 YRS	14	7.9	25	3	4	7	10	16	18	19
6-12 YRS	104	6.5	25	2	3	5	8	14	16	26
13-19 YRS	247	5.8	28	2	3	4	7	11	17	32
B. Operated										
0-27 DYS	0									
1-11 MOS	3	11.3	30	6	7	11	15	17	17	17
1-5 YRS	21	15.4	154	2	6	12	22	37	40	42
6-12 YRS	142	11.8	100	2	5	8	15	25	33	46
13-19 YRS	346	13.1	138	4	6	9	16	27	36	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	5.3	18	1	3	4	7	9	13	24
B. Operated	199	8.0	54	3	4	6	9	15	24	43
2. MULTIPLE DX										
A. Not Operated	368	6.1	27	2	3	5	7	12	16	30
B. Operated	512	12.8	127	3	6	9	16	27	36	56
1. SINGLE DX	369	6.7	39	2	3	5	8	13	18	33
2. MULTIPLE DX	880	10.0	96	2	4	7	12	22	30	48
A. Not Operated	538	5.9	24	2	3	5	7	12	15	28
B. Operated	711	11.5	111	3	5	8	14	25	33	52
TOTAL										
0-27 DYS	0									
1-11 MOS	6	11.3	15	6	8	12	13	17	17	17
1-5 YRS	44	11.2	97	3	5	8	14	25	37	42
6-12 YRS	340	8.8	66	2	4	6	10	19	26	44
13-19 YRS	859	9.0	87	2	4	6	10	20	27	48
GRAND TOTAL	**1249**	**9.1**	**82**	**2**	**4**	**6**	**10**	**19**	**27**	**46**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	15.0	109	5	6	15	24	24	24	24
6-12 YRS	10	5.5	10	3	3	4	6	11	11	11
13-19 YRS	7	6.6	14	1	3	8	10	10	10	10
B Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	12	7.0	18	3	4	6	9	13	16	17
13-19 YRS	5	3.6	7	2	2	2	5	8	8	8
2. MULTIPLE DX										
A Not Operated										
0-27 DYS	0									
1-11 MOS	5	8.2	38	2	3	7	14	16	16	16
1-5 YRS	50	5.9	17	1	3	5	8	11	14	20
6-12 YRS	59	6.0	11	2	3	6	8	10	13	92
13-19 YRS	55	5.1	13	2	3	4	7	10	12	16
B Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	23.7	292	9	11	19	48	85	99 +	99 +
~~1-5~~ YRS	23	14.1	145	3	7	10	19	34	40	50
6-12 YRS	37	12.4	53	4	7	13	16	18	25	39
13-19 YRS	54	11.7	89	4	6	9	16	31	33	97
SUBTOTALS:										
1. SINGLE DX										
A Not Operated	21	7.7	38	2	3	6	10	16	24	24
B Operated	19	5.9	15	2	3	5	8	11	14	17
2. MULTIPLE DX										
A Not Operated	169	5.8	14	2	3	5	8	10	14	19
B Operated	122	13.0	104	4	6	11	16	31	41	99 +
1. SINGLE DX	40	6.8	27	2	3	5	9	11	20	24
2. MULTIPLE DX	291	8.8	64	2	4	7	11	17	28	78
A. Not Operated	190	6.0	17	2	3	5	8	11	14	24
B. Operated	141	12.0	98	3	6	9	16	27	36	99 +
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	16.3	229	3	7	13	21	54	90	99 +
1-5 YRS	78	8.8	73	2	4	6	10	20	25	46
6-12 YRS	118	8.1	33	3	4	7	11	16	18	58
13-19 YRS	121	8.1	57	2	3	6	10	16	30	62
GRAND TOTAL	**331**	**8.5**	**60**	**2**	**4**	**7**	**11**	**17**	**25**	**58**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-27 DYS	10	2.0	2	1	1	2	3	4	4	4
1-11 MOS	47	2.2	3	1	1	2	3	5	6	7
1-5 YRS	150	1.8	1	< 1	1	1	2	3	4	6
6-12 YRS	124	1.8	1	< 1	1	1	2	3	4	6
13-19 YRS	75	3.0	20	1	1	2	3	5	8	28
B Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	57	4.2	15	< 1	1	3	6	7	14	19
1-5 YRS	77	3.0	7	< 1	1	2	5	7	8	14
6-12 YRS	69	3.7	15	< 1	1	2	5	9	10	22
13-19 YRS	45	3.3	8	1	1	3	4	7	7	17
2. MULTIPLE DX										
A Not Operated										
0-27 DYS	16	3.8	4	2	2	3	5	8	8	8
1-11 MOS	103	4.3	38	< 1	1	2	5	10	15	35
1-5 YRS	286	3.2	10	1	1	2	4	6	9	15
6-12 YRS	280	3.0	12	1	1	2	3	6	8	19
13-19 YRS	196	3.3	8	1	2	3	4	7	9	14
B Operated										
0-27 DYS	14	17.8	303	2	6	21	43	99 +	99 +	99 +
1-11 MOS	107	13.2	241	1	4	8	17	34	49	87
1-5 YRS	165	9.3	185	1	2	5	10	22	34	78
6-12 YRS	130	10.0	165	1	3	6	12	21	47	81
13-19 YRS	160	6.9	30	2	3	6	9	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A Not Operated	406	2.1	5	< 1	1	2	2	4	5	8
B Operated	250	3.5	11	< 1	1	2	5	7	9	17
2. MULTIPLE DX										
A Not Operated	881	3.3	13	1	1	2	4	7	9	18
B Operated	576	9.7	156	1	3	6	11	22	39	98
1. SINGLE DX	656	2.6	8	< 1	1	2	3	6	7	15
2. MULTIPLE DX	1457	5.8	79	1	2	3	7	13	20	63
A. Not Operated	1287	2.9	11	1	1	2	3	6	8	17
B. Operated	826	7.8	120	1	2	5	9	18	30	78
TOTAL										
0-27 DYS	42	8.0	148	1	2	3	9	37	99 +	99 +
1-11 MOS	314	7.0	117	1	2	3	7	17	28	71
1-5 YRS	678	4.4	58	1	1	2	4	8	14	37
6-12 YRS	603	4.4	52	1	1	2	4	9	14	48
13-19 YRS	476	4.4	20	1	2	3	6	10	13	27
GRAND TOTAL	**2113**	**4.8**	**59**	**1**	**1**	**3**	**5**	**10**	**17**	**50**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	1	7.0		7	7	7	7	7	7	7
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	8	3.1	3	1	1	3	5	5	5	5
6-12 YRS	6	1.5		< 1	1	1	2	2	2	2
13-19 YRS	4	1.3		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	8	3.0	6	1	1	2	5	7	7	7
1-5 YRS	11	2.8	9	1	1	2	3	8	10	10
6-12 YRS	13	1.3		1	1	1	2	2	3	3
13-19 YRS	16	1.8	3	1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	10.1	310	1	1	4	7	43	58	60
1-5 YRS	29	3.8	10	1	2	3	4	7	13	14
6-12 YRS	18	3.2	6	1	2	3	3	7	9	10
13-19 YRS	27	4.4	10	1	2	4	5	8	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	18	5.1	22	1	2	3	7	14	15	15
1-5 YRS	25	5.0	35	1	1	2	6	12	17	26
6-12 YRS	58	6.2	99	1	1	2	8	21	29	96
13-19 YRS	48	10.3	255	1	1	2	12	34	50	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.3	3	1	1	2	3	5	6	6
B. Operated	48	2.1	4	1	1	1	2	5	7	10
2. MULTIPLE DX										
A. Not Operated	93	5.0	71	1	2	3	5	8	13	58
B. Operated	149	7.2	132	1	1	2	9	21	32	70
1. SINGLE DX	68	2.2	4	1	1	1	2	5	7	10
2. MULTIPLE DX	242	6.3	109	1	1	3	6	15	28	61
A. Not Operated	113	4.5	60	1	2	3	5	8	13	57
B. Operated	197	5.9	106	1	1	2	6	16	28	65
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	46	6.6	135	1	1	3	6	14	23	60
1-5 YRS	73	4.0	18	1	2	2	5	10	13	23
6-12 YRS	95	4.7	65	1	1	2	4	11	22	82
13-19 YRS	95	6.8	144	1	1	2	6	17	34	63
GRAND TOTAL	**310**	**5.4**	**89**	**1**	**1**	**2**	**5**	**12**	**23**	**60**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	17.3	354	5	6	8	31	39	39	39
1-5 YRS	12	2.8	4	1	1	2	3	6	7	7
6-12 YRS	19	8.3	450	1	2	3	4	11	59	95
13-19 YRS	33	3.4	3	2	2	3	4	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	14	2.3	5	1	1	2	2	5	8	9
6-12 YRS	16	2.7	9	<1	1	2	3	7	10	12
13-19 YRS	11	3.4	36	1	1	1	2	12	20	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	18	8.2	33	2	5	6	12	18	21	22
1-5 YRS	40	6.8	96	1	2	4	9	14	16	60
6-12 YRS	48	6.1	91	1	2	3	5	14	26	50
13-19 YRS	65	4.6	12	1	2	3	6	9	11	18
B. Operated										
0-27 DYS	0									
1-11 MOS	25	20.3	514	1	3	13	38	77	99+	99+
1-5 YRS	58	10.3	286	1	1	3	11	48	57	97
6-12 YRS	54	8.9	229	1	1	3	11	35	69	99+
13-19 YRS	35	11.9	405	1	1	2	13	42	54	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	5.3	146	1	2	3	5	7	9	85
B. Operated	45	2.7	13	1	1	1	3	6	10	21
2. MULTIPLE DX										
A. Not Operated	173	5.8	56	1	2	4	7	13	17	48
B. Operated	172	11.6	333	1	1	3	14	50	70	99+
1. SINGLE DX	113	4.2	94	1	1	2	4	6	9	60
2. MULTIPLE DX	345	8.7	202	1	2	3	9	24	53	99+
A. Not Operated	241	5.7	81	1	2	3	6	11	16	51
B. Operated	217	9.8	280	1	1	2	11	40	60	99+
TOTAL										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	50	14.3	323	1	3	7	23	52	78	99+
1-5 YRS	124	7.5	173	1	1	3	7	19	49	78
6-12 YRS	137	7.1	185	1	1	3	6	17	46	99+
13-19 YRS	144	6.0	116	1	2	3	6	10	22	59
GRAND TOTAL	**458**	**7.6**	**179**	**1**	**2**	**3**	**7**	**19**	**45**	**99**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	53	2.2	2	<1	1	2	3	4	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	537	3.6	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	64	3.1	7	1	1	2	4	7	9	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	559	5.2	9	2	3	5	6	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.2	2	<1	1	2	3	4	6	8
B. Operated	537	3.6	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	64	3.1	7	1	1	2	4	7	9	14
B. Operated	559	5.2	9	2	3	5	6	9	11	15
1. SINGLE DX	590	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	623	5.0	9	2	3	4	6	8	11	15
A. Not Operated	117	2.7	5	1	1	2	3	6	7	11
B. Operated	1096	4.4	7	2	3	4	5	7	9	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1213	4.2	7	1	3	4	5	7	9	14
GRAND TOTAL	**1213**	**4.2**	**7**	**1**	**3**	**4**	**5**	**7**	**9**	**14**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	24	2.9	4	1	1	2	4	7	7	8
B. Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	3.0	3	1	2	3	4	5	5	5
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	3	8.0	61	3	3	4	14	17	17	17
13-19 YRS	45	4.0	4	1	3	4	5	7	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	6.2	15	1	5	6	7	12	13	13
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	4	5.5	6	2	4	6	7	8	8	8
13-19 YRS	24	3.9	6	1	2	4	5	6	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	8	14.8	405	1	2	6	24	49	53	53
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	2	11.5	221	1	1	11	22	22	22	22
13-19 YRS	36	4.7	12	1	3	4	6	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.6	4	1	1	2	3	6	7	8
B. Operated	57	3.9	7	1	2	4	5	7	8	16
2. MULTIPLE DX										
A. Not Operated	36	4.4	8	1	2	5	6	8	9	13
B. Operated	50	6.3	87	1	2	4	6	12	22	53
1. SINGLE DX	87	3.4	6	1	2	3	5	7	7	14
2. MULTIPLE DX	86	5.5	54	1	2	4	6	10	14	48
A. Not Operated	66	3.6	7	1	2	3	5	7	8	13
B. Operated	107	5.0	45	1	2	4	5	9	14	46
TOTAL										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	22	7.9	170	1	1	4	7	21	45	53
1-5 YRS	9	1.6	1	1	1	1	2	3	3	3
6-12 YRS	9	7.7	51	1	3	6	10	20	22	22
13-19 YRS	129	4.0	7	1	2	4	5	7	9	14
GRAND TOTAL	**173**	**4.5**	**31**	**1**	**2**	**3**	**5**	**8**	**10**	**36**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	2.0	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	4.8	5	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	7.5	16	2	5	8	10	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	2	1	1	2	3	4	4	4
B. Operated	26	4.8	5	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	1	11.0		11	11	11	11	11	11	11
B. Operated	32	7.5	16	2	5	8	10	13	16	17
1. SINGLE DX	32	4.3	5	1	2	4	6	7	7	10
2. MULTIPLE DX	33	7.6	16	2	5	8	10	13	16	17
A. Not Operated	7	3.3	13	1	1	2	4	10	11	11
B. Operated	58	6.3	13	2	4	6	8	11	14	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	65	5.9	13	1	3	6	8	11	13	17
GRAND TOTAL	**65**	**5.9**	**13**	**1**	**3**	**6**	**8**	**11**	**13**	**17**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	2.6	2	1	1	3	4	4	4	4
1-5 YRS	10	5.0	8	2	3	4	7	9	11	11
6-12 YRS	5	6.2	25	1	2	4	11	12	12	12
13-19 YRS	6	2.5	2	1	1	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	< 1	< 1	3	6	6	6	6
1-5 YRS	5	8.2	30	1	5	9	11	16	16	16
6-12 YRS	5	7.2	25	2	3	7	11	14	14	14
13-19 YRS	6	6.3	27	1	2	5	9	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	45	7.0	20	2	4	6	10	13	14	21
1-5 YRS	31	7.7	13	3	5	7	10	13	15	16
6-12 YRS	27	7.0	43	1	3	6	10	14	18	32
13-19 YRS	11	7.2	146	1	2	3	7	22	41	43
B. Operated										
0-27 DYS	2	32.5	85	26	26	32	39	39	39	39
1-11 MOS	16	18.4	220	5	7	15	26	55	86	99 +
1-5 YRS	20	14.7	170	4	8	12	17	24	45	63
6-12 YRS	13	9.2	53	2	3	7	14	21	22	22
13-19 YRS	14	15.1	288	1	4	10	24	32	57	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.2	10	1	2	4	4	10	11	12
B. Operated	18	6.8	23	1	2	6	9	15	16	16
2. MULTIPLE DX										
A. Not Operated	114	7.2	34	2	3	6	10	13	15	36
B. Operated	65	15.1	191	2	6	11	22	28	60	94
1. SINGLE DX	44	5.3	17	1	2	4	7	11	14	16
2. MULTIPLE DX	179	10.1	105	2	4	7	12	22	28	64
A. Not Operated	140	6.7	31	2	3	5	9	13	15	33
B. Operated	83	13.3	166	2	5	10	18	27	45	88
TOTAL										
0-27 DYS	2	32.5	85	26	26	32	39	39	39	39
1-11 MOS	68	9.3	90	2	4	7	11	23	28	92
1-5 YRS	66	9.4	72	3	5	8	12	16	20	57
6-12 YRS	50	7.5	41	1	3	6	11	15	21	32
13-19 YRS	37	9.3	172	1	2	4	10	24	38	64
GRAND TOTAL	**223**	**9.1**	**91**	**2**	**3**	**7**	**11**	**20**	**26**	**63**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	86	4.8	9	2	3	4	7	8	10	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	5.8	24	1	2	4	9	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.7	14	4	4	5	9	11	11	11
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	142	5.1	10	2	3	5	6	9	12	15
B. Operated										
0-27 DYS	0									
1-11 MOS	2	64.0	578	47	47	64	81	81	81	81
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	4	8.5	3	6	7	9	10	10	10	10
13-19 YRS	51	10.9	85	3	5	7	14	26	39	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	4.8	9	2	3	4	7	8	10	15
B. Operated	14	5.8	24	1	2	4	9	15	15	15
2. MULTIPLE DX										
A. Not Operated	149	5.1	10	2	3	5	6	9	11	15
B. Operated	59	12.4	180	3	5	8	14	27	44	98
1. SINGLE DX	100	5.0	11	2	3	4	7	9	12	16
2. MULTIPLE DX	208	7.2	68	2	3	5	8	13	20	61
A. Not Operated	235	5.0	9	2	3	4	7	9	11	15
B. Operated	73	11.1	156	2	4	7	12	25	41	95
TOTAL										
0-27 DYS	0									
1-11 MOS	5	29.6	1138	4	5	11	55	81	81	81
1-5 YRS	4	6.3	11	3	3	6	9	10	10	10
6-12 YRS	6	7.2	7	3	6	7	9	10	10	10
13-19 YRS	293	6.1	28	2	3	5	7	11	15	35
GRAND TOTAL	**308**	**6.5**	**50**	**2**	**3**	**5**	**7**	**11**	**16**	**44**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	19	2.1	2	1	1	2	2	5	6	6
1-11 MOS	49	2.3	5	1	1	2	3	4	5	14
1-5 YRS	23	1.6	1	< 1	< 1	1	2	3	4	4
6-12 YRS	19	2.1	1	1	1	2	3	4	4	4
13-19 YRS	22	1.9	1	< 1	1	2	3	3	4	4
B. Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	2.4	1	1	2	2	3	4	4	4
1-5 YRS	10	3.9	9	1	2	3	6	9	11	11
6-12 YRS	4	3.0	3	1	2	3	4	5	5	5
13-19 YRS	4	4.0	17	1	1	2	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	22	3.5	3	2	2	3	4	6	7	8
1-11 MOS	110	2.9	2	1	2	3	4	5	6	7
1-5 YRS	130	4.0	19	1	2	2	4	9	12	21
6-12 YRS	105	3.3	8	1	1	3	4	8	10	13
13-19 YRS	150	3.5	14	1	2	3	4	6	11	20
B. Operated										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	26	6.9	130	1	2	3	8	16	66	99 +
1-5 YRS	38	8.8	94	1	2	5	13	22	31	42
6-12 YRS	38	9.4	141	1	2	7	10	17	39	57
13-19 YRS	51	8.1	192	1	3	5	8	16	25	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	2.1	3	< 1	1	2	3	4	4	8
B. Operated	25	3.4	7	1	2	3	4	6	10	11
2. MULTIPLE DX										
A. Not Operated	517	3.5	11	1	2	3	4	7	10	17
B. Operated	155	8.3	141	1	2	5	9	17	30	93
1. SINGLE DX	157	2.3	3	1	1	2	3	4	5	11
2. MULTIPLE DX	672	4.6	45	1	2	3	5	9	14	36
A. Not Operated	649	3.2	10	1	1	2	4	6	9	16
B. Operated	180	7.7	125	1	2	4	9	16	24	84
TOTAL										
0-27 DYS	45	2.9	3	1	2	2	4	6	6	8
1-11 MOS	190	3.3	22	1	2	2	4	6	7	42
1-5 YRS	201	4.6	35	1	2	2	5	11	16	35
6-12 YRS	166	4.6	44	1	1	3	5	9	13	46
13-19 YRS	227	4.4	56	1	2	3	4	9	14	30
GRAND TOTAL	**829**	**4.2**	**38**	**1**	**2**	**3**	**4**	**9**	**13**	**32**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	32	2.8	8	1	1	2	3	5	6	16
1-11 MOS	45	2.9	2	1	2	3	4	4	5	9
1-5 YRS	14	3.6	11	1	1	2	6	8	11	12
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	6.4	14	2	3	6	10	11	13	13
1-5 YRS	13	4.8	12	< 1	2	4	6	9	12	13
6-12 YRS	5	3.0	12	1	1	2	4	9	9	9
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	37	3.8	6	2	3	3	4	6	7	15
1-11 MOS	142	5.5	41	2	2	4	6	11	15	42
1-5 YRS	63	8.3	87	2	2	5	11	18	26	53
6-12 YRS	13	6.4	18	2	3	5	9	13	15	16
13-19 YRS	7	4.1	6	2	2	3	6	8	8	8
B. Operated										
0-27 DYS	7	10.1	68	2	4	10	11	24	27	27
1-11 MOS	52	18.5	421	3	6	15	46	99 +	99 +	99 +
1-5 YRS	79	15.0	375	3	4	8	22	66	94	99 +
6-12 YRS	12	10.6	93	1	3	8	18	23	32	33
13-19 YRS	9	20.0	346	4	6	10	33	50	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	2.9	5	1	1	2	4	5	6	14
B. Operated	31	5.1	12	1	2	4	8	10	13	13
2. MULTIPLE DX										
A. Not Operated	262	6.0	47	2	3	4	7	13	17	41
B. Operated	159	15.9	355	3	5	10	24	83	99 +	99 +
1. SINGLE DX	127	3.5	8	1	2	3	4	7	9	14
2. MULTIPLE DX	421	9.7	186	2	3	5	11	28	62	99 +
A. Not Operated	358	5.2	37	1	2	3	6	11	15	37
B. Operated	190	14.1	314	2	4	9	20	67	99 +	99 +
TOTAL										
0-27 DYS	77	3.9	15	1	2	3	4	6	11	24
1-11 MOS	250	7.8	142	2	3	4	9	23	58	99 +
1-5 YRS	169	10.8	226	2	3	6	14	27	63	99 +
6-12 YRS	34	6.8	50	1	2	4	9	17	19	33
13-19 YRS	18	12.2	230	2	3	6	10	42	50	52
GRAND TOTAL	**548**	**8.3**	**151**	**2**	**3**	**4**	**9**	**23**	**47**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	4.0		4	4	4	4	4	4	4
1-5 YRS	140	4.1	9	1	2	3	5	8	10	14
6-12 YRS	98	3.2	9	1	1	2	4	8	9	15
13-19 YRS	53	3.0	12	< 1	1	2	3	5	8	24
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	59	3.5	27	1	1	2	3	8	11	28
6-12 YRS	92	1.7	2	1	1	1	2	3	6	7
13-19 YRS	72	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	8	4.1	12	1	2	3	5	10	12	12
1-5 YRS	218	5.3	18	2	3	4	7	11	13	18
6-12 YRS	140	4.5	18	1	2	3	6	9	13	23
13-19 YRS	106	3.4	7	1	1	3	5	7	9	13
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	1	2	2	3	76	99 +	99 +	99 +
1-5 YRS	57	8.8	109	1	2	5	10	25	29	51
6-12 YRS	73	4.6	20	1	1	2	7	11	12	21
13-19 YRS	101	5.2	35	1	1	3	7	11	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	294	3.6	10	1	2	3	5	7	9	15
B. Operated	224	2.1	9	1	1	1	2	3	6	15
2. MULTIPLE DX										
A. Not Operated	473	4.6	16	1	2	4	6	10	12	18
B. Operated	234	5.8	50	1	1	3	8	14	22	38
1. SINGLE DX	518	3.0	10	1	1	2	4	6	9	15
2. MULTIPLE DX	707	5.0	27	1	2	3	7	11	14	29
A. Not Operated	767	4.2	14	1	2	3	5	9	12	17
B. Operated	458	4.0	33	1	1	2	5	10	15	29
TOTAL										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	14	4.1	8	2	2	4	6	12	78	99 +
1-5 YRS	474	5.2	29	1	2	4	6	11	14	28
6-12 YRS	403	3.6	13	1	1	2	5	8	11	17
13-19 YRS	332	3.5	17	1	1	2	4	7	10	23
GRAND TOTAL	**1225**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**24**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	20	3.7	5	1	2	3	5	7	8	9
6-12 YRS	35	3.5	4	1	2	3	4	6	8	9
13-19 YRS	11	1.9	2	1	1	1	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	3.0	4	1	2	2	3	7	7	7
13-19 YRS	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	50	4.3	5	2	3	4	6	8	8	10
6-12 YRS	112	4.7	10	2	3	4	6	8	11	18
13-19 YRS	41	4.3	5	2	2	4	5	8	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	5	7.4	24	2	3	6	12	13	13	13
6-12 YRS	17	7.6	42	1	3	7	8	20	22	23
13-19 YRS	19	7.2	54	1	1	5	9	19	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.3	4	1	2	3	4	6	7	9
B. Operated	11	2.5	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	203	4.5	8	2	3	4	6	8	9	16
B. Operated	42	7.4	43	1	2	6	9	17	22	28
1. SINGLE DX	78	3.2	4	1	2	3	4	6	7	9
2. MULTIPLE DX	245	5.0	15	2	3	4	6	8	11	21
A. Not Operated	270	4.2	7	2	3	4	5	8	9	15
B. Operated	53	6.4	38	1	2	5	8	15	21	28
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	76	4.4	6	2	2	4	6	8	10	13
6-12 YRS	170	4.7	13	2	3	4	6	8	11	21
13-19 YRS	75	4.5	19	1	2	4	5	8	10	26
GRAND TOTAL	**323**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**21**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	58.0		58	58	58	58	58	58	58
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	11	1.6	1	< 1	< 1	1	2	3	4	4
13-19 YRS	7	7.0	23	1	4	7	8	14	16	16
B. Operated										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	0									
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	13	7.3	50	1	2	3	11	19	21	22
13-19 YRS	35	3.7	19	< 1	1	2	5	8	13	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	16.6	164	4	5	18	23	36	36	36
1-11 MOS	14	8.7	70	< 1	2	6	13	24	25	25
1-5 YRS	35	4.7	36	1	1	3	7	10	14	31
6-12 YRS	50	4.3	30	1	1	2	6	12	17	25
13-19 YRS	36	5.1	26	< 1	2	3	7	11	15	26
B. Operated										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	8	23.1	853	3	4	12	29	73	90	90
1-5 YRS	60	16.3	110	4	7	16	22	31	38	45
6-12 YRS	101	15.6	184	3	7	12	20	31	43	67
13-19 YRS	173	12.1	109	2	4	10	17	25	33	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	6.3	163	< 1	1	2	6	12	37	58
B. Operated	53	4.7	30	1	1	2	6	14	18	22
2. MULTIPLE DX										
A. Not Operated	140	5.5	43	1	1	3	8	14	19	31
B. Operated	343	14.2	151	2	5	11	19	28	38	58
1. SINGLE DX	73	5.2	65	< 1	1	2	6	14	18	50
2. MULTIPLE DX	483	11.6	135	1	3	9	17	25	35	55
A. Not Operated	160	5.6	57	1	1	3	7	14	19	35
B. Operated	396	12.9	145	2	4	10	18	27	37	57
TOTAL										
0-27 DYS	7	18.4	131	4	9	18	26	35	36	36
1-11 MOS	23	15.9	445	1	3	9	22	38	69	90
1-5 YRS	100	11.5	112	1	3	8	17	26	35	43
6-12 YRS	175	10.9	149	1	2	7	16	25	37	62
13-19 YRS	251	9.8	94	1	3	7	14	23	28	48
GRAND TOTAL	**556**	**10.8**	**131**	**1**	**2**	**7**	**16**	**25**	**33**	**55**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	6.3	34	3	3	4	9	15	15	15
6-12 YRS	2	5.5	41	< 1	< 1	5	10	10	10	10
13-19 YRS	1	2.0		2	2	51	99 +	99 +	99 +	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	8	4.6	29	< 1	1	3	6	14	17	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	11.1	49	3	6	11	12	22	25	25
1-11 MOS	8	5.5	10	1	2	6	8	9	9	9
1-5 YRS	16	8.6	41	1	4	6	14	17	20	22
6-12 YRS	16	5.1	7	2	3	5	7	8	9	10
13-19 YRS	18	6.1	13	3	4	5	7	9	15	18
B. Operated										
0-27 DYS	5	24.4	545	5	7	12	43	59	59	59
1-11 MOS	6	19.3	123	6	11	18	25	36	37	37
1-5 YRS	23	18.1	174	7	8	13	25	42	46	49
6-12 YRS	21	18.7	320	3	9	15	22	61	82	99 +
13-19 YRS	30	10.4	113	2	3	7	14	22	37	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.4	26	1	2	4	12	74	99 +	99 +
B. Operated	10	3.9	25	< 1	1	2	4	12	17	17
2. MULTIPLE DX										
A. Not Operated	65	6.9	24	2	4	6	9	13	17	25
B. Operated	85	16.0	213	3	6	12	21	42	51	89
1. SINGLE DX	17	4.5	25	< 1	1	3	7	16	67	99 +
2. MULTIPLE DX	150	12.1	151	2	4	8	15	26	44	70
A. Not Operated	72	6.8	25	2	4	5	9	15	18	83
B. Operated	95	14.7	207	2	5	10	18	38	48	86
TOTAL										
0-27 DYS	12	16.7	272	4	7	11	19	44	57	59
1-11 MOS	14	11.4	104	2	5	8	15	26	35	37
1-5 YRS	43	13.5	134	3	5	9	16	29	43	49
6-12 YRS	41	11.9	215	1	3	7	17	33	62	99 +
13-19 YRS	57	8.1	73	2	3	5	10	18	32	96
GRAND TOTAL	**167**	**11.3**	**143**	**2**	**4**	**8**	**15**	**25**	**44**	**94**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	6.8	6	5	5	6	8	10	10	10
1-11 MOS	26	3.8	3	2	2	4	5	6	7	8
1-5 YRS	97	3.3	2	2	2	3	4	5	6	8
6-12 YRS	117	3.1	2	2	2	3	4	5	6	7
13-19 YRS	247	3.4	2	2	2	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	3	6.7	12	3	4	7	9	10	10	10
6-12 YRS	5	4.2	5	3	3	3	5	8	8	8
13-19 YRS	6	3.8	2	2	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	17	5.8	6	3	3	6	7	9	10	10
1-11 MOS	154	5.1	7	2	3	4	7	9	11	13
1-5 YRS	364	4.3	5	2	3	4	5	7	8	11
6-12 YRS	334	3.8	4	2	2	4	5	6	8	11
13-19 YRS	790	3.8	3	2	3	4	5	6	7	9
B. Operated										
0-27 DYS	3	5.3	9	2	3	6	7	8	8	8
1-11 MOS	28	8.3	26	3	4	7	11	15	17	24
1-5 YRS	37	6.1	7	3	4	6	8	11	11	12
6-12 YRS	29	4.5	4	2	3	4	5	8	8	8
13-19 YRS	47	6.6	26	3	4	6	8	10	11	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	491	3.4	2	2	2	3	4	5	6	8
B. Operated	16	4.8	5	3	3	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	1659	4.1	4	2	3	4	5	7	8	11
B. Operated	144	6.3	17	3	4	5	8	11	12	25
1. SINGLE DX	507	3.4	3	2	2	3	4	5	6	8
2. MULTIPLE DX	1803	4.3	6	2	3	4	5	7	8	12
A. Not Operated	2150	3.9	4	2	3	4	5	6	8	10
B. Operated	160	6.2	16	3	4	5	8	11	12	23
TOTAL										
0-27 DYS	24	5.9	6	3	4	6	8	9	10	10
1-11 MOS	210	5.4	11	2	3	4	7	10	12	16
1-5 YRS	501	4.3	5	2	3	4	5	7	9	11
6-12 YRS	485	3.7	4	2	2	3	5	6	7	10
13-19 YRS	1090	3.8	4	2	3	4	5	6	7	10
GRAND TOTAL	**2310**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	**11**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	45	4.8	5	3	3	4	6	7	9	12
1-5 YRS	108	3.6	4	2	2	3	4	6	7	11
6-12 YRS	111	3.5	3	2	2	3	4	6	7	10
13-19 YRS	188	3.1	3	1	2	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	6	5.0	7	2	4	4	5	10	10	10
1-5 YRS	9	5.6	25	1	3	5	6	13	18	18
6-12 YRS	10	3.0	1	2	2	3	4	5	5	5
13-19 YRS	9	5.7	7	2	4	5	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	5.7	3	3	4	7	7	7	7	7
1-11 MOS	145	5.0	7	2	3	4	6	8	10	14
1-5 YRS	350	4.4	5	2	3	4	6	7	8	10
6-12 YRS	297	4.1	4	2	3	4	5	7	8	12
13-19 YRS	462	4.0	5	2	3	4	5	6	7	11
B. Operated										
0-27 DYS	6	8.0	9	3	7	8	10	11	11	11
1-11 MOS	36	8.3	37	4	5	7	9	14	22	33
1-5 YRS	71	7.1	21	3	4	6	8	13	15	29
6-12 YRS	47	6.4	13	3	4	6	7	10	12	22
13-19 YRS	53	8.1	45	3	4	6	10	17	27	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	454	3.5	3	2	2	3	4	6	7	10
B. Operated	34	4.7	10	2	3	4	5	9	10	18
2. MULTIPLE DX										
A. Not Operated	1261	4.3	5	2	3	4	5	7	8	12
B. Operated	213	7.4	28	3	4	6	9	14	17	34
1. SINGLE DX	488	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX	1474	4.7	10	2	3	4	6	8	10	16
A. Not Operated	1715	4.1	5	2	3	4	5	7	8	11
B. Operated	247	7.0	26	3	4	6	9	13	16	33
TOTAL										
0-27 DYS	15	6.2	8	3	3	7	7	10	11	11
1-11 MOS	232	5.5	13	2	3	5	7	9	12	17
1-5 YRS	538	4.6	8	2	3	4	6	8	9	15
6-12 YRS	465	4.1	6	2	3	4	5	7	9	12
13-19 YRS	712	4.1	9	2	3	4	5	7	8	18
GRAND TOTAL	**1962**	**4.4**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	13	2.3	2	1	1	2	3	4	5	5
13-19 YRS	72	1.8	1	1	1	2	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	4.4	7	1	2	4	6	8	8	8
6-12 YRS	3	6.7	54	< 1	1	4	12	15	15	15
13-19 YRS	20	2.4	3	< 1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	6	2.0	1	1	1	2	2	4	4	4
6-12 YRS	21	3.0	5	1	2	3	4	5	8	11
13-19 YRS	73	2.4	3	1	1	2	3	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	9	4.9	19	1	2	4	7	12	14	14
6-12 YRS	15	6.0	17	1	3	4	10	12	13	13
13-19 YRS	38	6.5	55	2	3	4	7	12	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	1.9	1	1	1	2	2	3	4	5
B. Operated	29	3.2	9	< 1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	103	2.5	3	1	1	2	3	5	6	10
B. Operated	64	6.0	39	2	3	4	7	12	15	39
1. SINGLE DX	115	2.2	3	1	1	2	3	4	5	10
2. MULTIPLE DX	167	3.8	20	1	2	3	4	7	11	24
A. Not Operated	189	2.2	2	1	1	2	3	4	5	8
B. Operated	93	5.1	31	1	2	4	6	11	14	35
TOTAL										
0-27 DYS	0									
1-11 MOS	7	2.4	1	2	2	2	3	4	4	4
1-5 YRS	20	3.9	11	1	1	3	5	8	11	14
6-12 YRS	52	3.9	12	1	2	3	4	11	12	15
13-19 YRS	203	2.9	15	1	1	2	3	6	7	21
GRAND TOTAL	**282**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	16	1.7	1	1	1	2	2	3	3	3
13-19 YRS	213	1.5	1	1	1	1	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	4.8	7	1	3	5	6	7	7	7
6-12 YRS	22	2.6	5	1	1	2	3	5	7	10
13-19 YRS	150	2.6	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	2.0	1	1	1	2	2	3	3	3
6-12 YRS	25	2.3	2	1	1	2	3	4	5	7
13-19 YRS	167	2.0	2	1	1	2	2	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	11	5.8	27	2	2	4	7	14	19	19
6-12 YRS	12	5.6	14	1	2	5	8	11	13	13
13-19 YRS	114	4.1	21	1	2	3	5	6	8	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	1.5	1	1	1	1	2	3	3	5
B. Operated	177	2.6	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	197	2.0	2	1	1	2	2	3	4	8
B. Operated	139	4.4	21	1	2	3	5	7	12	31
1. SINGLE DX	410	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX	336	3.0	11	1	1	2	4	6	7	18
A. Not Operated	430	1.8	1	1	1	1	2	3	4	6
B. Operated	316	3.4	11	1	2	3	4	6	7	18
TOTAL										
0-27 DYS	0									
1-11 MOS	6	1.8	1	1	1	2	2	3	3	3
1-5 YRS	21	4.5	17	1	2	3	5	9	15	19
6-12 YRS	75	2.8	6	1	1	2	3	6	9	12
13-19 YRS	644	2.3	6	1	1	2	3	4	6	8
GRAND TOTAL	**746**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	9	2.8	3	1	1	2	4	6	6	6
1-5 YRS	24	2.4	2	1	1	2	4	4	5	5
6-12 YRS	17	2.5	6	< 1	1	2	3	4	9	11
13-19 YRS	21	2.3	2	< 1	1	2	3	5	5	6
B. Operated										
0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	136	3.9	4	1	3	4	5	7	8	12
1-5 YRS	502	4.2	4	2	3	4	5	7	8	10
6-12 YRS	496	4.2	4	2	3	4	5	7	8	9
13-19 YRS	101	4.5	4	2	3	4	6	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	4.5	16	1	1	3	7	11	11	11
1-11 MOS	43	5.7	24	1	3	4	8	12	15	25
1-5 YRS	64	4.3	22	< 1	1	3	5	10	14	23
6-12 YRS	41	4.8	77	1	2	2	5	8	15	55
13-19 YRS	57	3.5	11	1	2	3	5	6	8	21
B. Operated										
0-27 DYS	13	14.0	204	1	3	11	34	47	88	99 +
1-11 MOS	237	6.4	65	2	3	5	7	12	18	88
1-5 YRS	613	5.8	11	3	4	5	7	10	12	20
6-12 YRS	470	5.2	8	2	3	5	7	9	10	15
13-19 YRS	176	6.1	19	2	3	5	8	11	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.5	4	1	1	2	3	5	6	11
B. Operated	1239	4.2	4	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	211	4.5	30	1	2	3	5	9	13	24
B. Operated	1509	5.8	22	2	3	5	7	10	12	26
1. SINGLE DX	1312	4.1	4	1	3	4	5	7	8	10
2. MULTIPLE DX	1720	5.7	23	2	3	5	7	10	12	25
A. Not Operated	284	4.0	24	1	1	3	5	8	12	23
B. Operated	2748	5.1	14	2	3	4	6	8	10	20
TOTAL										
0-27 DYS	25	9.1	135	1	2	4	14	35	53	99 +
1-11 MOS	425	5.4	41	1	3	4	6	10	13	45
1-5 YRS	1203	5.0	10	2	3	4	6	8	11	19
6-12 YRS	1024	4.7	9	2	3	4	6	8	9	13
13-19 YRS	355	5.0	14	1	3	4	6	8	11	24
GRAND TOTAL	**3032**	**5.0**	**15**	**2**	**3**	**4**	**6**	**8**	**11**	**20**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	11	2.8	12	< 1	1	2	3	7	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0	3	4	5	7	7	7	7	7
6-12 YRS	6	2.8	2	1	2	3	3	5	5	5
13-19 YRS	7	2.0	2	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	9	2.4	8	< 1	1	1	3	7	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	3.7	4	2	2	3	5	6	6	6
6-12 YRS	17	2.5	2	1	2	2	3	4	5	6
13-19 YRS	17	3.3	3	1	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.8	11	< 1	1	2	3	6	12	13
B. Operated	16	3.1	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated	12	3.3	10	< 1	1	2	6	8	9	9
B. Operated	38	2.9	3	1	2	3	4	6	6	7
1. SINGLE DX	28	2.9	7	1	1	2	3	6	8	13
2. MULTIPLE DX	50	3.0	4	1	1	2	4	6	8	9
A. Not Operated	24	3.0	10	1	1	2	3	8	10	13
B. Operated	54	2.9	3	1	2	3	4	6	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	4.6	6	2	2	4	7	8	8	8
6-12 YRS	24	2.8	3	1	2	3	3	5	7	8
13-19 YRS	44	2.8	6	1	1	2	4	5	8	13
GRAND TOTAL	**78**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**	**12**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0	-	2	2	2	2	2	2	2
1-5 YRS	12	1.8	1	1	1	2	2	3	4	4
6-12 YRS	15	2.2	3	1	1	2	3	3	7	8
13-19 YRS	13	2.2	2	1	1	2	3	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	5	1.6		< 1	< 1	2	2	2	2	2
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	14	3.3	5	1	2	3	4	7	9	9
1-5 YRS	34	3.1	3	1	2	3	4	5	7	7
6-12 YRS	29	3.3	12	1	1	2	3	7	13	15
13-19 YRS	39	2.9	4	1	2	2	4	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	15	5.9	32	1	2	4	7	15	19	21
6-12 YRS	19	4.9	14	1	2	4	7	12	13	13
13-19 YRS	22	4.5	15	1	2	3	6	9	13	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.1	2	1	1	2	2	4	5	8
B. Operated	9	1.7	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	117	3.1	5	1	2	2	4	5	7	14
B. Operated	58	4.9	18	1	2	4	6	11	14	21
1. SINGLE DX	50	2.0	2	1	1	2	2	4	4	8
2. MULTIPLE DX	175	3.7	10	1	2	3	4	7	11	17
A. Not Operated	158	2.8	5	1	1	2	4	5	7	13
B. Operated	67	4.5	17	< 1	2	3	5	10	14	20
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	3.2	5	1	2	3	4	7	8	9
1-5 YRS	62	3.5	11	1	2	2	4	6	9	20
6-12 YRS	68	3.4	11	1	1	2	4	8	13	15
13-19 YRS	77	3.2	7	1	2	2	4	6	8	15
GRAND TOTAL	**225**	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	55	1.8	2	< 1	< 1	< 1	2	3	6	8
6-12 YRS	41	1.8	3	< 1	< 1	1	2	4	6	8
13-19 YRS	26	2.3	3	< 1	1	2	4	4	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	48	2.6	4	< 1	1	2	4	6	6	8
6-12 YRS	62	3.9	18	< 1	1	1	6	9	12	20
13-19 YRS	38	4.4	18	1	2	3	6	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	125	1.9	3	< 1	< 1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	6	1.5	1	< 1	1	1	2	3	3	3
B. Operated	152	3.5	14	< 1	1	2	5	8	10	21
1. SINGLE DX	125	1.9	3	< 1	< 1	1	2	4	6	8
2. MULTIPLE DX	158	3.4	13	< 1	1	2	5	8	10	21
A. Not Operated	6	1.5	1	< 1	1	1	2	3	3	3
B. Operated	277	2.8	9	< 1	< 1	1	4	7	8	15
TOTAL										
0-27 DYS	0									
1-11 MOS	9	1.9	1	1	1	2	2	4	4	4
1-5 YRS	105	2.1	3	< 1	< 1	1	2	5	6	8
6-12 YRS	103	3.1	13	< 1	< 1	1	4	8	10	18
13-19 YRS	66	3.5	13	< 1	1	2	5	7	9	21
GRAND TOTAL	**283**	**2.8**	**9**	**< 1**	**< 1**	**1**	**4**	**7**	**8**	**15**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	45	4.8	8	2	3	4	7	8	9	17
1-11 MOS	202	4.0	42	2	2	3	4	6	7	11
1-5 YRS	137	3.0	3	1	2	3	4	5	6	9
6-12 YRS	85	2.7	7	1	1	2	3	5	6	17
13-19 YRS	86	2.4	2	1	1	2	3	4	5	6
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	4.0	4	2	3	3	5	7	7	7
1-5 YRS	10	2.6	5	< 1	< 1	1	4	6	7	7
6-12 YRS	8	2.1	2	< 1	< 1	1	3	4	4	4
13-19 YRS	4	3.5	7	< 1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	253	5.4	9	2	3	5	7	10	11	15
1-11 MOS	1304	4.6	9	2	3	4	6	8	10	14
1-5 YRS	871	4.1	8	2	2	3	5	7	9	16
6-12 YRS	408	3.9	7	2	2	3	5	7	9	13
13-19 YRS	463	3.6	7	1	2	3	4	6	8	15
B. Operated										
0-27 DYS	48	7.7	20	4	5	7	10	11	12	31
1-11 MOS	214	7.6	33	3	4	6	9	14	18	36
1-5 YRS	114	6.3	27	2	3	5	7	11	18	28
6-12 YRS	60	6.8	55	2	3	5	8	13	14	52
13-19 YRS	55	6.1	32	2	3	4	7	15	21	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	555	3.3	18	1	2	3	4	6	7	10
B. Operated	43	3.3	4	< 1	1	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated	3299	4.3	8	2	2	4	5	8	10	15
B. Operated	491	7.1	33	3	4	5	9	13	17	33
1. SINGLE DX	598	3.3	17	1	2	3	4	6	7	10
2. MULTIPLE DX	3790	4.7	12	2	3	4	6	9	10	18
A. Not Operated	3854	4.2	10	2	2	3	5	7	10	14
B. Operated	534	6.8	32	2	3	5	8	12	17	32
TOTAL										
0-27 DYS	347	5.7	11	2	3	5	7	10	11	17
1-11 MOS	1740	4.9	17	2	3	4	6	9	10	19
1-5 YRS	1132	4.2	10	2	2	3	5	7	10	18
6-12 YRS	561	4.0	13	1	2	3	5	8	9	15
13-19 YRS	608	3.7	9	1	2	3	4	6	8	18
GRAND TOTAL	**4388**	**4.5**	**13**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	2.0	2	1	1	2	3	4	4	4
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	25	2.5	2	1	1	2	3	5	6	6
6-12 YRS	23	1.6	1	< 1	1	1	2	3	3	3
13-19 YRS	23	2.0	2	< 1	1	2	3	4	5	6
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.3		< 1	1	1	2	2	2	2
1-5 YRS	50	2.0	3	< 1	1	1	2	5	7	8
6-12 YRS	67	2.3	6	< 1	1	1	3	4	6	15
13-19 YRS	50	2.0	3	< 1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	5.8	22	1	2	6	7	13	15	15
1-5 YRS	63	3.4	13	1	2	2	4	6	10	23
6-12 YRS	62	2.3	2	1	1	2	3	4	5	8
13-19 YRS	78	3.7	42	1	2	2	4	6	7	45
B. Operated										
0-27 DYS	0									
1-11 MOS	10	4.0	4	2	3	3	5	7	8	8
1-5 YRS	101	4.9	33	< 1	1	3	6	11	18	29
6-12 YRS	95	4.9	26	1	1	3	7	11	15	23
13-19 YRS	92	4.6	24	1	1	3	7	10	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.1	2	1	1	2	3	4	5	6
B. Operated	174	2.1	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	214	3.2	21	1	1	2	4	6	8	28
B. Operated	298	4.8	27	1	1	3	7	11	16	23
1. SINGLE DX	254	2.1	3	< 1	1	1	2	4	5	11
2. MULTIPLE DX	512	4.1	25	1	1	2	5	9	14	24
A. Not Operated	294	2.9	16	1	1	2	3	5	7	21
B. Operated	472	3.8	20	< 1	1	2	5	9	13	22
TOTAL										
0-27 DYS	8	1.8	1	1	1	2	2	3	4	4
1-11 MOS	29	3.7	11	1	2	3	5	7	11	15
1-5 YRS	239	3.6	19	1	1	2	4	8	11	24
6-12 YRS	247	3.2	14	1	1	2	3	7	11	22
13-19 YRS	243	3.5	24	< 1	1	2	4	7	10	24
GRAND TOTAL	**766**	**3.5**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**22**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	0									
2. MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
A. Not Operated	0									
B. Operated	1	6.0		6	6	6	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	2.7	3	1	1	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.0	1	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.7	3	1	1	2	4	5	5	5
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	3	3.0	1	2	2	3	4	4	4	4
1. SINGLE DX	7	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX	5	3.6	1	2	3	4	4	5	5	5
A. Not Operated	8	3.1	3	1	2	3	4	5	5	5
B. Operated	4	3.3	1	2	2	3	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	3.2	2	1	2	3	4	5	5	5
GRAND TOTAL	**12**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**5**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	30	1.1		<1	1	1	1	2	2	2
1-5 YRS	37	1.0		<1	<1	<1	1	1	1	2
6-12 YRS	12	1.1		<1	<1	1	1	2	2	2
13-19 YRS	31	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	5	2.8	5	<1	1	2	4	6	6	6
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	61	1.7	3	<1	1	1	1	4	5	9
1-5 YRS	57	1.7	5	<1	<1	1	1	3	5	15
6-12 YRS	15	1.3		<1	1	1	2	2	2	2
13-19 YRS	14	1.5		<1	1	1	2	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.3		<1	1	1	2	2	2	2
B. Operated	113	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	13	2.5	6	<1	1	1	3	7	9	9
B. Operated	150	1.7	3	<1	1	1	1	3	5	9
1. SINGLE DX	119	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX	163	1.7	3	<1	1	1	2	3	5	9
A. Not Operated	19	2.2	4	<1	1	1	2	5	8	9
B. Operated	263	1.4	2	<1	1	1	1	2	3	8
TOTAL										
0-27 DYS	6	1.7	3	1	1	1	1	5	5	5
1-11 MOS	98	1.5	2	<1	1	1	1	2	5	8
1-5 YRS	102	1.5	3	<1	<1	1	1	2	4	12
6-12 YRS	28	1.3		<1	<1	1	2	2	2	3
13-19 YRS	48	1.5	2	<1	1	1	2	2	3	9
GRAND TOTAL	**282**	**1.5**	**2**	**<1**	**1**	**1**	**1**	**2**	**4**	**9**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	1	<1	1	2	3	3	3	3
1-5 YRS	8	2.6	5	<1	1	2	4	6	7	7
6-12 YRS	25	2.9	3	1	2	2	4	5	6	7
13-19 YRS	79	3.6	5	1	2	4	5	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.5	3	<1	<1	2	4	4	4	4
1-5 YRS	6	2.0	2	<1	1	2	3	4	4	4
6-12 YRS	17	2.3	4	<1	<1	1	3	5	7	8
13-19 YRS	16	2.1	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.8	3	2	2	3	5	6	6	6
1-5 YRS	8	7.6	47	3	4	6	7	19	24	24
6-12 YRS	20	3.2	7	1	1	2	4	8	9	10
13-19 YRS	36	4.4	7	2	2	4	6	8	10	12
B. Operated										
0-27 DYS	0									
1-11 MOS	6	3.7	5	1	2	3	5	7	7	7
1-5 YRS	9	2.1	2	<1	1	2	3	4	5	5
6-12 YRS	13	3.8	21	1	2	3	3	9	16	18
13-19 YRS	20	2.3	1	1	1	2	3	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	3.3	4	1	2	3	5	6	7	10
B. Operated	43	2.2	3	<1	1	1	3	5	5	8
2. MULTIPLE DX										
A. Not Operated	68	4.4	12	1	2	4	6	8	10	22
B. Operated	48	2.8	7	1	1	2	3	5	7	18
1. SINGLE DX	159	3.0	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	116	3.7	11	1	2	3	5	7	9	20
A. Not Operated	184	3.7	7	1	2	3	5	7	9	11
B. Operated	91	2.5	5	<1	1	2	3	5	5	14
TOTAL										
0-27 DYS	0									
1-11 MOS	18	3.1	3	<1	2	3	4	6	7	7
1-5 YRS	31	3.6	19	<1	1	3	4	7	8	24
6-12 YRS	75	3.0	7	<1	1	2	4	6	8	16
13-19 YRS	151	3.4	5	1	2	3	5	6	8	10
GRAND TOTAL	**275**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11-MOS	0									
1-5 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	48	1.0		< 1	< 1	< 1	< 1	1	1	1
1-5 YRS	108	1.0		< 1	< 1	< 1	< 1	1	1	1
6-12 YRS	35	1.0		< 1	< 1	< 1	< 1	1	1	2
13-19 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	8	3.4	13	< 1	1	2	5	9	10	10
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	2	6.0	50	1	1	6	11	11	11	11
1-11 MOS	16	1.3	1	< 1	1	1	1	2	3	4
1-5 YRS	57	1.5	3	< 1	< 1	1	1	3	6	9
6-12 YRS	18	1.4	2	< 1	< 1	< 1	1	2	5	7
13-19 YRS	4	1.8	1	1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	196	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	13	3.8	16	1	1	2	6	11	13	13
B. Operated	97	1.6	3	< 1	< 1	1	1	3	6	10
1. SINGLE DX	201	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	110	1.9	5	< 1	< 1	1	2	4	7	12
A. Not Operated	18	3.2	13	< 1	1	2	3	9	12	13
B. Operated	293	1.2	1	< 1	< 1	< 1	1	1	2	7
TOTAL										
0-27 DYS	4	4.0	22	1	1	2	7	11	11	11
1-11 MOS	65	1.1		< 1	< 1	< 1	1	1	2	5
1-5 YRS	177	1.3	2	< 1	< 1	< 1	1	1	3	9
6-12 YRS	55	1.4	3	< 1	< 1	< 1	1	1	2	13
13-19 YRS	10	1.4		< 1	< 1	1	2	3	3	3
GRAND TOTAL	**311**	**1.3**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**2**	**9**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	15	2.9	4	1	1	2	4	6	6	6
1-5 YRS	17	2.2	1	1	1	2	3	4	4	4
6-12 YRS	17	2.0	3	1	1	1	2	4	7	8
13-19 YRS	12	2.3	3	1	1	2	3	4	7	7
B. Operated										
0-27 DYS	9	1.4	1	< 1	1	1	2	3	3	3
1-11 MOS	18	1.6	3	< 1	1	1	1	3	6	8
1-5 YRS	108	1.2	1	< 1	< 1	1	1	2	2	6
6-12 YRS	267	1.2		< 1	1	1	1	2	2	3
13-19 YRS	431	1.4	2	< 1	1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	3.0	1	2	2	3	4	4	4	4
1-11 MOS	16	2.5	1	< 1	1	2	3	4	5	5
1-5 YRS	44	3.0	4	1	2	2	4	5	8	9
6-12 YRS	20	2.7	3	1	1	2	4	5	6	8
13-19 YRS	35	2.9	3	1	1	3	4	6	7	7
B. Operated										
0-27 DYS	18	1.6	1	1	1	1	2	3	4	4
1-11 MOS	15	1.7	2	1	1	1	2	4	5	5
1-5 YRS	68	1.8	2	< 1	< 1	1	2	4	5	9
6-12 YRS	117	2.1	21	< 1	1	1	1	4	6	26
13-19 YRS	161	2.1	5	< 1	1	1	2	4	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.4	3	1	1	2	3	4	6	8
B. Operated	833	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	122	2.9	3	1	2	2	4	5	7	9
B. Operated	379	2.0	9	< 1	1	1	2	4	6	14
1. SINGLE DX	897	1.4	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	501	2.2	8	< 1	1	1	2	4	6	12
A. Not Operated	186	2.7	3	1	1	2	3	5	6	9
B. Operated	1212	1.5	4	< 1	1	1	1	2	3	8
TOTAL										
0-27 DYS	37	1.9	1	1	1	2	3	4	4	4
1-11 MOS	64	2.1	3	1	1	1	3	4	6	8
1-5 YRS	237	1.8	2	< 1	1	1	2	4	5	9
6-12 YRS	421	1.5	6	< 1	1	1	1	2	4	8
13-19 YRS	639	1.7	3	< 1	1	1	2	3	4	11
GRAND TOTAL	**1398**	**1.7**	**4**	**< 1**	**1**	**1**	**2**	**3**	**4**	**8**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.2		<1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	2.5	1	2	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	1.2		<1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	7	2.3	1	1	2	2	3	4	4	4
1. SINGLE DX	10	1.2		<1	1	1	1	2	2	2
2. MULTIPLE DX	7	2.3	1	1	2	2	3	4	4	4
A. Not Operated	0									
B. Operated	17	1.6	1	<1	1	1	2	3	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	1.7	1	<1	1	1	2	3	4	4
GRAND TOTAL	17	1.6	1	<1	1	1	2	3	4	4

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	2.6	1	1	2	3	3	4	4	4
1-11 MOS	7	2.7	1	2	2	3	3	4	4	4
1-5 YRS	0									
6-12 YRS	7	3.4	2	2	2	3	4	6	6	6
13-19 YRS	8	2.9	2	1	2	3	4	5	5	5
B. Operated										
0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	0									
6-12 YRS	24	1.8	1	1	1	2	3	3	3	3
13-19 YRS	435	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	5.0	10	2	3	4	8	10	10	10
1-11 MOS	12	3.3	3	2	2	3	4	6	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	4.7	10	1	2	6	7	7	7	7
13-19 YRS	14	3.3	4	1	2	3	5	6	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	6	4.2	3	2	3	4	6	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.3	26	1	2	4	9	11	11	11
13-19 YRS	159	2.0	3	1	1	2	2	3	4	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.9	1	2	2	3	3	4	5	6
B. Operated	464	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	36	3.8	5	1	2	3	5	8	8	10
B. Operated	169	2.1	4	1	1	2	2	3	4	11
1. SINGLE DX	493	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	205	2.4	4	1	1	2	3	4	7	11
A. Not Operated	65	3.4	4	2	2	3	4	6	8	10
B. Operated	633	1.9	2	1	1	2	2	3	4	7
TOTAL										
0-27 DYS	16	3.6	7	1	2	3	4	8	9	10
1-11 MOS	27	3.5	3	2	2	3	4	6	7	8
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	37	2.6	4	1	1	2	3	5	7	11
13-19 YRS	616	1.9	2	1	1	2	2	3	4	7
GRAND TOTAL	698	2.1	2	1	1	2	2	3	4	8

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	0									
6-12 YRS	28	1.7	1	1	1	1	2	3	4	5
13-19 YRS	427	1.8	1	1	1	1	2	3	4	6
B. Operated										
0-27 DYS	3	1.7		< 1	< 1	2	2	2	2	2
1-11 MOS	9	2.3	1	1	2	2	3	4	4	4
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	37	3.1	3	2	2	3	4	6	6	9
13-19 YRS	478	2.8	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	19	2.3	2	< 1	1	2	3	4	5	5
13-19 YRS	232	2.1	2	1	1	2	3	3	5	7
B. Operated										
0-27 DYS	4	4.3	4	2	2	4	6	6	6	6
1-11 MOS	5	2.4	4	1	1	2	3	6	6	6
1-5 YRS	4	3.5	2	2	2	3	4	5	5	5
6-12 YRS	27	3.6	2	2	3	3	4	6	6	7
13-19 YRS	510	3.6	9	1	2	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	458	1.8	1	1	1	1	2	3	4	6
B. Operated	529	2.8	2	1	2	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	253	2.1	2	1	1	2	3	4	5	7
B. Operated	550	3.6	8	1	2	3	4	6	6	11
1. SINGLE DX	987	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	803	3.1	7	1	2	3	4	5	6	11
A. Not Operated	711	1.9	1	1	1	2	2	3	4	7
B. Operated	1079	3.2	5	1	2	3	4	5	6	10
TOTAL										
0-27 DYS	9	3.1	4	< 1	1	2	5	6	6	6
1-11 MOS	17	2.3	2	1	1	2	3	4	5	6
1-5 YRS	6	3.2	1	2	2	3	4	5	5	5
6-12 YRS	111	2.7	2	1	2	2	3	5	6	8
13-19 YRS	1647	2.7	4	1	1	2	3	4	5	9
GRAND TOTAL	**1790**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	10	5.3	20	1	2	3	9	12	13	13
13-19 YRS	921	3.4	3	2	2	3	4	5	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	5.0	12	2	3	4	7	10	10	10
6-12 YRS	4	4.8	9	1	2	5	7	8	8	8
13-19 YRS	127	4.2	9	2	3	4	5	6	8	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	10	4.9	10	1	3	4	6	10	11	11
13-19 YRS	1099	4.2	5	2	3	4	5	7	9	12
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	9	9.8	78	3	4	9	10	24	32	32
13-19 YRS	329	5.2	16	2	3	4	6	10	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	932	3.4	3	2	2	3	4	5	7	10
B. Operated	135	4.3	9	2	3	4	5	6	9	20
2. MULTIPLE DX										
A. Not Operated	1111	4.3	5	2	3	4	5	7	9	12
B. Operated	341	5.3	18	2	3	4	6	10	12	25
1. SINGLE DX	1067	3.5	4	2	2	3	4	6	7	11
2. MULTIPLE DX	1452	4.5	9	2	3	4	5	8	10	14
A. Not Operated	2043	3.9	5	2	3	3	5	7	8	11
B. Operated	476	5.0	16	2	3	4	6	9	11	23
TOTAL										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	6	5.7	9	2	4	5	8	10	10	10
6-12 YRS	33	6.3	33	1	3	5	9	11	13	32
13-19 YRS	2476	4.1	7	2	3	4	5	7	9	13
GRAND TOTAL	**2519**	**4.1**	**7**	**2**	**3**	**4**	**5**	**7**	**9**	**13**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	2.1	1	< 1	1	2	3	4	5	5
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	17	2.6	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	4.2	9	1	2	3	5	10	10	10
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	88	3.1	4	< 1	1	3	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.1	1	< 1	1	2	3	4	5	5
B. Operated	18	2.7	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	13	4.2	9	1	2	3	5	10	10	10
B. Operated	92	3.1	4	< 1	2	3	4	5	7	11
1. SINGLE DX	31	2.4	2	1	1	2	3	5	5	6
2. MULTIPLE DX	105	3.3	5	1	2	3	4	5	7	11
A. Not Operated	26	3.1	6	1	1	3	3	6	10	10
B. Operated	110	3.1	4	1	1	3	4	5	6	11
TOTAL										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	131	3.1	4	1	1	3	4	5	7	11
GRAND TOTAL	**136**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	13	3.5	6	1	2	3	4	7	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	14	3.3	6	1	1	3	4	7	9	9
B. Operated	2	4.0		4	4	4	4	4	4	4
1. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	16	3.4	5	1	2	3	4	7	8	9
A. Not Operated	18	2.9	5	1	1	2	4	6	8	9
B. Operated	2	4.0		4	4	4	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	19	3.2	5	1	1	3	4	6	8	9
GRAND TOTAL	**20**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**9**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.8	11	1	2	5	7	8	8	8
1-5 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
6-12 YRS	3	2.0	3	< 1	< 1	< 1	3	4	4	4
13-19 YRS	36	3.5	4	1	2	3	4	5	6	12
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	31	1.9	2	< 1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	7.0	36	2	2	6	12	14	14	14
1-5 YRS	4	2.8	3	< 1	1	2	4	5	5	5
6-12 YRS	4	3.0	3	< 1	1	3	4	5	5	5
13-19 YRS	61	3.4	5	1	2	3	4	6	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	4	8.3	45	3	3	7	13	17	17	17
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	21	4.5	14	1	2	4	5	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.3	5	< 1	2	3	4	6	7	12
B. Operated	36	1.8	2	< 1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	74	3.5	7	1	2	3	4	6	9	15
B. Operated	27	5.3	18	1	2	4	6	12	15	17
1. SINGLE DX	83	2.7	4	< 1	1	2	4	5	6	11
2. MULTIPLE DX	101	4.0	10	1	2	3	5	8	12	16
A. Not Operated	121	3.5	6	1	2	3	4	6	8	14
B. Operated	63	3.3	12	< 1	1	2	4	7	11	17
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	5.6	20	1	2	5	8	12	14	14
1-5 YRS	14	3.7	21	< 1	1	2	3	11	16	17
6-12 YRS	10	2.6	4	< 1	< 1	1	4	5	6	6
13-19 YRS	149	3.3	6	1	2	3	4	5	7	15
GRAND TOTAL	**184**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**10**	**15**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	4.8	1	4	4	5	5	6	6	6
1-5 YRS	3	2.7	8	< 1	< 1	1	5	6	6	6
6-12 YRS	0									
13-19 YRS	6	3.7	2	2	3	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	13	3.8	3	1	3	4	5	6	6	6
1. SINGLE DX	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX	13	3.8	3	1	3	4	5	6	6	6
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	3.6	3	1	2	4	5	6	6	6
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	4.8	1	4	4	5	5	6	6	6
1-5 YRS	4	2.3	6	< 1	< 1	1	4	6	6	6
6-12 YRS	0									
13-19 YRS	7	3.7	2	2	3	4	4	6	6	6
GRAND TOTAL	**16**	**3.4**	**3**	**1**	**2**	**4**	**5**	**6**	**6**	**6**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	25	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
13-19 YRS	13	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.8	2	2	3	4	4	6	6	6
13-19 YRS	42	2.7	3	1	2	2	3	5	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	33	2.3	2	1	1	2	3	4	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.5	1	1	1	1	2	3	3	3
B. Operated	15	1.7	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	48	2.8	3	1	2	2	4	5	5	10
B. Operated	35	2.3	2	1	1	2	3	4	6	6
1. SINGLE DX	41	1.6	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX	83	2.6	3	1	1	2	4	5	6	9
A. Not Operated	74	2.4	2	1	1	2	3	4	5	9
B. Operated	50	2.1	2	< 1	1	2	3	4	5	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	11	3.2	3	1	2	3	4	5	6	6
13-19 YRS	113	2.2	2	1	1	2	3	4	5	8
GRAND TOTAL	**124**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	11	1.6	1	< 1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	4.0	7	1	2	3	6	8	8	8
13-19 YRS	48	3.6	52	1	1	2	3	5	7	51
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	7	2.6	1	< 1	2	3	3	4	4	4
13-19 YRS	29	2.4	2	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.6	1	< 1	1	1	2	3	3	3
B. Operated	6	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	54	3.6	47	1	2	2	3	6	8	49
B. Operated	37	2.4	2	1	1	2	3	4	5	6
1. SINGLE DX	19	1.4		< 1	1	1	2	3	3	3
2. MULTIPLE DX	91	3.1	28	1	1	2	3	5	6	34
A. Not Operated	67	3.2	38	1	1	2	3	5	7	44
B. Operated	43	2.2	2	1	1	2	3	4	5	6
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	15	3.0	4	1	2	3	4	6	7	8
13-19 YRS	94	2.8	28	1	1	2	3	4	6	33
GRAND TOTAL	**110**	**2.8**	**24**	**1**	**1**	**2**	**3**	**5**	**6**	**26**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	0									
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	3	3.3	16	<1	<1	1	6	8	8	8
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	21	2.0	1	<1	1	2	2	3	4	5
B. Operated										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	0									
1-5 YRS	13	2.9	4	1	2	2	4	6	8	8
6-12 YRS	26	3.6	3	2	3	3	4	6	7	9
13-19 YRS	84	2.9	2	<1	1	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	2.2	1	1	2	2	2	4	4	4
1-11 MOS	0									
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	29	2.3	2	<1	1	2	3	4	5	5
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	3.4	9	<1	1	2	6	8	8	8
1-5 YRS	10	2.2	3	<1	1	2	3	5	6	6
6-12 YRS	36	4.8	12	2	3	4	6	9	12	19
13-19 YRS	154	3.7	7	1	2	3	4	6	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.9	2	<1	1	2	2	4	5	8
B. Operated	126	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	42	2.4	2	1	1	2	3	4	5	5
B. Operated	206	3.8	8	1	2	3	4	6	10	17
1. SINGLE DX	155	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	248	3.6	7	1	2	3	4	6	8	15
A. Not Operated	71	2.2	2	<1	1	2	3	4	5	7
B. Operated	332	3.5	6	1	2	3	4	6	8	13
TOTAL										
0-27 DYS	11	2.2	1	1	1	2	3	4	4	4
1-11 MOS	5	3.4	9	<1	1	2	6	8	8	8
1-5 YRS	29	2.7	4	<1	1	2	3	6	8	8
6-12 YRS	70	4.1	8	2	3	3	4	7	9	18
13-19 YRS	288	3.2	5	1	2	3	4	5	6	12
GRAND TOTAL	**403**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	8	1.4	1	<1	1	1	2	3	3	3
13-19 YRS	135	1.6	1	<1	1	1	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	41	2.0	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	14	1.9	1	1	1	2	2	4	4	4
13-19 YRS	98	1.8	1	1	1	1	2	4	4	6
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	87	3.0	7	1	1	3	4	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	1.6	1	<1	1	1	2	3	3	5
B. Operated	42	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	112	1.8	1	1	1	2	2	4	4	6
B. Operated	91	3.0	7	1	1	3	4	5	7	17
1. SINGLE DX	186	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	203	2.4	4	1	1	2	3	4	5	11
A. Not Operated	256	1.7	1	1	1	1	2	3	4	5
B. Operated	133	2.7	6	<1	1	2	4	5	6	15
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	24	1.8	1	1	1	2	2	4	4	4
13-19 YRS	361	2.0	3	<1	1	2	2	4	5	7
GRAND TOTAL	**389**	**2.0**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**7**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	1.4	1	<1	<1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	237	2.9	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.6		<1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	288	3.5	2	2	3	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.4	1	<1	<1	1	2	3	3	3
B. Operated	239	2.9	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	10	1.6		<1	1	1	2	3	3	3
B. Operated	288	3.5	2	2	3	3	4	5	6	8
1. SINGLE DX	251	2.8	1	1	2	3	4	4	5	5
2. MULTIPLE DX	298	3.5	2	2	3	3	4	5	6	8
A. Not Operated	22	1.5	1	<1	<1	1	2	3	3	3
B. Operated	527	3.2	2	2	2	3	4	5	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	547	3.2	2	1	2	3	4	5	5	7
GRAND TOTAL	**549**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**7**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	1.2		<1	1	1	1	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	127	1.3		<1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	38	1.8	3	1	1	1	2	3	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	93	2.6	7	1	1	2	3	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	1.2		<1	1	1	1	2	3	4
B. Operated	129	1.3		<1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	38	1.8	3	1	1	1	2	3	5	9
B. Operated	93	2.6	7	1	1	2	3	6	8	15
1. SINGLE DX	160	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX	131	2.4	6	1	1	1	3	5	7	13
A. Not Operated	69	1.6	2	1	1	1	2	3	4	8
B. Operated	222	1.8	4	1	1	1	2	3	5	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	289	1.8	3	1	1	1	2	3	5	10
GRAND TOTAL	**291**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**	**10**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	192	1.4	1	< 1	1	1	2	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	972	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	95	1.8	2	< 1	1	1	2	4	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	290	2.0	3	< 1	1	1	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	1.4	1	< 1	1	1	2	2	3	4
B. Operated	974	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	95	1.8	2	< 1	1	1	2	4	4	7
B. Operated	291	2.0	3	< 1	1	1	2	4	5	9
1. SINGLE DX	1166	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	386	1.9	2	< 1	1	1	2	4	5	8
A. Not Operated	287	1.5	1	< 1	1	1	2	3	4	5
B. Operated	1265	1.4	1	< 1	< 1	1	1	2	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1549	1.4	1	< 1	< 1	1	1	2	3	5
GRAND TOTAL	**1552**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**5**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	100	2.3	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	194	1.4	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	91	2.5	3	1	1	2	3	5	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	143	2.6	5	1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.3	2	1	1	2	3	4	5	7
B. Operated	195	1.5	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	91	2.5	3	1	1	2	3	5	5	9
B. Operated	143	2.6	5	1	1	2	3	5	7	10
1. SINGLE DX	296	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	234	2.5	4	1	1	2	3	5	6	10
A. Not Operated	192	2.4	2	1	1	2	3	4	5	7
B. Operated	338	1.9	3	< 1	1	1	2	4	5	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	528	2.1	3	< 1	1	2	3	4	5	9
GRAND TOTAL	**530**	**2.1**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	130	1.5	1	< 1	1	1	2	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	2.0	4	1	1	1	2	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	87	2.2	4	< 1	1	2	3	4	5	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	2.8	5	1	1	2	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	1.5	1	< 1	1	1	2	3	3	6
B. Operated	6	2.0	4	1	1	1	2	6	6	6
2. MULTIPLE DX										
A. Not Operated	87	2.2	4	< 1	1	2	3	4	5	14
B. Operated	9	2.8	5	1	1	2	4	7	7	7
1. SINGLE DX	137	1.5	1	< 1	1	1	2	3	3	7
2. MULTIPLE DX	96	2.2	4	< 1	1	2	3	4	6	13
A. Not Operated	218	1.8	3	< 1	1	1	2	3	4	9
B. Operated	15	2.5	5	1	1	1	3	6	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	232	1.8	3	< 1	1	1	2	3	4	9
GRAND TOTAL	**233**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**	**9**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	1.6	1	1	1	1	2	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	1.4	1	< 1	1	1	2	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.6	1	1	1	1	2	3	4	4
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	16	1.4	1	< 1	1	1	2	2	3	4
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
1. SINGLE DX	22	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX	18	1.3	1	< 1	1	1	1	2	3	4
A. Not Operated	37	1.5	1	1	1	1	2	3	4	4
B. Operated	3	1.3		< 1	< 1	1	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	40	1.5	1	< 1	1	1	2	3	3	4
GRAND TOTAL	**40**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**	**4**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	309	2.4	3	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	36	2.5	7	< 1	1	2	3	4	7	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	151	2.8	7	1	1	2	3	6	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	44	2.9	23	< 1	1	2	3	5	6	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	309	2.4	3	1	1	2	3	4	5	9
B. Operated	36	2.5	7	< 1	1	2	3	4	7	15
2. MULTIPLE DX										
A. Not Operated	152	2.9	7	1	1	2	3	6	8	15
B. Operated	44	2.9	23	< 1	1	2	3	5	6	32
1. SINGLE DX	345	2.4	4	1	1	2	3	4	5	10
2. MULTIPLE DX	196	2.9	11	1	1	2	3	6	8	18
A. Not Operated	461	2.6	5	1	1	2	3	5	6	11
B. Operated	80	2.7	15	< 1	1	2	3	5	6	27
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	540	2.6	6	1	1	2	3	5	6	12
GRAND TOTAL	**541**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	525	2.6	3	1	2	2	3	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.5	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	515	3.1	6	1	2	2	4	5	8	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	5.7	25	< 1	1	3	10	13	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	525	2.6	3	1	2	2	3	5	6	9
B. Operated	8	1.5	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	515	3.1	6	1	2	2	4	5	8	12
B. Operated	20	5.7	25	< 1	1	3	10	13	14	15
1. SINGLE DX	533	2.6	3	1	2	2	3	5	6	9
2. MULTIPLE DX	535	3.2	7	1	2	2	4	6	9	14
A. Not Operated	1040	2.9	4	1	2	2	3	5	6	11
B. Operated	28	4.5	22	< 1	1	2	7	13	13	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1068	2.9	5	1	2	2	3	5	6	11
GRAND TOTAL	**1068**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**11**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	994	1.1		< 1	< 1	< 1	1	1	2	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	236	1.0		< 1	< 1	< 1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	170	1.4	1	< 1	< 1	1	1	2	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	44	1.6	2	< 1	< 1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	994	1.1		< 1	< 1	< 1	1	1	2	3
B. Operated	236	1.0		< 1	< 1	< 1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	170	1.4	1	< 1	< 1	1	1	2	3	5
B. Operated	44	1.6	2	< 1	< 1	1	2	3	4	9
1. SINGLE DX	1230	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	214	1.4	1	< 1	< 1	1	1	2	3	7
A. Not Operated	1164	1.1		< 1	< 1	< 1	1	1	2	4
B. Operated	280	1.1		< 1	< 1	< 1	1	1	2	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1444	1.1		< 1	< 1	< 1	1	1	2	4
GRAND TOTAL	**1444**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	43	3.2	14	1	1	2	3	6	14	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	30	2.8	4	1	1	2	3	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.8	2	< 1	< 1	1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.2	14	1	1	2	3	6	14	17
B. Operated	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	30	2.8	4	1	1	2	3	6	7	9
B. Operated	4	1.8	2	< 1	< 1	1	3	4	4	4
1. SINGLE DX	47	3.1	13	1	1	2	3	4	13	17
2. MULTIPLE DX	34	2.6	4	1	1	2	3	6	7	9
A. Not Operated	73	3.0	10	1	1	2	3	6	12	16
B. Operated	8	1.9	2	< 1	1	1	3	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	81	2.9	9	1	1	2	3	5	11	16
GRAND TOTAL	**81**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**11**	**16**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	146	1.6	1	< 1	1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	1.8	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	113	2.5	15	< 1	1	2	3	5	6	22
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	25	3.3	11	< 1	1	1	5	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	1.6	1	< 1	1	1	2	3	4	7
B. Operated	26	1.8	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	114	2.5	15	< 1	1	2	2	5	6	22
B. Operated	25	3.3	11	< 1	1	1	5	8	10	13
1. SINGLE DX	172	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	139	2.7	14	< 1	1	2	3	6	7	16
A. Not Operated	260	2.0	7	< 1	1	1	2	4	5	9
B. Operated	51	2.5	7	< 1	1	1	3	7	8	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	310	2.1	7	< 1	1	1	2	4	6	11
GRAND TOTAL	**311**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**	**11**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	366	2.9	3	1	2	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	3.0	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1304	3.0	4	1	2	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	110	3.1	4	< 1	1	3	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	366	2.9	3	1	2	3	4	5	6	8
B. Operated	23	3.0	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	1304	3.0	4	1	2	3	4	5	6	8
B. Operated	110	3.1	4	< 1	1	3	4	6	8	9
1. SINGLE DX	389	2.9	3	1	2	3	4	5	6	8
2. MULTIPLE DX	1414	3.0	4	1	2	3	4	5	6	8
A. Not Operated	1670	3.0	3	1	2	3	4	5	6	8
B. Operated	133	3.1	4	< 1	1	3	4	6	8	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1803	3.0	4	1	2	3	4	5	6	8
GRAND TOTAL	**1803**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	128	3.0	5	1	1	2	4	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	2.3	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1075	2.9	11	< 1	1	2	3	6	8	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	170	4.7	39	< 1	1	3	5	8	12	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	3.0	5	1	1	2	4	6	7	10
B. Operated	8	2.3	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	1077	2.9	11	< 1	1	2	3	6	8	18
B. Operated	170	4.7	39	< 1	1	3	5	8	12	37
1. SINGLE DX	136	2.9	5	< 1	1	2	4	6	7	10
2. MULTIPLE DX	1247	3.1	15	< 1	1	2	4	6	8	22
A. Not Operated	1205	2.9	10	< 1	1	2	3	6	8	17
B. Operated	178	4.6	37	< 1	1	3	5	8	12	37
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1381	3.1	14	< 1	1	2	4	6	8	21
GRAND TOTAL	**1383**	**3.1**	**14**	**< 1**	**1**	**2**	**4**	**6**	**8**	**21**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2240	2.0	5	< 1	< 1	1	2	4	5	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	562	2.4	8	< 1	1	1	3	5	7	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1504	2.9	10	< 1	1	2	3	6	8	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	571	3.4	24	< 1	1	2	4	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2241	2.0	5	< 1	< 1	1	2	4	5	13
B. Operated	562	2.4	8	< 1	1	1	3	5	7	16
2. MULTIPLE DX										
A. Not Operated	1505	2.9	10	< 1	1	2	3	6	8	17
B. Operated	571	3.4	24	< 1	1	2	4	8	11	23
1. SINGLE DX	2803	2.1	6	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX	2076	3.1	14	< 1	1	2	4	6	10	19
A. Not Operated	3746	2.4	8	< 1	1	1	3	5	7	15
B. Operated	1133	2.9	16	< 1	1	1	3	6	9	19
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	4877	2.5	10	< 1	1	1	3	5	7	16
GRAND TOTAL	**4879**	**2.5**	**10**	**< 1**	**1**	**1**	**3**	**5**	**7**	**16**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	358	2.2	1	1	2	2	2	3	3	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	166	2.4	2	1	2	2	3	4	4	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	861	2.1	1	1	2	2	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1033	3.1	11	1	2	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	2.2	1	1	2	2	2	3	3	7
B. Operated	166	2.4	2	1	2	2	3	4	4	9
2. MULTIPLE DX										
A. Not Operated	862	2.1	1	1	2	2	2	3	4	6
B. Operated	1034	3.1	11	1	2	2	3	5	7	15
1. SINGLE DX	524	2.2	2	1	2	2	3	3	4	8
2. MULTIPLE DX	1896	2.7	7	1	2	2	3	4	5	10
A. Not Operated	1220	2.1	1	1	2	2	2	3	3	6
B. Operated	1200	3.0	10	1	2	2	3	5	6	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2418	2.6	6	1	2	2	3	4	5	10
GRAND TOTAL	**2420**	**2.6**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	11	1.8	1	1	1	2	2	3	3	3
13-19 YRS	9918	1.9	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3723	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	718	1.9		1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	394	2.0	1	1	2	2	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9929	1.9	1	1	1	2	2	3	3	4
B. Operated	3724	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	719	1.9		1	1	2	2	3	3	4
B. Operated	394	2.0	1	1	2	2	2	3	3	5
1. SINGLE DX	13653	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	1113	1.9	1	1	2	2	2	3	3	4
A. Not Operated	10648	1.9	1	1	1	2	2	3	3	4
B. Operated	4118	1.9	1	1	1	2	2	3	3	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	13	1.8	1	1	1	2	2	3	3	3
13-19 YRS	14753	1.9	1	1	1	2	2	3	3	4
GRAND TOTAL	**14766**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	3.4	2	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.0	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	50	8.5	105	2	3	4	7	26	34	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	1	1	1	2	2	3	3	3
B. Operated	7	3.4	2	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	7	2.0	1	1	1	2	3	4	4	4
B. Operated	50	8.5	105	2	3	4	7	26	34	46
1. SINGLE DX	12	2.8	2	1	2	3	4	5	5	5
2. MULTIPLE DX	57	7.7	96	2	3	4	6	26	32	45
A. Not Operated	12	1.9	1	1	1	2	3	3	4	4
B. Operated	57	7.8	94	2	3	4	6	26	32	45
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	69	6.8	83	1	3	4	6	20	28	44
GRAND TOTAL	**69**	**6.8**	**83**	**1**	**3**	**4**	**6**	**20**	**28**	**44**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	29	1.9	1	1	1	2	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	50	2.9	2	1	2	3	4	4	4	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	91	2.7	16	1	1	2	2	4	6	27
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	255	3.9	6	2	2	4	5	7	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.9	1	1	1	2	2	3	3	5
B. Operated	50	2.9	2	1	2	3	4	4	4	9
2. MULTIPLE DX										
A. Not Operated	91	2.7	16	1	1	2	2	4	6	27
B. Operated	255	3.9	6	2	2	4	5	7	8	17
1. SINGLE DX	79	2.5	2	1	1	2	3	4	4	8
2. MULTIPLE DX	346	3.6	9	1	2	3	4	6	8	17
A. Not Operated	120	2.5	13	1	1	2	2	4	5	19
B. Operated	305	3.8	6	1	2	3	4	7	8	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	425	3.4	8	1	2	3	4	6	8	16
GRAND TOTAL	**425**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	1.6		1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	84	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	2.8	1	2	2	3	3	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	123	2.2	1	1	2	2	3	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.6		1	1	2	2	3	3	3
B. Operated	84	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	6	2.8	1	2	2	3	3	5	5	5
B. Operated	123	2.2	1	1	2	2	3	3	4	8
1. SINGLE DX	97	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX	129	2.2	1	1	2	2	3	3	4	8
A. Not Operated	19	2.0	1	1	1	2	2	3	4	5
B. Operated	207	2.1	1	1	2	2	2	3	3	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	226	2.1	1	1	1	2	2	3	3	6
GRAND TOTAL	**226**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	69	1.9	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	45	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	87	2.3	1	1	2	2	3	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	113	2.4	2	1	2	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	1.9	1	1	1	2	2	3	3	4
B. Operated	45	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	88	2.3	1	1	2	2	3	3	4	7
B. Operated	113	2.4	2	1	2	2	3	4	4	8
1. SINGLE DX	114	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX	201	2.4	1	1	2	2	3	3	4	7
A. Not Operated	157	2.1	1	1	2	2	3	3	3	6
B. Operated	158	2.3	1	1	2	2	3	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	314	2.2	1	1	2	2	3	3	4	6
GRAND TOTAL	**315**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	2.1	1	1	2	2	2	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	3.1	5	2	2	2	4	5	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	2.5	5	1	1	2	3	4	7	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	169	5.3	24	2	3	4	6	10	14	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.1	1	1	2	2	2	3	4	4
B. Operated	16	3.1	5	2	2	2	4	5	8	10
2. MULTIPLE DX										
A. Not Operated	31	2.5	5	1	1	2	3	4	7	12
B. Operated	169	5.3	24	2	3	4	6	10	14	33
1. SINGLE DX	28	2.7	3	1	2	2	3	4	5	10
2. MULTIPLE DX	200	4.9	22	2	2	4	5	10	13	29
A. Not Operated	43	2.4	3	1	2	2	3	3	5	12
B. Operated	185	5.1	23	2	3	4	6	10	13	31
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	228	4.6	20	2	2	3	5	9	12	26
GRAND TOTAL	**228**	**4.6**	**20**	**2**	**2**	**3**	**5**	**9**	**12**	**26**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	1.9	1	1	1	2	2	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	463	3.5	1	3	3	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	23	2.1	3	< 1	1	2	2	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	716	4.4	8	3	3	4	5	7	8	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.9	1	1	1	2	2	3	4	4
B. Operated	463	3.5	1	3	3	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	24	2.1	3	1	1	2	2	4	6	7
B. Operated	716	4.4	8	3	3	4	5	7	8	19
1. SINGLE DX	477	3.5	1	2	3	3	4	4	5	7
2. MULTIPLE DX	740	4.4	8	3	3	4	5	7	8	19
A. Not Operated	38	2.0	2	1	1	2	2	4	5	7
B. Operated	1179	4.1	6	3	3	4	4	6	7	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1216	4.0	6	3	3	4	4	5	7	15
GRAND TOTAL	**1217**	**4.0**	**6**	**3**	**3**	**4**	**4**	**5**	**7**	**15**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	126	2.2	3	1	2	2	2	3	3	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	211	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	123	2.2	2	1	2	2	2	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1117	3.6	5	2	2	3	4	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	2.2	3	1	2	2	2	3	3	8
B. Operated	211	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	123	2.2	2	1	2	2	2	3	4	8
B. Operated	1117	3.6	5	2	2	3	4	5	7	13
1. SINGLE DX	337	2.4	2	1	2	2	3	4	4	6
2. MULTIPLE DX	1240	3.4	5	2	2	3	4	5	7	13
A. Not Operated	249	2.2	2	1	2	2	2	3	3	5
B. Operated	1328	3.4	5	2	2	3	4	5	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1577	3.2	4	1	2	3	4	5	6	12
GRAND TOTAL	**1577**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	2.4	2	1	2	2	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	341	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	2.7	1	1	2	3	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1684	4.5	4	3	3	4	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.4	2	1	2	2	3	4	5	5
B. Operated	342	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	9	2.7	1	1	2	3	3	4	4	4
B. Operated	1685	4.5	4	3	3	4	5	6	8	13
1. SINGLE DX	352	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX	1694	4.5	4	3	3	4	5	6	8	13
A. Not Operated	19	2.5	1	1	2	2	3	4	5	5
B. Operated	2027	4.4	4	3	3	4	5	6	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	2044	4.4	4	3	3	4	5	6	7	12
GRAND TOTAL	**2046**	**4.4**	**4**	**3**	**3**	**4**	**5**	**6**	**7**	**12**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	261	2.2	1	1	2	2	3	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	523	3.0	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	274	2.3	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1817	3.7	5	2	2	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	2.2	1	1	2	2	3	3	3	5
B. Operated	524	3.0	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	274	2.3	1	1	2	2	3	3	4	5
B. Operated	1817	3.7	5	2	2	3	5	6	7	11
1. SINGLE DX	785	2.7	2	1	2	2	3	4	5	7
2. MULTIPLE DX	2091	3.6	5	2	2	3	4	6	7	11
A. Not Operated	535	2.2	1	1	2	2	3	3	4	5
B. Operated	2341	3.6	4	2	2	3	4	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2875	3.3	4	2	2	3	4	5	7	10
GRAND TOTAL	**2876**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**10**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	30TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	34	2.0		1	2	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	105	3.2	2	2	2	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	34	2.7	7	1	2	2	3	4	6	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	277	3.6	3	2	3	3	4	6	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.0		1	2	2	2	3	3	3
B. Operated	105	3.2	2	2	2	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	34	2.7	7	1	2	2	3	4	6	16
B. Operated	277	3.6	3	2	3	3	4	6	6	9
1. SINGLE DX	139	2.9	2	2	2	3	4	5	5	6
2. MULTIPLE DX	311	3.5	3	2	2	3	4	5	6	9
A. Not Operated	68	2.4	4	1	2	2	3	3	4	14
B. Operated	382	3.5	2	2	2	3	4	5	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	450	3.3	3	2	2	3	4	5	6	8
GRAND TOTAL	**450**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

295: Previous cesarean section (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	83	2.0	1	1	1	2	2	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	474	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	65	2.1	1	1	1	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	676	3.6	2	2	3	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.0	1	1	1	2	2	3	3	6
B. Operated	474	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	65	2.1	1	1	1	2	3	3	4	6
B. Operated	676	3.6	2	2	3	3	4	5	6	8
1. SINGLE DX	557	3.2	1	2	3	3	4	4	5	6
2. MULTIPLE DX	741	3.4	2	2	3	3	4	5	6	8
A. Not Operated	148	2.0	1	1	1	2	2	3	3	6
B. Operated	1150	3.5	2	2	3	3	4	5	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1298	3.3	2	2	3	3	4	5	5	7
GRAND TOTAL	**1298**	**3.3**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**7**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	335	2.3	1	1	2	2	3	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	302	2.4	3	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	512	3.3	14	1	2	2	3	5	8	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1327	3.6	16	2	2	3	4	6	8	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	335	2.3	1	1	2	2	3	3	3	6
B. Operated	302	2.4	3	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	514	3.3	14	1	2	2	3	5	8	18
B. Operated	1327	3.6	16	2	2	3	4	6	8	21
1. SINGLE DX	637	2.3	2	1	2	2	3	3	4	6
2. MULTIPLE DX	1841	3.5	15	2	2	3	4	6	8	19
A. Not Operated	849	2.9	9	1	2	2	3	4	6	16
B. Operated	1629	3.4	13	2	2	3	4	5	7	19
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	2476	3.2	12	1	2	2	3	5	7	17
GRAND TOTAL	**2478**	**3.2**	**12**	**1**	**2**	**2**	**3**	**5**	**7**	**17**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1607	1.9		1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	993	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	727	2.0	1	1	2	2	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1248	2.3	4	1	2	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1608	1.9		1	1	2	2–	3	3	4
B. Operated	993	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	728	2.0	1	1	2	2	2	3	3	5
B. Operated	1249	2.3	4	1	2	2	3	3	4	7
1. SINGLE DX	2601	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX	1977	2.2	3	1	2	2	2	3	4	6
A. Not Operated	2336	1.9	1	1	1	2	2	3	3	4
B. Operated	2242	2.1	2	1	2	2	2	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	4575	2.0	2	1	1	2	2	3	3	5
GRAND TOTAL	**4578**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	535	1.8	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3552	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	370	2.0	1	1	1	2	2	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2965	2.0	1	1	1	2	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	535	1.8	1	1	1	2	2	3	3	4
B. Operated	3553	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	370	2.0	1	1	1	2	2	3	3	6
B. Operated	2966	2.0	1	1	1	2	2	3	3	6
1. SINGLE DX	4088	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	3336	2.0	1	1	1	2	2	3	3	6
A. Not Operated	905	1.9	1	1	1	2	2	3	3	5
B. Operated	6519	1.9	1	1	1	2	2	3	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	7422	1.9	1	1	1	2	2	3	3	5
GRAND TOTAL	**7424**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	159	2.0		1	2	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1482	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	104	2.4	1	1	2	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1528	2.3	2	1	2	2	3	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	2.0		1	2	2	2	3	3	4
B. Operated	1483	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	104	2.4	1	1	2	2	3	3	4	6
B. Operated	1529	2.3	2	1	2	2	3	3	4	5
1. SINGLE DX	1643	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX	1633	2.3	2	1	2	2	3	3	4	5
A. Not Operated	264	2.2	1	1	2	2	3	3	3	5
B. Operated	3012	2.2	1	1	2	2	3	3	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	3273	2.2	1	1	2	2	3	3	3	5
GRAND TOTAL	**3276**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	217	1.9		1	2	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	781	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	152	2.3	1	1	2	2	3	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	944	2.2	2	1	2	2	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	217	1.9		1	2	2	2	3	3	4
B. Operated	781	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	152	2.3	1	1	2	2	3	3	4	7
B. Operated	945	2.2	2	1	2	2	2	3	4	6
1. SINGLE DX	998	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX	1097	2.2	2	1	2	2	2	3	4	6
A. Not Operated	369	2.1	1	1	2	2	2	3	3	6
B. Operated	1726	2.0	1	1	2	2	2	3	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2094	2.0	1	1	2	2	2	3	3	5
GRAND TOTAL	**2095**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2370	2.2	2	1	2	2	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3793	2.4	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	2926	2.5	5	1	2	2	3	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.7	6	1	2	3	4	8	8	8
13-19 YRS	9826	3.4	10	1	2	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2370	2.2	2	1	2	2	2	3	4	7
B. Operated	3795	2.4	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	2929	2.5	5	1	2	2	3	4	5	10
B. Operated	9832	3.4	10	1	2	3	4	6	8	15
1. SINGLE DX	6165	2.3	2	1	2	2	3	4	4	7
2. MULTIPLE DX	12761	3.2	9	1	2	3	4	5	7	14
A. Not Operated	5299	2.4	3	1	2	2	3	4	5	9
B. Operated	13627	3.1	8	1	2	2	4	5	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	11	3.5	4	1	2	3	4	7	8	8
13-19 YRS	18915	2.9	7	1	2	2	3	5	6	12
GRAND TOTAL	**18926**	**2.9**	**7**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	105	3.0	2	1	2	3	4	5	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	150	3.3	3	2	2	3	4	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	4.8	10	2	3	4	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	3.0	2	1	2	3	4	5	5	7
B. Operated	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	150	3.3	3	2	2	3	4	5	6	10
B. Operated	13	4.8	10	2	3	4	7	10	11	11
1. SINGLE DX	108	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX	163	3.4	4	2	2	3	4	5	7	11
A. Not Operated	256	3.2	3	2	2	3	4	5	6	9
B. Operated	15	4.8	10	1	2	4	7	10	11	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	270	3.3	3	2	2	3	4	5	6	10
GRAND TOTAL	**271**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	1.3	1	1	1	1	1	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	1.3	1	1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	1.9		1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	1.8	1	1	1	2	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.3	1	1	1	1	1	3	3	3
B. Operated	15	1.3	1	1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated	12	1.9		1	1	2	2	3	3	3
B. Operated	39	1.8	1	1	1	2	2	3	3	4
1. SINGLE DX	30	1.3	1	1	1	1	1	3	3	3
2. MULTIPLE DX	51	1.8	1	1	1	2	2	3	3	4
A. Not Operated	27	1.6	1	1	1	1	2	3	3	3
B. Operated	54	1.7	1	1	1	1	2	3	3	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	81	1.7	1	1	1	1	2	3	3	4
GRAND TOTAL	**81**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	42	3.5	8	1	2	3	4	8	11	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	34	2.2	2	1	1	2	2	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	55	3.9	10	1	2	3	5	7	11	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	80	4.4	18	1	2	3	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.5	8	1	2	3	4	8	11	12
B. Operated	34	2.2	2	1	1	2	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	56	3.9	10	1	2	3	5	7	11	17
B. Operated	80	4.4	18	1	2	3	6	9	12	22
1. SINGLE DX	76	2.9	6	1	1	2	3	6	8	12
2. MULTIPLE DX	136	4.2	14	1	2	3	6	9	12	22
A. Not Operated	98	3.7	9	1	2	3	4	8	11	15
B. Operated	114	3.8	14	1	2	2	5	8	11	22
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	211	3.7	12	1	2	2	4	8	11	19
GRAND TOTAL	**212**	**3.7**	**12**	**1**	**2**	**3**	**4**	**8**	**11**	**19**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	27	4.0	4	2	3	3	5	7	8	10
1-11 MOS	144	4.2	8	2	2	3	5	7	9	15
1-5 YRS	485	3.1	3	1	2	3	4	5	6	9
6-12 YRS	438	3.1	3	2	2	3	4	5	6	10
13-19 YRS	301	3.4	4	1	2	3	4	5	7	12
B. Operated										
0-27 DYS	7	3.0	4	< 1	1	3	5	6	6	6
1-11 MOS	74	3.7	8	1	2	3	4	6	9	16
1-5 YRS	226	3.7	8	1	2	3	5	8	9	15
6-12 YRS	144	4.3	11	1	2	4	6	9	10	17
13-19 YRS	126	4.5	14	1	2	3	6	10	12	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	49	4.9	9	2	3	4	7	10	11	13
1-11 MOS	315	4.5	9	2	3	4	5	8	10	19
1-5 YRS	883	3.9	7	2	2	3	5	7	9	12
6-12 YRS	609	4.0	8	2	2	3	5	7	9	14
13-19 YRS	518	4.2	9	2	2	3	5	7	10	16
B. Operated										
0-27 DYS	8	4.5	22	2	3	3	3	12	16	16
1-11 MOS	131	5.6	10	2	3	5	7	10	12	32
1-5 YRS	314	5.5	30	2	3	4	7	10	13	28
6-12 YRS	248	6.0	20	2	3	5	8	13	15	20
13-19 YRS	270	6.9	50	2	3	5	8	12	18	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1395	3.3	4	2	2	3	4	5	7	11
B. Operated	577	4.0	10	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	2374	4.1	8	2	2	3	5	7	10	14
B. Operated	971	6.1	31	2	3	5	7	11	15	32
1. SINGLE DX	1972	3.5	6	1	2	3	4	6	8	14
2. MULTIPLE DX	3345	4.7	15	2	2	4	6	9	11	18
A. Not Operated	3769	3.8	7	2	2	3	5	7	9	13
B. Operated	1548	5.3	24	1	3	4	6	10	13	23
TOTAL										
0-27 DYS	91	4.4	8	2	3	3	5	8	10	15
1-11 MOS	664	4.6	9	2	3	4	6	8	10	18
1-5 YRS	1908	4.0	10	1	2	3	5	7	9	14
6-12 YRS	1439	4.1	10	2	2	3	5	7	10	16
13-19 YRS	1215	4.7	19	2	2	4	5	8	11	21
GRAND TOTAL	**5317**	**4.2**	**12**	**2**	**2**	**3**	**5**	**8**	**10**	**17**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	53	3.2	4	2	2	3	4	5	7	11
1-11 MOS	64	3.9	8	1	2	3	5	9	10	14
1-5 YRS	187	3.3	3	2	2	3	4	6	7	9
6-12 YRS	94	3.1	3	1	2	3	4	5	7	11
13-19 YRS	42	3.4	5	1	2	3	4	5	7	14
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	35	4.2	11	1	1	3	5	10	12	13
1-5 YRS	85	3.2	8	1	1	2	4	7	9	14
6-12 YRS	63	3.3	8	< 1	1	2	5	7	9	12
13-19 YRS	44	3.4	7	< 1	1	3	4	7	10	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	73	3.5	5	2	2	3	4	6	7	14
1-11 MOS	152	4.3	7	2	2	4	5	8	9	14
1-5 YRS	341	4.0	7	1	2	3	5	7	10	14
6-12 YRS	161	3.9	5	2	2	3	5	7	8	12
13-19 YRS	113	3.9	6	2	2	3	5	7	8	14
B. Operated										
0-27 DYS	5	7.8	59	2	3	4	11	21	21	21
1-11 MOS	79	5.6	21	1	3	5	7	11	14	25
1-5 YRS	135	5.5	43	2	2	4	6	11	13	29
6-12 YRS	101	5.1	40	1	2	4	7	9	10	37
13-19 YRS	91	5.5	41	2	2	4	7	10	11	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	440	3.4	4	1	2	3	4	6	7	11
B. Operated	229	3.4	8	< 1	1	2	5	7	10	13
2. MULTIPLE DX										
A. Not Operated	840	4.0	6	2	2	3	5	7	9	14
B. Operated	411	5.4	38	1	2	4	7	10	13	24
1. SINGLE DX	669	3.4	5	1	2	3	4	6	8	12
2. MULTIPLE DX	1251	4.4	17	2	2	3	5	8	10	16
A. Not Operated	1280	3.8	6	2	2	3	5	7	8	13
B. Operated	640	4.7	28	1	2	4	6	9	12	21
TOTAL										
0-27 DYS	133	3.5	7	2	2	3	4	6	8	16
1-11 MOS	330	4.5	11	1	2	4	6	9	11	16
1-5 YRS	748	4.0	13	1	2	3	5	7	10	15
6-12 YRS	419	3.9	14	1	2	3	5	8	9	13
13-19 YRS	290	4.3	18	1	2	3	5	7	10	15
GRAND TOTAL	**1920**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	10	2.1	2	1	1	2	3	4	5	5
1-5 YRS	6	2.5	1	1	2	2	3	4	4	4
6-12 YRS	8	2.1	2	1	1	2	3	4	5	5
13-19 YRS	311	1.8	2	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	3.7	6	1	2	3	4	8	8	8
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.3	2	1	2	4	4	4	4	4
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	6.5	24	1	2	6	10	12	12	12
1-5 YRS	6	8.7	22	3	4	8	14	14	14	14
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	62	2.4	6	1	1	2	2	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	337	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	11	3.3	4	1	1	4	4	6	8	8
B. Operated	75	3.1	11	1	1	2	4	8	12	16
1. SINGLE DX	338	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	86	3.1	10	1	1	2	4	8	11	15
A. Not Operated	12	3.1	4	< 1	1	3	4	5	8	8
B. Operated	412	2.1	4	1	1	1	2	4	5	13
TOTAL										
0-27 DYS	9	4.6	8	1	3	4	7	9	9	9
1-11 MOS	15	3.2	11	1	1	2	4	9	11	12
1-5 YRS	13	5.2	21	1	2	3	8	14	14	14
6-12 YRS	10	2.0	2	1	1	2	2	4	5	5
13-19 YRS	377	1.9	2	1	1	1	2	4	5	7
GRAND TOTAL	**424**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**5**	**12**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	12	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	31	1.5	2	< 1	< 1	< 1	1	2	3	8
6-12 YRS	14	1.2		< 1	< 1	< 1	< 1	2	3	3
13-19 YRS	12	1.3		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
6-12 YRS	5	1.8	2	< 1	< 1	1	2	4	4	4
13-19 YRS	8	1.0		< 1	< 1	< 1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	2	2	2	4	5	5	5	5
B. Operated	69	1.3	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	20	1.3	1	< 1	< 1	1	1	2	3	4
1. SINGLE DX	72	1.4	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX	21	1.4	1	< 1	< 1	1	1	3	4	5
A. Not Operated	4	4.0	2	2	3	4	5	5	5	5
B. Operated	89	1.3	1	< 1	< 1	< 1	1	2	3	6
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	37	1.4	2	< 1	< 1	< 1	1	2	3	8
6-12 YRS	19	1.4	1	< 1	< 1	< 1	1	3	4	4
13-19 YRS	22	1.5	1	< 1	< 1	1	1	3	4	5
GRAND TOTAL	**93**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**7**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	9.0	21	5	6	8	12	14	14	14
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	3	12.0	93	5	6	8	19	23	23	23
1-5 YRS	3	13.0	252	< 1	2	7	25	31	31	31
6-12 YRS	11	10.7	192	1	1	4	14	37	37	37
13-19 YRS	10	8.8	104	1	1	5	13	25	32	32
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	11.2	151	4	5	7	8	33	36	36
1-5 YRS	13	8.9	89	2	4	5	9	27	30	31
6-12 YRS	16	5.7	6	3	4	5	8	9	10	11
13-19 YRS	32	12.8	243	2	4	7	15	47	60	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	6	10.7	20	6	8	9	14	18	18	18
1-5 YRS	18	11.2	127	2	4	8	14	24	40	48
6-12 YRS	31	12.7	202	2	4	9	15	24	40	73
13-19 YRS	113	18.9	297	4	7	14	27	42	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.0	19	1	2	5	9	13	14	14
B. Operated	27	10.4	138	1	1	5	15	32	37	37
2. MULTIPLE DX										
A. Not Operated	68	10.1	151	3	4	6	10	32	45	83
B. Operated	168	16.7	260	3	6	12	22	38	52	96
1. SINGLE DX	35	9.4	113	1	1	5	13	31	36	37
2. MULTIPLE DX	236	14.8	237	3	5	10	19	36	52	99 +
A. Not Operated	76	9.7	138	2	4	5	9	30	42	89
B. Operated	195	15.8	247	2	6	11	22	37	50	92
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	11.1	70	5	6	8	12	22	32	36
1-5 YRS	35	10.3	112	2	4	6	13	27	31	48
6-12 YRS	61	10.3	144	1	4	7	12	23	37	69
13-19 YRS	158	16.7	281	3	6	12	23	40	60	99 +
GRAND TOTAL	**271**	**14.1**	**224**	**2**	**5**	**9**	**17**	**35**	**47**	**96**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	3.1	3	1	2	3	4	5	7	7
1-11 MOS	66	2.3	2	1	1	2	3	4	4	9
1-5 YRS	155	2.6	4	1	1	2	3	4	6	8
6-12 YRS	81	3.7	16	1	1	2	4	8	15	18
13-19 YRS	77	3.6	12	1	1	2	4	9	12	17
B. Operated										
0-27 DYS	0									
1-11 MOS	15	3.1	31	< 1	< 1	1	3	3	18	23
1-5 YRS	82	2.9	8	< 1	1	1	3	7	9	13
6-12 YRS	122	3.0	13	< 1	1	1	4	8	11	18
13-19 YRS	108	1.9	4	< 1	< 1	1	2	4	7	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	29	3.5	4	2	2	3	4	7	8	8
1-11 MOS	170	3.1	3	1	2	3	4	5	6	9
1-5 YRS	351	3.5	10	1	2	3	4	6	9	19
6-12 YRS	182	4.5	26	1	2	3	5	9	14	30
13-19 YRS	161	5.4	25	1	2	3	7	11	15	25
B. Operated										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	11	5.0	16	< 1	1	5	7	11	14	14
1-5 YRS	146	4.1	32	1	1	2	5	8	14	33
6-12 YRS	135	4.5	78	< 1	1	2	5	10	12	48
13-19 YRS	126	5.5	81	1	1	3	6	12	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	392	3.0	8	1	1	2	3	6	8	17
B. Operated	327	2.6	10	< 1	< 1	1	3	7	9	14
2. MULTIPLE DX										
A. Not Operated	893	4.0	15	1	2	3	5	8	10	23
B. Operated	420	4.7	61	1	1	2	5	10	15	37
1. SINGLE DX	719	2.8	9	< 1	1	2	3	6	9	16
2. MULTIPLE DX	1313	4.2	30	1	2	3	5	8	12	25
A. Not Operated	1285	3.7	13	1	2	3	4	7	10	21
B. Operated	747	3.8	40	< 1	1	2	4	9	12	25
TOTAL										
0-27 DYS	44	3.4	3	2	2	3	4	7	8	8
1-11 MOS	262	3.0	5	1	2	3	4	5	7	10
1-5 YRS	734	3.4	13	1	1	2	4	7	9	19
6-12 YRS	520	4.0	35	1	1	2	5	9	12	29
13-19 YRS	472	4.3	35	< 1	1	2	5	10	14	25
GRAND TOTAL	**2032**	**3.7**	**23**	**1**	**1**	**2**	**4**	**8**	**11**	**23**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	2.6	2	1	2	2	3	5	5	5
6-12 YRS	45	2.5	6	< 1	1	2	3	4	8	12
13-19 YRS	157	1.6	2	1	1	1	2	2	4	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.3	8	2	2	3	5	9	10	10
6-12 YRS	16	2.7	3	1	1	2	4	5	6	6
13-19 YRS	27	2.7	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	15.2	557	1	2	5	22	57	57	57
6-12 YRS	97	4.4	44	1	1	3	5	8	12	44
13-19 YRS	222	3.9	27	1	1	2	5	9	11	23
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0	3	5	5	5	7	8	8	8
6-12 YRS	39	8.3	218	1	2	5	9	15	63	99 +
13-19 YRS	81	11.1	277	1	4	7	13	21	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	1.8	3	1	1	1	2	4	5	10
B. Operated	51	3.0	4	1	2	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	324	4.2	40	1	1	2	5	9	11	39
B. Operated	123	10.1	251	1	3	7	11	20	79	99 +
1. SINGLE DX	262	2.0	3	1	1	1	2	4	6	10
2. MULTIPLE DX	447	5.8	105	1	1	3	7	11	17	94
A. Not Operated	535	3.3	27	1	1	2	3	7	10	23
B. Operated	174	8.0	189	1	2	5	9	14	32	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	25	6.0	119	2	2	3	5	10	22	57
6-12 YRS	197	4.6	69	1	1	2	5	9	12	71
13-19 YRS	487	4.3	69	1	1	2	5	9	13	69
GRAND TOTAL	**709**	**4.4**	**71**	**1**	**1**	**2**	**5**	**9**	**13**	**65**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	42	4.0	7	1	2	4	5	7	10	11
6-12 YRS	71	3.5	20	1	1	2	5	8	10	27
13-19 YRS	21	5.6	14	2	3	5	6	12	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	11	3.8	38	< 1	1	2	4	11	21	22
6-12 YRS	8	6.0	26	2	3	4	8	15	17	17
13-19 YRS	15	3.1	7	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	12.3	74	3	6	14	18	20	20	20
1-5 YRS	62	4.8	11	1	2	4	7	10	12	14
6-12 YRS	94	7.3	83	2	2	5	8	17	28	83
13-19 YRS	59	7.9	102	2	3	5	8	18	28	59
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	19	8.7	42	2	4	6	13	17	23	26
6-12 YRS	29	10.2	123	2	3	5	15	22	33	51
13-19 YRS	34	15.4	432	1	5	8	14	41	67	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	4.0	15	1	1	3	5	9	11	22
B. Operated	35	4.3	23	1	1	3	6	9	16	22
2. MULTIPLE DX										
A. Not Operated	218	6.8	69	2	2	4	8	14	21	62
B. Operated	83	12.0	234	2	3	6	14	25	44	87
1. SINGLE DX	170	4.0	16	1	1	3	5	9	11	22
2. MULTIPLE DX	301	8.3	119	2	2	5	10	17	27	66
A. Not Operated	353	5.7	50	1	2	4	7	11	18	39
B. Operated	118	9.7	183	1	2	6	12	20	31	78
TOTAL										
0-27 DYS	0									
1-11 MOS	6	10.7	41	3	4	11	14	19	20	20
1-5 YRS	134	5.0	18	1	2	4	7	11	13	23
6-12 YRS	202	6.3	69	1	2	4	7	16	22	57
13-19 YRS	129	9.0	178	1	2	5	9	18	31	75
GRAND TOTAL	**471**	**6.7**	**86**	**1**	**2**	**4**	**7**	**14**	**21**	**59**

788 Hospitals, United States, Pediatric, January-December 1990, by Diagnosis

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
.6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	3.3	6	< 1	1	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	7.8	23	2	4	8	10	14	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	5	6.4	33	< 1	2	6	9	16	16	16
B. Operated	14	7.7	21	2	4	8	9	13	18	19
1. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX	19	7.4	23	1	4	7	9	14	18	19
A. Not Operated	6	5.7	30	< 1	2	4	6	15	16	16
B. Operated	15	7.4	21	2	4	8	9	12	17	19
TOTAL										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	16	7.0	22	1	3	7	9	12	17	19
GRAND TOTAL	**21**	**6.9**	**23**	**1**	**3**	**6**	**9**	**14**	**17**	**19**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	0									
13-19 YRS	6	3.2	5	1	1	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	10	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	8	8.0	87	1	2	4	13	24	26	26
1. SINGLE DX	11	1.4		< 1	1	1	2	3	3	3
2. MULTIPLE DX	9	7.4	79	1	2	3	10	23	26	26
A. Not Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated	18	4.3	48	1	1	2	3	15	23	26
TOTAL										
0-27 DYS	0									
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	2	10.0	162	< 1	< 1	9	19	19	19	19
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	16	2.1	3	1	1	1	3	4	6	7
GRAND TOTAL	**20**	**4.1**	**43**	**1**	**1**	**2**	**3**	**13**	**22**	**26**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	18	9.7	46	3	6	7	14	20	24	26
1-5 YRS	96	6.5	22	2	3	6	8	13	16	22
6-12 YRS	54	4.8	16	1	2	4	7	9	14	21
13-19 YRS	29	4.4	8	2	3	4	5	8	9	15
B. Operated										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	33	7.5	13	3	4	8	10	11	13	19
1-5 YRS	102	8.9	26	4	5	8	10	15	21	25
6-12 YRS	63	7.8	20	3	5	7	9	13	17	24
13-19 YRS	32	6.8	23	2	3	6	10	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	13.2	81	4	8	9	20	27	28	28
1-11 MOS	37	10.9	37	4	7	10	14	21	22	28
1-5 YRS	106	8.4	51	2	3	7	10	17	21	40
6-12 YRS	74	6.3	24	2	3	5	9	14	17	23
13-19 YRS	71	6.6	29	2	3	5	8	13	18	30
B. Operated										
0-27 DYS	3	16.7	40	13	13	13	21	24	24	24
1-11 MOS	70	14.4	66	6	8	13	20	26	31	40
1-5 YRS	146	11.0	31	5	7	10	14	21	22	26
6-12 YRS	141	11.6	55	4	6	10	15	22	31	47
13-19 YRS	86	10.5	124	3	4	8	13	20	24	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	6.0	22	1	3	5	8	12	16	22
B. Operated	231	8.2	24	3	5	8	10	14	19	25
2. MULTIPLE DX										
A. Not Operated	294	7.9	40	2	3	6	10	16	21	30
B. Operated	446	11.6	63	4	6	10	15	22	25	42
1. SINGLE DX	428	7.2	24	2	4	6	9	14	18	23
2. MULTIPLE DX	740	10.1	57	3	5	8	14	21	23	37
A. Not Operated	491	7.1	34	2	3	5	9	14	20	27
B. Operated	677	10.5	52	4	6	9	14	20	23	34
TOTAL										
0-27 DYS	10	15.4	68	6	9	13	24	26	28	28
1-11 MOS	158	11.6	53	4	6	9	15	22	27	31
1-5 YRS	450	8.9	35	3	5	8	12	16	21	27
6-12 YRS	332	8.6	42	2	4	7	12	16	22	33
13-19 YRS	218	7.9	67	2	3	5	11	16	20	59
GRAND TOTAL	**1168**	**9.1**	**47**	**3**	**4**	**8**	**12**	**18**	**22**	**32**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.2		1	1	1	1	2	2	2
6-12 YRS	10	1.5	1	1	1	1	2	3	3	3
13-19 YRS	368	2.4	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	2.0	1	< 1	1	2	3	4	4	4
13-19 YRS	566	2.6	1	1	2	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	384	2.4	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	7	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated	575	2.6	1	1	2	2	3	4	4	7
1. SINGLE DX	386	2.4	1	1	2	2	3	4	4	6
2. MULTIPLE DX	582	2.6	1	1	2	2	3	4	4	7
A. Not Operated	9	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	959	2.5	1	1	2	2	3	4	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.2		1	1	1	1	2	2	2
6-12 YRS	21	1.8	1	< 1	1	1	2	3	4	4
13-19 YRS	941	2.5	1	1	2	2	3	4	4	7
GRAND TOTAL	**968**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	5.2	7	1	4	5	7	8	8	8
1-5 YRS	72	2.3	4	1	1	2	3	4	5	12
6-12 YRS	46	2.5	7	1	1	2	3	4	6	17
13-19 YRS	33	2.9	3	1	1	3	4	6	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	34	1.8	1	< 1	1	1	2	3	5	5
6-12 YRS	102	2.4	4	1	1	2	3	5	6	10
13-19 YRS	1329	2.0	2	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	8	2.0	1	1	1	2	3	3	3	3
1-5 YRS	89	4.0	35	1	2	2	4	7	10	39
6-12 YRS	106	4.0	44	1	2	2	4	6	8	40
13-19 YRS	66	3.6	14	< 1	1	2	4	9	13	18
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	3.6	13	1	1	2	4	10	11	11
1-5 YRS	322	3.0	8	1	2	2	3	5	7	12
6-12 YRS	489	3.9	29	1	2	3	4	7	8	29
13-19 YRS	735	2.9	9	1	1	2	3	5	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	2.6	5	1	1	2	3	5	6	13
B. Operated	1467	2.0	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	272	3.8	32	1	2	2	4	7	11	35
B. Operated	1556	3.3	15	1	2	2	4	6	8	19
1. SINGLE DX	1624	2.1	2	1	1	2	3	3	4	6
2. MULTIPLE DX	1828	3.3	18	1	2	2	4	6	8	20
A. Not Operated	429	3.4	22	1	1	2	4	6	8	22
B. Operated	3023	2.7	9	1	1	2	3	4	6	12
TOTAL										
0-27 DYS	5	2.6	2	1	2	2	3	5	5	5
1-11 MOS	24	3.5	9	1	1	2	5	8	10	11
1-5 YRS	517	3.0	12	1	1	2	3	5	7	16
6-12 YRS	743	3.7	26	1	2	3	4	6	8	25
13-19 YRS	2163	2.4	5	1	1	2	3	4	5	11
GRAND TOTAL	**3452**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	4.0	19	1	1	2	7	9	9	9
B. Operated	0									
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	3	4.0	19	1	1	2	7	9	9	9
A. Not Operated	4	4.0	13	1	1	3	6	9	9	9
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
GRAND TOTAL	**4**	**4.0**	**13**	**1**	**1**	**3**	**6**	**9**	**9**	**9**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	3.5	7	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	4	6.3	15	2	3	6	9	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	85.0		85	85	85	85	85	85	85
6-12 YRS	0									
13-19 YRS	2	9.0	98	2	2	9	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		1	1	1	2	2	2	2
B. Operated	5	3.6	5	1	2	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	7	5.7	14	2	2	4	10	10	10	10
B. Operated	3	34.3	1974	2	5	16	68	85	85	85
1. SINGLE DX	9	2.6	4	1	1	2	4	6	7	7
2. MULTIPLE DX	10	14.3	639	2	2	6	10	50	85	85
A. Not Operated	11	4.1	14	1	1	2	8	10	10	10
B. Operated	8	15.1	820	1	2	4	11	64	85	85
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	47.5	2813	10	10	47	85	85	85	85
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	12	4.9	22	1	1	3	8	12	15	16
GRAND TOTAL	**19**	**8.7**	**358**	**1**	**2**	**3**	**8**	**14**	**54**	**85**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	3.2	4	1	2	3	4	6	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	262	3.1	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	7.8	18	3	5	7	10	15	17	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	90	4.2	8	2	3	4	5	7	8	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.2	4	1	2	3	4	6	7	8
B. Operated	262	3.1	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated	16	7.8	18	3	5	7	10	15	17	17
B. Operated	90	4.2	8	2	3	4	5	7	8	18
1. SINGLE DX	280	3.1	3	1	2	3	4	5	6	11
2. MULTIPLE DX	106	4.7	11	2	3	4	5	9	10	20
A. Not Operated	34	5.3	16	1	2	4	7	10	15	17
B. Operated	352	3.4	5	1	2	3	4	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	386	3.6	6	1	2	3	4	6	8	13
GRAND TOTAL	**386**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.0	2	2	2	3	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	3.3	6	1	2	3	4	6	9	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	9.5	13	7	7	9	12	12	12	12
6-12 YRS	0									
13-19 YRS	5	2.6	9	< 1	1	1	3	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	2	2	2	3	4	5	5	5
B. Operated	12	3.3	6	1	2	3	4	6	9	10
2. MULTIPLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	7	4.6	20	< 1	1	2	8	11	12	12
1. SINGLE DX	16	3.3	5	1	2	3	4	5	9	10
2. MULTIPLE DX	9	4.3	15	< 1	1	3	7	10	12	12
A. Not Operated	6	3.2	1	2	2	3	4	5	5	5
B. Operated	19	3.8	10	1	1	3	5	9	11	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	7.7	16	4	5	7	11	12	12	12
6-12 YRS	0									
13-19 YRS	22	3.1	5	1	2	3	3	6	9	10
GRAND TOTAL	**25**	**3.6**	**8**	**1**	**2**	**3**	**4**	**8**	**10**	**12**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	8.0	98	1	1	8	15	15	15	15
6-12 YRS	2	6.5	41	2	2	6	11	11	11	11
13-19 YRS	4	6.0	14	2	3	5	8	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	2	7.5	1	7	7	7	8	8	8	8
13-19 YRS	4	9.0	17	3	6	10	11	12	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.6	27	1	2	5	11	14	15	15
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	8	7.5	12	3	5	7	10	12	12	12
B. Operated	3	8.0	31	2	4	9	12	13	13	13
1. SINGLE DX	9	6.7	23	1	2	6	11	13	15	15
2. MULTIPLE DX	11	7.6	14	2	4	8	11	12	13	13
A. Not Operated	16	7.1	18	2	3	7	11	12	14	15
B. Operated	4	7.8	21	2	4	8	11	13	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	6.8	30	1	2	6	10	15	15	15
6-12 YRS	6	8.0	14	2	7	8	11	13	13	13
13-19 YRS	9	6.9	17	2	3	6	11	12	12	12
GRAND TOTAL	**20**	**7.2**	**18**	**2**	**3**	**7**	**11**	**12**	**14**	**15**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	11.0	32	7	7	11	15	15	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	8.0	43	2	3	7	13	15	15	15
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	4	6.5	38	2	2	5	11	15	15	15
A. Not Operated	4	7.0	33	2	3	5	11	15	15	15
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	7.0	33	2	3	5	11	15	15	15
GRAND TOTAL	**5**	**6.0**	**30**	**2**	**2**	**4**	**9**	**15**	**15**	**15**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	12	2.5	4	< 1	1	2	3	6	7	7
6-12 YRS	22	2.8	5	1	1	2	4	5	8	10
13-19 YRS	51	2.8	6	1	1	2	4	6	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	8.0	98	1	1	8	15	15	15	15
6-12 YRS	6	1.8	3	< 1	1	1	2	5	5	5
13-19 YRS	27	1.9	4	1	1	1	2	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.5	4	< 1	1	2	4	6	6	6
1-5 YRS	17	3.1	12	< 1	1	2	3	9	11	12
6-12 YRS	31	3.1	10	1	1	2	4	6	9	16
13-19 YRS	83	3.9	16	1	1	3	5	8	9	24
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	4.1	6	1	2	3	7	7	7	7
6-12 YRS	10	5.5	5	2	4	6	7	8	8	8
13-19 YRS	38	6.1	55	1	1	3	8	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.7	5	1	1	2	4	6	8	10
B. Operated	37	2.2	8	1	1	1	2	5	9	15
2. MULTIPLE DX										
A. Not Operated	138	3.5	13	1	1	2	4	7	9	21
B. Operated	56	5.6	39	1	1	4	7	11	19	36
1. SINGLE DX	123	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX	194	4.1	22	1	1	3	5	9	12	23
A. Not Operated	224	3.2	10	1	1	2	4	7	9	17
B. Operated	93	4.3	29	1	1	2	6	9	15	30
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	2.2	3	< 1	1	2	3	5	6	6
1-5 YRS	38	3.4	12	< 1	1	2	4	8	11	15
6-12 YRS	69	3.2	8	1	1	2	5	7	8	15
13-19 YRS	199	3.8	21	1	1	2	5	8	11	23
GRAND TOTAL	**317**	**3.5**	**16**	**1**	**1**	**2**	**4**	**8**	**10**	**21**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	2.5	15	< 1	1	1	2	6	13	15
1-5 YRS	145	2.5	3	1	1	2	3	4	6	10
6-12 YRS	94	2.8	6	1	2	2	3	5	6	15
13-19 YRS	18	3.6	4	2	2	3	4	7	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	35	3.0	6	< 1	1	3	4	5	7	13
6-12 YRS	39	2.5	4	< 1	1	1	3	6	7	8
13-19 YRS	94	1.8	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	4.4	7	2	3	3	6	9	10	10
1-5 YRS	97	3.0	5	1	2	2	4	5	7	12
6-12 YRS	51	3.1	3	1	2	3	4	6	7	8
13-19 YRS	32	4.3	7	2	3	4	5	7	9	15
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	18	6.8	75	1	2	3	7	22	30	32
6-12 YRS	40	4.9	22	1	2	4	6	9	12	27
13-19 YRS	72	4.1	26	1	1	2	5	8	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	2.7	5	1	1	2	3	5	7	10
B. Operated	168	2.2	3	< 1	1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	189	3.3	5	1	2	3	4	6	8	12
B. Operated	133	4.7	31	1	1	3	6	9	15	29
1. SINGLE DX	438	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	322	3.9	16	1	2	3	5	7	10	26
A. Not Operated	459	2.9	5	1	1	2	4	5	7	10
B. Operated	301	3.3	17	1	1	2	4	6	9	27
TOTAL										
0-27 DYS	0									
1-11 MOS	25	3.2	11	< 1	1	2	4	7	11	15
1-5 YRS	295	3.0	9	1	1	2	4	5	7	14
6-12 YRS	224	3.2	8	1	1	2	4	6	7	15
13-19 YRS	216	3.1	12	1	1	2	4	6	8	22
GRAND TOTAL	**760**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	24	2.1	2	< 1	1	1	3	4	5	7
13-19 YRS	93	1.8	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.5		1	1	1	2	2	2	2
6-12 YRS	29	1.6	1	< 1	1	1	2	3	3	5
13-19 YRS	176	1.7	1	< 1	1	1	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	120	1.9	1	< 1	1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	211	1.7	1	< 1	1	1	2	3	4	5
1. SINGLE DX	122	1.9	1	< 1	1	2	2	4	4	6
2. MULTIPLE DX	214	1.7	1	< 1	1	1	2	3	4	5
A. Not Operated	5	1.6	2	< 1	< 1	1	2	4	4	4
B. Operated	331	1.8	1	< 1	1	1	2	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	1.3		< 1	1	1	2	2	2	2
6-12 YRS	54	1.8	2	< 1	1	1	2	3	4	7
13-19 YRS	273	1.8	1	< 1	1	1	2	3	4	5
GRAND TOTAL	**336**	**1.8**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**	**5**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	19	1.2		<1	<1	<1	1	2	2	2
6-12 YRS	28	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	27	1.0		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	6	3.3	17	<1	1	1	5	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	74	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	14	2.1	8	<1	<1	1	1	6	10	11
1. SINGLE DX	75	1.2	1	<1	<1	<1	1	1	2	7
2. MULTIPLE DX	15	2.0	7	<1	<1	1	1	5	9	11
A. Not Operated	2	5.0	32	1	1	5	9	9	9	9
B. Operated	88	1.2	1	<1	<1	<1	1	2	2	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	20	1.2		<1	<1	1	1	2	2	2
6-12 YRS	37	1.3	2	<1	<1	<1	1	2	2	9
13-19 YRS	33	1.5	3	<1	<1	<1	1	2	5	11
GRAND TOTAL	**90**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**10**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	12.3	41	5	7	15	16	17	17	17
1-11 MOS	16	8.4	48	2	4	7	9	17	26	30
1-5 YRS	88	6.8	31	2	3	5	8	14	20	28
6-12 YRS	75	8.8	28	4	5	7	12	14	20	27
13-19 YRS	30	8.2	30	2	3	7	13	15	19	22
B. Operated										
0-27 DYS	0									
1-11 MOS	14	10.5	96	1	3	8	11	30	30	30
1-5 YRS	76	8.9	28	3	5	8	11	15	21	26
6-12 YRS	89	10.5	118	1	4	7	13	23	32	59
13-19 YRS	50	8.2	70	1	2	6	10	16	22	46
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	10.2	1	9	10	10	11	11	11	11
1-11 MOS	32	11.5	62	3	6	9	15	23	25	34
1-5 YRS	97	9.7	28	3	6	9	13	18	21	24
6-12 YRS	97	10.0	42	3	6	9	14	18	22	34
13-19 YRS	66	10.5	51	2	5	10	13	21	25	34
B. Operated										
0-27 DYS	7	17.0	142	8	10	14	19	38	42	42
1-11 MOS	44	21.0	212	6	11	19	26	38	59	99+
1-5 YRS	118	13.9	119	4	7	10	18	31	41	70
6-12 YRS	170	14.4	166	4	7	11	18	30	44	72
13-19 YRS	151	13.5	134	4	6	10	16	29	41	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	7.9	32	2	4	7	10	15	20	28
B. Operated	229	9.5	76	2	4	7	11	20	27	42
2. MULTIPLE DX										
A. Not Operated	297	10.2	41	3	6	9	13	20	22	31
B. Operated	490	14.6	152	4	7	11	19	31	42	77
1. SINGLE DX	441	8.7	55	2	4	7	11	17	22	36
2. MULTIPLE DX	787	12.9	114	4	7	10	16	26	34	61
A. Not Operated	509	9.2	38	3	5	8	12	18	21	28
B. Operated	719	13.0	133	3	6	10	16	28	38	71
TOTAL										
0-27 DYS	15	13.8	77	7	10	11	15	21	37	42
1-11 MOS	106	14.8	152	4	7	11	22	30	38	91
1-5 YRS	379	10.1	64	3	5	8	12	21	27	43
6-12 YRS	431	11.6	109	3	6	9	14	22	31	53
13-19 YRS	297	11.4	99	3	5	9	15	23	32	52
GRAND TOTAL	**1228**	**11.4**	**97**	**3**	**5**	**9**	**14**	**22**	**30**	**51**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	52	3.7	8	1	1	3	6	8	8	14
6-12 YRS	93	5.2	20	1	2	4	6	11	16	22
13-19 YRS	46	3.3	23	<1	1	2	4	6	11	30
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	3.5	9	1	1	2	5	8	9	9
1-5 YRS	132	3.0	13	1	1	2	3	6	11	17
6-12 YRS	825	3.3	10	1	1	2	4	6	9	18
13-19 YRS	840	2.8	8	1	1	2	3	6	7	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	4.4	14	1	2	3	7	10	11	11
1-5 YRS	56	4.7	18	1	2	3	6	13	14	16
6-12 YRS	83	6.5	53	1	2	4	7	15	25	36
13-19 YRS	73	5.2	61	<1	1	2	6	11	21	45
B. Operated										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	12	3.5	10	1	1	2	5	8	11	12
1-5 YRS	80	4.3	15	1	2	3	5	10	11	22
6-12 YRS	355	5.4	52	1	2	3	6	10	18	31
13-19 YRS	519	4.5	40	1	1	3	5	9	12	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	4.3	18	1	1	3	6	8	13	22
B. Operated	1806	3.0	9	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	221	5.5	45	1	2	3	6	13	18	37
B. Operated	968	4.8	42	1	2	3	5	9	14	29
1. SINGLE DX	1997	3.2	10	1	1	2	4	6	9	17
2. MULTIPLE DX	1189	4.9	43	1	2	3	6	10	14	31
A. Not Operated	412	5.0	33	1	2	3	6	11	15	30
B. Operated	2774	3.7	22	1	1	2	4	7	10	23
TOTAL										
0-27 DYS	4	4.3	3	2	3	4	5	6	6	6
1-11 MOS	28	3.8	10	1	1	3	5	9	11	12
1-5 YRS	320	3.7	14	1	1	2	4	9	12	17
6-12 YRS	1356	4.2	26	1	2	3	5	8	12	25
13-19 YRS	1478	3.5	23	1	1	2	4	7	9	24
GRAND TOTAL	**3186**	**3.8**	**23**	**1**	**1**	**3**	**4**	**8**	**11**	**25**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	70	1.8	1	1	1	2	2	3	4	5
6-12 YRS	189	2.4	5	1	1	2	3	5	6	13
13-19 YRS	185	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	7	1.6	1	<1	<1	<1	2	4	4	4
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	12	2.7	6	<1	<1	1	4	6	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	7	1.7	1	<1	1	1	3	3	3	3
1-5 YRS	217	2.7	15	1	1	2	3	5	7	19
6-12 YRS	556	3.0	8	1	1	2	4	6	8	11
13-19 YRS	396	3.5	11	1	2	3	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	1	1	1	3	3	3	3	3
B. Operated	449	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	24	2.2	3	<1	<1	1	3	5	6	8
B. Operated	1176	3.1	10	1	1	2	4	6	8	12
1. SINGLE DX	454	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX	1200	3.1	10	1	1	2	4	6	8	12
A. Not Operated	29	2.2	3	<1	<1	1	3	5	5	8
B. Operated	1625	2.9	8	1	1	2	4	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	14	1.5	1	<1	1	1	2	3	3	3
1-5 YRS	294	2.5	12	1	1	2	3	4	6	12
6-12 YRS	750	2.9	7	1	1	2	4	5	8	11
13-19 YRS	596	3.2	8	1	1	3	4	6	8	11
GRAND TOTAL	**1654**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**7**	**11**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	7	2.7	4	<1	1	3	4	6	6	6
1-5 YRS	19	2.3	4	<1	1	2	3	5	7	9
6-12 YRS	69	1.9	2	<1	<1	1	2	3	5	9
13-19 YRS	80	1.9	4	<1	1	1	2	4	6	12
B. Operated										
0-27 DYS	0									
1-11 MOS	8	1.1		1	1	1	1	2	2	2
1-5 YRS	138	2.7	7	<1	1	2	4	5	7	13
6-12 YRS	262	5.4	15	1	2	6	8	9	11	22
13-19 YRS	618	6.3	13	1	5	7	8	9	10	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	12	3.8	9	1	2	3	5	8	11	12
1-5 YRS	64	2.9	7	1	1	2	4	6	7	14
6-12 YRS	103	3.6	15	1	1	2	4	8	13	20
13-19 YRS	118	4.0	22	<1	1	2	4	10	13	26
B. Operated										
0-27 DYS	0									
1-11 MOS	11	5.0	12	1	2	4	8	10	10	10
1-5 YRS	362	3.3	19	1	1	2	3	8	12	26
6-12 YRS	765	6.0	53	1	2	4	8	12	18	37
13-19 YRS	870	8.0	65	1	3	7	9	13	20	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	177	2.0	3	<1	1	1	2	4	6	9
B. Operated	1026	5.5	14	1	2	6	8	9	10	19
2. MULTIPLE DX										
A. Not Operated	299	3.7	16	1	1	2	4	8	12	21
B. Operated	2008	6.4	54	1	2	5	8	12	18	37
1. SINGLE DX	1203	5.0	14	1	1	5	7	9	10	16
2. MULTIPLE DX	2307	6.0	50	1	2	4	8	12	17	37
A. Not Operated	476	3.0	12	<1	1	2	3	6	10	18
B. Operated	3034	6.1	41	1	2	5	8	11	15	31
TOTAL										
0-27 DYS	4	4.8	39	<1	<1	2	8	14	14	14
1-11 MOS	38	3.4	9	1	1	2	4	8	10	12
1-5 YRS	583	3.1	14	1	1	2	3	7	10	23
6-12 YRS	1199	5.4	39	1	1	3	7	10	15	29
13-19 YRS	1686	6.8	42	1	3	6	8	11	15	34
GRAND TOTAL	**3510**	**5.7**	**38**	**1**	**2**	**4**	**8**	**10**	**15**	**30**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10	3.6	13	1	1	3	4	9	13	13
1-11 MOS	15	5.7	158	1	1	1	3	19	41	48
1-5 YRS	15	2.7	3	<1	1	3	4	5	5	5
6-12 YRS	8	2.5	5	1	1	2	3	6	7	7
13-19 YRS	7	7.1	80	1	1	5	9	23	26	26
B. Operated										
0-27 DYS	55	7.2	34	2	3	6	11	13	20	29
1-11 MOS	161	4.1	12	1	2	3	5	7	8	21
1-5 YRS	64	4.2	9	1	3	4	5	7	9	19
6-12 YRS	41	5.6	18	1	3	5	7	11	16	19
13-19 YRS	28	7.2	6	4	5	7	9	11	11	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	28	5.4	47	1	2	4	6	11	40	99+
1-11 MOS	85	4.7	22	1	2	3	6	11	16	74
1-5 YRS	57	3.7	11	1	1	2	5	8	14	93
6-12 YRS	39	6.0	45	1	1	3	10	15	17	32
13-19 YRS	19	4.4	34	1	1	2	5	14	20	21
B. Operated										
0-27 DYS	132	15.2	182	3	5	13	21	45	99+	99+
1-11 MOS	259	7.9	113	2	3	4	8	16	27	69
1-5 YRS	252	6.4	62	2	3	5	7	10	14	52
6-12 YRS	211	7.3	33	2	4	6	8	14	19	35
13-19 YRS	113	8.1	50	3	4	6	9	13	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	4.2	56	1	1	2	4	7	17	47
B. Operated	349	5.0	17	2	3	4	6	10	12	21
2. MULTIPLE DX										
A. Not Operated	228	4.7	27	1	2	3	6	12	16	99+
B. Operated	967	8.4	92	2	4	6	9	18	27	99+
1. SINGLE DX	404	4.9	22	1	2	4	6	9	12	25
2. MULTIPLE DX	1195	7.7	81	2	3	5	9	17	26	99+
A. Not Operated	283	4.6	33	1	1	3	5	11	17	81
B. Operated	1316	7.5	74	2	3	5	8	16	24	78
TOTAL										
0-27 DYS	225	11.5	141	2	4	8	17	29	62	99+
1-11 MOS	520	6.1	71	1	2	4	6	12	20	59
1-5 YRS	388	5.5	45	1	3	4	6	9	12	50
6-12 YRS	299	6.8	32	1	3	6	8	14	18	33
13-19 YRS	167	7.5	43	2	4	6	9	13	19	40
GRAND TOTAL	**1599**	**7.0**	**68**	**1**	**3**	**5**	**8**	**15**	**22**	**80**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	28	1.5	5	<1	<1	<1	1	1	4	13
1-5 YRS	27	1.9	6	<1	<1	<1	1	6	8	10
6-12 YRS	8	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	42	1.3	1	<1	1	1	1	2	3	5
1-11 MOS	142	1.4	1	<1	<1	1	1	2	4	6
1-5 YRS	237	1.6	3	<1	1	1	2	3	4	10
6-12 YRS	216	1.9	3	<1	1	1	2	4	6	9
13-19 YRS	84	2.1	5	1	1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	16	2.0	1	1	1	2	2	3	4	4
1-11 MOS	22	1.6	2	<1	<1	1	1	4	5	5
1-5 YRS	16	2.0	3	<1	<1	1	2	5	6	6
6-12 YRS	9	2.1	3	<1	1	1	3	5	6	6
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-27 DYS	35	2.0	12	<1	1	1	1	4	7	20
1-11 MOS	106	2.4	21	<1	1	1	2	4	9	29
1-5 YRS	142	2.1	5	<1	1	1	3	4	5	13
6-12 YRS	144	2.2	3	1	1	1	3	5	7	9
13-19 YRS	53	3.2	7	1	1	2	4	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	1.8	5	<1	<1	<1	1	4	7	13
B. Operated	721	1.7	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	65	2.0	2	<1	1	1	2	5	5	7
B. Operated	480	2.3	9	1	1	1	3	5	7	15
1. SINGLE DX	787	1.7	3	<1	1	1	2	3	5	9
2. MULTIPLE DX	545	2.3	8	<1	1	1	3	5	7	13
A. Not Operated	131	1.9	4	<1	<1	1	2	4	6	11
B. Operated	1201	2.0	5	<1	1	1	2	4	6	11
TOTAL										
0-27 DYS	96	1.7	5	<1	1	1	2	3	4	14
1-11 MOS	298	1.8	9	<1	<1	1	1	3	5	15
1-5 YRS	422	1.8	4	<1	1	1	2	4	5	11
6-12 YRS	377	2.0	3	<1	1	1	2	4	6	9
13-19 YRS	139	2.6	6	1	1	2	3	6	7	12
GRAND TOTAL	**1332**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**4**	**6**	**11**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	43	4.3	24	1	2	3	5	15	44	99+
1-11 MOS	50	5.0	77	1	1	2	3	12	27	46
1-5 YRS	36	4.8	32	1	1	3	7	9	13	31
6-12 YRS	23	4.0	32	<1	1	1	6	9	16	26
13-19 YRS	6	2.8	3	<1	1	3	4	5	5	5
B. Operated										
0-27 DYS	61	7.6	22	2	4	8	10	14	17	20
1-11 MOS	552	4.3	11	1	1	4	6	8	10	17
1-5 YRS	1249	3.8	9	1	1	4	6	7	8	13
6-12 YRS	475	3.6	6	1	1	4	5	7	7	10
13-19 YRS	205	3.2	7	1	1	2	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	218	7.4	134	1	2	4	7	16	27	67
1-11 MOS	443	4.0	29	<1	1	2	5	8	12	29
1-5 YRS	258	2.2	8	<1	1	1	2	5	8	14
6-12 YRS	64	3.5	27	<1	1	2	3	7	13	29
13-19 YRS	49	3.3	15	<1	1	2	4	7	8	25
B. Operated										
0-27 DYS	604	17.2	240	4	8	13	23	43	69	99+
1-11 MOS	2868	10.0	133	1	2	7	12	22	33	82
1-5 YRS	3716	7.1	73	1	2	6	9	15	21	53
6-12 YRS	1191	6.2	54	1	1	5	8	13	18	40
13-19 YRS	537	5.8	51	1	1	5	7	12	18	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	4.5	42	1	1	2	5	10	24	94
B. Operated	2542	3.9	9	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	1032	4.2	48	<1	1	2	4	9	13	34
B. Operated	8916	8.5	107	1	2	6	10	19	28	73
1. SINGLE DX	2700	4.0	11	1	1	4	6	8	9	16
2. MULTIPLE DX	9948	8.1	103	1	2	6	10	18	27	69
A. Not Operated	1190	4.2	47	<1	1	2	4	9	15	38
B. Operated	11458	7.5	89	1	2	5	9	16	24	62
TOTAL										
0-27 DYS	926	13.7	214	2	4	9	18	35	57	99+
1-11 MOS	3913	8.4	110	1	2	6	10	19	28	73
1-5 YRS	5259	6.1	57	1	1	5	7	13	18	44
6-12 YRS	1753	5.3	41	1	1	4	7	10	15	32
13-19 YRS	797	5.0	39	1	1	3	7	9	15	39
GRAND TOTAL	**12648**	**7.2**	**86**	**1**	**2**	**5**	**9**	**15**	**24**	**60**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	7.3	120	1	1	1	15	20	20	20
1-11 MOS	7	1.4	1	1	1	1	2	3	3	3
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	11	1.5		1	1	1	2	3	3	3
1-11 MOS	820	1.9	1	1	1	2	2	3	4	5
1-5 YRS	450	1.8	1	1	1	2	2	3	4	5
6-12 YRS	209	1.8	1	1	1	2	2	3	4	5
13-19 YRS	80	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	22	4.7	14	2	2	3	5	10	13	17
1-11 MOS	15	3.3	10	<1	<1	1	6	9	9	9
1-5 YRS	11	1.2		<1	<1	1	1	2	2	2
6-12 YRS	3	1.7		<1	<1	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	13	13.0	468	1	2	4	10	49	70	75
1-11 MOS	886	2.3	3	1	1	2	3	4	5	8
1-5 YRS	798	2.4	5	1	1	2	3	4	5	10
6-12 YRS	235	2.0	3	1	1	2	2	3	4	6
13-19 YRS	112	1.9	2	1	1	2	2	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.8	23	1	1	1	2	4	16	20
B. Operated	1570	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	52	3.3	11	<1	1	2	4	8	9	17
B. Operated	2044	2.3	7	1	1	2	3	4	5	9
1. SINGLE DX	1585	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	2096	2.4	8	1	1	2	3	4	5	10
A. Not Operated	67	3.2	13	<1	1	2	4	8	10	19
B. Operated	3614	2.1	5	1	1	2	2	4	5	7
TOTAL										
0-27 DYS	49	6.3	147	1	2	3	6	13	21	75
1-11 MOS	1728	2.1	2	1	1	2	3	4	5	7
1-5 YRS	1262	2.2	4	1	1	2	3	4	5	7
6-12 YRS	449	1.9	2	1	1	2	2	3	4	6
13-19 YRS	193	1.9	1	1	1	2	2	3	5	6
GRAND TOTAL	**3681**	**2.1**	**5**	**1**	**1**	**2**	**2**	**4**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	1.9	1	< 1	1	2	2	3	4	4
1-11 MOS	26	2.0	1	1	1	2	2	3	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	492	2.8	2	2	2	3	3	4	5	7
1-11 MOS	1067	2.8	1	2	2	3	3	4	5	7
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	4.5	19	< 1	1	3	5	12	15	15
1-11 MOS	21	3.0	10	< 1	1	1	4	7	10	14
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	243	4.2	7	2	3	4	5	7	8	11
1-11 MOS	495	4.0	7	2	3	3	5	6	9	14
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.0	1	1	1	2	2	3	4	4
B. Operated	1562	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	33	3.5	14	< 1	1	2	5	8	14	15
B. Operated	739	4.1	7	2	3	3	5	7	9	13
1. SINGLE DX	1601	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX	772	4.0	7	2	3	3	5	7	9	14
A. Not Operated	72	2.7	7	1	1	2	3	5	7	15
B. Operated	2301	3.2	3	2	2	3	4	5	6	10
TOTAL										
0-27 DYS	760	3.3	4	2	2	3	4	5	7	10
1-11 MOS	1609	3.1	3	2	2	3	4	5	6	10
1-5 YRS	3	5.0	9	2	3	5	7	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
GRAND TOTAL	**2373**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	51	2.2	3	1	1	2	3	5	6	8
1-11 MOS	99	2.3	4	1	1	2	3	5	6	12
1-5 YRS	43	1.9	3	< 1	< 1	1	2	5	6	7
6-12 YRS	14	3.6	30	1	1	2	4	8	19	22
13-19 YRS	4	2.5		2	2	2	3	3	3	3
B. Operated										
0-27 DYS	133	8.0	81	2	4	6	9	15	17	37
1-11 MOS	471	5.1	26	1	2	4	7	10	13	23
1-5 YRS	323	4.7	18	1	1	3	7	10	11	24
6-12 YRS	135	4.0	17	1	1	3	5	9	10	17
13-19 YRS	51	3.1	8	1	1	1	5	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	72	5.7	150	1	2	3	4	9	16	84
1-11 MOS	205	4.6	26	1	2	3	6	11	14	32
1-5 YRS	122	4.4	34	1	1	3	5	11	13	29
6-12 YRS	32	4.6	13	1	2	3	6	11	11	15
13-19 YRS	5	5.2	69	< 1	1	2	7	20	20	20
B. Operated										
0-27 DYS	332	17.8	378	4	6	12	30	95	99 +	99 +
1-11 MOS	846	11.2	230	2	4	6	12	28	60	99 +
1-5 YRS	703	7.9	111	1	2	5	8	17	27	65
6-12 YRS	252	5.6	42	1	2	4	7	11	20	36
13-19 YRS	125	5.9	59	1	2	4	8	13	16	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	2.3	5	< 1	1	2	3	5	6	12
B. Operated	1113	5.1	30	1	2	4	7	10	13	24
2. MULTIPLE DX										
A. Not Operated	436	4.7	48	1	2	3	5	11	14	36
B. Operated	2258	10.2	198	1	3	6	11	28	57	99 +
1. SINGLE DX	1324	4.6	27	1	1	3	6	10	12	23
2. MULTIPLE DX	2694	9.3	178	1	2	5	11	24	52	99 +
A. Not Operated	647	3.9	35	1	1	2	4	9	12	29
B. Operated	3371	8.5	148	1	2	5	9	20	36	99 +
TOTAL										
0-27 DYS	588	12.8	285	2	4	7	16	55	99 +	99 +
1-11 MOS	1621	8.0	142	1	2	5	9	17	31	99 +
1-5 YRS	1191	6.4	77	1	2	4	7	13	21	54
6-12 YRS	433	5.0	32	1	2	3	6	10	14	34
13-19 YRS	185	5.0	45	1	1	3	6	10	14	33
GRAND TOTAL	**4018**	**7.8**	**133**	**1**	**2**	**5**	**9**	**17**	**32**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	24	1.3	1	< 1	< 1	1	1	2	4	5
1-5 YRS	206	1.3		< 1	< 1	1	1	2	3	5
6-12 YRS	139	1.2		< 1	< 1	1	1	2	2	3
13-19 YRS	37	1.3	1	1	1	1	1	2	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	5.3	90	1	2	2	4	18	32	32
1-11 MOS	0									
1-5 YRS	5	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	5	1.8	3	< 1	< 1	1	2	5	5	5
13-19 YRS	0									
B. Operated										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	47	1.4	1	< 1	< 1	1	1	3	3	6
1-5 YRS	243	1.4	1	< 1	< 1	1	2	3	3	6
6-12 YRS	121	1.5	2	< 1	1	1	1	3	4	8
13-19 YRS	30	1.4	1	< 1	1	1	1	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	406	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	20	3.4	47	< 1	1	1	2	5	19	32
B. Operated	444	1.5	1	< 1	1	1	2	3	3	6
1. SINGLE DX	408	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	464	1.5	3	< 1	1	1	2	3	4	6
A. Not Operated	22	3.3	43	< 1	1	2	2	5	16	32
B. Operated	850	1.4	1	< 1	< 1	1	1	2	3	5
TOTAL										
0-27 DYS	13	4.4	70	1	1	2	3	10	28	32
1-11 MOS	71	1.4	1	< 1	< 1	1	1	3	3	6
1-5 YRS	455	1.4	1	< 1	< 1	1	1	2	3	5
6-12 YRS	266	1.4	1	< 1	< 1	1	1	2	3	5
13-19 YRS	67	1.4	1	< 1	1	1	1	2	4	7
GRAND TOTAL	**872**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**5**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	17	3.5	19	1	1	2	3	8	15	18
1-11 MOS	18	1.6	1	1	1	1	2	3	4	5
1-5 YRS	4	2.0	2	< 1	< 1	1	3	4	4	4
6-12 YRS	5	2.6	6	1	1	2	3	7	7	7
13-19 YRS	7	3.1	2	< 1	1	4	4	5	5	5
B. Operated										
0-27 DYS	30	3.9	10	1	2	3	6	7	10	15
1-11 MOS	570	2.7	5	1	1	2	4	5	7	11
1-5 YRS	907	2.3	5	< 1	1	1	3	5	7	11
6-12 YRS	156	2.8	8	1	1	2	4	6	7	11
13-19 YRS	79	3.7	7	< 1	2	3	5	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	39	7.2	82	1	2	4	8	17	33	38
1-11 MOS	36	4.6	21	1	2	3	5	13	16	20
1-5 YRS	39	2.6	9	< 1	< 1	1	2	7	9	15
6-12 YRS	18	2.9	6	< 1	1	2	3	7	8	9
13-19 YRS	17	3.9	18	1	2	3	4	7	15	19
B. Operated										
0-27 DYS	84	9.9	140	1	3	7	13	29	48	99 +
1-11 MOS	485	5.0	32	1	2	4	6	10	13	30
1-5 YRS	704	4.6	22	1	1	3	6	9	13	24
6-12 YRS	234	5.6	32	1	2	4	7	11	18	27
13-19 YRS	143	5.6	35	1	2	4	7	12	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.6	8	1	1	2	3	5	8	18
B. Operated	1742	2.6	6	< 1	1	2	3	6	8	11
2. MULTIPLE DX										
A. Not Operated	149	4.5	34	< 1	1	2	5	9	16	38
B. Operated	1650	5.2	35	1	2	4	7	11	14	30
1. SINGLE DX	1793	2.6	6	< 1	1	2	3	6	8	11
2. MULTIPLE DX	1799	5.1	35	1	2	3	6	11	14	31
A. Not Operated	200	4.0	28	< 1	1	2	4	8	15	33
B. Operated	3392	3.9	21	1	1	2	5	8	11	24
TOTAL										
0-27 DYS	170	7.6	97	1	2	4	10	17	32	94
1-11 MOS	1109	3.8	19	1	1	3	5	8	10	19
1-5 YRS	1654	3.3	13	1	1	2	4	8	10	19
6-12 YRS	413	4.4	23	1	1	3	6	9	12	26
13-19 YRS	246	4.8	25	1	2	4	6	10	13	20
GRAND TOTAL	**3592**	**3.9**	**22**	**1**	**1**	**2**	**5**	**8**	**11**	**24**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	2.7	7	< 1	1	2	2	7	8	8
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	3	1.7		< 1	< 1	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	681	1.9	1	1	1	2	2	3	4	8
1-5 YRS	359	1.8	1	1	1	2	2	3	4	5
6-12 YRS	143	2.1	1	1	1	2	3	4	4	6
13-19 YRS	51	2.3	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	2.8	1	2	2	3	3	4	4	4
1-11 MOS	11	1.4	1	< 1	< 1	1	1	3	4	4
1-5 YRS	13	1.1		< 1	< 1	< 1	1	2	2	2
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	234	2.4	4	1	1	2	3	4	5	9
1-5 YRS	292	2.5	3	1	1	2	3	5	6	10
6-12 YRS	185	2.7	12	1	1	2	3	4	5	9
13-19 YRS	102	3.2	31	1	1	2	3	4	6	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9	3	< 1	< 1	1	2	2	7	8
B. Operated	1234	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	32	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	813	2.6	9	1	1	2	3	4	6	11
1. SINGLE DX	1249	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	845	2.6	9	1	1	2	3	4	6	11
A. Not Operated	47	1.6	2	< 1	< 1	1	2	3	4	8
B. Operated	2047	2.2	4	1	1	2	3	4	5	8
TOTAL										
0-27 DYS	7	2.7	1	2	2	3	3	4	4	4
1-11 MOS	932	2.0	2	1	1	2	2	3	4	8
1-5 YRS	669	2.1	2	1	1	2	3	4	5	8
6-12 YRS	333	2.4	7	1	1	2	3	4	5	9
13-19 YRS	153	2.9	21	1	2	2	3	4	5	13
GRAND TOTAL	**2094**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	18	6.7	98	1	1	3	8	33	72	99 +
1-11 MOS	108	2.3	16	< 1	1	1	2	4	7	26
1-5 YRS	90	2.4	39	< 1	1	1	2	3	5	43
6-12 YRS	33	2.6	10	< 1	1	1	3	6	9	16
13-19 YRS	19	2.7	5	1	1	2	3	7	8	8
B. Operated										
0-27 DYS	27	8.0	78	1	1	5	9	23	28	28
1-11 MOS	969	3.6	11	1	1	3	4	6	9	18
1-5 YRS	1056	2.9	11	1	1	2	4	6	8	18
6-12 YRS	726	3.1	9	1	1	2	4	6	8	14
13-19 YRS	514	3.4	8	1	1	3	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	190	5.4	54	1	2	3	5	13	19	36
1-11 MOS	191	4.9	35	< 1	1	2	6	12	19	28
1-5 YRS	161	4.6	34	< 1	1	2	6	12	16	41
6-12 YRS	75	4.4	29	1	1	2	5	12	17	26
13-19 YRS	47	4.3	27	1	1	2	6	11	16	25
B. Operated										
0-27 DYS	118	26.1	385	5	12	33	51	99 +	99 +	99 +
1-11 MOS	552	5.8	39	1	2	4	7	13	20	96
1-5 YRS	925	4.5	37	1	2	3	5	9	13	30
6-12 YRS	620	4.6	16	1	2	3	6	9	12	19
13-19 YRS	466	5.6	41	1	2	4	7	11	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	2.7	28	< 1	1	1	2	5	8	42
B. Operated	3292	3.3	11	1	1	2	4	6	9	18
2. MULTIPLE DX										
A. Not Operated	664	4.9	39	1	1	3	6	12	17	29
B. Operated	2681	5.9	67	1	2	4	7	13	24	99 +
1. SINGLE DX	3560	3.2	12	1	1	2	4	6	9	19
2. MULTIPLE DX	3345	5.7	62	1	2	4	6	12	21	98
A. Not Operated	932	4.3	37	< 1	1	2	4	11	16	31
B. Operated	5973	4.5	38	1	1	3	5	9	14	44
TOTAL										
0-27 DYS	353	12.6	260	1	2	6	23	51	99 +	99 +
1-11 MOS	1820	4.3	23	1	1	3	5	9	14	27
1-5 YRS	2232	3.7	25	1	1	2	4	7	12	24
6-12 YRS	1454	3.8	13	1	1	3	5	8	10	17
13-19 YRS	1046	4.4	25	1	1	3	6	8	12	25
GRAND TOTAL	**6905**	**4.4**	**38**	**1**	**1**	**3**	**5**	**9**	**15**	**43**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-27 DYS	230	10.1	64	2	4	9	14	19	23	40
1-11 MOS	30	15.0	122	4	11	14	17	22	25	65
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B Operated										
0-27 DYS	2	4.5	25	< 1	< 1	4	8	8	8	8
1-11 MOS	5	5.8	9	3	4	4	8	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A Not Operated										
0-27 DYS	1473	17.0	236	3	6	13	23	41	60	99 +
1-11 MOS	174	20.4	203	5	9	18	28	41	46	65
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B Operated										
0-27 DYS	387	38.7	748	11	25	64	99 +	99 +	99 +	99 +
1-11 MOS	35	21.4	343	2	7	15	34	57	69	99 +
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	10.6	73	2	4	10	15	20	24	42
B. Operated	7	5.4	11	1	3	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	1647	17.4	234	3	7	13	24	41	58	99 +
B. Operated	422	37.3	736	10	21	59	99 +	99 +	99 +	99 +
1. SINGLE DX	267	10.5	72	2	4	10	15	20	24	42
2. MULTIPLE DX	2069	21.4	400	4	8	17	38	99 +	99 +	99 +
A. Not Operated	1907	16.5	217	3	6	13	22	38	55	99 +
B. Operated	429	36.8	741	9	20	59	99 +	99 +	99 +	99 +
TOTAL										
0-27 DYS	2092	20.3	394	3	7	15	36	99 +	99 +	99 +
1-11 MOS	244	19.6	215	4	9	17	26	41	47	74
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**2336**	**20.2**	**375**	**4**	**8**	**15**	**34**	**95**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-27 DYS	4354	2.0	1	1	1	2	2	3	4	5
1-11 MOS	34	2.1	6	1	1	2	3	3	3	15
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	37	3.4	2	2	3	3	4	5	6	7
1-11 MOS	24	3.1	10	1	1	2	4	5	9	16
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A Not Operated										
0-27 DYS	1516	2.8	6	1	2	2	3	4	6	12
1-11 MOS	33	6.3	63	2	3	3	6	19	21	40
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	53	7.4	84	2	3	4	8	19	45	99 +
1-11 MOS	28	10.0	200	1	2	5	11	28	53	54
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4388	2.0	1	1	1	2	2	3	4	5
B. Operated	61	3.3	5	1	2	3	4	5	6	15
2. MULTIPLE DX										
A. Not Operated	1549	2.9	7	1	2	2	3	5	6	13
B. Operated	81	8.3	124	2	3	5	9	22	48	99 +
1. SINGLE DX	4449	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX	1630	3.2	15	1	2	2	3	5	7	20
A. Not Operated	5937	2.3	3	1	2	2	3	3	4	7
B. Operated	142	6.2	79	1	2	4	6	14	32	99 +
TOTAL										
0-27 DYS	5960	2.3	3	1	2	2	3	3	4	7
1-11 MOS	119	5.3	76	1	1	3	5	14	20	53
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**6079**	**2.4**	**5**	**1**	**2**	**2**	**3**	**4**	**4**	**8**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1657	3.2	7	1	2	3	4	5	8	14
1-11 MOS	400	2.9	12	1	1	2	3	5	7	15
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	61	6.7	83	1	2	4	10	21	99+	99+
1-11 MOS	42	3.7	35	1	1	2	3	7	10	37
1-5 YRS	11	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	5	2.4	2	1	1	2	4	4	4	4
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4781	5.9	62	2	2	3	7	12	19	61
1-11 MOS	929	6.9	103	1	2	4	7	16	28	73
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	813	18.7	408	4	7	16	81	99+	99+	99+
1-11 MOS	151	18.5	470	2	5	17	74	99+	99+	99+
1-5 YRS	7	3.0	11	1	1	2	4	9	10	10
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2057	3.1	8	1	2	3	4	5	7	14
B. Operated	121	5.0	57	1	1	3	6	11	32	99+
2. MULTIPLE DX										
A. Not Operated	5713	6.1	69	2	2	3	7	13	20	63
B. Operated	975	18.5	415	3	7	16	77	99+	99+	99+
1. SINGLE DX	2178	3.2	11	1	2	3	4	6	8	17
2. MULTIPLE DX	6688	7.9	138	2	2	4	9	26	82	99+
A. Not Operated	7770	5.3	54	1	2	3	5	11	17	50
B. Operated	1096	17.0	394	3	6	13	66	99+	99+	99+
TOTAL										
0-27 DYS	7312	6.7	107	2	2	4	7	18	50	99+
1-11 MOS	1522	6.9	131	1	2	3	7	20	52	99+
1-5 YRS	18	2.2	5	<1	1	2	2	4	8	10
6-12 YRS	8	2.3	2	1	1	2	3	4	4	4
13-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
GRAND TOTAL	**8866**	**6.7**	**111**	**1**	**2**	**3**	**7**	**19**	**50**	**99+**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	41	2.9	3	1	1	3	4	5	7	8
1-11 MOS	513	2.5	4	1	1	2	3	4	6	10
1-5 YRS	1096	2.0	3	1	1	2	2	3	4	8
6-12 YRS	547	2.0	2	1	1	2	2	4	5	8
13-19 YRS	373	2.2	3	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	5.8	29	1	2	4	6	15	18	18
1-5 YRS	3	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	5	2.8	3	1	1	3	4	5	5	5
13-19 YRS	5	4.4	9	1	2	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	37	4.3	13	1	2	3	5	10	13	16
1-11 MOS	1234	3.4	16	1	2	3	4	6	8	17
1-5 YRS	3570	2.7	6	1	1	2	3	5	6	11
6-12 YRS	762	3.2	24	1	1	2	3	6	9	20
13-19 YRS	526	3.4	28	1	1	2	4	6	9	20
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	37	12.2	407	2	3	5	10	30	71	87
1-5 YRS	79	7.6	125	1	3	5	8	13	27	73
6-12 YRS	34	6.6	47	1	2	5	7	12	24	34
13-19 YRS	26	6.7	38	2	3	4	7	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2570	2.2	3	1	1	2	3	4	5	8
B. Operated	22	4.2	14	1	2	3	5	7	12	18
2. MULTIPLE DX										
A. Not Operated	6129	3.0	12	1	1	2	3	5	7	15
B. Operated	177	8.2	158	1	3	5	8	15	30	86
1. SINGLE DX	2592	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	6306	3.1	17	1	1	2	4	5	7	16
A. Not Operated	8699	2.7	9	1	1	2	3	5	6	13
B. Operated	199	7.7	143	1	3	5	8	14	28	85
TOTAL										
0-27 DYS	80	3.6	8	1	2	3	4	7	10	15
1-11 MOS	1792	3.3	22	1	2	2	4	6	8	18
1-5 YRS	4748	2.6	8	1	1	2	3	5	6	11
6-12 YRS	1348	2.8	16	1	1	2	3	5	7	17
13-19 YRS	930	3.0	19	1	1	2	3	5	8	17
GRAND TOTAL	**8898**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	326	2.8	1	2	2	3	3	4	5	6
1-11 MOS	792	2.6	1	1	2	3	3	4	4	7
1-5 YRS	238	2.5	2	1	2	2	3	4	5	9
6-12 YRS	93	3.2	10	1	2	2	3	6	9	19
13-19 YRS	35	3.5	8	1	2	3	4	7	9	15
B. Operated										
0-27 DYS	5	2.4	1	1	2	2	3	4	4	4
1-11 MOS	6	2.7	3	1	1	2	3	6	6	6
1-5 YRS	5	3.6	4	1	2	3	5	6	6	6
6-12 YRS	3	4.7	16	1	2	4	8	9	9	9
13-19 YRS	5	5.8	7	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	315	3.0	2	2	2	3	3	4	5	9
1-11 MOS	1456	3.0	6	2	2	3	3	4	5	10
1-5 YRS	1391	3.4	8	1	2	3	4	6	8	15
6-12 YRS	563	3.9	8	1	2	3	5	7	9	15
13-19 YRS	336	4.3	11	2	2	3	5	8	10	18
B. Operated										
0-27 DYS	10	3.8	3	2	3	3	4	6	8	8
1-11 MOS	45	9.1	154	1	3	4	8	26	39	60
1-5 YRS	85	9.4	98	2	3	6	12	21	29	49
6-12 YRS	50	9.6	107	2	4	7	10	20	23	66
13-19 YRS	45	9.7	53	4	5	8	12	17	18	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1484	2.7	2	1	2	3	3	4	5	8
B. Operated	24	3.7	6	1	2	3	5	8	8	9
2. MULTIPLE DX										
A. Not Operated	4061	3.4	7	2	2	3	4	6	7	14
B. Operated	235	9.2	98	2	3	6	11	20	27	51
1. SINGLE DX	1508	2.7	2	1	2	3	3	4	5	8
2. MULTIPLE DX	4296	3.7	14	2	2	3	4	6	9	19
A. Not Operated	5545	3.2	6	1	2	3	4	5	7	13
B. Operated	259	8.7	92	2	3	5	10	18	26	50
TOTAL										
0-27 DYS	656	2.9	2	2	2	3	3	4	5	8
1-11 MOS	2299	3.0	8	2	2	3	3	4	5	11
1-5 YRS	1719	3.6	14	1	2	3	4	6	8	19
6-12 YRS	709	4.2	17	1	2	3	5	8	10	20
13-19 YRS	421	4.8	18	2	2	3	6	9	13	19
GRAND TOTAL	**5804**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	1.7	2	<1	1	1	2	4	5	5
6-12 YRS	41	1.7	1	1	1	1	2	3	4	5
13-19 YRS	65	2.2	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	30	1.8	1	<1	1	2	2	3	5	5
6-12 YRS	149	2.3	4	1	1	2	3	4	6	8
13-19 YRS	184	2.7	8	1	1	2	3	5	7	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	8	4.0	3	2	3	4	5	6	6	6
13-19 YRS	11	4.3	12	1	2	3	6	9	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	2.0	2	1	1	2	2	3	5	8
B. Operated	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	366	2.5	5	1	1	2	3	5	6	10
B. Operated	21	4.0	7	1	2	4	5	6	9	13
1. SINGLE DX	123	1.9	2	1	1	2	2	3	5	8
2. MULTIPLE DX	387	2.5	6	1	1	2	3	5	6	12
A. Not Operated	483	2.3	5	1	1	2	3	4	6	9
B. Operated	27	3.5	7	1	1	3	5	6	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	44	1.8	1	1	1	2	2	3	5	5
6-12 YRS	198	2.2	3	1	1	2	3	4	6	8
13-19 YRS	265	2.6	6	1	1	2	3	5	7	13
GRAND TOTAL	**510**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	10	1.7	2	< 1	1	1	2	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	9	2.0	5	< 1	< 1	< 1	2	6	8	8
13-19 YRS	14	3.9	10	1	2	3	4	8	12	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	15	1.6	1	1	1	1	2	2	4	4
6-12 YRS	22	2.4	3	< 1	1	1	4	5	6	7
13-19 YRS	16	2.6	4	1	1	2	4	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	9	2.6	4	1	1	2	5	5	5	5
6-12 YRS	16	4.8	19	1	1	2	8	12	12	12
13-19 YRS	18	5.4	15	1	2	5	8	10	14	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.9	2	< 1	1	2	2	4	5	5
B. Operated	26	2.9	8	< 1	< 1	2	3	7	9	13
2. MULTIPLE DX										
A. Not Operated	57	2.2	3	1	1	1	3	5	6	7
B. Operated	44	4.9	18	1	2	4	6	12	13	18
1. SINGLE DX	43	2.5	6	< 1	1	2	3	5	8	13
2. MULTIPLE DX	101	3.4	11	1	1	2	5	7	11	17
A. Not Operated	74	2.1	3	1	1	2	3	4	6	7
B. Operated	70	4.2	15	< 1	1	3	6	10	12	18
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	4.6	37	1	1	2	4	15	18	18
1-5 YRS	29	1.8	2	< 1	1	1	2	4	5	5
6-12 YRS	49	3.1	10	< 1	1	2	4	8	12	12
13-19 YRS	58	3.7	10	1	1	3	5	8	10	16
GRAND TOTAL	**144**	**3.1**	**10**	**< 1**	**1**	**2**	**4**	**7**	**10**	**16**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	4.7	7	1	3	5	6	8	9	9
1-5 YRS	16	3.1	3	< 1	1	3	4	5	6	7
6-12 YRS	11	3.7	8	< 1	1	3	5	8	10	10
13-19 YRS	9	4.7	39	1	2	3	4	15	21	21
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	16	1	1	1	6	8	8	8
1-5 YRS	26	2.0	4	< 1	< 1	1	2	6	8	8
6-12 YRS	33	1.6	1	< 1	< 1	1	2	4	5	5
13-19 YRS	35	2.3	6	< 1	< 1	1	2	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	26	3.8	24	1	1	2	4	9	13	25
1-11 MOS	33	8.1	80	1	2	5	11	17	22	46
1-5 YRS	43	4.3	19	1	2	3	5	7	14	24
6-12 YRS	24	3.7	65	1	1	2	3	5	17	41
13-19 YRS	24	6.8	20	2	4	6	9	12	15	21
B. Operated										
0-27 DYS	4	6.8	2	6	6	6	8	9	9	9
1-11 MOS	15	12.7	218	1	3	7	19	48	85	99 +
1-5 YRS	25	11.4	296	< 1	1	5	9	43	56	56
6-12 YRS	26	5.1	37	1	1	3	7	13	22	23
13-19 YRS	25	5.8	55	1	1	3	6	18	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.8	12	1	2	3	5	6	9	21
B. Operated	97	2.0	4	< 1	< 1	1	2	5	7	10
2. MULTIPLE DX										
A. Not Operated	150	5.3	43	1	2	3	6	12	16	41
B. Operated	95	8.2	142	1	1	4	9	23	43	80
1. SINGLE DX	141	2.6	7	< 1	< 1	1	3	6	8	13
2. MULTIPLE DX	245	6.4	83	1	1	4	7	14	24	56
A. Not Operated	194	5.0	36	1	2	3	6	10	16	34
B. Operated	192	5.1	82	< 1	1	2	5	11	23	56
TOTAL										
0-27 DYS	31	4.2	21	1	2	3	5	9	10	25
1-11 MOS	58	8.6	108	1	2	5	11	19	45	95
1-5 YRS	110	5.2	86	< 1	1	3	5	8	15	56
6-12 YRS	94	3.3	29	< 1	1	1	4	7	10	33
13-19 YRS	93	4.6	29	< 1	1	3	6	10	17	26
GRAND TOTAL	**386**	**5.0**	**59**	**< 1**	**1**	**3**	**6**	**10**	**19**	**48**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	13.5	313	1	1	13	26	26	26	26
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	9.7	82	3	4	6	16	20	20	20
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	3.7	20	< 1	1	2	4	12	14	14
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	8	10.3	147	1	2	6	12	31	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	9	4.3	67	< 1	1	1	3	17	26	26
2. MULTIPLE DX										
A. Not Operated	7	9.3	39	3	4	7	14	19	20	20
B. Operated	19	6.9	78	< 1	1	3	9	15	28	38
1. SINGLE DX	10	4.0	61	< 1	1	1	3	15	26	26
2. MULTIPLE DX	26	7.5	67	1	2	5	10	15	24	38
A. Not Operated	8	8.3	42	2	3	6	12	18	20	20
B. Operated	28	6.1	73	< 1	1	2	7	15	27	38
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	10.0	108	1	3	5	20	25	26	26
1-5 YRS	14	4.5	26	< 1	1	2	8	14	15	15
6-12 YRS	4	4.5	27	< 1	< 1	2	8	12	12	12
13-19 YRS	11	8.0	118	1	1	4	9	24	37	38
GRAND TOTAL	**36**	**6.6**	**66**	**1**	**1**	**3**	**9**	**15**	**24**	**38**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	14	1.8	2	1	1	1	2	4	5	5
13-19 YRS	75	1.9	2	< 1	1	1	2	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	8	2.3	1	1	1	2	3	4	4	4
1-5 YRS	6	1.8	1	< 1	< 1	2	2	3	3	3
6-12 YRS	52	2.8	17	1	1	2	3	5	6	30
13-19 YRS	155	2.2	3	< 1	1	2	3	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	4	4.3	27	1	1	2	7	12	12	12
13-19 YRS	9	3.0	6	< 1	1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	1.8	2	1	1	1	2	4	5	6
B. Operated	8	1.6	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	224	2.3	6	1	1	2	3	4	5	10
B. Operated	17	3.8	10	1	1	2	6	7	10	12
1. SINGLE DX	101	1.8	2	< 1	1	1	2	4	5	6
2. MULTIPLE DX	241	2.4	6	1	1	2	3	5	6	10
A. Not Operated	317	2.2	5	1	1	2	3	4	5	9
B. Operated	25	3.1	8	< 1	1	2	5	7	8	12
TOTAL										
0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	12	2.8	4	1	1	2	4	6	7	7
1-5 YRS	11	2.0	2	< 1	< 1	2	2	4	6	6
6-12 YRS	72	2.6	14	1	1	2	3	5	6	26
13-19 YRS	243	2.1	3	< 1	1	1	3	4	5	8
GRAND TOTAL	**342**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	113	2.6	3	1	1	2	3	5	6	42
1-11 MOS	763	2.4	4	1	1	2	3	4	6	11
1-5 YRS	164	1.9	2	1	1	1	2	3	5	7
6-12 YRS	55	1.5	1	1	1	1	2	3	4	5
13-19 YRS	16	1.6	1	1	1	2	2	3	3	3
B. Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	20	1.8	2	< 1	1	1	2	4	5	6
1-5 YRS	35	2.0	6	1	1	1	2	4	8	12
6-12 YRS	26	2.2	2	1	1	2	3	5	5	5
13-19 YRS	11	3.7	13	1	2	3	4	9	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	120	3.5	6	1	2	3	4	7	9	12
1-11 MOS	1631	4.1	20	1	2	3	5	8	11	24
1-5 YRS	604	3.7	20	1	1	2	4	8	11	20
6-12 YRS	166	5.0	23	1	1	3	7	12	14	25
13-19 YRS	127	4.1	12	1	1	3	6	10	11	15
B. Operated										
0-27 DYS	9	9.7	86	2	3	6	12	26	30	30
1-11 MOS	133	9.7	154	1	2	6	13	34	83	99 +
1-5 YRS	157	7.5	117	1	1	3	9	21	32	57
6-12 YRS	59	5.6	42	1	1	3	8	17	22	26
13-19 YRS	31	7.1	90	1	2	4	8	17	30	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1111	2.3	3	1	1	2	3	4	6	10
B. Operated	94	2.2	5	1	1	1	2	5	6	13
2. MULTIPLE DX										
A. Not Operated	2648	4.1	19	1	2	3	5	8	11	22
B. Operated	389	8.0	116	1	1	4	10	24	38	99 +
1. SINGLE DX	1205	2.3	3	1	1	2	3	4	6	10
2. MULTIPLE DX	3037	4.6	33	1	2	3	5	10	14	37
A. Not Operated	3759	3.5	15	1	1	2	4	7	10	20
B. Operated	483	6.9	100	1	1	3	8	20	31	99 +
TOTAL										
0-27 DYS	244	3.3	9	1	2	2	4	6	8	20
1-11 MOS	2547	3.9	24	1	2	3	4	8	11	30
1-5 YRS	960	4.0	35	1	1	2	4	8	13	29
6-12 YRS	306	4.2	23	1	1	2	5	11	14	24
13-19 YRS	185	4.4	26	1	1	3	6	10	12	26
GRAND TOTAL	**4242**	**3.9**	**26**	**1**	**1**	**2**	**4**	**8**	**11**	**29**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	9	1.9	1	< 1	1	1	3	4	4	4
6-12 YRS	7	1.7	2	< 1	< 1	1	3	4	4	4
13-19 YRS	40	2.4	3	1	1	2	3	5	6	8
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	8	1.9	1	< 1	< 1	1	3	4	4	4
6-12 YRS	13	2.3	5	< 1	< 1	1	3	6	7	7
13-19 YRS	11	3.4	4	< 1	3	3	4	6	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	36	2.1	2	1	1	2	3	4	5	6
6-12 YRS	32	2.4	3	< 1	1	2	3	5	6	6
13-19 YRS	43	2.4	4	1	1	2	3	5		10
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	32	7.0	58	< 1	2	4	8	21	26	28
6-12 YRS	51	7.6	38	1	4	6	10	18	23	26
13-19 YRS	25	8.5	53	1	4	7	11	16	25	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.2	3	< 1	1	2	3	4	6	8
B. Operated	33	2.5	4	< 1	< 1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	114	2.3	3	1	1	2	3	5	6	8
B. Operated	111	7.5	46	1	3	6	10	18	23	30
1. SINGLE DX	92	2.3	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX	225	4.8	31	1	1	3	6	11	17	27
A. Not Operated	173	2.3	3	1	1	2	3	4	6	8
B. Operated	144	6.3	41	< 1	2	4	9	14	22	28
TOTAL										
0-27 DYS	4	2.0	1	< 1	1	2	3	3	3	3
1-11 MOS	6	2.2	1	1	2	2	2	4	4	4
1-5 YRS	85	3.9	28	< 1	1	2	4	7	17	28
6-12 YRS	103	4.9	27	< 1	1	3	6	11	18	25
13-19 YRS	119	3.8	20	1	1	2	4	8	11	26
GRAND TOTAL	**317**	**4.1**	**24**	**< 1**	**1**	**3**	**5**	**9**	**14**	**26**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	2.4	7	< 1	1	2	2	5	10	11
1-11 MOS	42	1.9	1	< 1	1	2	2	3	4	5
1-5 YRS	218	1.5	1	< 1	1	1	2	3	4	5
6-12 YRS	868	1.6	1	< 1	1	1	2	3	3	6
13-19 YRS	1370	1.8	2	1	1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	24	2.5	1	1	1	2	3	4	5	5
6-12 YRS	140	2.6	1	1	2	2	3	4	4	6
13-19 YRS	241	2.9	2	1	2	3	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	2.2	1	1	1	2	3	4	4	4
1-11 MOS	58	2.2	2	1	1	2	3	4	5	7
1-5 YRS	276	2.2	5	1	1	2	3	4	4	8
6-12 YRS	670	2.0	2	1	1	2	2	4	5	7
13-19 YRS	1102	2.3	4	1	1	2	3	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	25	3.1	2	1	2	3	4	5	6	7
6-12 YRS	130	4.7	47	1	2	3	5	8	11	46
13-19 YRS	230	4.2	10	2	2	3	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2511	1.7	1	< 1	1	1	2	3	4	6
B. Operated	408	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	2119	2.2	3	1	1	2	3	4	5	9
B. Operated	386	4.3	22	2	2	3	5	8	10	37
1. SINGLE DX	2919	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	2505	2.5	7	1	1	2	3	5	6	11
A. Not Operated	4630	1.9	2	1	1	1	2	4	5	7
B. Operated	794	3.5	12	1	2	3	4	6	8	17
TOTAL										
0-27 DYS	26	2.3	4	1	1	2	3	4	6	11
1-11 MOS	104	2.1	2	1	1	2	3	4	5	6
1-5 YRS	543	2.0	3	1	1	1	2	4	4	8
6-12 YRS	1808	2.0	5	1	1	1	2	3	5	8
13-19 YRS	2943	2.3	4	1	1	2	3	4	6	10
GRAND TOTAL	**5424**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	30	2.9	30	1	1	2	2	4	8	31
1-11 MOS	94	1.9	3	1	1	1	2	3	4	11
1-5 YRS	64	1.8	1	1	1	1	2	4	5	6
6-12 YRS	63	2.3	3	1	1	2	3	4	6	8
13-19 YRS	29	2.2	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	8	1.8	1	1	1	1	2	4	4	4
1-5 YRS	24	2.5	5	< 1	1	1	4	5	8	10
6-12 YRS	12	2.4	3	< 1	1	2	3	5	7	7
13-19 YRS	6	4.7	4	< 1	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	51	3.0	4	1	2	3	4	6	6	11
1-11 MOS	261	3.0	11	1	1	2	3	6	8	18
1-5 YRS	356	2.9	26	1	1	2	3	5	8	17
6-12 YRS	283	3.2	14	1	1	2	4	6	9	24
13-19 YRS	182	2.7	5	1	1	2	3	5	7	12
B. Operated										
0-27 DYS	3	15.0	273	4	5	7	27	34	34	34
1-11 MOS	28	7.0	94	1	2	3	8	19	29	45
1-5 YRS	105	3.3	19	1	1	1	4	8	10	25
6-12 YRS	114	3.6	26	1	1	2	5	7	16	26
13-19 YRS	82	3.6	19	1	1	2	4	8	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	2.1	5	1	1	2	2	4	5	9
B. Operated	52	2.7	5	< 1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	1133	3.0	15	1	1	2	3	5	8	17
B. Operated	332	3.9	31	1	1	2	5	9	16	29
1. SINGLE DX	332	2.2	5	1	1	2	3	4	6	9
2. MULTIPLE DX	1465	3.2	19	1	1	2	3	6	9	20
A. Not Operated	1413	2.8	13	1	1	2	3	5	7	16
B. Operated	384	3.7	27	1	1	2	4	8	13	28
TOTAL										
0-27 DYS	86	3.5	24	1	1	2	4	6	8	33
1-11 MOS	391	3.0	16	1	1	2	3	5	9	22
1-5 YRS	549	2.8	21	1	1	2	3	6	8	17
6-12 YRS	472	3.2	15	1	1	2	4	6	9	18
13-19 YRS	299	2.9	9	1	1	2	3	6	8	18
GRAND TOTAL	**1797**	**3.0**	**16**	**1**	**1**	**2**	**3**	**6**	**8**	**19**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0- 780.2; 780.4-780.5; 780 7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790- 799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	234	2.4	2	1	2	2	3	4	5	8
1-11 MOS	629	4.0	11	1	2	3	5	8	10	17
1-5 YRS	414	2.6	5	1	1	2	3	5	8	12
6-12 YRS	298	1.8	2	1	1	1	2	3	4	9
13-19 YRS	337	2.2	7	1	1	2	2	4	6	10
B. Operated										
0-27 DYS	8	4.5	27	1	1	2	6	13	15	15
1-11 MOS	46	4.9	62	< 1	1	2	4	10	30	38
1-5 YRS	80	2.4	7	< 1	1	1	3	5	5	17
6-12 YRS	57	2.1	12	< 1	1	1	2	4	5	25
13-19 YRS	49	2.1	5	1	1	1	2	4	8	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	311	4.0	10	1	2	3	5	8	11	18
1-11 MOS	1822	6.1	34	2	3	4	8	12	16	32
1-5 YRS	1283	4.7	31	1	2	3	6	10	14	28
6-12 YRS	507	3.0	18	1	1	2	3	5	8	26
13-19 YRS	714	3.3	27	1	1	2	3	6	9	33
B. Operated										
0-27 DYS	11	11.8	264	1	1	3	15	41	48	49
1-11 MOS	275	13.2	240	2	4	8	16	29	50	99
1-5 YRS	386	7.7	99	1	2	4	9	20	28	75
6-12 YRS	166	6.0	81	1	1	4	7	14	21	74
13-19 YRS	149	4.6	38	1	1	3	6	10	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1912	2.8	7	1	1	2	3	6	8	15
B. Operated	240	2.8	20	< 1	1	1	3	5	9	30
2. MULTIPLE DX										
A. Not Operated	4637	4.8	30	1	2	3	6	10	14	29
B. Operated	987	8.5	137	1	2	5	10	22	31	86
1. SINGLE DX	2152	2.8	9	1	1	2	3	6	8	15
2. MULTIPLE DX	5624	5.4	51	1	2	3	6	11	17	37
A. Not Operated	6549	4.2	24	1	2	3	5	9	12	25
B. Operated	1227	7.4	119	1	1	4	8	19	29	79
TOTAL										
0-27 DYS	564	3.5	14	1	2	3	4	7	10	17
1-11 MOS	2772	6.3	55	1	2	4	7	13	18	38
1-5 YRS	2163	4.7	40	1	1	3	5	10	15	32
6-12 YRS	1028	3.1	25	1	1	2	3	6	9	28
13-19 YRS	1249	3.1	23	1	1	2	3	6	8	30
GRAND TOTAL	**7776**	**4.7**	**40**	**1**	**2**	**3**	**5**	**10**	**15**	**33**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	19.5	313	7	7	19	32	32	32	32
1-5 YRS	9	22.2	98	12	15	22	26	37	44	44
6-12 YRS	5	16.6	185	5	5	15	24	38	38	38
13-19 YRS	12	17.8	446	< 1	4	11	44	70	94	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	6	20.5	245	10	13	15	18	49	52	52
1-5 YRS	18	28.9	177	13	22	28	38	55	80	99 +
6-12 YRS	22	30.9	499	8	17	31	43	99 +	99 +	99 +
13-19 YRS	54	30.7	383	11	16	28	43	62	76	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. Not Operated	28	19.1	255	3	7	15	28	47	65	99 +
B. Operated	100	29.8	360	11	16	27	43	62	93	99 +
1. SINGLE DX	2	18.0	162	9	9	18	27	27	27	27
2. MULTIPLE DX	128	27.5	354	7	14	24	42	62	90	99 +
A. Not Operated	29	18.8	250	3	7	14	27	46	63	99 +
B. Operated	101	29.8	356	11	16	27	43	62	93	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	8	20.3	220	8	11	15	25	46	52	52
1-5 YRS	27	26.7	156	12	18	24	35	52	59	99 +
6-12 YRS	27	28.3	463	6	15	26	43	95	99 +	99 +
13-19 YRS	68	28.1	406	5	13	24	43	62	76	99 +
GRAND TOTAL	**130**	**27.3**	**351**	**7**	**14**	**24**	**42**	**62**	**89**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	35	1.5	1	1	1	1	2	2	4	6
1-11 MOS	482	1.5	2	1	1	1	2	2	4	7
1-5 YRS	260	1.7	1	< 1	1	1	2	3	4	7
6-12 YRS	98	2.9	43	1	1	2	3	5	6	38
13-19 YRS	33	3.7	12	1	2	2	4	8	11	17
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	38	3.7	5	1	2	3	4	7	9	11
1-5 YRS	58	3.0	4	1	2	3	4	5	7	9
6-12 YRS	86	3.5	2	2	3	3	4	6	7	8
13-19 YRS	32	4.9	5	2	3	5	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	20	3.2	6	1	1	3	4	6	8	10
1-11 MOS	337	2.8	8	1	1	2	3	6	8	13
1-5 YRS	263	3.0	12	1	1	2	3	6	9	20
6-12 YRS	167	4.2	25	1	1	3	5	9	14	29
13-19 YRS	71	4.8	23	1	2	3	5	10	14	29
B. Operated										
0-27 DYS	6	5.5	6	3	4	5	8	9	9	9
1-11 MOS	54	9.1	68	2	3	6	13	22	27	37
1-5 YRS	124	9.0	117	2	3	5	11	20	27	81
6-12 YRS	121	6.6	36	2	3	4	8	15	18	33
13-19 YRS	136	9.7	105	2	4	6	12	24	33	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	908	1.8	7	1	1	1	2	3	4	8
B. Operated	215	3.6	4	1	2	3	5	6	8	9
2. MULTIPLE DX										
A. Not Operated	858	3.3	14	1	1	2	4	7	10	21
B. Operated	441	8.5	85	2	3	6	11	19	27	69
1. SINGLE DX	1123	2.1	7	1	1	1	2	4	6	9
2. MULTIPLE DX	1299	5.1	44	1	1	3	6	12	18	33
A. Not Operated	1766	2.5	11	1	1	1	3	5	7	16
B. Operated	656	6.9	64	2	3	4	8	15	23	59
TOTAL										
0-27 DYS	62	2.4	5	1	1	1	3	5	7	10
1-11 MOS	911	2.5	11	1	1	1	3	5	8	19
1-5 YRS	705	3.6	32	1	1	2	4	7	12	28
6-12 YRS	472	4.4	29	1	2	3	5	9	14	29
13-19 YRS	272	7.1	67	1	3	5	9	15	24	62
GRAND TOTAL	**2422**	**3.7**	**29**	**1**	**1**	**2**	**4**	**8**	**13**	**28**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	71	1.6	1	< 1	1	1	2	3	4	5
1-5 YRS	128	1.6	1	< 1	1	1	2	3	3	8
6-12 YRS	120	2.2	2	1	1	2	3	4	5	8
13-19 YRS	62	3.3	8	1	1	2	4	8	9	15
B. Operated										
0-27 DYS	0									
1-11 MOS	7	4.6	7	1	3	5	5	8	9	9
1-5 YRS	11	4.2	2	2	3	4	5	6	7	7
6-12 YRS	20	4.6	5	2	3	4	6	8	9	9
13-19 YRS	19	4.5	6	1	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	66	2.6	5	1	1	2	3	5	7	12
1-5 YRS	217	3.9	17	1	1	2	5	8	11	24
6-12 YRS	208	3.6	16	1	1	3	4	7	11	19
13-19 YRS	201	4.8	40	1	2	3	6	9	11	22
B. Operated										
0-27 DYS	0									
1-11 MOS	8	16.4	268	3	5	9	26	44	47	47
1-5 YRS	54	11.8	177	2	3	6	14	28	42	61
6-12 YRS	93	9.6	118	2	4	6	12	22	36	59
13-19 YRS	164	10.4	138	2	3	6	14	22	39	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	385	2.1	3	1	1	2	2	4	5	9
B. Operated	57	4.5	5	2	3	5	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	693	3.9	23	1	1	3	5	8	10	22
B. Operated	319	10.5	142	2	3	6	13	24	39	63
1. SINGLE DX	442	2.4	4	1	1	2	3	5	7	9
2. MULTIPLE DX	1012	6.0	70	1	2	3	7	13	21	43
A. Not Operated	1078	3.3	16	1	1	2	4	7	9	18
B. Operated	376	9.6	126	2	3	6	11	23	37	59
TOTAL										
0-27 DYS	5	1.0		< 1	< 1	1	1	1	1	1
1-11 MOS	152	2.9	26	1	1	2	3	5	9	36
1-5 YRS	410	4.2	42	1	1	2	4	9	14	35
6-12 YRS	441	4.5	40	1	1	3	5	9	13	37
13-19 YRS	446	6.6	78	1	2	4	8	15	20	49
GRAND TOTAL	**1454**	**4.9**	**52**	**1**	**1**	**3**	**5**	**10**	**16**	**40**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	12	1.5	1	1	1	1	2	3	3	3
6-12 YRS	11	1.2		<1	1	1	1	2	2	2
13-19 YRS	23	1.5	1	<1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	4	3.5	7	1	1	3	5	7	7	7
1-5 YRS	27	1.8	1	<1	1	1	2	4	4	5
6-12 YRS	104	1.7	2	<1	1	1	2	3	4	8
13-19 YRS	422	2.1	3	<1	1	1	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	3.6	10	1	1	2	6	8	8	8
1-5 YRS	44	2.5	2	1	1	2	4	5	6	7
6-12 YRS	42	2.5	3	<1	1	2	3	5	6	9
13-19 YRS	109	1.9	1	<1	1	1	2	4	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	85	2	2	8	15	15	15	15
1-5 YRS	95	4.4	22	1	1	3	5	11	14	25
6-12 YRS	209	4.0	22	1	1	3	5	8	12	21
13-19 YRS	801	3.7	16	1	1	3	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	1.4	1	<1	1	1	2	2	3	5
B. Operated	557	2.0	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	200	2.2	2	1	1	2	3	4	5	8
B. Operated	1107	3.8	18	1	1	3	5	8	10	21
1. SINGLE DX	608	1.9	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	1307	3.6	16	1	1	2	4	7	10	21
A. Not Operated	251	2.0	2	<1	1	1	3	4	5	7
B. Operated	1664	3.2	13	1	1	2	4	7	9	19
TOTAL										
0-27 DYS	0									
1-11 MOS	16	3.4	15	1	1	2	5	8	13	15
1-5 YRS	178	3.3	14	1	1	2	4	7	11	20
6-12 YRS	366	3.1	14	1	1	2	4	7	8	21
13-19 YRS	1355	3.0	11	1	1	2	4	6	8	15
GRAND TOTAL	**1915**	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	18	3.6	20	<1	1	2	4	8	15	19
6-12 YRS	46	2.1	1	1	1	2	3	4	4	6
13-19 YRS	204	3.9	13	1	2	3	5	7	9	20
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	6.0	11	2	4	7	8	10	11	11
6-12 YRS	7	11.9	38	5	7	11	18	20	20	20
13-19 YRS	51	7.4	26	3	4	6	8	13	15	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	17	5.3	7	1	3	5	8	9	10	10
6-12 YRS	54	4.1	36	1	1	2	4	9	15	31
13-19 YRS	280	4.3	18	1	2	3	5	8	11	20
B. Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	10	12.0	161	1	3	6	16	34	37	37
6-12 YRS	23	10.0	75	2	3	9	13	21	28	38
13-19 YRS	190	10.5	93	2	4	9	13	20	29	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	3.5	12	1	1	3	5	7	8	19
B. Operated	66	7.6	27	3	4	7	9	14	20	29
2. MULTIPLE DX										
A. Not Operated	352	4.4	21	1	2	3	5	8	11	27
B. Operated	224	10.5	93	2	4	9	13	20	32	56
1. SINGLE DX	337	4.3	17	1	2	3	6	8	12	21
2. MULTIPLE DX	576	6.8	57	1	2	4	9	15	20	45
A. Not Operated	623	4.0	17	1	2	3	5	7	10	21
B. Operated	290	9.9	79	2	4	8	12	20	29	51
TOTAL										
0-27 DYS	0									
1-11 MOS	6	4.8	23	1	1	3	8	12	13	13
1-5 YRS	52	6.1	48	1	2	4	7	11	19	37
6-12 YRS	130	4.9	40	1	1	3	5	12	20	33
13-19 YRS	725	6.0	44	1	2	4	7	13	17	43
GRAND TOTAL	**913**	**5.9**	**44**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.7	1	1	1	3	99 +	99 +	99 +	99 +
13-19 YRS	7	3.6	9	1	1	2	6	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	16	14.3	103	4	5	11	18	34	35	35
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	12	14.0	211	< 1	1	10	24	35	44	45
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	5	24.6	571	1	3	30	59	96	99 +	99 +
13-19 YRS	95	21.0	259	8	11	17	24	43	64	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.0	7	1	1	2	7	99 +	99 +	99 +
B. Operated	18	13.1	103	4	5	10	17	32	35	35
2. MULTIPLE DX										
A. Not Operated	15	11.9	185	< 1	2	6	20	31	41	45
B. Operated	101	21.0	268	8	11	17	24	46	67	99 +
1. SINGLE DX	28	9.5	92	1	3	7	16	35	99 +	99 +
2. MULTIPLE DX	116	19.9	265	5	10	16	24	44	64	99 +
A. Not Operated	25	8.4	130	< 1	1	3	16	42	99 +	99 +
B. Operated	119	19.8	250	6	10	16	24	41	63	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.7	30	1	1	2	9	11	11	11
6-12 YRS	11	13.1	353	1	3	6	59	99 +	99 +	99 +
13-19 YRS	130	18.6	240	4	8	16	23	39	56	85
GRAND TOTAL	**144**	**17.8**	**247**	**3**	**8**	**15**	**23**	**42**	**66**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	8	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	26	1.6	1	1	1	1	2	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	4.3	15	1	1	3	6	10	13	14
1-5 YRS	8	5.1	19	1	2	3	8	12	13	13
6-12 YRS	23	2.8	3	1	1	3	3	5	7	8
13-19 YRS	92	3.1	7	1	1	2	4	7	8	14
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	5	6.2	7	4	4	5	8	10	10	10
6-12 YRS	14	9.6	109	2	3	5	9	26	32	34
13-19 YRS	66	7.8	108	2	2	5	8	16	30	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	1.5	1	< 1	1	1	2	3	4	4
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	136	3.3	8	1	1	2	4	7	9	15
B. Operated	86	8.0	100	2	2	5	8	24	30	54
1. SINGLE DX	43	1.6	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	222	5.1	49	1	2	3	6	9	15	37
A. Not Operated	177	2.9	7	1	1	2	3	6	8	14
B. Operated	88	7.9	99	2	2	5	8	22	29	53
TOTAL										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	16	3.7	13	1	1	2	5	8	12	14
1-5 YRS	16	4.8	14	1	2	4	8	10	12	13
6-12 YRS	46	4.6	45	1	1	3	5	8	25	34
13-19 YRS	185	4.6	48	1	1	2	5	9	13	41
GRAND TOTAL	**265**	**4.5**	**43**	**1**	**1**	**2**	**5**	**9**	**13**	**34**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	40.0		40	40	40	40	40	40	40
1-5 YRS	6	3.0	3	< 1	2	3	4	6	6	6
6-12 YRS	33	4.3	59	1	2	3	4	6	9	46
13-19 YRS	78	3.8	10	1	2	3	5	8	12	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	15	9.7	167	2	2	4	9	27	42	47
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	5.6	8	2	4	5	7	10	10	10
1-5 YRS	49	2.7	4	1	1	2	4	5	7	8
6-12 YRS	78	4.0	19	1	2	3	4	10	14	79
13-19 YRS	214	6.0	34	2	3	4	7	11	16	35
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	11.0	102	3	3	7	18	30	31	31
6-12 YRS	27	8.1	197	2	3	4	6	15	26	75
13-19 YRS	166	14.8	231	3	6	11	18	28	42	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	4.2	34	1	2	3	5	7	12	42
B. Operated	17	9.2	149	2	2	4	9	26	40	47
2. MULTIPLE DX										
A. Not Operated	346	5.1	28	1	2	4	6	10	14	33
B. Operated	207	13.7	222	3	5	9	17	28	41	84
1. SINGLE DX	135	4.8	50	1	2	3	5	9	14	46
2. MULTIPLE DX	553	8.3	117	2	3	5	10	18	27	74
A. Not Operated	464	4.8	29	1	2	3	6	10	13	37
B. Operated	224	13.3	217	3	4	9	17	28	41	82
TOTAL										
0-27 DYS	0									
1-11 MOS	6	11.3	204	2	5	6	10	37	40	40
1-5 YRS	69	4.4	33	1	1	3	5	8	18	31
6-12 YRS	140	4.9	64	1	2	3	5	9	15	77
13-19 YRS	473	8.8	123	2	3	5	11	20	27	55
GRAND TOTAL	**688**	**7.6**	**106**	**1**	**2**	**4**	**9**	**17**	**26**	**55**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	18	2.3	3	1	1	2	3	4	6	7
1-5 YRS	115	1.5	3	< 1	1	1	1	2	3	13
6-12 YRS	77	1.9	7	< 1	1	1	1	4	6	16
13-19 YRS	29	2.0	2	1	1	2	2	4	4	7
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	1.8	3	1	1	1	2	3	6	8
1-5 YRS	1053	1.8	3	1	1	1	2	3	4	11
6-12 YRS	1237	1.9	5	1	1	1	2	3	4	14
13-19 YRS	407	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	31	6.5	145	1	2	3	7	10	20	68
1-5 YRS	48	2.7	4	1	1	2	4	6	7	8
6-12 YRS	31	2.3	5	1	1	1	2	5	8	11
13-19 YRS	37	2.5	5	< 1	1	2	3	5	6	14
B. Operated										
0-27 DYS	0									
1-11 MOS	8	3.0	2	1	2	3	4	5	5	5
1-5 YRS	165	3.4	25	1	1	2	3	7	14	24
6-12 YRS	335	2.9	12	1	1	2	3	5	9	21
13-19 YRS	242	5.6	44	1	2	3	7	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	1.7	4	< 1	1	1	2	3	4	16
B. Operated	2717	1.9	4	1	1	1	2	3	4	13
2. MULTIPLE DX										
A. Not Operated	147	3.4	36	1	1	2	4	6	8	21
B. Operated	750	3.9	27	1	1	2	4	9	14	25
1. SINGLE DX	2958	1.9	4	1	1	1	2	3	4	13
2. MULTIPLE DX	897	3.8	28	1	1	2	4	8	14	24
A. Not Operated	388	2.4	17	< 1	1	1	2	5	7	16
B. Operated	3467	2.3	9	1	1	1	2	4	7	17
TOTAL										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	76	4.0	64	1	1	2	4	7	9	55
1-5 YRS	1381	2.0	6	1	1	1	2	3	5	15
6-12 YRS	1680	2.1	7	1	1	1	2	3	5	16
13-19 YRS	715	3.3	20	1	1	2	3	7	12	23
GRAND TOTAL	**3855**	**2.3**	**10**	**1**	**1**	**1**	**2**	**4**	**7**	**17**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.5		2	2	2	3	3	3	3
1-5 YRS	34	1.4	1	1	1	1	1	2	4	5
6-12 YRS	69	1.5	1	1	1	1	2	3	3	6
13-19 YRS	33	1.8	1	< 1	1	2	2	3	3	4
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.8	3	1	1	2	4	5	5	5
1-5 YRS	299	1.3		< 1	1	1	1	2	2	5
6-12 YRS	1364	1.5	2	1	1	1	2	2	3	5
13-19 YRS	854	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	14	2.4	3	1	1	2	4	5	6	6
6-12 YRS	41	1.6	1	< 1	1	1	2	3	4	5
13-19 YRS	53	2.9	10	1	1	2	3	6	10	17
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.3	17	< 1	1	3	7	9	9	9
1-5 YRS	68	2.8	16	1	1	1	3	8	11	23
6-12 YRS	295	2.5	13	1	1	1	3	5	7	18
13-19 YRS	461	4.1	23	1	2	3	5	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	1.6	1	1	1	1	2	3	3	5
B. Operated	2522	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	110	2.3	6	1	1	2	3	4	6	15
B. Operated	827	3.4	19	1	1	2	4	8	10	21
1. SINGLE DX	2662	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX	937	3.3	18	1	1	2	4	7	10	19
A. Not Operated	250	1.9	3	1	1	1	2	3	5	10
B. Operated	3349	2.1	7	1	1	1	2	4	6	12
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	2.8	5	1	2	2	3	6	8	9
1-5 YRS	415	1.6	3	< 1	1	1	1	2	4	10
6-12 YRS	1769	1.6	4	1	1	1	2	3	4	8
13-19 YRS	1401	2.7	10	1	1	2	3	5	8	14
GRAND TOTAL	**3599**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	2.8	5	< 1	1	2	4	6	8	8
6-12 YRS	14	1.9	2	1	1	2	2	4	5	5
13-19 YRS	34	1.9	1	< 1	1	1	2	4	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	50	1.9	4	< 1	1	1	2	4	4	13
6-12 YRS	86	1.6	1	< 1	1	1	2	3	4	6
13-19 YRS	242	1.7	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.3	8	1	1	2	4	8	9	9
6-12 YRS	12	4.4	106	< 1	1	1	2	13	34	37
13-19 YRS	28	2.6	5	1	1	2	3	5	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	54	3.0	27	1	1	1	3	6	8	37
6-12 YRS	72	3.3	34	1	1	2	3	6	8	40
13-19 YRS	201	3.1	8	1	1	2	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.1	2	1	1	2	3	4	5	8
B. Operated	379	1.7	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	47	3.2	30	1	1	2	3	5	9	37
B. Operated	330	3.1	17	1	1	2	4	6	8	20
1. SINGLE DX	438	1.8	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX	377	3.1	18	1	1	2	4	6	8	25
A. Not Operated	106	2.5	14	1	1	2	3	4	6	22
B. Operated	709	2.4	9	1	1	1	3	5	6	12
TOTAL										
0-27 DYS	0									
1-11 MOS	5	1.4		< 1	1	1	2	2	2	2
1-5 YRS	121	2.5	15	1	1	1	3	5	7	20
6-12 YRS	184	2.5	21	1	1	1	2	4	6	31
13-19 YRS	505	2.3	5	< 1	1	1	3	5	6	10
GRAND TOTAL	**815**	**2.4**	**10**	**1**	**1**	**1**	**3**	**5**	**6**	**11**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.0	37	2	2	3	10	13	13	13
1-5 YRS	35	8.7	79	1	2	3	18	23	25	28
6-12 YRS	12	16.1	140	1	5	19	24	32	33	33
13-19 YRS	12	2.3	1	1	1	2	3	4	5	5
B. Operated										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	25	6.9	49	1	2	4	9	20	21	22
6-12 YRS	93	6.6	65	2	2	4	6	16	29	39
13-19 YRS	95	5.0	20	2	2	4	6	9	10	27
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	8.0	67	< 1	4	5	8	22	24	24
1-5 YRS	24	13.5	116	2	5	12	20	24	33	48
6-12 YRS	23	18.5	138	3	7	19	24	34	38	46
13-19 YRS	9	9.4	161	< 1	2	3	14	32	35	35
B. Operated										
0-27 DYS	5	13.0	83	6	7	9	18	28	28	28
1-11 MOS	11	9.1	13	4	6	10	12	13	14	14
1-5 YRS	52	9.8	81	2	4	7	12	21	30	46
6-12 YRS	80	10.6	87	2	4	7	15	24	31	41
13-19 YRS	132	11.0	79	4	6	9	12	19	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	8.7	90	1	2	3	17	24	26	33
B. Operated	217	5.9	43	2	2	4	6	10	20	38
2. MULTIPLE DX										
A. Not Operated	62	14.2	134	2	4	12	22	29	35	48
B. Operated	280	10.6	78	3	5	8	13	22	31	44
1. SINGLE DX	279	6.5	54	1	2	4	7	18	24	37
2. MULTIPLE DX	342	11.3	90	3	5	8	15	23	32	46
A. Not Operated	124	11.5	119	1	2	7	20	25	32	47
B. Operated	497	8.5	68	2	3	6	10	18	27	43
TOTAL										
0-27 DYS	7	10.7	72	4	6	7	13	25	28	28
1-11 MOS	22	7.8	29	2	4	7	12	13	18	24
1-5 YRS	136	9.6	83	1	3	6	16	22	25	46
6-12 YRS	208	10.0	100	2	3	6	15	25	33	41
13-19 YRS	248	8.2	65	2	3	6	10	15	23	44
GRAND TOTAL	**621**	**9.1**	**80**	**2**	**3**	**6**	**11**	**22**	**28**	**43**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	105	4.1	23	1	1	2	4	12	16	20
1-5 YRS	446	9.2	69	1	2	6	17	21	23	27
6-12 YRS	207	18.3	110	2	9	21	25	30	34	43
13-19 YRS	46	11.9	187	1	2	4	23	32	38	55
B. Operated										
0-27 DYS	0									
1-11 MOS	50	3.3	16	1	1	2	3	9	14	18
1-5 YRS	416	5.8	47	1	2	3	6	18	21	27
6-12 YRS	324	11.0	106	1	2	6	20	25	30	38
13-19 YRS	286	6.5	40	2	3	5	8	11	17	30
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.8	4	1	2	4	5	6	6	6
1-11 MOS	88	6.4	49	1	2	4	8	22	24	99 +
1-5 YRS	215	11.2	79	1	3	10	19	22	25	34
6-12 YRS	164	17.1	129	1	4	20	24	29	34	46
13-19 YRS	46	12.9	266	2	2	5	19	39	51	63
B. Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	31	6.8	47	1	2	4	9	16	23	28
1-5 YRS	263	10.2	79	2	3	6	18	23	27	32
6-12 YRS	379	16.6	170	3	5	15	24	33	39	66
13-19 YRS	566	12.0	110	4	6	9	14	24	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	805	11.1	101	1	2	7	20	25	28	38
B. Operated	1076	7.4	67	1	2	4	9	21	25	35
2. MULTIPLE DX										
A. Not Operated	517	12.4	119	1	3	9	21	25	32	51
B. Operated	1241	12.9	127	2	5	9	19	27	34	58
1. SINGLE DX	1881	9.0	85	1	2	4	16	23	27	37
2. MULTIPLE DX	1758	12.8	125	2	4	9	20	26	33	57
A. Not Operated	1322	11.6	109	1	2	8	20	25	29	43
B. Operated	2317	10.4	107	1	3	7	15	24	30	50
TOTAL										
0-27 DYS	7	5.6	38	1	2	4	6	16	19	19
1-11 MOS	274	5.0	34	1	1	3	6	15	20	29
1-5 YRS	1340	8.7	70	1	2	5	16	21	24	31
6-12 YRS	1074	15.3	141	2	4	15	23	29	35	47
13-19 YRS	944	10.4	106	2	4	7	12	23	31	57
GRAND TOTAL	**3639**	**10.8**	**108**	**1**	**3**	**7**	**18**	**25**	**29**	**46**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.0	1	1	1	2	3	3	3	3
1-5 YRS	99	1.8	4	< 1	1	1	2	3	4	13
6-12 YRS	150	1.7	1	1	1	1	2	3	4	5
13-19 YRS	105	2.1	2	1	1	2	3	4	5	6
B. Operated										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	113	1.7	1	1	1	1	2	3	4	6
6-12 YRS	411	2.7	5	1	1	2	3	5	7	12
13-19 YRS	622	3.3	8	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	12	3.6	5	1	2	3	4	7	9	9
1-5 YRS	68	2.8	7	1	1	2	3	5	6	16
6-12 YRS	62	2.3	3	1	1	2	3	4	6	10
13-19 YRS	77	3.1	7	1	2	3	4	6	8	16
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	71	4.9	40	1	2	3	5	15	20	33
6-12 YRS	249	6.0	48	1	2	4	7	13	18	33
13-19 YRS	503	6.8	43	2	3	5	9	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	360	1.8	2	1	1	1	2	3	4	7
B. Operated	1151	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	219	2.8	6	1	1	2	4	5	7	14
B. Operated	824	6.4	44	1	2	4	8	14	19	34
1. SINGLE DX	1511	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1043	5.7	38	1	2	4	7	12	17	33
A. Not Operated	579	2.2	4	1	1	2	3	4	5	9
B. Operated	1975	4.4	25	1	2	3	5	9	13	28
TOTAL										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	22	3.0	4	1	2	3	4	5	7	9
1-5 YRS	351	2.6	13	1	1	1	3	5	7	20
6-12 YRS	872	3.4	19	1	1	2	4	7	10	28
13-19 YRS	1307	4.5	24	1	2	3	5	9	13	25
GRAND TOTAL	**2554**	**3.9**	**21**	**1**	**1**	**3**	**4**	**8**	**12**	**25**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	32	1.5		< 1	1	1	2	3	3	3
6-12 YRS	79	1.7	1	1	1	1	2	3	4	6
13-19 YRS	110	2.3	4	1	1	2	3	4	4	12
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	55	2.2	4	1	1	1	3	4	6	11
6-12 YRS	318	2.3	4	1	1	2	3	4	6	9
13-19 YRS	1305	2.4	6	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	7	7.7	20	4	4	6	10	15	16	16
1-5 YRS	29	2.7	12	< 1	1	1	3	7	8	18
6-12 YRS	55	2.2	3	1	1	2	3	4	6	9
13-19 YRS	103	2.7	4	1	1	2	3	5	6	11
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	6.7	4	5	5	6	8	9	9	9
1-5 YRS	44	4.8	16	1	2	4	6	11	14	18
6-12 YRS	166	6.2	81	1	2	3	7	15	21	52
13-19 YRS	769	4.5	21	1	2	3	5	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	1.9	2	1	1	2	2	3	4	8
B. Operated	1680	2.4	5	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	196	2.7	6	1	1	2	3	5	7	15
B. Operated	983	4.8	31	1	2	3	5	10	14	26
1. SINGLE DX	1906	2.3	5	1	1	2	3	4	5	9
2. MULTIPLE DX	1179	4.4	28	1	2	3	5	9	13	25
A. Not Operated	422	2.3	4	1	1	2	3	4	6	12
B. Operated	2663	3.3	16	1	1	2	4	6	9	18
TOTAL										
0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	15	5.7	16	1	3	5	8	11	15	16
1-5 YRS	160	2.8	9	1	1	2	3	6	10	17
6-12 YRS	618	3.3	27	1	1	2	3	6	9	26
13-19 YRS	2287	3.1	12	1	1	2	4	6	8	16
GRAND TOTAL	**3085**	**3.1**	**15**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	3.2	11	1	1	2	4	9	9	9
1-5 YRS	8	1.4		< 1	1	1	2	2	2	2
6-12 YRS	6	1.3		< 1	1	1	2	2	2	2
13-19 YRS	13	1.7	2	< 1	1	1	2	3	5	6
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	1.0		1	1	1	1	1	1	1
13-19 YRS	37	2.0	2	1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	12	2.8	4	1	1	2	4	6	7	7
1-5 YRS	34	2.3	5	1	1	2	3	4	7	11
6-12 YRS	34	1.9	3	< 1	1	2	2	3	4	10
13-19 YRS	63	2.6	6	1	1	2	3	5	8	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.1	6	1	2	4	6	8	8	8
6-12 YRS	10	2.3	6	1	1	2	2	6	9	9
13-19 YRS	45	3.7	14	1	1	2	4	9	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.8	3	< 1	1	1	2	3	6	9
B. Operated	48	1.8	2	1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	146	2.4	5	1	1	2	3	4	7	12
B. Operated	63	3.6	12	1	1	2	4	8	13	15
1. SINGLE DX	80	1.8	2	1	1	1	2	4	5	8
2. MULTIPLE DX	209	2.7	7	1	1	2	3	6	9	14
A. Not Operated	178	2.3	4	1	1	2	3	4	7	12
B. Operated	111	2.8	8	1	1	2	3	6	9	15
TOTAL										
0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	17	2.9	5	1	1	2	4	7	8	9
1-5 YRS	50	2.5	5	1	1	2	3	5	8	11
6-12 YRS	60	1.8	3	1	1	1	2	3	4	10
13-19 YRS	158	2.7	7	1	1	2	3	6	8	14
GRAND TOTAL	**289**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**8**	**13**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	1.9	1	1	1	2	2	3	4	4
1-5 YRS	6	1.5	1	1	1	1	2	3	3	3
6-12 YRS	6	2.3	3	1	1	2	4	5	5	5
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	3	7.0	19	4	4	5	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	5.1	102	1	1	2	3	22	30	30
1-5 YRS	11	4.1	9	1	1	3	7	8	9	9
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	11	3.7	7	1	2	3	5	8	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	10	23.9	289	3	10	22	34	50	51	51
6-12 YRS	9	23.2	383	5	6	19	35	55	60	60
13-19 YRS	19	15.0	164	4	6	10	24	42	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.9	1	1	1	2	2	4	4	5
B. Operated	5	4.6	20	1	1	4	7	12	12	12
2. MULTIPLE DX										
A. Not Operated	34	4.0	27	1	1	2	5	8	9	30
B. Operated	40	18.8	246	4	6	14	28	49	55	99 +
1. SINGLE DX	30	2.4	5	1	1	2	3	5	5	12
2. MULTIPLE DX	74	12.0	199	1	3	6	17	35	49	90
A. Not Operated	59	3.1	17	1	1	2	3	7	8	28
B. Operated	45	17.2	241	3	6	12	25	48	53	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	23	3.7	42	1	1	2	2	6	21	30
1-5 YRS	29	10.2	200	1	1	3	12	30	50	51
6-12 YRS	19	12.2	287	1	2	5	18	41	55	60
13-19 YRS	33	10.5	124	2	3	7	12	36	43	99 +
GRAND TOTAL	**104**	**9.2**	**161**	**1**	**2**	**4**	**10**	**30**	**45**	**78**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	102	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	2.4	5	< 1	1	2	3	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	28	2.9	12	1	1	2	3	6	12	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated	104	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	9	2.4	4	< 1	1	2	3	5	7	7
B. Operated	30	2.8	11	1	1	2	3	6	12	16
1. SINGLE DX	107	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX	39	2.7	9	1	1	2	3	6	10	16
A. Not Operated	12	2.3	3	< 1	1	2	3	4	7	7
B. Operated	134	1.9	4	1	1	1	2	3	5	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	139	2.0	4	1	1	1	2	3	5	12
GRAND TOTAL	**146**	**2.0**	**3**	**1**	**1**	**1**	**2**	**3**	**5**	**12**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	1.3		< 1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	12	1.7	1	< 1	1	2	2	3	3	3
13-19 YRS	307	2.1	1	< 1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.5	1	< 1	1	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	13	4.8	112	1	1	2	3	11	35	40
13-19 YRS	387	2.5	3	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.4		< 1	1	1	2	2	2	2
B. Operated	319	2.1	1	< 1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	5	2.6	1	< 1	2	3	3	3	3	3
B. Operated	402	2.5	6	1	1	2	3	4	5	8
1. SINGLE DX	326	2.1	1	< 1	1	2	3	3	4	6
2. MULTIPLE DX	407	2.5	6	1	1	2	3	4	5	8
A. Not Operated	12	1.9	1	< 1	1	2	3	3	3	3
B. Operated	721	2.3	4	< 1	1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	25	3.3	59	1	1	2	2	3	13	40
13-19 YRS	704	2.3	2	< 1	1	2	3	4	5	7
GRAND TOTAL	**733**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**	**7**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	6	3.2	4	1	2	3	3	7	7	7
6-12 YRS	17	2.6	4	< 1	1	2	4	6	7	7
13-19 YRS	16	1.6	1	< 1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	5	4.2	21	< 1	1	1	8	11	11	11
1-5 YRS	37	3.4	10	< 1	1	2	4	8	11	14
6-12 YRS	77	2.4	14	1	1	1	2	4	7	24
13-19 YRS	115	3.2	11	1	1	2	4	8	9	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	10	5.8	35	1	2	3	12	15	17	17
6-12 YRS	18	3.6	23	1	1	2	4	7	16	21
13-19 YRS	24	4.4	29	1	1	3	7	10	44	99 +
B. Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	42	3.8	11	1	2	3	4	11	13	99 +
6-12 YRS	106	4.5	31	1	2	3	5	7	10	34
13-19 YRS	157	6.1	79	1	2	4	7	13	15	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.2	3	< 1	1	2	3	4	6	7
B. Operated	234	3.0	12	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	55	4.3	26	1	1	2	5	12	20	95
B. Operated	309	5.2	53	1	2	4	6	11	15	46
1. SINGLE DX	276	2.9	11	1	1	2	3	7	9	17
2. MULTIPLE DX	364	5.1	49	1	2	4	6	12	15	47
A. Not Operated	97	3.4	17	1	1	2	4	8	13	64
B. Operated	543	4.3	37	1	1	3	5	9	13	26
TOTAL										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	14	3.1	10	< 1	1	2	4	8	10	11
1-5 YRS	95	3.8	13	1	1	3	4	11	13	62
6-12 YRS	218	3.6	23	1	1	2	4	7	9	26
13-19 YRS	312	4.7	48	1	1	3	6	10	14	34
GRAND TOTAL	**640**	**4.1**	**34**	**1**	**1**	**3**	**5**	**8**	**13**	**26**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	12	1.7	1	< 1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	17	2.0	2	< 1	1	2	3	4	5	5
13-19 YRS	615	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	13	2.5	3	< 1	1	2	3	5	7	7
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	16	3.1	10	1	1	2	3	8	11	13
13-19 YRS	832	2.7	2	1	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9	1	1	1	2	2	3	4	4
B. Operated	633	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	18	2.2	2	< 1	1	2	2	4	6	7
B. Operated	849	2.7	2	1	2	3	3	4	5	7
1. SINGLE DX	648	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX	867	2.7	2	1	2	3	3	4	5	7
A. Not Operated	33	2.1	2	1	1	2	2	4	4	7
B. Operated	1482	2.7	2	1	2	3	3	4	5	6
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	39	2.5	5	1	1	2	3	4	7	13
13-19 YRS	1472	2.7	2	1	2	3	3	4	5	6
GRAND TOTAL	**1515**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**5**	**7**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	17	2.8	5	1	2	2	3	5	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	35	3.4	7	1	2	2	5	7	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.9	5	1	1	2	4	6	8	10
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	38	3.3	7	1	2	2	5	7	8	13
B. Operated	2	9.5	61	4	4	9	15	15	15	15
1. SINGLE DX	20	2.9	5	1	1	2	4	6	8	10
2. MULTIPLE DX	40	3.7	10	1	2	2	5	7	10	15
A. Not Operated	57	3.2	6	1	2	2	4	7	8	13
B. Operated	3	7.0	49	2	2	4	12	15	15	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	5	3.0	4	1	2	3	4	6	6	6
13-19 YRS	54	3.2	6	1	2	2	4	7	8	13
GRAND TOTAL	**60**	**3.4**	**8**	**1**	**2**	**2**	**4**	**7**	**9**	**15**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	1.5	1	< 1	1	1	2	3	3	3
6-12 YRS	38	1.5	1	< 1	1	1	2	2	3	6
13-19 YRS	87	1.9	2	1	1	1	2	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	3.0	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	2.0	1	1	1	2	3	3	3	3
6-12 YRS	27	2.6	6	1	1	2	3	7	9	10
13-19 YRS	147	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	2	16.0	288	4	4	16	28	28	28	28
13-19 YRS	14	2.7	12	1	1	1	3	6	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	1.7	2	< 1	1	1	2	3	5	6
B. Operated	6	2.3	5	1	1	2	2	7	7	7
2. MULTIPLE DX										
A. Not Operated	181	2.3	3	1	1	2	3	4	5	10
B. Operated	17	4.9	53	1	1	2	4	14	23	28
1. SINGLE DX	143	1.8	2	< 1	1	1	2	3	5	7
2. MULTIPLE DX	198	2.5	7	1	1	2	3	4	6	14
A. Not Operated	318	2.0	2	< 1	1	2	2	4	5	9
B. Operated	23	4.3	41	1	1	2	4	14	19	28
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	18	2.4	9	< 1	1	2	3	3	10	14
6-12 YRS	68	2.3	13	< 1	1	1	2	4	8	25
13-19 YRS	252	2.1	3	1	1	2	3	4	5	9
GRAND TOTAL	**341**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	19	2.1	2	< 1	1	2	3	4	5	5
13-19 YRS	29	2.0	4	1	1	1	2	4	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	1.3		< 1	1	1	2	2	2	2
13-19 YRS	76	1.5	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	3.5	5	1	2	3	5	7	7	7
6-12 YRS	11	1.9	1	< 1	1	2	3	4	4	4
13-19 YRS	37	2.7	7	< 1	1	2	3	6	10	12
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	2.6	7	1	1	2	3	7	9	9
13-19 YRS	46	2.1	2	1	1	2	3	4	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.0	3	1	1	1	2	4	5	9
B. Operated	84	1.5	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	57	2.6	6	< 1	1	2	3	6	7	12
B. Operated	56	2.2	3	1	1	2	3	4	4	9
1. SINGLE DX	135	1.7	2	1	1	1	2	3	4	8
2. MULTIPLE DX	113	2.4	4	1	1	2	3	4	6	12
A. Not Operated	108	2.4	4	1	1	2	3	5	6	12
B. Operated	140	1.8	2	1	1	1	2	3	4	9
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	10	3.1	5	1	1	2	5	6	7	7
6-12 YRS	47	2.0	2	1	1	2	2	4	5	9
13-19 YRS	188	2.0	3	1	1	1	2	4	5	11
GRAND TOTAL	**248**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**9**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	73	1.2	1	< 1	1	1	1	2	3	6
1-5 YRS	408	1.1		< 1	1	1	1	2	2	3
6-12 YRS	567	1.2		1	1	1	1	2	2	4
13-19 YRS	488	1.3		< 1	1	1	1	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	52	1.8	3	< 1	1	1	2	3	6	9
1-5 YRS	465	1.8	6	1	1	1	2	3	4	15
6-12 YRS	736	1.7	4	1	1	1	2	3	4	9
13-19 YRS	1040	1.8	3	1	1	1	2	3	4	10
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	57	2.7	10	1	1	2	3	5	8	17
6-12 YRS	125	2.8	20	1	1	1	2	4	8	26
13-19 YRS	401	3.3	32	1	1	2	3	6	10	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1536	1.2		< 1	1	1	1	2	2	4
B. Operated	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2294	1.8	4	1	1	1	2	3	4	10
B. Operated	588	3.1	27	1	1	2	3	5	9	29
1. SINGLE DX	1539	1.2		< 1	1	1	1	2	2	4
2. MULTIPLE DX	2882	2.0	9	1	1	1	2	4	5	14
A. Not Operated	3830	1.6	3	1	1	1	2	3	4	7
B. Operated	591	3.1	27	1	1	2	3	5	9	29
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	130	1.5	1	< 1	1	1	1	3	3	8
1-5 YRS	930	1.6	4	< 1	1	1	2	3	3	10
6-12 YRS	1429	1.6	4	1	1	1	2	3	4	9
13-19 YRS	1931	2.0	9	1	1	1	2	3	5	12
GRAND TOTAL	**4421**	**1.8**	**6**	**1**	**1**	**1**	**2**	**3**	**4**	**11**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	10.5	113	3	3	10	18	18	18	18
6-12 YRS	0									
13-19 YRS	2	8.0	2	7	7	8	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	18.5	41	14	14	18	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	21.0	32	17	17	21	25	25	25	25
1-5 YRS	16	29.8	621	7	12	23	37	65	88	98
6-12 YRS	11	19.7	70	9	14	20	27	30	33	33
13-19 YRS	15	17.3	236	7	9	13	19	35	57	64
B. Operated										
0-27 DYS	0									
1-11 MOS	7	35.1	805	11	16	32	37	84	95	95
1-5 YRS	17	32.5	476	12	17	26	62	89	99+	99+
6-12 YRS	34	29.0	394	10	15	27	61	99+	99+	99+
13-19 YRS	88	29.8	328	12	17	27	42	69	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	9.3	40	3	5	8	13	18	18	18
B. Operated	2	18.5	41	14	14	18	23	23	23	23
2. MULTIPLE DX										
A. Not Operated	44	22.6	342	7	12	17	26	43	65	98
B. Operated	146	30.2	374	11	16	27	47	86	99+	99+
1. SINGLE DX	6	12.3	55	3	7	11	18	22	23	23
2. MULTIPLE DX	190	28.4	375	10	15	24	42	72	99+	99+
A. Not Operated	48	21.5	329	7	10	17	26	40	64	98
B. Operated	148	30.0	371	11	16	27	47	82	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	9	32.0	647	12	16	25	35	72	95	95
1-5 YRS	35	30.0	527	9	15	22	51	72	99	99+
6-12 YRS	45	26.8	328	10	15	23	47	99+	99+	99+
13-19 YRS	107	27.4	328	9	14	23	39	63	96	99+
GRAND TOTAL	**196**	**27.9**	**373**	**9**	**15**	**23**	**42**	**72**	**99+**	**99+**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	12	1.5	1	<1	1	1	2	3	5	5
1-11 MOS	134	1.5	4	<1	1	1	1	2	3	9
1-5 YRS	409	1.4	1	<1	1	1	1	2	3	6
6-12 YRS	429	1.5	2	1	1	1	2	2	4	8
13-19 YRS	322	2.1	8	<1	1	1	2	4	6	15
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	11	8.1	91	2	3	5	8	20	35	36
1-5 YRS	30	5.7	82	1	3	3	5	8	11	52
6-12 YRS	39	4.5	4	2	3	4	5	7	9	11
13-19 YRS	23	6.0	20	2	3	5	7	12	16	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.0	3	<1	<1	1	3	4	4	4
1-11 MOS	242	3.9	28	1	1	1	5	11	14	23
1-5 YRS	718	2.6	23	1	1	1	2	5	8	21
6-12 YRS	808	3.0	44	1	1	1	2	5	8	43
13-19 YRS	933	3.1	25	1	1	2	3	6	10	23
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	60	18.8	345	4	7	12	25	44	64	89
1-5 YRS	137	7.7	172	1	1	3	9	25	63	99+
6-12 YRS	219	8.9	189	1	1	4	9	24	35	72
13-19 YRS	540	9.3	176	1	1	4	12	26	39	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1306	1.6	3	<1	1	1	2	3	4	10
B. Operated	104	5.6	39	2	3	4	6	9	12	43
2. MULTIPLE DX										
A. Not Operated	2704	3.0	30	1	1	1	3	6	10	25
B. Operated	957	9.6	194	1	1	4	12	27	42	99
1. SINGLE DX	1410	1.9	7	<1	1	1	2	4	5	12
2. MULTIPLE DX	3661	4.7	81	1	1	2	4	11	20	59
A. Not Operated	4010	2.6	22	1	1	1	2	5	8	22
B. Operated	1061	9.2	180	1	2	4	11	25	40	97
TOTAL										
0-27 DYS	17	3.0	17	<1	1	1	3	11	14	15
1-11 MOS	447	5.3	94	1	1	1	5	13	21	48
1-5 YRS	1294	2.8	36	1	1	1	2	5	10	45
6-12 YRS	1495	3.5	57	1	1	1	3	6	13	43
13-19 YRS	1818	4.8	75	1	1	2	4	12	20	52
GRAND TOTAL	**5071**	**3.9**	**62**	**1**	**1**	**1**	**3**	**9**	**16**	**50**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	2.1	2	1	1	2	3	4	5	5
6-12 YRS	7	2.6	2	< 1	1	2	4	5	5	5
13-19 YRS	46	2.2	2	1	1	2	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	5.0	3	3	3	5	6	7	7	7
6-12 YRS	5	3.0	1	2	2	3	3	4	4	4
13-19 YRS	102	4.3	5	2	3	4	5	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	6.7	26	1	1	7	12	12	12	12
1-5 YRS	43	3.6	6	1	2	3	6	7	8	12
6-12 YRS	46	3.9	8	1	2	3	5	7	10	11
13-19 YRS	139	3.0	8	1	1	2	4	6	9	14
B. Operated										
0-27 DYS	0									
1-11 MOS	2	9.5	13	7	7	9	12	12	12	12
1-5 YRS	29	7.7	29	2	5	6	10	19	22	99 +
6-12 YRS	52	8.8	41	3	4	7	11	21	26	98
13-19 YRS	422	8.0	62	3	4	6	9	15	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.2	2	1	1	2	3	4	5	5
B. Operated	112	4.3	5	2	3	4	5	8	9	12
2. MULTIPLE DX										
A. Not Operated	235	3.4	8	1	1	2	4	7	9	13
B. Operated	505	8.1	58	3	4	6	10	16	23	54
1. SINGLE DX	179	3.5	5	1	2	3	4	6	8	11
2. MULTIPLE DX	740	6.6	47	1	3	5	8	12	19	44
A. Not Operated	302	3.1	7	1	1	2	4	6	9	13
B. Operated	617	7.4	50	2	4	5	9	14	21	47
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	7.2	19	1	4	7	12	12	12	12
1-5 YRS	90	4.7	17	1	2	3	6	10	13	68
6-12 YRS	110	6.1	29	1	3	4	8	14	21	55
13-19 YRS	709	6.1	45	1	3	4	7	12	17	43
GRAND TOTAL	**919**	**6.0**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**42**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.3	9	2	3	6	7	8	8	8
1-5 YRS	55	4.7	7	1	2	5	7	8	9	10
6-12 YRS	184	4.4	9	1	2	4	6	8	9	13
13-19 YRS	149	3.2	5	1	1	3	5	7	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	23	5.1	15	1	3	5	7	9	14	18
6-12 YRS	41	5.7	8	3	4	5	7	9	12	15
13-19 YRS	116	6.1	12	3	4	6	7	9	10	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	11	6.4	12	1	4	7	8	11	12	12
1-5 YRS	141	5.0	9	1	2	5	7	9	11	13
6-12 YRS	263	5.5	17	1	2	5	8	10	12	21
13-19 YRS	324	4.4	12	1	2	3	6	9	12	18
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	12.5	66	5	5	11	19	24	24	24
1-5 YRS	116	12.3	146	3	5	9	16	25	31	73
6-12 YRS	177	10.0	78	4	6	7	11	20	27	67
13-19 YRS	763	10.1	76	4	6	8	11	19	26	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	4.0	7	1	2	3	6	8	9	12
B. Operated	181	5.8	11	3	4	5	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	739	4.9	14	1	2	4	7	10	12	18
B. Operated	1065	10.3	84	4	6	8	11	20	27	49
1. SINGLE DX	572	4.6	9	1	2	4	6	8	9	14
2. MULTIPLE DX	1804	8.1	62	2	4	6	9	15	22	41
A. Not Operated	1130	4.6	12	1	2	4	7	9	11	15
B. Operated	1246	9.7	76	4	5	7	11	19	26	46
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	23	8.3	37	2	5	7	10	17	23	24
1-5 YRS	335	7.5	69	1	3	6	8	14	20	36
6-12 YRS	665	6.4	35	1	3	6	8	11	16	35
13-19 YRS	1352	7.6	56	2	4	6	9	13	20	41
GRAND TOTAL	**2376**	**7.3**	**52**	**2**	**3**	**6**	**8**	**13**	**20**	**38**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	11	2.4	3	<1	1	2	3	5	7	7
6-12 YRS	10	2.5	1	<1	2	2	4	4	4	4
13-19 YRS	5	1.4		<1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	10	2.0	3	<1	1	1	3	5	5	5
1-5 YRS	154	2.1	2	<1	1	1	3	5	5	7
6-12 YRS	114	2.5	3	1	1	2	3	5	5	8
13-19 YRS	72	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	17	2.1	1	1	1	2	3	4	4	4
6-12 YRS	14	2.6	3	1	1	2	3	6	7	7
13-19 YRS	13	2.5	2	<1	1	2	4	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	11	5.5	58	1	1	3	5	17	26	27
1-5 YRS	141	3.0	6	1	1	2	4	6	7	12
6-12 YRS	139	3.7	10	1	1	3	5	7	9	14
13-19 YRS	177	3.5	7	1	2	3	5	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.2	2	<1	1	2	3	4	5	7
B. Operated	350	2.3	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. Not Operated	47	2.4	3	1	1	2	4	4	6	7
B. Operated	468	3.4	9	1	1	3	5	6	8	12
1. SINGLE DX	377	2.3	2	1	1	2	3	5	5	7
2. MULTIPLE DX	515	3.3	8	1	1	3	5	6	8	12
A. Not Operated	74	2.3	2	1	1	2	3	4	6	7
B. Operated	818	3.0	6	1	1	2	4	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	25	3.6	29	1	1	2	5	7	14	27
1-5 YRS	323	2.5	4	1	1	2	3	5	6	9
6-12 YRS	277	3.1	7	1	1	2	4	6	8	12
13-19 YRS	267	3.1	5	1	1	3	4	6	6	11
GRAND TOTAL	**892**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**11**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	16	2.4	2	1	1	2	3	5	6	6
1-5 YRS	110	1.9	8	<1	1	1	2	3	4	16
6-12 YRS	61	1.8	2	1	1	1	2	3	4	10
13-19 YRS	58	2.0	3	<1	1	1	2	4	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	12	1.3		<1	1	1	2	2	2	2
1-5 YRS	193	1.6	2	<1	1	1	2	4	5	8
6-12 YRS	87	1.7	2	1	1	1	2	4	4	8
13-19 YRS	112	2.2	4	<1	1	1	2	4	7	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	18	2.7	4	<1	1	2	4	6	7	7
1-5 YRS	134	2.4	3	1	1	2	3	4	6	10
6-12 YRS	83	2.3	4	1	1	2	3	4	6	11
13-19 YRS	129	2.5	4	1	1	2	3	5	7	11
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	10	3.1	13	1	1	2	2	9	13	13
1-5 YRS	290	2.7	10	1	1	2	3	6	8	18
6-12 YRS	219	2.5	6	1	1	2	3	4	6	14
13-19 YRS	482	2.7	10	1	1	2	3	5	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	1.9	5	<1	1	1	2	4	4	10
B. Operated	404	1.8	3	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	365	2.4	4	1	1	2	3	5	6	11
B. Operated	1003	2.6	9	1	1	2	3	5	8	16
1. SINGLE DX	649	1.8	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	1368	2.6	8	1	1	2	3	5	7	15
A. Not Operated	610	2.2	4	1	1	2	3	4	6	10
B. Operated	1407	2.4	7	1	1	1	3	5	7	15
TOTAL										
0-27 DYS	3	3.7	21	1	1	1	7	9	9	9
1-11 MOS	56	2.4	4	<1	1	2	3	5	6	13
1-5 YRS	727	2.2	6	1	1	1	3	4	6	15
6-12 YRS	450	2.2	5	1	1	1	3	4	5	12
13-19 YRS	781	2.5	8	<1	1	2	3	5	7	14
GRAND TOTAL	**2017**	**2.3**	**6**	**1**	**1**	**1**	**3**	**5**	**7**	**13**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	26	1.4	1	<1	1	1	1	2	4	4
6-12 YRS	37	1.6	1	1	1	1	2	3	4	4
13-19 YRS	202	1.4	1	<1	1	1	2	2	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.8	6	<1	1	1	5	6	6	6
1-5 YRS	68	1.7	5	<1	1	1	1	3	4	15
6-12 YRS	93	2.0	4	<1	1	1	2	4	5	11
13-19 YRS	159	2.6	6	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	21	3.0	4	<1	1	3	5	6	7	8
6-12 YRS	19	3.3	32	<1	1	2	3	5	17	26
13-19 YRS	159	2.0	2	<1	1	1	2	3	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	9.5	61	4	4	9	15	15	15	15
1-5 YRS	43	4.6	32	<1	1	3	6	9	24	99+
6-12 YRS	70	5.0	74	1	1	3	5	8	22	51
13-19 YRS	264	4.9	22	1	2	4	6	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	1.5	1	<1	1	1	2	2	3	5
B. Operated	325	2.2	5	<1	1	1	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	203	2.2	5	<1	1	2	3	4	6	10
B. Operated	379	4.9	32	1	1	4	6	10	15	37
1. SINGLE DX	592	1.9	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	582	4.0	25	1	1	3	5	8	11	27
A. Not Operated	470	1.8	3	<1	1	1	2	3	4	7
B. Operated	704	3.7	22	1	1	2	5	7	10	24
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	4.1	15	1	1	4	5	9	14	15
1-5 YRS	158	2.6	13	<1	1	1	3	6	7	28
6-12 YRS	219	3.0	30	<1	1	2	3	5	7	32
13-19 YRS	784	2.9	11	1	1	2	4	6	9	16
GRAND TOTAL	**1174**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.9	5	<1	1	2	4	6	7	7
1-5 YRS	54	2.1	1	1	1	2	3	4	4	6
6-12 YRS	72	2.4	2	1	1	2	3	4	5	6
13-19 YRS	195	2.5	3	<1	1	2	3	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	7	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	134	1.9	6	<1	1	1	2	3	5	13
6-12 YRS	160	2.1	3	<1	1	1	2	4	6	10
13-19 YRS	439	2.4	6	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	2.8	2	1	2	2	4	5	6	6
1-5 YRS	54	2.8	5	1	1	2	3	5	7	14
6-12 YRS	79	3.0	4	1	2	3	4	5	7	12
13-19 YRS	207	3.1	13	1	1	2	3	5	8	22
B. Operated										
0-27 DYS	0									
1-11 MOS	10	5.5	87	<1	1	2	4	20	31	31
1-5 YRS	160	3.0	15	1	1	2	4	6	9	20
6-12 YRS	198	3.0	10	1	1	2	4	7	9	15
13-19 YRS	658	3.3	13	1	1	2	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	2.4	2	1	1	2	3	4	6	8
B. Operated	740	2.3	5	<1	1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	350	3.0	9	1	1	2	3	5	8	14
B. Operated	1026	3.2	14	1	1	2	4	7	10	20
1. SINGLE DX	1069	2.3	5	1	1	2	3	5	6	10
2. MULTIPLE DX	1376	3.1	12	1	1	2	4	6	9	20
A. Not Operated	679	2.7	6	1	1	2	3	5	6	11
B. Operated	1766	2.8	10	1	1	2	3	6	9	17
TOTAL										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	33	3.3	29	<1	1	2	4	6	9	31
1-5 YRS	402	2.5	9	1	1	2	3	5	7	16
6-12 YRS	509	2.6	6	1	1	2	3	5	8	12
13-19 YRS	1499	2.9	10	1	1	2	3	6	9	17
GRAND TOTAL	**2445**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	2.0	2	1	1	1	3	4	4	4
1-5 YRS	85	2.8	4	1	1	2	4	6	7	11
6-12 YRS	200	2.8	4	1	2	2	4	5	7	11
13-19 YRS	229	2.1	3	< 1	1	2	3	4	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	101	3.6	12	1	1	2	5	8	10	17
6-12 YRS	306	3.2	9	1	1	2	4	7	9	16
13-19 YRS	386	3.1	14	1	1	2	3	6	8	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	48	3.7	7	2	2	3	4	6	8	16
6-12 YRS	112	3.9	8	1	2	3	5	7	9	16
13-19 YRS	156	3.0	6	< 1	1	2	4	6	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	106	6.6	52	1	2	4	9	16	21	35
6-12 YRS	209	6.2	48	1	2	4	8	14	18	32
13-19 YRS	366	5.4	38	1	2	3	6	12	17	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	519	2.5	3	1	1	2	3	5	6	8
B. Operated	795	3.2	12	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	318	3.4	7	1	2	3	4	7	8	15
B. Operated	683	5.9	44	1	2	4	7	13	18	35
1. SINGLE DX	1314	2.9	8	1	1	2	3	6	8	15
2. MULTIPLE DX	1001	5.1	33	1	2	3	6	11	16	32
A. Not Operated	837	2.8	5	1	1	2	4	6	7	12
B. Operated	1478	4.4	28	1	1	3	5	10	15	30
TOTAL										
0-27 DYS	0									
1-11 MOS	11	2.0	2	1	1	1	3	4	4	4
1-5 YRS	340	4.3	24	1	2	3	5	9	14	29
6-12 YRS	827	4.0	19	1	2	3	5	8	12	21
13-19 YRS	1137	3.6	20	1	1	2	4	7	11	26
GRAND TOTAL	**2315**	**3.8**	**20**	**1**	**1**	**2**	**4**	**8**	**12**	**24**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	3	4.3	33	1	1	1	9	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	11	4.0	12	1	1	3	6	10	10	10
13-19 YRS	29	2.7	6	< 1	1	1	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	7	10.1	153	1	3	6	11	32	37	37
6-12 YRS	21	3.6	9	1	1	3	5	9	10	11
13-19 YRS	172	7.9	83	1	2	5	9	18	27	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	25	< 1	< 1	1	6	11	11	11
B. Operated	41	3.0	7	< 1	1	1	5	7	10	10
2. MULTIPLE DX										
A. Not Operated	3	9.3	20	5	6	9	13	14	14	14
B. Operated	201	7.6	79	1	2	5	9	17	25	53
1. SINGLE DX	45	3.1	8	< 1	1	1	5	7	10	11
2. MULTIPLE DX	204	7.7	79	1	2	5	9	17	25	52
A. Not Operated	7	6.0	29	< 1	1	5	10	13	14	14
B. Operated	242	6.9	70	1	2	5	9	15	23	51
TOTAL										
0-27 DYS	0									
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	9	9.6	127	1	2	6	12	28	37	37
6-12 YRS	34	3.8	11	1	1	3	6	9	10	11
13-19 YRS	205	7.1	74	1	2	5	9	15	24	52
GRAND TOTAL	**249**	**6.8**	**69**	**1**	**2**	**5**	**9**	**15**	**22**	**50**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.3	16	1	3	3	4	11	14	14
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	11	2.5	4	1	1	2	3	5	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	19.0	750	3	6	33	99 +	99 +	99 +	99 +
13-19 YRS	7	10.0	140	1	3	5	47	99 +	99 +	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	9	11.3	308	1	1	2	16	42	42	42
6-12 YRS	8	5.0	15	< 1	2	4	6	11	13	13
13-19 YRS	18	4.1	8	1	2	3	6	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	24	2.9	8	1	1	2	3	4	10	14
2. MULTIPLE DX										
A. Not Operated	14	11.1	273	1	3	6	60	99 +	99 +	99 +
B. Operated	36	6.3	87	1	1	4	7	10	33	42
1. SINGLE DX	25	2.9	7	1	2	2	3	4	9	14
2. MULTIPLE DX	50	7.6	139	1	2	5	8	44	99 +	99 +
A. Not Operated	15	10.5	259	1	3	5	52	99 +	99 +	99 +
B. Operated	60	4.9	57	1	1	3	5	9	13	42
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.3	20	1	2	5	9	10	10	10
1-5 YRS	19	7.4	158	1	1	3	4	31	42	42
6-12 YRS	17	7.4	193	1	2	4	7	84	99 +	99 +
13-19 YRS	36	4.8	36	1	2	3	6	20	72	99 +
GRAND TOTAL	**75**	**6.0**	**100**	**1**	**2**	**3**	**7**	**28**	**82**	**99 +**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	34	4.4	3	2	4	5	5	6	7	8
6-12 YRS	123	3.9	3	2	3	4	5	6	7	11
13-19 YRS	77	3.8	4	1	2	4	5	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	5.0	11	3	3	4	7	10	10	10
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	5	5.0	24	1	1	3	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.5	4	3	3	4	6	7	7	7
1-5 YRS	48	3.6	5	1	2	3	5	7	7	10
6-12 YRS	85	3.7	4	1	2	4	5	6	7	10
13-19 YRS	84	3.7	4	1	2	4	5	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	4.3	2	3	3	4	5	6	6	6
6-12 YRS	11	4.5	13	1	2	4	6	10	14	14
13-19 YRS	18	4.6	5	1	3	5	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	3.9	4	2	2	4	5	6	7	10
B. Operated	11	4.7	14	1	2	3	7	11	12	12
2. MULTIPLE DX										
A. Not Operated	221	3.7	4	1	2	4	5	6	7	9
B. Operated	33	4.5	7	1	3	4	6	7	8	14
1. SINGLE DX	247	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX	254	3.8	5	1	2	4	5	7	7	10
A. Not Operated	457	3.8	4	1	2	4	5	6	7	10
B. Operated	44	4.5	8	1	2	4	6	8	11	14
TOTAL										
0-27 DYS	0									
1-11 MOS	7	3.3	4	1	2	3	5	7	7	7
1-5 YRS	89	4.0	4	1	2	4	5	7	7	10
6-12 YRS	221	3.9	4	2	2	4	5	6	7	11
13-19 YRS	184	3.8	4	1	2	4	5	6	8	10
GRAND TOTAL	**501**	**3.9**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**10**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.7	1	< 1	< 1	1	2	3	3	3
1-11 MOS	38	1.3	1	1	1	1	1	2	3	4
1-5 YRS	189	1.6	1	< 1	1	1	2	3	4	7
6-12 YRS	199	1.4	1	1	1	1	2	3	3	5
13-19 YRS	223	1.6	1	< 1	1	1	2	3	3	7
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	20	2.2	2	< 1	1	2	3	5	5	6
6-12 YRS	34	2.6	12	< 1	1	1	3	6	7	20
13-19 YRS	41	1.9	3	< 1	1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	5.4	118	1	1	2	3	18	36	38
1-11 MOS	76	2.5	7	1	1	2	3	6	6	16
1-5 YRS	376	2.0	3	1	1	1	2	4	6	8
6-12 YRS	310	1.9	3	1	1	1	2	4	5	9
13-19 YRS	578	1.9	2	< 1	1	1	2	4	5	8
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	3.8	18	1	1	2	6	10	10	10
1-5 YRS	24	7.5	145	1	1	2	6	30	40	42
6-12 YRS	46	3.4	9	1	2	2	4	7	9	17
13-19 YRS	103	2.9	13	1	1	2	3	6	8	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	652	1.5	1	< 1	1	1	2	3	3	6
B. Operated	98	2.2	6	< 1	1	1	2	5	6	14
2. MULTIPLE DX										
A. Not Operated	1351	2.0	4	1	1	1	2	4	5	8
B. Operated	178	3.7	31	1	1	2	4	7	11	36
1. SINGLE DX	750	1.6	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1529	2.2	7	1	1	1	2	4	6	11
A. Not Operated	2003	1.8	3	< 1	1	1	2	3	5	8
B. Operated	276	3.2	23	1	1	2	3	6	9	29
TOTAL										
0-27 DYS	15	4.3	88	1	1	2	3	4	29	38
1-11 MOS	121	2.2	5	1	1	1	2	4	6	13
1-5 YRS	609	2.1	9	1	1	1	2	4	6	11
6-12 YRS	589	1.9	3	1	1	1	2	3	5	10
13-19 YRS	945	1.9	3	< 1	1	1	2	4	5	8
GRAND TOTAL	**2279**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	**10**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	1.4	1	< 1	1	1	2	3	3	3
6-12 YRS	12	1.1		< 1	1	1	1	2	2	2
13-19 YRS	7	1.9		1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	1.9	3	< 1	1	1	2	4	6	6
6-12 YRS	9	6.0	22	< 1	2	7	9	12	14	14
13-19 YRS	10	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	3.2	20	1	1	2	3	7	15	18
6-12 YRS	16	2.0	7	< 1	1	1	2	2	9	12
13-19 YRS	15	3.0	6	1	1	2	5	7	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	19	5.7	97	1	1	2	4	13	30	43
6-12 YRS	16	9.5	95	1	3	6	14	27	29	29
13-19 YRS	47	5.2	41	1	2	3	6	10	14	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.4		< 1	1	1	2	2	3	3
B. Operated	29	3.7	11	< 1	1	2	6	9	10	14
2. MULTIPLE DX										
A. Not Operated	45	2.7	11	1	1	2	3	6	9	18
B. Operated	82	6.1	65	1	2	3	7	14	25	42
1. SINGLE DX	62	2.5	7	< 1	1	1	2	6	8	14
2. MULTIPLE DX	127	4.9	48	1	1	2	5	11	20	40
A. Not Operated	78	2.2	7	1	1	1	2	4	7	16
B. Operated	111	5.5	52	1	1	3	6	11	22	41
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	57	3.4	40	1	1	1	3	6	14	41
6-12 YRS	53	4.7	45	< 1	1	1	6	12	23	29
13-19 YRS	79	4.2	27	1	2	3	5	8	11	34
GRAND TOTAL	**189**	**4.1**	**36**	**1**	**1**	**2**	**5**	**9**	**14**	**35**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	51	1.7.	1	< 1	1	1	2	3	3	6
1-11 MOS	248	1.3		< 1	1	1	1	2	3	3
1-5 YRS	649	1.1		< 1	< 1	1	1	1	2	3
6-12 YRS	171	1.1		< 1	< 1	1	1	1	2	5
13-19 YRS	45	1.4	2	< 1	1	1	1	2	3	9
B. Operated										
0-27 DYS	0									
1-11 MOS	91	1.6	3	< 1	1	1	1	3	4	12
1-5 YRS	372	1.4	1	< 1	1	1	1	2	3	6
6-12 YRS	66	1.7	3	< 1	1	1	2	4	5	10
13-19 YRS	19	2.2	6	< 1	1	1	2	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	40	2.1	1	1	1	2	3	3	4	6
1-11 MOS	175	2.3	5	1	1	2	3	4	6	14
1-5 YRS	186	1.9	5	< 1	1	1	2	3	5	15
6-12 YRS	61	1.9	8	< 1	1	1	2	3	6	19
13-19 YRS	45	2.4	8	1	1	1	2	6	9	15
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	72	5.6	82	1	1	3	6	11	17	56
1-5 YRS	190	3.2	23	1	1	2	3	8	10	24
6-12 YRS	48	2.9	13	< 1	1	1	3	7	12	16
13-19 YRS	32	5.5	66	< 1	1	3	6	12	21	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1164	1.2		< 1	< 1	1	1	2	2	3
B. Operated	548	1.5	2	< 1	1	1	1	2	4	8
2. MULTIPLE DX										
A. Not Operated	507	2.1	5	< 1	1	1	2	4	6	15
B. Operated	343	3.9	39	1	1	2	4	9	13	43
1. SINGLE DX	1712	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	850	2.8	20	< 1	1	1	3	6	9	20
A. Not Operated	1671	1.4	2	< 1	1	1	1	2	3	7
B. Operated	891	2.4	18	< 1	1	1	2	5	8	18
TOTAL										
0-27 DYS	92	1.8	1	1	1	2	2	3	4	6
1-11 MOS	586	2.2	14	< 1	1	1	2	4	6	16
1-5 YRS	1397	1.6	5	< 1	1	1	1	2	4	10
6-12 YRS	346	1.6	4	< 1	< 1	1	1	2	5	12
13-19 YRS	141	2.7	21	< 1	1	1	2	6	9	24
GRAND TOTAL	**2562**	**1.8**	**8**	**< 1**	**1**	**1**	**2**	**3**	**5**	**13**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	5.0	9	< 1	3	4	8	8	8	8
1-5 YRS	17	4.6	9	1	2	4	6	10	11	11
6-12 YRS	5	3.8	3	2	3	3	5	6	6	6
13-19 YRS	7	7.9	46	1	2	8	10	19	21	21
B. Operated										
0-27 DYS	0									
1-11 MOS	10	4.3	11	< 1	< 1	3	7	9	11	11
1-5 YRS	42	6.3	47	1	1	5	7	13	20	35
6-12 YRS	33	3.5	13	< 1	1	2	5	7	12	17
13-19 YRS	12	7.4	121	< 1	1	2	8	28	33	34
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	30	6.2	32	1	2	4	9	15	18	22
1-5 YRS	82	5.4	29	1	1	4	8	12	15	28
6-12 YRS	33	6.8	62	1	2	3	9	15	24	37
13-19 YRS	37	5.3	30	1	2	4	7	11	13	30
B. Operated										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	79	17.3	301	1	5	12	27	37	57	99 +
1-5 YRS	204	17.9	233	1	7	15	24	36	51	69
6-12 YRS	111	18.4	249	3	9	15	23	38	55	96
13-19 YRS	111	17.0	262	4	7	13	21	35	45	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	5.2	16	1	2	4	8	10	11	21
B. Operated	97	5.3	41	1	1	3	6	12	16	35
2. MULTIPLE DX										
A. Not Operated	182	5.8	35	1	2	4	8	13	17	30
B. Operated	506	17.8	253	2	7	14	23	37	53	95
1. SINGLE DX	131	5.3	35	1	1	3	7	11	15	34
2. MULTIPLE DX	688	14.6	223	1	4	11	20	33	46	85
A. Not Operated	216	5.7	32	1	2	4	8	13	17	29
B. Operated	603	15.8	240	1	5	12	22	34	49	92
TOTAL										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	124	13.0	231	1	3	7	19	32	43	99
1-5 YRS	345	12.9	187	1	3	8	19	29	40	66
6-12 YRS	182	13.2	208	1	3	9	18	30	41	87
13-19 YRS	167	13.4	217	2	4	9	18	32	41	96
GRAND TOTAL	**819**	**13.1**	**205**	**1**	**3**	**9**	**19**	**31**	**41**	**75**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	67	2.8	4	1	1	2	4	5	7	9
1-5 YRS	195	3.3	9	1	1	2	5	7	9	13
6-12 YRS	37	3.4	11	< 1	1	2	4	9	10	15
13-19 YRS	32	3.8	9	1	1	3	5	8	11	12
B. Operated										
0-27 DYS	0									
1-11 MOS	4	7.5	169	< 1	< 1	1	14	27	27	27
1-5 YRS	23	4.8	35	< 1	1	2	6	16	18	21
6-12 YRS	10	4.7	11	< 1	2	4	7	9	11	11
13-19 YRS	10	4.7	13	< 1	1	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	7.5	161	< 1	1	4	7	23	43	45
1-11 MOS	283	4.9	25	1	2	3	7	12	15	23
1-5 YRS	915	5.2	23	1	2	4	7	12	15	21
6-12 YRS	202	4.9	20	1	2	3	7	11	15	19
13-19 YRS	226	3.8	12	1	1	2	6	8	11	14
B. Operated										
0-27 DYS	0									
1-11 MOS	33	12.5	130	1	3	11	18	33	38	99 +
1-5 YRS	148	13.7	165	2	4	11	19	29	37	63
6-12 YRS	45	11.6	143	1	4	10	14	21	34	67
13-19 YRS	65	11.2	130	2	4	7	14	26	40	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	333	3.2	8	1	1	2	4	7	9	13
B. Operated	47	5.0	33	< 1	1	2	7	12	18	27
2. MULTIPLE DX										
A. Not Operated	1637	4.9	22	1	2	3	7	11	15	21
B. Operated	291	12.7	150	2	4	10	18	29	37	72
1. SINGLE DX	380	3.5	11	1	1	2	5	8	10	17
2. MULTIPLE DX	1928	6.1	49	1	2	4	8	14	19	35
A. Not Operated	1970	4.6	20	1	1	3	6	10	14	20
B. Operated	338	11.6	140	1	3	8	16	28	35	68
TOTAL										
0-27 DYS	13	6.8	138	< 1	2	3	6	16	40	45
1-11 MOS	387	5.2	37	1	1	3	6	13	17	34
1-5 YRS	1281	5.9	46	1	2	4	8	14	18	32
6-12 YRS	294	5.7	43	1	2	4	8	13	16	32
13-19 YRS	333	5.2	43	1	1	3	7	12	15	40
GRAND TOTAL	**2308**	**5.7**	**44**	**1**	**2**	**3**	**7**	**13**	**18**	**33**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
6-12 YRS	24	1.8	1	1	1	1	2	3	4	5
13-19 YRS	35	2.5	4	1	1	2	3	6	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	1.1		< 1	1	1	1	2	2	2
6-12 YRS	13	2.1	6	1	1	1	2	6	8	9
13-19 YRS	29	2.7	7	1	1	1	3	8	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	7	2.4	9	1	1	1	2	8	9	9
6-12 YRS	14	9.9	595	1	1	2	7	19	77	94
13-19 YRS	46	4.0	16	1	1	3	4	10	12	22
B. Operated										
0-27 DYS	0									
1-11 MOS	3	10.3	90	1	5	15	60	99 +	99 +	99 +
1-5 YRS	21	6.9	139	< 1	1	2	6	25	40	43
6-12 YRS	35	3.5	60	1	1	1	3	4	24	37
13-19 YRS	142	5.2	89	1	1	2	5	10	17	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.2	3	1	1	2	3	5	6	10
B. Operated	52	2.3	6	1	1	1	2	7	8	10
2. MULTIPLE DX										
A. Not Operated	69	5.1	132	1	1	3	4	10	11	80
B. Operated	201	5.2	89	1	1	2	4	11	24	62
1. SINGLE DX	114	2.2	4	1	1	1	3	5	7	10
2. MULTIPLE DX	270	5.1	99	1	1	2	4	10	19	70
A. Not Operated	131	3.7	72	1	1	2	4	7	10	36
B. Operated	253	4.6	73	1	1	2	4	10	17	51
TOTAL										
0-27 DYS	0									
1-11 MOS	6	7.2	49	1	3	6	17	84	99 +	99 +
1-5 YRS	40	4.5	80	< 1	1	2	2	9	27	43
6-12 YRS	86	3.9	124	1	1	1	2	5	9	73
13-19 YRS	252	4.3	55	1	1	2	4	9	13	47
GRAND TOTAL	**384**	**4.3**	**73**	**1**	**1**	**2**	**4**	**9**	**14**	**50**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	9	1.4	1	< 1	1	1	2	3	3	3
1-5 YRS	89	1.9	3	1	1	1	2	3	5	10
6-12 YRS	112	1.7	2	< 1	1	1	2	3	4	7
13-19 YRS	153	1.9	2	< 1	1	1	2	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.0	13	2	2	4	8	9	9	9
1-5 YRS	14	4.9	58	< 1	1	1	4	14	25	28
6-12 YRS	26	4.2	9	1	2	4	5	9	10	12
13-19 YRS	48	4.2	12	1	2	3	6	8	13	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	2.0	4	1	1	1	3	5	5	5
1-11 MOS	16	2.0	4	< 1	1	1	2	3	7	9
1-5 YRS	115	2.9	10	1	1	2	3	6	8	21
6-12 YRS	138	2.6	8	1	1	2	3	5	8	17
13-19 YRS	208	2.2	3	< 1	1	2	3	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	8	8.5	80	1	2	4	15	23	24	24
1-5 YRS	27	9.8	90	1	4	7	12	23	29	44
6-12 YRS	53	6.3	27	1	2	5	9	12	15	30
13-19 YRS	119	6.9	72	1	2	5	9	14	20	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	366	1.8	2	< 1	1	1	2	3	5	7
B. Operated	91	4.3	17	1	1	3	6	9	12	23
2. MULTIPLE DX										
A. Not Operated	481	2.5	6	1	1	2	3	5	7	11
B. Operated	207	7.2	63	1	2	5	9	15	20	37
1. SINGLE DX	457	2.3	6	< 1	1	1	3	5	7	12
2. MULTIPLE DX	688	3.9	28	1	1	2	4	9	12	24
A. Not Operated	847	2.2	4	1	1	1	3	4	6	10
B. Operated	298	6.3	51	1	2	4	8	13	18	31
TOTAL										
0-27 DYS	7	1.7	2	1	1	1	2	4	5	5
1-11 MOS	36	3.6	27	1	1	2	3	9	17	24
1-5 YRS	245	3.4	24	1	1	2	3	7	11	26
6-12 YRS	329	3.0	11	1	1	2	3	7	9	16
13-19 YRS	528	3.4	23	1	1	2	4	8	11	20
GRAND TOTAL	**1145**	**3.3**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	76	1.6	12	< 1	1	1	1	2	3	24
1-5 YRS	1168	1.3	1	< 1	1	1	1	2	3	4
6-12 YRS	110	1.9	3	< 1	1	1	2	4	4	11
13-19 YRS	979	1.9	7	< 1	1	1	2	3	4	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	2.3	2	1	1	2	3	4	4	4
6-12 YRS	0									
13-19 YRS	5	3.0	3	2	2	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.0	19	1	1	2	7	9	9	9
1-11 MOS	107	2.8	33	1	1	1	3	5	8	32
1-5 YRS	854	1.8	5	1	1	1	2	3	4	9
6-12 YRS	309	2.5	7	1	1	2	3	4	6	17
13-19 YRS	3637	3.0	20	1	1	2	3	5	9	26
B. Operated										
0-27 DYS	0									
1-11 MOS	3	17.3	292	6	7	9	30	37	37	37
1-5 YRS	25	4.1	15	1	2	3	5	8	12	19
6-12 YRS	13	5.4	13	2	3	5	7	10	14	15
13-19 YRS	65	7.1	90	1	1	4	7	21	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2334	1.6	4	< 1	1	1	2	3	3	7
B. Operated	13	2.5	2	1	2	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	4910	2.7	17	1	1	2	3	5	8	23
B. Operated	106	6.5	70	1	2	4	6	17	25	44
1. SINGLE DX	2347	1.6	4	< 1	1	1	2	3	3	7
2. MULTIPLE DX	5016	2.8	19	1	1	2	3	5	8	24
A. Not Operated	7244	2.4	13	< 1	1	1	2	4	6	19
B. Operated	119	6.1	64	1	2	3	6	15	24	42
TOTAL										
0-27 DYS	4	3.3	15	1	1	2	5	9	9	9
1-11 MOS	186	2.5	31	1	1	1	2	4	7	35
1-5 YRS	2055	1.5	3	1	1	1	2	3	3	6
6-12 YRS	432	2.4	6	1	1	2	3	4	6	16
13-19 YRS	4686	2.8	19	< 1	1	2	3	5	8	25
GRAND TOTAL	**7363**	**2.4**	**14**	**1**	**1**	**1**	**2**	**4**	**7**	**21**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	70	1.5	1	< 1	1	1	2	3	3	6
1-5 YRS	887	2.6	5	1	1	1	5	6	6	9
6-12 YRS	119	1.9	3	1	1	1	2	4	5	8
13-19 YRS	163	1.6	1	< 1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	21	2.7	5	1	1	2	3	7	7	7
6-12 YRS	3	5.3	12	2	3	5	8	9	9	9
13-19 YRS	5	3.8	3	2	3	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	66	2.8	9	1	1	1	4	6	9	15
1-5 YRS	644	3.1	8	1	1	2	5	6	8	13
6-12 YRS	80	4.3	85	< 1	1	2	3	7	14	55
13-19 YRS	240	2.7	23	< 1	1	1	3	5	8	28
B. Operated										
0-27 DYS	0									
1-11 MOS	5	6.2	19	2	2	6	10	12	12	12
1-5 YRS	39	11.7	317	1	2	4	10	45	58	66
6-12 YRS	8	3.9	5	1	2	4	5	7	8	8
13-19 YRS	23	8.3	57	1	2	7	13	20	23	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1241	2.3	4	< 1	1	1	3	5	6	8
B. Operated	32	3.0	5	1	1	2	5	7	7	9
2. MULTIPLE DX										
A. Not Operated	1032	3.1	18	1	1	2	4	6	8	16
B. Operated	75	9.4	189	1	2	4	10	22	48	64
1. SINGLE DX	1273	2.3	4	< 1	1	1	3	5	6	8
2. MULTIPLE DX	1107	3.5	32	1	1	2	5	7	10	28
A. Not Operated	2273	2.7	11	1	1	1	4	6	7	13
B. Operated	107	7.5	142	1	2	3	7	19	29	62
TOTAL										
0-27 DYS	4	2.0	4	< 1	< 1	1	3	5	5	5
1-11 MOS	144	2.3	6	< 1	1	1	2	5	7	12
1-5 YRS	1591	3.0	16	1	1	2	5	6	7	14
6-12 YRS	210	2.9	35	1	1	1	3	5	7	41
13-19 YRS	431	2.6	18	< 1	1	1	3	5	8	22
GRAND TOTAL	**2380**	**2.9**	**17**	**1**	**1**	**1**	**4**	**6**	**7**	**17**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	3.6	7	< 1	1	2	6	7	7	7
1-11 MOS	69	1.9	3	1	1	1	2	5	6	7
1-5 YRS	277	1.4	1	1	1	1	2	2	3	5
6-12 YRS	106	1.7	3	1	1	1	2	3	4	11
13-19 YRS	114	1.6	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	6.0	50	1	1	6	11	11	11	11
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.5	15	2	2	3	7	11	14	14
1-11 MOS	159	3.4	17	1	1	2	4	8	10	38
1-5 YRS	382	2.8	14	1	1	2	3	6	9	20
6-12 YRS	172	2.4	7	1	1	2	3	4	6	12
13-19 YRS	211	2.6	11	1	1	2	3	5	7	14
B. Operated										
0-27 DYS	2	17.0	72	11	11	17	23	23	23	23
1-11 MOS	21	12.3	186	2	4	7	15	35	48	50
1-5 YRS	35	16.3	415	1	4	9	38	99 +	99 +	99 +
6-12 YRS	28	12.8	321	1	2	4	17	39	51	75
13-19 YRS	26	9.4	336	1	1	3	8	24	50	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	573	1.6	2	1	1	1	2	3	4	7
B. Operated	4	4.0	22	1	1	2	7	11	11	11
2. MULTIPLE DX										
A. Not Operated	935	2.8	13	1	1	2	3	6	9	17
B. Operated	112	13.1	322	1	2	5	18	50	83	99 +
1. SINGLE DX	577	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX	1047	3.9	56	1	1	2	4	8	13	57
A. Not Operated	1508	2.4	9	1	1	1	3	5	7	14
B. Operated	116	12.8	314	1	2	5	18	49	80	99 +
TOTAL										
0-27 DYS	20	5.5	30	1	2	3	7	12	18	23
1-11 MOS	250	3.7	33	1	1	2	4	8	11	46
1-5 YRS	696	3.0	39	1	1	1	3	5	10	63
6-12 YRS	307	3.1	43	1	1	2	3	5	8	38
13-19 YRS	351	2.8	35	1	1	1	3	5	7	25
GRAND TOTAL	**1624**	**3.1**	**38**	**1**	**1**	**2**	**3**	**6**	**10**	**42**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	21	3.0	7	1	1	2	3	5	9	13
1-5 YRS	81	3.0	10	< 1	1	2	3	8	12	14
6-12 YRS	60	2.7	7	1	1	2	3	5	10	14
13-19 YRS	50	4.8	48	1	1	3	6	10	17	41
B. Operated										
0-27 DYS	4	5.8	30	3	3	3	9	14	14	14
1-11 MOS	153	4.1	15	1	2	3	4	8	14	20
1-5 YRS	413	3.0	8	1	2	2	3	5	8	15
6-12 YRS	468	3.2	11	1	1	2	3	6	7	18
13-19 YRS	324	3.6	27	1	1	2	4	6	10	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	4.0	8	2	2	3	6	8	8	8
1-11 MOS	146	6.7	53	1	2	4	9	13	20	39
1-5 YRS	589	6.3	32	1	2	5	9	14	16	26
6-12 YRS	362	5.7	30	1	2	4	8	13	17	24
13-19 YRS	300	5.8	32	1	2	4	8	13	17	31
B. Operated										
0-27 DYS	20	11.6	94	2	4	8	18	23	31	39
1-11 MOS	699	8.9	115	2	2	5	12	22	30	87
1-5 YRS	1545	8.3	119	1	2	4	10	20	31	68
6-12 YRS	1482	6.5	63	1	2	4	8	16	23	38
13-19 YRS	1255	6.9	72	1	2	4	8	16	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	3.4	18	1	1	2	3	7	11	20
B. Operated	1362	3.3	15	1	2	2	4	6	10	19
2. MULTIPLE DX										
A. Not Operated	1401	6.1	34	1	2	4	8	13	17	27
B. Operated	5001	7.5	91	1	2	4	9	18	26	54
1. SINGLE DX	1576	3.3	15	1	1	2	4	6	10	19
2. MULTIPLE DX	6402	7.2	79	1	2	4	9	17	24	50
A. Not Operated	1615	5.7	32	1	2	4	8	13	16	27
B. Operated	6363	6.6	78	1	2	3	7	16	23	50
TOTAL										
0-27 DYS	30	9.1	78	2	3	5	13	22	23	39
1-11 MOS	1019	7.8	92	1	2	4	10	20	25	60
1-5 YRS	2628	6.9	83	1	2	4	8	16	23	54
6-12 YRS	2372	5.6	48	1	2	3	6	13	19	33
13-19 YRS	1929	6.1	59	1	2	4	7	14	21	44
GRAND TOTAL	**7978**	**6.4**	**69**	**1**	**2**	**4**	**7**	**15**	**22**	**47**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	95	1.3	1	< 1	1	1	1	2	3	5
6-12 YRS	140	1.2		< 1	1	1	1	2	2	3
13-19 YRS	109	1.6	1	< 1	1	1	2	3	5	7
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.6	1	< 1	1	1	2	3	3	3
1-5 YRS	113	1.3		< 1	1	1	1	2	3	4
6-12 YRS	143	1.5	1	1	1	1	2	3	3	6
13-19 YRS	131	1.5	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	3.0	7	1	1	2	4	8	8	8
1-11 MOS	6	3.2	7	1	1	2	4	8	8	8
1-5 YRS	55	1.9	2	1	1	1	2	4	5	6
6-12 YRS	65	2.0	3	1	1	1	2	4	5	9
13-19 YRS	60	2.4	4	< 1	1	2	3	5	7	10
B. Operated										
0-27 DYS	4	8.8	61	3	3	6	14	20	20	20
1-11 MOS	5	1.4		< 1	1	1	2	2	2	2
1-5 YRS	98	2.4	12	1	1	1	2	4	8	23
6-12 YRS	127	2.2	10	1	1	1	2	4	6	18
13-19 YRS	104	2.5	12	1	1	1	3	6	8	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	1.3	1	< 1	1	1	1	2	3	5
B. Operated	394	1.4	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	192	2.2	3	1	1	2	2	4	6	9
B. Operated	338	2.4	12	1	1	1	2	5	8	22
1. SINGLE DX	744	1.4	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	530	2.3	9	1	1	1	2	4	7	20
A. Not Operated	542	1.6	2	< 1	1	1	2	3	4	7
B. Operated	732	1.9	6	1	1	1	2	3	5	14
TOTAL										
0-27 DYS	14	4.1	27	1	1	2	4	9	18	20
1-11 MOS	20	2.0	3	< 1	1	2	2	4	6	8
1-5 YRS	361	1.7	4	< 1	1	1	2	3	4	9
6-12 YRS	475	1.7	3	< 1	1	1	2	3	4	11
13-19 YRS	404	1.9	5	< 1	1	1	2	3	6	10
GRAND TOTAL	**1274**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**	**10**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	4.7	4	3	3	4	6	7	7	7
1-11 MOS	26	3.7	13	1	2	2	5	7	10	18
1-5 YRS	45	3.5	5	1	2	3	5	7	8	10
6-12 YRS	37	4.6	10	2	3	3	6	9	12	14
13-19 YRS	70	4.0	6	2	2	4	5	7	9	15
B. Operated										
0-27 DYS	0									
1-11 MOS	10	3.6	5	1	2	3	5	7	9	9
1-5 YRS	28	3.9	17	1	2	2	5	8	13	20
6-12 YRS	41	5.0	13	1	2	4	8	10	13	14
13-19 YRS	54	5.6	10	2	3	5	8	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	20	3.4	6	1	1	3	4	7	9	10
1-11 MOS	67	4.6	11	1	2	4	6	10	11	15
1-5 YRS	91	4.1	9	1	2	3	5	8	10	16
6-12 YRS	58	5.1	14	1	3	4	7	10	11	21
13-19 YRS	116	5.4	41	2	3	4	6	10	12	38
B. Operated										
0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	53	9.5	98	2	4	7	12	18	27	54
1-5 YRS	72	10.4	132	2	3	6	13	28	39	91
6-12 YRS	92	9.9	60	2	4	8	13	20	28	36
13-19 YRS	145	10.2	155	3	4	7	10	21	29	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	4.0	8	1	2	3	5	7	9	15
B. Operated	133	4.9	12	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	352	4.8	21	1	2	4	6	9	11	18
B. Operated	364	10.1	116	2	4	7	12	21	31	69
1. SINGLE DX	314	4.4	10	1	2	3	6	8	10	15
2. MULTIPLE DX	716	7.5	76	2	3	5	9	15	23	61
A. Not Operated	533	4.5	16	1	2	4	6	8	11	17
B. Operated	497	8.7	94	2	3	6	10	18	27	66
TOTAL										
0-27 DYS	25	4.3	13	1	2	3	5	10	12	15
1-11 MOS	156	6.1	46	1	2	4	7	13	17	44
1-5 YRS	236	5.9	55	1	2	4	6	12	20	47
6-12 YRS	228	6.9	37	2	3	5	9	14	18	32
13-19 YRS	385	7.0	80	2	3	5	8	12	20	66
GRAND TOTAL	**1030**	**6.5**	**58**	**2**	**3**	**4**	**8**	**13**	**18**	**45**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	15	2.3	2	1	1	2	3	4	5	5
1-5 YRS	25	3.8	31	1	1	2	3	6	20	24
6-12 YRS	13	2.3	4	1	1	2	3	5	7	8
13-19 YRS	21	3.0	4	1	2	2	4	5	8	10
B. Operated										
0-27 DYS	1	1.0	-	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	21	4.1	12	1	1	3	6	9	11	12
1-5 YRS	66	2.5	5	< 1	1	2	3	4	8	10
6-12 YRS	41	3.0	9	1	1	2	4	7	10	13
13-19 YRS	41	2.9	4	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	7.8	66	1	2	3	14	23	24	25
1-11 MOS	71	4.3	17	1	2	3	6	10	13	19
1-5 YRS	253	2.9	8	1	1	2	3	6	9	15
6-12 YRS	188	2.7	6	1	1	2	3	5	8	13
13-19 YRS	166	3.5	13	1	2	2	4	7	9	21
B. Operated										
0-27 DYS	10	5.3	17	1	1	5	8	11	12	12
1-11 MOS	152	6.8	102	1	1	4	8	16	22	85
1-5 YRS	503	4.0	36	1	1	2	4	9	16	36
6-12 YRS	396	3.6	47	1	1	1	3	9	15	29
13-19 YRS	416	3.5	27	1	1	1	4	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.0	13	1	1	2	3	5	7	23
B. Operated	170	2.9	7	< 1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	693	3.2	11	1	1	2	4	7	10	18
B. Operated	1477	4.0	44	1	1	1	4	10	16	32
1. SINGLE DX	246	2.9	8	1	1	2	4	6	8	13
2. MULTIPLE DX	2170	3.8	34	1	1	2	4	9	14	29
A. Not Operated	769	3.2	11	1	1	2	4	7	9	19
B. Operated	1647	3.9	40	1	1	1	4	10	15	30
TOTAL										
0-27 DYS	28	6.3	43	1	2	3	8	16	23	25
1-11 MOS	259	5.6	68	1	1	3	6	12	18	57
1-5 YRS	847	3.5	25	1	1	2	4	8	12	24
6-12 YRS	638	3.3	32	1	1	1	3	8	12	26
13-19 YRS	644	3.4	21	1	1	2	4	7	12	24
GRAND TOTAL	**2416**	**3.7**	**31**	**1**	**1**	**2**	**4**	**8**	**13**	**27**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	1.6	1	1	1	1	2	3	4	4
1-5 YRS	30	1.8	1	1	1	2	2	3	4	6
6-12 YRS	14	2.0	2	1	1	2	2	4	6	6
13-19 YRS	16	1.8	1	1	1	2	2	4	4	4
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	28	2.5	3	1	1	2	3	6	6	7
1-5 YRS	83	2.7	5	1	1	2	3	5	6	14
6-12 YRS	75	2.0	6	< 1	< 1	< 1	2	4	6	15
13-19 YRS	31	4.8	25	< 1	1	4	5	12	17	22
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	3.7	3	1	3	4	5	6	6	6
6-12 YRS	7	18.0	647	1	3	7	25	63	71	71
13-19 YRS	8	10.1	33	4	6	9	12	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	1.8	1	1	1	2	2	3	4	6
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	219	2.7	9	< 1	1	2	3	5	8	16
B. Operated	22	10.7	229	2	4	6	10	25	47	71
1. SINGLE DX	77	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX	241	3.4	33	< 1	1	2	4	7	11	23
A. Not Operated	295	2.5	7	< 1	1	2	3	5	6	15
B. Operated	23	10.3	223	1	3	6	10	24	45	71
TOTAL										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	44	2.3	3	1	1	2	3	5	6	7
1-5 YRS	119	2.5	4	1	1	2	3	5	6	14
6-12 YRS	96	3.2	63	< 1	< 1	1	2	6	8	53
13-19 YRS	55	4.7	26	1	1	3	5	12	16	22
GRAND TOTAL	**318**	**3.0**	**26**	**< 1**	**1**	**2**	**3**	**6**	**9**	**22**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5	2.0	1	1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	7	2.3	1	1	2	2	3	3	3	3
1. SINGLE DX	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX	7	2.3	1	1	2	2	3	3	3	3
A. Not Operated	0									
B. Operated	12	1.8	1	< 1	< 1	1	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	10	1.5	1	< 1	< 1	1	2	3	3	3
GRAND TOTAL	**12**	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**	**3**

411: Single liveborn, without cesarean section delivery, born in hospital (V30.00; V39.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	2	29.5	13	27	27	29	32	32	32	32
1500-1749	2	8.5	1	8	8	8	9	9	9	9
1750-2499	2460	2.0	1	1	1	2	2	3	4	6
2500 +	169625	1.9	1	1	1	2	2	3	3	4
B. Operated										
1-999 G	0									
1000-1499	1	85.0		85	85	92	99 +	99 +	99 +	99 +
1500-1749	1	92.0		92	92	92	92	92	92	92
1750-2499	2	3.0	8	< 1	< 1	2	5	5	5	5
2500 +	53	3.2	21	1	2	2	3	5	7	33
2. MULTIPLE DX										
A. Not Operated										
1-999 G	51	69.9	371	42	64	79	93	99 +	99 +	99 +
1000-1499	354	37.4	198	20	27	36	47	55	63	99 +
1500-1749	515	23.3	101	13	17	21	28	36	44	62
1750-2499	8329	5.6	33	2	2	3	7	13	17	28
2500 +	101390	2.5	4	1	2	2	3	4	5	10
B. Operated										
1-999 G	158	75.9	209	62	73	92	99 +	99 +	99 +	99 +
1000-1499	329	50.2	323	30	38	51	68	90	99 +	99 +
1500-1749	195	30.8	203	17	22	28	37	44	65	98
1750-2499	685	16.6	164	5	9	14	22	33	45	99 +
2500 +	1881	7.7	81	2	2	5	9	15	25	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172089	1.9	1	1	1	2	2	3	3	4
B. Operated	57	6.2	271	1	2	2	4	8	89	99 +
2. MULTIPLE DX										
A. Not Operated	110639	2.9	16	1	2	2	3	5	7	19
B. Operated	3248	18.6	475	2	4	10	28	68	95	99 +
1. SINGLE DX	172146	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	113887	3.4	35	1	2	2	3	5	9	34
A. Not Operated	282728	2.3	7	1	2	2	2	3	4	11
B. Operated	3305	18.4	474	2	4	10	28	68	95	99 +
TOTAL										
1-999 G	209	74.4	253	60	71	87	99 +	99 +	99 +	99 +
1000-1499	686	43.6	301	24	32	42	55	75	97	99 +
1500-1749	713	25.4	146	14	18	23	30	40	47	85
1750-2499	11476	5.5	44	1	2	3	7	14	18	32
2500 +	272949	2.1	2	1	2	2	2	3	4	8
GRAND TOTAL	**286033**	**2.5**	**15**	**1**	**2**	**2**	**2**	**3**	**5**	**16**

412: Twin or multiple liveborn, without cesarean section delivery, born in hospital (V31.00; V32.00; V33.00; V34.00; V35.00; V36.00; V37.00)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	242	2.8	3	1	2	2	3	4	6	12
2500 +	1024	2.5	1	1	2	2	3	4	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	7	65.0	544	34	51	80	90	99 +	99 +	99 +
1000-1499	75	35.4	226	18	24	36	45	54	68	95
1500-1749	95	22.3	87	13	16	21	26	33	43	56
1750-2499	1072	7.1	39	2	3	5	10	16	19	28
2500 +	883	3.6	8	2	2	3	4	6	9	15
B. Operated										
1-999 G	13	69.5	293	57	69	99 +	99 +	99 +	99 +	99 +
1000-1499	70	50.4	270	30	40	47	68	81	84	99 +
1500-1749	43	32.3	212	20	24	30	41	56	92	99 +
1750-2499	90	19.4	128	7	12	18	24	33	38	65
2500 +	41	10.1	290	2	3	6	9	18	45	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1266	2.5	2	1	2	2	3	4	4	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2132	7.5	90	2	2	4	9	18	25	50
B. Operated	257	31.1	506	5	15	28	52	84	99 +	99 +
1. SINGLE DX	1266	2.5	2	1	2	2	3	4	4	6
2. MULTIPLE DX	2389	10.1	188	2	2	4	12	26	43	95
A. Not Operated	3398	5.7	63	2	2	3	5	13	20	43
B. Operated	257	31.1	506	5	15	28	52	84	99 +	99 +
TOTAL										
1-999 G	20	68.0	362	53	68	90	99 +	99 +	99 +	99 +
1000-1499	145	42.6	302	22	29	42	53	71	82	99 +
1500-1749	138	25.4	146	13	18	23	30	43	54	99 +
1750-2499	1404	7.2	51	2	2	4	10	17	21	35
2500 +	1948	3.1	11	2	2	2	3	5	7	13
GRAND TOTAL	**3655**	**7.5**	**136**	**2**	**2**	**3**	**7**	**20**	**33**	**81**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	30	2.1	1	1	2	2	2	3	4	4
2500 +	541	1.9	1	1	1	2	2	3	4	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	55.3	872	25	33	57	77	84	84	84
1000-1499	9	37.7	335	16	29	33	46	65	73	73
1500-1749	14	20.5	60	11	14	20	28	31	33	34
1750-2499	109	7.1	53	2	2	5	10	15	17	38
2500 +	393	3.4	14	1	2	2	4	6	9	16
B. Operated										
1-999 G	3	78.7	210	65	79	96	99 +	99 +	99 +	99 +
1000-1499	9	40.2	275	24	30	36	46	68	74	74
1500-1749	4	23.3	41	15	18	24	28	30	30	30
1750-2499	2	7.5	41	3	3	7	12	12	12	12
2500 +	14	10.2	155	3	4	7	10	17	44	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	1.9	1	1	1	2	2	3	4	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	528	5.5	73	1	2	3	5	13	18	48
B. Operated	32	26.5	617	4	8	22	49	93	99 +	99 +
1. SINGLE DX	571	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	560	6.7	127	1	2	3	6	15	29	78
A. Not Operated	1099	3.6	39	1	1	2	3	7	13	32
B. Operated	32	26.5	617	4	8	22	49	93	99 +	99 +
TOTAL										
1-999 G	6	67.0	596	38	62	84	99 +	99 +	99 +	99 +
1000-1499	18	38.9	289	23	29	34	43	69	74	74
1500-1749	18	21.1	55	12	15	21	28	31	33	34
1750-2499	141	6.0	45	2	2	3	8	13	17	29
2500 +	948	2.7	10	1	1	2	3	4	7	14
GRAND TOTAL	**1131**	**4.3**	**69**	**1**	**2**	**2**	**3**	**8**	**15**	**56**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	36	1.2		< 1	< 1	1	1	2	3	3
6-12 YRS	141	1.5	2	< 1	1	1	2	2	3	7
13-19 YRS	391	1.4	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	4	5.5	70	< 1	< 1	1	10	18	18	18
6-12 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
13-19 YRS	9	2.3	4	< 1	< 1	1	3	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	130	1.5	3	< 1	1	1	1	3	3	7
6-12 YRS	277	1.8	4	< 1	1	1	2	3	4	10
13-19 YRS	316	2.1	11	< 1	1	1	2	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	569	1.4	1	< 1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	18	2.8	17	< 1	< 1	1	3	6	13	18
B. Operated	724	1.9	7	< 1	1	1	2	3	5	10
1. SINGLE DX	580	1.4	1	< 1	1	1	2	2	3	4
2. MULTIPLE DX	742	1.9	7	< 1	1	1	2	3	5	11
A. Not Operated	29	2.1	11	< 1	< 1	1	2	4	7	18
B. Operated	1293	1.7	4	< 1	1	1	2	3	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	172	1.5	4	< 1	< 1	1	1	3	3	15
6-12 YRS	427	1.7	4	< 1	1	1	2	3	4	9
13-19 YRS	720	1.7	5	< 1	1	1	2	3	4	8
GRAND TOTAL	**1322**	**1.7**	**4**	**< 1**	**1**	**1**	**2**	**3**	**4**	**8**

415: Admission for dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	92	1.3	1	1	1	1	1	2	3	8
13-19 YRS	5	1.2		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.7	8	5	5	5	9	10	10	10
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	15	2.3	10	< 1	< 1	< 1	1	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	99	1.5	3	1	1	1	1	2	4	12
B. Operated	20	3.2	11	< 1	< 1	1	5	10	10	10
1. SINGLE DX	0									
2. MULTIPLE DX	119	1.8	5	1	1	1	1	3	7	12
A. Not Operated	99	1.5	3	1	1	1	1	2	4	12
B. Operated	20	3.2	11	< 1	< 1	1	5	10	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	8.8	23	5	5	8	12	15	15	15
6-12 YRS	94	1.4	2	1	1	1	1	2	4	8
13-19 YRS	20	2.0	8	< 1	< 1	1	1	6	10	10
GRAND TOTAL	**119**	**1.8**	**5**	**1**	**1**	**1**	**1**	**3**	**7**	**12**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	34	3.0	2	1	2	2	4	5	6	6
6-12 YRS	42	3.1	4	1	2	3	4	6	7	11
13-19 YRS	33	3.6	2	2	3	4	5	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	302	3.9	14	1	2	3	5	6	8	23
1-5 YRS	3617	3.1	4	1	2	3	4	5	6	9
6-12 YRS	3605	3.1	5	1	2	3	4	5	6	9
13-19 YRS	3495	3.2	6	1	2	3	4	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	35	6.0	48	2	2	4	7	9	15	41
1-5 YRS	312	6.0	39	2	3	5	6	10	18	35
6-12 YRS	237	6.0	63	1	3	4	6	10	22	45
13-19 YRS	237	6.5	99	2	2	4	6	11	22	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.2	3	1	2	3	5	5	6	9
B. Operated	5	4.2		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	11020	3.1	6	1	2	3	4	5	6	10
B. Operated	821	6.1	64	2	3	4	6	10	19	42
1. SINGLE DX	116	3.3	3	1	2	3	4	5	6	8
2. MULTIPLE DX	11841	3.4	10	1	2	3	5	5	6	14
A. Not Operated	11131	3.1	6	1	2	3	4	5	6	10
B. Operated	826	6.1	63	2	3	4	6	10	19	42
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	339	4.1	18	1	2	3	5	7	9	23
1-5 YRS	3964	3.3	8	1	2	3	5	6	6	13
6-12 YRS	3888	3.3	9	1	2	3	4	5	6	12
13-19 YRS	3765	3.4	13	1	2	3	5	5	6	14
GRAND TOTAL	**11957**	**3.4**	**10**	**1**	**2**	**3**	**5**	**5**	**6**	**14**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	182	2.7	7	1	1	2	3	4	7	16
1-11 MOS	418	2.6	16	< 1	1	2	3	4	5	34
1-5 YRS	420	1.7	8	< 1	< 1	1	1	3	3	14
6-12 YRS	288	2.3	26	< 1	1	1	2	4	7	46
13-19 YRS	441	1.9	11	< 1	< 1	1	2	3	4	19
B. Operated										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	143	4.4	9	< 1	1	5	7	8	9	11
1-5 YRS	238	2.6	7	< 1	< 1	1	4	6	7	11
6-12 YRS	152	2.5	7	< 1	1	1	2	6	8	13
13-19 YRS	205	3.7	8	< 1	1	2	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	250	4.9	33	1	2	3	5	12	18	33
1-11 MOS	597	3.0	25	< 1	1	2	3	5	9	30
1-5 YRS	1102	3.8	72	< 1	1	1	2	6	24	44
6-12 YRS	1004	4.5	84	< 1	1	1	3	11	26	58
13-19 YRS	1123	7.1	210	< 1	< 1	1	5	24	45	99 +
B. Operated										
0-27 DYS	11	8.0	44	2	3	5	14	18	21	21
1-11 MOS	410	6.0	33	1	1	6	8	12	17	79
1-5 YRS	869	4.1	47	1	1	2	6	8	12	93
6-12 YRS	488	4.0	69	1	1	1	4	9	19	99 +
13-19 YRS	550	6.4	167	1	1	2	6	19	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1749	2.2	14	< 1	1	1	2	4	5	22
B. Operated	740	3.2	8	< 1	1	2	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	4076	4.8	106	< 1	1	1	3	12	27	73
B. Operated	2328	5.0	78	1	1	2	6	10	21	99 +
1. SINGLE DX	2489	2.5	12	< 1	1	1	3	6	7	15
2. MULTIPLE DX	6404	4.9	96	< 1	1	2	4	11	25	91
A. Not Operated	5825	4.0	80	< 1	1	1	3	8	20	62
B. Operated	3068	4.5	62	< 1	1	2	6	9	15	99 +
TOTAL										
0-27 DYS	445	4.1	24	1	2	3	4	10	16	30
1-11 MOS	1568	3.8	25	< 1	1	2	5	8	11	30
1-5 YRS	2629	3.4	48	< 1	1	1	3	7	11	44
6-12 YRS	1932	3.9	66	< 1	1	1	3	8	18	60
13-19 YRS	2319	5.6	148	< 1	1	1	4	14	36	99 +
GRAND TOTAL	**8893**	**4.2**	**74**	**<1**	**1**	**1**	**4**	**9**	**18**	**70**

418: Single liveborn, with cesarean section delivery, born in hospital (V30.01; V39.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	1	8.0		8	8	8	8	8	8	8
1750-2499	492	3.7	1	3	3	4	4	5	6	7
2500 +	34397	3.7	1	3	3	4	4	5	5	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	26	4.3	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
1-999 G	62	67.6	312	45	56	72	88	99 +	99 +	99 +
1000-1499	296	37.8	256	18	27	37	47	59	67	90
1500-1749	327	22.8	112	12	16	21	28	35	42	62
1750-2499	2941	7.8	41	3	4	5	10	16	20	31
2500 +	33643	4.2	4	3	3	4	4	5	7	11
B. Operated										
1-999 G	151	74.4	257	57	69	87	99 +	99 +	99 +	99 +
1000-1499	332	50.3	290	29	39	51	64	82	99 +	99 +
1500-1749	152	33.0	240	18	23	30	40	59	88	99 +
1750-2499	446	17.4	161	5	8	15	24	33	48	99 +
2500 +	1139	9.5	109	3	4	6	10	20	32	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34890	3.7	1	3	3	4	4	5	5	7
B. Operated	26	4.3	2	3	3	4	5	8	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	37269	5.0	29	3	3	4	5	7	10	30
B. Operated	2220	23.2	564	4	6	14	40	75	99	99 +
1. SINGLE DX	34916	3.7	1	3	3	4	4	5	5	7
2. MULTIPLE DX	39489	6.0	77	3	3	4	5	8	17	63
A. Not Operated	72159	4.4	16	3	3	4	4	5	7	20
B. Operated	2246	23.0	561	4	6	13	40	75	99	99 +
TOTAL										
1-999 G	213	72.4	281	54	67	82	99 +	99 +	99 +	99 +
1000-1499	628	44.4	313	23	32	44	58	72	87	99 +
1500-1749	480	26.0	175	13	18	23	32	42	54	99 +
1750-2499	3879	8.4	62	3	4	5	11	18	24	41
2500 +	69205	4.0	5	3	3	4	4	5	6	11
GRAND TOTAL	**74405**	**4.9**	**43**	**3**	**3**	**4**	**4**	**6**	**9**	**43**

419: Twin or multiple liveborn, with cesarean section delivery, born in hospital (V31.01; V32.01; V33.01; V34.01; V35.01; V36.01; V37.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	237	4.3	2	3	4	4	5	6	6	12
2500 +	1048	4.2	1	3	4	4	5	5	6	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	19	62.3	128	51	56	64	75	99 +	99 +	99 +
1000-1499	101	35.8	224	18	24	33	47	58	63	72
1500-1749	140	24.0	107	13	17	22	29	36	41	59
1750-2499	1260	8.1	33	4	4	6	11	16	19	27
2500 +	1155	4.9	18	3	4	4	5	6	9	15
B. Operated										
1-999 G	53	73.7	240	54	67	81	99 +	99 +	99 +	99 +
1000-1499	119	48.5	314	26	36	49	61	76	85	99 +
1500-1749	65	33.2	198	14	26	31	44	53	58	96
1750-2499	114	21.9	217	8	11	19	28	47	56	99 +
2500 +	33	11.2	92	4	5	9	13	26	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1285	4.2	1	3	4	4	5	5	6	8
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2675	9.0	105	3	4	5	10	19	30	59
B. Operated	384	38.3	588	9	19	37	60	86	99 +	99 +
1. SINGLE DX	1286	4.2	1	3	4	4	5	5	6	8
2. MULTIPLE DX	3059	12.7	260	3	4	5	14	36	54	97
A. Not Operated	3960	7.4	77	3	4	4	6	15	24	51
B. Operated	385	38.2	589	9	19	37	60	86	99 +	99 +
TOTAL										
1-999 G	72	70.7	234	53	60	78	97	99 +	99 +	99 +
1000-1499	220	42.7	311	23	30	41	55	68	76	99 +
1500-1749	205	26.9	154	13	18	26	34	44	51	75
1750-2499	1611	8.5	57	3	4	5	11	17	22	41
2500 +	2237	4.6	12	3	4	4	5	6	8	15
GRAND TOTAL	**4345**	**10.1**	**198**	**3**	**4**	**5**	**9**	**26**	**46**	**87**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6234	2.9	11	1	2	2	3	5	7	15
1-11 MOS	14541	2.9	10	< 1	1	2	4	6	8	15
1-5 YRS	26635	2.8	13	< 1	1	1	3	6	8	19
6-12 YRS	28372	3.0	15	1	1	2	3	6	8	22
13-19 YRS	69809	2.6	8	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-27 DYS	22858	12.8	320	2	3	5	17	49	84	99 +
1-11 MOS	29151	7.1	99	1	2	4	8	16	26	83
1-5 YRS	49316	5.6	69	1	1	3	6	13	20	48
6-12 YRS	38390	6.1	80	1	1	3	7	14	23	51
13-19 YRS	84441	4.9	50	1	2	3	5	10	16	41
TOTAL SINGLE DX	145591	2.7	11	1	1	2	3	5	7	16
TOTAL MULTIPLE DX	224156	6.4	98	1	2	3	7	15	25	76
TOTAL										
0-27 DYS	29092	10.6	270	1	2	4	12	39	72	99 +
1-11 MOS	43692	5.7	73	1	1	3	6	13	21	61
1-5 YRS	75951	4.6	51	1	1	2	5	10	16	39
6-12 YRS	66762	4.8	55	1	1	2	5	10	17	41
13-19 YRS	154250	3.9	33	1	2	2	4	7	11	31
GRAND TOTAL	**369747**	**4.9**	**67**	**1**	**1**	**2**	**5**	**10**	**18**	**56**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	57	4.1	17	1	1	3	5	11	12	23
1-5 YRS	136	6.1	26	1	2	5	9	13	17	24
6-12 YRS	194	6.2	19	2	3	5	8	11	16	24
13-19 YRS	102	7.0	27	2	4	6	8	12	20	26
2. MULTIPLE DX										
0-27 DYS	12	18.3	275	4	6	17	49	99+	99+	99+
1-11 MOS	217	12.1	160	2	4	8	17	29	42	85
1-5 YRS	502	11.6	169	2	4	8	14	25	37	79
6-12 YRS	452	12.0	182	2	4	8	15	31	48	99+
13-19 YRS	356	13.9	194	3	6	10	17	32	46	99
TOTAL SINGLE DX	490	6.1	25	1	3	5	8	12	16	25
TOTAL MULTIPLE DX	1539	12.4	179	2	4	8	16	30	45	99+
TOTAL										
0-27 DYS	13	19.2	263	4	6	21	49	99+	99+	99+
1-11 MOS	274	10.4	141	1	3	6	14	25	37	79
1-5 YRS	638	10.5	144	1	3	7	13	23	34	70
6-12 YRS	646	10.3	140	2	4	7	12	21	42	99
13-19 YRS	458	12.4	166	3	5	8	15	26	42	87
GRAND TOTAL	**2029**	**10.9**	**149**	**2**	**4**	**7**	**13**	**24**	**40**	**87**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	122	4.5	11	2	3	4	5	7	8	20
1-5 YRS	58	5.5	13	3	3	5	7	9	14	20
6-12 YRS	69	5.2	10	2	3	4	6	9	11	17
13-19 YRS	50	5.9	12	3	4	5	7	10	10	23
2. MULTIPLE DX										
0-27 DYS	11	16.1	193	5	7	10	24	38	47	48
1-11 MOS	109	10.8	166	3	4	6	14	24	41	86
1-5 YRS	112	13.1	187	3	5	8	18	28	49	88
6-12 YRS	138	11.7	171	3	4	7	14	31	55	99+
13-19 YRS	161	16.6	257	4	6	12	22	46	62	99+
TOTAL SINGLE DX	301	5.1	12	2	3	4	6	8	10	19
TOTAL MULTIPLE DX	531	13.4	204	3	5	8	17	35	54	99+
TOTAL										
0-27 DYS	13	14.7	177	3	6	10	21	35	46	48
1-11 MOS	231	7.5	94	2	3	5	7	15	25	71
1-5 YRS	170	10.5	141	3	4	6	13	24	38	76
6-12 YRS	207	9.6	127	3	4	6	11	23	39	99+
13-19 YRS	211	14.1	220	3	5	8	18	41	59	99+
GRAND TOTAL	**832**	**10.4**	**151**	**3**	**4**	**6**	**12**	**25**	**42**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	10	2.1	1	1	1	2	3	4	5	5
1-11 MOS	456	3.6	2	2	3	3	5	5	6	8
1-5 YRS	180	4.0	5	1	2	3	5	7	8	12
6-12 YRS	121	3.9	4	2	2	3	5	6	7	13
13-19 YRS	47	4.3	16	1	2	3	6	7	8	27
2. MULTIPLE DX										
0-27 DYS	7	5.1	24	1	2	4	12	74	99+	99+
1-11 MOS	234	4.7	6	2	3	4	6	7	9	14
1-5 YRS	182	6.7	54	2	3	5	7	13	18	61
6-12 YRS	142	6.1	33	2	3	4	7	12	16	37
13-19 YRS	135	9.8	146	2	3	6	10	25	31	67
TOTAL SINGLE DX	814	3.8	4	2	2	3	5	6	7	10
TOTAL MULTIPLE DX	700	6.5	54	2	3	5	7	12	18	42
TOTAL										
0-27 DYS	17	3.4	12	1	1	2	5	12	65	99+
1-11 MOS	690	4.0	4	2	3	4	5	6	7	11
1-5 YRS	362	5.3	32	2	3	4	6	9	13	34
6-12 YRS	263	5.1	21	2	3	4	6	8	13	25
13-19 YRS	182	8.4	118	1	3	5	8	22	30	65
GRAND TOTAL	**1514**	**5.0**	**29**	**2**	**3**	**4**	**6**	**8**	**12**	**31**

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	33	4.4	9	2	2	4	6	9	12	13
1-11 MOS	268	4.0	13	2	2	3	4	7	9	21
1-5 YRS	115	3.6	10	1	2	3	4	7	10	18
6-12 YRS	85	3.3	8	1	1	3	4	6	9	16
13-19 YRS	61	5.2	24	2	2	3	6	11	16	24
2. MULTIPLE DX										
0-27 DYS	155	27.6	664	4	10	32	93	99+	99+	99+
1-11 MOS	452	10.8	188	2	3	5	14	28	45	99+
1-5 YRS	338	10.1	168	2	3	5	12	25	40	99+
6-12 YRS	209	9.7	133	2	3	5	12	26	37	83
13-19 YRS	140	14.2	246	3	4	8	20	41	59	99+
TOTAL SINGLE DX	562	4.0	13	1	2	3	4	7	10	21
TOTAL MULTIPLE DX	1294	12.8	268	2	3	7	18	47	92	99+
TOTAL										
0-27 DYS	188	23.5	626	3	6	19	78	99+	99+	99+
1-11 MOS	720	8.3	134	2	2	4	9	21	32	88
1-5 YRS	453	8.4	137	2	2	4	9	22	33	78
6-12 YRS	294	7.8	105	1	2	4	9	20	29	72
13-19 YRS	201	11.5	196	2	3	6	14	31	50	99+
GRAND TOTAL	**1856**	**10.1**	**207**	**2**	**3**	**5**	**12**	**32**	**65**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	8	5.0	16	2	3	3	6	12	14	14
1-11 MOS	138	3.8	12	1	2	3	4	7	12	20
1-5 YRS	330	3.1	9	1	2	2	3	5	8	21
6-12 YRS	331	3.2	11	1	2	2	3	6	7	20
13-19 YRS	149	5.2	69	1	2	3	4	13	18	54
2. MULTIPLE DX										
0-27 DYS	30	18.0	466	3	5	12	22	65	94	99+
1-11 MOS	522	8.1	103	2	2	4	9	20	29	58
1-5 YRS	902	6.9	82	1	2	4	7	16	24	44
6-12 YRS	890	5.9	56	1	2	3	6	14	21	40
13-19 YRS	540	7.3	78	2	2	4	8	18	25	53
TOTAL SINGLE DX	956	3.6	20	1	2	2	4	6	11	21
TOTAL MULTIPLE DX	2884	7.0	83	1	2	4	7	17	25	50
TOTAL										
0-27 DYS	38	15.3	398	3	4	9	18	53	83	99+
1-11 MOS	660	7.2	87	1	2	4	8	18	25	51
1-5 YRS	1232	5.9	66	1	2	3	6	14	22	39
6-12 YRS	1221	5.2	45	1	2	3	5	11	19	37
13-19 YRS	689	6.9	77	1	2	4	7	16	24	53
GRAND TOTAL	3840	6.1	70	1	2	3	6	14	22	48

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	3.9	4	2	2	3	5	7	7	7
1-5 YRS	23	8.6	40	3	4	7	14	16	22	25
6-12 YRS	25	8.2	21	3	4	7	13	15	16	17
13-19 YRS	30	5.7	11	2	4	5	7	9	9	20
2. MULTIPLE DX										
0-27 DYS	7	7.4	27	4	5	5	7	17	19	19
1-11 MOS	35	8.6	74	3	5	6	10	13	24	50
1-5 YRS	54	10.9	266	3	4	7	10	21	72	99+
6-12 YRS	61	9.4	76	4	4	8	11	15	17	57
13-19 YRS	91	12.1	148	3	5	8	15	22	37	70
TOTAL SINGLE DX	87	7.0	23	2	4	6	8	15	16	24
TOTAL MULTIPLE DX	248	10.6	143	3	5	7	12	19	28	86
TOTAL										
0-27 DYS	8	7.0	25	4	4	5	7	16	19	19
1-11 MOS	43	7.7	64	3	4	6	8	12	19	50
1-5 YRS	77	10.2	199	3	4	7	10	20	28	97
6-12 YRS	86	9.1	60	4	4	7	12	15	17	53
13-19 YRS	121	10.5	122	3	4	7	12	20	27	65
GRAND TOTAL	335	9.6	114	3	4	7	11	17	24	77

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	23	11.2	43	4	6	11	13	22	26	29
1-11 MOS	33	6.7	37	2	4	5	7	11	25	29
1-5 YRS	139	10.5	49	4	6	8	12	24	26	30
6-12 YRS	107	10.0	44	3	6	8	13	19	24	35
13-19 YRS	60	8.5	37	2	4	7	11	17	22	25
2. MULTIPLE DX										
0-27 DYS	121	19.7	191	5	11	16	25	40	54	79
1-11 MOS	111	8.0	53	3	4	6	9	16	20	41
1-5 YRS	283	9.3	67	3	5	7	10	21	25	61
6-12 YRS	256	10.1	93	4	5	7	10	23	31	53
13-19 YRS	211	11.3	116	3	5	8	14	22	33	63
TOTAL SINGLE DX	362	9.7	46	3	5	8	11	21	25	30
TOTAL MULTIPLE DX	982	11.1	110	3	5	7	13	24	33	61
TOTAL										
0-27 DYS	144	18.4	177	5	10	15	23	39	53	72
1-11 MOS	144	7.7	50	3	4	5	8	16	22	36
1-5 YRS	422	9.7	62	3	5	7	11	23	25	50
6-12 YRS	363	10.1	79	4	5	7	11	22	30	53
13-19 YRS	271	10.7	100	3	5	8	13	21	29	53
GRAND TOTAL	1344	10.7	93	3	5	8	13	23	30	55

508: Excision or destruction of iesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	7.2	115	1	3	3	4	26	29	29
1-5 YRS	6	2.7	5	<1	1	2	5	6	6	6
6-12 YRS	23	3.0	7	1	1	2	4	6	9	12
13-19 YRS	20	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	16.0	392	2	2	16	30	30	30	30
1-5 YRS	18	4.7	10	<1	2	4	9	9	10	10
6-12 YRS	25	6.5	86	1	1	3	5	23	27	38
13-19 YRS	27	6.0	44	1	2	3	8	15	24	26
TOTAL SINGLE DX	55	3.1	17	1	1	2	4	6	7	28
TOTAL MULTIPLE DX	72	6.1	57	1	2	3	8	16	24	36
TOTAL										
0-27 DYS	0									
1-11 MOS	8	9.4	155	1	2	3	16	30	30	30
1-5 YRS	24	4.2	10	<1	1	3	6	9	10	10
6-12 YRS	48	4.9	51	1	1	2	4	13	23	38
13-19 YRS	47	4.4	30	1	1	3	4	11	16	26
GRAND TOTAL	127	4.8	42	1	1	3	5	11	23	32

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	4.3	17	1	1	3	7	9	9	9
1-5 YRS	34	1.2		<1	<1	<1	1	1	4	5
6-12 YRS	46	1.8	1	<1	<1	1	2	4	5	7
13-19 YRS	60	2.0	2	<1	1	1	2	5	6	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	6.8	21	1	3	7	10	11	11	11
1-5 YRS	32	2.6	2	1	1	2	4	5	6	99+
6-12 YRS	62	2.6	15	1	1	1	2	5	9	24
13-19 YRS	165	3.6	43	1	1	2	3	6	12	48
TOTAL SINGLE DX	143	1.8	2	<1	<1	1	2	4	6	7
TOTAL MULTIPLE DX	263	3.3	32	1	1	2	3	6	11	48
TOTAL										
0-27 DYS	0									
1-11 MOS	7	5.7	18	1	2	5	10	11	11	11
1-5 YRS	66	1.9	2	<1	<1	1	2	5	5	84
6-12 YRS	108	2.2	10	<1	1	1	2	4	7	20
13-19 YRS	225	3.2	33	1	1	2	3	6	8	34
GRAND TOTAL	406	2.8	22	<1	1	1	3	5	8	26

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	6.5	27	2	3	5	10	14	14	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	6	7.0	14	1	5	7	10	12	12	12
TOTAL SINGLE DX	5	6.0	22	2	3	5	7	14	14	14
TOTAL MULTIPLE DX	7	6.6	14	2	4	7	9	12	12	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	10	6.8	17	1	5	6	10	13	14	14
GRAND TOTAL	12	6.3	15	2	4	5	9	13	14	14

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	5	3.2	3	1	2	3	4	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	4	4.5	27	<1	<1	2	8	12	12	12
13-19 YRS	13	7.5	41	1	3	5	9	19	21	22
TOTAL SINGLE DX	6	6.0	50	1	2	3	6	19	20	20
TOTAL MULTIPLE DX	19	6.7	35	<1	3	5	9	16	20	22
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	5	7.6	68	<1	<1	4	14	20	20	20
13-19 YRS	18	6.3	34	1	3	5	8	16	20	22
GRAND TOTAL	25	6.6	36	1	2	5	8	18	20	22

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	7	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	35	2.4	2	1	1	2	3	6	6	6
13-19 YRS	138	2.0	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	13	3.5	8	1	2	3	4	7	11	12
13-19 YRS	76	2.4	1	1	2	2	3	4	5	8
TOTAL SINGLE DX	182	2.1	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	93	2.6	3	1	2	2	3	4	5	11
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0	2	< 1	< 1	1	3	3	3	3
1-5 YRS	10	1.8	2	< 1	1	1	2	4	5	5
6-12 YRS	48	2.7	4	1	2	2	3	6	6	12
13-19 YRS	214	2.2	1	1	1	2	3	3	4	7
GRAND TOTAL	**275**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**5**	**8**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	15	1.7		1	1	1	3	3	3	3
1-5 YRS	193	1.3		1	1	1	1	2	2	4
6-12 YRS	113	1.4		1	1	1	2	2	4	5
13-19 YRS	59	2.1	4	1	1	1	2	4	8	11
2. MULTIPLE DX										
0-27 DYS	1	40.0		40	40	40	40	40	40	40
1-11 MOS	6	5.0	22	1	1	4	7	12	13	13
1-5 YRS	44	3.0	19	1	1	2	3	5	13	22
6-12 YRS	22	2.5	5	1	1	2	2	7	9	10
13-19 YRS	28	5.6	31	1	2	4	8	11	16	27
TOTAL SINGLE DX	380	1.5	1	1	1	1	2	2	3	7
TOTAL MULTIPLE DX	101	4.1	34	1	1	2	5	10	14	33
TOTAL										
0-27 DYS	1	40.0		40	40	40	40	40	40	40
1-11 MOS	21	2.7	8	1	1	2	3	6	10	13
1-5 YRS	237	1.6	5	1	1	1	2	2	4	11
6-12 YRS	135	1.6	2	1	1	1	2	2	4	8
13-19 YRS	87	3.2	16	1	1	2	4	9	11	23
GRAND TOTAL	**481**	**2.0**	**9**	**1**	**1**	**1**	**2**	**4**	**6**	**14**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	16	5.0	3	3	4	5	6	8	9	9
6-12 YRS	20	8.1	153	3	4	5	7	9	35	60
13-19 YRS	21	5.9	2	4	5	6	7	8	8	8
2. MULTIPLE DX										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	18	10.6	118	4	5	6	11	23	38	47
1-5 YRS	60	11.4	75	5	6	9	15	24	29	95
6-12 YRS	29	9.1	19	4	6	9	11	16	20	20
13-19 YRS	44	12.7	191	5	6	8	12	25	46	74
TOTAL SINGLE DX	61	6.4	52	3	4	5	7	8	9	54
TOTAL MULTIPLE DX	153	11.2	102	4	6	8	12	21	29	73
TOTAL										
0-27 DYS	4	7.0	3	5	6	7	8	9	9	9
1-11 MOS	20	10.2	108	4	5	6	11	22	36	47
1-5 YRS	76	10.1	67	4	5	7	12	21	28	87
6-12 YRS	49	8.7	73	4	5	7	9	14	20	60
13-19 YRS	65	10.5	140	4	5	7	11	14	34	71
GRAND TOTAL	**214**	**9.8**	**92**	**4**	**5**	**7**	**11**	**20**	**27**	**65**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	21	1.0		<1	<1	<1	<1	1	1	1
1-5 YRS	30	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	23	1.1		<1	<1	<1	<1	1	2	3
13-19 YRS	10	1.4	1	<1	<1	<1	<1	3	5	5
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	15	2.0	6	<1	<1	<1	1	6	9	10
6-12 YRS	11	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	6	2.8	1	2	2	2	4	5	5	5
TOTAL SINGLE DX	84	1.1		<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	35	2.0	4	<1	<1	1	2	5	6	10
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	23	1.0		<1	<1	<1	<1	1	1	1
1-5 YRS	45	1.4	2	<1	<1	<1	<1	1	3	10
6-12 YRS	34	1.3	1	<1	<1	<1	1	2	4	5
13-19 YRS	16	1.9	2	<1	<1	1	2	5	5	5
GRAND TOTAL	119	1.4	1	<1	<1	<1	1	2	4	7

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.6	4	<1	<1	1	1	4	8	8
1-5 YRS	124	1.1		<1	<1	1	1	1	2	3
6-12 YRS	57	1.3		<1	<1	1	1	2	3	4
13-19 YRS	26	1.8	2	<1	1	1	2	4	6	8
2. MULTIPLE DX										
0-27 DYS	2	11.0	162	2	2	11	20	20	20	20
1-11 MOS	14	1.8	1	1	1	1	3	3	4	4
1-5 YRS	111	1.9	5	<1	1	1	2	4	5	13
6-12 YRS	106	3.0	47	<1	1	2	3	5	7	40
13-19 YRS	183	3.8	51	1	1	2	4	7	12	40
TOTAL SINGLE DX	219	1.3	1	<1	<1	1	1	2	2	7
TOTAL MULTIPLE DX	416	3.1	37	1	1	2	3	5	9	26
TOTAL										
0-27 DYS	3	8.0	108	2	2	2	16	20	20	20
1-11 MOS	25	1.7	2	<1	1	1	2	3	5	8
1-5 YRS	235	1.5	3	<1	<1	1	1	3	4	9
6-12 YRS	163	2.4	31	<1	1	1	2	4	6	16
13-19 YRS	209	3.6	46	1	1	2	3	7	10	36
GRAND TOTAL	635	2.5	25	<1	1	1	2	4	7	20

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	5	1.0		1	1	1	1	1	1	1
1-5 YRS	29	1.2		<1	1	1	1	2	2	2
6-12 YRS	19	1.4	2	<1	1	1	1	2	5	7
13-19 YRS	5	2.8	16	1	1	1	4	10	10	10
2. MULTIPLE DX										
0-27 DYS	5	3.6	5	1	2	3	5	7	7	7
1-11 MOS	4	7.5	68	1	1	5	13	19	19	19
1-5 YRS	25	2.3	5	<1	1	1	3	5	8	9
6-12 YRS	19	1.4	1	<1	<1	1	1	2	5	7
13-19 YRS	16	2.4	3	<1	1	2	4	5	6	6
TOTAL SINGLE DX	61	1.4	2	<1	1	1	1	2	3	10
TOTAL MULTIPLE DX	69	2.4	8	<1	1	1	3	6	8	17
TOTAL										
0-27 DYS	8	3.0	4	1	2	3	4	6	7	7
1-11 MOS	9	3.9	37	1	1	1	3	15	19	19
1-5 YRS	54	1.7	3	<1	1	1	2	4	5	9
6-12 YRS	38	1.4	2	<1	1	1	1	2	5	7
13-19 YRS	21	2.5	6	<1	1	1	4	6	8	10
GRAND TOTAL	130	2.0	6	<1	1	1	2	4	7	12

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	3.3	32	<1	<1	1	1	14	15	15
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	4.3	6	2	2	4	6	7	7	7
1-5 YRS	9	3.9	25	<1	1	1	5	12	16	16
6-12 YRS	4	7.5	152	<1	<1	1	14	26	26	26
13-19 YRS	3	6.3	85	1	1	1	13	17	17	17
TOTAL SINGLE DX	10	2.4	20	<1	<1	1	1	8	15	15
TOTAL MULTIPLE DX	19	5.1	49	<1	1	2	7	21	63	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	3	4.3	6	2	2	4	6	7	7	7
1-5 YRS	15	3.7	26	<1	<1	1	4	15	16	16
6-12 YRS	6	5.3	103	<1	<1	1	2	24	26	26
13-19 YRS	5	4.2	51	<1	<1	1	5	17	17	17
GRAND TOTAL	29	4.2	40	<1	<1	1	5	16	26	99+

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	1.4		1	1	1	2	2	2	2
1-5 YRS	5	2.4	7	1	1	1	3	7	7	7
6-12 YRS	7	2.1	2	1	1	2	3	5	5	5
13-19 YRS	11	2.7	22	<1	1	1	2	9	16	17
2. MULTIPLE DX										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	11	1.5	2	1	1	1	1	4	6	6
1-5 YRS	18	2.1	14	1	1	1	1	3	11	17
6-12 YRS	14	2.1	3	1	1	2	3	4	7	8
13-19 YRS	21	1.7		1	1	2	2	3	3	3
TOTAL SINGLE DX	35	2.1	8	1	1	1	2	3	6	17
TOTAL MULTIPLE DX	67	1.8	5	1	1	1	2	3	4	15
TOTAL										
0-27 DYS	4	1.0		<1	<1	1	1	1	1	1
1-11 MOS	22	1.5	1	1	1	1	2	2	4	6
1-5 YRS	23	2.2	12	1	1	1	2	4	10	17
6-12 YRS	21	2.1	3	1	1	2	3	4	6	8
13-19 YRS	32	2.0	8	1	1	1	2	3	3	17
GRAND TOTAL	**102**	**1.9**	**6**	**1**	**1**	**1**	**2**	**3**	**5**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	4.3	1	3	3	5	5	5	5	5
1-5 YRS	62	3.1	3	<1	2	3	4	5	6	11
6-12 YRS	55	3.0	3	1	2	3	4	5	7	8
13-19 YRS	22	2.5	1	<1	1	2	4	4	5	5
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	4.0	9	<1	2	4	8	73	99+	99+
1-5 YRS	60	4.1	7	1	2	4	5	7	9	15
6-12 YRS	61	4.5	6	1	3	4	6	8	10	14
13-19 YRS	56	3.5	3	1	2	3	5	6	7	8
TOTAL SINGLE DX	144	3.0	3	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	185	4.1	6	1	2	4	5	8	9	15
TOTAL										
0-27 DYS	3	5.0	19	2	2	3	8	10	10	10
1-11 MOS	10	4.1	7	1	3	5	5	46	95	99+
1-5 YRS	122	3.6	6	1	2	3	5	6	8	13
6-12 YRS	116	3.8	6	1	2	3	5	7	8	12
13-19 YRS	78	3.2	3	1	2	3	4	6	6	8
GRAND TOTAL	**329**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**8**	**12**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	1.3		1	1	1	2	2	3	3
1-11 MOS	63	1.4	1	<1	<1	1	1	2	4	6
1-5 YRS	21	1.1		<1	<1	1	1	2	2	3
6-12 YRS	12	1.2		<1	<1	1	1	2	2	2
13-19 YRS	13	3.0	4	<1	1	2	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	6	13.8	789	1	1	2	7	65	71	71
1-11 MOS	29	2.5	27	<1	1	1	1	5	9	28
1-5 YRS	19	1.4	2	1	1	1	1	1	5	8
6-12 YRS	18	2.1	3	1	1	2	2	4	6	8
13-19 YRS	17	2.8	2	1	1	2	4	5	6	6
TOTAL SINGLE DX	122	1.5	1	<1	<1	1	1	3	5	6
TOTAL MULTIPLE DX	89	3.0	64	1	1	1	2	5	8	54
TOTAL										
0-27 DYS	19	5.3	255	1	1	1	2	5	42	71
1-11 MOS	92	1.7	9	<1	<1	1	1	3	5	20
1-5 YRS	40	1.3	1	<1	1	1	1	1	2	8
6-12 YRS	30	1.7	2	<1	1	1	2	3	4	8
13-19 YRS	30	2.9	3	1	1	2	4	6	6	6
GRAND TOTAL	**211**	**2.1**	**28**	**<1**	**1**	**1**	**2**	**4**	**6**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	1.3		<1	1	1	2	2	2	2
1-5 YRS	14	3.0	5	1	1	3	3	5	9	10
6-12 YRS	13	4.2	6	2	3	4	5	7	10	11
13-19 YRS	14	3.3	9	1	1	2	4	8	11	12
2. MULTIPLE DX										
0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	8	2.3	12	<1	1	1	4	64	99+	99+
1-5 YRS	10	4.1	9	1	3	3	4	8	12	12
6-12 YRS	22	3.9	8	1	1	3	5	8	11	12
13-19 YRS	23	4.9	12	1	2	5	6	9	13	14
TOTAL SINGLE DX	49	3.1	7	1	1	3	4	6	10	12
TOTAL MULTIPLE DX	66	4.0	11	1	1	4	6	10	12	85
TOTAL										
0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	16	1.8	6	<1	1	1	2	9	69	99+
1-5 YRS	24	3.5	7	1	2	3	4	6	11	12
6-12 YRS	35	4.0	8	1	2	4	5	7	11	12
13-19 YRS	37	4.3	12	1	2	4	6	8	13	14
GRAND TOTAL	**115**	**3.6**	**9**	**1**	**1**	**3**	**5**	**8**	**12**	**43**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	1.1		<1	1	1	1	2	3	3
1-11 MOS	25	1.2		<1	<1	1	1	2	3	4
1-5 YRS	12	1.0		<1	<1	1	1	1	1	1
6-12 YRS	12	1.0		<1	<1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	7	1.0		<1	<1	1	1	1	1	1
1-11 MOS	14	2.8	16	<1	<1	1	2	7	14	16
1-5 YRS	6	3.0	10	1	1	1	6	8	8	8
6-12 YRS	8	2.0	2	<1	<1	1	2	5	6	6
13-19 YRS	4	1.3		1	1	1	2	2	2	2
TOTAL SINGLE DX	64	1.1		<1	1	1	1	1	2	4
TOTAL MULTIPLE DX	39	2.2	8	<1	1	1	2	6	7	16
TOTAL										
0-27 DYS	21	1.1		<1	1	1	1	1	2	3
1-11 MOS	39	1.8	6	<1	<1	1	1	3	5	16
1-5 YRS	18	1.7	4	<1	1	1	1	5	7	8
6-12 YRS	20	1.4	1	<1	<1	1	1	2	4	6
13-19 YRS	5	1.2		1	1	1	2	2	2	2
GRAND TOTAL	**103**	**1.5**	**3**	**<1**	**1**	**1**	**1**	**2**	**5**	**12**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	15	1.2		<1	1	1	1	2	3	3
1-11 MOS	25	1.3		<1	1	1	1	2	3	5
1-5 YRS	15	1.2		<1	<1	1	1	2	2	2
6-12 YRS	9	1.3		<1	<1	<1	1	3	3	3
13-19 YRS	8	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	18	2.6	11	1	1	1	2	7	12	14
1-11 MOS	31	2.5	39	1	1	1	1	3	5	36
1-5 YRS	22	2.0	2	1	1	1	2	4	6	7
6-12 YRS	13	2.0	7	<1	1	1	2	5	10	11
13-19 YRS	7	1.7	3	<1	1	1	1	5	6	6
TOTAL SINGLE DX	72	1.3		<1	<1	1	1	2	2	5
TOTAL MULTIPLE DX	91	2.3	17	1	1	1	2	4	7	27
TOTAL										
0-27 DYS	33	2.0	7	<1	1	1	2	4	8	14
1-11 MOS	56	1.9	22	1	1	1	1	2	4	34
1-5 YRS	37	1.7	2	<1	1	1	2	4	5	7
6-12 YRS	22	1.7	5	<1	<1	1	1	3	6	11
13-19 YRS	15	1.4	2	<1	<1	1	1	2	5	6
GRAND TOTAL	**163**	**1.8**	**10**	**<1**	**1**	**1**	**1**	**3**	**5**	**14**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	0									
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	0									
TOTAL SINGLE DX	3	1.3		1	1	1	2	2	2	2
TOTAL MULTIPLE DX	6	1.7	1	<1	1	1	2	3	3	3
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	0									
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**9**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**	**3**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	17	1.7		1	1	2	2	2	3	3
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	32	1.9	1	1	1	2	2	3	4	6
13-19 YRS	63	1.7		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	2	94.0	50	90	99	99+	99+	99+	99+	99+
1-11 MOS	49	4.7	149	1	1	1	2	7	20	73
1-5 YRS	23	2.2	1	1	1	2	3	4	5	5
6-12 YRS	39	2.0	1	1	1	2	3	4	4	4
13-19 YRS	77	2.2	2	1	1	2	3	5	6	8
TOTAL SINGLE DX	117	1.8	1	1	1	2	2	3	3	5
TOTAL MULTIPLE DX	190	3.8	128	1	1	2	3	5	14	99+
TOTAL										
0-27 DYS	2	94.0	50	90	99	99+	99+	99+	99+	99+
1-11 MOS	66	3.9	112	1	1	1	2	4	16	69
1-5 YRS	28	2.1	1	1	1	2	3	4	5	5
6-12 YRS	71	1.9	1	1	1	2	3	4	4	6
13-19 YRS	140	2.0	2	1	1	2	2	3	5	7
GRAND TOTAL	**307**	**3.0**	**80**	**1**	**1**	**2**	**2**	**4**	**6**	**99+**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	45	1.3		1	1	1	2	2	2	3
1-5 YRS	15	1.9	2	1	1	1	2	3	6	7
6-12 YRS	26	1.8	2	1	1	1	2	3	5	7
13-19 YRS	15	2.1	1	1	1	2	3	3	5	6
2. MULTIPLE DX										
0-27 DYS	6	52.5	1522	70	99+	99+	99+	99+	99+	99+
1-11 MOS	74	4.9	90	1	1	1	3	15	21	49
1-5 YRS	24	2.5	7	1	1	2	3	4	8	14
6-12 YRS	38	5.6	257	1	1	2	4	6	19	99
13-19 YRS	59	2.7	6	1	1	2	3	6	7	14
TOTAL SINGLE DX	103	1.6	1	1	1	1	2	3	3	7
TOTAL MULTIPLE DX	201	5.5	191	1	1	2	4	81	99+	99+
TOTAL										
0-27 DYS	8	39.6	1655	2	81	99+	99+	99+	99+	99+
1-11 MOS	119	3.5	59	1	1	1	2	5	15	45
1-5 YRS	39	2.3	6	1	1	2	3	4	7	14
6-12 YRS	64	4.1	156	1	1	1	3	5	10	88
13-19 YRS	74	2.6	5	1	1	2	3	6	6	13
GRAND TOTAL	304	4.2	130	1	1	2	3	15	99+	99+

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	60	1.1		<1	<1	<1	<1	1	1	5
1-5 YRS	358	1.1		<1	<1	<1	<1	1	1	2
6-12 YRS	161	1.0		<1	<1	<1	<1	1	1	1
13-19 YRS	33	1.0		<1	<1	<1	1	1	1	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	24	1.9	8	<1	<1	1	1	3	9	15
1-5 YRS	208	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	108	1.3	8	<1	<1	<1	1	1	1	15
13-19 YRS	30	1.4	1	<1	<1	1	1	2	4	7
TOTAL SINGLE DX	612	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	370	1.2	4	<1	<1	<1	1	1	2	7
TOTAL										
0-27 DYS	0									
1-11 MOS	84	1.3	3	<1	<1	<1	1	1	2	12
1-5 YRS	566	1.1		<1	<1	<1	<1	1	1	3
6-12 YRS	269	1.1	4	<1	<1	<1	1	1	1	2
13-19 YRS	63	1.2	1	<1	<1	<1	1	1	3	7
GRAND TOTAL	982	1.1	1	<1	<1	<1	<1	1	1	4

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	46	3.0	3	<1	1	3	4	6	7	8
1-5 YRS	55	3.0	10	1	1	2	5	5	7	17
6-12 YRS	33	2.4	2	1	1	2	3	4	5	8
13-19 YRS	52	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	25	5.4	29	1	1	5	6	12	17	24
1-5 YRS	64	5.5	46	1	1	4	7	10	14	44
6-12 YRS	91	5.8	77	1	1	3	7	12	16	57
13-19 YRS	95	5.2	22	1	2	4	6	11	15	24
TOTAL SINGLE DX	186	2.8	6	1	1	2	4	5	7	14
TOTAL MULTIPLE DX	275	5.5	46	1	2	4	7	11	15	36
TOTAL										
0-27 DYS	0									
1-11 MOS	71	3.9	14	1	1	3	5	7	10	22
1-5 YRS	119	4.4	31	1	1	3	5	9	13	29
6-12 YRS	124	4.9	60	1	1	3	6	11	13	47
13-19 YRS	147	4.3	17	1	2	3	5	10	12	21
GRAND TOTAL	461	4.4	32	1	1	3	5	10	13	24

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	2.6	21	<1	<1	<1	<1	7	16	18
1-5 YRS	122	1.9	2	<1	1	1	2	4	5	8
6-12 YRS	173	1.9	2	<1	1	1	2	4	5	9
13-19 YRS	54	2.5	5	<1	1	2	3	5	6	15
2. MULTIPLE DX										
0-27 DYS	118	2.9	4	1	2	2	4	5	7	13
1-11 MOS	12	5.9	23	<1	1	5	8	13	16	17
1-5 YRS	87	3.0	11	<1	1	1	4	8	12	14
6-12 YRS	149	2.5	5	1	1	2	3	5	8	12
13-19 YRS	114	3.4	21	<1	1	2	4	7	10	30
TOTAL SINGLE DX	364	2.0	4	<1	1	1	2	4	6	10
TOTAL MULTIPLE DX	480	3.0	11	1	1	2	4	6	9	15
TOTAL										
0-27 DYS	119	2.9	4	1	2	2	4	5	7	13
1-11 MOS	26	4.1	25	<1	<1	1	6	11	17	18
1-5 YRS	209	2.4	6	<1	1	1	3	5	8	13
6-12 YRS	322	2.2	4	<1	1	1	3	4	6	11
13-19 YRS	168	3.1	17	<1	1	2	4	6	8	24
GRAND TOTAL	844	2.6	8	<1	1	2	3	5	7	14

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7	1	1	1	1	5	3	3	3
6-12 YRS	18	1.2		<1	1	1	1	1	4	5
13-19 YRS	24	1.0		1	1	1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	26	1.2		1	1	1	1	2	2	3
13-19 YRS	16	1.3		<1	1	1	2	2	2	2
TOTAL SINGLE DX	45	1.2		1	1	1	1	1	2	5
TOTAL MULTIPLE DX	45	1.2		1	1	1	1	2	2	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.3	1	1	1	1	1	3	3	3
6-12 YRS	44	1.2		<1	1	1	1	2	2	5
13-19 YRS	40	1.1		1	1	1	1	2	2	2
GRAND TOTAL	90	1.2		1	1	1	1	2	2	4

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	51	1.0		<1	<1	1	1	1	1	2
6-12 YRS	246	1.0		<1	1	1	1	1	1	2
13-19 YRS	108	1.0		<1	1	1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	57	1.2	1	<1	1	1	1	1	2	9
6-12 YRS	289	1.1		<1	1	1	1	1	2	5
13-19 YRS	156	1.2	1	1	1	1	1	2	2	9
TOTAL SINGLE DX	406	1.0		<1	1	1	1	1	1	2
TOTAL MULTIPLE DX	502	1.2	1	<1	1	1	1	1	2	6
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	108	1.1	1	<1	1	1	1	1	2	5
6-12 YRS	535	1.1		<1	1	1	1	1	1	4
13-19 YRS	264	1.1	1	1	1	1	1	1	2	3
GRAND TOTAL	908	1.1		<1	1	1	1	1	2	3

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	509	1.2		<1	<1	<1	<1	<1	2	6
1-5 YRS	1353	1.1		<1	<1	<1	<1	<1	1	5
6-12 YRS	233	1.3	2	<1	<1	<1	<1	1	3	7
13-19 YRS	23	1.9	5	<1	<1	<1	1	4	7	11
2. MULTIPLE DX										
0-27 DYS	18	5.8	52	3	3	4	5	8	24	34
1-11 MOS	328	5.0	56	<1	1	3	6	11	15	78
1-5 YRS	1375	2.5	20	<1	1	1	2	6	9	22
6-12 YRS	505	1.8	7	<1	1	1	1	3	7	18
13-19 YRS	70	1.9	5	<1	1	1	2	5	5	14
TOTAL SINGLE DX	2121	1.1	1	<1	<1	<1	<1	<1	1	6
TOTAL MULTIPLE DX	2296	2.7	24	<1	1	1	3	6	9	23
TOTAL										
0-27 DYS	21	5.5	45	3	3	4	5	8	20	34
1-11 MOS	837	2.7	26	<1	<1	<1	3	6	9	24
1-5 YRS	2728	1.8	11	<1	<1	<1	1	3	6	15
6-12 YRS	738	1.7	6	<1	<1	1	1	2	6	14
13-19 YRS	93	1.9	5	<1	1	1	2	4	5	13
GRAND TOTAL	4417	2.0	13	<1	<1	<1	1	4	7	17

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	5.2	20	1	1	5	8	12	13	13
1-5 YRS	64	2.1	8	1	1	1	2	4	6	20
6-12 YRS	165	1.7	7	1	1	1	1	2	3	16
13-19 YRS	91	1.4	2	1	1	1	1	2	3	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	6.5	26	2	3	4	9	15	16	16
1-5 YRS	108	4.1	31	1	1	2	5	10	18	27
6-12 YRS	260	2.1	8	1	1	1	2	4	8	18
13-19 YRS	147	1.8	15	1	1	1	1	2	4	18
TOTAL SINGLE DX	331	1.8	7	1	1	1	1	3	5	15
TOTAL MULTIPLE DX	525	2.5	16	1	1	1	2	5	10	20
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	19	5.9	23	1	2	5	8	14	16	16
1-5 YRS	172	3.4	24	1	1	1	4	9	15	22
6-12 YRS	425	1.9	8	1	1	1	1	3	7	17
13-19 YRS	238	1.6	10	1	1	1	1	2	4	15
GRAND TOTAL	856	2.2	13	1	1	1	2	4	9	19

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	3.8	11	<1	<1	4	5	9	11	11
1-5 YRS	162	1.5	4	<1	<1	<1	1	2	6	11
6-12 YRS	134	1.4	1	<1	<1	1	1	2	3	6
13-19 YRS	58	1.4	1	1	1	1	1	2	3	7
2. MULTIPLE DX										
0-27 DYS	2	11.5	221	<1	<1	11	22	22	22	22
1-11 MOS	11	4.3	5	1	2	4	6	7	7	7
1-5 YRS	150	3.6	20	<1	<1	1	5	10	13	22
6-12 YRS	180	2.8	42	<1	1	1	1	5	9	44
13-19 YRS	99	2.0	13	<1	1	1	1	3	7	23
TOTAL SINGLE DX	363	1.5	3	<1	<1	1	1	2	4	11
TOTAL MULTIPLE DX	442	2.9	28	<1	<1	1	2	7	11	25
TOTAL										
0-27 DYS	2	11.5	221	<1	<1	11	22	22	22	22
1-11 MOS	20	4.1	7	<1	1	4	6	7	9	11
1-5 YRS	312	2.5	13	<1	<1	1	1	8	10	18
6-12 YRS	314	2.2	25	<1	<1	1	1	3	7	28
13-19 YRS	157	1.8	9	<1	1	1	1	3	6	13
GRAND TOTAL	805	2.3	18	<1	<1	1	1	5	9	21

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	1.0		1	1	1	1	1	1	1
13-19 YRS	27	1.0		1	1	1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	7.0	108	1	1	1	15	19	19	19
6-12 YRS	25	1.4	1	1	1	1	1	2	3	6
13-19 YRS	127	1.3		1	1	1	1	2	3	4
TOTAL SINGLE DX	34	1.1		1	1	1	1	1	2	4
TOTAL MULTIPLE DX	156	1.4	3	1	1	1	1	2	3	6
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	4	5.5	81	1	1	1	10	19	19	19
6-12 YRS	30	1.3	1	1	1	1	1	2	2	6
13-19 YRS	154	1.2		1	1	1	1	2	2	4
GRAND TOTAL	190	1.4	2	1	1	1	1	2	3	6

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	51	1.5		<1	1	1	2	3	3	5
6-12 YRS	48	1.8	1	1	1	1	2	4	4	8
13-19 YRS	146	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	11	22.5	646	1	6	12	30	68	77	78
1-11 MOS	10	9.3	242	2	2	2	5	36	50	50
1-5 YRS	90	1.6	1	1	1	1	2	3	4	6
6-12 YRS	149	1.7	2	1	1	1	2	3	5	7
13-19 YRS	396	1.5	2	1	1	1	1	3	4	8
TOTAL SINGLE DX	248	1.4	1	1	1	1	1	2	3	5
TOTAL MULTIPLE DX	656	2.0	23	1	1	1	2	3	5	18
TOTAL										
0-27 DYS	12	21.4	603	1	7	10	29	66	76	78
1-11 MOS	12	7.9	209	1	2	2	4	30	47	50
1-5 YRS	141	1.5	1	1	1	1	2	3	4	5
6-12 YRS	197	1.7	2	1	1	1	2	3	5	8
13-19 YRS	542	1.4	2	1	1	1	1	2	3	7
GRAND TOTAL	**904**	**1.9**	**17**	**1**	**1**	**1**	**2**	**3**	**4**	**13**

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	12	1.7	2	<1	1	1	2	4	6	6
1-5 YRS	23	1.2		<1	<1	1	1	2	3	3
6-12 YRS	28	2.3	4	<1	<1	1	3	5	7	9
13-19 YRS	15	1.9	6	<1	1	1	1	3	9	11
2. MULTIPLE DX										
0-27 DYS	3	5.3	4	3	4	6	7	7	7	7
1-11 MOS	21	5.2	49	1	1	3	6	15	24	28
1-5 YRS	34	2.9	15	<1	1	2	4	6	8	23
6-12 YRS	73	3.1	14	<1	1	1	4	9	11	21
13-19 YRS	77	3.4	22	1	1	2	4	8	11	29
TOTAL SINGLE DX	80	1.9	4	<1	1	1	2	5	6	10
TOTAL MULTIPLE DX	208	3.4	21	1	1	2	4	8	11	25
TOTAL										
0-27 DYS	5	5.6	2	3	5	6	6	7	7	7
1-11 MOS	33	3.9	35	1	1	1	4	10	19	28
1-5 YRS	57	2.2	10	<1	1	1	2	4	6	22
6-12 YRS	101	2.8	12	<1	1	1	3	7	10	18
13-19 YRS	92	3.1	20	1	1	1	3	8	11	26
GRAND TOTAL	**288**	**3.0**	**17**	**<1**	**1**	**1**	**3**	**7**	**10**	**23**

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	10	1.2		<1	<1	1	1	2	2	2
6-12 YRS	41	1.3		<1	<1	<1	1	2	3	4
13-19 YRS	79	1.4		<1	<1	1	1	3	3	5
2. MULTIPLE DX										
0-27 DYS	4	4.5	6	2	3	4	31	99+	99+	99+
1-11 MOS	11	5.0	61	1	1	2	5	14	27	28
1-5 YRS	19	2.5	6	<1	1	1	3	6	9	11
6-12 YRS	41	6.0	69	1	1	2	8	13	25	42
13-19 YRS	157	3.8	23	1	1	2	5	8	10	24
TOTAL SINGLE DX	133	1.3	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	232	4.2	32	1	1	2	5	9	12	42
TOTAL										
0-27 DYS	4	4.5	6	2	3	4	31	99+	99+	99+
1-11 MOS	14	4.2	50	1	1	2	5	8	23	28
1-5 YRS	29	2.0	5	<1	<1	1	2	4	6	11
6-12 YRS	82	3.6	40	<1	<1	1	2	10	13	37
13-19 YRS	236	3.0	17	<1	1	1	4	7	9	24
GRAND TOTAL	**365**	**3.1**	**22**	**<1**	**1**	**1**	**4**	**7**	**10**	**28**

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.5	5	1	1	2	4	6	6	6
13-19 YRS	17	1.7	3	1	1	1	2	4	7	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	17.6	461	1	2	12	27	54	54	54
6-12 YRS	19	4.6	31	1	1	2	6	15	18	20
13-19 YRS	44	4.7	60	1	1	2	3	14	20	44
TOTAL SINGLE DX	22	1.8	3	1	1	1	2	5	7	8
TOTAL MULTIPLE DX	68	5.6	87	1	1	2	5	17	20	52
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	14.8	415	1	1	7	18	50	54	54
6-12 YRS	23	4.3	27	1	1	2	5	14	17	20
13-19 YRS	61	3.9	46	1	1	2	3	8	18	41
GRAND TOTAL	**90**	**4.7**	**69**	**1**	**1**	**2**	**4**	**14**	**19**	**50**

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	3.5	13	<1	1	2	6	9	9	9
1-5 YRS	121	1.2		<1	1	1	1	1	3	5
6-12 YRS	128	1.7	4	<1	1	1	1	3	6	13
13-19 YRS	84	2.8	14	<1	1	1	3	6	12	20
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	6.2	64	1	1	3	9	18	27	27
1-5 YRS	226	3.6	30	<1	1	1	5	9	12	45
6-12 YRS	270	4.1	38	1	1	1	5	10	14	47
13-19 YRS	276	5.4	63	1	1	2	7	14	17	40
TOTAL SINGLE DX	337	1.8	6	<1	1	1	1	3	6	14
TOTAL MULTIPLE DX	782	4.4	46	1	1	1	6	11	15	43
TOTAL										
0-27 DYS	0									
1-11 MOS	14	5.4	49	1	1	2	9	11	23	27
1-5 YRS	347	2.8	22	<1	1	1	2	7	11	29
6-12 YRS	398	3.3	29	<1	1	1	4	9	12	29
13-19 YRS	360	4.8	53	1	1	2	6	13	17	39
GRAND TOTAL	1119	3.7	35	<1	1	1	4	9	14	32

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	45	1.6	2	<1	<1	<1	<1	4	4	9
6-12 YRS	32	1.7	2	<1	<1	<1	2	4	5	8
13-19 YRS	56	1.6	4	<1	<1	<1	1	2	4	14
2. MULTIPLE DX										
0-27 DYS	10	4.8	17	1	2	4	5	12	14	14
1-11 MOS	4	3.3	4	1	2	3	5	6	6	6
1-5 YRS	174	2.7	8	<1	1	2	3	6	8	15
6-12 YRS	188	3.4	27	<1	1	2	4	7	14	37
13-19 YRS	162	3.2	42	<1	1	1	3	6	8	39
TOTAL SINGLE DX	134	1.6	3	<1	<1	<1	1	3	5	10
TOTAL MULTIPLE DX	538	3.1	25	<1	1	2	3	6	10	25
TOTAL										
0-27 DYS	11	4.6	16	1	2	4	5	12	14	14
1-11 MOS	4	3.3	4	1	2	3	5	6	6	6
1-5 YRS	219	2.5	7	<1	<1	1	3	5	7	15
6-12 YRS	220	3.2	24	<1	1	1	3	7	13	33
13-19 YRS	218	2.8	33	<1	1	1	2	5	8	28
GRAND TOTAL	672	2.8	21	<1	1	1	3	5	8	23

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	249	1.0		<1	<1	<1	<1	<1	<1	1
6-12 YRS	33	1.1		<1	<1	<1	<1	<1	2	2
13-19 YRS	10	1.4	1	<1	<1	<1	1	3	4	4
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	199	1.8	28	<1	<1	<1	1	2	3	22
6-12 YRS	84	2.5	37	<1	<1	<1	1	3	8	39
13-19 YRS	53	4.5	102	<1	1	1	3	12	33	98
TOTAL SINGLE DX	295	1.0		<1	<1	<1	<1	<1	<1	2
TOTAL MULTIPLE DX	339	2.4	43	<1	<1	<1	1	2	6	46
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	448	1.4	13	<1	<1	<1	<1	1	2	9
6-12 YRS	117	2.1	27	<1	<1	<1	1	2	5	34
13-19 YRS	63	4.0	87	<1	<1	1	2	6	28	94
GRAND TOTAL	634	1.8	23	<1	<1	<1	1	2	3	26

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	7	1.0		1	1	1	1	1	1	1
1-5 YRS	32	1.2		<1	<1	<1	1	1	2	6
6-12 YRS	53	1.5		<1	1	1	2	3	3	4
13-19 YRS	23	2.1	1	1	1	2	2	4	5	6
2. MULTIPLE DX										
0-27 DYS	6	2.0		1	2	2	2	3	3	3
1-11 MOS	11	1.7		1	1	1	3	3	3	3
1-5 YRS	103	1.3		<1	<1	<1	1	2	2	6
6-12 YRS	131	2.6	16	1	1	2	3	4	7	25
13-19 YRS	80	3.8	71	1	1	2	3	6	22	85
TOTAL SINGLE DX	118	1.5	1	<1	<1	1	2	2	4	6
TOTAL MULTIPLE DX	331	2.5	25	<1	1	1	2	3	6	43
TOTAL										
0-27 DYS	9	1.8		<1	1	2	2	3	3	3
1-11 MOS	18	1.4	1	1	1	1	2	3	3	3
1-5 YRS	135	1.3	1	<1	<1	<1	1	2	2	6
6-12 YRS	184	2.3	12	<1	1	2	2	4	5	17
13-19 YRS	103	3.4	56	1	1	2	3	5	7	73
GRAND TOTAL	449	2.2	19	<1	<1	1	2	3	5	40

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	8	3.5	22	1	1	2	3	11	15	15
1-5 YRS	30	2.4	2	1	1	2	3	5	6	8
6-12 YRS	67	2.2	5	1	1	1	2	4	5	15
13-19 YRS	86	1.9	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	6.8	44	1	1	6	11	17	17	17
1-5 YRS	23	3.6	14	1	1	2	5	9	12	16
6-12 YRS	64	2.9	15	1	1	2	3	5	7	24
13-19 YRS	35	3.4	31	1	1	2	3	4	21	25
TOTAL SINGLE DX	193	2.1	4	1	1	2	2	4	5	13
TOTAL MULTIPLE DX	128	3.3	21	1	1	2	3	7	11	25
TOTAL										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	13	4.8	31	1	1	2	7	15	17	17
1-5 YRS	53	2.9	8	1	1	2	4	7	9	16
6-12 YRS	131	2.5	10	1	1	2	3	5	7	22
13-19 YRS	121	2.4	11	1	1	2	2	3	5	25
GRAND TOTAL	**321**	**2.6**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**22**

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	230	2.0		1	1	2	2	3	3	5
1-5 YRS	447	2.0	1	1	1	2	2	3	4	5
6-12 YRS	162	2.1	1	1	1	2	2	3	4	6
13-19 YRS	49	2.0		1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	53.0		53	53	53	53	53	53	53
1-11 MOS	443	2.5	11	1	1	2	3	4	5	18
1-5 YRS	821	2.6	5	1	1	2	3	4	5	10
6-12 YRS	232	2.6	18	1	1	2	3	4	5	26
13-19 YRS	70	2.4	2	1	1	2	3	5	6	7
TOTAL SINGLE DX	888	2.0	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1567	2.6	11	1	1	2	3	4	5	12
TOTAL										
0-27 DYS	1	53.0		53	53	53	53	53	53	53
1-11 MOS	673	2.3	8	1	1	2	3	3	4	11
1-5 YRS	1268	2.4	4	1	1	2	3	4	5	8
6-12 YRS	394	2.4	11	1	1	2	3	4	4	8
13-19 YRS	119	2.2	2	1	1	2	3	4	5	7
GRAND TOTAL	**2455**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	3.1	19	1	1	2	3	8	15	17
1-11 MOS	624	1.8	1	1	1	1	2	4	4	6
1-5 YRS	199	1.7	2	<1	1	1	2	3	5	8
6-12 YRS	131	2.2	4	<1	1	1	3	5	7	10
13-19 YRS	59	1.7	2	<1	1	1	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	38	9.6	247	1	2	4	9	20	50	75
1-11 MOS	509	2.9	13	1	1	2	4	5	7	21
1-5 YRS	320	2.7	9	1	1	2	3	6	9	17
6-12 YRS	243	3.2	24	1	1	2	4	6	10	20
13-19 YRS	252	2.7	5	1	1	2	3	6	7	11
TOTAL SINGLE DX	1026	1.9	2	1	1	1	2	4	5	8
TOTAL MULTIPLE DX	1362	3.1	21	1	1	2	3	6	9	20
TOTAL										
0-27 DYS	51	7.9	196	1	2	2	7	19	41	75
1-11 MOS	1133	2.3	7	1	1	2	3	4	5	13
1-5 YRS	519	2.3	7	<1	1	1	2	5	7	15
6-12 YRS	374	2.8	18	1	1	2	3	6	9	17
13-19 YRS	311	2.5	5	1	1	2	3	5	7	11
GRAND TOTAL	**2388**	**2.5**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	242	1.1		<1	1	1	1	1	2	3
6-12 YRS	723	1.1		<1	1	1	1	1	2	3
13-19 YRS	1329	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	317	1.7	4	<1	1	1	1	3	6	12
6-12 YRS	511	1.3	5	<1	1	1	1	2	3	6
13-19 YRS	587	1.6	3	1	1	1	2	3	4	9
TOTAL SINGLE DX	2296	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	1417	1.5	4	<1	1	1	1	2	4	9
TOTAL										
0-27 DYS	0									
1-11 MOS	4	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	559	1.4	3	<1	1	1	1	2	3	10
6-12 YRS	1234	1.2	2	<1	1	1	1	1	2	4
13-19 YRS	1916	1.3	1	1	1	1	1	2	3	5
GRAND TOTAL	**3713**	**1.3**	**2**	**<1**	**1**	**1**	**1**	**2**	**2**	**6**

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2131	1.1		1	1	1	1	1	2	3
6-12 YRS	2509	1.0		<1	1	1	1	1	1	2
13-19 YRS	528	1.0		1	1	1	1	1	1	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	23	5.5	61	1	1	2	7	15	28	29
1-5 YRS	4448	1.5	4	1	1	1	1	2	3	11
6-12 YRS	3344	1.3	2	1	1	1	1	1	2	7
13-19 YRS	506	1.5	11	1	1	1	1	2	3	8
TOTAL SINGLE DX	5168	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	8321	1.4	4	1	1	1	1	2	3	10
TOTAL										
0-27 DYS	0									
1-11 MOS	23	5.5	61	1	1	2	7	15	28	29
1-5 YRS	6579	1.3	3	1	1	1	1	2	3	8
6-12 YRS	5853	1.2	2	1	1	1	1	1	2	4
13-19 YRS	1034	1.2	6	1	1	1	1	1	2	4
GRAND TOTAL	13489	1.3	3	1	1	1	1	1	2	7

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	10	1.1		<1	1	1	1	2	2	2
1-5 YRS	69	1.0		<1	<1	1	1	1	1	2
6-12 YRS	57	1.0		<1	<1	1	1	1	1	1
13-19 YRS	7	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	33	4.7	32	<1	1	1	7	10	14	28
1-5 YRS	448	1.8	6	<1	<1	1	1	3	8	15
6-12 YRS	186	1.5	3	<1	1	1	1	1	5	10
13-19 YRS	33	1.8	9	<1	1	1	1	3	4	18
TOTAL SINGLE DX	143	1.0		<1	<1	1	1	1	1	2
TOTAL MULTIPLE DX	700	1.9	7	<1	1	1	1	4	8	15
TOTAL										
0-27 DYS	0									
1-11 MOS	43	3.8	27	<1	1	1	6	10	12	28
1-5 YRS	517	1.7	6	<1	<1	1	1	3	7	14
6-12 YRS	243	1.4	2	<1	1	1	1	1	3	10
13-19 YRS	40	1.7	8	<1	1	1	1	2	4	18
GRAND TOTAL	843	1.7	6	<1	<1	1	1	3	7	14

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	5.5	33	1	2	3	9	14	14	14
1-11 MOS	38	2.3	5	<1	1	1	3	5	8	11
1-5 YRS	256	1.9	3	<1	1	1	2	4	6	10
6-12 YRS	274	1.8	1	1	1	1	2	3	4	7
13-19 YRS	352	2.1	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	7	17.3	448	2	3	15	17	54	63	63
1-11 MOS	34	5.3	26	1	1	4	8	13	16	20
1-5 YRS	221	4.4	78	1	1	2	4	8	12	62
6-12 YRS	211	2.5	6	1	1	1	3	5	7	15
13-19 YRS	239	3.3	26	1	1	2	3	5	8	30
TOTAL SINGLE DX	924	2.0	3	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	712	3.7	43	1	1	2	4	7	10	27
TOTAL										
0-27 DYS	11	13.0	314	2	3	5	15	36	61	63
1-11 MOS	72	3.7	17	<1	1	2	5	10	13	19
1-5 YRS	477	3.1	40	1	1	1	3	7	8	24
6-12 YRS	485	2.1	4	1	1	1	2	4	6	10
13-19 YRS	591	2.6	13	1	1	2	3	4	6	19
GRAND TOTAL	1636	2.7	21	1	1	2	3	5	7	18

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	3.7	14	1	1	2	6	8	8	8
1-11 MOS	11	3.4	12	<1	<1	1	5	9	11	11
1-5 YRS	19	1.6	2	<1	<1	1	2	3	6	8
6-12 YRS	22	1.3		<1	1	1	1	2	3	5
13-19 YRS	15	3.5	10	<1	1	2	6	8	10	11
2. MULTIPLE DX										
0-27 DYS	75	3.0	2	1	2	2	4	4	6	9
1-11 MOS	31	4.6	11	1	2	4	7	10	11	13
1-5 YRS	38	4.2	14	<1	1	3	6	10	14	15
6-12 YRS	40	5.9	91	1	1	3	6	11	25	50
13-19 YRS	33	6.9	77	1	1	3	10	16	32	35
TOTAL SINGLE DX	70	2.3	6	<1	1	1	2	7	8	11
TOTAL MULTIPLE DX	217	4.6	35	1	2	3	5	10	13	36
TOTAL										
0-27 DYS	78	3.0	3	1	2	2	4	5	7	10
1-11 MOS	42	4.3	12	1	1	4	7	9	11	13
1-5 YRS	57	3.4	12	<1	1	2	5	8	12	15
6-12 YRS	62	4.2	64	1	1	1	4	8	11	49
13-19 YRS	48	5.8	58	<1	1	3	7	14	22	35
GRAND TOTAL	287	4.0	29	1	1	2	5	8	11	35

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	3.5	6	1	1	3	6	7	7	7
1-11 MOS	52	3.2	11	<1	1	2	4	7	10	19
1-5 YRS	199	1.4	1	<1	<1	1	1	2	3	9
6-12 YRS	61	1.3	1	<1	<1	1	1	2	2	7
13-19 YRS	15	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	4	20.8	235	7	7	20	34	35	35	35
1-11 MOS	45	9.4	79	1	3	8	13	23	36	99+
1-5 YRS	143	3.4	20	1	1	2	4	8	11	27
6-12 YRS	65	3.4	27	1	1	2	3	8	13	31
13-19 YRS	26	2.7	4	<1	1	2	4	6	7	9
TOTAL SINGLE DX	333	1.7	3	<1	<1	1	1	3	5	9
TOTAL MULTIPLE DX	283	4.6	41	1	1	2	6	11	16	35
TOTAL										
0-27 DYS	10	10.4	161	1	2	6	8	34	35	35
1-11 MOS	97	6.1	52	<1	1	4	8	15	22	72
1-5 YRS	342	2.2	11	<1	1	1	2	5	8	20
6-12 YRS	126	2.4	16	<1	1	1	2	6	8	21
13-19 YRS	41	2.1	3	<1	1	1	3	5	6	9
GRAND TOTAL	616	3.0	23	<1	1	1	3	7	11	32

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	4.0	33	1	1	2	4	14	18	18
1-5 YRS	13	2.3	6	<1	1	1	2	6	9	10
6-12 YRS	15	4.4	36	<1	1	1	4	17	18	18
13-19 YRS	2	4.5	25	<1	<1	4	8	8	8	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	30	11.6	98	2	3	12	20	31	93	99+
1-5 YRS	110	5.8	98	1	1	3	6	13	37	99+
6-12 YRS	23	3.1	4	1	1	2	4	6	8	8
13-19 YRS	12	8.2	48	2	3	5	14	19	20	20
TOTAL SINGLE DX	39	3.6	23	<1	1	1	4	11	17	18
TOTAL MULTIPLE DX	175	6.6	88	1	2	3	8	19	33	99+
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	38	10.0	94	1	2	5	18	27	68	99+
1-5 YRS	123	5.5	90	1	1	2	6	11	27	99+
6-12 YRS	38	3.6	17	<1	1	2	4	8	15	18
13-19 YRS	14	7.6	44	1	2	5	14	19	20	20
GRAND TOTAL	214	6.1	78	1	1	3	7	17	25	99+

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	0									

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	95.0		95	96	99+	99+	99+	99+	99+
1-11 MOS	10	20.7	161	4	12	18	31	38	39	39
1-5 YRS	10	13.8	554	<1	2	5	13	47	79	79
6-12 YRS	3	10.3		10	10	10	11	11	11	11
13-19 YRS	5	5.0	15	1	1	6	8	10	10	10
2. MULTIPLE DX										
0-27 DYS	16	48.8	883	23	84	99+	99+	99+	99+	99+
1-11 MOS	105	33.7	585	10	19	44	99+	99+	99+	99+
1-5 YRS	83	24.9	445	6	9	23	51	99+	99+	99+
6-12 YRS	62	28.0	496	7	11	28	54	99+	99+	99+
13-19 YRS	90	29.3	421	7	13	28	51	71	99+	99+
TOTAL SINGLE DX	29	17.1	488	1	4	11	26	85	99+	99+
TOTAL MULTIPLE DX	356	30.2	529	8	14	36	96	99+	99+	99+
TOTAL										
0-27 DYS	17	51.5	954	25	94	99+	99+	99+	99+	99+
1-11 MOS	115	32.6	561	10	17	43	99+	99+	99+	99+
1-5 YRS	93	23.7	463	4	8	20	48	99+	99+	99+
6-12 YRS	65	27.2	487	7	11	26	53	99+	99+	99+
13-19 YRS	95	28.0	430	6	11	27	49	70	99+	99+
GRAND TOTAL	385	29.2	537	7	14	32	83	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	14.5	76	8	8	10	23	27	28	28
1-11 MOS	23	12.4	171	2	4	8	16	27	49	50
1-5 YRS	72	5.3	76	1	1	2	6	9	29	45
6-12 YRS	23	4.6	32	<1	1	1	6	14	18	22
13-19 YRS	16	2.1	2	1	1	2	2	5	6	7
2. MULTIPLE DX										
0-27 DYS	62	24.3	391	11	15	25	99+	99+	99+	99+
1-11 MOS	82	17.4	336	2	4	12	28	61	99+	99+
1-5 YRS	225	8.9	175	1	2	5	11	23	36	93
6-12 YRS	87	8.4	163	1	1	4	11	18	38	72
13-19 YRS	29	8.6	228	1	2	5	10	86	99+	99+
TOTAL SINGLE DX	140	6.4	87	1	1	3	7	16	25	49
TOTAL MULTIPLE DX	485	12.2	261	1	2	7	19	59	99+	99+
TOTAL										
0-27 DYS	68	23.4	370	10	15	24	99+	99+	99+	99+
1-11 MOS	105	16.3	303	2	4	11	24	57	99+	99+
1-5 YRS	297	8.0	154	1	1	4	9	19	34	88
6-12 YRS	110	7.6	138	1	1	4	10	17	22	64
13-19 YRS	45	6.3	157	1	1	3	7	26	99+	99+
GRAND TOTAL	625	10.9	228	1	2	6	16	44	99+	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	5.3	5	4	4	4	7	8	8	8
1-11 MOS	10	2.0	2	<1	1	1	4	4	4	4
1-5 YRS	22	2.4	2	<1	1	2	4	5	5	6
6-12 YRS	9	3.4	4	1	2	3	4	7	8	8
13-19 YRS	7	6.1	19	1	3	4	11	12	12	12
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	36	12.2	225	1	4	7	21	28	66	99+
1-5 YRS	84	7.6	58	4	2	5	11	16	19	44
6-12 YRS	33	9.4	67	1	3	8	13	19	23	38
13-19 YRS	43	9.1	70	2	4	6	11	21	26	38
TOTAL SINGLE DX	51	3.2	7	<1	1	3	4	6	8	12
TOTAL MULTIPLE DX	197	9.0	94	1	3	6	12	21	27	63
TOTAL										
0-27 DYS	4	5.3	4	4	4	5	6	8	8	8
1-11 MOS	46	10.0	194	1	2	6	10	27	50	99+
1-5 YRS	106	6.5	51	1	2	4	8	15	18	42
6-12 YRS	42	8.1	60	1	2	6	11	19	21	38
13-19 YRS	50	8.7	64	1	4	6	11	20	24	38
GRAND TOTAL	248	7.8	82	1	2	5	10	19	24	47

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
6-12 YRS	4	1.8	2	1	1	1	3	4	4	4
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	4	36.5	753	8	13	39	60	60	60	60
1-5 YRS	4	3.8	7	1	1	3	6	7	7	7
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	14.0	288	2	2	14	26	26	26	26
TOTAL SINGLE DX	9	1.7	2	<1	1	1	2	4	4	4
TOTAL MULTIPLE DX	12	18.8	458	2	4	8	28	60	60	60
TOTAL										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	6	24.7	788	1	1	13	60	60	60	60
1-5 YRS	7	3.0	6	<1	<1	2	5	7	7	7
6-12 YRS	5	2.8	7	1	1	1	5	7	7	7
13-19 YRS	2	14.0	288	2	2	14	26	26	26	26
GRAND TOTAL	21	11.5	328	<1	1	4	10	42	60	60

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	5.1	5	1	3	6	7	8	8	8
1-5 YRS	11	6.8	33	2	3	4	10	17	17	17
6-12 YRS	13	5.7	3	4	4	5	7	9	9	9
13-19 YRS	41	7.3	11	4	5	6	8	11	15	19
2. MULTIPLE DX										
0-27 DYS	6	10.2	15	5	9	11	58	99+	99+	99+
1-11 MOS	33	18.2	387	3	6	13	26	75	99+	99+
1-5 YRS	63	14.8	228	3	5	10	22	60	99+	99+
6-12 YRS	77	14.0	202	4	5	9	20	30	39	83
13-19 YRS	169	11.4	79	4	6	9	14	21	31	61
TOTAL SINGLE DX	72	6.7	13	3	4	6	8	11	16	19
TOTAL MULTIPLE DX	348	13.2	164	4	5	9	16	32	59	99+
TOTAL										
0-27 DYS	6	10.2	16	5	9	11	58	99+	99+	99+
1-11 MOS	40	15.9	344	3	5	10	20	71	99+	99+
1-5 YRS	74	13.6	207	3	4	9	22	51	85	99+
6-12 YRS	90	12.8	182	4	5	8	15	24	33	77
13-19 YRS	210	10.6	69	4	5	8	13	19	29	54
GRAND TOTAL	420	12.1	144	4	5	9	15	28	47	99+

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	4.5		4	4	4	5	5	5	5
1-11 MOS	4	7.3	25	3	3	6	11	14	14	14
1-5 YRS	6	5.7	4	3	4	5	8	8	8	8
6-12 YRS	7	7.0	12	4	4	7	9	12	13	13
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	5	21.0	223	7	16	18	46	95	99+	99+
1-11 MOS	8	9.6	41	4	5	8	12	21	23	23
1-5 YRS	18	11.4	38	5	8	11	15	25	68	99+
6-12 YRS	17	16.5	230	4	7	11	22	52	82	99+
13-19 YRS	36	13.7	86	5	8	11	18	29	41	99+
TOTAL SINGLE DX	21	6.2	10	3	4	5	8	11	13	14
TOTAL MULTIPLE DX	84	13.8	110	5	7	11	19	38	59	99+
TOTAL										
0-27 DYS	9	13.7	187	4	5	11	20	73	99+	99+
1-11 MOS	12	8.8	35	3	4	8	11	17	22	23
1-5 YRS	24	10.0	36	4	6	8	13	21	46	99+
6-12 YRS	24	13.7	183	4	6	10	17	49	65	99+
13-19 YRS	36	13.7	87	5	8	11	18	29	41	99+
GRAND TOTAL	105	12.3	99	4	6	9	15	29	49	99+

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	6.1	29	1	1	4	10	14	15	15
1-11 MOS	159	2.4	8	<1	1	1	2	5	8	18
1-5 YRS	401	2.0	6	<1	1	1	2	4	7	15
6-12 YRS	79	2.4	5	<1	1	1	2	6	8	12
13-19 YRS	31	3.0	7	1	1	2	4	7	10	10
2. MULTIPLE DX										
0-27 DYS	59	16.0	386	2	4	8	45	99+	99+	99+
1-11 MOS	494	9.7	187	1	2	5	11	25	51	99+
1-5 YRS	729	6.2	70	1	1	3	8	15	21	50
6-12 YRS	247	7.8	64	1	1	5	12	20	27	99+
13-19 YRS	170	11.0	166	1	3	7	14	25	38	90
TOTAL SINGLE DX	682	2.3	7	<1	1	1	2	5	8	15
TOTAL MULTIPLE DX	1699	8.3	129	1	2	4	10	21	35	99+
TOTAL										
0-27 DYS	71	14.3	339	2	3	7	32	99+	99+	99+
1-11 MOS	653	7.9	154	1	1	4	9	20	39	99+
1-5 YRS	1130	4.7	52	1	1	2	5	12	17	39
6-12 YRS	326	6.5	55	1	1	3	10	17	24	52
13-19 YRS	201	9.8	150	1	2	6	13	23	35	81
GRAND TOTAL	2381	6.5	102	1	1	3	8	17	27	98

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	17	5.2	10	2	3	4	6	11	12	12
2. MULTIPLE DX										
0-27 DYS	10	6.1	13	2	3	5	8	11	14	14
1-11 MOS	9	8.2	54	1	4	6	10	21	25	25
1-5 YRS	9	11.8	46	2	7	13	15	21	23	23
6-12 YRS	8	19.6	116	8	12	17	25	37	41	41
13-19 YRS	33	11.2	109	4	5	9	11	25	30	56
TOTAL SINGLE DX	23	5.6	13	2	3	4	9	11	12	13
TOTAL MULTIPLE DX	69	11.1	90	3	5	9	13	24	28	53
TOTAL										
0-27 DYS	11	6.5	13	2	3		9	12	14	14
1-11 MOS	10	8.7	50	1	5	6	13	19	25	25
1-5 YRS	11	10.2	50	2	3	10	14	21	23	23
6-12 YRS	10	16.9	127	5	9	15	23	34	41	41
13-19 YRS	50	9.2	83	3	4	8	10	16	28	56
GRAND TOTAL	92	9.8	76	2	4	8	11	21	27	50

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	8.0	28	2	4	10	11	12	12	12
1-11 MOS	5	4.6	30	1	1	2	7	14	14	14
1-5 YRS	17	3.2	6	<1	1	3	4	8	8	8
6-12 YRS	11	3.3	2	1	2	3	4	6	6	6
13-19 YRS	319	4.7	8	2	3	4	6	9	11	15
2. MULTIPLE DX										
0-27 DYS	137	20.1	531	4	6	10	29	69	82	99+
1-11 MOS	36	13.4	73	4	8	13	18	23	41	99+
1-5 YRS	120	12.1	107	3	5	9	14	24	35	54
6-12 YRS	108	10.2	60	3	5	8	13	20	27	39
13-19 YRS	427	7.9	54	3	4	5	9	16	21	43
TOTAL SINGLE DX	355	4.6	9	2	3	4	6	9	11	15
TOTAL MULTIPLE DX	828	11.1	161	3	4	7	13	22	39	81
TOTAL										
0-27 DYS	140	19.9	523	4	6	10	28	68	81	99+
1-11 MOS	41	12.3	76	3	6	12	17	22	39	99+
1-5 YRS	137	11.0	104	2	5	9	14	23	34	52
6-12 YRS	119	9.6	59	3	4	8	12	19	27	39
13-19 YRS	746	6.6	37	2	3	5	8	12	18	31
GRAND TOTAL	1183	9.2	124	2	4	6	10	18	30	76

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	11	5.0	25	<1	1	4	7	14	14	14
1-5 YRS	124	4.6	6	3	3	4	5	7	10	15
6-12 YRS	142	4.7	4	2	3	4	5	7	9	13
13-19 YRS	162	4.9	7	2	3	4	6	7	9	16
2. MULTIPLE DX										
0-27 DYS	10	15.2	313	3	6	10	26	76	98	99+
1-11 MOS	35	12.3	90	4	5	9	17	22	36	42
1-5 YRS	99	9.1	78	3	4	6	12	18	24	51
6-12 YRS	116	7.6	35	3	4	6	8	14	19	36
13-19 YRS	187	9.2	45	4	5	7	12	18	23	30
TOTAL SINGLE DX	441	4.7	6	2	3	4	6	7	9	14
TOTAL MULTIPLE DX	447	9.1	61	3	4	6	12	18	23	43
TOTAL										
0-27 DYS	12	13.0	283	1	4	10	17	68	94	99+
1-11 MOS	46	10.6	84	1	4	8	14	22	27	42
1-5 YRS	223	6.6	43	3	4	5	7	14	17	38
6-12 YRS	258	6.0	20	3	4	5	7	10	14	26
13-19 YRS	349	7.2	32	3	4	5	8	15	19	29
GRAND TOTAL	**888**	**6.9**	**39**	**3**	**4**	**5**	**8**	**14**	**18**	**35**

570: Open heart operations (33.6; 35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	18	7.8	22	2	3	8	12	13	16	18
1-11 MOS	153	6.9	10	1	6	7	8	10	12	17
1-5 YRS	484	5.6	9	2	4	6	7	8	10	15
6-12 YRS	190	5.3	4	2	4	5	6	7	8	10
13-19 YRS	67	4.9	4	1	4	5	6	7	8	9
2. MULTIPLE DX										
0-27 DYS	235	20.6	255	8	10	16	27	55	99+	99+
1-11 MOS	1340	14.0	147	6	7	10	16	29	42	99+
1-5 YRS	1807	10.9	98	5	6	8	12	21	31	73
6-12 YRS	588	10.0	66	5	6	8	11	18	25	45
13-19 YRS	257	10.6	114	4	6	7	11	21	36	84
TOTAL SINGLE DX	912	5.8	9	2	4	6	7	9	10	16
TOTAL MULTIPLE DX	4227	12.3	126	5	6	9	14	25	38	96
TOTAL										
0-27 DYS	253	19.7	249	7	10	15	25	52	86	99+
1-11 MOS	1493	13.3	139	6	7	9	15	27	40	99
1-5 YRS	2291	9.8	84	4	6	7	10	18	26	62
6-12 YRS	778	8.9	55	4	5	7	10	16	22	40
13-19 YRS	324	9.4	97	2	5	7	9	19	32	66
GRAND TOTAL	**5139**	**11.1**	**111**	**5**	**6**	**8**	**12**	**22**	**34**	**83**

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	7.0	108	1	1	1	15	19	19	19
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
TOTAL SINGLE DX	7	2.1	7	1	1	1	2	7	8	8
TOTAL MULTIPLE DX	10	4.7	31	1	1	2	7	13	19	19
TOTAL										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	4	7.3	72	1	1	5	13	19	19	19
6-12 YRS	5	1.0		1	1	1	1	1	1	1
13-19 YRS	4	3.5	9	1	1	3	6	7	7	7
GRAND TOTAL	**17**	**3.6**	**22**	**1**	**1**	**1**	**5**	**8**	**15**	**19**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	8.0		8	8	8	8	8	8	8
TOTAL SINGLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL MULTIPLE DX	3	12.3	56	8	8	8	18	21	21	21
TOTAL										
0-27 DYS	0									
1-11 MOS	2	14.0	98	7	7	14	21	21	21	21
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**4**	**11.0**	**45**	**7**	**7**	**8**	**15**	**21**	**21**	**21**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	4.8	14	1	2	4	7	10	13	13
1-11 MOS	209	1.7	2	<1	1	1	2	2	5	9
1-5 YRS	454	1.4		<1	1	1	2	2	2	7
6-12 YRS	194	1.5	2	<1	1	1	1	2	5	8
13-19 YRS	147	1.6	2	<1	1	1	1	2	4	8
2. MULTIPLE DX										
0-27 DYS	76	11.7	216	1	2	6	15	27	46	78
1-11 MOS	968	3.8	56	<1	1	2	2	9	15	49
1-5 YRS	1422	2.1	10	<1	1	1	2	3	6	18
6-12 YRS	585	2.4	29	<1	1	1	2	3	8	24
13-19 YRS	333	2.9	17	1	1	1	2	7	12	20
TOTAL SINGLE DX	1016	1.6	2	<1	1	1	2	2	4	9
TOTAL MULTIPLE DX	3384	2.9	34	<1	1	1	2	6	11	29
TOTAL										
0-27 DYS	88	10.7	194	1	2	6	13	25	43	74
1-11 MOS	1177	3.4	48	<1	1	1	2	8	13	41
1-5 YRS	1876	1.9	8	<1	1	1	2	3	5	16
6-12 YRS	779	2.2	23	<1	1	1	2	3	6	20
13-19 YRS	480	2.5	13	<1	1	1	2	5	9	20
GRAND TOTAL	4400	2.6	27	<1	1	1	2	5	9	26

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	11.0	20	5	7	12	14	15	15	15
1-11 MOS	4	4.5		4	4	4	5	5	5	5
1-5 YRS	16	3.8	4	1	2	3	5	6	8	9
6-12 YRS	34	3.8	6	2	2	3	4	6	9	14
13-19 YRS	28	2.2	2	1	1	2	3	3	5	8
2. MULTIPLE DX										
0-27 DYS	8	9.6	16	4	7	9	12	15	16	16
1-11 MOS	19	11.4	147	3	4	9	13	22	42	55
1-5 YRS	83	6.8	71	2	3	4	7	15	29	85
6-12 YRS	111	5.6	44	1	2	3	6	13	17	38
13-19 YRS	116	5.5	70	1	2	3	6	10	19	52
TOTAL SINGLE DX	86	3.6	8	1	2	3	5	6	10	15
TOTAL MULTIPLE DX	337	6.3	66	1	2	4	7	13	22	55
TOTAL										
0-27 DYS	12	10.1	17	4	7	10	14	15	16	16
1-11 MOS	23	10.2	128	3	4	5	13	17	36	55
1-5 YRS	99	6.3	62	2	3	4	6	11	25	77
6-12 YRS	145	5.1	36	1	2	3	6	13	15	31
13-19 YRS	144	4.8	59	1	2	3	5	8	12	45
GRAND TOTAL	423	5.7	56	1	2	4	6	12	18	51

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	15	4.9	11	1	2	4	7	10	12	13
1-5 YRS	51	5.4	30	<1	1	4	7	10	18	26
6-12 YRS	33	3.3	6	<1	1	2	5	7	9	10
13-19 YRS	66	4.3	16	<1	1	3	7	9	10	23
2. MULTIPLE DX										
0-27 DYS	11	15.6	64	8	9	14	18	29	34	34
1-11 MOS	60	12.3	192	2	6	8	14	27	51	98
1-5 YRS	175	7.1	104	1	2	5	8	14	19	68
6-12 YRS	103	6.6	59	1	2	5	8	13	17	46
13-19 YRS	150	7.1	47	2	3	6	8	13	21	44
TOTAL SINGLE DX	167	4.5	19	<1	1	3	6	9	11	24
TOTAL MULTIPLE DX	499	7.8	91	1	2	6	9	15	22	59
TOTAL										
0-27 DYS	13	14.5	62	7	9	13	17	27	33	34
1-11 MOS	75	10.8	164	2	4	8	12	23	44	96
1-5 YRS	226	6.7	88	1	2	4	8	14	19	45
6-12 YRS	136	5.8	48	<1	2	4	7	11	16	33
13-19 YRS	216	6.2	39	1	2	5	8	12	15	33
GRAND TOTAL	666	7.0	75	1	2	5	8	14	19	49

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	773	2.4	1	2	2	2	3	4	5	6
1-11 MOS	153	3.5	71	<1	1	1	3	6	10	50
1-5 YRS	270	1.8	3	<1	1	1	2	4	5	10
6-12 YRS	106	2.4	7	<1	1	1	2	6	8	15
13-19 YRS	119	2.6	4	<1	1	2	3	6	8	10
2. MULTIPLE DX										
0-27 DYS	891	4.2	33	2	2	3	4	7	11	43
1-11 MOS	353	9.4	175	1	2	5	10	22	45	99+
1-5 YRS	617	5.8	80	1	1	3	7	13	19	58
6-12 YRS	281	6.7	77	1	2	4	8	13	20	50
13-19 YRS	304	7.6	89	1	2	5	9	17	30	79
TOTAL SINGLE DX	1421	2.4	10	1	1	2	2	4	5	10
TOTAL MULTIPLE DX	2446	6.1	81	1	2	3	7	13	20	65
TOTAL										
0-27 DYS	1664	3.4	19	2	2	2	4	5	8	22
1-11 MOS	506	7.6	151	1	1	3	8	19	39	99
1-5 YRS	887	4.6	60	1	1	2	5	11	15	42
6-12 YRS	387	5.5	62	1	1	3	6	12	17	47
13-19 YRS	423	6.2	71	1	1	3	8	14	23	59
GRAND TOTAL	3867	4.7	58	1	2	2	5	10	15	50

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.8	1	<1	1	1	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	7.7	37	1	3	9	12	13	13	13
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	10	1.8	1	<1	1	1	3	4	4	4
TOTAL MULTIPLE DX	4	6.0	36	1	1	5	11	13	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	7.7	37	1	3	9	12	13	13	13
13-19 YRS	11	1.7	1	<1	1	1	3	4	4	4
GRAND TOTAL	14	3.0	13	1	1	1	3	9	12	13

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	11.6	85	4	5	9	15	26	34	35
1-11 MOS	25	7.3	15	5	5	7	8	9	14	24
1-5 YRS	14	6.6	1	5	6	6	7	9	9	9
6-12 YRS	5	6.0	8	4	4	5	7	11	11	11
13-19 YRS	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	106	20.3	313	6	8	14	25	57	72	99+
1-11 MOS	194	13.1	138	5	7	9	14	26	40	92
1-5 YRS	210	11.7	89	5	7	9	12	20	34	62
6-12 YRS	50	14.3	193	5	7	9	15	31	53	72
13-19 YRS	37	12.6	79	6	8	11	15	23	44	99+
TOTAL SINGLE DX	58	7.7	26	5	5	6	8	11	18	34
TOTAL MULTIPLE DX	597	14.0	161	6	7	9	15	30	48	99+
TOTAL										
0-27 DYS	117	19.5	297	6	8	13	25	54	71	99+
1-11 MOS	219	12.4	128	5	6	8	13	24	37	88
1-5 YRS	224	11.4	85	5	7	8	12	20	34	59
6-12 YRS	55	13.6	182	5	6	9	14	30	50	71
13-19 YRS	40	12.0	78	5	7	10	15	22	42	99+
GRAND TOTAL	655	13.4	152	5	7	9	15	28	43	98

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	8	2.6	5	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	24	9.2	54	2	4	7	13	21	26	27
6-12 YRS	43	5.7	38	1	2	4	7	10	18	34
13-19 YRS	168	5.8	47	1	2	4	6	14	21	89
TOTAL SINGLE DX	9	2.7	5	<1	1	2	4	6	7	7
TOTAL MULTIPLE DX	236	6.1	47	1	2	4	7	15	23	54
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	24	9.2	54	2	4	7	13	21	26	27
6-12 YRS	44	5.7	38	1	2	4	7	10	18	34
13-19 YRS	176	5.6	46	1	2	3	6	14	21	85
GRAND TOTAL	245	6.0	46	1	2	4	7	15	22	50

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	1.2		1	1	1	2	2	2	2
13-19 YRS	19	4.1	60	1	1	1	3	11	25	33
2. MULTIPLE DX										
0-27 DYS	4	22.8	347	8	11	16	34	50	50	50
1-11 MOS	0									
1-5 YRS	11	24.1	1088	2	6	9	22	87	97	98
6-12 YRS	28	9.7	104	2	2	6	14	31	39	99+
13-19 YRS	108	8.1	94	1	2	5	10	20	36	71
TOTAL SINGLE DX	24	3.5	49	1	1	1	3	5	21	33
TOTAL MULTIPLE DX	151	10.0	187	1	2	6	12	27	45	99+
TOTAL										
0-27 DYS	4	22.8	348	8	11	16	34	50	50	50
1-11 MOS	0									
1-5 YRS	11	24.1	1088	2	6	9	22	87	97	98
6-12 YRS	33	8.4	98	1	2	4	10	29	35	99+
13-19 YRS	127	7.5	91	1	1	4	10	19	33	62
GRAND TOTAL	175	9.1	173	1	2	5	11	25	37	99+

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	10.0		10	10	10	10	10	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	1	10.0		10	10	10	10	10	10	10

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	64	7.8	134	2	3	5	8	17	44	99+
1-11 MOS	184	4.8	8	2	3	4	6	7	10	19
1-5 YRS	395	4.5	23	1	3	4	5	7	9	18
6-12 YRS	194	4.2	9	1	2	4	6	8	10	17
13-19 YRS	152	5.3	49	1	1	3	6	10	17	40
2. MULTIPLE DX										
0-27 DYS	2947	21.0	460	4	7	13	34	75	99+	99+
1-11 MOS	748	12.6	193	3	5	8	15	29	53	99+
1-5 YRS	896	8.1	81	2	3	6	9	17	26	57
6-12 YRS	436	8.7	95	2	3	6	10	17	24	56
13-19 YRS	633	8.3	100	1	3	5	10	18	27	74
TOTAL SINGLE DX	989	4.8	30	1	2	4	6	8	12	27
TOTAL MULTIPLE DX	5660	15.5	332	2	5	9	21	53	84	99+
TOTAL										
0-27 DYS	3011	20.7	457	4	6	13	34	75	99+	99+
1-11 MOS	932	11.1	167	3	4	7	13	26	45	99+
1-5 YRS	1291	7.0	67	2	3	5	7	14	22	51
6-12 YRS	630	7.3	73	1	3	5	9	15	21	49
13-19 YRS	785	7.7	92	1	2	5	9	17	26	60
GRAND TOTAL	6649	13.9	301	2	4	7	17	46	78	99+

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	2.1	1	1	1	2	3	4	5	5
1-11 MOS	74	3.1	6	1	1	2	4	6	8	12
1-5 YRS	172	2.6	6	<1	1	2	3	6	8	11
6-12 YRS	121	2.6	5	<1	1	2	4	6	8	11
13-19 YRS	87	3.0	10	<1	1	2	4	7	11	15
2. MULTIPLE DX										
0-27 DYS	8	12.1	277	2	3	9	52	99+	99+	99+
1-11 MOS	66	8.8	80	1	4	6	11	17	19	52
1-5 YRS	149	7.7	114	1	2	5	8	15	26	66
6-12 YRS	116	7.2	52	1	2	6	9	17	23	37
13-19 YRS	103	7.5	66	1	2	6	10	12	19	49
TOTAL SINGLE DX	465	2.7	7	<1	1	2	3	6	8	13
TOTAL MULTIPLE DX	442	7.8	84	1	2	6	9	16	23	55
TOTAL										
0-27 DYS	19	6.5	135	1	1	3	8	71	99+	99+
1-11 MOS	140	5.8	49	1	2	4	7	13	16	48
1-5 YRS	321	5.0	63	<1	1	3	6	9	15	45
6-12 YRS	237	4.8	34	<1	1	2	7	10	16	26
13-19 YRS	190	5.4	45	1	1	3	7	11	14	42
GRAND TOTAL	907	5.2	51	1	1	3	7	11	15	45

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	5.3	33	2	2	2	10	12	12	12
1-5 YRS	10	3.5	5	1	2	3	4	7	9	9
6-12 YRS	11	2.9	3	1	2	2	4	6	7	7
13-19 YRS	15	4.5	18	1	2	3	6	14	14	14
2. MULTIPLE DX										
0-27 DYS	4	11.8	70	5	7	9	17	24	24	24
1-11 MOS	4	8.0	22	1	5	10	11	11	11	11
1-5 YRS	16	14.4	219	2	3	9	20	42	42	42
6-12 YRS	9	3.9	8	1	2	3	5	9	9	9
13-19 YRS	14	7.2	11	2	6	8	8	10	14	15
TOTAL SINGLE DX	39	3.8	11	1	2	2	4	8	13	14
TOTAL MULTIPLE DX	47	9.5	99	2	3	8	10	22	40	42
TOTAL										
0-27 DYS	4	11.8	70	5	7	9	17	24	24	24
1-11 MOS	7	6.9	24	1	2	10	11	12	12	12
1-5 YRS	26	10.2	163	2	2	4	13	39	42	42
6-12 YRS	20	3.4	6	1	2	3	4	8	9	9
13-19 YRS	29	5.8	16	1	2	6	8	12	14	15
GRAND TOTAL	86	6.9	67	1	2	4	9	13	25	42

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	30.9	538	1	8	36	45	61	64	64
6-12 YRS	5	44.6	130	32	36	40	55	59	59	59
13-19 YRS	2	49.0	242	38	38	49	60	60	60	60
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	54.3	305	41	46	48	85	99+	99+	99+
1-5 YRS	80	46.8	246	32	37	44	56	73	95	99+
6-12 YRS	66	49.3	245	32	39	47	62	80	99+	99+
13-19 YRS	41	45.3	425	26	32	40	56	72	87	96
TOTAL SINGLE DX	14	38.4	370	1	32	38	54	60	63	64
TOTAL MULTIPLE DX	191	47.5	284	31	36	45	58	78	95	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	4	54.3	306	41	46	48	85	99+	99+	99+
1-5 YRS	87	45.5	283	31	36	43	55	73	95	99+
6-12 YRS	71	49.0	237	32	38	47	61	79	97	99+
13-19 YRS	43	45.4	411	26	32	40	57	71	86	96
GRAND TOTAL	**205**	**46.9**	**294**	**31**	**36**	**44**	**58**	**77**	**94**	**99+**

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	52	2.8	8	1	1	2	3	5	8	20
1-5 YRS	305	4.4	23	1	2	3	5	10	14	26
6-12 YRS	317	4.2	19	1	2	3	5	8	10	18
13-19 YRS	222	4.6	8	1	3	4	6	8	9	17
2. MULTIPLE DX										
0-27 DYS	10	20.0	263	4	8	16	36	69	97	99+
1-11 MOS	133	7.1	82	1	2	4	8	15	22	47
1-5 YRS	632	8.8	101	2	3	5	10	20	29	57
6-12 YRS	475	9.2	91	2	4	6	11	20	28	50
13-19 YRS	597	10.2	92	3	5	7	11	25	33	49
TOTAL SINGLE DX	900	4.3	18	1	2	3	5	8	11	22
TOTAL MULTIPLE DX	1847	9.3	97	2	4	6	11	22	30	51
TOTAL										
0-27 DYS	14	14.9	254	1	3	8	33	49	87	99+
1-11 MOS	185	5.9	66	1	2	3	7	13	20	35
1-5 YRS	937	7.3	80	1	2	5	8	17	24	47
6-12 YRS	792	7.2	69	2	3	5	8	15	24	47
13-19 YRS	819	8.7	76	2	4	6	9	20	28	45
GRAND TOTAL	**2747**	**7.6**	**76**	**1**	**3**	**5**	**8**	**17**	**26**	**48**

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	16	6.8	30	2	3	5	9	15	19	21
1-11 MOS	51	7.7	93	1	1	4	10	17	29	54
1-5 YRS	206	6.1	48	< 1	1	5	8	12	17	29
6-12 YRS	155	5.9	42	1	2	4	7	13	20	35
13-19 YRS	156	6.3	48	1	2	5	7	15	17	37
2. MULTIPLE DX										
0-27 DYS	199	28.4	621	4	9	25	55	99+	99+	99+
1-11 MOS	337	18.5	362	3	6	13	25	53	85	99+
1-5 YRS	802	13.0	184	2	4	9	17	30	44	81
6-12 YRS	510	11.9	141	2	4	8	16	28	38	61
13-19 YRS	578	11.7	149	2	4	9	15	25	33	64
TOTAL SINGLE DX	584	6.3	50	1	2	5	8	14	18	35
TOTAL MULTIPLE DX	2426	14.5	249	2	5	9	19	36	56	99+
TOTAL										
0-27 DYS	215	26.8	609	4	8	23	53	99	99+	99+
1-11 MOS	388	17.1	340	2	6	11	23	51	85	99+
1-5 YRS	1008	11.6	165	1	4	8	15	26	40	75
6-12 YRS	665	10.5	124	1	3	7	14	26	34	58
13-19 YRS	734	10.6	133	1	3	7	14	23	31	55
GRAND TOTAL	**3010**	**12.9**	**221**	**1**	**4**	**8**	**17**	**32**	**52**	**99+**

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	2.6	1	1	2	2	3	4	6	6
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	13	3.3	9	< 1	1	2	5	7	11	12
6-12 YRS	13	6.6	32	1	1	6	12	15	16	16
13-19 YRS	9	10.3	75	1	3	9	15	24	26	26
2. MULTIPLE DX										
0-27 DYS	84	5.5	33	2	3	4	6	14	21	99+
1-11 MOS	17	4.4	6	2	3	4	5	9	10	10
1-5 YRS	50	9.4	154	1	2	5	9	25	43	58
6-12 YRS	27	9.6	56	1	3	9	16	23	31	99+
13-19 YRS	22	13.6	234	2	4	9	14	32	48	70
TOTAL SINGLE DX	52	5.1	31	1	2	3	6	13	16	26
TOTAL MULTIPLE DX	200	7.8	93	2	3	4	9	18	32	99+
TOTAL										
0-27 DYS	98	5.1	30	2	2	4	5	12	19	99+
1-11 MOS	20	4.1	6	2	2	3	5	8	9	10
1-5 YRS	63	8.1	130	1	2	4	8	19	41	56
6-12 YRS	40	8.6	50	1	3	6	15	20	23	99+
13-19 YRS	31	12.6	187	2	4	9	14	28	33	70
GRAND TOTAL	**252**	**7.2**	**81**	**1**	**2**	**4**	**9**	**17**	**25**	**98**

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	19.8	1259	1	4	6	9	84	92	92
1-11 MOS	48	3.0	11	1	1	1	4	9	10	17
1-5 YRS	97	2.8	12	<1	1	1	3	10	12	15
6-12 YRS	43	2.3	3	<1	1	1	3	5	6	7
13-19 YRS	38	2.5	5	<1	1	1	5	6	6	9
2. MULTIPLE DX										
0-27 DYS	15	24.2	545	8	13	25	99+	99+	99+	99+
1-11 MOS	129	8.3	166	1	2	4	9	25	40	99+
1-5 YRS	237	7.3	140	<1	1	2	9	20	28	59
6-12 YRS	131	5.6	83	1	1	2	8	14	20	49
13-19 YRS	104	5.5	87	1	1	2	5	13	19	57
TOTAL SINGLE DX	232	3.2	44	<1	1	1	4	7	10	16
TOTAL MULTIPLE DX	616	7.3	141	1	1	3	9	20	34	99+
TOTAL										
0-27 DYS	21	23.0	701	4	9	17	91	99+	99+	99+
1-11 MOS	177	6.9	130	1	1	3	8	17	32	96
1-5 YRS	334	6.0	107	<1	1	1	7	16	25	53
6-12 YRS	174	4.8	65	1	1	2	5	12	17	40
13-19 YRS	142	4.7	67	1	1	2	5	11	16	50
GRAND TOTAL	**848**	**6.1**	**118**	**<1**	**1**	**2**	**7**	**16**	**26**	**92**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	509	2.8	1	2	2	3	3	4	5	8
1-11 MOS	1154	2.8	1	2	2	3	3	4	5	7
1-5 YRS	3	3.0	3	2	2	2	4	5	5	5
6-12 YRS	5	5.8	8	2	4	5	8	10	10	10
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	263	4.3	7	2	3	4	5	7	9	15
1-11 MOS	562	4.2	10	2	3	3	5	6	9	17
1-5 YRS	1	25.0		25	25	25	25	25	25	25
6-12 YRS	4	12.5	85	5	5	10	19	25	25	25
13-19 YRS	5	26.0	857	5	8	17	36	77	77	77
TOTAL SINGLE DX	1672	2.8	1	2	2	3	3	4	5	7
TOTAL MULTIPLE DX	835	4.4	17	2	3	4	5	7	9	25
TOTAL										
0-27 DYS	772	3.3	4	2	2	3	4	5	7	10
1-11 MOS	1716	3.2	5	2	2	3	4	5	6	11
1-5 YRS	4	8.5	123	2	2	4	15	25	25	25
6-12 YRS	9	8.8	49	3	5	6	11	21	25	25
13-19 YRS	6	22.7	752	5	6	13	22	71	77	77
GRAND TOTAL	**2507**	**3.4**	**7**	**2**	**2**	**3**	**4**	**5**	**7**	**12**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	12	3.8	12	1	2	3	4	8	13	14
1-5 YRS	20	4.3	5	1	3	4	6	7	9	10
6-12 YRS	6	3.2	5	1	1	3	4	7	7	7
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	36	38.8	414	18	25	44	77	99+	99+	99+
1-11 MOS	156	13.3	242	3	4	7	18	38	62	99+
1-5 YRS	264	11.2	162	2	4	6	14	30	43	96
6-12 YRS	135	10.8	190	2	4	6	12	25	33	93
13-19 YRS	88	11.5	155	2	4	7	14	28	36	62
TOTAL SINGLE DX	41	4.3	11	1	2	4	5	8	12	16
TOTAL MULTIPLE DX	679	13.1	236	2	4	7	18	38	58	99+
TOTAL										
0-27 DYS	37	38.2	417	18	25	42	76	99+	99+	99+
1-11 MOS	168	12.7	232	2	4	7	17	37	57	99+
1-5 YRS	284	10.7	155	2	3	6	13	29	43	92
6-12 YRS	141	10.5	184	2	4	6	12	25	32	93
13-19 YRS	90	11.4	154	2	4	7	13	28	35	62
GRAND TOTAL	**720**	**12.6**	**227**	**2**	**4**	**7**	**17**	**35**	**56**	**99+**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	4.3	2	2	4	4	5	6	6	6
13-19 YRS	4	5.5	11	1	3	6	8	8	8	8
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	4.3	22	1	1	2	5	12	15	15
1-5 YRS	16	9.9	112	2	3	5	15	17	35	43
6-12 YRS	7	9.4	225	< 1	2	4	7	36	43	43
13-19 YRS	16	8.5	189	2	3	5	6	13	45	59
TOTAL SINGLE DX	15	4.4	5	2	3	4	6	8	8	8
TOTAL MULTIPLE DX	48	8.4	132	1	3	5	8	17	43	59
TOTAL										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	10	4.0	18	1	1	3	5	10	15	15
1-5 YRS	18	9.1	105	2	2	5	13	17	33	43
6-12 YRS	13	7.1	120	1	3	4	5	15	38	43
13-19 YRS	20	7.9	153	2	3	5	7	11	36	59
GRAND TOTAL	63	7.4	104	1	3	5	7	15	26	57

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	12.0	162	3	3	12	21	21	21	21
1-5 YRS	2	15.5	61	10	10	15	21	21	21	21
6-12 YRS	5	22.6	152	10	11	22	34	37	37	37
13-19 YRS	8	9.4	42	3	6	8	10	20	24	24
TOTAL SINGLE DX	1	6.0		6	6	6	6	6	5	6
TOTAL MULTIPLE DX	17	14.3	105	4	7	10	21	31	36	37
TOTAL										
0-27 DYS	0									
1-11 MOS	2	12.0	162	3	3	12	21	21	21	21
1-5 YRS	2	15.5	61	10	10	15	21	21	21	21
6-12 YRS	6	19.8	168	6	10	16	33	37	37	37
13-19 YRS	8	9.4	42	3	6	8	10	20	24	24
GRAND TOTAL	18	13.8	103	4	7	10	21	30	35	37

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	0									

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	4.0	5	3	3	3	5	8	8	8
1-11 MOS	12	3.3	2	1	2	3	4	5	6	6
1-5 YRS	2	9.0	8	7	7	9	11	11	11	11
6-12 YRS	0									
13-19 YRS	4	9.3	12	5	6	9	12	13	13	13
2. MULTIPLE DX										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	16	9.7	35	2	6	8	14	19	20	20
1-5 YRS	13	13.0	104	6	8	9	15	44	88	99 +
6-12 YRS	7	16.9	297	3	5	9	32	43	44	44
13-19 YRS	13	18.2	506	5	7	9	20	78	95	99 +
TOTAL SINGLE DX	23	5.0	10	2	3	4	7	11	12	13
TOTAL MULTIPLE DX	52	13.2	208	3	6	8	16	39	72	99 +
TOTAL										
0-27 DYS	8	3.5	3	2	3	3	3	7	8	8
1-11 MOS	28	7.0	31	2	3	5	9	17	20	20
1-5 YRS	15	12.5	92	6	7	9	14	37	81	99 +
6-12 YRS	7	16.9	297	3	5	9	32	43	44	44
13-19 YRS	17	16.1	397	5	7	9	19	71	90	99 +
GRAND TOTAL	75	10.7	161	2	4	8	12	30	53	99 +

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	8.3	70	3	4	59	99+	99+	99+	99+
1-11 MOS	62	7.0	43	2	3	5	8	14	20	36
1-5 YRS	101	4.9	30	1	2	4	6	9	10	33
6-12 YRS	33	4.7	5	1	2	5	6	8	9	9
13-19 YRS	36	6.3	23	3	5	5	6	10	10	32
2. MULTIPLE DX										
0-27 DYS	27	44.3	481	25	44	95	99+	99+	99+	99+
1-11 MOS	451	17.7	269	5	7	13	24	49	79	99+
1-5 YRS	699	13.1	180	3	5	8	16	31	47	99+
6-12 YRS	275	13.8	159	5	6	9	17	34	51	99+
13-19 YRS	230	12.7	180	5	6	8	14	24	42	99+
TOTAL SINGLE DX	235	5.7	30	1	3	5	6	10	15	99+
TOTAL MULTIPLE DX	1682	14.9	224	4	6	9	20	41	72	99+
TOTAL										
0-27 DYS	30	40.7	557	19	42	95	99+	99+	99+	99+
1-11 MOS	513	16.5	254	4	6	11	23	45	74	99+
1-5 YRS	800	12.0	169	3	5	7	15	28	44	99+
6-12 YRS	308	12.8	151	4	6	8	16	31	47	99+
13-19 YRS	266	11.8	164	4	6	8	13	23	33	99
GRAND TOTAL	1917	13.8	209	4	6	8	18	37	67	99+

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	15	5.4	13	2	3	4	7	11	13	14
1-11 MOS	119	2.8	6	1	1	2	3	6	9	13
1-5 YRS	165	2.9	7	1	1	2	4	6	8	13
6-12 YRS	197	3.1	10	1	1	2	4	6	8	20
13-19 YRS	172	3.9	12	1	2	3	5	8	11	16
2. MULTIPLE DX										
0-27 DYS	45	11.0	184	2	4	7	15	53	99+	99+
1-11 MOS	412	8.1	97	1	2	5	9	20	30	73
1-5 YRS	572	6.5	76	1	2	4	7	15	22	56
6-12 YRS	624	5.7	61	1	2	3	7	13	18	47
13-19 YRS	643	6.7	48	1	3	5	8	14	19	35
TOTAL SINGLE DX	668	3.3	10	1	1	2	4	6	9	14
TOTAL MULTIPLE DX	2296	6.7	71	1	2	4	8	15	22	57
TOTAL										
0-27 DYS	60	9.6	147	2	3	6	12	34	76	99+
1-11 MOS	531	6.9	82	1	2	4	8	16	27	60
1-5 YRS	737	5.7	64	1	1	4	7	13	19	43
6-12 YRS	821	5.1	50	1	1	3	6	11	17	37
13-19 YRS	815	6.1	42	1	3	4	7	12	18	34
GRAND TOTAL	2964	5.9	60	1	2	4	7	13	19	46

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	8	17.3	366	8	8	10	15	50	64	64
1-11 MOS	17	5.6	4	3	4	5	7	9	10	10
1-5 YRS	12	6.0	2	4	5	6	7	8	9	9
6-12 YRS	10	7.7	8	4	5	8	10	12	13	13
13-19 YRS	26	8.0	10	4	7	7	9	12	15	18
2. MULTIPLE DX										
0-27 DYS	91	43.9	880	13	26	80	99+	99+	99+	99+
1-11 MOS	64	19.0	388	5	7	12	28	85	99+	99+
1-5 YRS	71	13.5	114	5	7	10	15	27	34	61
6-12 YRS	62	13.4	296	5	6	9	12	18	52	92
13-19 YRS	126	11.7	114	6	7	9	13	20	26	65
TOTAL SINGLE DX	73	8.1	53	4	5	7	9	11	14	53
TOTAL MULTIPLE DX	414	20.5	509	6	8	13	48	99+	99+	99+
TOTAL										
0-27 DYS	99	41.7	888	11	24	75	99+	99+	99+	99+
1-11 MOS	81	16.2	337	4	6	10	22	72	99+	99+
1-5 YRS	83	12.5	105	5	6	9	14	24	33	59
6-12 YRS	72	12.6	260	5	6	8	10	18	34	91
13-19 YRS	152	11.1	98	6	7	8	12	18	24	60
GRAND TOTAL	487	18.6	460	5	7	11	32	99+	99+	99+

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	9.9	43	5	6	8	11	21	25	25
1-11 MOS	26	6.7	5	4	5	6	8	9	11	14
1-5 YRS	28	7.3	5	4	5	7	9	10	11	12
6-12 YRS	24	8.5	4	6	7	8	10	11	13	14
13-19 YRS	71	9.3	45	5	6	8	10	13	18	45
2. MULTIPLE DX										
0-27 DYS	39	38.0	566	9	25	49	99+	99+	99+	99+
1-11 MOS	71	12.9	186	5	6	8	16	40	94	99+
1-5 YRS	48	15.3	101	6	7	12	18	37	42	99+
6-12 YRS	67	15.4	156	6	7	10	22	30	37	72
13-19 YRS	218	13.9	101	6	8	10	16	28	33	51
TOTAL SINGLE DX	158	8.4	26	5	6	8	9	12	15	38
TOTAL MULTIPLE DX	443	16.2	209	6	7	11	23	44	86	99+
TOTAL										
0-27 DYS	48	32.8	589	8	16	41	96	99+	99+	99+
1-11 MOS	97	11.3	145	5	5	8	12	31	69	99+
1-5 YRS	76	12.3	81	5	7	10	16	29	40	99+
6-12 YRS	91	13.6	125	6	7	9	15	28	33	64
13-19 YRS	289	12.8	92	6	7	9	15	26	33	48
GRAND TOTAL	601	14.2	173	5	7	9	17	36	64	99+

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	10.1	20	5	6	10	15	16	16	16
1-11 MOS	22	5.8	9	2	4	5	7	10	12	14
1-5 YRS	10	5.0	6	2	3	5	8	8	8	8
6-12 YRS	4	6.5	9	3	4	6	9	10	10	10
13-19 YRS	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	33	24.7	526	7	10	23	65	99+	99+	99+
1-11 MOS	25	14.9	257	5	5	8	26	46	77	99+
1-5 YRS	13	15.5	269	5	6	7	23	46	52	53
6-12 YRS	15	17.8	233	6	7	12	24	29	55	64
13-19 YRS	25	9.9	46	4	6	9	11	19	23	36
TOTAL SINGLE DX	51	6.9	14	3	4	6	9	13	15	16
TOTAL MULTIPLE DX	111	17.2	309	5	7	10	28	67	99+	99+
TOTAL										
0-27 DYS	46	20.5	424	6	8	16	56	99+	99+	99+
1-11 MOS	47	10.7	160	3	5	6	10	28	50	99+
1-5 YRS	23	11.0	178	3	5	6	8	32	47	53
6-12 YRS	19	15.4	206	5	6	10	22	29	48	64
13-19 YRS	27	9.8	43	4	6	9	11	17	22	36
GRAND TOTAL	162	13.9	238	4	6	9	18	54	99+	99+

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	10.4	42	4	5	8	16	20	23	24
1-11 MOS	258	4.6	5	2	3	4	6	8	8	11
1-5 YRS	122	5.2	6	2	4	5	6	8	10	15
6-12 YRS	42	7.5	10	4	5	7	9	13	15	17
13-19 YRS	107	6.5	5	4	5	6	8	9	10	15
2. MULTIPLE DX										
0-27 DYS	77	29.9	705	7	12	25	80	99+	99+	99+
1-11 MOS	442	9.4	121	3	5	7	9	20	30	99+
1-5 YRS	331	9.3	135	4	5	6	9	15	28	89
6-12 YRS	130	9.3	52	4	6	7	10	15	22	42
13-19 YRS	254	8.6	30	5	6	7	9	14	19	40
TOTAL SINGLE DX	542	5.5	8	2	4	5	7	8	10	17
TOTAL MULTIPLE DX	1234	10.5	160	4	5	7	10	22	40	99+
TOTAL										
0-27 DYS	90	27.1	656	6	10	20	60	99+	99+	99+
1-11 MOS	700	7.6	84	3	4	6	8	14	23	99
1-5 YRS	453	8.2	104	3	5	6	8	12	23	86
6-12 YRS	172	8.9	43	4	5	7	10	14	21	40
13-19 YRS	361	8.0	24	4	5	7	9	12	17	38
GRAND TOTAL	1776	9.0	119	3	5	6	9	16	29	99+

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	19	7.6	21	2	5	6	10	15	17	17
1-11 MOS	28	5.8	8	3	4	5	7	10	13	13
1-5 YRS	14	5.6	9	2	3	5	9	10	11	11
6-12 YRS	4	10.5	137	4	4	5	17	28	28	28
13-19 YRS	7	5.7	7	2	4	6	7	9	10	10
2. MULTIPLE DX										
0-27 DYS	72	24.2	402	6	9	23	58	99+	99+	99+
1-11 MOS	32	11.4	113	4	5	7	13	29	40	45
1-5 YRS	49	9.7	72	3	4	7	13	18	26	51
6-12 YRS	38	11.0	65	5	5	8	15	23	29	37
13-19 YRS	27	11.6	67	4	5	10	15	23	26	38
TOTAL SINGLE DX	72	6.5	19	3	4	5	8	11	14	26
TOTAL MULTIPLE DX	218	15.2	224	4	6	11	22	53	99+	99+
TOTAL										
0-27 DYS	91	20.7	368	5	7	17	48	99+	99+	99+
1-11 MOS	60	8.8	72	3	4	6	10	17	29	45
1-5 YRS	63	8.8	61	3	4	7	11	15	23	48
6-12 YRS	42	11.0	69	4	5	7	15	24	30	37
13-19 YRS	34	10.4	60	4	5	8	13	21	24	38
GRAND TOTAL	290	13.0	187	4	5	8	17	41	86	99+

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	8	4.1	3	2	3	4	4	7	8	8
1-5 YRS	622	4.6	8	2	2	4	7	8	10	13
6-12 YRS	4472	3.3	4	2	2	3	4	6	8	11
13-19 YRS	5594	3.1	2	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS	3	12.7	80	7	7	15	61	99+	99+	99+
1-11 MOS	9	7.8	66	2	3	3	10	21	27	27
1-5 YRS	436	7.5	33	3	4	7	9	13	16	24
6-12 YRS	1853	6.0	20	2	3	5	8	11	14	24
13-19 YRS	2217	5.2	17	2	3	4	6	9	12	22
TOTAL SINGLE DX	10698	3.3	4	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	4518	5.7	21	2	3	4	7	10	14	23
TOTAL										
0-27 DYS	5	8.8	69	2	4	7	23	92	99+	99+
1-11 MOS	17	6.1	38	2	3	4	8	12	22	27
1-5 YRS	1058	5.8	21	2	3	5	8	10	13	20
6-12 YRS	6325	4.1	11	2	2	3	5	8	10	16
13-19 YRS	7811	3.7	8	2	2	3	4	7	8	15
GRAND TOTAL	15216	4.0	10	2	2	3	5	8	10	16

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	10.5	41	6	6	10	15	15	15	15
6-12 YRS	14	5.7	12	2	3	4	8	12	13	13
13-19 YRS	14	7.1	8	3	6	7	10	11	11	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	6.0		5	5	6	7	7	7	7
6-12 YRS	13	9.6	20	4	7	9	12	16	18	18
13-19 YRS	14	9.4	23	4	7	9	10	17	21	22
TOTAL SINGLE DX	31	6.7	12	2	3	6	9	12	13	15
TOTAL MULTIPLE DX	31	9.0	20	4	6	9	11	16	18	22
TOTAL										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	6	7.5	14	5	6	6	7	14	15	15
6-12 YRS	27	7.6	20	2	4	7	11	14	16	18
13-19 YRS	28	8.2	17	3	6	8	10	11	17	22
GRAND TOTAL	**62**	**7.9**	**17**	**3**	**5**	**7**	**10**	**13**	**16**	**22**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	3.8	5	1	2	3	5	7	8	8
1-11 MOS	52	3.6	33	< 1	1	2	3	7	13	38
1-5 YRS	38	2.3	12	< 1	1	1	2	4	7	22
6-12 YRS	29	2.5	4	< 1	1	2	3	5	7	10
13-19 YRS	9	3.4	10	1	1	2	5	9	10	10
2. MULTIPLE DX										
0-27 DYS	44	11.8	231	2	3	7	11	35	45	69
1-11 MOS	77	8.7	142	1	3	5	10	22	32	96
1-5 YRS	83	8.6	143	1	2	5	9	21	33	68
6-12 YRS	42	5.0	17	1	2	4	7	11	16	17
13-19 YRS	27	7.2	63	2	3	5	9	17	23	39
TOTAL SINGLE DX	140	3.0	18	< 1	1	2	3	6	9	24
TOTAL MULTIPLE DX	273	8.4	132	1	3	5	9	18	35	71
TOTAL										
0-27 DYS	56	10.1	193	2	3	6	10	33	37	69
1-11 MOS	129	6.6	104	1	2	3	7	15	26	87
1-5 YRS	121	6.6	110	< 1	1	3	7	14	28	63
6-12 YRS	71	4.0	14	< 1	1	3	5	9	12	17
13-19 YRS	36	6.3	52	1	2	4	8	12	19	39
GRAND TOTAL	**413**	**6.6**	**100**	**1**	**2**	**3**	**7**	**14**	**25**	**65**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	10	2.0		1	1	2	3	3	3	3
1-5 YRS	15	3.9	11	1	2	3	4	8	12	14
6-12 YRS	7	3.7	12	< 1	1	3	4	10	11	11
13-19 YRS	27	3.4	9	1	1	3	4	6	10	15
2. MULTIPLE DX										
0-27 DYS	4	8.5	169	1	1	2	15	28	28	28
1-11 MOS	19	4.1	32	1	1	2	4	12	20	23
1-5 YRS	9	7.2	23	1	3	7	10	14	16	16
6-12 YRS	8	8.3	42	1	2	6	15	17	17	17
13-19 YRS	31	7.1	49	1	2	5	11	15	21	33
TOTAL SINGLE DX	62	3.3	8	1	2	3	4	6	10	15
TOTAL MULTIPLE DX	71	6.5	46	1	2	4	10	16	21	32
TOTAL										
0-27 DYS	7	6.0	95	1	2	3	3	23	28	28
1-11 MOS	29	3.4	22	1	1	2	3	5	16	23
1-5 YRS	24	5.1	18	1	2	4	7	11	15	16
6-12 YRS	15	6.1	32	< 1	2	4	10	16	17	17
13-19 YRS	58	5.4	33	1	2	3	6	12	16	32
GRAND TOTAL	**133**	**5.0**	**31**	**1**	**2**	**3**	**5**	**12**	**16**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	77	7.1	6	5	5	7	9	11	12	13
1-5 YRS	63	7.8	5	5	6	8	9	10	11	12
6-12 YRS	10	8.9	4	6	8	9	10	12	13	13
13-19 YRS	7	8.4	8	4	6	9	11	11	11	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	127	8.5	49	5	6	7	10	12	16	42
1-5 YRS	103	8.5	35	4	6	7	9	14	21	35
6-12 YRS	20	8.4	14	5	7	8	9	17	56	99 +
13-19 YRS	37	10.6	51	6	7	9	10	21	25	40
TOTAL SINGLE DX	158	7.5	6	5	6	8	9	11	12	13
TOTAL MULTIPLE DX	287	8.8	42	4	6	7	10	14	20	44
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	204	7.9	33	5	5	7	9	11	13	26
1-5 YRS	166	8.3	24	4	6	7	9	12	18	24
6-12 YRS	30	8.5	11	6	7	8	10	14	20	99 +
13-19 YRS	44	10.2	45	5	7	9	10	18	24	40
GRAND TOTAL	**445**	**8.3**	**30**	**5**	**6**	**7**	**9**	**12**	**17**	**32**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	5.0	6	2	3	5	7	8	8	8
1-11 MOS	45	2.5	5	1	1	2	4	5	7	14
1-5 YRS	100	1.7	1	<1	1	1	2	3	5	7
6-12 YRS	70	2.8	12	1	1	2	3	5	9	23
13-19 YRS	158	3.3	7	1	1	3	4	7	8	12
2. MULTIPLE DX										
0-27 DYS	21	9.9	159	2	4	6	9	23	43	57
1-11 MOS	124	5.0	56	1	1	4	6	12	16	99+
1-5 YRS	203	5.6	106	1	1	3	6	11	16	54
6-12 YRS	168	5.2	36	1	2	4	6	10	15	35
13-19 YRS	557	5.4	49	1	2	3	6	10	16	42
TOTAL SINGLE DX	377	2.7	7	<1	1	2	3	6	8	12
TOTAL MULTIPLE DX	1073	5.4	61	1	2	3	6	11	16	53
TOTAL										
0-27 DYS	25	9.1	137	2	4	6	8	17	37	57
1-11 MOS	169	4.4	44	1	1	3	5	9	14	95
1-5 YRS	303	4.3	76	<1	1	2	4	8	12	52
6-12 YRS	238	4.5	30	<1	1	3	5	9	13	34
13-19 YRS	715	4.9	41	1	2	3	5	9	15	37
GRAND TOTAL	**1450**	**4.7**	**49**	**1**	**1**	**3**	**5**	**9**	**14**	**44**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	18	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	9	1.8	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	11	1.2		<1	1	1	1	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	10	3.6	6	1	2	3	5	7	9	9
TOTAL SINGLE DX	33	1.4	1	<1	<1	1	1	2	4	5
TOTAL MULTIPLE DX	24	2.4	5	<1	1	1	3	6	7	9
TOTAL										
0-27 DYS	0									
1-11 MOS	29	1.1		<1	<1	1	1	1	2	2
1-5 YRS	6	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	3	3.0	7	<1	<1	2	5	6	6	6
13-19 YRS	19	2.7	5	1	1	2	4	6	8	9
GRAND TOTAL	**57**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**6**	**9**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	5	1.0		<1	<1	1	1	1	1	1
13-19 YRS	7	1.6	1	<1	1	1	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	2	5.5	41	<1	<1	5	10	10	10	10
1-5 YRS	5	1.6	2	<1	<1	1	2	4	4	4
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	10	4.2	24	<1	1	2	8	12	14	14
TOTAL SINGLE DX	18	1.2	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	21	3.2	16	<1	1	1	3	10	12	14
TOTAL										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	2	5.5	41	<1	<1	5	10	10	10	10
1-5 YRS	11	1.3	1	<1	<1	1	1	2	4	4
6-12 YRS	7	1.0		<1	1	1	1	1	1	1
13-19 YRS	17	3.1	16	<1	1	1	3	10	13	14
GRAND TOTAL	**39**	**2.3**	**9**	**<1**	**1**	**1**	**2**	**6**	**11**	**14**

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	19	2.5	6	1	1	2	3	4	8	12
TOTAL SINGLE DX	3	1.7	1	1	1	1	3	3	3	3
TOTAL MULTIPLE DX	23	2.3	5	1	1	2	2	3	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	2.4	5	1	1	2	3	4	7	12
GRAND TOTAL	**26**	**2.3**	**5**	**1**	**1**	**2**	**2**	**3**	**6**	**12**

788 Hospitals, United States, Pediatric, January-December 1990, by Operation

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	17	3.8	5	1	2	4	5	6	9	10
1-11 MOS	70	3.2	7	1	1	2	4	6	7	14
1-5 YRS	46	2.9	4	< 1	1	2	4	7	8	9
6-12 YRS	18	2.1	1	1	1	2	2	4	4	4
13-19 YRS	26	2.9	15	1	1	2	3	4	10	21
2. MULTIPLE DX										
0-27 DYS	35	7.1	75	1	2	5	8	14	23	48
1-11 MOS	130	4.7	13	1	2	4	5	9	12	21
1-5 YRS	83	6.0	25	1	2	5	7	10	19	25
6-12 YRS	27	7.2	39	1	3	5	10	15	19	29
13-19 YRS	39	6.2	20	1	3	6	8	13	19	99 +
TOTAL SINGLE DX	177	3.0	7	1	1	2	4	6	7	14
TOTAL MULTIPLE DX	314	5.7	27	1	3	4	7	10	17	28
TOTAL										
0-27 DYS	52	6.0	54	1	2	4	7	10	18	48
1-11 MOS	200	4.1	12	1	2	4	5	7	11	18
1-5 YRS	129	4.9	20	1	2	4	6	8	14	23
6-12 YRS	45	5.2	30	1	2	3	7	12	16	29
13-19 YRS	65	4.9	21	1	2	3	7	10	19	87
GRAND TOTAL	491	4.7	22	1	2	4	6	9	14	26

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	0									
13-19 YRS	5	8.0	9	5	6	8	9	13	13	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	6.5	83	1	1	3	12	20	20	20
6-12 YRS	3	10.0	21	5	6	11	13	14	14	14
13-19 YRS	10	19.9	233	5	7	16	28	45	46	46
TOTAL SINGLE DX	7	9.4	13	5	6	8	13	14	14	14
TOTAL MULTIPLE DX	17	15.0	187	2	5	11	21	41	45	46
TOTAL										
0-27 DYS	0									
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	5	8.0	74	1	1	4	15	20	20	20
6-12 YRS	3	10.0	21	5	6	11	13	14	14	14
13-19 YRS	15	15.9	186	5	6	9	21	44	45	46
GRAND TOTAL	24	13.4	140	3	5	10	16	30	45	46

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	7.3	81	1	2	2	10	23	26	26
1-11 MOS	97	3.8	20	1	1	2	4	9	13	27
1-5 YRS	76	5.6	48	1	1	2	8	16	22	28
6-12 YRS	53	4.4	48	1	1	2	4	11	25	35
13-19 YRS	41	3.2	13	1	1	2	4	7	9	21
2. MULTIPLE DX										
0-27 DYS	15	30.1	1013	3	6	14	67	92	98	99 +
1-11 MOS	189	16.2	436	1	2	8	21	54	74	99 +
1-5 YRS	277	13.8	290	1	2	7	20	40	60	94
6-12 YRS	197	10.1	198	1	1	6	14	29	51	99 +
13-19 YRS	237	11.1	212	1	2	7	12	26	50	75
TOTAL SINGLE DX	274	4.4	35	1	1	2	5	10	18	29
TOTAL MULTIPLE DX	915	13.1	301	1	2	7	17	38	61	99 +
TOTAL										
0-27 DYS	22	22.9	817	2	3	10	39	83	95	99 +
1-11 MOS	286	12.0	330	1	2	5	14	35	62	98
1-5 YRS	353	12.1	250	1	2	6	16	33	55	82
6-12 YRS	250	8.9	172	1	1	4	12	27	37	99 +
13-19 YRS	278	9.9	191	1	2	6	11	24	39	72
GRAND TOTAL	1189	11.1	253	1	2	5	13	31	55	99 +

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.7		4	4	5	5	5	5	5
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	604	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	15.4	27	11	11	13	21	21	21	21
1-5 YRS	10	21.2	432	6	9	16	20	54	76	76
6-12 YRS	6	14.5	136	6	7	9	22	34	35	35
13-19 YRS	644	5.6	14	2	3	5	7	10	12	18
TOTAL SINGLE DX	611	3.7	4	1	2	3	5	6	7	10
TOTAL MULTIPLE DX	665	5.9	26	2	3	5	7	11	13	31
TOTAL										
0-27 DYS	1	2.0		2	2	51	99 +	99 +	99 +	99 +
1-11 MOS	8	11.4	46	4	5	11	17	21	21	21
1-5 YRS	12	18.9	383	5	8	13	19	45	72	76
6-12 YRS	7	13.0	129	4	6	7	19	32	35	35
13-19 YRS	1248	4.7	11	2	3	4	6	8	10	15
GRAND TOTAL	1276	4.9	17	2	3	4	6	8	11	21

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	2	14.5	5	13	13	14	16	16	16	16
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	4	3.0	3	1	1	3	4	5	5	5
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	8	9.6	59	1	3	9	15	20	22	22
TOTAL										
0-27 DYS	0									
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	2	14.5	5	13	13	14	16	16	16	16
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	5	2.6	3	1	1	2	4	5	5	5
GRAND TOTAL	9	8.7	60	1	2	5	14	20	22	22

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.7	21	<1	<1	<1	7	9	9	9
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	11	2.6	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	12.5	153	2	4	9	21	30	30	30
6-12 YRS	8	14.3	777	1	2	6	7	60	83	83
13-19 YRS	29	7.4	39	1	2	5	12	17	20	22
TOTAL SINGLE DX	17	2.8	4	<1	1	2	3	6	8	9
TOTAL MULTIPLE DX	42	9.1	180	1	2	6	12	18	25	83
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	8.7	106	<1	1	6	11	26	30	30
6-12 YRS	11	11.0	575	1	2	3	7	37	79	83
13-19 YRS	40	6.1	34	1	2	4	9	15	19	22
GRAND TOTAL	59	7.3	137	1	2	4	8	16	21	78

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	8.0	7	6	6	7	10	12	12	12
1-11 MOS	36	9.5	22	5	6	8	12	14	17	27
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	9	8.9	23	2	6	9	12	16	17	17
13-19 YRS	8	6.4	22	1	2	6	9	13	15	15
2. MULTIPLE DX										
0-27 DYS	11	24.9	440	9	11	18	30	59	75	77
1-11 MOS	57	14.6	111	6	9	12	17	26	46	97
1-5 YRS	16	14.9	90	6	8	10	20	32	33	33
6-12 YRS	9	14.2	103	5	8	10	21	30	36	36
13-19-YRS	22	11.0	57	3	5	9	16	24	26	28
TOTAL SINGLE DX	58	8.8	21	5	6	8	11	14	16	26
TOTAL MULTIPLE DX	115	14.9	136	5	8	11	18	28	36	85
TOTAL										
0-27 DYS	15	20.4	376	6	8	12	26	47	69	77
1-11 MOS	93	12.6	83	5	8	11	15	23	29	83
1-5 YRS	17	14.6	87	6	8	10	20	32	33	33
6-12 YRS	18	11.6	67	4	7	9	14	22	30	36
13-19 YRS	30	9.8	51	1	5	8	15	21	25	28
GRAND TOTAL	173	12.9	105	5	7	10	16	25	32	73

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50Th	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	8.5	25	5	5	8	12	12	12	12
6-12 YRS	3	11.0	19	8	8	9	14	16	16	16
13-19 YRS	5	6.8	14	1	5	7	9	11	11	11
2. MULTIPLE DX										
0-27 DYS	1	87.0		87	87	87	87	87	87	87
1-11 MOS	5	26.8	184	16	16	29	44	94	99+	99+
1-5 YRS	7	16.3	42	10	11	14	20	26	28	28
6-12 YRS	7	16.9	260	6	8	11	18	46	52	52
13-19 YRS	11	23.6	346	7	9	20	29	52	68	69
TOTAL SINGLE DX	10	8.4	17	3	6	8	11	14	16	16
TOTAL MULTIPLE DX	31	23.0	359	7	11	17	29	57	85	99+
TOTAL										
0-27 DYS	1	87.0		87	87	87	87	87	87	87
1-11 MOS	5	26.8	185	16	16	29	44	94	99+	99+
1-5 YRS	9	14.6	47	7	10	13	19	25	28	28
6-12 YRS	10	15.1	186	6	8	10	16	30	52	52
13-19 YRS	16	18.4	300	6	7	11	26	40	68	69
GRAND TOTAL	41	19.4	313	6	9	13	25	46	76	99+

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	20	3.6	3	1	2	3	4	6	8	10
1-11 MOS	113	2.5	8	1	1	1	3	5	8	17
1-5 YRS	71	1.5	1	1	1	1	1	3	4	7
6-12 YRS	41	2.1	3	1	1	1	2	5	7	8
13-19 YRS	83	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX										
0-27 DYS	50	6.6	40	2	4	5	7	13	20	99
1-11 MOS	298	5.5	56	1	2	4	6	10	16	56
1-5 YRS	171	3.7	17	1	1	2	5	9	11	25
6-12 YRS	70	4.7	36	1	1	3	5	12	15	33
13-19 YRS	159	5.2	47	1	2	3	5	10	20	34
TOTAL SINGLE DX	328	2.5	6	1	1	1	3	5	7	14
TOTAL MULTIPLE DX	748	5.0	43	1	1	3	6	10	15	35
TOTAL										
0-27 DYS	70	5.7	31	2	3	5	6	11	14	88
1-11 MOS	411	4.7	45	1	1	3	6	8	15	39
1-5 YRS	242	3.1	14	1	1	1	4	8	10	21
6-12 YRS	111	3.7	25	1	1	2	4	9	14	30
13-19 YRS	242	4.5	34	1	2	3	5	8	15	30
GRAND TOTAL	**1076**	**4.3**	**33**	**1**	**1**	**3**	**5**	**8**	**12**	**29**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	37	1.5		<1	1	1	2	3	3	3
1-11 MOS	529	1.3		<1	1	1	1	2	3	4
1-5 YRS	344	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	106	1.1		<1	<1	<1	1	2	2	3
13-19 YRS	143	1.4	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
0-27 DYS	37	24.4	1239	1	1	17	99+	99+	99+	99+
1-11 MOS	713	2.1	7	1	1	1	2	4	7	16
1-5 YRS	373	1.6	4	<1	<1	1	1	3	4	11
6-12 YRS	120	1.3		<1	<1	1	1	2	2	4
13-19 YRS	115	2.0	10	<1	1	1	2	4	5	23
TOTAL SINGLE DX	1159	1.3	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	1358	2.5	52	<1	1	1	2	4	7	99
TOTAL										
0-27 DYS	74	12.9	744	1	1	2	66	99+	99+	99+
1-11 MOS	1242	1.7	5	<1	1	1	2	3	5	12
1-5 YRS	717	1.4	2	<1	<1	1	1	2	3	7
6-12 YRS	226	1.2		<1	<1	1	1	2	2	4
13-19 YRS	258	1.7	6	<1	1	1	1	3	4	10
GRAND TOTAL	**2517**	**1.9**	**29**	**<1**	**<1**	**1**	**1**	**3**	**4**	**29**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	36	1.6		<1	1	1	2	4	4	99+
1-11 MOS	1057	1.2		<1	1	1	1	2	2	4
1-5 YRS	128	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	28	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	16	1.4	1	1	1	1	1	4	4	4
2. MULTIPLE DX										
0-27 DYS	123	30.3	1181	1	2	63	99+	99+	99+	99+
1-11 MOS	1441	2.0	13	1	1	1	2	3	6	19
1-5 YRS	214	1.9	13	<1	<1	1	1	2	5	20
6-12 YRS	28	1.3		<1	<1	1	1	2	3	5
13-19 YRS	8	1.5		<1	1	1	2	3	3	3
TOTAL SINGLE DX	1265	1.2		<1	1	1	1	2	2	4
TOTAL MULTIPLE DX	1814	3.9	142	<1	1	1	2	7	64	99+
TOTAL										
0-27 DYS	159	23.8	1058	1	1	38	99+	99+	99+	99+
1-11 MOS	2498	1.6	8	<1	1	1	1	2	4	13
1-5 YRS	342	1.6	9	<1	<1	1	1	2	3	17
6-12 YRS	56	1.1		<1	<1	1	1	1	2	5
13-19 YRS	24	1.5	1	1	1	1	2	3	4	4
GRAND TOTAL	**3079**	**2.8**	**86**	**<1**	**1**	**1**	**1**	**3**	**11**	**99+**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	1.3		<1	<1	1	2	2	2	2
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	8	1.8	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	3	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	5	1.4		<1	1	1	2	2	2	2
13-19 YRS	4	2.3	2	1	1	2	3	4	4	4
GRAND TOTAL	**11**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**3**	**4**	**4**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	4.7	2	2	4	5	6	6	6	6
1-11 MOS	31	1.8	3	<1	<1	1	2	5	6	8
1-5 YRS	106	1.3		<1	<1	<1	1	2	3	4
6-12 YRS	28	1.1		<1	<1	<1	1	1	3	3
13-19 YRS	12	1.1		<1	1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	32	22.3	547	5	6	15	39	88	98	99+
1-11 MOS	42	2.2	4	1	1	1	3	5	7	10
1-5 YRS	58	1.8	1	<1	<1	1	2	4	5	7
6-12 YRS	20	2.6	6	<1	1	2	3	8	9	9
13-19 YRS	13	2.8	2	1	1	3	4	5	6	6
TOTAL SINGLE DX	184	1.5	1	<1	<1	<1	1	3	4	6
TOTAL MULTIPLE DX	165	6.1	170	<1	1	2	5	15	39	98
TOTAL										
0-27 DYS	39	19.2	494	4	6	11	30	70	95	99+
1-11 MOS	73	2.0	4	<1	1	1	2	5	7	10
1-5 YRS	164	1.5	1	<1	<1	1	2	3	4	5
6-12 YRS	48	1.8	3	<1	<1	1	2	3	8	9
13-19 YRS	25	2.0	2	1	1	1	3	4	5	6
GRAND TOTAL	**349**	**3.6**	**86**	**<1**	**<1**	**1**	**2**	**6**	**14**	**88**

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	23	2.2	2	<1	<1	1	3	5	6	7
1-5 YRS	39	2.4	3	<1	<1	2	4	4	7	8
6-12 YRS	14	1.6	3	<1	<1	1	1	3	7	8
13-19 YRS	17	1.8	1	1	1	1	2	4	5	5
2. MULTIPLE DX										
0-27 DYS	4	2.8	12	1	1	1	5	8	8	8
1-11 MOS	21	3.8	6	1	2	3	5	7	9	10
1-5 YRS	34	3.9	28	<1	1	3	4	7	10	31
6-12 YRS	14	3.1	6	1	1	2	4	6	9	10
13-19 YRS	17	4.1	14	1	1	4	5	8	13	16
TOTAL SINGLE DX	93	2.1	3	<1	<1	1	3	4	6	8
TOTAL MULTIPLE DX	90	3.7	16	1	1	3	5	7	10	25
TOTAL										
0-27 DYS	4	2.8	12	1	1	1	5	8	8	8
1-11 MOS	44	3.0	5	<1	1	2	4	6	8	10
1-5 YRS	73	3.1	15	<1	1	2	4	6	8	26
6-12 YRS	28	2.4	6	<1	<1	1	3	6	8	10
13-19 YRS	34	2.9	9	1	1	2	4	6	8	16
GRAND TOTAL	**183**	**2.9**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	11.5	41	7	7	11	16	16	16	16
1-11 MOS	28	5.6	7	3	4	6	7	9	10	14
1-5 YRS	10	4.9	1	3	5	5	5	6	7	7
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	33	25.4	329	8	13	36	99+	99+	99+	99+
1-11 MOS	61	11.1	192	4	5	8	12	22	35	99+
1-5 YRS	47	9.2	36	4	5	7	12	15	20	34
6-12 YRS	11	9.5	68	4	5	7	11	22	31	32
13-19 YRS	17	10.6	25	6	7	10	14	16	21	24
TOTAL SINGLE DX	45	5.5	8	3	4	5	6	8	11	16
TOTAL MULTIPLE DX	169	13.2	185	4	6	9	20	52	99+	99+
TOTAL										
0-27 DYS	35	24.6	322	7	13	34	99+	99+	99+	99+
1-11 MOS	89	9.4	140	3	4	7	10	19	23	99+
1-5 YRS	57	8.5	33	4	5	7	12	15	19	33
6-12 YRS	13	8.4	65	2	4	5	10	18	29	32
13-19 YRS	20	9.8	26	5	6	8	13	16	20	24
GRAND TOTAL	**214**	**11.6**	**157**	**4**	**5**	**8**	**15**	**46**	**99+**	**99+**

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	1.3		<1	<1	1	2	2	2	2
1-11 MOS	45	3.1	4	<1	1	2	5	6	7	8
1-5 YRS	96	4.1	9	1	1	3	6	9	11	13
6-12 YRS	51	4.5	8	1	2	4	7	9	10	11
13-19 YRS	58	4.1	11	1	1	3	6	8	10	16
2. MULTIPLE DX										
0-27 DYS	23	16.8	360	3	5	9	28	74	99+	99+
1-11 MOS	53	9.1	123	2	4	5	10	16	32	62
1-5 YRS	167	10.8	181	2	4	7	11	26	35	75
6-12 YRS	94	10.7	172	2	3	7	12	25	33	78
13-19 YRS	150	7.7	77	1	3	5	9	16	24	36
TOTAL SINGLE DX	256	3.9	9	1	1	3	6	8	10	15
TOTAL MULTIPLE DX	487	9.9	153	2	3	6	11	24	34	78
TOTAL										
0-27 DYS	29	13.6	324	1	3	7	25	66	98	99+
1-11 MOS	98	6.3	77	1	2	4	7	11	17	55
1-5 YRS	263	8.4	129	1	2	6	9	16	29	68
6-12 YRS	145	8.5	123	2	3	5	10	18	28	59
13-19 YRS	208	6.7	62	1	2	5	8	15	18	35
GRAND TOTAL	**743**	**7.9**	**111**	**1**	**2**	**5**	**9**	**16**	**28**	**70**

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	24	6.7	84	2	3	4	6	11	25	47
1-5 YRS	48	4.6	11	1	2	4	6	8	9	18
6-12 YRS	72	4.8	13	2	2	3	6	10	12	16
13-19 YRS	208	4.3	6	2	3	4	5	7	9	13
2. MULTIPLE DX										
0-27 DYS	17	27.5	600	6	17	44	99+	99+	99+	99+
1-11 MOS	58	15.8	253	3	6	10	19	45	59	98
1-5 YRS	103	12.2	203	3	4	8	15	33	58	99+
6-12 YRS	147	10.4	118	3	5	7	12	22	32	63
13-19 YRS	416	7.7	51	3	4	6	8	14	23	45
TOTAL SINGLE DX	354	4.6	14	2	3	4	6	8	10	17
TOTAL MULTIPLE DX	741	9.9	126	[illegible]	4	7	11	23	39	99+
TOTAL										
0-27 DYS	19	24.8	596	3	10	26	99+	99+	99+	99+
1-11 MOS	82	13.1	219	3	4	8	16	35	54	91
1-5 YRS	151	9.8	154	2	3	6	10	24	46	99+
6-12 YRS	219	8.6	91	2	3	6	10	16	27	50
13-19 YRS	624	6.5	39	2	3	5	7	12	18	38
GRAND TOTAL	1095	8.2	96	2	3	5	9	18	29	99+

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	5	2.2	7	<1	<1	1	3	7	7	7
6-12 YRS	12	2.8	9	<1	1	2	3	7	10	11
13-19 YRS	286	2.7	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	11	3.5	3	<1	2	4	5	6	6	6
13-19 YRS	418	3.3	5	1	1	3	4	6	8	11
TOTAL SINGLE DX	304	2.7	5	1	1	2	4	5	7	10
TOTAL MULTIPLE DX	429	3.3	5	1	1	3	4	6	8	11
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	5	2.2	7	<1	<1	1	3	7	7	7
6-12 YRS	23	3.1	6	1	1	3	4	6	8	11
13-19 YRS	704	3.0	5	1	1	2	4	6	7	11
GRAND TOTAL	733	3.0	5	1	1	2	4	6	7	11

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	17	10.2	55	5	5	7	11	23	26	28
1-11 MOS	35	5.7	5	3	4	6	6	9	11	13
1-5 YRS	49	6.7	11	3	4	7	8	11	13	17
6-12 YRS	64	5.9	14	1	4	6	7	10	13	21
13-19 YRS	87	5.7	11	2	3	6	7	10	12	15
2. MULTIPLE DX										
0-27 DYS	118	25.0	418	5	8	25	46	99+	99+	99+
1-11 MOS	128	13.4	197	3	5	8	16	36	47	81
1-5 YRS	205	13.0	151	4	6	8	16	30	42	60
6-12 YRS	200	11.8	124	3	5	7	14	26	36	57
13-19 YRS	319	9.3	89	2	4	7	11	19	24	53
TOTAL SINGLE DX	252	6.3	15	2	4	6	8	10	13	22
TOTAL MULTIPLE DX	970	13.0	186	3	5	8	17	34	49	99+
TOTAL										
0-27 DYS	135	23.2	396	5	7	21	43	99+	99+	99+
1-11 MOS	163	11.8	166	3	5	7	13	26	46	75
1-5 YRS	254	11.8	131	3	5	8	13	24	39	60
6-12 YRS	264	10.3	104	3	5	7	11	24	33	51
13-19 YRS	406	8.5	75	2	4	6	10	18	23	48
GRAND TOTAL	1222	11.6	158	3	5	7	14	29	45	99+

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	5.2	11	2	2	5	8	10	10	10
1-11 MOS	35	3.4	6	1	2	2	4	8	9	11
1-5 YRS	86	6.7	22	2	3	6	8	12	13	27
6-12 YRS	28	5.3	7	2	3	5	8	9	11	11
13-19 YRS	19	5.5	1	4	5	5	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	9	12.7	196	1	3	10	13	36	47	47
1-11 MOS	96	7.4	199	2	3	4	6	11	37	95
1-5 YRS	195	8.7	91	2	4	7	10	15	20	58
6-12 YRS	114	8.7	81	3	4	6	10	15	24	58
13-19 YRS	86	10.5	83	4	5	7	12	22	37	81
TOTAL SINGLE DX	173	5.6	16	2	3	5	8	10	12	24
TOTAL MULTIPLE DX	500	8.8	111	3	4	6	10	16	25	74
TOTAL										
0-27 DYS	14	10.0	138	2	2	8	11	22	41	47
1-11 MOS	131	6.3	151	2	2	3	6	10	13	92
1-5 YRS	281	8.1	71	2	4	7	9	13	19	42
6-12 YRS	142	8.1	68	3	4	6	9	14	20	54
13-19 YRS	105	9.6	72	4	5	7	10	20	36	71
GRAND TOTAL	673	8.0	88	2	4	6	9	14	21	69

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	6	5.0	10	1	3	4	7	10	10	10
1-5 YRS	6	3.0	6	1	1	2	3	8	8	8
6-12 YRS	6	4.2	29	< 1	1	2	4	14	15	15
13-19 YRS	9	2.4	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	4	21.5	190	10	11	18	32	40	40	40
1-11 MOS	12	6.3	22	2	3	6	8	15	16	16
1-5 YRS	23	6.3	31	1	2	4	10	15	17	19
6-12 YRS	25	6.9	62	2	2	4	9	13	21	40
13-19 YRS	32	10.1	85	2	4	7	13	22	30	41
TOTAL SINGLE DX	29	3.4	10	1	1	3	4	8	10	15
TOTAL MULTIPLE DX	96	8.4	70	1	3	6	11	17	25	41
TOTAL										
0-27 DYS	6	15.2	211	2	3	11	24	38	40	40
1-11 MOS	18	5.9	18	1	3	5	7	13	15	16
1-5 YRS	29	5.7	28	1	1	3	9	15	16	19
6-12 YRS	31	6.4	56	1	2	4	9	14	15	40
13-19 YRS	41	8.4	77	1	3	5	11	20	28	41
GRAND TOTAL	125	7.2	60	1	2	4	9	16	22	40

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	15.3	41	7	10	16	20	22	22	22
13-19 YRS	5	12.6	13	7	11	13	15	17	17	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	19.0	72	13	16	25	81	99 +	99 +	99 +
1-5 YRS	40	25.0	234	14	16	21	28	38	52	95
6-12 YRS	61	20.4	171	10	12	17	24	38	48	70
13-19 YRS	107	17.0	89	8	10	15	22	28	35	77
TOTAL SINGLE DX	10	14.1	22	7	12	14	17	20	22	22
TOTAL MULTIPLE DX	210	19.5	148	9	12	17	24	35	41	97
TOTAL										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	19.0	72	13	16	25	81	99 +	99 +	99 +
1-5 YRS	40	25.0	235	14	16	21	28	38	52	95
6-12 YRS	65	20.1	164	10	12	17	23	38	45	70
13-19 YRS	112	16.8	87	8	10	14	22	28	35	75
GRAND TOTAL	220	19.3	143	9	12	17	24	35	40	96

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	3.4	3	2	2	3	6	6	6	6
1-11 MOS	225	4.1	4	2	3	4	5	7	8	12
1-5 YRS	194	3.6	8	1	2	3	4	7	8	12
6-12 YRS	235	2.7	4	1	1	2	4	6	6	10
13-19 YRS	215	2.6	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
0-27 DYS	27	15.8	156	3	7	12	26	35	56	99 +
1-11 MOS	240	5.9	54	2	3	4	6	12	16	99 +
1-5 YRS	266	6.4	38	1	3	5	7	14	18	32
6-12 YRS	339	6.1	38	1	2	4	8	13	18	31
13-19 YRS	381	5.8	34	1	2	4	8	12	18	29
TOTAL SINGLE DX	883	3.2	6	1	1	3	4	6	7	12
TOTAL MULTIPLE DX	1253	6.2	45	1	2	4	8	13	18	36
TOTAL										
0-27 DYS	41	11.6	138	2	3	7	15	33	42	99 +
1-11 MOS	465	5.0	31	2	3	4	5	9	13	28
1-5 YRS	460	5.2	28	1	2	4	6	10	15	28
6-12 YRS	574	4.7	27	1	1	3	6	10	14	25
13-19 YRS	596	4.6	26	1	1	3	6	10	14	28
GRAND TOTAL	2136	5.0	31	1	2	4	6	10	15	29

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	4	3.8	5	<1	1	4	5	6	6	6
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	7	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	9	3.8	5	<1	2	4	6	7	7	7
1-5 YRS	5	3.6	4	1	2	4	5	6	6	6
6-12 YRS	7	3.6	13	<1	<1	1	6	9	10	10
13-19 YRS	5	5.8	16	1	3	5	8	12	12	12
TOTAL SINGLE DX	19	2.6	3	<1	1	2	4	6	7	7
TOTAL MULTIPLE DX	26	4.1	9	<1	1	4	6	7	10	12
TOTAL										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	12	3.1	6	<1	1	2	5	6	7	7
1-5 YRS	9	3.7	4	<1	2	4	5	6	6	6
6-12 YRS	9	3.8	12	<1	<1	2	7	9	10	10
13-19 YRS	12	3.8	10	1	2	3	5	8	11	12
GRAND TOTAL	45	3.4	7	<1	1	3	5	7	8	12

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	77	5.0	5	3	3	4	6	8	10	13
1-5 YRS	358	4.7	4	3	3	4	6	7	8	11
6-12 YRS	356	4.8	4	3	3	4	6	7	8	13
13-19 YRS	33	5.8	5	3	4	5	7	9	11	11
2. MULTIPLE DX										
0-27 DYS	11	15.3	126	2	5	15	21	30	40	41
1-11 MOS	150	7.7	49	3	4	6	10	13	19	54
1-5 YRS	494	6.7	18	3	4	5	8	12	16	26
6-12 YRS	296	6.5	25	3	4	5	7	10	16	27
13-19 YRS	85	9.6	69	4	5	8	11	16	21	53
TOTAL SINGLE DX	824	4.8	5	3	4	4	6	7	8	12
TOTAL MULTIPLE DX	1036	7.1	32	3	4	5	8	12	16	34
TOTAL										
0-27 DYS	11	15.3	126	2	5	15	21	30	40	41
1-11 MOS	227	6.8	36	3	4	5	8	12	14	44
1-5 YRS	852	5.8	13	3	4	5	7	9	12	22
6-12 YRS	652	5.6	15	3	4	5	6	9	11	21
13-19 YRS	118	8.5	54	4	5	7	10	14	18	53
GRAND TOTAL	1860	6.1	21	3	4	5	7	10	13	25

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	2.1	1	1	1	2	3	4	5	5
13-19 YRS	75	2.5	1	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	4	6.3	7	4	4	5	8	10	10	10
13-19 YRS	61	3.0	4	1	1	3	4	6	6	11
TOTAL SINGLE DX	87	2.5	2	1	1	2	3	4	6	6
TOTAL MULTIPLE DX	69	3.2	5	1	2	3	4	6	6	12
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	13	3.4	7	1	2	2	5	7	9	10
13-19 YRS	136	2.8	3	1	1	2	4	5	6	8
GRAND TOTAL	156	2.8	3	1	1	2	4	5	6	10

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	17	5.8	10	2	3	5	8	10	12	13
1-5 YRS	30	3.1	7	<1	<1	2	5	8	9	9
6-12 YRS	42	2.4	6	<1	<1	<1	3	5	9	13
13-19 YRS	6	3.2	4	<1	1	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	6	13.3	272	1	1	4	34	35	35	35
1-11 MOS	65	7.3	14	3	5	7	9	12	14	21
1-5 YRS	80	6.8	20	2	4	6	8	11	14	27
6-12 YRS	34	6.1	15	2	3	6	8	10	12	20
13-19 YRS	11	5.4	7	2	3	6	7	9	11	11
TOTAL SINGLE DX	97	3.3	9	<1	<1	2	5	8	10	13
TOTAL MULTIPLE DX	196	7.0	24	2	4	6	9	11	15	32
TOTAL										
0-27 DYS	8	11.1	215	1	1	4	21	35	35	35
1-11 MOS	82	7.0	14	3	4	6	9	12	14	20
1-5 YRS	110	5.8	19	<1	3	5	8	11	12	24
6-12 YRS	76	4.1	14	<1	<1	3	6	10	11	18
13-19 YRS	17	4.6	7	1	3	4	6	7	10	11
GRAND TOTAL	293	5.8	22	<1	2	5	8	11	13	27

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	2.0	2	<1	<1	1	3	4	5	6
1-5 YRS	75	2.4	4	<1	<1	1	3	5	7	9
6-12 YRS	59	2.3	3	<1	<1	1	3	5	5	10
13-19 YRS	100	2.8	4	<1	1	2	4	6	7	9
2. MULTIPLE DX										
0-27 DYS	17	7.6	72	1	1	7	10	17	27	33
1-11 MOS	39	5.8	36	<1	1	3	10	15	23	99+
1-5 YRS	149	5.0	26	<1	1	4	6	9	13	33
6-12 YRS	136	4.5	33	<1	1	2	6	10	14	29
13-19 YRS	181	5.8	67	1	2	4	6	9	16	56
TOTAL SINGLE DX	253	2.5	4	<1	<1	2	3	5	6	9
TOTAL MULTIPLE DX	522	5.3	45	<1	1	4	7	10	17	37
TOTAL										
0-27 DYS	18	7.2	71	1	1	5	10	17	27	33
1-11 MOS	57	4.6	29	<1	1	2	7	13	20	94
1-5 YRS	224	4.1	20	<1	1	3	6	8	10	26
6-12 YRS	195	3.8	26	<1	1	2	5	8	12	24
13-19 YRS	281	4.8	47	1	2	3	6	8	10	45
GRAND TOTAL	775	4.4	33	<1	1	3	6	8	12	33

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	4	1	2	4	5	5	5	5
1-5 YRS	4	2.0	4	<1	<1	1	3	5	5	5
6-12 YRS	4	4.5	9	2	2	3	6	9	9	9
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	19	7.3	97	1	1	3	9	23	33	37
6-12 YRS	13	5.5	48	1	1	3	5	15	24	26
13-19 YRS	14	7.3	92	<1	1	3	16	34	83	99+
TOTAL SINGLE DX	14	3.4	6	1	1	3	5	6	8	9
TOTAL MULTIPLE DX	50	6.5	74	1	1	3	9	21	34	99
TOTAL										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	6	2.8	3	1	1	3	4	5	5	5
1-5 YRS	23	6.4	84	1	1	2	8	16	32	37
6-12 YRS	17	5.3	38	1	2	3	5	11	21	26
13-19 YRS	16	6.8	82	<1	1	3	13	31	77	99+
GRAND TOTAL	64	5.8	60	1	1	3	6	17	30	90

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	2	20.5	421	6	6	20	35	35	35	35
1-11 MOS	4	6.3	16	3	3	5	9	12	12	12
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	9	2.6	6	1	1	2	3	7	9	9
13-19 YRS	5	4.4	8	2	3	3	6	9	9	9
TOTAL SINGLE DX	9	2.6	4	1	1	2	3	6	7	7
TOTAL MULTIPLE DX	22	5.3	52	1	2	3	6	10	21	35
TOTAL										
0-27 DYS	3	15.0	301	4	4	6	28	35	35	35
1-11 MOS	4	6.3	16	3	3	5	9	12	12	12
1-5 YRS	3	4.3	6	2	2	4	6	7	7	7
6-12 YRS	12	2.3	5	1	1	2	3	5	8	9
13-19 YRS	9	3.2	6	1	2	2	4	7	9	9
GRAND TOTAL	31	4.5	39	1	2	3	5	9	12	35

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	21	4.1	10	1	2	3	5	7	12	15
1-11 MOS	41	3.6	13	1	1	2	4	8	12	18
1-5 YRS	42	4.2	10	<1	1	3	6	10	11	13
6-12 YRS	29	4.3	5	2	3	4	5	7	10	10
13-19 YRS	20	4.0	7	1	2	3	6	8	9	10
2. MULTIPLE DX										
0-27 DYS	155	8.7	77	3	4	6	10	24	32	99+
1-11 MOS	119	6.5	52	1	2	4	9	16	29	99+
1-5 YRS	173	8.1	60	1	3	6	10	18	23	43
6-12 YRS	173	9.5	46	3	5	9	11	17	23	36
13-19 YRS	106	10.6	67	2	6	9	14	20	26	44
TOTAL SINGLE DX	153	4.0	10	1	2	3	5	8	10	15
TOTAL MULTIPLE DX	726	8.7	62	2	3	7	11	19	25	49
TOTAL										
0-27 DYS	176	8.2	72	2	3	5	9	21	31	99+
1-11 MOS	160	5.8	44	1	2	3	7	12	25	93
1-5 YRS	215	7.3	53	1	2	6	10	15	21	40
6-12 YRS	202	8.8	44	2	4	8	11	16	22	33
13-19 YRS	126	9.6	64	1	4	8	13	19	23	41
GRAND TOTAL	879	7.9	56	1	3	6	10	17	24	47

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	10	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	14	2.1	2	<1	1	2	3	4	5	5
6-12 YRS	11	2.2	3	<1	<1	1	4	5	5	5
13-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
TOTAL SINGLE DX	28	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	30	2.7	8	<1	1	2	4	5	5	15
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	32	1.5	1	<1	<1	<1	1	3	4	5
6-12 YRS	21	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
GRAND TOTAL	58	1.9	5	<1	<1	<1	2	4	5	14

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	289	1.6	1	<1	1	1	2	3	4	7
1-5 YRS	783	2.2	4	<1	1	1	2	5	7	10
6-12 YRS	103	2.4	4	<1	1	1	3	6	7	10
13-19 YRS	44	3.3	7	<1	1	2	4	7	10	13
2. MULTIPLE DX										
0-27 DYS	15	8.1	35	2	3	9	11	18	19	20
1-11 MOS	108	2.5	8	<1	1	1	3	6	8	16
1-5 YRS	438	3.0	10	1	1	2	4	7	9	14
6-12 YRS	122	4.5	20	1	1	2	7	10	14	21
13-19 YRS	64	3.5	13	1	1	2	4	7	12	18
TOTAL SINGLE DX	1219	2.1	4	<1	1	1	2	5	7	10
TOTAL MULTIPLE DX	747	3.3	14	1	1	2	4	8	10	19
TOTAL										
0-27 DYS	15	8.1	36	2	3	9	11	18	19	20
1-11 MOS	397	1.8	4	<1	1	1	2	3	5	10
1-5 YRS	1221	2.5	7	<1	1	1	3	6	8	12
6-12 YRS	225	3.5	14	1	1	2	5	8	11	19
13-19 YRS	108	3.4	11	<1	1	2	4	7	12	18
GRAND TOTAL	1966	2.6	8	<1	1	1	3	6	8	14

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.3		<1	<1	<1	1	3	3	3
6-12 YRS	13	1.6	1	1	<1	1	2	4	4	4
13-19 YRS	3	3.0	12	1	<1	<1	5	7	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	22	2.4	4	<1	<1	1	3	6	7	8
6-12 YRS	16	1.8	2	<1	<1	1	2	5	5	5
13-19 YRS	18	7.6	198	<1	1	2	7	22	46	58
TOTAL SINGLE DX	27	1.6	2	<1	<1	1	1	4	5	7
TOTAL MULTIPLE DX	59	3.8	67	<1	<1	1	4	7	8	55
TOTAL										
0-27 DYS	0									
1-11 MOS	5	1.6	2	1	1	1	2	4	4	4
1-5 YRS	31	2.1	3	<1	<1	1	3	5	6	8
6-12 YRS	29	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	21	7.0	173	<1	1	2	7	16	41	58
GRAND TOTAL	86	3.1	47	<1	<1	1	3	6	8	47

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	1.5	1	<1	<1	1	1	3	4	4
6-12 YRS	16	2.6	5	<1	1	1	4	7	7	7
13-19 YRS	14	2.5	15	<1	1	1	2	5	13	16
2. MULTIPLE DX										
0-27 DYS	2	15.0	72	9	9	15	21	21	21	21
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	20	3.6	10	1	1	3	5	7	11	15
6-12 YRS	41	6.4	23	1	2	6	9	13	16	21
13-19 YRS	44	4.9	14	1	2	4	6	8	10	23
TOTAL SINGLE DX	41	2.2	8	<1	<1	1	2	5	7	16
TOTAL MULTIPLE DX	109	5.4	20	1	2	5	7	10	15	22
TOTAL										
0-27 DYS	2	15.0	72	9	9	15	21	21	21	21
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	31	2.8	8	<1	1	2	4	6	7	15
6-12 YRS	57	5.3	21	1	1	5	7	11	15	21
13-19 YRS	58	4.3	15	1	1	3	6	8	10	22
GRAND TOTAL	150	4.5	19	<1	1	3	6	10	14	21

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	4	3.8	1	3	3	4	4	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	4	3.8	1	3	3	4	4	5	5	5

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	7.0	72	<1	<1	[illegible]	13	13	13	13
13-19 YRS	5	5.4	13	<1	3	5	7	11	11	11
TOTAL SINGLE DX	5	2.0	3	<1	<1	<1	3	5	5	5
TOTAL MULTIPLE DX	8	6.0	19	<1	2	5	9	12	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS	5	4.2	27	<1	<1	<1	7	13	13	13
13-19 YRS	6	4.8	13	<1	2	4	6	10	11	11
GRAND TOTAL	13	4.5	16	<1	<1	4	6	11	13	13

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	9	1.2		<1	1	1	1	2	2	2
13-19 YRS	29	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	3.4	2	2	2	3	4	6	6	6
1-5 YRS	11	7.2	25	<1	2	7	11	14	15	15
6-12 YRS	19	5.4	10	2	3	5	6	11	13	13
13-19 YRS	59	4.7	18	1	2	4	6	7	16	24
TOTAL SINGLE DX	41	2.1	1	<1	1	2	3	4	4	5
TOTAL MULTIPLE DX	96	5.0	17	1	2	4	6	11	13	22
TOTAL										
0-27 DYS	0									
1-11 MOS	8	3.1	2	1	2	3	4	5	6	6
1-5 YRS	13	6.3	26	<1	1	5	11	13	15	15
6-12 YRS	28	4.1	11	1	1	4	5	9	12	13
13-19 YRS	88	4.0	14	1	2	3	5	7	8	22
GRAND TOTAL	137	4.2	14	1	2	3	5	7	12	20

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	13	1.4	1	<1	1	1	1	3	4	4
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	0									
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	14	2.5	2	1	1	2	3	4	6	6
TOTAL SINGLE DX	16	1.4	1	<1	1	1	1	3	4	4
TOTAL MULTIPLE DX	20	3.2	8	1	1	3	4	7	10	12
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	2.2	1	<1	1	2	3	3	3	3
13-19 YRS	27	2.0	2	1	1	1	3	4	5	6
GRAND TOTAL	36	2.4	5	1	1	1	3	4	7	12

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	8.0	79	1	2	5	15	18	18	18
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	8.3	8	5	6	10	10	10	10	10
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	3	5.0	13	1	2	6	7	8	8	8
13-19 YRS	2	5.5	5	4	4	5	7	7	7	7
TOTAL SINGLE DX	7	5.9	32	1	3	4	6	16	18	18
TOTAL MULTIPLE DX	11	5.9	12	1	3	6	9	10	10	10
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	7.0	13	3	4	7	10	10	10	10
1-5 YRS	5	7.0	52	1	1	5	12	18	18	18
6-12 YRS	4	5.5	10	1	3	6	7	8	8	8
13-19 YRS	4	4.5	3	3	3	4	6	7	7	7
GRAND TOTAL	18	5.9	18	1	3	5	8	10	15	18

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	7.8	50	3	3	5	12	18	18	18
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	0									
13-19 YRS	3	3.7	4	2	2	3	5	6	6	6
TOTAL SINGLE DX	1	5.0		5	5	5	5	5	5	5
TOTAL MULTIPLE DX	8	6.4	28	2	3	5	8	15	18	18
TOTAL										
0-27 DYS	0									
1-11 MOS	4	7.8	50	3	3	5	12	18	18	18
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	0									
13-19 YRS	4	4.0	3	2	2	4	5	6	6	6
GRAND TOTAL	9	6.2	25	2	3	5	7	14	18	18

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	0									
TOTAL SINGLE DX	5	4.4	13	2	2	2	7	10	10	10
TOTAL MULTIPLE DX	3	7.3	14	3	4	9	10	10	10	10
TOTAL										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	0									
GRAND TOTAL	8	5.5	14	2	2	4	9	10	10	10

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
TOTAL SINGLE DX	5	3.0	4	<1	1	2	4	6	6	6
TOTAL MULTIPLE DX	3	2.7		2	2	3	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.3	2	3	3	4	5	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	2.0	1	<1	1	2	3	3	3	3
GRAND TOTAL	8	2.9	2	<1	2	3	4	5	6	6

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	2.1	5	<1	1	1	2	7	8	8
1-5 YRS	41	1.3		<1	<1	1	1	2	3	6
6-12 YRS	39	1.8	2	<1	<1	1	2	4	6	7
13-19 YRS	38	1.8	1	1	1	1	2	3	5	7
2. MULTIPLE DX										
0-27 DYS	6	11.3	278	1	2	3	14	41	44	44
1-11 MOS	24	2.4	3	1	1	1	4	5	6	8
1-5 YRS	35	3.0	21	<1	1	1	3	6	13	25
6-12 YRS	22	2.6	7	<1	1	1	2	7	10	10
13-19 YRS	20	2.9	10	<1	1	2	3	5	10	15
TOTAL SINGLE DX	136	1.7	2	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	107	3.2	28	<1	1	1	4	6	11	33
TOTAL										
0-27 DYS	7	10.1	242	1	2	3	11	38	44	44
1-11 MOS	41	2.2	4	<1	1	1	4	5	8	8
1-5 YRS	76	2.1	11	<1	<1	1	2	4	6	22
6-12 YRS	61	2.1	4	<1	1	1	2	5	7	10
13-19 YRS	58	2.2	5	<1	1	1	3	4	6	14
GRAND TOTAL	243	2.4	14	<1	1	1	2	5	7	16

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	1.6		1	1	1	2	3	3	3
1-11 MOS	17	3.1	17	1		1	3	7	14	18
1-5 YRS	35	1.4	1	<1	<1	1	1	3	4	6
6-12 YRS	31	1.8	2	1	1	1	2	3	4	8
13-19 YRS	123	1.9	4	1	1	1	2	3	6	13
2. MULTIPLE DX										
0-27 DYS	30	3.9	80	1	1	2	3	4	6	51
1-11 MOS	14	1.1		<1	<1	1	1	1	2	2
1-5 YRS	42	2.4	36	<1	1	1	2	2	6	39
6-12 YRS	32	4.9	188	<1	1	1	3	5	27	75
13-19 YRS	89	2.6	7	1	1	2	3	6	10	13
TOTAL SINGLE DX	213	1.9	5	<1	1	1	2	3	5	13
TOTAL MULTIPLE DX	207	3.0	51	<1	1	1	3	4	8	44
TOTAL										
0-27 DYS	37	3.4	66	1	1	2	3	4	5	51
1-11 MOS	31	2.2	11	<1	1	1	2	4	7	18
1-5 YRS	77	1.9	20	<1	1	1	1	2	4	31
6-12 YRS	63	3.4	98	1	1	1	2	4	6	69
13-19 YRS	212	2.2	6	1	1	1	2	4	8	13
GRAND TOTAL	420	2.4	28	<1	1	1	2	4	7	21

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	24	1.3		<1	<1	1	1	2	4	5
1-5 YRS	224	1.2		<1	<1	1	1	2	3	5
6-12 YRS	220	1.2		<1	<1	1	1	2	2	3
13-19 YRS	288	1.2		<1	1	1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS	12	6.7	225	1	1	2	5	63	93	99+
1-11 MOS	50	1.6	1	<1	1	1	1	3	4	6
1-5 YRS	256	1.5	1	<1	1	1	2	3	4	6
6-12 YRS	152	1.4	1	<1	1	1	1	2	3	7
13-19 YRS	84	1.4		<1	1	1	2	3	4	5
TOTAL SINGLE DX	759	1.2		<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	554	1.6	6	<1	1	1	2	3	4	7
TOTAL										
0-27 DYS	15	5.5	182	<1	1	2	3	49	86	99+
1-11 MOS	74	1.5	1	<1	<1	1	1	3	4	6
1-5 YRS	480	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	372	1.3	1	<1	1	1	1	2	3	5
13-19 YRS	372	1.3	1	<1	1	1	1	2	3	5
GRAND TOTAL	1313	1.4	3	<1	1	1	1	2	3	6

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	29	1.2		<1	1	1	1	2	3	4
6-12 YRS	119	1.1		<1	1	1	1	1	2	3
13-19 YRS	54	1.6	1	<1	1	1	2	3	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	17	2.5	5	<1	1	2	3	5	9	11
6-12 YRS	58	2.3	24	<1	1	1	2	5	7	35
13-19 YRS	38	2.6	25	<1	1	1	3	5	6	32
TOTAL SINGLE DX	205	1.3	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	115	2.5	21	<1	1	1	2	5	6	34
TOTAL										
0-27 DYS	0									
1-11 MOS	5	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	46	1.7	3	<1	1	1	2	3	4	11
6-12 YRS	177	1.5	8	<1	1	1	1	2	3	8
13-19 YRS	92	2.0	12	<1	1	1	2	4	5	21
GRAND TOTAL	**320**	**1.7**	**8**	**<1**	**1**	**1**	**1**	**3**	**5**	**9**

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	7	2.1	9	1	1	1	1	7	9	9
6-12 YRS	35	1.3		<1	<1	1	1	2	3	4
13-19 YRS	36	1.4	1	<1	1	1	1	2	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	12	1.4		<1	1	1	2	3	3	3
13-19 YRS	6	2.7	10	<1	<1	1	2	8	9	9
TOTAL SINGLE DX	82	1.4	1	<1	1	1	1	2	4	8
TOTAL MULTIPLE DX	23	2.1	5	<1	1	1	2	5	8	9
TOTAL										
0-27 DYS	0									
1-11 MOS	6	3.0	6	<1	1	2	5	7	7	7
1-5 YRS	10	1.8	6	<1	1	1	1	5	9	9
6-12 YRS	47	1.3		<1	1	1	1	2	3	4
13-19 YRS	42	1.5	2	<1	1	1	1	3	5	9
GRAND TOTAL	**105**	**1.6**	**2**	**<1**	**1**	**1**	**1**	**3**	**5**	**9**

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	78	1.3	1	<1	<1	<1	<1	1	3	9
1-5 YRS	128	1.1		<1	<1	<1	<1	1	1	4
6-12 YRS	41	1.0		<1	<1	<1	<1	1	1	2
13-19 YRS	6	1.3		<1	<1	<1	1	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	70	8.7	84	1	1	6	12	25	28	38
1-5 YRS	76	1.8	2	<1	<1	1	2	4	7	9
6-12 YRS	22	1.5	2	<1	<1	1	1	3	6	7
13-19 YRS	8	1.4		1	1	1	2	3	3	3
TOTAL SINGLE DX	253	1.1	1	<1	<1	<1	<1	1	1	6
TOTAL MULTIPLE DX	176	4.5	47	<1	<1	1	5	12	21	30
TOTAL										
0-27 DYS	0									
1-11 MOS	148	4.8	54	<1	<1	1	6	14	24	30
1-5 YRS	204	1.3	1	<1	<1	<1	1	2	3	7
6-12 YRS	63	1.2	1	<1	<1	<1	1	1	2	7
13-19 YRS	14	1.4	1	<1	<1	1	1	3	3	3
GRAND TOTAL	**429**	**2.5**	**22**	**<1**	**<1**	**<1**	**1**	**6**	**10**	**27**

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	1.2		<1	<1	1	1	2	2	2
1-11 MOS	12	1.2		<1	<1	1	1	2	3	3
1-5 YRS	66	1.6	1	<1	<1	1	2	3	6	7
6-12 YRS	16	1.8	2	<1	<1	1	2	4	5	6
13-19 YRS	14	3.9	7	1	2	3	4	8	10	10
2. MULTIPLE DX										
0-27 DYS	34	4.0	9	2	2	3	4	8	11	15
1-11 MOS	9	1.2		<1	<1	1	1	2	2	2
1-5 YRS	52	1.9	5	<1	1	1	2	3	8	14
6-12 YRS	17	6.3	30	1	3	6	7	8	21	28
13-19 YRS	33	6.0	26	1	2	5	8	17	20	99+
TOTAL SINGLE DX	113	1.9	3	<1	<1	1	2	4	6	9
TOTAL MULTIPLE DX	145	3.8	18	1	1	2	5	9	12	31
TOTAL										
0-27 DYS	39	3.6	10	1	2	2	4	8	11	15
1-11 MOS	21	1.2		<1	<1	1	1	2	3	3
1-5 YRS	118	1.8	4	<1	<1	1	2	3	6	11
6-12 YRS	33	4.1	25	<1	1	3	6	7	8	28
13-19 YRS	47	5.4	22	1	2	4	8	12	18	99+
GRAND TOTAL	258	2.9	12	<1	1	1	3	7	10	20

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	8	2.3		1	2	2	3	4	4	4
1-5 YRS	4	3.5	1	3	3	3	4	5	5	5
6-12 YRS	38	4.0	4	2	2	3	5	7	9	10
13-19 YRS	324	3.2	1	2	2	3	4	4	5	8
2. MULTIPLE DX										
0-27 DYS	5	4.8	1	3	4	5	6	6	6	6
1-11 MOS	4	4.5	19	1	1	4	8	10	10	10
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	26	4.9	16	2	3	4	6	8	13	21
13-19 YRS	381	4.1	10	2	3	3	4	6	8	20
TOTAL SINGLE DX	376	3.2	2	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	418	4.1	11	2	3	3	4	6	9	22
TOTAL										
0-27 DYS	7	4.1	2	2	3	4	6	6	6	6
1-11 MOS	12	3.0	7	1	1	2	3	7	10	10
1-5 YRS	6	3.7	1	3	3	4	4	5	5	5
6-12 YRS	64	4.3	9	2	3	4	5	8	9	20
13-19 YRS	705	3.7	7	2	3	3	4	5	7	12
GRAND TOTAL	794	3.7	7	2	3	3	4	6	7	12

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	10	3.2	3	1	2	3	4	6	8	8
6-12 YRS	25	4.3	2	3	4	4	5	6	7	9
13-19 YRS	136	3.8	4	2	3	4	4	5	6	13
2. MULTIPLE DX										
0-27 DYS	11	7.8	56	3	4	4	10	21	26	26
1-11 MOS	8	3.1	3	1	2	3	4	6	7	7
1-5 YRS	8	3.5		2	3	3	4	5	5	5
6-12 YRS	47	5.0	7	2	3	4	6	9	12	14
13-19 YRS	270	4.7	8	3	3	4	5	7	11	18
TOTAL SINGLE DX	177	3.8	4	2	3	4	4	5	6	10
TOTAL MULTIPLE DX	344	4.8	10	2	3	4	5	7	11	18
TOTAL										
0-27 DYS	14	6.7	48	2	3	4	6	18	24	26
1-11 MOS	11	3.0	3	1	2	2	4	6	7	7
1-5 YRS	18	3.3	2	2	2	3	4	5	7	8
6-12 YRS	72	4.8	6	2	3	4	6	7	11	14
13-19 YRS	406	4.4	7	2	3	4	5	7	9	18
GRAND TOTAL	521	4.4	8	2	3	4	5	7	9	18

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	5	2.2	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	4.8	7	2	2	4	7	8	8	8
13-19 YRS	5	5.8	21	1	2	5	8	13	13	13
TOTAL SINGLE DX	10	2.2	1	1	2	2	3	4	5	5
TOTAL MULTIPLE DX	11	5.5	12	2	3	5	8	11	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	7	3.7	6	2	2	3	5	8	8	8
13-19 YRS	10	4.0	14	1	1	3	5	10	13	13
GRAND TOTAL	21	4.0	10	1	2	3	5	8	11	13

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	9	2.9	1	1	2	3	3	4	5	5
13-19 YRS	79	2.6	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	0									
6-12 YRS	5	3.2	3	<1	1	3	4	6	6	6
13-19 YRS	123	3.8	12	1	2	3	4	6	10	18
TOTAL SINGLE DX	89	2.6	2	1	1	3	3	4	6	8
TOTAL MULTIPLE DX	130	3.8	13	1	2	3	4	6	10	19
TOTAL										
0-27 DYS	0									
1-11 MOS	3	7.0	61	2	2	3	13	16	16	16
1-5 YRS	0									
6-12 YRS	14	3.0	2	1	2	3	3	5	6	6
13-19 YRS	202	3.3	9	1	2	3	4	6	8	12
GRAND TOTAL	219	3.3	9	1	2	3	4	6	8	13

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.3		2	2	2	3	3	3	3
TOTAL SINGLE DX	5	1.4	1	<1	<1	<1	1	3	3	3
TOTAL MULTIPLE DX	3	2.3		2	2	2	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
GRAND TOTAL	8	1.8	1	<1	<1	1	2	3	3	3

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	54	3.8	45	2	2	2	3	4	9	37
TOTAL SINGLE DX	7	2.4	3	1	1	2	3	5	6	6
TOTAL MULTIPLE DX	54	3.8	45	2	2	2	3	4	9	37
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	60	3.6	41	1	2	2	3	4	8	37
GRAND TOTAL	61	3.6	40	1	2	2	3	4	8	37

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	13	3.2	1	2	2	3	4	5	5	5
13-19 YRS	183	3.0	1	2	2	3	4	4	5	5
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.3		2	3	3	4	4	4	4
13-19 YRS	276	3.7	3	2	3	3	4	5	6	13
TOTAL SINGLE DX	196	3.0	1	2	2	3	4	4	5	5
TOTAL MULTIPLE DX	283	3.7	3	2	3	3	4	5	6	12
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	19	3.2	1	2	2	3	4	5	5	5
13-19 YRS	459	3.4	2	2	3	3	4	5	5	11
GRAND TOTAL	479	3.4	2	2	3	3	4	5	5	10

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.0		<1	<1	<1	1	1	1	1
TOTAL SINGLE DX	7	1.1		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	8	1.0		<1	<1	<1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	1.1		<1	<1	<1	1	1	2	2
GRAND TOTAL	15	1.1		<1	<1	<1	1	1	2	2

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL RATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	11	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	4.8	29	<1	2	2	7	15	16	16
TOTAL SINGLE DX	12	1.4	1	<1	<1	<1	1	3	4	4
TOTAL MULTIPLE DX	12	5.0	27	<1	2	2	7	15	16	16
TOTAL										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	22	3.0	17	<1	<1	1	2	10	15	16
GRAND TOTAL	24	3.2	17	<1	<1	2	3	9	15	16

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	2.2	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	22	3.5	6	1	2	3	4	7	10	11
TOTAL SINGLE DX	39	2.2	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	23	3.6	7	1	2	3	5	7	10	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	61	2.6	5	1	1	2	3	5	7	11
GRAND TOTAL	**62**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**8**	**11**

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	5	3.6	4	<1	2	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	8.5	25	5	5	8	12	12	12	12
13-19 YRS	27	4.0	4	1	3	4	5	7	8	11
TOTAL SINGLE DX	6	3.2	4	<1	<1	3	5	6	6	6
TOTAL MULTIPLE DX	30	4.2	7	1	3	4	5	7	11	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	6.0	31	<1	1	5	10	12	12	12
13-19 YRS	32	3.9	5	1	3	4	5	7	7	11
GRAND TOTAL	**36**	**4.0**	**6**	**<1**	**3**	**4**	**5**	**7**	**10**	**12**

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	0									
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	4.7	3	3	3	5	5	7	8	8
1-5 YRS	4	10.3	22	6	7	9	13	17	17	17
6-12 YRS	11	4.5	15	2	2	3	4	11	15	15
13-19 YRS	31	4.8	7	3	3	4	5	8	11	14
TOTAL SINGLE DX	8	4.3	2	2	3	4	5	6	6	6
TOTAL MULTIPLE DX	55	5.1	11	3	3	4	6	9	13	17
TOTAL										
0-27 DYS	4	3.5	2	2	2	3	4	5	5	5
1-11 MOS	7	4.7	3	3	3	5	5	7	8	8
1-5 YRS	6	8.5	21	5	5	7	9	16	17	17
6-12 YRS	12	4.7	15	2	2	3	5	11	14	15
13-19 YRS	34	4.7	7	3	3	4	5	7	11	14
GRAND TOTAL	**63**	**5.0**	**10**	**3**	**3**	**4**	**5**	**9**	**12**	**17**

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	5	2.8	1	1	2	3	4	4	4	4
TOTAL SINGLE DX	2	3.0	2	2	2	3	4	4	4	4
TOTAL MULTIPLE DX	12	3.2	2	1	2	3	4	5	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	7	2.9	1	1	2	3	4	4	4	4
GRAND TOTAL	**14**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**6**

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	37.0		37	37	37	37	37	37	37
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	16.0	50	11	11	16	21	21	21	21
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	4	18.8	187	6	8	16	29	37	37	37
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	37.0		37	37	37	37	37	37	37
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	16.0	50	11	11	16	21	21	21	21
GRAND TOTAL	4	18.8	187	6	8	16	29	37	37	37

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	19	1.2		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	4.3	32	1	1	3	5	9	14	31
TOTAL SINGLE DX	19	1.2		<1	1	1	1	2	3	3
TOTAL MULTIPLE DX	32	4.3	33	1	1	3	5	9	14	31
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	51	3.2	23	1	1	1	4	6	10	31
GRAND TOTAL	51	3.2	23	1	1	1	4	6	10	31

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	958	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	0									
6-12 YRS	4	1.8	1	<1	<1	1	2	3	3	3
13-19 YRS	515	2.4	8	1	1	2	3	4	6	13
TOTAL SINGLE DX	959	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	520	2.4	8	1	1	2	3	4	6	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	0									
6-12 YRS	5	1.8	1	<1	1	2	2	3	3	3
13-19 YRS	1473	1.7	4	<1	1	1	2	3	4	8
GRAND TOTAL	1479	1.7	4	<1	1	1	2	3	4	8

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	30	5.8	44	1	1	3	7	14	18	31
TOTAL SINGLE DX	18	1.3	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	30	5.8	44	1	1	3	7	14	18	31
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	48	4.1	32	<1	1	2	5	10	15	31
GRAND TOTAL	48	4.1	32	<1	1	2	5	10	15	31

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	248	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	142	2.4	4	1	1	2	3	6	7	10
TOTAL SINGLE DX	250	1.3		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	142	2.4	5	1	1	2	3	6	7	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	390	1.7	2	<1	1	1	2	3	5	9
GRAND TOTAL	392	1.7	2	<1	1	1	2	3	5	9

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	4.5	6	2	3	4	6	9	9	9
TOTAL SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
TOTAL MULTIPLE DX	6	4.5	7	2	3	4	6	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	4.5	5	2	3	4	5	8	9	9
GRAND TOTAL	8	4.5	5	2	3	4	5	8	9	9

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	27	2.6	1	1	1	3	3	5	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	40	2.9	4	1	1	2	4	5	6	11
TOTAL SINGLE DX	31	2.5	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	43	2.9	5	1	1	2	4	6	7	11
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.7	14	1	1	2	6	8	8	8
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	67	2.7	4	1	1	3	4	5	6	10
GRAND TOTAL	74	2.7	4	1	1	2	3	5	6	10

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	2	3.5	13	<1	<1	3	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	0									
GRAND TOTAL	2	3.5	13	<1	<1	3	6	6	6	6

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	3.8	1	2	3	4	5	5	5	5
1-5 YRS	20	2.8	5	<1	<1	2	4	7	8	8
6-12 YRS	24	3.0	25	<1	1	1	3	5	11	26
13-19 YRS	31	2.0	2	<1	1	1	3	5	5	5
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	9	4.9	6	2	3	4	7	9	9	9
1-5 YRS	24	2.7	2	1	2	2	4	5	31	99+
6-12 YRS	30	6.2	74	1	2	3	7	12	26	43
13-19 YRS	61	4.0	15	1	1	3	5	9	11	20
TOTAL SINGLE DX	79	2.6	10	<1	1	1	4	5	6	21
TOTAL MULTIPLE DX	125	4.4	28	1	1	3	5	10	13	57
TOTAL										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	13	4.5	5	2	3	4	6	8	9	9
1-5 YRS	44	2.7	4	<1	1	2	4	7	8	99+
6-12 YRS	54	4.8	55	1	1	2	5	10	23	42
13-19 YRS	92	3.3	12	<1	1	2	4	8	10	18
GRAND TOTAL	204	3.7	22	<1	1	2	5	8	11	34

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	5	5.8	10	1	4	6	8	10	10	10
6-12 YRS	8	1.6		<1	1	1	2	3	3	3
13-19 YRS	50	2.4	7	<1	1	2	3	4	6	18
2. MULTIPLE DX										
0-27 DYS	14	6.8	107	2	2	3	4	19	35	39
1-11 MOS	3	10.0	103	1	3	8	18	21	21	21
1-5 YRS	9	7.4	57	1	2	6	9	19	26	26
6-12 YRS	10	4.4	21	1	1	3	5	12	15	15
13-19 YRS	102	3.9	22	<1	1	2	4	9	14	23
TOTAL SINGLE DX	67	2.5	7	<1	1	2	3	5	7	17
TOTAL MULTIPLE DX	138	4.6	35	1	1	2	5	11	18	28
TOTAL										
0-27 DYS	16	6.1	97	1	2	2	4	17	32	39
1-11 MOS	5	7.0	70	<1	1	4	11	21	21	21
1-5 YRS	14	6.9	39	1	2	6	9	12	23	26
6-12 YRS	18	3.2	13	1	1	2	3	8	13	15
13-19 YRS	152	3.4	18	<1	1	2	4	8	12	23
GRAND TOTAL	205	3.9	27	1	1	2	4	9	15	25

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	16	2.6	2	1	1	2	3	5	6	6
1-5 YRS	17	1.6	1	<1	<1	1	2	2	5	6
6-12 YRS	14	2.2	1	<1	1	2	3	4	5	5
13-19 YRS	62	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	7	3.3		2	3	3	4	4	4	4
1-5 YRS	28	3.0	10	<1	1	3	3	6	9	17
6-12 YRS	11	3.0	4	<1	1	3	5	6	6	6
13-19 YRS	66	5.0	112	1	1	2	4	8	14	70
TOTAL SINGLE DX	109	1.9	2	<1	1	1	2	4	5	6
TOTAL MULTIPLE DX	113	4.3	70	1	1	3	4	8	10	51
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	23	2.8	2	1	2	3	4	4	5	6
1-5 YRS	45	2.5	7	<1	1	2	3	4	7	17
6-12 YRS	25	2.6	3	<1	1	2	3	5	6	6
13-19 YRS	128	3.4	61	<1	1	2	3	5	8	46
GRAND TOTAL	222	3.1	38	<1	1	2	3	5	8	33

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	2	2.5	5	1	1	2	4	4	4	4

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	23	1.5	1	<1	1	1	1	3	5	6
6-12 YRS	25	1.6		1	1	1	2	3	4	5
13-19 YRS	6	1.8	1	<1	1	1	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	2	9.5	85	3	3	9	16	16	16	16
1-5 YRS	10	2.7	6	<1	1	2	3	7	8	8
6-12 YRS	29	2.5	5	<1	1	1	3	5	6	11
13-19 YRS	17	2.9	7	1	1	2	3	9	10	10
TOTAL SINGLE DX	55	1.6	1	<1	1	1	2	3	5	6
TOTAL MULTIPLE DX	60	3.0	9	<1	1	2	3	6	10	15
TOTAL										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	3	6.7	66	1	1	3	13	16	16	16
1-5 YRS	33	1.9	3	<1	1	1	2	5	6	8
6-12 YRS	54	2.1	3	1	1	1	2	5	5	11
13-19 YRS	23	2.7	6	1	1	2	3	5	10	10
GRAND TOTAL	**115**	**2.3**	**6**	**<1**	**1**	**1**	**3**	**5**	**6**	**13**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	7	1.3		<1	<1	<1	1	3	3	3
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	2.8	10	<1	<1	1	4	8	11	11
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	4	12.5	51	5	7	11	17	22	22	22
TOTAL SINGLE DX	14	1.2		<1	<1	<1	1	2	3	3
TOTAL MULTIPLE DX	18	4.7	34	<1	<1	2	6	12	18	22
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	17	2.2	7	<1	<1	1	2	6	9	11
6-12 YRS	9	1.3	1	<1	<1	<1	1	3	3	3
13-19 YRS	5	10.2	65	<1	4	10	15	22	22	22
GRAND TOTAL	**32**	**3.2**	**22**	**<1**	**<1**	**1**	**3**	**10**	**13**	**22**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1305	2.2		1	2	2	3	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2149	2.5	2	1	2	2	3	4	4	9
TOTAL SINGLE DX	1306	2.2		1	2	2	3	3	3	4
TOTAL MULTIPLE DX	2150	2.5	2	1	2	2	3	4	4	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3454	2.4	2	1	2	2	3	3	4	7
GRAND TOTAL	**3456**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	79	2.3	4	1	1	2	2	4	8	11
TOTAL SINGLE DX	15	1.7	1	1	1	2	2	3	3	3
TOTAL MULTIPLE DX	79	2.3	4	1	1	2	2	4	8	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	94	2.2	4	1	1	2	2	3	7	11
GRAND TOTAL	**94**	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**7**	**11**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1261	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	2265	2.5	6	1	2	2	3	3	4	8
TOTAL SINGLE DX	1261	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	2268	2.5	6	1	2	2	3	3	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	3526	2.3	4	1	2	2	3	3	4	7
GRAND TOTAL	3529	2.3	4	1	2	2	3	3	4	7

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	16	2.1		1	1	2	3	3	3	3
13-19 YRS	22277	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	2.7	2	1	2	2	3	5	6	6
13-19 YRS	13908	2.4	4	1	2	2	3	4	5	10
TOTAL SINGLE DX	22293	2.0	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	13918	2.4	5	1	2	2	3	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	26	2.3	1	1	2	2	3	3	4	6
13-19 YRS	36185	2.1	2	1	2	2	2	3	4	7
GRAND TOTAL	36211	2.1	2	1	2	2	2	3	4	7

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2052	3.8	1	3	3	4	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	5.0	4	4	4	4	6	8	8	8
13-19 YRS	8209	4.9	9	3	4	4	5	7	9	16
TOTAL SINGLE DX	2053	3.8	1	3	3	4	4	5	5	8
TOTAL MULTIPLE DX	8213	4.9	9	3	4	4	5	7	9	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	5.2	3	4	4	4	6	8	8	8
13-19 YRS	10261	4.7	8	3	3	4	5	7	8	15
GRAND TOTAL	10266	4.7	8	3	3	4	5	7	8	15

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	3.7	1	3	3	4	4	5	5	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	250	6.1	21	3	4	5	6	11	16	26
TOTAL SINGLE DX	62	3.7	1	3	3	4	4	5	5	9
TOTAL MULTIPLE DX	250	6.1	22	3	4	5	6	11	16	26
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	312	5.6	19	3	3	4	6	10	14	25
GRAND TOTAL	312	5.6	19	3	3	4	6	10	14	25

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	33	2.8	1	1	2	3	3	4	4	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	34	3.1	1	2	2	3	4	5	6	6
TOTAL SINGLE DX	33	2.8	1	1	2	3	3	4	4	7
TOTAL MULTIPLE DX	34	3.1	2	2	2	3	4	5	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	67	3.0	2	1	2	3	4	4	5	7
GRAND TOTAL	67	3.0	2	1	2	3	4	4	5	7

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	89	1.4	2	1	1	1	1	2	2	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	35	2.1	12	1	1	1	2	3	6	21
TOTAL SINGLE DX	91	1.4	2	1	1	1	2	2	2	10
TOTAL MULTIPLE DX	35	2.1	12	1	1	1	2	3	6	21
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	124	1.6	5	1	1	1	2	2	3	17
GRAND TOTAL	126	1.6	5	1	1	1	2	2	3	16

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	122	4.2	13	1	2	3	5	7	12	20
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	182	5.8	49	1	2	4	7	11	16	38
TOTAL SINGLE DX	122	4.2	14	1	2	3	5	7	12	20
TOTAL MULTIPLE DX	182	5.8	50	1	2	4	7	11	16	38
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	304	5.1	36	1	2	3	6	10	15	35
GRAND TOTAL	304	5.1	36	1	2	3	6	10	15	35

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1805	1.8	2	<1	1	1	2	3	3	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1121	2.2	4	<1	1	2	3	4	6	11
TOTAL SINGLE DX	1805	1.8	2	<1	1	1	2	3	3	7
TOTAL MULTIPLE DX	1122	2.2	5	<1	1	2	3	4	6	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	2926	1.9	3	<1	1	1	2	3	4	9
GRAND TOTAL	2927	1.9	3	<1	1	1	2	3	4	9

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3623	1.8		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	5251	2.2	2	1	2	2	3	3	4	7
TOTAL SINGLE DX	3623	1.8	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	5253	2.2	3	1	2	2	3	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	8874	2.0	2	1	1	2	2	3	3	6
GRAND TOTAL	**8876**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	5.5	9	1	4	7	7	7	7	7
1-5 YRS	14	3.1	4	< 1	1	3	4	7	8	8
6-12 YRS	22	2.0	2	< 1	1	1	3	5	5	5
13-19 YRS	25	2.8	6	< 1	1	2	4	5	8	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	9	6.9	51	1	3	5	7	18	25	25
6-12 YRS	22	4.6	17	1	2	4	6	11	14	17
13-19 YRS	41	3.4	13	1	1	2	4	6	11	21
TOTAL SINGLE DX	65	2.8	5	< 1	1	2	4	7	7	11
TOTAL MULTIPLE DX	73	4.2	20	1	2	3	5	8	15	24
TOTAL										
0-27 DYS	0									
1-11 MOS	5	6.0	8	1	5	7	7	8	8	8
1-5 YRS	23	4.6	25	1	2	3	6	8	14	25
6-12 YRS	44	3.3	11	1	1	2	4	7	11	17
13-19 YRS	66	3.2	11	1	1	2	4	5	8	20
GRAND TOTAL	**138**	**3.6**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	4.9	9	1	2	5	7	9	10	10
1-5 YRS	11	3.4	13	1	1	2	5	9	13	13
6-12 YRS	34	3.3	4	1	2	3	4	7	8	8
13-19 YRS	624	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	7.3	10	4	6	7	7	13	14	14
1-5 YRS	39	7.0	27	3	4	5	9	14	20	24
6-12 YRS	59	4.4	19	1	2	4	6	7	13	27
13-19 YRS	803	2.5	1	1	2	2	3	4	5	8
TOTAL SINGLE DX	682	2.2	2	1	1	2	3	4	4	8
TOTAL MULTIPLE DX	908	2.9	5	1	2	2	3	5	6	12
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	5.8	10	1	4	6	7	10	12	14
1-5 YRS	50	6.2	26	1	3	5	9	12	17	24
6-12 YRS	93	4.0	14	1	2	3	5	7	9	23
13-19 YRS	1427	2.3	2	1	2	2	3	4	4	7
GRAND TOTAL	**1590**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**6**	**10**

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	10	1.7		< 1	1	2	2	3	3	3
6-12 YRS	37	1.9	1	1	1	2	2	3	4	6
13-19 YRS	116	1.9	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	44	3.0	5	1	1	2	4	5	8	11
6-12 YRS	88	3.3	34	1	1	2	3	5	7	41
13-19 YRS	179	3.0	8	1	1	2	3	6	8	18
TOTAL SINGLE DX	166	1.9	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	312	3.1	16	1	1	2	3	6	8	19
TOTAL										
0-27 DYS	0									
1-11 MOS	4	6.3	41	1	1	4	11	15	15	15
1-5 YRS	54	2.7	4	1	1	2	3	5	7	11
6-12 YRS	125	2.8	25	1	1	2	3	5	7	37
13-19 YRS	295	2.6	6	1	1	2	3	5	6	16
GRAND TOTAL	**478**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	10	2.3	2	1	1	2	4	5	5	5
6-12 YRS	28	2.1	5	1	1	1	2	5	8	10
13-19 YRS	214	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	46	7.6	42	1	2	5	11	16	22	28
6-12 YRS	103	6.0	32	1	2	4	7	13	20	28
13-19 YRS	469	5.2	44	1	2	3	6	10	14	38
TOTAL SINGLE DX	253	2.4	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	620	5.5	42	1	2	4	7	11	16	32
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.0	13	2	2	4	8	9	9	9
1-5 YRS	56	6.7	40	1	2	5	10	15	21	28
6-12 YRS	131	5.2	30	1	2	3	7	12	18	26
13-19 YRS	683	4.3	33	1	2	3	5	9	12	25
GRAND TOTAL	873	4.6	33	1	2	3	5	9	13	26

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	2.5	9	1	1	1	4	7	7	7
1-5 YRS	9	1.9		1	1	2	2	3	4	4
6-12 YRS	36	2.4		1	2	2	3	4	4	4
13-19 YRS	22	2.1	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	11	3.3	3	1	1	4	5	6	6	6
6-12 YRS	62	2.3	1	1	1	2	3	4	5	7
13-19 YRS	31	3.6	10	1	1	3	5	7	9	17
TOTAL SINGLE DX	71	2.3	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	109	3.2	19	1	1	2	4	5	6	27
TOTAL										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	8	3.1	5	1	1	2	5	6	7	7
1-5 YRS	20	2.7	3	1	1	2	4	5	6	6
6-12 YRS	98	2.3	1	1	1	2	3	4	4	7
13-19 YRS	53	3.0	8	1	1	2	4	6	8	17
GRAND TOTAL	180	2.8	12	1	1	2	3	5	6	15

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	82	3.4	11	2	2	3	4	5	7	23
6-12 YRS	166	4.1	9	2	2	3	4	7	9	17
13-19 YRS	74	4.8	5	2	3	4	6	8	9	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	8	13.3	133	2	3	10	24	28	28	28
1-5 YRS	181	4.1	7	2	2	4	5	7	9	16
6-12 YRS	361	4.5	8	2	3	4	5	8	9	19
13-19 YRS	163	5.9	15	2	3	5	7	10	12	24
TOTAL SINGLE DX	324	4.1	9	2	2	3	5	7	9	18
TOTAL MULTIPLE DX	713	4.8	12	2	3	4	6	9	10	21
TOTAL										
0-27 DYS	0									
1-11 MOS	10	12.1	111	2	3	7	21	28	28	28
1-5 YRS	263	3.9	9	2	2	3	4	6	9	18
6-12 YRS	527	4.4	8	2	3	4	5	7	9	17
13-19 YRS	237	5.6	13	2	3	5	7	10	11	20
GRAND TOTAL	1037	4.6	11	2	3	4	5	8	10	21

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	3.4	12	<1	1	2	5	9	10	10
1-5 YRS	149	2.8	6	1	1	2	3	5	7	12
6-12 YRS	250	3.7	32	1	2	2	4	6	9	27
13-19 YRS	188	3.3	9	1	2	2	4	6	7	20
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	15.7	206	2	4	15	21	36	50	50
1-5 YRS	176	4.4	98	1	2	2	4	7	11	72
6-12 YRS	325	4.4	27	1	2	3	5	9	13	28
13-19 YRS	276	4.9	39	1	2	3	5	11	15	26
TOTAL SINGLE DX	596	3.3	18	1	1	2	4	6	8	21
TOTAL MULTIPLE DX	788	4.7	51	1	2	3	5	10	15	29
TOTAL										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	18	10.2	154	1	2	4	16	22	39	50
1-5 YRS	325	3.7	57	1	1	2	4	7	9	23
6-12 YRS	575	4.1	30	1	2	3	4	8	11	28
13-19 YRS	464	4.3	28	1	2	3	5	8	13	25
GRAND TOTAL	1384	4.1	37	1	2	3	4	8	12	26

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.5		<1	1	1	2	3	3	3
6-12 YRS	23	1.9	1	<1	1	1	3	4	4	4
13-19 YRS	90	1.8	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	28	1.5		<1	1	1	2	2	3	3
13-19 YRS	192	1.9	5	<1	1	1	2	3	4	15
TOTAL SINGLE DX	120	1.8	1	<1	1	2	2	4	4	5
TOTAL MULTIPLE DX	226	1.9	5	<1	1	1	2	3	4	11
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	10	1.6	1	<1	1	1	2	3	3	3
6-12 YRS	51	1.6	1	<1	1	1	2	3	4	4
13-19 YRS	282	1.9	4	<1	1	1	2	3	4	8
GRAND TOTAL	**346**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	28	3.9	9	1	2	2	6	8	10	12
6-12 YRS	120	3.2	14	1	1	2	3	7	12	19
13-19 YRS	187	2.7	5	1	1	2	3	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	13.0	128	5	5	13	21	21	21	21
1-11 MOS	2	16.0	128	8	8	16	24	24	24	24
1-5 YRS	31	10.8	99	3	4	7	14	27	33	39
6-12 YRS	73	10.4	181	2	3	7	11	24	30	79
13-19 YRS	99	8.8	96	2	3	6	11	18	23	59
TOTAL SINGLE DX	336	2.9	9	1	1	2	3	7	9	14
TOTAL MULTIPLE DX	207	9.7	126	2	3	7	11	22	30	73
TOTAL										
0-27 DYS	3	10.3	85	5	5	5	17	21	21	21
1-11 MOS	2	16.0	128	8	8	16	24	24	24	24
1-5 YRS	59	7.5	68	2	2	4	10	18	28	38
6-12 YRS	193	5.9	89	1	1	3	7	13	21	56
13-19 YRS	286	4.8	45	1	1	3	6	10	16	31
GRAND TOTAL	**543**	**5.5**	**64**	**1**	**1**	**3**	**7**	**12**	**19**	**34**

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	5.9	14	3	3	5	6	12	14	14
1-11 MOS	21	2.3	5	1	1	1	3	6	8	10
1-5 YRS	151	3.0	11	1	1	2	3	6	11	14
6-12 YRS	532	3.0	19	1	1	2	3	6	8	28
13-19 YRS	706	2.5	7	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	9	17.1	203	6	8	14	31	74	99+	99+
1-11 MOS	21	11.0	127	1	3	7	14	28	35	43
1-5 YRS	144	7.2	69	1	2	4	9	17	26	36
6-12 YRS	314	7.3	81	1	2	4	9	19	28	56
13-19 YRS	585	5.7	56	1	2	3	7	13	19	44
TOTAL SINGLE DX	1417	2.7	13	1	1	2	3	6	8	16
TOTAL MULTIPLE DX	1073	6.5	70	1	2	4	8	15	24	50
TOTAL										
0-27 DYS	16	12.2	148	3	5	8	15	45	82	99+
1-11 MOS	42	6.6	84	1	1	3	8	19	28	43
1-5 YRS	295	5.0	44	1	1	3	6	11	20	32
6-12 YRS	846	4.6	47	1	1	2	5	10	18	41
13-19 YRS	1291	3.9	33	1	1	2	4	9	13	35
GRAND TOTAL	**2490**	**4.4**	**41**	**1**	**1**	**2**	**5**	**10**	**15**	**37**

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	32	11.1	91	<1	3	9	18	25	30	32
6-12 YRS	438	4.2	27	1	2	3	5	8	17	25
13-19 YRS	391	3.2	11	1	1	2	4	6	8	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	40	13.4	168	2	4	8	20	30	39	60
6-12 YRS	232	7.9	83	1	2	4	9	23	26	38
13-19 YRS	248	6.5	45	1	2	4	8	13	20	36
TOTAL SINGLE DX	865	4.0	24	1	1	3	4	8	14	25
TOTAL MULTIPLE DX	520	7.6	75	1	2	4	9	20	26	39
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	72	12.4	134	1	4	9	19	27	32	57
6-12 YRS	670	5.5	50	1	2	3	6	14	22	33
13-19 YRS	639	4.5	27	1	2	3	5	9	12	28
GRAND TOTAL	**1385**	**5.4**	**46**	**1**	**2**	**3**	**6**	**12**	**21**	**33**

717: Repair and plastic operation on bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	1.6		1	1	1	2	3	3	3
1-5 YRS	56	2.7	15	1	1	1	3	6	13	22
6-12 YRS	168	3.1	24	1	1	2	3	6	11	29
13-19 YRS	218	2.6	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	13	4.6	70	1	1	1	3	15	28	31
1-5 YRS	51	5.3	105	1	1	2	5	13	16	69
6-12 YRS	160	4.6	59	1	1	2	5	8	17	35
13-19 YRS	253	5.4	92	1	1	3	5	11	16	56
TOTAL SINGLE DX	451	2.8	13	1	1	2	3	5	8	25
TOTAL MULTIPLE DX	478	5.1	82	1	1	3	5	10	16	51
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	22	3.4	43	1	1	1	2	6	19	31
1-5 YRS	107	4.0	60	1	1	2	3	10	15	43
6-12 YRS	328	3.8	42	1	1	2	4	8	13	31
13-19 YRS	471	4.1	53	1	1	2	4	8	11	29
GRAND TOTAL	929	4.0	50	1	1	2	4	8	12	30

718: Removal of internal fixation device (76 97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	52	2.3	14	<1	<1	1	2	4	12	21
6-12 YRS	181	2.1	11	<1	1	1	2	3	6	23
13-19 YRS	496	1.6	1	<1	1	1	2	3	3	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	143	1.9	10	<1	1	1	2	3	4	21
6-12 YRS	384	3.1	24	<1	1	1	3	6	16	26
13-19 YRS	484	3.2	43	1	1	2	3	5	10	38
TOTAL SINGLE DX	731	1.8	5	<1	1	1	2	3	4	12
TOTAL MULTIPLE DX	1015	3.0	31	<1	1	1	3	5	10	27
TOTAL										
0-27 DYS	0									
1-11 MOS	6	1.5	1	<1	1	1	2	3	3	3
1-5 YRS	195	2.0	12	<1	1	1	2	3	4	21
6-12 YRS	565	2.8	20	<1	1	1	2	4	12	26
13-19 YRS	980	2.4	23	<1	1	1	2	4	6	20
GRAND TOTAL	1746	2.5	21	<1	1	1	2	4	8	24

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	5.3	34	1	1	3	10	12	12	12
1-5 YRS	26	12.0	80	1	4	11	18	22	26	37
6-12 YRS	74	10.1	99	1	3	4	19	24	29	37
13-19 YRS	95	6.6	50	2	3	5	7	10	20	43
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	27	13.3	67	4	6	11	19	25	28	31
6-12 YRS	84	17.5	235	3	6	12	25	37	43	69
13-19 YRS	176	10.2	60	4	6	9	12	17	22	45
TOTAL SINGLE DX	198	8.6	76	1	3	5	10	22	27	39
TOTAL MULTIPLE DX	289	12.6	121	4	6	9	15	26	36	62
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	6.5	28	1	2	6	11	12	12	12
1-5 YRS	53	12.7	73	3	6	11	18	23	28	37
6-12 YRS	158	14.1	184	2	4	9	22	32	39	68
13-19 YRS	271	8.9	59	3	4	7	11	15	20	45
GRAND TOTAL	487	11.0	106	2	4	8	14	24	32	46

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	16	6.4	69	1	2	3	8	16	28	33
6-12 YRS	67	5.6	33	1	3	4	6	11	18	30
13-19 YRS	166	6.2	12	3	4	6	8	10	12	18
2. MULTIPLE DX										
0-27 DYS	5	8.6	14	6	6	7	10	15	15	15
1-11 MOS	6	9.5	16	4	6	10	13	14	14	14
1-5 YRS	27	9.0	38	2	5	8	12	19	22	25
6-12 YRS	83	8.9	49	3	5	6	11	16	27	36
13-19 YRS	361	12.1	93	4	6	10	14	23	32	58
TOTAL SINGLE DX	250	6.0	21	2	3	5	8	11	13	27
TOTAL MULTIPLE DX	482	11.3	82	4	6	9	14	22	31	58
TOTAL										
0-27 DYS	5	8.6	14	6	6	7	10	15	15	15
1-11 MOS	7	8.6	20	3	4	8	13	14	14	14
1-5 YRS	43	8.0	50	2	3	6	11	18	23	33
6-12 YRS	150	7.4	45	2	3	5	9	14	26	31
13-19 YRS	527	10.2	75	3	5	8	12	19	28	57
GRAND TOTAL	732	9.5	68	3	5	7	12	17	26	49

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	50	2.9	10	1	1	2	3	7	10	16
1-5 YRS	381	4.6	30	1	1	2	4	13	19	25
6-12 YRS	205	8.8	87	1	2	4	15	23	26	39
13-19 YRS	73	5.3	87	1	1	3	4	9	27	55
2. MULTIPLE DX										
0-27 DYS	5	3.4	1	2	3	3	4	5	5	5
1-11 MOS	31	5.7	29	1	2	4	7	15	17	23
1-5 YRS	222	7.4	52	1	2	4	10	19	22	31
6-12 YRS	194	13.0	139	2	3	7	21	29	36	51
13-19 YRS	62	12.7	147	2	5	9	14	30	42	55
TOTAL SINGLE DX	710	5.7	55	1	2	3	5	18	22	31
TOTAL MULTIPLE DX	514	10.0	103	2	3	6	16	24	30	45
TOTAL										
0-27 DYS	6	3.3	1	2	3	3	4	5	5	5
1-11 MOS	81	4.0	19	1	1	2	4	10	15	21
1-5 YRS	603	5.6	40	1	2	3	6	18	20	26
6-12 YRS	399	10.8	117	1	3	6	19	25	32	46
13-19 YRS	135	8.7	128	1	2	4	10	27	31	57
GRAND TOTAL	1224	7.5	80	1	2	3	10	21	25	39

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.0	7	1	1	1	1	7	8	8
1-5 YRS	418	1.8	3	1	1	1	2	3	3	11
6-12 YRS	553	1.9	6	1	1	1	2	3	4	16
13-19 YRS	189	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	62	3.0	11	1	1	2	3	7	9	19
6-12 YRS	135	2.7	9	1	1	2	3	5	8	20
13-19 YRS	112	7.1	71	1	2	4	9	17	22	47
TOTAL SINGLE DX	1168	1.9	5	1	1	1	2	3	4	13
TOTAL MULTIPLE DX	312	4.4	36	1	1	2	5	10	17	31
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	2.4	5	1	1	1	3	6	8	8
1-5 YRS	480	1.9	5	1	1	1	2	3	5	15
6-12 YRS	688	2.1	7	1	1	1	2	3	5	16
13-19 YRS	301	4.0	34	1	1	2	4	9	14	32
GRAND TOTAL	1480	2.4	12	1	1	1	2	4	8	19

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	6	2.7	3	<1	1	2	5	5	5	5
1-5 YRS	384	1.9	1	1	1	1	2	3	4	8
6-12 YRS	894	1.9	2	1	1	2	2	3	4	7
13-19 YRS	2156	2.6	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	2.8	4	1	1	2	5	5	5	5
1-5 YRS	107	3.5	27	1	1	2	4	6	11	31
6-12 YRS	342	3.6	13	1	1	2	5	8	11	19
13-19 YRS	1303	5.2	36	1	2	3	6	11	16	30
TOTAL SINGLE DX	3443	2.3	5	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	1757	4.8	32	1	2	3	5	10	15	26
TOTAL										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	11	2.7	3	<1	1	2	5	5	5	5
1-5 YRS	491	2.2	8	1	1	2	2	4	6	13
6-12 YRS	1236	2.4	6	1	1	2	3	5	6	14
13-19 YRS	3459	3.6	19	1	1	2	4	7	10	21
GRAND TOTAL	5200	3.2	15	1	1	2	3	6	9	19

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	3.3	4	1	2	4	5	5	5	5
1-11 MOS	15	1.9	1	1	1	2	2	3	5	5
1-5 YRS	715	1.5	2	<1	1	1	2	3	4	7
6-12 YRS	1825	1.6	2	1	1	1	2	3	3	8
13-19 YRS	980	2.0	4	1	1	1	2	4	5	10
2. MULTIPLE DX										
0-27 DYS	3	6.7	80	1	1	2	13	17	17	17
1-11 MOS	13	3.5	8	1	1	2	5	9	9	9
1-5 YRS	196	3.3	21	1	1	2	4	7	15	21
6-12 YRS	557	3.8	35	1	1	2	3	7	16	33
13-19 YRS	529	4.6	56	1	1	3	5	9	12	44
TOTAL SINGLE DX	3538	1.7	3	1	1	1	2	3	4	9
TOTAL MULTIPLE DX	1298	4.1	42	1	1	2	4	8	14	36
TOTAL										
0-27 DYS	6	5.0	37	1	1	3	5	16	17	17
1-11 MOS	28	2.6	5	1	1	2	3	6	9	9
1-5 YRS	911	1.9	7	<1	1	1	2	4	5	17
6-12 YRS	2382	2.1	11	1	1	1	2	3	5	20
13-19 YRS	1509	2.9	24	1	1	2	3	6	8	21
GRAND TOTAL	4836	2.3	15	1	1	1	2	4	7	19

725. Reduction of hip dislocation (79.75, 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	156	4.3	24	<1	1	2	6	12	16	31
1-5 YRS	161	4.2	15	1	1	3	4	11	15	19
6-12 YRS	65	4.5	14	1	2	3	6	8	14	19
13-19 YRS	58	5.1	13	1	2	4	7	10	12	15
2. MULTIPLE DX										
0-27 DYS	10	3.5	3	1	3	3	4	6	7	7
1-11 MOS	57	7.4	56	1	1	2	12	22	25	28
1-5 YRS	95	3.6	15	2	3	3	5	11	15	15
6-12 YRS	82	5.5	25	2	2	4	5	8	17	20
13-19 YRS	67	6.1	19	2	2	4	7	12	16	19
TOTAL SINGLE DX	442	4.3	20	1	1	3	6	11	15	19
TOTAL MULTIPLE DX	311	5.7	29	2	2	4	6	13	17	27
TOTAL										
0-27 DYS	12	4.2	5	2	3	4	5	8	10	10
1-11 MOS	213	5.1	34	<1	1	2	6	14	19	26
1-5 YRS	256	4.1	16	1	2	3	5	11	15	19
6-12 YRS	147	4.9	21	2	3	4	6	8	15	20
13-19 YRS	125	5.6	16	1	2	4	7	12	14	18
GRAND TOTAL	753	4.9	24	1	2	3	6	12	16	24

726. Reduction of dislocation, except hip (79.70-79.74, 79.76-79.84, 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	17	1.4	1	<1	1	1	1	2	5	6
6-12 YRS	59	1.3		<1	1	1	1	2	3	6
13-19 YRS	110	2.0	4	1	1	1	2	4	5	13
2. MULTIPLE DX										
0-27 DYS	5	2.6		2	2	3	3	3	3	3
1-11 MOS	3	5.3	26	1	3	3	9	11	11	11
1-5 YRS	18	2.6	5	1	1	2	3	5	8	10
6-12 YRS	27	2.1	5	<1	1	1	2	3	6	13
13-19 YRS	77	3.5	20	1	1	2	4	6	8	30
TOTAL SINGLE DX	189	1.7	3	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	130	3.1	15	1	1	2	3	5	9	21
TOTAL										
0-27 DYS	5	2.6		2	2	3	3	3	3	3
1-11 MOS	6	3.5	15	<1	1	2	4	10	11	11
1-5 YRS	35	2.0	4	1	1	1	2	4	6	10
6-12 YRS	86	1.6	2	<1	1	1	2	3	3	10
13-19 YRS	187	2.6	12	1	1	2	3	4	7	18
GRAND TOTAL	319	2.3	8	1	1	1	2	4	6	17

727. Arthrotomy and division of joint capsule (80.0-80.1, 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	13.5	265	2	2	13	25	25	25	25
1-11 MOS	176	2.8	12	1	1	2	3	6	9	20
1-5 YRS	171	4.6	25	1	1	3	6	11	14	24
6-12 YRS	110	4.9	26	1	2	3	7	12	12	30
13-19 YRS	242	2.5	11	1	1	2	3	5	8	14
2. MULTIPLE DX										
0-27 DYS	9	23.6	587	10	12	18	24	86	99+	99+
1-11 MOS	126	8.1	77	1	2	5	11	21	25	42
1-5 YRS	203	7.8	59	1	2	5	12	21	24	41
6-12 YRS	198	7.5	53	1	2	5	10	16	21	40
13-19 YRS	310	4.5	40	1	1	2	4	10	15	35
TOTAL SINGLE DX	701	3.5	19	1	1	2	4	8	11	23
TOTAL MULTIPLE DX	846	6.7	64	1	2	4	8	16	22	42
TOTAL										
0-27 DYS	11	20.9	550	5	13	18	24	81	97	99+
1-11 MOS	302	5.0	46	1	1	2	6	14	20	34
1-5 YRS	374	6.3	46	1	2	3	8	15	22	31
6-12 YRS	308	6.6	49	1	2	4	8	14	20	35
13-19 YRS	552	3.8	30	1	1	2	4	8	12	29
GRAND TOTAL	1547	5.3	46	1	1	3	6	14	20	35

728. Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	2	4.5	13	2	2	4	7	7	7	7

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	5	8.4	3	6	7	8	9	11	11	11
13-19 YRS	252	3.7	9	2	2	3	4	6	9	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	8.8	12	4	7	8	10	14	15	15
6-12 YRS	25	13.0	54	7	8	9	19	23	27	32
13-19 YRS	114	7.1	39	2	3	5	9	14	23	31
TOTAL SINGLE DX	258	3.8	10	2	2	3	4	6	10	16
TOTAL MULTIPLE DX	147	8.2	45	3	4	6	11	19	23	32
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	9.7	19	5	7	8	13	16	17	17
6-12 YRS	30	12.2	49	6	8	9	13	23	25	32
13-19 YRS	366	4.7	21	2	2	3	5	9	13	25
GRAND TOTAL	405	5.4	27	2	3	4	6	11	16	26

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.2		1	1	1	2	2	2	2
6-12 YRS	10	1.8		1	1	2	2	3	3	3
13-19 YRS	117	1.8		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	22.3	506	6	8	13	39	48	48	48
6-12 YRS	8	1.9	1	1	1	2	3	3	3	3
13-19 YRS	340	2.4	1	<1	1	2	3	4	4	6
TOTAL SINGLE DX	132	1.8	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	352	2.5	8	<1	1	2	3	4	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	9.1	264	1	1	2	9	37	48	48
6-12 YRS	18	1.8	1	1	1	2	3	3	3	3
13-19 YRS	457	2.2	1	<1	1	2	3	4	4	5
GRAND TOTAL	484	2.3	6	<1	1	2	3	4	4	6

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	25	6.7	33	1	3	5	8	13	22	23
6-12 YRS	38	3.8	15	1	1	2	6	9	11	19
13-19 YRS	210	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	7.8	29	1	4	8	11	14	14	14
1-5 YRS	8	12.1	13	8	9	11	15	17	17	17
6-12 YRS	33	7.4	57	1	2	5	10	17	23	34
13-19 YRS	226	2.6	5	<1	1	2	3	5	6	14
TOTAL SINGLE DX	276	2.6	9	<1	<1	1	3	6	8	17
TOTAL MULTIPLE DX	271	3.5	17	1	1	2	4	8	13	22
TOTAL										
0-27 DYS	0									
1-11 MOS	7	6.0	20	1	3	5	8	13	14	14
1-5 YRS	33	8.0	33	1	4	7	11	17	21	23
6-12 YRS	71	5.5	38	1	1	4	6	12	19	32
13-19 YRS	436	2.3	4	<1	1	2	3	4	6	13
GRAND TOTAL	547	3.1	13	<1	1	2	4	7	10	19

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	6.1	13	1	3	6	8	11	13	13
1-5 YRS	37	4.7	22	<1	1	2	8	13	15	17
6-12 YRS	64	3.8	10	<1	1	3	5	7	10	16
13-19 YRS	141	2.0	4	<1	1	1	2	4	5	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	18	15.1	79	4	8	11	22	29	31	31
1-5 YRS	35	10.9	113	1	5	10	13	17	25	62
6-12 YRS	75	7.8	38	1	3	7	12	18	21	81
13-19 YRS	171	3.6	22	<1	1	2	4	10	13	26
TOTAL SINGLE DX	251	3.0	10	<1	1	2	4	7	9	16
TOTAL MULTIPLE DX	300	6.2	51	1	1	3	10	15	21	32
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	27	12.1	75	3	6	9	20	24	31	31
1-5 YRS	72	7.7	75	1	1	6	11	15	17	54
6-12 YRS	139	5.9	29	1	2	4	9	14	18	36
13-19 YRS	312	2.9	15	<1	1	1	3	7	11	17
GRAND TOTAL	551	4.7	35	<1	1	2	6	12	16	29

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	35	6.6	16	3	4	6	8	14	16	19
6-12 YRS	187	7.8	11	5	6	7	8	11	14	24
13-19 YRS	592	7.6	11	5	6	7	8	10	13	24
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	7.0	14	4	4	6	9	13	13	13
1-5 YRS	94	9.5	109	3	5	7	10	21	33	99+
6-12 YRS	426	10.5	61	6	7	8	11	17	24	46
13-19 YRS	771	11.5	103	6	7	9	11	20	29	65
TOTAL SINGLE DX	815	7.6	12	5	6	7	8	10	14	24
TOTAL MULTIPLE DX	1296	11.0	90	5	7	8	11	19	28	62
TOTAL										
0-27 DYS	0									
1-11 MOS	6	6.3	14	3	4	5	8	12	13	13
1-5 YRS	129	8.7	85	3	4	7	9	17	31	99+
6-12 YRS	613	9.7	48	5	6	8	10	15	22	37
13-19 YRS	1363	9.8	67	5	6	8	10	15	23	49
GRAND TOTAL	2111	9.7	63	5	6	8	10	15	23	48

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	13	2.0	3	<1	1	1	2	5	7	7
6-12 YRS	33	2.5	2	1	1	2	3	4	5	9
13-19 YRS	72	2.5	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	18	2.1	1	1	1	2	3	3	4	4
6-12 YRS	107	2.9	2	1	2	3	4	5	6	8
13-19 YRS	161	3.6	5	1	2	3	4	7	8	12
TOTAL SINGLE DX	118	2.5	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	287	3.3	5	1	2	3	4	6	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	31	2.1	2	1	1	2	3	4	4	7
6-12 YRS	140	2.8	2	1	2	3	3	5	6	8
13-19 YRS	233	3.3	5	1	2	3	4	5	7	12
GRAND TOTAL	405	3.1	4	1	2	3	4	5	7	11

735: Total hip replacement (81.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	12.0	50	7	7	12	17	17	17	17
13-19 YRS	5	10.2	43	7	7	7	11	22	22	22
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	0									
13-19 YRS	26	9.8	14	6	7	8	14	17	31	99+
TOTAL SINGLE DX	7	10.7	38	7	7	7	15	21	22	22
TOTAL MULTIPLE DX	29	9.4	14	6	6	8	13	16	19	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	12.0	50	7	7	12	17	17	17	17
13-19 YRS	31	9.8	18	6	7	8	13	18	22	99+
GRAND TOTAL	36	9.6	18	6	7	8	13	17	21	99+

736: Other arthroplasty of hip (81.40; 81.52-81.53)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	12	3.0	1	1	2	3	4	5	6	6
13-19 YRS	19	5.7	11	3	3	4	7	12	13	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	10.3	11	7	7	10	13	14	14	14
1-5 YRS	7	5.4	8	2	3	4	8	9	9	9
6-12 YRS	30	4.9	4	2	3	4	6	9	9	10
13-19 YRS	13	8.6	29	3	5	7	11	16	21	22
TOTAL SINGLE DX	33	4.5	9	2	3	3	5	9	12	13
TOTAL MULTIPLE DX	54	6.3	14	3	4	5	8	11	14	22
TOTAL										
0-27 DYS	0									
1-11 MOS	4	10.3	11	7	7	10	13	14	14	14
1-5 YRS	9	4.9	8	2	3	4	7	9	9	9
6-12 YRS	42	4.4	5	2	3	4	5	8	9	10
13-19 YRS	32	6.9	20	3	3	6	8	13	15	22
GRAND TOTAL	87	5.6	13	2	3	4	7	11	13	19

737: Total knee replacement (81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	6.3	18	1	2	7	8	12	14	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	14.3	57	8	9	12	18	27	29	29
TOTAL SINGLE DX	8	6.3	18	1	2	7	8	12	14	14
TOTAL MULTIPLE DX	7	14.3	57	8	9	12	18	27	29	29
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	10.0	51	2	7	8	13	19	26	29
GRAND TOTAL	15	10.0	51	2	7	8	13	19	26	29

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.3	1	1	1	3	3	3	3	3
6-12 YRS	37	2.2	1	1	1	2	3	4	5	6
13-19 YRS	1266	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	35	3.2	5	1	2	2	4	8	9	10
13-19 YRS	1367	2.8	2	1	2	3	3	4	5	10
TOTAL SINGLE DX	1306	2.6	1	1	2	2	3	4	4	6
TOTAL MULTIPLE DX	1406	2.8	3	1	2	3	3	4	5	10
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	5	2.2	1	1	2	2	3	3	3	3
6-12 YRS	72	2.7	4	1	1	2	3	5	8	10
13-19 YRS	2633	2.7	2	1	2	3	3	4	5	7
GRAND TOTAL	2712	2.7	2	1	2	2	3	4	5	7

739: Prosthetic replacement of joint, except hip and knee (81.56-81.59; 81.71; 81.73-81.74; 81.80-81.81; 81.84)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	5	1.2		1	1	1	2	2	2	2
13-19 YRS	8	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	2.9	9	1	1	2	3	8	11	11
TOTAL SINGLE DX	16	1.4		1	1	1	2	2	3	3
TOTAL MULTIPLE DX	16	2.9	8	1	1	2	3	7	10	11
TOTAL										
0-27 DYS	0									
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	6	1.3		1	1	1	2	2	2	2
13-19 YRS	19	2.3	6	1	1	2	2	5	9	11
GRAND TOTAL	32	2.2	5	1	1	2	2	4	7	11

740: Miscellaneous repair of other joint, except hip and knee (81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	16	2.1	1	1	1	2	3	3	4	4
6-12 YRS	19	1.6		<1	1	1	2	3	4	4
13-19 YRS	843	1.8		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	10	2.2	2	1	1	2	4	5	5	5
6-12 YRS	9	2.7	5	<1	1	2	3	7	8	8
13-19 YRS	253	2.1	11	1	1	2	2	3	4	7
TOTAL SINGLE DX	881	1.8	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	274	2.2	11	1	1	2	2	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	5	1.4	1	1	1	1	2	3	3	3
1-5 YRS	26	2.1	1	1	1	2	3	4	4	5
6-12 YRS	28	1.9	3	<1	1	1	2	4	5	8
13-19 YRS	1096	1.9	3	1	1	2	2	3	3	5
GRAND TOTAL	1155	1.9	3	1	1	2	2	3	3	5

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	81	4.9	28	1	1	2	8	14	17	20
1-5 YRS	142	3.3	20	< 1	1	2	3	7	14	25
6-12 YRS	161	3.2	10	1	1	2	4	8	11	15
13-19 YRS	141	2.7	6	1	1	2	3	5	9	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	47	6.9	95	1	1	3	9	15	20	49
1-5 YRS	467	3.5	16	1	2	2	4	6	10	24
6-12 YRS	468	4.3	51	1	2	3	4	7	12	45
13-19 YRS	329	5.1	35	1	2	3	6	10	15	27
TOTAL SINGLE DX	527	3.3	15	1	1	2	4	8	12	18
TOTAL MULTIPLE DX	1311	4.3	37	1	2	3	5	8	12	35
TOTAL										
0-27 DYS	2	2.0	2	1	1	3	76	99 +	99 +	99 +
1-11 MOS	128	5.6	53	1	1	2	8	15	17	45
1-5 YRS	609	3.4	17	1	1	2	3	7	11	25
6-12 YRS	629	4.0	41	1	1	3	4	7	11	27
13-19 YRS	470	4.4	28	1	2	3	5	9	12	23
GRAND TOTAL	**1838**	**4.0**	**31**	**1**	**1**	**3**	**4**	**8**	**12**	**25**

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	5.6	34	2	3	4	5	15	21	21
1-11 MOS	50	2.1	2	< 1	1	2	3	5	6	6
1-5 YRS	109	2.3	5	< 1	1	1	2	6	8	10
6-12 YRS	106	2.2	5	< 1	< 1	1	3	5	7	13
13-19 YRS	92	2.4	7	< 1	< 1	1	3	5	7	14
2. MULTIPLE DX										
0-27 DYS	6	18.8	367	3	5	14	46	90	99 +	99 +
1-11 MOS	49	12.3	355	1	3	5	12	29	53	97
1-5 YRS	88	6.7	101	1	1	3	8	14	29	57
6-12 YRS	67	8.5	133	1	2	4	10	18	37	57
13-19 YRS	92	7.9	171	1	1	3	8	20	49	90
TOTAL SINGLE DX	366	2.4	6	< 1	1	1	3	5	7	12
TOTAL MULTIPLE DX	302	8.6	179	1	2	4	10	21	37	87
TOTAL										
0-27 DYS	15	10.9	197	2	3	5	17	48	85	99 +
1-11 MOS	99	7.2	201	1	1	3	6	15	29	88
1-5 YRS	197	4.3	53	< 1	1	2	5	10	12	37
6-12 YRS	173	4.7	64	< 1	1	2	5	10	16	49
13-19 YRS	184	5.1	97	< 1	1	2	5	11	20	71
GRAND TOTAL	**668**	**5.2**	**94**	**< 1**	**1**	**2**	**5**	**11**	**20**	**59**

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	11	3.4	17	< 1	1	1	4	11	12	12
6-12 YRS	5	2.6	3	1	1	2	4	5	5	5
13-19 YRS	5	2.4	5	< 1	< 1	1	4	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	5	2.6	6	< 1	1	2	3	7	7	7
6-12 YRS	13	2.4	2	< 1	1	2	4	4	5	5
13-19 YRS	11	12.2	777	1	2	4	6	43	92	96
TOTAL SINGLE DX	22	2.9	10	< 1	1	1	4	7	11	12
TOTAL MULTIPLE DX	30	6.4	295	< 1	1	3	5	7	15	96
TOTAL										
0-27 DYS	0									
1-11 MOS	2	8.0	98	< 1	< 1	7	15	15	15	15
1-5 YRS	16	3.1	13	< 1	1	2	3	11	12	12
6-12 YRS	18	2.4	2	1	1	2	4	5	5	5
13-19 YRS	16	9.1	541	< 1	1	3	5	8	70	96
GRAND TOTAL	**52**	**4.9**	**175**	**< 1**	**1**	**2**	**4**	**7**	**12**	**94**

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	16	1.3		< 1	1	1	2	2	2	2
1-5 YRS	77	1.6	1	< 1	1	1	2	3	4	8
6-12 YRS	64	1.4	1	< 1	1	1	1	2	3	8
13-19 YRS	99	1.5		< 1	1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	12	1.5	1	< 1	1	1	2	3	4	4
1-5 YRS	110	1.8	3	1	1	1	2	3	4	11
6-12 YRS	84	1.8	9	1	1	1	2	2	3	22
13-19 YRS	171	2.4	9	1	1	2	2	4	6	22
TOTAL SINGLE DX	257	1.5	1	< 1	1	1	2	2	3	7
TOTAL MULTIPLE DX	377	2.1	8	1	1	1	2	4	5	18
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	28	1.4	1	< 1	1	1	2	2	3	4
1-5 YRS	187	1.7	3	< 1	1	1	2	3	4	8
6-12 YRS	148	1.6	6	< 1	1	1	2	2	3	11
13-19 YRS	270	2.1	7	1	1	1	2	4	5	14
GRAND TOTAL	**634**	**1.8**	**5**	**< 1**	**1**	**1**	**2**	**3**	**4**	**12**

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	25	1.6		<1	<1	1	2	3	3	4
6-12 YRS	78	2.0	2	1	1	2	2	4	5	8
13-19 YRS	120	1.8	2	1	1	1	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	6	9.8	211	1	3	4	9	36	39	39
1-5 YRS	24	4.3	36	1	1	2	3	12	18	26
6-12 YRS	58	2.7	15	1	1	1	3	6	8	26
13-19 YRS	136	3.5	26	1	1	2	4	6	15	31
TOTAL SINGLE DX	224	1.9	2	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	225	3.6	30	1	1	2	3	8	14	31
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	7	8.6	187	1	2	3	8	33	39	39
1-5 YRS	49	2.9	20	<1	1	1	2	8	11	26
6-12 YRS	136	2.3	8	1	1	2	2	5	7	15
13-19 YRS	256	2.7	16	1	1	2	3	5	8	25
GRAND TOTAL	445	2.7	17	1	1	2	3	5	8	26

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	516	1.9	1	1	1	2	2	3	4	7
1-5 YRS	345	1.7		1	1	1	2	3	4	4
6-12 YRS	208	2.0	2	1	1	1	2	4	5	7
13-19 YRS	135	2.1	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-27 DYS	4	4.3	21	1	1	2	7	11	11	11
1-11 MOS	168	2.3	4	1	1	2	3	4	5	12
1-5 YRS	552	2.1	2	1	1	2	3	4	5	8
6-12 YRS	650	2.5	8	1	1	2	3	4	6	21
13-19 YRS	361	3.8	35	1	1	2	4	6	12	32
TOTAL SINGLE DX	1204	1.9	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1735	2.6	12	1	1	2	3	4	6	21
TOTAL										
0-27 DYS	4	4.3	21	1	1	2	7	11	11	11
1-11 MOS	684	2.0	2	1	1	2	2	3	4	8
1-5 YRS	897	1.9	2	1	1	2	2	3	4	7
6-12 YRS	858	2.4	7	1	1	2	3	4	6	14
13-19 YRS	496	3.3	27	1	1	2	3	5	9	31
GRAND TOTAL	2939	2.3	8	1	1	2	3	4	5	13

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	24	1.3		<1	<1	1	1	2	3	3
6-12 YRS	10	1.6		<1	<1	1	2	3	3	3
13-19 YRS	29	2.3	6	1	1	1	2	6	10	11
2. MULTIPLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	2	17.0	512	1	1	17	33	33	33	33
1-5 YRS	23	4.0	81	<1	1	1	2	8	22	44
6-12 YRS	10	3.3	5	1	2	3	3	7	9	9
13-19 YRS	32	6.4	248	1	2	3	5	9	15	91
TOTAL SINGLE DX	71	1.8	3	<1	1	1	2	3	4	11
TOTAL MULTIPLE DX	69	5.3	154	1	1	2	4	9	17	82
TOTAL										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	10	4.5	101	<1	1	1	1	18	33	33
1-5 YRS	47	2.6	41	<1	1	1	2	3	8	44
6-12 YRS	20	2.5	4	<1	1	2	3	5	7	9
13-19 YRS	61	4.5	136	1	1	2	4	8	11	83
GRAND TOTAL	140	3.5	80	<1	1	1	3	6	10	49

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	3	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	75	99+	99+	99+
1-5 YRS	2	54.0	648	36	36	54	72	72	72	72
6-12 YRS	4	3.3	8	1	1	3	5	7	7	7
13-19 YRS	3	12.7	312	1	2	4	26	33	33	33
TOTAL SINGLE DX	10	2.7	2	<1	2	2	3	5	6	6
TOTAL MULTIPLE DX	11	14.6	530	1	1	4	34	80	97	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	5	1.8	1	1	1	2	3	90	99+	99+
1-5 YRS	5	23.0	964	<1	1	4	45	72	72	72
6-12 YRS	7	2.9	5	1	1	3	4	6	7	7
13-19 YRS	4	11.0	219	1	2	5	19	33	33	33
GRAND TOTAL	21	9.0	303	1	1	3	6	47	83	99+

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	10	1.1		<1	<1	1	1	2	2	2
1-5 YRS	11	1.5	1	<1	1	1	2	3	4	4
6-12 YRS	6	1.3		<1	1	1	2	2	2	2
13-19 YRS	8	4.4	17	1	2	4	5	11	14	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	1.7		1	1	2	2	3	3	3
1-5 YRS	11	7.3	70	1	1	3	11	19	28	29
6-12 YRS	15	5.5	33	<1	2	4	7	12	20	23
13-19 YRS	23	9.0	396	1	2	3	7	15	50	97
TOTAL SINGLE DX	35	2.0	6	<1	1	1	2	4	5	14
TOTAL MULTIPLE DX	55	6.9	189	1	1	3	7	12	24	94
TOTAL										
0-27 DYS	0									
1-11 MOS	16	1.3		<1	1	1	2	2	3	3
1-5 YRS	22	4.4	43	<1	1	2	4	12	19	29
6-12 YRS	21	4.3	27	<1	1	2	6	10	17	23
13-19 YRS	31	7.8	299	1	2	4	7	13	24	97
GRAND TOTAL	**90**	**5.0**	**122**	**<1**	**1**	**2**	**5**	**11**	**14**	**70**

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	5	5.2	13	1	2	4	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	5.3	16	3	3	3	8	10	10	10
6-12 YRS	2	33.5	1201	9	9	33	58	58	58	58
13-19 YRS	14	16.2	126	5	7	12	26	36	36	36
TOTAL SINGLE DX	7	5.6	9	1	3	6	8	9	9	9
TOTAL MULTIPLE DX	20	15.7	200	3	5	11	23	36	47	58
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	5.3	16	3	3	3	8	10	10	10
6-12 YRS	4	20.0	643	6	6	8	33	58	58	58
13-19 YRS	19	13.3	119	3	5	10	19	33	36	36
GRAND TOTAL	**27**	**13.1**	**176**	**3**	**4**	**9**	**14**	**34**	**39**	**58**

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	3	3.3	1	2	2	4	4	4	4	4
6-12 YRS	9	5.4	3	3	4	5	6	8	9	9
13-19 YRS	10	8.5	51	3	4	5	11	20	26	26
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	56	99+	99+	99+	99+
1-5 YRS	6	20.2	641	3	3	5	43	59	61	61
6-12 YRS	10	9.9	64	5	6	7	10	22	32	32
13-19 YRS	13	19.3	206	5	8	14	30	42	47	48
TOTAL SINGLE DX	24	6.2	26	3	3	5	7	11	18	26
TOTAL MULTIPLE DX	30	16.1	238	4	6	9	28	45	60	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	3	6.0	37	2	2	8	56	99+	99+	99+
1-5 YRS	9	14.6	472	2	3	4	15	54	61	61
6-12 YRS	19	7.8	39	4	5	6	8	11	23	32
13-19 YRS	23	14.6	164	3	5	9	24	34	43	48
GRAND TOTAL	**54**	**11.7**	**166**	**3**	**4**	**6**	**13**	**32**	**47**	**98**

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	2.0		1	1	2	3	3	3	3
1-5 YRS	7	1.7	1	1	1	1	2	4	4	4
6-12 YRS	5	7.0	13	3	4	7	10	12	12	12
13-19 YRS	7	7.9	13	3	4	8	11	12	12	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	9.7	114	3	3	4	17	22	22	22
1-5 YRS	10	5.1	14	2	2	4	5	12	12	12
6-12 YRS	7	21.4	794	5	6	11	20	72	84	84
13-19 YRS	6	7.0	5	4	5	8	10	82	99+	99+
TOTAL SINGLE DX	25	4.6	15	1	2	3	8	12	12	12
TOTAL MULTIPLE DX	26	10.5	254	2	4	6	12	22	86	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	9	4.6	44	1	2	3	3	15	22	22
1-5 YRS	17	3.7	12	1	2	2	4	10	12	12
6-12 YRS	12	15.4	494	4	5	8	13	41	78	84
13-19 YRS	13	7.5	9	3	5	8	10	21	82	99+
GRAND TOTAL	**51**	**7.6**	**143**	**1**	**2**	**5**	**9**	**13**	**22**	**99+**

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	19	2.2	5	<1	1	1	3	4	8	11
6-12 YRS	8	4.3	6	1	2	4	6	8	8	8
13-19 YRS	12	6.8	44	1	2	6	9	16	23	24
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	20	4.9	16	1	2	4	7	8	14	19
6-12 YRS	9	13.3	318	3	5	8	12	41	60	60
13-19 YRS	27	8.1	26	3	5	6	11	14	20	22
TOTAL SINGLE DX	40	4.0	20	<1	1	2	5	9	12	24
TOTAL MULTIPLE DX	58	7.7	71	2	3	6	9	13	20	57
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.0	3	<1	1	4	4	4	4	4
1-5 YRS	39	3.6	13	1	1	2	5	8	10	19
6-12 YRS	17	9.1	184	2	3	6	8	13	44	60
13-19 YRS	39	7.7	31	1	4	6	11	14	21	24
GRAND TOTAL	98	6.1	53	1	2	5	8	12	17	43

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	2.5	4	1	1	2	4	6	6	6
6-12 YRS	8	2.0		1	1	2	3	3	3	3
13-19 YRS	12	2.6	5	1	1	2	3	7	8	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	4.4	27	1	1	3	4	14	16	16
6-12 YRS	17	3.9	54	1	1	1	3	10	24	31
13-19 YRS	17	3.6	19	1	1	2	4	13	15	15
TOTAL SINGLE DX	27	2.3	3	1	1	2	3	5	7	8
TOTAL MULTIPLE DX	41	3.9	34	1	1	2	4	12	16	31
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	13	3.5	17	1	1	2	4	8	14	16
6-12 YRS	25	3.3	38	1	1	2	3	5	16	31
13-19 YRS	29	3.2	14	1	1	2	4	7	15	15
GRAND TOTAL	68	3.3	22	1	1	2	3	6	15	28

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	2	25.5	1201	1	1	25	50	50	50	50
TOTAL										
0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	3	17.3	800	1	1	1	38	50	50	50

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	30	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	0									
6-12 YRS	4	1.5	1	1	1	1	2	3	3	3
13-19 YRS	11	1.5		<1	1	1	2	3	4	4
TOTAL SINGLE DX	36	1.2		<1	<1	<1	1	2	2	4
TOTAL MULTIPLE DX	17	3.1	36	1	1	1	2	4	18	26
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	9	1.3	1	<1	1	1	2	3	3	3
13-19 YRS	41	1.3	1	<1	<1	1	1	2	3	4
GRAND TOTAL	53	1.8	12	<1	<1	1	1	2	4	25

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	8	1.8	1	<1	1	1	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	20.5	313	8	8	20	33	33	33	33
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
TOTAL SINGLE DX	11	1.8	1	<1	1	1	3	4	4	4
TOTAL MULTIPLE DX	5	9.6	177	2	2	3	14	33	33	33
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	20.5	313	8	8	20	33	33	33	33
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	10	1.9	1	<1	1	2	3	4	4	4
GRAND TOTAL	16	4.3	62	1	1	2	3	8	25	33

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
TOTAL SINGLE DX	3	1.3		1	1	1	2	2	2	2
TOTAL MULTIPLE DX	5	3.8	6	1	2	4	5	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	1.8	2	1	1	1	2	4	4	4
GRAND TOTAL	8	2.9	5	1	1	2	4	6	7	7

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	2.8	5	1	1	2	3	7	7	7
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	0									
6-12 YRS	19	1.7		1	1	1	3	3	3	3
13-19 YRS	447	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	8	5.1	8	3	3	4	7	10	10	10
1-11 MOS	6	5.2	3	3	3	5	6	8	8	8
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	7	6.7	47	1	1	4	11	17	19	19
13-19 YRS	191	2.0	3	1	1	2	2	3	4	12
TOTAL SINGLE DX	473	1.8	1	1	1	2	2	3	3	7
TOTAL MULTIPLE DX	214	2.4	6	1	1	2	3	4	8	14
TOTAL										
0-27 DYS	13	4.2	8	2	2	3	6	9	10	10
1-11 MOS	8	5.0	3	3	3	5	6	7	8	8
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	26	3.1	17	1	1	2	3	9	13	19
13-19 YRS	638	1.9	2	1	1	2	2	3	4	8
GRAND TOTAL	687	2.0	3	1	1	2	2	3	4	10

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	1.5	1	1	1	1	2	3	3	3
1-5 YRS	5	2.4	1	1	2	2	3	4	4	4
6-12 YRS	7	2.3	2	1	1	2	3	5	5	5
13-19 YRS	299	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	4	2.3	3	<1	<1	1	3	5	5	5
13-19 YRS	65	2.1	5	1	1	1	2	5	6	15
TOTAL SINGLE DX	316	1.8	2	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	73	2.2	5	1	1	1	2	5	6	14
TOTAL										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	1.4	1	1	1	1	2	3	3	3
1-5 YRS	7	2.7	1	1	2	3	4	4	4	4
6-12 YRS	11	2.3	2	<1	1	2	3	5	5	5
13-19 YRS	364	1.8	2	1	1	1	2	3	4	6
GRAND TOTAL	389	1.9	2	1	1	1	2	4	5	7

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	8	3.5	11	1	1	2	6	9	10	10
1-11 MOS	127	2.3	16	<1	<1	1	2	3	7	24
1-5 YRS	287	1.9	6	<1	<1	1	2	3	6	12
6-12 YRS	179	2.1	7	<1	<1	1	2	4	6	16
13-19 YRS	148	2.0	4	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
0-27 DYS	73	5.1	90	1	2	2	4	12	25	93
1-11 MOS	99	5.5	46	1	1	3	7	13	20	37
1-5 YRS	184	6.2	64	1	1	3	7	16	27	42
6-12 YRS	157	6.3	78	<1	1	3	7	16	26	41
13-19 YRS	157	8.0	97	1	2	5	10	19	27	56
TOTAL SINGLE DX	749	2.0	8	<1	<1	1	2	4	6	15
TOTAL MULTIPLE DX	670	6.4	76	1	1	3	7	16	26	48
TOTAL										
0-27 DYS	81	4.9	82	1	2	2	4	11	23	91
1-11 MOS	226	3.7	32	<1	1	1	4	8	15	32
1-5 YRS	471	3.6	34	<1	<1	1	3	8	16	33
6-12 YRS	336	4.1	45	<1	<1	1	4	10	17	37
13-19 YRS	305	5.1	62	<1	1	2	6	13	19	43
GRAND TOTAL	1419	4.1	45	<1	1	1	4	10	17	36

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	20	3.2	9	1	1	1	5	8	10	11
1-5 YRS	98	3.8	16	1	1	2	5	8	11	22
6-12 YRS	192	4.5	20	1	1	3	6	10	15	23
13-19 YRS	302	3.6	11	1	1	2	5	8	10	17
2. MULTIPLE DX										
0-27 DYS	6	25.2	167	10	16	28	41	89	99+	99+
1-11 MOS	82	11.6	143	1	4	8	16	28	42	88
1-5 YRS	404	10.8	145	1	2	7	15	28	35	66
6-12 YRS	405	10.3	136	1	3	6	13	25	33	63
13-19 YRS	912	9.1	146	1	3	5	12	24	35	98
TOTAL SINGLE DX	612	3.9	15	1	1	3	5	9	11	21
TOTAL MULTIPLE DX	1809	10.1	145	1	3	6	13	25	35	80
TOTAL										
0-27 DYS	6	25.2	167	10	16	28	41	89	99+	99+
1-11 MOS	102	9.9	128	1	2	6	13	27	39	81
1-5 YRS	502	9.4	128	1	2	5	12	25	33	64
6-12 YRS	597	8.4	107	1	2	5	10	20	29	56
13-19 YRS	1214	8.0	119	1	2	4	10	19	30	84
GRAND TOTAL	2421	8.5	119	1	2	5	10	22	31	66

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	3.9	2	2	3	3	5	6	6	6
1-11 MOS	114	3.6	9	1	1	3	5	8	11	15
1-5 YRS	465	3.1	12	<1	1	2	4	6	9	15
6-12 YRS	405	3.2	11	1	1	2	4	7	9	19
13-19 YRS	427	3.3	12	<1	1	2	4	7	9	18
2. MULTIPLE DX										
0-27 DYS	101	6.9	113	2	3	4	6	11	28	65
1-11 MOS	226	7.4	85	2	3	5	8	15	23	50
1-5 YRS	841	5.3	35	1	2	3	7	12	17	33
6-12 YRS	840	4.9	42	1	1	3	6	11	16	37
13-19 YRS	1749	4.5	47	1	1	2	5	10	15	36
TOTAL SINGLE DX	1418	3.2	12	<1	1	2	4	7	9	16
TOTAL MULTIPLE DX	3757	5.0	49	1	1	3	6	11	16	38
TOTAL										
0-27 DYS	108	6.7	106	2	3	4	6	11	27	64
1-11 MOS	340	6.2	63	1	2	4	7	12	17	48
1-5 YRS	1306	4.5	29	1	1	3	5	10	15	30
6-12 YRS	1245	4.4	33	1	1	2	5	10	14	29
13-19 YRS	2176	4.3	41	1	1	2	5	9	14	32
GRAND TOTAL	5175	4.5	39	1	1	3	5	10	14	33

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	2.3	6	1	1	1	4	6	6	6
1-11 MOS	24	6.8	74	< 1	1	3	7	24	26	27
1-5 YRS	109	4.7	32	< 1	1	2	6	11	16	31
6-12 YRS	87	4.1	14	1	1	3	6	9	12	19
13-19 YRS	79	5.6	43	1	1	3	8	13	19	33
2. MULTIPLE DX										
0-27 DYS	5	31.0	156	15	22	29	43	45	45	45
1-11 MOS	69	14.8	266	1	1	12	23	34	41	99 +
1-5 YRS	240	14.0	182	1	3	11	20	31	38	64
6-12 YRS	138	13.3	201	1	3	10	18	30	40	94
13-19 YRS	183	12.0	132	2	4	10	17	25	35	68
TOTAL SINGLE DX	303	4.9	34	1	1	3	6	11	17	30
TOTAL MULTIPLE DX	635	13.5	183	1	3	10	19	31	39	73
TOTAL										
0-27 DYS	9	18.2	310	1	1	15	32	44	45	45
1-11 MOS	93	12.8	228	< 1	1	8	20	32	35	99 +
1-5 YRS	349	11.1	154	1	2	7	16	26	36	63
6-12 YRS	225	9.7	149	1	2	6	13	21	32	74
13-19 YRS	262	10.1	114	1	2	7	14	22	33	57
GRAND TOTAL	938	10.7	151	1	2	7	15	26	34	63

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.9	5	< 1	1	2	4	7	7	7
1-5 YRS	24	2.2	8	1	1	1	2	4	9	15
6-12 YRS	51	2.9	8	< 1	1	2	4	8	9	12
13-19 YRS	27	2.9	16	1	1	1	3	6	12	20
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	4.0	12	1	1	4	7	8	8	8
1-5 YRS	43	8.4	229	1	1	2	8	20	42	69
6-12 YRS	37	4.6	74	1	1	2	4	10	15	51
13-19 YRS	66	6.8	68	1	1	3	9	19	26	35
TOTAL SINGLE DX	110	2.7	10	1	1	1	3	7	9	17
TOTAL MULTIPLE DX	150	6.6	115	1	1	2	8	18	25	69
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	3.3	7	< 1	1	2	6	7	8	8
1-5 YRS	67	6.1	158	1	1	2	5	18	22	69
6-12 YRS	88	3.6	36	1	1	2	4	8	10	37
13-19 YRS	93	5.7	56	1	1	2	8	17	23	35
GRAND TOTAL	260	5.0	74	1	1	2	5	12	19	49

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	10.0	2	9	9	10	11	11	11	11
1-11 MOS	90	1.7	4	< 1	1	1	1	3	4	14
1-5 YRS	233	2.1	5	< 1	1	1	2	4	7	12
6-12 YRS	177	2.2	4	< 1	1	1	3	5	7	10
13-19 YRS	167	2.9	10	< 1	1	2	4	6	8	19
2. MULTIPLE DX										
0-27 DYS	10	3.2	2	1	2	3	4	5	6	6
1-11 MOS	104	4.8	55	1	1	2	5	13	20	39
1-5 YRS	407	4.8	43	1	1	3	6	10	16	36
6-12 YRS	256	4.8	53	1	1	2	5	11	17	37
13-19 YRS	321	5.8	67	1	2	3	6	11	23	46
TOTAL SINGLE DX	669	2.3	6	< 1	1	1	3	5	7	12
TOTAL MULTIPLE DX	1098	5.1	53	1	1	3	6	11	17	39
TOTAL										
0-27 DYS	12	4.3	9	1	2	3	5	10	11	11
1-11 MOS	194	3.4	34	1	1	1	3	7	15	29
1-5 YRS	640	3.8	31	1	1	2	4	9	13	33
6-12 YRS	433	3.7	35	< 1	1	2	4	9	12	31
13-19 YRS	488	4.8	49	1	1	3	5	10	16	40
GRAND TOTAL	1767	4.0	37	1	1	2	4	9	13	34

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	5	1.8	1	1	1	1	2	4	4	4
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	1.6		1	1	1	2	3	3	3
1-5 YRS	27	2.7	5	1	1	2	3	7	8	10
6-12 YRS	18	4.7	22	1	2	4	6	6	16	22
13-19 YRS	9	7.4	95	1	3	5	6	23	33	33
TOTAL SINGLE DX	12	2.2	2	1	1	2	3	4	4	4
TOTAL MULTIPLE DX	68	3.7	23	1	1	2	5	6	8	31
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	16	1.8	1	1	1	2	3	3	4	4
1-5 YRS	29	2.7	5	1	1	2	3	7	7	10
6-12 YRS	23	4.0	19	1	1	4	5	6	12	22
13-19 YRS	11	6.5	82	1	2	4	6	17	32	33
GRAND TOTAL	80	3.5	20	1	1	2	4	6	7	30

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	12	1.[illegible]	1	<1	<1	1	2	3	4	4
1-5 YRS	20	2.2	7	<1	1	1	2	6	10	10
6-12 YRS	33	1.4		1	1	1	1	3	3	5
13-19 YRS	71	1.9	4	1	1	1	2	5	7	11
2. MULTIPLE DX										
0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	39	3.5	24	1	1	1	4	10	17	22
6-12 YRS	34	2.2	6	<1	1	1	3	5	7	13
13-19 YRS	74	5.3	62	1	1	2	6	17	23	87
TOTAL SINGLE DX	136	1.8	4	1	1	1	2	3	7	10
TOTAL MULTIPLE DX	155	4.0	39	1	1	1	4	11	18	48
TOTAL										
0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	16	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	59	3.1	19	1	1	1	3	9	13	22
6-12 YRS	67	1.8	4	1	1	1	2	4	5	12
13-19 YRS	145	3.6	37	1	1	1	4	10	17	51
GRAND TOTAL	291	2.9	24	1	1	1	3	7	11	27

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	2.4	7	1	1	1	3	7	7	7
1-5 YRS	23	1.9	1	<1	1	1	3	4	5	5
6-12 YRS	49	2.1	4	1	1	1	2	5	6	13
13-19 YRS	61	2.4	6	1	1	1	2	6	8	14
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	5.2	27	1	1	2	9	13	15	15
1-5 YRS	36	5.7	46	1	1	3	8	10	16	37
6-12 YRS	52	3.0	20	1	1	2	4	6	7	31
13-19 YRS	99	5.0	35	1	1	2	7	13	17	31
TOTAL SINGLE DX	138	2.2	5	1	1	1	2	5	7	13
TOTAL MULTIPLE DX	197	4.6	34	1	1	2	6	10	15	35
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	4.2	21	1	1	2	7	11	14	15
1-5 YRS	59	4.2	32	1	1	2	5	10	13	35
6-12 YRS	101	2.6	13	1	1	1	3	6	7	22
13-19 YRS	160	4.0	26	1	1	2	5	10	15	23
GRAND TOTAL	335	3.6	23	1	1	2	4	9	13	24

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	1.0		1	1	1	1	1	1	1
1-5 YRS	10	1.1		1	1	1	1	2	2	2
6-12 YRS	8	1.6	2	1	1	1	2	4	5	5
13-19 YRS	5	2.2		1	2	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	5	3.8	6	<1	1	3	6	7	7	7
1-11 MOS	20	3.4	17	1	1	2	3	10	15	16
1-5 YRS	39	2.0	13	1	1	1	1	2	8	22
6-12 YRS	15	1.2		1	1	1	1	2	3	3
13-19 YRS	4	1.8	2	1	1	1	3	4	4	4
TOTAL SINGLE DX	29	1.4	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	83	2.3	11	1	1	1	2	5	8	20
TOTAL										
0-27 DYS	5	3.8	7	<1	1	3	6	7	7	7
1-11 MOS	26	2.8	15	1	1	1	2	6	14	16
1-5 YRS	49	1.8	11	1	1	1	1	2	7	22
6-12 YRS	23	1.3	1	1	1	1	1	2	4	5
13-19 YRS	9	2.0	1	1	1	2	3	4	4	4
GRAND TOTAL	112	2.1	9	1	1	1	2	4	7	18

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	1.4		1	1	1	2	3	3	3
1-5 YRS	18	2.8	39	1	1	1	2	3	18	28
6-12 YRS	42	2.3	5	1	1	2	2	5	8	12
13-19 YRS	217	2.9	10	1	1	2	3	7	8	14
2. MULTIPLE DX										
0-27 DYS	8	21.3	476	4	7	16	23	58	72	72
1-11 MOS	18	6.6	127	1	1	2	6	25	37	42
1-5 YRS	43	3.4	19	<1	1	2	3	11	14	21
6-12 YRS	47	4.2	14	1	1	2	7	10	11	16
13-19 YRS	240	5.1	33	1	1	3	7	11	14	32
TOTAL SINGLE DX	284	2.8	11	1	1	2	3	6	8	17
TOTAL MULTIPLE DX	356	5.2	49	1	1	2	7	12	17	37
TOTAL										
0-27 DYS	8	21.3	477	4	7	16	23	58	72	72
1-11 MOS	25	5.1	96	1	1	1	3	15	32	42
1-5 YRS	61	3.2	25	1	1	1	2	9	14	27
6-12 YRS	89	3.3	11	1	1	2	4	9	10	15
13-19 YRS	457	4.0	24	1	1	2	5	9	12	29
GRAND TOTAL	**640**	**4.1**	**33**	**1**	**1**	**2**	**5**	**10**	**13**	**29**

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	71	4.2	18	1	1	3	5	10	15	21
1-11 MOS	432	2.7	7	1	1	2	3	5	8	15
1-5 YRS	866	2.3	10	1	1	1	2	4	6	15
6-12 YRS	863	2.7	17	1	1	2	3	5	8	18
13-19 YRS	996	4.1	55	1	1	2	4	7	14	44
2. MULTIPLE DX										
0-27 DYS	332	10.2	118	2	4	7	12	24	35	55
1-11 MOS	971	5.4	34	1	2	4	7	12	15	25
1-5 YRS	2245	4.4	28	1	1	3	5	10	13	28
6-12 YRS	2016	6.0	105	1	1	3	6	14	25	62
13-19 YRS	2496	5.5	68	1	1	3	6	11	21	51
TOTAL SINGLE DX	3228	3.0	27	1	1	2	3	6	9	27
TOTAL MULTIPLE DX	8060	5.5	66	1	2	3	6	12	18	48
TOTAL										
0-27 DYS	403	9.1	106	2	3	6	11	20	30	53
1-11 MOS	1403	4.5	28	1	1	3	6	10	13	23
1-5 YRS	3111	3.8	25	1	1	2	4	8	12	25
6-12 YRS	2879	5.0	82	1	1	2	5	11	18	54
13-19 YRS	3492	5.1	66	1	1	3	5	10	20	49
GRAND TOTAL	**11288**	**4.8**	**56**	**1**	**1**	**2**	**5**	**10**	**16**	**43**

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	527	2.7	3	1	2	2	3	5	6	9
1-11 MOS	1071	3.3	16	1	1	2	4	6	8	16
1-5 YRS	1171	3.2	9	1	1	2	4	6	8	15
6-12 YRS	1008	3.3	13	1	1	2	4	6	8	15
13-19 YRS	2684	3.4	21	1	1	2	4	6	9	24
2. MULTIPLE DX										
0-27 DYS	3101	8.3	116	2	2	4	9	20	31	56
1-11 MOS	3583	5.7	36	2	2	4	7	11	15	34
1-5 YRS	3411	5.1	33	1	2	4	6	10	14	29
6-12 YRS	2625	5.6	48	1	2	4	6	12	18	36
13-19 YRS	4913	5.2	52	1	2	3	5	10	15	42
TOTAL SINGLE DX	6461	3.3	16	1	1	2	4	6	8	19
TOTAL MULTIPLE DX	17633	5.9	58	1	2	4	6	12	19	42
TOTAL										
0-27 DYS	3628	7.5	104	2	2	4	8	18	29	54
1-11 MOS	4654	5.1	33	1	2	4	6	10	14	30
1-5 YRS	4582	4.6	28	1	2	3	5	9	12	25
6-12 YRS	3633	5.0	40	1	2	3	6	10	15	34
13-19 YRS	7597	4.5	43	1	2	3	5	8	13	37
GRAND TOTAL	**24094**	**5.2**	**48**	**1**	**2**	**3**	**6**	**10**	**16**	**38**

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	36	6.2	24	1	2	4	9	14	17	18
1-11 MOS	20	4.6	11	1	2	4	7	8	12	15
1-5 YRS	65	4.3	52	1	2	2	4	7	10	43
6-12 YRS	31	5.4	126	1	2	3	5	7	9	65
13-19 YRS	22	4.7	12	1	2	4	6	10	12	14
2. MULTIPLE DX										
0-27 DYS	1790	26.2	563	4	9	19	48	82	99+	99+
1-11 MOS	516	15.0	219	3	6	11	19	39	57	99+
1-5 YRS	617	9.4	146	2	3	5	11	25	40	99+
6-12 YRS	244	10.8	184	2	3	6	13	26	43	99+
13-19 YRS	241	8.6	71	2	3	5	12	22	31	99+
TOTAL SINGLE DX	174	4.9	50	1	2	3	6	9	14	43
TOTAL MULTIPLE DX	3408	19.1	433	2	5	12	30	64	92	99+
TOTAL										
0-27 DYS	1826	25.8	561	4	8	18	47	82	99+	99+
1-11 MOS	536	14.6	216	3	6	10	19	36	56	99+
1-5 YRS	682	8.9	140	2	3	5	10	23	39	99+
6-12 YRS	275	10.2	180	2	3	6	12	25	43	99+
13-19 YRS	263	8.3	67	2	3	5	11	21	29	99+
GRAND TOTAL	3582	18.4	423	2	5	11	28	62	90	99+

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	950	2.5	1	1	2	2	3	4	5	6
1-11 MOS	1030	3.4	8	1	2	3	4	6	8	16
1-5 YRS	2164	4.0	26	1	1	2	4	9	18	23
6-12 YRS	1352	6.0	63	1	2	3	5	20	25	34
13-19 YRS	903	6.6	72	1	2	3	6	19	26	41
2. MULTIPLE DX										
0-27 DYS	2499	5.1	48	2	2	3	5	10	18	39
1-11 MOS	3247	4.4	15	2	2	3	5	8	11	21
1-5 YRS	4254	4.2	22	1	2	3	4	8	13	26
6-12 YRS	1952	7.1	86	1	2	3	7	21	26	45
13-19 YRS	1900	9.7	144	2	3	5	12	25	33	70
TOTAL SINGLE DX	6399	4.5	36	1	2	2	4	10	19	30
TOTAL MULTIPLE DX	13852	5.6	55	1	2	3	6	12	20	39
TOTAL										
0-27 DYS	3449	4.4	37	1	2	3	4	8	14	35
1-11 MOS	4277	4.2	14	1	2	3	5	7	10	20
1-5 YRS	6418	4.1	24	1	2	3	4	8	15	24
6-12 YRS	3304	6.6	77	1	2	3	7	20	26	39
13-19 YRS	2803	8.7	124	1	2	4	10	22	31	62
GRAND TOTAL	20251	5.2	49	1	2	3	5	11	20	36

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	859	2.1	1	1	1	2	3	4	4	5
1-11 MOS	106	3.7	5	1	2	3	5	6	8	14
1-5 YRS	143	2.8	2	1	2	2	3	5	6	8
6-12 YRS	127	3.4	7	1	2	3	4	6	7	16
13-19 YRS	191	3.5	10	1	2	3	4	6	9	16
2. MULTIPLE DX										
0-27 DYS	1237	6.2	83	1	2	4	6	13	23	62
1-11 MOS	470	5.7	27	2	3	4	7	11	16	30
1-5 YRS	472	4.7	27	2	2	3	5	9	12	24
6-12 YRS	235	5.3	25	2	2	4	6	11	14	30
13-19 YRS	437	4.5	25	1	2	3	5	9	13	25
TOTAL SINGLE DX	1426	2.6	4	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	2851	5.5	52	1	2	4	6	11	16	43
TOTAL										
0-27 DYS	2096	4.5	54	1	2	3	4	8	15	43
1-11 MOS	576	5.3	24	2	3	4	6	10	14	29
1-5 YRS	615	4.2	22	1	2	3	5	8	10	21
6-12 YRS	362	4.6	20	2	2	3	5	10	13	24
13-19 YRS	628	4.2	21	1	2	3	5	8	12	23
GRAND TOTAL	4277	4.6	38	1	2	3	5	8	13	36

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1732	2.5	2	1	2	2	3	4	5	9
1-11 MOS	1121	2.9	7	1	1	2	4	6	8	14
1-5 YRS	1454	2.6	17	<1	1	2	3	5	7	16
6-12 YRS	958	4.0	49	1	1	2	4	7	12	37
13-19 YRS	1091	4.5	70	1	1	2	4	9	19	42
2. MULTIPLE DX										
0-27 DYS	6368	10.3	261	2	2	4	10	32	56	99+
1-11 MOS	3330	5.6	43	1	2	4	6	11	17	39
1-5 YRS	4052	4.8	43	1	2	3	5	10	16	37
6-12 YRS	2329	9.6	186	1	2	4	10	29	41	89
13-19 YRS	3250	7.7	144	1	2	3	8	24	36	92
TOTAL SINGLE DX	6356	3.2	26	1	1	2	3	5	8	28
TOTAL MULTIPLE DX	19329	7.8	155	1	2	3	7	21	36	89
TOTAL										
0-27 DYS	8100	8.6	217	1	2	3	7	25	47	99+
1-11 MOS	4451	4.9	36	1	2	3	6	10	15	34
1-5 YRS	5506	4.3	38	1	1	3	4	9	14	34
6-12 YRS	3287	8.0	154	1	2	3	7	25	36	78
13-19 YRS	4341	6.9	128	1	1	3	6	20	32	79
GRAND TOTAL	25685	6.7	127	1	2	3	6	16	30	79

APPENDIX A

1990 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	380	44	11.6
25-49	1,125	148	13.2
50-99	1,148	160	13.9
100-199	1,130	188	16.6
200-299	694	110	15.9
300-399	389	86	22.1
400-499	204	40	19.6
500+	262	56	21.4
Unknown	5	0	
Total	**5,337**	**832**	**15.6**
Region and Census Division			
Northeast	760	176	23.2
New England	226	72	31.9
Middle Atlantic	534	104	19.5
North Central	1,554	230	14.8
East North Central	811	198	24.4
West North Central	743	32	4.3
South	2,020	154	7.6
South Atlantic	792	87	11.0
East South Central	467	32	6.9
West South Central	761	35	4.6
West	1,003	272	27.1
Mountain	353	149	42.2
Pacific	650	123	18.9
Location			
Urban	2,812	497	17.7
Rural	2,525	335	13.3
Teaching Intensity			
Low	4,362	613	14.1
Medium	691	155	22.4
High	284	60	21.1
Unknown	0	4	

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 sample is compared to the universe of hospitals in 1989.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by American Medical Association (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 717, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
717	Repair and plastic operation on bone, except facial and femur	78.00-78.04; 78.06-78.14; 78.16-78.23; 78.27-78.34; 78.37-78.44; 78.46-78.54; 78.56-78.59; 78.70-78.74; 78.76-78.84; 78.86-78.94; 78.96-78.99; 79.90-79.94; 79.96-79.99
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.98; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1990 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
	Angiodysplasia
224	intestine
206	stomach
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	bone marrow transplant
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough

Group No.	Title
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
340	kidney disease
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional

DIAGNOSIS INDEX (continued)

Group No. Title

- Deformity
  - congenital-*see Anomaly, congenital*
  - 331 musculoskeletal, acquired
- 134 Degeneration, globe of eye
- 86 Dehydration
- 94 Delirium
- Delivery, complicated by:
  - 292 abnormality, bony pelvis
  - 286 abruptio placentae
  - 301 acute toxemia
  - 290 breech presentation
  - 292 cephalopelvic disproportion
  - 301 complication, not elsewhere classified
  - 301 eclampsia
  - 292 fetopelvic disproportion
  - 301 hypertensive disorder
  - 291 malpresentation, except breech
  - 289 multiple fetation
  - placenta
    - 286 abruptio
    - 285 previa
  - 301 pre-eclampsia
  - premature
    - 296 rupture of membranes
    - 286 separation of placenta
  - 295 previous cesarean section
  - 293 prolonged labor, not otherwise specified
  - 301 toxemia
  - 293 uterine inertia
- 284 Delivery, normal or uncomplicated
- Dementia
  - 95 Alzheimer's
  - 96 arteriosclerotic
  - 95 presenile
  - 97 senile
- Dependence
  - 110 alcoholic

Group No. Title

- Dependence **(continued)**
  - 112 amphetamine
  - 112 barbiturate
  - 112 cocaine
  - 111 heroin
  - 112 LSD
  - 112 marijuana
  - 111 methadone
  - 111 morphine
  - 111 opioid
- 116 Depression, except neurotic, postpartum, and psychotic
  - 108 neurotic
  - 281 postpartum
  - 104 psychotic
- Depressive
  - 108 neurosis
  - 104 psychosis
  - 108 reaction
- 317 Derangement, joint except knee
  - 316 knee joint
- 310 Dermatitis
- 134 Dermatochalasis
- 16 Dermatomycosis
- 128 Detachment of retina
- 183 Deviated nasal septum
- Diabetes mellitus
  - 357 chemical
  - 75 uncomplicated
  - 78 uncontrolled
- Diabetic complications
  - 76 acidosis
  - 78 cataract
  - 77 circulatory disorder
  - 76 coma
  - 77 gangrene
  - 78 nephropathy
  - 78 neuropathy

DIAGNOSIS INDEX (continued)

Group No.	Title
	Diabetic complications **(continued)**
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's

Group No.	Title
	Disease **(continued)**
80	Cushing's
340	cystic kidney
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
	Disease **(continued)**
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Disorder **(continued)**
  - 115 psychophysiologic
- 321 Displacement of intervertebral disc, except lumbar
  - 320 lumbar
- 173 Dissecting aortic aneurysm
- 195 Distress, acute respiratory
- 219 Diverticulitis
- 219 Diverticulosis
- Diverticulum
  - 199 esophagus
  - 219 intestine
- Drug
  - 114 abuse, except alcohol
  - 112 dependence, except opioid
    - 111 opioid
  - 99 induced psychosis
  - 402 poisoning or overdose
  - 99 withdrawal syndrome or symptoms
- 113 Drunkenness
- 206 Duodenal disease, except ulcer and inflammation
  - ulcer-*see Ulcer, duodenal*
- 205 Duodenitis
- 2 Dysentery
- Dysfunction
  - 79 ovarian
  - 332 somatic (osteopathic)
- 267 Dysmenorrhea
- 267 Dyspareunia
- 353 Dyspnea
- 108 Dysthymia
- 124 Dystrophy, muscular
- 354 Dysuria

- 346 Eclampsia
  - 275 of pregnancy
    - 301 with delivery
- 268 Ectopic pregnancy

Group No. **Title**

- Effect, adverse
  - 404 drugs, not otherwise specified
    - 402 overdose or wrong substance given or taken
  - 404 external conditions
  - 403 nonmedical substance
  - 404 radiation
  - 404 temperature
- 282 Elderly primigravida
  - 301 with delivery
- Elective
  - 269 abortion
  - 410 sterilization
- 86 Electrolyte imbalance or disorder
- Embolism
  - 175 arterial, except cerebral, precerebral, and lower limb
  - cerebral
    - 165 without paralysis
    - 166 with paralysis
  - 171 lower limb
  - precerebral
    - 163 without paralysis
    - 164 with paralysis
  - 151 pulmonary, except postoperative
    - 408 postoperative
  - 180 vein
- 191 Emphysema
- 120 Encephalitis, except viral
  - 13 viral
    - 20 late effect
- 152 Endocarditis, acute and subacute bacterial
- 80 Endocrine disease, except ovary, thyroid, and diabetes mellitus
- 259 Endometriosis
- 261 Endometritis, except puerperal
  - 302 puerperal
- 73 Enlarged thyroid
- 218 Enteritis, except bacterial, regional, and viral
  - 2 bacterial

DIAGNOSIS INDEX (continued)

Group No. Title

- Enteritis, except bacterial, regional, and viral **(continued)**
  - 218 noninfectious
  - 222 regional
  - 1 viral
- 252 Epididymitis
- 123 Epilepsy
- 349 Epistaxis
- 7 Erysipelas
- 71 Erythroplasia
- 180 Esophageal varices
- 199 Esophagitis
- 199 Esophagospasm
- 143 Essential benign hypertension
- Examination
  - 417 follow-up
  - 417 medical

- Failure
  - 156 heart, except hypertensive and postoperative
    - 144 hypertensive
      - 146 with renal disease or failure
    - 408 postoperative
  - 238 renal, except chronic and hypertensive
    - 237 chronic
    - 145 hypertensive
      - 146 with heart disease or failure
  - 195 respiratory (acute)
- 357 Fainting
- 277 False labor
- Fever
  - 141 active rheumatic
  - 347 of undetermined origin (FUO)
  - 2 paratyphoid
  - 302 puerperal
  - 5 scarlet
  - 2 typhoid
  - 13 yellow

Group No. Title

- Fibrillation or flutter
  - 154 atrial
  - 155 ventricular
- Fibrocystic disease
  - 255 breast
  - 82 pancreas
- 60 Fibroma, uterus
- 17 Filariasis
- 220 Fissure, anal
- 220 Fistula, anal
- 134 Flat anterior chamber
- 2 Food poisoning
- 397 Foreign body in body orifice
- Fracture
  - 372 ankle
  - 367 arm, except upper
    - 366 upper
  - 372 bimalleolar
  - 368 carpal
  - 373 clavicle
  - 367 Colles'
  - 361 face bone
  - 370 femur, except upper end
    - 369 upper end
  - 371 fibula, except lateral malleolus
  - 368 finger
  - 372 foot
  - 368 hand
  - 417 healed, aftercare, except removal of fixation device
    - 414 removal of fixation device
  - 369 hip
  - 366 humerus
  - 372 knee
  - 372 lateral malleolus
  - 371 leg, lower, except ankle
    - 370 upper, except hip
  - 361 mandible

Group No. Title

Fracture **(continued)**
372 medial malleolus
368 metacarpal
372 metatarsal
374 multiple bones
361 nose
372 patella
365 pelvis
367 radius
364 rib
373 scapula
skull
360 base, except with prolonged loss of consciousness
358 prolonged loss of consciousness
359 vault, except with prolonged loss of consciousness
358 prolonged loss of consciousness
spine
362 without cord injury
363 with cord injury
364 sternum
372 tarsal
364 thorax
371 tibia
372 toe
372 trimalleolar
367 ulna
vertebra
362 without cord injury
363 with cord injury
347 FUO (fever of undetermined origin)

229 Gallbladder disease, except calculus
228 with calculus
327 Ganglion, tendon sheath
351 Gangrene, except gas gangrene
7 gas
Gastric ulcer-*see Ulcer, gastric*

Group No. Title

205 Gastritis
218 Gastroenteritis, except infectious
2 infectious, except viral
218 noninfectious
1 viral
233 Gastrointestinal hemorrhage
172 Generalized arteriosclerosis
4 Generalized tuberculosis
330 Genu valgum or varum, except congenital
342 congenital
233 GI hemorrhage
130 Glaucoma, except acute
129 acute
129 closed-angle
129 open-angle
235 Glomerulonephritis, except acute
236 acute
73 Goiter
15 Gonorrhea
176 Goodpasture's syndrome
85 Gout
405 Graft-versus-Host disease, except of bone marrow
409 bone marrow
123 Grand mal epilepsy
282 Grand multiparity
410 without pregnancy

282 Habitual aborter
266 without pregnancy
326 Hallux valgus or varus, except congenital
342 congenital
326 Hammer toe
348 Headache, except migraine and tension
125 migraine
118 tension
417 Healed fracture aftercare, except removal of fixation device
414 removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
176	Hypersensitivity angiitis
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial

Group No.	Title
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury (**continued**)
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and, meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
72	Neurofibromatosis
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple, except by cesarean delivery
419	by cesarean delivery
411	single, except by cesarean delivery
418	by cesarean delivery
412	twin, except by cesarean delivery
419	by cesarean delivery
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery

Group No.	Title
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis

DIAGNOSIS INDEX (continued)

Group No.	Title
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine

Group No.	Title
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis

DIAGNOSIS INDEX (continued)

Group No.	Title
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	Title
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy **(continued)**
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt **(continued)**
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement **(continued)**
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. Title

Excision **(continued)**
- hydrocele (continued)
  - 663 spermatic cord
  - 658 tunica vaginalis
- 729 intervertebral disc or cartilage, except chemonucleolysis
  - 728 chemonucleolysis
- 732 joint, except intervertebral disc and cartilage of knee
  - 729 intervertebral disc, except chemonucleolysis
    - 728 chemonucleolysis
  - 730 knee cartilage
- 633 kidney, except partial
  - 636 partial
- 730 knee cartilage (semilunar)
- 583 lymph nodes, except radical
  - 584 radical
- 508 neuroma, peripheral nerve
- ovary
  - 670 bilateral
  - 669 unilateral
- 549 parotid gland
- 761 pilonidal cyst or sinus
- 515 pituitary gland
- 656 prostate, except transurethral approach
  - 655 transurethral approach
- 522 pterygium
- 762 sebaceous cyst, except of eyelid
  - 517 eyelid, eyebrow
- 730 semilunar cartilage, knee
- 586 spleen
- 514 thyroglossal duct or tract
- 513 thyroid
- 767 toenail
- 551 tongue
- 552 tonsil, except with adenoids
  - 553 with adenoids
- 555 tonsil tag

Group No. Title

Excision **(continued)**
- tubes and ovaries
  - 670 bilateral
  - 669 unilateral
- 678 uterine fibroid
- 577 varicocele, except of spermatic cord
  - 663 spermatic cord

Excision of lesion (and destruction of tissue)
- 628 abdominal wall
- 611 anus
- 619 bile duct, except by ERCP
  - 618 by ERCP
- 644 bladder, except transurethral approach
  - 642 transurethral approach
- 715 bone, except facial and femur
  - 706 facial
  - 714 femur
- 501 brain
- 757 breast
- 562 bronchus
- 501 cerebral meninges
- 676 cervix, except by conization
  - 675 conization
- 598 colon
- 520 conjunctiva
- 522 cornea
- 598 duodenum
- 533 ear, external
- 589 esophagus
- 531 eye
- 517 eyelid
- 674 fallopian tube
- 548 gingiva, gums
- 598 intestine
- 524 iris
- 636 kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach

Group No.	Title
	Excision of lesion **(continued)**
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No. **Title**

- 745 Fasciectomy, except of hand
  - 743 hand
- 741 Fasciotomy, except of hand
  - 743 hand
- Fistulectomy
  - 610 anal
  - 644 bladder
  - 555 branchial cleft
  - 563 bronchus
  - 602 intestine
  - 541 nasal
  - 541 nasolabial
  - 545 oroantral
  - 609 perirectal
  - 555 pharynx
  - 646 rectourethral
  - 687 rectouterine
  - 689 rectovaginal
  - 644 rectovesical
  - 609 rectum
  - 561 tracheoesophageal
- Fistulization
  - 523 sclera (for glaucoma)
  - 561 transesophageal (larynx)
- 756 Fitting, limb prosthesis
- 717 Fixation, internal, of bone, except hip or with fracture-reduction
  - 716 hip
  - with fracture-reduction-*see Fracture-reduction*
- 697 Forceps delivery, except low forceps
  - 695 low forceps
- Formation
  - 580 arteriovenous shunt for dialysis
  - 602 endoileal rectal pouch
  - 638 ileal conduit or bladder
- Fracture-reduction
  - 709 facial bone, except closed reduction
    - 708 closed reduction

Group No. **Title**

- Fracture-reduction **(continued)**
  - femur
    - 721 closed, except with internal fixation
      - 719 with internal fixation
    - 721 open, except with internal fixation
      - 720 with internal fixation
  - 709 mandible, except closed reduction
    - 708 closed reduction
  - 709 maxillofacial, except closed reduction
    - 708 closed reduction
  - 543 nose
  - other sites
    - 724 closed, except with internal fixation
      - 722 with internal fixation
    - 724 open, except with internal fixation
      - 723 with internal fixation
- 551 Frenectomy (labial) (tongue)
- 556 Frenotomy (labial) (tongue)
- 734 Fusion, joint, except spinal
  - 733 spinal

- 508 Ganglionectomy, except of tendon
  - 742 tendon (of hand)
- 508 Gasserian ganglionectomy
- 594 Gastrectomy, except total
  - 595 total
- 590 Gastroscopy, except surgical approach
  - 597 surgical approach (transabdominal)
- 592 Gastrostomy
- 591 Gastrotomy
- 707 Genioplasty
- 775 G.I. series x-ray
- 548 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 551 Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
764	infusion pump
755	limb prosthesis
764	vascular access device
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*

Group No.	Title
	Incision (and drainage) **(continued)**
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
	sclerosing agent
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis

OPERATION INDEX (continued)

Group No. **Title**

- Insertion **(continued)**
  - 767 tissue expander, except breast
    - 760 breast
  - 651 ureteral stent, except by incision
    - 637 by incision
  - 764 vascular access device
- 674 Insufflation, fallopian tubes
- 582 Interruption, vena cava
- 702 Intra-amniotic injection for termination of pregnancy
- 775 Intravenous pyelogram (IVP)
- 783 Intubation, nonoperative
- 783 Irrigation, nonoperative
- 775 IVP (intravenous pyelogram)

- 522 Keratotomy, radial

- Laceration repair (suture)-see *Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 729 excision of intervertebral disc
- 630 Laparoscopy, except for tubal ligation
  - 672 tubal ligation
- 629 Laparotomy, exploratory
- 559 Laryngectomy, except partial
  - 558 partial
- 576 Laryngoscopy
- 560 Laryngotomy
- 717 Lengthening of bone, except femur
  - 716 femur
- 526 Lens extraction, except intracapsular
  - 525 intracapsular
- 781 Leukopheresis
- Ligation
  - 673 fallopian tubes (bilateral), except endoscopic approach
    - 672 endoscopic approach
  - 612 hemorrhoids

Group No. **Title**

- Ligation **(continued)**
  - 577 varicose veins
  - 662 vas deferens
- 577 Ligation and stripping, varicose veins
- Lithotripsy
  - 644 bladder
  - 652 extracorporeal shock wave (ESWL)
  - 639 kidney
  - 652 ultrasonic
  - 640 ureter
- Lobectomy
  - 501 brain
  - 615 liver
  - 565 lung, except partial
    - 564 partial
- 695 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 632 abdominal
  - 744 hand
  - 524 iris
  - 727 joint
  - 746 muscle, except hand
    - 744 hand
  - 632 pelvis
  - 632 peritoneum
  - 746 tendon, except of hand
    - 744 hand

- 775 Magnetic resonance imaging (MRI)
- 760 Mammectomy
- 775 Mammography
- 760 Mammoplasty, augmentation or reduction
- 707 Mandibulectomy, except partial
  - 706 partial
- 707 Mandibulotomy

OPERATION INDEX (continued)

Group No.	Title
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral

Group No.	Title
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis

OPERATION INDEX (continued)

Group No.	Title
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
	Puncture **(continued)**
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible

OPERATION INDEX (continued)

Group No.	Title
	Reconstruction **(continued)**
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*
	Release **(continued)**
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid

Group No.	Title
	Repair **(continued)**
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve

OPERATION INDEX (continued)

Group No.	Title
	Repair **(continued)**
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
713	toe(s)
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee

Group No.	Title
	Replacement **(continued)**
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
	Sclerotherapy (injection)
589	esophageal varices
597	gastric varices
621	hemorrhoids
588	peripheral vein
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP

Group No.	Title
	Sphincterotomy **(continued)**
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*

OPERATION INDEX (continued)

Group No.	Title
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
783	Thallium stress test
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
570	and lung
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy

OPERATION INDEX (continued)

Group No.	Title
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin